3 1761 11632804 8

HANDBOUND
AT THE

UNIVERSITY OF
TORONTO PRESS

Government
Publications

Canada. Statistics bureau.

Vital statistics. 1927-28


Digitized by the Internet Archive
in 2023 with funding from
University of Toronto

https://archive.org/details/31761116328048

Canada

DOMINION BUREAU OF STATISTICS

VITAL STATISTICS

1927-28

Seventh Annual Report

Published by Authority of
The Honourable James Malcolm, M.P.
MINISTER OF TRADE AND COMMERCE

OTTAWA
F. A. ACLAND
PRINTER TO THE KING'S MOST EXCELLENT MAJESTY
1930 - 31

VITAL STATISTICS

1927

Seventh Annual Report

LIBRARY
FEB 4 1969
UNIVERSITY OF TORONTO

TABLE OF CONTENTS

PAGE

Preface vii

INTRODUCTION

General Summary—
Population by provinces, 1921-27 ix
Number of births, deaths and marriages in 1927 ix
Natural increase, 1921-27 x

Births—
Birth rates and masculinity of births, 1921-27 xi
Birth rates in other countries xiv
Births by months xiv
Births by ages of parents xv
Births by nativity of parents xvi
Births by racial origin of parents xviii
Illegitimate births xix

Stillbirths—
Stillbirths by age of mother and legitimacy, 1927 xxi
Proportion of stillbirths to total births by age of mother and order of birth, 1927. xxi
Stillbirths by sex and month of birth, 1927 xxii

Infant mortality (under one year)—
Infant mortality by provinces and sex, 1921-27 xxiii
Year of birth and age at death of infants dying in 1927 xxiv
Infant mortality in other countries xxv
Infant mortality by months xxvi
Infant mortality by quarters xxvii
Mortality of infants born in calendar year 1926 xxviii
Infant mortality by causes, 1926 and 1927 xxviii
Proportion of infant mortality rates for each sex from certain causes xxx
Causes of infant mortality by age periods xxxi
Infant mortality in cities of 40,000 population and over xxxii
Infant mortality rates for rural parts and urban communities classified by size.. xxxiii

Maternal mortality—
Maternal mortality by age groups and provinces, 1926 and 1927 xxxiv
Maternal mortality in other countries xxxv
Maternal mortality in the Registration Area as of 1921 during the years 1921-27 xxxv
Maternal mortality according to attendance and outcome of pregnancy xxxvi
Maternal mortality by causes of death xxxvi
Deaths from various causes associated with pregnancy and childbirth xxxvii

General mortality—
Total deaths and death rates by provinces, 1921-27 xxxix
Death rates in other countries xxxix
Age distribution of decedents xl
Deaths of centenarians in 1927 xli
Death rates by months, 1921-27 xli
Adjusted or standardized death rates xliii

Causes of death—
Deaths and death rates from certain causes xlv
Deaths and death rates of Indians from certain causes xlvi
Deaths and death rates of population exclusive of Indians from certain causes.. xlviii
Deaths and death rates from certain causes in the Registration Area as of 1921 during the years 1921-27 l
Communicable diseases li
Tuberculosis liii
Cancer liv
Diabetes mellitus lv
Diseases of the heart lvi
Diseases of the arteries lvi
Bronchitis lvi
Pneumonia lvii
Diarrhoea and enteritis lvii
Nephritis lvii
Violent deaths lviii
Proportion of deaths from certain causes lix
Proportionate distribution by age groups of deaths from certain causes lxi

Marriages— PAGE
Number of marriages and marriage rates by provinces, 1921-27 ... lxiii
Marriage rates in other countries ... lxiii
Marriage rates by months ... lxiv
Conjugal condition of contracting parties ... lxv
Age at marriage ... lxvi
Marriages at early ages ... lxix
Birthplace of bridegrooms and brides ... lxx

Vital Statistics of the Yukon and the Northwest Territories ... lxx

GENERAL TABLES

General Summary—
TABLE 1.—General summary of births, deaths and marriages in Canada by provinces and counties or census divisions, 1927 ... 3
TABLE 2.—General summary of births, deaths and marriages in cities and towns of 1,000 population and over, 1927 ... 6

Births—
TABLE 3.—Births (exclusive of stillbirths) by months, classified as rural and urban for each province, 1927 ... 12
TABLE 4.—Total births (exclusive of stillbirths) and births in public institutions, showing the number of mothers non-resident in the province, 1927 ... 12
TABLE 5.—Plural births classified to show number of children born alive and stillborn by sex, for provinces, 1927 ... 13
TABLE 6.—Births (exclusive of stillbirths) to resident and non-resident mothers and births in public institutions, in cities and towns of 5,000 population and over, 1927 ... 14
TABLE 7.—Births (exclusive of stillbirths) classified as legitimate or illegitimate, for provinces, cities and towns of 5,000 population and over, 1927 ... 18
TABLE 8.—Births (exclusive of stillbirths) classified according to ages of parents, 1927 ... 20
TABLE 9.—Births (exclusive of stillbirths) classified according to racial origin of parents, 1927 ... 40
TABLE 10.—Births (exclusive of stillbirths) classified according to age and racial origin of married mothers, 1927 ... 54
TABLE 11.—Births (exclusive of stillbirths) classified according to birthplaces of parents, 1927 ... 56
TABLE 12.—Births (exclusive of stillbirths) classified according to age and birthplace of married mothers, 1927 ... 76

Infant Mortality—
TABLE 13.—Deaths of children under one year (exclusive of stillbirths) in Canada, by months, classified as rural and urban for each province, 1927 ... 81
TABLE 14.—Total deaths (exclusive of stillbirths) and deaths in public institutions, of children under one year of age, showing the number non-resident in the province, 1927 ... 81
TABLE 15.—Total deaths (exclusive of stillbirths) and deaths in public institutions, of children under one year of age, classified according to residence of decedents, in cities and towns of 5,000 population and over, 1927 ... 82
TABLE 16.—Deaths of children under one year (exclusive of stillbirths) by age at death, 1927 ... 86
TABLE 17.—Deaths of children under one year of age (exclusive of stillbirths) classified according to racial origin of decedents, 1927 ... 87
TABLE 18.—Deaths of children under one year of age (exclusive of stillbirths) classified according to birthplace of parents, for Canada, 1927 ... 88
TABLE 19.—Deaths of children (exclusive of stillbirths) from certain specified causes in first year of life, by months, 1927 ... 90
TABLE 20.—Deaths of children (exclusive of stillbirths) from certain specified causes in first year of life, by ages, 1927 ... 106

General Mortality—
TABLE 21.—Total deaths (exclusive of stillbirths) in Canada by months, 1927 ... 129
TABLE 22.—Total deaths (exclusive of stillbirths) and deaths in public institutions showing the number non-resident in the province, 1927 ... 129
TABLE 23.—Total deaths (exclusive of stillbirths) and deaths in public institutions, classified according to residence of decedents in cities and towns of 5,000 population and over, 1927 ... 130

General Mortality—Concluded PAGE

TABLE 24.—Deaths (exclusive of stillbirths) by single years of age and by age groups, 1927 ... 134
TABLE 25.—Deaths (exclusive of stillbirths) classified according to racial origin of decedents, by provinces, 1927 ... 138
TABLE 26.—Deaths (exclusive of stillbirths) classified according to birthplace of decedents, by provinces, cities and towns of 10,000 population and over, 1927 ... 140
TABLE 27.—Deaths (exclusive of stillbirths) classified according to birthplace of parents of decedents for Canada, 1927 ... 148

Causes of Death—
TABLE 28.—Causes of death for each sex, by provinces, 1927 ... 150
TABLE 29.—Causes of death for each sex, by conjugal condition, nativity and month of death, for Canada, 1927 ... 160
TABLE 30.—Causes of death by sex and age, in Canada and in each province, 1927 ... 184
TABLE 31.—Causes of death by sex in cities of 40,000 and over, 1927 ... 388
TABLE 32.—Deaths of males in Canada, classified according to occupations, 1927 ... 399

Marriages—
TABLE 33.—Marriages in Canada, by months, 1927 ... 426
TABLE 34.—Marriages—Conjugal condition of contracting parties, by provinces, 1926-1927 ... 426
TABLE 35.—Marriages reported in rural and urban parts of counties or census divisions, 1927 ... 427
TABLE 36.—Marriages classified according to age and occupation of bridegrooms in Canada, 1927 ... 429
TABLE 37.—Marriages—Ages of bridegrooms and brides, 1927 ... 432
TABLE 38.—Marriages—Birthplace of bridegrooms and brides, 1927 ... 442
TABLE 39.—Marriages—Denominations of contracting parties, 1927 ... 460
TABLE 40.—Marriages—Literacy of bridegrooms and brides in Canada, classified by birthplace, 1927 ... 470

APPENDICES

Appendix I.—Births and Deaths amongst the Indian Population ... 471
TABLE A.—Births of Indians (exclusive of stillbirths) by months and provinces, 1927 ... 473
TABLE B.—Births of Indians (exclusive of stillbirths) classified as legitimate or illegitimate, by provinces, 1927 ... 473
TABLE C.—Births of Indians (exclusive of stillbirths) classified according to ages of parents, Canada, 1927 ... 474
TABLE D.—Stillbirths for Indians by age of mother and legitimacy of child, 1927 ... 476
TABLE E.—Deaths of Indian children under 1 year (exclusive of stillbirths) by months and provinces, 1927 ... 476
TABLE F.—Deaths of Indian children under 1 year (exclusive of stillbirths) by age at death, 1927 ... 477
TABLE G.—Deaths of Indian children (exclusive of stillbirths) from certain specified causes in first year of life, for each sex by provinces, 1927 ... 478
TABLE H.—Total deaths of Indians (exclusive of stillbirths) by months and provinces, 1927 ... 480
TABLE I.—Deaths of Indians (exclusive of stillbirths) by age at death, 1927 ... 481
TABLE J.—Causes of deaths of Indians by sex in each province, 1927 ... 482
TABLE K.—Causes of deaths of Indians by sex and age, Canada, 1927 ... 492

Appendix II.—Order of Birth ... 509
Order of birth of legitimate children born in 1927 (including still-born children), by age of mother and by provinces ... 511

Appendix III.—Schedule of Census Divisions in Prairie Provinces ... 515

Maps showing Census Divisions in Prairie Provinces.

PREFACE

The present is the Seventh Annual Report on Vital Statistics to be issued by the Dominion Bureau of Statistics on data obtained under arrangement with provincial Registration Departments. Like the Sixth Annual Report, the present volume covers all provinces of the Dominion.

The First, Second and Third Annual Reports contain a full account of the origin and purpose of the agreement between the Dominion and the provinces for the production of vital statistics, together with a sketch of the earlier development of these statistics in Canada. Registration of births, deaths and marriages is carried out by the provincial authorities, each province having passed an act making registration compulsory and prescribing that certain items of information be obtained on a uniform basis. Transcripts of the certificates are forwarded to the Dominion Bureau of Statistics and from these the Annual Reports for Canada are compiled. For the year 1927, in addition to the preparation of tables for the present volume, the Bureau of Statistics issued montly reports and a preliminary annual report, and supplied to the provinces of New Brunswick, Quebec, Ontario, Manitoba, Saskatchewan, Alberta and British Columbia the compilations required for their respective reports.

As in past years, the statistics of births, deaths and marriages among the Indian population of the co-operating provinces are included in the present report. They are also given separately in Appendix I. Attention is directed to the summary of the vital statistics of the Yukon and Northwest Territories at the end of the Introduction.

The collection of the data and the preparation of the Report were under the direction o f Mr. E. S. Macphail, Chief of the Demography Branch of the Bureau, assisted by Mr. W. R. Tracey.

R. H. COATS,
Dominion Statistician.

Dominion Bureau of Statistics, January, 1929.

VITAL STATISTICS, CANADA, 1927

INTRODUCTION

This report presents statistics of births, deaths and marriages for the calendar year 1927 in the nine provinces of Canada, all of which co-operate with the Dominion Bureau of Statistics in producing a national vital statistic. As the province of Quebec has only been included in the national system since the commencement of the year 1926, comparisons in time for this province in the present report are limited to that period, while for the remaining eight provinces which are here spoken of collectively as "the Registration Area as of 1921", they are carried back to 1921.

While the Yukon Territory and the Northwest Territories are not included with the provinces in the figures presented, the births, deaths and marriages registered in these territories for the year 1927 are given separately at the end of the introduction. Owing to the small population of the territories, their vital statistics have in any case very small influence on the total for the Dominion.

The population of Canada by provinces for the years 1921–27 is shown in Table I. To facilitate the computation of rates for the Registration Area as of 1921, a separate total has been made for the eight provinces included in this area.

TABLE I.—POPULATION BY PROVINCES, 1921-1927

Year	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	**Canada** (1)	Registration Area as of 1921(2)
1921.....	88,615	523,837	(3)387,876	2,361,199	2,933,662	610,118	757,510	588,454	524,582	**8,775,853**	(3)6,414,654
1922.....	88,000	528,000	392,000	2,400,000	2,981,000	616,000	771,000	592,000	539,000	**8,907,000**	6,507,000
1923.....	88,000	530,000	396,000	2,439,000	3,019,000	621,000	783,000	596,000	544,000	**9,016,000**	6,577,000
1924.....	88,000	534,000	399,000	2,480,000	3,062,000	627,000	797,000	599,000	553,000	**9,139,000**	6,659,000
1925.....	87,000	537,000	403,000	2,520,000	3,103,000	633,000	810,000	603,000	561,000	**9,257,000**	6,737,000
1926.....	87,000	540,000	407,000	2,562,000	3,146,000	639,000	821,000	608,000	568,000	**9,378,000**	6,816,000
1927.....	87,000	543,000	411,000	2,604,000	3,187,000	647,000	836,000	617,000	575,000	**9,507,000**	6,903,000

(1) Yukon and the Northwest Territories, with a population of 12,145 in 1921, are not included. Tables of births, death and marriages for these territories are, however, given at the end of this introduction.

(2) Comprising the provinces of Prince Edward Island, Nova Scotia, New Brunswick, Ontario, Manitoba, Saskatchewan Alberta and British Columbia.

(3) Vital Statistics of Kent Co., New Brunswick, were not collected until May 1, 1921. Therefore in computing rates for that year one-third of the population of this county has been excluded, reducing the figure for New Brunswick to 379,904 and that for the Registration Area to 6,406,682.

NOTE.—Populations for 1921 and those of Manitoba, Saskatchewan and Alberta for 1926 are census figures. Remaining figures are estimates.

The number of births, deaths and marriages during the calendar year 1927 is given by provinces in Table II. The figures are divided into rural and urban, the urban comprising all incorporated cities and towns of 1,000 population and over, and the rural the remainder.

TABLE II.—BIRTHS, DEATHS AND MARRIAGES BY PROVINCES, 1927

Province	Births(2)	Deaths(2)	Marriages	Province	Births(2)	Deaths(2)	Marriages
Canada (1).....	**234,188**	**105,292**	**69,515**	Ontario.....	67,671	34,775	24,677
Rural.....	**117,129**	**46,708**	**23,018**	Rural.....	25,846	12,961	5,979
Urban.....	**117,059**	**58,584**	**46,497**	Urban.....	41,825	21,814	18,698
Prince Edward Island.....	1,697	913	482	Manitoba.....	14,147	5,309	4,716
Rural.....	1,351	636	241	Rural.....	7,505	2,405	1,538
Urban.....	346	277	241	Urban.....	6,642	2,904	3,178
Nova Scotia.....	11,134	6,378	3,042	Saskatchewan.....	21,015	6,031	5,733
Rural.....	5,635	3,224	816	Rural.....	15,954	4,015	2,814
Urban.....	5,499	3,154	2,226	Urban.....	5,061	2,016	2,919
New Brunswick.....	10,479	4,902	2,887	Alberta.....	14,897	5,059	4,707
Rural.....	7,103	3,058	1,369	Rural.....	8,611	2,817	1,558
Urban.....	3,376	1,844	1,518	Urban.....	6,286	2,242	3,149
Quebec.....	83,064	36,175	18,551	British Columbia.....	10,084	5,750	4,720
Rural.....	41,872	15,576	7,690	Rural.....	3,252	2,016	1,013
Urban.....	41,192	20,599	10,861	Urban.....	6,832	3,734	3,707

(1) See note 1, table I. (2) Exclusive of stillbirths. NOTE.—"Urban" includes cities and towns of 1,000 population and over according to the Census of 1926 in Manitoba, Saskatchewan and Alberta and the Census of 1921 in the remaining provinces. "Rural" comprises the remaining parts.

Natural Increase.—The natural increase to the population of the provinces of Canada by the excess of births over deaths in 1927 was 128,896. During the year there were 120,655 male births and 113,533 female births reported, making a total of 234,188 for both sexes, and in the same period the total number of deaths reported was 105,292, of which 56,265 were males as against 49,027 females. There were, therefore, 64,390 males and 64,506 females added by natural increase to the population of Canada in 1927, a difference of 116 in favour of the female sex. The rate of natural increase per 1,000 population for both sexes combined was 13·5.

For the Registration Area as of 1921 the natural increase during the year 1927 was 82,007, or 11·9 per 1,000 population, as compared with 80,382, or 11·8 per 1,000, in 1926.


TABLE III.—EXCESS OF BIRTHS OVER DEATHS, BY PROVINCES FOR EACH SEX, 1921-1927.

Province		Male			Female			Both sexes	
		Births(2)	Deaths(2)	Excess of births over deaths	Births(2)	Deaths(2)	Excess of births over deaths	Excess of births over deaths	Rate of natural increase per 1,000 population
Prince Edward Island	1921	1,073	619	454	1,083	590	493	947	10·7
	1922	1,104	588	516	1,056	525	531	1,047	11·9
	1923	981	552	429	996	598	398	827	9·4
	1924	928	490	438	930	466	464	902	10·2
	1925	877	513	364	798	484	314	678	7·8
	1926	887	452	435	865	446	419	854	9·8
	1927	890	451	439	807	462	345	784	9·0
Nova Scotia	1921	6,695	3,372	3,323	6,326	3,048	3,278	6,601	12·6
	1922	6,630	3,515	3,115	6,063	3,164	2,899	6,014	11·4
	1923	5,973	3,587	2,386	5,707	3,281	2,426	4,812	9·0
	1924	6,189	3,456	2,733	5,612	3,127	2,485	5,218	9·8
	1925	5,886	3,076	2,810	5,514	2,969	2,545	5,355	9·9
	1926	5,638	3,374	2,264	5,342	2,992	2,350	4,614	8·5
	1927	5,704	3,300	2,404	5,430	3,078	2,352	4,756	8·8
New Brunswick	1921	5,942	2,858	3,084	5,523	2,552	2,971	6,055	16·0
	1922	5,955	2,689	3,266	5,609	2,469	3,140	6,406	16·3
	1923	5,457	2,618	2,839	5,247	2,395	2,852	5,691	14·3
	1924	5,523	2,629	2,894	5,194	2,294	2,900	5,794	14·6
	1925	5,664	2,620	3,044	5,285	2,340	2,945	5,989	14·9
	1926	5,294	2,608	2,686	5,046	2,394	2,652	5,338	13·1
	1927	5,391	2,537	2,854	5,088	2,365	2,723	5,577	13·6
Quebec	1926	42,475	19,232	23,243	39,690	18,019	21,671	44,914	17·6
	1927	42,813	18,827	23,986	40,251	17,348	22,903	46,889	18·0
Ontario	1921	38,307	18,062	20,245	35,845	16,489	19,356	39,601	13·5
	1922	36,495	17,726	18,769	34,935	16,308	18,627	37,396	12·6
	1923	36,141	18,452	17,689	33,915	17,184	16,731	34,420	11·4
	1924	36,582	17,153	19,429	34,928	15,925	19,003	38,432	12·6
	1925	36,098	17,583	18,515	34,024	16,377	17,647	36,162	11·7
	1926	34,742	18,721	16,021	32,875	17,188	15,687	31,708	10·1
	1927	34,755	18,305	16,450	32,916	16,470	16,446	32,896	10·3
Manitoba	1921	9,455	2,964	6,491	9,023	2,424	6,599	13,090	21·5
	1922	8,926	3,079	5,847	8,753	2,675	6,078	11,925	19·4
	1923	8,397	2,935	5,462	8,075	2,395	5,680	11,142	17·9
	1924	7,804	2,713	5,091	7,650	2,310	5,340	10,431	16·6
	1925	7,634	2,911	4,723	7,233	2,334	4,899	9,622	15·2
	1926	7,598	2,936	4,662	7,063	2,399	4,664	9,326	14·6
	1927	7,434	2,968	4,466	6,713	2,341	4,372	8,838	13·7
Saskatchewan	1921	11,620	3,078	8,542	10,873	2,518	8,355	16,897	22·3
	1922	11,435	3,411	8,024	10,904	2,708	8,196	16,220	21·1
	1923	10,765	3,442	7,323	10,182	2,740	7,442	14,765	18·9
	1924	11,157	3,176	7,981	10,382	2,596	7,786	15,767	19·8
	1925	10,620	3,228	7,392	9,962	2,400	7,562	14,954	18·5
	1926	10,651	3,393	7,258	10,065	2,667	7,398	14,656	17·8
	1927	10,852	3,395	7,457	10,163	2,636	7,527	14,984	17·9
Alberta	1921	8,493	2,858	5,635	8,068	2,082	5,986	11,621	19·7
	1922	8,219	2,984	5,235	7,944	2,280	5,664	10,899	18·4
	1923	7,676	2,861	4,815	7,384	2,145	5,239	10,054	16·9
	1924	7,422	2,718	4,704	7,175	2,140	5,035	9,739	16·3
	1925	7,626	2,703	4,923	7,298	1,994	5,304	10,227	16·9
	1926	7,410	2,931	4,479	7,046	2,228	4,818	9,297	15·3
	1927	7,682	2,932	4,750	7,215	2,127	5,088	9,838	15·9

TABLE III.—EXCESS OF BIRTHS OVER DEATHS, BY PROVINCES FOR EACH SEX, 1921-1927—Concluded

Province		Male			Female			Both sexes	
		Births(2)	Deaths(2)	Excess of births over deaths	Births(2)	Deaths(2)	Excess of births over deaths	Excess of births over deaths	Rate of natural increase per 1,000 population
British Columbia	1921	5,549	2,600	2,949	5,104	1,608	3,496	6,445	12·3
	1922	5,293	3,052	2,241	4,873	1,855	3,018	5,259	9·8
	1923	5,176	3,070	2,106	4,825	1,927	2,898	5,004	9·2
	1924	5,203	3,080	2,123	4,916	1,924	2,992	5,115	9·3
	1925	5,329	3,047	2,282	5,013	1,898	3,115	5,397	9·6
	1926	5,168	3,332	1,836	4,895	2,142	2,753	4,589	8·1
	1927	5,134	3,550	1,584	4,950	2,200	2,750	4,334	7·5
Canada(1)	**1926**	**119,863**	**56,979**	**62,884**	**112,887**	**50,475**	**62,412**	**125,296**	**13·3**
	1927	**120,655**	**56,265**	**64,390**	**113,533**	**49,027**	**64,506**	**128,896**	**13·5**
Registration Area as of 1921	1921	87,134	36,411	50,723	81,845	31,311	50,534	101,257	15·8
	1922	84,057	37,044	47,013	80,137	31,984	48,153	95,166	14·6
	1923	80,566	37,517	43,049	76,331	32,665	43,666	86,715	13·2
	1924	80,808	35,415	45,393	76,787	30,782	46,005	91,398	13·8
	1925	79,734	35,681	44,053	75,127	30,796	44,331	88,384	13·1
	1926	77,388	37,747	39,641	73,197	32,456	40,741	80,382	11·8
	1927	77,842	37,438	40,404	73,282	31,679	41,603	82,007	11·9

(1) See note 1, table I. (2) Exclusive of stillbirths.




BIRTHS

There were in all 238,508 confinements in Canada in the year 1927. Of the total number 235,530 were single confinements, 2,940 twin confinements and 38 triple confinements. There resulted from these confinements 234,188 living births and 7,336 stillbirths. To living births single confinements contributed 228,578, twin confinements 5,502 and triple confinements 108.

Table 5 (general tables) shows in full detail the manner in which single and multiple confinements contributed to the number of living births and stillbirths, male and female.

Birth Rates.—The crude birth rate (living births) for Canada in the year 1927 was 24·6 per 1,000 population as compared with 24·8 in the preceding year. The highest rates amongst the provinces in 1927 were 31·9 for Quebec, 25·5 for New Brunswick and 25·1 for Saskatchewan; the lowest were 17·5 for British Columbia and 19·5 for Prince Edward Island.

The birth rate for the Registration Area as of 1921 was 21·9 per thousand population in the year 1927. The absolute number of births in 1927 was slightly greater than in the preceding year, but the rate for this area has shown a decline year by year since 1921, when it stood at 26·4.



Masculinity.—There was an excess of male births over female births in every province in 1927, the proportion ranging from 1,037 males per 1,000 females in British Columbia to 1,107 in Manitoba. For the whole of Canada there were 1,063 male births per 1,000 female births as compared with a proportion of 1,062 per 1,000 in the year 1926. The proportion for the Registration Area as of 1921 in the year under review was 1,062 males per 1,000 females. During the seven years listed in the table this proportion has varied between 1,049 in 1922 and 1,065 in 1921. Of the individual provinces for which comparisons are carried back to 1921, Prince Edward Island, as might be expected from its small population, shows the widest fluctuations, varying from 985 in 1923 to 1,103 in 1927.

For comparative purposes, it may be noted that amongst the white population of the Registration Area of the United States, in the years 1915 to 1926, the yearly proportion of male births to female births varied between 1,055 and 1,062 per 1,000.

In England and Wales in the fifty years from 1871 to 1920 the masculinity rate for births ranged from 1,032 in 1898 to 1,060 in 1919, while the highest ratio prior to the Great War was 1,043 in 1875. The proportion of male births to female in England and Wales during the years since 1920 has fluctuated as follows:—

ENGLAND AND WALES

Male Births per 1,000 Female Births

1921	1,051	1925	1,045
1922	1,049	1926	1,041
1923	1,044	1927	1,042
1924	1,047		

In Germany the masculinity rate for births, which was 1,056 in 1914 and 1,055 in 1915, mounted rapidly during and after the war, reaching its highest level, 1,080, in 1919. From this point the rate commenced to decline, being 1,062 for the year 1926.

The number of births, the birth rates by provinces and the ratio of male to female births for the years 1921 to 1927 are shown in Table IV. The figures for Quebec and for the total of the nine provinces are, as already explained, limited to the years 1926 and 1927.

TABLE IV.—BIRTHS (EXCLUSIVE OF STILLBIRTHS), RATE PER 1,000 POPULATION AND RATIO OF MALE TO FEMALE BIRTHS, 1921–1927

Province		Number of living births	Rate per 1,000 population	Male births		Female births		Male births to 1,000 female births
				Number	Per cent of total	Number	Per cent of total	
Prince Edward Island	1921	2,156	24·3	1,073	49·8	1,083	50·2	991
	1922	2,160	24·5	1,104	51·1	1,056	48·9	1,045
	1923	1,977	22·5	981	49·6	996	50·4	985
	1924	1,858	21·1	928	49·9	930	50·1	998
	1925	1,675	19·3	877	52·4	798	47·6	1,099
	1926	1,752	20·1	887	50·6	865	49·4	1,025
	1927	1,697	19·5	890	52·4	807	47·6	1,103
Nova Scotia	1921	13,021	24·9	6,695	51·4	6,326	48·6	1,058
	1922	12,693	24·0	6,630	52·2	6,063	47·8	1,094
	1923	11,680	22·0	5,973	51·1	5,707	48·9	1,047
	1924	11,801	22·1	6,189	52·4	5,612	47·6	1,103
	1925	11,400	21·2	5,886	51·6	5,514	48·4	1,067
	1926	10,980	20·3	5,638	51·3	5,342	48·7	1,055
	1927	11,134	20·5	5,704	51·2	5,430	48·8	1,050
New Brunswick	1921	11,465	30·2	5,942	51·8	5,523	48·2	1,076
	1922	11,564	29·5	5,955	51·5	5,609	48·5	1,062
	1923	10,704	27·0	5,457	51·0	5,247	49·0	1,040
	1924	10,717	26·9	5,523	51·5	5,194	48·5	1,063
	1925	10,949	27·2	5,664	51·7	5,285	48·3	1,072
	1926	10,340	25·4	5,294	51·2	5,046	48·8	1,049
	1927	10,479	25·5	5,391	51·4	5,088	48·6	1,060
Quebec	1926	82,165	32·1	42,475	51·7	39,690	48·3	1,070
	1927	83,064	31·9	42,813	51·5	40,251	48·5	1,064
Ontario	1921	74,152	25·3	38,307	51·7	35,845	48·3	1,069
	1922	71,430	24·0	36,495	51·1	34,935	48·9	1,045
	1923	70,056	23·2	36,141	51·6	33,915	48·4	1,066
	1924	71,510	23·4	36,582	51·2	34,928	48·8	1,047
	1925	70,122	22·6	36,098	51·5	34,024	48·5	1,061
	1926	67,617	21·5	34,742	51·4	32,875	48·6	1,057
	1927	67,671	21·2	34,755	51·4	32,916	48·6	1,056
Manitoba	1921	18,478	30·3	9,455	51·2	9,023	48·8	1,048
	1922	17,679	28·7	8,926	50·5	8,753	49·5	1,020
	1923	16,472	26·5	8,397	51·0	8,075	49·0	1,040
	1924	15,454	24·6	7,804	50·5	7,650	49·5	1,020
	1925	14,867	23·5	7,634	51·3	7,233	48·7	1,055
	1926	14,661	22·9	7,598	51·8	7,063	48·2	1,076
	1927	14,147	21·9	7,434	52·5	6,713	47·5	1,107
Saskatchewan	1921	22,493	29·7	11,620	51·7	10,873	48·3	1,069
	1922	22,339	29·0	11,435	51·2	10,904	48·8	1,049
	1923	20,947	26·8	10,765	51·4	10,182	48·6	1,057
	1924	21,539	27·0	11,157	51·8	10,382	48·2	1,075
	1925	20,582	25·4	10,620	51·6	9,962	48·4	1,066
	1926	20,716	25·2	10,651	51·4	10,065	48·6	1,058
	1927	21,015	25·1	10,852	51·6	10,163	48·4	1,068
Alberta	1921	16,561	28·1	8,493	51·3	8,068	48·7	1,053
	1922	16,163	27·3	8,219	50·9	7,944	49·1	1,035
	1923	15,060	25·3	7,676	51·0	7,384	49·0	1,040
	1924	14,597	24·4	7,422	50·8	7,175	49·2	1,034
	1925	14,924	24·7	7,626	51·1	7,298	48·9	1,045
	1926	14,456	23·8	7,410	51·3	7,046	48·7	1,052
	1927	14,897	24·1	7,682	51·6	7,215	48·4	1,065

TABLE IV.—BIRTHS (EXCLUSIVE OF STILLBIRTHS), RATE PER 1,000 POPULATION AND RATIO OF MALE TO FEMALE BIRTHS, 1921-1927—*Concluded*

Province		Number of living births	Rate per 1,000 population	Male births		Female births		Male births to 1,000 female births
				Number	Per cent of total	Number	Per cent of total	
British Columbia	1921	10,653	20·3	5,549	52·1	5,104	47·9	1,087
	1922	10,166	18·9	5,293	52·0	4,873	47·9	1,086
	1923	10,001	18·4	5,176	51·8	4,825	48·2	1,073
	1924	10,119	18·3	5,203	51·4	4,916	48·6	1,058
	1925	10,342	18·4	5,329	51·5	5,013	48·5	1,063
	1926	10,063	17·7	5,168	51·4	4,895	48·6	1,056
	1927	10,084	17·5	5,134	50·9	4,950	49·1	1,037
Canada(1)	**1926**	**232,750**	**24·8**	**119,863**	**51·5**	**112,887**	**48·5**	**1,062**
	1927	**234,188**	**24·6**	**120,655**	**51·5**	**113,533**	**48·5**	**1,063**
Registration Area as of 1921	1921	168,979	26·4	87,134	51·6	81,845	48·4	1,065
	1922	164,194	25·2	84,057	51·2	80,137	48·8	1,049
	1923	156,897	23·9	80,566	51·3	76,331	48·7	1,055
	1924	157,595	23·7	80,808	51·3	76,787	48·7	1,052
	1925	154,861	23·0	79,734	51·5	75,127	48·5	1,061
	1926	150,585	22·1	77,388	51·4	73,197	48·6	1,057
	1927	151,124	21·9	77,842	51·5	73,282	48·5	1,062

(1) See note 1, table I.

Birth Rates in Other Countries.—The number of births and the rate in proportion to population for Canada and for certain other countries is presented in Table V. In some cases the figures are provisional.

TABLE V.—BIRTH RATE IN CANADA AND IN CERTAIN OTHER COUNTRIES

Country	Year	Population	Living births	Rate per 1,000 population	Country	Year	Population	Living births	Rate per 1,000 population
Canada (1)	**1927**	**9,507,000**	**234,188**	**24·6**	Japan	1927	61,316,600	2,060,737	33·6
Australia	1927	6,169,643	133,698	21·7	Netherlands	1927	7,576,272	175,098	23·1
Austria	1927	6,671,333	119,058	17·8	New Zealand	1927	1,374,439	27,881	20·3
Belgium	1927	7,932,077	146,296	18·4	Northern Ireland	1927	1,251,000	26,676	21·3
British Isles	1927	48,389,953	837,574	17·3	Norway	1927	2,797,827	50,948	18·2
Ceylon	1927	5,203,238	205,469	39·5	Rumania	1926	17,337,443	607,864	35·1
Chile	1927	.....	172,673	41·5	Salvador	1926	1,657,196	59,763	36·1
Denmark	1926	3,452,000	70,734	20·5	Sao Paulo	1925	5,636,357	181,977	32·3
England and Wales	1927	39,290,000	654,172	16·6	Scotland	1927	4,891,953	96,672	19·8
Finland	1927	3,582,406	75,611	21·1	Spain	1927	22,290,162	636,664	28·6
France	1927	40,920,000	741,708	18·1	Sweden	1927	6,081,146	97,847	16·1
Germany	1927	63,423,000	1,160,206	18·3	Switzerland	1927	3,987,000	69,533	17·4
Hungary	1927	8,525,725	218,548	25·7	Union of South Africa				
India (British)	1926	241,471,383	8,395,679	34·8	(Whites)	1927	.....	44,398	26·0
Irish Free State	1927	2,957,000	60,054	20·3	United States (Reg.				
Italy	1927	40,581,000	1,093,772	27·0	Area)	1927	103,591,000	2,137,836	20·6
					Uruguay	1927	1,741,459	42,845	24·6

(1) See note 1, table I.

Births by Months.—The number of births in each month is given in Table 3 of the main tables, classified as rural and urban in each province.

Table VI shows by provinces the equivalent annual birth rates for each month from 1921 to 1927. To obtain each rate the number of births in a given month has been multiplied by 365 and divided by the number of days in the month before being reduced to a proportion per 1,000 of population.

TABLE VI.—BIRTH RATES (EXCLUSIVE OF STILLBIRTHS) PER 1,000 POPULATION FOR EACH MONTH BY PROVINCES, 1921-1927

Province		Annual rates	Equivalent annual birth rates											
			Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Prince Edward Island	1921	24·3	25·6	23·5	23·9	25·9	24·8	24·6	24·8	25·6	26·2	23·1	22·1	21·5
	1922	24·5	21·3	24·4	25·4	27·2	24·1	26·5	28·0	26·0	19·8	25·3	23·9	22·6
	1923	22·5	22·9	24·4	23·7	23·2	25·0	23·9	24·1	22·1	25·0	19·7	18·7	17·1
	1924	21·1	18·0	20·1	24·4	23·7	21·3	26·3	21·2	18·2	20·1	19·3	19·4	21·3
	1925	19·3	18·0	18·1	22·1	19·3	20·8	20·7	21·7	18·4	19·2	18·8	16·4	17·5
	1926	20·1	20·6	18·9	22·6	21·0	18·7	19·6	25·7	23·4	19·6	20·0	15·9	15·4
	1927	19·5	17·3	18·0	20·8	20·8	18·5	21·4	17·5	20·3	17·8	20·6	19·7	21·2

TABLE VI.—BIRTH RATES (EXCLUSIVE OF STILLBIRTHS) PER 1,000 POPULATION FOR EACH MONTH BY PROVINCES, 1921-1927—*Concluded*

Province		Annual rates	Equivalent annual birth rates											
			Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Nova Scotia	1921	24·9	23·4	25·3	25·5	25·4	24·7	23·5	25·0	25·4	27·8	24·8	23·5	24·1
	1922	24·0	24·2	25·8	25·4	25·1	24·8	23·6	23·6	26·1	25·4	22·0	21·9	20·6
	1923	22·0	22·0	22·9	23·2	21·8	22·1	22·7	22·9	22·7	23·0	21·7	19·6	19·8
	1924	22·1	20·1	21·8	24·2	23·8	23·6	22·6	22·1	23·0	22·1	21·7	19·8	20·3
	1925	21·2	19·5	21·6	21·9	23·8	22·4	21·4	21·9	22·2	22·4	19·9	19·7	18·2
	1926	20·3	18·8	21·6	21·3	21·5	20·9	20·7	20·4	19·9	21·3	20·0	19·5	18·3
	1927	20·5	17·2	19·0	21·2	21·9	21·4	20·5	22·1	22·1	21·1	19·7	19·4	20·2
New Brunswick	1921	30·2	26·5	31·0	32·9	32·5	30·4	31·6	30·9	31·0	30·2	28·1	27·7	29·5
	1922	29·5	30·7	33·5	32·9	33·0	29·3	28·7	30·5	28·8	29·9	24·7	27·1	25·4
	1923	27·0	26·6	30·4	30·8	30·5	27·4	29·6	25·9	26·6	26·8	23·2	22·9	23·9
	1924	26·9	26·3	26·6	29·6	30·5	30·1	28·4	26·7	24·6	26·3	23·7	23·8	25·7
	1925	27·2	28·5	27·2	29·5	31·6	29·2	29·7	28·5	26·2	24·8	23·7	23·0	24·1
	1926	25·4	23·6	27·6	30·1	29·5	27·7	26·7	26·2	25·6	23·8	21·0	21·1	22·0
	1927	25·5	21·2	23·9	28·4	29·9	28·0	29·0	25·3	24·0	26·8	22·0	23·3	24·2
Quebec	1926	32·1	31·7	32·9	35·7	36·8	33·6	32·6	32·0	31·0	32·0	29·1	28·7	28·9
	1927	31·9	28·3	30·8	34·4	35·7	35·2	34·6	33·4	31·2	31·8	29·0	28·9	29·5
Ontario	1921	25·3	24·0	25·3	27·2	27·4	27·2	25·7	25·4	25·4	25·7	23·7	23·1	23·3
	1922	24·0	24·0	24·5	25·9	23·5	24·6	25·0	24·7	24·9	24·4	22·5	22·1	21·5
	1923	23·2	22·0	24·4	24·9	24·6	24·3	24·3	24·0	23·8	23·9	21·3	20·7	20·4
	1924	23·4	22·3	23·7	24·9	24·8	24·3	25·0	23·8	23·4	23·6	21·9	21·7	21·0
	1925	22·6	21·2	22·7	24·7	24·1	24·5	23·6	23·7	23·2	22·1	21·0	20·0	20·3
	1926	21·5	20·8	21·7	22·7	23·2	23·4	22·4	21·9	21·5	21·7	20·7	19·1	18·9
	1927	21·2	18·9	20·8	22·6	23·0	21·9	22·5	22·6	21·3	21·6	20·1	19·6	19·8
Manitoba	1921	30·3	28·6	29·5	32·5	33·0	30·1	30·9	29·0	30·4	31·4	29·7	28·3	29·9
	1922	28·7	30·1	30·6	30·7	29·7	29·7	28·8	30·0	29·4	29·0	25·9	26·1	24·8
	1923	26·5	25·2	29·1	28·3	28·7	26·9	25·4	27·2	27·1	27·2	26·1	23·9	23·4
	1924	24·6	24·0	25·7	25·9	26·4	24·6	24·5	24·1	24·9	24·6	23·6	23·7	23·8
	1925	23·5	23·3	23·7	24·1	24·6	24·5	24·7	23·0	24·4	23·5	21·9	22·7	21·7
	1926	22·9	21·9	24·4	24·2	24·3	23·0	22·4	23·0	22·6	24·1	20·9	22·7	21·8
	1927	21·9	20·6	22·6	23·0	23·3	21·5	22·3	21·4	22·1	22·1	21·8	21·3	20·4
Saskatchewan	1921	29·7	29·8	28·9	31·9	30·3	30·0	27·9	28·9	29·1	30·8	29·5	28·7	30·4
	1922	29·0	30·2	30·5	32·3	31·4	30·1	29·5	27·6	28·3	28·9	26·8	27·3	25·0
	1923	26·8	26·6	27·9	28·6	27·9	28·2	26·3	26·1	28·1	27·8	25·4	24·3	23·8
	1924	27·0	26·2	27·8	29·2	29·4	26·9	26·6	24·6	27·1	28·1	26·3	26·3	25·9
	1925	25·4	24·6	27·1	27·5	26·1	26·8	24·0	24·2	25·2	26·3	24·8	25·0	23·5
	1926	25·2	24·9	25·6	26·5	26·7	24·8	24·8	25·1	25·9	25·3	24·5	24·0	24·8
	1927	25·1	24·7	25·7	27·5	26·0	25·4	26·5	25·4	26·0	25·6	23·2	22·7	23·0
Alberta	1921	28·1	27·4	28·5	29·5	29·9	29·6	29·5	28·0	26·8	28·2	26·9	26·6	27·0
	1922	27·3	28·6	29·2	29·5	30·4	27·2	27·9	26·9	27·8	26·0	26·8	24·4	23·2
	1923	25·3	25·6	28·2	26·9	25·6	26·9	25·9	25·7	25·0	24·0	25·8	22·5	21·6
	1924	24·4	23·9	25·0	27·3	24·4	25·5	24·4	22·7	23·0	25·1	24·6	23·0	23·6
	1925	24·7	24·2	25·3	25·9	27·0	24·6	25·6	25·1	24·3	24·3	23·0	24·3	23·5
	1926	23·8	24·3	23·5	23·8	25·8	25·0	23·4	23·7	24·8	22·6	23·2	23·3	21·9
	1927	24·1	23·3	23·6	26·3	25·6	25·7	24·3	24·0	24·1	24·7	22·5	22·5	23·1
British Columbia	1921	20·3	20·8	19·7	20·3	20·4	20·9	20·4	21·2	21·2	21·0	19·8	18·0	19·8
	1922	18·9	19·9	19·8	20·7	20·2	19·7	19·0	18·2	17·9	19·9	18·8	16·8	15·6
	1923	18·4	18·5	19·5	18·2	19·4	17·9	19·9	18·3	19·7	18·9	16·7	16·6	17·1
	1924	18·3	18·9	20·1	19·5	18·3	18·8	16·6	19·4	17·4	16·9	19·0	17·6	17·0
	1925	18·4	18·6	19·2	20·1	19·1	18·3	18·2	18·4	19·1	18·8	17·8	16·9	16·8
	1926	17·7	17·9	18·2	19·6	18·3	17·2	17·7	17·5	18·8	17·5	16·8	16·2	16·8
	1927	17·5	18·3	18·5	19·2	17·1	17·7	17·3	17·8	18·7	16·1	16·6	17·5	15·8
Canada(1)	**1926**	**24·8**	**24·3**	**25·4**	**26·8**	**27·3**	**26·0**	**25·3**	**25·0**	**24·7**	**24·8**	**23·2**	**22·6**	**22·5**
	1927	**24·6**	**22·3**	**24·1**	**26·5**	**26·8**	**26·0**	**26·1**	**25·6**	**24·7**	**24·8**	**22·9**	**22·7**	**23·0**
Registration Area as of 1921	1921	26·4	25·3	26·3	28·0	28·0	27·5	26·5	26·4	26·4	27·1	25·3	24·5	25·2
	1922	25·2	25·8	26·4	27·4	26·2	25·8	25·8	25·5	25·8	25·5	23·6	23·2	22·1
	1923	23·9	23·2	25·4	25·5	25·2	24·7	24·6	24·2	24·5	24·4	22·4	21·3	21·0
	1924	23·7	22·8	24·2	25·5	25·2	24·6	24·4	23·5	23·4	23·8	22·6	22·1	22·0
	1925	23·0	22·1	23·4	24·7	24·6	24·3	23·6	23·5	23·4	22·8	21·5	21·1	20·8
	1926	22·1	21·5	22·6	23·5	23·8	23·1	22·5	22·4	22·3	22·2	21·0	20·3	20·1
	1927	21·9	20·1	21·6	23·5	23·4	22·6	22·9	22·6	22·2	22·2	20·6	20·4	20·5

(1) See note 1, table I.

Births by Ages of Parents.—The numerical and percentage distribution of legitimate living births by ages of parents is given for the years 1926 and 1927 in Table VII. In the

year 1927 there were fourteen married mothers under 15 years of age. Nearly 29 per cent of the births were to mothers under 25 years of age, while less than 7 per cent were to mothers who had passed the fortieth birthday. Of the fathers, 10·7 per cent were under 25 years and 21·5 per cent were 40 years or over. The percentage of both fathers and mothers under 25 years shows a slight increase over the preceding year. All percentages have been calculated on the stated ages only, but the proportion of unstated ages amongst legitimate births is negligible for either parent.

TABLE VII.—LEGITIMATE BIRTHS (EXCLUSIVE OF STILLBIRTHS) IN CANADA(1) CLASSIFIED BY AGES OF PARENTS, 1926-27

Mothers and fathers	Age Groups								Total stated ages	Age not stated	Total
	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45 years and over			
No. of mothers.....1926	11	10,826	52,584	62,190	49,939	34,929	13,780	1,397	225,656	973	226,629
1927	14	11,147	53,792	61,878	49,639	35,206	13,708	1,501	226,885	588	227,473
Per cent of mothers..1926	(2)	4·8	23·3	27·6	22·1	15·5	6·1	0·6	100·0	–	–
1927	(2)	4·9	23·7	27·3	21·9	15·5	6·0	0·7	100·0	–	–
No. of fathers.....1926	–	806	22,414	51,784	55,402	46,922	29,032	19,284	225,644	985	226,629
1927	–	875	23,314	52,257	55,306	46,364	29,428	19,353	226,897	576	227,473
Per cent of fathers...1926	–	0·4	9·9	22·9	24·6	20·8	12·9	8·5	100·0	–	–
1927	–	0·4	10·3	23·0	24·4	20·4	13·0	8·5	100·0	–	–

(1) See note 1, table I. (2) Less than one-tenth of one per cent.

Table VIII gives another view of the age distribution of married fathers and mothers in the years 1926 and 1927. The fathers and mothers of each of these years are arranged according to age and then divided into four equal groups. Each point of age at which a separation comes is called a quartile. To obtain these points of age it is assumed that those in the same year of age are evenly distributed from its lower to its upper limit. In similar manner the decile points divide fathers or mothers of each year into ten equal groups.

In the year 1927, one-quarter of married fathers were under 28·24 years of age, one-half under 33·26 years and three-quarters under 39·04 years. One-quarter of the married mothers were under 24·35 years of age, one-half under 28·85 years and three-quarters under 34·26 years. Nine-tenths of the fathers were under 44·20 years and nine-tenths of the mothers under 38·69 years.

The first two quartile ages for fathers and mothers show a slight fall between 1926 and 1927. This also applies throughout to the first six deciles for fathers and the first seven for mothers.

TABLE VIII.—QUARTILE AND DECILE AGES OF MARRIED FATHERS AND MOTHERS, 1926-27.

Position in array by age	Fathers		Mothers	
	1926	1927	1926	1927
First quartile.....years of age	28·35	28·24	24·43	24·35
Second quartile..... "	33·31	33·26	28·89	28·85
Third quartile..... "	39·01	39·04	34·26	34·26
First decile..... "	24·91	24·81	21·41	21·39
Second decile..... "	27·28	27·24	23·50	23·44
Third decile..... "	29·35	29·25	25·34	25·25
Fourth decile..... "	31·28	31·21	27·79	27·06
Fifth decile..... "	33·31	33·26	28·89	28·85
Sixth decile..... "	35·48	35·44	30·82	30·78
Seventh decile..... "	37·81	37·83	33·41	33·03
Eighth decile..... "	40·40	40·43	35·61	35·61
Ninth decile..... "	44·19	44·20	38·69	38·69

Nativity of Parents.—Table IX shows for each province the percentage distribution of legitimate births in 1927 by the nativity of the mother.

TABLE IX.—PERCENTAGE OF LEGITIMATE CHILDREN BORN ALIVE HAVING CANADIAN BORN, BRITISH BORN OR FOREIGN BORN MOTHERS, BY PROVINCES, 1927

Province	Per cent distribution of children born, by nativity of mother			
	Total	Canadian born	British born	Foreign born
Canada (1)	**100·0**	**72·5**	**12·7**	**14·8**
Prince Edward Island	100·0	95·2	2·3	2·5
Nova Scotia	100·0	86·1	10·3	3·6
New Brunswick	100·0	92·5	3·4	4·1
Quebec	100·0	92·4	2·6	5·0
Ontario	100·0	68·6	20·8	10·6
Manitoba	100·0	51·8	17·9	30·3
Saskatchewan	100·0	43·2	14·5	42·3
Alberta	100·0	37·1	19·5	43·4
British Columbia	100·0	38·9	34·2	26·9

(1) See note 1, table I.

The high proportion of Canadian born mothers to those of other nativities in the Maritime Provinces and Quebec contrasts with the position in the four western provinces and particularly in Alberta, where only 37 per cent of all mothers were born in Canada. It may be noted, however, that the proportion of Canadian born mothers in the Western Provinces has shown a well-marked upward trend since 1921, as indicated by the following statement.

PER CENT OF LEGITIMATE CHILDREN BORN ALIVE HAVING CANADIAN-BORN MOTHERS

—	1921(1)	1922	1923	1924	1925	1926	1927
Manitoba	42·3	43·5	44·9	47·4	49·0	49·2	51·8
Saskatchewan	36·1	36·4	37·9	39·4	40·8	41·5	43·2
Alberta	30·0	30·9	32·3	33·1	34·5	36·3	37·1
British Columbia	29·7	33·7	34·7	36·1	37·1	38·2	38·9

(1) Including illegitimate.

Table X, which classifies all children born alive in Canada in 1926 and 1927 according to the country of birth of their parents, furnishes some idea of the extent to which the coming generation will be the product of Canadian-born, British-born or Foreign-born parents, and amongst the latter differentiates the countries from which Canadian immigrants generally come. The term "Country not specified" under Country of birth" includes for the father, illegitimate births and births of incomplete record, while for the mother it includes births of incomplete record only. It will be observed that 68·6 per cent of the children born in 1927 had Canadian-born fathers, 72·2 per cent had mothers born in Canada and in 61·6 per cent both parents were Canadian-born. It thus follows that 79·2 per cent had at least one parent born in Canada. Indeed, but for the inclusion of "Country not specified" in the total, the percentage would be slightly higher.

TABLE X.—NUMBER AND PER CENT PROPORTION OF BIRTHS (EXCLUSIVE OF STILLBIRTHS) HAVING FATHERS AND MOTHERS BORN IN SPECIFIED COUNTRIES, 1926-27

Country of birth of parent	Number of births with father, mother or both parents born in specified country						Per cent of births with father, mother or both parents born in specified country					
	1926			1927			1926			1927		
	Father	Mother	Both parents	Father	Mother	Both parents	Father	Mother	Both parents	Father	Mother	Both parents
Canada	159,438	166,999	142,882	160,586	169,178	144,146	68·5	71·8	61·4	68·6	72·2	61·6
England	18,304	18,808	9,658	17,975	18,201	9,194	7·9	8·1	4·1	7·7	7·8	3·9
Ireland	2,540	2,195	873	2,610	2,284	972	1·1	0·9	0·4	1·1	1·0	0·4
Scotland	6,635	7,165	3,318	6,580	6,994	3,167	2·9	3·1	1·4	2·8	3·0	1·4
Wales	546	508	105	571	506	120	0·2	0·2	(2)	0·2	0·2	0·1
Other British Isles	100	90	23	96	81	26	(2)	(2)	(2)	(2)	(2)	(2)
Newfoundland	1,001	1,051	515	1,062	1,081	528	0·4	0·5	0·2	0·5	0·5	0·2
Other British possessions	524	413	134	515	420	144	0·2	0·2	0·1	0·2	0·2	0·1
Austria	3,473	2,938	2,371	3,241	2,672	2,153	1·5	1·3	1·0	1·4	1·1	0·9
Belgium	531	472	307	542	521	337	0·2	0·2	0·1	0·2	0·2	0·1
Finland	458	471	364	497	535	414	0·2	0·2	0·2	0·2	0·2	0·2
France	512	464	194	518	461	185	0·2	0·2	0·1	0·2	0·2	0·1
Germany	711	635	255	749	668	279	0·3	0·3	0·1	0·3	0·3	0·1
Hungary	512	460	358	582	561	434	0·2	0·2	0·2	0·2	0·2	0·2

TABLE X.—NUMBER AND PER CENT PROPORTION OF BIRTHS (EXCLUSIVE OF STILLBIRTHS) HAVING FATHERS AND MOTHERS BORN IN SPECIFIED COUNTRIES, 1926-27—*Concluded*

Country of birth of parent	Number of births with father, mother or both parents born in specified country						Per cent of births with father, mother or both parents born in specified country					
	1926			1927			1926			1927		
	Father	Mother	Both parents	Father	Mother	Both parents	Father	Mother	Both parents	Father	Mother	Both parents
Italy	2,599	1,946	1,870	2,674	1,966	1,894	1·1	0·8	0·8	1·1	0·8	0·8
Norway	840	618	346	859	678	378	0·4	0·3	0·1	0·4	0·3	0·2
Poland (1)	4,249	3,714	3,053	4,214	3,736	3,057	1·8	1·6	1·3	1·8	1·6	1·3
Russia (7)	5,443	4,620	3,665	5,794	4,729	3,809	2·3	2·0	1·6	2·5	2·0	1·6
Sweden	876	666	387	858	603	344	0·4	0·3	0·2	0·4	0·3	0·1
Other European	3,474	2,556	1,909	3,368	2,519	1,856	1·5	1·1	0·8	1·4	1·1	0·8
China and Japan	1,117	1,052	1,018	1,105	1,050	1,019	0·5	0·5	0·4	0·5	0·4	0·4
Other Asiatic	362	285	250	333	257	228	0·2	0·1	0·1	0·1	0·1	0·1
United States	11,940	13,394	4,096	11,815	13,074	3,835	5·1	5·8	1·8	5·0	5·6	1·6
Country not specified	6,565	1,230	204	7,044	1,413	162	2·8	0·5	0·1	3·0	0·6	0·1
Total	**232,750**	**232,750**	(5)178,155	**234,188**	**234,188**	(3)178,681	**100·0**	**100·0**	(6)76·5	**100·0**	**100·0**	(4)76·3

(1) Including Galicia. (2) Less than one-tenth of one per cent. (3) Represents for 1927 the number of births where both parents were in the same category as regards birthplace. The difference between this figure (178,681) and total births (234,188) equals the number of births (55,507), where both parents were not in the same category as regards birthplace. (4) This excludes the percentage (23·7) of "mixed parentage," i.e., where both parents were not in the same category by birthplace. (5) As explained in note (3) but with 1926 figures. (6) As explained in note (4) but with 1926 figures. (7) Including the Ukraine.

Racial Origin of Parents.—Table XI gives the number and per cent proportion of births during 1926 and 1927 contributed by the principal racial groups. In addition to indicating the part played by each racial stock in contributing to the number of births the table presents a comparison of the figures for father and mother with those in which both parents were of the same racial origin, and shows some indication of the tendency toward marriage outside of the racial group. It must, however, be kept in mind that according to the preceding table 31·4 per cent of fathers and 27·8 per cent of mothers of the year 1927 were born outside of Canada. In an unknown number of these cases the marriage took place before coming to Canada, when the opportunity of mating with persons of other racial origins may have been much more limited. The percentage of cases in which the racial origin of the mother was not stated was only one-half of one per cent. The cases in which the origin of the father was not stated (3·2 per cent) included illegitimate births.

TABLE XI.—NUMBER AND PER CENT PROPORTION OF BIRTHS (EXCLUSIVE OF STILLBIRTHS) HAVING FATHERS AND MOTHERS OF SPECIFIED RACIAL ORIGIN, 1926-27

Racial origin of parents	Number of births with father and mother or both parents of specified origin						Per cent of births with father, mother or both parents of specified origin					
	1926			1927			1926			1927		
	Father	Mother	Both parents	Father	Mother	Both parents	Father	Mother	Both parents	Father	Mother	Both parents
English	52,854	55,908	38,445	51,713	54,787	37,260	22·7	24·0	16·5	22·1	23·4	15·9
Irish	21,136	20,071	9,409	21,290	20,214	9,413	9·1	8·6	4·0	9·1	8·6	4·0
Scotch	23,120	23,285	11,158	23,202	23,099	10,895	9·9	10·0	4·8	9·9	9·9	4·7
Welsh	858	711	129	838	706	135	0·4	0·3	0·1	0·4	0·3	0·1
French	89,400	92,425	85,139	90,167	94,180	86,307	38·4	39·7	36·6	38·5	40·2	36·9
German	9,497	10,047	6,951	9,777	10,270	7,048	4·1	4·3	3·0	4·2	4·4	3·0
Armenian	76	72	69	84	76	75	(2)	(2)	(2)	(2)	(2)	(2)
Austrian	1,629	1,778	1,393	1,443	1,547	1,204	0·7	0·8	0·6	0·6	0·7	0·5
Belgian	571	581	361	595	585	371	0·2	0·2	0·2	0·3	0·2	0·2
Bulgarian	74	32	26	63	30	25	(2)	(2)	(2)	(2)	(2)	(2)
Chinese	336	310	309	304	288	283	0·1	0·1	0·1	0·1	0·1	0·1
Czech and Slovak	325	368	232	314	353	231	0·1	0·2	0·1	0·1	0·2	0·1
Danish	491	409	159	552	450	191	0·2	0·2	0·1	0·2	0·2	0·1
Dutch	1,933	1,890	927	2,061	1,977	1,028	0·8	0·8	0·4	0·9	0·8	0·4
Finnish	498	586	449	537	654	486	0·2	0·3	0·2	0·2	0·3	0·2
Greek	290	171	167	283	178	169	0·1	0·1	0·1	0·1	0·1	0·1
Jewish	2,043	2,023	1,977	1,958	1,943	1,894	0·9	0·9	0·8	0·8	0·8	0·8
Hindu	22	20	20	27	27	25	(2)	(2)	(2)	(2)	(2)	(2)
Hungarian	474	514	410	579	626	501	0·2	0·2	0·2	0·2	0·3	0·2
Icelandic	363	427	264	369	439	273	0·2	0·2	0·1	0·2	0·2	0·1
Indian	2,162	2,499	2,040	2,234	2,643	2,120	0·9	1·1	0·9	1·0	1·1	0·9
Italian	2,799	2,379	2,239	2,900	2,405	2,278	1·2	1·0	1·0	1·2	1·0	1·0
Japanese	800	793	790	819	815	813	0·3	0·3	0·3	0·3	0·3	0·3
Negro	350	382	312	382	432	348	0·2	0·2	0·1	0·2	0·2	0·1
Norwegian	1,696	1,789	911	1,722	1,846	907	0·7	0·8	0·4	0·7	0·8	0·4
Polish	1,988	2,172	1,487	2,085	2,275	1,594	0·9	0·9	0·6	0·9	1·0	0·7
Rumanian	707	601	479	649	529	432	0·3	0·3	0·2	0·3	0·2	0·2
Russian	2,210	2,041	1,636	2,500	2,314	1,895	0·9	0·9	0·7	1·1	1·0	0·8
Serb and Croat	208	185	168	222	203	180	0·1	0·1	0·1	0·1	0·1	0·1
Swedish	1,370	1,389	633	1,394	1,336	606	0·6	0·6	0·3	0·6	0·6	0·3
Swiss	269	215	91	274	217	89	0·1	0·1	(2)	0·1	0·1	(2)

TABLE XI.—NUMBER AND PER CENT PROPORTION OF BIRTHS (EXCLUSIVE OF STILLBIRTHS) HAVING FATHERS AND MOTHERS OF SPECIFIED RACIAL ORIGIN, 1926-27—*Concluded*

Racial origin of of parents	Number of births with father, mother or both parents of specified origin						Per cent of births with father, mother or both parents of specified origin					
	1926			1927			1926			1927		
	Father	Mother	Both parents	Father	Mother	Both parents	Father	Mother	Both parents	Father	Mother	Both parents
Syrian	284	219	203	253	202	185	0·1	0·1	0·1	0·1	0·1	0·1
Ukranian(1)	5,072	5,255	4,665	4,926	5,130	4,561	2·2	2·3	2·0	2·1	2·2	1·9
Other	210	165	96	252	202	130	0·1	0·1	(2)	0·1	0·1	0·1
Racial origin not specified	6,635	1,038	321	7,420	1,210	455	2·9	0·4	0·1	3·2	0·5	0·2
Total	**232,750**	**232,750**	(5) **174,065**	**234,188**	**234,188**	(3) **174,400**	**100·0**	**100·0**	(6) **74·8**	**100·0**	**100·0**	(4) **74·5**

(1) Including "Galician". (2) Less than one-tenth of one per cent. (3) Represents for 1927 the number of births where both parents were in the same category as regards racial origin. The difference between this figure (174,400) and the total births (234,188) equals the number of births (59,788) where both parents were not in the same category as regards racial origin. (4) This excludes the percentage (25·5) of mixed parentage, i.e., where both parents were not in the same category by racial origin. (5) As explained in note (3), but with 1926 figures. (6) As explained in note (4), but with 1926 figures.

Illegitimate Births.—Table XII gives the number of illegitimate births in 1927, classified by age groups of the mothers for each province. In 854 cases or 12·7 per cent of the total, the age of the mother was not stated. This percentage limits to some extent the conclusions which may be made from the stated ages. Of the 854 cases 800 occurred in the province of Quebec, these being mainly returns from the crèches in Quebec and Montreal cities.

TABLE XII.—ILLEGITIMATE BIRTHS (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED BY AGE OF MOTHER, BY PROVINCES, 1927

Age of mother		Canada (1)	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
Under 15 years		66	–	6	5	19	16	4	10	4	2
15-19 years		2,358	12	259	132	574	780	197	168	159	77
20-24 "		2,178	10	200	109	616	689	186	147	149	72
25-29 "		691	4	63	24	203	226	49	51	48	23
30-34 "		315	5	23	11	59	123	23	25	33	13
35-39 "		188	–	24	10	36	58	8	22	18	12
40-44 "		59	–	2	6	11	24	2	7	3	4
45-49 "		6	–	–	–	1	2	1	1	1	–
50 years and over		–	–	–	–	–	–	–	–	–	–
Not stated		854	4	1	1	800	40	3	1	3	1
Total illegitimate births	**1927**	**6,715**	**35**	**578**	**298**	**2,319**	**1,958**	**473**	**432**	**418**	**204**
	1926	**6,121**	**41**	**481**	**267**	**2,055**	**1,823**	**466**	**390**	**404**	**194**
Per cent of total living births—											
	1927	**2·87**	**2·1**	**5·2**	**2·8**	**2·8**	**2·9**	**3·3**	**2·1**	**2·8**	**2·0**
	1926	**2·63**	**2·3**	**4·4**	**2·6**	**2·5**	**2·7**	**3·2**	**1·9**	**2·8**	**1·9**
Male illegitimate births	**1927**	**3,470**	**22**	**285**	**158**	**1,180**	**996**	**253**	**232**	**225**	**119**
	1926	**3,180**	**21**	**262**	**143**	**1,071**	**922**	**241**	**204**	**210**	**106**
Female illegitimate births	**1927**	**3,245**	**13**	**293**	**140**	**1,139**	**962**	**220**	**200**	**193**	**85**
	1926	**2,941**	**20**	**219**	**124**	**984**	**901**	**225**	**186**	**194**	**88**

(1) See note 1, table I.

Table XIII, which is constructed similarly to Table XII, shows for the Registration Area as of 1921 the illegitimate births classified by age of mother during the period 1921-27.

TABLE XIII.—ILLEGITIMATE BIRTHS (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED BY AGE OF MOTHER IN THE REGISTRATION AREA AS OF 1921, DURING THE PERIOD 1921-27

Age of mother	1921	1922	1923	1924	1925	1926	1927
Under 15 years	25	39	45	36	49	39	47
15-19 years	1,080	1,245	1,325	1,463	1,652	1,574	1,784
20-24 "	1,063	1,113	1,167	1,304	1,360	1,428	1,562
25-29 "	384	424	403	459	503	513	488
30-34 "	212	230	215	215	229	241	256
35-39 "	111	133	114	146	149	155	152
40-44 "	39	37	42	36	61	51	48
45-49 "	6	3	4	3	6	11	5
50 years and over	–	–	–	–	–	–	–
Not stated	414	147	93	53	43	54	54
Total illegitimate births	**3,334**	**3,371**	**3,408**	**3,715**	**4,052**	**4,066**	**4,396**
Per cent of total living births	**1·97**	**2·05**	**2·17**	**2·36**	**2·62**	**2·70**	**2·91**
Male illegitimate births	**1,682**	**1,781**	**1,766**	**1,929**	**2,050**	**2,109**	**2,290**
Female illegitimate births	**1,652**	**1,590**	**1,642**	**1,786**	**2,002**	**1,957**	**2,106**

In order that the upward trend shown in Table XIII may be analyzed by provinces, Table XIV presents the yearly number of illegitimate births in each province during the period 1921-27 and the percentage they form of all living births.

TABLE XIV.—NUMBER OF ILLEGITIMATE BIRTHS AND PER CENT OF TOTAL LIVING BIRTHS, BY PROVINCES IN THE REGISTRATION AREA AS OF 1921 DURING THE YEARS 1921-1927

Year		Total	P.E.I.	N.S.	N.B.	Ont.	Man.	Sask.	Alta.	B.C.
Number	1921	3,334	49	396	198	1,592	420	252	299	128
	1922	3,371	57	460	222	1,519	410	258	314	131
	1923	3,408	43	443	258	1,579	381	274	306	124
	1924	3,715	42	483	251	1,717	423	330	299	170
	1925	4,052	38	501	296	1,881	400	341	388	207
	1926	4,066	41	481	267	1,823	466	390	404	194
	1927	4,396	35	578	298	1,958	473	432	418	204
Per cent of total living births	1921	2·0	2·3	3·0	1·7	2·1	2·3	1·1	1·8	1·2
	1922	2·1	2·6	3·6	1·9	2·1	2·3	1·2	1·9	1·3
	1923	2·2	2·2	3·8	2·4	2·3	2·3	1·3	2·0	1·2
	1924	2·4	2·3	4·1	2·3	2·4	2·7	1·5	2·0	1·7
	1925	2·6	2·3	4·4	2·7	2·7	2·7	1·7	2·6	2·0
	1926	2·7	2·3	4·4	2·6	2·7	3·2	1·9	2·8	1·9
	1927	2·9	2·1	5·2	2·8	2·9	3·3	2·1	2·8	2·0

Table XV classifies, for the nine provinces of Canada as a whole, the illegitimate births of 1927 by age and birthplace of the mother.

TABLE XV.—ILLEGITIMATE BIRTHS (EXCLUSIVE OF STILLBIRTHS) IN CANADA[1] CLASSIFIED BY AGE AND BIRTHPLACE OF THE MOTHER, 1927

Birthplace of mother	Total	Age of mother									
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 years and over	Not stated
Canada	**4,380**	**58**	**1,922**	**1,597**	**417**	**178**	**105**	**28**	**2**	–	**73**
Prince Edward Island	59	–	16	19	9	10	–	1	–	–	4
Nova Scotia	558	7	244	200	58	25	22	2	–	–	–
New Brunswick	292	4	127	110	26	12	8	4	–	–	1
Quebec	1,137	15	457	439	116	37	20	6	–	–	47
Ontario	1,397	13	620	502	140	61	33	11	2	–	15
Manitoba	309	3	152	117	20	9	6	–	–	–	2
Saskatchewan	228	10	124	72	9	8	4	1	–	–	–
Alberta	216	4	89	80	22	10	8	2	–	–	1
British Columbia	89	1	48	26	8	2	2	1	–	–	1
Province not specified	95	1	45	32	9	4	2	–	–	–	2
British Isles	**682**	**2**	**134**	**267**	**129**	**84**	**35**	**21**	**1**	–	**9**
England	374	1	74	138	69	48	22	14	1	–	7
Ireland	55	1	5	31	9	4	2	2	–	–	1
Scotland	239	–	54	93	46	29	11	5	–	–	1
Wales	14	–	1	5	5	3	–	–	–	–	–
Other	–	–	–	–	–	–	–	–	–	–	–
British Possessions	**44**	–	**15**	**18**	**6**	**1**	**4**	–	–	–	–
Newfoundland	38	–	15	15	5	–	3	–	–	–	–
Other	6	–	–	3	1	1	1	–	–	–	–
Europe	**280**	**1**	**63**	**99**	**60**	**23**	**27**	**4**	**2**	–	**1**
Austria	37	1	7	16	7	2	3	–	1	–	–
Belgium	8	–	2	3	2	–	1	–	–	–	–
Denmark	3	–	–	1	2	–	–	–	–	–	–
Finland	24	–	6	8	8	1	1	–	–	–	–
France	6	–	2	1	3	–	–	–	–	–	–
Germany	29	–	8	9	6	3	2	1	–	–	–
Holland	4	–	1	1	2	–	–	–	–	–	–
Hungary	14	–	2	4	4	3	1	–	–	–	–
Italy	10	–	6	–	1	1	2	–	–	–	–
Norway	10	–	2	3	4	–	1	–	–	–	–
Poland [2]	56	–	13	23	8	3	7	2	–	–	–
Rumania [3]	12	–	2	1	1	1	5	1	1	–	–
Russia [4]	43	–	10	20	7	5	1	–	–	–	–
Sweden	11	–	1	3	4	2	1	–	–	–	–
Other	13	–	1	6	1	2	2	–	–	–	1
Asia	**1**	–	–	**1**	–	–	–	–	–	–	–
China	–	–	–	–	–	–	–	–	–	–	–
Japan	–	–	–	–	–	–	–	–	–	–	–
Other	1	–	–	1	–	–	–	–	–	–	–
United States	245	1	91	83	39	18	10	3	–	–	–
Various	–	–	–	–	–	–	–	–	–	–	–
Not specified	1,083	4	133	113	40	11	7	3	1	–	771
Total	**6,715**	**66**	**2,358**	**2,178**	**691**	**315**	**188**	**59**	**6**	–	**854**

[1] See note 1, table I. [2] Including Galicia. [3] Including Bukovina. [4] Including the Ukraine.

STILLBIRTHS

The statistics of children born dead during the year 1927 are shown in Table XVI, classified by the age of the mother.

TABLE XVI.—STILLBIRTHS IN CANADA(1) BY AGE OF MOTHER AND LEGITIMACY OF CHILD, 1927

Age of mother	Unmarried mothers	Married mothers									Total
		P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	
Under 15 years	2	–	–	–	–	–	–	–	–	–	2
15 years	8	–	1	–	–	1	–	–	–	–	10
16 "	8	–	1	–	2	7	–	–	–	–	18
17 "	28	–	6	5	9	17	2	3	4	1	75
18 "	25	1	10	7	10	44	6	11	5	6	125
19 "	26	1	11	8	31	64	10	8	15	6	180
20 "	23	2	8	8	37	93	8	15	15	5	214
21 "	19	–	12	7	63	78	13	23	19	12	246
22 "	26	1	15	14	84	113	18	28	24	9	332
23 "	9	–	16	11	75	102	17	23	21	10	284
24 "	9	3	12	12	94	127	23	20	15	15	330
25 "	14	1	16	9	101	100	14	27	23	10	315
26 "	4	1	14	10	116	132	14	10	22	14	337
27 "	1	1	14	12	102	123	23	19	19	12	326
28 "	7	2	14	15	116	142	26	14	20	18	374
29 "	5	–	16	12	91	119	23	22	15	15	318
30 "	3	1	25	7	96	108	17	20	21	15	313
31 "	5	1	13	6	63	111	17	19	9	11	255
32 "	6	1	12	10	101	123	22	23	21	12	331
33 "	5	1	13	8	87	126	18	25	16	13	312
34 "	3	3	12	11	74	111	22	28	20	9	293
35 "	5	5	13	10	112	85	23	23	14	16	306
36 "	2	–	14	15	87	112	24	22	17	8	301
37 "	1	–	9	14	76	89	20	20	17	8	254
38 "	5	–	14	11	84	101	20	21	20	11	287
39 "	4	1	9	10	68	84	15	21	15	6	233
40 "	3	3	16	9	76	75	12	27	12	9	242
41 "	–	–	8	7	37	53	10	12	6	8	141
42 "	1	1	8	12	51	54	10	15	12	2	166
43 "	–	–	8	4	32	30	9	7	10	7	107
44 "	1	1	5	2	25	18	7	2	10	5	76
45 "	–	–	3	2	16	21	–	6	4	1	53
46 "	1	–	3	–	9	3	2	2	–	1	21
47 "	–	–	1	–	4	4	–	3	–	1	13
48 "	–	–	–	1	1	2	–	1	1	–	6
49 "	–	–	–	–	–	–	–	1	–	–	1
50 years and over	–	–	1	–	–	1	1	–	–	–	3
Not stated	43	8	1	7	4	71	1	1	–	–	136
Total	**302**	**39**	**354**	**276**	**2,034**	**2,644**	**447**	**522**	**442**	**276**	**7,336**
Per cent of total births	**4·3**	**2·3**	**3·2**	**2·6**	**2·5**	**3·9**	**3·2**	**2·5**	**3·0**	**2·7**	**3·0**

(1) See note 1, table I.

The proportion of stillbirths to total births for certain age-groups of married mothers classified by the order of the present birth, is shown in the statement hereunder. In each group by order of birth the rate shows a general tendency to increase with age of mother.

The proportion of stillbirths in first births is higher throughout, except in the case of the age-group 15–19 years.

The figures on which the rates are based are affected by classifications not brought out in the table—differences in economic and social position, race, rural or urban environment, etc. Moreover, the number of events on which certain of the rates are based is too small to allow these rates to be regarded as fully significant. A footnote to the table indicates those cases in which the number of stillbirths was less than 20. No rates have been computed for these.

PER CENT PROPORTION OF STILLBIRTHS TO TOTAL BIRTHS IN CANADA,(1) 1927

Age of mother	Total	1st child	2nd and 3rd child	4th, 5th and 6th child	Higher order than the 6th child
15-19 years	2·7	2·6	2·8	(2)	–
20-24 "	2·4	3·2	1·8	2·2	(2)
25-29 "	2·6	4·5	2·2	2·0	2·1
30-34 "	2·9	5·4	2·9	2·6	2·6
35-39 "	3·7	7·3	3·9	3·5	3·5
40-44 "	5·0	9·2	5·2	5·3	4·7
45 years and over	6·0	(2)	(2)	(2)	6·1

(1) See note 1, table I. (2) Rates not computed for fewer than 20 stillbirths.

Table XVII shows for each province the distribution of stillbirths in 1927 by sex and month of birth. It will be noted that the proportion of males to females was much greater than for living births.

TABLE XVII.—STILLBIRTHS IN EACH PROVINCE BY SEX AND MONTH OF BIRTH, 1927


Month	Canada(1)	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
January	631	3	32	22	195	233	42	49	34	21
February	635	3	31	24	184	245	38	54	30	26
March	760	4	53	35	208	275	49	67	44	25
April	612	1	34	21	183	230	29	46	47	21
May	654	4	30	27	192	240	34	49	52	26
June	602	2	22	23	180	232	42	37	34	30
July	591	6	35	31	159	221	41	44	32	22
August	578	6	32	22	160	218	48	40	33	19
September	572	4	34	28	158	209	35	35	37	32
October	559	1	30	20	142	231	32	47	40	16
November	535	4	21	11	155	211	40	32	39	22
December	607	4	29	24	198	213	42	42	34	21
Total	**7,336**	**42**	**383**	**288**	**2,114**	**2,758**	**472**	**542**	**456**	**281**
Male	4,232	27	215	161	1,309	1,515	258	315	264	16
Female	3,104	15	168	127	805	1,243	214	227	192	11
Males to 1,000 females	1,363	1,800	1,280	1,268	1,626	1,219	1,206	1,388	1,375	1,487

(1) See note 1, table I.

INFANT MORTALITY

Annual mortality rates for children under one year of age are usually based on a comparison of the number of deaths of infants during the year under review with the number of living births reported for the same year. The number of deaths under one year of age in the nine provinces of Canada in 1927 totalled 22,010, giving a rate of 94·0 per 1,000 living births; these figures compared with 23,692 deaths and a rate of 101·8 in the preceding year. The reduction in rate extended to every province except Nova Scotia and British Columbia. The largest reduction was in the province of Quebec, where the rate for 1927 was 129·3 as compared with 142·0 in the preceding year. Alberta followed with a decline in the infant mortality rate from 85·3 to 74·5 per 1,000 births. New Brunswick also showed a substantial reduction from 105·9 to 96·0 per 1,000. The year 1927 is the first during the period listed in the tables that the rates for this province fell below 100 per 1,000 living births.

For the eight provinces comprising the Registration Area as of 1921, the infant mortality rate for 1927 was 74·6. This figure compared with rates between 78 and 80 for the years 1924–26 and rates of approximately 87 and 88 for the years 1921–23.



Infant Mortality by Sex.—The figures by sex in Table XVIII show for the year 1927 a rate of infant mortality for males in the nine provinces of Canada amounting to 104·0 per 1,000 births, while the rate for females was only 83·3 per 1,000. It will be noted that both rates decreased in nearly the same proportion from the preceding year, though the number of male infants saved by the lower rate was in excess of the number of female infants.

Male births for the year 1927 numbered 120,655, while the female births amounted to only 113,533, the excess of males being thus 7,122; but if the infant deaths of the same year are deducted from the births of each sex to represent with reasonable accuracy the position at the end of the first year of life, the net advantage of males is reduced to 4,036.

TABLE XVIII.—NUMBER OF DEATHS UNDER ONE YEAR AND RATIO TO LIVING BIRTHS, BY SEX, IN EACH PROVINCE, 1921-1927

Province		Both sexes			Male			Female		
		Living births	Deaths under one year		Living births	Deaths under one year		Living births	Deaths under one year	
			Number	Per 1,000 births		Number	Per 1,000 births		Number	Per 1,000 births
Prince Edward Island.	1921	2,156	180	83·5	1,073	95	88·5	1,083	85	73·5
	1922	2,160	153	70·8	1,104	96	87·0	1,056	57	54·0
	1923	1,977	176	89·0	981	94	95·8	996	82	82·3
	1924	1,858	133	71·6	928	68	73·3	930	65	69·9
	1925	1,675	116	69·3	877	74	84·4	798	42	52·6
	1926	1,752	123	70·2	887	65	73·3	865	58	67·1
	1927	1,697	113	66·6	890	70	78·7	807	43	53·3
Nova Scotia	1921	13,021	1,311	100·7	6,695	738	110·2	6,326	573	90·6
	1922	12,693	1,239	97·6	6,630	724	109·2	6,063	515	84·9
	1923	11,680	1,139	97·5	5,973	662	110·8	5,707	477	83·6
	1924	11,801	1,118	94·7	6,189	642	103·7	5,612	476	84·8
	1925	11,400	887	77·8	5,886	499	84·8	5,514	388	70·4
	1926	10,980	882	80·3	5,638	523	92·8	5,342	359	67·2
	1927	11,134	1,028	92·3	5,704	579	101·5	5,430	449	82·7
New Brunswick	1921	11,465	1,299	113·3	5,942	740	124·5	5,523	559	101·2
	1922	11,564	1,194	103·3	5,955	672	112·9	5,609	522	93·1
	1923	10,704	1,135	106·0	5,457	682	125·0	5,247	453	86·3
	1924	10,717	1,098	102·5	5,523	612	110·8	5,194	486	93·6
	1925	10,949	1,096	100·1	5,664	632	111·6	5,285	464	87·8
	1926	10,340	1,095	105·9	5,294	625	118·1	5,046	470	93·1
	1927	10,479	1,006	96·0	5,391	542	100·5	5,088	464	91·2
Quebec	1926	82,165	11,666	142·0	42,475	6,676	157·2	39,690	4,990	125·7
	1927	83,064	10,739	129·3	42,813	6,149	143·6	40,251	4,590	114·0
Ontario	1921	74,152	6,763	91·2	38,307	3,918	102·3	35,845	2,845	79·4
	1922	71,430	5,921	82·9	36,495	3,414	93·5	34,935	2,507	71·8
	1923	70,056	5,950	84·9	36,141	3,415	94·5	33,915	2,535	74·7
	1924	71,510	5,418	75·8	36,582	3,055	83·5	34,928	2,363	67·6
	1925	70,122	5,530	78·9	36,098	3,100	85·9	34,024	2,430	71·4
	1926	67,617	5,302	78·4	34,742	3,032	87·3	32,875	2,270	69·0
	1927	67,671	4,812	71·1	34,755	2,733	78·6	32,916	2,079	63·2
Manitoba	1921	18,478	1,533	83·0	9,455	868	91·8	9,023	665	73·7
	1922	17,679	1,669	94·4	8,926	937	105·0	8,753	732	83·6
	1923	16,472	1,411	85·7	8,397	791	94·2	8,075	620	76·8
	1924	15,454	1,173	75·9	7,804	635	81·4	7,650	538	70·3
	1925	14,867	1,184	79·6	7,634	672	88·0	7,233	512	70·8
	1926	14,661	1,122	76·5	7,598	636	83·7	7,063	486	68·8
	1927	14,147	1,021	72·2	7,434	601	80·8	6,713	420	62·6
Saskatchewan	1921	22,493	1,814	80·6	11,620	1,048	90·2	10,873	766	70·4
	1922	22,339	1,913	85·6	11,435	1,079	94·4	10,904	834	76·5
	1923	20,947	1,925	91·9	10,765	1,072	99·6	10,182	853	83·8
	1924	21,539	1,634	75·9	11,157	946	84·8	10,382	688	66·3
	1925	20,582	1,662	80·8	10,620	972	91·5	9,962	690	65·0
	1926	20,716	1,681	81·1	10,651	949	89·1	10,065	732	72·7
	1927	21,015	1,575	74·9	10,852	913	84·1	10,163	662	65·1
Alberta	1921	16,561	1,391	84·0	8,493	808	95·1	8,068	583	72·3
	1922	16,163	1,475	91·3	8,219	838	102·0	7,944	637	80·2
	1923	15,060	1,418	94·2	7,676	824	107·3	7,384	594	80·4
	1924	14,597	1,227	84·1	7,422	677	91·2	7,175	550	76·7
	1925	14,924	1,125	75·4	7,626	645	84·6	7,298	480	66·0
	1926	14,456	1,233	85·3	7,410	695	93·8	7,046	538	76·4
	1927	14,897	1,110	74·5	7,682	616	80·2	7,215	494	68·5

TABLE XVIII.—NUMBER OF DEATHS UNDER ONE YEAR AND RATIO TO LIVING BIRTHS, BY SEX, IN EACH PROVINCE, 1921-1927—Concluded

Province		Both sexes			Male			Female		
		Living births	Deaths under one year		Living births	Deaths under one year		Living births	Deaths under one year	
			Number	Per 1,000 births		Number	Per 1,000 births		Number	Per 1,000 births
British Columbia...	1921	10,653	602	56·5	5,549	343	61·8	5,104	259	50·7
	1922	10,166	692	68·1	5,293	415	78·4	4,873	277	56·8
	1923	10,001	668	66·8	5,176	374	72·3	4,825	294	60·9
	1924	10,119	574	56·7	5,203	325	62·5	4,916	249	50·7
	1925	10,342	569	55·0	5,329	318	60·0	5,013	251	50·1
	1926	10,063	588	58·4	5,168	336	65·0	4,895	252	51·5
	1927	10,084	606	60·1	5,134	345	67·2	4,950	261	52·7
Canada (1).....	**1926**	**232,750**	**23,692**	**101·8**	**119,863**	**13,537**	**112·9**	**112,887**	**10,155**	**90·0**
	1927	**234,188**	**22,010**	**94·0**	**120,655**	**12,548**	**104·0**	**113,533**	**9,462**	**83·3**
Registration Area as of 1921.	1921	168,979	14,893	88·1	87,134	8,558	98·2	81,845	6,335	77·4
	1922	164,194	14,256	86·8	84,057	8,175	97·3	80,137	6,081	75·9
	1923	156,897	13,822	88·1	80,566	7,914	98·2	76,331	5,908	77·4
	1924	157,595	12,375	78·5	80,808	6,960	86·1	76,787	5,415	70·5
	1925	154,861	12,169	78·6	79,734	6,912	86·7	75,127	5,257	70·0
	1926	150,585	12,026	79·9	77,388	6,861	88·7	73,197	5,165	70·6
	1927	151,124	11,271	74·6	77,842	6,399	82·2	73,282	4,872	66·5

(1) See note 1, table I.

Year of Birth and Age at Death.—Although the infant death rates in Table XVIII are based on the number of births and deaths reported in 1927, it is evident that a number of the deaths were of infants born in 1926, but who had not attained their first birthday at the time of death. The actual number of such cases was 4,796, or 21·8 per cent of the total infant mortality reported for the year, leaving 17,214, or 78·2 per cent of the total number as the deaths of infants who were born in 1927 (Table XXII). The small proportion of deaths from the births of the preceding year explains why the infant mortality rate based on the relation of the deaths in each year to the births in the same year may be properly employed even for the comparison of one year with another, except where a very considerable change in the number of births takes place between successive years. Table XIX, which presents by provinces the proportion of infant deaths in 1927 at each age under one year shows that nearly one-half of the infants who died during the year failed to live for one month and about one-third lived for less than one week. This heavy mortality amongst the newly born furnishes the reason that such a large proportion of the infant mortality of a calendar year is contributed by the births of the same year.

TABLE XIX.—PROPORTION PER 1,000 DEATHS UNDER ONE YEAR OF AGE OCCURRING AT EACH AGE PERIOD, BY PROVINCES, 1927

Age at death	Canada(1)	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
Under 1 month.....	478·5	336·3	432·9	453·3	420·2	577·3	517·1	532·7	542·3	551·2
Under 1 day.....	*177·7*	*106·2*	*122·6*	*163·0*	*154·8*	*219·5*	*179·2*	*203·2*	*229·7*	*221·1*
1 day and under 1 wk.....	*156·2*	*123·9*	*175·1*	*167·0*	*122·6*	*212·6*	*175·3*	*161·9*	*170·3*	*186·5*
1 wk. and under 2 wks.....	*60·4*	*53·1*	*47·7*	*56·7*	*56·5*	*65·0*	*73·5*	*78·7*	*60·4*	*52·8*
2 wks. and under 3 wks.....	*47·4*	*8·8*	*56·4*	*33·8*	*48·2*	*45·1*	*61·7*	*47·6*	*43·2*	*49·5*
3 wks. and under 1 mo.....	*36·7*	*44·2*	*31·1*	*32·8*	*38·0*	*35·1*	*27·4*	*41·3*	*38·7*	*41·3*
1 mo. and under 2 mos.....	98·9	123·9	115·8	90·5	109·9	80·4	93·0	94·6	92·8	64·4
2 mos. " 3 "	83·4	97·3	88·5	78·5	99·1	56·9	74·4	73·0	74·8	71·0
3 " " 4 "	66·3	70·8	84·6	73·6	75·3	48·0	54·8	66·0	58·6	41·3
4 " " 5 "	52·2	70·8	54·5	68·6	57·3	42·0	46·0	48·3	40·5	52·8
5 " " 6 "	45·8	26·5	51·6	42·7	52·9	38·7	42·1	34·9	33·3	33·0
6 " " 7 "	36·2	53·1	33·1	38·8	37·0	36·0	39·2	27·9	36·0	39·6
7 " " 8 "	33·7	70·8	34·0	31·8	35·9	30·8	30·4	31·1	29·7	33·0
8 " " 9 "	31·0	53·1	38·9	36·8	32·6	28·1	26·4	26·7	22·5	34·7
9 " " 10 "	27·3	35·4	27·2	28·8	30·3	21·6	26·4	24·1	21·6	36·3
10 " " 11 "	23·4	26·5	15·6	28·8	25·0	20·4	21·5	22·2	27·0	23·1
11 " " 1 yr.....	23·2	35·4	23·3	27·8	24·8	20·0	28·4	18·4	20·7	19·8
Total.....	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**

(1) See note 1, table I.

Infant Mortality in Other Countries.—Table XX presents a statement of the number of births and deaths of infants under one year of age for Canada and for certain other countries. In some cases the figures are preliminary. Every country for which the sexes are listed separately shows a higher rate of infant mortality among males than among females.

TABLE XX—INFANT MORTALITY IN CANADA AND IN CERTAIN OTHER COUNTRIES

Country	Year	Living births	Infant mortality		Country	Year	Living births	Infant mortality	
			Deaths under 1 year	Rate per 1,000 living births				Deaths under 1 year	Rate per 1,000 living births
Canada[1]	**1927**				Japan	1927			
Males		**120,655**	**12,548**	**104·0**	Males		1,048,946	157,823	150·5
Females		**113,533**	**9,462**	**83·3**	Females		1,011,791	134,261	132·7
Total		**234,188**	**22,010**	**94·0**	Total		2,060,737	292,084	141·7
Australia	1927				Netherlands	1927			
Males		68,880	4,102	59·6	Males		90,144	5,982	66·4
Females		64,818	3,181	49·1	Females		84,954	4,297	50·6
Total		133,698	7,283	54·5	Total		175,098	10,279	58·7
Austria	1927				New Zealand	1927			
Total		119,058	14,729	123·7	Males		14,291	610	42·7
					Females		13,590	470	34·6
Belgium	1927				Total		27,881	1,080	38·7
Males		74,872	8,225	109·9					
Females		71,424	6,164	86·3	Northern Ireland	1927			
Total		146,296	14,389	98·4	Males		13,693	1,159	84·6
					Females		12,983	915	70·5
British Isles	1927				Total		26,676	2,074	77·7
Males		427,350	34,740	81·3					
Females		410,224	25,774	62·8	Norway	1926			
Total		837,574	60,514	72·2	Males		27,573	1,468	53·2
					Females		26,130	1,125	43·1
Ceylon	1927				Total		53,703	2,593	48·3
Males		104,950	17,641	168·1					
Females		100,519	15,317	152·4	Rumania	1926			
Total		205,469	32,958	160·4	Total		607,864	118,220	194·5
Chile	1927				Salvador	1926			
Males		89,645	20,594	229·7	Males		30,274	4,943	163·3
Females		83,028	18,453	222·3	Females		29,489	4,319	146·5
Total		172,673	39,047	226·1	Total		59,763	9,262	155·0
Denmark	1926				Sao Paulo	1925			
Males		36,287	3,431	94·6	Total		181,977	30,570	168·0
Females		34,447	2,538	73·7					
Total		70,734	5,969	84·4	Scotland	1927			
					Males		49,314	4,894	99·2
England and Wales	1927				Females		47,358	3,682	77·7
Males		333,737	26,306	78·8	Total		96,672	8,576	88·7
Females		320,435	19,304	60·2					
Total		654,172	45,610	69·7	Spain	1927			
					Total		636,664	80,713	126·8
Finland	1927								
Males		38,973	4,131	106·0	Sweden	1927			
Females		36,638	3,210	87·6	Total		97,847	6,046	61·8
Total		75,611	7,341	97·1					
					Switzerland	1927			
France	1927				Males		35,839	2,234	62·3
Males		.....	34,944	.....	Females		33,694	1,717	51·0
Females		.....	27,104	.....	Total		69,533	3,951	56·8
Total		741,708	62,048	83·7					
					Union of South Africa	1927			
Germany	1927				Males (whites)		22,812	.....	.....
Total		1,160,206	112,363	96·8	Females (whites)		21,586	.....	.....
					Total (whites)		44,398	3,379	76·1
Hungary	1927								
Total		218,548	40,395	184·8	United States (Birth Reg. Area)	1927			
					Males		1,099,287	78,652	71·5
India (British)	1926				Females		1,038,549	59,365	57·2
Total		8,395,679	1,587,091	189·0	Total		2,137,836	138,017	64·6
Irish Free State	1927				Uruguay	1927			
Males		30,606	2,381	77·8	Males		22,065	2,493	113·0
Females		29,448	1,873	63·6	Females		20,780	2,051	98·7
Total		60,054	4,254	70·8	Total		42,845	4,544	106·1
Italy	1927								
Males		560,951	70,965	126·5					
Females		532,821	60,499	113·5					
Total		1,093,772	131,464	120·2					

[1] See note 1, table 1.

Infant Mortality by Months.—Table XXI shows the number of infant deaths by months in Canada in 1926 and 1927, and the rate of infant mortality for each month calculated on the living births of the same month.

TABLE XXI.—INFANT MORTALITY BY MONTH OF DEATH, 1927

—		Total	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Number of living births....	1926	232,750	19,317	18,284	21,356	21,064	20,706	19,464	19,907	19,682	19,145	18,512	17,402	17,911
	1927	234,188	18,039	17,601	21,387	20,931	21,012	20,405	20,646	19,931	19,386	18,521	17,773	18,556
Number of deaths under one year.	1926	23,692	1,860	1,885	2,236	2,411	2,184	1,743	1,671	2,143	2,265	1,900	1,599	1,795
	1927	22,010	2,115	1,934	2,038	1,936	1,832	1,547	1,553	1,856	2,247	1,836	1,548	1,568
Rate per 1,000 living births.	1926	101·8	96·3	103·1	104·7	114·5	105·5	89·5	83·9	108·9	118·3	102·6	91·9	100·2
	1927	94·0	117·2	109·9	95·3	92·5	87·2	75·8	75·2	93·1	115·9	99·1	87·1	84·5

In Table XXII the deaths of infants under one year of age in the nine provinces of Canada during the year 1927 are classified according to the month of birth and the month of death. The month of birth may have been either in 1926 or 1927. Vertically the figures give the distribution by months of the births of children who died under one year of age in a specified month of 1927; horizontally they give the distribution by months in 1927 of the deaths of children under one year of age born in a specified month of that or of the previous year. For example, 214 of the children born in April, 1926, died in 1927 before they had attained their first birthday; of these deaths 77 occurred in January, 66 in February, 51 in March and 20 in April, 1927. If the figures of the table are read diagonally (omitting sub-totals) from upper left to lower right, they give the number of children who died in 1927 in the calendar month of birth, the number who died in the month succeeding that of birth, etc. Thus the diagonal addition of the lowest set from 798 to 666 shows that for the year 1927 the actual number of infants dying in the month of their birth was 8,529, or 38·8 per cent of the total infant mortality during the year. Diagonal addition of the set of items immediately above these last taken (from 311 to 218) shows that the number of children who died in 1927 in the month succeeding that of their birth was 3,232 or 14·7 per cent of the infant deaths during the year. The remainder, who died in a later month than that succeeding the month of their birth, numbered 10,249 or 46·6 per cent of the total infant mortality during 1927.

TABLE XXII.—DEATHS OF CHILDREN UNDER ONE YEAR OF AGE (EXCLUSIVE OF STILLBIRTHS) IN CANADA(1) IN 1927, CLASSIFIED BY MONTH OF BIRTH AND MONTH OF DEATH

Month of birth	Total	Month of death 1927											
		Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Born in past year	**4,796**	**1,317**	**868**	**700**	**536**	**367**	**237**	**193**	**219**	**219**	**87**	**40**	**13**
January	15	15	–	–	–	–	–	–	–	–	–	–	–
February	63	56	7	–	–	–	–	–	–	–	–	–	–
March	158	79	50	29	–	–	–	–	–	–	–	–	–
April	214	77	66	51	20	–	–	–	–	–	–	–	–
May	282	87	53	54	12	26	–	–	–	–	–	–	–
June	316	80	64	63	40	50	19	–	–	–	–	–	–
July	383	81	71	77	68	48	31	7	–	–	–	–	–
August	413	96	59	72	66	50	33	30	7	–	–	–	–
September	507	117	92	58	60	41	39	33	45	22	–	–	–
October	624	141	89	72	71	41	37	40	54	64	15	–	–
November	748	177	139	98	70	50	28	32	48	64	31	11	–
December	1,073	311	178	126	79	61	50	51	65	69	41	29	13
Born in current year	**17,214**	**798**	**1,066**	**1,338**	**1,400**	**1,465**	**1,310**	**1,360**	**1,637**	**2,028**	**1,749**	**1,508**	**1,555**
January	1,817	798	308	143	127	82	57	46	85	88	41	25	17
February	1,771	–	758	352	137	93	59	60	87	96	58	37	34
March	1,923	–	–	843	335	162	86	93	126	129	74	42	33
April	1,939	–	–	–	801	297	171	123	157	187	98	52	53
May	1,795	–	–	–	–	831	225	147	155	194	127	65	51
June	1,627	–	–	–	–	–	712	233	193	214	138	75	62
July	1,442	–	–	–	–	–	–	658	227	243	161	85	68
August	1,256	–	–	–	–	–	–	–	607	240	202	124	83
September	1,162	–	–	–	–	–	–	–	–	637	266	149	110
October	964	–	–	–	–	–	–	–	–	–	584	220	160
November	852	–	–	–	–	–	–	–	–	–	–	634	218
December	666	–	–	–	–	–	–	–	–	–	–	–	666
Total infant deaths	**22,010**	**2,115**	**1,934**	**2,038**	**1,936**	**1,832**	**1,547**	**1,553**	**1,856**	**2,247**	**1,836**	**1,548**	**1,568**

(1) See note 1, table I.

In Table XXIII, the infant mortality of each month is divided into three parts and a rate for each part is calculated on the births which form an appropriate denominator for that part. The table permits a comparison between the various months of 1927 in regard to (a) the mortality of infants born during the month; (b) the mortality of infants born during the preceding month; (c) the mortality of infants under one year born prior to the preceding month.

In the rate of mortality for infants born prior to the preceding month, adjustment has been made on a simple pro rata basis for the varying lengths of months, with 30·4 days as the standard. No such adjustment has been made for the other two sets of rates, since in these, owing to the concentration of deaths at the earliest ages, the variation in length of the month makes little difference and adjustment would be a matter of considerable difficulty.

The highest rate of mortality for infants born during the month was in January and the lowest in August. The highest rate for infants born during the preceding month was in March and the lowest in June. For infants born prior to the preceding month, mortality was highest in September, with August second, and lowest in June. The position of September in the mortality of these infants contrasts with its low rate in the other two divisions, and may be attributed to the greater relative importance of gastro-intestinal diseases as a cause of death amongst infants who have lived through the month of their birth and the succeeding month.

To obtain a unified adjusted monthly rate of infant mortality the three rates have been combined on the assumption of an equal number of births in each month of the year. September showed the highest unified rate, 116·6 per 1,000 living births, while July, with 77·1, was the lowest month.

TABLE XXIII.—ADJUSTMENT OF INFANT MORTALITY RATES IN CANADA[1] BY MONTHS, 1927

Month	Mortality of infants born during specified month			Mortality of infants born during preceding month			Mortality of infants born prior to preceding month				[2] Unified rate per 1,000 births
	No. of births	No. of deaths	Rate per 1,000 births	No. of births	No. of deaths	Rate per 1,000 births	No. of births	No. of deaths	Rate per 1,000 births	Rate adjusted for length of month	
	(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)
January	18,039	798	44·2	17,911	311	17·4	214,839	1,006	4·68	4·59	112·1
February	17,601	758	43·1	18,039	308	17·1	213,433	868	4·07	4·42	108·8
March	21,387	843	39·4	17,601	352	20·0	213,188	843	3·95	3·87	102·0
April	20,931	801	38·3	21,387	335	15·7	209,433	800	3·82	3·87	96·6
May	21,012	831	39·5	20,931	297	14·2	209,756	704	3·36	3·29	89·9
June	20,405	712	34·9	21,012	225	10·7	209,981	610	2·91	2·95	78·1
July	20,646	658	31·9	20,405	233	11·4	211,529	662	3·13	3·07	77·1
August	19,931	607	30·5	20,646	227	11·0	212,027	1,022	4·82	4·73	93·5
September	19,386	637	32·9	19,931	240	12·0	212,991	1,370	6·43	6·52	116·6
October	18,521	584	31·5	19,386	266	13·7	213,777	986	4·61	4·52	94·9
November	17,773	634	35·7	18,521	220	11·9	214,651	694	3·23	3·27	83·6
December	18,556	666	35·9	17,773	218	12·3	215,770	684	3·17	3·11	82·4

[1] See note 1, table I. [2] Obtained by adding c + f + (11 x j).

Infant Mortality by Quarters.—Table XXIV gives the rates of infant mortality for the four quarters of 1927, including both a crude rate, which expresses the ratio of the deaths in each quarter to the births in the same period, and an adjusted rate calculated in a manner similar to the monthly adjusted rates, of which a description is given above. In the crude form the second quarter shows the lowest rate, but the effect of adjustment is to award this position to the fourth quarter. The explanation lies in the fact that the fourth quarter having the smallest number of births, its crude rate is unduly exaggerated.

TABLE XXIV.—INFANT MORTALITY IN CANADA (1) FOR THE FOUR QUARTERS OF 1927

Quarter	Number of births	Number of deaths under one year of age	Infant mortality rate per 1,000 births	
			Crude	Adjusted
1st quarter	57,027	6,087	106·7	106·8
2nd quarter	62,348	5,315	85·2	88·6
3rd quarter	59,963	5,656	94·3	95·0
4th quarter	54,850	4,952	90·3	86·6

(1) See note 1, table I.

Mortality of Children Born in Calendar Year 1926.—A combination of parts of Table XXII for two successive years allows us to follow children born in a certain calendar year or calendar month through the first year of their lives. Table XXV illustrates this for the children born in the calendar year 1926. The mortality of such children during the first year of their lives was 100·1 per 1,000 births. The deaths of children born in 1926 occurred during the two calendar years 1926 and 1927. The table allows some interesting comparisons regarding the mortality of children born in the various months of the year. It would, however, be necessary to have such data over a period of years before assuming that the results are characteristic. The possibility of compensations in the mortality of the second year of life also requires consideration.

TABLE XXV.—MORTALITY UNDER ONE YEAR OF AGE OF CHILDREN BORN IN CANADA(1) IN THE CALENDAR YEAR 1926


Month of death	Total	Month of birth in 1926											
		Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1926													
January	765	765	–	–	–	–	–	–	–	–	–	–	–
February	1,088	299	789	–	–	–	–	–	–	–	–	–	–
March	1,448	230	251	967	–	–	–	–	–	–	–	–	–
April	1,577	152	168	313	944	–	–	–	–	–	–	–	–
May	1,610	90	115	187	331	887	–	–	–	–	–	–	–
June	1,472	44	71	118	144	297	798	–	–	–	–	–	–
July	1,451	52	47	93	122	154	265	718	–	–	–	–	–
August	1,867	106	107	114	167	205	222	255	691	–	–	–	–
September	2,060	73	91	143	177	215	216	220	271	654	–	–	–
October	1,828	56	57	81	123	118	121	172	213	278	609	–	–
November	1,553	37	45	53	61	54	71	102	116	177	249	588	–
December	1,783	41	36	57	53	59	68	98	113	136	190	278	654
1927													
January	1,317	15	56	79	77	87	80	81	96	117	141	177	311
February	868	–	7	50	66	53	64	71	59	92	89	139	178
March	700	–	–	29	51	54	63	77	72	58	72	98	126
April	536	–	–	–	20	62	40	68	66	60	71	70	79
May	367	–	–	–	–	26	50	48	50	41	41	50	61
June	237	–	–	–	–	–	19	31	33	39	37	28	50
July	193	–	–	–	–	–	–	7	30	33	40	32	51
August	219	–	–	–	–	–	–	–	7	45	54	48	65
September	219	–	–	–	–	–	–	–	–	22	64	64	69
October	87	–	–	–	–	–	–	–	–	–	15	31	41
November	40	–	–	–	–	–	–	–	–	–	–	11	29
December	13	–	–	–	–	–	–	–	–	–	–	–	13
Total deaths under 1 year	**23,298**	**1,960**	**1,840**	**2,284**	**2,336**	**2,271**	**2,077**	**1,948**	**1,817**	**1,752**	**1,672**	**1,614**	**1,727**
Total living births	**232,750**	**19,317**	**18,284**	**21,356**	**21,064**	**20,706**	**19,464**	**19,907**	**19,682**	**19,145**	**18,512**	**17,402**	**17,911**
Infant mortality rate per 1,000 children born alive in 1926	**100·1**	**101·5**	**100·6**	**106·9**	**110·9**	**109·7**	**106·7**	**97·9**	**92·3**	**91·5**	**90·3**	**92·7**	**96·4**

(1) See note 1, table I.

Infant Mortality by Causes.—Of the total infant mortality reported for the nine provinces of Canada in 1927, 92·0 per cent was due to the causes of death listed by name in Table XXVI. This figure compared with 92·6 per cent in 1926. The causes enumerated played approximately the same proportionate part in the mortality of males as of females.

Premature birth was assigned as the cause in 20 per cent of the deaths of 1927, diarrhœa and enteritis in 19·3 per cent and congenital debility in 10·8 per cent, while pneumonia accounted for 9·8 per cent of the total number. About 60 per cent of the total infant mortality, therefore, was attributed to these four leading causes in 1927. This was also true for 1926.

Malformations (No. 159) and the group of diseases of early infancy (Nos. 160–162), amongst which are included premature births and congenital debility, which have already been mentioned, together accounted for some 48 per cent of all infant deaths in each of the two years.



It may be noted, however, that deaths of infants under 3 months without medical attendance and with no assigned cause have been included under No. 162 "Other diseases peculiar to early infancy".

The fall in infant mortality from 1926 to 1927 amounted to a saving of 781 infant lives per 100,000 living births. To this saving the difference in deaths assigned to premature birth contributed 304, pneumonia 151, influenza 101, congenital malformations 71, whooping cough 59, and measles 33. The deaths due to premature birth numbered in all 5,083 in 1926 and only 4,402 in 1927, a reduction of 681, in spite of the fact that the total of living births in the later year was slightly higher. Quebec reported only 1,556 deaths from premature birth in 1927, as compared with 2,071 in the preceding year and this decline of 515 deaths was the main factor in bringing down the rate attributed to this cause for the country as a whole.

None of the causes listed contributed in any important way to offset the reductions cited, though injury at birth was reported as responsible for 23 more deaths per 100,000 births in 1927 than in the previous year. It may be noted that acute anterior poliomyelitis, one of the causes not separately shown in Table XXVI, was certified as the cause of 24 infant deaths in 1927 as against 9 in 1926. Of the 24 deaths, 10 occurred in the Province of Quebec and 7 in Alberta.

TABLE XXVI.—INFANT MORTALITY IN CANADA(1) BY SEX AND SPECIFIED CAUSES OF DEATH, 1926–27

Int. list No.	Causes of death	Year	Both sexes			Male		Female	
			Number	Per cent distribution by cause of death	Rate per 100,000 living births	Number	Rate per 100,000 living births	Number	Rate per 100,000 living births
7	Measles	1926	263	1·1	113	141	118	122	108
		1927	187	0·8	80	113	94	74	65
8	Scarlet fever	1926	25	0·1	11	13	11	12	11
		1927	35	0·2	15	23	19	12	11

TABLE XXVI.—INFANT MORTALITY IN CANADA(1) BY SEX AND SPECIFIED CAUSES OF DEATH
1926-1927—*Concluded*

Int. list No.	Causes of death	Year	Both sexes			Male		Female	
			Number	Per cent distribution by cause of death	Rate per 100,000 living births	Number	Rate per 100,000 living births	Number	Rate per 100,000 living births
9	Whooping cough	1926	773	3·3	332	358	299	415	368
		1927	640	2·9	273	336	278	304	268
10	Diphtheria	1926	47	0·2	20	24	20	23	20
		1927	48	0·2	20	24	20	24	21
11	Influenza	1926	950	4·0	408	576	481	374	331
		1927	719	3·3	307	411	341	308	271
16	Dysentery	1926	12	0·1	5	8	7	4	4
		1927	3	(2)	1	1	1	2	2
21	Erysipelas	1926	101	0·4	43	51	43	50	44
		1927	95	0·4	41	48	40	47	41
31-37	Tuberculosis	1926	233	1·0	100	131	109	102	90
		1927	188	0·9	80	100	83	88	78
38	Syphilis	1926	128	0·5	55	68	57	60	53
		1927	131	0·6	56	70	58	61	54
71a	Meningitis (simple)	1926	327	1·4	140	201	168	126	112
		1927	325	1·5	139	186	154	139	122
80	Convulsions	1926	440	1·9	189	263	219	177	157
		1927	441	2·0	188	265	220	176	155
99	Bronchitis	1926	150	0·6	64	90	75	60	53
		1927	134	0·6	57	74	61	60	53
100-101	Pneumonia	1926	2,487	10·5	1,069	1,410	1,176	1,077	954
		1927	2,150	9·8	918	1,210	1,003	940	828
110-112	Diseases of the stomach	1926	282	1·2	121	156	130	126	112
		1927	302	1·4	129	170	141	132	116
113	Diarrhoea and enteritis	1926	4,318	18·2	1,855	2,451	2,045	1,867	1,654
		1927	4,249	19·3	1,814	2,430	2,014	1,819	1,602
118	Hernia, intestinal obstruct'n	1926	107	0·5	46	68	57	39	35
		1927	105	0·5	45	73	61	32	28
159	Congenital malformations	1926	1,412	6·0	607	777	648	635	563
		1927	1,256	5·7	536	661	548	595	524
160	Congenital debility	1926	2,353	9·9	1,011	1,353	1,129	1,000	886
		1927	2,368	10·8	1,011	1,355	1,123	1,013	892
161a	Premature birth	1926	5,083	21·5	2,184	2,936	2,449	2,147	1,902
		1927	4,402	20·0	1,880	2,550	2,113	1,852	1,631
161b	Injury at birth	1926	949	4·0	408	563	470	386	342
		1927	1,009	4·6	431	601	498	408	359
162	Other diseases peculiar to early infancy.	1926	1,507	6·4	647	885	738	622	551
		1927	1,454	6·6	621	848	703	606	534
	Other specified causes	1926	1,587	6·7	682	911	760	676	599
		1927	1,631	7·4	696	920	763	711	626
204-205	Unspecified or ill-defined causes.	1926	158	0·7	68	103	86	55	49
		1927	138	0·6	59	79	65	59	52
	All causes	**1926**	**23,692**	**100·0**	**10,179**	**13,537**	**11,294**	**10,155**	**8,996**
		1927	**22,010**	**100·0**	**9,398**	**12,548**	**10,400**	**9,462**	**8,334**

(1) See note 1, table I. (2) Less than one-tenth of one per cent.

Proportion of Infant Mortality Rates for each Sex from Certain Causes.—Table XXVII shows for the same list of causes as that given in Table XXVI the per cent proportion which the death rates of male infants bore to those of female infants in 1926 and 1927. Male rates exceeded those of females for all of the causes listed excepting diphtheria and erysipelas in both years, whooping cough in 1926 and dysentery in 1927. The table shows clearly that the advantage in the female rate is consistently maintained throughout nearly all important causes of infant deaths.

TABLE XXVII.—PER CENT PROPORTION OF INFANT MORTALITY RATES OF MALES TO THOSE OF FEMALES IN CANADA[1], 1926–27

(Mortality rate of females taken as 100)

Int. list No.	Causes of death	1926	1927
7	Measles	109	144
8	Scarlet fever	102	180
9	Whooping cough	81	104
10	Diphtheria	98	94
11	Influenza	145	126
16	Dysentery	191	44
21	Erysipelas	96	96
31–37	Tuberculosis	121	107
38	Syphilis	107	108
71a	Meningitis (simple)	150	126
80	Convulsions	140	142
99	Bronchitis	141	116
100–101	Pneumonia	123	121
110–112	Diseases of the stomach	117	121
113	Diarrhoea and enteritis	124	126
118	Hernia, intestinal obstruction	164	215
159	Congenital malformations	115	105
160	Congenital debility	127	126
161a	Premature birth	129	130
161b	Injury at birth	137	139
162	Other diseases peculiar to early infancy	134	132
	Other specified causes	127	122
204–205	Unspecified or ill-defined causes	176	126
	All causes	**126**	**125**

[1] See note 1, table I.

Causes of Infant Mortality by Age-Periods.—Table XXVIII presents infant mortality rates by age-groups for the same list of causes as in previous tables, for the nine provinces of Canada in 1927. The first three months of life are divided into monthly periods and in the first month the first week of life is separated from the remaining part. The remainder of the year is given by age periods of three months. In order to establish a fair comparison between periods of different lengths equivalent weekly rates are used. To obtain these, the crude rates for the period "one week and under one month" have been multiplied by $7/23\cdot4$, those for the full monthly periods by $7/30\cdot4$ and those for the three months' periods by $7/91\cdot2$. As thus reduced the rates represent a mortality per 100,000 living births over an average week of the longer periods. It should be remembered, however, that the mortality of the first week of life is by no means evenly distributed. In 1927 the number of deaths in the first 24 hours of life was well in excess of that during the remainder of the first week. For certain causes the proportion of deaths on the first day was naturally still greater. Of the 3,320 infants who died under one week of age in consequence of premature birth, 2,056, or more than three-fifths of the number succumbed in the first 24 hours. A similar, though much less pronounced inequality of distribution characterized the deaths which took place at ages between one week and one month.

The most striking feature of the table is the heavy concentration of deaths from Nos. 159 to 162 during the first week of life. This was also the most fatal period for convulsions, an unsatisfactory rubric, while pneumonia shows a somewhat higher rate for this period than for any other excepting the age between one week and one month. The highest rate for diarrhœa and enteritis was in the third month of life, though deaths from these causes were well distributed throughout the period from one week to six months of age.

TABLE XXVIII.—MORTALITY RATES (EQUIVALENT WEEKLY) PER 100,000 LIVING BIRTHS FOR CERTAIN SPECIFIED CAUSES BY AGE PERIODS OF THE FIRST YEAR OF LIFE, CANADA[1], 1927

Int. list No.	Causes of death	Total under 1 year	Under 1 week	1 week and under 1 month	1 month and under 2 months	2 months and under 3 months	3 months and under 6 months	6 months and under 9 months	9 months and under 12 months
7	Measles	1·5	0·4	1·3	1·2	1·2	1·2	1·4	2·4
8	Scarlet fever	0·3	–	0·1	0·5	0·2	0·3	0·3	0·3
9	Whooping-cough	5·3	–	5·1	8·8	8·9	5·7	4·3	3·7
10	Diphtheria	0·4	0·4	0·5	0·3	0·6	0·3	0·3	0·6
11	Influenza	5·9	3·8	12·4	11·8	6·7	6·0	4·8	3·1
16	Dysentery	[2]	–	–	–	–	[2]	[2]	[2]
21	Erysipelas	0·8	1·3	2·7	2·2	1·4	0·5	0·3	0·3
31–37	Tuberculosis	1·5	1·3	0·4	0·7	1·9	1·8	1·7	1·6
38	Syphilis	1·1	7·3	4·5	2·5	2·0	0·8	0·2	0·1
71a	Meningitis (simple)	2·7	6·4	4·1	3·0	4·2	2·8	2·3	1·6
80	Convulsions	3·6	48·3	10·3	4·7	3·6	2·5	1·5	1·4
99	Bronchitis	1·1	2·6	2·4	2·1	1·7	1·0	0·8	0·5
100–101	Pneumonia	17·7	27·8	32·2	26·4	23·0	18·2	14·5	10·9
110–112	Diseases of the stomach	2·5	10·2	4·5	4·1	4·2	3·1	1·2	0·9
113	Diarrhoea and enteritis	34·9	22·6	43·4	58·2	64·5	47·2	24·0	14·4
118	Hernia, intestinal obstruction	0·9	1·7	1·5	1·2	1·1	0·9	0·8	0·5
159	Congenital malformations	10·3	265·6	32·7	12·7	8·3	2·5	1·9	1·0
160	Congenital debility	19·4	425·7	75·1	26·8	17·7	7·4	2·4	1·1
161	Premature birth, injury at birth	44·4	1,806·7	106·5	20·1	7·5	1·7	0·3	0·2
162	Other diseases peculiar to early infancy	11·9	436·8	29·9	8·0	5·0	1·6	0·4	0·1
	Other specified causes	13·4	64·5	36·1	18·2	16·1	11·8	8·3	7·7
204–205	Unspecified or ill-defined causes	1·1	5·1	0·6	0·7	0·8	1·4	1·2	0·9
	All causes	**180·7**	**3,138·5**	**406·5**	**214·1**	**180·5**	**118·5**	**72·8**	**53·3**

[1] See note 1, table I. [2] Less than 0·1 per 100,000 living births.

Infant Mortality in Cities.—Table XXIX shows the number of living births, the number of deaths under one year and the infantile death rates for cities of 40,000 and over during the years 1921–27. For the two cities of Montreal and Quebec, however, the figures are limited to the years 1926 and 1927, as these cities were not included in the Registration Area in previous years. The lowest rate for 1927 was in the city of Calgary, the highest in Quebec, though the latter city showed a very marked reduction from the preceding year. Every city except London had a lower infantile mortality rate in 1927 than in 1926, the decline in a number of cases being substantial.

TABLE XXIX.—INFANT MORTALITY IN CITIES OF 40,000 AND OVER, 1921-27

Number		Calgary	Edmonton	Halifax	Hamilton	London	Montreal	Ottawa	Quebec	St. John	Toronto	Vancouver	Winnipeg
Living births	1921	2,086	2,136	1,836	3,498	1,458	[1]	3,250	[1]	1,225	13,378	3,298	6,323
	1922	1,884	2,143	1,743	3,146	1,448	[1]	3,273	[1]	1,259	12,745	2,960	5,840
	1923	1,683	1,951	1,519	3,033	1,380	[1]	3,055	[1]	1,304	12,680	2,998	5,246
	1924	1,612	1,852	1,458	3,140	1,452	[1]	3,044	[1]	1,238	12,424	3,045	4,786
	1925	1,634	1,943	1,463	2,938	1,352	[1]	3,026	[1]	1,246	11,976	3,196	4,660
	1926	1,568	1,858	1,359	2,774	1,331	19,650	2,869	4,164	1,097	11,185	3,102	4,495
	1927	1,641	1,940	1,494	2,866	1,286	19,458	3,003	4,349	1,166	11,448	3,144	4,506
Deaths under one year	1921	168	190	247	307	134	[1]	422	[1]	180	1,210	193	490
	1922	146	237	218	252	98	[1]	418	[1]	140	993	197	519
	1923	153	173	210	238	103	[1]	401	[1]	149	972	192	421
	1924	96	147	141	226	87	[1]	341	[1]	131	912	147	324
	1925	108	136	140	241	93	[1]	348	[1]	152	871	145	322
	1926	131	155	127	199	91	2,827	342	773	118	843	172	313
	1927	85	113	124	187	102	2,569	286	643	103	810	164	273
Rate per 1,000 living births	1921	80·5	89·0	134·5	87·8	91·9	[1]	129·8	[1]	146·9	90·4	58·5	77·5
	1922	77·5	110·6	125·1	80·1	67·7	[1]	127·7	[1]	111·2	77·9	66·6	88·9
	1923	90·9	88·7	138·2	78·5	74·6	[1]	131·3	[1]	114·3	76·7	64·0	80·3
	1924	59·6	79·4	96·7	72·0	59·9	[1]	112·0	[1]	105·8	73·4	48·3	67·7
	1925	66·1	70·0	95·7	82·0	68·8	[1]	115·0	[1]	122·0	72·7	45·4	69·1
	1926	83·5	83·4	93·5	71·7	68·4	143·9	119·2	185·6	107·6	75·4	55·4	69·6
	1927	51·8	58·2	83·0	65·2	79·3	132·0	95·2	147·9	88·3	70·8	52·2	60·6

[1] Not in Registration Area. NOTE.—The classification of cities in Manitoba, Saskatchewan, and Alberta is according to the Census of 1926, in the remaining provinces according to the Census of 1921.

In considering the statistics of births and of infantile mortality in cities, the fact that many non-residents avail themselves of the advantages of urban institutions should not be overlooked. In order to eliminate the results of births to non-resident mothers and the deaths of their infants, from comparisons of infant mortality between cities, the most satisfactory method would be to transfer all births and deaths from the place where they occur to the place of residence. In default of such transfer, however, the elimination from a city total of the institutional births to non-resident mothers and the deaths of children born to such mothers should result in a rate of infant mortality very close to the correct one. Non-institutional births in the city to non-resident mothers are few in number and may without serious error be allowed to balance the births occurring elsewhere to mothers resident in the city. Table XXX shows the computation of infant mortality in 1926 and 1927 for cities of 40,000 and over on the corrected basis. The absolute figures for this table have been based on Tables 6 and 15 of the general tables. It is interesting to compare the corrected infant mortality of the cities with that given in table XXIX.

TABLE XXX. CORRECTED INFANT MORTALITY RATES IN CITIES OF 40,000 AND OVER, 1926 AND 1927

Cities	1926			1927		
	Living births excluding those in institutions to non-resident mothers	Deaths under one year excluding those of non-residents in institutions	Corrected infant mortality rate per 1,000 living births	Living births excluding those in institutions to non-resident mothers	Deaths under one year excluding those of non-residents in institutions	Corrected infant mortality rate per 1,000 living births
Calgary, Alta.	1,302	118	90·6	1,332	78	58·6
Edmonton, Alta.	1,410	135	95·7	1,434	91	63·5
Halifax, N.S.	1,326	122	92·0	1,486	108	72·7
Hamilton, Ont.	2,584	196	75 9	2,657	176	66·2
London, Ont.	1,160	88	75 9	1,106	92	83·2
Montreal, Que.	19,340	2,797	144·6	19,102	2,527	132·3
Ottawa, Ont.	2,462	320	130·0	2,577	261	101·3
Quebec, Que.	4,102	769	187·5	4,291	637	148·5
St. John, N.B.	1,021	115	112·6	1,076	98	91·1
Toronto, Ont.	10,634	800	75·2	10,857	733	67·5
Vancouver, B.C.	2,769	160	57·8	2,772	146	52·7
Winnipeg, Man.	3,517	249	70·8	3,462	230	66·4

Table XXXI contains statistics of infant mortality for totals of rural and urban communities for the nine provinces of Canada, the urban being subdivided into cities of 40,000 and over, cities of 10,000 to 40,000 and cities and towns of 1,000 to 10,000. In each case the births and deaths are those which took place in the class of community, regardless of the residence of the parents. Each class showed an improved rate in 1927 over the former year, this improvement being greatest for the cities of 40,000 and over and lowest for the towns of 1,000 to 10,000 population. In each year the lowest rate was found for the cities of 10,000 to 40,000, the highest for cities of 40,000 and over.

TABLE XXXI.—INFANT MORTALITY RATES FOR RURAL PARTS AND FOR URBAN COMMUNITIES CLASSIFIED BY SIZE, CANADA(1), 1926-27.

	1926			1927		
	Living births	Infant deaths	Infant mortality rates	Living births	Infant deaths	Infant mortality rates
Cities of 40,000 and over	55,452	6,091	109·8	56,301	5,459	97·0
Cities of 10,000 to 40,000	24,194	2,249	93·0	24,945	2,202	88·3
Cities and towns of 1,000 to 10,000	34,179	3,369	98·6	35,813	3,372	94·2
Rural parts	118,925	11,983	100·8	117,129	10,977	93·7

(1) See note 1, table I.

NOTE.—The classification of cities and towns in Manitoba, Saskatchewan and Alberta is according to the Census of 1926, in the remaining provinces according to the Census of 1921.

Table XXXII contains infant death rates for the same four classes of communities, but limited to the eight provinces comprising the Registration Area as of 1921 and extending over the years 1921–27. Within this area the lowest average rate for the seven years was found in the cities of 40,000 population and over, the highest in cities and towns of 1,000–10,000 popu-

lation. The range between the highest and lowest average is not great. Not only do the large cities show the lowest average rate, but they also have had the greatest percentage reduction over the period. For 1921 and 1922 the lowest rate was in rural parts, but the improvement in this class of community appears to have been less than in the other three during the seven years for which rates have been calculated.

TABLE XXXII. INFANT MORTALITY RATES FOR RURAL PARTS OF THE REGISTRATION AREA AS OF 1921 AND FOR URBAN COMMUNITIES CLASSIFIED BY SIZE, 1921-27

Year	Death rates under 1 year per 1,000 births			
	Cities of 40,000 population and over	Cities of 10,000-40,000 population	Cities and towns of 1,000-10,000 population	Rural parts
1921	92·0	94·6	94·6	83·3
1922	88·3	89·4	90·9	84·5
1923	86·4	89·7	91·1	87·7
1924	74·9	77·9	83·4	78·7
1925	76·4	78·2	80·2	79·1
1926	78·7	77·4	81·0	80·6
1927	69·2	75·3	77·7	75·7
Average for seven years	**80·8**	**83·2**	**85·6**	**81·4**
Per cent decrease, 1921 to 1927	**24·8**	**20·4**	**17·9**	**9·1**

MATERNAL MORTALITY

Table XXXIII classifies maternal deaths in 1927 by the age of decedents for each of the provinces of Canada. The deaths of women from puerperal causes in the nine provinces numbered 1,300, giving a rate of 5·6 per 1,000 living births, as compared with 5·7 in the preceding year. The highest provincial rates were 6·8 in Nova Scotia, 6·7 in British Columbia and 6·4 in Alberta, the lowest 2·4 in Prince Edward Island. In the last named province the number of cases is so small that the rate has little significance.

TABLE XXXIII.—MATERNAL MORTALITY BY AGE GROUPS FOR PROVINCES, 1927

Age groups	Canada (1)	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
15-19 years	(2)59	–	5	2	18	(2)21	1	2	5	5
20-24 years	222	1	14	11	67	66	6	26	20	11
25-29 years	277	1	15	16	84	88	23	18	16	16
30-39 years	568	2	27	25	178	177	35	56	43	25
40 years and over	174	–	15	11	56	51	7	12	11	11
Total	**1,300**	**4**	**76**	**65**	**403**	**403**	**72**	**114**	**95**	**68**
Rate per 1,000 living births 1927	**5·6**	**2·4**	**6·8**	**6·2**	**4·9**	**6·0**	**5·1**	**5·4**	**6·4**	**6·7**
1926	5·7	4·6	4·6	6·4	5·2	5·6	5·9	7·1	5·9	6·5

(1) See note 1, table I. (2) Including one mother under 15 years.

Classifying children born alive in the nine provinces of Canada in 1926 and 1927 according to the age of the mother, and making a proportionate distribution of those for whom the age was not stated (considerably less than one per cent in either year), we are enabled to make the comparison of maternal mortality by ages shown in the following statement. The results for the two years are fairly consistent, though in 1926 the lowest rate is for mothers in the age-group 25-29 years, and in 1927 for the age-group 20-24 years. The rate for mothers 45-49 years, whilst heavy in both years, showed much higher in 1926 than in 1927, the smallness of the absolute figures allowing wide fluctuations in this group. The influence of order of birth on the mortality rate is a factor which is not brought out in this table.

MATERNAL MORTALITY RATES FOR CANADA(1), BY AGE GROUPS, 1926-27

Age groups	1926			1927		
	Living births	Maternal deaths	Rate per 1,000 living births	Living births	Maternal deaths	Rate per 1,000 living births
Under 20 years	13,094	58	4·4	13,669	59	4·3
20-24 years	54,953	247	4·5	56,317	222	3·9
25-29 "	63,345	256	4·0	62,957	277	4·4
30-34 "	50,619	283	5·6	50,264	280	5·6
35-39 "	35,374	296	8·4	35,613	288	8·1
40-44 "	13,944	147	10·5	13,852	161	11·6
45-49 "	1,396	28	20·1	1,477	12	8·1
50 years and over	25	2	(2)	39	1	(2)

(1) See note 1, table I. (2) Not calculated.

Maternal Mortality Rates in Other Countries.—Table XXXIV presents the maternal mortality rates of a number of countries, calculated in every case from the proportion of deaths from puerperal causes to the number of living births. In some cases the absolute figures on which these rates are based are provisional.

TABLE XXXIV.—MATERNAL MORTALITY RATE IN CANADA AND IN CERTAIN OTHER COUNTRIES
(Per 1,000 living births)

Country	Year	Maternal mortality rate	Country	Year	Maternal mortality rate
Canada(1)	**1927**	**5·6**	Netherlands	1927	2·9
Australia	1927	5·9	New Zealand	1927	4·9
Belgium	1927	5·7	Northern Ireland	1927	4·8
British Isles	1927	4·4	Norway	1926	3·2
Ceylon	1927	17·5	Salvador	1926	5·6
Denmark	1926	2·6	Sao Paulo	1925	3·7
England and Wales	1927	4·1	Scotland	1927	6·4
France	1927	2·9	Spain	1927	3·9
Germany	1925	5·0	Sweden	1925	2·6
Hungary	1927	3·0	Switzerland	1927	2·9
Irish Free State	1927	4·5	Union of S. Africa (Whites)	1926	4·6
Italy	1927	2·6	United States (Birth Reg. Area)	1927	6·5
Japan	1927	2·8	Uruguay	1927	2·2

(1) See note 1, table I.

In Table XXXV the maternal deaths in each province of the Registration Area as of 1921 and the rates calculated therefrom are presented for the seven years 1921-27. For the eight provinces as a whole the trend in the earlier years is upward, while in the later years no definite trend is evident, but in interpreting these figures the effect of improvement in reporting, due to persistent efforts to secure specific information regarding deaths of women of child-bearing age, must be taken into consideration.

TABLE XXXV.—MATERNAL MORTALITY IN THE REGISTRATION AREA AS OF 1921 DURING THE YEARS 1921-27

——		Reg. Area as of 1921	P.E.I.	N.S.	N.B.	Ont.	Man.	Sask.	Alta.	B.C.
Total	1921	868	7	56	47	387	81	128	111	51
	1922	907	8	70	59	370	99	127	111	63
	1923	849	5	84	49	369	76	118	85	63
	1924	945	9	78	49	418	86	145	91	69
	1925	873	14	62	51	388	95	117	86	60
	1926	890	8	51	66	381	87	147	85	65
	1927	897	4	76	65	403	72	114	95	68
Rate per 1,000 living births	**1921**	**5·1**	**3·2**	**4·3**	**4·1**	**5·2**	**4·4**	**5·7**	**6·7**	**4·8**
	1922	**5·5**	**3·7**	**5·5**	**5·1**	**5·2**	**5·6**	**5·7**	**6·9**	**6·2**
	1923	**5·4**	**2·5**	**7·2**	**4·6**	**5·3**	**4·6**	**5·6**	**5·6**	**6·3**
	1924	**6·0**	**4·8**	**6·6**	**4·6**	**5·8**	**5·6**	**6·7**	**6·2**	**6·8**
	1925	**5·6**	**8·4**	**5·4**	**4·7**	**5·5**	**6·4**	**5·7**	**5·8**	**5·8**
	1926	**5·9**	**4·6**	**4·6**	**6·4**	**5·6**	**5·9**	**7·1**	**5·9**	**6·5**
	1927	**5·9**	**2·4**	**6·8**	**6·2**	**6·0**	**5·1**	**5·4**	**6·4**	**6·7**

Although the rate of maternal mortality has been calculated on living births, it is clear that many deaths from puerperal causes are associated with stillbirths and miscarriages. Table XXXVI shows the result of an investigation into this matter for the deaths in 1927 from puerperal causes. As the information regarding the kind of birth is not on the death certificate, matching of birth and death certificates was necessitated. The rubric "no birth" includes those cases in which miscarriage, abortion or ectopic gestation was mentioned on the death certificate, and other cases for which no corresponding birth certificate was found, unless the medical certificate of cause of death indicated that a birth had probably taken place. In the latter case further enquiry was made.

The total number of living births in 1927 was 234,188. The maternal deaths associated with these totalled 642, giving a rate of 2·7 per 1,000. The total number of stillbirths was 7,336; the maternal deaths associated with these numbered 256, giving a rate of 34·9 per 1,000.

In the same table the puerperal deaths have been classified according to the nature of the attendance received.

TABLE XXXVI.—DEATHS FROM PUERPERAL CAUSES IN 1927, CLASSIFIED ACCORDING TO THE ATTENDANCE RECEIVED AND THE ASSOCIATION OF THE DEATH WITH A LIVING BIRTH, A STILLBIRTH OR NO BIRTH.

Provinces	Total	Attendance received		Death associated with		
		Medical attendance	No medical attendance	Living birth	Stillbirth	No birth
Prince Edward Island	4	4	–	2	–	2
Nova Scotia	76	76	–	(2)39	19	18
New Brunswick	65	62	3	36	16	13
Quebec	403	397	6	216	71	116
Ontario	403	403	–	180	85	138
Manitoba	72	72	–	34	14	24
Saskatchewan	114	106	8	58	22	34
Alberta	95	94	1	48	19	28
British Columbia	68	68	–	29	10	29
Canada(1)	**1,300**	**1,282**	**18**	**642**	**256**	**402**

(1) See note 1, table I. (2) Including 1 mother to whom twins were born: 1 living and 1 dead.

In Table XXXVII deaths in 1926 and 1927 attributed to the puerperal state, which includes pregnancy, parturition and lactation, are distributed by provinces according to the cause of death.

TABLE XXXVII.—MATERNAL MORTALITY BY CAUSES OF DEATH FOR PROVINCES, 1926-27

Int. List No.	Causes of death		Canada(1)	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
143	Accidents of pregnancy	1926	116	–	2	1	35	40	8	13	13	4
		1927	102	1	3	1	29	30	9	13	10	6
	(a) Abortion	1926	43	–	–	–	20	11	2		6	–
		1927	40	1	1	1	15	8	5	2	4	3
	(b) Ectopic gestation	1926	36	–	1	–	8	10	4	6	5	2
		1927	35	–	1	–	9	13	1	7	4	–
	(c) Others under this title	1926	26	–	1	–	5	12	1	3	2	2
		1927	23	–	1	–	4	7	3	4	2	2
	(d) Abortion self-induced	1926	11	–	–	1	2	7	1	–	–	–
		1927	4	–	–	–	1	2	–	–	–	1
144	Puerperal haemorrhage	1926	159	1	5	9	53	40	9	16	17	9
		1927	183	–	6	10	66	49	11	18	12	11
145	Other accidents of childbirth	1926	154	–	5	9	49	51	12	12	9	7
		1927	133	–	17	12	33	38	8	8	12	5
	(a) Caesarean section	1926	25	–	1	3	3	11	1	–	1	5
		1927	34	–	4	4	2	12	2	1	6	3
	(b) Difficult labour	1926	24	–	1	2	15	3	1	–	2	–
		1927	24	–	2	1	10	4	1	5	1	–
	(c) Other surgical operations and instrumental delivery	1926	58	–	2	4	7	25	6	9	3	2
		1927	38	–	7	4	6	12	3	1	3	2

TABLE XXXVII.—MATERNAL MORTALITY BY CAUSES OF DEATH FOR PROVINCES, 1926–27—*Concluded*

Int. List No.	Causes of death		Canada[1]	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
	(d) Uncontrollable vomiting	1926	39	–	1	–	21	10	3	2	2	–
		1927	34	–	4	2	14	10	2	1	1	–
	(e) Rupture of uterus in labour	1926	8	–	–	–	3	2	1	1	1	–
		1927	3	–	–	1	1	–	–	–	1	–
146	Puerperal septicaemia	1926	432	2	20	19	146	118	40	54	18	15
		1927	448	1	15	12	151	143	23	49	30	24
147	Phlegmasia alba dolens, puerperal embolism, sudden death in puerperium	1926	83	–	2	5	9	32	4	19	5	7
		1927	81	–	4	2	15	33	7	14	3	3
148	Puerperal albuminuria and convulsions	1926	307	3	16	18	93	95	13	29	21	19
		1927	310	2	24	23	91	106	12	10	25	17
149	Following childbirth (not otherwise defined)	1926	65	2	1	5	42	5	1	4	2	3
		1927	42	–	7	5	17	4	2	2	3	2
150	Puerperal diseases of the breast	1926	1	–	–	–	–	–	–	–	–	1
		1927	1	–	–	–	1	–	–	–	–	–
	Total	**1926**	**1,317**	**8**	**51**	**66**	**427**	**381**	**87**	**147**	**85**	**65**
		1927	**1,300**	**4**	**76**	**65**	**403**	**403**	**72**	**114**	**95**	**68**

[1] See note 1, table I.

Table XXXVIII gives, for the eight provinces comprising the Registration Area as of 1921, the number of puerperal deaths assigned to puerperal septicaemia and those assigned to all other puerperal causes during the period 1921-27. The increase in deaths from puerperal septicaemia in 1923 is probably only apparent, resulting from the practice obtaining from that year of giving the preference to this cause over all other puerperal causes, such as accidents of pregnancy.

TABLE XXXVIII.—DEATHS FROM PUERPERAL SEPTICAEMIA AND FROM OTHER PUERPERAL CAUSES, REGISTRATION AREA AS OF 1921, DURING THE YEARS 1921–1927

Year	All puerperal causes (143–150)	Puerperal septicaemia (146)	Other puerperal causes (143–145) (147–150)
1921	868	189	679
1922	907	180	727
1923	849	276	573
1924	945	271	674
1925	873	260	613
1926	890	286	604
1927	897	297	600

Table XXXIX presents by provinces causes of death other than maternal in 1927, which were stated on the death certificate to have been complicated by the existence of the puerperal state. The most prominent causes in this table are tuberculosis, influenza, pneumonia and diseases of the heart. Typhoid fever caused 15 deaths of women in association with a pregnancy; of these 15 deaths, 12 were in the Province of Quebec, which had an epidemic of typhoid in the City of Montreal during the year.


TABLE XXXIX.—DEATHS OF WOMEN NOT CLASSIFIED TO PREGNANCY OR CHILD BEARING BUT RETURNED AS ASSOCIATED THEREWITH, 1927

Int. List No.	Causes of death	Canada[1]	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
	All causes	**208**	**–**	**13**	**12**	**52**	**49**	**17**	**24**	**26**	**15**
1a	Typhoid fever	15	–	–	2	12	–	1	–	–	–
7	Measles	1	–	–	1	–	–	–	–	–	–
8	Scarlet fever	4	–	–	1	–	1	1	–	1	–
10	Diphtheria	1	–	–	–	–	1	–	–	–	–

TABLE XXXIX.—DEATHS OF WOMEN NOT CLASSIFIED TO PREGNANCY OR CHILD BEARING BUT RETURNED AS ASSOCIATED THEREWITH, 1927—*Concluded*

Int. List No.	Causes of death	Canada(1)	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
11	Influenza	36	–	1	1	3	7	7	8	6	3
21	Erysipelas	2	–	–	–	1	1	–	–	–	–
22	Acute anterior poliomyelitis	1	–	–	–	–	–	–	–	1	–
24	Meningococcus meningitis	1	–	–	–	–	–	–	–	1	–
31	Tuberculosis of the respiratory system	37	–	3	2	18	6	–	3	3	2
33	Tuberculosis of the intestines and peritoneum	4	–	–	–	1	1	1	–	1	–
36d	Tuberculosis of the genito-urinary system	1	–	–	–	–	1	–	–	–	–
36e	Tuberculosis of other organs	1	–	–	–	–	–	–	–	–	1
37a	Disseminated tuberculosis, acute	1	–	–	1	–	–	–	–	–	–
38	Syphilis	1	–	–	–	–	–	–	–	1	–
44	Cancer of the stomach and liver	1	–	–	–	–	1	–	–	–	–
47	Cancer of the breast	2	–	1	–	1	–	–	–	–	–
51	Acute rheumatic fever	1	–	–	–	–	–	–	1	–	–
58a	Pernicious anaemia	2	–	–	–	1	1	–	–	–	–
60a	Exophthalmic goiter	1	–	–	–	–	–	–	–	1	–
60b	Other diseases of the thyroid gland	3	–	–	–	–	1	–	1	1	–
68a	Chronic morphinism	1	–	1	–	–	–	–	–	–	–
78	Epilepsy	1	–	–	–	–	–	–	1	–	–
88a	Acute endocarditis	1	–	–	–	–	1	–	–	–	–
90a	Valvular diseases of the heart	12	–	1	–	–	3	–	5	3	–
90b	Fatty degeneration of the heart	2	–	–	–	–	–	–	–	1	1
90d	Chronic endocarditis	5	–	–	–	–	3	1	–	–	1
90e	Chronic myocarditis	4	–	–	–	–	2	1	1	–	–
100a	Bronchopneumonia	1	–	–	–	1	–	–	–	–	–
101a	Pneumonia, lobar	24	–	4	1	4	6	1	2	3	3
101b	Pneumonia, not otherwise defined	5	–	–	3	1	1	–	–	–	–
102	Pleurisy	1	–	–	–	1	–	–	–	–	–
109b	Diseases of the pharynx and tonsils	2	–	1	–	–	1	–	–	–	–
111a	Ulcer of the stomach	1	–	–	–	–	1	–	–	–	–
117	Appendicitis and typhlitis	4	–	–	–	1	1	–	1	1	–
118b	Intestinal obstruction	1	–	–	–	–	1	–	–	–	–
120	Acute yellow atrophy of the liver	11	–	1	–	4	3	1	1	–	1
129	Chronic nephritis (including unspecified, 10 years of age or over)	5	–	–	–	2	2	–	–	–	1
139	Benign tumours of the uterus	1	–	–	–	–	1	–	–	–	–
141	Other diseases of the female genital organs	1	–	–	–	1	–	–	–	–	–
185	Accidental traumatism by fall	1	–	–	–	–	–	–	–	1	–
188c	Automobile accidents	1	–	–	–	–	1	–	–	–	–
194	Excessive heat	1	–	–	–	–	–	–	–	–	1
199	Homicide	6	–	–	–	–	1	3	–	1	1

(1) See note 1, table I.



MORTALITY (ALL CAUSES)

The total number of deaths reported in the nine provinces of Canada for the year 1927 was 105,292 in an estimated population of 9,507,000, giving a crude death rate of 11·1 per 1,000 population. These figures compared with 107,454 deaths in 1926 and a rate of 11·5 per 1,000 population. The rates for 1927 show a range between 7·2 for Saskatchewan and 13·9 for Quebec. The differences between provinces in this respect are influenced to a great extent by the age composition of the respective populations. High infant mortality is also an important factor, especially when associated with a heavy birth rate.

Table XL presents the number of deaths and the death rates by provinces for the years 1921-27. Comparisons for years previous to 1926, however, are made only for the eight provinces comprising the Registration Area as of 1921, and for the total of that Area. For these eight provinces the death rate for 1927 was lower than in the preceding year and slightly higher than in 1924 and 1925.

TABLE XL.—TOTAL DEATHS (EXCLUSIVE OF STILLBIRTHS) AND CRUDE DEATH RATES PER 1,000 POPULATION BY PROVINCES, 1921-27

Year	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Canada (1)	Registration Area as of 1921 (2)
	NUMBER OF DEATHS										
1921	1,209	6,420	5,410	(3)	34,551	5,388	5,596	4,940	4,208	(4)	67,722
1922	1,113	6,679	5,158	(3)	34,034	5,754	6,119	5,264	4,907	(4)	69,028
1923	1,150	6,868	5,013	(3)	35,636	5,330	6,182	5,006	4,997	(4)	70,182
1924	956	6,583	4,923	(3)	33,078	5,023	5,772	4,858	5,004	(4)	66,197
1925	997	6,015	4,960	(3)	33,960	5,245	5,628	4,697	4,945	(4)	66,477
1926	898	6,366	5,002	37,251	35,909	5,335	6,060	5,159	5,474	**107,454**	70,203
1927	913	6,378	4,902	36,175	34,775	5,309	6,031	5,059	5,750	**105,292**	69,117
	DEATH RATES PER 1,000 POPULATION										
1921	13·6	12·3	14·2	(3)	11·8	8·8	7·4	8·4	8·0	(4)	10·6
1922	12·6	12·6	13·2	(3)	11·4	9·3	7·9	8·9	9·1	(4)	10·6
1923	13·1	13·0	12·7	(3)	11·8	8·6	7·9	8·4	9·2	(4)	10·7
1924	10·9	12·3	12·3	(3)	10·8	8·0	7·2	8·1	9·0	(4)	9·9
1925	11·5	11·3	12·3	(3)	10·9	8·3	6·9	7·8	8·8	(4)	9·9
1926	10·3	11·8	12·3	14·5	11·4	8·3	7·4	8·5	9·6	**11·5**	10·3
1927	10·5	11·7	11·9	13·9	10·9	8·2	7·2	8·2	10·0	**11·1**	10·0

(1) See note 1, table I. (2) See note 2, table I. (3) Not included in Registration Area. (4) See note 3.

Crude Death Rates in Other Countries.—Table XLI presents the crude death rate for Canada in comparison with those for a number of other countries. In some cases the figures are provisional.

TABLE XLI.—ANNUAL CRUDE DEATH RATE IN CANADA AND IN CERTAIN OTHER COUNTRIES

Country	Year	Death rate	Country	Year	Death rate
Canada (1)	**1927**	**11·1**	Japan	1927	19·8
Australia	1927	9·4	Netherlands	1927	10·2
Austria	1927	14·9	New Zealand	1927	8·4
Belgium	1927	13·0	Northern Ireland	1927	14·6
British Isles	1927	12·7	Norway	1927	11·0
Ceylon	1927	21·7	Rumania	1926	21·5
Chile	1927	25·3	Salvador	1926	22·2
Denmark	1926	11·0	Sao Paulo	1925	16·4
England and Wales	1927	12·3	Scotland	1927	13·5
Finland	1927	14·4	Spain	1927	18·9
France	1927	16·5	Sweden	1927	12·7
Germany	1927	12·0	Switzerland	1927	12·3
Hungary	1927	17·7	Union of S. Africa (Whites)	1927	9·8
India (British)	1926	26·8	United States (Birth Reg. Area)	1927	11·4
Irish Free State	1927	14·8	Uruguay	1927	11·4
Italy	1927	15·8			

(1) See note 1, table I.

Age Distribution of Decedents.—The quartile[a] and decile[a] ages of decedents in the years 1926 and 1927 are given for each sex and for the two sexes combined in Table XLII. It will be noted that the deciles for male decedents up to and including the sixth and those for females up to and including the third are at higher points of age in 1927 than in the preceding year.

TABLE XLII.—QUARTILE AND DECILE AGES OF DECEDENTS BY SEX, 1926-27

Position in array by age		Both sexes		Male		Female	
		1926	1927	1926	1927	1926	1927
First quartile	Years of age	1·83	2·58	1·34	1·80	2·85	3·96
Second quartile	"	45·50	45·94	45·16	46·04	45·89	45·83
Third quartile	"	70·70	70·32	70·05	69·69	71·51	71·07
First decile	Months of age	0·88	0·99	0·60	0·71	1·43	1·49
Second decile	"	8·56	10·09	6·60	7·87	11·74	14·64
Third decile	Years of age	6·95	9·78	4·30	6·76	12·15	13·70
Fourth decile	"	28·77	29·37	26·47	28·16	30·61	30·56
Fifth decile	"	45·50	45·94	45·16	46·04	45·89	45·83
Sixth decile	"	58·40	58·28	57·73	57·89	59·13	58·74
Seventh decile	"	67·15	66·89	66·44	66·25	68·00	67·59
Eighth decile	"	74·05	73·73	73·28	72·97	74·00	74·67
Ninth decile	"	80·82	80·56	79·89	79·65	81·85	81·60

Table XLIII shows the absolute and proportional distribution of deaths by age groups in 1926 and 1927 for males, females and both sexes together. Deaths at ages under five years formed a smaller percentage of the total in 1927 than in the preceding year. There was an increase in the proportion of nearly all age groups between the ages of five and seventy with reduced proportions again after the latter age.

TABLE XLIII.—NUMERICAL AND PER CENT DISTRIBUTION OF DEATHS IN CANADA[1], BY CERTAIN AGE GROUPS. 1926 AND 1927

Age groups	Number						Per cent of total of all stated ages					
	Both sexes		Male		Female		Both sexes		Male		Female	
	1926	1927	1926	1927	1926	1927	1926	1927	1926	1927	1926	1927..
Under 1 year	23,692	22,010	13,537	12,548	10,155	9,462	22·1	20·9	23·8	22·4	20·1	19·3
1 year	3,781	3,401	2,001	1,863	1,780	1,538	3·5	3·2	3·5	3·3	3·5	3·1
2 years	1,636	1,517	846	775	790	742	1·5	1·4	1·5	1·4	1·6	1·5
3 "	1,075	1,101	559	572	516	529	1·0	1·1	1·0	1·0	1·0	1·1
4 "	826	841	410	443	416	398	0·8	0·8	0·7	0·8	0·8	0·8
Under 5 years	*31,010*	*28,870*	*17,353*	*16,201*	*13,657*	*12,669*	*28·9*	*27·5*	*30·5*	*28·9*	*27·1*	*25·9*
5- 9 years	2,504	2,766	1,378	1,476	1,126	1,290	2·3	2·6	2·4	2·7	2·2	2·6
10-14 "	1,917	2,137	1,015	1,119	902	1,018	1·8	2·0	1·8	2·0	1·8	2·1
15-19 "	2,597	2,671	1,311	1,306	1,286	1,365	2·4	2·5	2·3	2·3	2·5	2·8
20-24 "	2,889	3,042	1,338	1,442	1,551	1,600	2·7	2·9	2·4	2·6	3·1	3·3
25-29 "	2,682	2,891	1,221	1,398	1,461	1,493	2·5	2·7	2·1	2·5	2·9	3·0
30-34 "	2,764	2,735	1,248	1,292	1,516	1,443	2·6	2·6	2·2	2·3	3·0	2·9
35-39 "	3,354	3,266	1,638	1,582	1,716	1,684	3·1	3·1	2·9	2·8	3·4	3·4
40-44 "	3,544	3,429	1,871	1,795	1,673	1,634	3·3	3·3	3·3	3·2	3·3	3·3
45-49 "	3,873	3,914	2,061	2,111	1,812	1,803	3·6	3·7	3·6	3·8	3·6	3·7
50-54 "	4,087	4,243	2,249	2,379	1,838	1,864	3·8	4·0	4·0	4·2	3·6	3·8
55-59 "	4,740	4,940	2,647	2,825	2,093	2,115	4·4	4·7	4·7	5·0	4·2	4·3
60-64 "	5,994	6,056	3,314	3,372	2,680	2,684	5·6	5·8	5·8	6·0	5·3	5·5
65-69 "	7,348	7,350	3,977	4,057	3,371	3,293	6·8	7·0	7·0	7·2	6·7	6·7
70-74 "	8,091	7,825	4,427	4,339	3,664	3,486	7·5	7·4	7·8	7·7	7·3	7·1
75-79 "	8,026	7,735	4,235	4,089	3,791	3,646	7·5	7·4	7·4	7·3	7·5	7·4
80-89 "	9,998	9,468	4,821	4,577	5,177	4,891	9·3	9·0	8·5	8·2	10·3	10·0
90 years and over	1,905	1,810	787	782	1,118	1,028	1·8	1·7	1·4	1·4	2·2	2·1
Stated ages	**107,323**	**105,148**	**56,891**	**56,142**	**50,432**	**49,006**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**
Age not stated	**131**	**144**	**88**	**123**	**43**	**21**						
Total	**107,454**	**105,292**	**56,979**	**56,265**	**50,475**	**49,027**						

[1] See note 1, table I.

Table XLIV shows in broad age groups for the Registration Area as of 1921 the percentage distribution of deaths by ages from 1921 to 1927. The proportion of deaths under one year of age to the total mortality has decreased year by year since 1921. This is partly due to the fact that each year has shown a decline in the birth rate, while the substantial lowering of the infant mortality rate was an important factor.

(a) For an explanation of these terms the reader is referred to page xvi in connection with the age distribution of parents of children born alive.

A downward trend is also manifest in the proportion of deaths between the first and fifth birthday to the total number. The decline in the birth rate has also its effect, though more delayed, in this age group, but there has evidently been a substantial reduction in the mortality.

There has, in general, been a shifting in the age incidence of deaths towards the older age groups during the period covered by this table. Omitting from consideration the changes in the proportion of deaths under one year of age and considering the remaining deaths in two groups: namely, between the first and fortieth birthdays and over the fortieth birthday, the deaths in the latter group were 196 per cent of the former in 1921, 216 per cent in 1922, 233 per cent in 1923, 239 per cent in 1924, 257 per cent in 1925, 268 per cent in 1926 and 265 per cent in 1927. It will be noted that the last year brought the upward trend of this proportion to a halt. To what extent this trend is due to change in age composition and to what extent it results from a disturbance of the proportion between the death rates for the two groups is an interesting question, but one which cannot be answered until the Census of 1931.

TABLE XLIV.—PER CENT DISTRIBUTION OF DEATHS BY BROAD AGE GROUPS IN THE REGISTRATION AREA AS OF 1921 DURING THE YEARS 1921-27

Age groups	1921	1922	1923	1924	1925	1926	1927
Under 1 year	22·0	20·7	19·7	18·7	18·3	17·2	16·3
1- 4 years	6·3	5·8	5·6	5·6	5·1	5·3	4·9
5-19 "	7·5	7·0	6·7	6·7	6·4	6·3	6·6
20-39 "	12·6	12·3	11·8	11·7	11·4	10·9	11·4
40-59 "	15·6	16·0	16·1	16·5	16·6	17·0	17·5
60 years and over	36·2	38·2	40·0	40·8	42·2	43·2	43·2

Deaths of centenarians.—There were 80 deaths of reputed centenarians during the year 1927, of which 34 deaths were of males and 46 of females. In Table XLV these deaths are presented by provinces and by single years of age. The authenticity of the ages reported cannot be guaranteed.

TABLE XLV.—DEATHS OF REPUTED CENTENARIANS BY PROVINCES, 1927

Age at death		Canada(1)	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
Total centenarians		**80**	–	**12**	**4**	**10**	**30**	**3**	**6**	**3**	**12**
	M.	**34**	–	**2**	**4**	**6**	8	–	**5**	**2**	**7**
	F.	**46**	–	**10**	–	**4**	**22**	**3**	**1**	**1**	**5**
100 years	M.	19	–	1	3	4	4	–	2	–	5
	F.	15	–	5	–	–	5	1	–	–	4
101 "	M.	4	–	1	1	–	–	–	1	–	1
	F.	18	–	4	–	2	9	2	1	–	–
102 "	M.	5	–	–	–	1	2	–	2	–	–
	F.	7	–	–	–	–	6	–	–	1	–
103 "	M.	3	–	–	–	–	2	–	–	1	–
	F.	–	–	–	–	–	–	–	–	–	–
104 "	M.	1	–	–	–	–	–	–	–	–	1
	F.	1	–	–	–	1	–	–	–	–	–
106 "	M.	1	–	–	–	–	–	–	–	1	–
	F.	3	–	1	–	1	1	–	–	–	–
107 "	M.	–	–	–	–	–	–	–	–	–	–
	F.	1	–	–	–	–	1	–	–	–	–
110 "	M.	1	–	–	–	1	–	–	–	–	–
	F.	–	–	–	–	–	–	–	–	–	–
113 "	M.	–	–	–	–	–	–	–	–	–	–
	F.	1	–	–	–	–	–	–	–	–	1

(1) See note 1, table 1.

Death Rates by Months.—Table XLVI presents monthly death rates by provinces for the years 1921-27. For the province of Quebec and for the total of the nine provinces it is, of necessity, limited to the years 1926 and 1927.

The equivalent annual death rates have been obtained by multiplying the number of deaths in a given month by 365 and dividing by the number of days in the month before computing the rates.

In the year 1927 the month of April with a rate of 12·3 showed the heaviest mortality, though closely followed by February with a rate of 12·2 and January with a rate of 12·1 per

thousand. July had the most favourable rate of the year, 9·8 per thousand. The rates for the previous year also showed the peak of mortality in the month of April. In 1926, August instead of July gave the lowest rate, but the difference between these two months was slight.

The monthly rates for the Registration Area as of 1921, extending over a period of seven years, give a good indication of what is typical for this area. In the first five months of the year there is not, throughout the period, a single instance in which the death rate fell below ten per thousand. In the six months June–November, on the contrary, there are only five instances in which the death rate rose above ten per thousand, four of these cases being in the same year, 1921. The low rates of July and August are particularly striking throughout.

TABLE XLVI.—DEATH RATES (CRUDE) PER 1,000 POPULATION IN EACH PROVINCE BY MONTHS, 1921–27

Province		Annual rates	Equivalent annual death rates											
			Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Prince Edward Island	1921	13·6	13·6	19·0	19·7	15·0	13·7	9·9	11·3	10·1	13·0	12·0	13·6	13·4
	1922	12·6	13·4	15·6	16·3	14·5	14·2	12·7	8·4	10·3	9·8	11·8	12·6	12·4
	1923	13·1	14·0	17·8	23·5	13·5	11·0	11·3	10·0	10·6	8·3	13·2	13·1	10·6
	1924	10·9	13·0	15·2	14·4	11·9	9·7	8·2	8·7	8·5	9·8	10·1	10·0	11·1
	1925	11·5	13·5	11·5	16·9	14·1	13·0	9·2	8·8	9·7	7·6	9·6	10·9	12·5
	1926	10·3	12·5	13·6	10·7	10·9	11·0	8·0	9·3	8·1	7·3	11·4	10·6	10·7
	1927	10·5	13·3	13·2	12·0	14·1	9·3	8·7	6·6	9·2	7·6	11·0	9·9	11·2
Nova Scotia	1921	12·3	15·1	13·0	13·8	13·7	11·7	11·1	9·8	11·3	11·8	11·7	12·4	11·6
	1922	12·6	14·2	16·2	16·3	14·0	13·0	10·5	10·2	10·2	10·4	11·6	12·7	12·8
	1923	13·0	13·3	16·8	17·7	15·6	13·6	12·1	10·2	10·6	10·4	11·2	11·4	13·0
	1924	12·3	14·5	14·4	14·8	12·9	12·6	11·1	11·1	10·8	11·3	12·3	10·7	11·5
	1925	11·3	13·0	13·3	14·2	13·6	11·6	10·4	9·2	7·7	10·1	10·3	10·8	11·0
	1926	11·8	12·0	13·5	12·9	16·9	13·8	11·3	9·5	8·9	10·4	9·8	10·4	12·3
	1927	11·7	11·6	13·9	12·5	12·4	11·8	11·5	9·8	11·7	12·2	10·7	11·2	11·9
New Brunswick	1921	14·2	14·9	14·9	15·8	16·8	13·6	11·7	12·9	14·3	16·6	13·6	12·8	13·0
	1922	13·2	15·2	16·9	15·7	13·7	12·1	10·9	10·2	11·5	13·9	13·0	12·8	12·4
	1923	12·7	13·5	16·2	19·2	15·9	12·8	11·7	9·7	9·6	11·3	11·1	10·4	10·7
	1924	12·3	12·3	12·4	12·5	13·7	12·6	12·0	10·4	12·6	14·2	13·3	11·4	10·9
	1925	12·3	13·5	12·3	13·0	14·1	13·6	11·8	10·2	10·9	11·5	13·1	10·9	12·8
	1926	12·3	11·8	12·9	13·7	17·2	14·8	11·5	10·1	9·3	11·9	12·2	10·7	11·6
	1927	11·9	12·1	12·7	12·2	14·3	12·7	11·7	9·6	10·9	11·9	11·3	11·2	12·7
Quebec	1926	14·5	14·0	14·3	16·2	20·4	16·6	13·8	12·6	13·6	14·2	13·0	12·5	13·4
	1927	13·9	14·5	14·0	14·2	15·5	15·2	14·3	12·8	13·5	14·5	12·8	12·7	12·9
Ontario	1921	11·8	12·8	13·7	13·2	12·5	11·5	9·9	10·9	11·4	12·0	11·3	11·0	11·4
	1922	11·4	12·5	12·4	13·9	13·2	11·8	10·2	9·7	9·6	10·0	11·1	10·6	12·0
	1923	11·8	13·6	19·1	15·0	13·4	11·9	10·4	9·4	9·6	9·6	10·1	10·2	9·8
	1924	10·8	11·2	11·3	12·1	12·3	11·4	10·9	9·7	9·2	9·8	10·0	10·6	11·3
	1925	10·9	11·2	11·6	12·2	11·9	11·2	10·2	9·5	9·9	10·9	10·9	10·6	11·2
	1926	11·4	11·8	12·1	13·6	14·5	12·6	11·0	10·3	9·2	10·2	10·4	10·1	11·2
	1927	10·9	11·7	12·0	11·7	12·2	11·3	10·8	9·7	9·6	10·4	10·6	10·3	10·7
Manitoba	1921	8·8	9·6	10·6	9·6	9·0	8·8	8·0	7·1	8·9	8·3	9·0	8·8	8·4
	1922	9·3	9·7	10·5	11·0	10·9	8·5	8·7	7·9	9·1	9·7	9·7	8·2	8·4
	1923	8·6	9·0	11·0	11·4	9·9	8·3	7·0	6·9	7·4	7·7	8·4	8·7	7·5
	1924	8·0	8·7	8·4	8·3	9·3	9·2	8·1	6·9	6·6	7·5	7·2	7·6	8·4
	1925	8·3	8·6	8·5	9·5	9·7	8·6	8·1	7·1	6·9	9·0	8·4	7·5	7·6
	1926	8·3	8·3	8·8	10·0	10·9	9·3	7·8	7·1	7·7	7·3	7·2	8·1	7·8
	1927	8·2	9·1	12·1	9·7	8·3	7·7	6·9	7·0	6·7	8·2	8·2	7·2	7·7
Saskatchewan	1921	7·4	8·2	8·9	8·2	7·4	7·6	6·6	6·7	6·6	6·6	7·5	7·1	7·2
	1922	7·9	7·5	7·5	8·8	11·2	7·9	6·9	6·6	7·0	8·7	8·5	7·6	7·0
	1923	7·9	7·9	9·4	11·0	9·4	7·9	6·5	6·4	6·6	8·0	7·8	6·9	7·1
	1924	7·2	7·8	7·6	8·3	9·4	7·7	6·3	6·7	6·3	6·9	7·0	6·7	6·3
	1925	6·9	6·7	6·5	7·5	8·2	7·7	6·0	6·1	6·7	7·5	7·5	6·6	6·4
	1926	7·4	6·9	7·4	8·1	9·2	8·1	6·9	6·6	6·4	7·4	6·9	6·7	8·0
	1927	7·2	8·8	8·9	8·1	7·6	7·1	6·3	5·9	6·8	6·9	6·5	6·7	7·1
Alberta	1921	8·4	9·9	9·0	9·1	9·6	8·9	8·9	6·6	8·2	7·9	8·0	8·0	7·6
	1922	8·9	8·3	10·3	11·1	12·0	9·1	7·5	7·1	8·2	8·3	8·6	8·3	8·1
	1923	8·4	8·4	9·0	10·6	10·0	9·0	7·5	7·6	7·5	7·9	7·7	8·6	7·0
	1924	8·1	9·3	8·6	9·7	9·0	8·0	7·7	7·6	7·1	7·8	7·4	7·6	7·5
	1925	7·8	7·8	8·1	8·9	8·7	8·5	7·2	6·6	7·3	7·3	7·7	7·3	8·0
	1926	8·5	8·6	8·5	9·1	11·3	8·8	7·4	7·9	7·7	7·9	7·6	7·8	9·3
	1927	8·2	10·0	9·2	8·9	9·5	8·2	7·3	6·8	7·1	7·9	8·1	7·1	8·2

TABLE XLVI.—DEATH RATES (CRUDE) PER 1,000 POPULATION IN EACH PROVINCE BY MONTHS, 1921-27—*Concluded*

Province		Annual rates	Equivalent annual death rates											
			Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
British Columbia	1921	8·0	9·5	9·6	8·7	8·7	8·1	7·0	6·6	7·0	6·8	7·9	7·6	8·8
	1922	9·1	9·7	10·9	12·7	9·0	9·1	8·3	7·4	8·5	8·4	7·9	8·4	9·1
	1923	9·2	10·0	11·5	10·7	9·3	8·3	8·6	8·1	8·2	7·9	9·0	9·0	9·7
	1924	9·0	10·5	9·8	10·5	9·7	9·0	8·3	8·2	8·2	8·6	8·6	8·1	9·2
	1925	8·8	9·3	9·5	9·1	9·2	8·2	8·5	8·1	8·2	8·4	9·5	8·4	9·3
	1926	9·6	9·9	9·9	9·7	9·9	10·1	9·1	9·0	8·0	8·4	9·3	9·9	12·6
	1927	10·0	13·9	10·8	10·5	10·1	9·9	8·8	9·3	9·6	8·4	9·0	9·6	10·1
Canada(1)	**1926**	**11·5**	**11·4**	**11·8**	**13·0**	**15·1**	**12·8**	**10·9**	**10·1**	**9·9**	**10·6**	**10·4**	**10·2**	**11·3**
	1927	**11·1**	**12·1**	**12·2**	**11·8**	**12·3**	**11·5**	**10·8**	**9·8**	**10·2**	**10·9**	**10·5**	**10·2**	**10·8**
Registration Area as of 1921	1921	10·6	11·7	12·2	11·8	11·4	10·4	9·1	9·3	10·1	10·5	10·2	10·0	10·2
	1922	10·6	11·3	11·9	13·0	12·4	10·7	9·4	8·8	9·2	9·8	10·3	9·9	10·6
	1923	10·7	11·7	15·3	14·0	12·3	10·7	9·4	8·6	8·8	9·1	9·6	9·6	9·3
	1924	9·9	10·7	10·6	11·2	11·3	10·4	9·6	8·9	8·6	9·3	9·4	9·4	9·9
	1925	9·9	10·3	10·4	11·1	11·0	10·2	9·2	8·5	8·8	9·7	9·9	9·4	10·0
	1926	10·3	10·5	10·9	11·8	13·1	11·4	9·8	9·2	8·5	9·3	9·4	9·3	10·6
	1927	10·0	11·2	11·5	10·8	11·0	10·2	9·5	8·7	9·0	9·6	9·6	9·3	10·0

(1) See note 1, table I.

Adjusted or Standardized Death Rates.—Crude death rates are affected to some extent by the sex and to a very great extent by the age distribution of the population. To eliminate the influences of these factors "adjusted" or "standardized" death rates have been obtained as in previous years for the whole of Canada and for each province. These rates purport to show what the mortality would be if Canada and each of its provinces had a population composed as to age and sex like that of England and Wales at the Census of 1901. In the present instance the adjusted rates have all been computed on the assumption that they should bear the same proportion to the crude rates as in 1926. As most of the rates for 1926 were calculated by means of a similar assumption with regard to 1921, no high degree of accuracy can be claimed for the adjusted rates for 1927, with the exception of those for the Prairie Provinces, in which rates for 1926 were computed directly from the results of the census of that year; nevertheless the rates for the other provinces serve a valuable purpose in correcting, even if somewhat roughly, the inequalities in the crude rates due to differences in sex and age composition of the population. While in previous reports adjusted rates were computed for each sex as well as for the total population, it has been thought better, on account of the lapse of time since the Census of 1921, to omit adjusted rates for the sexes separately in 1927.

TABLE XLVII.—CRUDE AND ADJUSTED DEATH RATES BY PROVINCES, 1927

Province	Both sexes	
	Crude	Adjusted
Canada(1)	**11·1**	**10·8**
Prince Edward Island	10·5	8·0
Nova Scotia	11·7	9·8
New Brunswick	11·9	10·3
Quebec	13·9	13·4
Ontario	10·9	10·0
Manitoba	8·2	8·9
Saskatchewan	7·2	8·1
Alberta	8·2	9·2
British Columbia	10·0	10·5

(1) See note 1, table I.

The differences between crude and adjusted rates in Table XLVII are dependent on the age and sex composition of the various populations. For provinces whose populations viewed from the standpoint of mortality were more favourably constituted at the last Census than that of England and Wales in 1901, the adjusted rates are higher than the crude, while the reverse is true for provinces with an unfavourable age and sex composition as compared with the standard.

It will be noted that upon adjustment the rate for the whole of Canada for 1927 fell from 11·1 to 10·8 per 1,000 inhabitants.

The following statement shows a comparison of the adjusted or standardized death rates of Canada with those of England and Wales, the Registration States of the United States and the Union of South Africa. The Canadian rates are for the whole population, inclusive of Indians.

ADJUSTED DEATH RATES, 1926 AND 1927


(On age and sex distribution of population of England and Wales, Census of 1901)

Country	1927	1926
Canada (1)	10·8	11·1
Registration Area of United States (white population.)	10·4	11·3
England and Wales	10·6	10·1
Union of South Africa (white population)	–	10·3

(1) See note 1, table I.

CAUSES OF DEATH

Over 86 per cent of all deaths from specified causes recorded in the nine provinces of Canada or the year 1927 were due to the thirty causes of death listed by name in Table XLVIII, which gives the number of deaths by provinces from each of these causes in 1927 and the number in the whole of Canada during the preceding year.



The total number of deaths in 1927 was less by 2,162 than in 1926. Deaths from influenza showed a decline of 1,723, and from pneumonia 865, while diseases of early infancy (Nos. 160-163) caused fewer deaths than in the preceding year by 656 and congenital malformations by 203. Measles showed a decrease of 276 deaths and whooping-cough 212 deaths. It is interesting to note that deaths attributed to anaemia, which numbered 1,040 in 1926, reached only a figure of 793 in 1927, a reduction of 247. Deaths from unspecified or ill-defined causes in 1927 numbered 186 fewer than in the preceding year (1,071 against 1,257).

The largest numerical increase in 1927 from any single cause as listed in Table XLVIII was in the deaths from typhoid fever. These numbered 1,112 in 1927 as against 465 in 1926. Of the total increase of 647, Quebec province accounted for 613 and the City of Montreal alone, for 543. More detailed reference is made hereunder to the typhoid epidemic in that city. Diseases of the heart and arteries showed an increase of 489 deaths and cancer an increase of 305 deaths in 1927. For cancer this increase amounted to about 4 per cent, for diseases of the heart and arteries about 3 per cent. There were 399 more deaths from external causes in 1927 than in 1926. The increase in deaths from automobile accidents alone was 259.

An increase of 99 was recorded in deaths from diphtheria in 1927, while there were 48 more deaths from scarlet fever than in the preceding year. In the former case all eastern provinces except Prince Edward Island had a larger number of deaths in 1927 and all western provinces a smaller.

TABLE XLVIII.—NUMBER OF DEATHS FROM CERTAIN CAUSES BY PROVINCES, 1927

Int. list No.	Causes of death	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Canada[1] 1927	Canada[1] 1926
1	Typhoid fever	4	13	35	869	109	27	21	21	13	1,112	465
7	Measles	1	45	43	363	82	20	12	12	38	616	892
8	Scarlet fever	2	21	33	195	87	16	28	22	7	411	363
9	Whooping-cough	7	68	61	554	181	25	46	42	46	1,030	1,242
10	Diphtheria	–	29	18	469	297	88	63	26	22	1,012	913
11	Influenza	26	179	137	1,037	959	265	340	221	287	3,451	5,174
31	Tuberculosis, respiratory system	64	554	341	2,607	1,516	303	302	302	455	6,444	6,485
32-37	Tuberculosis, other organs	8	89	71	538	287	66	89	94	96	1,338	1,444
43-49	Cancer	67	556	332	1,909	3,177	496	445	426	517	7,919	7,614
57	Diabetes mellitus	5	61	46	289	441	72	63	51	55	1,083	1,046
58	Anaemia, chlorosis	11	38	32	175	383	36	42	26	50	793	1,040
71	Meningitis	12	36	28	514	129	25	31	21	16	812	797
74	Cerebral haemorrhage, apoplexy	53	243	175	569	1,329	151	147	108	163	2,938	3,033
75	Paralysis witnout specified cause	20	97	71	566	257	26	21	21	29	1,108	1,124
80	Infantile convulsions (under 5 years)	5	91	28	168	101	28	78	36	18	553	571
87-90	Diseases of the heart	122	695	525	2,873	5,295	576	569	476	644	11,775	11,415
91	Diseases of the arteries	24	257	179	959	2,738	232	163	195	363	5,110	4,981
99	Bronchitis	5	45	22	192	134	28	32	27	20	505	587
100-101	Pneumonia	90	498	413	2,410	2,447	478	503	358	365	7,562	8,427
113-114	Diarrhoea and enteritis	12	230	166	3,820	736	155	208	152	55	5,534	5,445
117	Appendicitis	10	53	64	421	408	90	121	152	63	1,382	1,321
118	Hernia, intestinal obstruction	2	47	28	271	344	59	74	46	39	910	889
128-129	Nephritis	60	309	185	2,072	1,729	162	240	175	303	5,235	5,138
135	Diseases of the prostate	1	44	30	167	282	41	19	21	33	638	734
143-150	Puerperal causes	4	76	65	403	403	72	114	95	68	1,300	1,317
159	Congenital malformations	7	64	44	422	473	74	115	89	59	1,347	1,550
160-163	Diseases of early infancy	40	398	496	3,998	2,420	400	703	506	285	9,246	9,902
164	Senility (old age)	95	428	299	620	677	83	119	64	85	2,470	2,764
165-174	Suicides	3	19	21	85	318	62	68	77	106	759	680
175-203	Violent deaths (suicides excepted)	16	319	186	1,412	1,997	274	377	392	536	5,509	5,189
	Other specified causes	91	722	540	4,837	4,870	835	829	761	834	14,319	13,655
	Total, specified causes	**867**	**6,324**	**4,714**	**35,784**	**34,606**	**5,265**	**5,982**	**5,009**	**5,670**	**104,221**	**106,197**
204-205	Unspecified or ill-defined causes	46	54	188	391	169	44	49	50	80	1,071	1,257
	Total deaths	**913**	**6,378**	**4,902**	**36,175**	**34,775**	**5,309**	**6,031**	**5,059**	**5,750**	**105,292**	**107,454**

[1] See note 1, table I.

Leading Causes of Death.—Table XLIX is based on the absolute figures of Table XLVIII and gives the death rate per 100,000 population from each cause by provinces in 1927, as well as a comparison between the years 1926 and 1927, for the whole of Canada.

It will be observed from the figures of Table XLIX for Canada as a whole in 1927, that the heaviest death rate was from diseases of the heart (International List Nos. 87-90) considered as a single cause. This was 124 per 100,000 of population as compared with 122 in the preceding

year. Diseases of early infancy (Nos. 160-163) stood next in order with a rate of 97 as against 106 in the year 1926. The prominence of this cause indicates the importance of infant mortality amongst the deaths at all ages, but it should be pointed out that deaths of infants under three months at which no doctor was in attendance and for which no cause was assigned, are included in No. 162 for both years. Cancer (Nos. 43-49), with a rate of 83 per 100,000, stood third in order amongst causes of death in 1927, although in the preceding year, when the cancer rate was 81 per 100,000, it was surpassed by pneumonia (Nos. 100-101) with a rate of 90. The pneumonia rate for 1927 was only 80 per 100,000. Tuberculosis of the respiratory system (No. 31) had a death rate of 68 in 1927 as against 69 in 1926, while other forms of tuberculosis (Nos. 32-37) gave a rate of 14 in 1927 and 15 in the preceding year. It will thus be seen that if all forms of tuberculosis were taken together, this disease would stand in fourth place in each of the two years, surpassing cancer in 1926 and pneumonia in 1927.

TABLE XLIX.—DEATH RATES PER 100,000 POPULATION FROM CERTAIN CAUSES BY PROVINCES, 1927

Int. list No.	Causes of death	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Canada(1) 1927	Canada(1) 1926
1	Typhoid fever	5	2	9	33	3	4	3	3	2	12	5
7	Measles	1	8	10	14	3	3	1	2	7	6	10
8	Scarlet fever	2	4	8	7	3	2	3	4	1	4	4
9	Whooping-cough	8	13	15	21	6	4	6	7	8	11	13
10	Diphtheria	–	5	4	18	9	14	8	4	4	11	10
11	Influenza	30	33	33	40	30	41	41	36	50	36	55
31	Tuberculosis, respiratory system	74	102	83	100	48	47	36	49	79	68	69
32–37	Tuberculosis, other organs	9	16	17	21	9	10	11	15	17	14	15
43–49	Cancer	77	102	81	73	100	77	53	68	90	83	81
57	Diabetes mellitus	6	11	11	11	14	11	8	8	10	11	11
58	Anaemia, chlorosis	13	7	8	7	12	6	5	4	9	8	11
71	Meningitis	14	7	7	20	4	4	4	3	3	9	8
74	Cerebral haemorrhage, apoplexy	61	45	43	22	42	23	18	18	28	31	32
75	Paralysis without specified cause	23	18	17	22	8	4	3	3	5	12	12
80	Infantile convulsions (under 5 years)	6	17	7	6	3	4	9	6	3	6	6
87–90	Diseases of the heart	140	128	128	110	166	89	68	77	112	124	122
91	Diseases of the arteries	28	47	44	37	86	36	19	32	63	54	53
99	Bronchitis	6	8	5	7	4	4	4	4	3	5	6
100–101	Pneumonia	103	92	100	93	77	74	60	58	63	80	90
113–114	Diarrhoea and enteritis	14	42	40	147	23	24	25	25	10	58	58
117	Appendicitis	11	10	16	16	13	14	14	25	11	15	14
118	Hernia, intestinal obstruction	2	9	7	10	11	9	9	7	7	10	9
128–129	Nephritis	69	57	45	80	54	25	29	28	53	55	55
135	Diseases of the prostate	1	8	7	6	9	6	2	3	6	7	8
143–150	Puerperal causes	5	14	16	15	13	11	14	15	12	14	14
159	Congenital malformations	8	12	11	16	15	11	14	14	10	14	17
160–163	Diseases of early infancy	46	73	121	154	76	62	84	82	50	97	106
164	Senility (old age)	109	79	73	24	21	13	14	10	15	26	29
165–174	Suicides	3	3	5	3	10	10	8	12	18	8	7
175–203	Violent deaths (suicides excepted)	18	59	45	54	63	42	45	64	93	58	55
	Other specified causes	105	133	131	186	153	129	99	123	145	151	146
	Total, specified causes	**997**	**1,165**	**1,147**	**1,374**	**1,086**	**814**	**716**	**812**	**986**	**1,096**	**1,132**
204–205	Unspecified or ill-defined causes	53	10	46	15	5	7	6	8	14	11	13
	Total deaths	**1,049**	**1,175**	**1,193**	**1,389**	**1,091**	**821**	**721**	**820**	**1,000**	**1,108**	**1,146**

(1) See note 1, table I.

Causes of Death for Indians.—Table L gives by provinces the absolute number of deaths of Indians in 1927 for the same list of causes as given in the two tables next preceding. The figures in Table L have been abstracted from Table "J" of Appendix I. The totals for Canada for the year 1926 have been repeated from the Sixth Annual Report for the purpose of comparison, though any such comparison must be made with caution, owing to the features of Indian statistics pointed out in Appendix I, page 472. In both years tuberculosis of the respiratory system was given as the cause of more than 25 per cent of the deaths of Indians, while other forms of tuberculosis also play an important part in Indian mortality. Pneumonia accounted for 221 deaths of Indians in 1927 as against 216 in the previous year, the difference thus being slight, but influenza showed a considerable increase in the later year, the figure being 176 as compared with 127 in the year 1926. The importance of diseases of early infancy (Nos. 160-163) is accentuated by the inclusion of deaths of children under three months without medical attendance and with no cause of death assigned. Amongst the communicable diseases whooping-cough

accounted for 43 deaths in 1927, an increase over the preceding year, in which 32 deaths were recorded, but measles, which was given as the cause of 59 deaths in 1926 was assigned for only 18 deaths in 1927.

TABLE L.—NUMBER OF DEATHS OF INDIANS FROM CERTAIN CAUSES BY PROVINCES, 1927

Int. list No.	Causes of death	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Canada(1) 1927	Canada(1) 1926
1	Typhoid fever	–	–	–	4	3	–	–	2	–	9	6
7	Measles	–	–	–	1	2	4	1	–	10	18	59
8	Scarlet fever	–	–	–	–	1	–	–	–	–	1	2
9	Whooping-cough	–	–	–	1	5	3	4	4	26	43	32
10	Diphtheria	–	–	–	–	–	–	1	–	–	1	5
11	Influenza	–	–	–	2	15	23	47	13	76	176	127
31	Tuberculosis, respiratory system	3	7	8	21	114	47	71	120	132	523	497
32–37	Tuberculosis, other organs	–	–	–	4	11	4	17	29	16	81	73
43–49	Cancer	1	1	–	3	18	5	3	6	5	42	40
57	Diabetes mellitus	–	–	–	–	6	1	–	–	–	7	1
58	Anaemia, chlorosis	–	–	–	1	4	1	–	–	1	7	8
71	Meningitis	–	–	–	1	1	–	3	3	3	11	12
74	Cerebral haemorrhage, apoplexy	–	1	–	–	11	2	4	1	3	22	18
75	Paralysis without specified cause	–	–	–	2	2	–	–	3	6	13	16
80	Infantile convulsions (under 5 years)	2	1	1	–	1	–	7	2	8	22	29
87–90	Diseases of the heart	–	1	4	8	23	5	6	8	16	71	61
91	Diseases of the arteries	–	–	1	1	14	–	–	1	2	19	15
99	Bronchitis	–	–	–	1	4	2	2	5	7	21	30
100–101	Pneumonia	1	3	2	8	36	15	45	59	52	221	216
113–114	Diarrhoea and enteritis	–	1	1	15	15	4	6	7	6	55	62
117	Appendicitis	–	–	1	1	2	2	–	1	1	8	6
118	Hernia, intestinal obstruction	–	–	–	–	1	1	1	1	1	5	3
128–129	Nephritis	–	1	1	8	9	1	2	4	3	29	26
135	Diseases of the prostate	–	–	–	–	1	1	–	–	–	2	–
143–150	Puerperal causes	–	–	1	–	5	1	4	5	5	21	24
159	Congenital malformations	–	–	–	–	3	1	5	3	2	14	5
160–163	Diseases of early infancy	–	1	–	6	30	13	29	24	37	140	148
164	Senility (old age)	–	1	–	1	13	12	14	7	49	97	80
165–174	Suicides	–	–	–	–	–	1	1	–	1	3	3
175–203	Violent deaths (suicides excepted)	–	1	–	7	19	3	9	10	30	79	81
	Other specified causes	1	3	–	9	34	15	16	24	39	141	132
	Total, specified causes	8	22	20	105	403	167	298	342	537	1,902	1,817
204–205	Unspecified or ill-defined causes	1	–	2	–	9	23	7	7	49	98	101
	Total deaths	9	22	22	105	412	190	305	349	586	2,000	1,918

(1) See note 1, table I.

Table LI shows death rates of the Indian population calculated from the number of deaths given by causes in Table L. The method of obtaining the Indian population in 1926 is explained in the Sixth Annual Report of Vital Statistics (Page XLII). The estimates for the year 1927 have been obtained from the 1926 figures by adding on the natural increase for the year 1927 from the births and deaths tabulated in the present report.

The estimates of Indian population for 1927 by provinces are as follows:

Canada (exclusive of territories)	**105,855**
Prince Edward Island	228
Nova Scotia	2,150
New Brunswick	1,407
Quebec	12,049
Ontario	27,805
Manitoba	13,264
Saskatchewan	13,179
Alberta	13,437
British Columbia	22,336

As explained in Appendix I, the term "Indian" in this report is taken to include half-breeds.

TABLE LI.—DEATH RATES OF INDIANS FROM CERTAIN CAUSES PER 100,000 OF INDIAN POPULATION BY PROVINCES, 1927

Int. list No.	Causes of death	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Canada (1)	
											1927	1926
1	Typhoid fever	–	–	–	33	11	–	–	15	–	9	6
7	Measles	–	–	–	8	7	30	8	–	45	17	56
8	Scarlet fever	–	–	–	–	4	–	–	–	–	1	2
9	Whooping-cough	–	–	–	8	18	23	30	30	116	41	30
10	Diphtheria	–	–	–	–	–	–	8	–	–	1	5
11	Influenza	–	–	–	17	54	173	357	97	340	166	121
31	Tuberculosis, respiratory system	1,316	326	569	174	410	354	539	893	591	494	473
32–37	Tuberculosis, other organs	–	–	–	33	40	30	129	216	72	76	69
43–49	Cancer	439	47	–	25	65	38	23	45	22	40	38
57	Diabetes mellitus	–	–	–	–	22	8	–	–	–	7	1
58	Anaemia, chlorosis	–	–	–	8	14	8	–	–	4	7	8
71	Meningitis	–	–	–	8	4	–	23	22	13	10	11
74	Cerebral haemorrhage, apoplexy	–	47	–	–	40	15	30	7	13	21	17
75	Paralysis without specified cause	–	–	–	17	7	–	–	22	27	12	15
80	Infantile convulsions (under 5 years)	877	47	71	–	4	–	53	15	36	21	28
87–90	Diseases of the heart	–	47	284	66	83	38	46	60	72	67	58
91	Diseases of the arteries	–	–	71	8	50	–	–	7	9	18	14
99	Bronchitis	–	–	–	8	14	15	15	37	31	20	29
100–101	Pneumonia	439	140	142	66	129	113	341	439	233	209	206
113–114	Diarrhoea and enteritis	–	47	71	124	54	30	46	52	27	52	59
117	Appendicitis	–	–	71	8	7	15	–	7	4	8	6
118	Hernia, intestinal obstruction	–	–	–	–	4	8	8	7	4	5	3
128–129	Nephritis	–	47	71	66	32	8	15	30	13	27	25
135	Diseases of the prostate	–	–	–	–	4	8	–	–	–	2	–
143–150	Puerperal causes	–	–	71	–	18	8	30	37	22	20	23
159	Congenital malformations	–	–	–	–	11	8	38	22	9	13	5
160–163	Diseases of early infancy	–	47	–	50	108	98	220	179	166	132	141
164	Senility (old age)	–	47	–	8	47	90	106	52	219	92	76
165–174	Suicides	–	–	–	–	–	8	8	–	4	3	3
175–203	Violent deaths (suicides excepted)	–	47	–	58	68	23	68	74	134	75	77
	Other specified causes	439	140	–	75	122	113	121	179	175	133	126
	Total, specified causes	**3,509**	**1,023**	**1,421**	**871**	**1,449**	**1,259**	**2,261**	**2,545**	**2,404**	**1,797**	**1,729**
204–205	Unspecified or ill-defined causes	439	–	142	–	32	173	53	52	219	93	96
	Total deaths	**3,947**	**1,023**	**1,564**	**871**	**1,482**	**1,432**	**2,314**	**2,597**	**2,624**	**1,889**	**1,825**

(1) See note 1, table I.

Causes of Death for Population Exclusive of Indians.—Table LII shows the number of deaths from the selected list of causes in the population exclusive of Indians, and Table LIII the rates per 100,000 calculated on the estimates of population exclusive of Indians. These estimates have been obtained by subtracting from the population figures given in Table I, the estimates of Indian population used for the rates of Table LI. Rates by provinces are given for 1927 and for the country as a whole for the preceding year.

Comparison of the figures of Table XLIX with those of Table LIII shows that the exclusion of Indians has but slight effect on the rates for Canada as a whole, with the exception of the rate for tuberculosis of the respiratory system, which was lowered by such exclusion from 69 to 65 in the year 1926, and from 68 to 63 in 1927. The similarity between the rates for most causes in the two tables is due to the small proportion of Indians in the general population, forming as they do little more than one per cent of the total number of inhabitants of the nine provinces. When the figures for individual provinces in 1927 are considered, however, it is noted that in three provinces, Saskatchewan, Alberta and British Columbia, the exclusion of Indians not only makes a very marked difference in the tuberculosis rates, but also reduces materially, though in lesser degree, the pneumonia rates, while those for influenza are also substantially lowered in Saskatchewan and British Columbia by the exclusion of Indians. Out of 46 deaths in British Columbia from whooping cough, 26 occurred amongst Indians, so that while the rate for the total population was 8 per 100,000, the rate amongst non-Indians was only 4 per 100,000. The reduction of the rate for senility from 15 to 7 in the same province when Indians are excluded is, presumably, attributable to the better certification of deaths of non-Indians as well as to the difference in age composition between the white and Indian populations. It will be noted that the exclusion of Indians in the three westernmost provinces reduces the total death rate in Saskatchewan from 7·2 to 7·0, in Alberta from 8·2 to 7·8, and in British Columbia from 10·0 to 9·3 per 1,000.

TABLE LII.—NUMBER OF DEATHS, EXCLUSIVE OF INDIANS, FROM CERTAIN CAUSES, BY PROVINCES, 1927

Int. list No.	Causes of death	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Canada(1) 1927	Canada(1) 1926
1	Typhoid fever	4	13	35	865	106	27	21	19	13	1,103	459
7	Measles	1	45	43	362	80	16	11	12	28	598	833
8	Scarlet fever	2	21	33	195	86	16	28	22	7	410	361
9	Whooping-cough	7	68	61	553	176	22	42	38	26	987	1,210
10	Diphtheria	-	29	18	469	297	88	62	26	22	1,011	908
11	Influenza	26	179	137	1,035	944	242	293	208	211	3,275	5,647
31	Tuberculosis, respiratory system	61	547	333	2,586	1,402	256	231	182	323	5,921	5,988
32-37	Tuberculosis, other organs	8	89	71	534	276	62	72	65	80	1,257	1,371
43-49	Cancer	66	555	332	1,906	3,159	491	442	414	512	7,877	7,574
57	Diabetes mellitus	5	61	46	289	435	71	63	51	55	1,076	1,045
58	Anaemia, chlorosis	11	38	32	174	379	35	42	26	49	786	1,032
71	Meningitis	12	36	28	513	128	25	28	18	13	801	785
74	Cerebral haemorrhage, apoplexy	53	242	175	569	1,318	149	143	107	160	2,916	3,015
75	Paralysis without specified cause	20	97	71	564	255	26	21	18	23	1,095	1,108
80	Infantile convulsions (under 5 years)	3	90	27	168	100	28	71	34	10	531	542
87-90	Diseases of the heart	122	694	521	2,865	5,272	571	563	468	628	11,704	11,354
91	Diseases of the arteries	24	257	178	958	2,724	232	153	194	361	5,091	4,966
99	Bronchitis	5	45	22	191	130	26	30	22	13	484	557
100-101	Pneumonia	89	495	411	2,402	2,411	463	458	299	313	7,341	8,211
113-114	Diarrhoea and enteritis	12	229	165	3,805	721	151	202	145	49	5,479	5,383
117	Appendicitis	10	53	63	420	406	88	121	151	62	1,374	1,315
118	Hernia, intestinal obstruction	2	47	28	271	343	58	73	45	38	905	886
128-129	Nephritis	60	308	184	2,064	1,720	161	238	171	300	5,203	5,112
135	Diseases of the prostate	1	44	30	167	281	40	19	21	33	636	734
143-150	Puerperal causes	4	76	64	403	398	71	110	90	63	1,279	1,293
159	Congenital malformations	7	64	44	422	470	73	110	86	57	1,333	1,545
160-163	Diseases of early infancy	40	397	496	3,992	2,390	387	674	482	248	9,106	9,754
164	Senility (old age)	95	427	299	619	664	71	105	57	36	2,373	2,684
165-174	Suicides	3	19	21	85	318	61	67	77	105	756	677
175-203	Violent deaths (suicides excepted)	16	318	186	1,405	1,978	271	368	382	506	5,430	5,108
	Other specified causes	90	719	540	4,828	4,836	820	813	737	795	14,178	13,523
	Total, specified causes	**859**	**6,302**	**4,694**	**35,679**	**34,203**	**5,098**	**5,684**	**4,667**	**5,133**	**102,319**	**104,380**
204-205	Unspecified or ill-defined causes.	45	54	186	391	160	21	42	43	31	973	1,156
	Total deaths	**904**	**6,356**	**4,880**	**36,070**	**34,363**	**5,119**	**5,726**	**4,710**	**5,164**	**103,292**	**105,536**

(1) See note 1, table I.

TABLE LIII.—DEATH RATES PER 100,000 POPULATION FROM CERTAIN CAUSES, EXCLUSIVE OF INDIANS, BY PROVINCES, 1927.

Int. list No.	Causes of death	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Canada(1) 1927	Canada(1) 1926
1	Typhoid fever	5	2	9	33	3	4	3	3	2	12	5
7	Measles	1	8	10	14	3	3	1	2	5	6	9
8	Scarlet fever	2	4	8	8	3	3	3	4	1	4	4
9	Whooping-cough	8	13	15	21	6	3	5	6	4	10	13
10	Diphtheria	-	5	4	18	9	14	8	4	4	11	10
11	Influenza	30	33	33	40	30	38	36	34	38	35	54
31	Tuberculosis, respiratory system	70	101	81	100	44	40	28	30	58	63	65
32-37	Tuberculosis, other organs	9	16	17	21	9	10	9	11	14	13	15
43-49	Cancer	76	103	81	74	100	77	54	69	93	84	82
57	Diabetes mellitus	6	11	11	11	14	11	8	8	10	11	11
58	Anaemia, chlorosis	13	7	8	7	12	6	5	4	9	8	11
71	Meningitis	14	7	7	20	4	4	3	3	2	9	8
74	Cerebral haemorrhage, apoplexy	61	45	43	22	42	24	17	18	29	31	33
75	Paralysis without specified cause	23	18	17	22	8	4	3	3	4	12	12
80	Infantile convulsions (under 5 years)	3	17	7	6	3	4	9	6	2	6	6
87-90	Diseases of the heart	141	128	127	111	167	90	68	78	114	124	122
91	Diseases of the arteries	28	48	43	37	86	37	20	32	65	54	54
99	Bronchitis	6	8	5	7	4	4	4	4	2	5	6
100-101	Pneumonia	103	92	100	93	76	73	56	50	57	78	89
113-114	Diarrhoea and enteritis	14	42	40	147	23	24	25	24	9	58	58
117	Appendicitis	12	10	15	16	13	14	15	25	11	15	14
118	Hernia, intestinal obstruction	2	9	7	10	11	9	9	7	7	10	10
128-129	Nephritis	69	57	45	80	54	25	29	28	54	55	55
135	Diseases of the prostate	1	8	7	6	9	6	2	3	6	7	8
143-150	Puerperal causes	5	14	16	16	13	11	13	15	11	14	14
159	Congenital malformations	8	12	11	16	15	12	13	14	10	14	17
160-163	Diseases of early infancy	46	73	121	154	76	61	82	80	45	97	105
164	Senility (old age)	109	79	73	24	21	11	13	9	7	25	29
165-174	Suicides	3	4	5	3	10	10	8	13	19	8	7
175-203	Violent deaths (suicides excepted)	18	59	45	54	63	43	45	63	92	58	55
	Other specified causes	104	133	132	186	153	129	99	122	144	151	146
	Total, specified causes	**990**	**1,165**	**1,146**	**1,377**	**1,083**	**804**	**691**	**773**	**929**	**1,088**	**1,126**
204-205	Unspecified or ill-defined causes.	52	10	45	15	5	3	5	7	6	10	12
	Total deaths	**1,042**	**1,175**	**1,191**	**1,392**	**1,088**	**808**	**696**	**780**	**934**	**1,099**	**1,138**

(1) See note 1, table I.

Causes of Death in the Registration Area as of 1921.—In Table LIV the number of deaths from each cause in 1927 for the eight provinces forming the Registration Area as of 1921 is compared with the corresponding figures for the years 1921-26.

TABLE LIV.—NUMBER OF DEATHS FROM CERTAIN CAUSES FOR THE REGISTRATION AREA AS OF 1921 DURING THE YEARS 1921-27

Int. list No.	Causes of death	Registration Area as of 1921						
		1921	1922	1923	1924	1925	1926	1927
1	Typhoid fever	499	419	480	287	311	209	243
7	Measles	297	211	350	483	171	510	253
8	Scarlet fever	410	325	322	329	258	205	216
9	Whooping-cough	626	469	747	536	558	639	476
10	Diphtheria	1,297	1,024	851	848	615	546	543
11	Influenza	940	2,400	3,578	1,306	2,182	3,089	2,414
31	Tuberculosis, respiratory system	3,903	3,870	3,959	3,821	3,779	3,786	3,837
32-37	Tuberculosis, other organs	886	871	859	829	753	866	800
43-49	Cancer	4,826	5,118	5,157	5,528	5,526	5,774	6,010
57	Diabetes mellitus	611	707	722	637	634	763	794
58	Anaemia, chlorosis	735	780	756	811	814	856	618
71	Meningitis	592	328	287	322	274	272	298
74	Cerebral haemorrhage, apoplexy	2,600	2,598	2,467	2,348	2,284	2,480	2,369
75	Paralysis without specified cause	724	625	538	563	525	523	542
80	Infantile convulsions (under 5 years)	614	599	477	451	431	413	385
87-90	Diseases of the heart	6,021	6,622	7,491	7,180	7,587	8,538	8,902
91	Diseases of the arteries	2,555	2,889	3,164	3,690	3,805	3,994	4,151
99	Bronchitis	905	851	751	444	395	413	313
100-101	Pneumonia	5,966	6,399	6,237	5,607	5,149	5,785	5,152
113-114	Diarrhoea and enteritis	3,218	2,843	2,061	1,891	2,198	1,679	1,714
117	Appendicitis	816	840	843	924	941	925	961
118	Hernia, intestinal obstruction	568	634	615	725	669	656	639
128-129	Nephritis	2,041	2,113	2,472	2,667	2,880	3,122	3,163
135	Diseases of the prostate	304	319	375	428	493	556	471
143-150	Puerperal causes	868	907	849	945	873	890	897
159	Congenital malformations	862	908	990	1,061	1,101	984	925
160-163	Diseases of early infancy	6,090	6,169	5,729	5,363	5,047	5,446	5,248
164	Senility (old age)	2,914	2,759	2,918	2,566	2,097	2,046	1,850
165-174	Suicides	431	487	538	535	586	596	674
175-203	Violent deaths (suicides excepted)	3,666	3,647	3,833	3,670	3,873	3,870	4,097
	Other specified causes	8,869	8,605	8,543	8,738	8,548	9,028	9,482
	Total, specified causes	**65,654**	**67,346**	**68,959**	**64,933**	**65,357**	**69,459**	**68,437**
204-205	Unspecified or ill-defined causes	2,068	1,682	1,223	1,264	1,120	744	680
	Total deaths	**67,722**	**69,028**	**70,182**	**66,197**	**66,477**	**70,203**	**69,117**

Table LV shows death rates from each cause, based on the absolute figures of Table LIV, in the Registration Area as of 1921 during the years 1921-27. The table shows marked upward trends for cancer, diseases of the heart, diseases of the arteries, nephritis and suicides. On the other hand a decided downward movement is evident in the rates from diphtheria, from diarrhoea and enteritis and from diseases of early infancy (Nos. 160-163). The decline in deaths from infantile convulsions is probably due to steady improvement in certification. This improvement is even more strikingly shown in the downward movement of the rate for senility, while the death rate from unspecified or ill-defined causes exhibits the most marked reduction of all throughout the period, though allowance must be made in 1926 and 1927 for the transfer to No. 162 of deaths of infants under 3 months without medical attendance and from an unspecified or ill-defined cause.

TABLE LV.—DEATH RATES PER 100,000 POPULATION FROM CERTAIN CAUSES IN THE REGISTRATION AREA AS OF 1921 DURING THE YEARS 1921-27

Int. list No.	Causes of death	Registration Area as of 1921						
		1921	1922	1923	1924	1925	1926	1927
1	Typhoid fever	8	6	7	4	5	3	4
7	Measles	5	3	5	7	3	7	4
8	Scarlet-fever	6	5	5	5	4	3	3
9	Whooping-cough	10	7	11	8	8	9	7
10	Diphtheria	20	16	13	13	9	8	8
11	Influenza	15	37	54	20	32	45	35
31	Tuberculosis, respiratory system	61	59	60	57	56	56	56
32-37	Tuberculosis, other organs	14	13	13	12	11	13	12
43-49	Cancer	75	79	78	83	82	85	87
57	Diabetes mellitus	10	11	11	10	9	11	12
58	Anaemia chlorosis	11	12	11	12	12	13	9
71	Meningitis	9	5	4	5	4	4	4
74	Cerebral haemorrhage, apoplexy	41	40	38	35	34	36	34
75	Paralysis without specified cause	11	10	8	8	8	8	8
80	Infantile convulsions (under 5 years)	10	9	7	7	6	6	6

TABLE LV.—DEATH RATES PER 100,000 POPULATION FROM CERTAIN CAUSES IN THE REGISTRATION AREA AS OF 1921 DURING THE YEARS 1921-27—*Concluded*

Int. list No.	Causes of death	Registration Area as of 1921						
		1921	1922	1923	1924	1925	1926	1927
87-90	Diseases of the heart	94	102	114	108	113	125	129
91	Diseases of the arteries	40	44	48	55	56	59	60
90	Bronchitis	14	13	11	7	6	6	5
100-101	Pneumonia	93	98	95	75	76	85	75
113-114	Diarrhoea and enteritis	50	44	31	28	33	25	25
117	Appendicitis	13	13	13	14	14	14	14
118	Hernia, intestinal obstruction	9	10	9	11	10	10	9
128-129	Nephritis	32	32	38	40	43	46	46
135	Diseases of the prostate	5	5	6	6	7	8	7
143-150	Puerperal causes	14	14	13	14	13	13	13
159	Congenital malformations	13	14	15	16	16	14	13
160-163	Diseases of early infancy	95	95	87	81	75	80	76
164	Senility (old age)	45	42	44	39	31	30	27
165-174	Suicides	7	7	8	8	9	9	10
175-203	Violent deaths (suicides excepted)	57	56	58	55	57	57	59
	Other specified causes	138	132	130	131	127	132	137
	Total, specified causes	**1,025**	**1,035**	**1,048**	**975**	**970**	**1,019**	**991**
204-205	Unspecified or ill-defined causes	32	26	19	19	17	11	10
	Total deaths	**1,057**	**1,061**	**1,067**	**994**	**987**	**1,039**	**1,001**

Communicable diseases.—The number of deaths in Canada during 1927 from the first five diseases listed in Table XLVIII, typhoid fever, measles, scarlet fever, whooping cough and diphtheria, was 4,181, giving a rate of 44 per 100,000. In the previous year the number of deaths from these causes was 3,875, and the rate was 41 per 100,000.

Typhoid fever was certified as the cause of 1,112 deaths in 1927 as against 465 deaths in 1926. Of the 1927 deaths, 869 took place in the Province of Quebec and 592 in the City of Montreal alone. The distribution of deaths by months in these two geographical units is shown in the following statement:

TYPHOID DEATHS, 1927

——	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Province of Quebec	28	18	108	204	176	140	57	38	29	24	27	20
City of Montreal	7	4	79	167	138	112	44	22	7	3	2	7

The reduction in the measles death rate from 10 per 100,000 in 1926 to 6 per 100,000 in 1927, was almost wholly due to considerably decreased mortality from this cause in the Prairie Provinces.

Although the death rate from scarlet fever in 1927, 4 per 100,000, was unchanged from the preceding year, the number of deaths underwent an increase from 363 to 411. All provinces except Manitoba and Alberta contributed in greater or less degree to this increase. The figures in Tables LIV and LV for the eight provinces forming the Registration Area as of 1921 show a well-marked downward trend in the mortality from scarlet fever over the period 1921-27.

The number of deaths from whooping-cough in 1927 was 1,030 and the rate 11 per 100,000. These figures compared with 1,242 deaths and a rate of 13 per 100,000 in 1926. Of the total deaths from whooping-cough in 1927, 554 were in the Province of Quebec. The rate for Quebec, 21 per 100,000, was the highest of any province; Manitoba, with only 4 deaths per 100,000 from this cause, stood lowest. Every province except Nova Scotia and British Columbia showed a decrease from 1926 in the deaths from whooping-cough.

Diphtheria caused 1,012 deaths in 1927. This was an increase of 99 over the number in the preceding year, and the rate was 11 per 100,000 as compared with 10 in 1926. All provinces from Manitoba west showed a reduction in the number of deaths from diphtheria, while increased numbers were reported in all eastern provinces excepting Prince Edward Island, which had 2 deaths from diphtheria in 1926 and none in 1927. Table LIV shows a pronounced downward trend in the number of deaths from this cause in the Registration Area as of 1921 during the period 1921-26. The figures for 1926 and 1927 were almost identical.

Influenza.—Deaths from influenza in the nine provinces of Canada numbered 3,451 in 1927, giving a rate of 36 per 100,000. In the preceding year there were 5,174 deaths attributed to influenza and the rate was 55 per 100,000. Five provinces out of nine recorded a decline in deaths from this cause. No month of 1927 showed a peak of influenza deaths approaching that of April 1926, when the number reached 1,668. The highest mortality from this cause during any month in 1927 was in January, when 664 deaths took place. The decline in the later winter and spring months was gradual.

The recorded deaths from influenza amongst Indians were more numerous in 1927 than in 1926, the figures for the two years being respectively 176 and 127. Most of the increase was in British Columbia, which reported 76 Indian deaths from influenza in 1927 against 25 in the previous year.

The highest provincial death rate from influenza in 1927 was in British Columbia, where it amounted to 50 deaths per 100,000 inhabitants. If, however, only the population exclusive of Indians is considered, the British Columbia rate is reduced to 38 per 100,000, and is exceeded by Quebec with a rate of 40 and equalled by Manitoba. The lowest provincial rates were in Ontario and Prince Edward Island, where they stood at 30 per 100,000, inclusive and also exclusive of Indians.

The eight provinces comprising the Registration Area as of 1921 reported 2,414 deaths from influenza in 1927, giving a rate of 35 per 100,000 inhabitants. During the period 1921-27 the lowest annual rate recorded in these eight provinces was 15 in 1921, the highest 54 in 1923.

DEATHS FROM INFLUENZA (No. 11) BY MONTHS
(Absolute figures)

Month	Registration Area as of 1921							Canada(1)	
	1921	1922	1923	1924	1925	1926	1927	1926	1927
January	85	193	298	107	192	210	503	332	664
February	154	291	1,144	152	271	243	471	374	639
March	154	640	1,049	191	426	423	385	671	539
April	143	533	517	210	381	927	285	1,668	400
May	84	235	203	162	258	472	204	826	312
June	47	91	78	80	116	170	92	279	151
July	27	49	58	33	56	100	59	143	100
August	27	43	35	31	54	57	41	83	67
September	38	33	29	40	81	58	51	100	76
October	54	54	54	77	106	102	87	164	132
November	64	83	50	85	104	114	102	193	160
December	63	105	63	138	137	213	134	341	211
Total	**940**	**2,490**	**3,578**	**1,306**	**2,182**	**3,089**	**2,414**	**5,174**	**3,451**

(1) See note 1, table I.

The year 1927 saw a marked increase in the number of deaths from acute anterior poliomyelitis, the figure being 193 as compared with 93 in the preceding year. Separate figures for this disease are available for the Registration Area as of 1921 commencing with the year 1922, and during this period 1927 had by a considerable margin the largest number of deaths. There was a well-marked epidemic of the disease in the Province of Alberta, 65 deaths being assigned to this cause during the year. Thirty-three of these deaths took place in the month of September and 56 during the three months of August, September and October. The number of cases officially reported in Alberta during the year was 310, of which 187 were reported during September. British Columbia shared in the epidemic, recording 182 cases and 37 deaths during the year. There were 40 deaths in Quebec province from this cause in 1927, but the rate in proportion to population was very much lower than in the two provinces already named.

NUMBER OF DEATHS FROM ACUTE ANTERIOR POLIOMYELITIS (No. 22), 1922-27

Year	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Canada(1)	Reg. Area as of 1921
1922	1	1	3	.....	61	4	5	9	1	.....	85
1923	1	6	5	.....	17	3	10	4	1	.....	47
1924	2	8	7	.....	29	8	13	12	3	.....	82
1925	1	5	2	.....	29	5	19	5	2	.....	68
1926	2	4	1	29	43	2	6	5	1	93	64
1927	-	11	6	40	21	5	8	65	37	193	153

(1) See note 1, table I.

Tuberculosis.—Deaths from tuberculosis of the respiratory system in 1927 numbered 6,444 and deaths from other forms of tuberculosis, 1,338, making a total of 7,782 or a rate of 82 per 100,000 inhabitants. In the preceding year there were 6,485 deaths from tuberculosis of the respiratory system and 1,444 from other forms of tuberculosis. This gave a total of 7,929 deaths and a rate of 85 per 100,000. Every province except Saskatchewan, Alberta and British Columbia had a lower tuberculosis death rate in 1927 than in 1926. In Saskatchewan the rate for the two years was the same and in the other two provinces named it showed an increase.

The rates by provinces show a wide range. Saskatchewan had the lowest rate, only 47 per 100,000 in 1927, while Ontario and Manitoba had each a rate of 57. At the other end of the scale were Quebec with 121, Nova Scotia with 118 and New Brunswick with 100 per 100,000. Differences in age-distribution between the populations of the provinces do not appear to affect the tuberculosis death rates to any marked degree; they play a small part in accounting for the wide range of rates already noted. As mentioned above (p. xlviii), the rates of the western provinces, and particularly Alberta and British Columbia, are raised considerably by the proportion of Indian population in these provinces; their exclusion lowers the Alberta rate from 64 to 41 and the British Columbia rate from 96 to 72 per 100,000. (See Tables XLIX and LIII).

For the eight provinces forming the Registration Area as of 1921 the rate in 1927 was 67 as compared with 68 in the preceding year. Over the period 1921-27 the rate for these eight provinces exhibits a downward trend, with, however, a tendency to stability in the last three years.

TUBERCULOSIS (Nos. 31-37)
(Death rates per 100,000 population)

Province	1921	1922	1923	1924	1925	1926	1927
Prince Edward Island	144	127	106	114	99	103	83
Nova Scotia	134	132	123	125	108	119	118
New Brunswick	109	107	111	105	100	102	100
Quebec	.....	.....	.....	.....	.....	128	121
Ontario	71	66	66	60	59	58	57
Manitoba	69	61	65	62	61	61	57
Saskatchewan	43	44	45	46	42	47	47
Alberta	53	53	61	61	59	60	64
British Columbia	78	95	97	95	96	94	96
Canada (1)	.....	.....	.....	.....	.....	85	82
Registration Area as of 1921	75	73	73	70	67	68	67

(1) See note 1, table I.

The number of deaths in each sex from the various forms of tuberculosis is listed hereunder. For the Registration Area as of 1921 the figures cover the period 1921-27, while for Canada as a whole they are limited to the years 1926 and 1927. When the figures by sex for the Registration Area as of 1921 are examined it is seen that the downward trend in mortality from tuberculosis, to which reference has been made, is more definitely evidenced for the male than for the female sex. For the latter, indeed, taking the period as a whole, it cannot be said that the absolute figures show a trend in either direction, but the fact that they did not move upward in accordance with the estimated increase in population produces a downward trend in the rate.

DEATHS FROM VARIOUS FORMS OF TUBERCULOSIS
(Absolute figures)

Forms of tuberculosis	Registration Area as of 1921							Canada(1)	
	1921	1922	1923	1924	1925	1926	1927	1926	1927
MALE									
All forms	**2,439**	**2,421**	**2,447**	**2,354**	**2,310**	**2,380**	**2,302**	**3,728**	**3,593**
Respiratory system	1,974	1,957	2,021	1,917	1,930	1,938	1,889	3,016	2,914
Meninges and central nervous system	197	171	150	176	139	164	158	280	259
Intestines and peritoneum	85	92	73	72	67	80	75	135	156
Vertebral column	40	41	41	49	50	29	28	41	36
Joints	12	21	20	19	21	18	17	24	22
Other organs	53	58	68	55	52	81	67	126	115
Disseminated	78	81	74	66	51	70	68	106	91

DEATHS FROM VARIOUS FORMS OF TUBERCULOSIS—*Concluded*
(Absolute figures)

Forms of tuberculosis	Registration Area as of 1921							Canada[1]	
	1921	1922	1923	1924	1925	1926	1927	1926	1927
FEMALE									
All forms	**2,350**	**2,320**	**2,371**	**2,296**	**2,222**	**2,272**	**2,335**	**4,201**	**4,189**
Respiratory system	1,929	1,913	1,938	1,904	1,849	1,848	1,948	3,469	3,530
Meninges and central nervous system	143	124	144	147	161	145	151	263	266
Intestines and peritoneum	120	128	129	106	79	113	110	199	184
Vertebral column	30	31	40	24	24	35	18	56	30
Joints	17	16	8	15	10	8	12	11	15
Other organs	46	48	40	41	40	62	37	111	81
Disseminated	65	60	72	59	59	61	59	92	83

[1] See note, table I.

The following figures, extracted from Tables XLIX, LI and LIII, show the effect on the death rates from tuberculosis in 1926 and 1927 of the exclusion of Indians from the mortality due to this cause. As already stated, the term Indian includes half-breeds.

TUBERCULOSIS
(Death rates per 100,000 population.)

—	1927			1926		
	All forms	Respiratory system	Other organs	All forms	Respiratory system	Other organs
Total population	82	68	14	84	69	15
Indian population	570	494	76	542	473	69
Population exclusive of Indians	76	63	13	80	65	15

The exclusion of Indians not only lowers the rate for tuberculosis in both years, but makes the decline from 1926 to 1927 more marked. The apparent increase in the Indian rate may be affected by better registration and certification of Indian deaths.

Cancer.—In the nine provinces of Canada cancer was given as the cause of death in 7,919 cases in 1927, a rate of 83 per 100,000 inhabitants. In the preceding year the deaths numbered 7,614 and the rate was 81 per 100,000. The rates for the various provinces ranged from 53 for Saskatchewan to 102 for Nova Scotia. The age distribution of the population plays a very important part in affecting the rates of the different provinces. In the following statement the cancer rates of the different provinces are given in conjunction with the proportions of the respective population over 40 years of age and over 60 years of age according to the Census of 1921.

—	Cancer rate per 100,000 population 1927	Per cent of pop'n 40 years of age and over	Per cent of pop'n 60 years of age and over
Nova Scotia	102	28·3	10·4
Ontario	100	29·7	9·2
British Columbia	90	30·4	6·3
New Brunswick	81	26·3	9·2
Manitoba	77	22·4	5·3
Prince Edward Island	77	31·5	13·3
Quebec	73	22·9	7·1
Alberta	68	22·0	4·3
Saskatchewan	53	19·6	4·0

The cancer rate for the Registration Area as of 1921 shows a well-marked upward trend over the period 1921-27, rising from 75 per 100,000 in the initial year to 87 in the final. The possible effects of improving diagnosis must be considered in this connection, while it is highly probable that under the conditions existing in Canada a larger proportion of the population is coming year by year within the cancer age.

CANCER (Nos. 43-49)
(Death rates per 100,000 population)

Province	1921	1922	1923	1924	1925	1926	1927
Prince Edward Island	87	97	94	101	100	83	77
Nova Scotia	92	102	100	107	101	96	102
New Brunswick	73	82	76	76	83	82	81
Quebec	.....	.....	.....	.....	.....	72	73
Ontario	88	88	90	96	95	99	100
Manitoba	70	72	67	74	71	73	77
Saskatchewan	41	45	46	44	44	47	53
Alberta	48	54	49	58	57	59	68
British Columbia	74	83	83	83	84	93	90
Canada (1)	.....	.....	.....	.....	.....	81	83
Registration Area as of 1921	75	79	78	83	82	85	87

(1) See note 1, table I.

Cancer death rates by sites for each sex are given in the statement which follows. The rates cover the nine provinces of Canada for the years 1926 and 1927 and the Registration Area as of 1921 for the period 1921-27. Female cancer rates for all sites combined are substantially heavier than the male rates for every year listed. In the yearly comparison for the Registration Area as of 1921 it will be noted that the rates from cancer of "other or unspecified organs" show a downward tendency, particularly for females, from 1921-25. It is probable that the decrease is largely in the cancer of unspecified organs and so far as these are concerned results from better certification. The practice, faithfully followed since the inception of the national system of vital statistics, of returning defective certificates for more specific information, naturally tends to produce greater exactitude on the part of the doctors certifying. This improvement must have resulted in a corresponding apparent increase in some of the specified sites. It may be presumed that by 1925 the number of deaths from cancer of unspecified organs had been reduced to a minimum. In 1927 when they were separately recorded for the first time, they numbered only 12 in the Registration Area as of 1921. During this period 1921-25, therefore, it appears likely that part of the increase in some of the sites listed individually was due to greater exactness in certifying.

CANCER DEATH RATES BY SITES
(Per 100,000 population)

Site of cancer	Registration Area as of 1921							Canada (1)	
	1921	1922	1923	1924	1925	1926	1927	1926	1927
MALE									
All sites	**69**	**71**	**70**	**75**	**75**	**77**	**81**	**75**	**78**
Buccal cavity	4	5	6	7	6	6	6	6	6
Stomach and liver	32	31	32	34	36	36	37	36	37
Peritoneum, intestines and rectum	10	11	11	12	12	12	14	12	13
Skin	2	3	3	3	3	3	2	2	2
Other or unspecified organs	21	21	19	19	18	21	22	19	20
FEMALE									
All sites	**82**	**86**	**87**	**91**	**90**	**93**	**93**	**88**	**89**
Buccal cavity	1	1	1	1	1	1	1	1	1
Stomach and liver	24	27	28	27	27	28	29	28	28
Peritoneum, intestines and rectum	12	13	13	13	14	15	14	14	14
Genital organs	14	15	16	18	18	19	19	18	18
Breast	12	13	14	17	18	15	16	14	16
Skin	1	1	1	1	1	2	2	1	1
Other or unspecified organs	18	16	14	13	11	12	13	11	11

(1) See note 1, table I.

Diabetes mellitus.—There were 1,083 deaths in Canada from diabetes mellitus in 1927 as compared with 1,046 in the previous year. The rate in both years was 11 per 100,000.

The deaths from diabetes mellitus in the Registration Area as of 1921 are shown by age-groups in the following table for the years 1921-27. The interpretation of the total deaths as marking a trend is doubtful, but there is strong evidence of a change in the age-distribution

of decedents from this cause, consisting in increasing numbers in the older and decreasing numbers in the younger age-groups.

DEATHS FROM DIABETES MELLITUS (No. 57) IN THE REGISTRATION AREA AS OF 1921 DURING THE YEARS 1921-27

Year	All ages	Under 15 years	15-29 years	30-49 years	50 years and over	Not stated
1921	611	68	67	118	357	1
1922	707	71	64	129	441	2
1923	722	52	54	98	517	1
1924	637	42	40	83	472	–
1925	634	42	58	67	466	1
1926	763	50	51	87	575	–
1927	794	39	36	89	628	2

Diseases of the Heart.—Deaths in Canada from diseases of the heart (Int. List Nos. 87-90) numbered 11,775 in 1927, giving a rate of 124 per 100,000 population. In the preceding year there were 11,415 deaths assigned to these causes and the rate was 122 per 100,000. The rates by provinces in 1927 varied from 68 in Saskatchewan to 166 in Ontario. In addition to the effect of differences in age-composition of the population, the provincial rates are quite evidently affected by the degree of exactitude in certifying cause of death. The very high rate of Ontario for diseases of the heart is accompanied by low rates for senility and for unspecified or ill defined causes. On the other hand, the Maritime Provinces, with an older population than Ontario, show considerably lower mortality from diseases of the heart, but considerably higher from senility, and in the cases of Prince Edward Island and New Brunswick, from unspecified or ill-defined causes. (See Table XLIX).

The statement given hereunder contains death rates in each province from diseases of the heart during the period 1921-27 and reveals a pronounced upward trend throughout the eight provinces for which comparisons are carried back to 1921. Here again, however, the marked decline shown in Table LV for this area in the rates from senility and those from unspecified or ill-defined causes indicates an improvement in certification which cannot have failed to produce a pronounced effect on the rates from specified degenerative diseases.

DISEASES OF THE HEART (Nos. 87-90)
(Death rates per 100,000 population)

Province	1921	1922	1923	1924	1925	1926	1927
Prince Edward Island	108	131	142	142	122	110	140
Nova Scotia	107	111	130	113	120	123	128
New Brunswick	111	125	120	112	125	120	128
Quebec	.....	.....	.....	.....	.....	112	110
Ontario	116	126	145	137	142	163	166
Manitoba	70	72	79	79	74	80	89
Saskatchewan	45	48	48	47	50	61	68
Alberta	52	54	62	67	77	80	77
British Columbia	90	101	108	99	104	117	112
Canada[1]	.....	.....	.....	.....	.....	**122**	**124**
Registration Area as of 1921	94	102	114	108	113	125	129

[1] See note 1, table I.

Diseases of the Arteries.—The death rate in Canada from diseases of the arteries (Int. List No. 91) was 54 per 100,000 in 1927 as compared with 53 per 100,000 in 1926. Arteriosclerosis contributed some 96 per cent of the total in 1927.

Over the period 1921-27 the rate for the Registration Area as of 1921 from diseases of the arteries has climbed steadily from 40 per 100,000 to 60 per 100,000. In connection with this cause, as with diseases of the heart, part of the increase is doubtless due to the diminution in the number of deaths for which senility was assigned as the cause, or for which no specific cause was given.

Bronchitis.—The death rate from bronchitis (Int. List. No. 99) was 5 per 100,000 in 1927 as against 6 per 100,000 in the preceding year. In the Registration Area as of 1921 mortality assigned to bronchitis shows a marked downward trend during the period 1921-27, the rate being 14 in the earliest and only 5 in the latest year.

Pneumonia.—Deaths from pneumonia (Int. List Nos. 100-101), which includes broncho pneumonia and capillary bronchitis, numbered 7,562 in 1927, giving a rate of 80 per 100,000 population. These figures compared with 8,427 deaths and a rate of 90 per 100,000 in the previous year. The rates by provinces in 1927 varied from 58 in Alberta to 103 in Prince Edward Island. The Maritime Provinces and Quebec were high throughout.

The deaths assigned to pneumonia as the main cause do not include those in which the pneumonia was merely a terminal condition resulting from some other cause. In 1927, for example, 1,234 deaths occurred from pneumonia as a complication of influenza. These deaths are assigned to influenza (Int. List No. 11) in the tables, though a subdivision of this cause allows their number to be observed.

The death rate from pneumonia in the Registration Area as of 1921 was 75 per 100,000, in 1927. This was the lowest rate in any year of the period 1921-27, with the exception of 1924, which recorded an equal rate.

PNEUMONIA (Nos. 100 AND 101)
(Death rates per 100,000 population)

Province	1921	1922	1923	1924	1925	1926	1927
Prince Edward Island	109	121	155	93	80	87	103
Nova Scotia	96	126	127	96	96	99	92
New Brunswick	132	123	114	89	112	106	100
Quebec	.....	.....	.....	.....	.....	103	93
Ontario	102	105	102	76	80	91	77
Manitoba	92	91	85	82	79	80	74
Saskatchewan	66	71	81	70	62	70	60
Alberta	76	77	74	67	62	73	58
British Columbia	67	82	53	46	47	60	63
Canada(1)	.....	.....	.....	.....	.....	**90**	**80**
Registration Area as of 1921	93	98	95	75	76	85	75

(1) See note 1, table I.

Diarrhoea and Enteritis.—Deaths from these causes numbered 5,534 in 1927 and the death rate was 58 per 100,000 population. In the preceding year the deaths amounted to 5,445 and the rate was identical with that of 1927. The incidence of mortality from diarrhoea and enteritis is particularly heavy on young children and some 87 per cent of the deaths from these causes in 1927 were of children under two years of age. The table given hereunder shows that in the Registration Area as of 1921 there has been an exceedingly marked and almost uninterrupted falling off in the mortality from diarrhoea and enteritis. To some extent this decline has been helped by a falling birth rate; nevertheless very much of it marks a real and substantial improvement. The rate for the whole of Canada is much higher than for this area and shows no change between 1926 and 1927.

DIARRHOEA AND ENTERITIS (Nos. 113-114)

		Under two years	Two years and over	Total	Rate per 100,000 population
		No.	No.	No.	
Registration Area as of 1921	1921	2,695	523	3,218	50
	1922	2,440	403	2,843	44
	1923	1,696	365	2,061	31
	1924	1,555	336	1,891	28
	1925	1,787	411	2,198	33
	1926	1,399	280	1,679	25
	1927	1,347	367	1,714	25
Canada(1)	**1926**	**4,821**	**624**	**5,445**	**58**
	1927	**4,818**	**716**	**5,534**	**58**

(1) See note 1, table I.

Nephritis.—There were 5,235 deaths attributed to nephritis (Int. List Nos. 128-129) in Canada in the year 1927 as compared with 5,138 in 1926. The rate was 55 per 100,000 population in both years. Provincial rates in 1927 varied from 25 in Manitoba to 80 in Quebec. All three Prairie Provinces had very low rates, a fact to which the small proportion of persons past middle life in these provinces doubtless contributed. The excess, however, of the Quebec rate over those of the Maritime Provinces and Ontario is not explainable on this basis.

The rate for the Registration Area as of 1921 was 46 per 100,000 in 1927. Here, as in the case of the total of the nine provinces, the rate coincided with that of the preceding year. From 1921 this rate shows a fairly steady increase. As mentioned in connection with heart and arterial diseases, the improvement in certification marked by the reduction in mortality assigned to senility, from 45 per 100,000 in 1921 to 27 in 1927, and in mortality from causes unspecified or ill-defined, from 32 per 100,000 in 1921 to 10 in 1927, has had almost unquestionably an effect in increasing the apparent rates from specified degenerative diseases. Moreover, when nephritis leads to arteriosclerosis and perhaps finally to apoplexy, it receives the preference where all three are mentioned on the certificate. Here again, therefore any improvement in certification consisting in the mention of nephritis as well as the later diseases has the effect of increasing the apparent nephritis death rate.

Violent deaths.—The number of deaths in Canada from violence, including suicides, homicides and accidents, was 6,268 in 1927 as compared with 5,869 in the preceding year, and the rate was 66 in 1927 against 63 in 1926. In 1927 violent deaths formed 6 per cent of the total mortality of the nine provinces. Homicides contributed only 2·0 per cent of the total deaths from violence, suicides 12·1 per cent and accidental deaths 85·9 per cent.

Suicides.—Suicides in Canada numbered 759 in 1927 as against 680 in 1926. The rate, which had been 7 per 100,000 in the earlier year, advanced to 8 per 100,000 in the later. The heaviest rate for any province in 1927 was 18 in British Columbia, the lightest rates were only 3 per 100,000 in Prince Edward Island, Nova Scotia and Quebec. In the Registration Area as of 1921 the rate was 10 per 100,000 in 1927. In this area the suicide rate shows a consistent advance during the period 1921-27.

SUICIDES (Nos. 165-174)
(Absolute figures)

Year	Canada(1)		Registration Area as of 1921	
	Male	Female	Male	Female
1921	.....	.....	342	89
1922	.....	.....	376	111
1923	.....	.....	404	134
1924	.....	.....	399	136
1925	.....	.....	466	120
1926	543	137	478	118
1927	612	147	547	127

(1) See note 1, table I.

Homicides.—Homicides in Canada numbered 124 in 1927, giving a rate of 1·30 per 100,000. The corresponding number for the preceding year was 126 and the rate 1·34. In homicides, as in suicides, British Columbia showed the highest rate in 1927, the proportion being 3·8 per 100,000 inhabitants. The large proportion of adult population in this province helps to contribute to its leading position in deaths from both of these causes.

The death rate from homicides in the Registration Area as of 1921 per 100,000 of population is shown for the years 1921-27 in the following statement:

HOMICIDES IN REGISTRATION AREA AS OF 1921
(Rates per 100,000 population)

1921	0·78	1925	1·45
1922	1·26	1926	1·54
1923	1·16	1927	1·43
1924	1·47		

Automobile Accidents.—The number of deaths from automobile accidents is shown by provinces in the statement given hereunder. For the eight provinces comprising the Registration Area as of 1921 the figures go back to that year. For the Province of Quebec and the total of the nine provinces only the years 1926 and 1927 are shown. In the system of classification followed, deaths from collision of an automobile with a train, street car or other vehicle are assigned to the automobile. Deaths from motor-cycle accidents also come in this category.

The statement shows 865 deaths in Canada from automobile accidents in the year 1927 as compared with 606 in the preceding year. The figures for the Registration Area as of 1921 reveal an increase from 197 deaths in 1921 to 613 in 1927. The only two years showing fewer deaths than the preceding year are 1924 and 1926. In all other cases the increase was substantial.

DEATHS FROM AUTOMOBILE ACCIDENTS (No. 188c) BY PROVINCES
(Absolute figures)

Province	1921	1922	1923	1924	1925	1926	1927
Prince Edward Island	–	1	2	1	2	1	2
Nova Scotia	11	16	24	13	26	28	31
New Brunswick	8	11	20	16	20	11	25
Quebec	.....	.....	.....	.....	.....	183	252
Ontario	108	103	208	205	256	242	387
Manitoba	9	25	18	17	32	27	32
Saskatchewan	9	20	19	16	18	21	24
Alberta	18	22	22	16	26	33	35
British Columbia	34	39	42	56	45	60	77
Canada (1)	.....	.....	.....	.....	.....	**606**	**865**
Registration Area as of 1921	197	237	355	340	425	423	613

(1) See note 1, table I.

The succeeding statement contains the deaths assigned to automobile accidents in cities of 40,000 or over (according to the last census) during the years 1921-27. Figures for Montreal and Quebec are only for the last two years of the period. The aggregate of the remaining cities shows a similar trend to the totals for the Registration Area as of 1921: decreases in 1924 and 1926, substantial increases over the preceding year in every other case.

It must be noted that the figures are for deaths occurring in the cities, whether the decedents were resident or non-resident and whether the accident took place within the city limits or outside. Since persons fatally injured in a motor accident on a country road are often rushed to a city hospital, the statement cannot be interpreted as a record of fatal accidents occurring in the cities.

DEATHS IN CERTAIN CITIES FROM AUTOMOBILE ACCIDENTS
(Absolute figures)

City	1921	1922	1923	1924	1925	1926	1927
Montreal	(1)	(1)	(1)	(1)	(1)	81	126
Toronto	25	37	50	56	50	45	87
Winnipeg	6	15	8	6	13	18	18
Vancouver	17	16	13	25	21	22	34
Hamilton	9	3	15	5	21	20	23
Ottawa	6	5	10	5	11	12	17
Quebec	(1)	(1)	(1)	(1)	(1)	10	14
Calgary	2	9	8	3	8	6	8
London	–	1	4	7	11	6	9
Edmonton	2	3	7	4	6	5	7
Halifax	1	4	3	1	3	5	5
St. John	2	1	8	2	6	–	4

(1) Not in Registration Area.

Drownings.—There were 934 drownings in Canada in 1927 as against 863 in the preceding year. The number by sex and by certain age-divisions is shown in the following statement.

DEATHS FROM DROWNING (No. 182)
(Absolute figures)

Age groups	Canada (1)			
	1926		1927	
	M.	F.	M.	F.
Under 5 years	65	24	53	27
5-14 years	152	17	176	32
15-19 years	134	22	133	20
20 years and over	397	41	429	34
Not stated	10	1	30	–
Total	**758**	**105**	**821**	**113**

(1) See note 1, table I.

Proportionate Distribution of Deaths by Causes.—Table LVI shows by provinces the proportion which deaths due to each of the causes listed formed of all deaths in 1927. The relative importance of the various causes in this table must be, of course, the same as those in table XLIX.

TABLE LVI.—PROPORTION OF DEATHS FROM CERTAIN CAUSES BY PROVINCES, 1927

Int. list No.	Causes of death	Per 1,000 deaths from all specified causes									
		Canada (1)	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
1	Typhoid fever	10·7	4·6	2·1	7·4	24·3	3·1	5·1	3·5	4·2	2·3
7	Measles	5·9	1·2	7·1	9·1	10·1	2·4	3·8	2·0	2·4	6·7
8	Scarlet fever	3·9	2·3	3·3	7·0	5·4	2·5	3·0	4·7	4·4	1·2
9	Whooping-cough	9·9	8·1	10·8	12·9	15·5	5·2	4·7	7·7	8·4	8·1
10	Diphtheria	9·7	–	4·6	3·8	13·1	8·6	16·7	10·5	5·2	3·9
11	Influenza	33·1	30·0	28·3	29·1	29·0	27·7	50·3	56·8	44·1	50·6
31	Tuberculosis, respiratory system	61·8	73·8	87·6	72·3	72·9	43·8	57·5	50·5	60·3	80·2
32–37	Tuberculosis, other organs	12·8	9·2	14·1	15·1	15·0	8·3	12·5	14·9	18·8	16·9
43–49	Cancer	76·0	77·3	87·9	70·4	53·3	91·8	94·2	74·4	83·8	91·2
57	Diabetes mellitus	10·4	5·8	9·6	9·8	8·1	12·7	13·7	10·5	10·2	9·7
58	Anaemia, chlorosis	7·6	12·7	6·0	6·8	4·9	11·1	6·8	7·0	5·2	8·8
71	Meningitis	7·8	13·8	5·7	5·9	14·4	3·7	4·7	5·2	4·2	2·8
74	Cerebral haemorrhage, apoplexy	28·2	61·1	38·4	37·1	15·9	38·4	28·7	24·6	21·6	28·7
75	Paralysis without specified cause	10·6	23·1	15·3	15·1	15·8	7·4	4·9	3·5	4·2	5·1
80	Infantile convulsions (under 5 years)	5·3	5·8	14·4	5·9	4·7	2·9	5·3	13·0	7·2	3·2
87–90	Diseases of the heart	113·0	140·7	109·9	111·4	80·3	153·0	109·4	95·1	95·0	113·6
91	Diseases of the arteries	49·0	27·7	40·6	38·0	26·8	79·1	44·1	27·2	38·9	64·0
99	Bronchitis	4·8	5·8	7·1	4·7	5·4	3·9	5·3	5·3	5·4	3·5
100–101	Pneumonia	72·6	103·8	78·7	87·6	67·3	70·7	90·8	84·1	71·5	64·4
113–114	Diarrhoea and enteritis	53·1	13·8	36·4	35·2	106·8	21·3	29·4	34·8	30·3	9·7
117	Appendicitis	13·3	11·5	8·4	13·6	11·8	11·8	17·1	20·2	30·3	11·1
118	Hernia, intestinal obstruction	8·7	2·3	7·4	5·9	7·6	9·9	11·2	12·4	9·2	6·9
128–129	Nephritis	50·2	69·2	48·9	39·2	57·9	50·0	30·8	40·1	34·9	53·4
135	Diseases of the prostate	6·1	1·2	7·0	6·4	4·7	8·1	7·8	3·2	4·2	5·8
143–150	Puerperal causes	12·5	4·6	12·0	13·8	11·3	11·6	13·7	19·1	19·0	12·0
159	Congenital malformations	12·9	8·1	10·1	9·3	11·8	13·7	14·1	19·2	17·8	10·4
160–163	Diseases of early infancy	88·7	46·1	62·9	105·2	111·7	69·9	76·0	117·5	101·0	50·3
164	Senility (old age)	23·7	109·6	67·7	63·4	17·3	19·6	15·8	19·9	12·8	15·0
165–174	Suicides	7·3	3·5	3·0	4·5	2·4	9·2	11·8	11·4	15·4	18·7
175–203	Violent deaths (suicides excepted)	52·9	18·5	50·4	39·5	39·5	57·7	52·0	63·0	78·3	94·5
	Other specified causes	137·4	105·0	114·2	114·6	135·2	140·7	158·6	138·6	151·9	147·1
	All specified causes	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**

(1) See note 1, table I.

Table LVII shows for the Registration Area as of 1921 the proportion which deaths from each cause formed of all deaths from specified causes during the years 1921-27.

TABLE LVII.—PROPORTION OF DEATHS FROM CERTAIN CAUSES IN THE REGISTRATION AREA AS OF 1921 DURING THE YEARS 1921–27

Inst. list No.	Causes of death	Per 1,000 deaths from all specified causes						
		1921	1922	1923	1924	1925	1926	1927
1	Typhoid fever	7·6	6·2	7·0	4·4	4·8	3·0	3·6
7	Measles	4·5	3·1	5·1	7·4	2·6	7·3	3·7
8	Scarlet fever	6·2	5·0	4·7	5·1	3·9	3·0	3·2
9	Whooping-cough	9·5	7·0	10·8	8·3	8·5	9·2	7·0
10	Diphtheria	19·8	15·2	12·3	13·1	9·4	7·9	7·9
11	Influenza	14·3	35·6	51·9	20·1	33·4	44·5	35·3
31	Tuberculosis, respiratory system	59·4	57·5	57·4	58·8	57·8	54·5	56·1
32–37	Tuberculosis, other organs	13·5	12·9	12·5	12·8	11·5	12·5	11·7
43–49	Cancer	73·5	76·0	74·8	85·1	84·6	83·1	87·8
57	Diabetes mellitus	9·3	10·5	10·5	9·8	9·7	11·0	11·6
58	Anaemia, chlorosis	11·2	11·6	11·0	12·5	12·5	12·3	9·0
71	Meningitis	9·0	4·9	4·2	5·0	4·2	3·9	4·4
74	Cerebral haemorrhage, apoplexy	39·6	38·6	35·8	36·2	34·9	35·7	34·6
75	Paralysis without specified cause	11·0	9·3	7·8	8·7	8·0	7·5	7·9
80	Infantile convulsions (under 5 years)	9·4	8·9	6·9	6·9	6·6	5·9	5·6
87–90	Diseases of the heart	91·7	98·3	108·6	110·6	116·1	122·9	130·1
91	Diseases of the arteries	38·9	42·9	45·9	56·8	58·2	57·5	60·7
99	Bronchitis	13·8	12·6	10·9	6·8	6·0	5·9	4·6
100–101	Pneumonia	90·9	95·0	90·4	77·1	78·8	83·3	75·3
113–114	Diarrhoea and enteritis	49·0	42·2	29·9	29·1	33·6	24·2	25·0
117	Appendicitis	12·4	12·5	12·2	14·2	14·4	13·3	14·0
118	Hernia, intestinal obstruction	8·7	9·4	8·9	11·2	10·2	9·4	9·3
128–129	Nephritis	31·1	31·4	35·8	41·1	44·1	44·9	46·2
135	Diseases of the prostate	4·6	4·7	5·4	6·6	7·5	8·0	6·9
143–150	Puerperal causes	13·2	13·5	12·3	14·6	13·4	12·8	13·1
159	Congenital malformations	13·1	13·5	14·4	16·3	16·8	14·2	13·5
160–163	Diseases of early infancy	92·8	91·6	83·1	82·6	77·2	78·4	76·7
164	Senility (old age)	44·4	41·0	42·3	39·5	32·1	29·5	27·0
165–174	Suicides	6·6	7·2	7·8	8·2	9·0	8·6	9·8
175–203	Violent deaths (suicides excepted)	55·8	54·2	55·6	56·5	59·3	55·7	59·9
	Other specified causes	135·1	127·8	123·9	134·6	130·8	130·0	138·6
	All specified causes	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**

Proportionate Distribution of Deaths in each Sex and Age Group by Causes.—Table LVIII gives the proportion which deaths due to each of the causes listed, bore to the total mortality from specified causes in each sex and age group in 1927. The table reveals amongst other things the prominence of diseases of early infancy, diarrhoea and enteritis, and pneumonia in infancy; accidental deaths, particularly amongst boys, tuberculosis, diphtheria, appendicitis and pneumonia in the period 5-14 years; tuberculosis amongst both sexes, violence (mainly accidents) amongst males, and puerperal causes amongst females, in the period 15-29 years; tuberculosis, diseases of the heart and amongst males, violence, amongst females cancer and puerperal causes, in the period 30-49 years; and, finally, diseases of the heart and arteries, cancer, nephritis and pneumonia at ages over 50 years.

TABLE LVIII.—PROPORTION OF DEATHS FROM CERTAIN CAUSES PER 1,000 DEATHS FROM ALL SPECIFIED CAUSES BY SEX AND AGE GROUPS, 1927

Int. list No.	Causes of death	Under 5 years		5–14 years		15–29 years		30–49 years		50 years and over	
		Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
1	Typhoid fever	1·9	2·6	30·5	49·5	64·7	45·4	24·5	17·3	2·3	2·4
7	Measles	17·9	17·9	14·3	20·6	0·7	2·0	0·3	0·9	(1)	–
8	Scarlet fever	7·8	7·7	29·8	29·4	2·2	3·4	0·6	1·5	0·1	0·1
9	Whooping-cough	30·9	40·0	5·8	6·6	–	0·5	–	–	–	–
10	Diphtheria	16·7	19·8	88·9	96·8	3·4	3·6	0·6	0·8	0·1	0·2
11	Influenza	40·1	41·8	34·4	42·9	27·2	30·7	28·8	32·2	27·1	32·4
31	Tuberculosis, respiratory system	6·8	8·4	52·6	88·5	222·4	377·4	162·7	162·0	25·0	21·4
32–37	Tuberculosis, other organs	13·0	13·0	46·0	59·6	38·3	43·1	15·1	15·0	3·6	3·1
43–49	Cancer	1·6	1·0	4·6	6·1	13·1	12·9	62·8	123·9	127·2	140·3
57	Diabetes mellitus	0·4	0·3	8·5	5·3	6·8	5·6	8·1	10·4	14·5	21·2
58	Anaemia, chlorosis	1·3	1·2	7·3	5·7	2·2	4·3	8·1	10·9	10·5	13·1
71	Meningitis	18·2	19·1	26·7	29·8	7·0	7·0	3·1	3·4	0·7	1·0
74	Cerebral haemorrhage, apoplexy	0·6	0·3	1·5	0·9	4·4	3·2	15·5	20·1	49·9	59·0
75	Paralysis without specified cause	0·1	0·2	1·2	1·8	1·0	1·1	3·6	5·2	18·2	24·3
80	Infantile convulsions (under 5 years)	20·4	17·9	–	–	–	–	–	–	–	–
87–90	Diseases of the heart	2·2	2·2	47·6	57·0	53·8	47·2	95·4	95·7	200·6	198·7
91	Diseases of the arteries	–	–	–	–	1·2	0·7	13·0	15·2	104·4	96·3
99	Bronchitis	6·2	6·1	1·5	1·8	0·7	0·2	1·5	1·4	5·1	7·2
100–101	Pneumonia	116·9	120·7	56·5	67·9	43·4	33·6	57·0	43·8	57·4	60·5
113–114	Diarrhoea and enteritis	180·6	176·1	15·1	18·8	3·6	3·8	3·4	4·3	4·6	6·3
117	Appendicitis	3·4	4·5	80·4	78·4	57·2	37·5	27·7	17·6	4·1	3·2
118	Hernia, intestinal obstruction	5·9	3·7	7·3	5·3	8·2	2·5	10·3	12·4	12·5	9·5
128–129	Nephritis	2·9	2·4	25·1	28·9	24·0	23·7	54·3	59·6	82·9	83·5
135	Diseases of the prostate	–	–	–	–	0·2	–	0·6	–	24·3	–
143–150	Puerperal causes	–	–	–	0·4	–	125·8	–	113·6	–	(1)
159	Congenital malformations	43·1	49·7	5·4	5·3	1·0	0·2	0·1	–	–	–
160–163	Diseases of early infancy	334·3	309·5	–	–	–	–	–	–	–	–
164	Senility (old age)	–	–	–	–	–	–	–	–	41·0	61·3
165–174	Suicides	–	–	0·4	–	19·9	7·9	40·7	10·0	9·6	2·0
175–203	Violent deaths (suicides excepted)	25·7	23·7	205·7	97·3	241·8	37·5	157·0	21·3	41·8	24·0
	Other specified causes	101·0	110·2	202·6	195·4	151·6	139·1	205·5	201·4	132·8	128·8
	All specified causes	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**

(1) Less than 0·1 per 1,000 deaths.

Proportionate Distribution by Age Groups of Deaths from Certain Causes.—Table LIX shows the proportions in which male and female deaths from certain specified causes were distributed amongst certain age groups in 1927. The age groups in this table are the same as those in Table LVIII. Those diseases included in the preceding tables whose titles indicate the class by age which they affect have been omitted from the list of causes in Table LIX.

TABLE LIX.—PROPORTION OF MALE AND FEMALE DEATHS IN EACH AGE GROUP PER 1,000 DEATHS AT ALL AGES FROM CERTAIN CAUSES, 1927

Int. list No.	Causes of death	Male						Female					
		All ages	Under 5 years	5–14 years	15–29 years	30–49 years	50 years and over	All ages	Under 5 years	5–14 years	15–29 years	30–49 years	50 years and over
1	Typhoid fever	1,000·0	50·1	131·9	445·7	273·8	98·5	1,000·0	62·4	220·3	391·8	220·3	105·3
7	Measles	1,000·0	869·7	112·1	9·1	6·1	3·0	1,000·0	783·2	164·3	31·5	21·0	–
8	Scarlet fever	1,000·0	573·4	353·2	41·3	18·3	13·8	1,000·0	505·2	349·0	78·1	52·1	15·6
9	Whooping-cough	1,000·0	970·6	29·4	–	–	–	1,000·0	967·2	28·9	3·9	–	–
10	Diphtheria	1,000·0	517·4	444·0	27·0	7·7	3·9	1,000·0	502·0	447·4	32·4	10·1	8·1
11	Influenza	1,000·0	368·9	51·1	64·3	110·7	405·0	1,000·0	307·0	57·4	79·7	123·0	432·9
31	Tuberculosis, respiratory system	1,000·0	37·5	46·8	315·7	375·6	224·4	1,000·0	30·1	57·3	474·2	299·9	138·5
32–37	Tuberculosis, other organs	1,000·0	306·3	175·3	232·7	148·7	137·0	1,000·0	247·7	206·7	290·3	148·9	106·4
43–49	Cancer	1,000·0	6·5	3·1	14·1	110·0	866·2	1,000·0	3·2	3·4	13·9	197·6	781·9
57	Diabetes mellitus	1,000·0	14·3	45·1	57·4	110·7	772·5	1,000·0	6·7	20·2	42·2	114·7	816·2
58	Anaemia, chlorosis	1,000·0	55·9	50·5	23·9	143·6	726·1	1,000·0	36·1	31·3	45·7	170·7	716·3
71	Meningitis	1,000·0	682·2	161·2	67·8	49·1	39·7	1,000·0	625·0	177·1	80·7	57·3	59·9
74	Cerebral haemorrhage, apoplexy	1,000·0	6·3	2·8	12·6	72·5	905·9	1,000·0	2·7	1·3	9·4	87·6	899·1
75	Paralysis without specified cause	1,000·0	4·0	5·9	7·9	47·4	934·8	1,000·0	5·0	6·7	8·3	56·6	923·5
87–90	Diseases of the heart	1,000·0	5·8	19·7	35·5	102·4	836·6	1,000·0	5·1	23·6	37·9	113·0	820·5
91	Diseases of the arteries	1,000·0	–	–	1·8	30·9	967·3	1,000·0	–	–	1·3	43·1	955·6
99	Bronchitis	1,000·0	398·4	15·9	12·0	39·8	533·9	1,000·0	299·2	15·7	3·9	35·4	645·7
100–101	Pneumonia	1,000·0	459·9	35·8	43·9	93·7	366·7	1,000·0	434·7	44·5	42·8	82·1	395·9
113–114	Diarrhoea and enteritis	1,000·0	936·6	12·6	4·8	7·4	38·5	1,000·0	905·0	17·6	7·0	11·5	59·0
117	Appendicitis	1,000·0	68·3	263·0	298·4	235·1	135·3	1,000·0	96·4	302·9	280·9	194·6	125·2
118	Hernia, intestinal obstruction	1,000·0	175·0	35·0	62·6	127·1	600·4	1,000·0	125·3	32·7	30·0	220·7	591·3
128–129	Nephritis	1,000·0	17·2	23·8	36·2	133·1	789·8	1,000·0	12·0	26·5	42·1	156·0	763·3
135	Diseases of the prostate	1,000·0	–	–	1·6	6·3	992·2	–	–	–	–	–	–
143–150	Puerperal causes	–	–	–	–	–	–	1,000·0	–	0·8	428·5	570·0	0·8
159	Congenital malformations	1,000·0	973·3	19·7	5·6	1·4	–	1,000·0	979·6	18·9	1·6	–	–
165–174	Suicides	1,000·0	–	1·7	135·3	450·5	412·5	1,000·0	–	–	239·7	445·2	315·1
175–203	Violent deaths (suicides excepted)	1,000·0	100·9	130·3	244·2	257·9	266·7	1,000·0	216·5	161·8	121·0	101·3	399·4
	Other specified causes	1,000·0	509·0	36·5	43·5	95·9	315·1	1,000·0	450·1	36·6	50·5	107·7	355·2
	All specified causes	**1,000·0**	**289·0**	**46·6**	**74·3**	**120·8**	**469·4**	**1,000·0**	**258·3**	**47·0**	**91·2**	**134·3**	**469·3**

MARRIAGES

The total number of marriages reported for the nine provinces of Canada in 1927 was 69,515, giving a rate of 7·3 per one thousand inhabitants. In the preceding year there were 66,658 marriages and a rate of 7·1 per 1,000, so that the year 1927 showed an increase of nearly 3,000 marriages and an advance in the rate amounting to 0·2 per 1,000.

As between provinces, the highest rate in 1927 as in 1926 was in British Columbia, this province recording 8·2 marriages per 1,000 population in 1927. Prince Edward Island showed the lowest rate, only 5·5 per thousand, while Nova Scotia was little higher, with a rate of 5·6. In 1926 also these two provinces had the lowest rates in the Dominion, 5·3 per thousand. Every province except New Brunswick showed a higher marriage rate in 1927 than in the preceding year.

In the eight provinces comprising the Registration Area as of 1921, the number of marriages in 1927, 50,964, was the largest since 1921, when 51,073 marriages were recorded. Owing to increasing population, however, the marriage rate for 1927, 7·4 per 1,000, was not only well below the rate of 1921, 8·0 per 1,000, but was also slightly exceeded by the rate for 1923, 7·5 per 1,000.

The number of marriages and marriage rates by provinces are listed in Table LX for the years 1921-27. The totals for the province of Quebec and for Canada are given only for the two years 1926 and 1927.




TABLE LX.—TOTAL MARRIAGES AND CRUDE MARRIAGE RATES PER 1,000 POPULATION BY PROVINCES, 1921–27

Year	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	**Canada** (1)	Registration Area as of 1921(2)
	Number of marriages										
1921	518	3,550	3,173	(3)	24,871	5,310	5,101	4,661	3,889	(4)	51,073
1922	579	3,169	2,799	(3)	23,360	4,808	5,061	4,272	3,763	(4)	47,811
1923	454	3,246	2,911	(3)	24,842	4,544	5,645	4,117	3,943	(4)	49,102
1924	408	2,999	2,972	(3)	24,038	4,132	4,792	4,159	4,038	(4)	47,538
1925	407	2,964	2,908	(3)	23,074	4,377	4,909	4,355	4,223	(4)	47,217
1926	459	2,861	2,938	17,827	23,632	4,537	5,483	4,503	4,418	**66,658**	48,831
1927	482	3,042	2,887	18,551	24,677	4,716	5,733	4,707	4,720	**69,515**	50,964
	Rate per 1,000 population										
1921	5·8	6·8	8·4	(3)	8·5	8·7	6·7	7·9	7·4	(4)	8·0
1922	6·6	6·0	7·1	(3)	7·8	7·8	6·6	7·2	7·0	(4)	7·3
1923	5·2	6·1	7·4	(3)	8·2	7·3	6·4	6·9	7·2	(4)	7·5
1924	4·6	5·6	7·4	(3)	7·9	6·6	6·0	6·9	7·3	(4)	7·1
1925	4·7	5·5	7·2	(3)	7·4	6·9	6·1	7·2	7·5	(4)	7·0
1926	5·3	5·3	7·2	7·0	7·5	7·1	6·7	7·4	7·8	**7·1**	7·2
1927	5·5	5·6	7·0	7·1	7·7	7·3	6·9	7·6	8·2	**7·3**	7·4

(1) See note 1, table I. (2) See note 2, table I. (3) Not included in Registration Area. (4) See note 3.

Marriage Rates in Other Countries.—Table LXI presents the marriage rate for Canada in comparison with those for a number of other countries. In some cases the figures are provisional.

TABLE LXI.—MARRIAGE RATE IN CANADA AND IN CERTAIN OTHER COUNTRIES

Country	Year	Marriage rate per 1,000 population	Country	Year	Marriage rate per 1,000 population
Canada[1]	**1927**	**7·3**	Japan	1927	8·0
Australia	1927	7·9	Netherlands	1927	7·4
Austria	1927	7·3	New Zealand	1927	7·6
Belgium	1927	9·1	Northern Ireland	1927	5·7
British Isles	1927	7·5	Norway	1927	5·7
Chile	1927	7·8	Rumania	1927	9·2
Denmark	1926	7·5	Salvador	1926	3·9
England and Wales	1927	7·8	Sao Paulo	1925	6·8
Finland	1927	6·7	Scotland	1927	6·7
France	1927	8·3	Spain	1927	7·2
Germany	1927	8·5	Sweden	1927	6·4
Hungary	1927	9·1	Switzerland	1927	7·2
Irish Free State	1927	4·5	Union of South Africa (Whites)	1926	8·9
Italy	1927	7·5	United States	1927	10·1
			Uruguay	1927	5·9

(1) See note 1, table I.

Marriage Rates by Months.—The marriage rates by months from 1921 to 1927 are shown by provinces in Table LXII. For the province of Quebec and for the total of the nine provinces the rates are confined to the years 1926 and 1927. The figures are equivalent annual rates: that is to say, the number of marriages in a given month is multiplied by 365 and divided by the number of days in the month before the rate is computed.

For the nine provinces as a whole, June was easily the favourite month in 1927 as in 1926; September occupied second place in both years. The month of March had a marriage rate of only 3·8 in 1926 and 4·1 in 1927 and stood at the foot of the list.

TABLE LXII.—MARRIAGE RATES PER 1,000 POPULATION IN EACH PROVINCE BY MONTHS, 1921-27

Province		Annual rates	Equivalent annual marriage rates											
			Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Prince Edward Island	1921	5·8	4·9	5·6	3·5	4·0	3·5	7·7	4·8	6·9	9·9	6·8	9·7	3·2
	1922	6·6	5·8	6·7	3·5	3·3	4·0	8·8	5·6	7·6	9·1	9·1	9·7	6·3
	1923	5·2	3·5	4·6	1·7	2·9	3·9	6·6	5·8	5·9	7·3	6·2	8·4	5·2
	1924	4·6	4·4	2·7	2·5	2·2	2·7	6·4	4·7	4·7	7·3	5·6	7·9	4·4
	1925	4·7	3·2	5·1	2·0	2·9	1·8	4·9	5·3	4·5	7·1	6·1	8·3	5·1
	1926	5·3	3·4	4·5	4·7	4·1	2·3	6·0	4·3	6·1	8·7	5·8	8·7	4·9
	1927	5·5	3·7	4·9	3·0	2·8	3·1	7·3	5·3	6·5	8·1	6·1	11·9	4·1
Nova Scotia	1921	6·8	6·5	6·4	4·3	6·3	4·8	8·8	6·2	6·7	10·0	7·7	8·1	5·7
	1922	6·0	5·0	5·6	4·0	4·7	5·0	8·1	5·4	5·9	8·5	7·5	7·6	4·9
	1923	6·1	4·7	4·3	3·5	5·0	4·3	9·2	5·9	6·2	9·5	8·2	7·0	5·8
	1924	5·6	5·1	3·7	3·8	4·5	4·5	8·5	5·4	5·3	7·8	6·2	7·3	5·3
	1925	5·5	4·3	5·0	3·1	4·2	4·2	7·6	4·9	6·1	8·5	5·7	6·9	5·8
	1926	5·3	4·2	4·3	3·1	3·2	3·8	7·6	5·2	5·7	8·3	6·8	7·3	4·2
	1927	5·6	3·9	4·6	3·4	3·9	4·2	8·3	5·4	6·1	7·8	6·8	7·4	5·5
New Brunswick	1921	8·4	6·5	6·0	6·0	8·2	6·4	14·9	8·1	8·1	12·8	8·7	9·1	5·6
	1922	7·1	5·4	5·7	3·9	5·2	5·0	10·3	8·0	7·2	10·9	9·9	8·7	5·6
	1923	7·4	4·5	4·4	2·6	6·9	4·9	10·8	7·9	8·9	12·8	10·1	7·7	6·7
	1924	7·4	5·1	4·1	4·2	5·8	4·5	11·8	9·3	7·3	12·2	9·6	9·4	6·2
	1925	7·2	4·0	5·0	3·2	6·0	5·0	11·1	7·4	7·2	12·0	11·0	8·5	6·2
	1926	7·2	3·9	4·3	3·2	6·1	4·6	10·9	8·0	8·7	13·0	9·5	8·1	6·3
	1927	7·0	3·7	4·7	3·6	5·3	5·2	10·8	7·2	8·0	11·3	9·6	9·0	5·9
Quebec	1926	7·0	5·3	5·0	1·6	7·1	6·1	12·1	9·2	7·9	10·8	8·7	5·0	4·7
	1927	7·1	5·4	5·7	1·9	6·4	6·6	12·9	9·4	8·7	10·2	8·8	4·8	4·7
Ontario	1921	8·5	6·7	6·5	7·5	8·6	6·8	15·5	6·9	8·3	11·9	8·6	7·8	6·9
	1922	7·8	5·6	6·1	4·9	7·1	5·6	13·8	6·6	7·8	11·7	8·7	8·6	7·7
	1923	8·2	6·1	5·2	5·2	7·7	5·9	14·5	7·3	8·2	12·8	9·8	8·3	7·8
	1924	7·9	5·7	5·1	5·3	7·8	6·0	13·8	7·3	7·9	11·4	8·7	8·3	7·2
	1925	7·4	5·4	6·1	4·6	7·3	5·6	12·3	6·6	7·5	11·4	8·3	7·6	6·7
	1926	7·5	5·1	5·4	4·5	6·9	5·6	13·4	7·2	7·6	12·1	8·5	7·5	6·5
	1927	7·7	5·2	5·6	4·7	6·6	5·6	14·1	7·0	8·2	11·5	8·9	8·2	7·4
Manitoba	1921	8·7	8·0	8·8	7·4	7·1	6·3	13·4	8·4	6·9	8·1	9·6	12·3	8·3
	1922	7·8	7·2	8·1	5·0	5·9	6·0	10·1	7·8	6·6	7·5	9·3	12·5	7·9
	1923	7·3	7·1	6·6	4·7	6·6	5·9	9·6	7·7	6·0	6·8	8·5	11·0	7·5
	1924	6·6	5·3	6·5	4·8	5·2	5·3	8·9	6·4	6·8	6·1	6·0	10·6	7·5
	1925	6·9	6·8	7·2	4·1	4·9	5·1	9·0	6·7	7·0	6·0	7·8	11·5	7·0
	1926	7·1	6·4	6·8	4·7	5·0	5·0	10·3	7·5	6·7	6·8	7·3	11·0	7·8
	1927	7·3	6·6	7·4	5·3	5·2	4·6	9·7	8·1	7·8	6·7	7·8	11·6	6·9

TABLE LXII.—MARRIAGE RATES PER 1,000 POPULATION IN EACH PROVINCE BY MONTHS, 1921-27—Concluded

Province		Annual rates	Equivalent annual marriage rates											
			Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Saskatchewan	1921	6·7	7·0	6·3	6·3	5·6	3·8	8·9	6·1	4·9	4·4	5·7	11·7	10·1
	1922	6·6	6·3	7·5	4·7	5·8	3·3	7·3	6·8	5·1	4·3	6·7	11·6	9·6
	1923	6·4	6·9	6·6	4·0	5·8	3·9	6·6	5·5	5·4	4·0	6·4	12·3	10·1
	1924	6·0	6·7	6·8	5·2	4·9	3·3	6·7	6·0	4·8	3·6	4·9	11·6	7·7
	1925	6·1	6·4	7·2	3·9	4·6	2·9	6·6	6·2	4·7	3·6	6·2	11·4	9·3
	1926	6·7	6·8	6·6	5·1	5·6	3·4	7·4	7·2	5·6	3·7	7·6	12·6	8·6
	1927	6·9	6·4	7·2	5·3	4·7	3·3	8·2	7·8	6·7	4·0	5·2	13·0	10·7
Alberta	1921	7·9	8·2	7·7	8·1	7·3	5·4	10·9	7·4	7·2	6·4	8·1	9·5	8·9
	1922	7·2	6·3	7·7	5·1	7·2	4·9	9·0	7·5	6·1	6·7	7·4	9·9	9·0
	1923	6·9	7·1	6·3	5·1	7·0	5·2	7·4	7·3	6·2	5·5	5·4	9·6	10·9
	1924	6·9	6·7	7·8	5·9	6·2	4·8	8·9	7·8	6·5	5·8	5·2	9·3	8·6
	1925	7·2	6·1	7·7	5·1	6·0	4·5	9·3	7·6	7·2	6·3	6·6	9·6	10·8
	1926	7·4	5·8	7·4	6·2	6·6	4·1	9·1	8·5	7·1	6·2	6·0	12·0	9·9
	1927	7·6	5·9	7·8	6·5	6·5	4·2	9·8	8·2	7·9	5·8	5·1	11·8	12·3
British Columbia	1921	7·4	6·9	5·9	6·7	7·4	5·6	11·2	7·8	8·0	8·0	7·5	6·7	7·2
	1922	7·0	5·4	6·0	4·5	6·3	5·3	10·4	7·6	8·0	8·3	7·0	7·2	7·7
	1923	7·2	6·1	4·5	5·4	6·5	5·1	10·9	7·9	8·7	9·0	7·7	6·9	8·1
	1924	7·3	5·3	5·5	5·3	7·0	5·8	10·8	8·8	9·4	8·6	7·2	6·6	7·3
	1925	7·5	5·8	6·3	4·4	7·3	6·1	10·6	8·6	8·0	9·2	8·1	7·1	8·8
	1926	7·8	6·0	6·3	5·2	7·0	6·3	11·3	8·7	8·0	10·0	8·2	8·1	8·4
	1927	8·2	5·9	6·8	6·3	8·0	5·7	11·8	8·5	9·9	9·7	8·7	7·9	9·2
Canada(1)	**1926**	**7·1**	**5·4**	**5·6**	**3·8**	**6·4**	**5·3**	**11·4**	**7·8**	**7·3**	**9·9**	**8·1**	**7·9**	**6·5**
	1927	**7·3**	**5·4**	**6·0**	**4·1**	**6·1**	**5·4**	**12·0**	**7·9**	**8·1**	**9·4**	**8·1**	**8·2**	**7·1**
Registration Area as of 1921	1921	8·0	7·0	6·7	6·9	7·6	5·9	13·1	7·0	7·5	9·7	8·1	8·9	7·4
	1922	7·3	5·8	6·5	4·7	6·4	5·2	11·2	6·9	7·0	9·4	8·3	9·3	7·7
	1923	7·5	6·1	5·4	4·7	6·9	5·3	11·4	7·1	7·4	9·9	8·5	8·9	8·1
	1924	7·1	5·7	5·5	5·1	6·6	5·2	11·2	7·1	7·1	8·9	7·3	8·8	7·2
	1925	7·0	5·6	6·3	4·2	6·3	5·0	10·3	6·7	7·0	9·1	7·8	8·6	7·5
	1926	7·2	5·4	5·8	4·6	6·2	5·0	11·1	7·3	7·2	9·6	7·9	8·9	7·1
	1927	7·4	5·4	6·1	4·9	6·0	5·0	11·7	7·3	7·9	9·1	7·8	9·4	8·1

(1) See note 1, table I.

For the Registration Area as of 1921 the preference for June and as a second choice for September was almost as marked as for the whole of Canada. On the other hand, the unpopularity of March as a month for weddings was not so pronounced. The low figure for March is, of course, largely due to the observance of Lent and this is naturally more in evidence with the inclusion of Quebec, a province in which the great majority of the population is Roman Catholic.

Individual provinces show considerable variation in their preference for certain marriage months. In Saskatchewan and Alberta, for instance, provinces with a large population engaged in grain farming, the high rates are found in November and December; the necessity of conducting seeding operations in the month of May makes the rate for that month almost invariably the lowest of the year in both provinces.

The figures for the Registration Area as of 1921 show a high degree of consistency for the seven years listed. June had the highest rate in every year and September was second in every year except 1927, when its rate was exceeded by that of November. March was the lowest month in every year except 1921. In that year the rate for February was slightly lower than for March, while the May figure was conspicuously below either. The former fact is largely explainable by an early Lent in 1921, the latter may possibly be attributable to the disturbed industrial conditions of that period.

Conjugal Condition of Contracting Parties.—Of each 1,000 bridegrooms in 1927 there were 903 bachelors, 89 widowers, and 8 divorced men, while of each 1,000 brides there were 930 spinsters, 62 widows and 8 divorced women.

The proportional distribution of marriages in 1927 according to the conjugal condition of each contracting party is shown in Table LXIII by provinces. For comparative purposes the figure for the whole country in 1926 is also given.

TABLE LXIII.—PROPORTIONAL DISTRIBUTION OF MARRIAGES ACCORDING TO CONJUGAL CONDITION OF CONTRACTING PARTIES, BY PROVINCES, 1927

Province	Total	Bachelors and			Widowers and			Divorced men and		
		Spinsters	Widows	Divorced women	Spinsters	Widows	Divorced women	Spinsters	Widows	Divorced women
Prince Edward Island	1,000·0	867·2	27·0	2·1	66·4	37·3	–	–	–	–
Nova Scotia	1,000·0	866·9	27·9	1·6	67·7	30·2	2·3	2·6	0·3	0·3
New Brunswick	1,000·0	846·6	26·0	6·2	66·2	39·1	2·8	9·7	1·7	1·7
Quebec	1,000·0	874·3	20·4	0·8	60·7	41·1	0·5	1·6	0·3	0·3
Ontario	1,000·0	890·3	23·2	2·7	47·4	30·5	0·6	4·1	0·9	0·4
Manitoba	1,000·0	862·6	28·8	7·4	51·7	35·4	0·8	9·5	2·3	1·3
Saskatchewan	1,000·0	879·3	29·0	5·4	47·6	30·2	1·2	5·6	1·0	0·7
Alberta	1,000·0	852·3	39·5	12·1	45·7	28·9	3·6	13·6	2·5	1·7
British Columbia	1,000·0	800·0	45·3	25·4	48·5	39·0	4·4	21·2	6·6	9·5
Canada(1) **1927**	**1,000·0**	**871·5**	**26·3**	**5·0**	**53·0**	**34·5**	**1·3**	**5·9**	**1·4**	**1·2**
1926	**1,000·0**	**870·8**	**27·9**	**5·4**	**53·1**	**34·2**	**1·2**	**5·0**	**1·2**	**1·1**

(1) See note 1, table I.

Table LXIV allows a comparison of the proportional distribution according to conjugal condition over the period 1921-27 for the eight provinces comprising the Registration Area as of 1921.

TABLE LXIV.—PROPORTIONAL DISTRIBUTION OF MARRIAGES ACCORDING TO CONJUGAL CONDITION OF CONTRACTING PARTIES IN THE REGISTRATION AREA AS OF 1921 DURING THE YEARS 1921-27

Year	Total	Bachelors and			Widowers and			Divorced men and		
		Spinsters	Widows	Divorced	Spinsters	Widows	Divorced	Spinsters	Widows	Divorced
1921	1,000·0	830·5	47·9	5·5	63·6	42·9	1·5	5·3	1·7	1·2
1922	1,000·0	844·8	42·1	5·2	58·9	39·2	1·6	5·5	1·4	1·3
1923	1,000·0	856·7	38·6	5·2	54·6	36·3	1·5	5·2	1·6	0·9
1924	1,000·0	858·4	36·1	6·2	53·2	35·8	1·5	6·3	1·5	1·2
1925	1,000·0	855·3	34·7	6·3	55·6	37·2	1·6	6·4	1·6	1·2
1926	1,000·0	869·4	31·5	7·0	50·0	31·5	1·5	6·4	1·5	1·3
1927	1,000·0	870·5	28·4	6·5	50·2	32·1	1·6	7·4	1·7	1·6

There is a well marked upward trend throughout the period in the proportion of marriages between bachelors and spinsters, while the proportion of bridegrooms who were widowers, and in still greater degree the proportion of brides who were widows showed a tendency to decline over the period. The deaths of married women in the influenza epidemic of 1918, and the deaths of married men in the war and in this epidemic may be assumed to have brought the proportions of widowers and much more of widows remarrying to an abnormal height in the earlier years, and thus accounted for a downward trend. The figures which follow and which are combinations of the appropriate columns in Table LXIV indicate the extent of the changes in the proportion of widowers and widows.

REGISTRATION AREA AS OF 1921

Year	Proportion of widowers amongst 1,000 bridegrooms	Proportion of widows amongst 1,000 brides
1921	108·0	92·5
1922	99·7	82·7
1923	92·4	75·9
1924	90·5	73·4
1925	94·4	73·5
1926	83·0	64·5
1927	83·9	62·2

Age at Marriage.—The average ages of bridegrooms and brides in 1927 are listed by provinces in Table LXV, and comparison is shown with the preceding year for Canada as a whole. It will be noted that the average age of bridegroom and the average age of bride is the same in both years, the former being 29·3 years and the latter 25·1 years.

Considering the individual provinces in 1927, the highest average ages of both bridegrooms and brides are found at the opposite ends of the country, in British Columbia and Prince Edward Island, the averages for these two provinces being very close. The lowest average age of bride-

groom, 28·8 years, is found in the province of Quebec, but the lowest average age of brides, 23·8, is in Saskatchewan. It is interesting to note that the provinces of Prince Edward Island and Saskatchewan have the largest percentage of rural population in the Dominion, and that while the one shows almost the highest average age of brides, the other has the lowest. These extreme positions are largely accounted for by differences in racial stock, by migratory movements, away from Prince Edward Island and towards Saskatchewan, and by much greater availability of land in the latter province.

TABLE LXV.—AVERAGE AGE OF CONTRACTING PARTIES BY PROVINCES, 1927

Province	Average age of bridegroom	Average age of bride	Average excess of bride-groom's age over bride's
Prince Edward Island	31·3	26·3	5·0
Nova Scotia	29·5	24·9	4·6
New Brunswick	28·9	24·4	4·5
Quebec	28·8	25·2	3·6
Ontario	29·2	25·3	3·9
Manitoba	29·8	24·7	5·1
Saskatchewan	29·4	23·8	5·6
Alberta	29·8	24·4	5·4
British Columbia	31·5	26·6	4·9
Canada(1) 1927	**29·3**	**25·1**	**4·2**
1926	**29·3**	**25·1**	**4·2**

(1) See note 1, table I.

Table LXVI gives the average age of marriage for the eight provinces comprising the Registration Area as of 1921 for the years 1921-27. A slight downward trend is evidenced throughout the period in the ages of both bridegrooms and brides.

TABLE LXVI.—AVERAGE AGE OF CONTRACTING PARTIES IN THE REGISTRATION AREA AS OF 1921 DURING THE PERIOD 1921-27

Year	Average age of bridegroom	Average age of bride	Average excess of bride-groom's age over bride's
1921	29·9	25·5	4·4
1922	29·9	25·4	4·5
1923	29·7	25·3	4·4
1924	29·7	25·2	4·5
1925	29·8	25·3	4·5
1926	29·6	25·1	4·5
1927	29·5	25·0	4·5

Table LXVII shows the quartile (1) and decile(1) ages of bridegrooms and brides in the nine provinces of Canada for the years 1926 and 1927. In calculating these points it has been assumed that the ages of bridegrooms or brides falling in a certain year of age are evenly distributed throughout that year from the lower to the upper limit.

TABLE LXVII.—QUARTILE AND DECILE AGES OF BRIDEGROOMS AND BRIDES, 1926-27

Position in array by age	Bridegrooms		Brides	
	1926	1927	1926	1927
First quartile ..... years of age	23·53	23·54	20·30	20·26
Second quartile ..... "	26·73	26·71	22·88	22·87
Third quartile ..... "	31·94	31·94	26·99	26·95
First decile ..... "	21·60	21·59	18·56	18·53
Second decile ..... "	22·95	22·94	19·74	19·70
Third decile ..... "	24·12	24·13	20·85	20·82
Fourth decile ..... "	25·36	25·37	21·81	21·80
Fifth decile ..... "	26·73	26·71	22·88	22·87
Sixth decile ..... "	28·37	28·26	24·18	24·17
Seventh decile ..... "	30·48	30·42	25·89	25·86
Eighth decile ..... "	33·89	33·87	28·50	28·37
Ninth decile ..... "	40·40	40·48	34·18	34·13

(1) The reader desiring an explanation of these terms will find it on page xvi in conjunction with a similar table for fathers and mothers of children born in 1927.

In Table LXVIII marriages have been grouped, first by age of bridegroom and secondly by age of bride, and the average excess of the bridegroom's age computed for each group. The most characteristic feature of the table is the increasing average excess of the bridegroom's age for the older groups of bridegrooms. Bridegrooms under 20 years, (who numbered in all 1,748) married women whose average age was in excess of their own, though considerably more than half of them took brides in the same or a younger year of life than their own.

TABLE LXVIII.—RELATION BETWEEN AGES OF BRIDEGROOMS AND OF BRIDES, 1927

Average age of bride by age group of bridegroom				Average age of bridegroom by age group of bride			
Age group of bridegroom	Average age of bride-groom	Average age of bride	Average excess of bride-groom's age	Age group of bride	Average age of bride	Average age of bride-groom	Average excess of bride-groom's age
Under 20 years	19·1	19·5	−0·4	Under 20 years	18·5	24·6	6·1
20–24 years	22·8	21·2	1·6	20–24 years	22·3	26·5	4·2
25–29 "	27·2	23·4	3·8	25–29 "	27·1	30·2	3·1
30–34 "	32·2	25·9	6·3	30–34 "	32·1	35·3	3·2
35–39 "	37·3	28·9	8·4	35–39 "	37·3	40·9	3·6
40–44 "	42·2	33·2	9·0	40–44 "	42·2	46·1	3·9
45–49 "	47·3	37·5	9·8	45–49 "	47·3	51·5	4·2
50 years and over	59·3	48·4	10·9	50 years and over	58·5	60·4	1·9

The percentage distribution of bridegrooms and brides of 1927 into six age-groups is shown by provinces in Table LXIX. The largest percentage of bridegrooms is found in the age-group 20-24 years in all provinces except Prince Edward Island, Manitoba, Saskatchewan and British Columbia. The proportion aged 25-29 years equalled the figure for 20-24 years in Saskatchewan and surpassed it in the other provinces named. The highest proportion of brides in every province is found in the group of 20-24 years. All provinces except New Brunswick numbered more than 40 per cent of their brides in this group, the deficiency in that province being due to a heavier proportion than any other province in the group under 20 years. On the other hand, the proportion of brides under 20 years of age in the Province of Quebec was low and the proportion in the group of 20-24 years the highest of any province.

While New Brunswick is conspicuous for the large proportion of both brides and grooms in the lowest age-groups, Saskatchewan, which is below the average in the proportion of grooms in the age-groups under 20 years and 20-24 years, had no less than 73·5 per cent of its brides under 25 years, this proportion being the highest of any province. These unlike results for the two sexes are consistent with Table LXV, which shows Saskatchewan as the province having the greatest average excess of bridegroom's age over that of bride.

British Columbia and Prince Edward Island have in general low proportions of bridegrooms and brides in the youngest groups and high proportions in the oldest.

TABLE LXIX.—PER CENT DISTRIBUTION OF MARRIAGES BY AGES OF BRIDEGROOMS AND OF BRIDES, BY PROVINCES, 1927

Province	Age of bridegroom							Age of bride						
	All stated ages	Under 20 years	20-24 years	25-29 years	30-34 years	35-39 years	40 years and over	All stated ages	Under 20 years	20-24 years	25-29 years	30-34 years	35-39 years	40 years and over
Prince Edward Island	100·0	2·7	27·5	30·0	14·2	9·0	16·7	100·0	19·0	42·3	18·3	6·3	5·0	9·2
Nova Scotia	100·0	2·6	35·1	29·6	14·3	7·9	10·6	100·0	23·3	44·3	17·1	6·6	3·6	5·1
New Brunswick	100·0	5·4	38·4	26·7	11·8	6·7	11·0	100·0	32·6	37·6	14·9	5·8	3·9	5·2
Quebec	100·0	2·0	38·2	32·1	12·6	5·7	9·3	100·6	19·1	46·5	19·2	6·4	3·3	5·5
Ontario	100·0	3·4	35·1	30·9	13·8	6·6	10·2	100·0	22·8	40·5	19·9	7·3	3·8	5·7
Manitoba	100·0	1·4	30·3	33·7	15·9	8·5	10·3	100·0	24·1	42·4	18·8	6·7	3·2	4·7
Saskatchewan	100·0	1·7	32·0	32·0	14·9	9·8	9·7	100·0	29·4	44·1	14·4	5·2	3·1	3·8
Alberta	100·0	1·4	31·8	30·8	15·4	9·3	11·2	100·0	27·0	43·7	14·8	6·2	3·2	5·1
British Columbia	100·0	1·2	27·0	29·8	15·0	10·5	16·6	100·0	16·0	40·9	20·7	8·5	5·3	8·6
Canada(1) **1927**	**100·0**	**2·5**	**34·7**	**31·2**	**13·9**	**7·3**	**10·5**	**100·0**	**22·7**	**42·8**	**18·5**	**6·8**	**3·6**	**5·6**
1926	**100·0**	**2·4**	**34·8**	**30·7**	**14·2**	**7·4**	**10·4**	**100·0**	**22·3**	**43·0**	**18·5**	**7·0**	**3·6**	**5·6**

(1) See note 1, table I.

The proportionate distribution of bridegrooms and brides into the same six age-groups as in Table LXIX, is given in Table LXX for the years 1921-27, covering the total of the eight

provinces comprising the Registration Area as of 1921. The table shows a considerable degree of consistency over these years, with evidence of an upward trend in the proportion of brides and grooms under 25 years of age.

TABLE LXX.—PER CENT DISTRIBUTION OF MARRIAGES BY AGES OF BRIDEGROOMS AND OF BRIDES IN THE REGISTRATION AREA AS OF 1921, DURING THE YEARS 1921-27

Years	Age of bridegroom							Age of bride						
	All stated ages	Under 20 years	20-24 years	25-29 years	30-34 years	35-39 years	40 years and over	All stated ages	Under 20 years	20-24 years	25-29 years	30-34 years	35-39 years	40 years and over
1921	100·0	1·9	30·4	31·3	16·3	8·9	11·2	100·0	21·9	39·0	20·0	8·7	4·6	5·8
1922	100·0	2·0	31·1	31·0	16·3	8·5	11·1	100·0	22·6	39·4	19·6	8·2	4·4	5·8
1923	100·0	2·0	32·0	31·5	15·7	8·0	10·8	100·0	22·5	40·7	19·2	7·8	4·1	5·6
1924	100·0	2·2	33·1	30·3	15·1	8·0	11·3	100·0	24·0	40·3	18·5	7·3	4·0	5·8
1925	100·0	2·4	32·4	30·6	14·9	8·2	11·4	100·0	23·4	40·5	18·5	7·6	4·1	5·9
1926	100·0	2·5	33·3	30·4	14·9	8·0	10·9	100·0	23·2	41·7	18·6	7·1	3·8	5·5
1927	100·0	2·7	33·4	30·8	14·3	7·8	11·0	100·0	24·0	41·5	18·3	6·9	3·7	5·6

Marriages at Early Ages.—All of the provinces of Canada have enacted legislation fixing a minimum age for marriage, at least without the consent of parents. The provisions of the laws governing this question in the various provinces were summarized in the Third Annual Report (p. xliv of Introduction).

Marriages in which the bride was under 16 years of age numbered 296 in the nine provinces of Canada in the year 1927, thus amounting to slightly more than 4 per thousand of all marriages; 1,120 brides gave their ages as 16 years and 2,540 as 17 years. (See Table 37, General Tables). In Table LXXI the ages of brides under 16 years are shown by provinces in relation to the ages of the bridegrooms. It is, of course, possible that there was some exaggeration of age in the case of very young brides, nevertheless the figures in Table LXXI indicate that marriages of very youthful brides are infrequent throughout Canada.

TABLE LXXI.—BRIDES UNDER 16 YEARS OF AGE, 1927

Ages of grooms	Ages of brides by provinces																					
	Canada[1]			P.E.I.		N.S.		N.B.		Que.		Ont.		Man.		Sask.		Alta.		B.C.	
	Total	14 years	15 years	14 years	15 years	14 years	15 years	14 years	15 years	14 years	15 years	14 years	15 years	14 years	15 years	14 years	15 years	14 years	15 years	14 years	15 years
15 years	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
17 "	7	2	5	–	–	–	–	–	–	1	2	–	3	–	–	–	–	–	–	–	1
18 "	12	1	11	–	1	–	–	–	–	1	1	–	8	–	–	–	1	–	–	–	–
19 "	18	2	16	–	–	–	–	–	4	2	6	–	3	–	–	–	1	–	2	–	–
20 "	33	6	27	–	–	–	–	–	1	3	8	2	14	–	–	–	3	–	–	1	1
21 "	46	7	39	–	–	–	2	–	1	5	13	2	15	–	–	–	6	–	1	–	1
22 "	40	9	31	–	–	–	1	–	4	2	13	6	7	–	1	1	5	–	–	–	–
23 "	31	7	24	–	–	–	1	–	1	5	14	2	5	–	–	–	–	–	2	–	1
24 "	23	–	23	–	–	–	–	–	1	–	12	–	7	–	–	–	2	–	1	–	–
25 "	22	3	19	–	–	–	1	2	1	–	7	1	7	–	–	–	3	–	–	–	–
26 "	19	2	17	–	–	–	1	–	2	1	5	1	7	–	–	–	2	–	–	–	–
27 "	11	3	8	–	–	–	–	–	2	1	1	2	3	–	1	–	1	–	–	–	–
28 "	3	–	3	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–
29 "	7	3	4	–	–	–	–	–	–	2	1	1	1	–	–	–	1	–	–	–	1
30 "	4	1	3	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–
31 "	2	–	2	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
32 "	4	–	4	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–
33 "	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
34 "	2	1	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
35 "	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
36 "	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
37 "	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
40 "	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
41 "	2	–	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
42 "	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
45 "	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
50 "	2	–	2	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Age not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Total	296	47	249	–	1	–	7	3	20	24	87	17	91	–	5	1	27	–	7	2	4

[1] See note 1, table I.

There were 2 bridegrooms aged 15 years, 8 aged 16 years and 85 aged 17 years in 1927. These together comprise the 95 grooms under 18 years of age shown in Table 37, General Tables.

Birthplace of Bridegrooms and Brides.—Table LXXII contains the percentage distribution of bridegrooms by nativity in 1927, while Table LXXIII presents the corresponding distribution of brides. The proportion of bridegrooms born in Canada varied from 96·3 per cent in Prince Edward Island to 37·2 per cent in British Columbia, while the range for Canadian-born brides was between 96·5 per cent in Prince Edward Island and 44·6 per cent in British Columbia. Large proportions of bridegrooms and brides born outside of Canada are naturally found throughout the western provinces.

TABLE LXXII.—PER CENT DISTRIBUTION OF BRIDEGROOMS BY NATIVITY, 1927

Nativity	Canada(1)	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
Canadian born	**66·2**	**96·3**	**84·1**	**80·7**	**85·3**	**66·5**	**48·3**	**44·7**	**38·5**	**37·2**
Province of residence	55·9	92·7	79·5	72·3	81·1	59·6	34·7	17·0	15·2	16·9
Other province	10·3	3·5	4·6	8·5	4·2	6·9	13·6	27·6	23·3	20·3
British born	**16·6**	**1·0**	**9·4**	**3·5**	**6·0**	**21·3**	**22·9**	**17·0**	**21·8**	**35·9**
England	10·0	–	3·4	2·0	3·3	13·4	12·8	11·2	13·2	21·1
Scotland	4·1	0·6	1·3	0·6	1·7	5·0	6·6	3·7	5·5	9·3
Ireland	1·4	–	0·2	0·1	0·5	2·1	2·4	1·4	1·7	2·8
Other British possessions	1·1	0·4	4·5	0·7	0·6	0·9	1·0	0·7	1·4	2·7
Foreign born	**17·2**	**2·7**	**6·5**	**15·8**	**8·7**	**12·1**	**28·9**	**38·4**	**39·6**	**26·9**
United States	7·3	2·7	3·4	14·4	3·8	4·0	6·2	16·5	20·4	13·7
Europe	9·6	–	3·0	1·3	4·7	7·8	22·6	21·7	19·1	11·6
Asia	0·3	–	0·1	0·1	0·2	0·2	0·1	0·2	0·1	1·4
Other foreign born	0·1	–	(2)	–	(2)	(2)	0·1	0·1	(2)	0·2
Total	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**

(1) See note 1, table I. (2) Less than one-tenth of one per cent.

TABLE LXXIII.—PER CENT DISTRIBUTION OF BRIDES BY NATIVITY, 1927

Nativity	Canada(1)	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
Canadian born	**70·9**	**96·5**	**88·2**	**83·7**	**87·6**	**69·7**	**59·5**	**55·8**	**46·3**	**44·6**
Province of residence	61·8	95·0	84·5	75·5	84·3	63·5	48·7	32·5	25·4	22·7
Other province	9·1	1·5	3·7	8·2	3·3	6·2	10·8	23·3	20·9	21·9
British born	**15·4**	**1·2**	**7·3**	**2·7**	**5·9**	**20·8**	**18·5**	**13·6**	**19·7**	**33·1**
England	9·0	0·2	1·7	1·6	3·2	12·4	10·5	8·6	12·3	20·1
Scotland	4·2	0·8	1·1	0·5	1·7	5·9	5·5	3·2	5·1	8·6
Ireland	1·3	–	0·2	0·1	0·5	1·9	2·0	1·3	1·2	2·0
Other British possessions	0·9	0·2	4·2	0·7	0·5	0·7	0·6	0·5	1·1	2·4
Foreign born	**13·7**	**2·3**	**4·5**	**13·5**	**6·5**	**9·5**	**22·1**	**30·6**	**34·0**	**22·4**
United States	6·0	2·3	2·2	12·6	3·0	2·9	4·8	13·8	17·4	12·2
Europe	7·6	–	2·2	0·8	3·4	6·4	17·3	16·7	16·4	9·1
Asia	0·2	–	(2)	0·1	0·1	0·1	(2)	0·1	0·1	0·9
Other foreign born	(2)	–	–	(2)	(2)	(2)	–	(2)	(2)	0·2
Total	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**

(1) See note 1, table I. (2) Less than one-tenth of one per cent.

VITAL STATISTICS OF YUKON AND THE NORTHWEST TERRITORIES

The births, deaths and marriages reported for Yukon Territory and the Northwest Territories of Canada for the year 1927 are listed in the following tables. The statistics of these territories are presented separately from those of the provinces because the figures are not regarded as complete and the population for the year under review is not known with sufficient accuracy to warrant the calculation of rates. Moreover, the population of the territories is so small that the omission of their births, deaths and marriages makes no material difference to the total for Canada. The inclusion of the territories with the remainder of Canada in the more detailed tables would also increase out of all proportion to the importance of the territories, the number of cases for which information under a given rubric was not available.

In the statistics of births and deaths for the Northwest Territories figures for Indians and Esquimaux have been separated from those for whites; this division cannot yet be made for the Yukon.

TABLE LXXIV.—BIRTHS, DEATHS AND MARRIAGES IN THE YUKON TERRITORY, 1927

Month of year	Births	Deaths	Marriages
January	6	2	2
February	–	1	1
March	3	4	–
April	2	3	1
May	1	6	–
June	2	4	4
July	4	1	1
August	2	2	3
September	1	4	3
October	–	3	1
November	2	2	1
December	6	1	2
Total	**29**	**33**	**19**

TABLE LXXV.—BIRTHS, DEATHS AND MARRIAGES IN THE NORTHWEST TERRITORIES, 1927

Month of year	Births				Deaths				Marriages
	Total	Whites	Indians	Esquimaux	Total	Whites	Indians	Esquimaux	
January	11	2	4	5	7	3	4	–	–
February	13	–	4	9	10	–	4	6	3
March	12	–	4	8	3	–	2	1	–
April	12	1	6	5	8	2	2	4	1
May	9	4	2	3	5	–	2	3	2
June	7	2	2	3	6	1	3	2	1
July	15	1	6	8	9	1	5	3	2
August	11	2	5	4	8	2	1	5	6
September	6	1	1	4	19	1	3	15	3
October	9	2	3	4	13	–	2	11	1
November	7	2	3	2	9	1	1	7	1
December	14	1	3	10	7	1	1	5	–
Not stated	–	–	–	–	29	–	–	29	–
Total	**126**	**18**	**43**	**65**	**133**	**12**	**30**	**91**	**20**

TABLE LXXVI.—CAUSES OF DEATH IN YUKON AND THE NORTHWEST TERRITORIES, 1927

	Causes of death	Yukon	Northwest Territories			
		Total	Total	Whites	Indians	Esquimaux
1	Typhoid fever	–	–	–	–	–
7	Measles	–	–	–	–	–
8	Scarlet fever	–	–	–	–	–
9	Whooping-cough	–	–	–	–	–
10	Diphtheria	–	3	–	3	–
11	Influenza	–	12	–	–	12
31	Tuberculosis, respiratory system	6	17	–	14	3
32–37	Tuberculosis, other organs	–	9	3	5	1
43–49	Cancer	4	1	1	–	–
57	Diabetes mellitus	–	–	–	–	–
58	Anaemia, chlorosis	–	–	–	–	–
71	Meningitis	–	–	–	–	–
74	Cerebral haemorrhage, apoplexy	1	–	–	–	–
75–76	Paralysis	1	–	–	–	–
80	Infantile convulsions (under 5 years)	–	1	–	1	–
87–90	Diseases of the heart	3	1	1	–	–
91	Diseases of the arteries	–	–	–	–	–
99	Bronchitis	–	–	–	–	–
100–101	Pneumonia	1	3	–	1	2
113–114	Diarrhoea and enteritis	–	3	–	1	2
117	Appendicitis	–	–	–	–	–
118	Hernia, intestinal obstruction	–	–	–	–	–
128–129	Nephritis	1	–	–	–	–
135	Diseases of the prostate	–	–	–	–	–
143–150	Puerperal causes	–	1	–	–	1
159	Congenital malformations	–	–	–	–	–
160–163	Diseases of early infancy	3	8	–	2	6
164	Senility (old age)	3	8	–	1	7
165–174	Suicides	–	1	–	–	1
197–199	Homicides	–	2	–	–	2
175–196, 200–203	Violent deaths (suicides and homicides excepted)	5	2	2	–	–
	Other specified causes	5	60	5	2	53
	Total (exclusive of still-births)	**33**	**132**	**12**	**30**	**90**
	Stillbirths	–	1	–	–	1
	Total	**33**	**133**	**12**	**30**	**91**

Canada

BUREAU FÉDÉRAL DE LA STATISTIQUE

STATISTIQUES VITALES

1927

Septième Rapport Annuel

Publié par ordre de
L'Honorable James Malcolm, M.P.
MINISTRE DU COMMERCE

OTTAWA
F. A. ACLAND
IMPRIMEUR DE SA TRÈS EXCELLENTE MAJESTÉ LE ROI
1930

TABLE DES MATIÈRES

PAGE

Préface lxxix

INTRODUCTION

Résumé général—
Population par provinces, 1921-1927 lxxxi
Naissances, décès et mariages, par provinces, 1927 lxxxi
Accroissement naturel lxxxii

Naissances—
Taux des naissances et de la masculinité, 1921-27 lxxxiv
Taux de la natalité dans d'autres pays lxxxvi
Naissances par mois lxxxvi
Ages des pères et mères lxxxvii
Lieu de naissance des parents lxxxix
Origine raciale des pères et mères xc
Enfants illégitimes xci

Mort-nés—
Mort-nés selon l'âge de la mère et légitimité, 1927 xciii
Proportion de mort-nés à la totalité des naissances xciv
Mort-nés, par mois, provinces et sexe xcv

Mortalité infantile (au-dessous d'un an)—
Mortalité infantile par provinces et par sexe, 1921-1927 xcvi
Année de naissance et âge au décès xcvii
Mortalité infantile en d'autres pays xcviii
Mortalité infantile par mois xcviii
Mortalité infantile par trimestres c
Mortalité infantile pour l'année civile 1926 ci
Mortalité infantile, par causes, 1926 et 1927 ci
Proportion de certaines causes, par sexes civ
Causes de mortalité infantile, par période d'âges civ
Mortalité infantile, par villes cv
Taux de la mortalité infantile pour les régions rurales du territoire d'enregistrement de 1921 et pour les centres urbains classifiés d'après la population cvii

Mortalité puerpérale—
Mortalité puerpérale par groupes d'âges et par provinces, 1926-27 cvii
Taux de la mortalité puerpérale en d'autres pays cviii
Mortalité puerpérale dans le territoire d'enregistrement de 1921 au cours des années 1921-27 cix
Décès de causes puerpérales classifiés selon les soins médicaux reçus et le fruit de l'accouchement cix
Mortalité puerpérale par causes de décès cx
Décès non attribués directement à la grossesse ni à l'accouchement cxi

Mortalité (toutes causes)—
Nombres absolus et taux bruts des décès par provinces, 1921-27 cxii
Taux brut de la mortalité dans d'autres pays cxii
Répartition des décès selon les âges cxiii
Décès de centenaires, 1927 cxiv
Mortalité par mois, 1921-27 cxiv
Taux ajustés et standardisés de la mortalité cxvi

Causes de décès—
Décès et taux de mortalité par certaines causes cxviii
Décès de certaines causes chez les Indiens cxix
Décès de certaines causes de la population, sans compter les Indiens cxxi
Décès de certaines causes dans le territoire d'enregistrement de 1921 cxxiii
Maladies contagieuses cxxiv
Tuberculose cxxvi
Cancer cxxvii
Diabète mellitus cxxix
Affections du cœur cxxix
Affections des artères cxxx
Bronchite cxxx
Pneumonie cxxx
Diarrhée et entérite cxxxi
Néphrite cxxxi
Morts violentes cxxxi

Causes de décès—fin — PAGE
Répartition proportionnelle, par causes ... cxxxiii
Répartition proportionnelle des décès, par sexes et par groupes d'âges selon leur cause ... cxxxv

Mariages—
Nuptialité et taux des mariages par provinces, 1921-27 ... cxxxvii
Taux de la nuptialité en d'autres pays ... cxxxvii
Répartition mensuelle des mariages ... cxxxviii
État civil des conjoints ... cxxxix
Âge des conjoints ... cxl
Mariages précoces ... cxliii
Lieu de naissance des époux et épouses ... cxliv

Statistiques vitales du Yukon et des Territoires du Nord-Ouest ... cxliv

TABLEAUX D'ENSEMBLE

Résumé général—
TABLEAU 1.—Résumé général des naissances, décès et mariages dans le Canada par provinces et comtés ou divisions de recensement, 1927 ... 3
TABLEAU 2.—Résumé général des naissances, décès et mariages dans les cités et villes de 1,000 habitants et au-dessus, 1927 ... 6

Naissances—
TABLEAU 3.—Naissances (mort-nés exclus) dans chaque mois, classifiées en rurales et urbaines, par provinces, 1927 ... 12
TABLEAU 4.—Total des naissances (mort-nés exclus) et naissances dans les institutions publiques, attribuées aux mères non domiciliées dans la province, 1927 ... 12
TABLEAU 5.—Naissances multiples classifiées selon les enfants vivants et les mort-nés, par sexe et par provinces, 1927 ... 13
TABLEAU 6.—Naissances (mort-nés exclus) classifiées selon le domicile des mères, et naissances dans les institutions publiques, dans les cités et villes de 5,000 âmes et plus, 1927 ... 14
TABLEAU 7.—Naissances (mort-nés exclus) classifiées comme légitimes ou illégitimes, par provinces, cités et villes de 5,000 habitants et plus, 1927 ... 18
TABLEAU 8.—Naissances (mort-nés exclus) classifiées selon l'âge des parents, 1927 ... 20
TABLEAU 9.—Naissances (mort-nés exclus) classifiées selon l'origine raciale des parents, 1927 ... 40
TABLEAU 10.—Naissances (mort-nés exclus) classifiées selon l'âge et l'origine raciale des mères mariées, 1927 ... 54
TABLEAU 11.—Naissances (mort-nés exclus) classifiées selon le lieu de naissance des parents, 1927 ... 56
TABLEAU 12.—Naissances (mort-nés exclus) classifiées selon l'âge et le lieu de naissance des mères mariées, 1927 ... 76

Mortalité infantile—
TABLEAU 13.—Décès des enfants de moins d'un an (mort-nés exclus) dans le Canada durant chaque mois, classifiés en ruraux et urbains, par provinces, 1927 ... 81
TABLEAU 14.—Total des décès (mort-nés exclus) et décès dans les institutions publiques d'enfants de moins d'un an non domiciliés dans la province, 1927 ... 81
TABLEAU 15.—Total des décès (mort-nés exclus) et décès dans les institutions publiques, des enfants de moins d'un an, classifiés selon le domicile, dans les cités et villes de 5,000 âmes et plus, 1927 ... 82
TABLEAU 16.—Décès des enfants de moins d'un an (mort-nés exclus) selon l'âge au moment du décès, 1927 ... 86
TABLEAU 17.—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus) classifiés selon l'origine raciale des décédés, 1927 ... 87
TABLEAU 18.—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus) classifiés selon le lieu de naissance des parents, Canada, 1927 ... 88
TABLEAU 19.—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus), par certaines causes spécifiques et par mois, 1927 ... 90
TABLEAU 20.—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus), par âge et par certaines causes spécifiques, 1927 ... 106

Mortalité générale— PAGE

TABLEAU 21.—Total des décès (mort-nés exclus) dans le Canada par mois, 1927. 129
TABLEAU 22.—Total des décés (mort-nés exclus) et décès dans les institutions publiques de non-domiciliés dans la provinces, 1927..... 129
TABLEAU 23.—Total des décès (mort-nés exclus) et décès dans les institutions publiques classifiés selon le domicile des défunts, dans les cités et villes de 5,000 âmes et plus, 1927..... 130
TABLEAU 24.—Décès (mort-nés exclus) par âges individuels et par groupes d'âges, 1927..... 134
TABLEAU 25.—Décès (mort-nés exclus) classifiés selon l'origine raciale des décédés, par provinces, 1927..... 138
TABLEAU 26.—Décès (mort-nés exclus) classifiés selon le lieu de naissance des décédés, par provinces, cités et villes de 10,000 habitants et plus, 1927..... 140
TABLEAU 27.—Décès (mort-nés exclus) classifiés selon le lieu de naissance des parents des décédés, pour le Canada, 1927..... 148

Mortalité générale par causes de décès—

TABLEAU 28.—Causes de décès pour chaque sexe, par provinces, 1927..... 150
TABLEAU 29.—Causes de décès de chaque sexe selon l'état civil, le lieu de naissance et le mois de décès pour le Canada, 1927..... 160
TABLEAU 30.—Causes de décès selon le sexe et l'âge dans le Canada et dans chaque province, en 1927..... 184
TABLEAU 31.—Causes de décès selon le sexe dans les cités de 40,000 et plus, 1927. 388
TABLEAU 32.—Décès masculins dans le Canada, classifiés selon l'occupation des décédés, 1927..... 399

Mariages—

TABLEAU 33.—Mariages dans le Canada, par mois, 1927..... 426
TABLEAU 34.—Mariages—État civil des conjoints dans chaque province, 1926-27 426
TABLEAU 35.—Mariages constatés dans les parties rurales et urbaines des comtés ou divisions de recensement, 1927..... 427
TABLEAU 36.—Mariages classifiés selon l'âge et l'occupation des époux dans le Canada, 1927..... 429
TABLEAU 37.—Mariages—Âges des mariés, 1927..... 432
TABLEAU 38.—Mariages—Lieu de naissance des mariés, 1927..... 442
TABLEAU 39.—Mariages—Religion des conjoints, 1927..... 460
TABLEAU 40.—Mariages—Instruction des mariés dans le Canada, selon le lieu de naissance, 1927..... 470

APPENDICES

Appendice I.—Naissances et décès de la population Indienne..... 471
TABLEAU A.—Naissances d'Indiens (mort-nés exclus) par mois et provinces, 1927..... 473
TABLEAU B.—Naissances d'Indiens (mort-nés exclus) réparties en légitimes et illégitimes, 1927..... 473
TABLEAU C.—Naissances d'Indiens (mort-nés exclus) classifiés selon l'âge des parents, Canada, 1927..... 474
TABLEAU D.—Indiens mort-nés, selon l'âge de la mère, et distinction entre naissances légitimes et illégitimes, 1927..... 476
TABLEAU E.—Enfants indiens décédés dans leur première année (mort-nés exclus) par mois et provinces, 1927..... 476
TABLEAU F.—Enfants indiens décédés dans leur première année (mort-nés exclus) par âge au décès, 1927..... 477
TABLEAU G.—Décès d'enfants indiens dans leur première année d'existence (mort-nés exclus), par sexe et par certaines causes spécifiées, dans chaque province, 1927..... 478
TABLEAU H.—Total des décès d'Indiens (mort-nés exclus) par mois et provinces, 1927..... 480
TABLEAU I.—Décès d'Indiens (mort-nés exclus) par âge au décès, 1927..... 481
TABLEAU J.—Causes de décès d'Indiens, par sexe, dans chaque province, 1927. 482
TABLEAU K.—Causes de décès d'Indiens selon le sexe et l'âge, Canada, 1927... 492

Appendice II.—Ordre de priorité de naissance..... 509
Ordre de priorité de naissance des enfants légitimes nés en 1927 (mort-nés compris) répartis selon l'âge de la mère et selon la province..... 511

Appendice III.—Cédule des divisions de recensement dans les provinces des prairies..... 515

Cartes montrant les divisions de recensement dans les provinces des prairies.

PRÉFACE

Le présent rapport annuel sur les Statistiques Vitales du Canada est le septième de la série que publie le Bureau Fédéral de la Statistique sur des données obtenues en vertu d'ententes avec les départements provinciaux. Comme le rapport précédent, celui-ci couvre toutes les provinces du Canada.

Le premier, le deuxième et le troisième rapports annuels donnent un aperçu complet de l'origine et du but de cette entente entre le Dominion et les provinces pour la compilation des statistiques vitales et décrivent les progrès de ces statistiques au Canada. L'enregistrement des naissances, décès et mariages est fait par les autorités provinciales, chaque province ayant décrété l'enregistrement obligatoire suivant des formules tendant à établir certaines informations sur des bases uniformes. Des copies de ces actes sont envoyées au Bureau Fédéral de la Statistique et leur compilation sert de base au rapport annuel. En 1927, le Bureau Fédéral de la Statistique, outre la préparation de ces tableaux, a publié des bulletins mensuels et un rapport annuel préliminaire. Il a de plus fourni aux provinces de Nouveau-Brunswick, Québec, Ontario, Manitoba, Saskatchewan, Alberta et Colombie Britannique les compilations dont elles avaient besoin pour leurs rapports respectifs.

Comme par le passé, on a fait entrer dans ce rapport les naissances, décès et mariages de la population indienne des provinces coopérant au présent rapport. Ils sont aussi donnés séparément dans l'Appendice I. La note sur les statistiques vitales des Territoires du Nord-Ouest et du Yukon, à la fin de l'introduction, est digne d'attention.

Le dépouillement des données et la préparation du rapport ont été faits sous la direction de M. E. S. Macphail, chef de la section de Démographie du Bureau, aidé par M. W. R. Tracey.

R. H. COATS,
Statisticien du Dominion

Bureau Fédéral de la Statistique, janvier 1929.

STATISTIQUES VITALES DU CANADA, 1927

INTRODUCTION

Ce rapport présente les statistiques des naissances, des décès et des mariages de l'année civile 1927, dans les neuf provinces du Canada, toutes coopérant avec le Bureau Fédéral de la Statistique à cet égard. Comme la province de Québec n'est comprise dans ce système national que depuis le commencement de 1926, les statistiques de cette province figurant dans le présent rapport sont limitées à cette période, et les comparaisons rétroactives à 1921 n'embrassent que les huit autres provinces désignées sous le nom collectif de " territoire d'enregistrement de 1921 ".

Les chiffres du territoire du Yukon et des territoires du Nord-Ouest ne sont pas compris avec ceux des provinces; les naissances, les décès et les mariages inscrits dans ces territoires au cours de 1927 sont donnés séparément à la fin de cette introduction. En raison de la population minime de ces territoires, leurs statistiques vitales n'affectent guère les totaux pour l'ensemble du Canada.

La population du Canada, par provinces, pour les années 1921-27, est donnée dans le tableau I. Afin de faciliter la computation des taux du territoire d'enregistrement de 1921, un total distinct a été fait pour les huit provinces comprises dans ce territoire.

TABLEAU I.—POPULATION PAR PROVINCES, 1921-27

Année	Î.P.-É.	N.-É.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.P.	**Canada** (1)	Territoire d'enregistrement de 1921 (2)
1921.....	88,615	523,837	(3)387,876	2,361,199	2,933,662	610,118	757,510	588,454	524,582	**8,775,853**	(3)6,414,654
1922.....	88,000	528,000	392,000	2,400,000	2,981,000	616,000	771,000	592,000	539,000	**8,907,000**	6,507,000
1923.....	88,000	530,000	396,000	2,439,000	3,019,000	621,000	783,000	596,000	544,000	**9,016,000**	6,577,000
1924.....	88,000	534,000	399,000	2,480,000	3,062,000	627,000	797,000	599,000	553,000	**9,139,006**	6,659,000
1925.....	87,000	537,000	403,000	2,520,000	3,103,000	633,000	810,000	603,000	561,000	**9,257,000**	6,737,000
1926.....	87,000	540,000	407,000	2,562,000	3,146,000	639,000	821,000	608,000	568,000	**9,378,000**	6,816,000
1927.....	87,000	543,000	411,000	2,604,000	3,187,000	647,000	836,000	617,000	575,000	**9,507,000**	6,903,000

(1) Le Yukon et les Territoires du Nord-Ouest, dont la population s'élevait à 12,145 en 1921, sont exclus de ce tableau. Les tableaux des naissances, des décès et des mariages pour ces territoires sont donnés à la fin de l'introduction.

(2) Comprenant les provinces de l'Île du Prince-Édouard, de la Nouvelle-Écosse, du Nouveau-Brunswick, de l'Ontario, du Manitoba, de la Saskatchewan, de l'Alberta et de la Colombie Britannique.

(3) Les statistiques du comté de Kent, Nouveau-Brunswick, n'existent que depuis le 1er mai 1921. On a donc dû exclure pour cette année-là un tiers de la population de ce comté, réduisant ainsi la population du Nouveau-Brunswick à 379,904 et celle du territoire d'enregistrement à 6,406,682.

NOTE.—La population de 1921, et celle de 1926 pour le Manitoba, la Saskatchewan et l'Alberta, sont celles des recensements; les chiffres des autres années sont estimatifs.

Le tableau II indique le nombre de naissances, de décès et de mariages enregistrés dans chaque province en l'année 1927. Il est établi une distinction entre la population rurale et la population urbaine, la pupulation urbaine étant celle des cités et des villes d'au moins 1,000 âmes; partout ailleurs, la population est considérée comme rurale.

TABLEAU II.—NAISSANCES, DÉCÈS ET MARIAGES, PAR PROVINCES, 1927

Provinces	Naissances (2)	Décès (2)	Mariages	Provinces	Naissances (2)	Décès (2)	Mariages
Canada (1).....	**234,188**	**105,292**	**69,515**	Ontario.....	67,671	34,775	24,677
Ruraux.....	**117,129**	**46,708**	**23,018**	Ruraux.....	25,846	12,961	5,979
Urbains.....	**117,059**	**58,584**	**46,497**	Urbains.....	41,825	21,814	18,698
Île du Prince-Édouard.....	1,697	913	482	Manitoba.....	14,147	5,309	4,716
Ruraux.....	1,351	636	241	Ruraux.....	7,505	2,405	1,538
Urbains.....	346	277	241	Urbains.....	6,642	2,904	3,178
Nouvelle-Écosse.....	11,134	6,378	3,042	Saskatchewan.....	21,015	6,031	5,733
Ruraux.....	5,635	3,224	816	Ruraux.....	15,954	4,015	2,814
Urbains.....	5,499	3,154	2,226	Urbains.....	5,061	2,016	2,919
Nouveau-Brunswick.....	10,479	4,902	2,887	Alberta.....	14,897	5,059	4,707
Ruraux.....	7,103	3,058	1,369	Ruraux.....	8,611	2,817	1,558
Urbains.....	3,376	1,844	1,518	Urbains.....	6,286	2,242	3,149
Québec.....	83,064	36,175	18,551	Colombie Britannique.....	10,084	5,750	4,720
Ruraux.....	41,872	15,576	7,690	Ruraux.....	3,252	2,016	1,013
Urbains.....	41,192	20,599	10,861	Urbains.....	6,832	3,734	3,707

(1) Voir la note 1, au bas du tableau I. (2) Sans compter les mort-nés. NOTE.—"Urbains", villes et cités de 1,000 âmes ou plus, au recensement de 1926. dans le Manitoba, la Saskatchewan et l'Alberta, et au recensement de 1921 dans toutes les autres provinces. "Ruraux", populations de moins de 1,000 âmes.

Accroissement naturel.—L'accroissement naturel de la population des provinces par l'excédent des naissances sur les décès, en 1927, est de 128,896 âmes. Au cours de l'année, on a constaté la naissance de 120,655 garçons et 113,533 filles, formant un total de 234,188 naissances pour les deux sexes. Durant la même période, les décès se sont élevés à 105,292, dont 56,265 chez la population masculine et 49,027 chez la population féminine. Par conséquent, la population masculine du Canada s'est accrue de 64,390 âmes et la population féminine de 64,506 âmes, par accroissement naturel en 1927; l'accroissement de la population *masculine* est donc supérieur de 116 unités à celui de la population *féminine*. L'accroissement naturel par 1,000 âmes, pour les deux sexes est donc de 13·5.

Dans le territoire d'enregistrement de 1921, l'accroissement naturel au cours de l'année fut de 82,007 ou 11·9 par 1,000 âmes, comparativement à 80,382 ou 11·8 par 1,000 âmes en 1926.

TABLEAU III.—EXCÉDENT DES NAISSANCES SUR LES DÉCÈS, PAR PROVINCES, POUR CHAQUE SEXE, 1921-27

Provinces		Population masculine			Population féminine			Deux sexes	
		Naissances(2)	Décès(2)	Excédent des naissances sur les décès	Naissances(2)	Décès(2)	Excédent des naissances sur les décès	Excédent des naissances sur les décès	Taux de l'accroissement naturel par 1,000 âmes
Île du Prince-Édouard	1921	1,073	619	454	1,083	590	493	947	10·7
	1922	1,104	588	516	1,056	525	531	1,047	11·9
	1923	981	552	429	996	598	398	827	9·4
	1924	928	490	438	930	466	464	902	10·2
	1925	877	513	364	798	484	314	678	7·8
	1926	887	452	435	865	446	419	854	9·8
	1927	890	451	439	807	462	345	784	9·0
Nouvelle-Écosse	1921	6,695	3,372	3,323	6,326	3,048	3,278	6,601	12·6
	1922	6,630	3,515	3,115	6,063	3,164	2,899	6,014	11·4
	1923	5,973	3,587	2,386	5,707	3,281	2,426	4,812	9·0
	1924	6,189	3,456	2,733	5,612	3,127	2,485	5,218	9·8
	1925	5,886	3,076	2,810	5,514	2,969	2,545	5,355	9·9
	1926	5,638	3,374	2,264	5,342	2,992	2,350	4,614	8·5
	1927	5,704	3,300	2,404	5,430	3,078	2,352	4,756	8·8
Nouveau-Brunswick	1921	5,942	2,858	3,084	5,523	2,552	2,971	6,055	16·0
	1922	5,955	2,689	3,266	5,609	2,469	3,140	6,406	16·3
	1923	5,457	2,618	2,839	5,247	2,395	2,852	5,691	14·3
	1924	5,523	2,629	2,894	5,194	2,294	2,900	5,794	14·6
	1925	5,664	2,620	3,044	5,285	2,340	2,945	5,989	14·9
	1926	5,294	2,608	2,686	5,046	2,394	2,652	5,338	13·1
	1927	5,391	2,537	2,854	5,088	2,365	2,723	5,577	13·6
Québec	1926	42,475	19,232	23,243	39,690	18,019	21,671	44,914	17·6
	1927	42,813	18,827	23,986	40,251	17,348	22,903	46,889	18·0
Ontario	1921	38,307	18,062	20,245	35,845	16,489	19,356	39,601	13·5
	1922	36,495	17,726	18,769	34,935	16,308	18,627	37,396	12·6
	1923	36,141	18,452	17,689	33,915	17,184	16,731	34,420	11·4
	1924	36,582	17,153	19,429	34,928	15,925	19,003	38,432	12·6
	1925	36,098	17,583	18,515	34,024	16,377	17,647	36,162	11·7
	1926	34,742	18,721	16,021	32,875	17,188	15,687	31,708	10·1
	1927	34,755	18,305	16,450	32,916	16,470	16,446	32,896	10·3
Manitoba	1921	9,455	2,964	6,491	9,023	2,424	6,599	13,090	21·5
	1922	8,926	3,079	5,847	8,753	2,675	6,078	11,925	19·4
	1923	8,397	2,935	5,462	8,075	2,395	5,680	11,142	17·9
	1924	7,804	2,713	5,091	7,650	2,310	5,340	10,431	16·6
	1925	7,634	2,911	4,723	7,233	2,334	4,899	9,622	15·2
	1926	7,598	2,936	4,662	7,063	2,399	4,664	9,326	14·6
	1927	7,434	2,968	4,466	6,713	2,341	4,372	8,838	13·7
Saskatchewan	1921	11,620	3,078	8,542	10,873	2,518	8,355	16,897	22·3
	1922	11,435	3,411	8,024	10,904	2,708	8,196	16,220	21·1
	1923	10,765	3,442	7,323	10,182	2,740	7,442	14,765	18·9
	1924	11,157	3,176	7,981	10,382	2,596	7,786	15,767	19·8
	1925	10,620	3,228	7,392	9,962	2,400	7,562	14,954	18·5
	1926	10,651	3,393	7,258	10,065	2,667	7,398	14,656	17·8
	1927	10,852	3,395	7,457	10,163	2,636	7,527	14,984	17·9
Alberta	1921	8,493	2,858	5,635	8,068	2,082	5,986	11,621	19·7
	1922	8,219	2,984	5,235	7,944	2,280	5,664	10,899	18·4
	1923	7,676	2,861	4,815	7,384	2,145	5,239	10,054	16·9
	1924	7,422	2,718	4,704	7,175	2,140	5,035	9,739	16·3
	1925	7,626	2,703	4,923	7,298	1,994	5,304	10,227	16·9
	1926	7,410	2,931	4,479	7,046	2,228	4,818	9,297	15·3
	1927	7,682	2,932	4,750	7,215	2,127	5,088	9,838	15·9


TABLEAU III.—EXCÉDENT DES NAISSANCES SUR LES DÉCÈS, PAR PROVINCES, POUR CHAQUE SEXE, 1921-27—*fin*

Provinces		Population masculine			Population féminine			Deux sexes	
		Naissances(2)	Décès(2)	Excédent des naissances sur les décès	Naissances(2)	Décès(2)	Excédent des naissances sur les décès	Excédent des naissances sur les décès	Taux de l'accroissement naturel par 1,000 âmes
Colombie Britannique	1921	5,549	2,600	2,949	5,104	1,608	3,496	6,445	12·3
	1922	5,293	3,052	2,241	4,873	1,855	3,018	5,259	9·8
	1923	5,176	3,070	2,106	4,825	1,927	2,898	5,004	9·2
	1924	5,203	3,080	2,123	4,916	1,924	2,992	5,115	9·3
	1925	5,329	3,047	2,282	5,013	1,898	3,115	5,397	9·6
	1926	5,168	3,332	1,836	4,895	2,142	2,753	4,589	8·1
	1927	5,134	3,550	1,584	4,950	2,200	2,750	4,334	7·5
Canada(1)	**1926**	**119,863**	**56,979**	**62,884**	**112,887**	**50,475**	**62,412**	**125,296**	**13·3**
	1927	**120,655**	**56,265**	**64,390**	**113,533**	**49,027**	**64,506**	**128,896**	**13·5**
Territoire d'enregistrement de 1921.	1921	87,134	36,411	50,723	81,845	31,311	50,534	101,257	15·8
	1922	84,057	37,044	47,013	80,137	31,984	48,153	95,166	14·6
	1923	80,566	37,517	43,049	76,331	32,665	43,666	86,715	13·2
	1924	80,808	35,415	45,393	76,787	30,782	46,005	91,398	13·8
	1925	79,734	35,681	44,053	75,127	30,796	44,331	88,384	13·1
	1926	77,388	37,747	39,641	73,197	32,456	40,741	80,382	11·8
	1927	77,842	37,438	40,404	73,282	31,679	41,603	82 007	11·9

(1) Voir la note 1, au bas du tableau I. (2) Sans compter les mort-nés.

NAISSANCES


En 1927, on a constaté 238,508 accouchements au Canada, dont 235,530 d'un seul enfant, 2,940 de deux enfants et 38 de trois enfants. En définitive, il y a eu 234,188 naissances d'enfants vivants et 7,336 mort-nés. Les accouchements simples ont contribué aux naissances d'enfants vivants à concurrence de 228,578, les accouchements doubles, à concurrence de 5,502 et les triples, 108. Le tableau 5 des tableaux d'ensemble relève tous ces détails, et indique le sexe des enfants nés, soit vivants, soit morts, de ces différents accouchements.



Taux de la natalité.—Le taux brut de la natalité (naissances vivantes) par 1,000 personnes s'établit à 24·6 en 1927 comparativement à 24·8 pour l'année précédente. Les coefficients le plus élevés appartiennent au Québec, au Nouveau-Brunswick et à la Saskatchewan avec 31·9, 25·5 et 25·1 respectivement; et les plus bas, 17·5, à la Colombie-Britannique et, 19·5 à l'Île du Prince-Édouard.

Le taux de la natalité dans le territoire d'enregistrement de 1921 était de 21·9 par 1,000 âmes en 1927. Le nombre absolu de naissances en 1927 s'élevait légèrement au-dessus de l'année précédente, mais le taux des naissances dans la période 1921-1927 a vu un déclin depuis 1921, alors qu'il était de 26·4.

Masculinité.—On remarque un excédent de naissances masculines sur les naissances féminines dans chaque province en 1927, la proportion variant par 1,000 naissances féminines entre 1,037 naissances masculines en Colombie-Britannique à 1,107 au Manitoba. Dans l'ensemble du Canada, on compte 1,063 naissances masculines pour 1,000 naissances féminines, comparativement à 1,062 et 1,000 en 1926. Dans le territoire d'enregistrement de 1921, la proportion était de 1,062 par 1,000. Depuis sept ans la proportion a varié de 1,049 en 1922 et 1,065 en



1921. Parmi les provinces se prêtant à la comparaison avec le passé, c'est l'Île du Prince-Édouard qui donne la plus forte marge de fluctuation, de 985 en 1923 à 1,103 en 1927, ce qui s'explique par sa population peu considérable.

Il peut être intéressant de faire remarquer qu'aux États-Unis, durant les dix années 1915-26, parmi la population de race blanche des États soumis aux statistiques vitales, il est né de 1,055 à 1,062 garçons pour 1,000 filles.

Dans l'Angleterre et le pays de Galles, durant les cinquante années écoulées entre 1871 et 1920, la proportion de naissances masculines par rapport aux naissances féminines oscilla entre 1,032 en 1898 à 1,060 en 1919; avant la Grande Guerre, la proportion la plus élevée avait été de 1,043 en 1875. La proportion des naissances masculines comparativement aux naissances féminines en Angleterre et au pays de Galles depuis 1920 a fluctué comme suit:

ANGLETERRE ET PAYS DE GALLES

Naissances masculines par 1,000 naissances féminines

1921	1,051	1925	1,045
1922	1,049	1926	1,041
1923	1,044	1927	1,042
1924	1,047		

En Allemagne, le taux de naissances masculines qui était de 1,056 en 1914 et de 1,055 en 1915, s'accrut rapidement pendant et après la guerre, pour atteindre son niveau le plus élevé, 1,080 en 1919. De là le taux masculin commença à décliner, reculant jusqu'à 1,062 pour l'année 1926.

On trouvera dans le tableau IV, pour chacune des provinces, la répartition numérique et proportionnelle des naissances masculines aux naissances féminines en chacune des années 1921-27. Les chiffres de Québec et pour le total des neufs provinces sont, comme il a déjà été expliqué, relatifs aux années 1926 et 1927 seulement.

TABLEAU IV.—TAUX DES NAISSANCES (À L'EXCLUSION DES MORT-NÉS) PAR 1,000 DE POPULATION ET PROPORTION DE GARÇONS COMPARATIVEMENT AUX FILLES, 1921-27

Provinces		Nombre de naissances vivantes	Taux par 1,000 âmes	Garçons		Filles		Garçons par 1,000 filles
				Nombre	Pourcentage du total	Nombre	Pourcentage du total	
Île du Prince-Édouard	1921	2,156	24·3	1,073	49·8	1,083	50·2	991
	1922	2,160	24·5	1,104	51·1	1,056	48·9	1,045
	1923	1,977	22·5	981	49·6	996	50·4	985
	1924	1,858	21·1	928	49·9	930	50·1	998
	1925	1,675	19·3	877	52·4	798	47·6	1,099
	1926	1,752	20·1	887	50·6	865	49·4	1,025
	1927	1,697	19·5	890	52·4	807	47·6	1,103
Nouvelle-Écosse	1921	13,021	24·9	6,695	51·4	6,326	48·6	1,058
	1922	12,693	24·0	6,630	52·2	6,053	47·8	1,094
	1923	11,680	22·0	5,973	51·1	5,707	48·9	1,047
	1924	11,801	22·1	6,189	52·4	5,612	47·6	1,103
	1925	11,400	21·2	5,886	51·6	5,514	48·4	1,067
	1926	10,980	20·3	5,638	51·3	5,342	48·7	1,055
	1927	11,134	20·5	5,704	51·2	5,430	48·8	1,050
Nouveau-Brunswick	1921	11,465	30·2	5,942	51·8	5,523	48·2	1,076
	1922	11,564	29·5	5,955	51·5	5,609	48·5	1,062
	1923	10,704	27·0	5,457	51·0	5,247	49·0	1,040
	1924	10,717	26·9	5,523	51·5	5,194	48·5	1,063
	1925	10,949	27·2	5,664	51·7	5,285	48·3	1,072
	1926	10,340	25·4	5,294	51·2	5,046	48·8	1,049
	1927	10,479	25·5	5,391	51·4	5,088	48·6	1,060
Québec	1926	82,165	32·1	42,475	51·7	39,690	48·3	1,070
	1927	83,064	31·9	42,813	51·5	40,251	48·5	1,064
Ontario	1921	74,152	25·3	38,307	51·7	35,845	48·3	1,069
	1922	71,430	24·0	36,495	51·1	34,935	48·9	1,045
	1923	70,056	23·2	36,141	51·6	33,915	48·4	1,066
	1924	71,510	23·4	36,582	51·2	34,928	48·8	1,047
	1925	70,122	22·6	36,098	51·5	34,024	48·5	1,061
	1926	67,617	21·5	34,742	51·4	32,875	48·6	1,057
	1927	67,671	21·2	34,755	51·4	32,916	48·6	1,056
Manitoba	1921	18,478	30·3	9,455	51·2	9,023	48·8	1,048
	1922	17,679	28·7	8,926	50·5	8,753	49·5	1,020
	1923	16,472	26·5	8,397	51·0	8,075	49·0	1,040
	1924	15,454	24·6	7,804	50·5	7,650	49·5	1,020
	1925	14,867	23·5	7,634	51·3	7,233	48·7	1,055
	1926	14,661	22·9	7,598	51·8	7,063	48·2	1,076
	1927	14,147	21·9	7,434	52·5	6,713	47·5	1,107
Saskatchewan	1921	22,493	29·7	11,620	51·7	10,873	48·3	1,069
	1922	22,339	29·0	11,435	51·2	10,904	48·8	1,049
	1923	20,947	26·8	10,765	51·4	10,182	48·6	1,057
	1924	21,539	27·0	11,157	51·8	10,382	48·2	1,075
	1925	20,582	25·4	10,620	51·6	9,962	48·4	1,066
	1926	20,716	25·2	10,651	51·4	10,065	48·6	1,058
	1927	21,015	25·1	10,852	51·6	10,163	48·4	1,068
Alberta	1921	16,561	28·1	8,493	51·3	8,068	48·7	1,053
	1922	16,163	27·3	8,219	50·9	7,944	49·1	1,035
	1923	15,060	25·3	7,676	51·0	7,384	49·0	1,040
	1924	14,597	24·4	7,422	50·8	7,175	49·2	1,034
	1925	14,924	24·7	7,626	51·1	7,298	48·9	1,045
	1926	14,456	23·8	7,410	51·3	7,046	48·7	1,052
	1927	14,897	24·1	7,682	51·6	7,215	48·4	1,065
Colombie Britannique	1921	10,653	20·3	5,549	52·1	5,104	47·9	1,087
	1922	10,166	18·9	5,293	52·0	4,873	47·9	1,086
	1923	10,001	18·4	5,176	51·8	4,825	48·2	1,073
	1924	10,119	18·3	5,203	51·4	4,916	48·6	1,058
	1925	10,342	18·4	5,329	51·5	5,013	48·5	13,06
	1926	10,063	17·7	5,168	51·4	4,895	48·6	1,056
	1927	10,084	17·5	5,134	50·9	4,950	49·1	1,037

TABLEAU IV.—TAUX DES NAISSANCES (À L'EXCLUSION DES MORT-NÉS) PAR 1,000 DE POPULATION ET PROPORTION DES GARÇONS COMPARATIVEMENT AUX FILLES, 1921-27—*fin*

Provinces		Nombre de naissances vivantes	Taux par 1,000 âmes	Garçons		Filles		Garçons par 1,000 filles
				Nombre	Pourcentage du total	Nombre	Pourcentage du total	
Canada(1)	**1926**	**232,750**	**24·8**	**119,863**	**51·5**	**112,887**	**48·5**	**1,062**
	1927	**234,188**	**24·6**	**120,655**	**51·5**	**113,533**	**48·5**	**1,063**
Territoire d'enregistrement de 1921	1921	168,979	26·4	87,134	51·6	81,845	48·4	1,065
	1922	164,194	25·2	84,057	51·2	80,137	48·8	1,049
	1923	156,897	23·9	80,566	51·3	76,331	48·7	1,055
	1924	157,595	23·7	80,808	51·3	76,787	48·7	1,052
	1925	154,861	23·0	79,734	51·5	75,127	48·5	1,061
	1926	150,585	22·1	77,388	51·4	73,197	48·6	1,057
	1927	151,124	21·9	77,842	51·5	73,282	48·5	1,062

(1) Voir la note 1, au bas du tableau I.

Taux de la natalité dans d'autres pays.—Le tableau V compare le nombre des naissances proportionnellement à la population du Canada et à celles d'autres pays. Certains chiffres ne sont que provisoires.

TABLEAU V.—TAUX DE LA NATALITÉ AU CANADA ET DANS CERTAINS AUTRES PAYS

Pays	Année	Population	Naissances vivantes	Taux par 1,000 âmes	Pays	Année	Population	Naissances vivantes	Taux par 1,000 âmes
Canada(1)	**1927**	**9,507,000**	**234,188**	**24·6**	Hongrie	1927	8,525,725	218,548	25·7
Allemagne	1927	63,423,000	1,160,206	18·3	Îles Britanniques	1927	48,389,953	837,574	17·3
Angleterre et pays de Galles	1927	39,290,000	654,172	16·6	Inde (Britannique)	1926	241,471,383	8,395,679	34·8
Australie	1927	6,169,643	133,698	21·7	Irlande du Nord	1927	1,251,000	26,676	21·3
Autriche	1927	6,671,333	119,058	17·8	Italie	1927	40,581,000	1,093,772	27·0
Belgique	1927	7,932,077	146,296	18·4	Japon	1927	61,316,600	2,060,737	33·6
Ceylan	1927	5,203,238	205,469	39·5	Norvège	1927	2,797,827	50,948	18·2
Chili	1927	.....	172,673	41·5	Nouvelle-Zélande	1927	1,374,439	27,881	20·3
Danemark	1926	3,452,000	70,734	20·5	Pays-Bas	1927	7,576,272	175,098	23·1
Écosse	1927	4,891,953	96,672	19·8	Roumanie	1926	17,337,443	607,864	35·1
Espagne	1927	22,290,162	636,664	28·6	Salvador	1926	1,657,196	59,763	36·1
État libre d'Irlande	1927	2,957,000	60,054	20·3	Sao Paulo	1925	5,636,357	181,977	32·3
États-Unis (territ're d'enregistrement)	1927	103,591,000	2,137,836	20·6	Suède	1927	6,081,146	97,847	16·1
					Suisse	1927	3,987,000	69,533	17·4
					Union S. Africaine (2)	1927	.....	44,398	26·0
Finlande	1927	3,582,406	75,611	21·1	Uruguay	1927	1,741,459	42,845	24·6
France	1927	40,920,000	741,708	18·1					

(1) Voir la note 1, au bas du tableau I. (2) Population blanche.

Naissances par mois.—Le tableau 3 des tableaux d'ensemble donne le nombre des naissances déclarées dans chacun des mois de l'année et classifiées, dans chaque province, comme rurales ou urbaines.

Le tableau VI donne par provinces l'équivalent annuel de la proportion des naissances par mois de 1921 à 1927. Pour obtenir chacun de ces résultats, le nombre des naissances du mois indiqué a été multiplié par 365 et divisé par le nombre de jours contenus dans ce mois, avant d'être réduit à une proportion par 1,000 de population.

TABLEAU VI.—TAUX DES NAISSANCES (MORT-NÉS EXCLUS) PAR 1,000 DE POPULATION, EN CHAQUE MOIS PAR PROVINCES, 1921-27

Provinces		Taux annuel	Equivalent du taux annuel des naissances										
			Jan.	Fév.	Mars	Avril	Mai	Juin	Juil.	Août	Sept.	Oct.	Nov.	Déc.
Île du Prince-Édouard	1921	24·3	25·6	23·5	23·9	25·9	24·8	24·6	24·8	25·6	26·2	23·1	22·1	21·5
	1922	24·5	21·3	24·4	25·4	27·2	24·1	26·5	28·0	26·0	19·8	25·3	23·9	22·6
	1923	22·5	22·9	24·4	23·7	23·2	25·0	23·9	24·1	22·1	25·0	19·7	18·7	17·1
	1924	21·1	18·0	20·1	24·4	23·7	21·3	26·3	21·2	18·2	20·1	19·3	19·4	21·3
	1925	19·3	18·0	18·1	22·1	19·3	20·8	20·7	21·7	18·4	19·2	18·8	16·4	17·5
	1926	20·1	20·6	18·9	22·6	21·0	18·7	19·6	25·7	23·4	19·6	20·0	15·9	15·4
	1927	19·5	17·3	18·0	20·8	20·8	18·5	21·4	17·5	20·3	17·8	20·6	19·7	21·2

TABLEAU VI.—TAUX DES NAISSANCES (MORT-NÉS EXCLUS) PAR 1,000 DE POPULATION, EN CHAQUE MOIS PAR PROVINCES, 1921-27—*fin*

Provinces		Taux annuel	Equivalent du taux annuel des naissances											
			Jan.	Fév.	Mars	Avril	Mai	Juin	Juil.	Août	Sept.	Oct.	Nov.	Déc.
Nouvelle-Écosse	1921	24·9	23·4	25·3	25·5	25·4	24·7	23·5	25·0	25·4	27·8	24·8	23·5	24·1
	1922	24·0	24·2	25·8	25·4	25·1	24·8	23·6	23·6	26·1	25·4	22·0	21·9	20·6
	1923	22·0	22·0	22·9	23·2	21·8	22·1	22·7	22·9	22·7	23·0	21·7	19·6	19·8
	1924	22·1	20·1	21·8	24·2	23·8	23·6	22·6	22·1	23·0	22·1	21·7	19·8	20·3
	1925	21·2	19·5	21·6	21·9	23·8	22·4	21·4	21·9	22·2	22·4	19·9	19·7	18·2
	1926	20·3	18·8	21·6	21·3	21·5	20·9	20·7	20·4	19·9	21·3	20·0	19·5	18·3
	1927	20·5	17·2	19·0	21·2	21·9	21·4	20·5	22·1	22·1	21·1	19·7	19·4	20·2
Nouveau-Brunswick	1921	30·2	26·5	31·0	32·9	32·5	30·4	31·6	30·9	31·0	30·2	28·1	27·7	29·5
	1922	29·5	30·7	33·5	32·9	33·0	29·3	28·7	30·5	28·8	29·9	24·7	27·1	25·4
	1923	27·0	26·6	30·4	30·8	30·5	27·4	29·6	25·9	26·6	26·8	23·2	22·9	23·9
	1924	26·9	26·3	26·6	29·6	30·5	30·1	28·4	26·7	24·6	26·3	23·7	23·8	25·7
	1925	27·2	28·5	27·2	29·5	31·6	29·2	29·7	28·5	26·2	24·8	23·7	23·0	24·1
	1926	25·4	23·6	27·6	30·1	29·5	27·7	26·7	26·2	25·6	23·8	21·0	21·1	22·0
	1927	25·5	21·2	23·9	28·4	29·9	28·0	29·0	25·3	24·0	26·8	22·0	23·3	24·2
Québec	1926	32·1	31·7	32·9	35·7	36·8	33·6	32·6	32·0	31·0	32·0	29·1	28·7	28·9
	1927	31·9	28·3	30·8	34·4	35·7	35·2	34·6	33·4	31·2	31·8	29·0	28·9	29·5
Ontario	1921	25·3	24·0	25·3	27·2	27·4	27·2	25·7	25·4	25·4	25·7	23·7	23·1	23·3
	1922	24·0	24·0	24·5	25·9	23·5	24·6	25·0	24·7	24·9	24·4	22·5	22·1	21·5
	1923	23·2	22·0	24·4	24·9	24·6	24·3	24·3	24·0	23·8	23·9	21·3	20·7	20·4
	1924	23·4	22·3	23·7	24·9	24·8	24·3	25·0	23·8	23·4	23·6	21·9	21·7	21·0
	1925	22·6	21·2	22·7	24·7	24·1	24·5	23·6	23·7	23·2	22·1	21·0	20·0	20·3
	1926	21·5	20·8	21·7	22·7	23·2	23·4	22·4	21·9	21·5	21·7	20·7	19·1	18·9
	1927	21·2	18·9	20·8	22·6	23·0	21·9	22·5	22·6	21·3	21·6	20·1	19·6	19·8
Manitoba	1921	30·3	28·6	29·5	32·5	33·0	30·1	30·9	29·0	30·4	31·4	29·7	28·3	29·9
	1922	28·7	30·1	30·6	30·7	29·7	29·7	28·8	30·0	29·4	29·0	25·9	26·1	24·8
	1923	26·5	25·2	29·1	28·3	28·7	26·9	25·4	27·2	27·1	27·2	26·1	23·9	23·4
	1924	24·6	24·0	25·7	25·9	26·4	24·6	24·5	24·1	24·9	24·6	23·6	23·7	23·8
	1925	23·5	23·3	23·7	24·1	24·6	24·5	24·7	23·0	24·4	23·5	21·9	22·7	21·7
	1926	22·9	21·9	24·4	24·2	24·3	23·0	22·4	23·0	22·6	24·1	20·9	22·7	21·8
	1927	21·9	20·6	22·6	23·0	23·3	21·5	22·3	21·4	22·1	22·1	21·8	21·3	20·4
Saskatchewan	1921	29·7	29·8	28·9	31·9	30·3	30·0	27·9	28·9	29·1	30·8	29·5	28·7	30·4
	1922	29·0	30·2	30·5	32·3	31·4	30·1	29·5	27·6	28·3	28·9	26·8	27·3	25·0
	1923	26·8	26·6	27·9	28·6	27·9	28·2	26·3	26·1	28·1	27·8	25·4	24·3	23·8
	1924	27·0	26·2	27·8	29·2	29·4	26·9	26·6	24·6	27·1	28·1	26·3	26·3	25·9
	1925	25·4	24·6	27·1	27·5	26·1	26·8	24·0	24·2	25·2	26·3	24·8	25·0	23·5
	1926	25·2	24·9	25·6	26·5	26·7	24·8	24·8	25·1	25·9	25·3	24·5	24·0	24·8
	1927	25·1	24·7	25·7	27·5	26·0	25·4	26·5	25·4	26·0	25·6	23·2	22·7	23·0
Alberta	1921	28·1	27·4	28·5	29·5	29·9	29·6	29·5	28·0	26·8	28·2	26·9	26·6	27·0
	1922	27·3	28·6	29·2	29·5	30·4	27·2	27·9	26·9	27·8	26·0	26·8	24·4	23·2
	1923	25·3	25·6	28·2	26·9	25·6	26·9	25·9	25·7	25·0	24·0	25·8	22·5	21·6
	1924	24·4	23·9	25·0	27·3	24·4	25·5	24·4	22·7	23·0	25·1	24·6	23·0	23·6
	1925	24·7	24·2	25·3	25·9	27·0	24·6	25·6	25·1	24·3	24·3	23·0	24·3	23·5
	1926	23·8	24·3	23·5	23·8	25·8	25·0	23·4	23·7	24·8	22·6	23·2	23·3	21·9
	1927	24·1	23·3	23·6	26·3	25·6	25·7	24·3	24·0	24·1	24·7	22·5	22·5	23·1
Colombie Britannique	1921	20·3	20·8	19·7	20·3	20·4	20·9	20·4	21·2	21·2	21·0	19·8	18·0	19·8
	1922	18·9	19·9	19·8	20·7	20·2	19·7	19·0	18·2	17·9	19·9	18·8	16·8	15·6
	1923	18·4	18·5	19·5	18·2	19·4	17·9	19·9	18·3	19·7	18·9	16·7	16·6	17·1
	1924	18·3	18·9	20·1	19·5	18·3	18·8	16·6	19·4	17·4	16·9	19·0	17·6	17·0
	1925	18·4	18·6	19·2	20·1	19·1	18·3	18·2	18·4	19·1	18·8	17·8	16·9	16·8
	1926	17·7	17·9	18·2	19·6	18·3	17·2	17·7	17·5	18·8	17·5	16·8	16·2	16·8
	1927	17·5	18·3	18·5	19·2	17·1	17·7	17·3	17·8	18·7	16·1	16·6	17·5	15·8
Canada[1]	**1926**	**24·8**	**24·3**	**25·4**	**26·8**	**27·3**	**26·0**	**25·3**	**25·0**	**24·7**	**24·8**	**23·2**	**22·6**	**22·5**
	1927	**24·6**	**22·3**	**24·1**	**26·5**	**26·8**	**26·0**	**26·1**	**25·6**	**24·7**	**24·8**	**22·9**	**22·7**	**23·0**
Territoire d'enregistrement de 1921.	1921	26·4	25·3	26·3	28·0	28·0	27·5	26·5	26·4	26·4	27·1	25·3	24·5	25·2
	1922	25·2	25·8	26·4	27·4	26·2	25·8	25·8	25·5	25·8	25·5	23·6	23·2	22·1
	1923	23·9	23·2	25·4	25·5	25·2	24·7	24·6	24·2	24·5	24·4	22·4	21·3	21·0
	1924	23·7	22·8	24·2	25·5	25·2	24·6	24·4	23·5	23·4	23·8	22·6	22·1	22·0
	1925	23·0	22·1	23·4	24·7	24·6	24·3	23·6	23·5	23·4	22·8	21·5	21·1	20·8
	1926	22·1	21·5	22·6	23·5	23·8	23·1	22·5	22·4	22·3	22·2	21·0	20·3	20·1
	1927	21·9	20·1	21·6	23·5	23·4	22·6	22·9	22·6	22·2	22·2	20·6	20·4	20·5

(1) Voir la note 1, au bas du tableau I.

Âge des pères et mères.—Le tableau VII est un relevé numérique et proportionnel des naissances d'enfants vivants et légitimes selon l'âge de leurs père et mère, en 1926 et 1927. Dans quatorze cas, la mère n'avait pas encore 15 ans. Près de vingt-neuf pour cent des naissances étaient attribuables aux mères au-dessous de 25 ans, tandis que moins de 7 pour cent restaient aux mères qui avaient dépassé la quarantaine. Seulement 10·7 pour cent des pères étaient au-dessous de 25 ans et 21·5 pour cent avaient 40 ans et plus. On remarquera que le pourcentage des pères et mères au-dessous de vingt-cinq ans a augmenté légèrement en 1927.

Ces pourcentages ont été calculés sur les âges connus seulement, la proportion toutefois des âges inconnus du père et de la mère, relativement aux naissances légitimes, est plutôt négligeable.

TABLEAU VII.—NAISSANCES D'ENFANTS LÉGITIMES (À L'EXCLUSION DES MORT-NÉS) AU CANADA (1), CLASSIFIÉES SELON L'ÂGE DES PÈRES ET MÈRES, 1926–27

Pères et mères		Groupes d'âges								Total, âges connus	Âges inconnus	Total
		Moins de 15 ans	15 à 19 ans	20 à 24 ans	25 à 29 ans	30 à 34 ans	35 à 39 ans	40 à 44 ans	45 ans et plus			
Nombre des mères..	1926	11	10,826	52,584	62,190	49,939	34,929	13,780	1,397	225,656	973	226,629
	1927	14	11,147	53,792	61,878	49,639	35,206	13,708	1,501	226,885	588	227,473
Pourcentage des mères.	1926	(2)	4·8	23·3	27·6	22·1	15·5	6·1	0·6	100·0	–	–
	1927	(2)	4·9	23·7	27·3	21·9	15·5	6·0	0·7	100·0	–	–
Nombre des pères...	1926	–	806	22,414	51,784	55,402	46,922	29,032	19,284	225,644	985	226,629
	1927	–	875	23,314	52,257	55,306	46,364	29,428	19,353	226,897	576	227,473
Pourcentage des pères.	1926	–	0·4	9·9	22·9	24·6	20·8	12·9	8·5	100·0	–	–
	1927	–	0·4	10·3	23·0	24·4	20·4	13·0	8·5	100·0	–	–

(1) Voir la note 1, au bas du tableau I. (2) Moins d'un dixième d'un pour cent.

Le tableau VIII donne un autre groupement des pères et mères relativement à leur âge pour les années 1926 et 1927. Les pères et les mères pour chacune de ces deux années sont groupés quant à leur âge et divisés en quatre groupes égaux. Chaque point d'âge où se fait une séparation se nomme quartile. Pour obtenir ces points d'âge, on suppose que ceux du même âge sont distribués également sur toute l'année. De la même manière, les déciles classent les pères et les mères en dix groupes égaux.

En 1927, le quart des pères mariés étaient au-dessous de 28·24 ans, la moitié au-dessous de 33·26 ans et les trois quarts au-dessous de 39·04 ans. Le quart des mères mariées étaient au-dessous de 24·35 ans, la moitié au-dessous de 28·85 ans et les trois-quarts au-dessous de 34·26 ans. Les neuf-dixièmes des pères étaient au-dessous de 44·20 ans et les neuf-dixièmes des mères au-dessous de 38·69 ans.

Les deux premiers quartiles des âges des pères et des mères indiquent un léger recul en 1927 sur 1926. Ceci s'explique aussi aux six premiers déciles des âges des pères et aux sept premiers déciles des âges des mères.

TABLEAU VIII.—ÂGES DES PÈRES ET MÈRES MARIÉS GROUPÉS PAR QUARTILES ET DÉCILES, 1926–1927

Groupement fractionnaire		Pères		Mères	
		1926	1927	1926	1927
Premier quartile	années	28·35	28·24	24·43	24·35
Second quartile	"	33·31	33·26	28·89	28·85
Troisième quartile	"	39·01	39·04	34·26	34·26
Premier décile	"	24·91	24·81	21·41	21·39
Second décile	"	27·28	27·24	23·50	23·44
Troisième décile	"	29·35	29·25	25·34	25·25
Quatrième décile	"	31·28	31·21	27·79	27·06
Cinquième décile	"	33·31	33·26	28·89	28·85
Sixième décile	"	35·48	35·44	30·82	30·78
Septième décile	"	37·81	37·83	33·41	33·03
Huitième décile	"	40·40	40·43	35·61	35·61
Neuvième décile	"	44·19	44·20	38·69	38·69

Lieu de naissance des parents.—Le tableau IX établit pour chacune des provinces la répartition proportionnelle des naissances légitimes en 1927, selon le lieu de naissance de la mère.

TABLEAU IX.—POURCENTAGE DES ENFANTS LÉGITIMES, NÉS VIVANTS, DONT LES MÈRES SONT NÉES AU CANADA, DANS LES AUTRES PARTIES DE L'EMPIRE BRITANNIQUE OU À L'ÉTRANGER, PAR PROVINCES, 1927.

Provinces	Pourcentage des naissances, par pays d'origine de la mère			
	Total	Née au Canada	Née dans l'empire britannique	Née à l'étranger
Canada(1)	**100·0**	**72·5**	**12·7**	**14·8**
Île du Prince-Édouard	100·0	95·2	2·3	2·5
Nouvelle-Écosse	100·0	86·1	10·3	3·6
Nouveau-Brunswick	100·0	92·5	3·4	4·1
Québec	100·0	92·4	2·6	5·0
Ontario	100·0	68·6	20·8	10·6
Manitoba	100·0	51·8	17·9	30·3
Saskatchewan	100·0	43·2	14·5	42·3
Alberta	100·0	37·1	19·5	43·4
Colombie-Britannique	100·0	38·9	34·2	26·9

(1) Voir la note 1, au bas du tableau I.

La forte proportion de mères nées au Canada que l'on remarque dans les Provinces Maritimes et dans le Québec forme un contraste frappant avec ce que l'on voit dans les quatre provinces de l'ouest, particulièrement dans l'Alberta où les mères nées au pays ne constituent que 37 pour cent de la masse. Il faut toutefois remarquer que la proportion des mères nées au Canada dans ces provinces s'est grandement accrue depuis 1921, comme le prouve le relevé suivant.

POURCENTAGE D'ENFANTS LÉGITIMES, NÉS VIVANTS, DONT LES MÈRES SONT NÉES AU CANADA

—	1921 (1)	1922	1923	1924	1925	1926	1927
Manitoba	42·3	43·5	44·9	47·4	49·0	49·2	51·8
Saskatchewan	36·1	36·4	37·9	39·4	40·8	41·5	43·2
Alberta	30·0	30·9	32·3	33·1	34·5	36·3	37·1
Colombie Britannique	29·7	33·7	34·7	36·1	37·1	38·2	38·9

(1) Comprend les illégitimes.

Le tableau X, qui classifie tous les enfants nés vivants en 1926 et 1927 selon le lieu de naissance de leurs parents, nous fait connaître dans quelle mesure la génération qui pousse sera le produit de parents nés au Canada, ou dans l'Empire Britannique ou à l'étranger; il énumère également les pays d'où les immigrants généralement nous arrivent. Le mot " inconnu " dans la colonne indiquant le pays d'origine, quand il s'agit du père, s'applique aussi bien aux naissances illégitimes qu'au manque de renseignements, mais quand il s'agit de la mère, il ne faut accuser que le manque d'information. On remarquera que 68·6 pour cent des enfants nés en 1927 descendaient d'un père né au Canada, que 72·2 pour cent avaient une mère née également au Canada; enfin que 61·6 pour cent étaient le fruit de mariages entre père et mère canadiens. En fait, près de 79·2 pour cent des enfants descendaient soit d'un père, soit d'une mère du Canada.

TABLEAU X.—NOMBRE ET PROPORTION DE NAISSANCES (MORT-NÉS EXCLUS) SELON LE PAYS DE NAISSANCE DES PÈRE ET MÈRE, 1926-27

Pays d'origine	Nombre des enfants dont le père ou la mère ou l'un et l'autre sont nés dans les pays ci-après						Pourcentage des enfants dont le père ou la mère ou l'un et l'autre sont nés dans les pays ci-après					
	1926			1927			1926			1927		
	Père	Mère	Père et mère	Père	Mère	Père et mère	Père	Mère	Père et mère	Père	Mère	Père et mère
Canada	159,438	166,999	142,882	160,586	169,178	144,146	68·5	71·8	61·4	68·6	72·2	61·6
Angleterre	18,304	18,808	9,658	17,975	18,201	9,194	7·9	8·1	4·1	7·7	7·8	3·9
Irlande	2,540	2,195	873	2,610	2,284	972	1·1	0·9	0·4	1·1	1·0	0·4
Écosse	6,635	7,165	3,318	6,580	6,994	3,167	2·9	3·1	1·4	2·8	3·0	1·4
Pays de Galles	546	508	105	571	506	120	0·2	0·2	(2)	0·2	0·2	0·1
Autres îles britanniques	100	90	23	96	81	26	(2)	(2)	(2)	(2)	(2)	(2)
Terre-Neuve	1,001	1,051	515	1,062	1,081	528	0·4	0·5	0·2	0·5	0·5	0·2
Autres possessions britanniques	524	413	134	515	420	144	0·2	0·2	0·1	0·2	0·2	0·1
Autriche	3,473	2,938	2,371	3,241	2,672	2,153	1·5	1·3	1·0	1·4	1·1	0·9
Belgique	531	472	307	542	521	337	0·2	0·2	0·1	0·2	0·2	0·1
Finlande	458	471	364	497	535	414	0·2	0·2	0·2	0·2	0·2	0·2
France	512	464	194	518	461	185	0·2	0·2	0·1	0·2	0·2	0·1
Allemagne	711	635	255	749	668	279	0·3	0·3	0·1	0·3	0·3	0·1
Hongrie	512	460	358	582	561	434	0·2	0·2	0·2	0·2	0·2	0·2
Italie	2,599	1,946	1,870	2,674	1,966	1,894	1·1	0·8	0·8	1·1	0·8	0·8
Norvège	840	618	346	859	678	378	0·4	0·3	0·1	0·4	0·3	0·2
Pologne(1)	4,249	3,714	3,053	4,214	3,736	3,057	1·8	1·6	1·3	1·8	1·6	1·3
Russie(7)	5,443	4,620	3,665	5,794	4,729	3,809	2·3	2·0	1·6	2·5	2·0	1·6
Suède	876	666	387	858	603	344	0·4	0·3	0·2	0·4	0·3	0·1
Autres pays européens	3,474	2,556	1,909	3,368	2,519	1,856	1·5	1·1	0·8	1·4	1·1	0·8
Chine et Japon	1,117	1,052	1,018	1,105	1,050	1,019	0·5	0·5	0·4	0·5	0·4	0·4
Autres pays asiatiques	362	285	250	333	257	228	0·2	0·1	0·1	0·1	0·1	0·1
États-Unis	11,940	13,394	4,096	11,815	13,074	3,835	5·1	5·8	1·8	5·0	5·6	1·6
Pays inconnus	6,565	1,230	204	7,044	1,413	162	2·8	0·5	0·1	3·0	0·6	0·1
Total	**232,750**	**232,750**	(5)**178,155**	**234,188**	**234,188**	(3)**178,681**	**100·0**	**100·0**	(6)**76·5**	**100·0**	**100·0**	(4)**76·3**

(1) Comprend la Galicie. (2) Moins d'un dixième d'un pour cent. (3) Ce chiffre représente pour 1927 le nombre des enfants dont le père et la mère sont nés dans le même pays. La différence entre ce chiffre (178,681) et le total des naissances (234,188) égale le nombre d'enfants (55,507) dont le père et la mère sont dans des catégories différentes. (4) A l'exclusion du pourcentage (23·7) représenté par les enfants dont le père et la mère sont dans des catégories différentes. (5) Même explication que dans la note (3) mais se rapportant aux chiffres de 1926. (6) Même explication que dans la note (4) mais se rapportant aux chiffres de 1926. (7) Y compris l'Ukraine.

Origine raciale des pères et mères.—On verra par le tableau XI le nombre et la proportion de naissances appartenant aux principaux groupes de races. Il est évidemment utile de savoir dans quelle mesure chaque race contribue au peuplement du Canada; d'autre part, il est intéressant de constater dans quelle mesure les gens de même souche ethnique se mélangent aux autres souches. Il faut toutefois tenir compte que selon le tableau précédent 31·4 pour cent des pères et 27·8 pour cent des mères de 1927 étaient nés en dehors du Canada. Dans un certain nombre de ces cas, le mariage eut lieu avant de venir au Canada, quand l'occasion de s'allier à des personnes d'autre origine raciale était beaucoup plus limitée. En 1927, l'origine de la mère n'est restée inconnue que dans une demie d'un pour cent des naissances. A remarquer que les naissances d'enfants naturels s'ajoutent aux cas où l'origine du père est inconnue.

TABLEAU XI.—NOMBRE ET PROPORTION DES NAISSANCES (MORT-NÉS EXCLUS) SELON L'ORIGINE RACIALE DES PÈRE ET MÈRE, 1926-27

Origine raciale des père et mère	Nombre de nouveau-nés dont le père ou la mère ou l'un et l'autre appartiennent aux origines ci-après						Pourcentage de nouveau-nés dont le père ou la mère, ou l'un et l'autre appartiennent aux origines ci-après					
	1926			1927			1926			1927		
	Père	Mère	Père et mère	Père	Mère	Père et mère	Père	Mère	Père et mère	Père	Mère	Père et mère
Anglaise	52,854	55,903	38,445	51,713	54,787	37,260	22·7	24·0	16·5	22·1	23·4	15·9
Irlandaise	21,136	20,071	9,409	21,290	20,214	9,413	9·1	8·6	4·0	9·1	8·6	4·0
Écossaise	23,120	23,285	11,158	23,202	23,099	10,895	9·9	10·0	4·8	9·9	9·9	4·7
Galloise	858	711	129	838	706	135	0·4	0·3	0·1	0·4	0·3	0·1
Française	89,400	92,425	85,139	90,167	94,180	86,307	38·4	39·7	36·6	38·5	40·2	36·9
Allemande	9,497	10,047	6,951	9,777	10,270	7,048	4·1	4·3	3·0	4·2	4·4	3·0
Arménienne	76	72	69	84	76	75	(2)	(2)	(2)	(2)	(2)	(2)
Autrichienne	1,629	1,778	1,393	1,443	1,547	1,204	0·7	0·8	0·6	0·6	0·7	0·5
Belge	571	581	361	595	585	371	0·2	0·2	0·2	0·3	0·2	0·2

TABLEAU XI.—NOMBRE ET PROPORTION DES NAISSANCES (MORT-NÉS EXCLUS) SELON L'ORIGINE RACIALE DES PÈRE ET MÈRE, 1926-27—fin

Origine raciale des père et mère	Nombre de nouveau-nés dont le père ou la mère ou l'un et l'autre appartiennent aux origines ci-après						Pourcentage de nouveau-nés dont le père ou la mère, ou l'un et l'autre appartiennent aux origines ci-après					
	1926			1927			1926			1927		
	Père	Mère	Père et mère	Père	Mère	Père et mère	Père	Mère	Père et mère	Père	Mère	Père et mère
Bulgare	74	32	26	63	30	25	(2)	(2)	(2)	(2)	(2)	(2)
Chinoise	336	310	309	304	288	283	0·1	0·1	0·1	0·1	0·1	0·1
Tchèque et Slovaque	325	368	232	314	353	231	0·1	0·2	0·1	0·1	0·2	0·1
Danoise	491	409	159	552	450	191	0·2	0·2	0·1	0·2	0·2	0·1
Hollandaise	1,933	1,890	927	2,061	1,977	1,028	0·8	0·8	0·4	0·9	0·8	0·4
Finlandaise	498	586	449	537	654	486	0·2	0·3	0·2	0·2	0·3	0·2
Hellénique	290	171	167	283	178	169	0·1	0·1	0·1	0·1	0·1	0·1
Hébraïque	2,043	2,023	1,977	1,958	1,943	1,894	0·9	0·9	0·8	0·8	0·8	0·8
Hindoue	22	20	20	27	27	25	(2)	(2)	(2)	(2)	(2)	(2)
Hongroise	474	514	410	579	626	501	0·2	0·2	0·2	0·2	0·3	0·2
Islandaise	363	427	264	369	439	273	0·2	0·2	0·1	0·2	0·2	0·1
Indienne	2,162	2,499	2,040	2,234	2,643	2,120	0·9	1·1	0·9	1·0	1·1	0·9
Italienne	2,799	2,379	2,239	2,900	2,405	2,278	1·2	1·0	1·0	1·2	1·0	1·0
Japonaise	800	793	790	819	815	813	0·3	0·3	0·3	0·3	0·3	0·3
Nègre	350	382	312	382	432	348	0·2	0·2	0·1	0·2	0·2	0·1
Norvégienne	1,696	1,789	911	1,722	1,846	907	0·7	0·8	0·4	0·7	0·8	0·4
Polonaise	1,988	2,172	1,487	2,085	2,275	1,594	0·9	0·9	0·6	0·9	1·0	0·7
Roumaine	707	601	479	649	529	432	0·3	0·3	0·2	0·3	0·2	0·2
Russe	2,210	2,041	1,636	2,500	2,314	1,895	0·9	0·9	0·7	1·1	1·0	0·8
Serbe et Croate	208	185	168	222	203	180	0·1	0·1	0·1	0·1	0·1	0·1
Suédoise	1,370	1,389	633	1,394	1,336	606	0·6	0·6	0·3	0·6	0·6	0·3
Helvétique	269	215	91	274	217	82	0·1	0·1	(2)	0·1	0·1	(2)
Syrienne	284	219	203	253	202	185	0·1	0·1	0·1	0·1	0·1	0·1
Ukranienne(1)	5,072	5,255	4,665	4,926	5,130	4,561	2·2	2·3	2·0	2·1	2·2	1·9
Autre	210	165	96	252	202	130	0·1	0·1	(2)	0·1	0·1	0·1
Origine raciale non spécifiée	6,635	1,038	321	7,420	1,210	455	2·9	0·4	0·1	3·2	0·5	0·2
Total	**232,750**	**232,750**	(5)**174,065**	**234,188**	**234,188**	(3)**174,400**	**100·0**	**100·0**	(6)**74·8**	**100·0**	**100·0**	(4)**74·5**

(1) Comprend "Galicienne". (2) Moins d'un dixième d'un pour cent. (3) Ce chiffre représente pour 1927 le nombre des enfants dont le père et la mère ont la même origine raciale. La différence entre ce chiffre (174,400) et le total des naissances (234,188) égale le nombre d'enfants (59,788) dont le père et la mère sont dans des catégories différentes. (4) A l'exclusion du pourcentage (25·5) représenté par les enfants dont le père et la mère sont dans des catégories différentes. (5) Même explication que dans la note (3) mais se rapportant aux chiffres de 1926. (6) Même explication que dans la note (4) mais se rapportant aux chiffres de 1926.

Enfants illégitimes.—Le tableau XII est consacré aux enfants illégitimes; il les classifie selon l'âge de leur mère, dans chaque province. Dans 854 cas ou 12·7 pour cent du total, l'âge de la mère est resté inconnu. Ce pourcentage contrarie jusqu'à un certain point les conclusions qu'on pourrait titer des âges connus. Sur ces 854 cas, 800 appartenaient à la province de Québec, et provenaient en plus grand nombre des constatations des crèches de Québec et de Montréal.

TABLEAU XII.—NAISSANCES ILLÉGITIMES (MORT-NÉS EXCLUS) CLASSIFIÉES SELON L'ÂGE DE LA MÈRE, PAR PROVINCES, 1927

Âge de la mère		Canada(1)	Î.P.-É.	N.-É.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.
Moins de 15 ans		66	–	6	5	19	16	4	10	4	2
15 à 19 ans		2,358	12	259	132	574	780	197	168	159	77
20 à 24 "		2,178	10	200	109	616	689	186	147	149	72
25 à 29 "		691	4	63	24	203	226	49	51	48	23
30 à 34 "		315	5	23	11	59	123	23	25	33	13
35 à 39 "		188	–	24	10	36	58	8	22	18	12
40 à 44 "		59	–	2	6	11	24	2	7	3	4
45 à 49 "		6	–	–	–	1	2	1	1	1	–
50 ans et plus		–	–	–	–	–	–	–	–	–	–
Âge inconnu		854	4	1	1	800	40	3	1	3	1
Total des naissances illégitimes	**1927**	**6,715**	**35**	**578**	**298**	**2,319**	**1,958**	**473**	**432**	**418**	**204**
	1926	**6,121**	**41**	**481**	**267**	**2,055**	**1,823**	**466**	**390**	**404**	**194**
Pourcentage du total des naissances vivantes	**1927**	**2·87**	**2·1**	**5·2**	**2·8**	**2·8**	**2·9**	**3·3**	**2·1**	**2·8**	**2·0**
	1926	**2·63**	**2·3**	**4·4**	**2·6**	**2·5**	**2·7**	**3·2**	**1·9**	**2·8**	**1·9**
Garcons illégitimes	**1927**	**3,470**	**22**	**285**	**158**	**1,180**	**996**	**253**	**232**	**225**	**119**
	1926	**3,180**	**21**	**262**	**143**	**1,071**	**922**	**241**	**204**	**210**	**106**
Filles illégitimes	**1927**	**3,245**	**13**	**293**	**140**	**1,139**	**962**	**220**	**200**	**193**	**85**
	1926	**2,941**	**20**	**219**	**124**	**984**	**901**	**225**	**186**	**194**	**88**

(1) Voir la note 1, au bas du tableau I.

Dans le tableau XIII, on trouve une classification similaire au tableau XII des enfants illégitimes nés dans le territoire d'enregistrement de 1921 selon l'âge de la mère pour la période 1921-27.

TABLEAU XIII.—NAISSANCES ILLÉGITIMES (MORT-NÉS EXCLUS) CLASSIFIÉES SELON L'ÂGE DE LA MÈRE DANS LE TERRITOIRE D'ENREGISTREMENT DE 1921, PENDANT LA PÉRIODE 1921-27

Âge de la mère	1921	1922	1923	1924	1925	1926	1927
Moins de 15 ans	25	39	45	36	49	39	47
15-19 ans	1,080	1,245	1,325	1,463	1,652	1,574	1,784
20-24 "	1,063	1,113	1,167	1,304	1,360	1,428	1,562
25-29 "	384	424	403	459	503	513	488
30-34 "	212	230	215	215	229	241	256
35-39 "	111	133	114	146	149	155	152
40-44 "	39	37	42	36	61	51	48
45-49 "	6	3	4	3	6	11	5
50 ans et plus	–	–	–	–	–	–	–
Âge inconnu	414	147	93	53	43	54	54
Total des naissances illégitimes	**3,334**	**3,371**	**3,408**	**3,715**	**4,052**	**4,066**	**4,396**
Pourcentage du total des naissances vivantes	**1·97**	**2·05**	**2·17**	**2·36**	**2·62**	**2·70**	**2·91**
Garçons illégitimes	**1,682**	**1,781**	**1,766**	**1,929**	**2,050**	**2,109**	**2,290**
Filles illégitimes	**1,652**	**1,590**	**1,642**	**1,786**	**2,002**	**1,957**	**2,106**

Pour permettre d'analyser par provinces l'augmentation indiquée dans le tableau XIII, le tableau XIV donne le nombre annuel des naissances illégitimes dans chaque province dans la période 1921-27 et leur pourcentage comparativement aux naissances vivantes.

TABLEAU XIV.—NOMBRE DE NAISSANCES ILLÉGITIMES ET POURCENTAGE DE LA TOTALITÉ DES NAISSANCES VIVANTES DANS LE TERRITOIRE D'ENREGISTREMENT DE 1921 AU COURS DES ANNÉES 1921-27

Année		Total	Î.P.-É.	N.-É.	N.-B.	Ont.	Man.	Sask.	Alta.	C.B.
Nombre	1921	3,334	49	396	198	1,592	420	252	299	128
	1922	3,371	57	460	222	1,519	410	258	314	131
	1923	3,408	43	443	258	1,579	381	274	306	124
	1924	3,715	42	483	251	1,717	423	330	299	170
	1925	4,052	38	501	296	1,881	400	341	388	207
	1926	4,066	41	481	267	1,823	466	390	404	194
	1927	4,396	35	578	298	1,958	473	432	418	204
Pourcentage du total des naissances vivantes.	**1921**	**2·0**	**2·3**	**3·0**	**1·7**	**2·1**	**2·3**	**1·1**	**1·8**	**1·2**
	1922	**2·1**	**2·6**	**3·6**	**1·9**	**2·1**	**2·3**	**1·2**	**1·9**	**1·3**
	1923	**2·2**	**2·2**	**3·8**	**2·4**	**2·3**	**2·3**	**1·3**	**2·0**	**1·2**
	1924	**2·4**	**2·3**	**4·1**	**2·3**	**2·4**	**2·7**	**1·5**	**2·0**	**1·7**
	1925	**2·6**	**2·3**	**4·4**	**2·7**	**2·7**	**2·7**	**1·7**	**2·6**	**2·0**
	1926	**2·7**	**2·3**	**4·4**	**2·6**	**2·7**	**3·2**	**1·9**	**2·8**	**1·9**
	1927	**2·9**	**2·1**	**5·2**	**2·8**	**2·9**	**3·3**	**2·1**	**2·8**	**2·0**

Le tableau XV classifie pour l'ensemble des neuf provinces du Canada, les naissances illégitimes, selon l'âge et le lieu de naissance de la mère, en 1927.

TABLEAU XV.—ENFANTS ILLÉGITIMES (A L'EXCLUSION DES MORTS-NÉS) CLASSIFIÉS SELON L'ÂGE ET LE PAYS DE NAISSANCE DE LA MÈRE AU CANADA, (1) 1927

Lieu de naissance de la mère	Total	Âge de la mère								
		Moins de 15 ans	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 ans et plus	Âge inconnu
Canada	**4,380**	**58**	**1,922**	**1,597**	**417**	**178**	**105**	**28**	**2**	**–**	**73**
Île du Prince-Édouard	59	–	16	19	9	10	–	1	–	–	4
Nouvelle-Écosse	558	7	244	200	58	25	22	2	–	–	–
Nouveau-Brunswick	292	4	127	110	26	12	8	4	–	–	1
Québec	1,137	15	457	439	116	37	20	6	–	–	47
Ontario	1,397	13	620	502	140	61	33	11	2	–	15
Manitoba	309	3	152	117	20	9	6	–	–	–	2
Saskatchewan	228	10	124	72	9	8	4	1	–	–	–
Alberta	216	4	89	80	22	10	8	2	–	–	1
Colombie Britannique	89	1	48	26	8	2	2	1	–	–	1
Province non spécifiée	95	1	45	32	9	4	2	–	–	–	2

TABLEAU XV.—ENFANTS ILLÉGITIMES (A L'EXCLUSION DES MORT-NÉS) CLASSIFIÉS SELON L'ÂGE ET LE PAYS DE NAISSANCE DE LA MÈRE AU CANADA, (1) 1927—fin

Lieu de naissance de la mère	Total	Âge de la mère									
		Moins de 15 ans	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50 ans et plus	Âge inconnu
Îles-Britanniques	**682**	**2**	**134**	**267**	**129**	**84**	**35**	**21**	**1**	–	**9**
Angleterre	374	1	74	138	69	48	22	14	1	–	7
Irlande	55	1	5	31	9	4	2	2	–	–	1
Écosse	239	–	54	93	46	29	11	5	–	–	1
Pays de Galles	14	–	1	5	5	3	–	–	–	–	–
Autres	–	–	–	–	–	–	–	–	–	–	–
Possessions britanniques	**44**	–	**15**	**18**	**6**	**1**	**4**	–	–	–	–
Terre-Neuve	38	–	15	15	5	–	3	–	–	–	–
Autres	6	–	–	3	1	1	1	–	–	–	–
Europe	**280**	**1**	**63**	**99**	**60**	**23**	**27**	**4**	**2**	–	**1**
Autriche	37	1	7	16	7	2	3	–	1	–	–
Belgique	8	–	2	3	2	–	1	–	–	–	–
Danemark	3	–	–	1	2	–	–	–	–	–	–
Finlande	24	–	6	8	8	1	1	–	–	–	–
France	6	–	2	1	3	–	–	–	–	–	–
Allemagne	29	–	8	9	6	3	2	1	–	–	–
Hollande	4	–	1	1	2	–	–	–	–	–	–
Hongrie	14	–	2	4	4	3	1	–	–	–	–
Italie	10	–	6	–	1	1	2	–	–	–	–
Norvège	10	–	2	3	4	–	1	–	–	–	–
Pologne (2)	56	–	13	23	8	3	7	2	–	–	–
Roumanie (3)	12	–	2	1	1	1	5	1	1	–	–
Russie (4)	43	–	10	20	7	5	1	–	–	–	–
Suède	11	–	1	3	4	2	1	–	–	–	–
Autres	13	–	1	6	1	2	2	–	–	–	1
Asie	**1**	–	–	**1**	–	–	–	–	–	–	–
Chine	–	–	–	–	–	–	–	–	–	–	–
Japon	–	–	–	–	–	–	–	–	–	–	–
Autres	1	–	–	1	–	–	–	–	–	–	–
États-Unis	245	1	91	83	39	18	10	3	–	–	–
Divers	–	–	–	–	–	–	–	–	–	–	–
Non spécifié	1,083	4	133	113	40	11	7	3	1	–	771
Total	**6,715**	**66**	**2,358**	**2,178**	**691**	**315**	**188**	**59**	**6**	–	**854**

(1)Voir la note 1, au bas du tableau I. (2)Comprend la Galicie. (3)Comprend la Bukovine. (4)Comprend l'Ukraine.

MORT-NÉS

Le tableau XVI présente les statistiques des enfants mort-nés en 1927 classifiés selon l'âge de la mère.

TABLEAU XVI.—MORT-NÉS DANS LE CANADA (1) SELON L'ÂGE DE LA MÈRE ET DISTINCTION ENTRE LES LÉGITIMES ET LES ILLÉGITIMES, 1927

Âge de la mère	Mères non mariées	Mères mariées									Total
		Î.P.-É.	N.-É.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.	
Moins de 15 ans	2	–	–	–	–	–	–	–	–	–	2
15 ans	8	–	1	–	–	1	–	–	–	–	10
16 "	8	–	1	–	2	7	–	–	–	–	18
17 "	28	–	6	5	9	17	2	3	4	1	75
18 "	25	1	10	7	10	44	6	11	5	6	125
19 "	26	1	11	8	31	64	10	8	15	6	180
20 "	23	2	8	8	37	93	8	15	15	5	214
21 "	19	–	12	7	63	78	13	23	19	12	246
22 "	26	1	15	14	84	113	18	28	24	9	332
23 "	9	–	16	11	75	102	17	23	21	10	284
24 "	9	3	12	12	94	127	23	20	15	15	330
25 "	14	1	16	9	101	100	14	27	23	10	315
26 "	4	1	14	10	116	132	14	10	22	14	337
27 "	1	1	14	12	102	123	23	19	19	12	326
28 "	7	2	14	15	116	142	26	14	20	18	374
29 "	5	–	16	12	91	119	23	22	15	15	318
30 "	3	1	25	7	96	108	17	20	21	15	313
31 "	5	1	13	6	63	111	17	19	9	11	255
32 "	6	1	12	10	101	123	22	23	21	12	331
33 "	5	1	13	8	87	126	18	25	16	13	312
34 "	3	3	12	11	74	111	22	28	20	9	293
35 "	5	5	13	10	112	85	23	23	14	16	306
36 "	2	–	14	15	87	112	24	22	17	8	301

TABLEAU XVI.—MORT-NÉS DANS LE CANADA (1) SELON L'ÂGE DE LA MÈRE ET DISTINCTION ENTRE LES LÉGITIMES ET LES ILLÉGITIMES, 1927—fin

Âge de la mère	Mères non mariées	Mères mariées									Total
		Î.P.-É.	N.-É.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.	
37 ans	1	–	9	14	76	89	20	20	17	8	254
38 "	5	–	14	11	84	101	20	21	20	11	287
39 "	4	1	9	10	68	84	15	21	15	6	233
40 "	3	3	16	9	76	75	12	27	12	9	242
41 "	–	–	8	7	37	53	10	12	6	8	141
42 "	1	1	8	12	51	54	10	15	12	2	166
43 "	–	–	8	4	32	30	9	7	10	7	107
44 "	1	1	5	2	25	18	7	2	10	5	76
45 "	–	–	3	2	16	21	–	6	4	1	53
46 "	1	–	3	–	9	3	2	2	–	1	21
47 "	–	–	1	–	4	4	–	3	–	1	13
48 "	–	–	–	1	1	2	–	1	1	–	6
49 "	–	–	–	–	–	–	–	1	–	–	1
50 et plus	–	–	1	–	–	1	1	–	–	–	3
Non donné	43	8	1	7	4	71	1	1	–	–	136
Total	**302**	**39**	**354**	**276**	**2,034**	**2,644**	**447**	**522**	**442**	**276**	**7,336**
Pourcentage du total des naissances	**4·3**	**2·3**	**3·2**	**2·6**	**2·5**	**3·9**	**3·2**	**2·5**	**3·0**	**2·7**	**3·0**

(1) Voir la note 1, au bas du tableau I.

Le tableau donné ci-dessous indique la proportion de mort-nés comparativement au total des naissances pour certains groupes d'âges de mères mariées, suivant le numéro d'ordre de la dernière naissance. Dans chaque groupe par ordre de priorité, le taux a une tendance à avancer avec l'âge de la mère.

La proportion de mort-nés chez les premier-né est plus élevée sur toute l'échelle, excepté dans le groupe d'âges de 15 à 19 ans.

Les chiffres d'après lesquels ces taux sont computés sont affectés par des classifications non-indiquées dans le tableau suivant—différences de position économique et sociale, race, vie à la campagne ou à la ville, etc. De plus, le nombre de cas sur lesquels certains taux sont basés sont trop peu nombreux pour permettre que ces taux soient regardés comme pleinement significatifs. Une note au bas du tableau indique les cas où les décès furent au-dessous de 20, et sur lesquels les taux n'ont pas été calculés.

PROPORTION POUR CENT DE MORT-NÉS À LA TOTALITÉ DES NAISSANCES AU CANADA, (1) EN 1927

Âge de la mère	Total	1er enfant	2ème et 3ème enfant	4ème, 5ème et 6ème enfant	Plus de six enfants
15–19 ans	2·7	2·6	2·8	(2)	–
20–24 "	2·4	3·2	1·8	2·2	(2)
25–29 "	2·6	4·5	2·2	2·0	2·1
30–34 "	2·9	5·4	2·9	2·6	2·6
35–39 "	3·7	7·3	3·9	3·5	3·5
40–44 "	5·0	9·2	5·2	5·3	4·7
45 ans et plus	6·0	(2)	(2)	(2)	6·1

(1) Voir la note 1, au bas du tableau I. (2) Taux non calculés quand il y a moins de 20 mort-nés.

Le tableau XVII est consacré à la répartition des mort-nés dans chaque province, par sexe et par mois de naissance, en 1927, on y remarque que la proportion de garçons par rapport aux filles est beaucoup plus élevée que dans les naissances d'enfants vivants.

TABLEAU XVII.—MORT-NÉS, PAR MOIS, PROVINCES ET SEXES, 1927

Mois	Canada(1)	Î.P.-É.	N.-É.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.
Janvier	631	3	32	22	195	233	42	49	34	21
Février	635	3	31	24	184	245	38	54	30	26
Mars	760	4	53	35	208	275	49	67	44	25
Avril	612	1	34	21	183	230	29	46	47	21
Mai	654	4	30	27	192	240	34	49	52	26
Juin	602	2	22	23	180	232	42	37	34	30
Juillet	591	6	35	31	159	221	41	44	32	22
Août	578	6	32	22	160	218	48	40	33	19
Septembre	572	4	34	28	158	209	35	35	37	32
Octobre	559	1	30	20	142	231	32	47	40	16
Novembre	535	4	21	11	155	211	40	32	39	22
Décembre	607	4	29	24	198	213	42	42	34	21
Total	**7,336**	**42**	**383**	**288**	**2,114**	**2,758**	**472**	**542**	**456**	**281**
Garçons	4,232	27	215	161	1,309	1,515	258	315	264	168
Filles	3,104	15	168	127	805	1,243	214	227	192	113
Garçons par 1,000 filles	1,363	1,800	1,280	1,268	1,626	1,219	1,206	1,388	1,375	1,487


(1) Voir la note 1, au bas du tableau I.

MORTALITÉ INFANTILE

Le taux de la mortalité chez les enfants de moins d'un an est obtenu en comparant le nombre de décès survenus durant l'année qui nous occupe aux naissances déclarées au cours de la même année. Le nombre de décès chez les enfants de moins d'un an dans les neuf provinces du Canada en 1927 représente un total de 22,010 ,soit 94·0 par 1,000 naissances vivantes; l'année précédente, le total des enfants morts était de 23,692 et le taux de 101·8. La diminution dans le taux de la mortalité s'étend à toutes les provinces excepté la Nouvelle-Écosse et la Colombie Britannique. La province de Québec a enregistré la plus forte diminution, le taux de la mortalité déclinant de 142·0 en 1926 à 129·3 en 1927. L'Alberta suit dans la même direction, son taux de mortalité infantile ayant baissé de 85·3 à 74·5 par 1,000 naissances. Le Nouveau-Brunswick a aussi eu une réduction substantielle de 105·9 à 96·0 par 1,000. L'année 1927 est la première année dans laquelle cette dernière province donne un taux de mortalité au-dessous de 100 par 1,000 naissances vivantes.

Dans les huit provinces comprises dans le territoire d'enregistrement de 1921, le taux de la mortalité infantile pour 1927 a été de 74·6, comparativement aux taux de 78 à 80 pour les années 1924-26 et aux taux approximatifs de 87 et 88 pour les années 1921-23.

Mortalité infantile, par sexe.—Les chiffres par sexe du tableau XVIII font connaître que la proportion de la mortalité infantile chez les garçons dans les neuf provinces du Canada



en 1927 s'élevait à 104·0 par 1,000 naissances, et que celle des filles n'était que de 83·3 par 1,000 naissances. On remarquera que les deux taux ont décliné dans à peu près la même proportion depuis l'année précédente, quoique le nombre de garçons épargnés par le nouveau taux soit plus élevé que celui des filles.

Le nombre de naissances masculines en 1927 était de 120,655 et celui de naissances féminines de 113,533 seulement; l'excédent de garçons était donc de 7,122; mais en tenant compte des sexes, si nous déduisons les décès survenus dans cette première année d'existence, l'avantage des garçons est réduit à 4,036.

TABLEAU XVIII.—NOMBRE DE DÉCÈS CHEZ LES ENFANTS DE MOINS D'UN AN ET PROPORTION PAR RAPPORT AUX NAISSANCES D'ENFANTS VIVANTS, PAR SEXE ET PAR PROVINCES, 1921–27

Provinces		Deux sexes			Garçons			Filles		
		Nés vivants	Décédés dans leur première année		Nés vivants	Décédés dans leur première année		Nés vivants	Décédés dans leur première année	
			Nombre absolu	Par 1,000 naissances		Nombre absolu	Par 1,000 naissances		Nombre absolu	Par 1,000 naissances
Île du Prince-Édouard.	1921	2,156	180	83·5	1,073	95	88·5	1,083	85	78·5
	1922	2,160	153	70·8	1,104	96	87·0	1,056	57	54·0
	1923	1,977	176	89·0	981	94	95·8	996	82	82·3
	1924	1,858	133	71·6	928	68	73·3	930	65	69·9
	1925	1,675	116	69·3	877	74	84·4	798	42	52·6
	1926	1,752	123	70·2	887	65	73·3	865	58	67·1
	1927	1,697	113	66·6	890	70	78·7	807	43	53·3
Nouvelle-Écosse	1921	13,021	1,311	100·7	6,695	738	110·2	6,326	573	90·6
	1922	12,693	1,239	97·6	6,630	724	109·2	6,063	515	84·9
	1923	11,680	1,139	97·5	5,973	662	110·8	5,707	477	83·6
	1924	11,801	1,118	94·7	6,189	642	103·7	5,612	476	84·8
	1925	11,400	887	77·8	5,886	499	84·8	5,514	388	70·4
	1926	10,980	882	80·3	5,638	523	92·8	5,342	359	67·2
	1927	11,134	1,028	92·3	5,704	579	101·5	5,430	449	82·7
Nouveau-Brunswick.	1921	11,465	1,299	113·3	5,942	740	124·5	5,523	559	101·2
	1922	11,564	1,194	103·3	5,955	672	112·9	5,609	522	93·1
	1923	10,704	1,135	106·0	5,457	682	125·0	5,247	453	86·3
	1924	10,717	1,098	102·5	5,523	612	110·8	5,194	486	93·6
	1925	10,949	1,096	100·1	5,664	632	111·6	5,285	464	87·8
	1926	10,340	1,095	105·9	5,294	625	118·1	5,046	470	93·1
	1927	10,479	1,006	96·0	5,391	542	100·5	5,088	464	91·2
Québec	1926	82,165	11,666	142·0	42,475	6,676	157·2	39,690	4,990	125·7
	1927	83,064	10,739	129·3	42,813	6,149	143·6	40,251	4,590	114·0
Ontario	1921	74,152	6,763	91·2	38,307	3,918	102·3	35,845	2,845	79·4
	1922	71,430	5,921	82·9	36,495	3,414	93·5	34,935	2,507	71·8
	1923	70,056	5,950	84·9	36,141	3,415	94·5	33,915	2,535	74·7
	1924	71,510	5,418	75·8	36,582	3,055	83·5	34,928	2,363	67·6
	1925	70,122	5,530	78·9	36,098	3,100	85·9	34,024	2,430	71·4
	1926	67,617	5,302	78·4	34,742	3,032	87·3	32,875	2,270	69·0
	1927	67,671	4,812	71·1	34,755	2,733	78·6	32,916	2,079	63·2
Manitoba	1921	18,478	1,533	83·0	9,455	868	91·8	9,023	665	73·7
	1922	17,679	1,669	94·4	8,926	937	105·0	8,753	732	83·6
	1923	16,472	1,411	85·7	8,397	791	94·2	8,075	620	76·8
	1924	15,454	1,173	75·9	7,804	635	81·4	7,650	538	70·3
	1925	14,867	1,184	79·6	7,634	672	88·0	7,233	512	70·8
	1926	14,661	1,122	76·5	7,598	636	83·7	7,063	486	68·8
	1927	14,147	1,021	72·2	7,434	601	80·8	6,713	420	62·6
Saskatchewan	1921	22,493	1,814	80·6	11,620	1,048	90·2	10,873	766	70·4
	1922	22,339	1,913	85·6	11,435	1,079	94·4	10,904	834	76·5
	1923	20,947	1,925	91·9	10,765	1,072	99·6	10,182	853	83·8
	1924	21,539	1,634	75·9	11,157	946	84·8	10,382	688	66·3
	1925	20,582	1,662	80·8	10,620	972	91·5	9,962	690	65·0
	1926	20,716	1,681	81·1	10,651	949	89·1	10,065	732	72·7
	1927	21,015	1,575	74·9	10,852	913	84·1	10,163	662	65·1
Alberta	1921	16,561	1,391	84·0	8,493	808	95·1	8,068	583	72·3
	1922	16,163	1,475	91·3	8,219	838	102·0	7,944	637	80·2
	1923	15,060	1,418	94·2	7,676	824	107·3	7,384	594	80·4
	1924	14,597	1,227	84·1	7,422	677	91·2	7,175	550	76·7
	1925	14,924	1,125	75·4	7,626	645	84·6	7,298	480	66·0
	1926	14,456	1,233	85·3	7,410	695	93·8	7,046	538	76·4
	1927	14,897	1,110	74·5	7,682	616	80·2	7,215	494	68·5

TABLEAU XVIII.—NOMBRE DE DÉCÈS CHEZ LES ENFANTS DE MOINS D'UN AN ET PROPORTION PAR RAPPORT AUX NAISSANCES D'ENFANTS VIVANTS, PAR SEXE ET PAR PROVINCES, 1921-27—fin

Provinces		Deux sexes			Garçons			Filles		
		Nés vivants	Décédés dans leur première année		Nés vivants	Décédés dans leur première année		Nés vivants	Décédés dans leur première année	
			Nombre absolu	Par 1,000 naissances		Nombre absolu	Par 1,000 naissances		Nombre absolu	Par 1,000 naissances
Colombie Britannique.	1921	10,653	602	56·5	5,549	343	61·8	5,104	259	50·7
	1922	10,166	692	68·1	5,293	415	78·4	4,873	277	56·8
	1923	10,001	668	66·8	5,176	374	72·3	4,825	294	60·9
	1924	10,119	574	56·7	5,203	325	62·5	4,916	249	50·7
	1925	10,342	569	55·0	5,329	318	60·0	5,013	251	50·1
	1926	10,063	588	58·4	5,168	336	65·0	4,895	252	51·5
	1927	10,084	606	60·1	5,134	345	67·2	4,950	261	52·7
Canada(1)	**1926**	**232,750**	**23,692**	**101·8**	**119,863**	**13,537**	**112·9**	**112,887**	**10,155**	**90·0**
	1927	**234,188**	**22,010**	**94·0**	**120,655**	**12,548**	**104·0**	**113,533**	**9,462**	**83·3**
Territoire d'enregistrement de 1921.	1921	168,979	14,893	88·1	87,134	8,558	98·2	81,845	6,335	77·4
	1922	164,194	14,256	86·8	84,057	8,175	97·3	80,137	6,081	75·9
	1923	156,897	13,822	88·1	80,566	7,914	98·2	76,331	5,908	77·4
	1924	157,595	12,375	78·5	80,808	6,960	86·1	76,787	5,415	70·5
	1925	154,861	12,169	78·6	79,734	6,912	86·7	75,127	5,257	70·0
	1926	150,585	12,026	79·9	77,388	6,861	88·7	73,197	5,165	70·6
	1927	151,124	11,271	74·6	77,842	6,399	82·2	73,282	4,872	66·5

(1) Voir la note 1, au bas du tableau I.

Année de naissance et âge au décès.—Quoique les chiffres de la mortalité infantile relevés dans le tableau XVIII soient basés sur les naissances et les décès enregistrés en 1927, il est évident qu'un certain nombre de ces décès s'appliquent à des enfants nés en 1926, bien qu'ayant vécu moins d'un an. On constate en effet que les cas de cette nature étaient au nombre de 4,796 ou 21·8 pour cent du total des décès d'enfants durant l'année, laissant 17,214 ou 78·2 pour cent du total de ces enfants nés en 1927 (tableau XXII). Le petit nombre d'enfants de cet âge nés en une certaine année et décédés l'année suivante permet de conclure que le taux de la mortalité infantile basé sur la relation entre les décès d'une année quelconque et les naissances de la même année présente un tableau assez exact de la réalité et que ces chiffres peuvent se comparer avec ceux des années précédentes, sauf pour le cas exceptionnel où un grand changement se produirait dans le nombre de naissances d'une année à l'autre.

Le tableau XIX, qui répartit par provinces les décès des nouveau-nés en 1927 selon la durée de leur brève existence, nous montre que près de la moitié d'entre eux n'avaient pas encore un mois et qu'environ un tiers sont morts dans leur première semaine. Cette lourde mortalité parmi les nouveau-nés explique la grande prépondérance des décès d'enfants dont la naissance et la mort se sont produites durant la même année.

TABLEAU XIX.—PROPORTION PAR 1,000 DÉCÈS DES ENFANTS DE MOINS D'UN AN GROUPÉS SELON LA DURÉE DE LEUR EXISTENCE, 1927

Âge au décès	Canada(1)	Î.P.-É.	N.-É.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.
Moins de 1 mois	478·5	336·3	432·9	453·3	420·2	577·3	517·1	532·7	542·3	551·2
Moins de 1 jour	*177·7*	*106·2*	*122·6*	*163·0*	*154·8*	*219·5*	*179·2*	*203·2*	*229·7*	*221·1*
1 jour et moins de 1 semaine	*156·2*	*123·9*	*175·1*	*167·0*	*122·6*	*212·6*	*175·3*	*161·9*	*170·3*	*186·5*
1 semaine et moins de 2 sem.	*60·4*	*53·1*	*47·7*	*56·7*	*56·5*	*65·0*	*73·5*	*78·7*	*60·4*	*52·8*
2semaines et moins de 3 sem.	*47·4*	*8·8*	*56·4*	*33·8*	*48·2*	*45·1*	*61·7*	*47·6*	*43·2*	*49·5*
3 semaines et moins d'un mois	*36·7*	*44·2*	*31·1*	*32·8*	*38·0*	*35·1*	*27·4*	*41·3*	*38·7*	*41·5*
1 mois et moins de 2 mois	98·9	123·9	115·8	90·5	109·9	80·4	93·0	94·6	92·8	64·4
2 " " 3 "	83·4	97·3	88·5	78·5	99·1	56·9	74·4	73·0	74·8	71·0
3 " " 4 "	66·3	70·8	84·6	73·6	75·3	48·0	54·8	66·0	58·6	41·3
4 " " 5 "	52·2	70·8	54·5	68·6	57·3	42·0	46·0	48·3	40·5	52·8
5 " " 6 "	45·8	26·5	51·6	42·7	52·9	38·7	42·1	34·9	33·3	33·0
6 " " 7 "	36·2	53·1	33·1	38·8	37·0	36·0	39·2	27·9	36·0	39·6
7 " " 8 "	33·7	70·8	34·0	31·8	35·9	30·8	30·4	31·1	29·7	33·0
8 " " 9 "	31·0	53·1	38·9	36·8	32·6	28·1	26·4	26·7	22·5	34·7
9 " " 10 "	27·3	35·4	27·2	28·8	30·3	21·6	26·4	24·1	21·6	36·3
10 " " 11 "	23·4	26·5	15·6	28·8	25·0	20·4	21·5	22·2	27·0	23·1
11 " " 1 an	23·2	35·4	23·3	27·8	24·8	20·0	28·4	18·4	20·7	19·8
Total	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**

(1) Voir la note 1, au bas du tableau I.

Mortalité infantile en d'autres pays.—Le tableau XX établit un parallèle entre le Canada et certains autres pays, au regard des décès d'enfants de moins d'un an; toutefois, dans certains cas, les chiffres ne sont que provisoires. Dans chacun des pays établissant une distinction entre les sexes, on y voit que la mortalité infantile est plus forte chez les garçons que chez les filles.

TABLEAU XX.—MORTALITÉ INFANTILE AU CANADA ET EN CERTAINS AUTRES PAYS

Pays	Année	Naissances vivantes	Mortalité infantile		Pays	Année	Naissances vivantes	Mortalité infantile	
			Décès dans la première année	Taux par 1,000 naissances vivantes				Décès dans la première année	Taux par 1,000 naissances vivantes
Canada(1)—	**1927**				Hongrie—	1927			
Garçons		**120,655**	**12,548**	**104·0**	Total		218,548	40,395	184·8
Filles		**113,533**	**9,462**	**83·3**	Îles Britanniques—	1927			
Total		**234,188**	**22,010**	**94·0**	Garçons		427,350	34,740	81·3
Allemagne—	1927				Filles		410,224	25,774	62·8
Total		1,160,206	112,363	96·8	Total		837,574	60,514	72·2
Angleterre et pays de Galles—	1927				Inde (Britannique)—	1926			
Garçons		333,737	26,306	78·8	Total		8,395.679	1,587.091	189·0
Filles		320,435	19,304	60·2	Irlande du Nord—	1927			
Total		654,172	45,610	69·7	Garçons		13,693	1,159	84·6
Australie—	1927				Filles		12,983	915	70·5
Garçons		68,880	4,102	59·6	Total		26,676	2,074	77·7
Filles		64,818	3,181	49·1	Italie—	1927			
Total		133,698	7,283	54·5	Garçons		560,951	70,965	126·5
Autriche—	1927				Filles		532,821	60,499	113·5
Total		119,058	14,729	123·7	Total		1,093,772	131,464	120·2
Belgique—	1927				Japon—	1927			
Garçons		74,872	8,225	109·9	Garçons		1,048,946	157,823	150·5
Filles		71,424	6,164	86·3	Filles		1,011,791	134,261	132·7
Total		146,296	14,389	98·4	Total		2,060,737	292,084	141·7
Ceylan—	1927				Norvège—	1926			
Garçons		104,950	17,641	168·1	Garçons		27,573	1,468	53·2
Filles		100,519	15,317	152·4	Filles		26,130	1,125	43·1
Total		205,469	32,958	160·4	Total		53,703	2,593	48·3
Chili—	1927				Nouvelle-Zélande—	1927			
Garçons		89,645	20,594	229·7	Garçons		14,291	610	42·7
Filles		83,028	18,453	222·3	Filles		13,590	470	34·6
Total		172,673	39,047	226·1	Total		27,881	1,080	38·7
Danemark—	1926				Pays-Bas—	1927			
Garçons		36,287	3,431	94·6	Garçons		90,144	5,982	66·4
Filles		34,447	2,538	73·7	Filles		84,954	4,297	50·6
Total		70,734	5,969	84·4	Total		175,098	10,279	58·7
Écosse—	1927				Roumanie—	1926			
Garçons		49,314	4,894	99·2	Total		607,864	118,220	194·5
Filles		47,358	3,682	77·7	Salvador—	1926			
Total		96,672	8,576	88·7	Garçons		30,274	4,943	163·3
Espagne—	1927				Filles		29,489	4,319	146·5
Total		636,664	80,713	126·8	Total		59,763	9,262	155·0
État libre d'Irlande—	1927				Sao Paulo—	1925			
Garçons		30,606	2,381	77·8	Total		181,977	30,570	168·0
Filles		29,448	1,873	63·6	Suède—	1927			
Total		60,054	4,254	70·8	Total		97,847	6,046	61·8
États-Unis (territoire d'enreg. des naissances)—	1927				Suisse—	1927			
Garçons		1,099,287	78,652	71·5	Garçons		35,839	2,234	62·3
Filles		1,038,549	59,365	57·2	Filles		33,694	1,717	51·0
Total		2,137,836	138,017	64·6	Total		69,533	3,951	56·8
Finlande—	1927				Union Sud-Africaine(2)	1927			
Garçons		38,973	4,131	106·0	Garçons		22,812	.....	.....
Filles		36,638	3,210	87·6	Filles		21,586	.....	.....
Total		75,611	7,341	97·1	Total		44,398	3,379	76·1
France—	1927				Uruguay—	1927			
Garçons		.....	34,944	.....	Garçons		22,065	2,493	113·0
Filles		.....	27,104	.....	Filles		20,780	2,051	98·7
Total		741,708	62,048	83·7	Total		42,845	4,544	106·1

(1) Voir la note 1, au bas du tableau I. (2) Population blanche.

Mortalité infantile par mois.—Le tableau XXI présente le nombre de décès d'enfants et le taux de la mortalité infantile en chaque mois des années 1926 et 1927, basé sur les naissances d'enfants vivants du même mois.

TABLEAU XXI.—MORTALITÉ INFANTILE PAR MOIS, 1927

——	Total	Jan.	Fév.	Mars	Avril	Mai	Juin	Juillet	Août	Sept.	Oct.	Nov.	Déc.
Nombre de naissances vivantes.....1926	232,750	19,317	18,284	21,356	21,064	20,706	19,464	19,907	19,682	19,145	18,512	17,402	17,911
1927	234,188	18,039	17,601	21,387	20,931	21,012	20,405	20,646	19,931	19,386	18,521	17,773	18,556
Nombre de décès dans la première année.....1926	23,692	1,860	1,885	2,236	2,411	2,184	1,743	1,671	2,143	2,265	1,900	1,599	1,795
1927	22,010	2,115	1,934	2,038	1,936	1,832	1,547	1,553	1,856	2,247	1,836	1,548	1,568
Taux par 1,000 naissances vivantes.....1926	101·8	96·3	103·1	104·7	114·5	105·5	89·5	83·9	103·9	118·3	102·6	91·9	100·2
1927	94·0	117·2	109·9	95·3	92·5	87·2	75·8	75·2	93·1	115·9	99·1	87·1	84·5

Le tableau XXII classifie les décès d'enfants de moins d'un an, dans les neuf provinces du Canada, survenus en 1927, selon le mois de la naissance et le mois du décès, que ces mois appartiennent à 1926 ou 1927. Verticalement les chiffres indiquent la répartition par mois de naissance d'enfants qui sont morts avant d'avoir atteint une année dans les mois spécifiés de 1927; horizontalement, ils donnent le nombre d'enfants décédés qui étaient nés en un certain mois de 1927 ou de l'année précédente. Par exemple, 214 des enfants nés en avril 1926 sont morts en 1927 avant d'avoir atteint leur premier anniversaire; soit 77 en janvier, 66 en février 51 en mars et 20 en avril, 1927. En lisant les chiffres diagonalement (les totaux exceptés), de l'angle supérieur gauche à l'angle inférieur droit, on trouve le nombre d'enfants décédés en 1927, dans le mois de leur naisssance, dans le mois qui la suivit, etc. Ainsi, l'addition diagonale de la dernière série, de 798 à 666, nous indique qu'en 1927 les enfants morts dans le mois de leur naissance étaient au nombre de 8,529 soit 38·8 pour cent du total de la mortalité infantile durant l'année. On obtient le nombre d'enfants décédés dans leur second mois en additionnant diagonalement la série de chiffres placés immédiatement au-dessus de ceux dont nous venons de parler (depuis 311 à 218), c'est-à-dire 3,232 ou 14·7 de tous les décès de l'année. Quant aux autres, ceux décédés en 1927 durant un mois qui n'était ni celui de leur naissance ni le mois suivant, ils étaient au nombre de 10,249 ou 46·6 pour cent de tous les décès d'enfants déclarés en 1927.

TABLEAU XXII.—DÉCÈS D'ENFANTS DE MOINS D'UN AN (MORT-NÉS EXCLUS) CLASSIFIÉS PAR MOIS DE NAISSANCE ET MOIS DU DÉCÈS AU CANADA[1] EN 1927

Mois de la naissance	Total	Mois du décès, 1927											
		Jan.	Fév.	Mars	Avril	Mai	Juin	Juillet	Août	Sept.	Oct.	Nov.	Déc.
Nés l'année précédente	**4,796**	**1,317**	**868**	**700**	**536**	**367**	**237**	**193**	**219**	**219**	**87**	**40**	**13**
Janvier	15	15	–	–	–	–	–	–	–	–	–	–	–
Février	63	56	7	–	–	–	–	–	–	–	–	–	–
Mars	158	79	50	29	–	–	–	–	–	–	–	–	–
Avril	214	77	66	51	20	–	–	–	–	–	–	–	–
Mai	282	87	53	54	62	26	–	–	–	–	–	–	–
Juin	316	80	64	63	40	50	19	–	–	–	–	–	–
Juillet	383	81	71	77	68	48	31	7	–	–	–	–	–
Août	413	96	59	72	66	50	33	30	7	–	–	–	–
Septembre	507	117	92	58	60	41	39	33	45	22	–	–	–
Octobre	624	141	89	72	71	41	37	40	54	64	15	–	–
Novembre	748	177	139	98	70	50	28	32	48	64	31	11	–
Décembre	1,073	311	178	126	79	61	50	51	65	69	41	29	13
Nés l'année courante	**17,214**	**798**	**1,066**	**1,338**	**1,400**	**1,465**	**1,310**	**1,360**	**1,637**	**2,028**	**1,749**	**1,508**	**1,555**
Janvier	1,817	798	308	143	127	82	57	46	85	88	41	25	17
Février	1,771	–	758	352	137	93	59	60	87	96	58	37	34
Mars	1,923	–	–	843	335	162	86	93	126	129	74	42	33
Avril	1,939	–	–	–	801	297	171	123	157	187	98	52	53
Mai	1,795	–	–	–	–	831	225	147	155	194	127	65	51
Juin	1,627	–	–	–	–	–	712	233	193	214	138	75	62
Juillet	1,442	–	–	–	–	–	–	658	227	243	161	85	68
Août	1,256	–	–	–	–	–	–	–	607	240	202	124	83
Septembre	1,162	–	–	–	–	–	–	–	–	637	266	149	110
Octobre	964	–	–	–	–	–	–	–	–	–	584	220	160
Novembre	852	–	–	–	–	–	–	–	–	–	–	634	218
Décembre	666	–	–	–	–	–	–	–	–	–	–	–	666
Total des décès de nouveau-nés	**22,010**	**2,115**	**1,934**	**2,038**	**1,936**	**1,832**	**1,547**	**1,553**	**1,856**	**2,247**	**1,836**	**1,548**	**1,568**

[1] Voir la note 1, au bas du tableau I.

Le tableau XXIII divise la mortalité infantile de chaque mois entre ces trois catégories, chacune d'elle étant computée sur un dénominateur approprié. Il permet la comparaison des divers mois de 1927 sur (a) la mortalité des enfants nés durant le mois; (b) la mortalité des enfants nés durant le mois précédent et (c) la mortalité des enfants de moins d'un an nés antérieurement au mois précédent.

Dans le taux de mortalité des enfants nés antérieurement au mois précédent, la longueur de chaque mois a été uniformisée à 30·4 jours. On n'a pas procédé à cet ajustement en calculant les taux des autres catégories, parce que dans ces cas, étant donné la concentration des décès pendant la première semaine de l'existence, la variation de la longueur des mois ne constitue qu'une différence insignifiante.

Le plus fort coefficient de mortalité des enfants nés durant le mois se rencontre en janvier et le plus faible en août; le plus fort coefficient de mortalité des enfants nés durant le mois précédent se trouve en mars et le plus bas en juin; enfin le plus fort coefficient de mortalité des enfants de moins d'un an nés antérieurement au mois précédent se voit en septembre suivi du mois d'août, et le plus faible en juin. L'indice de septembre dans la mortalité de ces enfants contraste avec l'indice relativement peu élevé des autres divisions, mais ce contraste peut vraisemblablement être attribué à la plus grande fréquence en ce mois des maladies gastro-intestinales.

En vue d'unifier le taux mensuel de la mortalité infantile, on a combiné ces trois coefficients en présumant un nombre égal de naissances en chaque mois de l'année. Sur cette base, septembre tenait la tête avec un taux unifié de 116·6 par 1,000 naissances vivantes, tandis que juillet était le dernier avec 77·1 pour cent.

TABLEAU XXIII.—ANALYSE DE LA MORTALITÉ INFANTILE AU CANADA(1), PAR MOIS EN 1927

Mois	Mortalité des enfants nés durant le mois			Mortalité des enfants nés durant le mois précédent			Mortalité des enfants nés antérieurement au mois précédent				Taux(2) unifié par 1,000 naissances
	Nombre de naissances	Nombre de décès	Taux par 1,000 naissances	Nombre de naissances	Nombre de décès	Taux par 1,000 naissances	Nombre de naissances	Nombre de décès	Taux par 1,000 naissances	Taux d'après la durée du mois	
	(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)
Janvier	18,039	798	44·2	17,911	311	17·4	214,839	1,006	4·68	4·59	112·1
Février	17,601	758	43·1	18,039	308	17·1	213,433	868	4·07	4·42	108·8
Mars	21,387	843	39·4	17,601	352	20·0	213,188	843	3·95	3·87	102·0
Avril	20,931	801	38·3	21,387	335	15·7	209,433	800	3·82	3·87	96·6
Mai	21,012	831	39·5	20,931	297	14·2	209,756	704	3·36	3·29	89·9
Juin	20,405	712	34·9	21,012	225	10·7	209,981	610	2·91	2·95	78·1
Juillet	20,646	658	31·9	20,405	233	11·4	211,529	662	3·13	3·07	77·1
Août	19,931	607	30·5	20,646	227	11·0	212,027	1,022	4·82	4·73	93·5
Septembre	19,386	637	32·9	19,931	240	12·0	212,991	1,370	6·43	6·52	116·6
Octobre	18,521	584	31·5	19,386	266	13·7	213,777	986	4·61	4·52	94·9
Novembre	17,773	634	35·7	18,521	220	11·9	214,651	694	3·23	3·27	83·6
Décembre	18,556	666	35·9	17,773	218	12·3	215,770	684	3·17	3·11	82·4

(1) Voir la note 1, au bas du tableau I. (2) Obtenu en additionnant c + f + (11 × j).

Mortalité infantile par trimestres.—Le tableau XXIV relève le taux de la mortalité en chacun des quatre trimestres de l'année 1927. Le taux brut est obtenu en divisant le nombre de décès d'un trimestre par le nombre de naissances du même trimestre, et le taux ajusté obtenu de la même manière que les taux ajustés mensuels décrits plus haut. Par les chiffres bruts, le deuxième trimestre donne le plus faible taux, mais le rajustement a pour effet de renvoyer ce taux au quatrième trimestre. Le quatrième trimestre étant celui qui donne le plus petit nombre de naissances, le taux brut des décès s'y trouve exagéré.

TABLEAU XXIV.—MORTALITÉ INFANTILE AU CANADA(1), PAR TRIMESTRES EN 1927

Trimestres	Nombre de naissances	Nombre de décès au-dessous d'un an	Taux de la mortalité infantile par 1,000 naissances vivantes	
			Brut	Ajusté
1er trimestre	57,027	6,087	106·7	106·8
2ième trimestre	62,348	5,315	85·2	88·6
3ième trimestre	59,963	5,656	94·3	95·0
4ième trimestre	54,850	4,952	90·3	86·6

(1) Voir la note 1, au bas du tableau I.

Mortalité infantile pour l'année civile 1926.—Une combinaison du tableau XXII pour deux années consécutives nous permet de suivre dans la première année de leur existence les enfants nés dans une certaine année civile ou dans un mois civil. Dans le tableau XXV nous pouvons suivre les enfants nés dans l'année civile 1926. Le taux de mortalité de ces enfants pendant la première année de leur vie était de 100·1 par 1,000 naissances. Les décès des enfants nés en 1926 ont été enregistrés pendant les deux années civiles 1926 et 1927. Le tableau permet des comparaisons intéressantes quant à la mortalité des enfants nés dans les différents mois de l'année. Il serait cependant nécessaire d'avoir de tels rapports pour plusieurs années pour que les résultats en soient caractéristiques. La possibilité de compensations dans la mortalité de la seconde année d'existence demande aussi considération.

TABLEAU XXV.—DÉCÈS DANS LA PREMIÈRE ANNÉE DE LEUR EXISTENCE DES ENFANTS NÉS AU CANADA(1), DURANT L'ANNÉE SOLAIRE 1926

Mois du décès	Mois de la naissance en 1926												
	Total	Jan.	Fév.	Mars	Avril	Mai	Juin	Juillet	Août	Sept.	Oct.	Nov.	Déc.
1926													
Janvier	765	765	–	–	–	–	–	–	–	–	–	–	–
Février	1,088	299	789	–	–	–	–	–	–	–	–	–	–
Mars	1,448	230	251	967	–	–	–	–	–	–	–	–	–
Avril	1,577	152	168	313	944	–	–	–	–	–	–	–	–
Mai	1,610	90	115	187	331	887	–	–	–	–	–	–	–
Juin	1,472	44	71	118	144	297	798	–	–	–	–	–	–
Juillet	1,451	52	47	93	122	154	265	718	–	–	–	–	–
Août	1,867	106	107	114	167	205	222	255	691	–	–	–	–
Septembre	2,060	73	91	143	177	215	216	220	271	654	–	–	–
Octobre	1,828	56	57	81	123	118	121	172	213	278	609	–	–
Novembre	1,553	37	45	53	61	54	71	102	116	177	249	588	–
Décembre	1,783	41	36	57	53	59	68	98	113	136	190	278	654
1927													
Janvier	1,317	15	56	79	77	87	80	81	96	117	141	177	311
Février	868	–	7	50	66	53	64	71	59	92	89	139	178
Mars	700	–	–	29	51	54	63	77	72	58	72	98	126
Avril	536	–	–	–	20	62	40	68	66	60	71	70	79
Mai	367	–	–	–	–	26	50	48	50	41	41	50	61
Juin	237	–	–	–	–	–	19	31	33	39	37	28	50
Juillet	193	–	–	–	–	–	–	7	30	33	40	32	51
Août	219	–	–	–	–	–	–	–	7	45	54	48	65
Septembre	219	–	–	–	–	–	–	–	–	22	64	64	69
Octobre	87	–	–	–	–	–	–	–	–	–	15	31	41
Novembre	40	–	–	–	–	–	–	–	–	–	–	11	29
Décembre	13	–	–	–	–	–	–	–	–	–	–	–	13
Total des décès, moins d'un an	**23,298**	**1,960**	**1,840**	**2,284**	**2,336**	**2,271**	**2,077**	**1,948**	**1,817**	**1,752**	**1,672**	**1,614**	**1,727**
Total des naissances vivantes	**232,756**	**19,317**	**18,284**	**21,356**	**21,064**	**20,706**	**19,464**	**19,907**	**19,682**	**19,145**	**18,512**	**17,402**	**17,911**
Taux de la mortalité infantile par 1,000 naissances vivantes	**100·1**	**101·5**	**100·6**	**106·9**	**110·9**	**109·7**	**106·7**	**97·9**	**92·3**	**91·5**	**90·3**	**92·7**	**96·4**

(1) Voir la note 1, au bas du tableau I.

Mortalité infantile, par causes.—Sur la totalité de la mortalité infantile dans les neuf provinces du Canada en 1927, 92·0 ont été victimes des maladies énumérées dans le tableau XXVI. En 1926, ce coefficient était de 92·6 pour cent. Les maladies énumérées ont eu une part à peu près égale dans la mortalité des garçons et des filles.

Vingt pour cent des décès en 1927 ont été causés par les naissances prématurées, 19·3 pour cent par la diarrhée et l'entérite, et 10·8 pour cent par la débilité congénitale. La pneumonie

MORTALITÉ INFANTILE

Au dessous d'un an

Décès causés par certaines maladies au Canada - 1927

Numéro de la liste internationale	Causes de décès	Nombre de décès	Taux de mortalité par 100,000 naissances vivantes
1 - 42	Affections épidémiques, endémiques et infectieuses	2,269	969
80	Convulsions	441	188
99 - 101	Bronchite et pneumonie	2,284	975
110 - 119	Maladies gastro-intestinales	4,697	2,006
159	Vices de conformation congénitaux	1 256	536
160	Débilité congénitale	2,368	1,011
161a	Naissance prématurée	4,402	1,880
161b	Conséquences de l'accouchement	1,009	431
162	Autres affections spéciales au premier âge	1,454	621
	Autres causes spécifiées	1692	722
204 - 205	Causes mal définies	138	59

vient ensuite avec un taux de 9·8 pour cent de la totalité des mortalités. Ces quatre maladies ont donc été la cause d'environ 60 pour cent de la mortalité infantile en 1927. Le même état de chose existait en 1926.

Les vices de conformation congénitaux (No. 159) et les maladies de la première enfance (Nos. 160-162) dans lesquelles sont comprises les naissances prématurées et la débilité congénitale citées dans le paragraphe précédent ont été responsables de 48 pour cent de la mortalité infantile dans ces deux années. On remarquera toutefois que les enfants d'au-dessous de trois mois, décédés sans soins médicaux et sans cause connue sont compris dans le No. 162: " Autres affections spéciales au premier âge ".

Le déclin dans la mortalité infantile de 1926 à 1927 a épargné 781 enfants par 100,000 naissances vivantes. De cette diminution dans le nombre de décès, 304 sont attribués aux naissances prématurées, 151 à la pneumonie, 101 à la grippe, 71 aux vices de conformation congénitaux, 59 à la coqueluche et 33 à la rougeole. Les décès causés par les naissances prématurées sont tombées de 5,083 en 1926 à 4,402 en 1927, une diminution de 681, quoique les naissances vivantes aient été un peu plus nombreuses en 1927.

Dans le Québec, les décès causés par naissance prématurée ont reculé de 2,071 en 1926 à 1,556 en 1927. Cette diminution de 515 décès a été le facteur le plus important dans la baisse du taux de mortalité attribué à cette cause pour le pays tout entier.

Aucune des maladies mentionnées dans le tableau n'a contribué d'une manière importante à contrebalancer les diminutions dans le taux de la mortalité, quoique les conséquences de l'accouchement aient été responsables d'une augmentation de 23 décès par 100,000 naissances en 1927 sur l'année précédente. On remarquera que la poliomyélite antérieure aiguë, maladie non indiquée dans le tableau XXVI a été la cause de 24 décès d'enfants en 1927 comparativement à 9 en 1926. De ces 24 décès, 10 ont été enregistrés dans la province de Québec et 7 dans l'Alberta.

TABLEAU XXVI.—MORTALITÉ INFANTILE AU CANADA[1], PAR SEXES ET CAUSES DE DECES, 1926-27

N° liste int.	Causes des décès	Année	Deux sexes			Garçons		Filles	
			Nombre absolu	Répartition proportionnelle par cause de décès	Taux par 100,000 naissances vivantes	Nombre absolu	Taux par 100,000 naissances vivantes	Nombre absolu	Taux par 100,000 naissances vivantes
7	Rougeole	1926	263	1·1	113	141	118	122	108
		1927	187	0·8	80	113	94	74	65
8	Scarlatine	1926	25	0·1	11	13	11	12	11
		1927	35	0·2	15	23	19	12	11
9	Coqueluche	1926	773	3·3	332	358	299	415	368
		1927	640	2·9	273	336	278	304	268
10	Diphtérie	1926	47	0·2	20	24	20	23	20
		1927	48	0·2	20	24	20	24	21
11	Grippe	1926	950	4·0	408	576	481	374	331
		1927	719	3·3	307	411	341	308	271
16	Dysenterie	1926	12	0·1	5	8	7	4	4
		1927	3	(2)	1	1	1	2	2
21	Érysipèle	1926	101	0·4	43	51	43	50	44
		1927	95	0·4	41	48	40	47	41
31-37	Tuberculose	1926	233	1·0	100	131	109	102	90
		1927	188	0·9	80	100	83	88	78
38	Syphilis	1926	128	0·5	55	68	57	60	53
		1927	131	0·6	56	70	58	61	54
71a	Méningite (simple)	1926	327	1·4	140	201	168	126	112
		1927	325	1·5	139	186	154	139	122
80	Convulsions	1926	440	1·9	189	263	219	177	157
		1927	441	2·0	188	265	220	176	155
99	Bronchite	1926	150	0·6	64	90	75	60	53
		1927	134	0·6	57	74	61	60	53
100-101	Pneumonie	1926	2,487	10·5	1,069	1,410	1,176	1,077	954
		1927	2,150	9·8	918	1,210	1,003	940	828
110-112	Affections de l'estomac	1926	282	1·2	121	156	130	126	112
		1927	302	1·4	129	170	141	132	116
113	Diarrhée et entérite	1926	4,318	18·2	1,855	2,451	2,045	1,867	1,654
		1927	4,249	19·3	1,814	2,430	2,014	1,819	1,602
118	Hernie, obstruction intestinale	1926	107	0·5	46	68	57	39	35
		1927	105	0·5	45	73	61	32	28
159	Vices de conformation congénitaux	1926	1,412	6·0	607	777	648	635	563
		1927	1,256	5·7	536	661	548	595	524
160	Débilité congénitale	1926	2,353	9·9	1,011	1,353	1,129	1,000	886
		1927	2,368	10·8	1,011	1,355	1,123	1,013	892
161a	Naissance prématurée	1926	5,083	21·5	2,184	2,936	2,449	2,147	1,902
		1927	4,402	20·0	1,880	2,550	2,113	1,852	1,631
161b	Conséquence de l'accouchement	1926	949	4·0	408	563	470	386	342
		1927	1,009	4·6	431	601	498	408	359
162	Autres affections spéciales au premier âge	1926	1,507	6·4	647	885	738	622	551
		1927	1,454	6·6	621	848	703	606	534
	Autres causes spécifiées	1926	1,587	6·7	682	911	760	676	599
		1927	1,631	7·4	696	920	763	711	626
204-205	Causes non spécifiées ou mal définies	1926	158	0·7	68	103	86	55	49
		1927	138	0·6	59	79	65	59	52
	Toutes causes	**1926**	**23,692**	**100·0**	**10,179**	**13,537**	**11,294**	**10,155**	**8,996**
		1927	**22,010**	**100·0**	**9,398**	**12,548**	**10,400**	**9,462**	**8,334**

(1) Voir la note 1, au bas du tableau I. (2) Moins d'un dixième d'un pour cent.

Proportion de certaines causes, par sexes.—Le tableau XXVII nous montre pour les mêmes causes énumérées dans le tableau XXVI le pourcentage de garçons par rapport aux filles en 1926 et 1927. La proportion de décès chez les garçons, dans presque tous les cas, est plus élevée que chez les filles, excepté dans les cas de diphtérie et d'érysipèle pour les deux années 1926 et 1927, de coqueluche en 1926 et de dysenterie en 1927. Le tableau démontre clairement que le taux de la mortalité féminine conserve son avantage dans presque toutes les causes de mortalité infantile.

TABLEAU XXVII.—COEFFICIENT DE LA MORTALITÉ INFANTILE DES GARÇONS COMPARATIVEMENT AUX FILLES DANS LE CANADA(1), 1926-27

(Le coefficient de la mortalité infantile chez les filles est exprimé par 100)

N° liste int.	Causes des décès	1926	1927
7	Rougeole	109	144
8	Scarlatine	102	180
9	Coqueluche	81	104
10	Diphtérie	98	94
11	Grippe	145	126
16	Dysenterie	191	44
21	Érysipèle	96	96
31-37	Tuberculose	121	107
38	Syphilis	107	108
71a	Méningite (simple)	150	126
80	Convulsions	140	142
99	Bronchite	141	116
100-101	Pneumonie	123	121
110-112	Affections de l'estomac	117	121
113	Diarrhée et entérite	124	126
118	Hernie, obstruction intestinale	164	215
159	Vices de conformation congénitaux	115	105
160	Débilité congénitale	127	126
161a	Naissance prématurée	129	130
161b	Conséquence de l'accouchement	137	139
162	Autres affections spéciales au premier âge	134	132
	Autres causes spécifiées	127	122
204-205	Causes non spécifiées ou mal définies	176	126
	Toutes causes	**126**	**125**

(1) Voir la note 1, au bas du tableau I.

Causes de mortalité infantile, par période d'âges.—Le tableau XXVIII présente les taux de mortalité infantile résultant de certaines causes, dans les neuf provinces du Canada en 1927. Les trois premiers mois de l'existence sont divisés en périodes mensuelles et la première semaine du premier mois est distinguée du reste de ce mois; le reste de l'année est divisé en trimestres. Dans le but de permettre une comparaison équitable entre les périodes de longueurs différentes, on a uniformisé les taux hebdomadaires; à cet effet, les taux bruts de la période " une semaine et moins d'un mois " ont été multipliés par 7/23·4, ceux des périodes mensuelles par 7/30·4 et ceux des trimestres par 7/91·2. Ainsi réduits ces taux représentent la mortalité par 100,000 naissances vivantes durant une semaine moyenne des périodes les plus longues. Il ne faut pas perdre de vue toutefois que la mortalité durant la première semaine de l'existence est loin de s'égaliser. En 1927, par exemple, les décès survenus pendant les premières vingt-quatre heures dépassèrent passablement ceux du surplus de la première semaine. Pour certaines causes la proportion de décès survenus le premier jour fut encore plus forte. Sur 3,320 enfants décédés avant d'avoir vécu une semaine, pour cause de naissance prématurée, 2,056 ou plus des trois-cinquièmes ont succombé dans les premières vingt-quatre heures. Une inégalité de distribution similaire, quoique beaucoup moins prononcée, caractérise les décès qui surviennent après la première semaine dans le cours du premier mois.

Le tableau fait ressortir la prédominance des décès résultant des causes Nos. 159-162 durant la première semaine de l'existence. C'est aussi dans la première semaine que les convulsions (terme peu satisfaisant) ont fait le plus grand nombre de victimes, tandis que la pneumonie a atteint un taux plus élevé durant cette période qu'en toute autre période de l'année excepté entre les âges d'une semaine à un mois. C'est dans le troisième mois que la diarrhée et l'entérite font le plus de ravages, quoique les décès attribués à ces deux maladies soient répartis assez également sur toute la période d'âges d'une semaine à six mois.

TABLEAU XXVIII.—TAUX DE LA MORTALITÉ (ÉQUIVALENT HEBDOMADAIRE) PAR 100,000 NAISSANCES VIVANTES, CAUSÉE PAR CERTAINES MALADIES, PAR PÉRIODES D'ÂGE DURANT LA PREMIÈRE ANNÉE D'EXISTENCE AU CANADA[1], EN 1927

N° liste int.	Causes des décès	Total moins de 1 an	Moins d'une semaine	1 semaine et moins de 1 mois	1 mois et moins de 2 mois	2 mois et moins de 3 mois	3 mois et moins de 6 mois	6 mois et moins de 9 mois	9 mois et moins de 12 mois
7	Rougeole	1·5	0·4	1·3	1·2	1·2	1·2	1·4	2·4
8	Scarlatine	0·3	–	0·1	0·5	0·2	0·3	0·3	0·3
9	Coqueluche	5·3	–	5·1	8·8	8·9	5·7	4·3	3·7
10	Diphtérie	0·4	0·4	0·5	0·3	0·6	0·3	0·3	0·6
11	Grippe	5·9	3·8	12·4	11·8	6·7	6·0	4·8	3·1
16	Dysenterie	[2]	–	–	–	–	[2]	[2]	[2]
21	Érysipèle	0·8	1·3	2·7	2·2	1·4	0·5	0·3	0·3
31–37	Tuberculose	1·5	1·3	0·4	0·7	1·9	1·8	1·7	1·6
38	Syphilis	1·1	7·3	4·5	2·5	2·0	0·8	0·2	0·1
71a	Méningite (simple)	2·7	6·4	4·1	3·0	4·2	2·8	2·3	1·6
80	Convulsions	3·6	48·3	10·3	4·7	3·6	2·5	1·5	1·4
99	Bronchite	1·1	2·6	2·4	2·1	1·7	1·0	0·8	0·5
100–101	Pneumonie	17·7	27·8	32·2	26·4	23·0	18·2	14·5	10·9
110–112	Affections de l'estomac	2·5	10·2	4·5	4·1	4·2	3·1	1·2	0·9
113	Diarrhée et entérite	34·9	22·6	43·4	58·2	64·5	47·2	24·0	14·4
118	Hernie, obstruction intestinale	0·9	1·7	1·5	1·2	1·1	0·9	0·8	0·5
159	Vices de conformation congénitaux	10·3	265·6	32·7	12·7	8·3	2·5	1·9	1·0
160	Débilité congénitale	19·4	425·7	75·1	26·8	17·7	7·4	2·4	1·1
161	Naissance prématurée, conséquence de l'accouchement	44·4	1,806·7	103·5	20·1	7·5	1·7	0·3	0·2
162	Autres affections spéciales au premier âge	11·9	436·8	29·9	8·0	5·0	1·6	0·4	0·1
	Autres causes spécifiées	13·4	64·5	36·1	18·2	16·1	11·8	8·3	7·7
204–205	Causes non spécifiées ou mal définies	1·1	5·1	0·6	0·7	0·8	1·4	1·2	0·9
	Toutes causes	**180·7**	**3,138·5**	**406·5**	**214·1**	**180·5**	**118·5**	**72·8**	**53·3**

[1] Voir la note 1, au bas du tableau I. [2] Moins de 0·1 par 100,000 naissances vivantes.

Mortalité infantile, par villes.—Le tableau XXIX nous renseigne sur les naissances vivantes, les décès d'enfants de moins d'un an et le taux de mortalité infantile dans les cités de 40,000 âmes et plus, au cours des années 1921-27. Pour les deux cités de Montréal et de Québec, les chiffres sont restreints à 1926 et 1927, ces deux cités n'ayant pas été comprises dans le territoire d'enregistrement dans les années précédentes. Le taux de la mortalité infantile le plus bas se trouve à Calgary, le plus élevé à Québec, quoique cette dernière ville ait montré une diminution sensible sur l'année précédente. Toutes les cités, London excepté, ont indiqué une mortalité infantile moins élevée en 1927 qu'en 1926, la diminution dans un nombre de cas étant substantielle.

TABLEAU XXIX.—MORTALITÉ INFANTILE DANS LES CITÉS DE 40,000 ÂMES ET PLUS, 1921-27

Nombre		Calgary	Edmonton	Halifax	Hamilton	London	Montréal	Ottawa	Québec	St. John	Toronto	Vancouver	Winnipeg
Nombre d'enfants vivants	1921	2,086	2,136	1,836	3,498	1,458	[1]	3,250	[1]	1,225	13,378	3,298	6,323
	1922	1,884	2,143	1,743	3,146	1,448	[1]	3,273	[1]	1,259	12,745	2,960	5,840
	1923	1,683	1,951	1,519	3,033	1,380	[1]	3,055	[1]	1,304	12,680	2,998	5,246
	1924	1,612	1,852	1,458	3,140	1,452	[1]	3,044	[1]	1,238	12,424	3,045	4,786
	1925	1,634	1,943	1,463	2,938	1,352	[1]	3,026	[1]	1,246	11,976	3,196	4,660
	1926	1,568	1,858	1,359	2,774	1,331	19,650	2,869	4,164	1,097	11,185	3,102	4,495
	1927	1,641	1,940	1,494	2,866	1,286	19,458	3,003	4,349	1,166	11,448	3,144	4,506
Décès dans la première année	1921	168	190	247	307	134	[1]	422	[1]	180	1,210	193	490
	1922	146	237	218	252	98	[1]	418	[1]	140	993	197	519
	1923	153	173	210	238	103	[1]	401	[1]	149	972	192	421
	1924	96	147	141	226	87	[1]	341	[1]	131	912	147	324
	1925	108	136	140	241	93	[1]	348	[1]	152	871	145	322
	1926	131	155	127	199	91	2,827	342	773	118	843	172	313
	1927	85	113	124	187	102	2,569	286	643	103	810	164	273
Taux par 1,000 naissances d'enfants vivants.	1921	80·5	89·0	134·5	87·8	91·9	[1]	129·8	[1]	146·9	90·4	58·5	77·5
	1922	77·5	110·6	125·1	80·1	67·7	[1]	127·7	[1]	111·2	77·9	66·6	88·9
	1923	90·9	88·7	138·2	78·5	74·6	[1]	131·3	[1]	114·3	76·7	64·0	80·3
	1924	59·6	79·4	96·7	72·0	59·9	[1]	112·0	[1]	105·8	73·4	48·3	67·7
	1925	66·1	70·0	95·7	82·0	68·8	[1]	115·0	[1]	122·0	72·7	45·4	69·1
	1926	83·5	83·4	93·5	71·7	68·4	143·9	119·2	185·6	107·6	75·4	55·4	69·6
	1927	51·8	58·2	83·0	65·2	79·3	132·0	95·2	147·9	88·3	70·8	52·2	60·6

[1] Non compris dans le territoire d'enregistrement.

NOTE.—La classification des cités dans le Manitoba, la Saskatchewan, et l'Alberta est selon le recensement de 1926 et dans toutes les autres provinces selon le recensement de 1921.

En étudiant les statistiques des naissances et de la mortalité infantile, il ne faut pas perdre de vue qu'un grand nombre de personnes en dehors des villes ont l'avantage d'être admises dans les institutions urbaines. Afin de soustraire à la comparaison des villes entre elles les naissances survenues aux mères qui ne sont que de passage dans les institutions des villes et les décès d'enfants qui peuvent suivre, la méthode la plus satisfaisante serait de mettre au compte de l'endroit de résidence de la mère, la naissance de son enfant et le décès, s'il y a lieu. A défaut de cette formalité, toutefois, l'élimination du total d'une ville des naissances dans les institutions à des mères non résidantes, et des décès de ces enfants peut offrir un taux de mortalité infantile assez près de l'exactitude. Le nombre de naissances hors les institutions des villes à des mères non résidantes doit être assez restreint, mais peut en quelque sorte compenser sans erreur sérieuse pour les mères faisant leur couches en dehors de leur ville d'habitation.

Le tableau XXX fait connaître la mortalité infantile en 1926 et 1927, dans les cités de 40,000 âmes et plus, sur une base précise. Les nombres absolus de ce tableau ont été puisés dans les tableaux 6 et 15 des tableaux d'ensemble. Il est intéressant de comparer la mortalité infantile corrigée des cités avec celle du tableau XXIX.

TABLEAU XXX.—TAUX CORRIGÉS DE LA MORTALITÉ INFANTILE DANS LES CITÉS DE 40,000 ÂMES ET PLUS, EN 1926-1927

Cités	1926			1927		
	Naissances vivantes, sans compter les naissances dans les institutions de non résidence de la mère	Décès d'enfants de moins d'un an, sans compter les décès dans des institutions d'autre ville que la leur	Taux corrigé de la mortalité infantile par 1,000 naissances vivantes	Naissances vivantes, sans compter les naissances dans les institutions de non résidence de la mère	Décès d'enfants de moins d'un an, sans compter les décès dans des institutions d'autre ville que la leur	Taux corrigé de la mortalité infantile par 1,000 naissances vivantes
Calgary, Alta	1,302	118	90·6	1,332	78	58·6
Edmonton, Alta	1,410	135	95·7	1,434	91	63·5
Halifax, N.-É	1,326	122	92·0	1,486	108	72·7
Hamilton, Ont	2,584	196	75·9	2,657	176	66·2
London, Ont	1,160	88	75·9	1,106	92	83·2
Montréal, Qué	19,340	2,797	144·6	19,102	2,527	132·3
Ottawa, Ont	2,462	320	130·0	2,577	261	101·3
Québec, Qué	4,102	769	187·5	4,291	637	148·5
St. John, N.-B	1,021	115	112·6	1,076	98	91·1
Toronto, Ont	10,634	800	75·2	10,857	733	67·5
Vancouver, C.B	2,769	160	57·8	2,772	146	52·7
Winnipeg, Man	3,517	249	70·8	3,462	230	66·4

Le tableau XXXI présente les statistiques de la mortalité infantile pour les totaux des centres urbains et des régions rurales pour les neuf provinces du Canada, les centres urbains étant subdivisés en cités de 40,000 âmes et plus, en cités de 10,000 à 40,000 âmes et en cités et villes de 1,000 à 10,000 âmes de population. Dans chaque cas les naissances et les décès sont enregistrés d'après le centre où ils se sont produits, sans égard au lieu de résidence des parents. Chaque classe indique un taux de mortalité moins élevé que l'année précédente, cette amélioration étant plus sensible dans les cités de 40,000 âmes et plus, et moins évidente dans les villes de 1,000 à 10,000 âmes de population. Dans les deux années, on trouve les taux les plus bas dans les villes de 10,000 à 40,000 âmes, et les plus élevés dans les cités de 40,000 âmes et plus.

TABLEAU XXXI.—TAUX DE LA MORTALITÉ INFANTILE POUR LES RÉGIONS RURALES, ET LES CENTRES URBAINS CLASSIFIÉS D'APRÈS LA POPULATION, AU CANADA[1] 1926-27

—	1926			1927		
	Naissances vivantes	Décès dans la première année	Le taux de la mortalité infantile	Naissances vivantes	Décès dans la première année	Le taux de la mortalité infantile
Cités de 40,000 âmes et plus	55,452	6,091	109·8	56,301	5,459	97·0
" " 10,000 à 40,000 âmes	24,194	2,249	93·0	24,945	2,202	88·3
Cités et villes de 1,000 à 10,000 âmes	34,179	3,369	98·6	35,813	3,372	94·2
Régions rurales	118,925	11,983	100·8	117,129	10,977	93·7

[1] Voir la note 1, au bas du tableau I.

NOTE.—La classification des cités et villes dans le Manitoba, la Saskatchewan et l'Alberta est selon le recensement de 1926, et dans toutes les autres provinces selon le recensement de 1921.

Le tableau XXXII nous présente les taux de mortalité infantile pour les quatre divisions mentionnées dans le paragraphe précédent, mais limités aux huit provinces comprises dans le territoire d'enregistrement de 1921 et couvrant la période d'années 1921-27. Dans ce territoire le taux moyen le plus bas pour les sept années se trouve dans les cités de 40,000 âmes et plus, et le plus élevé dans les cités et villes d'une population de 1,000 à 10,000 âmes. La marge entre la moyenne la plus élevée et la plus basse n'est pas forte. Non seulement les grandes villes montrent-elles un taux moyen moins élevé, mais elles présentent aussi une plus forte diminution proportionnelle dans cette période. En 1921 et 1922 on trouvait le taux le plus bas dans les régions rurales, mais l'amélioration dans ces régions semble avoir été moins sensible que dans les trois autres classes dans les sept années au cours desquelles les taux ont été computés.

TABLEAU XXXII.—TAUX DE LA MORTALITÉ INFANTILE POUR LES RÉGIONS RURALES DU TERRITOIRE D'ENREGISTREMENT DE 1921 ET POUR LES CENTRES URBAINS CLASSIFIÉS D'APRÈS LA POPULATION, 1921-27

Année	Taux de mortalité chez les enfants de moins d'un an par 1,000 naissances			
	Cités de 40,000 âmes et plus	Cités de 10,000 à 40,000 âmes	Cités et villes de 1,000 à 10,000 âmes	Régions rurales
1921	92·0	94·6	94·6	83·3
1922	88·3	89·4	90·9	84·5
1923	86·4	89·7	91·1	87·7
1924	74·9	77·9	83·4	78·7
1925	76·4	78·2	80·2	79·1
1926	78·7	77·4	81·0	80·6
1927	69·2	75·3	77·7	75·7
Moyenne pour 7 ans	**80·8**	**83·2**	**85·6**	**81·4**
P.c. de diminution entre 1921 et 1927	**24·8**	**20·4**	**17·9**	**9·1**

MORTALITÉ PUERPÉRALE

Dans le tableau XXXIII, les décès de nature puerpérale sont classifiés par âge des défuntes en 1927, pour chacune des provinces du Canada. Ces décès sont au nombre de 1,300, soit un taux de 5·6 par 1,000 naissances vivantes, comparativement à 5·7 l'année précédente. Les proportions les plus élevées sont fournies par la Nouvelle-Écosse 6·8 p.c., la Colombie Britannique 6·7 p.c. et l'Alberta 6·4 p.c.; le taux le plus réduit vient de l'Île du Prince-Édouard, 2·4 p.c. Dans cette dernière province, le nombre de cas est tellement minime, que le pourcentage n'a réellement pas d'importance.

TABLEAU XXXIII.—MORTALITÉ PUERPÉRALE PAR GROUPES D'ÂGES ET PAR PROVINCES, 1927

Groupes d'âges	Canada (1)	Î.P.-É.	N.-É.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.
15–19 ans	(2)59	–	5	2	18	(2)21	1	2	5	5
20–24 "	222	1	14	11	67	66	6	26	20	11
25–29 "	277	1	15	16	84	88	23	18	16	16
30–39 "	568	2	27	25	178	177	35	56	43	25
40 ans et plus	174	–	15	11	56	51	7	12	11	11
Total	**1,300**	**4**	**76**	**65**	**403**	**403**	**72**	**114**	**95**	**68**
Taux par 1,000 naissances vivantes 1927	**5·6**	**2·4**	**6·8**	**6·2**	**4·9**	**6·0**	**5·1**	**5·4**	**6·4**	**6·7**
1926	**5·7**	**4·6**	**4·6**	**6·4**	**5·2**	**5·6**	**5·9**	**7·1**	**5·9**	**6·5**

(1) Voir la note 1, au bas du tableau I. (2) Dans ce total, figure une mère au-dessous de 15 ans.

En classifiant les enfants nés vivants dans les neuf provinces du Canada en 1926 et 1927, selon l'âge de leur mère, et en opérant une répartition proportionnelle de ceux dont l'âge de la mère est resté inconnu (beaucoup moins d'un pour cent en chaque année), nous avons pu établir un parallèle de la mortalité puerpérale par âges dans l'état qui suit. Ces chiffres corroborent assez bien qu'en 1926 la proportion la plus faible est dans le groupe de mères de 25-29 ans et en 1927 dans le groupe de 20-24 ans. Entre 45 et 49 ans, le taux des décès par ces causes, quoique

lourd pour ces deux années, l'est davantage en 1926, la petitesse du nombre absolu permettant de grandes fluctuations dans ce groupe. L'influence de l'ordre de naissance sur le taux de la mortalité est un facteur dont il n'est pas tenu compte dans ce tableau.

TAUX DE LA MORTALITÉ PUERPÉRALE AU CANADA(1), PAR GROUPES D'ÂGES, 1926-27

Groupes d'âges	1926			1927		
	Naissances vivantes	Mortalité puerpérale	Taux par 1,000 naissances vivantes	Naissances vivantes	Mortalité puerpérale	Taux par 1,000 naissances vivantes
Moins de 20 ans	13,094	58	4·4	13,669	59	4·3
20-24 ans	54,953	247	4·5	56,317	222	3·9
25-29 "	63,345	256	4·0	62,957	277	4·4
30-34 "	50,619	283	5·6	50,264	280	5·6
35-39 "	35,374	296	8·4	35,613	288	8·1
40-44 "	13,944	147	10·5	13,852	161	11·6
45-49 "	1,396	28	20·1	1,477	12	8·1
50 ans et plus	25	2	(2)	39	1	(2)

(1) Voir la note 1, au bas du tableau I. (2) Non computé.

Taux de la mortalité puerpérale en d'autres pays.—Le tableau XXXIV donne les taux de la mortalité puerpérale d'un certain nombre de pays, obtenus dans chaque cas de la proportion des décès de nature puerpérale par rapport au nombre de naissances vivantes. Dans quelques cas, les chiffres absolus qui ont servi de base à ces taux ne sont que provisoires.

TABLEAU XXXIV.—TAUX DE LA MORTALITÉ PUERPÉRALE AU CANADA(1) ET DANS CERTAINS AUTRES PAYS

(Par 1,000 naissances vivantes)

Pays	Année	Taux de la mortalité puerpérale	Pays	Année	Taux de la mortalité puerpérale
Canada(1)	**1927**	**5·6**	Îles Britanniques	1927	4·4
Allemagne	1925	5·0	Irlande du Nord	1927	4·8
Angleterre et pays de Galles	1927	4·1	Italie	1927	2·6
Australie	1927	5·9	Japon	1927	2·8
Belgique	1927	5·7	Norvège	1926	3·2
Ceylan	1927	17·5	Nouvelle-Zélande	1927	4·9
Danemark	1926	2·6	Pays-Bas	1927	2·9
Écosse	1927	6·4	Salvador	1926	5·6
Espagne	1927	3·9	Sao-Paulo	1925	3·7
État-Libre d'Irlande	1927	4·5	Suède	1925	2·6
É.-U. (Terr. d'enregist. des naissances)	1927	6·5	Suisse	1927	2·9
France	1927	2·9	Union Sud-Africaine(2)	1926	4·6
Hongrie	1927	3·0	Uruguay	1927	2·2

(1) Voir la note 1, au bas du tableau I. (2) Population blanche.

Le tableau XXXV donne le nombre et la proportion de décès d'une nature puerpérale pour chacune des provinces du territoire d'enregistrement de 1921, pour les sept années 1921 à 1927. Pour l'ensemble des huit provinces, la tendance dans les premières années est ascendante, tandis que pour les dernières années aucun progrès défini n'est évident. Mais en interprétant ces chiffres, il faut bien tenir compte de l'amélioration constante des données concernant les décès de femmes d'âge fécond dont le taux est susceptible d'être affecté.

TABLEAU XXXV.—MORTALITÉ PUERPÉRALE DANS LE TERRITOIRE D'ENREGISTREMENT DE 1921 AU COURS DES ANNÉES 1921-27

—		Territoire d'enregistrement de 1921	Î.P.-É.	N.-É.	N.-B.	Ont.	Man.	Sask.	Alta.	C.B.
Total	1921	868	7	56	47	387	81	128	111	51
	1922	907	8	70	59	370	99	127	111	63
	1923	849	5	84	49	369	76	118	85	63
	1924	945	9	78	49	418	86	145	91	69
	1925	873	14	62	51	388	95	117	86	60
	1926	890	8	51	66	381	87	147	85	65
	1927	897	4	76	65	403	72	114	95	68
Taux par 1,000 naissances vivantes	**1921**	**5·1**	**3·2**	**4·3**	**4·1**	**5·2**	**4·4**	**5·7**	**6·7**	**4·8**
	1922	**5·5**	**3·7**	**5·5**	**5·1**	**5·2**	**5·6**	**5·7**	**6·9**	**6·2**
	1923	**5·4**	**2·5**	**7·2**	**4·6**	**5·3**	**4·6**	**5·6**	**5·6**	**6·3**
	1924	**6·0**	**4·8**	**6·6**	**4·6**	**5·8**	**5·6**	**6·7**	**6·2**	**6·8**
	1925	**5·6**	**8·4**	**5·4**	**4·7**	**5·5**	**6·4**	**5·7**	**5·8**	**5·8**
	1926	**5·9**	**4·6**	**4·6**	**6·4**	**5·6**	**5·9**	**7·1**	**5·9**	**6·5**
	1927	**5·9**	**2·4**	**6·8**	**6·2**	**6·0**	**5·1**	**5·4**	**6·4**	**6·7**

Quoique le taux de la mortalité puerpérale ait été computé sur les naissances vivantes, il est évident que de nombreux décès classés sous cette rubrique ont eu pour cause soit un avortement, soit la naissance d'un enfant mort-né. Le tableau XXXVI présente le résultat d'une investigation en la matière, pour l'année 1927. L'acte de décès de la mère ne spécifiant pas le résultat de l'accouchement, on a dû opérer des recherches parmi les documents consacrés aux mort-nés. Sous la rubrique " pas de naissance " sont compris les accidents de grossesse, les avortements, les gestations ectopiques et les autres cas où le fœtus est resté dans le corps de la mère après sa mort, à moins que le certificat médical n'affirme qu'une naissance a probablement eu lieu. Dans ce dernier cas les recherches ont été poursuivies avec plus de soin.

Au total, il est né en 1927 234,188 enfants vivants, dont 642 ont coûté la vie à la mère, soit 2·7 par 1,000. Sur 7,336 mort-nés 256 ont causé la mort de la mère, soit 34·9 par 1,000.

Dans le même tableau ont été classifiés les décès de causes puerpérales, selon la nature de soins reçus.

TABLEAU XXXVI.—DÉCÈS DE CAUSES PUERPÉRALES EN 1927, CLASSIFIÉS SELON LES SOINS MÉDICAUX REÇUS ET LE FRUIT DE L'ACCOUCHEMENT

Provinces	Total	Soins médicaux		Fruit de l'accouchement mortel		
		Médecin présent	Médecin absent	Enfant vivant	Mort-né	Pas de naissance
Île du Prince-Édouard	4	4	–	2	–	2
Nouvelle-Écosse	76	76	–	(2)39	19	18
Nouveau-Brunswick	65	62	3	36	16	13
Québec	403	397	6	216	71	116
Ontario	403	403	–	180	85	138
Manitoba	72	72	–	34	14	24
Saskatchewan	114	106	8	58	22	34
Alberta	95	94	1	48	19	28
Colombie Britannique	68	68	–	29	10	29
Canada(1)	**1,300**	**1,282**	**18**	**642**	**256**	**402**

(1) Voir la note 1, au bas du tableau I. (2) Comprend une mère ayant mis au monde des jumeaux, 1 mort et 1 vivant.

Le tableau XXXVII répartit entre les provinces les décès de nature puerpérale en 1926 et 1927, avec indication des phases respectives: grossesse, accouchement et allaitement.

TABLEAU XXXVII.—MORTALITÉ PUERPÉRALE PAR CAUSES DE DÉCÈS ET PAR PROVINCES, 1926-27

N° liste int.	Causes des décès		Canada (1)	Î.P.-É.	N.-É.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.
143	Accidents de la grossesse	1926	116	–	2	1	35	40	8	13	13	4
		1927	102	1	3	1	29	30	9	13	10	6
	(a) Avortement	1926	43	–	–	–	20	11	2	4	6	–
		1927	40	1	1	1	15	8	5	2	4	3
	(b) Gestation ectopique	1926	36	–	1	–	8	10	4	6	5	2
		1927	35	–	1	–	9	13	1	7	4	–
	(c) Autres sous ce titre	1926	26	–	1	–	5	12	1	3	2	2
		1927	23	–	1	–	4	7	3	4	2	2
	(d) Avortement provoqué par soi-même	1926	11	–	–	1	2	7	1	–	–	–
		1927	4	–	–	–	1	2	–	–	–	1
144	Hémorragie puerpérale	1926	159	1	5	9	53	40	9	16	17	9
		1927	183	–	6	10	66	49	11	18	12	11
145	Autres accidents de l'accouchement	1926	154	–	5	9	49	51	12	12	9	7
		1927	133	–	17	12	33	38	8	8	12	5
	(a) Opération césarienne	1926	25	–	1	3	3	11	1	–	1	5
		1927	34	–	4	4	2	12	2	1	6	3
	(b) Accouchement laborieux	1926	24	–	1	2	15	3	1	–	2	–
		1927	24	–	2	1	10	4	1	5	1	–
	(c) Autres opérations chirurgicales et application d'instruments	1926	58	–	2	4	7	25	6	9	3	2
		1927	38	–	7	4	6	12	3	1	3	2
	(d) Vômissements incontrôlables	1926	39	–	1	–	21	10	3	2	2	–
		1927	34	–	4	2	14	10	2	1	1	–
	(e) Rupture de l'utérus durant l'accouchement, etc	1926	8	–	–	–	3	2	1	1	1	–
		1927	3	–	–	1	1	–	–	–	1	–
146	Septicémie puerpérale	1926	432	2	20	19	146	118	40	54	18	15
		1927	448	1	15	12	151	143	23	49	30	24
147	Phlegmasia alba dolens, embolie, mort subite puerpérales	1926	83	–	2	5	9	32	4	19	5	7
		1927	81	–	4	2	15	33	7	14	3	3
148	Albuminurie et éclampsie puerpérales	1926	307	3	16	18	93	95	13	29	21	19
		1927	310	2	24	23	91	106	12	10	25	17
149	Suites de couches (sans autres explications)	1926	65	2	1	5	42	5	1	4	2	3
		1927	42	–	7	5	17	4	2	2	3	2
150	Affections puerpérales de la mamelle	1926	1	–	–	–	–	–	–	–	–	1
		1927	1	–	–	–	1	–	–	–	–	–
	Total	**1926**	**1,317**	**8**	**51**	**66**	**427**	**381**	**87**	**147**	**85**	**65**
		1927	**1,300**	**4**	**76**	**65**	**403**	**403**	**72**	**114**	**95**	**68**

(1) Voir la note 1, au bas du tableau I.

Le tableau XXXVIII donne pour les huit provinces comprises dans le territoire d'enregistrement de 1921 le nombre de décès de nature puerpérale attribués à la septicémie puerpérale et ceux attribués à toutes autres causes puerpérales, au cours de la période 1921-27. Le progrès des décès de septicémie puerpérale en 1923 est probablement seulement apparent; il résulte de l'habitude prise depuis cette année à donner la préférence à cette cause sur toutes les autres causes puerpérales, tels les accidents de grossesse.

TABLEAU XXXVIII.—DÉCÈS DUS À LA SEPTICÉMIE PUERPÉRALE ET AUTRES CAUSES PUERPÉRALES, DANS LE TERRITOIRE D'ENREGISTREMENT, DE 1921 À 1927

Année	Toutes causes puerpérales (143–150)	Septicémie puerpérale (146)	Autres causes puerpérales (143–145) (147–150)
1921	868	189	679
1922	907	180	727
1923	849	276	573
1924	945	271	674
1925	873	260	613
1926	890	286	604
1927	897	297	600

On trouvera dans le tableau XXXIX l'énumération d'un certain nombre de maladies indiquées comme cause de décès, avec complication résultant de l'état puerpéral, et ce dans chacune des provinces en 1927. On y voit que les causes les plus fréquentes sont: la tuberculose, la grippe, la pneumonie et les affections du cœur. La fièvre typhoïde avait causé 15 décès de femmes enceintes; de ces 15 décès, 12 revenaient à la province de Québec, quand sévissait à Montréal au cours de cette année-là, une épidémie de cette maladie.

TABLEAU XXXIX.—DÉCÈS NON ATTRIBUÉS DIRECTEMENT À LA GROSSESSE NI À L'ACCOUCHEMENT, MAIS QUI Y SONT ASSOCIÉS, 1927

N° liste int.	Causes des décès	Canada (1)	I.P.-É.	N.-É.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.
	Toutes causes	**208**	–	**13**	**12**	**52**	**49**	**17**	**24**	**26**	**15**
1a	Fièvre typhoïde	15	–	–	2	12	–	1	–	–	–
7	Rougeole	1	–	–	1	–	–	–	–	–	–
8	Fièvre scarlatine	4	–	–	1	–	1	1	–	1	–
10	Diphtérie	1	–	–	–	–	1	–	–	–	–
11	Grippe	36	–	1	1	3	7	7	8	6	3
21	Érysipèle	2	–	–	–	1	1	–	–	–	–
22	Poliomyélite aigüe	1	–	–	–	–	–	–	–	1	–
24	Méningite cérébro-spinale épidémique	1	–	–	–	–	–	–	–	1	–
31	Tuberculose de l'appareil respiratoire	37	–	3	2	18	6	–	3	3	2
33	Tuberculose des intestins et du péritoine	4	–	–	–	1	1	1	–	1	–
36d	Tuberculose des organes génito-urinaires	1	–	–	–	–	1	–	–	–	–
36e	Autres organes que ceux déjà mentionnés	1	–	–	–	–	–	–	–	–	1
37a	Tuberculose disséminée aigüe	1	–	–	1	–	–	–	–	–	–
38	Syphilis	1	–	–	–	–	–	–	–	1	–
44	Cancer de l'estomac et du foie	1	–	–	–	–	1	–	–	–	–
47	Cancer du sein	2	–	1	–	1	–	–	–	–	–
51	Rhumatisme articulaire aigu fébrile	1	–	–	–	–	–	–	1	–	–
58a	Anémie pernicieuse	2	–	–	–	1	1	–	–	–	–
60a	Goître exophtalmique	1	–	–	–	–	–	–	–	1	–
60b	Autres affections de la glande thyroïde	3	–	–	–	–	1	–	1	1	–
68a	Morphinisme chronique	1	–	1	–	–	–	–	–	–	–
78	Épilepsie	1	–	–	–	–	–	–	1	–	–
88a	Endocardite aigüe	1	–	–	–	–	1	–	–	–	–
90a	Affection valvulaire	12	–	1	–	–	3	–	5	3	–
90b	Dégénérescence ou stéanose du cœur	2	–	–	–	–	–	–	–	1	1
90d	Endocardite chronique	5	–	–	–	–	3	1	–	–	1
90e	Myocardite chronique	4	–	–	–	–	2	1	1	–	–
100a	Broncho-pneumonie	1	–	–	–	1	–	–	–	–	–
101a	Pneumonie—lobaire	24	–	4	1	4	6	1	2	3	3
101b	Pneumonie, sans épithète	5	–	–	3	1	1	–	–	–	–
102	Pleurésie	1	–	–	–	1	–	–	–	–	–
109b	Végétations adénoïdiennes	2	–	1	–	–	1	–	–	–	–
111a	Ulcère de l'estomac	1	–	–	–	–	1	–	–	–	–
117	Appendicite et typhlite	4	–	–	–	1	1	–	1	1	–
118b	Obstruction intestinale	1	–	–	–	–	1	–	–	–	–
120	Atrophie jaune aigüe du foie	11	–	1	–	4	3	1	1	–	1
129	Néphrite chronique (y compris non spécifiée, dix ans et au-dessus)	5	–	–	–	2	2	–	–	–	1
139	Tumeurs bénignes de l'utérus	1	–	–	–	–	1	–	–	–	–
141	Autres affections des organes génitaux de la femme	1	–	–	–	1	–	–	–	–	–
185	Traumatismes accidentels par chute	1	–	–	–	–	–	–	–	1	–
188c	Accidents par automobiles	1	–	–	–	–	1	–	–	–	–
194	Chaleur excessive	1	–	–	–	–	–	–	–	–	1
199	Homicides	6	–	–	–	–	1	3	–	1	1

(1) Voir la note 1, au bas du tableau I.

MORTALITÉ (TOUTES CAUSES)

Les décès à tous les âges en 1927 dans les neuf provinces dont la population est approximativement de 9,507,000 âmes, s'élèvent à 105,292, portant ainsi le taux brut de la mortalité à 11·1 par 1,000 personnes, comparativement à 107,454 décès en 1926 et un taux de 11·5 par 1,000 personnes. Le taux de la mortalité varie entre 7·2 en Saskatchewan à 13·9 en Québec. La différence entre les provinces à cet égard est influencée grandement par la composition de leur population selon l'âge. Le taux élevé de la mortalité infantile est un facteur important surtout quand il est associé à une forte natalité.

Le tableau XL est un relevé des décès en nombres absolus avec accompagnement de leur coefficient par provinces pour les années 1921-27. Les comparaisons des années antérieures à 1926, toutefois, sont faites seulement pour les huit provinces comprises dans le territoire d'enregistrement de 1921 et pour le total de ce territoire. Pour les huit provinces qui peuvent être comparées avec les années passées, le taux de la mortalité en 1927 est inférieur à l'année précédente et légèrement supérieur à celui de 1924 et 1925.




TABLEAU XL.—NOMBRES ABSOLUS ET TAUX BRUTS DES DÉCÈS (MORT-NÉS EXCLUS) PAR 1,000 ÂMES ET PAR PROVINCES, 1921-27

Année	Î.P.-É.	N.-É.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.	Canada (1)	Territ. d'enr. de 1921 (2)
	NOMBRE DE DÈCÈS										
1921	1,209	6,420	5,410	(3)	34,551	5,388	5,596	4,940	4,208	(4)	67,723
1922	1,113	6,679	5,158	(3)	34,034	5,754	6,119	5,264	4,907	(4)	69,028
1923	1,150	6,868	5,013	(3)	35,636	5,330	6,182	5,006	4,997	(4)	70,182
1924	956	6,583	4,923	(3)	33,078	5,023	5,772	4,858	5,004	(4)	66,197
1925	997	6,045	4,960	(3)	33,960	5,245	5,628	4,697	4,945	(4)	66,477
1926	898	6,366	5,002	37,251	35,909	5,335	6,060	5,159	5,474	**107,454**	70,203
1927	913	6,378	4,902	36,175	34,775	5,309	6,031	5,059	5,750	**105,292**	69,117
	TAUX DE LA MORTALITÉ PAR 1,000 ÂMES										
1921	13·6	12·3	14·2	(3)	11·8	8·8	7·4	8·4	8·0	(4)	10·6
1922	12·6	12·6	13·2	(3)	11·4	9·3	7·9	8·9	9·1	(4)	10·6
1923	13·1	13·0	12·7	(3)	11·8	8·6	7·9	8·4	9·2	(4)	10·7
1924	10·9	12·3	12·3	(3)	10·8	8·0	7·2	8·1	9·0	(4)	9·9
1925	11·5	11·3	12·3	(3)	10·9	8·3	6·9	7·8	8·8	(4)	9·9
1926	10·3	11·8	12·3	14·5	11·4	8·3	7·4	8·5	9·6	**11·5**	10·3
1927	10·5	11·7	11·9	13·9	10·9	8·2	7·2	8·2	10·0	**11·1**	10·0

(1) Voir la note 1, au bas du tableau I. (2) Voir la note 2, au bas du tableau I. (3) Non compris dans le territoire d'enregistrement. (4) Voir note 3.

Taux brut de la mortalité dans d'autres pays.—Le tableau XLI compare le taux brut de la mortalité du Canada avec ceux d'un certain nombre d'autres pays, dont les chiffres sont dans quelques cas provisoires.

TABLEAU XLI.—TAUX BRUT ANNUEL DE LA MORTALITÉ AU CANADA ET DANS CERTAINS AUTRES PAYS

Pays	Année	Taux brut	Pays	Année	Taux brut
Canada (1)	**1927**	**11·1**	Îles Britanniques	1927	12·7
Allemagne	1927	12·0	Inde (Anglaise)	1926	26·8
Angleterre et pays de Galles	1927	12·3	Irlande du Nord	1927	14·6
Australie	1927	9·4	Italie	1927	15·8
Autriche	1927	14·9	Japon	1927	19·8
Belgique	1927	13·0	Norvège	1927	11·0
Ceylan	1927	21·7	Nouvelle-Zélande	1927	8·4
Chili	1927	25·3	Pays-Bas	1927	10·2
Danemark	1926	11·0	Roumanie	1926	21·5
Écosse	1927	13·5	Salvador	1926	22·2
Espagne	1927	18·9	Sao-Paulo	1925	16·4
État-Libre d'Irlande	1927	14·8	Suède	1927	12·7
É.-U., (Terr. d'enregist. des naissances)	1927	11·4	Suisse	1927	12·3
Finlande	1927	14·4	Union Sud-Africaine (2)	1927	9·8
France	1927	16·5	Uruguay	1927	11·4
Hongrie	1927	17·7			

(1) Voir la note 1, au bas du tableau I. (2) Population blanche.

Répartition des décès selon les âges.—Le tableau XLII répartit les décès survenus en 1926 et 1927, selon l'âge des défunts groupés par quartiles [a] et déciles [a], tant pour chaque sexe individuellement que pour les deux sexes réunis. On y remarque que les six premiers déciles masculins et les trois premiers déciles féminins sont à un degré d'âge supérieur en 1927 qu'en 1926.

TABLEAU XLII.—ÂGES DES DEFUNTS GROUPÉS PAR QUARTILES ET DÉCILES, 1926-1927

Groupement fractionnaire	Les deux sexes		Masculin		Féminin	
	1926	1927	1926	1927	1926	1927
Premier quartile.....années	1·83	2·58	1·34	1·80	2·85	3·96
Second quartile..... "	45·50	45·94	45·16	46·04	45·89	45·83
Troisième quartile..... "	70·70	70·32	70·05	69·69	71·51	71·07
Premier décile..... mois	0·88	0·99	0·60	0·71	1·43	1·49
Second décile..... "	8·56	10·09	6·60	7·87	11·74	14·64
Troisième décile.....années	6·95	9·78	4·30	6·76	12·15	13·70
Quatrième décile..... "	28·77	29·37	26·47	28·16	30·61	30·56
Cinquième décile..... "	45·50	45·94	45·16	46·04	45·89	45·83
Sixième décile..... "	58·40	58·28	57·73	57·89	59·13	58·74
Septième décile..... "	67·15	66·89	66·44	66·25	68·00	67·59
Huitième décile..... "	74·05	73·73	73·28	72·97	74·00	74·67
Neuvième décile..... "	80·82	80·56	79·89	79·65	81·85	81·60

Le tableau XLIII donne la répartition numérique et proportionnelle des décès masculins et féminins, puis des deux réunis, dans certains groupes d'âges en 1926 et 1927. Les décès dans le groupe au-dessous de cinq ans fournissent un plus léger pourcentage dans le total en 1927 qu'en 1926. On constate une augmentation de la proportion dans presque tous les groupes d'âges entre cinq ans et soixante-dix ans avec des proportions encore plus réduites après ce dernier âge.

TABLEAU XLIII.—RÉPARTITION NUMÉRIQUE ET PROPORTIONNELLE DES DÉCÈS AU CANADA [1] DANS CERTAINS GROUPES D'ÂGES, 1926 ET 1927

Groupes d'âges	Nombre						P.c. du total de tous âges connus					
	Les deux sexes		Masculin		Féminin		Les deux sexes		Masculin		Féminin	
	1926	1927	1926	1927	1926	1927	1926	1927	1926	1927	1926	1927
Moins d'un an...	23,692	22,010	13,537	12,548	10,155	9,462	22·1	20·9	23·8	22·4	20·1	19·3
1 an.....	3,781	3,401	2,001	1,863	1,780	1,538	3·5	3·2	3·5	3·3	3·5	3·1
2 ans.....	1,636	1,517	846	775	790	742	1·5	1·4	1·5	1·4	1·6	1·5
3 "	1,075	1,101	559	572	516	529	1·0	1·1	1·0	1·0	1·0	1·1
4 "	826	841	410	443	416	398	0·8	0·8	0·7	0·8	0·8	0·8
Moins de 5 ans...	*31,010*	*28,870*	*17,353*	*16,201*	*13,657*	*12,669*	*28·9*	*27·5*	*30·5*	*28·9*	*27·1*	*25·9*
5- 9 ans.....	2,504	2,766	1,378	1,476	1,126	1,290	2·3	2·6	2·4	2·7	2·2	2·6
10-14 "	1,917	2,137	1,015	1,119	902	1,018	1·8	2·0	1·8	2·0	1·8	2·1
15-19 "	2,597	2,671	1,311	1,306	1,286	1,365	2·4	2·5	2·3	2·3	2·5	2·8
20-24 "	2,889	3,042	1,338	1,442	1,551	1,600	2·7	2·9	2·4	2·6	3·1	3·3
25-29 "	2,682	2,891	1,221	1,398	1,461	1,493	2·5	2·7	2·1	2·5	2·9	3·0
30-34 "	2,764	2,735	1,248	1,292	1,516	1,443	2·6	2·6	2·2	2·3	3·0	2·9
35-39 "	3,354	3,266	1,638	1,582	1,716	1,684	3·1	3·1	2·9	2·8	3·4	3·4
40-44 "	3,544	3,429	1,871	1,795	1,673	1,634	3·3	3·3	3·3	3·2	3·3	3·3
45-49 "	3,873	3,914	2,061	2,111	1,812	1,803	3·6	3·7	3·6	3·8	3·6	3·7
50-54 "	4,087	4,243	2,249	2,379	1,838	1,864	3·8	4·0	4·0	4·2	3·6	3·8
55-59 "	4,740	4,940	2,647	2,825	2,093	2,115	4·4	4·7	4·7	5·0	4·2	4·3
60-64 "	5,994	6,056	3,314	3,372	2,680	2,684	5·6	5·8	5·8	6·0	5·3	5·5
65-69 "	7,348	7,350	3,977	4,057	3,371	3,293	6·8	7·0	7·0	7·2	6·7	6·7
70-74 "	8,091	7,825	4,427	4,339	3,664	3,486	7·5	7·4	7·8	7·7	7·3	7·1
75-79 "	8,026	7,735	4,235	4,089	3,791	3,646	7·5	7·4	7·4	7·3	7·5	7·4
80-89 "	9,998	9,468	4,821	4,577	5,177	4,891	9·3	9·0	8·5	8·2	10·3	10·0
90 ans et plus....	1,905	1,810	787	782	1,118	1,028	1·8	1·7	1·4	1·4	2·2	2·1
Âges connus...	**107,323**	**105,148**	**56,891**	**56,142**	**50,432**	**49,006**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**
Âge inconnu...	**131**	**144**	**88**	**123**	**43**	**21**	.....	.....	.....	.....	.....	.....
Total.....	**107,454**	**105,292**	**56,979**	**56,265**	**50,475**	**49,027**	.....	.....	.....	.....	.....	.....

[1] Voir la note 1, au bas du tableau I.

Le tableau XLIV établit par groupes d'âges, pour le territoire d'enregistrement, la répartition proportionnelle des décès de 1921 à 1927. Ce bref exposé démontre que la proportion de décès au-dessous d'un an, par rapport à l'ensemble de la mortalité, a décru d'année en année

(a) Pour explication de ces termes, le lecteur est référé à la page lxxxviii traitant de la distribution d'âge des parents d'enfants nés vivants.

depuis 1921. Ceci s'explique partiellement d'une part par la décroissance de la natalité d'année en année et, d'autre part, par l'abaissement substantiel du taux de la mortalité infantile.

Une tendance à la baisse est également manifeste dans la proportion des décès entre la première et la cinquième année par rapport à la totalité de la mortalité. L'abaissement du taux de la natalité se reflète, bien qu'un peu plus tard, dans ce groupe d'âges, mais il y a eu évidemment une réduction substantielle de la mortalité.

En général, il y a un changement dans l'accroissement des décès des groupes d'âges plus avancés au cours de la période sous revue. Laissant de côté les améliorations survenues au-dessous d'un an et considérant seulement les autres décès divisés en deux groupes: le premier d'un à quarante ans et le second au-dessus de quarante ans, on voit que les décès de ce dernier groupe représentaient 196 p.c. de ceux du premier groupe en 1921, 216 p.c. en 1922, 233 p.c. en 1923, 239 p.c. en 1924, 257 p.c. en 1925, 268 p.c. en 1926 et 265 p.c. en 1927. On remarque que la dernière année a fait halte à la tendance ascendante de cette proportion. Il serait intéressant de savoir jusqu'où ce changement de proportion des décès est dû au facteur d'âge et jusqu'à quel point il affecte la proportion des décès entre les groupes. Seul le recensement de 1931 pourra nous éclairer sur cette question.

TABLEAU XLIV.—RÉPARTITION PROPORTIONNELLE DES DÉCÈS, PAR LARGES GROUPES D'ÂGES. DANS LE TERRITOIRE D'ENREGISTREMENT DE 1921 AU COURS DES ANNÉES 1921-27

Groupes d'âges	1921	1922	1923	1924	1925	1926	1927
Moins d'un an	22·0	20·7	19·7	18·7	18·3	17·2	16·3
1- 4 ans	6·3	5·8	5·6	5·6	5·1	5·3	4·9
5–19 "	7·5	7·0	6·7	6·7	6·4	6·3	6·6
20–39 "	12·6	12·3	11·8	11·7	11·4	10·9	11·4
40–59 "	15·6	16·0	16·1	16·5	16·6	17·0	17·5
60 ans et plus	36·2	38·2	40·0	40·8	42·2	43·2	43·2

Décès de centenaires.—On rapporte 80 décès de centenaires au cours de l'année 1927, dont 34 hommes et 46 femmes. Le tableau XLV en fait le relevé par provinces et par année d'âge; il est évident qu'il nous est impossible d'attester l'authenticité de ces déclarations.

TABLEAU XLV.—DÉCÈS DE RÉPUTÉS CENTENAIRES PAR PROVINCES, 1927

Âge au décès		Canada (1)	Î.P.-É.	N.-É.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.
Total des centenaires		**80**	–	**12**	**4**	**10**	**30**	**3**	**6**	**3**	**12**
	H.	**34**	–	**2**	**4**	**6**	8	–	**5**	**2**	**7**
	F.	**46**	–	**10**	–	**4**	**22**	**3**	**1**	**1**	**5**
100 ans	H.	19	–	1	3	4	4	–	2	–	5
	F.	15	–	5	–	–	5	1	–	–	4
101 ans	H.	4	–	1	1	–	–	–	1	–	1
	F.	18	–	4	–	2	9	2	1	–	–
102 ans	H.	5	–	–	–	1	2	–	2	–	–
	F.	7	–	–	–	–	6	–	–	1	–
103 ans	H.	3	–	–	–	–	2	–	–	1	–
	F.	–	–	–	–	–	–	–	–	–	–
104 ans	H.	1	–	–	–	–	–	–	–	–	1
	F.	1	–	–	–	1	–	–	–	–	–
106 ans	H.	1	–	–	–	–	–	–	–	1	–
	F.	3	–	1	–	1	1	–	–	–	–
107 ans	H.	–	–	–	–	–	–	–	–	–	–
	F.	1	–	–	–	–	1	–	–	–	–
110 ans	H.	1	–	–	–	1	–	–	–	–	–
	F.	–	–	–	–	–	–	–	–	–	–
113 ans	H.	–	–	–	–	–	–	–	–	–	–
	F.	1	–	–	–	–	–	–	–	–	1

(1) Voir la note 1, au bas du tableau I.

Mortalité par mois.—Le tableau XLVI est consacré à la mortalité par mois, dans chaque province en les années 1921-27. Les chiffres du Québec et du total des neuf provinces ne sont que pour les années 1926 et 1927.

Les taux annuels équivalents ont été obtenus en multipliant les décès dans un mois précité par 365 et en le divisant par le nombre de jours de ce mois avant d'en computer les taux.

En 1927, le mois d'avril avec une proportion de 12·3, suivi de très près par février, avec un taux de 12·2, et janvier avec un taux de 12·1 par mille personnes, a été le mois le plus chargé de l'année. Juillet fournit le taux le plus favorable de l'année, 9·8 par mille. En l'année précédente, le taux extrême de la mortalité était aussi en avril. En 1926, le mois d'août au lieu de juillet fournissait le taux le plus faible, mais la différence entre ces deux mois était insignifiante.

Les taux mensuels du territoire d'enregistrement de 1921, couvrant une période de plus de sept années, donnent une bonne indication en ce qui concerne ce territoire. Dans les cinq premiers mois de l'année, il n'y a pas un seul cas où le taux des décès soit tombé au-dessous de dix par mille personnes. Au cours des six mois juin-novembre, au contraire, cinq fois seulement le taux s'est élevé au-dessus de dix par mille personnes, quatre de ces cas se rencontrent en la même année 1921. Les faibles taux de juillet et août sont particulièrement frappants par toute cette période.

TABLEAU XLVI.—TAUX BRUT DE LA MORTALITÉ PAR 1000 PERSONNES ET PAR MOIS, DANS CHAQUE PROVINCE, 1921-27

Provinces		Taux annuel	Equivalent du taux annuel de la mortalité											
			Jan.	Fév.	Mars	Avril	Mai	Juin	Juil.	Août	Sept.	Oct.	Nov.	Déc.
Île du Prince-Édouard	1921	13·6	13·6	19·0	19·7	15·0	13·7	9·9	11·3	10·1	13·0	12·0	13·6	13·4
	1922	12·6	13·4	15·6	16·3	14·5	14·2	12·7	8·4	10·3	9·8	11·8	12·6	12·4
	1923	13·1	14·0	17·8	23·5	13·5	11·0	11·3	10·0	10·6	8·3	13·2	13·1	10·6
	1924	10·9	13·0	15·2	14·4	11·9	9·7	8·2	8·7	8·5	9·8	10·1	10·0	11·1
	1925	11·5	13·5	11·5	16·9	14·1	13·0	9·2	8·8	9·7	7·6	9·6	10·9	12·5
	1926	10·3	12·5	13·6	10·7	10·9	11·0	8·0	9·3	8·1	7·3	11·4	10·6	10·7
	1927	10·5	13·3	13·2	12·0	14·1	9·3	8·7	6·6	9·2	7·6	11·0	9·9	11·2
Nouvelle-Écosse	1921	12·3	15·1	13·0	13·8	13·7	11·7	11·1	9·8	11·3	11·8	11·7	12·4	11·6
	1922	12·6	14·2	16·2	16·3	14·0	13·0	10·5	10·2	10·2	10·4	11·6	12·7	12·8
	1923	13·0	13·3	16·8	17·7	15·6	13·6	12·1	10·2	10·6	10·4	11·2	11·4	13·0
	1924	12·3	14·5	14·4	14·8	12·9	12·6	11·1	11·1	10·8	11·3	12·3	10·7	11·5
	1925	11·3	13·0	13·3	14·2	13·6	11·6	10·4	9·2	7·7	10·1	10·3	10·8	11·0
	1926	11·8	12·0	13·5	12·9	16·9	13·8	11·3	9·5	8·9	10·4	9·8	10·4	12·3
	1927	11·7	11·6	13·9	12·5	12·4	11·8	11·5	9·8	11·7	12·2	10·7	11·2	11·9
Nouveau-Brunswick	1921	14·2	14·9	14·9	15·8	16·8	13·6	11·7	12·9	14·3	16·6	13·6	12·8	13·0
	1922	13·2	15·2	16·9	15·7	13·7	12·1	10·9	10·2	11·5	13·9	13·0	12·8	12·4
	1923	12·7	13·5	16·2	19·2	15·9	12·8	11·7	9·7	9·6	11·3	11·1	10·4	10·7
	1924	12·3	12·3	12·4	12·5	13·7	12·6	12·0	10·4	12·6	14·2	13·3	11·4	10·9
	1925	12·3	13·5	12·3	13·0	14·1	13·6	11·8	10·2	10·9	11·5	13·1	10·9	12·8
	1926	12·3	11·8	12·9	13·7	17·2	14·8	11·5	10·1	9·3	11·9	12·2	10·7	11·6
	1927	11·9	12·1	12·7	12·2	14·3	12·7	11·7	9·6	10·9	11·9	11·3	11·2	12·7
Québec	1926	14·5	14·0	14·3	16·2	20·4	16·6	13·8	12·6	13·6	14·2	13·0	12·5	13·4
	1927	13·9	14·5	14·0	14·2	15·5	15·2	14·3	12·8	13·5	14·5	12·8	12·7	12·9
Ontario	1921	11·8	12·8	13·7	13·2	12·5	11·5	9·9	10·9	11·4	12·0	11·3	11·0	11·4
	1922	11·4	12·5	12·4	13·9	13·2	11·8	10·2	9·7	9·6	10·0	11·1	10·6	12·0
	1923	11·8	13·6	19·1	15·0	13·4	11·9	10·4	9·4	9·6	9·6	10·1	10·2	9·8
	1924	10·8	11·2	11·3	12·1	12·3	11·4	10·9	9·7	9·2	9·8	10·0	10·6	11·3
	1925	10·9	11·2	11·6	12·2	11·9	11·2	10·2	9·5	9·9	10·9	10·9	10·6	11·2
	1926	11·4	11·8	12·1	13·6	14·5	12·6	11·0	10·3	9·2	10·2	10·4	10·1	11·2
	1927	10·9	11·7	12·0	11·7	12·2	11·3	10·8	9·7	9·6	10·4	10·6	10·3	10·7
Manitoba	1921	8·8	9·6	10·6	9·6	9·0	8·8	8·0	7·1	8·9	8·3	9·0	8·8	8·4
	1922	9·3	9·7	10·5	11·0	10·9	8·5	8·7	7·9	9·1	9·7	9·7	8·2	8·4
	1923	8·6	9·0	11·0	11·4	9·9	8·3	7·0	6·9	7·4	7·7	8·4	8·7	7·5
	1924	8·0	8·7	8·4	8·3	9·3	9·2	8·1	6·9	6·6	7·5	7·2	7·6	8·4
	1925	8·3	8·6	8·5	9·5	9·7	8·6	8·1	7·1	6·9	9·0	8·4	7·5	7·6
	1926	8·3	8·3	8·8	10·0	10·9	9·3	7·8	7·1	7·7	7·3	7·2	8·1	7·8
	1927	8·2	9·1	12·1	9·7	8·3	7·7	6·9	7·0	6·7	8·2	8·2	7·2	7·7
Saskatchewan	1921	7·4	8·2	8·9	8·2	7·4	7·6	6·6	6·7	6·6	6·6	7·5	7·1	7·2
	1922	7·9	7·5	7·5	8·8	11·2	7·9	6·9	6·6	7·0	8·7	8·5	7·6	7·0
	1923	7·9	7·9	9·4	11·0	9·4	7·9	6·5	6·4	6·6	8·0	7·8	6·9	7·1
	1924	7·2	7·8	7·6	8·3	9·4	7·7	6·3	6·7	6·3	6·9	7·0	6·7	6·3
	1925	6·9	6·7	6·5	7·5	8·2	7·7	6·0	6·1	6·7	7·5	7·5	6·6	6·4
	1926	7·4	6·9	7·4	8·1	9·2	8·1	6·9	6·6	6·4	7·4	6·9	6·7	8·0
	1927	7·2	8·8	8·9	8·1	7·6	7·1	6·3	5·9	6·8	6·9	6·5	6·7	7·1

TABLEAU XLVI.—TAUX BRUT DE LA MORTALITÉ PAR 1,000 PERSONNES ET PAR MOIS, DANS CHAQUE PROVINCE, 1921-27—fin

Provinces		Taux annuel	Equivalent du taux annuel de la mortalité											
			Jan.	Fév.	Mars	Avril	Mai	Juin	Juil.	Août	Sept.	Oct.	Nov.	Déc.
Alberta	1921	8·4	9·9	9·0	9·1	9·6	8·9	8·9	6·6	8·2	7·9	8·0	8·0	7·6
	1922	8·9	8·3	10·3	11·1	12·0	9·1	7·5	7·1	8·2	8·3	8·6	8·3	8·1
	1923	8·4	8·4	9·0	10·6	10·0	9·0	7·5	7·6	7·5	7·9	7·7	8·6	7·0
	1924	8·1	9·3	8·6	9·7	9·0	8·0	7·7	7·6	7·1	7·8	7·4	7·6	7·5
	1925	7·8	7·8	8·1	8·9	8·7	8·5	7·2	6·6	7·3	7·3	7·7	7·3	8·0
	1926	8·5	8·6	8·5	9·1	11·3	8·8	7·4	7·9	7·7	7·9	7·6	7·8	9·3
	1927	8·2	10·0	9·2	8·9	9·5	8·2	7·3	6·8	7·1	7·9	8·1	7·1	8·2
Colombie Britannique	1921	8·0	9·5	9·6	8·7	8·7	8·1	7·0	6·6	7·0	6·8	7·9	7·6	8·8
	1922	9·1	9·7	10·9	12·7	9·0	9·1	8·3	7·4	8·5	8·4	7·9	8·4	9·1
	1923	9·2	10·0	11·5	10·7	9·3	8·3	8·6	8·1	8·2	7·9	9·0	9·0	9·7
	1924	9·0	10·5	9·8	10·5	9·7	9·0	8·3	8·2	8·2	8·6	8·6	8·1	9·2
	1925	8·8	9·3	9·5	9·1	9·2	8·2	8·5	8·1	8·2	8·4	9·5	8·4	9·3
	1926	9·6	9·9	9·9	9·7	9·9	10·1	9·1	9·0	8·0	8·4	9·3	9·9	12·6
	1927	10·0	13·9	10·8	10·5	10·1	9·9	8·8	9·3	9·6	8·4	9·0	9·6	10·1
Canada(1)	**1926**	**11·5**	**11·4**	**11·8**	**13·0**	**15·1**	**12·8**	**10·9**	**10·1**	**9·9**	**10·6**	**10·4**	**10·2**	**11·3**
	1927	**11·1**	**12·1**	**12·2**	**11·8**	**12·3**	**11·5**	**10·8**	**9·8**	**10·2**	**10·9**	**10·5**	**10·2**	**10·8**
Territoire d'enregistrement de 1921.	1921	10·6	11·7	12·2	11·8	11·4	10·4	9·1	9·3	10·1	10·5	10·2	10·0	10·2
	1922	10·6	11·3	11·9	13·0	12·4	10·7	9·4	8·8	9·2	9·8	10·3	9·9	10·6
	1923	10·7	11·7	15·3	14·0	12·3	10·7	9·4	8·6	8·8	9·1	9·6	9·6	9·3
	1924	9·9	10·7	10·6	11·2	11·3	10·4	9·6	8·9	8·6	9·3	9·4	9·4	9·9
	1925	9·9	10·3	10·4	11·1	11·0	10·2	9·2	8·5	8·8	9·7	9·9	9·4	10·0
	1926	10·3	10·5	10·9	11·8	13·1	11·4	9·8	9·2	8·5	9·3	9·4	9·3	10·6
	1927	10·0	11·2	11·5	10·8	11·0	10·2	9·5	8·7	9·0	9·6	9·6	9·3	10·0

(1) Voir la note 1, au bas du tableau I.

Taux ajustés et standardisés de la mortalité.—Les taux bruts de la mortalité sont quelque peu influencés par le sexe et beaucoup par les différences d'âge de la population. Afin d'éviter l'influence de ces deux facteurs, les taux de décès comme dans les années précédentes ont été obtenus pour l'ensemble du Canada et pour chaque province. Ces taux tendent à démontrer ce que serait la mortalité au Canada et dans chacune de ses provinces si la population, quant à l'âge et au sexe, était composée comme celle d'Angleterre et du pays de Galles lors du recensement de 1901. Dans le cas présent, les taux ajustés ont tous été computés sur la présomption qu'ils devraient fournir la même proportion que les taux bruts de 1926. Comme la plupart des taux de 1926 ont été calculés sur une présomption similaire par rapport à 1921, il s'en suit qu'on ne peut réclamer l'exactitude des taux ajustés en 1927, sauf pour les provinces des prairies, où les taux ajustés en 1926 ont été directement obtenus des résultats du recensement de cette année-là; néanmoins celui des autres provinces sert, bien qu'imparfaitement, à supprimer les inégalités dans les taux bruts dues aux différences d'âge et de sexe parmi la population constituant une collectivité. Bien qu'en les rapports précédents, les taux ajustés aient été computés pour chaque sexe aussi bien que pour l'ensemble de la population, on a cru qu'il valait mieux, en raison du laps de temps écoulé depuis le recensement de 1921, omettre les taux ajustés pour les sexes séparément, en 1927.

TABLEAU XLVII.—TAUX BRUTS ET TAUX AJUSTÉS DE LA MORTALITÉ, PAR PROVINCES, 1927

Provinces	Les deux sexes	
	Bruts	Ajustés
Canada(1)	**11·1**	**10·8**
Île du Prince-Édouard	10·5	8·0
Nouvelle-Écosse	11·7	9·8
Nouveau-Brunswick	11·9	10·3
Québec	13·9	13·4
Ontario	10·9	10·0
Manitoba	8·2	8·9
Saskatchewan	7·2	8·1
Alberta	8·2	9·2
Colombie Britannique	10·0	10·5

(1) Voir la note 1, au bas du tableau I.

Les différences entre le taux brut et le taux ajusté que l'on constate dans le tableau XLVII sont causées par les différences d'âge et de sexe des diverses populations. Pour les provinces

dont la population envisagée au point de vue de la mortalité était mieux constituée au dernier recensement que celle de l'Angleterre et du pays de Galles en 1901, les taux ajustés sont plus élevés que les taux bruts, tandis que le contraire se produit dans les provinces moins favorablement composés selon l'âge et le sexe, comparativement aux taux standardisés.

On remarque que le taux ajusté pour l'ensemble du Canada en 1927, est tombé de 11·1 à 10·8 par 1,000 âmes.

Le relevé ci-dessus établit une comparaison entre les taux ajustés ou standardisés du Canada avec ceux de l'Angleterre et du pays de Galles, du territoire d'enregistrement des États-Unis et de l'Union Sud-Africaine. Les taux canadiens sont pour la population entière, les Indiens compris.

TAUX AJUSTÉS DE LA MORTALITÉ EN 1926 ET 1927

(Au point de vue du sexe et de l'âge de la population de l'Angleterre et du pays de Galles, au recensement de 1901.)

Pays	1927	1926
Canada(1)	10·8	11·1
Territoire d'enregistrement des États-Unis (blancs)	10·4	11·3
Angleterre et pays de Galles	10·6	10·1
Union Sud-Africaine (blancs)	–	10·3

(1) Voir la note 1, au bas du tableau I.

MORTALITÉ GÉNÉRALE

Décès dus à certaines causes au Canada durant l'année 1927

Numéro de la liste internationale	Causes de décès	Nombre de décès	Taux par 100,000 de population
11	Influenza	3,451	36
31-37	Tuberculose	7,782	82
	Autres maladies épidémiques, endémiques et infectieuses	6,135	65
43-49	Cancer	7,919	83
74-75	Hémorragie cérébrale, apoplexie et paralysie sans cause spécifiée	4,046	43
87-90	Affections du cœur	11,775	124
91	Maladies des artères	5,110	54
100-101	Pneumonie	7,562	80
110-119	Maladies gastro-intestinales	9,668	102
128-129	Néphrite	5,235	55
143-150	Causes puerpérales	1,300	14
160-163	Maladies de la première enfance	9,246	97
164	Sénilité	2,470	26
165-203	Mort violente	6,268	66
	Autres causes spécifiées	16,254	171
204-205	Causes mal définies	1,071	11

CAUSES DE DÉCÈS

Plus de 86 p.c. de tous les décès dont on connaît la cause, survenus dans les neuf province du Canada en 1927, sont attribués aux trente causes énumérées dans le tableau XLVIII lequel indique le nombre de décès revendiqué par chacune de ces causes, par provinces, en 1927, et pour le Canada entier en l'année précédente.

La totalité des décès en 1927 est inférieure de 2,162 à celle de 1926. Les décès attribués à l'influenza ont décliné de 1,723 et ceux causés par la pneumonie de 865, tandis que les maladies de la toute première enfance (Nos 160–163) ont augmenté de 656 et ceux dus à des vices de conformation congénitaux de 203. Les décès causés par la rougeole ont baissé de 276 et par la coqueluche de 212. Il est intéressant de noter que les décès attribués à l'anémie qui étaient de 1,040 en 1926 ont atteint seulement 793 en 1927, soit une réduction de 247. Les décès dus à des causes non spécifiées ou mal définies en 1927 étaient de 186 inférieurs à l'année précédente (1,071 contre 1,257).

De la liste des maladies énumérées dans le tableau XLVIII la fièvre typhoïde est celle qui a fourni le plus fort accroissement en 1927; il y en a 1,112 cas en 1927 contre 465 en 1926. De ce surplus de 647, la province de Québec en compte 613 et la cité de Montréal seule 543. Des détails plus complets sur cette épidémie de typhoïde dans cette cité viendront plus loin. Les affections du cœur et des artères indiquent également une augmentation de 489 décès et le cancer un gain de 305, ce qui donne une proportion d'accroissement d'environ 4 p.c. pour ce dernier et près de 3 p.c. pour les premières. En 1927, il y eut 399 décès de plus qu'en 1926 attribués à des causes extérieures. Les accidents d'automobile donnent à eux seuls une augmentation de 259 décès.

La diphtérie a fait sur l'année précédente 99 victimes de plus en 1927 et la scarlatine 48. Toutes les provinces de l'Est, sauf l'Île du Prince-Édouard ont fourni un nombre plus considérable de décès dus à cette première maladie en 1927 et toutes les provinces de l'Ouest un nombre moindre.

TABLEAU XLVIII.—CAUSES SPÉCIFIÉES DES DÉCÈS PAR PROVINCES, 1927

N° liste int.	Causes des décès	Î. P.-É.	N.-É.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.	Canada(1)	
											1927	1926
1	Fièvre typhoïde	4	13	35	869	109	27	21	21	13	1,112	465
7	Rougeole	1	45	43	363	82	20	12	12	38	616	892
8	Scarlatine	2	21	33	195	87	16	28	22	7	411	363
9	Coqueluche	7	68	61	554	181	25	46	42	46	1,030	1,242
10	Diphtérie	–	29	18	469	297	88	63	26	22	1,012	913
11	Grippe	26	179	137	1,037	959	265	340	221	287	3,451	5,174
31	Tuberculose, appareil respiratoire	64	554	341	2,607	1,516	303	302	302	455	6,444	6,485
32–37	Tuberculose, autres organes	8	89	71	538	287	66	89	94	96	1,338	1,444
43–49	Cancer	67	556	332	1,909	3,177	496	445	420	517	7,919	7,614
57	Diabète	5	61	46	289	441	72	63	51	55	1,083	1,046
58	Anémie, chlorose	11	38	32	175	383	36	42	26	50	793	1,040
71	Méningite	12	36	28	514	129	25	31	21	16	812	797
74	Hémorragie cérébrale, apoplexie	53	243	175	569	1,329	151	147	108	163	2,938	3,033
75	Paralysie sans cause spécifiée	20	97	71	566	257	26	21	21	29	1,108	1,124
80	Convulsions des enfants (au-dessous de 5 ans)	5	91	28	168	101	28	78	36	18	553	571
87–90	Affections du cœur	122	695	525	2,873	5,295	576	569	476	644	11,775	11,415
91	Affections des artères	24	257	179	959	2,738	232	163	195	363	5,110	4,981
99	Bronchite	5	45	22	192	134	28	32	27	20	505	587
100–101	Pneumonie	90	498	413	2,410	2,447	478	503	358	365	7,562	8,427
113–114	Diarrhée et entérite	12	230	166	3,820	736	155	208	152	55	5,534	5,445
117	Appendicite	10	53	64	421	408	90	121	152	63	1,382	1,321
118	Hernie, obstruction intestinale	2	47	28	271	344	59	74	46	39	910	889
128–129	Néphrite	60	309	185	2,072	1,729	162	240	175	303	5,235	5,138
135	Affections de la prostate	1	44	30	167	282	41	19	21	33	638	734
143–150	Causes puerpérales	4	76	65	403	403	72	114	95	68	1,300	1,317
159	Vices de conformation congénitaux	7	64	44	422	473	74	115	89	59	1,347	1,550
160–163	Maladies du premier âge	40	398	496	3,998	2,420	400	703	506	285	9,246	9,902
164	Sénilité (vieillesse)	95	428	299	620	677	83	119	64	85	2,470	2,764
165–174	Suicides	3	19	21	85	318	62	68	77	106	759	680
175–203	Mort violente (suicides exceptés)	16	319	186	1,412	1,997	274	377	392	536	5,509	5,189
	Autres causes spécifiées	91	722	540	4,837	4,870	835	829	761	834	14,319	13,655
	Total, causes spécifiées	**867**	**6,324**	**4,714**	**35,784**	**34,606**	**5,265**	**5,982**	**5,009**	**5,670**	**104,221**	**106,197**
204–205	Causes non spécifiées ou mal définies	46	54	188	391	169	44	49	50	80	1,071	1,257
	Total des décès	**913**	**6,378**	**4,902**	**36,175**	**34,775**	**5,309**	**6,031**	**5,059**	**5,750**	**105,292**	**107,454**

(1) Voir la note 1, au bas du tableau I.

Le tableau XLIX est basé sur les chiffres absolus du tableau XLVIII et donne la proportion des décès par 100,000 personnes, dus à chaque cause par provinces en 1927, avec comparaison entre 1926 et 1927 pour l'ensemble du Canada.

Principales causes de décès.—On remarque dans le tableau XLIX que pour l'ensemble du Canada en 1927, les affections du cœur figurant à la liste internationale sous les numéros 87–90 contribuent plus que toutes les autres causes à la mortalité; leurs ravages sont au taux de 124 par 100,000 âmes, comparativement à 122 l'année précédente. Les maladies de la toute première enfance (Nos 160–163) viennent ensuite avec 97, au lieu de 106 en 1926. Leur prééminence indique l'importance de la mortalité infantile dans le total des décès, puis il faut tenir compte des décès d'enfants de moins de trois mois qui n'ont reçu aucuns soins médicaux, et dont la cause de décès reste inconnue et qui sont compris avec le No 162 pour les deux années. Le cancer suit en troisième (Nos 43–49) avec une proportion de 83 par 100,000 personnes, quand elle n'était que de 81 en 1926 et était dépassée par la pneumonie (Nos 100–101) avec un taux de 90. La proportion de cette maladie en 1927 est de 80 seulement par 100,000 âmes, la tuberculose des voies respiratoires (No 31) donne 68 en 1927, contre 69 en 1926 tandis que la tuberculose sous toutes autres formes (Nos 32–37) est responsable de 14 décès par 100,000 âmes en 1927, au lieu de 15 en 1926. Ainsi considérée sous toutes ses formes, cette maladie tiendrait le quatrième rang au cours des deux années, dépassant le cancer en 1926 et la pneumonie en 1927.

TABLEAU XLIX.—TAUX DE LA MORTALITÉ PAR 100,000 ÂMES, PAR CAUSES SPÉCIFIÉES DE DÉCÈS DANS CHAQUE PROVINCE, 1927

N° liste int.	Causes des décès	Î. P.-É.	N.-É.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.	Canada (1)	
											1927	1926
1	Fièvre typhoïde	5	2	9	33	3	4	3	3	2	12	5
7	Rougeole	1	8	10	14	3	3	1	2	7	6	10
8	Scarlatine	2	4	8	7	3	2	3	4	1	4	4
9	Coqueluche	8	13	15	21	6	4	6	7	8	11	13
10	Diphtérie	–	5	4	18	9	14	8	4	4	11	10
11	Grippe	30	33	33	40	30	41	41	36	50	36	55
31	Tuberculose, appareil respiratoire	74	102	83	100	48	47	36	49	79	68	69
32–37	Tuberculose, autres organes	9	16	17	21	9	10	11	15	17	14	15
43–49	Cancer	77	102	81	73	100	77	53	68	90	83	81
57	Diabète	6	11	11	11	14	11	8	8	10	11	11
58	Anémie, chlorose	13	7	8	7	12	6	5	4	9	8	11
71	Méningite	14	7	7	20	4	4	4	3	3	9	8
74	Hémorragie cérébrale, apoplexie	61	45	43	22	42	23	18	18	28	31	32
75	Paralysie sans cause spécifiée	23	18	17	22	8	4	3	3	5	12	12
80	Convulsions des enfants (au-dessous de 5 ans)	6	17	7	6	3	4	9	6	3	6	6
87–90	Affections du cœur	140	128	128	110	166	89	68	77	112	124	122
91	Affections des artères	28	47	44	37	86	36	19	32	63	54	53
99	Bronchite	6	8	5	7	4	4	4	4	3	5	6
100–101	Pneumonie	103	92	100	93	77	74	60	58	63	80	90
113–114	Diarrhée et entérite	14	42	40	147	23	24	25	25	10	58	58
117	Appendicite	11	10	16	16	13	14	14	25	11	15	14
118	Hernie, obstruction intestinale	2	9	7	10	11	9	9	7	7	10	9
128–129	Néphrite	69	57	45	80	54	25	29	28	53	55	55
135	Affections de la prostate	1	8	7	6	9	6	2	3	6	7	8
143–150	Causes puerpérales	5	14	16	15	13	11	14	15	12	14	14
159	Vices de conformation congénitaux	8	12	11	16	15	11	14	14	10	14	17
160–163	Maladies du premier âge	46	73	121	154	76	62	84	82	50	97	106
164	Sénilité (vieillesse)	109	79	73	24	21	13	14	10	15	26	29
165–174	Suicides	3	3	5	3	10	10	8	12	18	8	7
175–203	Mort violente (suicides exceptés)	18	59	45	54	63	42	45	64	93	58	55
	Autres causes spécifiées	105	133	131	186	153	129	99	123	145	151	146
	Total, causes spécifiées	**997**	**1,165**	**1,147**	**1,374**	**1,086**	**814**	**716**	**812**	**986**	**1,096**	**1,132**
204–205	Causes non spécifiées ou mal définies	53	10	46	15	5	7	6	8	14	11	13
	Total des décès	**1,049**	**1,175**	**1,193**	**1,389**	**1,091**	**821**	**721**	**820**	**1,000**	**1,108**	**1,146**

(1) Voir la note 1, au bas du tableau I.

Causes de décès chez les Indiens.—Le tableau L donne par provinces le nombre absolu de décès chez les Indiens en 1927 attribués aux mêmes causes que celles énumérées dans les tableaux précédents. Les chiffres du tableau L ayant été tirés du tableau "J" de l'Appendice I. Pour fins de comparaison, le total du Canada de l'année 1926 du sixième rapport annuel a été répété. En raison du caractère de la statistique Indienne, telle que signalée à l'Appendice I, page 472, ces comparaisons doivent être faites avec prudence. En ces deux années, la tuberculose des voies respiratoires a causé plus de 25 p.c. des décès chez les Indiens, tandis que les autres

formes de la tuberculose occupent aussi une part importante dans la mortalité. La pneumonie a causé 221 décès chez les Indiens en 1927, au lieu de 216 l'année précédente, la différence est donc légère, mais l'influenza a fait un plus grand nombre de victimes s'élevant à 176, comparativement à 127 en 1926. L'importance des maladies de la première enfance (Nos 160–163) est accentuée par l'inclusion dans cette catégorie des décès d'enfants de moins de trois mois n'ayant pas reçu de soins médicaux, dont la cause de décès n'est pas spécifiée. Parmi les maladies contagieuses, la coqueluche compte 43 décès, soit un accroissement sur 1926 qui en comptait 32; d'autre part, la rougeole qui avait causé 59 décès en 1926, en compte seulement 18 en 1927.

TABLEAU L.—DÉCÈS DUS À CERTAINES CAUSES, CHEZ LES INDIENS PAR PROVINCES, 1927

N° liste int.	Causes des décès	Î. P.-É.	N.-É.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.	Canada (1)	
											1927	1926
1	Fièvre typhoïde	–	–	–	4	3	–	–	2	–	9	6
7	Rougeole	–	–	–	1	2	4	1	–	10	18	59
8	Scarlatine	–	–	–	–	1	–	–	–	–	1	2
9	Coqueluche	–	–	–	1	5	3	4	4	26	43	32
10	Diphtérie	–	–	–	–	–	–	1	–	–	1	5
11	Grippe	–	–	–	2	15	23	47	13	76	176	127
31	Tuberculose, appareil respiratoire	3	7	8	21	114	47	71	120	132	523	497
32–37	Tuberculose, autres organes	–	–	–	4	11	4	17	29	16	81	73
43–49	Cancer	1	1	–	3	18	5	3	6	5	42	40
57	Diabète	–	–	–	–	6	1	–	–	–	7	1
58	Anémie, chlorose	–	–	–	1	4	1	–	–	1	7	8
71	Méningite	–	–	–	1	1	–	3	3	3	11	12
74	Hémorragie cérébrale, apoplexie	–	1	–	–	11	2	4	1	3	22	18
75	Paralysie sans cause spécifiée	–	–	–	2	2	–	–	3	6	13	16
80	Convulsions des enfants (au-dessous de 5 ans)	2	1	1	–	1	–	7	2	8	22	29
87–90	Affections du cœur	–	1	4	8	23	5	6	8	16	71	61
91	Affections des artères	–	–	1	1	14	–	–	1	2	19	15
99	Bronchite	–	–	–	1	4	2	2	5	7	21	30
100–101	Pneumonie	1	3	2	8	36	15	45	59	52	221	216
113–114	Diarrhée et entérite	–	1	1	15	15	4	6	7	6	55	62
117	Appendicite	–	–	1	1	2	2	–	1	1	8	6
118	Hernie, obstruction intestinale	–	–	–	–	1	1	1	1	1	5	3
128–129	Néphrite	–	1	1	8	9	1	2	4	3	29	26
135	Affections de la prostate	–	–	–	–	1	1	–	–	–	2	–
143–150	Causes puerpérales	–	–	1	–	5	1	4	5	5	21	24
159	Vices de conformation congénitaux	–	–	–	–	3	1	5	3	2	14	5
160–163	Maladies du premier âge	–	1	–	6	30	13	29	24	37	140	148
164	Sénilité (vieillesse)	–	1	–	1	13	12	14	7	49	97	80
165–174	Suicides	–	–	–	–	–	1	1	–	1	3	3
175–203	Mort violente (suicides exceptés)	–	1	–	7	19	3	9	10	30	79	81
	Autres causes spécifiées	1	3	–	9	34	15	16	24	39	141	132
	Total, causes spécifiées	**8**	**22**	**20**	**105**	**403**	**167**	**288**	**342**	**537**	**1,902**	**1,817**
204–205	Causes non spécifiées ou mal définies	1	–	2	–	9	23	7	7	49	98	101
	Total des décès	**9**	**22**	**22**	**105**	**412**	**190**	**305**	**349**	**586**	**2,000**	**1,918**

(1) Voir la note 1, au bas du tableau I.

Le tableau LI établit la proportion de décès chez les Indiens d'après le nombre de décès par causes énumérées dans le tableau L. La méthode qui a servi de base de compilation en 1926 est expliquée dans le Sixième Rapport Annuel de la Statistique Vitale (page xlii). L'estimation de l'année sous revue a été obtenue des chiffres de 1926 auxquels a été ajouté l'accroissement naturel de 1927 tel qu'établi dans le présent rapport.

La population estimative d'Indiens en 1927, par provinces, se décompose comme suit:—

Canada) à l'exclusion des territoires)	**105,855**
Île du Prince-Édouard	228
Nouvelle-Écosse	2,150
Nouveau-Brunswick	1,407
Québec	12,049
Ontario	27,805
Manitoba	13,264
Saskatchewan	13,179
Alberta	13,437
Colombie Britannique	22,336

Comme on peut le voir dans l'Appendice I, le terme "Indien" dans ce rapport comprend aussi les métis.

TABLEAU LI.—TAUX DE LA MORTALITÉ CHEZ LES INDIENS, PAR CERTAINES CAUSES, PAR 100,000 ÂMES, PAR PROVINCES, 1927

N° liste int.	Causes des décès	Î. P.-É.	N.-É.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.	Canada (1)	
											1927	1926
1	Fièvre typhoïde	–	–	–	33	11	–	–	15	–	9	6
7	Rougeole	–	–	–	8	7	30	8	–	45	17	56
8	Scarlatine	–	–	–	–	4	–	–	–	–	1	2
9	Coqueluche	–	–	–	8	18	23	30	30	116	41	30
10	Diphtérie	–	–	–	–	–	–	8	–	–	1	5
11	Grippe	–	–	–	17	54	173	357	97	340	166	121
31	Tuberculose, appareil respiratoire	1,316	326	569	174	410	354	539	893	591	494	473
32–37	Tuberculose, autres organes	–	–	–	33	40	30	129	216	72	76	69
43–49	Cancer	439	47	–	25	65	38	23	45	22	40	38
57	Diabète	–	–	–	–	22	8	–	–	–	7	1
58	Anémie, chlorose	–	–	–	8	14	8	–	–	4	7	8
71	Méningite	–	–	–	8	4	–	23	22	13	10	11
74	Hémorragie cérébrale, apoplexie	–	47	–	–	40	15	30	7	13	21	17
75	Paralysie sans cause spécifiée	–	–	–	17	7	–	–	22	27	12	15
80	Convulsions des enfants (au-dessous de 5 ans)	877	47	71	–	4	–	53	15	36	21	28
87–90	Affections du cœur	–	47	284	66	83	38	46	60	72	67	58
91	Affections des artères	–	–	71	8	50	–	–	7	9	18	14
99	Bronchite	–	–	–	8	14	15	15	37	31	20	29
100–101	Pneumonie	439	140	142	66	129	113	341	439	233	209	206
113–114	Diarrhée et entérite	–	47	71	124	54	30	46	52	27	52	59
117	Appendicite	–	–	71	8	7	15	–	7	4	8	6
118	Hernie, obstruction intestinale	–	–	–	–	4	8	8	7	4	5	3
128–129	Néphrite	–	47	71	66	32	8	15	30	13	27	25
135	Affections de la prostate	–	–	–	–	4	8	–	–	–	2	–
143–150	Causes puerpérales	–	–	71	–	18	8	30	37	22	20	23
159	Vices de conformation congénitaux	–	–	–	–	11	8	38	22	9	13	5
160–163	Maladies du premier âge	–	47	–	50	108	98	220	179	166	132	141
164	Sénilité (vieillesse)	–	47	–	8	47	90	106	52	219	92	76
165–174	Suicides	–	–	–	–	–	8	8	–	4	3	3
175–203	Mort violente (suicides exceptés)	–	47	–	58	68	23	68	74	134	75	77
	Autres causes spécifiées	439	140	–	75	122	113	121	179	175	133	126
	Total, causes spécifiées	**3,509**	**1,023**	**1,421**	**871**	**1,449**	**1,259**	**2,261**	**2,545**	**2,404**	**1,797**	**1,729**
204–205	Causes non spécifiées ou mal définies	439	–	142	–	32	173	53	52	219	93	96
	Total des décès	**3,947**	**1,023**	**1,564**	**871**	**1,482**	**1,432**	**2,314**	**2,597**	**2,624**	**1,889**	**1,825**

(1) Voir la note 1, au bas du tableau I.

Causes de décès de la population, sans compter les Indiens.—Le tableau LII fait connaître le nombre de décès de la population, sans compter les Indiens, dus aux causes déjà énumérées et le tableau LIII les proportions par 100,000 personnes, calculées sur la population estimative, à l'exclusion des Indiens. Ces résultats sont obtenus en soustrayant des chiffres de la population donnée dans le tableau I la population estimative des Indiens qui a servi de base aux taux contenus dans le tableau LI. Les taux de 1927 y sont donnés par provinces, et de tout le pays pour 1926 et 1927.

La comparaison des chiffres du tableau LIII avec ceux du tableau XLIX prouve que l'élimination des Indiens n'a pas un effet bien sensible sur les taux de l'ensemble du Canada, si l'on excepte les décès causés par la tuberculose de l'appareil respiratoire, qui par l'exclusion de ces derniers se sont abaissés de 69 à 65 en 1926 et de 68 à 63 en 1927. Et ceci s'explique facilement quand on considère la petite proportion qu'occupe la population indienne quant à la population totale du Canada, puisqu'elle ne forme qu'un peu plus d'un pour cent de la population des neuf provinces. Si nous considérons les provinces séparément, toutefois, il est évident que dans les trois provinces de l'Ouest, la Saskatchewan, l'Alberta et la Colombie Britannique, l'élimination des Indiens, non seulement abaisse sensiblement le taux de la tuberculose, mais encore, bien qu'à un moindre degré, celui de la pneumonie, cependant que les proportions de l'influenza a'abaissent substantiellement en Saskatchewan et en Colombie Britannique par l'exclusion des Indiens. Sur 46 décès causés par la coqueluche en Colombie Britannique, les Indiens en revendiquaient 26, si bien que tandis que le taux de la population totale est de 8 par 100.000, le taux à l'exclusion

des Indiens est seulement de 4 par 100,000 personnes. La réduction du taux des mortalités séniles de 15 à 7 en la même province, après l'élimination des Indiens, est certainement attribuable aux certificats de décès plus exacts fournis par la population blanche en même temps qu'à la différence de la composition selon l'âge entre les populations blanche et indienne. On y remarquera que le taux de la mortalité totale dans les provinces ci-haut nommées, est sensiblement abaissé par l'élimination des décès d'Indiens, les chiffres de la Saskatchewan tombant de 7·2 à 7·0, ceux de l'Alberta de 8·2 à 7·8 et ceux de Colombie Britannique de 10·0 à 9·3 par 1,000.

TABLEAU LII.—NOMBRE DE DÉCÈS SELON LEUR CAUSE, PAR PROVINCES, À L'EXCLUSION DES INDIENS, 1927

N° liste int.	Causes des décès	Î. P.-É.	N.-É.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.	Canada (1)	
											1927	1926
1	Fièvre typhoïde	4	13	35	865	106	27	21	19	13	1,103	459
7	Rougeole	1	45	43	362	80	16	11	12	28	598	833
8	Scarlatine	2	21	33	195	86	16	28	22	7	410	361
9	Coqueluche	7	68	61	553	176	22	42	38	20	987	1,210
10	Diphtérie	–	29	18	469	297	88	62	26	22	1,011	908
11	Grippe	26	179	137	1,035	944	242	293	208	211	3,275	5,047
31	Tuberculose, appareil respiratoire	61	547	333	2,586	1,402	256	231	182	323	5,921	5,988
32-37	Tuberculose, autres organes	8	89	71	534	276	62	72	65	80	1,257	1,371
43-49	Cancer	66	555	332	1,906	3,159	491	442	414	512	7,877	7,574
57	Diabète	5	61	46	289	435	71	63	51	55	1,076	1,045
58	Anémie, chlorose	11	38	32	174	379	35	42	26	49	786	1,032
71	Méningite	12	36	28	513	128	25	28	18	13	801	785
74	Hémorragie cérébrale, apoplexie	53	242	175	569	1,318	149	143	107	160	2,916	3,015
75	Paralysie sans cause spécifiée	20	97	71	564	255	26	21	18	23	1,095	1,108
80	Convulsions des enfants (au-dessous de 5 ans)	3	90	27	168	100	28	71	34	10	531	542
87-90	Affections du cœur	122	694	521	2,865	5,272	571	563	468	628	11,704	11,354
91	Affections des artères	24	257	178	958	2,724	232	163	194	361	5,091	4,966
99	Bronchite	5	45	22	191	130	26	30	22	13	484	557
100-101	Pneumonie	89	495	411	2,402	2,411	463	458	299	313	7,341	8,211
113-114	Diarrhée et entérite	12	229	165	3,805	721	151	202	145	49	5,479	5,383
117	Appendicite	10	53	63	420	406	88	121	151	62	1,374	1,315
118	Hernie, obstruction intestinale	2	47	28	271	343	58	73	45	38	905	886
128-129	Néphrite	60	308	184	2,064	1,720	161	238	171	300	5,206	5,112
135	Affections de la prostate	1	44	30	167	281	40	19	21	33	636	734
143-150	Causes puerpérales	4	76	64	403	398	71	110	90	63	1,279	1,293
159	Vices de conformation congénitaux	7	64	44	422	470	73	110	86	57	1,333	1,545
160-163	Maladies du premier âge	40	397	496	3,992	2,390	387	674	482	248	9,106	9,754
164	Sénilité (vieillesse)	95	427	299	619	664	71	105	57	36	2,373	2,684
165-174	Suicides	3	19	21	85	318	61	67	77	105	756	677
175-203	Mort violente (suicides exceptés)	16	318	186	1,405	1,978	271	368	382	506	5,430	5,108
	Autres causes spécifiées	90	719	540	4,828	4,836	820	813	737	795	14,178	13,523
	Total, causes spécifiées	**859**	**6,302**	**4,694**	**35,679**	**34,203**	**5,098**	**5,684**	**4,667**	**5,133**	**102,319**	**104,380**
204-205	Causes non spécifiées ou mal définies	45	54	186	391	160	21	42	43	31	973	1,156
	Total des décès	**904**	**6,356**	**4,880**	**36,070**	**34,363**	**5,119**	**5,726**	**4,710**	**5,164**	**103,292**	**105,536**

(1) Voir la note 1, au bas du tableau I.

TABLEAU LIII.—TAUX DE LA MORTALITÉ PAR 100,000 ÂMES, SELON CERTAINES CAUSES, À L'EXCLUSION DES INDIENS, PAR PROVINCES, 1927

N° liste int.	Causes des décès	Î. P.-É.	N.-É.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.	Canada (1)	
											1927	1926
1	Fièvre typhoïde	5	2	9	33	3	4	3	3	2	12	5
7	Rougeole	1	8	10	14	3	3	1	2	5	6	9
8	Scarlatine	2	4	8	8	3	3	3	4	1	4	4
9	Coqueluche	8	13	15	21	6	3	5	6	4	10	13
10	Diphtérie	–	5	4	18	9	14	8	4	4	11	10
11	Grippe	30	33	33	40	30	38	36	34	38	35	54
31	Tuberculose, appareil respiratoire	70	101	81	100	44	40	28	30	58	63	65
32-37	Tuberculose, autres organes	9	16	17	21	9	10	9	11	14	13	15
43-49	Cancer	76	103	81	74	100	77	54	69	93	84	82
57	Diabète	6	11	11	11	14	11	8	8	10	11	11
58	Anémie, chlorose	13	7	8	7	12	6	5	4	9	8	11
71	Méningite	14	7	7	20	4	4	3	3	2	9	8
74	Hémorragie cérébrale, apoplexie	61	45	43	22	42	24	17	18	29	31	33
75	Paralysie sans cause spécifiée	23	18	17	22	8	4	3	3	4	12	12

TABLEAU LIII—TAUX DE LA MORTALITÉ PAR 100,000 ÂMES, SELON CERTAINES CAUSES, À L'EXCLUSION DES INDIENS, PAR PROVINCES, 1927—fin

N° liste int.	Causes des décès	Î. P.-É.	N.-É.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.	Canada(1) 1927	Canada(1) 1926
80	Convulsions des enfants (au-dessous de 5 ans)	3	17	7	6	3	4	9	6	2	6	6
87-90	Affections du cœur	141	128	127	111	167	90	68	78	114	124	122
91	Affections des artères	28	48	43	37	86	37	20	32	65	54	54
99	Bronchite	6	8	5	7	4	4	4	4	2	5	6
100-101	Pneumonie	103	92	100	93	76	73	56	50	57	78	89
113-114	Diarrhée et entérite	14	42	40	147	23	24	25	24	9	58	58
117	Appendicite	12	10	15	16	13	14	15	25	11	15	14
118	Hernie, obstruction intestinale	2	9	7	10	11	9	9	7	7	10	10
128-129	Néphrite	69	57	45	80	54	25	29	28	54	55	55
135	Affections de la prostate	1	8	7	6	9	6	2	3	6	7	8
143-150	Causes puerpérales	5	14	16	16	13	11	13	15	11	14	14
159	Vices de conformation congénitaux	8	12	11	16	15	12	13	14	10	14	17
160-163	Maladies du premier âge	46	73	121	154	76	61	82	80	45	97	105
164	Sénilité (vieillesse)	109	79	73	24	21	11	13	9	7	25	29
165-174	Suicides	3	4	5	3	10	10	8	13	19	8	7
175-203	Mort violente (suicides exceptés)	18	59	45	54	63	43	45	63	92	58	55
	Autres causes spécifiées	104	133	132	186	153	129	99	122	144	151	146
	Total, causes spécifiées	**990**	**1,165**	**1,146**	**1,377**	**1,083**	**804**	**691**	**773**	**929**	**1,088**	**1,126**
204-205	Causes non spécifiées ou mal définies	52	10	45	15	5	3	5	7	6	10	12
	Total des décès	**1,042**	**1,175**	**1,191**	**1,392**	**1,088**	**808**	**696**	**780**	**934**	**1,099**	**1,138**

(1) Voir la note 1, au bas du tableau I.

Causes de décès dans le territoire d'enregistrement de 1921.—Le tableau LIV donne le nombre de décès dus à chaque cause en 1927 dans les huit provinces du territoire d'enregistrement de 1921 et les chiffres correspondants des années 1921-1926 pour fins de comparaison.

TABLEAU LIV.—DÉCÈS PAR CAUSES SPÉCIFIÉES DANS LE TERRITOIRE D'ENREGISTREMENT DE 1921, AU COURS DES ANNÉES 1921-27

N° liste int.	Causes des décès	Territoire d'enregistrement de 1921						
		1921	1922	1923	1924	1925	1926	1927
1	Fièvre typhoïde	499	419	480	287	311	209	243
7	Rougeole	297	211	350	483	171	510	253
8	Scarlatine	410	335	322	329	258	205	216
9	Coqueluche	626	469	747	536	558	639	476
10	Diphtérie	1,297	1,024	851	848	615	546	543
11	Grippe	940	2,400	3,578	1,306	2,182	3,089	2,414
31	Tuberculose, appareil respiratoire	3,903	3,870	3,959	3,821	3,779	3,786	3,837
32-37	Tuberculose, autres organes	886	871	859	829	753	866	800
43-49	Cancer	4,826	5,118	5,157	5,528	5,526	5,774	6,010
57	Diabète	611	707	722	637	634	763	794
58	Anémie, chlorose	735	780	756	811	814	856	618
71	Méningite	592	328	287	322	274	272	298
74	Hémorragie cérébrale, apoplexie	2,600	2,598	2,467	2,348	2,284	2,480	2,369
75	Paralysie sans cause spécifiée	724	625	538	563	525	523	542
80	Convulsions des enfants (au-dessous de 5 ans)	614	599	477	451	431	413	385
87-90	Affections du cœur	6,021	6,622	7,491	7,180	7,587	8,538	8,902
91	Affections des artères	2,555	2,889	3,164	3,690	3,805	3,994	4,151
99	Bronchite	905	851	751	444	395	413	313
100-101	Pneumonie	5,966	6,399	6,237	5,007	5,149	5,785	5,152
113-114	Diarrhée et entérite	3,218	2,843	2,061	1,891	2,198	1,679	1,714
117	Appendicite	816	840	843	924	941	925	961
118	Hernie, obstruction intestinale	568	634	615	725	669	656	639
128-129	Néphrite	2,041	2,113	2,472	2,667	2,880	3,122	3,163
135	Affections de la prostate	304	319	375	428	493	556	471
143-150	Causes puerpérales	868	907	849	945	873	890	897
159	Vices de conformation congénitaux	862	908	990	1,061	1,101	984	925
160-163	Maladies du premier âge	6,090	6,169	5,729	5,363	5,047	5,446	5,248
164	Sénilité (vieillesse)	2,914	2,759	2,918	2,566	2,097	2,046	1,850
165-174	Suicides	431	487	538	535	586	596	674
175-203	Mort violente (suicides exceptés)	3,666	3,647	3,833	3,670	3,873	3,870	4,097
	Autres causes spécifiées	8,869	8,605	8,543	8,738	8,548	9,028	9,482
	Total, causes spécifiées	**65,654**	**67,346**	**68,959**	**64,933**	**65,357**	**69,459**	**68,437**
204-205	Causes non spécifiées ou mal définies	2,068	1,682	1,223	1,264	1,120	744	680
	Total des décès	**67,722**	**69,028**	**70,182**	**66,197**	**66,477**	**70,203**	**69,117**

Le tableau LV fait connaître la proportion de décès de chaque cause, basée sur les nombres absolus du tableau LIV dans le territoire d'enregistrement de 1921, au cours des années 1921-1927. Il fait ressortir la tendance ascendante marquée du cancer, des affections du cœur et

des artères, des néphrites et des suicides. D'autre part, un mouvement descendant décisif est évident dans les taux de la diphtérie, de la diarrhée et entérite, et des maladies de la première enfance (N^os 160–163). La baisse des décès dus aux convulsions des enfants est probablement attribuable à l'amélioration constante des certificats. Cette amélioration apparaît encore de façon plus frappante dans le taux des maladies séniles, tandis que les proportions de causes mal définies ou non spécifiées offrent la réduction la plus accentuée par toute la période, bien qu'il faille tenir compte en 1926 et 1927 du transport des décès des enfants au-dessous de 3 mois n'ayant pas reçu de soins médicaux, de la catégorie des causes non spécifiées ou mal définies dans le N° 162.

TABLEAU LV.—TAUX DE LA MORTALITÉ PAR 100,000 ÂMES, PAR CAUSES SPÉCIFIÉES DE DÉCÈS DANS LE TERRITOIRE D'ENREGISTREMENT DE 1921, AU COURS DES ANNÉES 1921–27

N° liste int.	Causes des décès	Territoire d'enregistrement de 1921						
		1921	1922	1923	1924	1925	1926	1927
1	Fièvre typhoïde	8	6	7	4	5	3	4
7	Rougeole	5	3	5	7	3	7	4
8	Scarlatine	6	5	5	5	4	3	3
9	Coqueluche	10	7	11	8	8	9	7
10	Diphtérie	20	16	13	13	9	8	8
11	Grippe	15	37	54	20	32	45	35
31	Tuberculose, appareil respiratoire	61	59	60	57	56	56	56
32–37	Tuberculose, autres organes	14	13	13	12	11	13	12
43–49	Cancer	75	79	78	83	82	85	87
57	Diabète	10	11	11	10	9	11	12
58	Anémie, chlorose	11	12	11	12	12	13	9
71	Méningite	9	5	4	5	4	4	4
74	Hémorragie cérébrale, apoplexie	41	40	38	35	34	36	34
75	Paralysie sans cause spécifiée	11	10	8	8	8	8	8
80	Convulsions des enfants (au-dessous de 5 ans)	10	9	7	7	6	6	6
87–90	Affections du cœur	94	102	114	108	113	125	129
91	Affections des artères	40	44	48	55	56	59	60
99	Bronchite	14	13	11	7	6	6	5
100–101	Pneumonie	93	98	95	75	76	85	75
113–114	Diarrhée et entérite	50	44	31	28	33	25	25
117	Appendicite	13	13	13	14	14	14	14
118	Hernie, obstruction intestinale	9	10	9	11	10	10	9
128–129	Néphrite	32	32	38	40	43	46	46
135	Affections de la prostate	5	5	6	6	7	8	7
143–150	Causes puerpérales	14	14	13	14	13	13	13
159	Vices de conformation congénitaux	13	14	15	16	16	14	13
160–163	Maladies du premier âge	95	95	87	81	75	80	76
164	Sénilité (vieillesse)	45	42	44	39	31	30	27
165–174	Suicides	7	7	8	8	9	9	10
175–203	Mort violente (suicides exceptés)	57	56	58	55	57	57	59
	Autres causes spécifiées	138	132	130	131	127	132	137
	Total, causes spécifiées	**1,025**	**1,035**	**1,048**	**975**	**970**	**1,019**	**991**
204–205	Causes non spécifiées ou mal définies	32	26	19	19	17	11	10
	Total des décès	**1,057**	**1,061**	**1,067**	**994**	**987**	**1,030**	**1,001**

Maladies contagieuses.—Les décès au Canada en 1927 dus aux cinq maladies énumérées dans le tableau XLVIII, la typhoïde, la rougeole, la scarlatine, la coqueluche et la diphtérie s'élèvent à 4,181, donnant un coefficient de 44 par 100,000 âmes. L'année précédente, le nombre de décès dus à ces causes était de 3,875, et le coefficient de 41 par 100,000 âmes.

Les décès causés par la typhoïde s'élèvent à 1,112 en 1927 contre 465 en 1926. De ceux de 1927, 869 sont enregistrés dans la province de Québec et 592 dans la seule ville de Montréal. La répartition par mois des mortalités dans ces deux dernières unités géographiques est indiquée dans le relevé suivant:—

DÉCÈS CAUSÉS PAR LA TYPHOÏDE PAR MOIS, 1927

——	Jan.	Fév.	Mars	Avril	Mai	Juin	Juillet	Août	Sept.	Oct.	Nov.	Déc.
Province de Québec	28	18	108	204	176	140	57	38	29	24	27	20
Cité de Montréal	7	4	79	167	138	112	44	22	7	3	2	7

La diminution dans le taux de mortalité due à la rougeole de 10 par 100,000 en 1926 à 6 par 100,000 en 1927, est attribuée presque exclusivement au déclin de la mortalité causée par cette maladie dans les Provinces des Prairies.

Quoique le taux des décès par la scarlatine en 1927, 4 par 100,000, soit demeuré le même que l'année précédente, le nombre de décès indique une augmentation de 363 à 411. Toutes les provinces, à l'exception du Manitoba et de l'Alberta, ont contribué plus ou moins à cette augmentation. Les chiffres des tableaux LIV et LV pour les huit provinces formant le territoire d'enregistrement de 1921 indiquent une forte tendance à la baisse dans la mortalité par la scarlatine au cours de la période 1921-27.

Les décès dus à la coqueluche en 1927 se chiffrent à 1,030 ou un taux de 11 par 100,000. Ces chiffres se comparent à 1,242 décès et un taux de 13 par 100,000 en 1926. Du total des décès dus à la coqueluche en 1927, 554 sont dans la province de Québec. Le coefficient pour le Québec, 21 par 100,000, est le plus élevé de toutes les provinces; le Manitoba, avec seulement 4 décès par 100,000, a le taux le plus bas. Toutes les provinces, excepté la Nouvelle-Écosse et la Colombie Britannique, indiquent un déclin sur 1926 dans les décès par la coqueluche.

La diphtérie a causé 1,012 décès en 1927. C'est une augmentation de 99 sur l'année précédente, et le coefficient a monté de 10 en 1926 à 11 par 100,000 en 1927. Toutes les provinces de l'Ouest à partir du Manitoba, montrent une réduction dans le nombre de décès par la diphtérie, tandis que des augmentations ont été enregistrées dans toutes les provinces de l'est à l'exception de l'Île du Prince-Édouard, qui a eu 2 décès par la diphtérie en 1926 et aucun en 1927. Le tableau LIV indique une tendance marquée vers la baisse dans le nombre de décès dus à cette maladie dans le territoire d'enregistrement de 1921 au cours de la période 1921-26. Les chiffres de 1926 et 1927 sont presque identiques.

Grippe.—Les décès dus à la grippe dans les neuf provinces du Canada en 1927 s'élèvent à 3,451, soit un taux de 36 par 100,000 âmes, comparativement à 5,174 décès et un taux de 55 par 100,000 l'année précédente. Cinq provinces sur neuf ont enregistré un déclin dans les mortalités dues à cette cause. Aucun mois de 1927 n'a atteint un nombre aussi élevé de décès par la grippe que le mois d'avril 1926, alors que ce nombre a atteint 1,668. La mortalité la plus élevée due à cette maladie en 1927 se trouve en janvier, alors qu'il y eut 664 décès. Le déclin dans les derniers mois de l'hiver et au printemps a été graduel.

Les décès par la grippe chez les Indiens sont plus nombreux en 1927 qu'en 1926, les chiffres pour les deux années étant respectivement 176 et 127. La plus forte partie de l'augmentation a été en Colombie Britannique, qui a enregistré 76 mortalités indiennes causées par la grippe en 1927 contre 25 l'année précédente.

Le plus fort coefficient de mortalité due à la grippe, par province, se trouve en Colombie Britannique, où il se chiffre à 50 décès par 100,000 âmes. Toutefois, si l'on considère sa population à l'exclusion des Indiens, le taux de la Colombie Britannique est réduit à 38 par 100,000 et est excédé par le Québec avec un taux de 40 et est au même niveau que le Manitoba. Les taux les plus bas, par provinces, se trouvent dans l'Ontario et dans l'Île du Prince-Édouard, où ils s'établissent à 30 par 100,000 y compris et aussi à l'exclusion des Indiens.

Les huit provinces comprises dans le territoire d'enregistrement de 1921 enregistrent en 1927 2,414 décès ou un coefficient de 35 par 100,000 âmes. Au cours de la période 1921-27, le taux annuel le plus bas enregistré dans ces huit provinces a été de 15 en 1921, et le plus élevé de 54 en 1923.

DÉCÈS CAUSÉS PAR LA GRIPPE (N° 11) PAR MOIS
(Nombres absolus)

Mois	Territoire d'enregistrement de 1921							Canada [1]	
	1921	1922	1923	1924	1925	1926	1927	1926	1927
Janvier	85	193	298	107	192	210	503	332	664
Février	154	291	1,144	152	271	243	471	374	639
Mars	154	640	1,049	191	426	423	385	671	539
Avril	143	583	517	210	381	927	285	1,668	400
Mai	84	235	203	162	258	472	204	826	312
Juin	47	91	78	80	116	170	92	279	151
Juillet	27	49	58	33	56	100	59	143	100
Août	27	43	35	31	54	57	41	83	67
Septembre	38	33	29	40	81	58	51	100	76
Octobre	54	54	54	77	106	102	87	164	132
Novembre	64	83	50	85	104	114	102	193	160
Décembre	63	105	63	138	137	213	134	341	211
Total	**940**	**2,400**	**3,578**	**1,306**	**2,182**	**3,089**	**2,414**	**5,174**	**3,451**

[1] Voir la note 1 ,au bas du tableau I.

L'année 1927 a vu une augmentation marquée dans le nombre de décès attribués à la poliomyélite antérieure aiguë, les chiffres étant 193 comparativement à 93 l'année précédente. Des chiffres distincts pour cette maladie sont disponibles pour le territoire d'enregistrement de 1921 à partir de 1922, et dans toute cette période l'année 1927 a enregistré de beaucoup le plus grand nombre de décès. Il y eut une véritable épidémie de cette maladie en Alberta, 65 décès lui étant attribués au cours de l'année. Trente-trois de ces décès sont survenus en septembre et 56 au cours du trimestre août, septembre et octobre. Le nombre de cas déclarés officiellement en Alberta au cours de l'année est établi à 310, dont 187 en septembre. La Colombie Britannique a aussi eu sa part de l'épidémie, enregistrant 182 cas de maladie et 37 décès durant l'année. Il y eut 40 décès dus à cette cause dans la province de Québec en 1927, mais le taux en proportion de la population est bien inférieur à celui des deux provinces mentionnées plus haut.

NOMBRE DE DÉCÈS DUS À LA POLIOMYÉLITE ANTÉRIEURE AIGUË (N° 22) 1922-27

Année	Î. P.-É.	N.-É.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.	Canada [1]	Territoire d'enregistrement de 1921
1922	1	1	3	.....	61	4	5	9	1	.....	85
1923	1	6	5	.....	17	3	10	4	1	.....	47
1924	2	8	7	.....	29	8	13	12	3	.....	82
1925	1	5	2	.....	29	5	19	5	2	.....	68
1926	2	4	1	29	43	2	6	5	1	93	64
1927	–	11	6	40	21	5	8	65	37	193	153

[1] Voir la note 1, au bas du tableau 1.

Tuberculose.—Les décès attribués à la tuberculose de l'appareil respiratoire en 1927 se chiffrent à 6,444 et ceux attribués à toute autre forme de tuberculose à 1,338, formant un total de 7,782, ou un taux de 82 par 100,000 âmes. L'année précédente, les décès dus à la tuberculose de l'appareil respiratoire s'élevaient à 6,485 et ceux à toute autre forme de tuberculose à 1,444, soit un total de 7,929 et un coefficient de 85 par 100,000 âmes. Toutes les provinces, excepté la Saskatchewan, l'Alberta et la Colombie Britannique, indiquent un taux de mortalité plus bas en 1927 qu'en 1926. En Saskatchewan le taux est le même qu'en l'année précédente tandis qu'il montre une augmentation dans les deux autres provinces nommées.

Le taux par provinces indique une grande variation. En 1927, la Saskatchewan a le taux le moins élevé, seulement 47 par 100,000, tandis que l'Ontario et le Manitoba enregistrent chacun un taux de 57. A l'autre bout de l'échelle viennent le Québec avec 121, la Nouvelle-Écosse avec 118 et le Nouveau-Brunswick avec 100 par 100,000. La répartition par âge de la population des provinces ne semble pas avoir un effet important sur le taux de la tuberculose; cette répartition par âges ne sert que très peu à expliquer la vaste différence dans les taux des différentes provinces. Comme il est mentionné plus haut (p. cxxi), les taux des provinces de l'ouest, tout spécialement l'Alberta et la Colombie Britannique, sont augmentés considérablement par la proportion de population indienne dans ces provinces; l'exclusion de cette population dans la computation des taux baisse ces derniers de 64 à 41 en Alberta et de 96 à 72 par 100,000 en Colombie Britannique. (Voir les tableaux XLIX et LIII).

Pour les huit provinces comprises dans le territoire d'enregistrement de 1921, le taux de la tuberculose est de 67 par 100,000 en 1927 comparativement à 68 l'année précédente. Dans la période 1921-27, ces taux ont une tendance à la baisse, quoiqu'ils aient une tendance à la stabilité dans les trois dernières années.

TUBERCULOSE (Nos 31-37)
(Mortalité par 100,000 âmes)

Provinces	1921	1922	1923	1924	1925	1926	1927
Île du Prince-Édouard	144	127	106	114	99	103	83
Nouvelle-Écosse	134	132	123	125	108	119	118
Nouveau-Brunswick	109	107	111	105	100	102	100
Québec	.....	.....	.....	.....	.....	128	121
Ontario	71	66	66	60	59	58	57
Manitoba	69	61	65	62	61	61	57
Saskatchewan	43	44	45	46	42	47	47
Alberta	53	53	61	61	59	60	64
Colombie Britannique	78	95	97	95	96	94	96
Canada [1]	.....	.....	.....	.....	.....	85	82
Territoire d'enregistrement de 1921	75	73	73	70	67	68	67

[1] Voir la note 1, au bas du tableau I.

Le nombre de décès attribués aux diverses formes de tuberculose est donné ci-dessous, par sexes. Pour le territoire d'enregistrement de 1921, les chiffres couvrent la période 1921-1927, tandis que pour l'ensemble du Canada, ils se limitent aux années 1926 et 1927. Si les chiffres, par sexe, pour le territoire d'enregistrement de 1921 sont étudiés, on verra que le déclin dans la mortalité due à la tuberculose, à laquelle il est référé plus haut, est plus prononcé et plus fortement senti chez les hommes que chez les femmes. Pour ces dernières, en effet, prenant la période dans son ensemble, on ne peut pas dire que les chiffres absolus indiquent une avance ou un recul, mais le fait qu'ils ne se sont pas accrus en proportion de l'augmentation de la population produit une baisse dans le taux.

DÉCÈS CAUSÉS PAR LES DIFFÉRENTES FORMES DE TUBERCULOSE

(Nombres absolus)

Formes de tuberculose	Territoire d'enregistrement de 1921							Canada(1)	
	1921	1922	1923	1924	1925	1926	1927	1926	1927
SEXE MASCULIN									
Toutes formes	**2,439**	**2,421**	**2,447**	**2,354**	**2,310**	**2,380**	**2,302**	**3,728**	**3,593**
Appareil respiratoire	1,974	1,957	2,021	1,917	1,930	1,938	1,889	3,016	2,914
Méninges et système nerveux central	197	171	150	176	139	164	158	280	259
Intestin et péritoine	85	92	73	72	67	80	75	135	156
Colonne vertébrale	40	41	41	49	50	29	28	41	36
Articulations	12	21	20	19	21	18	17	24	22
Autres organes	53	58	68	55	52	81	67	126	115
Disséminée	78	81	74	66	51	70	68	106	91
SEXE FÉMININ									
Toutes formes	**2,350**	**2,320**	**2,371**	**2,296**	**2,222**	**2,272**	**2,335**	**4,201**	**4,189**
Appareil respiratoire	1,929	1,913	1,938	1,904	1,849	1,848	1,948	3,469	3,530
Méninges et système nerveux central	143	124	144	147	161	145	151	263	266
Intestin et péritoine	120	128	129	106	79	113	110	199	184
Colonne vertébrale	30	31	40	24	24	35	18	56	30
Articulations	17	16	8	15	10	8	12	11	15
Autres organes	46	48	40	41	40	62	37	111	81
Disséminée	65	60	72	59	59	61	59	92	83

(1) Voir la note 1, au bas du tableau I.

Les chiffres suivants, tirés des tableaux XLIX, LI et LIII, montrent l'effet qu'a sur les taux des décès causés par la tuberculose en 1926 et 1927 l'exclusion des Indiens morts de cette maladie. Comme mentionné précédemment, le terme Indien comprend les métis.

TUBERCULOSE

(Mortalité par 100,000 âmes)

	1927			1926		
	Toutes formes	Appareil respiratoire	Autres organes	Toutes formes	Appareil respiratoire	Autres organes
Population totale	82	68	14	84	69	15
Population indienne	570	494	76	542	473	69
Population à l'exclusion des Indiens	76	63	13	80	65	15

L'exclusion des Indiens non seulement baisse le taux des décès dus à la tuberculose pour les deux années, mais rend le déclin de 1926 à 1927 encore plus prononcé. L'accroissement apparent du taux chez les Indiens est peut-être dû à un meilleur système d'enregistrement et de certification des décès.

Cancer.—Dans les neuf provinces du Canada, le cancer a été la cause de 7,919 décès en 1927, soit un coefficient de 83 par 100,000 âmes, comparativement à 7,614 et un coefficient de 81 par 100,000 l'année précédente. Les taux varient pour les diverses provinces de 53 en Saskatchewan à 102 en Nouvelle-Écosse. La répartition de l'âge de la population joue un rôle important dans les proportions des différentes provinces. Dans le tableau suivant, le taux de mortalité due au

cancer dans les différentes provinces est donné conjointement avec les proportions de la population de plus de 40 ans et de plus de 60 ans de chaque province selon le recensement de 1921.

—	Taux de décès dus au cancer par 100,000 de population, 1927	P.c. de la population de 40 ans et plus	P.c. de la population de 60 ans et plus
Nouvelle-Écosse	102	28·3	10·4
Ontario	100	29·7	9·2
Colombie Britannique	90	30·4	6·3
Nouveau-Brunswick	81	26·3	9·2
Manitoba	77	22·4	5·3
Île du Prince-Édouard	77	31·5	13·3
Québec	73	22·9	7·1
Alberta	68	22·0	4·3
Saskatchewan	53	19·6	4·0

Le taux de ces décès dans le territoire d'enregistrement de 1921 indique clairement une augmentation sur la période 1921-27, s'élevant de 75 par 100,000 la première année, à 87 la dernière année. Une meilleure précision des diagnostics peut influencer ces résultats, tandis que dans un pays comme le Canada, il est probable qu'une plus grande proportion de la population entre d'année en année dans l'âge du cancer.

CANCER (Nos 43-49)

(Mortalité par 100,000 âmes)

Provinces	1921	1922	1923	1924	1925	1926	1927
Île du Prince-Édouard	87	97	94	101	100	83	77
Nouvelle-Écosse	92	102	100	107	101	96	102
Nouveau-Brunswick	73	82	76	76	83	82	81
Québec	.....	.....	.....	.....	.....	72	73
Ontario	88	88	90	96	95	99	100
Manitoba	70	72	67	74	71	73	77
Saskatchewan	41	45	46	44	44	47	53
Alberta	48	54	49	58	57	59	68
Colombie Britannique	74	83	83	83	84	93	90
Canada(1)	.....	.....	.....	.....	.....	81	83
Territoire d'enregistrement de 1921	75	79	78	83	82	85	87

(1) Voir la note 1, au bas du tableau I.

Le taux des décès dus au cancer par sièges est donné, par sexe, dans le tableau qui suit, pour les neuf provinces du Canada en 1926 et 1927 et pour le territoire d'enregistrement en 1921-1927. La proportion de décès par le cancer pour tous sièges combinés est beaucoup plus élevée chez les femmes que chez les hommes, pour toutes les années montrées au tableau. En suivant attentivement la comparaison dans le territoire d'enregistrement de 1921, on constatera que le taux de cette maladie sous "autres organes ou non spécifiés" s'est abaissé sensiblement, surtout chez les femmes, de 1921 à 1925. On peut présumer que ce fléchissement est le résultat de certificats plus précis, depuis l'habitude de retourner aux médecins les certificats ne déterminant pas suffisamment l'organe atteint. Cette pratique, suivie fidèlement depuis l'origine du système national de statistiques démographiques, de retourner les certificats incomplets afin d'obtenir des renseignements plus spécifiques, conduit à une plus grande exactitude de la part des médecins dans la rédaction de leurs rapports. Cette amélioration a dû avoir pour résultat une augmentation correspondante apparente dans quelques ou dans tous les sièges spécifiés de cette maladie. Il est permis de supposer qu'en 1925 le nombre de décès dus au cancer d'organes non spécifiés était réduit à son minimum. En 1927, alors qu'ils sont enregistrés séparément pour la première fois, ils s'élèvent à 12 dans le territoire d'enregistrement de 1921. Il est donc probable qu'une proportion de l'augmentation dans les décès dans différents sièges spécifiés au cours de la période 1921-25 soit due à la plus grande exactitude des certificats.

MORTALITÉ CAUSÉE PAR LE CANCER EN SES DIFFÉRENTS SIÈGES

(Par 100,000 âmes)

Siège du cancer	Territoire d'enregistrement de 1921							Canada(1)	
	1921	1922	1923	1924	1925	1926	1927	1926	1927
SEXE MASCULIN									
Tous sièges	**69**	**71**	**70**	**75**	**75**	**77**	**81**	**75**	**78**
Cavité buccale	4	5	6	7	6	6	6	6	6
Estomac et foie	32	31	32	34	36	36	37	36	37
Péritoine, intestin et rectum	10	11	11	12	12	12	14	12	13
Peau	2	3	3	3	3	3	2	2	2
Autres organes ou organes non spécifiés	21	21	19	19	18	21	22	19	20
SEXE FÉMININ									
Tous sièges	**82**	**86**	**87**	**91**	**90**	**93**	**93**	**88**	**89**
Cavité buccale	1	1	1	1	1	1	1	1	1
Estomac et foie	24	27	28	27	27	28	29	28	28
Péritoine, intestin et rectum	12	13	13	13	14	15	14	14	14
Organes génitaux	14	15	16	18	18	19	19	18	18
Sein	12	13	14	17	18	15	16	14	16
Peau	1	1	1	1	1	2	2	1	1
Autres organes ou organes non spécifiés	18	16	14	13	11	12	13	11	11

(1) Voir la note 1, au bas du tableau I.

Diabète.—Les décès dus au diabète sont au nombre de 1,083 en 1927 comparativement à 1,046 l'année précédente. Le taux pour les deux années est de 11 par 100,000 âmes.

Les décès résultant du diabète dans le territoire d'enregistrement de 1921 sont donnés par groupes d'âges pour les années 1921-27 dans le tableau ci-dessous. L'interprétation du total des décès comme signe de la tendance de la mortalité est incertaine, mais il existe une marque manifeste d'un changement dans la distribution d'âges dans les décès dus à cette cause, consistant dans un accroissement chez les groupes d'âges plus avancés et en une diminution chez les plus jeunes.

DÉCÈS DUS AU DIABÈTE (N° 57) DANS LE TERRITOIRE D'ENREGISTREMENT DE 1921 AU COURS DES ANNÉES 1921-27

Année	Tous âges	Moins de 15 ans	15-29 ans	30-49 ans	50 ans et plus	Non donnés
1921	611	68	67	118	357	1
1922	707	71	64	129	441	2
1923	722	52	54	98	517	1
1924	637	42	40	83	472	–
1925	634	42	58	67	466	1
1926	763	50	51	87	575	–
1927	794	39	36	89	628	2

Affections du cœur.— Les décès résultant des affections de cet organe (Liste Int. Nos 87-90) s'élèvent à 11,775 en 1927, soit un taux de 124 par 100,000 âmes, comparativement à 11,415 et un taux de 122 par 100,000 l'année précédente. Les proportions par provinces varient en 1927 de 68 en Saskatchewan à 166 en Ontario. En plus de l'effet que la différence d'âge de la population peut avoir sur les taux, ceux-ci, pour chaque province, sont aussi certainement affectés par le degré d'exactitude du certificat de mortalité. Le taux très élevé en Ontario des décès dus aux affections du cœur est accompagné de taux peu élevés des mortalités dues à la sénilité et à des causes non spécifiées ou imprécises. D'un autre côté, les Provinces Maritimes, avec une population plus vieille que celle d'Ontario, indiquent une mortalité beaucoup plus basse due aux affections du cœur, mais les décès dus à la sénilité y sont plus nombreux, de même que ceux dus à des causes non spécifiées ou non précises dans l'Île du Prince-Édouard et le Nouveau-Brunswick. (Voir le tableau XLIX).

Le tableau suivant donne le taux de mortalité dans chaque province, résultant d'affections du cœur, au cours de la période 1921-27 et révèle une augmentation marquée dans les huit provinces pour lesquelles une comparaison est faite chaque année depuis 1921. Ici encore le fort déclin indiqué au tableau LV pour ce territoire dans les taux de décès dus à la sénilité et à des causes

non spécifiées ou peu précises indique une amélioration dans la certification qui ne pouvait manquer de produire un effet prononcé sur les taux de décès dus à des maladies dégénératrices dont la nature est spécifiée.

AFFECTIONS DU CŒUR (Nos 87–90)
(Mortalité par 100,000 âmes)

Provinces	1921	1922	1923	1924	1925	1926	1927
Île du Prince-Édouard	108	131	142	142	122	110	140
Nouvelle-Écosse	107	111	130	113	120	123	128
Nouveau-Brunswick	111	125	120	112	125	120	128
Québec	.....	.....	.....	.....	.....	112	110
Ontario	116	126	145	137	142	163	166
Manitoba	70	72	79	79	74	80	89
Saskatchewan	45	48	48	47	50	61	68
Alberta	52	54	62	67	77	80	77
Colombie Britannique	90	101	108	99	104	117	112
Canada(1)	.....	.....	.....	.....	.....	**122**	**124**
Territoire d'enregistrement de 1921	94	102	114	108	113	125	129

(1) Voir la note 1, au bas du tableau I.

Affections des artères.—La mortalité résultant de cette cause en 1927 (Liste Int. No. 91) est de 54 par 100,000 âmes, comparativement à 53 par 100,000 en 1926. Environ 96 pour cent de ces décès sont attribués à l'artériosclérose, en 1927.

La proportion des décès résultant d'affections des artères au cours de la période 1921-27 pour le territoire d'enregistrement de 1921 n'a cessé d'augmenter, étant de 40 par 100,000 en 1921 et atteignant 60 en 1927. Pour cette maladie, comme pour les affections du cœur, une proportion de l'augmentation est sans doute due à la diminution dans le nombre de décès dont la sénilité était donnée comme cause ou pour lesquels aucune cause spécifiée n'était donnée.

Bronchite.—La mortalité imputable à cette maladie (N° 99) en 1927 est de 5 par 100,000 âmes contre 6 par 100,000 âmes en 1926. Dans le territoire d'enregistrement de 1921, la mortalité due à la bronchite a enregistré une baisse marquée au cours de la période 1921-27, le taux déclinant de 14 dans les premières années à 5 la dernière année.

Pneumonie.—La pneumonie, qui embrasse la broncho-pneumonie et la bronchite capillaire, (Liste Int. Nos. 100–101) a causé 7,562 décès en 1927, soit un taux de 80 par 100,000 âmes comparativement à 8,427 et un taux de 90 par 100,000 âmes en 1926. Ces taux, par provinces, varient en 1927 de 58 en Alberta à 103 dans l'Île du Prince-Édouard. Les Provinces Maritimes et le Québec ont des taux élevés.

Les décès ayant la pneumonie comme cause principale ne comprennent pas ceux dans lesquels cette maladie n'est que le résultat d'autres maladies. Ainsi, en 1927, 1,234 décès sont dus à la pneumonie résultant d'une grippe. Ces décès sont attribués à la grippe dans le tableau (Liste Int. No. 11), quoique une subdivision de la rubrique de cette maladie permette d'en observer le nombre.

La mortalité imputable à la pneumonie en 1927 dans le territoire d'enregistrement de 1921 est de 75 par 100,000 âmes. C'est le coefficient le plus bas pour une seule année de la période 1921-27, à l'exception de 1924 qui a enregistré un taux égal.

PNEUMONIE (Nos 100 ET 101)
(Mortalité par 100,000 âmes)

Provinces	1921	1922	1923	1924	1925	1926	1927
Île du Prince-Édouard	109	121	155	93	80	87	103
Nouvelle-Écosse	96	126	127	96	96	99	92
Nouveau-Brunswick	132	123	114	89	112	106	100
Québec	.....	.....	.....	.....	.....	103	93
Ontario	102	105	102	76	80	91	77
Manitoba	92	91	85	82	79	80	74
Saskatchewan	66	71	81	70	62	70	60
Alberta	76	77	74	67	62	73	58
Colombie Britannique	67	82	53	46	47	60	63
Canada(1)	.....	.....	.....	.....	.....	**90**	**80**
Territoire d'enregistrement de 1921	93	98	95	75	76	85	75

(1) Voir la note 1, au bas du tableau I.

Diarrhée et entérite.—Les décès dus à ces causes en 1927 se chiffrent à 5,534 et le taux à 58 par 100,000 de population, comparativement à 5,445 en 1926; le taux de 1927 est le même qu'en 1926. La mortalité due à la diarrhée et à l'entérite est remarquable surtout chez les jeunes enfants et environ 87 pour cent des décès attribués à ces causes en 1927 se trouvent chez les enfants au-dessous de deux ans. Le tableau ci-dessous indique que dans le territoire d'enregistrement de 1921 on a enregistré un déclin marqué et presque ininterrompu dans la mortalité due à la diarrhée et à l'entérite. Jusqu'à un certain point, ce déclin est attribuable à la diminution de la natalité; néanmoins, c'est le signe d'une amélioration réelle et substantielle. Le taux pour tout le Canada est beaucoup plus élevé que celui de ce territoire et n'indique aucun changement en 1927 sur 1926.

DIARRHÉE ET ENTÉRITE (Nos 113-114)

—		Au-dessous de deux ans	Deux ans et au-dessus	Total	Taux par 100,000 âmes
		Nomb.	Nomb.	Nomb.	
Territoire d'enregistrement de 1921	1921	2,695	523	3,218	50
	1922	2,440	403	2,843	44
	1923	1,696	365	2,061	31
	1924	1,555	336	1,891	28
	1925	1,787	411	2,198	33
	1926	1,399	280	1,679	25
	1927	1,347	367	1,714	25
Canada(1)	**1926**	**4,821**	**624**	**5,445**	**58**
	1927	**4,818**	**716**	**5,534**	**58**

(1) Voir la note 1, au bas du tableau I.

Néphrite.—La mortalité résultant de cette cause (Nos 128-129) en 1927 s'élève à 5,235 comparativement à 5,138 en 1926. Le taux est de 55 par 100,000 âmes pour les deux années. Par provinces, en 1927 cette proportion varie de 25 en Manitoba à 80 en Québec. Les trois Provinces des Prairies ont des taux très bas, dus sans doute à la faible proportion de personnes ayant dépassé le milieu de la vie. Toutefois, l'excédent de la province de Québec sur les Provinces Maritimes et l'Ontario ne peut s'expliquer de cette manière.

Pour le territoire d'enregistrement de 1921, le taux est de 46 par 100,000 âmes en 1927. Ici, comme dans le cas du total des neuf provinces, le taux coïncide avec celui de l'année précédente. A partir de 1921 ce taux montre une augmentation assez régulière. Comme il est mentionné en rapport avec les affections du cœur et des artères, l'amélioration dans les certificats ayant comme résultat la réduction de la mortalité attribuée à la sénilité, de 45 par 100,000 âmes en 1921 à 27 en 1927, et la diminution dans les décès dus à des causes non spécifiées ou peu précises, de 32 par 100,000 âmes en 1921 à 10 en 1927, a certainement eu comme conséquence d'augmenter le taux apparent de maladies dégénératives spécifiées. De plus, quand la néphrite est la cause d'artériosclérose et peut-être en dernier lieu d'apoplexie, on lui donne la préférence lorsque les trois maladies sont mentionnées sur le certificat. Donc, ici encore, une amélioration des certificats consistant dans la mention de la néphrite de même que des maladies subséquentes, a pour résultat d'augmenter le taux apparent de mortalité due à la néphrite.

Morts violentes.—Le nombre de morts violentes au Canada en 1927, y compris les suicides, les homicides et les accidents, se chiffre à 6,268 comparativement à 5,869 l'année précédente, et le coefficient à 66 par 100,000 âmes contre 63 en 1926. En 1927, les morts violentes comprennent 6 pour cent de la mortalité totale des neuf provinces, tandis que les homicides y contribuent seulement 2·0 pour cent, les suicides 12·1 pour cent et les accidents 85·9 pour cent.

Suicides.—Les suicides au Canada en 1927 sont au nombre de 759 contre 680 en 1926. Le taux qui était de 7 par 100,000 âmes dans les premiers mois de l'année a monté à 8 au cours du dernier semestre. La proportion la plus élevée pour une seule province en 1927 se trouve en Colombie Britannique avec 18, et les taux les moins élevés sont de 3 par 100,000 dans l'Île du Prince Édouard, la Nouvelle-Écosse et le Québec. Dans le territoire d'enregistrement de 1921, le taux en 1927 est de 10 par 100,000 âmes. Le taux des suicides montre une avance ferme en ce territoire au cours de la période 1921-27.

SUICIDES (Nos 165–174)
(Nombres absolus)

Année	Canada(1)		Territoire d'enregistrement de 1921	
	Masculin	Féminin	Masculin	Féminin
1921	...	...	342	89
1922	...	...	376	111
1923	...	...	404	134
1924	...	...	399	136
1925	...	...	466	120
1926	543	137	478	118
1927	612	147	547	127

(1) Voir la note 1, au bas du tableau I.

Homicides.—Les homicides au Canada en 1927 se chiffrent à 124, soit un taux de 1·30 par 100,000 âmes comparativement à 126 et un taux de 1·34 l'année précédente. Dans les homicides, comme dans les suicides, la Colombie Britannique a le plus fort coefficient pour 1927, soit 3·8 par 100,000 âmes. La forte proportion d'adultes dans cette province contribue à lui donner la première place dans les décès dus à ces causes.

Le coefficient de la mortalité dans le territoire d'enregistrement de 1921 par 100,000 âmes pour les années 1921-27 est indiqué dans le tableau suivant:

HOMICIDES DANS LE TERRITOIRE D'ENREGISTREMENT DE 1921
(Taux par 100,000 âmes)

1921	0·78	1925	1·45
1922	1·26	1926	1·54
1923	1·16	1927	1·43
1924	1·47		

Accidents d'automobile.—Le nombre de décès dus aux accidents d'automobile est indiqué par provinces dans le tableau ci-dessous. Pour les huit provinces comprises dans le territoire d'enregistrement de 1921 les chiffres sont donnés à partir de 1921, tandis que pour la province de Québec et le total des neuf provinces les chiffres des années 1926 et 1927 seuls sont disponibles. Dans le présent système de classification, les décès résultant de collision d'automobiles avec d'autres véhicules, tramways et trains sont attribués à l'automobile. Des décès dus aux accidents de motocyclette tombent aussi dans cette catégorie.

Le tableau indique 865 décès au Canada dus à des accidents d'automobile en 1927 comparativement à 606 l'année précédente. Les chiffres du territoire d'enregistrement de 1921 font voir une augmentation de 197 décès en 1921 à 613 en 1927. Les deux seules années montrant moins de décès que l'année précédente sont 1924 et 1926. Au cours de toutes les autres années les augmentations ont été substantielles.

DÉCÈS RÉSULTANT D'ACCIDENTS D'AUTOMOBILE (N° 188c)
(Nombres absolus)

Provinces	1921	1922	1923	1924	1925	1926	1927
Île du Prince-Édouard	–	1	2	1	2	1	2
Nouvelle-Écosse	11	16	24	13	26	28	31
Nouveau-Brunswick	8	11	20	16	20	11	25
Québec	...	...	...	...	...	183	252
Ontario	108	103	208	205	256	242	387
Manitoba	9	25	18	17	32	27	32
Saskatchewan	9	20	19	16	18	21	24
Alberta	18	22	22	16	26	33	35
Colombie Britannique	34	39	42	56	45	60	77
Canada(1)	...	...	...	...	...	**606**	**865**
Territoire d'enregistrement de 1921	197	237	355	340	425	423	613

(1) Voir la note 1, au bas du tableau I.

Le tableau qui suit contient les décès attribués aux accidents d'automobile dans les cités de 40,000 âmes ou plus (d'après le dernier recensement) au cours des années 1921-27. Les chiffres pour Montréal et Québec ne sont donnés que pour les deux dernières années de cette période. Le total de toutes les autres villes présente le même aspect que les totaux pour le territoire d'enregistrement de 1921: déclins en 1924 et 1926, augmentations substantielles sur l'année précédente dans les autres cas.

Il faut noter que les chiffres sont pour les décès ayant lieu dans les villes, que le défunt y habite ou non, et que l'accident arrive dans les limites de la ville ou à l'extérieur. Puisque des personnes blessées mortellement dans un accident d'automobile sur un chemin de campagne sont souvent transportées en grande hâte à un hôpital de ville, le tableau ne peut être interprété comme un compte-rendu exact des accidents mortels ayant lieu dans les villes.

DÉCÈS DANS CERTAINES CITÉS RÉSULTANT D'ACCIDENTS D'AUTOMOBILE

(Nombres absolus)

Cités	1921	1922	1923	1924	1925	1926	1927
Montréal	(1)	(1)	(1)	(1)	(1)	81	126
Toronto	25	37	50	56	50	45	87
Winnipeg	6	15	8	6	13	18	18
Vancouver	17	16	13	25	21	22	34
Hamilton	9	3	15	5	21	20	23
Ottawa	6	5	10	5	11	12	17
Québec	(1)	(1)	(1)	(1)	(1)	10	14
Calgary	2	9	8	3	8	6	8
London	–	1	4	7	11	6	9
Edmonton	2	3	7	4	6	5	7
Halifax	1	4	3	1	3	5	5
St. John	2	1	8	2	6	–	4

(1) Non compris dans le territoire d'enregistrement.

Noyades.—Les noyades ont coûté la vie à 934 personnes en 1927 contre 863 l'année précédente. Le nombre de noyades par sexe et par groupes d'âges est indiqué dans le tableau suivant:

NOYADES (N° 182)

(Nombres absolus)

Groupes d'âges	Canada(1)			
	1926		1927	
	M.	F.	M.	F.
Au-dessous de 5 ans	65	24	53	27
5-14 ans	152	17	176	32
15-19 ans	134	22	133	20
20 ans et plus	397	41	429	34
Non spécifié	10	1	30	–
Total	**758**	**105**	**821**	**113**

(1) Voir la note 1, au bas du tableau I.

Répartition proportionnelle par causes.—Le tableau LVI répartit le taux de la mortalité entre chacune des causes de décès énumérées et dans chaque province en 1927. Evidemment, les différentes causes de décès occupent dans ce tableau le même rang que dans le tableau XLIX

TABLEAU LVI.—PROPORTIONS DE DÉCÈS DUS À CERTAINES CAUSES, PAR PROVINCES, 1927

N° liste int.	Causes des décès	Par 1,000 décès de causes spécifiées									
		Canada (1)	Î.P.-É.	N.-É.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.
1	Fièvre typhoïde	10·7	4·6	2·1	7·4	24·3	3·1	5·1	3·5	4·2	2·3
7	Rougeole	5·9	1·2	7·1	9·1	10·1	2·4	3·8	2·0	2·4	6·7
8	Scarlatine	3·9	2·3	3·3	7·0	5·4	2·5	3·0	4·7	4·4	1·2
9	Coqueluche	9·9	8·1	10·8	12·9	15·5	5·2	4·7	7·7	8·4	8·1
10	Diphtérie	9·7	–	4·6	3·8	13·1	8·6	16·7	10·5	5·2	3·9
11	Grippe	33·1	30·0	28·3	29·1	29·0	27·7	50·3	56·8	44·1	50·6
31	Tuberculose, appareil respiratoire	61·8	73·8	87·6	72·3	72·9	43·8	57·5	50·5	60·3	80·2
32–37	Tuberculose, autres organes	12·8	9·2	14·1	15·1	15·0	8·3	12·5	14·9	18·8	16·9
43–49	Cancer	76·0	77·3	87·9	70·4	53·3	91·8	94·2	74·4	83·8	91·2
57	Diabète	10·4	5·8	9·6	9·8	8·1	12·7	13·7	10·5	10·2	9·7
58	Anémie, chlorose	7·6	12·7	6·0	6·8	4·9	11·1	6·8	7·0	5·2	8·8
71	Méningite	7·8	13·8	5·7	5·9	14·4	3·7	4·7	5·2	4·2	2·8
74	Hémorragie cérébrale, apoplexie	28·2	61·1	38·4	37·1	15·9	38·4	28·7	24·6	21·6	28·7
75	Paralysie sans cause spécifiée	10·6	23·1	15·3	15·1	15·8	7·4	4·9	3·5	4·2	5·1
80	Convulsions des enfants (au-dessous de 5 ans)	5·3	5·8	14·4	5·9	4·7	2·9	5·3	13·0	7·2	3·2
87–90	Affections du cœur	113·0	140·7	109·9	111·4	80·3	153·0	109·4	95·1	95·0	113·6
91	Affections des artères	49·0	27·7	40·6	38·0	26·8	79·1	44·1	27·2	38·9	64·0
99	Bronchite	4·8	5·8	7·1	4·7	5·4	3·9	5·3	5·3	5·4	3·5
100–101	Pneumonie	72·6	103·8	78·7	87·6	67·3	70·7	90·8	84·1	71·5	64·4
113–114	Diarrhée et entérite	53·1	13·8	36·4	35·2	106·8	21·3	29·4	34·8	30·3	9·7
117	Appendicite	13·3	11·5	8·4	13·6	11·8	11·8	17·1	20·2	30·3	11·1
118	Hernie, obstruction intestinale	8·7	2·3	7·4	5·9	7·6	9·9	11·2	12·4	9·2	6·9
128–129	Néphrite	50·2	69·2	48·9	39·2	57·9	50·0	30·8	40·1	34·9	53·4
135	Affections de la prostate	6·1	1·2	7·0	6·4	4·7	8·1	7·8	3·2	4·2	5·8
143–150	Causes puerpérales	12·5	4·6	12·0	13·8	11·3	11·6	13·7	19·1	19·0	12·0
159	Vices de conformation congénitaux	12·9	8·1	10·1	9·3	11·8	13·7	14·1	19·2	17·8	10·4
160–163	Maladies du premier âge	88·7	46·1	62·9	105·2	111·7	69·9	76·0	117·5	101·0	50·3
164	Sénilité (vieillesse)	23·7	109·6	67·7	63·4	17·3	19·6	15·8	19·9	12·8	15·0
165–174	Suicides	7·3	3·5	3·0	4·5	2·4	9·2	11·8	11·4	15·4	18·7
175–203	Mort violente (suicides exceptés)	52·9	18·5	50·4	39·5	39·5	57·7	52·0	63·0	78·3	94·5
	Autres causes spécifiées	137·4	105·0	114·2	114·6	135·2	140·7	158·6	138·6	151·9	147·1
	Toutes causes spécifiées	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**

(1) Voir la note 1, au bas du tableau 1.

Le tableau LVII établit une comparaison sur la même base que le tableau précédent, avec les années 1921-27, pour l'ensemble du territoire d'enregistrement de 1921.

TABLEAU LVII.—PROPORTIONS DE DÉCÈS DUS À CERTAINES CAUSES DANS LE TERRITOIRE D'ENREGISTREMENT DE 1921, AU COURS DES ANNÉES 1921–27

N° liste int.	Causes des décès	Par 1,000 décès de causes spécifiées						
		1921	1922	1923	1924	1925	1926	1927
1	Fièvre typhoïde	7·6	6·2	7·0	4·4	4·8	3·0	3·6
7	Rougeole	4·5	3·1	5·1	7·4	2·6	7·3	3·7
8	Scarlatine	6·2	5·0	4·7	5·1	3·9	3·0	3·2
9	Coqueluche	9·5	7·0	10·8	8·3	8·5	9·2	7·0
10	Diphtérie	19·8	15·2	12·3	13·1	9·4	7·9	7·9
11	Grippe	14·3	35·6	51·9	20·1	33·4	44·5	35·3
31	Tuberculose, appareil respiratoire	59·4	57·5	57·4	58·8	57·8	54·5	56·1
32–37	Tuberculose, autres organes	13·5	12·9	12·5	12·8	11·5	12·5	11·7
43–49	Cancer	73·5	76·0	74·8	85·1	84·6	83·1	87·8
57	Diabète	9·3	10·5	10·5	9·8	9·7	11·0	11·6
58	Anémie, chlorose	11·2	11·6	11·0	12·5	12·5	12·3	9·0
71	Méningite	9·0	4·9	4·2	5·0	4·2	3·9	4·4
74	Hémorragie cérébrale, apoplexie	39·6	38·6	35·8	36·2	34·9	35·7	34·6
75	Paralysie sans cause spécifiée	11·0	9·3	7·8	8·7	8·0	7·5	7·9
80	Convulsions des enfants (au-dessous de 5 ans)	9·4	8·9	6·9	6·9	6·6	5·9	5·6
87–90	Affections du cœur	91·7	98·3	108·6	110·6	116·1	122·9	130·1
91	Affections des artères	38·9	42·9	45·9	56·8	58·2	57·5	60·7
99	Bronchite	13·8	12·6	10·9	6·8	6·0	5·9	4·6
100–101	Pneumonie	90·9	95·0	90·4	77·1	78·8	83·3	75·3
113–114	Diarrhée et entérite	49·0	42·2	29·9	29·1	33·6	24·2	25·0
117	Appendicite	12·4	12·5	12·2	14·2	14·4	13·3	14·0
118	Hernie, obstruction intestinale	8·7	9·4	8·9	11·2	10·2	9·4	9·3
128–129	Néphrite	31·1	31·4	35·8	41·1	44·1	44·9	46·2
135	Affections de la prostate	4·6	4·7	5·4	6·6	7·5	8·0	6·9
143–150	Causes puerpérales	13·2	13·5	12·3	14·6	13·4	12·8	13·1
159	Vices de conformation congénitaux	13·1	13·5	14·4	16·3	16·8	14·2	13·5
160–163	Maladies du premier âge	92·8	91·6	83·1	82·6	77·2	78·4	76·7
164	Sénilité (vieillesse)	44·4	41·0	42·3	39·5	32·1	29·5	27·0
165–174	Suicides	6·6	7·2	7·8	8·2	9·0	8·6	9·8
175–203	Mort violente (suicides exceptés)	55·8	54·2	55·6	56·5	59·3	55·7	59·9
	Autres causes spécifiées	135·1	127·8	123·9	134·6	130·8	130·0	138·6
	Toutes causes spécifiées	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**

Répartition proportionnelle des décès, par sexes et groupes d'âges, selon leur cause.—Le tableau LVIII attribue leur proportion relative aux décès dus à chacune des causes énumérées, par rapport à l'ensemble de la mortalité de chaque sexe et groupe d'âges en 1927. Le tableau fait connaître entre autres la proéminence des maladies du premier âge; la diarrhée et l'entérite chez les enfants; les morts accidentelles, particulièrement chez les garçons; la tuberculose, la diphtérie, l'appendicite et la pneumonie dans la période de 5 à 14 ans; la tuberculose chez les deux sexes, les morts violentes (principalement des accidents) chez les hommes, causes puerpérales chez les femmes, dans la période 15-29 ans; la tuberculose, les affections du cœur et chez les hommes, les morts violentes; chez les femmes, les causes puerpérales et le cancer dans la période 30-49 ans; et enfin, les affections du cœur et des artères, le cancer, la néphrite et la pneumonie dans les âges au-dessus de 50 ans.

TABLEAU LVIII.—PROPORTIONS DE CERTAINES CAUSES PAR 1,000 DÉCÈS DE CAUSES SPÉCIFIÉES PAR SEXE ET PAR GROUPES D'ÂGES, 1927

N° liste int.	Causes des déces	Moins de 5 ans		5–14 ans		15–29 ans		30–49 ans		50 ans et plus	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
1	Fièvre typhoïde	1·9	2·6	30·5	49·5	64·7	45·4	24·5	17·3	2·3	2·4
7	Rougeole	17·9	17·9	14·3	20·6	0·7	2·0	0·3	0·9	(1)	–
8	Scarlatine	7·8	7·7	29·8	29·4	2·2	3·4	0·6	1·5	0·1	0·1
9	Coqueluche	30·9	40·0	5·8	6·6	–	0·5	–	–	–	–
10	Diphtérie	16·7	19·8	88·9	96·8	3·4	3·6	0·6	0·8	0·1	0·2
11	Grippe	40·1	41·8	34·4	42·9	27·2	30·7	28·8	32·2	27·1	32·4
31	Tuberculose, appareil respiratoire	6·8	8·4	52·6	88·5	222·4	377·4	162·7	162·0	25·0	21·4
32–37	Tuberculose, autres organes	13·0	13·0	46·0	59·6	38·3	43·1	15·1	15·0	3·6	3·1
43–49	Cancer	1·6	1·0	4·6	6·1	13·1	12·9	62·8	123·9	127·2	140·3
57	Diabète	0·4	0·3	8·5	5·3	6·8	5·6	8·1	10·4	14·5	21·2
58	Anémie, chlorose	1·3	1·2	7·3	5·7	2·2	4·3	8·1	10·9	10·5	13·1
71	Méningite	18·2	19·1	26·7	29·8	7·0	7·0	3·1	3·4	0·7	1·0
74	Hémorragie cérébrale, apoplexie	0·6	0·3	1·5	0·9	4·4	3·2	15·5	20·1	49·9	59·0
75	Paralysie sans cause spécifiée	0·1	0·2	1·2	1·8	1·0	1·1	3·6	5·2	18·2	24·3
80	Convulsions des enfants (au-dessous de 5 ans)	20·4	17·9	–	–	–	–	–	–	–	–
87–90	Affections du cœur	2·2	2·2	47·6	57·0	53·8	47·2	95·4	95·7	200·6	198·7
91	Affections des artères	–	–	–	–	1·2	0·7	13·0	15·2	104·4	96·3
99	Bronchite	6·2	6·1	1·5	1·8	0·7	0·2	1·5	1·4	5·1	7·2
100–101	Pneumonie	116·9	120·7	56·5	67·9	43·4	33·6	57·0	43·8	57·4	60·5
113–114	Diarrhée et entérite	180·6	176·1	15·1	18·8	3·6	3·8	3·4	4·3	4·6	6·3
117	Appendicite	3·4	4·5	80·4	78·4	57·2	37·5	27·7	17·6	4·1	3·2
118	Hernie, obstruction intestinale	5·9	3·7	7·3	5·3	8·2	2·5	10·3	12·4	12·5	9·5
128–129	Néphrite	2·9	2·4	25·1	28·9	24·0	23·7	54·3	59·6	82·9	83·5
135	Affections de la prostate	–	–	–	–	0·2	–	0·6	–	24·3	–
143–150	Causes puerpérales	–	–	–	0·4	–	125·8	–	113·6	–	(1)
159	Vices de conformation congénitaux	43·1	49·7	5·4	5·3	1·0	0·2	0·1	–	–	–
160–163	Maladies du premier âge	334·3	309·5	–	–	–	–	–	–	–	–
164	Sénilité (vieillesse)	–	–	–	–	–	–	–	–	41·0	61·3
165–174	Suicides	–	–	0·4	–	19·9	7·9	40·7	10·0	9·6	2·0
175–203	Mort violente (suicides exceptés)	25·7	23·7	205·7	97·3	241·8	37·5	157·0	21·3	41·8	24·0
	Autres causes spécifiées	101·0	110·2	202·6	195·4	151·6	139·1	205·5	201·4	132·8	128·8
	Toutes causes spécifiées	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**

(1) Moins de 0·1 par 1,000 décès.

Répartition par groupes d'âges des décès dus à certaines causes.—Le tableau LIX est consacré à la répartition proportionnelle par groupes d'âges des décès de l'année 1927 selon les causes énumérées au tableau LVIII. Les maladies dont le nom suffit à préciser le groupe d'âges des victimes sont omises de la liste dans ce même tableau.

TABLEAU LIX.—PROPORTIONS DE DÉCÈS, SELON LE SEXE, DANS CHAQUE GROUPE D'ÂGES, PAR 1,000 DÉCÈS À TOUS LES ÂGES, PAR CERTAINES CAUSES, 1927

N° liste int.	Causes des décès	Masculins						Féminins					
		Tous âges	Moins de 5 ans	5–14 ans	15–29 ans	30–49 ans	50 ans et plus	Tous âges	Moins de 5 ans	5–14 ans	15–29 ans	30–49 ans	50 ans et plus
1	Fièvre typhoïde	1,000·0	50·1	131·9	445·7	273·8	98·5	1,000·0	62·4	220·3	391·8	220·3	105·3
7	Rougeole	1,000·0	869·7	112·1	9·1	6·1	3·0	1,000·0	783·2	164·3	31·5	21·0	–
8	Scarlatine	1,000·0	573·4	353·2	41·3	18·3	13·8	1,000·0	505·2	349·0	78·1	52·1	15·6
9	Coqueluche	1,000·0	970·6	29·4	–	–	–	1,000·0	967·2	28·9	3·9	–	–
10	Diphtérie	1,000·0	517·4	444·0	27·0	7·7	3·9	1,000·0	502·0	447·4	32·4	10·1	8·1
11	Grippe	1,000·0	368·9	51·1	64·3	110·7	405·0	1,000·0	307·0	57·4	79·7	123·0	432·9
31	Tuberculose, appareil respiratoire	1,000·0	37·5	46·8	315·7	375·6	224·4	1,000·0	30·1	57·3	474·2	299·9	138·5
32–37	Tuberculose, autres organes	1,000·0	306·3	175·3	232·7	148·7	137·0	1,000·0	247·7	206·7	290·3	148·9	106·4
43–49	Cancer	1,000·0	6·5	3·1	14·1	110·0	866·2	1,000·0	3·2	3·4	13·9	197·6	781·9
57	Diabète	1,000·0	14·3	45·1	57·4	110·7	772·5	1,000·0	6·7	20·2	42·2	114·7	816·2
58	Anémie, chlorose	1,000·0	55·9	50·5	23·9	143·6	726·1	1,000·0	36·1	31·3	45·7	170·7	716·3
71	Méningite	1,000·0	682·2	161·2	67·8	49·1	39·7	1,000·0	625·0	177·1	80·7	57·3	59·9
74	Hémorragie cérébrale, apoplexie	1,000·0	6·3	2·8	12·6	72·5	905·9	1,000·0	2·7	1·3	9·4	87·6	899·1
75	Paralysie sans cause spécifiée	1,000·0	4·0	5·9	7·9	47·4	934·8	1,000·0	5·0	6·7	8·3	56·6	923·5
87–90	Affections du cœur	1,000·0	5·8	19·7	35·5	102·4	836·6	1,000·0	5·1	23·6	37·9	113·0	820·5
91	Affections des artères	1,000·0	–	–	1·8	30·9	967·3	1,000·0	–	–	1·3	43·1	955·6
99	Bronchite	1,000·0	398·4	15·9	12·0	39·8	533·9	1,000·0	299·2	15·7	3·9	35·4	645·7
100–101	Pneumonie	1,000·0	459·9	35·8	43·9	93·7	366·7	1,000·0	434·7	44·5	42·8	82·1	395·9
113–114	Diarrhée et entérite	1,000·0	936·6	12·6	4·8	7·4	38·5	1,000·0	905·0	17·6	7·0	11·5	59·0
117	Appendicite	1,000·0	68·3	263·0	298·4	235·1	135·3	1,000·0	96·4	302·9	280·9	194·6	125·2
118	Hernie, obstruction intestinale	1,000·0	175·0	35·0	62·6	127·1	600·4	1,000·0	125·3	32·7	30·0	220·7	591·3
128–129	Néphrite	1,000·0	17·2	23·8	36·2	133·1	789·8	1,000·0	12·0	26·5	42·1	156·0	763·3
135	Affections de la prostate	1,000·0	–	–	1·6	6·3	992·2	–	–	–	–	–	–
143–150	Causes puerpérales	–	–	–	–	–	–	1,000·0	–	0·8	428·5	570·0	0·8
159	Vices de conformation congénitaux	1,000·0	973·3	19·7	5·6	1·4	–	1,000·0	979·6	18·9	1·6	–	–
165–174	Suicides	1,000·0	–	1·7	135·3	450·5	412·5	1,000·0	–	–	239·7	445·2	315·1
175–203	Mort violente (suicides exceptés)	1,000·0	100·9	130·3	244·2	257·9	266·7	1,000·0	216·5	161·8	121·0	101·3	399·4
	Autres causes spécifiées	1,000·0	509·0	36·5	43·5	95·9	315·1	1,000·0	450·1	36·6	50·5	107·7	355·2
	Toutes causes spécifiées	**1,000·0**	**289·0**	**46·6**	**74·3**	**120·8**	**469·4**	**1,000·0**	**258·3**	**47·0**	**91·2**	**134·3**	**469·3**

MARIAGES

Le nombre de mariages célébrés dans les neuf provinces du Canada en 1927 est 69,515. donnant une proportion de 7·3 par mille âmes. En l'année précédente, ce nombre était 66,658, soit un taux de 7·1 par 1,000. Ainsi l'année 1927 présente une avance dans le nombre et dans la proportion d'environ 3,000 mariages et 0·2 par mille âmes.

Considéré par province, le taux le plus élevé en 1927, tout comme en 1926, est fourni par la Colombie Britannique avec 8·2 par mille de population. L'Île du Prince-Édouard offre le taux le plus faible, seulement 5·5 par mille, tandis que la Nouvelle-Écosse la dépasse quelque peu avec un taux de 5·6. En 1926 également ces deux provinces présentaient les taux les plus bas du Dominion, soit 5·3 par mille âmes. Toutes les provinces, sauf le Nouveau-Brunswick, en 1927 ont une avance sur le taux de l'année précédente.

Dans les huit provinces constituant le territoire d'enregistrement de 1921, le nombre de mariages en 1927, 50,964, est le plus élevé depuis 1921, quand il fut de 51,073. En raison de l'accroissement de la population, toutefois, la proportion des mariages en 1927, 7·4 par 1,000, est non seulement bien au-dessous du taux de 1921, 8·0 par 1,000, mais est aussi légèrement dépassée par le taux de 1923, 7·5 par 1,000.

Le nombre de mariages et leur proportion par provinces sont donnés dans le tableau LX pour les années 1921-1927. Les totaux pour la province de Québec et pour le Canada sont donnés seulement pour les deux années 1926 et 1927.




TABLEAU LX.—NOMBRES ABSOLUS ET TAUX BRUTS DES MARIAGES, PAR 1,000 ÂMES ET PAR PROVINCES, 1921-27

Année	Î.P.-É.	N.-É.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.	Canada (1)	Territoire d'enregistrement de 1921 (2)
Mariages											
1921	518	3,550	3,173	(3)	24,871	5,310	5,101	4,661	3,889	(4)	51,073
1922	579	3,169	2,799	(3)	23,360	4,808	5,061	4,272	3,763	(4)	47,811
1923	454	3,246	2,911	(3)	24,842	4,544	5,045	4,117	3,943	(4)	49,102
1924	408	2,999	2,972	(3)	24,038	4,132	4,792	4,159	4,038	(4)	47,538
1925	407	2,964	2,908	(3)	23,074	4,377	4,909	4,355	4,223	(4)	47,217
1926	459	2,861	2,938	17,827	23,632	4,537	5,483	4,503	4,418	**66,658**	48,831
1927	482	3,042	2,887	18,551	24,677	4,716	5,733	4,707	4,720	**69,515**	50,964
Taux par 1,000 âmes											
1921	5·8	6·8	8·4	(3)	8·5	8·7	6·7	7·9	7·4	(4)	8·0
1922	6·6	6·0	7·1	(3)	7·8	7·8	6·6	7·2	7·0	(4)	7·3
1923	5·2	6·1	7·4	(3)	8·2	7·3	6·4	6·9	7·2	(4)	7·5
1924	4·6	5·6	7·4	(3)	7·9	6·6	6·0	6·9	7·3	(4)	7·1
1925	4·7	5·5	7·2	(3)	7·4	6·9	6·1	7·2	7·5	(4)	7·0
1926	5·3	5·3	7·2	7·0	7·5	7·1	6·7	7·4	7·8	**7·1**	7·2
1927	5·5	5·6	7·0	7·1	7·7	7·3	6·9	7·6	8·2	**7 3**	7·4

(1) Voir la note 1, au bas du tableau I. (2) Voir la note 2 au bas du tableau I. (3) Non compris dans le territoire d'enregistrement. (4) Voir la note 3.

Taux de la nuptialité en d'autres pays.—Le tableau LXI compare le taux de la nuptialité du Canada à celui d'un certain nombre d'autres pays. Dans certains cas les chiffres sont provisoires.

TABLEAU LXI.—TAUX DE LA NUPTIALITÉ AU CANADA ET DANS CERTAINS AUTRES PAYS

Pays	Année	Taux par 1,000 âmes	Pays	Année	Taux par 1,000 âmes
Canada [1]	**1927**	**7·3**	Îles Britanniques	1927	7·5
Allemagne	1927	8·5	Irlande du Nord	1927	5·7
Angleterre et pays de Galles	1927	7·8	Italie	1927	7·5
Australie	1927	7·9	Japon	1927	8·0
Autriche	1927	7·3	Norvège	1927	5·7
Belgique	1927	9·1	Nouvelle-Zélande	1927	7·6
Chili	1927	7·8	Pays-Bas	1927	7·4
Danemark	1926	7·5	Roumanie	1927	9·2
Écosse	1927	6·7	Salvador	1926	3·9
Espagne	1927	7·2	Sao Paulo	1925	6·8
État Libre d'Irlande	1927	4·5	Suède	1927	6·4
États-Unis	1927	10·1	Suisse	1927	7·2
Finlande	1927	6·7	Union Sud-Africaine [2]	1926	8·9
France	1927	8·3	Uruguay	1927	5·9
Hongrie	1927	9·1			

[1] Voir la note 1, au bas du tableau I. [2] Population blanche.

Répartition mensuelle des mariages.—La répartition des mariages, par mois, de 1921 à 1927 est contenue dans le tableau LXII. Pour la province de Québec et pour le total des neuf provinces, les taux sont restreints aux années 1926 et 1927. Les chiffres sont des taux annuels équivalents, c'est-à-dire que le nombre de mariages au cours d'un mois est multiplié par 365 et divisé par le nombre de jours dans ce mois avant d'en calculer la proportion.

Pour l'ensemble des neuf provinces, le mois de juin est le plus favorisé en 1927, tout comme en 1926; septembre occupe le second rang en les deux années. Le mois de mars présentait un taux de seulement 3·8 en 1926 et 4·1 en 1927 ce qui le place le dernier sur la liste.

TABLEAU LXII.—TAUX DE LA NUPTIALITÉ PAR 1,000 ÂMES, DANS CHAQUE PROVINCE ET PAR MOIS, 1921–27

Provinces		Taux annuel	Équivalents du taux annuel des mariages											
			Jan.	Fév.	Mars	Avril	Mai	Juin	Juil.	Août	Sept.	Oct.	Nov.	Déc.
Île du Prince-Édouard	1921	5·8	4·9	5·6	3·5	4·0	3·5	7·7	4·8	6·9	9·9	6·8	9·7	3·2
	1922	6·6	5·8	6·7	3·5	3·3	4·0	8·8	5·6	7·6	9·1	9·1	9·7	6·3
	1923	5·2	3·5	4·6	1·7	2·9	3·9	6·6	5·8	5·9	7·3	6·2	8·4	5·2
	1924	4·6	4·4	2·7	2·5	2·2	2·7	6·4	4·7	4·7	7·3	5·6	7·9	4·4
	1925	4·7	3·2	5·1	2·0	2·9	1·8	4·9	5·3	4·5	7·1	6·1	8·3	5·1
	1926	5·3	3·4	4·5	4·7	4·1	2·3	6·0	4·3	6·1	8·7	5·8	8·7	4·9
	1927	5·5	3·7	4·9	3·0	2·8	3·1	7·3	5·3	6·5	8·1	6·1	11·9	4·1
Nouvelle-Écosse	1921	6·8	6·5	6·4	4·3	6·3	4·8	8·8	6·2	6·7	10·0	7·7	8·1	5·7
	1922	6·0	5·0	5·6	4·0	4·7	5·0	8·1	5·4	5·9	8·5	7·5	7·6	4·9
	1923	6·1	4·7	4·3	3·5	5·0	4·3	9·2	5·9	6·2	9·5	8·2	7·0	5·8
	1924	5·6	5·1	3·7	3·8	4·5	4·5	8·5	5·4	5·3	7·8	6·2	7·3	5·3
	1925	5·5	4·3	5·0	3·1	4·2	4·2	7·6	4·9	6·1	8·5	5·7	6·9	5·8
	1926	5·3	4·2	4·3	3·1	3·2	3·8	7·6	5·2	5·7	8·3	6·8	7·3	4·2
	1927	5·6	3·9	4·6	3·4	3·9	4·2	8·3	5·4	6·1	7·8	6·8	7·4	5·5
Nouveau-Brunswick	1921	8·4	6·5	6·0	6·0	8·2	6·4	14·9	8·1	8·1	12·8	8·7	9·1	5·6
	1922	7·1	5·4	5·7	3·9	5·2	5·0	10·3	8·0	7·2	10·9	9·9	8·7	5·6
	1923	7·4	4·5	4·4	2·6	6·9	4·9	10·8	7·9	8·9	12·8	10·1	7·7	6·7
	1924	7·4	5·1	4·1	4·2	5·8	4·5	11·8	9·3	7·3	12·2	9·6	9·4	6·2
	1925	7·2	4·0	5·0	3·2	6·0	5·0	11·1	7·4	7·2	12·0	11·0	8·5	6·2
	1926	7·2	3·9	4·3	3·2	6·1	4·6	10·9	8·0	8·7	13·0	9·5	8·1	6·3
	1927	7·0	3·7	4·7	3·6	5·3	5·2	10·8	7·2	8·0	11·3	9·6	9·0	5·9
Québec	1926	7·0	5·3	5·0	1·6	7·1	6·1	12·1	9·2	7·9	10·8	8·7	5·0	4·7
	1927	7·1	5·4	5·7	1·9	6·4	6·6	12·9	9·4	8·7	10·2	8·8	4·8	4·7
Ontario	1921	8·5	6·7	6·5	7·5	8·6	6·8	15·5	6·9	8·3	11·9	8·6	7·8	6·9
	1922	7·8	5·6	6·1	4·9	7·1	5·6	13·8	6·6	7·8	11·7	8·7	8·6	7·7
	1923	8·2	6·1	5·2	5·2	7·7	5·9	14·5	7·3	8·2	12·8	9·8	8·3	7·8
	1924	7·9	5·7	5·1	5·3	7·8	6·0	13·8	7·3	7·9	11·4	8·7	8·3	7·2
	1925	7·4	5·4	6·1	4·6	7·3	5·6	12·3	6·6	7·5	11·4	8·3	7·6	6·7
	1926	7·5	5·1	5·4	4·5	6·9	5·6	13·4	7·2	7·6	12·1	8·5	7·5	6·5
	1927	7·7	5·2	5·6	4·7	6·6	5·6	14·1	7·0	8·2	11·5	8·9	8·2	7·4
Manitoba	1921	8·7	8·0	8·8	7·4	7·1	6·3	13·4	8·4	6·9	8·1	9·6	12·3	8·3
	1922	7·8	7·2	8·1	5·0	5·9	6·0	10·1	7·8	6·6	7·5	9·3	12·5	7·9
	1923	7·3	7·1	6·6	4·7	6·6	5·9	9·6	7·7	6·0	6·8	8·5	11·0	7·5
	1924	6·6	5·3	6·5	4·8	5·2	5·3	8·9	6·4	6·8	6·1	6·0	10·6	7·5
	1925	6·9	6·8	7·2	4·1	4·9	5·1	9·0	6·7	7·0	6·0	7·8	11·5	7·0
	1926	7·1	6·4	6·8	4·7	5·0	5·0	10·3	7·5	6·7	6·8	7·3	11·0	7·8
	1927	7·3	6·6	7·4	5·3	5·2	4·6	9·7	8·1	7·8	6·7	7·8	11·6	6·9

TABLEAU LXII.—TAUX DE LA NUPTIALITÉ PAR 1,000 ÂMES, DANS CHAQUE PROVINCE ET PAR MOIS, 1921-27—fin

Provinces		Taux annuel	Équivalents du taux annuel des mariages											
			Jan.	Fév.	Mars	Avril	Mai	Juin	Juil.	Août	Sept.	Oct.	Nov.	Déc.
Saskatchewan	1921	6·7	7·0	6·3	6·3	5·6	3·8	8·9	6·1	4·9	4·4	5·7	11·7	10·1
	1922	6·6	6·3	7·5	4·7	5·8	3·3	7·3	6·8	5·1	4·3	6·7	11·6	9·6
	1923	6·4	6·9	6·6	4·0	5·8	3·9	6·6	5·5	5·4	4·0	6·4	12·3	10·1
	1924	6·0	6·7	6·8	5·2	4·9	3·3	6·7	6·0	4·8	3·6	4·9	11·6	7·7
	1925	6·1	6·4	7·2	3·9	4·6	2·9	6·6	6·2	4·7	3·6	6·2	11·4	9·3
	1926	6·7	6·8	6·6	5·1	5·6	3·4	7·4	7·2	5·6	3·7	7·6	12·6	8·6
	1927	6·9	6·4	7·2	5·3	4·7	3·3	8·2	7·8	6·7	4·0	5·2	13·0	10·7
Alberta	1921	7·9	8·2	7·7	8·1	7·3	5·4	10·9	7·4	7·2	6·4	8·1	9·5	8·9
	1922	7·2	6·3	7·7	5·1	7·2	4·9	9·0	7·5	6·1	6·7	7·4	9·9	9·0
	1923	6·9	7·1	6·3	5·1	7·0	5·2	7·4	7·3	6·2	5·5	5·4	9·6	10·9
	1924	6·9	6·7	7·8	5·9	6·2	4·8	8·9	7·8	6·5	5·8	5·2	9·3	8·6
	1925	7·2	6·1	7·7	5·1	6·0	4·5	9·3	7·6	7·2	6·3	6·6	9·6	10·8
	1926	7·4	5·8	7·4	6·2	6·6	4·1	9·1	8·5	7·1	6·2	6·0	12·0	9·9
	1927	7·6	5·9	7·8	6·5	6·5	4·2	9·8	8·2	7·9	5·8	5·1	11·8	12·3
Colombie Britannique	1921	7·4	6·9	5·9	6·7	7·4	5·6	11·2	7·8	8·0	8·0	7·5	6·7	7·2
	1922	7·0	5·4	6·0	4·5	6·3	5·3	10·4	7·6	8·0	8·3	7·0	7·2	7·7
	1923	7·2	6·1	4·5	5·4	6·5	5·1	10·9	7·9	8·7	9·0	7·7	6·9	8·1
	1924	7·3	5·3	5·5	5·3	7·0	5·8	10·8	8·8	9·4	8·6	7·2	6·6	7·3
	1925	7·5	5·8	6·3	4·4	7·3	6·1	10·6	8·6	8·0	9·2	8·1	7·1	8·8
	1926	7·8	6·0	6·3	5·2	7·0	6·3	11·3	8·7	8·0	10·0	8·2	8·1	8·4
	1927	8·2	5·9	6·8	6·3	8·0	5·7	11·8	8·5	9·9	9·7	8·7	7·9	9·2
Canada[1]	1926	**7·1**	**5·4**	**5·6**	**3·8**	**6·4**	**5·3**	**11·4**	**7·8**	**7·3**	**9·9**	**8·1**	**7·9**	**6·5**
	1927	**7·3**	**5·4**	**6·0**	**4·1**	**6·1**	**5·4**	**12·0**	**7·9**	**8·1**	**9·4**	**8·1**	**8·2**	**7·1**
Territoire d'enregistrement de 1921.	1921	8·0	7·0	6·7	6·9	7·6	5·9	13·1	7·0	7·5	9·7	8·1	8·9	7·4
	1922	7·3	5·8	6·5	4·7	6·4	5·2	11·2	6·9	7·0	9·4	8·3	9·3	7·7
	1923	7·5	6·1	5·4	4·7	6·9	5·3	11·4	7·1	7·4	9·9	8·5	8·9	8·1
	1924	7·1	5·7	5·5	5·1	6·6	5·2	11·2	7·1	7·1	8·9	7·3	8·8	7·2
	1925	7·0	5·6	6·3	4·2	6·3	5·0	10·3	6·7	7·0	9·1	7·8	8·6	7·5
	1926	7·2	5·4	5·8	4·6	6·2	5·0	11·1	7·3	7·2	9·6	7·9	8·9	7·1
	1927	7·4	5·4	6·1	4·9	6·0	5·0	11·7	7·3	7·9	9·1	7·8	9·4	8·1

(1) Voir la note 1, au bas du tableau I.

La prédilection accordée au mois de juin d'abord et de septembre ensuite que l'on remarque dans le territoire d'enregistrement tel que constitué en 1921 est presque aussi frappante pour l'ensemble du Canada. D'autre part, l'impopularité de mars pour les mariages n'est pas aussi prononcée. Le faible chiffre de mars est, il va sans dire, grandement attribuable à l'observance du carême et cette constatation devient encore plus évidente avec l'inclusion du Québec, où la majorité de la population est composée de catholiques.

Une étude de la situation, par provinces, fait ressortir certaines divergences très prononcées dans le choix des mois favoris de la nuptialité. Par exemple, la nécessité pour la Saskatchewan et l'Alberta de faire les semailles en mai, dans ces provinces où le gros de la population est occupé à la culture du grain, les taux les plus élevés apparaissent en novembre et décembre et le plus faible de l'année en ce mois de mai pour les deux provinces.

Les chiffres qui concernent le territoire d'enregistrement de 1921 dénotent une stabilité marquée pendant les sept années sous considération. Juin est favorisé du taux le plus élevé en chaque année, septembre vient ensuite également chaque année, sauf en 1927, quand il est dépassé par novembre. Mars est le mois le plus faible tous les ans, excepté en 1921. En cette année, le taux de février était légèrement inférieur à celui de mars, tandis que celui de mai l'était évidemment. Ce premier détail s'explique facilement par la précocité du carême cette année-là; le dernier peut être attribué au bouleversement des conditions industrielles de cette époque.

État civil des conjoints.—Sur 1,000 hommes ayant contracté mariage en 1927, on compte 903 célibataires, 89 veufs et 8 divorcés, tandis que pour 1,000 de leurs compagnes, il y avait 930 célibataires, 62 veuves et 8 divorcées.

La répartition proportionnelle des mariages en 1927, selon l'état civil des conjoints, fait l'objet du tableau LXIII par provinces. Pour fins de comparaison, les chiffres de 1926 sont donnés pour le pays entier.

TABLEAU LXIII.—RÉPARTITION PROPORTIONNELLE DES MARIAGES SELON L'ÉTAT CONJUGAL DES PARTIES CONTRACTANTES, PAR PROVINCES, 1927

Provinces	Total	Célibataires et			Veufs et			Divorcés et		
		Filles	Veuves	Divorcées	Filles	Veuves	Divorcées	Filles	Veuves	Divorcées
Île du Prince-Édouard	1,000·0	867·2	27·0	2·1	66·4	37·3	–	–	–	–
Nouvelle-Écosse	1,000·0	866·9	27·9	1·6	67·7	30·2	2·3	2·6	0·3	0·3
Nouveau-Brunswick	1,000·0	846·6	26·0	6·2	66·2	39·1	2·8	9·7	1·7	1·7
Québec	1,000·0	874·3	20·4	0·8	60·7	41·1	0·5	1·6	0·3	0·3
Ontario	1,000·0	890·3	23·2	2·7	47·4	30·5	0·6	4·1	0·9	0·4
Manitoba	1,000·0	862·6	28·8	7·4	51·7	35·4	0·8	9·5	2·3	1·3
Saskatchewan	1,000·0	879·3	29·0	5·4	47·6	30·2	1·2	5·6	1·0	0·7
Alberta	1,000·0	852·3	39·5	12·1	45·7	28·9	3·6	13·6	2·5	1·7
Colombie Britannique	1,000·0	800·0	45·3	25·4	48·5	39·0	4·4	21·2	6·6	9·5
Canada(1) 1927	**1,000·0**	**871·5**	**26·3**	**5·0**	**53·0**	**34·5**	**1·3**	**5·9**	**1·4**	**1·2**
1926	**1,000·0**	**870·8**	**27·9**	**5·4**	**53·1**	**34·2**	**1·2**	**5·0**	**1·2**	**1·1**

(1) Voir la note 1, au bas du tableau I.

Le tableau LXIV qui suit permet la comparaison de la répartition proportionnelle, selon l'état civil de la période 1921-1927, pour les huit provinces constituant le territoire d'enregistrement de 1921.

TABLEAU LXIV.—RÉPARTITION PROPORTIONNELLE DES MARIAGES SELON L'ÉTAT CONJUGAL DES PARTIES CONTRACTANTES, DANS LE TERRITOIRE D'ENREGISTREMENT DE 1921, 1921-27

—	Total	Célibataires et			Veufs et			Divorcés et		
		Filles	Veuves	Divorcées	Filles	Veuves	Divorcées	Filles	Veuves	Divorcées
1921	1,000·0	830·5	47·9	5·5	63·6	42·9	1·5	5·3	1·7	1·2
1922	1,000·0	844·8	42·1	5·2	58·9	39·2	1·6	5·5	1·4	1·3
1923	1,000·0	856·7	38·6	5·2	54·6	36·3	1·5	5·2	1·0	0·9
1924	1,000·0	858·4	36·1	6·2	53·2	35·8	1·5	6·3	1·5	1·2
1925	1,000·0	855·3	34·7	6·3	55·6	37·2	1·6	6·4	1·6	1·2
1926	1,000·0	869·4	31·5	7·0	50·0	31·5	1·5	6·4	1·5	1·3
1927	1,000·0	870·5	28·4	6·5	50·2	32·1	1·6	7·4	1·7	1·6

Il y a une ascendance marquée, au cours de la période sous revue dans la proportion de mariages entre les célibataires des deux sexes, tandis que la proportion des mariages de veufs, encore à un plus haut degré, des veuves, a une tendance à la baisse. Les décès de femmes mariées au cours de l'épidémie d'influenza de 1918, et les décès d'hommes mariés au cours de la guerre et au cours de cette même épidémie, ont accentué à un degré anormal dans les premières années la proportion des mariages de veufs et beaucoup plus des veuves, ce fléchissement qui suit est donc dans l'ordre. Les chiffres qui suivent sont des combinaisons des colonnes appropriées du tableau LXIV et indiquent l'étendue du changement dans la proportion des mariages des veufs et des veuves.

TERRITOIRE D'ENREGISTREMENT DE 1921

Année	Proportion des veufs par 1,000 nouveaux époux	Proportion des veuves par 1,000 nouvelles épouses
1921	108·0	92·5
1922	99·7	82·7
1923	92·4	75·9
1924	90·5	73·4
1925	94·4	73·5
1926	83·0	64·5
1927	83·9	62·2

Âge des conjoints.—L'âge moyen des époux et épouses en 1927 est donné, par provinces, dans le tableau LXV avec chiffres comparatifs de l'année précédente pour l'ensemble du Canada. On y remarquera que la moyenne d'âge des époux et des épouses est la même en ces deux années, pour les premiers 29·3 et les dernières 25·1 ans.

Si l'on considère les provinces individuellement en 1927, la plus haute moyenne d'âge tant des époux que des épouses se trouve aux extrémités du pays, en Colombie Britannique et dans l'Île du Prince-Édouard; les moyennes de ces deux provinces sont très rapprochées. La plus basse

moyenne des époux, 28·8 ans, se trouve dans la province du Québec, tandis que la plus basse moyenne des épouses 23·8 est fournie par la Saskatchewan. Il est intéressant de constater que les provinces de l'Île du Prince-Édouard et de Saskatchewan dont la population rurale compose le plus fort pourcentage du Dominion, l'une fournit la plus forte moyenne des épouses, l'autre la plus basse. Ces extrêmes sont grandement influencés par la différence des races, par le mouvement migratoire de la population de l'Île du Prince-Édouard vers la Saskatchewan et par la bien plus grande facilité d'obtenir des terres dans cette dernière province, ce dernier facteur, sans doute, affectant l'âge de l'épouse dans sa corrélation avec l'âge de l'époux.

TABLEAU LXV.—MOYENNE D'ÂGE DES CONJOINTS PAR PROVINCES, 1927

Provinces	Âge moyen des époux	Âge moyen des épouses	Moyenne de l'excédent d'âge des époux
Île du Prince-Édouard	31·3	26·3	5·0
Nouvelle-Écosse	29·5	24·9	4·6
Nouveau-Brunswick	28·9	24·4	4·5
Québec	28·8	25·2	3·6
Ontario	29·2	25·3	3·9
Manitoba	29·8	24·7	5·1
Saskatchewan	29·4	23·8	5·6
Alberta	29·8	24·4	5·4
Colombie Britannique	31·5	26·6	4·9
Canada(1) 1927	**29·3**	**25·1**	**4·2**
1926	**29·3**	**25·1**	**4·2**

(1) Voir la note 1, au bas du tableau I.

Le tableau LXVI donne la moyenne d'âge au mariage dans les huit provinces comprises dans le territoire d'enregistrement de 1921, pour les années 1921-27. Une tendance à la baisse décisive, quoique peu prononcée, est remarquée par toute la période, tant dans l'âge des époux que des épouses.

TABLEAU LXVI.—MOYENNE D'ÂGE DES CONJOINTS, DANS LE TERRITOIRE D'ENREGISTREMENT DE 1921, 1921-27

Année	Âge moyen des époux	Âge moyen des épouses	Moyenne de l'excédent d'âge des époux
1921	29·9	25·5	4·4
1922	29·9	25·4	4·5
1923	29·7	25·3	4·4
1924	29·7	25·2	4·5
1925	29·8	25·3	4·5
1926	29·6	25·1	4·5
1927	29·5	25·0	4·5

Le tableau LXVII donne les âges quartiles(1) et déciles(1) des époux et des épouses dans les neuf provinces du Canada, en les années 1926 et 1927. En prenant ces points de départ, il a été présumé que l'âge des époux ou des épouses baissant à une certaine année d'âge est également réparti au cours de cette année de la limite inférieure à la limite supérieure.

TABLEAU LXVII.—ÂGES DES ÉPOUX ET DES ÉPOUSES, GROUPÉS PAR QUARTILES ET DÉCILES, 1926-1927

Groupement fractionnaire	Époux		Épouses	
	1926	1927	1926	1927
Premier quartile.....années	23·53	23·54	20·30	20·26
Second quartile..... "	26·73	26·71	22·88	22·87
Troisième quartile..... "	31·94	31·94	26·99	26·95
Premier décile..... "	21·60	21·59	18·56	18·53
Second décile..... "	22·95	22·94	19·74	19·70
Troisième décile..... "	24·12	24·13	20·85	20·82
Quatrième décile..... "	25·36	25·37	21·81	21·80
Cinquième décile..... "	26·73	26·71	22·88	22·87
Sixième décile..... "	28·37	28·26	24·18	24·17
Septième décile..... "	30·48	30·42	25·89	25·86
Huitième décile..... "	33·89	33·87	28·50	28·37
Neuvième décile..... "	40·40	40·48	34·18	34·13

(1) Pour plus de renseignements sur ces expressions, le lecteur est référé à la page lxxxviii où est analysé un tableau semblable sur les âges des parents d'enfants nés en 1927.

Dans le tableau LXVIII, les mariages ont été groupés premièrement selon l'âge des époux et deuxièmement selon l'âge des épouses et la moyenne de surplus d'âge des époux computée dans chaque groupe. Le trait saillant de ce tableau est la moyenne de surplus croissante de l'âge des époux dans les groupes d'âges plus avancés. Les époux de moins de vingt ans (en tout 1,748) ont marié des femmes dont la moyenne d'âge excédait le leur, bien que beaucoup plus de la moitié de ceux-ci aient marié des femmes de leur âge ou plus jeunes qu'eux.

TABLEAU LXVIII.—ÂGE DES ÉPOUX ET DES ÉPOUSES, 1927

Groupes d'âges des mariés	Moyenne d'âge des époux	Moyenne d'âge des épouses	Moyenne de l'excédent d'âge des époux	Groupes d'âges des épouses	Moyenne d'âge des épouses	Moyenne d'âge des époux	Moyenne de l'excédent d'âge des époux
Moins de 20 ans	19·1	19·5	−0·4	Moins de 20 ans	18·5	24·6	6·1
20–24 ans	22·8	21·2	1·6	20–24 ans	22·3	26·5	4·2
25–29 "	27·2	23·4	3·8	25–29 "	27·1	30·2	3·1
30–34 "	32·2	25·9	6·3	30–34 "	32·1	35·3	3·2
35–39 "	37·3	28·9	8·4	35–39 "	37·3	40·9	3·6
40–44 "	42·2	33·2	9·0	40–44 "	42·2	46·1	3·9
45–49 "	47·3	37·5	9·8	45–49 "	47·3	51·5	4·2
50 ans et plus	59·3	48·4	10·9	50 ans et plus	58·5	60·4	1·9

La répartition proportionnelle des époux et des épouses de 1927 en six groupes d'âges est donnée par provinces dans le tableau LXIX. Le plus fort pourcentage des époux se trouve dans le groupe 20-24 ans dans toutes les provinces, excepté l'Île du Prince-Édouard, le Manitoba, la Saskatchewan et la Colombie Britannique. La proportion du groupe 25-29 ans égale le groupe 20-24 ans en Saskatchewan et le dépasse dans toutes les autres provinces énumérées. La plus forte proportion des épouses dans chaque province est dans le groupe 20-24 ans. Toutes les provinces, sauf le Nouveau-Brunswick, comptent plus de 40 pour cent de leurs épouses dans ce groupe, la différence dans cette province est due à la plus forte proportion, qu'en aucune autre province, dans le groupe au-dessous de 20 ans. D'autre part, la proportion des épouses au-dessous de 20 ans dans la province de Québec est faible et la proportion dans le groupe de 20-24 ans est la plus élevée d'aucune autre province.

Tandis que le Nouveau-Brunswick est en évidence pour la plus grande proportion, tant des époux que des épouses dans le groupe d'âge le plus bas, la Saskatchewan, qui est inférieure à la moyenne dans la proportion des époux du groupe au-dessous de 20 ans et 20-24 ans, n'avait pas moins de 73·5 p.c. de ses épouses au-dessous de 25 ans, cette proportion étant la plus haute de toutes les autres provinces. Ces résultats dissemblables pour les deux sexes sont conformes au tableau LXV qui prouve que la Saskatchewan est la province fournissant la plus forte différence d'âge entre les époux et les épouses.

La Colombie Britannique et l'Île du Prince-Édouard fournissent généralement de faibles proportions d'époux et d'épouses dans les plus jeunes groupes et de fortes proportions dans les groupes d'âges plus avancés

TABLEAU LXIX.—POURCENTAGES DE RÉPARTITION DES MARIAGES SELON L'ÂGE DES ÉPOUX, PAR PROVINCES, 1927

Provinces	Âge des époux							Âge des épouses						
	Tous âges connus	Moins de 20 ans	20-24 ans	25-29 ans	30-34 ans	35-39 ans	40 ans et plus	Tous âges connus	Moins de 20 ans	20-24 ans	25-29 ans	30-34 ans	35-39 ans	40 ans et plus
Île du Prince-Édouard	100·0	2·7	27·5	30·0	14·2	9·0	16·7	100·0	19·0	42·3	18·3	6·3	5·0	9·2
Nouvelle-Écosse	100·0	2·6	35·1	29·6	14·3	7·9	10·6	100·0	23·3	44·3	17·1	6·6	3·6	5·1
Nouveau-Brunswick	100·0	5·4	38·4	26·7	11·8	6·7	11·0	100·0	32·6	37·6	14·9	5·8	3·9	5·2
Québec	100·0	2·0	38·2	32·1	12·6	5·7	9·3	100·0	19·1	46·5	19·2	6·4	3·3	5·5
Ontario	100·0	3·4	35·1	30·9	13·8	6·6	10·2	100·0	22·8	40·5	19·9	7·3	3·8	5·7
Manitoba	100·0	1·4	30·3	33·7	15·9	8·5	10·3	100·0	24·1	42·4	18·8	6·7	3·2	4·7
Saskatchewan	100·0	1·7	32·0	32·0	14·9	9·8	9·7	100·0	29·4	44·1	14·4	5·2	3·1	3·8
Alberta	100·0	1·4	31·8	30·8	15·4	9·3	11·2	100·0	27·0	43·7	14·8	6·2	3·2	5·1
Colombie Britannique	100·0	1·2	27·0	29·8	15·0	10·5	16·6	100·0	16·0	40·9	20·7	8·5	5·3	8·6
Canada(1) **1927**	**100·0**	**2·5**	**34·7**	**31·2**	**13·9**	**7·3**	**10·5**	**100·0**	**22·7**	**42·8**	**18·5**	**6·8**	**3·6**	**5·6**
1926	**100·0**	**2·4**	**34·8**	**30·7**	**14·2**	**7·4**	**10·4**	**100·0**	**22·3**	**43·0**	**18·5**	**7·0**	**3·6**	**5·6**

(1) Voir la note 1, au bas du tableau I.

L'apportionnement accompli dans le tableau LXIX des époux et des épouses, selon leur âge, est répété dans le tableau LXX pour les années 1921-27 dans les huit provinces comprises dans le territoire d'enregistrement de 1921. On y trouve une stabilité remarquable au cours de ces mêmes années avec la preuve perceptible, quoique légère, d'une augmentation du pourcentage des épouses et des époux de moins de 25 ans.

TABLEAU LXX.—POURCENTAGE DE RÉPARTITION DES MARIAGES SELON L'ÂGE DES ÉPOUX DANS LE TERRITOIRE D'ENREGISTREMENT DE 1921, EN 1921-27

Année	Âge des époux							Âge des épouses						
	Tous âges connus	Moins de 20 ans	20-24 ans	25-29 ans	30-34 ans	35-39 ans	40 ans et plus	Tous âges connus	Moins de 20 ans	20-24 ans	25-29 ans	30-34 ans	35-39 ans	40 ans et plus
1921	100·0	1·9	30·4	31·3	16·3	8·9	11·2	100·0	21·9	39·0	20·0	8·7	4·6	5·8
1922	100·0	2·0	31·1	31·0	16·3	8·5	11·1	100·0	22·6	39·4	19·6	8·2	4·4	5·8
1923	100·0	2·0	32·0	31·5	15·7	8·0	10·8	100·0	22·5	40·7	19·2	7·8	4·1	5·6
1924	100·0	2·2	33·1	30·3	15·1	8·0	11·3	100·0	24·0	40·3	18·5	7·3	4·0	5·8
1925	100·0	2·4	32·4	30·6	14·9	8·2	11·4	100·0	23·4	40·5	18·5	7·6	4·1	5·9
1926	100·0	2·5	33·3	30·4	14·9	8·0	10·9	100·0	23·2	41·7	18·6	7·1	3·8	5·5
1927	100·0	2·7	33·4	30·8	14·3	7·8	11·0	100·0	24·0	41·5	18·3	6·9	3·7	5·6

Mariages précoces.—Toutes les législations provinciales ont fixé l'âge minimum du mariage, au moins pour ceux accomplis sans le consentement des parents. Les clauses des lois régissant cette question, dans les diverses provinces, sont résumées dans le troisième rapport annuel (p. lxxxix de l'Introduction).

Pour les neuf provinces du Canada, on compte 296 mariages en 1927 où la mariée était au-dessous de 16 ans, soit un peu plus de 4 par mille mariages; 1,120 avaient atteint leur 16ième année et 2,540 avaient 17 ans. (Voir tableau 37, tableaux d'ensemble.) Dans le tableau LXXI l'âge des mariées au-dessous de 16 ans est donné par provinces en relation avec l'âge des maris. Il est fort possible que quelque exagération se soit glissée dans le cas de très jeunes épouses, néanmoins les chiffres du tableau LXXI démontrent que ces mariages sont plutôt rares au Canada.

TABLEAU LXXI.—NOUVELLES MARIÉES AU-DESSOUS DE 16 ANS, 1927

Âge des nouveaux mariés	Âge des nouvelles mariées, par provinces																					
	Canada[1]			Î. P.-É.		N.-É.		N.-B.		Qué.		Ont.		Man.		Sask.		Alta.		C.B.	
	Total	14 ans	15 ans	14 ans	15 ans	14 ans	15 ans	14 ans	15 ans	14 ans	15 ans	14 ans	15 ans	14 ans	15 ans	14 ans	15 ans	14 ans	15 ans	14 ans	15 ans
15 ans	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
17 "	7	2	5	–	–	–	–	–	–	1	2	–	3	–	–	–	–	–	–	1	–
18 "	12	1	11	–	1	–	–	–	–	1	1	–	8	–	–	–	1	–	–	–	–
19 "	18	2	16	–	–	–	–	–	4	2	6	–	3	–	–	–	1	–	2	–	–
20 "	33	6	27	–	–	–	–	–	1	3	8	2	14	–	–	–	3	–	–	1	1
21 "	46	7	39	–	–	–	2	–	1	5	13	2	15	–	–	–	6	–	1	–	1
22 "	40	9	31	–	–	–	1	–	4	2	13	6	7	–	1	1	5	–	–	–	–
23 "	31	7	24	–	–	–	1	–	1	5	14	2	5	–	–	–	1	–	2	–	1
24 "	23	–	23	–	–	–	–	–	1	–	12	–	7	–	–	–	2	–	1	–	–
25 "	22	3	19	–	–	–	1	2	1	–	7	1	7	–	–	–	3	–	–	–	–
26 "	19	2	17	–	–	–	1	–	2	1	5	1	7	–	–	–	2	–	–	–	–
27 "	11	3	8	–	–	–	–	–	2	1	1	2	3	–	1	–	1	–	–	–	–
28 "	3	–	3	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–
29 "	7	3	4	–	–	–	–	–	–	2	1	1	1	–	–	–	1	–	–	–	1
30 "	4	1	3	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–
31 "	2	–	2	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
32 "	4	–	4	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–
33 "	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
34 "	2	1	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
35 "	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
36 "	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
37 "	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
40 "	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
41 "	2	–	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
42 "	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
45 "	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
50 "	2	–	2	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Age inconnu	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Total	**296**	**47**	**249**	–	**1**	–	**7**	**3**	**20**	**24**	**87**	**17**	**91**	–	**5**	**1**	**27**	–	**7**	**2**	**4**

[1] Voir la note 1, au bas du tableau I.

Il y avait en 1927 au Canada, 2 époux de 15 ans, 8 âgés de 16 ans et 85 âgés de 17 ans. Ces derniers figurent avec les 95 époux au-dessous de 18 ans du tableau 37, tableaux d'ensemble.

Lieu de naissance des conjoints.—Le tableau LXXII contient le pourcentage des époux, classifiés par lieu de naissance pour 1927, tandis que le tableau LXXIII s'occupe de la même classification pour les épouses. La proportion des époux nés au Canada varie de 96·3 p.c. dans l'Île du Prince-Édouard à 37·2 en Colombie Britannique, tandis que les épouses nées au Canada étaient entre 96·5 p.c. dans l'Île du Prince-Édouard à 44·6 p.c. en Colombie Britannique. Les fortes proportions des conjoints nés en dehors du Canada se rencontrent naturellement dans les provinces de l'Ouest.

TABLEAU LXXII.—RÉPARTITION PROPORTIONNELLE DES ÉPOUX PAR LIEU DE NAISSANCE, 1927

Lieu de naissance	Canada (1)	Î. P.-É.	N.-É.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.
Nés au Canada	**66·2**	**96·3**	**84·1**	**80·7**	**85·3**	**66·5**	**48·3**	**44·7**	**38·5**	**37·2**
Dans la province qu'ils habitent.	55·9	92·7	79·5	72·3	81·1	59·6	34·7	17·0	15·2	16·9
Autres provinces	10·3	3·5	4·6	8·5	4·2	6·9	13·6	27·6	23·3	20·3
Nés en territoire britannique	**16·6**	**1·0**	**9·4**	**3·5**	**6·0**	**21·3**	**22·9**	**17·0**	**21·8**	**35·9**
Angleterre	10·0	–	3·4	2·0	3·3	13·4	12·8	11·2	13·2	21·1
Écosse	4·1	0·6	1·3	0·6	1·7	5·0	6·6	3·7	5·5	9·3
Irlande	1·4	–	0·2	0·1	0·5	2·1	2·4	1·4	1·7	2·8
Autres possessions britanniques.	1·1	0·4	4·5	0·7	0·6	0·9	1·0	0·7	1·4	2·7
Nés en pays étrangers	**17·2**	**2·7**	**6·5**	**15·8**	**8·7**	**12·1**	**28·9**	**38·4**	**39·6**	**26·9**
États-Unis	7·3	2·7	3·4	14·4	3·8	4·0	6·2	16·5	20·4	13·7
Europe	9·6	–	3·0	1·3	4·7	7·8	22·6	21·7	19·1	11·6
Asie	0·3	–	0·1	0·1	0·2	0·2	0·1	0·2	0·1	1·4
Autres pays étrangers	0·1	–	(2)	–	(2)	(2)	0·1	0·1	(2)	0·2
Total	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**

(1) Voir la note 1, au bas du tableau I. (2) Moins d'un dixième d'un pour cent.

TABLEAU LXXIII.—RÉPARTITION PROPORTIONNELLE DES ÉPOUSES PAR LIEU DE NAISSANCE, 1927

Lieu de naissance	Canada (1)	Î. P.-É.	N.-É.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.
Nées au Canada	**70·9**	**96·5**	**88·2**	**83·7**	**87·6**	**69·7**	**59·5**	**55·8**	**46·3**	**44·6**
Dans les provinces qu'elles habitent	61·8	95·0	84·5	75·5	84·3	63·5	48·7	32·5	25·4	22·7
Autres provinces	9·1	1·5	3·7	8·2	3·3	6·2	10·8	23·3	20·9	21·9
Nées en territoire britannique	**15·4**	**1·2**	**7·3**	**2·7**	**5·9**	**20·8**	**18·5**	**13·6**	**19·7**	**33·1**
Angleterre	9·0	0·2	1·7	1·6	3·2	12·4	10·5	8·6	12·3	20·1
Écosse	4·2	0·8	1·1	0·5	1·7	5·9	5·5	3·2	5·1	8·6
Irlande	1·3	–	0·2	0·1	0·5	1·9	2·0	1·3	1·2	2·0
Autres possessions britanniques.	0·9	0·2	4·2	0·7	0·5	0·7	0·6	0·5	1·1	2·4
Nées en pays étrangers	**13·7**	**2·3**	**4·5**	**13·5**	**6·5**	**9·5**	**22·1**	**30·6**	**34·0**	**22·4**
États-Unis	6·0	2·3	2·2	12·6	3·0	2·9	4·8	13·8	17·4	12·2
Europe	7·6	–	2·2	0·8	3·4	6·4	17·3	16·7	16·4	9·1
Asie	0·2	–	(2)	0·1	0·1	0·1	(2)	0·1	0·1	0·9
Autres pays étrangers	(2)	–	–	(2)	(2)	(2)	–	(2)	(2)	0·2
Total	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**

(1) Voir la note 1, au bas du tableau I. (2) Moins d'un dixième d'un pour cent.

STATISTIQUES VITALES DU YUKON ET DES TERRITOIRES DU NORD-OUEST

Les naissances, mariages et décès constatés au Yukon et dans les Territoires du Nord-Ouest en 1927 sont énumérés dans les tableaux suivants. Les statistiques de ces territoires sont séparées de celles des provinces, parce que les données sont incomplètes et on ne connaît pas suffisamment les détails se rapportant à la population de ces régions pour permettre la computation de coefficients; le nombre de mariages, naissances et décès est si minime qu'il n'affecte pas les totaux s'appliquant au Canada; l'inclusion de ces territoires avec les autres provinces du Canada dans les tableaux détaillés aurait comme conséquence d'augmenter hors de proportion à leur importance le nombre de cas non donnés sous une rubrique spécifique.

Dans les statistiques de naissances et de décès des Territoires du Nord-Ouest, les chiffres se rapportant aux Indiens et aux Esquimaux sont séparés de ceux des blancs; cette répartition ne peut pas encore être faite pour le Yukon.

TABLEAU LXXIV.—NAISSANCES, DÉCÈS ET MARIAGES DANS LE TERRITOIRE DU YUKON, 1927


Mois	Naissances	Décès	Mariages
Janvier	6	2	2
Février	–	1	1
Mars	3	4	–
Avril	2	3	1
Mai	1	6	–
Juin	2	4	4
Juillet	4	1	1
Août	2	2	3
Septembre	1	4	3
Octobre	–	3	1
Novembre	2	2	1
Décembre	6	1	2
Total	**29**	**33**	**19**

TABLEAU LXXV.—NAISSANCES, DÉCÈS ET MARIAGES DANS LES TERRITOIRES DU NORD-OUEST, 1927

Mois	Naissances				Décès				Mariages
	Total	Blancs	Indiens	Esquimaux	Total	Blancs	Indiens	Esquimaux	
Janvier	11	2	4	5	7	3	4	–	–
Février	13	–	4	9	10	–	4	6	3
Mars	12	–	4	8	3	–	2	1	–
Avril	12	1	6	5	8	2	2	4	1
Mai	9	4	2	3	5	–	2	3	2
Juin	7	2	2	3	6	1	3	2	1
Juillet	15	1	6	8	9	1	5	3	2
Août	11	2	5	4	8	2	1	5	6
Septembre	6	1	1	4	19	1	3	15	3
Octobre	9	2	3	4	13	–	2	11	1
Novembre	7	2	3	2	9	1	1	7	1
Décembre	14	1	3	10	7	1	1	5	–
Mois, non indiqué	–	–	–	–	29	–	–	29	–
Total	**126**	**18**	**43**	**65**	**133**	**12**	**30**	**91**	**20**

TABLEAU LXXVI.—DÉCÈS SUIVANT LA CAUSE DANS LE YUKON ET LES TERRITOIRES DU NORD-OUEST, 1927

	Causes des décès	Yukon	Territoires du Nord-Ouest			
		Total	Total	Blancs	Indiens	Esquimaux
1	Fièvre typhoïde	–	–	–	–	–
7	Rougeole	–	–	–	–	–
8	Scarlatine	–	–	–	–	–
9	Coqueluche	–	–	–	–	–
10	Diphtérie	–	3	–	3	–
11	Grippe	–	12	–	–	12
31	Tuberculose, appareil respiratoire	6	17	–	14	3
32–37	Tuberculose, autres organes	–	9	3	5	1
43–49	Cancer	4	1	1	–	–
57	Diabète	–	–	–	–	–
58	Anémie, chlorose	–	–	–	–	–
71	Méningite	–	–	–	–	–
74	Hémorragie cérébrale, apoplexie	1	–	–	–	–
75–76	Paralysie	1	–	–	–	–
80	Convulsions des enfants (au-dessous de 5 ans)	–	1	–	1	–
87–90	Affections du cœur	3	1	1	–	–
91	Affections des artères	–	–	–	–	–
99	Bronchite	–	–	–	–	–
100–101	Pneumonie	1	3	–	1	2
113–114	Diarrhée et entérite	–	3	–	1	2
117	Appendicite	–	–	–	–	–
118	Hernie, obstruction intestinale	–	–	–	–	–
128–129	Néphrite	1	–	–	–	–
135	Affections de la prostate	–	–	–	–	–
143–150	Causes puerpérales	–	1	–	–	1
159	Vices de conformation congénitaux	–	–	–	–	–
160–163	Maladies du premier âge	3	8	–	2	6
164	Sénilité (vieillesse)	3	8	–	1	7
165–174	Suicides	–	1	–	–	1
197–199	Homicides	–	2	–	–	2
175–196, 200–203	Mort violente (suicides et homicides exceptés)	5	2	2	–	–
	Autres causes spécifiées	5	60	5	2	53
	Total (mort-nés exclus)	**33**	**132**	**12**	**30**	**90**
	Mort-nés	–	1	–	–	1
	Total	**33**	**133**	**12**	**30**	**91**



GENERAL SUMMARY

RÉSUMÉ GÉNÉRAL

TABLE 1—General summary of births, deaths and marriages in Canada by provinces and counties or census divisions, 1927

TABLEAU 1—Résumé général des naissances, décès et mariages dans le Canada par provinces et comtés ou divisions de recensement, 1927

Provinces and counties or divisions — Provinces et comtés ou divisions	Births (*exclusive of stillbirths*) — Naissances (*mort-nés exclus*)			Deaths—Décès									Still-births — Mort-nés	Mar-riages — Ma-riages
				All ages — Tous âges			Under 1 year — Moins de 1 an		1-4 years — 1-4 ans		5 years and over — 5 ans et plus			
	Total	M.	F.	Total	M.	F.	M.	F.	M.	F.	M.	F.		
Canada [1]	**234,188**	**120,655**	**113,533**	**105,292**	**56,265**	**49,027**	**12,548**	**9,462**	**3,653**	**3,207**	**40,064**	**36,358**	**7,336**	**69,515**
Prince Edward Island	**1,697**	**890**	**807**	**913**	**451**	**462**	**70**	**43**	**17**	**15**	**364**	**404**	**42**	**482**
Kings	313	173	140	145	79	66	7	5	2	2	70	59	6	77
Prince	692	360	332	333	169	164	34	19	12	8	123	137	18	173
Queens	692	357	335	435	203	232	29	19	3	5	171	208	18	232
Nova Scotia	**11,134**	**5,704**	**5,430**	**6,378**	**3,300**	**3,078**	**579**	**449**	**182**	**150**	**2,539**	**2,479**	**383**	**3,042**
Annapolis	321	160	161	216	110	106	15	7	1	1	94	98	13	76
Antigonish	218	103	115	216	111	105	13	9	2	3	96	93	8	31
Cape Breton	2,287	1,180	1,107	1,196	610	586	165	160	74	64	371	362	76	517
Colchester	528	271	257	325	170	155	18	15	6	4	146	136	23	190
Cumberland	798	401	397	427	218	209	27	35	11	5	180	169	29	252
Digby	359	192	167	232	115	117	15	11	4	8	96	98	10	107
Guysborough	325	171	154	184	102	82	21	12	2	2	79	68	13	74
Halifax	2,229	1,134	1,095	1,282	685	597	109	74	44	26	532	497	83	757
Hants	482	270	212	215	118	97	25	15	3	3	90	79	18	99
Inverness	393	212	181	258	130	128	22	23	5	2	103	103	12	73
Kings	510	268	242	300	171	129	20	12	8	3	143	114	13	134
Lunenburg	627	328	299	340	168	172	31	12	3	8	134	152	24	192
Pictou	722	363	359	452	220	232	42	24	9	5	169	203	15	227
Queens	196	94	102	108	63	45	5	9	–	–	58	36	5	63
Richmond	247	128	119	134	68	66	14	5	2	3	52	58	7	26
Shelburne	294	161	133	128	66	62	11	6	5	2	50	54	14	61
Victoria	141	63	78	101	49	52	4	5	1	3	44	44	3	24
Yarmouth	457	205	252	264	126	138	22	15	2	8	102	115	17	139
New Brunswick	**10,479**	**5,391**	**5,088**	**4,902**	**2,537**	**2,365**	**542**	**464**	**175**	**170**	**1,820**	**1,731**	**288**	**2,887**
Albert	136	73	63	111	55	56	9	3	1	–	45	53	2	20
Carleton	435	219	216	247	123	124	12	14	6	2	105	108	13	315
Charlotte	463	245	218	319	169	150	24	13	5	2	140	135	11	287
Gloucester	1,479	789	690	490	243	247	92	82	24	35	127	130	24	225
Kent	662	340	322	303	146	157	45	40	11	15	90	102	12	107
Kings	335	172	163	209	115	94	15	8	3	1	97	85	14	90
Madawaska	954	496	458	314	166	148	68	53	22	18	76	77	35	143
Northumberland	901	459	442	404	211	193	43	39	18	12	150	142	22	226
Queens	205	106	99	100	49	51	3	7	–	3	46	41	4	52
Restigouche	894	444	450	295	159	136	51	48	19	19	89	69	26	165
St. John	1,357	702	655	947	494	453	63	56	26	22	405	375	68	457
Sunbury	170	86	84	69	38	31	7	4	2	3	29	24	–	20
Victoria	460	233	227	132	74	58	27	19	5	5	42	34	8	210
Westmorland	1,253	635	618	579	314	265	59	51	25	18	230	196	29	342
York	775	392	383	383	181	202	24	27	8	15	149	160	20	228
Quebec	**83,064**	**42,813**	**40,251**	**36,175**	**18,827**	**17,348**	**6,149**	**4,590**	**1,845**	**1,605**	**10,833**	**11,153**	**2,114**	**18,551**
Abitibi	945	505	440	237	145	92	72	50	24	13	49	29	17	139
Argenteuil	439	225	214	207	110	97	31	17	7	9	72	71	7	100
Arthabaska	835	431	404	333	176	157	69	35	17	15	90	107	16	172
Bagot	508	269	239	185	95	90	37	16	8	8	50	66	11	101
Beauce	1,672	858	814	549	268	281	108	80	26	27	134	174	37	317
Beauharnois	533	289	244	322	159	163	51	29	14	9	94	125	9	173
Bellechasse	817	430	387	280	144	136	47	42	11	12	86	82	9	125
Berthier	593	301	292	286	149	137	45	38	10	8	94	91	15	110
Bonaventure	1,056	523	533	376	189	187	71	56	19	16	99	115	14	167
Brome	217	124	93	128	65	63	11	10	2	2	52	51	2	76
Chambly	489	269	220	222	104	118	27	18	6	10	71	90	11	112
Champlain	2,157	1,057	1,100	775	408	367	184	149	37	56	187	162	44	349
Charlevoix	816	417	399	313	171	142	57	31	17	21	97	90	9	172
Chateauguay	294	153	141	157	87	70	18	11	7	1	62	58	14	102
Chicoutimi	2,637	1,361	1,276	866	439	427	209	172	76	69	154	186	44	432
Compton	574	297	277	232	129	103	36	19	13	9	80	75	13	111
Deux Montagnes	400	192	208	155	74	81	29	16	7	5	38	60	8	90
Dorchester	1,030	529	501	332	167	165	67	53	15	27	85	85	20	185
Drummond	784	397	387	315	167	148	70	44	17	18	80	86	14	146
Frontenac	969	509	460	314	164	150	75	48	27	12	62	90	19	164
Gaspé	1,346	696	650	472	236	236	87	81	45	36	104	119	35	227
Hull	2,073	1,091	982	693	368	325	137	98	44	48	187	179	57	473
Huntingdon	273	133	140	140	74	66	10	10	3	2	61	54	6	78
Iberville	249	126	123	100	52	48	12	5	6	2	34	41	2	55
Iles de la Madeleine	271	137	134	92	43	49	14	13	6	7	23	29	3	41
Joliette	884	470	414	379	203	176	77	47	24	21	102	108	13	179
Kamouraska	828	419	409	276	149	127	43	28	19	9	87	90	15	143
Labelle	778	425	353	240	141	99	52	40	14	5	75	54	14	142
Lac St.-Jean	2,166	1,096	1,070	651	359	292	177	123	53	38	129	131	53	389
Laprairie	350	191	159	209	120	89	27	20	15	7	78	62	7	64
L'Assomption	444	220	224	237	106	131	51	35	9	12	46	84	5	111
Lévis	1,051	527	524	460	222	238	48	38	15	18	159	182	23	202
L'Islet	656	350	306	228	115	113	43	31	8	14	64	68	15	123
Lotbinière	757	377	380	291	145	146	42	35	7	15	96	96	11	121

NOTE.—"Age not stated" included in 5 years and over—"Âge non donné" compris dans 5 ans et plus.

[1] Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

TABLE 1—General summary of births, deaths and marriages in Canada by provinces and counties or census divisions, 1927—*con.*

Provinces and counties or divisions — Provinces et comtés ou divisions	Births (*exclusive of stillbirths*) — Naissances (*mort-nés exclus*)			Deaths—Décès									Still-births — Mort-nés	Marriages — Mariages
				All ages — Tous âges			Under 1 year — Moins de 1 an		1–4 years — 1–4 ans		5 years and over — 5 ans et plus			
	Total	M.	F.	Total	M.	F.	M.	F.	M.	F.	M.	F.		
Quebec—con.—fin														
Maskinongé	558	290	268	214	124	90	48	28	9	5	67	57	16	110
Matane	903	471	432	243	130	113	43	42	20	12	67	59	20	120
Matapédia	1,054	543	511	268	145	123	72	61	14	9	59	53	14	137
Mégantic	1,172	582	590	451	217	234	61	58	35	26	121	150	37	208
Missisquoi	482	253	229	201	115	86	29	6	3	6	83	74	4	102
Montcalm	471	241	230	231	109	122	40	22	12	8	57	92	19	97
Montmagny	694	350	344	245	123	122	41	31	16	12	66	79	13	105
Montmorency	587	311	276	229	130	99	54	37	8	12	68	50	16	106
Montreal and Jesus Islands—Îles de	22,492	11,599	10,893	12,688	6,599	6,089	1,784	1,457	544	461	4,271	4,171	808	6,881
Montreal Island—Île de	*22,075*	*11,395*	*10,680*	*12,516*	*6,512*	*6,004*	*1,760*	*1,438*	*538*	*450*	*4,214*	*4,116*	*793*	*6,803*
Jesus Island—Île de	*417*	*204*	*213*	*172*	*87*	*85*	*24*	*19*	*6*	*11*	*57*	*55*	*15*	*78*
Napierville	219	117	102	85	48	37	12	9	6	2	30	26	1	53
Nicolet	965	491	474	419	228	191	76	45	16	16	136	130	17	193
Papineau	879	436	443	311	151	160	47	45	18	15	86	100	23	173
Pontiac	522	273	249	208	119	89	37	17	7	1	75	71	19	109
Portneuf	1,217	648	569	511	262	249	101	68	32	28	129	153	33	216
Quebec	5,396	2,833	2,563	2,733	1,370	1,363	453	324	164	140	753	899	118	1,069
Richelieu	616	305	311	326	171	155	64	39	13	20	94	96	12	131
Richmond	791	436	355	278	151	127	60	48	11	8	80	71	18	154
Rimouski	1,149	567	582	356	180	176	59	46	25	15	96	115	30	172
Rouville	378	181	197	154	80	74	19	22	3	6	58	46	7	80
Saguenay	701	350	351	218	123	95	50	26	9	12	64	57	10	139
Shefford	777	393	384	310	171	139	48	38	14	13	109	88	22	219
Sherbrooke	949	434	515	489	261	228	49	39	15	7	197	182	28	271
Soulanges	283	160	123	93	54	39	12	9	1	1	41	29	6	51
Stanstead	603	304	299	265	135	130	32	20	8	5	95	105	16	192
St. Hyacinthe	611	308	303	381	179	202	53	38	9	13	117	151	27	158
St. Jean	474	233	241	182	93	89	18	13	9	11	66	65	10	127
St. Maurice	2,626	1,381	1,245	955	503	452	253	180	67	61	183	211	74	468
Témiscamingue	670	359	311	233	135	98	59	41	14	17	62	40	10	105
Témiscouata	1,894	992	902	625	347	278	144	89	44	34	159	155	28	302
Terrebonne	1,183	617	566	485	249	236	82	59	24	24	143	153	35	246
Vaudreuil	330	188	142	113	63	50	14	12	12	3	37	35	10	60
Verchères	359	188	171	176	95	81	24	21	11	7	60	53	6	66
Wolfe	636	324	312	207	111	96	38	25	15	6	58	65	6	120
Yamaska	532	261	271	240	113	127	39	37	9	8	65	82	9	120
Ontario	**67,671**	**34,755**	**32,916**	**34,775**	**18,305**	**16,470**	**2,733**	**2,079**	**688**	**627**	**14,884**	**13,764**	**2,758**	**24,677**
Addington	143	66	77	88	42	46	5	7	1	2	36	37	4	35
Algoma	1,010	504	506	405	244	161	41	31	19	13	184	117	40	324
Brant	975	492	483	582	314	268	32	25	5	7	277	236	31	375
Bruce	796	407	389	473	261	212	33	23	4	4	224	185	39	305
Carleton	3,771	1,958	1,813	1,843	914	929	175	168	42	44	697	717	155	1,169
Cochrane	1,670	862	808	496	313	183	111	82	24	17	178	84	49	370
Dufferin	293	155	138	165	89	76	11	6	2	1	76	69	20	87
Dundas	337	173	164	186	91	95	13	12	4	4	74	79	8	106
Durham	420	202	218	298	147	151	11	14	2	1	134	136	28	156
Elgin	736	354	382	530	269	261	24	29	7	5	238	227	31	264
Essex	4,195	2,112	2,083	1,358	721	637	165	118	37	37	519	482	154	1,485
Frontenac	962	484	478	624	308	316	48	36	5	4	255	276	57	340
Glengarry	400	206	194	207	114	93	19	16	5	3	90	74	14	108
Grenville	247	118	129	197	98	99	11	7	1	1	86	91	13	115
Grey	1,071	565	506	636	338	298	33	23	2	5	303	270	41	355
Haldimand	383	187	196	225	118	107	12	11	3	2	103	94	7	127
Haliburton	161	82	79	69	39	30	8	9	1	–	30	21	11	26
Halton	356	176	180	203	109	94	13	9	1	–	95	85	16	132
Hastings	1,365	695	670	709	353	356	50	51	6	11	297	294	48	405
Huron	807	436	371	576	305	271	32	16	3	6	270	249	38	296
Kenora	471	228	243	195	120	75	18	20	3	5	99	50	14	112
Kent	1,345	712	633	783	417	366	57	45	20	15	340	306	63	496
Lambton	1,047	526	521	594	325	269	45	33	6	10	274	226	39	347
Lanark	661	346	315	398	209	189	22	17	5	2	182	170	21	208
Leeds	619	327	292	479	248	231	17	18	4	4	227	209	26	234
Lennox	195	96	99	127	71	56	2	5	2	–	67	51	5	57
Lincoln	1,017	548	469	514	279	235	31	22	12	4	236	209	34	358
Manitoulin	247	127	120	93	51	42	6	5	3	4	42	33	2	84
Middlesex	1,916	984	932	1,619	834	785	74	64	20	21	740	700	92	930
Muskoka	470	245	225	257	131	126	32	14	5	4	94	108	20	144
Nipissing	1,239	650	589	336	191	145	51	43	21	10	119	92	53	275
Norfolk	559	281	278	335	173	162	16	15	2	–	155	147	21	165
Northumberland	587	303	284	410	197	213	22	15	7	6	168	192	29	187
Ontario	1,123	554	569	736	391	345	51	46	13	7	327	292	57	402
Oxford	859	452	407	614	323	291	33	21	12	11	278	259	27	336
Parry Sound	659	334	325	240	132	108	19	16	3	2	110	90	36	146
Peel	395	210	185	233	133	100	12	4	6	3	115	93	8	159
Perth	980	496	484	541	265	276	34	23	5	11	226	242	46	347
Peterborough	849	432	417	497	253	244	25	23	8	11	220	210	44	302
Prescott	799	417	382	296	149	147	42	31	17	14	90	102	22	193
Prince Edward	299	162	137	211	116	95	11	6	–	1	105	88	16	98

TABLEAU 1—Résumé général des naissances, décès et mariages dans le Canada par provinces et comtés ou divisions de recensement, 1927—*fin*

Provinces and counties or divisions — Provinces et comtés ou divisions	Births (*exclusive of stillbirths*) — Naissances (*mort-nés exclus*)			Deaths—Décès									Still-births — Mort-nés	Marriages — Mariages
				All ages — Tous âges			Under 1 year — Moins de 1 an		1-4 years — 1-4 ans		5 years and over — 5 ans et plus			
	Total	M.	F.	Total	M.	F.	M.	F.	M.	F.	M.	F.		
Ontario—con.—fin														
Rainy River	408	214	194	183	118	65	25	19	10	10	83	36	14	107
Renfrew	1,192	616	576	543	282	261	58	38	16	13	208	210	48	353
Russell	589	288	301	193	97	96	24	28	5	8	68	60	22	116
Simcoe	1,609	859	750	1,029	577	452	67	44	9	14	501	394	60	488
Stormont	872	437	435	433	245	188	63	33	20	9	162	146	41	240
Sudbury	1,420	714	706	445	277	168	82	57	23	16	172	95	54	318
Thunder Bay	1,289	690	599	480	283	197	50	42	13	15	220	140	48	484
Timiskaming	852	437	415	245	151	94	31	27	10	4	110	63	33	243
Victoria	464	232	232	292	155	137	16	9	6	2	133	126	23	175
Waterloo	1,768	897	871	865	435	430	57	42	19	12	359	376	60	661
Welland	1,792	886	906	782	432	350	60	45	21	12	351	293	67	634
Wellington	1,110	587	523	668	350	318	44	32	5	6	301	280	40	385
Wentworth	3,313	1,647	1,666	1,785	923	862	137	81	31	26	755	755	132	1,413
York	14,559	7,587	6,972	7,454	3,785	3,669	552	403	152	168	3,081	3,098	637	6,900
Manitoba	**14,147**	**7,434**	**6,713**	**5,309**	**2,968**	**2,341**	**601**	**420**	**164**	**146**	**2,203**	**1,775**	**472**	**4,716**
Division No. 1	635	313	322	157	87	70	29	22	10	11	48	37	13	115
Division No. 2	1,248	632	616	291	157	134	55	36	10	13	92	85	25	210
Division No. 3	576	321	255	236	128	108	27	12	5	4	96	92	22	128
Division No. 4	311	166	145	70	37	33	8	3	–	1	29	29	5	101
Division No. 5	741	404	337	248	144	104	46	32	10	7	88	65	29	159
Division No. 6	6,046	3,146	2,900	2,470	1,402	1,068	226	169	81	61	1,095	838	254	2,780
Division No. 7	706	391	315	340	195	145	24	16	3	6	168	123	25	303
Division No. 8	365	196	169	153	71	82	17	13	1	9	53	60	8	110
Division No. 9	544	295	249	320	181	139	29	16	12	10	140	113	9	166
Division No. 10	383	213	170	119	76	43	18	5	3	–	55	38	12	69
Division No. 11	584	312	272	214	111	103	20	27	3	5	88	71	21	107
Division No. 12	492	256	236	159	84	75	19	20	7	2	58	53	12	83
Division No. 13	543	286	257	172	101	71	31	9	6	5	64	57	18	152
Division No. 14	544	283	261	159	81	78	28	23	7	5	46	50	12	127
Division No. 15	172	92	80	56	27	29	7	6	1	–	19	23	5	44
Division No. 16	257	128	129	145	86	59	17	11	5	7	64	41	2	62
Saskatchewan	**21,015**	**10,852**	**10,163**	**6,031**	**3,395**	**2,636**	**913**	**662**	**232**	**188**	**2,250**	**1,786**	**542**	**5,733**
Division No. 1	860	449	411	239	134	105	24	24	11	6	99	75	23	285
Division No. 2	938	489	449	295	158	137	41	22	10	9	107	106	15	238
Division No. 3	1,265	663	602	276	156	120	62	36	8	10	86	74	28	194
Division No. 4	627	331	296	168	94	74	26	20	4	9	64	45	11	139
Division No. 5	1,265	641	624	374	222	152	64	49	14	8	144	95	42	315
Division No. 6	2,396	1,271	1,125	784	440	344	110	67	29	20	301	257	67	938
Division No. 7	1,662	811	851	444	252	192	59	44	18	12	175	136	47	506
Division No. 8	1,013	531	482	247	145	102	38	23	7	14	100	65	26	208
Division No. 9	1,421	746	675	439	244	195	74	59	15	9	155	127	34	376
Division No. 10	988	504	484	259	149	110	60	39	7	5	82	66	23	206
Division No. 11	1,871	975	896	707	408	299	88	64	26	20	294	215	64	893
Division No. 12	789	397	392	211	126	85	29	19	10	1	87	65	27	142
Division No. 13	1,066	543	523	241	136	105	40	30	6	9	90	66	27	189
Division No. 14	939	517	422	223	137	86	32	22	12	12	93	52	19	181
Division No. 15	2,238	1,127	1,111	588	303	285	96	82	33	21	174	182	54	540
Division No. 16	1,014	507	507	320	175	145	43	29	9	13	123	103	23	252
Division No. 17	540	283	257	142	76	66	15	19	8	5	53	42	11	114
Division No. 18	123	67	56	74	40	34	12	14	5	5	23	15	1	17
Alberta	**14,897**	**7,682**	**7,215**	**5,059**	**2,932**	**2,127**	**616**	**494**	**177**	**155**	**2,139**	**1,478**	**456**	**4,707**
Division No. 1	574	292	282	175	115	60	31	13	6	–	78	47	18	160
Division No. 2	1,234	618	616	368	218	150	37	39	15	10	166	101	40	398
Division No. 3	267	138	129	87	50	37	7	8	2	3	41	26	7	42
Division No. 4	448	222	226	133	76	57	11	9	3	5	62	43	14	61
Division No. 5	688	351	337	165	90	75	17	22	8	4	65	49	24	146
Division No. 6	2,561	1,335	1,226	1,003	556	447	84	72	38	26	434	349	83	1,249
Division No. 7	897	451	446	255	146	109	32	27	7	10	107	72	30	211
Division No. 8	1,342	695	647	537	314	223	56	47	18	7	240	169	42	443
Division No. 9	376	200	176	141	92	49	17	11	3	6	72	32	10	48
Division No. 10	1,427	744	683	443	259	184	92	64	15	16	152	104	37	267
Division No. 11	2,743	1,391	1,352	1,002	584	418	86	77	26	25	472	316	80	1,249
Division No. 12	211	120	91	81	51	30	11	9	4	3	36	18	5	27
Division No. 13	572	296	276	194	116	78	45	28	8	11	63	39	16	94
Division No. 14	859	446	413	227	128	99	52	37	6	9	70	53	33	127
Division No. 15	209	116	93	85	44	41	10	11	8	9	26	21	7	59
Division No. 16	363	192	171	115	69	46	22	14	5	6	42	26	9	94
Division No. 17	126	75	51	48	24	24	6	6	5	5	13	13	1	32
British Columbia	**10,084**	**5,134**	**4,950**	**5,750**	**3,550**	**2,200**	**345**	**261**	**173**	**151**	**3,032**	**1,788**	**281**	**4,720**
Victoria Division	997	502	495	742	449	293	29	31	14	18	406	244	28	548
New Westminster Division	1,349	693	656	784	477	307	36	32	16	10	425	265	40	518
Nanaimo Division	678	356	322	361	235	126	25	21	15	12	195	93	20	195
Beaton Division	1,034	521	513	455	310	145	37	26	17	12	256	107	14	409
Alberni Division	760	378	382	437	271	166	44	24	24	34	203	108	17	227
Ashcroft Division	309	166	143	159	100	59	14	17	10	7	76	35	1	98
Grand Forks Division	910	445	465	523	331	192	35	17	15	10	281	165	17	340
Vancouver Division	4,047	2,073	1,974	2,289	1,377	912	125	93	62	48	1,190	771	144	2,385

NOTE.—See appendix for explanatory schedule and maps of Census divisions in Prairie Provinces—Voir appendice pour cédule d'explication et cartes des divisions de recensement dans les provinces des prairies.

TABLE 2—General summary of births, deaths and marriages in cities and towns of 1,000 population and over, 1927

Cities and Towns — Cités et villes	Births (*exclusive of stillbirths*) — Naissances (*mort-nés exclus*)			Deaths—Décès									Still-births — Mort-nés	Marriages — Mariages
				All ages — Tous âges			Under 1 year — Moins de 1 an		1–4 years — 1-4 ans		5 years and over — 5 ans et plus			
	Total	M.	F.	Total	M.	F.	M.	F.	M.	F.	M.	F.		
Cities—Cités	**89,079**	**45,920**	**43,159**	**45,211**	**23,959**	**21,252**	**4,721**	**3,663**	**1,544**	**1,346**	**17,694**	**16,243**	**3,368**	**36,549**
Belleville, Ont.	371	179	192	227	106	121	11	19	1	3	94	99	21	117
Brandon, Man.	376	219	157	230	137	93	16	11	2	5	119	77	20	219
Brantford, Ont.	647	328	319	347	183	164	23	14	5	5	155	145	19	286
Calgary, Alta.	1,641	862	779	615	345	270	47	38	22	11	276	221	58	1,048
Cap de la Madeleine, Que.	442	223	219	160	76	84	53	50	9	17	14	17	13	57
Charlottetown, P.E.I.	271	149	122	202	92	110	13	10	3	3	76	97	10	168
Chatham, Ont.	453	241	212	314	159	155	26	12	5	6	128	137	32	189
Chilliwack, B.C.	113	56	57	36	22	14	3	3	–	2	19	9	2	30
Cranbrook, B.C.	128	60	68	57	39	18	3	5	–	–	36	13	1	61
Cumberland, B.C.	66	37	29	29	20	9	3	2	–	–	17	7	2	11
Duncan, B.C.	93	43	50	37	22	15	1	4	–	4	21	7	–	17
Edmonton, Alta.	1,940	980	960	789	463	326	60	53	22	15	381	258	66	1,113
Fernie, B.C.	55	26	29	27	19	8	2	1	1	–	16	7	2	47
Fort William, Ont.	602	316	286	179	112	67	21	16	9	4	82	47	23	231
Fredericton, N.B.	220	109	111	147	65	82	9	7	2	6	54	69	9	133
Galt, Ont.	265	124	141	180	91	89	9	5	–	2	82	82	13	108
Glace Bay, N.S.	666	329	337	344	177	167	57	64	31	23	89	80	21	135
Granby, Que.	271	143	128	109	61	48	16	16	9	7	36	25	7	87
Grand Forks, B.C.	31	20	11	21	13	8	4	–	1	1	8	7	1	17
Grand'Mère, Que.	216	93	123	74	42	32	17	11	2	2	23	19	5	35
Guelph, Ont.	418	213	205	224	114	110	12	9	–	4	102	97	13	197
Halifax, N.S.	1,494	763	731	876	468	408	76	48	29	17	363	343	54	609
Hamilton, Ont.	2,866	1,413	1,453	1,353	695	658	117	70	29	24	549	564	118	1,242
Hull, Que.	1,062	573	489	382	209	173	84	54	31	31	94	88	34	264
Joliette, Que.	348	181	167	165	92	73	36	22	10	9	46	42	6	81
Kamloops, B.C.	130	59	71	97	73	24	2	1	–	–	71	23	2	59
Kelowna, B.C.	137	62	75	57	36	21	3	4	3	–	30	17	3	37
Kingston, Ont.	594	294	300	428	211	217	34	29	4	3	173	185	41	248
Kitchener, Ont.	688	351	337	296	148	148	29	19	11	5	108	124	28	273
Lachine, Que.	440	250	190	205	91	114	22	17	7	5	62	92	10	110
Ladysmith, B.C.	58	34	24	29	14	15	1	–	–	–	13	15	2	21
Lethbridge, Alta.	348	174	174	140	89	51	10	9	6	4	73	38	13	205
Lévis, Que.	315	152	163	201	92	109	18	13	4	7	70	89	8	59
London, Ont.	1,286	659	627	1,058	524	534	53	49	11	14	460	471	73	693
Longueuil, Que.	186	97	89	82	40	42	15	8	4	2	21	32	2	36
Medicine Hat, Alta.	328	169	159	104	70	34	15	7	2	–	53	27	13	131
Merritt, B.C.	48	21	27	19	11	8	2	1	–	1	9	6	1	10
Moncton, N.B.	499	255	244	243	135	108	23	21	17	9	95	78	15	186
Montreal, Que.	19,458	10,007	9,451	11,034	5,751	5,283	1,422	1,147	481	416	3,848	3,720	733	5,977
Moose Jaw, Sask.	626	298	328	228	133	95	24	17	10	4	99	74	20	369
Nanaimo, B.C.	192	103	89	75	38	37	4	7	1	4	33	26	7	75
Nelson, B.C.	144	70	74	91	58	33	3	5	1	1	54	27	–	87
New Westminster, B.C.	491	251	240	248	139	109	8	9	4	2	127	98	21	276
Niagara Falls, Ont.	492	238	254	188	98	90	10	11	6	1	82	78	23	223
North Battleford, Sask.	224	124	100	58	39	19	10	2	2	2	27	15	8	100
North Bay, Ont.	406	210	196	133	78	55	17	16	8	2	53	37	17	127
North Vancouver, B.C.	167	84	83	77	41	36	5	5	2	–	34	31	9	56
Oshawa, Ont.	595	312	283	238	132	106	34	31	9	2	89	73	29	227
Ottawa, Ont.	3,003	1,558	1,445	1,536	752	784	142	144	34	36	576	604	121	1,010
Outremont, Que.	135	69	66	74	31	43	1	3	–	1	30	39	–	91
Owen Sound, Ont.	297	149	148	147	85	62	9	6	1	–	75	56	8	115
Peterborough, Ont.	545	275	270	307	150	157	17	13	6	7	127	137	32	224
Point Grey, B.C.	197	97	100	196	111	85	5	5	1	2	105	78	1	157
Portage la Prairie, Man.	174	85	89	135	81	54	9	7	4	3	68	44	7	67
Port Alberni, B.C.	44	20	24	20	15	5	–	–	–	1	15	4	2	6
Port Arthur, Ont.	510	276	234	221	117	104	24	19	1	9	92	76	20	221
Port Coquitlam, B.C.	24	13	11	5	3	2	–	–	–	–	3	2	–	2
Port Moody, B.C.	12	6	6	3	–	3	–	–	–	–	–	3	–	2
Prince Albert, Sask.	326	167	159	142	77	65	18	15	2	2	57	48	17	192
Prince George, B.C.	85	44	41	24	16	8	1	2	–	1	15	5	1	34
Prince Rupert, B.C.	127	59	68	60	45	15	6	1	2	2	37	12	3	84
Quebec, Que.	4,349	2,255	2,094	2,091	1,067	1,024	378	265	149	124	540	635	96	875
Red Deer, Alta.	122	65	57	47	24	23	4	2	1	–	19	21	4	80
Regina, Sask.	1,203	659	544	402	214	188	50	34	14	12	150	142	34	728
Revelstoke, B.C.	76	33	43	25	16	9	4	2	1	–	11	7	3	18
Rivière du Loup, Que.	274	135	139	127	68	59	16	11	7	4	45	44	5	41
Rossland, B.C.	42	16	26	16	9	7	–	2	–	1	9	4	1	26
St. Boniface, Man.	752	367	385	495	306	189	34	25	15	17	257	147	35	150
St. Catharines, Ont.	577	315	262	272	148	124	20	11	9	3	119	110	19	244
St. Hyacinthe, Que.	317	169	148	260	118	142	35	22	6	8	77	112	14	115
St. Jean, Que.	322	150	172	119	59	60	9	9	7	8	43	43	7	68
St. John, N.B.	1,166	598	568	671	337	334	57	46	23	21	257	267	58	393
St. Lambert, Que.	63	33	30	26	11	15	3	1	1	1	7	13	1	18
St. Thomas, Ont.	329	166	163	222	111	111	9	11	2	2	100	98	17	118

NOTE.—"Age not stated" included in 5 years and over. The classification of cities and towns in Manitoba, Saskatchewan and Alberta is according to the Census of 1926 and in the remaining provinces according to the Census of 1921.—"Age non donné" compris dans 5 ans et plus. La classification des cités et villes dans le Manitoba, la Saskatchewan et l'Alberta est selon le recensement de 1926 et dans toutes les autres provinces selon le recensement de 1921.

TABLEAU 2—Résumé général des naissances, décès et mariages dans les cités et villes de 1,000 habitants et au-dessus, 1927

Cities and Towns — Cités et villes	Births (*exclusive of stillbirths*) — Naissances (*mort-nés exclus*)			Deaths—Décès									Still-births — Mort-nés	Marriages — Mariages
				All ages — Tous âges			Under 1 year — Moins de 1 an		1–4 years — 1–4 ans		5 years and over — 5 ans et plus			
	Total	M.	F.	Total	M.	F.	M.	F.	M.	F.	M.	F.		
Cities–con.—Cités–fin														
Sarnia, Ont.	435	218	217	215	112	103	25	18	3	5	84	80	13	172
Saskatoon, Sask.	962	525	437	496	283	213	60	45	17	13	206	155	52	713
Sault Ste. Marie, Ont.	578	293	285	203	116	87	18	19	8	5	90	63	23	205
Shawinigan Falls, Que.	670	370	300	185	113	72	73	31	13	8	27	33	14	86
Sherbrooke, Que.	809	373	436	411	208	203	40	36	10	6	158	161	24	231
Sorel, Que.	304	141	163	164	87	77	28	21	10	13	49	43	6	68
South Vancouver, B.C.	310	154	156	158	79	79	10	9	4	5	65	65	7	194
Stratford, Ont.	372	178	194	194	104	90	13	8	3	3	88	79	20	165
Swift Current, Sask.	136	77	59	55	28	27	–	3	2	4	26	20	3	97
Sydney, N.S.	501	268	233	272	135	137	24	22	13	17	98	98	14	189
Thetford Mines, Que.	443	220	223	136	72	64	24	20	14	13	34	31	14	68
Toronto, Ont.	11,448	6,036	5,412	6,263	3,207	3,056	472	338	134	145	2,601	2,573	515	6,293
Trail, B.C.	148	74	74	58	38	20	7	3	4	4	27	13	–	75
Trois Rivières, Que.	1,327	696	631	539	268	271	133	114	31	30	104	127	46	270
Valleyfield, Que.	322	175	147	214	105	109	32	18	8	6	65	85	7	107
Vancouver, B.C.	3,144	1,626	1,518	1,754	1,088	666	96	68	51	37	941	561	121	1,920
Verdun, Que.	1,007	522	485	361	187	174	44	44	26	15	117	115	30	297
Vernon, B.C.	106	48	58	33	20	13	3	–	1	1	16	12	3	57
Victoria, B.C.	664	342	322	482	283	199	18	14	7	6	258	179	21	328
Welland, Ont.	283	141	142	167	104	63	9	7	3	5	92	51	11	146
Westmount, Que.	38	18	20	71	25	46	1	–	–	–	24	46	2	143
Wetaskiwin, Alta.	112	59	53	38	27	11	6	4	–	–	21	7	3	45
Weyburn, Sask.	143	62	81	118	62	56	6	7	4	3	52	46	2	82
Windsor, Ont.	2,088	1,064	1,024	705	373	332	80	62	21	18	272	252	78	873
Winnipeg, Man.	4,506	2,371	2,135	1,656	912	744	154	119	52	32	706	593	198	2,447
Woodstock, Ont.	245	136	109	167	89	78	11	5	3	2	75	71	7	112
Towns—Villes	**27,980**	**14,405**	**13,575**	**13,373**	**7,037**	**6,336**	**1,533**	**1,116**	**424**	**397**	**5,080**	**4,823**	**941**	**9,948**
Acton Vale, Que.	92	44	48	32	10	22	4	5	–	2	6	15	3	11
Alexandria, Ont.	51	25	26	27	9	18	2	6	1	1	6	11	1	23
Alliston, Ont.	33	20	13	15	9	6	2	1	–	1	7	4	2	10
Almonte, Ont.	81	47	34	32	17	15	2	1	–	–	15	14	1	18
Amherst, N.S.	151	78	73	109	58	51	4	6	5	–	49	45	4	104
Amherstburg, Ont.	53	29	24	29	18	11	4	2	1	–	13	9	1	34
Antigonish, N.S.	99	47	52	82	48	34	4	2	1	2	43	30	4	23
Arnprior, Ont.	100	54	46	41	26	15	6	–	4	1	16	14	5	29
Arthabaska, Que.	58	31	27	54	25	29	7	4	1	1	17	24	–	13
Assiniboia, Sask.	69	37	32	23	10	13	3	3	1	1	6	9	3	35
Aurora, Ont.	41	15	26	27	15	12	3	1	–	–	12	11	1	26
Aylmer, Ont.	29	13	16	38	23	15	1	–	2	–	20	15	1	40
Aylmer, Que.	100	47	53	21	10	11	2	4	1	1	7	6	–	22
Bagotville, Que.	190	98	92	60	29	31	12	17	5	3	12	11	1	27
Baie St. Paul, Que.	131	72	59	103	60	43	12	3	4	9	44	31	3	33
Barrie, Ont.	142	78	64	117	69	48	9	2	2	2	58	44	9	66
Bathurst, N.B.	133	78	55	62	33	29	11	6	5	2	17	21	4	57
Battleford, Sask.	29	12	17	13	6	7	2	1	1	–	3	6	–	15
Beauceville, Que.	140	70	70	78	34	44	14	8	–	5	20	31	1	39
Beauharnois, Que.	75	40	35	56	21	35	7	5	3	3	11	27	–	25
Beauport, Que.	138	74	64	49	20	29	7	7	1	–	12	22	5	31
Bedford, Que.	54	26	28	27	15	12	6	–	–	–	9	12	–	19
Belœil, Que.	34	20	14	24	11	13	3	1	2	2	6	10	1	13
Berthier, Que.	104	49	55	65	27	38	8	8	1	2	18	28	3	24
Biggar, Sask.	113	55	58	27	16	11	4	1	1	–	11	10	2	32
Black Lake, Que.	90	52	38	53	30	23	9	3	6	4	15	16	4	19
Blairmore, Alta.	34	21	13	7	4	3	1	2	–	–	3	1	2	22
Blenheim, Ont.	31	14	17	17	8	9	1	1	–	–	7	8	–	18
Blind River, Ont.	79	40	39	41	25	16	9	3	2	3	14	10	7	27
Bowmanville, Ont.	94	36	58	66	31	35	2	4	1	1	28	30	9	49
Bracebridge, Ont.	78	35	43	32	16	16	6	3	2	1	8	12	2	48
Brampton, Ont.	98	46	52	50	26	24	–	1	1	–	25	23	4	39
Bridgeburg, Ont.	55	26	29	30	16	14	3	4	–	1	13	9	5	31
Bridgetown, N.S.	24	14	10	13	8	5	1	–	–	–	7	5	1	16
Bridgewater, N.S.	56	31	25	36	18	18	3	1	–	2	15	15	2	50
Brockville, Ont.	204	107	97	149	75	74	6	4	2	1	67	69	10	98
Bromptonville, Que.	111	61	50	21	9	12	4	8	1	1	4	3	3	23
Buckingham, Que.	173	86	87	75	35	40	10	9	5	4	20	27	8	33
Burlington, Ont.	23	12	11	15	7	8	1	–	–	–	6	8	–	21
Campbellford, Ont.	68	35	33	47	16	31	2	3	2	2	12	26	4	18
Campbellton, N.B.	242	125	117	119	63	56	11	13	3	7	49	36	15	57
Camrose, Alta.	98	49	49	53	30	23	5	6	1	–	24	17	10	76
Canora, Sask.	85	42	43	33	20	13	4	4	1	–	15	9	2	39
Canso, N.S.	46	28	18	14	11	3	3	1	–	–	8	2	3	24
Capreol, Ont.	60	31	29	17	8	9	4	1	1	1	3	7	1	8
Cardston, Alta.	155	79	76	17	9	8	4	2	1	–	4	6	6	51
Carleton Place, Ont.	69	33	36	39	20	19	2	1	1	–	17	18	3	33
Carman, Man.	86	49	37	29	15	14	3	2	–	1	12	11	5	13
Chatham, N.B.	149	59	90	77	39	38	3	9	3	1	33	28	5	47
Chelmsford, Ont.	26	16	10	8	7	1	3	1	–	–	4	–	–	19

TABLE 2—General summary of births, deaths and marriages in cities and towns of 1,000 population and over, 1927—*con.*

Cities and Towns — Cités et villes	Births (*exclusive of stillbirths*) — Naissances (*mort-nés exclus*)			Deaths—Décès									Still-births — Mort-nés	Marriages — Mariages
				All ages — Tous âges			Under 1 year — Moins de 1 an		1–4 years — 1–4 ans		5 years and over — 5 ans et plus			
	Total	M.	F.	Total	M.	F.	M.	F.	M.	F.	M.	F.		
Towns–con.—Villes–suite														
Chesley, Ont.	33	17	16	21	13	8	2	1	–	–	11	7	3	22
Chicoutimi, Que.	609	318	291	282	134	148	48	50	25	23	61	75	7	109
Clinton, Ont.	45	26	19	42	16	26	–	1	–	1	16	24	1	27
Coaticook, Que.	128	56	72	47	26	21	2	2	–	2	24	17	3	45
Cobalt, Ont.	105	51	54	46	30	16	2	4	3	1	25	11	7	59
Cobourg, Ont.	125	61	64	98	41	57	2	4	–	1	39	52	4	46
Cochrane, Ont.	152	84	68	88	54	34	18	10	4	4	32	20	5	61
Coleman, Alta.	55	31	24	13	7	6	1	3	1	–	5	3	–	25
Collingwood, Ont.	90	48	42	93	56	37	2	1	–	–	54	36	4	38
Copperclif, Ont.	63	29	34	26	14	12	3	2	1	2	10	8	1	22
Cornwall, Ont.	467	230	237	236	124	112	36	23	9	5	79	84	23	170
Courville, Que.	52	28	24	9	3	6	–	1	–	–	3	5	1	9
Dalhousie, N.B.	42	24	18	17	7	10	1	2	3	3	3	5	1	20
Dartmouth, N.S.	146	78	68	93	49	44	8	6	3	1	38	37	6	61
Dauphin, Man.	99	53	46	46	24	22	4	2	2	1	18	19	6	68
Deseronto, Ont.	29	9	20	18	9	9	1	2	–	–	8	7	2	16
Devon, N.B.	32	13	19	24	10	14	–	1	–	2	10	11	–	22
Digby, N.S.	35	19	16	25	14	11	2	–	–	–	12	11	1	30
Dominion, N.S.	40	17	23	22	13	9	7	4	3	2	3	3	–	22
Donnacona, Que.	114	49	65	22	11	11	1	3	2	2	8	6	4	10
Dorval, Que.	32	14	18	15	8	7	2	2	–	–	6	5	1	9
Dresden, Ont.	10	5	5	24	11	13	–	1	–	–	11	12	1	16
Drumheller, Alta.	262	131	131	57	29	28	4	7	5	3	20	18	7	57
Drummondville, Que.	316	160	156	121	70	51	33	21	8	7	29	23	5	66
Dryden, Ont.	81	46	35	16	11	5	1	2	–	–	10	3	4	17
Dundas, Ont.	54	20	34	45	25	20	3	1	–	–	22	19	1	42
Dunnville, Ont.	91	36	55	54	30	24	2	6	1	–	27	18	2	55
Durham, Ont.	48	31	17	24	10	14	3	–	–	–	7	14	2	21
East Angus, Que.	148	84	64	45	26	19	12	6	4	2	10	11	7	22
Eastview, Ont.	187	91	96	43	23	20	11	5	4	2	8	13	3	31
Edmundston, N.B.	248	123	125	39	23	16	12	7	3	4	8	5	4	39
Edson, Alta.	41	21	20	16	11	5	3	3	1	–	7	2	1	17
Elmira, Ont.	44	22	22	29	17	12	1	–	–	–	16	12	–	28
Essex, Ont.	44	21	23	27	12	15	4	1	–	1	8	13	1	36
Estevan, Sask.	101	61	40	51	26	25	3	2	2	1	21	22	–	93
Farnham, Que.	114	61	53	61	35	26	13	2	–	3	22	21	2	27
Ford City, Ont.	365	175	190	73	35	38	17	12	3	6	15	20	11	91
Forest, Ont.	19	12	7	23	14	9	–	–	–	–	14	9	1	18
Fort Frances, Ont.	204	112	92	78	49	29	17	11	7	7	25	11	3	66
Gananoque, Ont.	70	31	39	41	27	14	–	1	1	–	26	13	–	39
Georgetown, Ont.	30	17	13	14	5	9	–	1	–	–	5	8	3	17
Goderich, Ont.	86	52	34	58	31	27	2	–	–	–	29	27	5	49
Grand Falls, N.B.	60	27	33	19	13	6	6	1	1	1	6	4	2	40
Gravelbourg, Sask.	23	14	9	9	6	3	1	1	1	–	4	2	–	8
Gravenhurst, Ont.	54	29	25	33	22	11	5	2	1	1	16	8	–	20
Greenfield Park, Que.	14	5	9	3	2	1	–	–	–	–	2	1	1	3
Grimsby, Ont.	33	17	16	22	12	10	1	1	1	–	10	9	–	20
Haileybury, Ont.	82	45	37	19	13	6	1	1	–	–	12	5	2	16
Hanna, Alta.	119	61	58	32	17	15	3	2	1	–	13	13	7	38
Hanover, Ont.	72	42	30	30	17	13	3	1	–	–	14	12	3	27
Harriston, Ont.	17	10	7	20	12	8	–	–	–	–	12	8	–	5
Hawkesbury, Ont.	214	121	93	82	51	31	19	8	8	4	24	19	6	50
Hespeler, Ont.	43	23	20	16	9	7	2	–	–	–	7	7	1	41
High River, Alta.	106	52	54	21	14	7	1	–	1	1	12	6	2	13
Humboldt, Sask.	91	43	48	33	17	16	4	5	–	2	13	9	3	25
Huntingdon, Que.	35	19	16	15	8	7	1	–	–	1	7	6	1	19
Huntsville, Ont.	76	43	33	27	14	13	6	2	–	1	8	10	6	42
Iberville, Que.	96	49	47	42	23	19	2	2	3	2	18	15	1	23
Indian Head, Sask.	44	20	24	24	11	13	3	2	–	2	8	9	4	17
Ingersoll, Ont.	99	57	42	74	37	37	7	–	1	–	29	37	5	51
Inverness, N.S.	77	44	33	54	33	21	7	4	1	–	25	17	2	14
Iroquois Falls, Ont.	67	32	35	22	15	7	6	–	–	2	9	5	2	29
Joggins, N.S.	33	18	15	9	5	4	2	3	–	–	3	1	1	11
Jonquière, Que.	527	277	250	152	80	72	54	30	12	12	14	30	12	90
Kamsack, Sask.	58	38	20	20	13	7	6	2	1	1	6	4	–	18
Keewatin, Ont.	24	12	12	8	4	4	–	1	–	–	4	3	–	4
Kenogami, Que.	301	165	136	76	35	41	15	11	10	12	10	18	9	58
Kenora, Ont.	204	84	120	69	44	25	8	8	1	–	35	17	5	59
Kentville, N.S.	52	26	26	52	30	22	2	–	1	–	27	22	1	44
Kincardine, Ont.	95	57	38	59	32	27	6	5	2	–	24	22	7	30
Kingsville, Ont.	57	24	33	33	21	12	2	1	–	1	19	10	3	21
Lachute, Que.	112	61	51	54	25	29	10	8	1	1	14	20	2	20
Lacombe, Alta.	91	46	45	40	25	15	4	5	2	1	19	9	1	37
Laprairie, Que.	87	42	45	85	51	34	14	8	6	5	31	21	3	17
L'Assomption, Que.	64	32	32	48	20	28	8	5	3	3	9	20	–	13
La Tuque, Que.	284	138	146	81	46	35	24	16	5	9	17	10	4	27
Laurentides, Que.	99	49	50	38	23	15	12	6	1	2	10	7	2	7
Lauzon, Que.	219	111	108	77	33	44	8	12	1	5	24	27	4	44

TABLEAU 2—Résumé général des naissances, décès et mariages dans les cités et villes de 1,000 habitants et au-dessus, 1927—*suite*

Cities and Towns — Cités et villes	Births (*exclusive of stillbirths*) — Naissances (*mort-nés exclus*)			Deaths—Décès									Still-births — Mort-nés	Marriages — Mariages
				All ages — Tous âges			Under 1 year — Moins de 1 an		1-4 years — 1-4 ans		5 years and over — 5 ans et plus			
	Total	M.	F.	Total	M.	F.	M.	F.	M.	F.	M.	F.		
Towns–con.—**Villes**–suite														
Laval des Rapides, Que.	38	16	22	28	14	14	2	4	–	1	12	9	1	8
Leamington, Ont.	104	55	49	76	36	40	4	2	1	1	31	37	2	75
Lennoxville, Que.	20	10	10	23	13	10	1	2	1	–	11	8	1	10
Lindsay, Ont.	180	89	91	108	54	54	10	5	3	2	41	47	10	90
Listowel, Ont.	58	36	22	45	18	27	5	1	–	1	13	25	2	35
Liverpool, N.S.	47	21	26	28	14	14	3	1	–	–	11	13	1	35
Louisburg, N.S.	19	14	5	13	6	7	–	–	–	–	6	7	1	5
Louiseville, Que.	87	44	43	36	20	16	8	5	2	3	10	8	2	23
Lunenburg, N.S.	38	20	18	25	13	12	2	–	–	–	11	12	3	29
Macleod, Alta.	57	32	25	21	14	7	1	1	2	–	11	6	5	19
Magog, Que.	206	114	92	85	44	41	18	8	5	2	21	31	5	63
Magrath, Alta.	50	24	26	9	5	4	3	2	–	2	2	–	1	2
Mahone Bay, N.S.	18	8	10	13	4	9	–	1	–	1	4	7	–	10
Marieville, Que.	68	29	39	26	14	12	–	2	1	1	13	9	1	19
Marysville, N.B.	34	13	21	11	4	7	–	–	–	1	4	6	1	7
Mattawa, Ont.	71	30	41	25	13	12	4	3	–	–	9	9	7	14
Meaford, Ont.	35	19	16	31	15	16	3	–	–	–	12	16	5	26
Megantic, Que.	142	68	74	57	36	21	13	7	3	–	20	14	4	31
Melfort, Sask.	121	68	53	44	25	19	5	6	3	4	17	9	1	36
Melville, Sask.	103	48	55	37	18	19	6	8	4	4	8	7	5	49
Merritton, Ont.	34	24	10	27	12	15	1	–	–	–	11	15	–	9
Midland, Ont.	185	109	76	97	65	32	11	7	–	2	54	23	7	55
Milltown, N.B.	21	10	11	29	12	17	2	2	1	–	9	15	1	9
Milton, Ont.	38	19	19	18	10	8	2	–	–	–	8	8	1	11
Mimico, Ont.	107	48	59	81	38	43	4	3	–	2	34	38	6	42
Minnedosa, Man.	59	33	26	28	10	18	1	1	–	–	9	17	3	18
Mitchell, Ont.	23	9	14	16	8	8	1	–	–	–	7	8	1	14
Montmagny, Que.	200	98	102	82	47	35	19	7	4	2	24	26	4	30
Montreal E., Que.	28	12	16	11	5	6	3	–	–	–	2	6	1	8
Montreal S., Que.	19	12	7	1	1	–	–	–	–	–	1	–	–	2
Montreal N., Que.	80	47	33	45	24	21	11	8	2	3	11	10	1	18
Montreal W., Que.	7	4	3	7	6	1	–	–	–	–	6	1	1	7
Moosomin, Sask.	47	21	26	19	14	5	3	–	–	–	11	5	3	17
Morden, Man.	89	47	42	30	17	13	1	1	1	–	15	12	3	18
Mount Forest, Ont.	37	24	13	30	16	14	1	–	–	–	15	14	1	28
Napanee, Ont.	49	23	26	42	21	21	1	–	1	–	19	21	3	40
Neepawa, Man.	60	28	32	25	16	9	1	1	–	–	15	8	3	28
Newcastle, N.B.	110	58	52	51	27	24	6	4	–	4	21	16	5	44
New Glasgow, N.S.	259	139	120	115	58	57	10	9	2	2	46	46	4	107
New Liskeard, Ont.	101	46	55	15	6	9	2	3	–	–	4	6	4	36
Newmarket, Ont.	91	45	46	60	29	31	3	2	–	2	26	27	5	45
New Toronto, Ont.	104	61	43	23	10	13	3	2	–	–	7	11	8	24
New Waterford, N.S.	219	117	102	96	49	47	17	22	6	4	26	21	15	47
Niagara, Ont.	31	17	14	21	10	11	–	–	1	–	9	11	1	10
Nicolet, Que.	83	35	48	67	28	39	6	2	–	4	22	33	2	25
North Sydney, N.S.	194	101	93	112	53	59	11	19	6	4	36	36	7	4
Oakville, Ont.	46	26	20	23	11	12	–	3	–	–	11	9	1	22
Olds, Alta.	86	47	39	7	4	3	4	3	–	–	–	–	2	1
Orangeville, Ont.	66	40	26	50	25	25	4	3	1	–	20	22	7	23
Orillia, Ont.	230	116	114	141	70	71	5	7	–	1	65	63	15	83
Oxford, N.S.	25	15	10	9	5	4	–	–	–	–	5	4	–	11
Palmerston, Ont.	34	14	20	16	10	6	2	–	–	–	8	6	4	14
Paris, Ont.	106	48	58	43	28	15	7	5	–	–	21	10	1	30
Parkhill, Ont.	17	9	8	13	7	6	–	–	–	–	7	6	–	11
Parrsboro, N.S.	44	23	21	30	14	16	4	1	–	–	10	15	1	33
Parry Sound, Ont.	125	71	54	55	29	26	5	4	1	–	23	22	5	50
Pembroke, Ont.	296	155	141	175	88	87	19	14	4	5	65	68	15	75
Penetanguishene, Ont.	117	52	65	54	25	29	5	6	1	1	19	22	6	37
Perth, Ont.	81	42	39	48	18	30	3	1	–	–	15	29	2	50
Petrolia, Ont.	91	51	40	68	46	22	5	1	–	–	41	21	5	33
Picton, Ont.	89	50	39	65	34	31	3	3	–	–	31	28	7	43
Pictou, N.S.	45	20	25	32	12	20	1	1	–	–	11	19	1	28
Pincher Creek, Alta.	47	26	21	2	2	–	2	–	–	–	–	–	1	–
Pointe aux Trembles, Qué.	70	39	31	35	18	17	7	4	1	–	10	13	–	14
Pointe Claire, Que.	66	29	37	26	11	15	1	2	–	1	10	12	1	9
Ponoka, Alta.	68	33	35	84	54	30	2	2	1	–	51	28	–	15
Port Alfred, Que.	153	81	72	39	24	15	13	9	6	2	5	4	1	18
Port Colborne, Ont.	152	75	77	48	28	20	8	4	1	1	19	15	5	44
Port Hope, Ont.	91	42	49	76	33	43	–	3	–	–	33	40	9	40
Prescott, Ont.	47	25	22	38	14	24	3	1	–	–	11	23	2	40
Preston, Ont.	98	50	48	49	20	29	2	3	2	1	16	25	5	44
Radville, Sask.	18	7	11	5	3	2	–	–	–	–	3	2	–	16
Rainy River, Ont.	38	26	12	17	10	7	1	–	–	–	9	7	3	15
Raymond, Alta.	65	32	33	9	2	7	1	2	–	–	1	5	1	5
Renfrew, Ont.	137	81	56	72	36	36	10	5	2	3	24	28	7	51
Richmond, Que.	63	31	32	23	15	8	2	2	–	–	13	6	–	18
Ridgetown, Ont.	37	22	15	26	11	15	–	2	1	1	10	12	–	21
Rimouski, Que.	234	111	123	104	49	55	13	15	6	1	30	39	8	25

TABLE 2—General summary of births, deaths and marriages in cities and towns of 1,000 population and over, 1927—*con.*

TABLEAU 2—Résumé général des naissances, décès et mariages dans les cités et villes de 1,000 habitants et au-dessus, 1927—*fin.*

Cities and Towns — Cités et villes	Births (*exclusive of stillbirths*) — Naissances (*mort-nés exclus*)			Deaths—Décès									Still-births — Mort-nés	Marriages — Mariages
				All ages — Tous âges			Under 1 year — Moins de 1 an		1-4 years — 1-4 ans		5 years and over — 5 ans et plus			
	Total	M.	F.	Total	M.	F.	M.	F.	M.	F.	M.	F.		
Towns–con.—**Villes**–fin														
Riverside, Ont.	104	46	58	24	17	7	6	1	2	1	9	5	5	15
Roberval, Que.	141	71	70	54	29	25	17	9	–	2	12	14	3	31
Rockland, Ont.	103	50	53	31	16	15	5	6	1	1	10	8	2	13
Rosetown, Sask.	92	47	45	21	11	10	1	2	–	–	10	8	3	20
Rosthern, Sask.	52	26	26	9	7	2	1	–	2	–	4	2	2	22
Ste. Agathe des Monts, Que	103	57	46	80	44	36	8	6	3	2	33	28	1	16
St. Andrews, N.B.	10	6	4	21	6	15	2	1	–	–	4	14	1	11
Ste. Anne de Bellevue, Que.	80	45	35	45	33	12	3	1	–	1	30	10	1	20
St. George, N.B.	30	13	17	10	5	5	1	–	–	–	4	5	–	16
St. Jérôme, Que.	335	175	160	134	63	71	25	21	5	8	33	42	9	88
St. Laurent, Que.	103	56	47	38	15	23	5	7	–	1	10	15	1	39
St. Mary's, Ont.	75	52	23	60	32	28	5	2	–	–	27	26	2	29
St. Pierre aux Liens, Que...	91	48	43	24	13	11	2	1	3	2	8	8	4	18
Ste. Rose, Que.	4	–	4	34	14	20	2	4	1	3	11	13	–	9
St. Stephen, N.B.	151	85	66	111	63	48	7	4	1	2	55	42	2	194
Ste. Thérèse, Que.	185	96	89	81	42	39	16	13	6	3	20	23	8	40
Ste. Tite, Que.	132	61	71	39	19	20	5	8	1	1	13	11	1	17
Sackville, N.B.	52	25	27	14	7	7	–	–	–	1	7	6	1	27
Sandwich, Ont.	255	137	118	69	34	35	12	4	2	4	20	27	7	74
Seaforth, Ont.	35	12	23	38	24	14	–	2	1	–	23	12	3	10
Selkirk, Man.	123	63	60	117	66	51	11	3	4	4	51	44	4	36
Shaunavon, Sask.	163	95	68	55	30	25	9	6	1	1	20	18	3	51
Shediac, N.B.	58	21	37	46	17	29	6	7	2	–	9	22	–	10
Shelburne, N.S.	31	14	17	15	6	9	2	1	–	–	4	8	1	13
Simcoe, Ont.	166	86	80	66	39	27	5	2	1	–	33	25	8	68
Sioux Lookout, Ont.	71	33	38	18	13	5	3	1	1	1	9	3	1	26
Smith's Falls, Ont.	191	99	92	103	55	48	8	8	2	2	45	38	9	49
Souris, Man.	44	25	19	12	7	5	3	1	–	–	4	4	1	20
Souris, P.E.I.	20	11	9	9	5	4	–	–	–	–	5	4	–	11
Southampton, Ont.	33	13	20	13	7	6	1	–	–	–	6	6	1	11
Springhill, N.S.	194	103	91	78	32	46	8	12	1	2	23	32	14	50
Stellarton, N.S.	102	62	40	65	39	26	11	5	3	–	25	21	1	43
Stettler, Alta.	50	24	26	30	17	13	1	3	2	–	14	10	2	55
Stonewall, Man.	22	9	13	8	5	3	–	–	–	–	5	3	–	8
Strathroy, Ont.	72	35	37	55	28	27	2	3	–	1	26	23	1	33
Sturgeon Falls, Ont.	217	111	106	48	27	21	12	7	6	2	9	12	9	40
Sudbury, Ont.	378	190	188	167	106	61	25	18	5	5	76	38	19	144
Summerside, P.E.I.	55	22	33	66	33	33	4	2	5	2	24	29	6	62
Sunny Brae, N.B.	20	11	9	12	7	5	3	–	1	–	3	5	–	15
Sussex, N.B.	36	20	16	27	17	10	1	1	–	–	16	9	2	19
Sutherland, Sask.	10	5	5	7	2	5	–	–	–	–	2	5	–	11
Sydney Mines, N.S.	232	124	108	103	53	50	19	16	5	2	29	32	3	81
Taber, Alta.	57	28	29	17	10	7	4	3	1	–	5	4	–	14
Terrebonne, Que.	57	29	28	27	11	16	1	3	–	1	10	12	1	17
The Pas, Man.	69	33	36	40	28	12	4	–	–	3	24	9	–	29
Thessalon, Ont.	53	21	32	25	15	10	4	–	2	2	9	8	2	24
Thorold, Ont.	126	66	60	39	21	18	3	2	3	–	15	16	2	42
Tilbury, Ont.	42	23	19	14	8	6	2	2	–	–	6	4	2	48
Tillsonburg, Ont.	93	49	44	56	32	24	2	1	1	1	29	22	4	35
Timmins, Ont.	471	249	222	121	71	50	18	29	8	2	45	19	9	149
Transcona, Man.	107	59	48	27	18	9	9	2	1	1	8	6	9	29
Trenton, N.S.	50	19	31	14	3	11	–	1	1	1	2	9	–	8
Trenton, Ont.	141	75	66	64	32	32	6	1	1	3	25	28	5	54
Trois Pistoles, Que.	104	62	42	51	30	21	9	5	6	1	15	15	1	17
Truro, N.S.	173	90	83	116	68	48	9	6	3	2	56	40	7	150
Uxbridge, Ont.	24	13	11	22	13	9	1	–	–	–	12	9	4	18
Vankleek Hill, Ont.	41	17	24	22	11	11	–	1	2	1	9	9	1	20
Vegreville, Alta.	205	102	103	50	25	25	10	4	4	4	11	17	5	29
Vermilion, Alta.	97	57	40	21	9	12	3	5	–	–	6	7	1	50
Victoriaville, Que.	185	100	85	59	25	34	7	5	–	3	18	26	9	42
Virden, Man.	76	39	37	26	11	15	5	3	–	1	6	11	2	28
Wainwright, Alta.	52	31	21	3	2	1	1	1	–	–	1	–	1	1
Walkerton, Ont.	47	20	27	48	21	27	2	2	–	1	19	24	2	36
Walkerville, Ont.	125	67	58	48	25	23	2	–	1	1	22	22	8	139
Wallaceburg, Ont.	120	62	58	63	37	26	5	6	–	3	32	17	2	42
Waterloo, Ont.	120	55	65	57	25	32	5	2	1	3	19	27	7	66
Waterloo, Que.	49	25	24	33	16	17	4	4	1	–	11	13	1	20
Watrous, Sask.	49	28	21	22	12	10	1	2	2	3	9	5	–	13
Wedgeport, N.S.	28	12	16	23	5	18	2	2	–	3	3	13	–	8
Weston, Ont.	57	31	26	192	96	96	3	1	1	2	92	93	3	33
Westville, N.S.	68	32	36	47	22	25	6	2	1	1	15	22	2	22
Whitby, Ont.	39	20	19	159	85	74	–	1	–	–	85	73	1	32
Wiarton, Ont.	55	26	29	20	14	6	1	–	–	–	13	6	3	25
Wilkie, Sask.	39	20	19	9	4	5	–	2	–	–	4	3	1	13
Windsor, N.S.	77	43	34	50	28	22	3	1	1	–	24	21	4	68
Windsor, Que.	100	67	33	24	13	11	9	4	–	3	4	4	1	25
Wingham, Ont.	38	22	16	28	11	17	3	1	–	–	8	16	4	27
Wolfville, N.S.	51	24	27	46	23	23	2	3	1	2	20	18	3	29
Woodstock, N.B.	63	35	28	94	52	42	4	1	4	1	44	40	–	172
Yarmouth, N.S.	165	82	83	123	64	59	10	8	–	2	54	49	10	113
Yorkton, Sask.	134	68	66	56	27	29	1	9	–	–	26	20	9	108

BIRTHS

NAISSANCES

TABLE 3—Births (exclusive of stillbirths) by months, classified as rural and urban for each province, 1927

TABLEAU 3—Naissances (mort-nés exclus) dans chaque mois, classifiées en rurales et urbaines, par provinces, 1927

Province	Total	Months—Mois													
		January — Janvier	February — Février	March — Mars	April — Avril	May — Mai	June — Juin	July — Juillet	August — Août	September — Septembre	October — Octobre	November — Novembre	December — Décembre
Canada [1]	**234,188**	**18,039**	**17,601**	**21,387**	**20,931**	**21,012**	**20,405**	**20,646**	**19,931**	**19,386**	**18,521**	**17,773**	**18,556**
Rural—Rurales	**117,129**	**8,871**	**8,654**	**10,698**	**10,685**	**10,635**	**10,436**	**10,285**	**9,959**	**9,881**	**9,114**	**8,853**	**9,058**
Urban—Urbaines	**117,059**	**9,168**	**8,947**	**10,689**	**10,246**	**10,377**	**9,969**	**10,361**	**9,972**	**9,505**	**9,407**	**8,920**	**9,498**
Prince Edward Island	1,697	128	120	154	149	137	153	129	150	127	152	141	157
Rural—Rurales	1,351	104	102	119	131	103	123	96	114	98	119	118	124
Urban—Urbaines	346	24	18	35	18	34	30	33	36	29	33	23	33
Nova Scotia	11,134	794	791	980	976	985	913	1,021	1,020	943	910	868	933
Rural—Rurales	5,635	397	386	465	503	488	467	519	508	495	465	466	476
Urban—Urbaines	5,499	397	405	515	473	497	446	502	512	448	445	402	457
New Brunswick	10,479	741	754	992	1,009	979	978	882	839	905	769	786	845
Rural—Rurales	7,103	480	504	658	691	701	671	602	575	607	519	517	578
Urban—Urbaines	3,376	261	250	334	318	278	307	280	264	298	250	269	267
Quebec	83,064	6,249	6,145	7,609	7,643	7,785	7,403	7,387	6,909	6,809	6,417	6,194	6,514
Rural—Rurales	41,872	2,989	3,001	3,784	3,970	4,054	3,881	3,778	3,383	3,553	3,176	3,091	3,212
Urban—Urbaines	41,192	3,260	3,144	3,825	3,673	3,731	3,522	3,609	3,526	3,256	3,241	3,103	3,302
Ontario	67,671	5,120	5,087	6,124	6,024	5,926	5,896	6,124	5,777	5,656	5,441	5,128	5,368
Rural—Rurales	25,846	1,934	1,900	2,373	2,402	2,293	2,283	2,313	2,280	2,155	2,030	1,964	1,919
Urban—Urbaines	41,825	3,186	3,187	3,751	3,622	3,633	3,613	3,811	3,497	3,501	3,411	3,164	3,449
Manitoba	14,147	1,134	1,122	1,262	1,241	1,182	1,188	1,177	1,215	1,175	1,197	1,131	1,123
Rural—Rurales	7,505	629	604	672	683	607	629	596	656	627	635	608	559
Urban—Urbaines	6,642	505	518	590	558	575	559	581	559	548	562	523	564
Saskatchewan	21,015	1,756	1,650	1,954	1,784	1,806	1,824	1,802	1,847	1,757	1,647	1,558	1,630
Rural—Rurales	15,954	1,334	1,266	1,520	1,338	1,338	1,388	1,381	1,399	1,357	1,231	1,172	1,230
Urban—Urbaines	5,061	422	384	434	446	468	436	421	448	400	416	386	400
Alberta	14,897	1,223	1,118	1,376	1,299	1,346	1,231	1,257	1,263	1,253	1,179	1,139	1,213
Rural—Rurales	8,611	697	657	785	738	782	727	717	760	731	668	643	706
Urban—Urbaines	6,286	526	461	591	561	564	504	540	503	522	511	496	507
British Columbia	10,084	894	814	936	806	866	819	867	911	761	809	828	773
Rural—Rurales	3,252	307	234	322	229	269	267	283	284	258	271	274	254
Urban—Urbaines	6,832	587	580	614	577	597	552	584	627	503	538	554	519

[1] Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

NOTE.—"Urban" includes cities and towns of 1,000 population and over, "Rural" the remaining parts. The classification of cities and towns in Manitoba, Saskatchewan and Alberta is according to the Census of 1926 and in the remaining provinces according to the Census of 1921.—"Urbaines" comprend les cités et villes ayant une population de 1,000 habitants et au-dessus, le reste est inclus avec "Rurales". La classification des cités et villes dans le Manitoba, la Saskatchewan et l'Alberta est selon le recensement de 1926 et dans toutes les autres provinces selon le recensement de 1921.

TABLE 4—Total births (exclusive of stillbirths) and births in public institutions, showing the number of mothers non-resident in the province, 1927

TABLEAU 4—Total des naissances (mort-nés exclus) et naissances dans les institutions publiques, attribuées aux mères non domiciliées dans la province, 1927

Province	All births — Toutes naissances		In public institutions — Dans les institutions publiques	
	Total	Births to mothers non-resident in province — Naissances, mères non domiciliées dans la province	Total	Births to mothers non-resident in province — Naissances, mères non domiciliées dans la province
Canada [1]	**234,188**	**–**	**45,148**	**–**
Prince Edward Island	1,697	6	76	1
Nova Scotia	11,134	82	781	17
New Brunswick	10,479	156	977	98
Quebec	83,064	152	4,151	67
Ontario	67,671	689	18,465	434
Manitoba	14,147	255	4,880	191
Saskatchewan	21,015	108	5,349	65
Alberta	14,897	136	5,756	94
British Columbia	10,084	88	4,713	58

[1] Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

TABLE 5—Plural births classified to show number of children born alive and stillborn by sex, for provinces, 1927

TABLEAU 5—Naissances multiples classifiées selon les enfants vivants et les mort-nés, par sexe et par provinces, 1927

Classification of births — Classification des naissances		Canada[1]	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia
Cases of twins—Naissances doubles (jumeaux)		**2,940**	**26**	**136**	**123**	**1,104**	**798**	**189**	**266**	**187**	**111**
Two males (both living)—Deux garçons (tous deux vivants)		871	8	41	31	341	241	52	81	40	36
One male and one female (both living)—Un garçon et une fille (tous deux vivants)		907	9	39	39	340	239	72	90	52	27
Two females (both living)—Deux filles (toutes deux vivantes)		875	8	39	44	354	218	46	65	63	38
One male living and one male stillborn—Un garçon vivant et un garçon mort-né		75	1	3	1	16	25	7	6	10	6
One male living and one female stillborn—Un garçon vivant et une fille mort-née		30	–	2	1	6	16	1	3	1	–
One male stillborn and one female living—Un garçon mort-né et une fille vivante		36	–	1	3	11	13	2	4	1	1
One female living and one female stillborn—Une fille vivante et une fille mort-née		55	–	4	3	13	13	4	8	9	1
Two males (both stillborn)—Deux garçons (tous deux mort-nés)		38	–	1	–	8	18	2	3	5	1
One male and one female (both stillborn)—Un garçon et une fille (tous deux mort-nés)		23	–	2	1	8	6	1	2	3	–
Two females (both stillborn)—Deux filles (toutes deux mort-nées)		30	–	4	–	7	9	2	4	3	1
Cases of triplets—Naissances triples		**38**	**–**	**1**	**3**	**13**	**9**	**3**	**3**	**6**	**–**
Three males (all living)—Trois garçons (tous vivants)		7	–	–	–	4	1	1	–	1	–
Two males and one female (all living)—Deux garçons et une fille (tous vivants)		8	–	1	3	1	1	–	–	2	–
One male and two females (all living)—Un garçon et deux filles (tous vivants)		10	–	–	–	4	3	–	2	1	–
Three females (all living)—Trois filles (toutes vivantes)		11	–	–	–	3	3	2	1	2	–
Three males (all stillborn)—Trois garçons (tous mort-nés)		1	–	–	–	1	–	–	–	–	–
Three females (all stillborn)—Trois filles (toutes mort-nées)		1	–	–	–	–	1	–	–	–	–
Total multiple births—Total, naissances multiples.	**No.**	**2,978**	**26**	**137**	**126**	**1,117**	**807**	**192**	**269**	**193**	**111**
	M.	**3,014**	**27**	**136**	**114**	**1,116**	**850**	**201**	**281**	**175**	**114**
	F.	**2,980**	**25**	**139**	**141**	**1,131**	**773**	**186**	**260**	**217**	**108**
Total single stillbirths—Total, naissances simples, enfants mort-nés	**No.**	**6,952**	**41**	**359**	**278**	**2,019**	**2,622**	**448**	**503**	**413**	**269**
	M.	**4,019**	**26**	**207**	**156**	**1,255**	**1,435**	**244**	**297**	**240**	**159**
	F.	**2,933**	**15**	**152**	**122**	**764**	**1,187**	**204**	**206**	**173**	**110**
Total single living births—Total, naissances simples, enfants vivants.	**No.**	**228,578**	**1,646**	**10,883**	**10,234**	**80,912**	**66,184**	**13,784**	**20,513**	**14,548**	**9,874**
	M.	**117,854**	**864**	**5,576**	**5,282**	**41,751**	**33,985**	**7,247**	**10,589**	**7,531**	**5,029**
	F.	**110,724**	**782**	**5,307**	**4,952**	**39,161**	**32,199**	**6,537**	**9,924**	**7,017**	**4,845**
Total confinements—Total des accouchements.		**238,508**	**1,713**	**11,379**	**10,638**	**84,048**	**69,613**	**14,424**	**21,285**	**15,154**	**10,254**

[1] Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction.—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

TABLE 6—Births (exclusive of stillbirths) to resident and non-resident mothers and births in public institutions, in cities and towns of 5,000 population and over, 1927

No.	Provinces, cities and towns — Provinces, cités et villes	Total	All births—Toutes naissances		
			To resident mothers — Mères domiciliées	To mothers non-resident in city or town where birth occurred and — Mères non domiciliées dans la cité ou ville de la naissance et	
				Resident in province — Domiciliées dans la province	Non-resident in province — Non domiciliées dans la province
	Prince Edward Island—				
	City—Cité				
1	Charlottetown	271	225	44	2
	Nova Scotia—				
	Cities—Cités				
2	Glace Bay	666	607	58	1
3	Halifax	1,494	1,287	182	25
4	Sydney	501	450	48	3
	Towns—Villes				
5	Amherst	151	127	20	4
6	Dartmouth	146	141	4	1
7	New Glasgow	259	154	104	1
8	New Waterford	219	211	7	1
9	North Sydney	194	188	4	2
10	Springhill	194	168	25	1
11	Stellarton	102	94	6	2
12	Sydney Mines	232	218	14	–
13	Truro	173	149	20	4
14	Yarmouth	165	129	35	1
	New Brunswick—				
	Cities—Cités				
15	Fredericton	220	168	50	2
16	Moncton	499	456	35	8
17	St. John	1,166	1,053	87	26
	Town—Ville				
18	Campbellton	242	184	37	21
	Quebec—				
	Cities—Cités				
19	Cap de la Madeleine	442	439	3	–
20	Granby	271	268	3	–
21	Grand'Mère	216	215	1	–
22	Hull	1,062	1,055	5	2
23	Joliette	348	348	–	–
24	Lachine	440	427	13	–
25	Lévis	315	308	7	–
26	Montreal	19,458	19,033	360	65
27	Outremont	135	126	9	–
28	Quebec	4,349	4,285	52	12
29	Rivière du Loup	274	273	1	–
30	St. Hyacinthe	317	314	2	1
31	St. Jean	322	316	4	2
32	Shawinigan Falls	670	665	4	1
33	Sherbrooke	809	752	48	9
34	Sorel	304	302	2	–
35	Thetford Mines	443	441	2	–
36	Trois Rivières	1,327	1,315	11	1
37	Valleyfield	322	316	3	3
38	Verdun	1,007	996	11	–
39	Westmount	38	36	1	1
	Towns—Villes				
40	Chicoutimi	609	607	2	–
41	La Tuque	284	279	5	–
42	Magog	206	203	2	1
43	St. Jérôme	335	333	2	–
	Ontario—				
	Cities—Cités				
44	Belleville	371	270	97	4
45	Brantford	647	550	90	7
46	Chatham	453	276	163	14
47	Fort William	602	513	85	4
48	Galt	265	207	54	4
49	Guelph	418	357	59	2
50	Hamilton	2,866	2,631	220	15
51	Kingston	594	444	144	6
52	Kitchener	688	611	71	6
53	London	1,286	1,078	191	17

NOTE.—The classification of cities and towns in Manitoba, Saskatchewan and Alberta is according to the Census of 1926 and in the remaining provinces according to the Census of 1921—La classification des cités et villes dans le Manitoba, la Saskatchewan, et l'Alberta est selon le recensement de 1926 et dans toutes les autres provinces selon le recensement de 1921.

TABLEAU 6—Naissances (mort-nés exclus) classifiées selon le domicile des mères, et naissances dans les institutions publiques, dans les cités et villes de 5,000 âmes et plus, 1927

Births in public institutions — Naissances dans les institutions publiques				Births elsewhere than in public institutions — Naissances ailleurs que dans les institutions publiques				
Total	To resident mothers — Mères domiciliées	To mothers non-resident in city or town where birth occurred and — Mères non domiciliées dans la cité ou ville de la naissance et		Total	To resident mothers — Mères domiciliées	To mothers non-resident in city or town where birth occurred and — Mères non domiciliées dans la cité ou ville de la naissance et		No.
		Resident in province — Domiciliées dans la province	Non-resident in province — Non domiciliées dans la province			Resident in province — Domiciliées dans la province	Non-resident in province — Non domiciliées dans la province	
65	33	31	1	206	192	13	1	1
80	65	15	–	586	542	43	1	2
27	19	8	–	1,467	1,268	174	25	3
184	148	34	2	317	302	14	1	4
16	7	7	2	135	120	13	2	5
–	–	–	–	146	141	4	1	6
134	43	91	–	125	111	13	1	7
6	3	2	1	213	208	5	–	8
10	6	3	1	184	182	1	1	9
77	54	22	1	117	114	3	–	10
–	–	–	–	102	94	6	2	11
9	1	8	–	223	217	6	–	12
33	17	15	1	140	132	5	3	13
53	30	22	1	112	99	13	–	14
82	44	36	2	138	124	14	–	15
120	86	28	6	379	370	7	2	16
362	272	74	16	804	781	13	10	17
95	47	31	17	147	137	6	4	18
–	–	–	–	442	439	3	–	19
–	–	–	–	271	268	3	–	20
2	2	–	–	214	213	1	–	21
4	4	–	–	1,058	1,051	5	2	22
1	1	–	–	347	347	–	–	23
27	23	4	–	413	404	9	–	24
2	2	–	–	313	306	7	–	25
3,144	2,788	307	49	16,314	16,245	53	16	26
2	2	–	–	133	124	9	–	27
749	691	47	11	3,600	3,594	5	1	28
–	–	–	–	274	273	1	–	29
1	1	–	–	316	313	2	1	30
3	3	–	–	319	313	4	2	31
10	10	–	–	660	655	4	1	32
86	47	34	5	723	705	14	4	33
–	–	–	–	304	302	2	–	34
–	–	–	–	443	441	2	–	35
58	49	9	–	1,269	1,266	2	1	36
–	–	–	–	322	316	3	3	37
4	4	–	–	1,003	992	11	–	38
–	–	–	–	38	36	1	1	39
2	1	1	–	607	606	1	–	40
6	4	2	–	278	275	3	–	41
–	–	–	–	206	203	2	1	42
–	–	–	–	335	333	2	–	43
228	133	92	3	143	137	5	1	44
343	262	74	7	304	288	16	–	45
273	104	158	11	180	172	5	3	46
266	201	62	3	336	312	23	1	47
139	86	51	2	126	121	3	2	48
187	133	54	–	231	224	5	2	49
1,305	1,096	198	11	1,561	1,535	22	4	50
318	181	132	5	276	263	12	1	51
245	181	59	5	443	430	12	1	52
795	615	165	15	491	463	26	2	53

TABLE 6—Births (exclusive of stillbirths) to resident and non-resident mothers and births in public institutions, in cities and towns of 5,000 population and over, 1927—*con.*

No.	Provinces, cities and towns — Provinces, cités et villes	All births—Toutes naissances			
		Total	To resident mothers — Mères domiciliées	To mothers non-resident in city or town where birth occurred and — Mères non domiciliées dans la cité ou ville de la naissance et	
				Resident in province — Domiciliées dans la province	Non-resident in province — Non domiciliées dans la province
	Ontario—con.-fin				
	Cities–con.—*Cités*–fin				
54	Niagara Falls	492	444	44	4
55	North Bay	406	370	33	3
56	Oshawa	595	522	72	1
57	Ottawa	3,003	2,544	293	166
58	Owen Sound	297	232	62	3
59	Peterborough	545	409	134	2
60	Port Arthur	510	405	99	6
61	St. Catharines	577	477	92	8
62	St. Thomas	329	258	55	16
63	Sarnia	435	367	59	9
64	Sault Ste. Marie	578	512	60	6
65	Stratford	372	313	53	6
66	Toronto	11,448	10,765	589	94
67	Welland	283	245	33	5
68	Windsor	2,088	1,761	288	39
69	Woodstock	245	180	62	3
	Towns—Villes				
70	Barrie	142	85	52	5
71	Brockville	204	152	49	3
72	Cobourg	125	92	29	4
73	Collingwood	90	68	22	–
74	Cornwall	467	367	84	16
75	Eastview	187	185	–	2
76	Ford City	365	362	2	1
77	Hawkesbury	214	202	7	5
78	Ingersoll	99	65	34	–
79	Kenora	204	155	43	6
80	Lindsay	180	138	38	4
81	Midland	185	152	33	–
82	Orillia	230	162	64	4
83	Pembroke	296	216	68	12
84	Preston	98	87	10	1
85	Smith's Falls	191	141	48	2
86	Sudbury	378	300	77	1
87	Trenton	141	136	3	2
88	Walkerville	125	123	2	–
89	Waterloo	120	115	4	1
	Manitoba—				
	Cities—Cités				
90	Brandon	376	281	89	6
91	Portage la Prairie	174	102	68	4
92	St. Boniface	752	315	419	18
93	Winnipeg	4,506	3,410	925	171
	Town—Ville				
94	Transcona	107	105	1	1
	Saskatchewan—				
	Cities—Cités				
95	Moose Jaw	626	426	192	8
96	Prince Albert	326	195	130	1
97	Regina	1,203	891	300	12
98	Saskatoon	962	696	247	19
	Alberta—				
	Cities—Cités				
99	Calgary	1,641	1,294	324	23
100	Edmonton	1,940	1,383	524	33
101	Lethbridge	348	228	116	4
102	Medicine Hat	328	191	114	23
	British Columbia—				
	Cities—Cités				
103	Nanaimo	192	163	27	2
104	Nelson	144	98	45	1
105	New Westminster	491	297	191	3
106	North Vancouver	167	123	44	–
107	Prince Rupert	127	113	14	–
108	Vancouver	3,144	2,730	377	37
109	Victoria	664	527	131	6

TABLEAU 6—Naissances (mort-nés exclus) classifiées selon le domicile des mères, et naissances dans les institutions publiques, dans les cités et villes de 5,000 âmes et plus, 1927—*fin*

Births in public institutions — Naissances dans les institutions publiques				Births elsewhere than in public institutions — Naissances ailleurs que dans les institutions publiques				
Total	To resident mothers — Mères domiciliées	To mothers non-resident in city or town where birth occurred and — Mères non domiciliées dans la cité ou ville de la naissance et		Total	To resident mothers — Mères domiciliées	To mothers non-resident in city or town where birth occurred and — Mères non domiciliées dans la cité ou ville de la naissance et		No.
		Resident in province — Domiciliées dans la province	Non-resident in province — Non domiciliées dans la province			Resident in province — Domiciliées dans la province	Non-resident in province — Non domiciliées dans la province	
136	102	31	3	356	342	13	1	54
81	64	15	2	325	306	18	1	55
253	190	62	1	342	332	10	–	56
1,662	1,236	280	146	1,341	1,308	13	20	57
150	92	55	3	147	140	7	–	58
365	238	126	1	180	171	8	1	59
270	191	75	4	240	214	24	2	60
299	210	84	5	278	267	8	3	61
175	114	50	11	154	144	5	5	62
195	137	53	5	240	230	6	4	63
132	101	26	5	446	411	34	1	64
201	149	50	2	171	164	3	4	65
5,738	5,147	516	75	5,710	5,618	73	19	66
63	34	28	1	220	211	5	4	67
897	595	271	31	1,191	1,166	17	8	68
135	79	54	2	110	101	8	1	69
74	32	38	4	68	53	14	1	70
145	95	47	3	59	57	2	–	71
59	34	24	1	66	58	5	3	72
35	17	18	–	55	51	4	–	73
247	154	81	12	220	213	3	4	74
1	1	–	–	186	184	–	2	75
3	3	–	–	362	359	2	1	76
22	11	6	5	192	191	1	–	77
53	24	29	–	46	41	5	–	78
111	72	34	5	93	83	9	1	79
88	51	34	3	92	87	4	1	80
71	45	26	–	114	107	7	–	81
153	91	59	3	77	71	5	1	82
112	53	51	8	184	163	17	4	83
9	5	4	–	89	82	6	1	84
132	84	47	1	59	57	1	1	85
118	58	60	–	260	242	17	1	86
–	–	–	–	141	136	3	2	87
2	1	1	–	123	122	1	–	88
–	–	–	–	120	115	4	1	89
196	115	76	5	180	166	13	1	90
118	56	60	2	56	46	8	2	91
596	169	413	14	156	146	6	4	92
3,281	2,237	891	153	1,225	1,173	34	18	93
–	–	–	–	107	105	1	1	94
436	250	179	7	190	176	13	1	95
263	137	125	1	63	58	5	–	96
882	596	274	12	321	295	26	–	97
614	386	211	17	348	310	36	2	98
1,216	907	288	21	425	387	36	2	99
1,434	928	478	28	506	455	46	5	100
194	91	101	2	154	137	15	2	101
233	114	102	17	95	77	12	6	102
51	35	15	1	141	128	12	1	103
103	64	38	1	41	34	7	–	104
391	205	184	2	100	92	7	1	105
92	54	38	–	75	69	6	–	106
87	74	13	–	40	39	1	–	107
2,199	1,827	340	32	945	903	37	5	108
118	70	45	3	546	457	86	3	109

TABLE 7—Births (exclusives of stillbirths) classified as legitimate or illegitimate, for provinces, cities and towns of 5,000 population and over, 1927

Provinces, cities and towns — Provinces, cités et villes	Total births — Total des naissances			Legitimate — Légitimes			Illegitimate — Illégitimes		
	Total	M.	F.	Total	M.	F.	Total	M.	F.
Canada[1]	**234,188**	**120,655**	**113,533**	**227,473**	**117,185**	**110,288**	**6,715**	**3,470**	**3,245**
Prince Edward Island	1,697	890	807	1,662	868	794	35	22	13
Nova Scotia	11,134	5,704	5,430	10,556	5,419	5,137	578	285	293
New Brunswick	10,479	5,391	5,088	10,181	5,233	4,948	298	158	140
Quebec	83,064	42,813	40,251	80,745	41,633	39,112	2,319	1,180	1,139
Ontario	67,671	34,755	32,916	65,713	33,759	31,954	1,958	996	962
Manitoba	14,147	7,434	6,713	13,674	7,181	6,493	473	253	220
Saskatchewan	21,015	10,852	10,163	20,583	10,620	9,963	432	232	200
Alberta	14,897	7,682	7,215	14,479	7,457	7,022	418	225	193
British Columbia	10,084	5,134	4,950	9,880	5,015	4,865	204	119	85
Cities and towns 5,000 and over—Cités et villes de 5,000 et plus	**93,849**	**48,440**	**45,409**	**89,334**	**46,108**	**43,226**	**4,515**	**2,332**	**2,183**
Amherst, N.S.	151	78	73	141	76	65	10	2	8
Barrie, Ont.	142	78	64	138	76	62	4	2	2
Belleville, Ont.	371	179	192	354	171	183	17	8	9
Brandon, Man.	376	219	157	370	213	157	6	6	–
Brantford, Ont.	647	328	319	628	318	310	19	10	9
Brockville, Ont.	204	107	97	203	106	97	1	1	–
Calgary, Alta.	1,641	862	779	1,539	801	738	102	61	41
Campbellton, N.B.	242	125	117	231	119	112	11	6	5
Cap de la Madeleine, Que.	442	223	219	442	223	219	–	–	–
Charlottetown, P.E.I.	271	149	122	263	145	118	8	4	4
Chatham, Ont.	453	241	212	437	233	204	16	8	8
Chicoutimi, Que.	609	318	291	603	314	289	6	4	2
Cobourg, Ont.	125	61	64	124	60	64	1	1	–
Collingwood, Ont.	90	48	42	87	46	41	3	2	1
Cornwall, Ont.	467	230	237	455	220	235	12	10	2
Dartmouth, N.S.	146	78	68	141	77	64	5	1	4
Eastview, Ont.	187	91	96	184	89	95	3	2	1
Edmonton, Alta.	1,940	980	960	1,805	909	896	135	71	64
Ford City, Ont.	365	175	190	360	173	187	5	2	3
Fort William, Ont.	602	316	286	591	312	279	11	4	7
Fredericton, N.B.	220	109	111	208	104	104	12	5	7
Galt, Ont.	265	124	141	260	120	140	5	4	1
Glace Bay, N.S.	666	329	337	641	318	323	25	11	14
Granby, Que.	271	143	128	269	142	127	2	1	1
Grand'Mère, Que.	216	93	123	216	93	123	–	–	–
Guelph, Ont.	418	213	205	414	210	204	4	3	1
Halifax, N.S.	1,494	763	731	1,368	697	671	126	66	60
Hamilton, Ont.	2,866	1,413	1,453	2,760	1,359	1,401	106	54	52
Hawkesbury, Ont.	214	121	93	212	121	91	2	–	2
Hull, Que.	1,062	573	489	1,053	567	486	9	6	3
Ingersoll, Ont.	99	57	42	99	57	42	–	–	–
Joliette, Que.	348	181	167	346	181	165	2	–	2
Kenora, Ont.	204	84	120	203	84	119	1	–	1
Kingston, Ont.	594	294	300	560	277	283	34	17	17
Kitchener, Ont.	688	351	337	667	339	328	21	12	9
Lachine, Que.	440	250	190	439	250	189	1	–	1
La Tuque, Que.	284	138	146	283	137	146	1	1	–
Lethbridge, Alta.	348	174	174	343	174	169	5	–	5
Lévis, Que.	315	152	163	310	150	160	5	2	3
Lindsay, Ont.	180	89	91	175	88	87	5	1	4
London, Ont.	1,286	659	627	1,191	621	570	95	38	57
Magog, Que.	206	114	92	204	114	90	2	–	2
Medicine Hat, Alta.	328	169	159	319	167	152	9	2	7
Midland, Ont.	185	109	76	181	106	75	4	3	1
Moncton, N.B.	499	255	244	484	247	237	15	8	7
Montreal, Que.	19,458	10,007	9,451	18,331	9,428	8,903	1,127	579	548
Moose Jaw, Sask.	626	298	328	592	282	310	34	16	18
Nanaimo, B.C.	192	103	89	188	100	88	4	3	1
Nelson, B.C.	144	70	74	144	70	74	–	–	–
New Glasgow, N.S.	259	139	120	242	130	112	17	9	8
New Waterford, N.S.	219	117	102	207	108	99	12	9	3
New Westminster, B.C.	491	251	240	488	249	239	3	2	1
Niagara Falls, Ont.	492	238	254	474	227	247	18	11	7
North Bay, Ont.	406	210	196	400	207	193	6	3	3
North Sydney, N.S.	194	101	93	180	93	87	14	8	6
North Vancouver, B.C.	167	84	83	165	82	83	2	2	–
Orillia, Ont.	230	116	114	225	115	110	5	1	4
Oshawa, Ont.	595	312	283	583	306	277	12	6	6
Ottawa, Ont.	3,003	1,558	1,445	2,755	1,426	1,329	248	132	116
Outremont, Que.	135	69	66	135	69	66	–	–	–
Owen Sound, Ont.	297	149	148	285	141	144	12	8	4
Pembroke, Ont.	296	155	141	286	150	136	10	5	5

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

NOTE.—The classification of cities and towns in Manitoba, Saskatchewan and Alberta is according to the Census of 1926 and in the remaining provinces according to the Census of 1921—La classification des cités et villes dans le Manitoba, la Saskatchewan et l'Alberta est selon le recensement de 1926 et dans toutes les autres provinces selon le recensement de 1921.

TABLEAU 7—Naissances (mort-nés exclus) classifiées comme légitimes ou illégitimes, par provinces, cités et villes de 5,000 habitants et plus, 1927

Provinces, cities and towns — Provinces, cités et villes	Total births — Total des naissances			Legitimate — Légitimes			Illegitimate — Illégitimes		
	Total	M.	F.	Total	M.	F.	Total	M.	F.
Cities and towns 5,000 and over—con.—**Cités et villes de 5,000 et plus**—fin									
Peterborough, Ont.	545	275	270	533	271	262	12	4	8
Portage la Prairie, Man.	174	85	89	168	81	87	6	4	2
Port Arthnr, Ont.	510	276	234	490	266	224	20	10	10
Preston, Ont.	98	50	48	95	49	46	3	1	2
Prince Albert, Sask.	326	167	159	314	161	153	12	6	6
Prince Rupert, B.C.	127	59	68	125	59	66	2	–	2
Quebec, Que.	4,349	2,255	2,094	3,804	1,961	1,843	545	294	251
Regina, Sask.	1,203	659	544	1,110	606	504	93	53	40
Rivière du Loup, Que.	274	135	139	274	135	139	–	–	–
St. Boniface, Man.	752	367	385	747	364	383	5	3	2
St. Catharines, Ont.	577	315	262	567	311	256	10	4	6
St. Hyacinthe, Que.	317	169	148	313	166	147	4	3	1
St. Jean, Que.	322	150	172	319	148	171	3	2	1
St. Jérôme, Que.	335	175	160	334	174	160	1	1	–
St. John, N.B.	1,166	598	568	1,069	554	515	97	44	53
St. Thomas, Ont.	329	166	163	323	164	159	6	2	4
Sarnia, Ont.	435	218	217	426	214	212	9	4	5
Saskatoon, Sask.	962	525	437	902	492	410	60	33	27
Sault Ste. Marie, Ont.	578	293	285	562	285	277	16	8	8
Shawinigan Falls, Que.	670	370	300	667	370	297	3	–	3
Sherbrooke, Que.	809	373	436	784	365	419	25	8	17
Smith's Falls, Ont.	191	99	92	189	97	92	2	2	–
Sorel, Que.	304	141	163	300	140	160	4	1	3
Springhill, N.S.	194	103	91	180	96	84	14	7	7
Stellarton, N.S.	102	62	40	97	59	38	5	3	2
Stratford, Ont.	372	178	194	366	177	189	6	1	5
Sudbury, Ont.	378	190	188	366	186	180	12	4	8
Sydney, N.S.	501	268	233	469	256	213	32	12	20
Sydney Mines, N.S.	232	124	108	217	115	102	15	9	6
Thetford Mines, Que.	443	220	223	441	220	221	2	–	2
Toronto, Ont.	11,448	6,036	5,412	10,957	5,779	5,178	491	257	234
Transcona, Man.	107	59	48	107	59	48	–	–	–
Trenton, Ont.	141	75	66	138	74	64	3	1	2
Trois-Rivières, Que.	1,327	696	631	1,281	677	604	46	19	27
Truro, N.S.	173	90	83	158	85	73	15	5	10
Valleyfield, Que.	322	175	147	322	175	147	–	–	–
Vancouver, B.C.	3,144	1,626	1,518	3,040	1,564	1,476	104	62	42
Verdun, Que.	1,007	522	485	999	517	482	8	5	3
Victoria, B.C.	664	342	322	649	331	318	15	11	4
Walkerville, Ont.	125	67	58	122	67	55	3	–	3
Waterloo, Ont.	120	55	65	117	52	65	3	3	–
Welland, Ont.	283	141	142	277	137	140	6	4	2
Westmount, Que.	38	18	20	38	18	20	–	–	–
Windsor, Ont.	2,088	1,064	1,024	2,027	1,033	994	61	31	30
Winnipeg, Man.	4,506	2,371	2,135	4,177	2,205	1,972	329	166	163
Woodstock, Ont.	245	136	109	240	132	108	5	4	1
Yarmouth, N.S.	165	82	83	153	74	79	12	8	4

TABLE 8—Births (exclusive of stillbirths) classified according to ages of parents, 1927

CANADA (1)

No.	Age of father — Âge du père	Total	Age of mother																
			12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
1	Under 16 years—Moins de 16 ans.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	16 years—ans....	6	–	–	–	1	2	2	–	–	1	–	–	–	–	–	–	1	1
3	17 " "	25	–	–	–	3	3	7	2	2	1	4	–	–	–	1	–	1	1
4	18 " "	185	–	–	–	4	15	30	40	41	23	11	6	7	1	1	3	–	–
5	19 " "	659	–	–	3	3	34	87	145	150	89	72	32	19	10	2	3	1	5
6	20 " "	1,461	–	–	–	10	33	126	232	280	295	169	117	73	48	21	14	10	10
7	21 " "	2,920	–	–	2	14	38	158	390	521	529	486	317	191	112	61	30	20	19
8	22 " "	4,634	–	–	1	9	59	173	421	640	693	821	696	469	274	148	88	48	36
9	23 " "	6,365	–	–	3	7	53	165	392	686	856	1,046	997	861	554	280	181	93	67
10	24 " "	7,934	–	1	2	7	51	140	379	623	875	1,078	1,241	1,141	962	587	304	192	133
11	25 " "	8,694	–	–	–	9	32	90	307	492	790	989	1,161	1,197	1,179	1,022	561	366	189
12	26 " "	9,751	–	–	–	5	24	101	253	479	659	946	1,088	1,172	1,255	1,091	1,045	661	368
13	27 " "	11,466	–	–	–	6	26	98	207	390	602	908	1,131	1,277	1,360	1,347	1,218	1,194	644
14	28 " "	11,141	–	–	–	–	18	66	173	274	469	669	873	1,026	1,259	1,211	1,268	1,208	1,028
15	29 " "	11,205	–	–	–	3	11	44	131	284	371	546	652	837	1,067	1,149	1,130	1,213	1,137
16	30 " "	12,021	–	–	–	2	9	26	108	172	320	430	588	808	871	1,160	1,124	1,172	1,381
17	31 " "	10,726	–	–	–	–	5	18	62	128	226	364	458	582	639	758	994	1,010	1,069
18	32 " "	11,385	–	–	–	2	3	18	53	123	196	262	470	488	636	712	825	1,009	1,152
19	33 " "	10,897	–	–	–	–	7	14	37	98	142	208	315	526	488	578	703	917	944
20	34 " "	10,277	–	–	1	1	2	14	28	80	111	152	239	297	465	444	572	711	766
21	35 " "	9,944	–	–	–	–	2	7	20	54	107	116	205	245	297	495	425	536	709
22	36 " "	9,500	–	–	–	–	1	10	17	27	61	137	173	212	235	286	465	462	531
23	37 " "	9,194	–	–	–	–	2	5	21	24	57	81	112	153	202	232	312	541	420
24	38 " "	9,439	–	–	–	–	3	8	17	36	62	84	105	162	208	200	278	347	531
25	39 " "	8,287	–	–	–	–	–	–	9	25	33	51	81	131	148	177	222	295	286
26	40 " "	7,918	–	–	–	1	1	2	7	9	27	40	75	64	114	139	151	202	245
27	41 " "	5,699	–	–	–	–	–	6	5	10	15	30	35	46	70	76	97	114	144
28	42 " "	6,484	–	–	–	–	1	–	5	10	17	26	33	57	55	74	101	130	137
29	43 " "	5,149	–	–	–	–	–	–	2	11	13	27	19	50	48	50	73	71	101
30	44 " "	4,178	–	–	–	–	–	1	–	6	6	8	18	27	42	38	49	67	90
31	45 " "	3,950	–	–	–	–	–	–	3	3	6	7	19	17	26	46	47	55	74
32	46 " "	2,987	–	–	–	–	–	1	4	2	8	6	13	11	23	13	44	51	43
33	47 " "	2,501	–	–	–	1	–	1	3	5	4	7	13	14	19	19	25	34	39
34	48 " "	2,241	–	–	–	–	1	–	4	2	2	7	8	12	12	23	19	32	50
35	49 " "	1,681	–	1	–	1	1	–	2	3	3	3	5	12	6	13	20	22	24
36	50 " "	1,425	–	–	–	–	1	–	1	2	4	3	7	4	10	14	18	21	23
37	51 " "	800	–	–	–	–	–	–	1	1	1	2	–	4	8	9	9	11	8
38	52 " "	930	–	–	–	–	–	–	–	1	1	7	4	6	5	7	12	17	17
39	53 " "	651	–	–	–	–	–	–	–	1	1	4	4	4	–	1	7	13	11
40	54 " "	492	–	–	–	–	–	2	–	2	1	1	2	3	2	2	3	9	3
41	55 " "	374	–	–	–	–	–	–	–	–	1	–	3	3	3	1	5	5	3
42	56 " "	289	–	–	–	–	–	–	–	2	1	–	2	3	3	3	4	6	5
43	57 " "	218	–	–	–	–	–	1	–	–	1	1	4	–	4	–	–	1	6
44	58 " "	187	–	–	–	–	–	–	–	–	–	1	2	1	3	2	3	3	3
45	59 " "	119	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	2	4
46	60 " "	131	–	–	–	–	–	–	–	1	1	–	2	1	2	2	–	1	–
47	61 " "	66	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1
48	62 " "	65	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	2
49	63 " "	49	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2
50	64 " "	38	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1
51	65 and over—et plus.....	159	–	–	–	–	–	–	–	1	1	–	2	1	1	2	2	2	6
52	Not stated—Non donné.....	576	–	–	–	–	1	5	4	6	8	5	10	5	1	5	9	7	2
	Children born to married mothers—Enfants légitimes	227,473	–	2	12	89	439	1,426	3,485	5,708	7,691	9,816	11,337	12,220	12,728	12,503	12,468	12,885	12,470
	Children born to unmarried mothers—Enfants illégitimes.....	6,715	2	7	57	146	312	527	689	684	600	523	422	352	281	195	151	129	122
	Children born to all mothers—Légitimes et illégitimes.....	234,188	2	9	69	235	751	1,953	4,174	6,392	8,291	10,339	11,759	12,572	13,009	12,698	12,619	13,014	12,592

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the introduction.—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

TABLEAU 8—Naissances (mort-nés exclus) classifiées selon l'âge des parents, 1927

CANADA [1]

Âge de la mère																						No.
29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50 and over — 50 et plus	Not stated — Non donné	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
4	3	4	3	2	1	–	–	2	2	–	–	–	1	–	1	–	–	–	–	–	–	–	6
13	4	4	3	2	1	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	2	7
15	10	16	7	1	2	2	–	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	8
46	21	11	16	8	9	3	1	1	1	3	–	1	–	–	1	–	–	–	–	–	–	–	2	9
74	51	22	20	10	14	5	8	3	1	–	2	–	1	2	–	–	–	–	–	–	–	–	5	10
106	77	44	33	12	11	6	6	2	3	4	1	–	1	1	–	–	–	–	–	–	–	–	3	11
207	157	83	70	21	15	12	11	9	9	1	1	1	–	–	1	1	–	–	–	–	1	–	4	12
404	240	133	94	64	34	19	27	17	6	5	–	1	3	2	–	–	–	–	–	1	–	–	8	13
604	428	172	155	73	57	28	19	21	18	7	5	1	1	2	–	–	–	–	–	–	–	–	8	14
1,049	628	339	226	134	91	63	20	24	16	12	11	3	4	–	1	–	–	–	–	1	1	–	7	15
1,232	1,064	565	401	207	146	75	60	46	17	10	6	7	4	3	2	–	–	–	–	–	–	–	5	16
1,099	1,071	919	534	299	185	106	68	48	27	22	9	6	5	2	3	1	–	–	2	1	1	–	5	17
1,033	1,208	898	927	532	324	159	131	75	59	29	27	14	6	4	2	1	–	–	–	–	–	–	7	18
930	1,011	890	962	885	481	319	184	103	68	38	18	9	14	1	1	1	–	–	1	–	1	–	3	19
907	984	807	958	894	780	429	258	137	105	47	34	21	16	4	2	1	–	–	–	–	1	–	9	20
706	914	688	915	872	869	762	414	227	168	78	57	17	16	7	2	1	2	–	–	1	2	–	8	21
557	748	700	834	820	861	792	707	380	240	116	58	36	13	12	–	2	1	1	–	–	1	–	4	22
475	638	610	735	785	756	818	782	668	336	197	97	57	44	14	11	3	–	1	–	–	2	–	3	23
429	536	542	710	746	747	731	870	732	664	336	174	79	64	14	14	6	1	1	1	–	–	–	1	24
486	434	371	559	540	627	667	684	705	684	561	254	123	63	43	11	8	1	1	1	2	1	–	3	25
269	439	359	486	508	525	658	736	622	812	561	476	185	102	53	20	12	7	1	1	–	1	–	8	26
173	237	302	322	296	351	410	536	461	554	433	448	283	155	47	23	10	6	2	–	1	1	–	3	27
167	245	219	452	363	322	451	530	531	614	500	554	364	318	126	50	20	6	2	–	1	–	–	1	28
117	157	166	232	356	291	356	367	434	478	419	396	288	326	174	77	27	10	4	5	3	–	–	1	29
96	105	109	144	209	271	279	248	289	374	390	344	254	321	228	99	35	15	7	3	2	1	–	3	30
84	135	86	133	154	164	334	273	272	340	325	372	264	263	206	125	80	23	8	3	–	–	–	3	31
50	84	86	112	126	140	175	251	169	255	269	252	187	212	151	117	71	35	17	3	1	3	–	2	32
45	48	56	86	78	100	124	162	236	218	170	221	174	194	137	103	97	45	17	3	1	–	–	2	33
36	58	55	69	72	80	102	117	153	254	165	199	139	164	152	101	66	44	27	13	1	–	–	2	34
31	37	33	43	61	61	95	85	109	147	203	110	91	118	104	108	49	41	17	17	4	1	–	1	35
18	36	34	28	43	60	71	70	83	126	106	152	103	100	95	72	59	32	12	12	2	3	–	1	36
11	25	21	25	20	26	27	41	38	67	58	58	93	66	57	39	25	27	13	5	3	1	–	1	37
14	20	9	42	26	39	36	52	46	72	64	69	49	128	48	55	29	22	17	11	2	2	1	2	38
13	8	13	13	25	26	26	31	30	38	55	51	43	55	76	35	27	13	10	14	2	1	–	1	39
10	12	11	12	14	29	23	26	26	31	40	48	20	34	34	41	20	13	7	6	3	2	–	2	40
6	10	5	12	11	14	23	25	16	24	33	32	26	27	21	24	19	11	4	5	–	2	–	2	41
6	7	5	9	9	10	8	13	27	19	14	25	13	24	23	13	16	8	5	3	1	2	–	2	42
9	4	1	5	12	9	8	12	15	12	9	22	10	19	11	14	11	10	5	–	1	1	–	1	43
2	3	3	8	7	6	10	10	13	17	10	17	12	16	11	11	3	4	4	1	–	1	–	1	44
2	4	1	4	3	7	7	6	10	11	10	9	8	6	9	5	2	2	1	1	–	1	–	1	45
6	6	3	3	3	6	7	6	5	15	6	13	5	9	10	4	7	2	2	2	–	1	–	1	46
–	3	1	1	2	2	4	3	6	3	6	4	8	6	5	4	1	4	1	–	–	–	–	–	47
1	1	1	2	3	1	3	2	2	3	8	5	4	9	4	3	4	3	–	–	–	1	–	1	48
1	2	–	3	1	2	2	1	2	2	4	1	4	6	2	2	2	4	–	2	–	1	–	1	49
1	1	–	3	–	3	2	1	6	3	1	3	2	4	2	3	–	–	–	–	–	–	–	–	50
3	8	4	6	10	7	11	8	10	14	16	14	3	4	6	1	3	5	5	–	1	2	–	51	
2	3	3	2	4	1	3	3	2	2	3	2	–	1	1	–	1	–	–	1	–	–	474	52	
11,552	**11,926**	**9,404**	**10,421**	**9,324**	**8,564**	**8,251**	**7,866**	**6,815**	**6,929**	**5,345**	**4,651**	**3,008**	**2,944**	**1,904**	**1,201**	**721**	**397**	**192**	**117**	**35**	**39**	**588**	
94	**104**	**65**	**56**	**54**	**36**	**50**	**40**	**28**	**39**	**31**	**23**	**13**	**10**	**9**	**4**	**5**	**1**	–	–	–	–	**854**	
11,646	**12,030**	**9,469**	**10,477**	**9,378**	**8,600**	**8,301**	**7,906**	**6,843**	**6,968**	**5,376**	**4,674**	**3,021**	**2,954**	**1,913**	**1,205**	**726**	**398**	**192**	**117**	**35**	**39**	**1,442**	

TABLE 8—Births (exclusive of stillbirths) classified according to ages of parents, 1927—*con.*

PRINCE EDWARD ISLAND

No.	Age of father — Âge du père	Total	Age of mother																
			12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
1	Under 16 years—Moins de 16 ans.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	16 years—ans....	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	17 " "	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
4	18 " "	2	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
5	19 " "	5	–	–	–	–	–	1	–	2	1	–	1	–	–	–	–	–	–
6	20 " "	10	–	–	–	–	–	1	1	5	–	–	–	–	1	2	–	–	–
7	21 " "	12	–	–	–	–	–	2	–	3	1	2	2	1	–	–	–	–	–
8	22 " "	27	–	–	–	–	1	3	1	4	1	5	3	4	2	2	–	–	–
9	23 " "	29	–	–	–	–	–	1	1	2	1	5	6	6	4	–	2	–	–
10	24 " "	43	–	–	–	–	1	2	3	3	3	4	4	5	5	3	3	1	3
11	25 " "	52	–	–	–	–	–	2	1	6	3	6	6	7	5	8	3	1	–
12	26 " "	50	–	–	–	–	–	–	1	2	4	10	4	4	6	3	4	3	2
13	27 " "	62	–	–	–	–	–	2	1	4	4	7	6	5	2	8	7	2	6
14	28 " "	70	–	–	–	–	–	1	–	2	1	8	6	3	8	7	9	8	8
15	29 " "	76	–	–	–	–	–	–	–	2	6	7	1	7	10	4	6	12	6
16	30 " "	88	–	–	–	–	–	–	4	–	1	2	3	6	7	7	11	11	8
17	31 " "	76	–	–	–	–	–	–	–	1	–	2	1	3	5	12	6	6	9
18	32 " "	84	–	–	–	–	–	–	1	1	1	1	2	4	3	6	5	8	8
19	33 " "	77	–	–	–	–	–	–	–	–	2	1	1	–	3	3	4	4	6
20	34 " "	65	–	–	–	–	–	–	2	2	1	–	2	1	2	2	2	1	9
21	35 " "	83	–	–	–	–	–	–	1	–	1	1	2	6	1	7	3	4	8
22	36 " "	63	–	–	–	–	–	–	–	–	–	1	–	1	1	–	3	4	3
23	37 " "	62	–	–	–	–	–	–	–	–	–	–	2	–	–	3	2	3	2
24	38 " "	69	–	–	–	–	–	–	–	1	–	–	–	1	2	3	1	3	3
25	39 " "	70	–	–	–	–	–	–	–	1	–	2	2	–	–	4	1	2	3
26	40 " "	53	–	–	–	–	–	–	–	–	–	–	–	–	2	2	4	2	5
27	41 " "	45	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	2	2
28	42 " "	49	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	5	–
29	43 " "	41	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	1
30	44 " "	42	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
31	45 " "	41	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1
32	46 " "	30	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1
33	47 " "	25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
34	48 " "	24	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–
35	49 " "	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–
36	50 " "	18	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1
37	51 " "	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38	52 " "	11	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2
39	53 " "	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
40	54 " "	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
41	55 " "	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
42	56 " "	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
43	57 " "	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
44	58 " "	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
45	59 " "	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
46	60 " "	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
47	61 " "	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
48	62 " "	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
49	63 " "	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
50	64 " "	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
51	65 and over—et plus.....	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
52	Not stated—Non donné.....	51	–	–	–	–	–	2	–	1	–	–	–	–	–	–	1	–	–
	Children born to married mothers—Enfants légitimes	**1,662**	–	–	–	–	**2**	**18**	**17**	**43**	**32**	**64**	**58**	**66**	**72**	**93**	**82**	**85**	**99**
	Children born to unmarried mothers—Enfants illégitimes.....	**35**	–	–	–	–	**1**	**4**	**4**	**3**	**1**	**2**	**3**	**1**	**3**	**2**	–	–	**2**
	Children born to all mothers—Légitimes et illégitimes.....	**1,697**	–	–	–	–	**3**	**22**	**21**	**46**	**33**	**66**	**61**	**67**	**75**	**95**	**82**	**85**	**101**

TABLEAU 8—Naissances (mort-nés exclus) classifiées selon l'âge des parents, 1927—*suite*

ÎLE DU PRINCE-ÉDOUARD

Âge de la mère

29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50 and over — 50 et plus	Not stated — Non donné	No.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	7
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11
1	3	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12
2	2	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13
4	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14
6	2	5	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15
9	6	3	5	2	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	16
8	3	6	6	1	–	1	2	3	–	–	–	1	–	–	–	–	–	–	–	–	–	–	17
1	10	12	8	3	2	2	3	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	18
4	5	7	6	12	8	2	4	3	1	–	–	–	1	–	–	–	–	–	–	–	–	–	19
5	6	7	8	4	4	4	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20
3	6	5	5	6	8	9	3	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	21
6	4	6	5	4	7	7	7	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	22
5	3	8	6	5	2	6	2	8	1	1	1	–	2	–	–	–	–	–	–	–	–	–	23
3	3	3	4	6	5	6	6	9	6	3	–	1	–	–	–	–	–	–	–	–	–	–	24
5	3	5	4	5	7	4	8	1	4	7	1	–	1	–	–	–	–	–	–	–	–	–	25
3	3	–	3	4	1	3	3	6	5	3	2	–	1	–	–	1	–	–	–	–	–	–	26
1	3	3	1	4	1	6	2	6	3	3	2	1	–	1	–	–	–	–	–	–	–	–	27
1	–	2	5	1	1	5	2	3	4	5	7	3	3	1	–	–	–	–	–	–	–	–	28
1	3	3	2	3	2	3	1	4	3	1	3	2	3	2	–	–	–	–	–	–	–	–	29
–	4	–	4	1	2	2	3	7	5	3	4	3	1	2	–	–	–	–	–	–	–	–	30
–	–	–	2	–	1	6	3	3	2	3	5	5	1	2	1	–	–	–	–	–	–	–	31
–	–	3	1	1	3	4	–	1	2	2	1	3	2	1	2	–	1	–	–	–	–	–	32
–	–	1	3	1	1	1	4	–	1	–	1	–	1	3	4	2	1	–	–	–	–	–	33
–	–	2	–	2	2	–	–	2	5	–	2	–	2	2	1	–	1	–	–	–	–	–	34
1	1	1	–	–	1	–	–	2	1	2	1	1	2	1	–	–	–	–	–	–	–	–	35
–	–	2	–	1	–	–	–	1	1	–	3	2	2	1	–	1	1	–	–	–	–	–	36
–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	1	1	–	–	–	–	–	37
–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	2	2	–	–	–	–	–	–	38
–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	1	–	–	–	–	–	39
1	–	–	–	–	–	–	–	–	–	–	3	–	–	1	–	–	–	–	–	–	–	–	40
1	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	1	–	–	1	–	–	–	41
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	42
–	–	–	–	–	–	–	–	1	–	–	–	–	3	2	–	–	–	–	–	–	–	–	43
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	44
–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	45
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	46
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	47
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	48
1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	49
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	50
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	51
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	47	52
73	79	87	82	68	61	73	54	69	51	39	41	26	35	18	12	8	6	1	1	–	–	47	
–	2	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	
73	81	87	82	70	62	73	54	69	51	39	41	26	35	18	12	8	6	1	1	–	–	51	

TABLE 8—Births (exclusive of stillbirths) classified according to ages of parents, 1927—*con.*

NOVA SCOTIA

No.	Age of father — Âge du père	Total	Age of mother																	
			12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	
1	Under 16 years—Moins de 16 ans.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	16 years—ans....	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	17 " "	3	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–
4	18 " "	13	–	–	–	–	–	2	3	2	1	1	2	1	–	–	–	–	–	–
5	19 " "	41	–	–	–	–	3	9	9	9	4	3	2	–	–	–	–	–	1	1
6	20 " "	87	–	–	–	–	4	11	17	10	24	4	7	4	2	–	2	1	–	
7	21 " "	178	–	–	–	3	1	10	27	30	30	32	21	16	4	2	1	–	–	
8	22 " "	261	–	–	–	–	5	13	29	30	36	54	30	25	16	8	5	4	3	
9	23 " "	318	–	–	1	–	2	9	20	34	43	67	44	44	23	10	10	3	4	
10	24 " "	376	–	–	–	–	5	16	28	41	38	41	52	60	33	24	16	7	4	
11	25 " "	332	–	–	–	1	4	5	19	24	39	30	53	46	27	44	17	8	3	
12	26 " "	420	–	–	–	–	3	5	13	27	42	44	39	50	46	39	44	28	14	
13	27 " "	494	–	–	–	2	2	5	8	12	32	36	58	60	56	68	38	47	26	
14	28 " "	440	–	–	–	–	1	1	8	13	21	32	44	29	53	47	44	42	44	
15	29 " "	467	–	–	–	–	1	2	10	15	19	20	25	28	42	40	50	46	44	
16	30 " "	560	–	–	–	–	1	2	5	7	15	18	32	43	45	53	49	47	63	
17	31 " "	460	–	–	–	–	–	–	2	7	13	19	19	25	27	37	44	48	31	
18	32 " "	508	–	–	–	–	–	1	1	9	11	13	21	33	33	36	33	34	46	
19	33 " "	470	–	–	–	–	–	1	4	8	9	15	16	21	27	28	23	42	44	
20	34 " "	443	–	–	–	–	–	–	–	3	6	9	7	7	19	20	30	25	39	
21	35 " "	424	–	–	–	–	–	1	–	1	4	4	12	9	17	28	28	28	19	
22	36 " "	436	–	–	–	–	–	–	–	2	3	9	8	13	7	8	17	25	21	
23	37 " "	417	–	–	–	–	–	1	2	1	–	1	3	6	10	12	13	14	23	
24	38 " "	445	–	–	–	–	–	–	–	4	6	4	4	13	14	11	13	22	25	
25	39 " "	352	–	–	–	–	–	–	–	1	2	5	3	6	6	6	8	14	19	
26	40 " "	361	–	–	–	–	–	–	1	1	2	2	3	2	6	8	7	12	9	
27	41 " "	287	–	–	–	–	–	1	1	–	–	3	3	4	2	4	8	2	13	
28	42 " "	305	–	–	–	–	1	–	–	2	2	2	3	1	2	4	5	4	6	
29	43 " "	218	–	–	–	–	–	–	–	1	–	2	3	3	5	2	8	1	7	
30	44 " "	217	–	–	–	–	–	–	–	–	–	–	1	5	4	7	5	2	4	
31	45 " "	231	–	–	–	–	–	–	–	1	–	1	2	1	3	5	1	5	2	
32	46 " "	166	–	–	–	–	–	–	–	–	2	1	–	1	1	4	2	5	4	
33	47 " "	155	–	–	–	1	–	–	–	–	–	3	1	1	2	–	3	4	4	
34	48 " "	137	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	–	4	
35	49 " "	94	–	1	–	–	–	–	–	–	–	–	2	2	–	–	2	2	4	
36	50 " "	96	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	4	1	
37	51 " "	49	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	
38	52 " "	80	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	2	
39	53 " "	46	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	1	1	
40	54 " "	31	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	
41	55 " "	29	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	
42	56 " "	24	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	1	
43	57 " "	10	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	
44	58 " "	11	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	
45	59 " "	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
46	60 " "	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
47	61 " "	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
48	62 " "	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	
49	63 " "	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
50	64 " "	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
51	65 and over—et plus.....	14	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	
52	Not stated—Non donné.....	10	–	–	–	–	1	–	–	–	–	1	2	1	–	–	–	–	–	
	Children born to married mothers—Enfants légitimes	**10,556**	–	1	1	7	34	96	207	296	405	477	524	561	537	565	537	536	536	
	Children born to unmarried mothers—Enfants illégitimes.....	**578**	1	–	5	17	37	55	75	75	60	51	39	29	21	15	21	7	13	
	Children born to all mothers—Légitimes et illégitimes.....	**11,134**	1	1	6	24	71	151	282	371	465	528	563	590	558	580	558	543	549	

TABLEAU 8—Naissances (mort-nés exclus) classifiées selon l'âge des parents, 1927—*suite*

NOUVELLE-ÉCOSSE

Âge de la mère

29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50 and over — 50 et plus	Not stated — Non donné	No.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	6
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	9
5	2	–	–	1	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	10
2	1	2	4	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	11
12	6	4	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12
20	6	7	–	3	1	2	2	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	13
19	19	7	5	1	2	4	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	1	14
52	25	15	11	7	5	4	1	2	1	1	–	–	1	–	–	–	–	–	–	–	–	–	15
60	48	22	21	10	7	2	4	2	3	1	–	–	–	–	–	–	–	–	–	–	–	–	16
53	40	34	26	11	6	9	1	2	4	1	–	–	1	–	–	–	–	–	–	–	–	–	17
55	48	40	47	24	12	4	3	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	18
41	39	33	46	29	13	15	2	5	5	1	–	1	1	–	–	1	–	–	–	–	–	–	19
39	57	34	51	32	28	13	14	5	2	1	–	1	1	–	–	–	–	–	–	–	–	–	20
40	31	31	34	30	39	35	15	6	3	1	4	–	4	–	–	–	–	–	–	–	–	–	21
21	47	34	44	29	38	29	33	23	11	7	4	2	–	1	–	–	–	–	–	–	–	–	22
25	35	30	33	38	41	34	34	29	14	4	10	2	1	1	–	–	–	–	–	–	–	–	23
17	28	19	42	29	32	32	44	23	27	17	10	3	6	–	–	–	–	–	–	–	–	–	24
22	20	15	25	17	26	24	34	32	30	21	11	3	2	–	–	–	–	–	–	–	–	–	25
10	18	15	20	25	21	27	37	30	43	27	22	7	2	4	–	–	–	–	–	–	–	–	26
10	14	14	15	16	22	28	24	19	27	20	18	11	3	4	–	1	–	–	–	–	–	–	27
15	12	17	21	14	14	20	32	17	33	21	20	16	15	3	1	–	1	–	–	–	–	1	28
7	3	10	7	19	18	15	15	14	16	16	19	10	10	3	3	–	–	–	1	–	–	–	29
7	2	6	5	13	13	12	17	14	19	13	17	14	16	13	3	3	1	–	–	1	–	–	30
10	12	10	11	9	7	22	12	11	20	18	22	11	16	6	10	2	1	–	–	–	–	–	31
3	2	10	8	7	6	9	14	8	15	10	10	6	14	7	7	8	1	1	–	–	–	–	32
–	2	7	6	4	8	8	16	13	12	8	18	11	12	5	3	2	1	–	–	–	–	–	33
3	4	3	7	4	7	11	9	14	14	12	11	7	4	6	3	5	2	2	–	–	–	–	34
3	2	5	4	4	5	7	5	7	5	10	3	3	3	9	2	1	3	–	–	–	–	–	35
2	6	–	1	2	4	7	4	2	4	12	13	7	6	8	2	4	–	1	1	1	–	–	36
–	–	2	1	1	4	3	2	3	6	4	4	5	3	2	2	1	1	2	–	–	–	–	37
3	2	1	4	–	5	3	6	7	11	6	5	4	10	3	2	–	–	–	–	–	–	–	38
–	1	3	1	2	1	3	1	–	1	3	4	3	7	7	1	2	–	–	–	1	–	–	39
–	1	–	–	1	3	4	2	1	2	5	2	1	1	2	1	–	1	1	–	–	–	–	40
–	2	1	–	1	1	1	6	1	3	2	2	1	1	3	1	–	–	–	–	–	–	–	41
–	1	1	1	1	2	–	3	–	1	1	2	1	1	1	2	1	–	–	–	–	–	–	42
1	–	–	–	2	–	–	–	–	1	–	1	–	1	1	–	–	1	–	–	–	–	–	43
–	–	–	–	–	1	–	–	4	–	1	1	–	1	–	1	–	–	–	–	–	–	–	44
–	–	–	–	–	–	1	3	–	–	1	2	2	–	–	–	–	–	–	–	–	–	–	45
–	4	1	–	–	–	–	–	1	1	–	–	–	1	3	–	–	–	–	1	–	–	–	46
–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	47
–	–	1	–	–	–	–	–	–	1	–	2	–	–	–	1	–	–	–	–	–	–	–	48
–	–	–	1	–	1	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	49
–	–	–	3	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	50
–	–	–	–	1	2	1	–	–	1	4	–	–	1	1	–		–	–	–	–	–	–	51
–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	52
558	543	435	511	389	398	391	397	300	342	254	237	132	146	94	48	31	13	7	3	3	–	4	
7	2	7	9	5	–	6	4	4	6	4	2	–	–	–	–	–	–	–	–	–	–	1	
565	545	442	520	394	398	397	401	304	348	258	239	132	146	94	48	31	13	7	3	3	–	5	

TABLE 8—Births (exclusive of stillbirths) classified according to ages of parents, 1927—*con.*

NEW BRUNSWICK

No.	Age of father — Âge du père	Total	Age of mother																
			12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
1	Under 16 years—Moins de 16 ans	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	16 years—ans....	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	17 " "	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
4	18 " "	15	–	–	–	1	1	4	–	4	2	1	–	–	–	1	1	–	–
5	19 " "	50	–	–	–	1	1	10	10	9	4	7	3	4	–	–	–	–	1
6	20 " "	93	–	–	–	1	4	9	11	20	16	11	11	3	3	2	1	1	–
7	21 " "	156	–	–	1	2	5	12	21	26	19	27	18	9	6	4	2	1	–
8	22 " "	200	–	–	–	–	4	8	28	28	30	24	28	16	16	9	3	1	2
9	23 " "	297	–	–	–	–	7	14	23	30	45	46	31	45	24	7	12	8	1
10	24 " "	346	–	–	–	–	1	9	20	32	42	49	50	45	30	26	18	5	10
11	25 " "	379	–	–	–	1	4	3	19	31	36	42	50	47	55	32	24	12	8
12	26 " "	374	–	–	–	–	1	1	19	28	28	35	46	35	53	43	26	20	9
13	27 " "	488	–	–	–	1	1	3	8	30	36	49	43	66	52	36	44	49	22
14	28 " "	525	–	–	–	–	–	6	10	20	28	27	42	59	52	61	56	46	44
15	29 " "	433	–	–	–	–	3	3	8	8	12	25	28	37	37	49	37	44	39
16	30 " "	493	–	–	–	1	1	2	6	8	20	25	22	33	45	53	37	37	59
17	31 " "	438	–	–	–	–	–	1	3	6	10	12	17	32	25	33	36	36	43
18	32 " "	463	–	–	–	–	–	2	1	8	11	13	25	20	32	30	46	35	44
19	33 " "	461	–	–	–	–	2	1	1	8	5	11	11	24	19	28	31	38	40
20	34 " "	460	–	–	1	–	1	1	2	4	6	9	9	19	19	21	36	30	29
21	35 " "	436	–	–	–	–	1	3	–	4	7	7	14	10	22	15	17	23	33
22	36 " "	368	–	–	–	–	–	1	2	1	3	4	5	7	12	14	20	27	14
23	37 " "	405	–	–	–	–	1	1	1	1	3	4	3	6	13	8	16	30	18
24	38 " "	436	–	–	–	–	1	2	–	2	3	5	4	12	15	14	15	23	22
25	39 " "	351	–	–	–	–	–	–	–	1	2	1	5	5	14	16	7	18	11
26	40 " "	357	–	–	–	–	–	–	–	–	1	2	5	4	5	9	7	14	14
27	41 " "	250	–	–	–	–	–	–	–	–	1	1	2	–	2	6	8	7	4
28	42 " "	275	–	–	–	–	–	–	1	–	3	1	1	1	2	2	7	4	7
29	43 " "	228	–	–	–	–	–	–	–	–	1	1	–	1	2	1	5	4	1
30	44 " "	185	–	–	–	–	–	–	–	–	–	1	4	3	4	4	1	3	4
31	45 " "	205	–	–	–	–	–	–	–	–	1	–	4	1	1	1	7	6	7
32	46 " "	156	–	–	–	–	–	1	–	–	–	–	1	–	1	1	3	2	1
33	47 " "	106	–	–	–	–	–	–	–	1	–	–	–	–	1	2	6	2	1
34	48 " "	127	–	–	–	–	–	–	–	1	–	–	–	1	2	3	2	1	2
35	49 " "	103	–	–	–	–	1	–	–	1	–	–	–	–	–	3	4	2	3
36	50 " "	97	–	–	–	–	–	–	–	–	1	–	–	–	–	3	2	–	1
37	51 " "	50	–	–	–	–	–	–	1	–	–	1	–	–	2	1	1	–	1
38	52 " "	65	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	2	2
39	53 " "	44	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40	54 " "	34	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
41	55 " "	25	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
42	56 " "	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
43	57 " "	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
44	58 " "	19	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
45	59 " "	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
46	60 " "	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
47	61 " "	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
48	62 " "	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
49	63 " "	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
50	64 " "	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
51	65 and over—et plus.....	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1
52	Not stated—Non donné.....	109	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Children born to married mothers—Enfants légitimes	**10,181**	–	–	**2**	**8**	**41**	**98**	**195**	**312**	**376**	**443**	**485**	**547**	**568**	**540**	**539**	**534**	**499**
	Children born to unmarried mothers—Enfants illégitimes.....	**298**	–	**1**	**4**	**7**	**17**	**28**	**40**	**40**	**33**	**25**	**20**	**17**	**14**	**5**	**5**	**6**	**2**
	Children born to all mothers—Légitimes et illégitimes.....	**10,479**	–	**1**	**6**	**15**	**58**	**126**	**235**	**352**	**409**	**468**	**505**	**564**	**582**	**545**	**544**	**540**	**501**

TABLEAU 8—Naissances (mort-nés exclus) classifiées selon l'âge des parents, 1927—*suite*

NOUVEAU-BRUNSWICK

Âge de la mère																							No.
29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50 and over — 50 et plus	Not stated — Non donné	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
1	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
3	2	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
1	5	4	–	1	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	11
8	11	4	3	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	12
21	12	8	1	–	2	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13
25	18	6	7	6	3	3	1	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–	14
37	37	8	7	6	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	15
42	42	16	12	8	12	4	4	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	16
48	33	39	21	13	12	6	4	3	–	2	–	2	1	–	–	–	–	–	–	–	–	–	17
26	43	32	38	22	14	6	7	3	3	1	1	–	–	–	–	–	–	–	–	–	–	–	18
28	45	46	42	33	23	10	6	2	4	1	–	1	1	–	–	–	–	–	–	–	–	–	19
39	46	37	44	32	29	15	10	7	9	1	1	1	1	–	–	–	–	–	–	–	–	1	20
38	38	24	40	34	33	34	14	10	6	4	2	2	–	1	–	–	–	–	–	–	–	–	21
22	14	28	32	49	25	35	24	11	7	2	6	1	1	1	–	–	–	–	–	–	–	–	22
20	27	24	34	31	34	35	27	23	21	7	6	3	1	2	3	–	–	1	–	–	1	–	23
10	19	24	35	44	36	29	35	35	22	12	8	5	2	1	1	–	–	–	–	–	–	–	24
20	16	14	23	30	23	22	30	23	30	18	7	4	7	2	1	1	–	–	–	–	–	–	25
10	19	19	22	23	27	24	33	33	29	25	22	3	4	–	1	1	1	–	–	–	–	–	26
7	17	17	10	16	14	24	22	21	19	15	20	8	6	–	2	1	–	–	–	–	–	–	27
7	11	8	11	18	16	27	19	24	32	16	24	9	13	6	4	1	–	–	–	–	–	–	28
3	4	7	18	13	12	16	25	12	35	15	17	11	11	7	5	1	–	–	–	–	–	–	29
5	5	6	4	10	12	12	10	19	20	15	13	10	10	7	2	–	–	1	–	–	–	–	30
8	5	4	3	9	8	14	11	13	16	19	25	15	10	11	5	–	–	1	–	–	–	–	31
2	6	3	9	7	6	7	10	5	17	22	15	10	11	8	6	1	–	1	–	–	–	–	32
–	3	2	5	4	8	7	4	7	6	8	2	11	9	5	6	4	2	–	–	–	–	–	33
5	6	2	2	6	4	5	10	11	12	7	15	8	9	6	4	1	2	–	–	–	–	–	34
3	3	3	2	5	5	5	8	4	7	7	8	6	5	6	5	2	3	1	–	1	–	–	35
–	2	2	3	6	5	1	5	12	10	4	12	6	9	3	6	2	1	1	–	–	–	–	36
2	1	1	2	3	1	3	3	4	1	3	6	7	4	1	–	–	–	1	–	–	–	–	37
1	3	1	3	–	6	4	5	3	2	4	3	6	7	4	2	2	–	1	–	–	–	–	38
–	1	1	4	2	2	1	2	3	2	7	5	3	3	2	1	3	–	1	1	–	–	–	39
–	1	–	–	2	2	1	3	3	2	1	5	1	3	2	4	1	1	–	–	–	–	–	40
1	1	–	1	–	–	2	3	–	4	1	4	–	1	1	2	1	–	–	1	–	–	–	41
1	–	1	2	2	–	–	1	–	1	–	1	3	2	1	–	1	–	1	–	–	–	–	42
1	–	–	–	1	–	2	–	1	1	–	1	–	–	1	1	–	1	1	–	–	–	–	43
1	1	–	1	–	–	1	3	1	2	–	1	2	1	1	1	1	1	–	–	–	–	–	44
–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–	45
2	–	–	–	–	–	3	1	–	2	1	3	–	1	1	–	–	–	–	–	–	–	–	46
–	–	–	–	–	–	2	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	47
–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	1	–	–	–	–	–	48
–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	49
–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	50
–	1	–	1	–	–	2	–	–	–	2	–	–	1	–	–	–	1	–	–	–	–	–	51
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107	52
451	**502**	**394**	**443**	**436**	**385**	**365**	**343**	**302**	**327**	**223**	**236**	**140**	**138**	**82**	**62**	**26**	**14**	**11**	**2**	**1**	**1**	**110**	
6	**3**	**4**	**2**	**1**	**1**	**2**	**3**	**2**	**2**	**1**	–	**4**	**1**	–	**1**	–	–	–	–	–	–	**1**	
457	**505**	**398**	**445**	**437**	**386**	**367**	**346**	**304**	**329**	**224**	**236**	**144**	**139**	**82**	**63**	**26**	**14**	**11**	**2**	**1**	**1**	**111**	

TABLE 8—Births (exclusive of stillbirths) classified according to ages of parents, 1927—*con.*

QUEBEC

No.	Age of father — Âge du père	Total	Age of mother																	
			12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	
1	Under 16 years—Moins de 16 ans	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	16 years—ans	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
3	17 " "	3	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–
4	18 " "	27	–	–	–	–	2	5	3	7	4	2	3	–	–	–	1	–	–	
5	19 " "	146	–	–	1	–	5	13	25	32	23	21	9	2	4	2	3	–	3	
6	20 " "	379	–	–	–	2	4	27	50	60	82	51	27	29	13	8	5	4	8	
7	21 " "	832	–	–	–	3	9	37	75	121	158	156	97	70	34	26	15	11	9	
8	22 " "	1,562	–	–	–	2	13	42	110	168	228	290	248	175	112	57	44	19	24	
9	23 " "	2,266	–	–	1	2	17	49	111	195	273	383	392	300	228	108	81	36	36	
10	24 " "	2,882	–	1	–	1	17	32	91	181	292	366	477	439	387	255	123	76	53	
11	25 " "	3,226	–	–	–	2	7	25	68	132	258	339	439	480	477	434	218	151	83	
12	26 " "	3,695	–	–	–	–	3	25	73	127	213	311	383	487	530	443	419	273	150	
13	27 " "	4,431	–	–	–	–	6	30	50	97	178	321	419	482	548	551	530	488	281	
14	28 " "	4,354	–	–	–	–	5	22	27	68	145	230	316	383	483	461	554	546	456	
15	29 " "	4,298	–	–	–	1	2	2	23	66	97	161	207	290	416	486	451	536	476	
16	30 " "	4,577	–	–	–	–	1	5	27	23	72	107	161	254	290	454	421	485	656	
17	31 " "	3,906	–	–	–	–	1	3	7	30	54	80	127	182	223	273	381	392	451	
18	32 " "	4,206	–	–	–	–	1	4	8	22	26	60	121	131	200	232	268	415	486	
19	33 " "	4,017	–	–	–	–	–	4	9	16	28	39	73	130	146	199	225	344	381	
20	34 " "	3,531	–	–	–	–	–	1	6	14	20	34	53	65	135	123	180	219	243	
21	35 " "	3,518	–	–	–	–	–	–	–	6	17	29	49	63	65	114	117	150	254	
22	36 " "	3,408	–	–	–	–	–	–	1	2	12	27	36	39	54	69	141	140	177	
23	37 " "	3,255	–	–	–	–	–	–	6	6	7	17	19	30	45	59	76	145	120	
24	38 " "	3,282	–	–	–	–	1	2	3	3	9	20	23	31	41	40	65	77	154	
25	39 " "	2,782	–	–	–	–	–	–	1	–	9	10	20	21	35	46	54	60	68	
26	40 " "	2,805	–	–	–	–	–	1	1	2	2	3	13	13	15	26	26	41	58	
27	41 " "	1,906	–	–	–	–	–	1	1	1	4	8	2	8	14	11	13	24	32	
28	42 " "	2,202	–	–	–	–	–	–	2	–	2	6	5	8	4	15	16	29	32	
29	43 " "	1,750	–	–	–	–	–	–	–	–	1	4	3	7	6	10	17	13	27	
30	44 " "	1,428	–	–	–	–	–	–	–	–	–	1	1	4	16	11	7	14	19	
31	45 " "	1,316	–	–	–	–	–	–	–	–	1	3	1	3	5	12	8	8	12	
32	46 " "	975	–	–	–	–	–	–	–	1	1	1	1	1	2	–	7	10	9	
33	47 " "	818	–	–	–	–	–	–	1	1	–	–	–	1	1	2	4	8	4	
34	48 " "	784	–	–	–	–	1	–	–	–	2	1	1	2	6	3	5	7	14	
35	49 " "	535	–	–	–	–	–	–	1	1	1	–	–	3	–	2	3	1	4	
36	50 " "	427	–	–	–	–	1	–	–	1	–	1	3	–	2	1	2	3	4	
37	51 " "	246	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	3	
38	52 " "	265	–	–	–	–	–	–	–	1	1	–	1	–	–	1	2	3	3	
39	53 " "	174	–	–	–	–	–	–	–	–	1	1	–	2	–	–	1	3	3	
40	54 " "	119	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	
41	55 " "	85	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	1	
42	56 " "	77	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	
43	57 " "	62	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	
44	58 " "	37	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	1	
45	59 " "	28	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
46	60 " "	22	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	
47	61 " "	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
48	62 " "	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	
49	63 " "	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	
50	64 " "	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
51	65 and over—et plus	34	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	
52	Not stated—Non donné	33	–	–	–	–	–	1	–	–	–	1	1	–	–	1	1	–	–	
	Children born to married mothers—Enfants légitimes	**80,745**	–	**1**	**2**	**13**	**96**	**333**	**780**	**1,385**	**2,221**	**3,086**	**3,732**	**4,137**	**4,539**	**4,540**	**4,489**	**4,736**	**4,801**	
	Children born to unmarried mothers—Enfants illégitimes	**2,319**	–	**2**	**17**	**31**	**79**	**125**	**161**	**178**	**151**	**150**	**114**	**111**	**90**	**68**	**52**	**31**	**33**	
	Children born to all mothers—Légitimes et illégitimes	**83,064**	–	**3**	**19**	**44**	**175**	**458**	**941**	**1,563**	**2,372**	**3,236**	**3,846**	**4,248**	**4,629**	**4,608**	**4,541**	**4,767**	**4,834**	

TABLEAU 8—Naissances (mort-nés exclus) classifiées selon l'âge des parents, 1927—*suite*

QUÉBEC

Âge de la mère																						No.
29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50 and over — 50 et plus	Not stated — Non donné	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
1	3	1	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
7	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
8	7	9	3	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	8
19	10	5	6	6	4	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	9
27	20	13	13	5	3	2	5	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	10
43	23	18	10	6	4	1	3	1	1	–	–	–	1	1	–	–	–	–	–	–	–	1	11
95	59	39	30	8	5	6	5	4	4	1	–	1	–	–	1	–	–	–	–	–	–	–	12
164	111	55	41	30	15	6	14	7	–	2	–	1	1	1	–	–	–	–	–	1	–	1	13
238	184	78	65	28	21	11	9	12	6	5	–	1	–	–	–	–	–	–	–	–	–	–	14
435	263	150	79	51	39	22	9	9	8	9	6	2	1	–	1	–	–	–	–	–	–	–	15
525	462	248	159	85	48	29	24	20	7	7	–	5	–	2	–	–	–	–	–	–	–	–	16
428	404	364	215	106	73	37	23	17	13	7	3	1	2	2	2	1	–	–	1	1	1	1	17
420	538	367	342	204	150	63	60	30	25	13	8	5	3	1	2	–	–	–	–	–	–	1	18
356	431	335	418	363	190	134	77	55	27	19	8	3	5	1	–	–	–	–	1	–	–	–	19
312	362	273	381	369	294	183	110	58	43	25	11	6	5	3	1	–	–	–	–	–		1	20
244	362	247	363	371	351	282	190	99	68	33	23	6	7	3	1	1	–	–	–	–	2	1	21
172	267	268	328	335	360	330	295	145	100	59	20	15	9	6	–	–	–	1	–	–	–	–	22
159	215	227	273	303	308	334	353	258	129	91	35	17	12	5	3	2	–	–	–	–	1	–	23
137	148	175	243	256	297	310	368	308	266	148	84	28	30	4	10	1	–	–	–	–	–	–	24
121	120	101	181	185	209	253	254	295	281	232	110	56	30	23	3	1	1	1	–	1	–	–	25
68	118	113	159	170	179	242	314	265	363	248	189	88	40	27	8	8	2	–	–	–	1	2	26
43	55	82	81	95	112	130	210	166	237	186	199	96	66	12	7	6	2	2	–	–	–	–	27
38	51	48	125	111	106	144	186	207	245	197	239	165	139	53	14	12	2	1	–	–	–	–	28
33	45	44	51	102	69	120	121	169	182	180	163	123	136	72	26	13	7	2	2	2	–	–	29
13	26	22	32	67	84	77	85	101	132	154	157	97	150	89	46	11	6	1	3	1	1	–	30
13	24	19	28	44	49	90	94	89	125	115	154	107	110	97	57	29	11	6	2	–	–	–	31
11	19	19	26	32	32	45	80	54	93	86	93	79	97	67	55	29	14	9	1	–	1	–	32
5	8	10	14	18	26	43	48	74	81	66	88	67	73	56	46	44	20	7	2	–	–	–	33
7	9	10	14	21	14	23	42	36	88	58	84	59	78	74	50	34	21	12	8	–	–	–	34
7	9	8	8	18	11	20	16	30	48	67	37	36	57	46	55	17	12	4	9	3	1	–	35
4	8	5	7	11	14	18	22	24	30	34	43	36	37	38	35	14	14	5	7	1	2	–	36
1	4	6	10	4	5	5	13	10	20	20	17	28	26	18	21	10	12	4	2	2	1	–	37
2	3	1	2	6	13	9	12	8	15	21	18	19	48	17	21	12	7	5	6	1	–	–	38
5	3	4	2	5	5	4	4	7	11	11	17	16	23	16	9	9	4	3	5	–	–	–	39
4	5	1	4	3	5	1	7	7	11	11	10	6	7	7	11	7	3	2	4	–	1	–	40
–	–	1	–	4	2	3	2	5	5	6	5	8	8	7	8	6	6	1	2	–	1	–	41
3	2	2	1	1	–	2	4	10	5	2	10	5	5	7	4	7	1	2	1	1	–	–	42
–	–	–	–	3	1	1	1	3	2	2	8	4	11	4	7	3	6	3	–	1	–	–	43
–	1	–	1	3	2	3	2	–	1	1	3	–	6	3	4	–	1	1	–	–	–	–	44
–	1	–	1	–	–	2	1	4	2	2	3	–	4	1	4	1	–	–	1	–	1	–	45
2	1	–	1	–	1	1	–	1	2	1	1	–	1	2	2	3	–	–	1	–	–	–	46
–	–	–	–	–	–	–	–	1	2	–	–	1	1	1	1	–	2	1	–	–	–	–	47
1	–	–	–	–	–	–	–	–	–	–	1	3	2	–	1	–	–	–	–	–	–	–	48
–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	1	–	–	–	49
–	1	–	–	–	1	–	–	1	–	–	–	1	–	–	2	–	–	–	–	–	–	–	50
1	3	1	1	4	1	3	3	5	3	1	1	–	–	1	–	–	2	–	–	–	1	–	51
–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	25	52
4,174	**4,386**	**3,370**	**3,729**	**3,435**	**3,104**	**2,991**	**3,067**	**2,597**	**2,682**	**2,122**	**1,849**	**1,194**	**1,232**	**768**	**518**	**281**	**156**	**73**	**61**	**15**	**16**	**34**	
19	**23**	**10**	**12**	**11**	**3**	**9**	**13**	**3**	**7**	**4**	**3**	**1**	**2**	**3**	**2**	**1**	–	–	–	–	–	**800**	
4,193	**4,409**	**3,380**	**3,741**	**3,446**	**3,107**	**3,000**	**3,080**	**2,600**	**2,689**	**2,126**	**1,852**	**1,195**	**1,234**	**771**	**520**	**282**	**156**	**73**	**61**	**15**	**16**	**834**	

TABLE 8—Births (exclusive of stillbirths) classified according to ages of parents, 1927—*con.*

ONTARIO

No.	Age of father — Âge du père	Total	Age of mother																
			12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
1	Under 16 years—Moins de 16 ans	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	16 years—ans	3	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
3	17 " "	9	–	–	–	3	1	1	–	1	–	2	–	–	–	1	–	–	–
4	18 " "	95	–	–	–	2	11	14	27	19	13	5	1	2	–	–	–	–	–
5	19 " "	313	–	–	2	1	21	39	74	78	43	31	13	9	1	–	–	–	–
6	20 " "	642	–	–	–	6	15	53	104	126	126	78	52	31	26	7	4	3	1
7	21 " "	1,154	–	–	1	6	15	70	178	221	210	154	135	64	47	23	5	6	7
8	22 " "	1,556	–	–	1	2	23	57	132	244	246	267	239	154	87	48	24	16	5
9	23 " "	2,084	–	–	1	4	21	46	134	228	282	327	317	300	180	106	46	32	20
10	24 " "	2,528	–	–	2	4	15	32	101	204	281	356	398	358	316	176	97	73	44
11	25 " "	2,799	–	–	–	4	10	30	93	151	211	332	367	359	386	331	219	134	65
12	26 " "	3,030	–	–	–	5	7	39	77	139	191	304	328	308	354	371	356	228	128
13	27 " "	3,409	–	–	–	3	13	29	73	97	150	228	329	366	394	406	377	389	220
14	28 " "	3,250	–	–	–	–	5	16	56	62	114	187	236	286	350	376	354	348	323
15	29 " "	3,344	–	–	–	–	2	23	38	74	75	144	209	237	291	333	337	353	382
16	30 " "	3,462	–	–	–	1	4	10	34	50	83	112	165	230	238	302	344	316	367
17	31 " "	3,294	–	–	–	–	3	7	25	26	59	102	121	174	181	208	288	292	325
18	32 " "	3,330	–	–	–	2	2	4	17	34	49	57	124	134	168	205	250	281	290
19	33 " "	3,098	–	–	–	–	3	4	10	28	38	63	73	130	129	152	202	240	245
20	34 " "	2,995	–	–	–	–	1	4	5	28	23	42	66	84	129	116	135	194	218
21	35 " "	2,874	–	–	–	–	–	2	10	14	29	28	37	60	94	129	123	151	178
22	36 " "	2,536	–	–	–	–	–	3	6	7	16	30	39	42	61	83	122	107	132
23	37 " "	2,460	–	–	–	–	1	1	5	3	20	15	27	41	54	60	81	148	109
24	38 " "	2,500	–	–	–	–	–	3	6	4	13	14	29	35	49	48	78	101	135
25	39 " "	2,211	–	–	–	–	–	–	4	8	4	9	16	29	34	42	69	69	79
26	40 " "	2,019	–	–	–	–	–	1	1	1	8	12	25	13	36	31	40	49	64
27	41 " "	1,492	–	–	–	–	–	2	2	4	5	4	5	10	20	14	24	26	41
28	42 " "	1,655	–	–	–	–	–	–	1	2	3	6	8	21	17	21	19	30	31
29	43 " "	1,308	–	–	–	–	–	–	1	4	1	4	7	9	12	12	14	19	15
30	44 " "	1,060	–	–	–	–	–	1	–	2	2	2	4	3	7	6	12	20	32
31	45 " "	971	–	–	–	–	–	–	2	1	1	2	5	6	10	12	11	16	25
32	46 " "	735	–	–	–	–	–	–	1	–	1	1	4	1	8	2	9	13	10
33	47 " "	634	–	–	–	–	–	–	–	1	–	2	3	3	4	7	3	9	14
34	48 " "	535	–	–	–	–	–	–	1	1	–	3	1	2	3	7	3	10	10
35	49 " "	409	–	–	–	1	–	–	1	1	–	2	3	4	3	5	2	8	6
36	50 " "	346	–	–	–	–	–	–	1	–	2	1	2	–	3	4	3	8	2
37	51 " "	206	–	–	–	–	–	–	–	1	1	1	–	2	–	3	2	3	2
38	52 " "	225	–	–	–	–	–	–	–	–	–	4	1	2	4	2	1	3	5
39	53 " "	185	–	–	–	–	–	–	–	–	–	–	2	1	–	–	4	6	2
40	54 " "	145	–	–	–	–	–	2	–	–	1	–	–	1	–	1	1	3	–
41	55 " "	98	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–
42	56 " "	85	–	–	–	–	–	–	–	1	1	–	2	2	2	–	1	1	2
43	57 " "	58	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
44	58 " "	59	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	1	1
45	59 " "	42	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	2
46	60 " "	37	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–
47	61 " "	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
48	62 " "	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
49	63 " "	17	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
50	64 " "	10	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1
51	65 and over—et plus	51	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	1
52	Not stated—Non donné	311	–	–	–	–	–	1	3	4	6	1	5	2	–	2	2	6	2
	Children born to married mothers—Enfants légitimes	**65,713**	–	–	**7**	**45**	**174**	**495**	**1,223**	**1,870**	**2,309**	**2,933**	**3,404**	**3,517**	**3,702**	**3,653**	**3,666**	**3,715**	**3,542**
	Children born to unmarried mothers—Enfants illégitimes	**1,958**	**1**	**2**	**13**	**55**	**106**	**190**	**229**	**200**	**194**	**167**	**147**	**106**	**75**	**62**	**44**	**52**	**37**
	Children born to all mothers—Légitimes et illégitimes	**67,671**	**1**	**2**	**20**	**100**	**280**	**685**	**1,452**	**2,070**	**2,503**	**3,100**	**3,551**	**3,623**	**3,777**	**3,715**	**3,710**	**3,767**	**3,579**

TABLEAU 8—Naissances (mort-nés exclus) classifiées selon l'âge des parents, 1927—*suite*

ONTARIO

Âge de la mère																						No.
29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50 and over — 50 et plus	Not stated — Non donné	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
3	–	2	1	–	–	–	–	1	2	–	–	–	1	–	–	–	–	–	–	–	–	–	6
3	3	2	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	2	7
3	3	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
14	5	4	7	1	4	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	9
28	22	4	2	4	5	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	3	10
42	29	15	10	3	2	2	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	11
66	53	26	20	6	6	4	4	4	2	–	–	–	–	–	–	–	–	–	–	–	1	3	12
130	72	46	31	19	11	7	4	5	3	1	–	–	1	–	–	–	–	–	–	–	–	5	13
216	133	59	47	19	25	8	7	5	4	2	3	–	1	2	–	–	–	–	–	–	–	6	14
330	204	105	78	45	28	26	7	8	3	1	3	1	1	–	–	–	–	–	–	1	1	4	15
361	320	196	129	70	56	26	22	10	1	1	4	1	3	–	1	–	–	–	–	–	–	5	16
351	386	305	181	107	56	35	22	18	7	7	4	1	–	–	–	–	–	–	1	–	–	2	17
330	361	275	312	167	99	56	37	29	19	8	11	1	1	1	–	1	–	–	–	–	–	5	18
307	284	282	247	265	165	93	68	29	16	8	7	2	4	–	1	–	–	–	–	–	1	2	19
264	282	270	278	279	255	126	72	44	37	11	13	9	5	1	1	–	–	–	–	–	–	3	20
194	260	227	273	266	250	252	119	70	51	21	19	5	1	3	–	–	1	–	–	–	–	7	21
165	190	189	219	216	243	221	194	111	68	34	16	11	2	4	–	–	1	–	–	–	1	3	22
112	166	156	200	220	196	223	203	204	90	60	21	17	17	3	3	1	–	–	–	–	–	3	23
110	174	163	178	215	181	190	208	197	196	74	45	23	18	5	3	4	1	–	–	–	–	–	24
136	114	109	150	156	181	178	181	181	197	136	65	32	10	9	3	5	–	–	1	–	1	3	25
73	95	88	123	132	139	167	178	146	197	150	136	58	30	12	4	2	2	1	–	–	–	5	26
57	75	79	87	66	94	102	124	127	128	108	125	89	45	20	7	–	1	–	–	1	–	–	27
46	84	62	109	106	71	116	129	126	146	128	144	93	82	35	11	4	2	–	–	1	–	1	28
28	44	44	67	98	67	91	104	115	114	94	104	67	93	45	21	7	2	2	1	1	–	1	29
33	28	27	39	52	71	65	63	69	102	99	86	63	68	67	20	10	3	2	–	–	–	2	30
18	32	22	34	41	51	83	61	70	76	86	70	65	71	44	21	22	10	–	1	–	–	2	31
11	29	19	29	35	36	58	66	45	61	70	58	42	43	31	21	14	8	4	1	1	2	1	32
20	15	17	25	22	27	32	37	65	51	44	58	40	42	32	24	21	9	5	–	–	–	2	33
7	21	23	29	13	22	33	26	46	48	51	37	28	28	31	20	12	9	7	1	1	–	1	34
11	9	7	16	15	10	24	27	30	24	54	25	24	27	23	21	12	11	1	2	–	–	–	35
10	7	13	11	14	13	18	19	20	30	24	32	19	25	22	15	17	8	1	1	–	1	–	36
3	5	7	7	5	8	7	12	11	19	14	15	32	10	18	7	5	5	1	–	–	–	–	37
2	4	4	10	11	5	14	12	14	17	9	19	5	29	12	14	6	7	4	2	1	1	1	38
6	2	3	4	8	9	8	9	7	8	17	12	14	15	27	6	5	4	3	1	1	1	–	39
3	3	5	5	4	6	6	4	10	11	11	16	9	9	10	12	5	3	1	–	2	1	–	40
–	3	2	7	1	3	5	3	5	7	13	11	10	8	2	5	4	2	3	–	–	1	–	41
1	3	1	3	2	5	3	1	7	9	6	3	1	10	8	2	4	2	1	1	–	–	–	42
3	1	–	3	4	5	4	7	5	4	3	5	2	3	1	2	3	1	–	–	–	–	–	43
–	–	2	3	–	2	1	3	5	6	2	3	5	5	4	5	2	2	1	1	–	1	–	44
1	2	1	2	1	3	2	–	2	8	2	1	3	1	4	1	1	–	1	–	–	–	–	45
–	–	2	1	2	4	1	1	1	5	2	3	3	3	2	1	3	–	–	–	–	–	–	46
–	1	1	–	1	–	2	2	1	1	3	2	2	4	1	2	–	–	–	–	–	–	–	47
–	–	–	1	1	–	2	1	–	1	2	2	–	5	1	1	2	1	–	–	–	–	–	48
–	–	–	1	1	1	1	1	–	2	1	–	–	1	1	2	–	1	–	1	–	1	–	49
–	–	–	–	–	1	1	–	–	2	–	1	1	–	–	1	–	–	–	–	–	–	–	50
1	3	1	–	4	3	4	3	4	4	5	5	1	1	1	–	2	1	2	–	1	1	–	51
1	1	1	1	3	1	3	1	2	2	1	2	–	–	1	–	1	–	–	–	–	–	256	52
3,501	**3,528**	**2,869**	**2,982**	**2,701**	**2,420**	**2,302**	**2,044**	**1,851**	**1,780**	**1,366**	**1,186**	**779**	**724**	**484**	**258**	**175**	**97**	**40**	**15**	**11**	**15**	**330**	
31	**47**	**25**	**20**	**15**	**16**	**13**	**9**	**9**	**13**	**14**	**9**	**7**	**3**	**4**	**1**	**2**	–	–	–	–	–	**40**	
3,532	**3,575**	**2,894**	**3,002**	**2,716**	**2,436**	**2,315**	**2,053**	**1,860**	**1,793**	**1,380**	**1,195**	**786**	**727**	**488**	**259**	**177**	**97**	**40**	**15**	**11**	**15**	**370**	

TABLE 8—Births (exclusive of stillbirths) classified according to ages of parents, 1927—*con.*

MANITOBA

No.	Age of father — Âge du père	Total	Age of mother																
			12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
1	Under 16 years—Moins de 16 ans	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	16 years—ans....	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	17 " "	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
4	18 " "	4	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–
5	19 " "	23	–	–	–	–	–	4	7	5	2	3	–	–	2	–	–	–	–
6	20 " "	56	–	–	–	–	1	2	13	11	15	7	4	–	1	–	1	–	–
7	21 " "	123	–	–	–	–	–	6	18	25	19	31	8	4	4	2	2	1	2
8	22 " "	233	–	–	–	1	1	6	22	38	28	47	36	25	17	5	3	3	–
9	23 " "	312	–	–	–	–	–	4	21	44	44	53	45	39	29	11	10	4	4
10	24 " "	429	–	–	–	1	1	7	25	33	50	70	58	65	51	29	12	10	7
11	25 " "	437	–	–	–	1	2	2	23	32	45	38	63	56	63	45	24	22	9
12	26 " "	517	–	–	–	–	–	10	16	27	38	45	65	74	61	44	59	26	23
13	27 " "	608	–	–	–	–	1	6	15	36	39	56	67	69	68	68	50	69	21
14	28 " "	613	–	–	–	–	1	5	23	18	42	34	56	76	74	65	61	53	34
15	29 " "	632	–	–	–	–	–	1	10	23	35	38	38	60	69	62	80	62	48
16	30 " "	637	–	–	–	–	–	1	5	11	26	33	44	43	46	68	62	71	53
17	31 " "	647	–	–	–	–	–	–	7	16	18	20	37	35	55	43	56	71	60
18	32 " "	636	–	–	–	–	–	2	2	15	20	26	41	37	55	36	52	45	61
19	33 " "	695	–	–	–	–	–	–	4	9	9	20	26	49	46	32	59	76	60
20	34 " "	685	–	–	–	–	–	2	3	4	10	12	23	26	34	36	51	51	55
21	35 " "	644	–	–	–	–	–	–	1	4	15	7	21	22	21	39	31	34	52
22	36 " "	600	–	–	–	–	–	2	3	2	5	11	18	15	20	23	40	23	32
23	37 " "	579	–	–	–	–	–	–	1	4	6	10	8	4	24	18	24	44	29
24	38 " "	561	–	–	–	–	–	1	2	7	9	7	8	17	17	17	19	25	42
25	39 " "	602	–	–	–	–	–	–	2	1	3	2	7	15	11	13	22	23	23
26	40 " "	510	–	–	–	–	–	–	1	1	–	1	4	7	8	15	18	18	14
27	41 " "	395	–	–	–	–	–	1	–	–	–	3	1	1	3	8	8	16	9
28	42 " "	445	–	–	–	–	–	–	1	1	1	2	1	2	7	6	7	14	15
29	43 " "	321	–	–	–	–	–	–	–	–	2	2	–	7	1	2	3	4	10
30	44 " "	274	–	–	–	–	–	–	–	2	1	–	1	1	3	3	3	4	9
31	45 " "	264	–	–	–	–	–	–	1	–	–	–	1	1	1	4	2	3	3
32	46 " "	200	–	–	–	–	–	–	1	1	1	2	–	2	2	–	6	2	1
33	47 " "	178	–	–	–	–	–	–	–	–	–	–	1	–	3	3	3	2	5
34	48 " "	132	–	–	–	–	–	–	1	–	–	–	1	2	–	1	2	2	4
35	49 " "	126	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	1
36	50 " "	103	–	–	–	–	–	–	–	1	–	1	1	1	–	2	–	1	2
37	51 " "	57	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–
38	52 " "	70	–	–	–	–	–	–	–	–	–	–	–	1	–	–	5	–	–
39	53 " "	46	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40	54 " "	35	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–	–	–
41	55 " "	26	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–
42	56 " "	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
43	57 " "	18	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	1
44	58 " "	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
45	59 " "	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
46	60 " "	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
47	61 " "	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
48	62 " "	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
49	63 " "	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
50	64 " "	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
51	65 and over—et plus.....	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
52	Not stated—Non donné.....	22	–	–	–	–	–	1	–	–	1	1	1	–	1	–	4	–	–
	Children born to married mothers—Enfants légitimes	**13,674**	–	–	–	**3**	**7**	**65**	**230**	**374**	**485**	**583**	**687**	**756**	**803**	**701**	**782**	**783**	**690**
	Children born to unmarried mothers—Enfants illégitimes.....	**473**	–	–	**4**	**10**	**20**	**46**	**60**	**61**	**55**	**39**	**35**	**31**	**26**	**15**	**4**	**12**	**9**
	Children born to all mothers—Légitimes et illégitimes.....	**14,147**	–	–	**4**	**13**	**27**	**111**	**290**	**435**	**540**	**622**	**722**	**787**	**829**	**716**	**786**	**795**	**699**

TABLEAU 8—Naissances (mort-nés exclus) classifiées selon l'âge des parents, 1927—*suite*

MANITOBA

Âge de la mère																							No.
29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50 and over — 50 et plus	Not stated — Non donné	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
4	1	1	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	10
4	5	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11
9	8	2	2	4	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	12
17	8	5	4	3	1	1	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	13
27	18	4	12	6	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	14
43	25	15	10	5	1	2	2	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	15
60	47	19	25	10	5	1	1	2	2	–	1	1	–	–	–	–	–	–	–	–	–	–	16
58	57	49	19	21	12	5	6	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
41	43	51	44	27	14	7	6	3	3	2	1	2	–	–	–	–	–	–	–	–	–	–	18
43	56	51	53	51	18	13	6	3	4	4	1	1	1	–	–	–	–	–	–	–	–	–	19
58	54	60	59	48	41	25	19	5	3	1	2	1	2	–	–	–	–	–	–	–	–	–	20
58	55	38	53	49	45	43	25	9	12	5	2	3	–	–	–	–	–	–	–	–	–	–	21
41	56	45	55	49	44	49	39	14	6	4	2	2	–	–	–	–	–	–	–	–	–	–	22
37	33	36	40	53	44	42	43	37	17	7	3	7	6	1	1	–	–	–	–	–	–	–	23
32	35	43	48	56	53	50	68	35	32	23	7	5	2	–	–	1	–	–	–	–	–	–	24
39	43	25	38	32	43	41	42	62	43	43	17	5	3	3	–	–	–	–	–	1	–	–	25
30	36	26	44	35	35	37	39	36	56	19	20	7	3	–	–	–	–	–	–	–	–	–	26
10	14	21	35	31	28	33	40	28	30	22	19	19	8	3	2	1	1	–	–	–	–	–	27
12	21	14	45	20	27	35	32	38	43	27	31	15	16	3	7	2	–	–	–	–	–	–	28
6	10	8	16	24	29	25	26	27	25	25	17	19	14	12	5	1	–	–	1	–	–	–	29
6	4	7	16	12	25	23	18	20	26	24	14	16	14	10	8	2	1	1	–	–	–	–	30
10	15	8	16	10	8	31	19	19	32	22	16	14	6	15	3	3	1	–	–	–	–	–	31
4	5	7	9	12	9	12	18	11	13	21	20	8	11	8	7	5	1	1	–	–	–	–	32
3	2	4	11	7	7	9	12	20	15	12	9	7	15	10	5	3	7	2	–	1	–	–	33
–	5	4	2	3	5	5	10	6	18	10	9	12	9	6	8	5	1	1	–	–	–	–	34
–	1	5	2	3	7	8	12	7	16	13	7	8	12	4	5	2	3	2	3	–	–	–	35
–	2	5	1	2	5	6	4	5	11	9	12	8	8	6	5	5	–	–	–	–	–	–	36
2	4	–	2	–	2	2	2	2	7	3	2	7	7	4	2	–	3	1	1	1	–	–	37
–	3	–	4	3	–	1	4	2	7	6	9	4	11	4	4	–	–	2	–	–	–	–	38
–	–	–	–	–	3	4	3	2	3	8	1	2	2	7	5	5	–	–	1	–	–	–	39
–	–	–	–	–	5	1	3	1	–	3	3	–	4	3	3	2	2	1	–	–	–	–	40
–	1	1	–	3	–	1	2	–	–	–	2	3	1	3	2	3	–	–	1	–	–	–	41
–	–	–	–	–	–	1	2	1	1	1	4	1	4	–	2	–	2	1	–	–	1	–	42
1	2	–	1	1	–	–	–	1	1	2	2	3	–	–	1	–	–	–	–	–	–	–	43
–	1	–	1	–	–	1	–	1	2	1	1	3	1	2	–	–	–	1	–	–	–	–	44
–	–	–	–	–	1	1	–	–	1	1	1	–	–	–	–	–	1	–	–	–	–	–	45
–	–	–	–	–	1	–	1	–	2	–	–	1	–	1	–	–	–	–	–	–	–	–	46
–	–	–	1	–	–	–	–	–	–	–	–	3	–	–	–	1	–	–	–	–	–	–	47
–	–	–	–	1	1	–	1	–	–	1	–	–	–	1	–	–	1	–	–	–	1	–	48
–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	49
1	–	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	50
–	–	–	–	1	1	–	1	–	–	2	2	–	–	–	–	–	–	1	–	–	–	–	51
1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	10	52
659	**671**	**556**	**672**	**582**	**524**	**516**	**510**	**403**	**437**	**323**	**239**	**187**	**163**	**106**	**75**	**41**	**24**	**14**	**7**	**3**	**2**	**11**	
9	**3**	**6**	**2**	**7**	**5**	**2**	**2**	**4**	–	–	–	**1**	**1**	–	–	**1**	–	–	–	–	–	**3**	
668	**674**	**562**	**674**	**589**	**529**	**518**	**512**	**407**	**437**	**323**	**239**	**188**	**164**	**106**	**75**	**42**	**24**	**14**	**7**	**3**	**2**	**14**	

TABLE 8—Births (exclusive of stillbirths) classified according to ages of parents, 1927—*con.*

SASKATCHEWAN

No.	Age of father — Âge du père	Total	Age of mother																	
			12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	
1	Under 16 years—Moins de 16 ans	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	16 years—ans	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	17 " "	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	
4	18 " "	9	–	–	–	–	1	–	2	2	1	1	–	–	1	–	–	–	–	
5	19 " "	24	–	–	–	–	2	1	3	6	6	2	1	1	2	–	–	–	–	
6	20 " "	80	–	–	–	1	1	8	18	25	9	6	8	3	–	1	–	–	–	
7	21 " "	181	–	–	–	–	3	4	29	39	29	34	17	12	7	3	1	–	–	
8	22 " "	332	–	–	–	3	5	22	45	58	53	53	37	28	9	10	4	2	1	
9	23 " "	474	–	–	–	1	1	16	36	78	69	71	74	55	31	24	10	1	1	
10	24 " "	570	–	–	–	–	4	20	56	58	68	80	89	75	59	33	7	6	5	
11	25 " "	651	–	–	–	–	4	13	32	55	87	109	85	91	66	54	21	16	5	
12	26 " "	743	–	–	–	–	5	13	22	63	79	83	106	101	83	67	58	30	9	
13	27 " "	870	–	–	–	–	3	10	23	52	76	90	109	104	104	99	62	60	27	
14	28 " "	869	–	–	–	–	–	8	28	39	61	71	92	85	107	91	82	68	50	
15	29 " "	879	–	–	–	1	3	2	25	44	49	74	68	88	95	78	79	61	51	
16	30 " "	925	–	–	–	–	1	3	16	39	57	61	63	83	88	94	77	83	67	
17	31 " "	883	–	–	–	–	–	4	8	18	43	62	70	65	52	64	81	78	77	
18	32 " "	999	–	–	–	–	–	3	11	11	31	37	64	61	64	85	78	93	117	
19	33 " "	974	–	–	–	–	–	3	3	18	28	27	57	84	52	70	84	91	70	
20	34 " "	993	–	–	–	–	–	4	5	14	25	22	41	45	59	57	59	102	80	
21	35 " "	928	–	–	–	–	1	–	5	11	17	23	29	32	31	63	46	73	89	
22	36 " "	988	–	–	–	–	–	1	1	4	10	29	29	49	34	44	50	59	67	
23	37 " "	941	–	–	–	–	–	–	1	3	14	15	25	30	28	39	38	80	51	
24	38 " "	912	–	–	–	–	–	–	3	6	13	7	16	20	25	23	42	44	70	
25	39 " "	920	–	–	–	–	–	–	1	4	6	7	13	23	22	23	27	50	43	
26	40 " "	831	–	–	–	–	–	–	–	2	8	8	9	10	16	18	22	25	32	
27	41 " "	623	–	–	–	–	–	1	–	2	1	4	11	11	13	14	17	14	20	
28	42 " "	772	–	–	–	–	–	–	–	3	1	5	4	13	10	14	24	18	20	
29	43 " "	647	–	–	–	–	–	–	1	4	2	8	2	5	12	15	10	17	12	
30	44 " "	465	–	–	–	–	–	–	–	1	1	3	6	5	4	5	11	11	7	
31	45 " "	414	–	–	–	–	–	–	–	1	2	–	3	4	4	1	10	6	8	
32	46 " "	342	–	–	–	–	–	–	2	–	1	1	3	1	4	2	7	7	10	
33	47 " "	259	–	–	–	–	–	1	–	1	2	–	5	3	3	1	1	4	4	
34	48 " "	274	–	–	–	–	–	–	2	–	–	1	1	3	–	3	2	3	11	
35	49 " "	172	–	–	–	–	–	–	–	–	–	1	–	3	1	1	1	3	3	
36	50 " "	142	–	–	–	–	–	–	–	–	–	–	1	2	1	–	5	1	4	
37	51 " "	97	–	–	–	–	–	–	–	–	–	–	–	–	2	3	1	1	1	
38	52 " "	100	–	–	–	–	–	–	–	–	–	2	–	–	–	1	1	1	–	
39	53 " "	79	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	1	2	
40	54 " "	51	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	
41	55 " "	36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	
42	56 " "	25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
43	57 " "	22	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	
44	58 " "	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
45	59 " "	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
46	60 " "	16	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	
47	61 " "	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
48	62 " "	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
49	63 " "	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
50	64 " "	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
51	65 and over—et plus	14	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
52	Not stated—Non donné	3	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	
	Children born to married mothers—Enfants légitimes	**20,583**	–	–	–	**6**	**34**	**137**	**379**	**662**	**850**	**999**	**1,140**	**1,198**	**1,090**	**1,102**	**1,019**	**1,112**	**1,016**	
	Children born to unmarried mothers—Enfants illégitimes	**432**	–	**2**	**8**	**10**	**18**	**37**	**52**	**51**	**41**	**34**	**27**	**25**	**20**	**9**	**9**	**9**	**14**	
	Children born to all mothers—Légitimes et illégitimes	**21,015**	–	**2**	**8**	**16**	**52**	**174**	**431**	**713**	**891**	**1,033**	**1,167**	**1,223**	**1,110**	**1,111**	**1,028**	**1,121**	**1,030**	

TABLEAU 8—Naissances (mort-nés exclus) classifiées selon l'âge des parents, 1927—*suite*

SASKATCHEWAN

Âge de la mère																							No.
29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50 and over — 50 et plus	Not stated — Non donné	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	8
3	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
3	–	–	3	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
5	2	–	1	1	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	11
9	3	2	6	2	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	12
19	11	6	7	3	1	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	13
40	24	6	8	3	2	1	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	14
73	31	17	17	8	8	4	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	15
62	55	23	27	13	5	3	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
62	66	48	38	21	10	2	6	1	1	3	2	1	–	–	–	–	–	–	–	–	–	–	17
68	78	55	55	39	14	13	7	6	1	1	3	3	1	–	–	–	–	–	–	–	–	–	18
74	59	64	65	54	29	20	14	–	5	1	1	–	–	–	–	–	–	–	–	–	–	1	19
91	82	65	73	49	54	25	17	9	4	1	4	2	2	–	–	1	–	–	–	–	–	1	20
62	87	61	75	60	71	35	20	7	13	9	4	–	3	–	1	–	–	–	–	–	–	–	21
61	74	73	79	79	64	55	58	36	18	3	7	1	1	–	–	2	–	–	–	–	–	–	22
52	79	60	72	60	64	69	56	49	25	13	12	4	2	–	–	–	–	–	–	–	–	–	23
54	58	47	82	61	58	57	61	61	61	23	7	8	4	1	–	–	–	–	–	–	–	–	24
67	61	42	81	60	63	67	75	59	43	41	21	14	3	2	2	–	–	–	–	–	–	–	25
33	70	50	52	57	61	77	62	50	59	40	39	11	11	6	2	–	1	–	–	–	–	–	26
18	31	37	44	34	37	42	58	42	47	35	33	34	14	3	5	1	–	–	–	–	–	–	27
22	33	32	72	43	42	54	68	64	62	50	41	31	25	12	8	1	–	–	–	–	–	–	28
24	23	23	40	49	45	38	47	53	51	44	35	33	31	14	8	1	–	–	–	–	–	–	29
16	15	19	14	27	27	39	24	30	36	47	25	29	25	19	11	6	1	1	–	–	–	–	30
12	15	15	15	21	20	39	31	32	32	27	35	24	16	16	15	10	–	–	–	–	–	–	31
8	11	10	15	10	18	17	25	20	36	29	30	23	18	14	8	8	4	–	–	–	–	–	32
11	8	4	9	11	12	11	21	25	27	15	21	14	16	9	8	9	1	2	–	–	–	–	33
7	6	6	8	11	12	15	11	21	37	16	24	12	18	17	9	7	5	4	2	–	–	–	34
3	6	3	4	9	7	13	9	9	17	22	15	5	6	6	8	9	3	4	1	–	–	–	35
–	6	–	–	2	4	7	9	7	17	14	17	14	7	6	4	6	2	4	2	–	–	–	36
2	5	3	2	2	3	3	7	4	6	7	12	7	6	5	4	7	2	1	1	–	–	–	37
3	4	–	4	–	7	2	3	4	10	10	9	8	10	5	3	4	5	3	1	–	–	–	38
1	–	1	1	3	1	3	8	4	5	7	6	4	2	11	5	2	3	2	4	–	–	–	39
–	–	1	1	–	3	7	3	2	4	4	1	2	6	4	4	2	2	1	1	–	–	–	40
2	–	–	2	–	3	4	2	1	3	3	1	1	6	2	4	–	–	–	–	–	–	–	41
–	–	–	–	2	2	1	–	4	1	2	3	–	1	2	3	1	1	–	1	–	1	–	42
–	–	–	–	1	3	1	1	1	1	–	3	1	–	–	2	4	–	1	–	–	–	–	43
–	–	1	1	2	–	4	1	–	2	1	6	1	–	–	–	–	–	–	–	–	–	–	44
–	–	–	–	1	3	1	–	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	45
1	1	–	–	1	–	1	3	–	3	1	2	–	–	–	–	–	–	–	–	–	–	–	46
–	1	–	–	1	2	–	1	1	–	1	1	1	–	1	–	–	–	–	–	–	–	–	47
–	–	–	1	–	–	–	–	–	1	3	–	–	–	1	–	1	1	–	–	–	–	–	48
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	49
–	–	–	–	–	–	–	1	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	50
1	–	1	4	–	–	–	–	1	1	–	3	–	–	2	–	–	–	–	–	–	–	–	51
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	52
971	1,005	777	978	803	759	733	716	611	632	474	425	289	235	160	114	83	33	23	13	–	1	4	
10	9	5	3	3	5	7	3	3	5	4	4	–	2	1	–	–	1	–	–	–	–	1	
981	1,014	782	981	806	764	740	719	614	637	478	429	289	237	161	114	83	34	23	13	–	1	5	

TABLE 8—Births (exclusive of stillbirths) classified according to ages of parents, 1927—*con.*

ALBERTA

No.	Age of father — Âge du père	Total	Age of mother																
			12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
1	Under 16 years—Moins de 16 ans	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	16 years—ans....	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
3	17 " "	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	18 " "	7	–	–	–	1	–	–	1	3	–	–	–	2	–	–	–	–	–
5	19 " "	28	–	–	–	1	–	5	6	8	2	3	1	2	–	–	–	–	–
6	20 " "	51	–	–	–	–	1	6	8	12	9	5	4	1	1	1	–	1	–
7	21 " "	144	–	–	–	–	2	7	25	31	28	26	5	11	5	1	3	–	–
8	22 " "	261	–	–	–	1	4	13	31	45	41	45	43	22	7	3	2	–	1
9	23 " "	353	–	–	–	–	2	13	26	48	63	56	51	49	21	8	3	6	1
10	24 " "	434	–	–	–	1	5	16	32	47	64	62	62	49	50	21	11	8	3
11	25 " "	442	–	–	–	–	1	5	29	31	66	50	61	61	48	41	13	12	8
12	26 " "	509	–	–	–	–	1	5	23	48	44	71	68	67	57	40	33	24	13
13	27 " "	654	–	–	–	–	–	10	17	38	52	81	63	70	89	63	56	58	17
14	28 " "	611	–	–	–	–	5	4	12	32	35	52	54	72	87	54	59	55	35
15	29 " "	646	–	–	–	1	–	6	9	34	55	46	50	59	68	63	46	54	51
16	30 " "	776	–	–	–	–	1	2	7	21	31	52	67	70	68	66	68	76	70
17	31 " "	594	–	–	–	–	–	3	8	14	20	46	35	40	46	53	63	45	39
18	32 " "	724	–	–	–	–	–	2	8	18	37	35	52	47	53	52	59	70	62
19	33 " "	692	–	–	–	–	1	–	6	5	16	18	39	61	37	40	47	51	65
20	34 " "	688	–	–	–	1	–	–	4	7	13	12	19	32	50	37	50	59	61
21	35 " "	648	–	–	–	–	–	1	2	10	9	10	30	30	33	66	31	44	48
22	36 " "	684	–	–	–	–	–	2	3	8	10	18	22	30	30	25	43	54	52
23	37 " "	670	–	–	–	–	–	1	2	4	5	14	15	26	18	15	46	44	44
24	38 " "	709	–	–	–	–	1	–	3	7	5	20	13	23	24	25	31	27	50
25	39 " "	615	–	–	–	–	–	–	–	6	5	11	10	22	16	22	25	30	23
26	40 " "	585	–	–	–	–	1	–	2	2	3	8	10	10	15	18	18	24	32
27	41 " "	420	–	–	–	–	–	–	–	3	2	5	7	5	7	11	14	7	14
28	42 " "	467	–	–	–	–	–	–	–	1	4	1	3	8	9	6	16	16	14
29	43 " "	385	–	–	–	–	–	–	–	2	3	5	2	9	5	1	6	6	13
30	44 " "	299	–	–	–	–	–	–	–	1	1	–	1	4	2	1	5	9	5
31	45 " "	301	–	–	–	–	–	–	–	–	–	1	2	1	2	7	5	6	7
32	46 " "	205	–	–	–	–	–	–	–	–	1	–	1	2	–	3	4	6	2
33	47 " "	195	–	–	–	–	–	–	1	–	1	1	1	2	3	2	1	2	3
34	48 " "	131	–	–	–	–	–	–	–	–	–	1	1	1	–	4	–	2	1
35	49 " "	128	–	–	–	–	–	–	–	–	1	–	–	–	–	1	3	2	2
36	50 " "	105	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	2	3
37	51 " "	43	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–
38	52 " "	57	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	3	2
39	53 " "	45	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2
40	54 " "	40	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	2
41	55 " "	38	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	1
42	56 " "	19	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	2	–
43	57 " "	10	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1
44	58 " "	9	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1
45	59 " "	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
46	60 " "	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
47	61 " "	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
48	62 " "	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
49	63 " "	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
50	64 " "	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
51	65 and over—et plus.....	14	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
52	Not stated—Non donné.....	8	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	Children born to married mothers—Enfants légitimes	**14,479**	–	–	–	**6**	**25**	**101**	**265**	**496**	**628**	**755**	**795**	**890**	**854**	**753**	**770**	**809**	**748**
	Children born to unmarried mothers—Enfants illégitimes.....	**418**	–	–	**4**	**12**	**20**	**27**	**47**	**53**	**46**	**39**	**25**	**15**	**24**	**12**	**12**	**8**	**8**
	Children born to all mothers—Légitimes et illégitimes.....	**14,897**	–	–	**4**	**18**	**45**	**128**	**312**	**543**	**674**	**794**	**820**	**905**	**878**	**765**	**782**	**817**	**756**

TABLEAU 8—Naissances (mort-nés exclus) classifiées selon l'âge des parents, 1927—*suite*

ALBERTA

Âge de la mère

29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50 and over — 50 et plus	Not stated — Non donné	No.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
3	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	9
1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	10
4	4	2	2	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	11
4	5	2	1	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	12
14	11	2	5	2	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	13
22	15	6	4	4	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14
37	22	13	13	6	3	2	1	1	2	1	1	–	–	–	–	–	–	–	–	–	–	2	15
65	47	23	14	5	7	7	2	2	1	1	1	–	1	–	1	–	–	–	–	–	–	–	16
54	47	35	14	15	7	1	3	1	1	1	–	–	–	–	1	–	–	–	–	–	–	2	17
58	55	28	39	18	13	5	4	2	2	1	1	2	–	1	–	–	–	–	–	–	–	–	18
48	61	42	54	45	20	19	4	5	4	3	1	–	–	–	–	–	–	–	–	–	–	–	19
61	56	41	45	43	47	22	10	2	5	4	3	1	–	–	–	–	–	–	–	–	–	3	20
39	50	32	50	38	44	39	12	15	9	2	2	1	–	–	–	–	–	–	–	1	–	–	21
45	57	33	47	39	53	40	33	18	16	5	1	–	–	–	–	–	–	–	–	–	–	–	22
45	48	45	44	45	42	44	35	44	22	11	5	4	1	–	1	–	–	–	–	–	–	–	23
40	41	45	48	51	55	35	50	44	33	22	5	6	–	2	–	–	–	1	1	–	–	1	24
42	32	38	35	27	46	55	40	34	33	35	13	5	5	3	2	–	–	–	–	–	–	–	25
17	51	33	35	37	39	43	38	32	39	30	27	5	8	4	3	1	–	–	–	–	–	–	26
14	18	31	29	21	25	23	35	34	44	23	20	16	5	4	–	–	2	–	–	–	1	–	27
15	18	21	38	23	25	25	43	35	35	39	30	14	16	5	4	–	1	1	–	–	–	1	28
13	13	13	14	32	35	31	17	24	37	27	23	15	17	12	7	3	–	–	–	–	–	–	29
10	12	12	16	17	24	29	14	17	23	21	15	11	24	13	6	2	3	–	–	–	–	1	30
5	15	4	14	16	9	25	30	22	22	24	28	12	19	8	8	7	–	1	–	–	–	1	31
4	6	8	8	13	18	9	19	15	8	19	13	10	11	6	9	5	4	–	1	–	–	–	32
2	7	7	4	9	5	10	12	18	19	10	17	15	16	7	4	12	4	–	–	–	–	–	33
6	2	2	4	7	7	5	5	12	19	6	11	9	11	7	2	–	3	–	2	–	–	1	34
2	4	–	1	5	5	10	6	9	18	16	8	6	3	7	7	5	4	3	–	–	–	–	35
–	3	5	2	3	6	7	2	7	12	2	17	7	4	5	4	6	3	–	–	–	–	–	36
1	2	1	1	3	2	1	1	–	2	3	1	4	3	6	2	1	1	3	1	–	–	–	37
1	1	2	2	1	1	2	5	6	6	2	2	1	2	2	6	2	2	2	1	–	1	–	38
1	–	1	–	3	4	2	2	4	2	2	4	–	2	6	3	1	–	1	2	–	–	–	39
1	–	1	–	2	2	2	2	2	1	3	3	1	3	4	3	2	1	1	1	1	–	–	40
1	2	–	2	–	2	4	3	1	1	2	2	3	1	2	1	4	3	–	–	–	–	–	41
1	–	–	1	–	–	1	–	2	1	–	1	2	1	3	–	1	1	–	–	–	–	–	42
1	–	–	–	–	–	–	1	–	1	1	–	–	1	–	1	1	1	–	–	–	–	–	43
–	–	–	–	–	–	–	–	2	1	–	–	1	2	1	–	–	–	–	–	–	–	–	44
1	–	–	–	1	–	–	1	2	–	1	2	–	–	–	–	–	–	–	–	–	–	–	45
1	–	–	–	–	–	1	–	–	–	1	1	1	1	1	1	–	1	1	–	–	1	–	46
–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	47
–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	48
–	1	–	–	–	–	1	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	49
–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	50
–	1	1	–	–	–	–	1	–	4	–	–	2	–	–	1	1	–	1	–	–	–	–	51
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	5	52
680	708	532	588	534	551	504	433	414	424	319	259	155	160	113	77	55	34	15	9	2	3	21	
8	12	5	7	5	4	6	5	1	4	2	3	–	–	–	–	1	–	–	–	–	–	3	
688	720	537	595	539	555	510	438	415	428	321	262	155	160	113	77	56	34	15	9	2	3	24	

TABLE 8—Births (exclusive of stillbirths) classified according to ages of parents, 1927—*con.*

BRITISH COLUMBIA

No.	Age of father — Âge du père	Total	Age of mother																
			12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
1	Under 16 years—Moins de 16 ans	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	16 years—ans....	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
3	17 " "	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
4	18 " "	13	–	–	–	–	–	5	3	1	2	–	–	1	–	–	1	–	–
5	19 " "	29	–	–	–	–	2	5	11	1	4	2	2	1	1	–	–	–	–
6	20 " "	63	–	–	–	–	3	9	10	11	14	7	4	2	1	–	1	–	1
7	21 " "	140	–	–	–	–	3	10	17	25	35	24	14	4	5	–	1	1	1
8	22 " "	202	–	–	–	–	3	9	23	25	30	36	32	20	8	6	3	3	–
9	23 " "	232	–	–	–	–	3	13	20	27	36	38	37	23	14	6	7	3	–
10	24 " "	326	–	–	–	–	2	6	23	24	37	50	51	45	31	20	17	6	4
11	25 " "	376	–	–	–	–	–	5	23	30	45	43	37	50	52	33	22	10	8
12	26 " "	413	–	–	–	–	4	3	9	18	20	43	49	46	65	41	46	29	20
13	27 " "	450	–	–	–	–	–	3	12	24	35	40	37	55	47	48	54	32	24
14	28 " "	409	–	–	–	–	1	3	9	20	22	28	27	33	45	49	49	42	34
15	29 " "	430	–	–	–	–	–	5	8	18	23	31	26	31	39	34	44	45	40
16	30 " "	503	–	–	–	–	–	1	4	13	15	20	31	46	44	63	55	46	38
17	31 " "	428	–	–	–	–	1	–	2	10	9	21	31	26	25	35	39	42	34
18	32 " "	435	–	–	–	–	–	–	4	5	10	20	20	21	28	30	34	28	38
19	33 " "	413	–	–	–	–	1	1	–	6	7	14	19	27	29	26	28	31	33
20	34 " "	417	–	–	–	–	–	2	1	4	7	12	19	18	18	32	29	30	32
21	35 " "	389	–	–	–	–	–	–	1	4	8	7	11	13	13	34	29	29	28
22	36 " "	417	–	–	–	–	1	1	1	1	2	8	16	16	16	20	29	23	33
23	37 " "	405	–	–	–	–	–	1	3	2	2	5	10	10	10	18	16	33	24
24	38 " "	425	–	–	–	–	–	–	–	2	4	7	8	10	21	19	14	25	30
25	39 " "	384	–	–	–	–	–	–	1	3	2	4	5	10	10	5	9	29	17
26	40 " "	397	–	–	–	1	–	–	1	–	3	4	6	5	11	12	9	17	17
27	41 " "	281	–	–	–	–	–	–	1	–	2	2	3	7	9	6	4	16	9
28	42 " "	314	–	–	–	–	–	–	–	1	1	3	8	3	4	5	7	10	12
29	43 " "	251	–	–	–	–	–	–	–	–	3	1	2	8	3	6	10	7	15
30	44 " "	208	–	–	–	–	–	–	–	–	–	1	–	2	2	1	5	4	10
31	45 " "	207	–	–	–	–	–	–	–	–	1	–	1	–	–	3	3	5	9
32	46 " "	178	–	–	–	–	–	–	–	–	1	–	2	3	5	1	5	6	5
33	47 " "	131	–	–	–	–	–	–	1	1	1	1	2	4	2	2	3	3	4
34	48 " "	97	–	–	–	–	–	–	–	–	–	1	2	–	1	–	2	6	4
35	49 " "	97	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	2	1
36	50 " "	91	–	–	–	–	–	–	–	–	1	–	–	1	1	–	3	1	5
37	51 " "	47	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	1
38	52 " "	57	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	3	1
39	53 " "	27	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1
40	54 " "	32	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1
41	55 " "	36	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
42	56 " "	18	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1
43	57 " "	21	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	1
44	58 " "	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
45	59 " "	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
46	60 " "	10	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
47	61 " "	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
48	62 " "	6	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
49	63 " "	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
50	64 " "	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
51	65 and over—et plus.....	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
52	Not stated—Non donné.....	29	–	–	–	–	–	–	1	–	1	1	–	1	–	–	1	1	–
	Children born to married mothers—Enfants légitimes	9,880	–	–	–	1	26	83	189	276	385	476	512	548	563	556	584	575	539
	Children born to unmarried mothers—Enfants illégitimes.....	204	–	–	2	4	14	15	21	23	19	16	12	17	8	7	4	4	4
	Children born to all mothers—Légitimes et illégitimes.....	10,084	–	–	2	5	40	98	210	299	404	492	524	565	571	563	588	579	543

TABLEAU 8—Naissances (mort-nés exclus) classifiées selon l'âge des parents, 1927—*fin*

COLOMBIE BRITANNIQUE

Âge de la mère																							
29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50 and over — 50 et plus	Not stated — Non donné	No.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	8
4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
3	–	3	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
4	8	–	3	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	11
3	9	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12
17	7	3	4	3	1	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	13
13	12	6	7	6	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	14
36	19	11	11	5	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15
48	37	15	9	4	6	3	–	3	1	–	–	–	–	1	–	–	–	–	–	–	–	–	16
37	35	39	14	4	9	10	1	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	17
34	32	38	42	28	6	3	4	1	2	2	1	1	1	1	–	–	–	–	–	–	–	1	18
29	31	30	31	33	15	13	3	1	2	1	–	1	1	–	–	–	–	–	–	–	–	–	19
38	39	20	19	38	28	16	6	4	2	3	–	–	–	–	–	–	–	–	–	–	–	–	20
28	25	23	22	18	28	33	16	9	5	2	1	–	1	–	–	–	1	–	–	–	–	–	21
24	39	24	25	20	27	26	24	21	12	2	2	3	–	–	–	–	–	–	–	–	–	1	22
20	32	24	33	30	25	31	29	16	17	3	4	3	2	2	–	–	–	–	–	–	–	–	23
26	30	23	30	28	30	22	30	20	21	14	8	–	2	1	–	–	–	–	–	–	–	–	24
34	25	22	22	28	29	23	20	18	23	28	9	4	2	1	–	1	–	–	–	–	–	–	25
25	29	15	28	25	23	38	32	24	21	19	19	6	3	–	1	–	1	–	1	–	–	1	26
13	10	18	20	13	18	22	21	18	19	21	12	9	8	–	–	–	–	–	–	–	–	–	27
11	15	15	26	27	20	25	19	17	14	17	18	18	9	8	1	–	–	–	–	–	–	–	28
2	12	14	17	16	14	17	11	16	15	17	15	8	11	7	2	1	1	–	–	–	–	–	29
6	9	10	14	10	13	20	14	12	11	14	13	11	13	8	3	1	–	1	–	–	–	–	30
8	17	4	10	4	11	24	12	13	15	11	17	11	10	8	4	6	–	–	–	–	–	–	31
7	6	7	7	9	12	14	19	10	10	10	12	6	5	9	2	1	2	1	–	–	–	1	32
4	3	4	9	2	6	3	8	14	6	7	7	9	10	10	3	–	–	1	1	–	–	–	33
1	5	3	3	5	7	5	4	5	13	5	6	4	5	3	4	2	–	1	–	–	–	–	34
1	2	1	6	2	10	8	2	11	11	12	6	2	3	2	5	1	2	2	2	–	–	–	35
2	2	2	3	2	9	7	5	5	11	7	3	4	2	6	1	4	3	–	1	–	–	–	36
–	4	1	–	2	1	2	1	4	6	4	–	3	6	3	1	–	2	–	–	–	–	–	37
2	–	–	6	5	2	1	5	2	3	6	3	1	10	1	1	1	1	–	1	–	–	–	38
–	1	–	1	2	1	1	2	3	6	–	1	–	–	–	5	–	1	–	–	–	–	–	39
1	2	3	2	2	3	1	2	–	–	2	5	–	1	1	3	1	–	–	–	–	–	–	40
1	1	–	–	2	3	2	4	3	1	3	5	–	1	1	1	–	–	–	–	–	–	–	41
–	1	–	1	1	1	–	2	3	–	1	1	–	–	1	–	1	1	–	–	–	–	–	42
2	1	1	1	–	–	–	2	3	1	1	2	–	–	2	–	–	–	–	–	–	1	–	43
1	–	–	1	2	1	–	1	–	3	4	2	–	–	–	–	–	–	1	–	–	–	–	44
–	1	–	1	–	–	–	1	–	–	2	–	–	–	2	–	–	–	–	–	–	–	–	45
–	–	–	1	–	–	–	–	2	–	–	3	–	1	–	–	1	1	–	–	–	–	–	46
–	–	–	–	–	–	–	–	3	–	–	–	1	–	–	–	–	2	–	–	–	–	–	47
–	1	–	–	–	–	1	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	48
–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	49
–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	50
–	–	–	–	–	–	1	–	–	1	2	2	–	1	1	–	–	1	1	–	–	–	–	51
–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21	52
485	504	384	436	376	362	376	302	268	254	225	179	106	111	79	37	21	20	8	6	–	1	27	
4	3	3	1	5	1	5	1	2	2	2	2	–	1	1	–	–	–	–	–	–	–	1	
489	507	387	437	381	363	381	303	270	256	227	181	106	112	80	37	21	20	8	6	–	1	28	

TABLE 9—Births (exclusive of stillbirths) classified according to racial origin of parents, 1927

No.	Racial origin of father — Origine raciale du père	Total	Racial origin of mother																	
			English — Anglaise	Irish — Irlandaise	Scotch — Écossaise	Welsh—Galloise	French — Française	Armenian—Arménienne	Austrian — Autrichienne	Belgian—Belge	Bulgarian—Bulgare	Chinese—Chinoise	Czech and Slovak Tchèque et Slov.	Danish—Danoise	Dutch — Hollandaise	Finnish—Finlandaise	German — Allemande	
	CANADA[1]																			
1	English	51,713	37,260	4,218	5,865	245	1,770	–	29	43	–	2	18	92	301	28	974			
2	Irish	21,290	4,994	9,413	3,514	88	1,899	–	6	20	–	–	12	38	185	13	625			
3	Scotch	23,202	6,455	3,455	10,895	135	908	–	14	16	–	–	10	43	218	17	538			
4	Welsh	838	357	102	158	135	21	–	1	3	–	–	–	4	10	4	23			
5	French	90,167	1,364	1,196	639	13	86,307	–	9	78	1	–	4	9	55	14	208			
6	Armenian	84	4	–	–	–	2	75	–	–	–	–	–	–	–	–	1			
7	Austrian	1,443	22	15	8	2	14	–	1,204	1	–	–	3	1	2	1	45			
8	Belgian	595	39	7	21	1	117	–	–	371	–	–	1	–	5	–	14			
9	Bulgarian	63	16	2	1	–	9	–	1	–	25	–	–	–	–	–	1			
10	Chinese	304	7	1	3	1	2	–	–	–	–	283	–	–	–	–	1			
11	Czech and Slovak	314	8	6	7	–	9	–	2	–	–	–	231	–	–	1	14			
12	Danish	552	131	36	65	2	21	–	3	2	–	–	–	191	4	2	27			
13	Dutch	2,061	368	219	233	16	72	–	–	8	–	–	2	4	1,028	–	70			
14	Finnish	537	16	9	5	–	4	–	–	–	–	–	–	–	1	486	3			
15	German	9,777	892	514	465	21	286	–	37	12	–	–	18	17	68	4	7,048			
16	Greek	283	34	10	10	1	25	–	–	–	3	–	–	–	–	–	7			
17	Hindu	27	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
18	Hungarian	579	10	3	5	–	6	–	11	–	–	–	3	2	–	–	21			
19	Icelandic	369	23	10	19	1	9	–	–	–	–	–	1	1	1	–	9			
20	Indian	2,234	26	8	6	–	64	–	–	–	–	–	–	–	1	–	1			
21	Italian	2,900	169	49	50	4	262	–	9	8	–	–	6	–	1	3	17			
22	Japanese	819	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
23	Jewish	1,958	21	7	5	–	6	–	–	1	–	–	–	–	–	–	2			
24	Negro	382	12	5	4	–	3	–	–	–	–	–	–	–	–	–	1			
25	Norwegian	1,722	223	122	119	5	56	–	–	3	–	–	1	18	14	9	83			
26	Polish	2,085	39	24	22	3	47	–	20	1	–	–	18	1	1	2	45			
27	Rumanian	649	22	7	9	1	21	–	24	–	–	–	2	–	–	1	15			
28	Russian	2,500	81	20	24	1	37	1	101	1	1	–	4	1	6	–	94			
29	Serb and Croat	222	11	2	3	–	3	–	–	–	–	–	1	–	–	1	–			
30	Swedish	1,394	244	85	116	7	42	–	4	1	–	–	2	18	7	27	70			
31	Swiss	274	57	20	27	1	25	–	6	3	–	–	–	1	2	–	34			
32	Syrian	253	12	4	10	1	30	–	1	–	–	–	1	–	–	1	3			
33	Ukranian[2]	4,926	23	4	8	1	9	–	35	3	–	–	9	1	1	3	15			
34	Other	252	38	14	9	–	28	–	2	1	–	–	1	–	–	2	6			
35	Not specified	705	115	34	50	1	26	–	1	–	–	–	–	–	2	–	12			
36	**Children born to T.**	**227,473**	**53,098**	**19,621**	**22,375**	**686**	**92,140**	**76**	**1,520**	**576**	**30**	**285**	**348**	**442**	**1,913**	**619**	**10,027**			
	married mothers— M.	**117,185**	**27,262**	**10,145**	**11,455**	**341**	**47,485**	**36**	**786**	**295**	**13**	**166**	**181**	**219**	**966**	**311**	**5,105**			
	Enfants légitimes. F.	**110,288**	**25,836**	**9,476**	**10,920**	**345**	**44,655**	**40**	**734**	**281**	**17**	**119**	**167**	**223**	**947**	**308**	**4,922**			
37	**Children born to T.**	**6,715**	**1,689**	**593**	**724**	**20**	**2,040**	–	**27**	**9**	–	**3**	**5**	**8**	**64**	**35**	**243**			
	unmarried mothers M.	**3,470**	**873**	**313**	**387**	**8**	**1,037**	–	**18**	**4**	–	**3**	**2**	**3**	**29**	**12**	**135**			
	—Enfants illégiti- F.	**3,245**	**816**	**280**	**337**	**12**	**1,003**	–	**9**	**5**	–	–	**3**	**5**	**35**	**23**	**108**			
	mes.																			
38	**Children born to T.**	**234,188**	**54,787**	**20,214**	**23,099**	**706**	**94,180**	**76**	**1,547**	**585**	**30**	**288**	**353**	**450**	**1,977**	**654**	**10,270**			
	all mothers—Légi- M.	**120,655**	**28,135**	**10,458**	**11,842**	**349**	**48,522**	**36**	**804**	**299**	**13**	**169**	**183**	**222**	**995**	**323**	**5,240**			
	times et illégitimes F.	**113,533**	**26,652**	**9,756**	**11,257**	**357**	**45,658**	**40**	**743**	**286**	**17**	**119**	**170**	**228**	**982**	**331**	**5,030**			

(1)Exclusive of Yukon and the northwest Territories, statistics for which are given at the end of the introduction.—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

(2)Including "Galician"—Y compris "Galicienne".

TABLEAU 9—Naissances (mort-nés exclus) classifiées selon l'origine raciale des parents, 1927

| Origine raciale de la mère | | |

TABLE 9—Births (exclusive of stillbirths) classified according to racial origin of parents, 1927—*con.*

No.	Racial origin of father — Origine raciale du père	Total	Racial origin of mother																	
			English — Anglaise	Irish — Irlandaise	Scotch — Écossaise	Welsh—Galloise	French — Française	Armenian—Arménienne	Austrian — Autrichienne	Belgian—Belge	Bulgarian—Bulgare	Chinese—Chinoise	Czech and Slovak Tchèque et Slov.	Danish—Danoise	Dutch — Hollandaise	Finnish—Finlandaise	German — Allemande			
	PRINCE EDWARD ISLAND																			
1	English	517	347	15	133	–	21	–	–	–	–	–	–	–	–	–	–			
2	Irish	303	18	197	64	–	24	–	–	–	–	–	–	–	–	–	–			
3	Scotch	524	110	45	349	–	19	–	–	–	–	–	–	–	–	–	–			1
4	Welsh	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
5	French	298	18	14	13	–	252	–	–	–	–	–	–	–	–	–	–			
6	Armenian	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
7	Austrian	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
8	Belgian	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
9	Bulgarian	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
10	Chinese	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
11	Czech and Slovak	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
12	Danish	2	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–			
13	Dutch	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–			
14	Finnish	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
15	German	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–			
16	Greek	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
17	Hindu	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
18	Hungarian	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
19	Icelandic	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
20	Indian	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
21	Italian	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
22	Japanese	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
23	Jewish	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
24	Negro	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–			
25	Norwegian	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
26	Polish	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
27	Rumanian	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
28	Russian	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
29	Serb and Croat	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
30	Swedish	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
31	Swiss	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
32	Syrian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
33	Ukranian(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
34	Other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
35	Not specified	5	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–			
36	**Children born to T. married mothers— M.**	**1,662**	**496**	**272**	**561**	–	**318**	–	–	–	–	–	–	**1**	**1**	–	**1**			
	Enfants légitimes. F.	**868**	**252**	**132**	**290**	–	**186**	–	–	–	–	–	–	–	–	–	–			
37	**Children born to T. unmarried mothersM. —Enfants illégiti- F. mes.**	**794**	**244**	**140**	**271**	–	**132**	–	–	–	–	–	–	**1**	**1**	–	**1**			
		35	**13**	**6**	**9**	–	**7**	–	–	–	–	–	–	–	–	–	–			
		22	**10**	**2**	**6**	–	**4**	–	–	–	–	–	–	–	–	–	–			
		13	**3**	**4**	**3**	–	**3**	–	–	–	–	–	–	–	–	–	–			
38	**Children born to T. all mothers—Légi- M. times et illégitimes. F.**	**1,697**	**509**	**278**	**570**	–	**325**	–	–	–	–	–	–	**1**	**1**	–	**1**			
		890	**262**	**134**	**296**	–	**190**	–	–	–	–	–	–	–	–	–	–			
		807	**247**	**144**	**274**	–	**135**	–	–	–	–	–	–	**1**	**1**	–	**1**			
	NOVA SCOTIA																			
39	English	5,175	4,374	172	380	6	163	–	–	–	–	–	–	1	29	1	30			
40	Irish	961	164	386	277	1	97	–	–	2	–	–	–	1	16	–	11			
41	Scotch	2,441	448	252	1,592	2	95	–	–	2	–	–	–	1	26	–	14			
42	Welsh	11	5	–	5	–	1	–	–	–	–	–	–	–	–	–	–			
43	French	1,203	138	45	81	–	909	–	–	1	–	–	–	–	13	–	14			
44	Armenian	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
45	Austrian	7	1	–	–	–	1	–	2	–	–	–	–	–	–	–	2			
46	Belgian	10	1	–	2	–	2	–	–	4	–	–	–	–	–	–	–			
47	Bulgarian	4	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–			
48	Chinese	3	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–			
49	Czech and Slovak	4	1	–	1	–	–	–	–	–	–	–	2	–	–	–	–			
50	Danish	8	4	–	–	–	1	–	–	–	–	–	–	1	1	–	–			
51	Dutch	133	33	14	21	–	6	–	–	–	–	–	–	–	57	–	2			
52	Finnish	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1			
53	German	208	48	7	22	1	12	–	–	–	–	–	2	–	2	–	112			
54	Greek	5	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–			
55	Hindu	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
56	Hungarian	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–			
57	Icelandic	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–			
58	Indian	25	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–			
59	Italian	55	8	2	9	–	5	–	–	1	–	–	–	–	–	–	–			
60	Japanese	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
61	Jewish	28	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–			

(1)Including "Galician"—Y compris "Galicienne".

TABLEAU 9—Naissances (mort-nés exclus) classifiées selon l'origine raciale des parents, 1927—*suite*

| Origine raciale de la mère | | |

TABLE 9—Births (exclusive of stillbirths) classified according to racial origin of parents, 1927—*con.*

No.	Racial origin of father — Origine raciale du père	Total	Racial origin of mother																	
			English — Anglaise	Irish — Irlandaise	Scotch — Écossaise	Welsh—Galloise	French — Française	Armenian—Arménienne	Austrian — Autrichienne	Belgian—Belge	Bulgarian—Bulgare	Chinese—Chinoise	Czech and Slovak Tchèque et Slov.	Danish—Danoise	Dutch — Hollandaise	Finnish—Finlandaise	German — Allemande			
	NOVA SCOTIA—con.																			
1	Negro	146	5	1	1	–	–	–	–	–	–	–	–	–	–	–	–			
2	Norwegian	10	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1			
3	Polish	23	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–			
4	Rumanian	5	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–			
5	Russian	19	5	1	4	–	–	–	3	–	–	–	–	–	–	–	–			
6	Serb and Croat	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
7	Swedish	10	5	1	3	–	–	–	–	–	–	–	–	–	–	–	–			
8	Swiss	8	3	–	3	–	–	–	–	–	–	–	–	–	–	–	–			
9	Syrian	25	4	1	2	–	2	–	–	–	–	–	–	–	–	–	–			
10	Ukranian(1)	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1			
11	Other	13	4	1	1	–	1	–	–	–	–	–	1	–	–	–	–			
12	Not specified	8	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–			
13	**Children born to T.**	**10,556**	**5,266**	**887**	**2,410**	**10**	**1,299**	**–**	**6**	**10**	**–**	**1**	**5**	**4**	**144**	**2**	**188**			
	married mothers— M.	**5,419**	**2,702**	**461**	**1,218**	**6**	**689**	**–**	**4**	**6**	**–**	**–**	**3**	**2**	**69**	**1**	**100**			
	Enfants légitimes. F.	**5,137**	**2,564**	**426**	**1,192**	**4**	**610**	**–**	**2**	**4**	**–**	**1**	**2**	**2**	**75**	**1**	**88**			
14	**Children born to T.**	**578**	**286**	**45**	**107**	**1**	**63**	**–**	**–**	**–**	**–**	**–**	**–**	**–**	**18**	**–**	**6**			
	unmarried mothers M.	**285**	**132**	**25**	**66**	**–**	**30**	**–**	**–**	**–**	**–**	**–**	**–**	**–**	**7**	**–**	**3**			
	—Enfants illégiti- F.	**293**	**154**	**20**	**41**	**1**	**33**	**–**	**–**	**–**	**–**	**–**	**–**	**–**	**11**	**–**	**3**			
	mes.																			
15	**Children born to T.**	**11,134**	**5,552**	**932**	**2,517**	**11**	**1,362**	**–**	**6**	**10**	**–**	**1**	**5**	**4**	**162**	**2**	**194**			
	all mothers—Légi- M.	**5,704**	**2,834**	**486**	**1,284**	**6**	**719**	**–**	**4**	**6**	**–**	**–**	**3**	**2**	**76**	**1**	**103**			
	times et illégitimes F.	**5,430**	**2,718**	**446**	**1,233**	**5**	**643**	**–**	**2**	**4**	**–**	**1**	**2**	**2**	**86**	**1**	**91**			
	NEW BRUNSWICK																			
16	English	3,089	2,521	175	228	10	124	–	–	–	–	–	–	3	16	–	6			
17	Irish	1,171	203	625	169	3	152	–	–	1	–	–	–	–	9	–	2			
18	Scotch	1,010	278	163	497	4	52	–	–	–	–	–	–	2	7	–	3			
19	Welsh	22	8	3	5	3	–	–	–	–	–	–	–	–	1	–	2			
20	French	4,599	62	90	28	–	4,407	–	–	–	–	–	1	1	3	–	–			
21	Armenian	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
22	Austrian	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
23	Belgian	3	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–			
24	Bulgarian	5	4	–	–	–	1	–	–	–	–	–	–	–	–	–	–			
25	Chinese	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–			
26	Czech and Slovak	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–			
27	Danish	28	8	3	2	–	1	–	–	–	–	–	–	13	–	–	–			
28	Dutch	49	17	9	14	–	2	–	–	–	–	–	–	1	5	–	–			
29	Finnish	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
30	German	21	8	6	4	–	2	–	–	–	–	–	–	–	1	–	–			
31	Greek	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
32	Hindu	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
33	Hungarian	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
34	Icelandic	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
35	Indian	41	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–			
36	Italian	23	5	–	1	–	11	–	–	–	–	–	–	–	–	–	–			
37	Japanese	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
38	Jewish	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
39	Negro	35	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–			
40	Norwegian	10	6	2	–	–	1	–	–	–	–	–	–	1	–	–	–			
41	Polish	6	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–			
42	Rumanian	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–			
43	Russian	7	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–			
44	Serb and Croat	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–			
45	Swedish	14	8	2	1	–	1	–	–	–	–	–	–	–	–	–	–			
46	Swiss	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
47	Syrian	17	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–			
48	Ukranian(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
49	Other	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–			
50	Not specified	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
51	**Children born to T.**	**10,181**	**3,138**	**1,081**	**950**	**20**	**4,762**	**–**	**1**	**2**	**–**	**2**	**1**	**21**	**42**	**–**	**13**			
	married mothers— M.	**5,233**	**1,617**	**557**	**468**	**13**	**2,457**	**–**	**1**	**1**	**–**	**1**	**1**	**8**	**26**	**–**	**10**			
	Enfants légitimes. F.	**4,948**	**1,521**	**524**	**482**	**7**	**2,305**	**–**	**–**	**1**	**–**	**1**	**–**	**13**	**16**	**–**	**3**			
52	**Children born to T.**	**298**	**122**	**40**	**33**	**–**	**80**	**–**	**–**	**–**	**–**	**–**	**–**	**–**	**1**	**–**	**1**			
	unmarried mothers M.	**158**	**70**	**17**	**19**	**–**	**44**	**–**	**–**	**–**	**–**	**–**	**–**	**–**	**–**	**–**	**–**			
	—Enfants illégiti- F.	**140**	**52**	**23**	**14**	**–**	**36**	**–**	**–**	**–**	**–**	**–**	**–**	**–**	**1**	**–**	**1**			
	mes.																			
53	**Children born to T.**	**10,479**	**3,260**	**1,121**	**983**	**20**	**4,842**	**–**	**1**	**2**	**–**	**2**	**1**	**21**	**43**	**–**	**14**			
	all mothers—Légi- M.	**5,391**	**1,687**	**574**	**487**	**13**	**2,501**	**–**	**1**	**1**	**–**	**1**	**1**	**8**	**26**	**–**	**10**			
	times et illégitimes. F.	**5,088**	**1,573**	**547**	**496**	**7**	**2,341**	**–**	**–**	**1**	**–**	**1**	**–**	**13**	**17**	**–**	**4**			

(1)Including "Galician"—Y compris "Galicienne".

TABLEAU 9—Naissances (mort-nés exclus) classifiées selon l'origine raciale des parents, 1927—*suite*

Origine raciale de la mère

Greek—Grecque	Hindu—Hindoue	Hungarian — Hongroise	Icelandic — Islandaise	Indian — Indienne	Italian — Italienne	Japanese — Japonaise	Jewish — Hébraïque	Negro-Nègre	Norwegian — Norvégienne	Polish — Polonaise	Rumanian — Roumaine	Russian — Russe	Serb and Croat — Serbe et Croate	Swedish — Suédoise	Swiss—Suisse	Syrian—Syrienne	Ukranian(1) — Ukrainienne(1)	Other — Autres	Not specified — Non spécifiée	No.
NOUVELLE-ÉCOSSE—*fin*																				
				1				138												1
									3					2		1				2
										19										3
											2									4
										2		4								5
														1						7
					1										1					8
																16				9
										1								4		11
																			6	12
2		2		25	32		24	142	9	25	2	7		5	7	21		12	9	13
		1		12	14		11	70	4	14	1	2		4	3	11		8	3	
2		1		13	18		13	72	5	11	1	5		1	4	10		4	6	
				7	2			38	2			1				1			1	14
				5	1			12	1			1				1			1	
				2	1			26	1											
2		2		32	34		24	180	11	25	2	8		5	7	22		12	10	15
		1		17	15		11	82	5	14	1	3		4	3	12		8	4	
2		1		15	19		13	98	6	11	1	5		1	4	10		4	6	
NOUVEAU-BRUNSWICK																				
							1		3					1					1	16
					1				4					1	1					17
				1					1					2						18
					4				2							1				20
																				21
																				22
																				23
																				24
																				25
																				26
															1					27
									1											28
																				29
2																				30
																				31
																				32
																				33
																				34
				40																35
					5				1											36
																				37
							15													38
								33												39
																				40
										1										41
																				42
												5								43
																				44
									1						1					45
																				46
																15				47
																				48
																				49
																			3	50
2				41	10		16	33	13	1		5		5	2	16			4	51
				19	4		9	16	9	1		3		3		8			1	
2				22	6		7	17	4			2		2	2	8			3	
				8				12			1									52
				3				5												
				5				7			1									
2				49	10		16	45	13	1	1	5		5	2	16			4	53
				22	4		9	21	9	1		3		3		8			1	
2				27	6		7	24	4		1	2		2	2	8			3	

TABLE 9—Births (exclusive of stillbirths) classified according to racial origin of parents, 1927—*con.*

No.	Racial origin of father — Origine raciale du père	Total	Racial origin of mother																	
			English — Anglaise	Irish — Irlandaise	Scotch — Écossaise	Welsh—Galloise	French — Française	Armenian—Arménienne	Austrian — Autrichienne	Belgian—Belge	Bulgarian—Bulgare	Chinese—Chinoise	Czech and Slovak Tchèque et Slov.	Danish—Danoise	Dutch — Hollandaise	Finnish—Finlandaise	German — Allemande			
	QUEBEC																			
1	English	3,071	1,948	252	262	4	559	–	–	3	–	–	–	1	10	–	7			
2	Irish	2,117	242	1,055	132	3	657	–	–	1	–	–	1	–	2	–	11			
3	Scotch	1,205	289	148	526	4	224	–	–	1	–	–	–	1	2	–	5			
4	Welsh	21	7	1	5	4	2	–	–	–	–	–	–	–	1	–	–			
5	French	71,801	319	364	108	1	70,889	–	3	26	–	–	–	2	2	–	21			
6	Armenian	11	–	–	–	–	2	9	–	–	–	–	–	–	–	–	–			
7	Austrian	6	–	–	–	–	2	–	1	–	–	–	–	–	–	–	1			
8	Belgian	72	5	1	3	–	50	–	–	13	–	–	–	–	–	–	–			
9	Bulgarian	6	–	–	–	–	5	–	–	–	–	–	–	–	–	–	–			
10	Chinese	9	1	–	1	–	1	–	–	–	–	6	–	–	–	–	–			
11	Czech and Slovak	10	–	1	–	–	–	–	–	–	–	–	9	–	–	–	–			
12	Danish	15	3	1	3	–	4	–	–	–	–	–	–	4	–	–	–			
13	Dutch	24	5	3	1	1	7	–	–	1	–	–	–	–	6	–	–			
14	Finnish	12	–	–	–	–	1	–	–	–	–	–	–	–	–	11	–			
15	German	122	12	15	4	2	54	–	1	–	–	–	–	–	–	–	30			
16	Greek	61	2	1	1	–	17	–	–	–	–	–	–	–	–	–	–			
17	Hindu	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
18	Hungarian	18	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–			
19	Icelandic	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
20	Indian	159	4	–	–	–	28	–	–	–	–	–	–	–	–	–	–			
21	Italian	786	11	7	2	–	186	–	1	1	–	–	1	–	–	–	1			
22	Japanese	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
23	Jewish	676	5	2	1	–	4	–	–	–	–	–	–	–	–	–	–			
24	Negro	23	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–			
25	Norwegian	24	5	1	1	–	12	–	–	–	–	–	–	–	–	1	–			
26	Polish	110	1	1	1	–	24	–	1	1	–	–	–	–	–	–	–			
27	Rumanian	55	4	–	1	–	14	–	1	–	–	–	–	–	–	–	2			
28	Russian	90	7	2	–	–	16	1	–	–	–	–	–	–	–	–	–			
29	Serb and Croat	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
30	Swedish	18	4	–	3	1	6	–	–	–	–	–	–	–	–	–	1			
31	Swiss	23	4	1	–	–	6	–	1	–	–	–	–	–	–	–	1			
32	Syrian	70	–	–	1	–	16	–	–	–	–	–	–	–	–	–	–			
33	Ukranian[1]	40	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1			
34	Other	64	3	3	–	–	17	–	–	–	–	–	–	–	–	–	–			
35	Not specified	20	1	–	2	–	8	–	–	–	–	–	–	–	–	–	–			
36	**Children born to T. married mothers— M.**	80,745	2,884	1,859	1,059	20	72,813	10	10	47	–	6	11	8	23	12	81			
	Enfants légitimes. F.	41,633	1,482	967	526	13	37,531	3	5	26	–	3	7	3	12	3	43			
37	**Children born to T. unmarried mothers M.**	39,112	1,402	892	533	7	35,282	7	5	21	–	3	4	5	11	9	38			
	—Enfants illégiti- F.	2,319	149	86	53	–	1,542	–	–	4	–	–	–	–	–	7	3			
	mes.	1,180	76	48	29	–	784	–	–	1	–	–	–	–	–	–	1			
38	**Children born to T. all mothers—Légi- M.**	1,139	73	38	24	–	758	–	–	3	–	–	–	–	–	7	2			
	times et illégitimes. F.	83,064	3,033	1,945	1,112	20	74,355	10	10	51	–	6	11	8	23	19	84			
		42,813	1,558	1,015	555	13	38,315	3	5	27	–	3	7	3	12	3	44			
		40,251	1,475	930	557	7	36,040	7	5	24	–	3	4	5	11	16	40			
	ONTARIO																			
39	English	25,201	18,698	2,298	2,683	91	595	–	1	7	–	2	3	14	147	18	483			
40	Irish	10,907	2,718	5,237	1,684	47	702	–	–	–	–	–	2	6	102	7	302			
41	Scotch	9,512	2,787	1,734	4,211	46	306	–	1	3	–	–	2	6	101	7	235			
42	Welsh	261	120	35	45	38	10	–	–	–	–	–	–	–	2	1	7			
43	French	8,732	565	527	221	6	7,218	–	–	9	–	–	3	2	24	8	84			
44	Armenian	70	4	–	–	–	–	65	–	–	–	–	–	–	–	–	1			
45	Austrian	208	7	4	1	–	8	–	167	–	–	–	–	–	–	–	4			
46	Belgian	169	8	4	3	–	5	–	–	143	–	–	–	–	3	–	–			
47	Bulgarian	40	10	1	1	–	2	–	–	–	21	–	–	–	–	–	1			
48	Chinese	46	4	–	1	–	1	–	–	–	–	38	–	–	–	–	–			
49	Czech and Slovak	93	3	1	1	–	3	–	–	–	–	–	76	–	–	1	1			
50	Danish	62	20	4	6	–	2	–	–	–	–	–	–	22	–	–	3			
51	Dutch	712	192	123	115	8	37	–	–	1	–	–	–	–	208	–	25			
52	Finnish	351	9	5	2	–	1	–	–	–	–	–	–	–	1	326	–			
53	German	3,053	462	286	222	5	115	–	2	2	–	–	1	3	25	2	1,899			
54	Greek	141	18	7	2	1	7	–	–	–	3	–	–	–	–	–	3			
55	Hindu	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
56	Hungarian	164	4	1	3	–	–	–	1	–	–	–	–	–	–	–	2			
57	Icelandic	6	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–			
58	Indian	510	14	7	3	–	15	–	–	–	–	–	–	–	–	–	–			
59	Italian	1,554	106	26	24	2	43	–	2	–	–	–	3	–	1	3	6			
60	Japanese	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
61	Jewish	831	8	3	4	–	2	–	–	–	–	–	–	–	–	–				

[1]Including "Galician"—Y compris "Galicienne".

TABLEAU 9—Naissances (mort-nés exclus) classifiées selon l'origine raciale des parents, 1927—*suite*

| Origine raciale de la mère | | |

TABLE 9—Births (exclusive of stillbirths) classified according to racial origin of parents, 1927—*con.*

No.	Racial origin of father — Origine raciale du père	Total	Racial origin of mother																
			English — Anglaise	Irish — Irlandaise	Scotch — Écossaise	Welsh—Galloise	French — Française	Armenian Arménienne	Austrian	Autrichienne	Belgian—Belge	Bulgarian— Bulgare	Chinese— Chinoise	Czech and Slovak Tchèque et Slov.	Danish—Danoise	Dutch — Hollandaise	Finnish— Finlandaise	German — Allemande
	ONTARIO-con.																		
1	Negro	142	4	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
2	Norwegian	106	22	9	7	–	6	–	–	–	–	–	–	–	–	–	3	3	
3	Polish	675	10	12	10	2	17	–	1	–	–	–	–	5	–	–	1	12	
4	Rumanian	192	7	4	4	–	2	–	6	–	–	–	–	–	–	–	–	2	
5	Russian	372	37	6	8	–	13	–	32	1	–	–	–	1	–	1	–	2	
6	Serb and Croat	112	2	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	
7	Swedish	179	28	14	7	–	8	–	1	–	–	–	–	–	–	–	13	5	
8	Swiss	70	21	7	7	1	1	–	–	–	–	–	–	–	–	–	–	17	
9	Syrian	102	5	1	4	–	9	–	–	–	–	–	–	–	–	–	1	2	
10	Ukranian(1)	490	9	1	1	–	4	–	6	–	–	–	–	1	–	–	3	–	
11	Other	93	23	7	3	–	6	–	1	–	–	–	–	–	–	–	1	3	
12	Not specified	552	81	20	27	1	11	–	1	–	–	–	–	–	–	–	–	6	
13	**Children born to T. married mothers—M.**	**65,713**	**26,006**	**10,386**	**9,314**	**249**	**9,152**	**65**	**222**	**166**	**24**	**40**	**97**	**53**	**615**	**395**	**3,109**		
	Enfants légitimes. F.	**33,759**	**13,316**	**5,360**	**4,769**	**122**	**4,666**	**32**	**116**	**84**	**10**	**23**	**56**	**28**	**313**	**202**	**1,603**		
14	**Children born to T. unmarried mothers M.**	**31,954**	**12,690**	**5,026**	**4,545**	**127**	**4,486**	**33**	**106**	**82**	**14**	**17**	**41**	**25**	**302**	**193**	**1,506**		
	—Enfants illégiti- F. mes.	**1,958**	**771**	**267**	**284**	**5**	**251**	–	**7**	**2**	–	–	**2**	–	**22**	**16**	**99**		
15	**Children born to T. all mothers—Légi- M. times et illégitimes F.**	**996**	**388**	**147**	**141**	**2**	**122**	–	**5**	**1**	–	–	**1**	–	**11**	**9**	**50**		
		962	**383**	**120**	**143**	**3**	**129**	–	**2**	**1**	–	–	**1**	–	**11**	**7**	**49**		
		67,671	**26,777**	**10,653**	**9,598**	**254**	**9,403**	**65**	**229**	**168**	**24**	**40**	**99**	**53**	**637**	**411**	**3,208**		
		34,755	**13,704**	**5,507**	**4,910**	**124**	**4,788**	**32**	**121**	**85**	**10**	**23**	**57**	**28**	**324**	**211**	**1,653**		
		32,916	**13,073**	**5,146**	**4,688**	**130**	**4,615**	**33**	**108**	**83**	**14**	**17**	**42**	**25**	**313**	**200**	**1,555**		
	MANITOBA																		
16	English	3,087	1,962	318	490	27	75	–	3	7	–	–	1	11	7	2	50		
17	Irish	1,331	399	455	304	4	58	–	3	5	–	–	1	3	8	–	33		
18	Scotch	2,006	565	295	934	17	56	–	2	1	–	–	–	6	14	–	41		
19	Welsh	78	28	12	13	13	2	–	–	–	–	–	–	–	2	1	6		
20	French	1,183	50	30	48	–	999	–	–	15	–	–	–	1	1	–	5		
21	Armenian	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–		
22	Austrian	266	1	3	1	–	1	–	231	–	–	–	–	–	2	–	5		
23	Belgian	155	6	–	3	–	29	–	–	110	–	–	1	–	1	–	3		
24	Bulgarian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
25	Chinese	9	–	–	–	–	–	–	–	–	–	7	–	–	–	–	–		
26	Czech and Slovak	28	1	–	–	–	–	–	–	–	–	–	14	–	–	–	2		
27	Danish	49	9	5	3	–	1	–	1	1	–	–	–	23	–	–	1		
28	Dutch	295	17	11	17	–	3	–	–	1	–	–	–	–	233	–	5		
29	Finnish	14	–	–	–	–	–	–	–	–	–	–	–	–	–	14	–		
30	German	1,170	32	30	25	–	10	–	1	2	–	–	3	–	4	–	1,014		
31	Greek	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1		
32	Hindu	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
33	Hungarian	43	–	–	–	–	–	–	3	–	–	–	1	–	–	–	2		
34	Icelandic	250	12	3	13	–	6	–	–	–	–	–	–	–	–	–	7		
35	Indian	192	1	–	–	–	7	–	–	–	–	–	–	–	–	–	–		
36	Italian	62	4	3	1	1	5	–	1	2	–	–	2	–	–	–	1		
37	Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
38	Jewish	257	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–		
39	Negro	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
40	Norwegian	89	16	4	9	–	5	–	–	1	–	–	1	4	–	–	5		
41	Polish	592	4	2	1	–	2	–	5	–	–	–	4	–	–	–	7		
42	Rumanian	50	2	2	–	–	1	–	6	–	–	–	1	–	–	–	–		
43	Russian	676	2	2	1	–	2	–	18	–	–	–	1	–	–	–	17		
44	Serb and Croat	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
45	Swedish	153	20	6	12	–	7	–	1	–	–	–	–	4	–	–	6		
46	Swiss	30	1	4	2	–	9	–	–	2	–	–	–	–	–	–	2		
47	Syrian	10	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–		
48	Ukranian(1)	1,548	4	1	1	1	–	–	14	3	–	–	1	1	1	–	4		
49	Other	20	2	–	2	–	3	–	–	1	–	–	–	–	–	–	–		
50	Not specified	13	3	1	4	–	1	–	–	–	–	–	–	–	–	–	1		
51	**Children born to T. married mothers—M.**	**13,674**	**3,141**	**1,188**	**1,885**	**63**	**1,282**	**1**	**289**	**152**	–	**7**	**31**	**53**	**273**	**17**	**1,218**		
	Enfants légitimes. F.	**7,181**	**1,696**	**616**	**991**	**34**	**665**	**1**	**156**	**74**	–	**5**	**17**	**28**	**121**	**8**	**639**		
52	**Children born to T. unmarried mothers M.**	**6,493**	**1,448**	**572**	**894**	**29**	**617**	–	**133**	**78**	–	**2**	**14**	**25**	**152**	**9**	**579**		
	—Enfants illégiti- F. mes.	**473**	**117**	**54**	**70**	**3**	**40**	–	**4**	**1**	–	–	**1**	**2**	**6**	**3**	**42**		
53	**Children born to T. all mothers—Légi- M. times et illégitimes.F.**	**253**	**64**	**23**	**33**	**1**	**26**	–	**2**	–	–	–	–	**1**	**3**	–	**26**		
		220	**53**	**31**	**37**	**2**	**14**	–	**2**	**1**	–	–	**1**	**1**	**3**	**3**	**16**		
		14,147	**3,261**	**1,242**	**1,955**	**66**	**1,322**	**1**	**293**	**153**	–	**7**	**32**	**55**	**279**	**20**	**1,260**		
		7,434	**1,760**	**639**	**1,024**	**35**	**691**	**1**	**158**	**74**	–	**5**	**17**	**29**	**124**	**8**	**665**		
		6,713	**1,501**	**603**	**931**	**31**	**631**	–	**135**	**79**	–	**2**	**15**	**26**	**155**	**12**	**595**		

(1)Including "Galician"—Y compris "Galicienne".

TABLEAU 9—Naissances (mort-nés exclus) classifiées selon l'origine raciale des parents, 1927—*suite*

Origine raciale de la mère

Greek—Grecque	Hindu—Hindoue	Hungarian — Hongroise	Icelandic — Islandaise	Indian — Indienne	Italian — Italienne	Japanese — Japonaise	Jewish — Hébraïque	Negro-Nègre	Norwegian — Norvégienne	Polish — Polonaise	Rumanian—Roumaine	Russian — Russe	Serb and Croat — Serbe et Croate	Swedish—Suédoise	Swiss—Suisse	Syrian—Syrienne	Ukranian(1) — Ukrainienne(1)	Other — Autres	Not specified — Non spécifiée	No.
ONTARIO—fin																				
–	–	–	–	4	–	–	–	127	1	–	–	–	–	–	–	–	–	–	1	1
–	–	–	–	–	–	–	–	–	42	1	–	–	–	13	–	–	–	–	–	2
–	–	2	–	–	4	–	4	1	–	563	4	10	1	1	–	–	13	2	–	3
–	–	·5	–	1	–	–	1	–	–	14	132	4	–	–	–	–	9	1	–	4
–	–	–	–	1	–	–	8	–	1	47	5	173	–	1	–	–	29	3	3	5
–	–	1	–	–	–	–	–	–	–	1	1	–	104	–	–	–	–	–	–	6
–	–	–	–	–	–	–	–	–	12	1	–	–	–	89	–	–	–	–	1	7
–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	13	–	–	–	1	8
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80	–	–	9
1	–	–	–	–	1	–	–	–	1	24	–	4	2	–	–	–	430	2	–	10
–	–	–	–	–	–	1	–	–	1	2	–	1	1	1	–	–	1	41	–	11
–	–	–	–	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	401	12
99	–	**168**	**9**	**533**	**1,349**	**6**	**821**	**135**	**103**	**733**	**147**	**217**	**109**	**162**	**45**	**83**	**493**	**60**	**548**	13
45	–	**86**	**4**	**284**	**707**	**5**	**439**	**81**	**58**	**372**	**76**	**112**	**58**	**81**	**26**	**47**	**257**	**34**	**287**	
54	–	**82**	**5**	**249**	**642**	**1**	**382**	**54**	**45**	**361**	**71**	**105**	**51**	**81**	**19**	**36**	**236**	**26**	**261**	
–	–	**9**	–	**104**	**10**	–	**2**	**12**	**2**	**11**	–	**1**	**1**	**3**	**2**	–	**7**	**2**	**66**	14
–	–	**5**	–	**55**	**3**	–	**1**	**6**	**1**	**5**	–	–	–	**1**	**1**	–	**1**	**2**	**38**	
–	–	**4**	–	**49**	**7**	–	**1**	**6**	**1**	**6**	–	**1**	**1**	**2**	**1**	–	**6**	–	**28**	
99	–	**177**	**9**	**637**	**1,359**	**6**	**823**	**147**	**105**	**744**	**147**	**218**	**110**	**165**	**47**	**83**	**500**	**62**	**614**	15
45	–	**91**	**4**	**339**	**710**	**5**	**440**	**87**	**59**	**377**	**76**	**112**	**58**	**82**	**27**	**47**	**258**	**36**	**325**	
54	–	**86**	**5**	**298**	**649**	**1**	**383**	**60**	**46**	**367**	**71**	**106**	**52**	**83**	**20**	**36**	**242**	**26**	**289**	
MANITOBA																				
–	–	3	36	8	3	–	–	–	20	13	–	13	–	20	2	–	12	–	4	16
–	–	–	19	–	2	–	–	–	8	7	–	4	1	9	1	–	3	–	4	17
–	–	1	19	4	–	–	–	–	12	9	1	6	–	18	2	1	2	–	–	18
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	19
–	–	–	6	6	1	–	–	–	–	5	–	2	–	4	5	–	3	2	–	20
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	21
–	–	3	1	1	–	–	–	–	–	7	–	4	–	–	–	–	6	–	–	22
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	23
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	24
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	25
–	–	–	–	–	–	–	–	–	–	6	1	1	–	–	–	–	3	–	–	26
–	–	–	–	–	–	–	–	–	3	1	–	–	–	1	–	–	–	–	–	27
–	–	–	2	1	–	–	–	–	1	–	–	3	–	–	–	–	1	–	–	28
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
–	–	3	7	1	–	–	–	–	2	9	2	9	–	4	–	–	9	–	3	30
2	–	–	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	31
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32
–	–	36	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	33
–	–	–	196	1	–	–	–	–	6	–	–	2	–	1	1	1	1	–	–	34
–	–	–	1	182	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	35
–	–	–	1	–	37	–	1	–	2	–	–	–	–	–	–	–	1	–	–	36
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	37
–	–	–	1	–	–	–	249	–	–	1	–	3	–	–	–	–	–	–	–	38
–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	39
–	–	–	1	–	–	–	–	–	34	–	–	–	–	8	–	–	1	–	–	40
–	–	1	1	–	–	–	–	–	1	467	–	8	–	–	–	–	89	–	–	41
–	–	–	–	–	–	–	–	–	–	2	30	1	–	–	–	–	5	–	–	42
–	–	–	2	–	–	–	3	–	–	10	1	603	–	2	–	–	12	–	–	43
–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	2	–	–	44
–	–	–	1	1	–	–	–	–	17	2	–	1	–	75	–	–	–	–	–	45
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10	–	–	–	–	46
–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	6	1	–	–	47
1	–	1	–	–	–	–	–	–	–	96	2	4	–	–	–	–	1,413	–	–	48
–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	9	–	49
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	50
3	–	**48**	**296**	**205**	**43**	**1**	**253**	**1**	**107**	**643**	**38**	**665**	**2**	**144**	**22**	**8**	**1,566**	**12**	**14**	51
2	–	**21**	**154**	**103**	**24**	**1**	**128**	**1**	**62**	**324**	**23**	**342**	–	**73**	**13**	**5**	**840**	**8**	**6**	
1	–	**27**	**142**	**102**	**19**	–	**125**	–	**45**	**319**	**15**	**323**	**2**	**71**	**9**	**3**	**726**	**4**	**8**	
–	–	**4**	**9**	**23**	**1**	–	**2**	–	**8**	**20**	**2**	**10**	–	**6**	–	–	**42**	**2**	**1**	52
–	–	**3**	**6**	**16**	**1**	–	**2**	–	**6**	**12**	–	**6**	–	**3**	–	–	**17**	**2**	–	
–	–	**1**	**3**	**7**	–	–	–	–	**2**	**8**	**2**	**4**	–	**3**	–	–	**25**	–	**1**	
3	–	**52**	**305**	**228**	**44**	**1**	**255**	**1**	**115**	**663**	**40**	**675**	**2**	**150**	**22**	**8**	**1,608**	**14**	**15**	53
2	–	**24**	**160**	**119**	**25**	**1**	**130**	**1**	**68**	**336**	**23**	**348**	–	**76**	**13**	**5**	**857**	**10**	**6**	
1	–	**28**	**145**	**109**	**19**	–	**125**	–	**47**	**327**	**17**	**327**	**2**	**74**	**9**	**3**	**751**	**4**	**9**	

TABLE 9—Births (exclusive of stillbirths) classified according to racial origin of parents, 1927—*con.*

No.	Racial origin of father — Origine raciale du père	Total	Racial origin of mother																	
			English — Anglaise	Irish — Irlandaise	Scotch — Écossaise	Welsh—Galloise	French — Française	Armenian—Arménienne	Austrian — Autrichienne	Belgian—Belge	Bulgarian—Bulgare	Chinese—Chinoise	Czech and Slovak Tchèque et Slov.	Danish—Danoise	Dutch — Hollandaise	Finnish—Finlandaise	German — Allemande	
	SASKATCHEWAN																			
1	English	4,208	2,507	458	608	19	87	–	12	9	–	–	4	17	40	–	189			
2	Irish	2,205	553	759	428	6	100	–	–	3	–	–	5	13	20	2	154			
3	Scotch	2,532	690	406	1,036	17	72	–	7	3	–	–	3	8	29	2	121			
4	Welsh	133	52	22	26	19	1	–	–	–	–	–	–	1	–	1	6			
5	French	1,339	87	64	55	1	1,022	–	2	20	–	–	–	–	4	–	32			
6	Armenian	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
7	Austrian	593	6	4	1	–	2	–	501	–	–	–	2	1	–	1	24			
8	Belgian	108	3	1	6	1	19	–	–	63	–	–	–	–	1	–	6			
9	Bulgarian	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–			
10	Chinese	16	–	–	1	–	–	–	–	–	–	13	–	–	–	–	1			
11	Czech and Slovak	75	1	1	1	–	1	–	1	–	–	–	55	–	–	–	10			
12	Danish	115	14	9	13	–	3	–	1	–	–	–	–	36	3	1	11			
13	Dutch	559	45	23	33	1	9	–	–	1	–	–	–	2	404	–	25			
14	Finnish	47	4	–	1	–	1	–	–	–	–	–	–	–	–	39	–			
15	German	3,553	143	116	82	5	52	–	27	7	–	–	6	5	25	1	2,928			
16	Greek	20	3	–	1	–	–	–	–	–	–	–	–	–	–	–	1			
17	Hindu	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
18	Hungarian	312	6	1	–	–	4	–	5	–	–	–	2	2	–	–	13			
19	Icelandic	77	5	3	2	–	1	–	–	–	–	–	–	1	1	–	2			
20	Indian	398	2	–	1	–	6	–	–	–	–	–	–	–	1	–	–			
21	Italian	29	6	1	2	–	1	–	–	–	–	–	–	–	–	–	–			
22	Japanese	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
23	Jewish	61	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–			
24	Negro	12	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1			
25	Norwegian	815	73	61	49	2	9	–	–	–	–	–	–	4	7	2	43			
26	Polish	370	8	4	4	–	3	–	5	–	–	–	1	–	–	–	20			
27	Rumanian	230	4	1	1	–	2	–	8	–	–	–	–	–	–	–	4			
28	Russian	728	11	6	4	–	2	–	32	–	–	–	1	–	3	–	29			
29	Serb and Croat	26	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–			
30	Swedish	438	57	27	34	–	5	–	1	1	–	–	2	6	2	4	23			
31	Swiss	50	7	1	4	–	6	–	4	1	–	–	–	–	2	–	3			
32	Syrian	16	1	–	1	–	1	–	1	–	–	–	1	–	–	–	1			
33	Ukranian[1]	1,472	2	1	2	–	2	–	9	–	–	–	4	–	–	–	5			
34	Other	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2			
35	Not specified	26	6	1	3	–	3	–	–	–	–	–	–	–	1	–	2			
36	**Children born to T. married mothers— M.**	20,583	4,299	1,972	2,399	71	1,415	–	616	108	1	13	87	96	543	53	3,656			
	Enfants légitimes. F.	10,620	2,190	1,028	1,253	40	709	–	305	51	–	9	34	47	296	28	1,852			
37	**Children born to T. unmarried mothers M.**	9,963	2,109	944	1,146	31	706	–	311	57	1	4	53	49	247	25	1,804			
	—Enfants illégiti- F. mes.	432	75	47	65	2	21	–	8	1	–	–	–	1	13	3	59			
38	**Children born to T. all mothers—Légi- M. times et illégitimes. F.**	232	34	25	38	1	8	–	5	1	–	–	–	1	5	1	38			
		200	41	22	27	1	13	–	3	–	–	–	–	–	8	2	21			
		21,015	4,374	2,019	2,464	73	1,436	–	624	109	1	13	87	97	556	56	3,715			
		10,852	2,224	1,053	1,291	41	717	–	310	52	–	9	34	48	301	29	1,890			
		10,163	2,150	966	1,173	32	719	–	314	57	1	4	53	49	255	27	1,825			
	ALBERTA																			
39	English	3,469	2,069	317	516	43	91	–	9	7	–	–	6	36	44	3	157			
40	Irish	1,461	397	453	277	15	68	–	1	6	–	–	1	12	24	–	103			
41	Scotch	2,116	591	253	896	28	59	–	1	4	–	–	3	17	28	8	94			
42	Welsh	183	83	17	25	38	3	–	1	2	–	–	–	2	3	1	2			
43	French	819	77	49	56	3	529	–	4	7	1	–	–	2	5	2	45			
44	Armenian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
45	Austrian	316	3	4	4	1	–	–	265	1	–	–	1	–	–	–	7			
46	Belgian	59	8	1	2	–	10	–	–	30	–	–	–	–	–	–	5			
47	Bulgarian	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–			
48	Chinese	24	1	–	–	1	–	–	–	–	–	21	–	–	–	–	–			
49	Czech and Slovak	73	1	2	4	–	2	–	–	–	–	–	52	–	–	–	1			
50	Danish	207	52	13	25	1	6	–	1	1	–	–	–	70	–	1	10			
51	Dutch	218	45	30	26	4	5	–	–	4	–	–	1	1	80	–	12			
52	Finnish	45	–	3	–	–	–	–	–	–	–	–	–	–	–	37	2			
53	German	1,472	138	43	90	7	37	–	4	1	–	–	5	9	10	1	994			
54	Greek	17	3	2	3	–	–	–	–	–	–	–	–	–	–	–	1			
55	Hindu	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
56	Hungarian	33	–	1	–	–	2	–	1	–	–	–	–	–	–	–	2			
57	Icelandic	20	4	4	2	–	1	–	–	–	–	–	1	–	–	–	–			
58	Indian	450	2	–	1	–	6	–	–	–	–	–	–	–	–	–	1			
59	Italian	124	8	–	2	–	6	–	2	2	–	–	–	–	–	–	7			
60	Japanese	27	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
61	Jewish	57	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–			

[1]Including "Galician"—Y compris "Galicienne".

TABLEAU 9—Naissances (mort-nés exclus) classifiées selon l'origine raciale des parents, 1927—*suite*

Origine raciale de la mère

Greek—Grecque	Hindu—Hindoue	Hungarian—Hongroise	Icelandic—Islandaise	Indian—Indienne	Italian—Italienne	Japanese—Japonaise	Jewish—Hébraïque	Negro—Nègre	Norwegian—Norvégienne	Polish—Polonaise	Rumanian—Roumaine	Russian—Russe	Serb and Croat—Serbe et Croate	Swedish—Suédoise	Swiss—Suisse	Syrian—Syrienne	Ukranian(1)—Ukranienne(1)	Other—Autres	Not specified—Non spécifiée	No.
SASKATCHEWAN																				
–	–	10	8	14	–	–	2	1	102	14	3	24	–	49	6	–	9	2	14	1
–	–	9	9	3	–	–	1	1	81	7	1	3	–	37	5	–	4	–	6	2
–	–	3	2	3	1	–	–	–	65	7	1	1	2	41	3	–	4	–	5	3
–	–	1	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	4
–	–	3	–	12	–	–	–	–	14	3	–	2	1	5	6	–	4	1	1	5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
–	–	7	–	3	–	–	–	1	2	6	4	18	1	–	1	–	7	1	–	7
–	–	–	–	–	–	–	–	–	1	4	1	–	–	–	1	–	1	–	–	8
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	10
–	–	3	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	11
–	–	2	1	1	–	–	–	–	11	–	–	2	–	5	–	–	1	–	1	12
–	–	1	–	–	1	–	–	–	7	–	–	3	–	2	1	–	–	1	–	13
–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	14
–	–	10	2	3	–	–	–	–	36	23	4	42	–	19	8	–	8	–	1	15
10	–	–	–	–	1	–	–	–	–	2	1	1	–	–	–	–	–	–	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
–	–	270	–	–	–	–	–	–	1	2	1	2	1	1	–	–	1	–	–	18
–	–	–	61	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	19
–	–	–	–	388	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20
–	–	–	–	–	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	22
–	–	1	–	–	–	–	59	–	–	–	–	–	–	–	–	–	–	–	–	23
–	–	–	–	–	–	–	–	10	–	–	–	–	–	–	–	–	–	–	–	24
–	–	2	3	1	–	–	–	–	493	1	–	1	–	63	1	–	–	–	–	25
2	–	1	–	1	–	–	–	–	1	246	3	9	–	–	–	–	62	–	–	26
–	–	3	–	–	–	–	–	–	1	6	177	14	2	1	–	–	5	–	1	27
–	1	2	–	–	–	–	3	–	1	9	7	598	–	–	–	–	19	–	–	28
–	–	–	–	–	–	–	–	–	–	2	–	2	18	–	–	–	1	–	–	29
–	–	–	2	1	1	–	–	–	64	–	1	1	–	203	1	–	2	–	–	30
–	–	2	–	–	–	–	–	–	2	–	–	–	–	–	17	–	–	1	–	31
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10	–	–	–	32
–	1	2	–	–	–	–	–	–	1	49	2	3	–	–	–	–	1,387	1	1	33
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	12	–	34
–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	8	35
12	**2**	**328**	**88**	**430**	**23**	**1**	**65**	**13**	**885**	**383**	**207**	**727**	**25**	**432**	**50**	**10**	**1,516**	**19**	**38**	36
7	**2**	**174**	**41**	**242**	**9**	**1**	**42**	**7**	**447**	**200**	**114**	**383**	**19**	**229**	**26**	**6**	**794**	**11**	**24**	
5	**–**	**154**	**47**	**188**	**14**	**–**	**23**	**6**	**438**	**183**	**93**	**344**	**6**	**203**	**24**	**4**	**722**	**8**	**14**	
–	**–**	**3**	**1**	**43**	**–**	**–**	**1**	**1**	**16**	**20**	**5**	**10**	**2**	**13**	**–**	**1**	**19**	**–**	**2**	37
–	**–**	**2**	**–**	**21**	**–**	**–**	**–**	**1**	**10**	**12**	**2**	**5**	**2**	**7**	**–**	**1**	**10**	**–**	**2**	
–	**–**	**1**	**1**	**22**	**–**	**–**	**1**	**–**	**6**	**8**	**3**	**5**	**–**	**6**	**–**	**–**	**9**	**–**	**–**	
12	**2**	**331**	**89**	**473**	**23**	**1**	**66**	**14**	**901**	**403**	**212**	**737**	**27**	**445**	**50**	**11**	**1,535**	**19**	**40**	38
7	**2**	**176**	**41**	**263**	**9**	**1**	**42**	**8**	**457**	**212**	**116**	**388**	**21**	**236**	**26**	**7**	**804**	**11**	**26**	
5	**–**	**155**	**48**	**210**	**14**	**–**	**24**	**6**	**444**	**191**	**96**	**349**	**6**	**209**	**24**	**4**	**731**	**8**	**14**	
ALBERTA																				
–	–	3	5	7	3	–	–	–	64	5	–	13	–	49	7	–	4	3	8	39
–	–	1	4	5	4	–	–	–	48	4	1	5	–	25	1	–	1	1	4	40
–	–	–	2	9	1	–	–	–	48	3	–	10	–	42	7	–	1	–	11	41
–	–	–	–	–	–	–	–	–	4	–	–	–	–	2	–	–	–	–	–	42
1	–	–	–	9	–	–	–	–	10	1	–	5	–	5	2	–	4	–	2	43
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	44
–	–	–	–	1	–	–	–	–	1	6	1	5	2	–	–	–	14	–	–	45
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	46
–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	47
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	48
–	–	1	–	–	–	–	–	–	2	4	–	–	–	–	–	–	4	–	–	49
–	–	–	2	–	–	–	–	–	10	1	–	3	–	9	1	–	–	–	1	50
–	–	–	–	–	–	–	–	–	5	–	–	2	–	3	–	–	–	–	–	51
–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	52
–	–	2	1	5	1	–	–	–	25	11	5	38	–	31	8	–	3	–	3	53
5	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	–	54
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	55
–	–	24	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	56
–	–	–	5	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	57
–	–	–	–	437	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1	58
–	–	–	–	–	90	–	–	1	1	2	–	3	–	–	–	–	–	–	–	59
–	–	–	–	–	–	27	–	–	–	–	–	–	–	–	–	–	–	–	–	60
–	–	–	–	–	–	–	55	–	–	–	–	1	–	–	–	–	–	–	–	61

TABLE 9—Births (exclusive of stillbirths) classified according to racial origin of parents, 1927—*con.*

No.	Racial origin of father — Origine raciale du père	Total	Racial origin of mother																
			English — Anglaise	Irish — Irlan'aise	Scotch — Écossaise	Welsh — Galloise	French — Française	Armenian — Arménienne	Austrian — Autrichienne	Belgian—Belge	Bulgarian—Bulgare	Chinese—Chinoise	Czech and Slovak—Tchèque et Slov.	Danish—Danoise	Dutch — Hollandaise	Finnish—Finlandaise	German — Allemande	
	ALBERTA—con.																		
1	Negro	14	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	Norwegian	499	72	34	34	3	19	–	–	2	–	–	–	7	7	2	26		
3	Polish	259	4	2	3	–	1	–	7	–	–	–	6	–	1	–	4		
4	Rumanian	100	2	–	3	–	–	–	2	–	–	–	1	–	–	–	7		
5	Russian	536	10	1	5	–	1	–	15	–	1	–	–	1	2	–	44		
6	Serb and Croat	28	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–		
7	Swedish	363	68	20	26	2	11	–	1	–	–	–	–	6	4	5	32		
8	Swiss	63	13	4	5	–	2	–	1	–	–	–	–	1	–	–	10		
9	Syrian	12	2	2	1	1	–	–	–	–	–	–	–	–	–	–	–		
10	Ukranian(1)	1,316	5	1	4	–	1	–	6	–	–	–	3	–	–	–	4		
11	Other	27	4	2	1	–	–	–	–	–	–	–	–	–	–	–	1		
12	Not specified	66	17	10	13	–	1	–	–	–	–	–	–	–	1	–	3		
13	**Children born to T.**	**14,479**	**3,682**	**1,270**	**2,024**	**147**	**861**	–	**321**	**67**	**3**	**21**	**80**	**164**	**209**	**61**	**1,574**		
	married mothers—M.	**7,457**	**1,912**	**677**	**1,032**	**64**	**461**	–	**171**	**37**	**3**	**14**	**42**	**82**	**97**	**29**	**770**		
	Enfants légitimes. F.	**7,022**	**1,770**	**593**	**992**	**83**	**400**	–	**150**	**30**	–	**7**	**38**	**82**	**112**	**32**	**804**		
14	**Children born to T.**	**418**	**74**	**36**	**56**	**6**	**35**	–	**5**	**1**	–	–	**2**	**4**	**4**	**3**	**31**		
	unmarried mothers M.	**225**	**46**	**19**	**30**	**2**	**19**	–	**3**	**1**	–	–	**1**	**1**	**3**	**1**	**17**		
	—Enfants illégiti- F.	**193**	**28**	**17**	**26**	**4**	**16**	–	**2**	–	–	–	**1**	**3**	**1**	**2**	**14**		
	mes.																		
15	**Children born to T.**	**14,897**	**3,756**	**1,306**	**2,080**	**153**	**896**	–	**326**	**68**	**3**	**21**	**82**	**168**	**213**	**64**	**1,605**		
	all mothers—Légi- M.	**7,682**	**1,958**	**696**	**1,062**	**66**	**480**	–	**174**	**38**	**3**	**14**	**43**	**83**	**100**	**30**	**787**		
	times et illégitimes. F.	**7,215**	**1,798**	**610**	**1,018**	**87**	**416**	–	**152**	**30**	–	**7**	**39**	**85**	**113**	**34**	**818**		
	BRITISH COLUMBIA																		
16	English	3,896	2,834	213	565	45	55	–	4	10	–	–	4	9	8	4	52		
17	Irish	834	300	246	179	9	41	–	2	2	–	–	2	3	4	4	9		
18	Scotch	1,856	697	159	854	17	25	–	3	2	–	–	2	2	11	–	24		
19	Welsh	129	54	12	34	20	2	–	–	1	–	–	–	1	1	–	–		
20	French	193	48	13	29	2	82	–	–	–	–	–	–	1	3	4	7		
21	Armenian	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
22	Austrian	47	4	–	1	1	–	–	37	–	–	–	–	–	–	–	2		
23	Belgian	19	8	–	2	–	–	–	–	7	–	–	–	–	–	–	–		
24	Bulgarian	3	1	–	–	–	–	–	–	–	2	–	–	–	–	–	–		
25	Chinese	195	–	–	–	–	–	–	–	–	–	195	–	–	–	–	–		
26	Czech and Slovak	30	1	1	–	–	2	–	1	–	–	–	23	–	–	–	–		
27	Danish	66	21	1	12	1	3	–	–	–	–	–	–	21	–	–	2		
28	Dutch	69	14	5	6	2	3	–	–	–	–	–	1	–	34	–	1		
29	Finnish	67	3	1	2	–	1	–	–	–	–	–	–	–	–	59	–		
30	German	177	49	11	15	1	4	–	2	–	–	–	1	–	1	–	71		
31	Greek	27	3	–	3	–	–	–	–	–	–	–	–	–	–	–	1		
32	Hindu	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
33	Hungarian	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2		
34	Icelandic	15	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–		
35	Indian	452	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–		
36	Italian	267	21	10	9	1	5	–	3	2	–	–	–	–	–	–	2		
37	Japanese	783	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
38	Jewish	33	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1		
39	Negro	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
40	Norwegian	169	27	11	18	–	4	–	–	–	–	–	–	2	–	1	5		
41	Polish	50	7	–	2	1	–	–	1	–	–	–	2	1	–	1	2		
42	Rumanian	16	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–		
43	Russian	72	8	2	2	1	2	–	1	–	–	–	1	–	–	–	2		
44	Serb and Croat	45	5	1	1	–	–	–	–	–	–	–	–	–	–	–	–		
45	Swedish	219	54	15	30	4	4	–	–	–	–	–	–	2	1	5	3		
46	Swiss	29	7	3	6	–	1	–	–	–	–	–	–	–	–	–	1		
47	Syrian	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
48	Ukranian(1)	57	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–		
49	Other	18	2	1	2	–	1	–	–	–	–	–	–	–	–	1	–		
50	Not specified	11	4	1	–	–	1	–	–	–	–	–	–	–	–	–	–		
51	**Children born to T.**	**9,880**	**4,183**	**706**	**1,772**	**106**	**238**	–	**55**	**24**	**2**	**195**	**36**	**42**	**63**	**79**	**187**		
	married mothers—M.	**5,015**	**2,095**	**347**	**908**	**49**	**121**	–	**28**	**16**	–	**111**	**21**	**21**	**32**	**40**	**88**		
	Enfants légitimes. F.	**4,865**	**2,088**	**359**	**865**	**57**	**117**	–	**27**	**8**	**2**	**84**	**15**	**21**	**31**	**39**	**99**		
52	**Children born to T.**	**204**	**82**	**12**	**47**	**3**	**1**	–	**3**	–	–	**3**	–	**1**	–	**3**	**2**		
	unmarried mothers M.	**119**	**53**	**7**	**25**	**2**	–	–	**3**	–	–	–	–	–	–	**1**	–		
	—Enfants illégiti- F.	**85**	**29**	**5**	**22**	**1**	**1**	–	–	–	–	–	–	**1**	–	**2**	**2**		
	mes.																		
53	**Children born to T.**	**10,084**	**4,265**	**718**	**1,820**	**109**	**239**	–	**58**	**24**	**2**	**198**	**36**	**43**	**63**	**82**	**189**		
	all mothers—Légi- M.	**5,134**	**2,148**	**354**	**933**	**51**	**121**	–	**31**	**16**	–	**114**	**21**	**21**	**32**	**41**	**88**		
	times et illégitimes. F.	**4,950**	**2,117**	**364**	**887**	**58**	**118**	–	**27**	**8**	**2**	**84**	**15**	**22**	**31**	**41**	**101**		

(1)Including "Galician"—Y compris "Galicienne".

TABLEAU 9—Naissances (mort-nés exclus) classifiées selon l'origine raciale des parents, 1927—*fin*

Origine raciale de la mère

Greek—Grecque	Hindu—Hindoue	Hungarian	Hongroise	Icelandic	Islandaise	Indian	Indienne	Italian	Italienne	Japanese	Japonaise	Jewish	Hébraïque	Negro-Nègre	Norwegian	Norvégienne	Polish	Polonaise	Rumanian—Roumaine	Russian	Russe	Serb and Croat	Serbe et Croate	Swedish—Suédoise	Swiss—Suisse	Syrian—Syrienne	Ukranian(1)	Ukranienne(1)	Other	Autres	Not specified	Non spécifiée	No.
ALBERTA—fin																																	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	248	1	–	3	–	–	36	1	–	–	–	–	–	1	–	1	2
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	2	187	–	7	–	–	1	–	–	33	–	–	–	–	–	1	3
–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	3	55	9	–	–	–	–	–	15	1	–	–	–	–	–	4
–	–	–	3	–	–	–	2	–	–	–	–	–	–	–	–	9	3	406	–	–	–	–	–	30	2	1	5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	17	–	–	–	–	3	–	–	6
–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	31	1	–	2	–	147	3	–	–	–	–	1	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	1	–	2	21	–	–	–	–	–	8
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	4	–	–	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29	10	3	–	–	–	–	–	1,250	–	–	10
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	14	–	11
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	18	12
6	**1**	**40**	**20**	**480**	**99**	**27**	**55**	**14**	**513**	**274**	**77**	**522**	**19**	**354**	**51**	**5**	**1,364**	**21**	**53**	13
3	**1**	**23**	**8**	**249**	**56**	**10**	**31**	**7**	**246**	**158**	**47**	**260**	**11**	**191**	**22**	**2**	**706**	**11**	**30**	
3	–	**17**	**12**	**231**	**43**	**17**	**24**	**7**	**267**	**116**	**30**	**262**	**8**	**163**	**29**	**3**	**664**	**10**	**23**	
–	–	**1**	**1**	**66**	**1**	–	–	**1**	**14**	**8**	**4**	**13**	–	**12**	**1**	–	**31**	**1**	**7**	14
–	–	**1**	**1**	**32**	–	–	–	**1**	**6**	**6**	**1**	**8**	–	**8**	**1**	–	**14**	–	**3**	
–	–	–	–	**34**	**1**	–	–	–	8	**2**	**3**	**5**	–	**4**	–	–	**17**	**1**	**4**	
6	**1**	**41**	**21**	**546**	**100**	**27**	**55**	**15**	**527**	**282**	**81**	**535**	**19**	**366**	**52**	**5**	**1,395**	**22**	**60**	15
3	**1**	**24**	**9**	**281**	**56**	**10**	**31**	**8**	**252**	**164**	**48**	**268**	**11**	**199**	**23**	**2**	**714**	**11**	**33**	
3	–	**17**	**12**	**265**	**44**	**17**	**24**	**7**	**275**	**118**	**33**	**267**	**8**	**167**	**29**	**3**	**681**	**11**	**27**	
COLOMBIE BRITANNIQUE																																	
–	–	–	1	1	10	4	–	2	–	26	6	–	4	3	29	4	–	1	2	–	16
–	–	–	–	–	1	3	–	–	–	12	1	–	–	1	14	–	–	–	1	–	17
–	–	–	4	6	6	–	–	–	15	4	–	–	–	24	–	–	–	1	–	18
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	3	–	–	–	–	–	19
–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	20
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21
–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	22
–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	23
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25
1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	26
–	–	–	–	–	–	–	–	–	2	–	–	–	–	2	–	–	–	1	–	–	27
–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	28
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	29
–	–	–	–	–	1	4	–	–	4	3	–	5	–	3	2	–	–	–	–	–	30
14	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	3	–	–	31
–	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32
–	–	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	33
–	–	–	8	–	–	–	–	–	3	–	–	–	–	1	–	–	–	–	–	–	34
–	–	–	–	449	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	35
–	–	–	–	–	209	–	–	–	1	1	–	1	–	1	–	–	–	1	–	–	36
–	–	1	–	–	–	779	–	–	–	–	–	–	–	–	–	–	1	–	–	–	37
–	–	–	–	–	–	–	28	–	–	–	–	1	–	–	–	–	–	–	–	–	38
–	–	–	–	–	–	–	–	6	–	–	–	–	–	–	–	–	–	–	–	–	39
–	–	–	–	–	–	–	–	–	83	1	–	–	–	17	–	–	–	–	–	–	40
–	–	–	–	–	–	–	–	–	–	33	–	–	–	–	–	–	–	–	–	–	41
–	–	–	–	–	–	–	–	–	–	2	7	3	–	–	–	–	–	–	–	–	42
–	–	–	–	–	–	–	2	–	–	–	–	50	–	–	–	1	–	–	–	–	43
–	–	–	–	–	–	–	–	–	–	–	–	–	37	1	–	–	–	–	–	–	44
–	–	–	–	2	–	–	–	–	10	–	–	–	–	88	1	–	–	–	–	–	45
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	10	–	–	–	–	–	46
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	47
–	–	–	–	1	–	–	–	–	–	6	–	–	1	–	–	–	47	–	–	–	48
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	10	–	–	49
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	50
15	**24**	**5**	**13**	**472**	**230**	**780**	**32**	**6**	**157**	**61**	**8**	**66**	**42**	**187**	**17**	–	**51**	**20**	**5**	51
8	12	4	6	243	119	417	8	3	84	31	3	37	23	96	4	–	22	13	5	
7	**1**	**1**	**7**	**229**	**111**	**363**	**24**	**3**	**73**	**30**	**5**	**29**	**19**	**91**	**13**	–	**29**	**7**	–	
–	–	**2**	**2**	**30**	**2**	–	–	–	**2**	**1**	–	**2**	–	**4**	–	–	**2**	–	–	52
–	–	**2**	**1**	**15**	**2**	–	–	–	**1**	–	–	**1**	–	**1**	–	–	**2**	–	–	
–	–	–	**1**	**15**	–	–	–	–	**1**	**1**	–	**1**	–	**3**	–	–	–	–	–	
15	**24**	**7**	**15**	**502**	**232**	**780**	**32**	**6**	**159**	**62**	**8**	**68**	**42**	**191**	**17**	–	**53**	**20**	**5**	53
8	12	6	7	258	121	417	8	3	85	31	3	38	23	97	4	–	24	13	5	
7	**1**	**1**	**8**	**244**	**111**	**363**	**24**	**3**	**74**	**31**	**5**	**30**	**19**	**94**	**13**	–	**29**	**7**	–	

TABLE 10—Births (exclusive of stillbirths) classified according to age and racial origin of married mothers, 1927

CANADA [1]

	Racial origin of mother — Origine raciale de la mère	Total	Age of mother															
			13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
1	English—Anglaise	53,098	–	3	26	143	402	967	1,576	1,924	2,539	2,746	2,827	2,963	2,915	2,946	3,074	2,825
2	Irish—Irlandaise	19,621	–	3	6	29	99	276	473	592	726	865	938	1,014	996	1,126	1,108	1,110
3	Scotch—Écossaise	22,375	–	1	8	26	127	275	514	625	822	957	1,106	1,180	1,199	1,199	1,199	1,284
4	Welsh—Galloise	686	–	–	–	2	2	14	15	19	30	30	37	33	38	29	44	45
5	French—Française	92,140	2	4	31	153	466	1,101	1,823	2,731	3,742	4,376	4,910	5,207	5,088	5,060	5,292	5,225
6	Armenian—Arménienne	76	–	–	–	–	2	2	3	5	5	9	6	3	5	4	4	5
7	Austrian—Autrichienne	1,520	–	1	1	4	14	44	60	69	91	109	96	98	71	66	85	73
8	Belgian—Belge	576	–	–	1	1	5	12	10	11	35	27	34	31	48	34	21	34
9	Bulgarian—Bulgare	30	–	–	–	–	1	1	1	1	2	4	2	1	3	3	1	2
10	Chinese—Chinoise	285	–	–	–	–	1	3	7	13	7	7	17	13	17	15	18	27
11	Czech and Slovak—Tchèque et Slovaque	348	–	–	–	–	3	8	15	19	28	27	20	22	25	29	21	15
12	Danish—Danoise	442	–	–	–	–	–	8	9	15	18	32	21	30	29	21	28	29
13	Dutch—Hollandaise	1,913	–	–	1	1	10	31	51	70	86	110	117	96	110	111	107	94
14	Finnish—Finlandaise	619	–	–	–	1	4	14	18	34	27	34	49	47	43	45	30	37
15	German—Allemande	10,027	–	–	3	14	62	162	304	425	509	613	632	598	578	507	577	480
16	Greek—Grecque	177	–	–	–	–	–	–	4	8	10	13	11	15	14	7	14	10
17	Hindu—Hindoue	27	–	–	–	–	–	–	–	–	2	2	2	1	1	–	2	5
18	Hungarian—Hongroise	607	–	–	2	1	8	13	28	35	32	25	44	26	43	30	30	36
19	Icelandic—Islandaise	426	–	–	–	–	1	3	8	17	8	15	24	30	17	23	26	22
20	Indian—Indienne	2,352	–	–	4	14	43	69	119	119	109	135	123	124	125	118	126	108
21	Italian—Italienne	2,382	–	–	1	13	27	68	74	96	94	126	105	136	140	141	130	118
22	Japanese—Japonaise	815	–	–	–	–	3	10	23	31	42	35	50	41	38	56	45	47
23	Jewish—Hébraïque	1,931	–	–	–	–	–	8	27	48	75	131	109	142	166	131	122	131
24	Negro—Nègre	365	–	–	–	3	4	16	8	15	15	23	27	13	22	22	20	23
25	Norwegian-Norvégienne	1,802	–	–	–	1	16	26	50	70	79	91	106	95	92	92	106	94
26	Polish—Polonaise	2,214	–	–	–	5	19	55	76	117	108	153	148	141	108	117	101	97
27	Rumanian—Roumaine	517	–	–	–	2	11	13	20	33	28	30	37	26	28	24	19	26
28	Russian—Russe	2,274	–	–	–	2	16	42	66	109	112	110	137	140	112	122	116	117
29	Serb and Croat—Serbe et Croate	200	–	–	–	–	2	6	5	5	6	13	18	20	9	11	16	11
30	Swedish—Suédoise	1,298	–	–	–	5	5	24	35	57	77	80	74	83	75	66	66	68
31	Swiss—Suisse	214	–	–	–	1	4	2	7	7	7	11	14	5	19	8	16	13
32	Syrian—Syrienne	199	–	–	–	–	2	6	2	7	3	13	13	10	10	11	11	14
33	Ukranian [2]—Ukranienne [2]	5,028	–	–	4	15	63	188	255	330	299	348	327	304	289	246	258	198
34	Other—Autres	196	–	–	1	–	1	4	6	4	9	14	13	12	8	17	14	12
35	Not specified—Non spécifiée	693	–	–	–	3	3	14	16	30	34	23	26	28	22	31	38	35
36	**Total**	227,473	2	12	89	439	1,426	3,485	5,768	7,691	9,816	11,337	12,220	12,728	12,503	12,468	12,885	12,470

[1] Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.
[2] Including "Galician"—Y compris "Galicienne".

TABLEAU 10—Naissances (mort-nés exclus) classifiées selon l'âge et l'origine raciale des mères mariées, 1927

CANADA (1)

Âge de la mère																							No.
29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50 and over — 50 et plus	Not stated — Non donné	
2,902	2,794	2,303	2,429	2,150	1,984	1,875	1,639	1,493	1,367	1,162	998	610	572	399	217	127	72	34	15	7	5	68	1
1,058	1,064	924	946	866	847	798	737	645	664	478	362	262	250	147	74	65	24	15	6	1	4	23	2
1,208	1,300	1,042	1,169	996	894	935	810	702	706	580	476	312	271	183	117	60	39	12	8	3	3	27	3
38	30	29	21	25	29	31	27	24	25	15	17	10	10	5	6	2	2	–	1	–	–	1	4
4,581	4,801	3,760	4,207	3,868	3,509	3,266	3,380	2,916	3,027	2,362	2,074	1,366	1,438	900	605	329	177	91	64	17	17	174	5
3	7	5	–	–	2	2	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
46	72	33	51	48	52	63	59	43	46	29	26	19	13	10	9	6	5	1	2	–	2	3	7
23	36	24	16	21	22	20	22	21	17	12	14	6	4	8	2	2	1	–	–	–	–	1	8
1	1	–	1	–	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
14	9	10	8	10	9	12	14	9	8	6	7	3	4	6	4	–	3	2	1	–	–	1	10
17	13	8	7	6	8	7	11	8	13	4	2	3	2	2	2	–	1	–	1	–	–	1	11
15	22	22	14	17	22	20	9	8	19	10	7	7	6	1	1	1	1	–	–	–	–	–	12
105	100	81	87	76	54	53	60	58	55	55	49	29	18	15	9	7	1	5	–	–	–	1	13
31	27	22	20	17	8	18	17	13	9	15	10	5	9	9	4	–	–	–	–	–	1	1	14
473	474	375	444	395	346	329	335	269	275	206	191	137	117	79	55	33	16	8	2	1	1	2	15
7	11	4	3	6	9	6	3	5	4	1	4	1	–	1	–	1	2	–	–	–	–	3	16
–	1	–	3	1	1	4	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	17
25	40	21	23	20	18	18	13	15	15	16	11	7	4	2	–	1	2	–	1	–	–	2	18
18	23	20	30	20	21	16	17	16	11	10	8	8	5	3	2	1	3	–	–	–	–	–	19
111	108	61	93	46	59	81	58	40	68	30	55	24	20	15	9	18	9	3	4	–	2	102	20
102	133	74	91	91	79	104	94	65	78	51	39	26	31	19	8	8	1	4	1	1	1	12	21
50	55	44	45	34	28	30	22	15	23	11	10	5	8	6	4	1	1	–	1	–	–	1	22
120	122	83	76	88	54	64	57	49	43	24	25	9	11	4	3	2	1	3	–	–	–	3	23
16	19	15	17	12	8	8	15	9	11	6	3	3	3	3	1	4	–	1	–	–	–	–	24
71	74	58	92	73	71	71	71	63	59	35	44	37	23	10	15	9	3	4	–	–	–	1	25
92	101	63	86	85	74	76	81	66	61	57	43	19	21	16	4	1	4	1	2	2	–	14	26
16	26	13	23	23	14	23	12	7	18	9	7	6	7	4	2	1	4	–	1	–	–	4	27
101	100	73	103	91	87	83	75	61	84	59	46	33	19	13	17	10	7	–	2	2	1	6	28
14	9	9	9	8	3	1	5	3	6	4	2	–	–	–	1	2	–	–	–	–	–	2	29
64	56	52	48	53	63	38	36	31	29	22	28	15	20	9	10	1	3	3	2	–	–	–	30
11	13	5	11	7	11	5	5	8	7	3	2	3	2	3	1	3	–	–	–	–	–	–	31
12	15	6	8	7	7	6	7	7	8	4	4	3	1	–	–	1	–	–	–	–	–	1	32
163	225	132	200	142	135	169	145	120	152	63	81	36	45	29	17	21	14	4	2	1	2	6	33
10	14	6	6	6	6	4	7	3	8	2	–	3	4	2	–	–	–	–	–	–	–	–	34
34	31	27	34	16	27	14	19	21	13	4	5	1	6	1	2	4	1	1	1	–	–	128	35
11,552	**11,926**	**9,404**	**10,421**	**9,324**	**8,564**	**8,251**	**7,866**	**6,815**	**6,929**	**5,345**	**4,651**	**3,008**	**2,944**	**1,904**	**1,201**	**721**	**397**	**192**	**117**	**35**	**39**	**588**	36

TABLE 11—Births (exclusive of stillbirths) classified according to birthplaces of parents, 1927

No.	Birthplace of father — Lieu de naissance du père	Total	Birthplace of mother														
			Canada										British Isles — Îles britanniques				
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not specified Prov. non spécifiée	England — Angleterre	Ireland—Irlande	Scotland—Écosse	Wales Galles, pays de	Other—Autres
	CANADA (1)																
1	**Canada**	**160,586**	**1,856**	**8,915**	**8,924**	**73,810**	**39,269**	**5,433**	**2,401**	**1,553**	**1,341**	**704**	**5,538**	**558**	**1,760**	**132**	**31**
2	Prince Edward Island	2,173	1,572	118	100	35	72	31	13	12	21	–	60	8	17	2	1
3	Nova Scotia	10,075	98	8,093	302	107	241	68	30	33	49	–	306	30	113	6	–
4	New Brunswick	9,671	86	320	7,891	376	168	46	28	19	18	2	215	12	55	5	2
5	Quebec	77,840	26	98	449	70,672	2,488	266	105	98	27	9	550	71	185	11	5
6	Ontario	47,934	48	198	129	2,361	35,109	1,123	563	295	231	58	3,508	352	1,075	79	17
7	Manitoba	6,340	12	39	21	158	602	3,567	351	92	77	5	378	51	140	13	3
8	Saskatchewan	2,293	5	18	6	39	230	205	1,218	41	19	1	111	8	39	1	1
9	Alberta	1,641	4	8	9	33	115	38	52	900	39	4	87	7	37	5	–
10	British Columbia	1,697	5	20	16	21	103	87	39	57	859	2	208	11	70	9	2
11	Province not specified	922	–	3	1	8	81	2	2	6	1	623	115	8	29	1	–
12	**British Isles**	**27,832**	**48**	**421**	**253**	**766**	**4,666**	**1,114**	**467**	**262**	**483**	**308**	**10,884**	**1,534**	**1,565**	**325**	**45**
13	England	17,975	25	290	180	512	3,248	705	276	161	321	228	9,194	363	1,136	156	15
14	Ireland	2,610	3	25	19	82	445	104	40	31	45	35	423	972	221	13	1
15	Scotland	6,586	18	94	46	154	852	273	133	60	106	42	1,083	187	3,167	33	3
16	Wales	571	2	12	7	9	97	29	18	8	9	3	168	10	40	120	–
17	Other	96	–	–	1	9	24	3	–	2	2	–	16	2	1	1	26
18	**British Possessions**	**1,577**	**13**	**268**	**33**	**73**	**129**	**18**	**10**	**18**	**31**	**8**	**163**	**14**	**60**	**4**	**1**
19	Newfoundland	1,062	11	242	22	55	57	5	4	4	8	3	66	7	25	2	1
20	Other	515	2	26	11	18	72	13	6	14	23	5	97	7	35	2	–
21	**Europe**	**23,896**	**8**	**94**	**70**	**615**	**784**	**1,319**	**1,065**	**659**	**107**	**69**	**478**	**39**	**133**	**10**	**1**
22	Austria	3,241	–	3	–	4	33	270	300	153	6	6	11	2	2	–	–
23	Belgium	542	1	5	4	45	14	40	8	7	2	3	18	1	9	1	–
24	Denmark	356	–	5	5	9	22	12	6	6	8	–	34	–	11	1	–
25	Finland	497	–	–	1	2	25	2	3	2	6	–	2	2	1	–	–
26	France	518	1	7	3	118	28	50	21	5	1	2	21	2	8	–	–
27	Germany	749	1	9	4	15	75	33	32	23	4	5	22	2	7	1	–
28	Holland	324	–	3	5	5	21	10	3	4	2	–	24	3	12	–	–
29	Hungary	582	–	1	1	1	5	12	59	3	3	–	2	1	1	–	–
30	Italy	2,674	1	21	16	235	206	16	1	9	31	19	60	7	15	2	1
31	Norway	859	2	2	8	14	43	18	25	16	12	1	42	4	13	2	–
32	Poland (2)	4,214	–	6	3	32	49	333	144	162	5	8	35	2	6	1	–
33	Rumania (3)	1,418	–	2	1	27	25	45	112	110	2	1	17	2	7	–	–
34	Russia (4)	5,794	–	12	7	52	97	354	305	116	4	16	85	4	10	–	–
35	Sweden	858	1	5	5	5	63	44	26	22	12	5	51	2	12	1	–
36	Other	1,270	1	13	7	51	78	80	20	21	9	3	54	5	19	1	–
37	**Asia**	**1,438**	–	**8**	**5**	**28**	**21**	**7**	**4**	**4**	**48**	**1**	**16**	–	**11**	**3**	–
38	China	284	–	1	–	2	2	–	2	1	31	–	7	–	5	2	–
39	Japan	821	–	–	–	–	2	2	–	–	17	–	5	–	–	–	–
40	Other	333	–	7	5	26	17	5	2	3	–	1	4	–	6	1	–
41	United States	11,815	48	280	244	2,223	1,749	550	479	468	182	26	719	80	222	20	3
42	Various	77	–	2	–	2	10	4	3	1	6	–	18	2	3	–	–
43	Not specified	252	4	–	4	14	36	4	1	1	5	1	11	2	1	–	–
44	**Children born to married mothers—Enfants légitimes**	**227,473**	**1,977**	**9,988**	**9,533**	**77,531**	**46,604**	**8,449**	**4,430**	**2,966**	**2,203**	**1,117**	**17,827**	**2,229**	**6,755**	**492**	**81**
45	**Children born to unmarried mothers—Enfants illégitimes**	**6,715**	**59**	**558**	**292**	**1,137**	**1,397**	**309**	**228**	**216**	**89**	**95**	**374**	**55**	**239**	**14**	–
46	**Children born to all mothers — Légitimes et illégitimes**	**234,188**	**2,036**	**10,546**	**9,825**	**78,668**	**48,001**	**8,758**	**4,658**	**3,182**	**2,292**	**1,212**	**18,201**	**2,284**	**6,994**	**506**	**81**

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction.—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.
(2) Including Galicia—Y compris la Galicie
(3) Including Bukovina—Y compris la Bukovine.
(4) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 11—Naissances (mort-nés exclus) classifiées selon le lieu de naissance des parents, 1927

Lieu de naissance de la mère																									
British Possessions — Possessions britanniques		Europe															Asia — Asie								No.
Newfoundland Terre-Neuve	Other—Autres	Austria—Autriche	Belgium Belgique	Denmark Danemark	Finland—Finlande	France	Germany Allemagne	Holland—Hollande	Hungary Hongrie	Italy—Italie	Norway Norvège	Poland (2) Pologne (2)	Rumania (3) Roumanie (3)	Russia (4) Russie (4)	Sweden—Suède	Other—Autres	China—Chine	Japan—Japon	Other—Autres	United States — États-Unis	Various—Divers	Not specified Non spécifié			
CANADA (1)																									
384	**102**	**91**	**84**	**21**	**31**	**141**	**112**	**22**	**21**	**26**	**79**	**123**	**30**	**265**	**78**	**92**	**20**	**1**	**15**	**6,593**	**25**	**65**	1
7	2	–	1	–	–	3	1	–	1	–	3	–	–	–	–	–	1	–	–	91	–	1	2
224	7	2	8	1	1	7	4	1	–	–	5	1	–	1	5	3	–	–	1	324	4	–	3
33	4	–	2	2	–	3	3	–	–	2	2	2	–	3	4	1	–	–	–	368	–	1	4
51	7	6	41	1	1	70	10	2	1	14	4	9	4	17	6	5	–	–	5	2,505	4	17	5
61	55	14	15	12	25	32	60	13	5	8	31	27	7	32	37	17	3	1	4	2,285	10	34	6
1	10	23	14	3	2	19	15	4	3	1	16	46	9	124	12	54	–	–	3	458	4	10	7
2	4	34	1	–	2	3	7	–	10	–	6	15	7	61	2	7	–	–	–	187	2	1	8
–	–	11	1	–	–	4	8	2	–	1	3	21	3	26	5	2	–	–	–	215	1	–	9
4	10	–	–	2	–	–	2	–	1	2	7	1	–	–	7	2	16	–	1	133	–	–	10
1	3	1	1	–	–	–	2	–	–	–	2	1	–	1	–	1	–	–	1	27	–	1	11
89	**126**	**20**	**27**	**15**	**6**	**38**	**37**	**21**	**10**	**5**	**39**	**19**	**8**	**38**	**34**	**28**	**5**	**2**	**4**	**1,093**	**21**	**8**	12
64	92	13	24	8	4	25	25	17	9	4	30	14	5	28	20	23	5	1	3	733	11	7	13
8	9	2	–	3	1	4	4	1	–	–	2	3	1	–	4	2	–	–	1	103	3	–	14
16	20	4	2	4	–	7	6	3	1	1	7	2	–	7	6	3	–	1	–	234	4	1	15
–	5	–	1	–	1	–	2	–	–	–	–	–	–	3	3	–	–	–	–	21	3	–	16
1	–	1	–	–	–	2	–	–	–	–	–	–	2	–	1	–	–	–	–	2	–	–	17
532	**146**	**2**	**2**	–	**1**	**3**	**2**	–	–	–	**1**	**2**	–	**1**	–	–	–	–	–	**39**	**2**	**1**	18
528	2	1	2	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	14	–	–	19
4	144	1	–	–	–	2	2	–	–	–	–	2	–	1	–	–	–	–	–	25	2	1	20
18	**16**	**2,487**	**389**	**172**	**454**	**244**	**408**	**193**	**496**	**1,909**	**451**	**3,510**	**993**	**4,202**	**394**	**817**	**1**	**2**	**9**	**1,246**	**23**	**11**	21
–	2	2,153	–	–	1	4	10	1	6	1	–	72	30	107	1	7	–	–	1	54	1	–	22
–	–	–	337	–	–	18	–	5	–	1	–	–	1	–	–	1	–	–	–	18	2	1	23
–	2	1	1	161	1	2	1	–	2	–	13	–	–	4	4	1	1	–	–	43	–	–	24
–	–	–	–	–	414	–	–	–	–	–	2	–	1	–	6	1	–	–	–	27	–	–	25
2	–	1	17	2	–	185	1	–	1	3	–	4	–	–	–	5	–	–	–	30	–	–	26
1	1	25	–	–	–	5	279	2	10	–	1	19	4	56	1	11	–	–	–	101	–	–	27
1	2	1	10	1	1	2	3	184	1	–	1	–	–	1	–	2	–	–	–	21	1	–	28
–	–	8	1	–	–	–	6	–	434	–	1	5	3	6	–	5	–	–	–	24	–	–	29
4	2	5	7	–	–	12	4	–	–	1,894	–	4	2	3	1	5	–	–	–	78	12	1	30
1	–	–	2	3	5	–	3	1	–	–	378	1	–	2	34	1	–	–	–	226	–	–	31
1	–	63	4	1	3	1	24	–	4	3	–	3,057	57	129	2	27	–	–	1	49	–	2	32
2	–	36	1	–	1	–	2	–	15	–	–	89	791	66	–	7	–	1	–	55	–	1	33
3	6	177	2	1	2	3	51	–	13	3	1	231	98	3,809	–	23	–	–	2	296	6	5	34
1	1	2	1	2	25	1	4	–	–	–	50	2	2	3	344	1	–	–	–	164	–	1	35
2	–	15	6	1	1	11	20	–	10	4	4	26	4	16	1	720	–	1	5	60	1	–	36
1	**2**	**2**	–	–	**2**	**1**	–	–	–	–	–	**2**	**1**	**3**	–	**3**	**225**	**794**	**228**	**14**	**3**	**1**	37
1	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	225	–	–	1	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	794	–	–	1	–	39
–	2	–	–	–	2	1	–	–	–	–	–	1	1	2	–	3	–	–	228	13	2	1	40
18	21	31	10	19	17	27	79	10	20	9	98	23	10	173	86	28	–	–	–	3,835	5	3	41
1	1	–	1	–	–	1	–	–	–	5	–	1	1	4	–	2	–	–	–	4	5	–	42
–	–	2	–	–	–	–	1	–	–	2	–	–	–	–	–	1	–	–	–	5	–	157	43
1,043	**414**	**2,635**	**513**	**227**	**511**	**455**	**639**	**246**	**547**	**1,956**	**668**	**3,680**	**1,043**	**4,686**	**592**	**971**	**251**	**799**	**256**	**12,829**	**84**	**246**	44
38	**6**	**37**	**8**	**3**	**24**	**6**	**29**	**4**	**14**	**10**	**10**	**56**	**12**	**43**	**11**	**13**	–	–	**1**	**245**	–	**1,083**	45
1,081	**420**	**2,672**	**521**	**230**	**535**	**461**	**668**	**250**	**561**	**1,966**	**678**	**3,736**	**1,055**	**4,729**	**603**	**984**	**251**	**799**	**257**	**13,074**	**84**	**1,329**	46

TABLE 11—Births (exclusive of stillbirths) classified according to birthplaces of parents, 1927—*con.*

No.	Birthplace of father — Lieu de naissance du père	Total	Birthplace of mother															
			Canada										British Isles — Îles britanniques					
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not specified Prov. non spécifiée	England — Angleterre	Ireland—Irlande	Scotland—Écosse	Wales Galles, pays de	Other—Autres	
	PRINCE EDWARD ISLAND																	
1	**Canada**	**1,594**	**1,475**	**28**	**20**	**6**	**3**	–	**1**	–	**1**	–	**12**	**4**	**4**	–	–	
2	Prince Edward Island	1,547	1,442	19	18	6	2	–	1	–	1	–	12	3	4	–	–	
3	Nova Scotia	22	14	7	–	–	–	–	–	–	–	–	–	–	–	–	–	
4	New Brunswick	12	8	2	2	–	–	–	–	–	–	–	–	–	–	–	–	
5	Quebec	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
6	Ontario	5	4	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
7	Manitoba	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
8	Saskatchewan	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
9	Alberta	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
10	British Columbia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
11	Prov. not specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
12	**British Isles**	**25**	**12**	**1**	–	–	–	–	–	–	–	–	**7**	**2**	**2**	–	–	
13	England	14	6	1	–	–	–	–	–	–	–	–	7	–	–	–	–	
14	Ireland	3	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	
15	Scotland	8	5	–	–	–	–	–	–	–	–	–	–	–	2	–	–	
16	Wales	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
17	Other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
18	**British Possessions**	**8**	**5**	**1**	–	–	–	–	–	–	–	–	–	–	–	–	–	
19	Newfoundland	7	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
20	Other	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
21	**Europe**	**3**	–	–	–	**1**	–	–	–	–	–	–	–	–	–	–	–	
22	Austria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
23	Belgium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
24	Denmark	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
25	Finland	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
26	France	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
27	Germany	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
28	Holland	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
29	Hungary	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
30	Italy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
31	Norway	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
32	Poland (1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
33	Rumania (2)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
34	Russia (3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
35	Sweden	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
36	Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
37	**Asia**	**1**	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
38	China	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
39	Japan	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
40	Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
41	United States	20	16	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
42	Various	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
43	Not specified	11	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
44	**Children born to married mothers — Enfants légitimes**	**1,662**	**1,512**	**30**	**20**	**7**	**3**	–	**1**	–	**1**	–	**20**	**6**	**6**	–	–	
45	**Children born to unmarried mothers — Enfants illégitimes**	**35**	**33**	–	–	–	–	–	–	–	–	–	**1**	–	–	–	–	
46	**Children born to all mothers — Légitimes et illégitimes**	**1,697**	**1,545**	**30**	**20**	**7**	**3**	–	**1**	–	**1**	–	**21**	**6**	**6**	–	–	

(1) Including Galicia—Y compris la Galicie.
(2) Including Bukovina—Y compris la Bukovine.
(3) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 11—Naissances (mort-nés exclus) classifiées selon le lieu de naissance des parents, 1927—*suite*

| Lieu de naissance de la mère | | |

TABLE 11—Births (exclusive of stillbirths) classified according to birthplaces of parents, 1927—*con.*

	Birthplace of father — Lieu de naissance du père	Total	Birthplace of mother															
			Canada										British Isles — Îles britanniques					
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not specified Prov. non spécifiée	England — Angleterre	Ireland—Irlande	Scotland—Écosse	Wales Galles, pays de	Other—Autres	
			NOVA SCOTIA															
1	**Canada**	**9,043**	**86**	**8,003**	**151**	**48**	**33**	**9**	**2**	**4**	**3**	**1**	**186**	**12**	**65**	**3**	–	
2	Prince Edward Island	112	19	79	3	–	–	–	–	–	–	–	2	–	1	–	–	
3	Nova Scotia	8,654	64	7,741	103	31	24	8	2	4	3	–	178	12	61	3	–	
4	New Brunswick	181	1	129	41	–	–	–	–	–	–	–	4	–	1	–	–	
5	Quebec	52	1	27	3	16	–	–	–	–	–	–	1	–	1	–	–	
6	Ontario	35	1	20	–	1	9	1	–	–	–	–	1	–	1	–	–	
7	Manitoba	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	
8	Saskatchewan	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
9	Alberta	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
10	British Columbia	3	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	
11	Prov. not specified	2	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	
12	**British Isles**	**476**	**1**	**243**	**10**	**2**	**1**	**2**	–	**2**	**1**	–	**121**	**9**	**54**	**2**	–	
13	England	335	1	178	8	2	–	2	–	1	1	–	107	1	13	2	–	
14	Ireland	25	–	11	1	–	1	–	–	–	–	–	2	8	–	–	–	
15	Scotland	111	–	49	1	–	–	–	–	1	–	–	12	–	41	–	–	
16	Wales	5	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–	
17	Other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
18	**British Possessions**	**606**	**4**	**231**	**1**	**1**	**1**	–	–	–	–	–	**19**	**1**	**7**	–	–	
19	Newfoundland	568	4	210	1	1	1	–	–	–	–	–	18	1	6	–	–	
20	Other	38	–	21	–	–	–	–	–	–	–	–	1	–	1	–	–	
21	**Europe**	**207**	**1**	**61**	**4**	**2**	**2**	–	–	–	–	–	**9**	**1**	**2**	–	–	
22	Austria	6	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
23	Belgium	10	–	2	–	–	–	–	–	–	–	–	2	–	–	–	–	
24	Denmark	4	–	2	–	–	–	–	–	–	–	–	1	–	–	–	–	
25	Finland	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
26	France	17	1	6	–	1	–	–	–	–	–	–	–	–	–	–	–	
27	Germany	14	–	8	1	–	1	–	–	–	–	–	–	–	1	–	–	
28	Holland	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
29	Hungary	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
30	Italy	52	–	15	2	–	–	–	–	–	–	–	1	–	–	–	–	
31	Norway	6	–	2	–	–	–	–	–	–	–	–	1	–	–	–	–	
32	Poland (1)	31	–	5	–	1	–	–	–	–	–	–	–	1	–	–	–	
33	Rumania (2)	5	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	
34	Russia (3)	37	–	9	1	–	1	–	–	–	–	–	2	–	1	–	–	
35	Sweden	3	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	
36	Other	19	–	6	–	–	–	–	–	–	–	–	1	–	–	–	–	
37	**Asia**	**25**	–	8	3	–	–	–	–	–	1	–	–	–	–	–	–	
38	China	3	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	
39	Japan	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
40	Other	22	–	7	3	–	–	–	–	–	–	–	–	–	–	–	–	
41	United States	197	4	160	4	–	2	–	–	–	–	–	4	1	1	–	–	
42	Various	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
43	Not specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
44	**Children born to married mothers — Enfants légitimes**	**10,556**	**96**	**8,707**	**173**	**53**	**39**	**11**	**2**	**6**	**5**	**1**	**339**	**24**	**129**	**5**	–	
45	**Children born to unmarried mothers-Enfants illégitimes**	**578**	**6**	**507**	**11**	**2**	**5**	–	–	–	–	–	**9**	–	**2**	–	–	
46	**Children born to all mothers — Légitimes et illégitimes**	**11,134**	**102**	**9,214**	**184**	**55**	**44**	**11**	**2**	**6**	**5**	**1**	**348**	**24**	**131**	**5**	–	

(1) Including Galicia—Y compris la Galicie.
(2) Including Bukovina—Y compris la Bukovine.
(3) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 11—Naissances (mort-nés exclus) classifiées selon le lieu de naissance des parents, 1927—*suite*

Lieu de naissance de la mère																												
British Possessions — Possessions britanniques		Europe																	Asia — Asie			United States — États-Unis	Various—Divers	Not specified Non spécifié	No.
Newfoundland Terre-Neuve	Other—Autres	Austria—Autriche	Belgium Belgique	Denmark Danemark	Finland—Finlande	France	Germany Allemagne	Holland—Hollande	Hungary Hongrie	Italy—Italie	Norway Norvège	Poland (1) Pologne (1)	Rumania (2) Roumanie (2)	Russia (3) Russie (3)	Sweden—Suède	Other—Autres	China—Chine	Japan—Japon	Other—Autres						
NOUVELLE-ÉCOSSE																												
218	3	1	6	–	–	6	3	–	–	–	–	1	–	–	1	1	–	–	–	197	–	–	1
5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	2
207	3	1	6	–	–	6	3	–	–	–	–	–	–	–	1	1	–	–	–	192	–	–	3
3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	4
3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	6
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11
13	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	11	–	–	12
6	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10	–	–	13
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14
5	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	15
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
323	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	18
320	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	19
3	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20
9	–	9	6	–	1	10	4	–	–	26	3	23	2	16	–	11	–	–	–	5	–	–	21
–	–	4	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
–	–	–	4	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	23
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25
2	–	–	–	–	–	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	26
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	27
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	28
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
2	–	–	2	–	–	1	–	–	–	26	–	–	–	–	–	–	–	–	–	3	–	–	30
–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	31
–	–	–	–	–	–	–	2	–	–	–	–	19	–	1	–	2	–	–	–	–	–	–	32
–	–	–	–	–	1	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	33
2	–	4	–	–	–	–	–	–	–	–	–	2	–	14	–	–	–	–	–	1	–	–	34
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	35
2	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	8	–	–	–	–	–	–	36
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	37
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	39
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	40
7	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	11	–	–	41
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	42
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	43
572	18	16	12	–	1	18	8	–	–	26	3	24	2	17	1	12	–	–	1	230	–	–	44
23	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	6	–	1	45
595	18	16	13	–	1	18	8	–	–	28	3	24	2	17	1	12	–	–	1	236	–	1	46

TABLE 11—Births (exclusive of stillbirths) classified according to birthplaces of parents, 1927—*con.*

No.	Birthplace of father — Lieu de naissance du père	Total	Birthplace of mother															
			Canada										British Isles — Îles britanniques					
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not specified Prov. non spécifiée	England — Angleterre	Ireland—Irlande	Scotland—Écosse	Wales Galles, pays de	Other—Autres	
	NEW BRUNSWICK																	
1	**Canada**	**9,453**	**118**	**246**	**8,050**	**477**	**31**	**2**	**2**	–	–	**1**	**142**	**6**	**29**	**5**	**1**	
2	Prince Edward Island	132	40	7	73	5	–	–	–	–	–	–	4	–	–	–	–	
3	Nova Scotia	274	8	78	151	6	2	–	–	–	–	–	6	2	2	–	–	
4	New Brunswick	8,469	68	160	7,577	175	19	1	2	–	–	1	128	4	27	4	1	
5	Quebec	542	1	–	229	290	3	–	–	–	–	–	2	–	–	1	–	
6	Ontario	27	–	1	16	1	6	1	–	–	–	–	1	–	–	–	–	
7	Manitoba	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
8	Saskatchewan	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
9	Alberta	5	–	–	3	–	1	–	–	–	–	–	1	–	–	–	–	
10	British Columbia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
11	Prov. not specified	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
12	**British Isles**	**276**	**3**	**14**	**144**	**3**	**9**	**1**	–	–	–	**1**	**56**	**8**	**23**	**3**	–	
13	England	203	3	11	111	3	7	1	–	–	–	–	50	1	5	2	–	
14	Ireland	16	–	1	7	–	–	–	–	–	–	–	–	7	–	–	–	
15	Scotland	53	–	2	23	–	2	–	–	–	–	1	6	–	18	–	–	
16	Wales	3	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	
17	Other	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
18	**British Possessions**	**56**	–	**11**	**23**	–	–	–	–	–	–	–	**3**	–	**1**	–	–	
19	Newfoundland	46	–	11	16	–	–	–	–	–	–	–	2	–	1	–	–	
20	Other	10	–	–	7	–	–	–	–	–	–	–	1	–	–	–	–	
21	**Europe**	**86**	**1**	**4**	**37**	**3**	**3**	–	–	–	–	–	**2**	–	–	–	–	
22	Austria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
23	Belgium	4	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	
24	Denmark	10	–	–	3	–	2	–	–	–	–	–	–	–	–	–	–	
25	Finland	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
26	France	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
27	Germany	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
28	Holland	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	
29	Hungary	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
30	Italy	19	–	1	10	1	–	–	–	–	–	–	–	–	–	–	–	
31	Norway	6	–	–	5	–	1	–	–	–	–	–	–	–	–	–	–	
32	Poland (1)	8	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	
33	Rumania (2)	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
34	Russia (3)	13	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	
35	Sweden	4	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	
36	Other	15	–	3	5	–	–	–	–	–	–	–	2	–	–	–	–	
37	**Asia**	**16**	–	–	**2**	**1**	–	–	–	–	–	–	–	–	–	–	–	
38	China	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
39	Japan	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
40	Other	14	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	
41	United States	291	7	13	193	15	–	–	–	–	–	–	5	1	–	–	–	
42	Various	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
43	Not specified	3	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	
44	**Children born to married mothers — Enfants légitimes**	**10,181**	**129**	**288**	**8,451**	**499**	**43**	**3**	**2**	–	–	**2**	**208**	**15**	**53**	**8**	**1**	
45	**Children born to unmarried mothers—Enfants illégitimes**	**298**	**11**	**23**	**238**	**11**	–	–	–	–	–	–	**4**	**1**	**1**	–	–	
46	**Children born to all mothers — Légitimes et illégitimes**	**10,479**	**140**	**311**	**8,689**	**510**	**43**	**3**	**2**	–	–	**2**	**212**	**16**	**54**	**8**	**1**	

(1) Including Galicia—Y compris la Galicie.
(2) Including Bukovina—Y compris la Bukovine—
(3) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 11—Naissances (mort-nés exclus) classifiées selon le lieu de naissance des parents, 1927—*suite*

Lieu de naissance de la mère																															
British Possessions — Possessions britanniques		Europe																				Asia — Asie			United States		Various—Divers			No.
Newfoundland Terre-Neuve	Other—Autres	Austria—Autriche	Belgium Belgique	Denmark Danemark	Finland—Finlande	France	Germany Allemagne	Holland—Hollande	Hungary Hongrie	Italy—Italie	Norway Norvège	Poland (1) Pologne (1)	Rumania (2) Roumanie (2)	Russia (3) Russie (3)	Sweden—Suède	Other—Autres	China—Chine	Japan—Japon	Other—Autres		États-Unis		Not specified Non spécifié		
NOUVEAU-BRUNSWICK																															
35	4	–	1	1	–	1	–	–	–	–	–	1	–	–	1	–	–	–	1	297	–	1	1
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2
5	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12	–	–	3
27	3	–	–	1	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	267	–	1	4
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15	–	–	5
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	10
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11
1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	9	–	–	12
1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	7	–	–	13
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	14
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	15
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
15	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	18
15	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	19
–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20
2	–	1	2	4	–	1	–	–	–	5	–	4	1	10	–	3	–	–	–	3	–	–	21
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	23
–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	26
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	27
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	28
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
1	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	–	–	1	–	–	30
–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	31
1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	32
–	–	1	–	–	–	1	–	–	–	–	–	–	–	9	–	–	–	–	–	–	–	–	33
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	1	–	–	34
–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	2	–	7	2	–	–	35
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	36
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7	2	–	–	37
3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	53	–	–	41
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	42
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	43
56	7	1	3	5	–	3	1	–	–	5	1	5	1	10	1	3	2	–	8	366	–	1	44
1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	6	–	1	45
57	7	1	3	5	–	3	1	–	–	5	1	5	2	10	1	3	2	–	8	372	–	2	46

TABLE 11—Births (exclusive of stillbirths) classified according to birthplaces of parents, 1927—*con.*

No.	Birthplace of father — Lieu de naissance du père	Total	Birthplace of mother														
			Canada										British Isles — Îles britanniques				
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not specified Prov. non spécifiée	England — Angleterre	Ireland—Irlande	Scotland—Écosse	Wales Galles, pays de	Other—Autres
	QUEBEC																
1	**Canada**	74,285	19	80	321	69,427	1,377	37	18	12	5	49	395	65	125	5	4
2	Prince Edward Island	24	1	–	–	18	1	–	–	–	–	–	1	–	–	–	–
3	Nova Scotia	108	–	31	5	47	4	–	–	–	–	–	8	–	1	–	–
4	New Brunswick	339	4	5	118	164	8	–	–	–	1	–	13	2	4	–	–
5	Quebec	72,216	12	43	187	68,227	946	30	14	12	3	6	319	53	109	4	4
6	Ontario	1,477	1	9	10	922	410	5	3	–	1	–	47	5	11	1	–
7	Manitoba	41	1	1	–	27	6	2	–	–	–	–	3	–	–	–	–
8	Saskatchewan	8	–	–	–	6	1	–	1	–	–	–	–	–	–	–	–
9	Alberta	7	–	–	–	5	–	–	–	–	–	–	–	1	–	–	–
10	British Columbia	8	–	–	1	5	–	–	–	–	–	–	1	–	–	–	–
11	Prov. not specified	57	–	1	–	6	1	–	–	–	–	43	3	2	–	–	–
12	**British Isles**	1,882	–	14	5	501	51	2	–	–	2	8	670	155	365	13	3
13	England	1,154	–	8	2	341	34	2	–	–	1	6	554	36	94	4	–
14	Ireland	222	–	1	2	59	9	–	–	–	–	1	27	102	16	–	–
15	Scotland	470	–	5	–	90	8	–	–	–	1	1	81	15	251	3	–
16	Wales	21	–	–	1	3	–	–	–	–	–	–	5	2	4	5	–
17	Other	15	–	–	–	8	–	–	–	–	–	–	3	–	–	1	3
18	**British Possessions**	193	–	5	3	62	9	–	–	1	–	–	16	1	5	1	–
19	Newfoundland	135	–	3	3	52	3	–	–	–	–	–	7	1	3	1	–
20	Other	58	–	2	–	10	6	–	–	1	–	–	9	–	2	–	–
21	**Europe**	1,968	–	8	9	477	34	3	1	–	–	2	37	1	11	–	–
22	Austria	37	–	–	–	2	2	–	–	–	–	–	1	–	–	–	–
23	Belgium	61	–	–	1	33	2	–	–	–	–	–	2	–	3	–	–
24	Denmark	12	–	–	–	7	–	–	–	–	–	–	1	–	–	–	–
25	Finland	13	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
26	France	139	–	1	2	86	3	–	–	–	–	–	3	–	–	–	–
27	Germany	22	–	1	–	11	1	–	–	–	–	–	–	–	–	–	–
28	Holland	14	–	–	–	5	1	–	–	–	–	–	1	1	–	–	–
29	Hungary	16	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
30	Italy	713	–	3	3	214	8	1	–	–	–	2	7	–	2	–	–
31	Norway	12	–	–	1	4	2	–	–	–	–	–	–	–	–	–	–
32	Poland (1)	194	–	–	–	21	1	–	–	–	–	–	2	–	–	–	–
33	Rumania (2)	127	–	–	–	17	4	–	1	–	–	–	3	–	–	–	–
34	Russia (3)	443	–	–	2	36	4	2	–	–	–	–	11	–	1	–	–
35	Sweden	8	–	1	–	3	2	–	–	–	–	–	1	–	–	–	–
36	Other	157	–	2	–	36	4	–	–	–	–	–	5	–	5	–	–
37	**Asia**	93	–	–	–	22	–	–	–	–	–	–	1	–	1	–	–
38	China	8	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–
39	Japan	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40	Other	85	–	–	–	21	–	–	–	–	–	–	–	–	–	–	–
41	United States	2,291	1	8	10	1,937	58	2	–	1	–	1	25	5	8	–	–
42	Various	7	–	–	–	1	–	–	–	–	–	–	2	–	1	–	–
43	Not specified	26	–	–	–	10	–	–	–	–	–	–	1	–	1	–	–
44	**Children born to married mothers — Enfants légitimes**	80,745	20	125	348	72,437	1,529	44	19	14	7	60	1,147	225	517	19	7
45	**Children born to unmarried mothers—Enfants illégitimes**	2,319	1	8	33	1,022	59	2	1	–	1	5	40	8	23	1	–
46	**Children born to all mothers — Légitimes et illégitimes**	83,064	21	133	381	73,459	1,588	46	20	14	8	65	1,187	233	540	20	7

(1) Including Galicia—Y compris la Galicie.
(2) Including Bukovina—Y compris la Bukovine.
(3) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 11—Naissances (mort-nés exclus) classifiées selon le lieu de naissance des parents, 1927—*suite*

Lieu de naissance de la mère																										
British Possessions — Possessions britanniques		Europe																Asia — Asie								
Newfoundland Terre-Neuve	Other—Autres	Austria—Autriche	Belgium Belgique	Denmark Danemark	Finland—Finlande	France	Germany Allemagne	Holland—Hollande	Hungary Hongrie	Italy—Italie	Norway Norvège	Poland (1) Pologne (1)	Rumania (2) Roumanie (2)	Russia (3) Russie (3)	Sweden—Suède	Other—Autres	China—Chine	Japan—Japon	Other—Autres	United States États-Unis	Various—Divers	Not specified Non spécifié	No.
QUÉBEC																										
48	8	2	27	–	1	43	4	2	1	12	1	5	3	8	1	5	1	–	4	2,151	4	7	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	2
4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	5	2	–	3
1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	17	–	–	4
41	6	2	27	–	1	42	4	2	1	12	1	5	3	8	–	3	–	–	4	2,076	2	7	5
2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	47	–	–	6
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	10
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	11
20	8	–	5	1	–	3	3	2	–	1	–	4	–	3	1	3	–	–	–	37	2	–	12
16	7	–	4	–	–	2	1	1	–	–	–	4	–	3	1	3	–	–	–	28	2	–	13
2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	14
2	1	–	1	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	7	–	–	15
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
59	27	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	18
59	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
–	26	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	20
3	2	29	23	3	13	45	10	5	16	446	5	162	115	365	–	96	–	–	3	39	3	2	21
–	–	14	–	–	–	–	–	–	–	–	–	3	2	12	–	–	–	–	–	1	–	–	22
–	–	–	17	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	23
–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	24
–	–	–	–	–	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25
–	–	–	2	–	–	33	–	–	–	1	–	1	–	–	–	1	–	–	–	6	–	–	26
1	–	–	–	–	–	–	7	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	27
–	–	–	1	–	–	–	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	28
–	–	1	–	–	–	–	–	–	13	–	–	1	–	–	–	–	–	–	–	–	–	–	29
–	1	–	1	–	–	6	–	–	–	442	–	1	1	–	–	1	–	–	–	17	3	–	30
–	–	–	–	–	1	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–	31
–	–	2	1	–	–	1	1	–	–	–	–	135	6	19	–	2	–	–	–	2	–	1	32
2	–	4	1	–	–	–	–	–	1	–	–	5	80	7	–	–	–	–	–	2	–	–	33
–	1	7	–	–	–	1	1	–	2	3	–	14	25	325	–	2	–	–	–	6	–	–	34
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	35
–	–	1	–	–	–	2	1	–	–	–	–	2	1	2	–	89	–	–	3	4	–	–	36
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	5	–	62	–	–	–	37
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	39
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	62	–	–	–	40
4	4	–	2	1	–	5	–	1	–	1	–	1	–	1	1	–	–	–	–	214	–	–	41
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	1	–	42
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	13	43
134	49	32	57	5	14	98	17	10	17	462	6	172	118	378	3	106	6	–	69	2,441	11	22	44
5	1	–	4	–	7	2	1	–	–	2	–	2	–	3	–	–	–	–	1	54	–	1,033	45
139	50	32	61	5	21	100	18	10	17	464	6	174	118	381	3	106	6	–	70	2,495	11	1,055	46

TABLE 11—Births (exclusive of stillbirths) classified according to birthplaces of parents, 1927–*con.*

No.	Birthplace of father — Lieu de naissance du père	Total	Birthplace of mother															
			Canada										British Isles — Îles britanniques					
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not specified Prov. non spécifiée	England — Angleterre	Ireland—Irlande	Scotland—Écosse	Wales Galles, pays de	Other—Autres	
	ONTARIO																	
1	**Canada**	**44,558**	**27**	**215**	**200**	**2,819**	**34,277**	**239**	**95**	**32**	**41**	**639**	**3,078**	**271**	**841**	**61**	**17**	
2	Prince Edward Island	63	10	6	2	3	29	–	–	–	–	–	4	–	–	1	–	
3	Nova Scotia	358	6	113	22	10	124	2	1	–	1	–	40	1	9	1	–	
4	New Brunswick	284	1	8	101	20	96	–	3	1	–	1	28	2	5	–	–	
5	Quebec	3,289	2	13	16	1,513	1,394	14	3	–	1	2	124	6	38	2	–	
6	Ontario	39,333	8	73	55	1,259	32,334	178	75	28	38	57	2,734	253	752	56	16	
7	Manitoba	244	–	1	4	9	134	42	8	–	–	2	17	2	5	–	–	
8	Saskatchewan	67	–	–	–	2	38	1	4	–	–	–	9	1	–	–	1	
9	Alberta	53	–	–	–	1	31	2	1	1	–	–	11	–	3	–	–	
10	British Columbia	25	–	–	–	–	18	–	–	–	1	–	2	–	1	–	–	
11	Prov. not specified	842	–	1	–	2	79	–	–	2	–	577	109	6	28	1	–	
12	**British Isles**	**12,976**	**7**	**43**	**27**	**154**	**3,602**	**50**	**10**	**10**	**8**	**286**	**5,363**	**784**	**2,106**	**119**	**29**	
13	England	8,761	2	33	17	104	2,580	36	8	7	8	210	4,654	176	562	66	10	
14	Ireland	1,262	–	3	2	12	338	4	1	1	–	33	194	514	120	7	1	
15	Scotland	2,721	5	6	8	34	599	9	1	2	–	40	448	90	1,415	11	3	
16	Wales	187	–	1	–	3	67	1	–	–	–	3	60	2	9	35	–	
17	Other	45	–	–	–	1	18	–	–	–	–	–	7	2	–	–	15	
18	**British Possessions**	**400**	**1**	**13**	**3**	**6**	**82**	**1**	**2**	–	**1**	**8**	**62**	**7**	**29**	**1**	**1**	
19	Newfoundland	208	1	12	1	2	34	–	2	–	–	3	25	4	10	–	1	
20	Other	192	–	1	2	4	48	1	–	–	1	5	37	3	19	1	–	
21	**Europe**	**5,603**	**1**	**6**	**6**	**68**	**580**	**57**	**32**	**4**	**1**	**54**	**182**	**10**	**40**	**3**	**1**	
22	Austria	287	–	–	–	–	23	16	1	–	–	4	4	1	1	–	–	
23	Belgium	165	–	–	–	2	4	1	1	1	–	1	6	1	2	–	–	
24	Denmark	43	–	–	–	1	5	–	1	–	–	–	7	–	1	1	–	
25	Finland	335	–	–	–	–	21	–	–	–	–	–	1	–	–	–	–	
26	France	54	–	–	–	6	19	–	–	–	–	1	7	–	3	–	–	
27	Germany	127	–	–	–	–	56	1	1	–	–	4	6	–	2	–	–	
28	Holland	96	–	1	1	–	11	–	–	–	–	–	7	1	3	–	–	
29	Hungary	162	–	–	–	–	4	1	2	–	–	–	2	–	1	–	–	
30	Italy	1,456	1	2	1	17	193	–	1	1	–	17	39	5	9	1	1	
31	Norway	71	–	–	1	2	14	2	1	–	–	1	6	–	1	–	–	
32	Poland (1)	1,003	–	–	–	7	42	13	4	–	–	7	21	–	5	–	–	
33	Rumania (2)	270	–	–	–	8	17	6	7	1	–	1	8	1	5	–	–	
34	Russia (3)	977	–	2	1	13	75	14	11	1	–	13	46	–	4	–	–	
35	Sweden	130	–	–	1	–	28	1	–	–	–	2	4	–	3	–	–	
36	Other	427	–	1	1	12	68	2	2	–	1	3	18	1	–	1	–	
37	**Asia**	**216**	–	–	–	**4**	**18**	**2**	–	–	**1**	**1**	**7**	–	**3**	**1**	–	
38	China	46	–	–	–	–	1	–	–	–	1	–	4	–	2	1	–	
39	Japan	8	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	
40	Other	162	–	–	–	4	16	–	–	–	–	1	3	–	1	–	–	
41	United States	1,753	1	10	1	111	987	11	6	3	2	25	158	20	56	2	1	
42	Various	28	–	1	–	1	10	–	–	–	–	–	6	–	1	–	–	
43	Not specified	179	–	–	1	4	36	–	–	–	–	1	6	2	–	–	–	
44	**Children born to married mothers — Enfants légitimes**	**65,713**	**37**	**288**	**238**	**3,167**	**39,592**	**360**	**145**	**49**	**54**	**1,014**	**8,862**	**1,094**	**3,076**	**187**	**49**	
45	**Children born to unmarried mothers–Enfants illégitimes**	**1,958**	**1**	**12**	**4**	**88**	**1,220**	**11**	**6**	**3**	**5**	**87**	**197**	**32**	**131**	**5**	–	
46	**Children born to all mothers — Légitimes et illégitimes**	**67,671**	**38**	**300**	**242**	**3,255**	**40,812**	**371**	**151**	**52**	**59**	**1,101**	**9,059**	**1,126**	**3,207**	**192**	**49**	

(1) Including Galicia—Y compris la Galicie.
(2) Including Bukovina—Y compris la Bukovine.
(3) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 11—Naissances (mort-nés exclus) classifiées selon le lieu de naissance des parents, 1927—*suite*

| Lieu de naissance de la mère | | |

TABLE 11—Births (exclusive of stillbirths) classified according to birthplaces of parents, 1927—*con.*

No.	Birthplace of father — Lieu de naissance du père	Total	Birthplace of mother														
			Canada										British Isles — Îles britanniques				
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not specified Prov. non spécifiée	England — Angleterre	Ireland—Irlande	Scotland—Écosse	Wales Galles, pays de	Other—Autres
	MANITOBA																
1	**Canada**	**6,012**	**16**	**49**	**20**	**189**	**638**	**3,734**	**138**	**20**	**15**	**3**	**398**	**60**	**151**	**9**	**2**
2	Prince Edward Island	33	7	2	–	–	2	13	1	–	–	–	4	–	2	–	–
3	Nova Scotia	86	–	17	3	2	12	27	3	1	1	–	7	2	2	–	–
4	New Brunswick	53	–	1	4	4	8	19	–	–	–	–	3	2	3	–	–
5	Quebec	330	1	–	3	82	28	145	5	2	1	–	19	1	7	–	–
6	Ontario	1,258	3	11	6	21	326	537	29	4	5	–	133	19	57	3	–
7	Manitoba	4,125	4	16	4	78	243	2,944	81	11	6	2	222	36	76	6	2
8	Saskatchewan	97	–	2	–	1	17	37	18	1	–	–	5	–	4	–	–
9	Alberta	15	1	–	–	1	2	6	1	1	–	–	2	–	–	–	–
10	British Columbia	8	–	–	–	–	–	4	–	–	2	–	1	–	–	–	–
11	Prov. not specified	7	–	–	–	–	–	2	–	–	–	1	2	–	–	–	–
12	**British Isles**	**2,741**	**3**	**8**	**8**	**24**	**194**	**650**	**35**	**3**	**6**	**6**	**959**	**161**	**502**	**39**	**2**
13	England	1,611	2	6	7	15	116	392	22	2	3	5	787	41	105	22	1
14	Ireland	289	–	2	–	2	23	61	2	–	–	1	52	95	31	–	–
15	Scotland	774	–	–	1	7	49	178	9	–	3	–	100	25	362	6	–
16	Wales	60	1	–	–	–	3	18	2	1	–	–	20	–	4	11	–
17	Other	7	–	–	–	–	3	1	–	–	–	–	–	–	–	–	1
18	**British Possessions**	**32**	–	–	–	**1**	**4**	**9**	–	–	**1**	–	**6**	**1**	**5**	–	–
19	Newfoundland	6	–	–	–	–	1	2	–	–	–	–	1	–	1	–	–
20	Other	26	–	–	–	1	3	7	–	–	1	–	5	1	4	–	–
21	**Europe**	**4,222**	–	**1**	**2**	**13**	**23**	**870**	**45**	**5**	**1**	**6**	**36**	**6**	**9**	**1**	–
22	Austria	333	–	1	–	1	2	177	14	1	1	2	1	–	–	–	–
23	Belgium	136	–	–	–	1	2	32	1	–	–	2	1	–	–	1	–
24	Denmark	36	–	–	–	–	1	7	1	–	–	–	1	–	–	–	–
25	Finland	15	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
26	France	95	–	–	1	7	–	37	1	–	–	1	3	1	2	–	–
27	Germany	68	–	–	–	–	2	14	2	–	–	–	3	–	–	–	–
28	Holland	42	–	–	–	–	2	8	–	1	–	–	3	–	3	–	–
29	Hungary	56	–	–	1	–	–	6	–	–	–	–	–	–	–	–	–
30	Italy	53	–	–	–	–	1	11	–	–	–	–	1	–	–	–	–
31	Norway	37	–	–	–	–	1	7	–	–	–	–	4	–	–	–	–
32	Poland (1)	1,281	–	–	–	3	2	264	6	–	–	1	3	1	–	–	–
33	Rumania (2)	150	–	–	–	–	1	28	4	–	–	–	2	1	–	–	–
34	Russia (3)	1,142	–	–	–	–	3	188	11	1	–	–	7	2	1	–	–
35	Sweden	104	–	–	–	–	4	25	2	1	–	–	3	–	1	–	–
36	Other	174	–	–	–	1	2	65	3	1	–	–	4	1	2	–	–
37	**Asia**	**26**	–	–	–	–	–	3	–	**1**	**1**	–	–	–	**3**	–	–
38	China	8	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
39	Japan	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40	Other	17	–	–	–	–	–	3	–	1	–	–	–	–	3	–	–
41	United States	622	1	6	2	7	46	245	14	3	2	–	43	7	17	2	1
42	Various	4	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
43	Not specified	15	–	–	1	–	–	4	–	–	–	–	2	–	–	–	–
44	**Children born to married mothers — Enfants légitimes**	**13,674**	**20**	**64**	**33**	**234**	**905**	**5,517**	**232**	**32**	**26**	**15**	**1,444**	**235**	**687**	**51**	**5**
45	**Children born to unmarried mothers-Enfants illégitimes**	**473**	**1**	**2**	**3**	**2**	**40**	**231**	**28**	**6**	**2**	**2**	**37**	**6**	**22**	**1**	–
46	**Children born to all mothers — Légitimes et illégitimes**	**14,147**	**21**	**66**	**36**	**236**	**945**	**5,748**	**260**	**38**	**28**	**17**	**1,481**	**241**	**709**	**52**	**5**

(1) Including Galicia—Y compris la Galicie.
(2) Including Bukovina—Y compris la Bukovine.
(3) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 11—Naissances (mort-nés exclus) classifiées selon le lieu de naissance des parents, 1927—*suite*

Lieu de naissance de la mère																															
British Possessions — Possessions britanniques		Europe																				Asia — Asie									
Newfoundland Terre-Neuve	Other—Autres	Austria—Autriche	Belgium Belgique	Denmark Danemark	Finland—Finlande	France	Germany Allemagne	Holland—Hollande	Hungary Hongrie	Italy—Italie	Norway Norvège	Poland (1) Pologne (1)	Rumania (2) Roumanie (2)	Russia (3) Russie (3)	Sweden—Suède	Other—Autres	China—Chine	Japan—Japon	Other—Autres	United States États-Unis	Various—Divers	Not specified Non spécifié	No.
MANITOBA																															
2	7	14	12	3	1	22	12	1	2	1	8	39	5	59	10	49	1	–	3	307	3	9	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2
–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	6	–	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	7	–	–	4
–	–	–	2	–	–	5	–	–	–	–	–	–	–	1	–	–	–	–	–	28	–	–	5
1	1	2	–	–	–	4	3	–	–	–	3	3	–	3	2	2	1	–	1	77	1	–	6
1	5	11	9	3	1	12	9	1	2	1	3	36	5	52	7	45	–	–	2	178	2	9	7
–	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	8	–	–	8
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	9
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	11
1	10	6	3	1	1	5	3	3	2	–	4	4	1	12	3	5	–	–	–	74	2	1	12
–	5	1	3	1	1	5	3	2	1	–	3	4	–	9	1	3	–	–	–	43	–	–	13
1	1	2	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	–	–	11	1	–	14
–	4	2	–	–	–	–	–	1	1	–	–	–	–	3	1	–	–	–	–	20	1	1	15
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	17
–	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	18
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	19
–	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	20
–	–	652	93	24	11	46	50	24	48	33	25	1,009	112	871	56	72	–	–	2	72	2	2	21
–	–	575	–	–	–	–	1	1	1	–	–	25	5	16	1	1	–	–	1	6	–	–	22
–	–	–	83	–	–	8	–	1	–	–	–	–	–	–	–	1	–	–	–	2	1	–	23
–	–	1	–	22	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–	24
–	–	–	–	–	11	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	25
–	–	–	1	–	–	36	1	–	–	–	–	1	–	–	–	1	–	–	–	2	–	–	26
–	–	4	–	–	–	–	27	–	1	–	–	4	1	7	–	2	–	–	–	1	–	–	27
–	–	–	1	–	–	–	1	22	–	–	–	–	–	–	–	–	–	–	–	1	–	–	28
–	–	2	–	–	–	–	–	–	42	–	–	1	–	2	–	–	–	–	–	2	–	–	29
–	–	1	1	–	–	–	–	–	–	33	–	–	1	1	–	1	–	–	–	2	–	–	30
–	–	–	–	2	–	–	–	–	–	–	16	–	–	–	5	–	–	–	–	2	–	–	31
–	–	26	2	–	–	–	4	–	2	–	–	926	6	26	–	2	–	–	–	7	–	–	32
–	–	7	–	–	–	–	–	–	–	–	–	13	87	4	–	1	–	–	–	2	–	–	33
–	–	34	1	–	–	–	12	–	1	–	–	31	10	812	–	6	–	–	1	19	1	1	34
–	–	1	–	–	–	–	–	–	–	–	7	1	1	–	49	–	–	–	–	8	–	1	35
–	–	1	4	–	–	2	4	–	1	–	1	7	1	3	–	57	–	–	–	14	–	–	36
–	–	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	5	1	7	2	–	–	37
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	1	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	39
–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	7	1	–	–	40
–	–	1	3	2	–	3	5	–	1	–	5	3	–	10	8	5	–	–	–	179	1	–	41
–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	42
–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	43
3	19	676	111	30	13	76	71	28	53	35	42	1,057	118	954	77	131	6	1	12	637	8	16	44
–	–	10	–	2	3	1	6	–	3	–	1	19	3	12	4	5	–	–	–	19	–	2	45
3	19	686	111	32	16	77	77	28	56	35	43	1,076	121	966	81	136	6	1	12	656	8	18	46

TABLE 11—Births (exclusive of stillbirths) classified according to birthplaces of parents, 1927—*con.*

No.	Birthplace of father — Lieu de naissance du père	Total	Birthplace of mother														
			Canada										British Isles — Îles britanniques				
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not specified Prov. non spécifiée	England — Angleterre	Ireland—Irlande	Scotland—Écosse	Wales Galles, pays de	Other—Autres
		SASKATCHEWAN															
1	**Canada**	**7,632**	**54**	**107**	**52**	**500**	**1,686**	**976**	**1,933**	**67**	**17**	**1**	**564**	**67**	**223**	**9**	**3**
2	Prince Edward Island	112	27	–	3	1	24	8	10	–	1	–	6	3	5	–	1
3	Nova Scotia	194	3	41	6	4	32	15	19	3	2	–	22	2	6	–	–
4	New Brunswick	103	2	6	9	6	17	7	17	2	–	–	13	1	7	–	1
5	Quebec	752	2	3	5	334	61	61	71	6	1	–	25	4	11	–	–
6	Ontario	3,172	14	37	20	90	1,259	247	381	23	7	–	292	41	128	6	–
7	Manitoba	1,297	4	7	5	35	134	482	239	10	3	–	70	9	33	2	1
8	Saskatchewan	1,930	2	11	4	28	151	150	1,171	14	3	1	72	7	31	–	–
9	Alberta	53	–	1	–	2	5	4	21	8	–	–	3	–	–	1	–
10	British Columbia	17	–	1	–	–	3	2	2	1	–	–	1	–	2	–	–
11	Prov. not specified	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
12	**British Isles**	**3,183**	**10**	**33**	**12**	**38**	**367**	**196**	**331**	**11**	**6**	–	**1,208**	**149**	**412**	**30**	**5**
13	England	2,055	3	18	8	21	241	133	192	8	3	–	1,026	33	104	13	2
14	Ireland	278	–	3	1	6	31	18	31	–	2	–	47	91	13	–	–
15	Scotland	767	6	12	3	9	83	42	96	2	1	–	114	22	292	3	–
16	Wales	76	1	–	–	2	11	2	12	1	–	–	19	3	3	14	–
17	Other	7	–	–	–	–	1	1	–	–	–	–	2	–	–	–	3
18	**British Possessions**	**40**	–	–	**1**	**1**	**5**	**3**	**7**	**2**	–	–	**6**	–	**2**	–	–
19	Newfoundland	11	–	–	1	–	2	–	2	–	–	–	–	–	1	–	–
20	Other	29	–	–	–	1	3	3	5	2	–	–	6	–	1	–	–
21	**Europe**	**6,591**	**1**	**4**	**3**	**31**	**65**	**310**	**933**	**17**	**2**	**1**	**51**	**7**	**15**	**3**	–
22	Austria	1,388	–	1	–	1	4	66	273	6	–	–	2	–	–	–	–
23	Belgium	97	–	1	1	8	4	7	6	–	–	–	1	–	3	–	–
24	Denmark	74	–	1	1	–	6	2	3	–	–	–	4	–	2	–	–
25	Finland	32	–	–	–	1	1	1	3	–	–	–	–	–	–	–	–
26	France	142	–	–	–	13	2	12	18	–	–	–	2	1	–	–	–
27	Germany	296	1	–	–	1	6	12	28	2	–	–	5	2	–	–	–
28	Holland	45	–	–	–	–	3	1	1	–	–	–	5	–	2	–	–
29	Hungary	301	–	–	–	–	–	5	57	–	1	–	–	1	–	–	–
30	Italy	25	–	–	–	–	1	–	–	1	–	–	–	–	1	1	–
31	Norway	367	–	–	–	4	11	4	20	–	–	–	11	1	4	2	–
32	Poland (1)	778	–	–	–	–	3	40	129	3	–	–	2	–	–	–	–
33	Rumania (2)	479	–	–	–	–	3	5	95	2	–	–	3	–	1	–	–
34	Russia (3)	2,135	–	–	1	–	7	133	262	2	–	1	5	1	1	–	–
35	Sweden	254	–	1	–	2	13	12	23	1	1	–	9	1	–	–	–
36	Other	178	–	–	–	1	1	10	15	–	–	–	2	–	1	–	–
37	**Asia**	**37**	–	–	–	**1**	–	**2**	**3**	–	–	–	**3**	–	**2**	–	–
38	China	16	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–
39	Japan	4	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–
40	Other	17	–	–	–	–	–	2	2	–	–	–	–	–	1	–	–
41	United States	3,083	11	36	13	85	343	180	398	12	6	–	179	22	52	2	–
42	Various	10	–	–	–	–	–	1	3	–	–	–	1	1	–	–	–
43	Not specified	7	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
44	**Children born to married mothers — Enfants légitimes**	**20,583**	**76**	**180**	**81**	**656**	**2,466**	**1,668**	**3,609**	**110**	**31**	**2**	**1,952**	**246**	**706**	**44**	**8**
45	**Children born to unmarried mothers–Enfants illégitimes**	**432**	**4**	**1**	**2**	**4**	**33**	**32**	**168**	**8**	–	–	**31**	**4**	**25**	**2**	–
46	**Children born to all mothers — Légitimes et illégitimes**	**21,015**	**80**	**181**	**83**	**660**	**2,499**	**1,700**	**3,777**	**118**	**31**	**2**	**1,983**	**250**	**731**	**46**	**8**

(1) Including Galicia—Y compris la Galicie.
(2) Including Bukovina—Y compris la Bukovine.
(3) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 11—Naissances (mort-nés exclus) classifiées selon le lieu de naissance des parents, 1927—*suite*

Lieu de naissance de la mère																																		
British Possessions — Possessions britanniques		Europe																					Asia — Asie			United States — États-Unis		Various—Divers	Not specified Non spécifié	No.
Newfoundland Terre-Neuve	Other—Autres	Austria—Autriche	Belgium Belgique	Denmark Danemark	Finland—Finlande	France	Germany Allemagne	Holland—Hollande	Hungary Hongrie	Italy—Italie	Norway Norvège	Poland (1) Pologne (1)	Rumania (2) Roumanie (2)	Russia (3) Russie (3)	Sweden—Suède	Other—Autres	China—Chine	Japan—Japon	Other—Autres																
SASKATCHEWAN																																		
4	7	51	19	5	2	27	18	6	14	–	25	24	10	141	23	18	–	–	–	1,031	6	2	1
–	–	–	1	–	–	2	–	–	1	–	1	–	–	–	1	–	–	–	–	18	–	–	2
–	–	1	–	1	–	–	–	–	–	–	2	–	–	–	1	1	–	–	–	32	1	–	3
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	13	–	–	4
–	–	2	9	–	–	10	1	–	–	–	1	1	–	4	3	1	–	–	–	135	1	–	5
2	3	7	4	4	–	7	9	3	3	–	8	3	2	14	13	3	–	–	–	541	1	–	6
–	2	8	4	–	1	5	2	3	1	–	10	6	1	63	3	8	–	–	–	143	2	1	7
2	2	33	1	–	1	2	6	–	9	–	3	14	7	59	2	5	–	–	–	137	1	1	8
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	7	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	10
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11
2	10	9	2	4	–	6	14	6	4	–	14	4	1	7	7	6	–	–	–	275	4	–	12
1	8	7	2	2	–	6	8	6	4	–	12	1	–	4	5	4	–	–	–	179	1	–	13
1	–	–	–	1	–	–	2	–	–	–	–	1	1	–	–	–	–	–	–	29	–	–	14
–	2	2	–	1	–	–	3	–	–	–	2	2	–	1	2	2	–	–	–	63	2	–	15
–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	4	1	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
3	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	8	–	–	18
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	19
–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	20
1	4	1,005	70	33	21	81	139	20	236	19	184	619	330	1,557	98	122	–	–	–	600	7	2	21
–	–	900	–	–	1	2	7	–	4	–	–	19	10	58	–	3	–	–	–	30	1	–	22
–	–	–	56	–	–	3	–	1	–	–	–	–	1	–	–	–	–	–	–	5	–	–	23
–	–	–	–	31	–	–	–	–	2	–	2	–	–	2	1	–	–	–	–	17	–	–	24
–	–	–	–	–	18	–	–	–	–	–	–	–	–	–	1	–	–	–	–	7	–	–	25
–	–	1	9	–	–	70	–	–	1	–	–	2	–	–	–	–	–	–	–	11	–	–	26
–	–	12	–	–	–	3	109	–	7	–	1	9	–	29	1	3	–	–	–	65	–	–	27
–	–	–	2	–	–	1	–	19	1	–	–	–	–	1	–	–	–	–	–	9	–	–	28
–	–	4	1	–	–	–	1	–	204	–	1	–	1	4	–	4	–	–	–	17	–	–	29
–	1	–	–	–	–	–	–	–	–	18	–	–	–	–	–	–	–	–	–	2	–	–	30
1	–	–	–	–	–	–	1	–	–	–	165	–	–	1	7	–	–	–	–	135	–	–	31
–	–	13	–	–	–	–	4	–	2	–	–	530	18	17	–	4	–	–	–	13	–	–	32
–	–	11	–	–	–	–	2	–	8	–	–	19	269	23	–	2	–	–	–	35	–	1	33
–	3	57	–	–	–	–	12	–	4	–	–	34	29	1,419	–	1	–	–	–	157	5	1	34
–	–	–	1	1	2	–	1	–	–	–	14	1	1	88	1	–	–	–	–	80	–	–	35
–	–	7	1	1	–	2	2	–	3	1	1	5	1	2	–	104	–	–	–	17	1	–	36
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12	1	10	2	–	–	37
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12	–	–	–	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	39
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10	2	–	–	40
–	4	20	2	6	2	7	39	5	17	1	61	13	8	93	46	15	–	–	–	1,403	2	–	41
–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	1	–	42
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	3	43
10	26	1,086	93	48	25	122	210	37	271	20	284	660	350	1,800	174	161	12	1	10	3,321	20	7	44
–	1	14	1	–	2	–	7	2	3	–	5	18	–	10	3	3	–	–	–	47	–	2	45
10	27	1,100	94	48	27	122	217	39	274	20	289	678	350	1,810	177	164	12	1	10	3,368	20	9	46

TABLE 11—Births (exclusive of stillbirths) classified according to birthplaces of parents, 1927—*con.*

No.	Birthplace of father — Lieu de naissance du père	Total	Birthplace of mother														
			Canada										British Isles — Îles britanniques				
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not specified Prov. non spécifiée	England — Angleterre	Ireland—Irlande	Scotland—Écosse	Wales Galles, pays de	Other—Autres
	ALBERTA																
1	**Canada**	**4,560**	**40**	**97**	**62**	**280**	**784**	**185**	**113**	**1,316**	**48**	**4**	**349**	**33**	**159**	**14**	**2**
2	Prince Edward Island	82	17	2	–	1	8	7	–	9	1	–	12	1	3	1	–
3	Nova Scotia	197	3	36	8	3	27	3	3	23	–	–	22	2	18	2	–
4	New Brunswick	117	2	5	24	4	11	6	4	16	2	–	11	–	4	–	–
5	Quebec	494	1	8	3	187	34	7	7	76	–	1	28	6	10	2	1
6	Ontario	1,801	12	31	16	53	575	88	48	210	26	–	183	18	82	4	1
7	Manitoba	312	1	5	3	7	36	48	11	62	3	–	20	1	12	3	–
8	Saskatchewan	100	1	4	2	1	18	7	11	21	–	–	9	–	2	–	–
9	Alberta	1,392	3	5	6	24	67	19	28	884	10	3	54	3	25	2	–
10	British Columbia	59	–	1	–	–	8	–	1	11	6	–	10	2	2	–	–
11	Prov. not specified	6	–	–	–	–	–	–	–	4	–	–	–	–	1	–	–
12	**British Isles**	**2,888**	**5**	**35**	**23**	**26**	**248**	**89**	**47**	**193**	**16**	**2**	**1,085**	**136**	**507**	**62**	**5**
13	England	1,669	3	18	12	16	147	49	24	113	8	2	861	33	99	21	1
14	Ireland	279	2	2	4	1	29	13	4	28	3	–	44	88	20	2	–
15	Scotland	805	–	10	3	8	66	21	17	45	3	–	145	14	377	6	–
16	Wales	124	–	5	4	1	6	5	2	6	2	–	33	1	11	33	–
17	Other	11	–	–	–	–	–	1	–	1	–	–	2	–	–	–	4
18	**British Possessions**	**73**	**2**	**3**	**1**	–	**13**	**1**	**1**	**12**	**2**	–	**12**	–	**3**	**1**	–
19	Newfoundland	26	1	2	–	–	8	–	–	3	–	–	1	–	–	1	–
20	Other	47	1	1	1	–	5	1	1	9	2	–	11	–	3	–	–
21	**Europe**	**4,055**	**4**	**8**	**5**	**14**	**53**	**59**	**32**	**608**	**11**	**2**	**71**	**8**	**26**	**1**	–
22	Austria	629	–	–	–	–	1	9	7	142	4	–	–	1	1	–	–
23	Belgium	53	–	2	–	1	2	–	–	5	–	–	3	–	–	–	–
24	Denmark	126	–	2	1	–	7	2	1	6	–	–	12	–	4	–	–
25	Finland	41	–	–	1	–	–	–	–	2	–	–	–	1	–	–	–
26	France	46	–	–	–	2	3	–	–	4	–	–	3	–	1	–	–
27	Germany	184	–	–	2	3	8	6	1	19	–	–	4	–	2	–	–
28	Holland	86	–	–	–	–	4	1	1	3	–	–	4	1	4	–	–
29	Hungary	36	–	–	–	–	–	–	–	3	1	–	–	–	–	–	–
30	Italy	117	–	–	–	1	–	1	–	5	2	–	7	–	–	–	–
31	Norway	233	2	–	1	3	10	2	1	14	1	–	7	2	2	–	–
32	Poland (1)	843	–	1	–	–	1	13	4	155	2	–	1	–	1	–	–
33	Rumania (2)	360	–	–	–	1	–	6	3	105	–	–	1	–	1	–	–
34	Russia (3)	936	–	1	–	2	6	13	14	110	–	2	9	1	1	–	–
35	Sweden	201	1	2	–	–	10	3	–	19	–	–	13	–	1	1	–
36	Other	164	1	–	–	1	1	3	–	16	1	–	7	2	8	–	–
37	**Asia**	**64**	–	–	–	–	**1**	–	–	**3**	**4**	–	**2**	–	**1**	**2**	–
38	China	24	–	–	–	–	–	–	–	1	4	–	1	–	–	1	–
39	Japan	27	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40	Other	13	–	–	–	–	1	–	–	2	–	–	1	–	1	1	–
41	United States	2,827	5	36	12	56	249	76	44	413	25	–	196	17	52	8	1
42	Various	8	–	–	–	–	–	–	–	1	–	–	4	–	–	–	–
43	Not specified	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
44	**Children born to married mothers — Enfants légitimes**	**14,479**	**56**	**179**	**103**	**376**	**1,348**	**410**	**237**	**2,546**	**106**	**8**	**1,720**	**194**	**748**	**88**	**8**
45	**Children born to unmarried mothers–Enfants illégitimes**	**418**	**1**	**4**	**1**	**6**	**31**	**19**	**18**	**183**	**6**	**1**	**24**	**3**	**13**	**3**	–
46	**Children born to all mothers — Légitimes et illégitimes**	**14,897**	**57**	**183**	**104**	**382**	**1,379**	**429**	**255**	**2,729**	**112**	**9**	**1,744**	**197**	**761**	**91**	**8**

(1) Including Galicia—Y compris la Galicie.
(2) Including Bukovina—Y compris la Bukovine.
(3) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 11—Naissances (mort-nés exclus) classifiées selon le lieu de naissance des parents, 1927—*suite*

Lieu de naissance de la mère

British Possessions — Possessions britanniques		Europe																Asia — Asie			United States — États-Unis	Various—Divers	Not specified Non spécifié	No.
Newfoundland Terre-Neuve	Other—Autres	Austria—Autriche	Belgium Belgique	Denmark Danemark	Finland—Finlande	France	Germany Allemagne	Holland—Hollande	Hungary Hongrie	Italy—Italie	Norway Norvège	Poland (1) Pologne (1)	Rumania (2) Roumanie (2)	Russia (3) Russie (3)	Sweden—Suède	Other—Autres	China—Chine	Japan—Japon	Other—Autres				
ALBERTA																								
3	13	16	5	2	–	16	20	7	1	1	20	23	6	37	12	5	–	–	1	884	2	–	1
–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	17	–	–	2
–	1	–	–	–	–	–	1	1	–	–	2	–	–	1	–	–	–	–	1	40	–	–	3
–	–	–	1	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	24	–	–	4
1	–	2	1	–	–	6	–	–	–	–	–	–	–	3	–	1	–	–	–	108	1	–	5
2	10	2	2	2	–	5	10	4	–	–	12	–	1	8	8	2	–	–	–	385	1	–	6
–	–	1	1	–	–	–	1	–	–	–	1	2	2	4	1	–	–	–	–	87	–	–	7
–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	22	–	–	8
–	–	11	–	–	–	4	5	2	–	1	2	21	3	21	3	1	–	–	–	185	–	–	9
–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	15	–	–	10
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	11
10	22	2	6	4	1	6	5	6	–	1	9	2	4	6	7	6	1	–	1	308	2	–	12
9	17	2	4	2	1	4	3	4	–	1	5	–	3	3	2	5	1	–	1	194	1	–	13
–	–	–	–	–	–	–	2	1	–	–	–	2	–	–	2	–	–	–	–	31	1	–	14
1	3	–	1	2	–	2	–	1	–	–	4	–	–	3	1	1	–	–	–	71	–	–	15
–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	11	–	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	–	17
2	4	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	9	–	–	18
7	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	19
–	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	8	–	–	20
–	3	477	45	61	34	29	125	50	34	85	116	684	231	633	95	101	1	–	–	346	2	1	21
–	–	420	–	–	–	1	–	–	1	–	–	11	11	10	–	1	–	–	–	9	–	–	22
–	–	–	30	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	7	1	–	23
–	–	–	1	58	1	1	–	–	–	–	5	–	–	2	2	1	1	–	–	19	–	–	24
–	–	–	–	–	28	–	–	–	–	–	1	–	1	–	2	–	–	–	–	5	–	–	25
–	–	–	3	–	–	18	–	–	–	–	–	–	–	–	–	3	–	–	–	9	–	–	26
–	–	5	–	–	–	2	79	1	2	–	–	4	2	15	–	1	–	–	–	28	–	–	27
–	–	–	5	1	1	–	1	48	–	–	1	–	–	–	–	2	–	–	–	8	1	–	28
–	–	–	–	–	–	–	1	–	25	–	–	1	–	–	–	–	–	–	–	5	–	–	29
–	–	2	2	–	–	1	1	–	–	84	–	1	–	2	–	–	–	–	–	8	–	–	30
–	–	–	2	–	1	–	1	1	–	–	99	1	–	–	8	–	–	–	–	75	–	–	31
–	–	13	1	–	–	–	11	–	–	1	–	593	17	9	1	6	–	–	–	12	–	1	32
–	–	5	–	–	–	–	–	–	2	–	–	24	189	13	–	1	–	–	–	9	–	–	33
–	2	27	–	1	–	2	22	–	3	–	–	44	11	574	–	4	–	–	–	87	–	–	34
–	1	1	–	1	3	–	2	–	–	–	9	–	–	1	81	–	–	–	–	52	–	–	35
–	–	4	1	–	–	2	7	–	1	–	1	5	–	7	1	82	–	–	–	13	–	–	36
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	16	27	6	1	–	–	37
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	16	–	–	–	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	27	–	–	–	–	39
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	1	–	–	40
–	6	9	1	7	3	6	30	3	–	–	26	3	2	63	23	6	–	–	–	1,447	2	–	41
–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	42
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	1	43
20	49	504	57	74	38	57	180	66	35	88	172	713	243	741	137	118	18	27	8	2,997	8	2	44
1	–	6	1	1	–	1	4	–	1	1	1	10	7	11	3	2	–	–	–	52	–	3	45
21	49	510	58	75	38	58	184	66	36	89	173	723	250	752	140	120	18	27	8	3,049	8	5	46

TABLE 11—Births (exclusive of stillbirths) classified according to birthplaces of parents, 1927—*con.*

No.	Birthplace of father — Lieu de naissance du père	Total	Birthplace of mother															
			Canada										British Isles — Îles britanniques					
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not specified Prov. non spécifiée	England — Angleterre	Ireland—Irlande	Scotland—Écosse	Wales Galles, pays de	Other—Autres	
	BRITISH COLUMBIA																	
1	**Canada**	3,449	21	80	48	64	380	*251	99	102	1,211	6	474	42	163	26	2	
2	Prince Edward Island	68	9	3	1	1	6	3	1	3	18	–	15	1	2	–	–	
3	Nova Scotia	182	–	29	4	4	16	13	2	2	42	–	23	9	14	–	–	
4	New Brunswick	113	–	4	15	3	9	13	2	–	15	–	15	1	4	1	–	
5	Quebec	159	–	4	3	23	22	9	5	2	21	–	32	1	9	2	–	
6	Ontario	826	5	16	6	14	189	66	27	30	154	1	117	16	44	9	–	
7	Manitoba	317	1	7	5	2	49	49	12	9	65	1	46	3	14	2	–	
8	Saskatchewan	89	1	–	–	1	5	10	13	5	16	–	16	–	2	1	–	
9	Alberta	114	–	1	–	–	9	7	1	6	29	1	16	2	9	2	–	
10	British Columbia	1,577	5	16	14	16	74	81	36	45	850	2	193	9	65	9	2	
11	Prov. not specified	4	–	–	–	–	1	–	–	–	1	1	1	–	–	–	–	
12	**British Isles**	3,385	7	30	24	18	194	124	44	43	444	5	1,415	130	594	55	1	
13	England	2,173	5	17	15	10	123	90	30	30	297	5	1,148	42	154	26	1	
14	Ireland	236	–	2	2	2	14	8	2	2	40	–	57	65	21	4	–	
15	Scotland	871	2	10	7	6	45	23	10	10	98	–	177	21	409	4	–	
16	Wales	95	–	1	–	–	10	3	2	–	7	–	31	2	9	21	–	
17	Other	10	–	–	–	–	2	–	–	1	2	–	2	–	1	–	–	
18	**British Possessions**	169	1	4	1	2	15	4	–	3	27	–	39	4	8	1	–	
19	Newfoundland	55	1	3	–	–	8	3	–	1	8	–	12	1	3	–	–	
20	Other	114	–	1	1	2	7	1	–	2	19	–	27	3	5	1	–	
21	**Europe**	1,161	–	2	4	6	24	20	22	25	92	4	90	6	30	2	–	
22	Austria	61	–	–	–	–	1	2	5	4	1	–	3	–	–	–	–	
23	Belgium	16	–	–	–	–	–	–	–	1	2	–	3	–	1	–	–	
24	Denmark	50	–	–	–	1	1	1	–	–	8	–	8	–	4	–	–	
25	Finland	61	–	–	–	–	3	–	–	–	6	–	1	1	1	–	–	
26	France	22	–	–	–	1	1	1	2	1	1	–	3	–	2	–	–	
27	Germany	37	–	–	–	–	1	–	–	2	4	1	4	–	2	1	–	
28	Holland	38	–	1	2	–	–	–	1	–	2	–	4	–	–	–	–	
29	Hungary	9	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	
30	Italy	239	–	–	–	2	3	3	–	2	29	–	5	2	3	–	–	
31	Norway	127	–	–	–	1	4	3	3	2	11	–	13	1	6	–	–	
32	Poland (1)	76	–	–	–	–	–	3	1	4	3	–	6	–	–	1	–	
33	Rumania (2)	25	–	–	–	1	–	–	2	2	2	–	–	–	–	–	–	
34	Russia (3)	111	–	–	–	–	1	4	7	2	4	–	5	–	1	–	–	
35	Sweden	154	–	–	1	–	6	3	1	1	11	3	20	1	7	–	–	
36	Other	135	–	1	1	–	2	–	–	4	7	–	15	1	3	–	–	
37	**Asia**	960	–	–	–	–	2	–	1	–	41	–	3	–	1	–	–	
38	China	177	–	–	–	–	1	–	1	–	24	–	1	–	1	–	–	
39	Japan	781	–	–	–	–	1	–	–	–	17	–	2	–	–	–	–	
40	Other	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
41	United States	731	2	11	9	12	64	36	17	36	147	–	108	7	36	6	–	
42	Various	18	–	–	–	–	–	1	–	–	6	–	5	1	1	–	–	
43	Not specified	7	–	–	–	–	–	–	–	–	5	–	1	–	–	–	–	
44	**Children born to married mothers — Enfants légitimes**	9,880	31	127	86	102	679	436	183	209	1,973	15	2,135	190	833	90	3	
45	**Children born to unmarried mothers–Enfants illégitimes**	204	1	1	–	2	9	14	7	16	75	–	31	1	22	2	–	
46	**Children born to all mothers — Légitimes et illégitimes**	10,084	32	128	86	104	688	450	190	225	2,048	15	2,166	191	855	92	3	

(1) Including Galicia—Y compris la Galicie.
(2) Including Bukovina—Y compris la Bukovine.
(3) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 11—Naissances (mort-nés exclus) classifiées selon le lieu de naissance des parents, 1927—*fin*

Lieu de naissance de la mère																															
British Possessions — Possessions britanniques		Europe																				Asia — Asie			United States						No.
Newfoundland Terre-Neuve	Other—Autres	Au-stria—Autriche	Belgium Belgique	Denmark Danemark	Finland—Finlande	France	Germany Allemagne	Holland—Hollande	Hungary Hongrie	Italy—Italie	Norway Norvège	Poland (1) Pologne (1)	Rumania (2) Roumanie (2)	Russia (3) Russie (3)	Sweden—Suède	Other—Autres	China—Chine	Japan—Japon	Other—Autres												
COLOMBIE BRITANNIQUE																															
6	24	1	6	2	1	5	9	–	1	4	17	3	1	12	16	5	15	–	1	350	1	–	1
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	4	–	–	2
–	2	–	–	–	–	1	–	–	–	–	–	1	–	–	2	–	–	–	–	18	–	–	3
–	–	–	1	–	–	–	–	–	–	–	1	–	–	2	1	1	–	–	–	25	–	–	4
–	–	–	1	–	–	2	2	–	–	1	–	–	–	–	–	–	–	–	–	20	–	–	5
3	10	–	3	–	–	1	–	–	–	1	4	1	–	1	3	1	–	–	–	104	–	–	6
–	3	1	–	–	–	1	2	–	–	–	2	–	1	4	1	1	–	–	–	36	–	–	7
–	1	–	–	–	1	–	–	–	–	–	2	–	–	2	–	–	–	–	–	13	–	–	8
–	–	–	1	–	–	–	3	–	–	–	1	–	–	3	2	1	–	–	–	19	1	–	9
3	8	–	–	2	–	–	2	–	1	2	6	1	–	–	7	1	15	–	1	111	–	–	10
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11
9	37	–	5	1	2	9	2	2	–	–	9	–	1	–	14	6	2	1	1	149	7	–	12
7	26	–	5	–	1	3	2	2	–	–	8	–	1	–	10	6	2	1	1	100	5	–	13
1	3	–	–	1	1	2	–	–	–	–	1	–	–	–	1	–	–	–	–	8	–	–	14
2	6	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	–	–	38	–	–	15
–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	3	2	–	16
–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
13	36	1	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	7	–	–	18
13	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
–	36	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	7	–	–	20
–	1	46	6	22	58	13	21	27	4	177	74	52	14	77	75	98	–	2	1	65	1	–	21
–	–	40	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	3	–	–	22
–	–	–	5	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	3	–	–	23
–	1	–	–	20	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	3	–	–	24
–	–	–	–	–	46	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	25
–	–	–	–	–	–	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	26
–	3	–	–	–	–	–	9	1	–	–	–	–	–	3	–	1	–	–	–	5	–	–	27
–	–	–	–	–	–	1	1	26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	28
–	–	–	–	–	–	–	2	–	4	–	–	–	–	–	–	1	–	–	–	–	–	–	29
–	–	–	1	–	–	1	3	–	–	175	–	1	–	–	–	1	–	–	–	7	1	–	30
–	–	–	–	1	1	–	–	–	–	–	63	–	–	–	7	1	–	–	–	10	–	–	31
–	–	–	–	1	–	–	–	–	–	–	–	48	–	3	–	3	–	–	–	3	–	–	32
–	–	1	–	–	–	–	–	–	–	–	–	2	10	2	–	–	–	1	–	2	–	–	33
–	–	2	–	–	1	–	3	–	–	–	–	1	3	69	–	2	–	–	–	6	–	–	34
–	–	–	–	–	9	1	1	–	–	–	9	–	–	–	66	–	–	–	–	14	–	–	35
–	–	–	–	–	1	1	1	–	–	1	1	–	–	–	–	88	–	1	1	6	–	–	36
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	149	760	–	1	1	–	37
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	149	–	–	–	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	760	–	–	1	–	39
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	40
–	5	–	2	3	4	–	2	–	1	1	4	1	–	2	4	1	–	–	–	210	–	–	41
–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	42
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	43
28	104	48	22	28	65	27	35	29	6	182	104	56	16	92	109	111	166	763	3	783	10	1	44
1	1	1	–	–	–	1	–	–	–	–	2	–	–	2	1	–	–	–	–	14	–	–	45
29	105	49	22	28	65	28	35	29	6	182	106	56	16	94	110	111	166	763	3	797	10	1	46

TABLE 12—Births (exclusive of stillbirths) classified according to age and birthplace of married mothers, 1927

CANADA[1]

	Birthplace of mother — Lieu de naissance de la mère	Total	Age of mother															
			13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
1	**Canada**	**164,798**	**2**	**11**	**85**	**390**	**1,216**	**2,800**	**4,537**	**5,959**	**7,546**	**8,572**	**9,116**	**9,356**	**9,101**	**8,952**	**9,159**	**8,886**
2	Prince Edward Island	1,977	–	–	–	2	19	25	43	36	76	71	74	81	111	100	106	110
3	Nova Scotia	9,988	1	1	9	34	95	201	295	378	449	508	543	540	543	496	504	498
4	New Brunswick	9,533	–	2	7	41	96	189	302	355	414	453	519	541	501	506	492	493
5	Quebec	77,531	1	3	16	101	338	763	1,366	2,170	3,007	3,619	4,008	4,327	4,314	4,281	4,467	4,561
6	Ontario	46,604	–	4	36	144	399	915	1,433	1,679	2,153	2,431	2,499	2,573	2,503	2,493	2,536	2,409
7	Manitoba	8,449	–	1	5	8	52	201	357	427	526	564	597	567	503	509	491	404
8	Saskatchewan	4,430	–	–	6	23	88	245	370	442	439	424	383	285	241	197	216	146
9	Alberta	2,966	–	–	4	19	71	147	227	287	285	280	275	235	190	154	128	110
10	British Columbia	2,203	–	–	1	17	42	86	104	138	135	158	154	142	142	160	143	109
11	Province not specified—Province non spécifiée	1,117	–	–	1	1	16	28	40	47	62	64	64	65	53	56	76	46
12	**British Isles—Îles britanniques**	**27,384**	–	–	**1**	**11**	**66**	**200**	**392**	**619**	**929**	**1,119**	**1,244**	**1,403**	**1,461**	**1,549**	**1,652**	**1,579**
13	England—Angleterre	17,827	–	–	1	6	41	142	283	415	602	711	772	889	929	1,018	1,109	1,003
14	Ireland—Irlande	2,229	–	–	–	1	3	11	9	44	59	91	106	104	116	133	114	149
15	Scotland—Écosse	6,755	–	–	–	4	21	41	96	141	244	294	341	383	386	374	392	394
16	Wales—Galles, Pays de	492	–	–	–	–	1	5	4	16	18	22	21	24	26	22	31	30
17	Other—Autres	81	–	–	–	–	–	1	–	3	6	1	4	3	4	2	6	3
18	**British Possessions—Possessions britanniques**	**1,457**	–	–	**1**	**1**	**3**	**15**	**25**	**34**	**54**	**56**	**70**	**55**	**72**	**92**	**99**	**88**
19	Newfoundland—Terre-Neuve	1,043	–	–	–	1	3	9	13	26	35	39	52	40	53	69	67	61
20	Other—Autres	414	–	–	1	–	–	6	12	8	19	17	18	15	19	23	32	27
21	**Europe**	**19,369**	–	–	**2**	**21**	**67**	**235**	**366**	**575**	**668**	**931**	**984**	**1,053**	**1,088**	**1,065**	**1,060**	**1,069**
22	Austria—Autriche	2,635	–	–	1	4	13	36	49	75	96	129	123	140	100	119	139	142
23	Belgium—Belgique	513	–	–	1	–	2	5	6	10	25	16	28	22	47	31	22	30
24	Denmark—Danemark	227	–	–	–	–	–	–	3	5	10	16	9	18	14	9	19	21
25	Finland—Finlande	511	–	–	–	–	–	5	9	19	17	19	40	35	42	39	29	33
26	France	455	–	–	–	1	1	2	5	11	12	18	26	21	33	24	27	26
27	Germany—Allemagne	639	–	–	–	1	1	5	16	23	24	43	27	38	37	40	48	29
28	Holland—Hollande	246	–	–	–	–	–	1	3	6	4	7	17	13	12	17	16	17
29	Hungary—Hongrie	547	–	–	–	–	3	6	12	13	14	19	35	27	43	35	29	39
30	Italy—Italie	1,956	–	–	–	8	11	38	38	54	63	97	67	104	112	127	108	100
31	Norway—Norvège	668	–	–	–	–	1	3	8	11	20	21	33	37	37	27	27	37
32	Poland[2]—Pologne[2]	3,680	–	–	–	5	11	51	89	139	131	196	202	207	188	190	195	175
33	Rumania[3]—Roumanie[3]	1,043	–	–	–	–	5	14	28	36	29	39	59	44	50	46	57	59
34	Russia[4]—Russie[4]	4,686	–	–	–	2	14	53	73	131	153	225	239	249	262	264	249	276
35	Sweden—Suède	592	–	–	–	–	1	7	8	15	28	32	18	37	39	30	23	32
36	Other—Autres	971	–	–	–	–	4	9	19	27	42	54	61	61	72	67	72	53
37	**Asia—Asie**	**1,306**	–	–	–	–	**5**	**13**	**27**	**47**	**48**	**61**	**71**	**64**	**66**	**80**	**82**	**89**
38	China—Chine	251	–	–	–	–	1	1	1	6	1	5	12	13	15	12	20	25
39	Japan—Japon	799	–	–	–	–	2	7	21	30	39	33	46	41	37	55	44	47
40	Other—Autres	256	–	–	–	–	2	5	5	11	8	23	13	10	14	13	18	17
41	United States—États-Unis	12,829	–	1	–	16	69	217	355	450	567	590	721	784	709	718	820	750
42	Various—Divers	84	–	–	–	–	–	–	2	4	2	3	7	5	5	4	6	4
43	Not specified—Non spécifié	246	–	–	–	–	–	5	4	3	2	5	7	8	1	8	7	5
44	**Total**	**227,473**	**2**	**12**	**89**	**439**	**1,426**	**3,485**	**5,708**	**7,691**	**9,816**	**11,337**	**12,220**	**12,728**	**12,503**	**12,468**	**12,885**	**12,470**

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.
(2) Including Galicia—Y compris la Galicie.
(3) Including Bukovina—Y compris la Bukovine.
(4) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 12—Naissances (mort-nés exclus) classifiées selon l'âge et le lieu de naissance des mères mariées, 1927

CANADA [1]

Âge de la mère																						No.
29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50 and over — 50 et plus	Not stated — Non donné	
8,203	**8,398**	**6,765**	**7,323**	**6,465**	**6,019**	**5,683**	**5,508**	**4,848**	**4,860**	**3,818**	**3,260**	**2,148**	**2,165**	**1,383**	**864**	**509**	**273**	**136**	**83**	**23**	**23**	**353**	1
93	101	102	91	78	84	93	63	78	61	52	56	32	43	22	15	8	7	2	1	–	1	40	2
529	506	419	471	370	392	372	379	269	311	241	200	117	134	80	46	30	11	7	4	2	–	3	3
438	488	371	415	395	364	353	326	289	293	203	212	126	123	80	56	26	11	11	2	1	1	38	4
3,980	4,127	3,245	3,590	3,299	2,963	2,792	2,891	2,516	2,583	2,043	1,792	1,177	1,218	759	512	282	160	72	56	15	16	101	5
2,408	2,482	2,057	2,164	1,833	1,717	1,612	1,476	1,388	1,315	1,057	818	566	546	381	194	131	64	36	14	5	4	129	6
400	362	329	323	286	290	254	208	177	161	133	87	68	57	36	28	14	8	4	3	–	–	9	7
132	118	80	100	83	76	64	61	42	52	30	25	20	11	8	3	3	2	1	2	–	–	3	8
83	81	45	56	35	36	47	27	26	25	17	24	8	11	6	3	6	2	3	1	–	1	11	9
93	82	63	72	57	56	54	47	29	27	22	22	8	7	5	3	6	3	–	–	–	–	16	10
47	51	45	41	29	41	42	30	34	32	20	24	26	15	6	4	3	5	–	–	–	–	3	11
1,615	**1,556**	**1,275**	**1,415**	**1,314**	**1,158**	**1,199**	**1,045**	**890**	**876**	**722**	**699**	**426**	**353**	**253**	**148**	**90**	**49**	**27**	**10**	**6**	**7**	**26**	12
1,078	1,016	851	909	844	736	767	663	585	537	478	468	291	247	190	102	60	34	20	6	4	2	18	13
138	124	94	108	121	110	110	95	79	94	71	52	26	26	14	7	7	3	3	1	–	3	3	14
366	381	305	375	323	286	301	260	201	223	159	161	102	74	46	34	22	11	4	3	2	2	3	15
27	28	23	22	21	25	18	21	24	16	12	14	6	5	3	4	1	1	–	–	–	–	1	16
6	7	2	1	5	1	3	6	1	6	2	4	1	1	–	1	–	–	–	–	–	–	1	17
84	**90**	**55**	**88**	**61**	**65**	**70**	**52**	**46**	**46**	**37**	**27**	**24**	**20**	**9**	**9**	**5**	**2**	–	**1**	**1**	–	–	18
68	60	42	61	41	43	40	36	33	39	29	23	22	14	9	6	5	2	–	1	1	–	–	19
16	30	13	27	20	22	30	16	13	7	8	4	2	6	–	3	–	–	–	–	–	–	–	20
910	**1,125**	**709**	**935**	**830**	**734**	**802**	**783**	**641**	**729**	**480**	**438**	**280**	**261**	**171**	**114**	**91**	**58**	**23**	**13**	**5**	**7**	**46**	21
103	167	90	142	113	109	135	121	95	125	55	50	45	37	23	20	21	9	3	1	–	2	3	22
25	34	20	15	22	19	17	21	22	19	11	13	7	5	10	2	3	2	–	–	–	–	1	23
8	7	10	6	4	12	11	8	3	9	7	7	3	6	1	–	–	1	–	–	–	–	–	24
28	25	21	19	15	9	17	17	12	7	14	10	5	10	9	4	–	–	–	–	–	1	1	25
18	19	25	37	22	17	24	20	14	9	10	11	5	4	2	5	4	–	–	1	–	–	1	26
33	29	26	28	29	17	33	21	22	16	11	13	9	5	6	3	3	1	1	–	–	–	1	27
17	20	8	12	13	13	7	7	4	9	11	4	3	3	–	1	1	–	–	–	–	–	–	28
23	40	21	21	25	17	18	13	15	22	20	13	9	4	5	1	–	2	–	1	–	–	2	29
88	123	68	83	81	72	93	89	60	77	49	38	25	30	19	8	8	1	4	1	–	1	11	30
27	30	23	41	25	29	35	32	28	31	20	22	23	15	4	8	9	2	2	–	–	–	–	31
161	207	126	187	155	151	157	153	138	127	88	91	38	41	23	13	14	12	2	5	3	1	8	32
46	73	43	61	53	35	48	39	34	39	25	22	8	13	11	7	3	7	1	2	–	1	6	33
249	269	171	227	214	164	174	192	148	189	127	109	74	66	45	27	19	12	7	1	2	1	9	34
32	26	26	19	29	27	16	20	21	20	15	21	13	14	8	9	–	3	3	–	–	–	–	35
52	56	31	37	30	43	17	30	25	30	17	14	13	8	5	6	6	6	–	1	–	–	3	36
77	**85**	**66**	**61**	**51**	**46**	**51**	**45**	**32**	**40**	**20**	**21**	**11**	**14**	**12**	**7**	**2**	**4**	**2**	**2**	–	–	**4**	37
14	8	10	8	11	9	13	12	9	8	6	7	3	5	6	3	–	3	2	1	–	–	1	38
50	55	45	46	34	29	30	22	15	23	11	10	5	8	6	4	1	1	–	1	–	–	1	39
13	22	11	7	6	8	8	11	8	9	3	4	3	1	–	–	1	–	–	–	–	–	2	40
655	658	529	592	595	537	438	426	352	373	264	203	118	131	76	57	22	11	4	7	–	2	12	41
5	11	4	4	2	4	3	2	3	–	2	1	–	–	–	1	–	–	–	–	–	–	–	42
3	3	1	3	6	1	5	5	3	5	2	2	1	–	–	1	2	–	–	1	–	–	147	43
11,552	**11,926**	**9,404**	**10,421**	**9,324**	**8,564**	**8,251**	**7,866**	**6,815**	**6,929**	**5,345**	**4,651**	**3,008**	**2,944**	**1,904**	**1,201**	**721**	**397**	**192**	**117**	**35**	**39**	**588**	44

INFANT MORTALITY

MORTALITÉ INFANTILE

TABLE 13—Deaths of children under one year (exclusive of stillbirths) in Canada by months, classified as rural and urban for each province, 1927

TABLEAU 13—Décès des enfants de moins d'un an (mort-nés exclus) dans le Canada durant chaque mois, classifiés en ruraux et urbains, par province, 1927

Province	Total	Months—Mois												
		January — Janvier	Feoruary — Février	March — Mars	April — Avril	May — Mai	June — Juin	July — Juillet	August — Août	September — Septembre	October — Octobre	November — Novembre	December — Décembre
Canada (1)	**22,010**	**2,115**	**1,934**	**2,038**	**1,936**	**1,832**	**1,547**	**1,553**	**1,856**	**2,247**	**1,836**	**1,548**	**1,568**
Rural—Ruraux	**10,981**	**1,135**	**1,030**	**1,061**	**1,017**	**949**	**733**	**705**	**823**	**1,027**	**941**	**771**	**789**
Urban—Urbains	**11,029**	**980**	**904**	**977**	**919**	**883**	**814**	**848**	**1,033**	**1,220**	**895**	**777**	**779**
Prince Edward Island	113	10	10	17	12	7	3	8	8	7	9	12	10
Rural—Ruraux	84	8	10	15	9	7	1	5	4	4	4	10	7
Urban—Urbains	29	2	–	2	3	–	2	3	4	3	5	2	3
Nova Scotia	1,028	80	86	104	93	78	66	64	98	124	92	65	78
Rural—Ruraux	436	47	39	46	42	38	31	30	28	30	44	30	31
Urban—Urbains	592	33	47	58	51	40	35	34	70	94	48	35	47
New Brunswick	1,006	89	77	81	111	88	70	67	83	118	81	68	73
Rural—Ruraux	708	62	53	56	84	66	49	51	61	71	57	50	48
Urban—Urbains	298	27	24	25	27	22	21	16	22	47	24	18	25
Quebec	10,739	968	839	903	888	896	775	852	1,038	1,202	898	749	731
Rural—Ruraux	5,277	486	455	464	467	429	372	363	438	589	472	378	364
Urban—Urbains	5,462	482	384	439	421	467	403	489	600	613	426	371	367
Ontario	4,812	439	463	469	442	402	348	318	327	472	436	345	351
Rural—Ruraux	1,717	176	166	169	144	164	106	113	119	148	152	127	133
Urban—Urbains	3,095	263	297	300	298	238	242	205	208	324	284	218	218
Manitoba	1,021	113	132	113	94	69	59	47	71	84	91	73	75
Rural—Ruraux	588	71	87	75	62	43	31	26	36	34	45	38	40
Urban—Urbains	433	42	45	38	32	26	28	21	35	50	46	35	35
Saskatchewan	1,575	191	157	180	139	140	100	93	119	131	105	102	118
Rural—Ruraux	1,171	149	124	138	111	105	71	68	78	84	81	72	90
Urban—Urbains	404	42	33	42	28	35	29	25	41	47	24	30	28
Alberta	1,110	152	111	119	110	95	74	59	71	76	87	75	81
Rural—Ruraux	741	110	66	77	78	73	49	33	42	54	64	45	50
Urban—Urbains	369	42	45	42	32	22	25	26	29	22	23	30	31
British Columbia	606	73	59	52	47	57	52	45	41	33	37	59	51
Rural—Ruraux	259	26	30	21	20	24	23	16	17	13	22	21	26
Urban—Urbains	347	47	29	31	27	33	29	29	24	20	15	38	25

(1)Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

NOTE.—"Urban" includes cities and towns of 1,000 population and over, "Rural" the remaining parts. The classification of cities and towns in Manitoba, Saskatchewan and Alberta is according to the Census of 1926 and in the remaining provinces according to the Census of 1921—"Urbains" comprend les cités et villes ayant une population de 1,000 habitants et au-dessus, le reste est inclus avec "Ruraux". La classification des cités et villes dans le Manitoba, la Saskatchewan et l'Alberta est selon le recensement de 1926 et dans toutes les autres provinces selon le recensement de 1921.

TABLE 14—Total deaths (exclusive of stillbirths) and deaths in public institutions, of children under one year of age, showing the number non-resident in the province, 1927

TABLEAU 14—Total des décès (mort-nés exclus) et décès dans les institutions publiques, d'enfants de moins d'un an non domiciliés dans la province, 1927

Province	All deaths under one year — Tous les décès au-dessous d'un an						In public institutions — Dans les institutions publiques					
	Total			Non-resident in province — Non domiciliés dans la province			Total			Non-resident in province — Non domiciliés dans la province		
	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total
Canada (1)	**12,548**	**9,462**	**22,010**	.....	.....	.....	**2,415**	**1,922**	**4,337**	.....	.....	.....
Prince Edward Island	70	43	113	–	–	–	3	1	4	–	–	–
Nova Scotia	579	449	1,028	3	1	4	68	45	113	3	1	4
New Brunswick	542	464	1,006	4	6	10	41	37	78	1	1	2
Quebec	6,149	4,590	10,739	8	4	12	802	702	1,504	4	1	5
Ontario	2,733	2,079	4,812	13	9	22	849	630	1,479	12	5	17
Manitoba	601	420	1,021	6	6	12	154	134	288	6	6	12
Saskatchewan	913	662	1,575	2	1	3	181	137	318	–	1	1
Alberta	616	494	1,110	3	4	7	191	128	319	1	–	
British Columbia	345	261	606	–	–	–	126	108	234	–	–	-1

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

TABLE 15—Total deaths (exclusive of stillbirths) and deaths in public institutions, of children under one year of age, classified according to residence of decedents, in cities and towns of 5,000 population and over, 1927

No.	Provinces, cities and towns — Provinces, cités et villes	All deaths under one year — Tous les décès au-dessous d'un an												Deaths in Décès dans		
		Total			Residents — Domiciliés			Non-resident in city or town where death occurred — Non domiciliés dans la cité ou ville du décès						Total		
								Resident in province — Domiciliés dans la province			Non-resident in province — Non domiciliés dans la province					
		M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total
	Prince Edward Island—															
	City—Cité—															
1	Charlottetown	13	10	23	13	10	23	–	–	–	–	–	–	2	1	3
	Nova Scotia—															
	Cities—Cités—															
2	Glace Bay	57	64	121	54	62	116	3	2	5	–	–	–	12	9	21
3	Halifax	76	48	124	67	41	108	7	7	14	2	–	2	29	15	44
4	Sydney	24	22	46	23	22	45	1	–	1	–	–	–	6	3	9
	Towns—Villes—															
5	Amherst	4	6	10	4	5	9	–	1	1	–	–	–	1	–	1
6	Dartmouth	8	6	14	5	5	10	3	1	4	–	–	–	–	–	–
7	New Glasgow	10	9	19	8	6	14	1	3	4	1	–	1	2	2	4
8	New Waterford	17	22	39	17	22	39	–	–	–	–	–	–	3	1	4
9	North Sydney	11	19	30	11	19	30	–	–	–	–	–	–	–	–	–
10	Springhill	8	12	20	8	12	20	–	–	–	–	–	–	3	4	7
11	Stellarton	11	5	16	10	5	15	1	–	1	–	–	–	–	–	–
12	Sydney Mines	19	16	35	19	16	35	–	–	–	–	–	–	2	–	2
13	Truro	9	6	15	8	6	14	1	–	1	–	–	–	–	2	2
14	Yarmouth	10	8	18	10	4	14	–	3	3	–	1	1	3	4	7
	New Brunswick—															
	Cities—Cités—															
15	Fredericton	9	7	16	9	6	15	–	1	1	–	–	–	3	3	6
16	Moncton	23	21	44	23	21	44	–	–	–	–	–	–	3	4	7
17	St. John	57	46	103	55	43	98	2	3	5	–	–	–	19	16	35
	Town—Ville—															
18	Campbellton	11	13	24	6	11	17	2	1	3	3	1	4	5	4	9
	Quebec—															
	Cities—Cités—															
19	Cap de la Madeleine	53	50	103	53	50	103	–	–	–	–	–	–	–	–	–
20	Granby	16	16	32	16	16	32	–	–	–	–	–	–	–	–	–
21	Grand'Mère	17	11	28	17	11	28	–	–	–	–	–	–	–	–	–
22	Hull	84	54	138	83	53	136	1	–	1	–	1	1	–	–	–
23	Joliette	36	22	58	36	22	58	–	–	–	–	–	–	–	–	–
24	Lachine	22	17	39	22	17	39	–	–	–	–	–	–	1	2	3
25	Lévis	18	13	31	18	13	31	–	–	–	–	–	–	–	–	–
26	Montreal	1,422	1,147	2,569	1,388	1,130	2,518	29	17	46	5	–	5	386	349	735
27	Outremont	1	3	4	1	3	4	–	–	–	–	–	–	–	–	–
28	Quebec	378	265	643	373	263	636	2	2	4	3	–	3	162	126	288
29	Rivière du Loup	16	11	27	16	11	27	–	–	–	–	–	–	–	–	–
30	St. Hyacintne	35	22	57	34	22	56	1	–	1	–	–	–	5	1	6
31	St. Jean	9	9	18	9	8	17	–	1	1	–	–	–	–	–	–
32	Shawinigan Falls	73	31	104	73	31	104	–	–	–	–	–	–	2	–	2
33	Sherbrooke	40	36	76	37	31	68	3	4	7	–	1	1	7	11	18
34	Sorel	28	21	49	28	21	49	–	–	–	–	–	–	–	–	–
35	Thetford Mines	24	20	44	24	20	44	–	–	–	–	–	–	–	–	–
36	Trois Rivières	133	114	247	131	113	244	2	1	3	–	–	–	13	15	28
37	Valleyfield	32	18	50	31	18	49	1	–	1	–	–	–	–	–	–
38	Verdun	44	44	88	44	44	88	–	–	–	–	–	–	–	–	–
39	Westmount	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–
	Towns—Villes—															
40	Chicoutimi	48	50	98	47	50	97	1	–	1	–	–	–	–	–	–
41	La Tuque	24	16	40	24	15	39	–	1	1	–	–	–	–	1	1
42	Magog	18	8	26	18	8	26	–	–	–	–	–	–	–	–	–
43	St. Jérôme	25	21	46	24	21	45	1	–	1	–	–	–	–	–	–
	Ontario—															
	Cities—Cités—															
44	Belleville	11	19	30	9	13	22	2	6	8	–	–	–	5	15	20
45	Brantford	23	14	37	16	11	27	6	2	8	1	1	2	17	11	28
46	Chatham	26	12	38	19	6	25	7	6	13	–	–	–	13	7	20
47	Fort William	21	16	37	20	14	34	1	2	3	–	–	–	7	9	16
48	Galt	9	5	14	6	4	10	3	1	4	–	–	–	6	3	9
49	Guelph	12	9	21	9	9	18	3	–	3	–	–	–	8	5	13

NOTE.—The classification of cities and towns in Manitoba, Saskatchewan and Alberta is according to the Census of 1926 and in the remaining provinces according to the Census of 1921—La classification des cités et villes dans le Manitoba, la Saskatchewan et l'Alberta est selon le recensement de 1926 et dans toutes les autres provinces selon le recensement de 1921.

TABLEAU 15—Total des décès (mort-nés exclus) et décès dans les institutions publiques, des enfants de moins d'un an, classifiés selon le domicile, dans les cités et villes de 5,000 âmes et plus, 1927

| public institutions — les institutions publiques | | | | | | | | | Deaths elsewhere than in public institutions — Décès ailleurs que dans les institutions publiques | | | | | | | | |

TABLE 15—Total deaths (exclusive of stillbirths) and deaths in public institutions, of children under one year of age, classified according to residence of decedents, in cities and towns of 5,000 population and over, 1927—*con.*

No.	Provinces, cities and towns — Provinces, cités et villes	All deaths under one year — Tous les décès au-dessous d'un an												Deaths in — Décès dans		
		Total			Residents — Domiciliés			Non-resident in city or town where death occurred — Non domiciliés dans la cité ou ville du décès						Total		
								Resident in province — Domiciliés dans la province			Non-resident in province — Non domiciliés dans la province					
		M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total
	Ontario—con.—fin															
	Cities—con.—*Cités*—fin															
1	Hamilton	117	70	187	109	66	175	7	4	11	1	–	1	62	33	95
2	Kingston	34	29	63	30	23	53	4	6	10	–	–	–	18	19	37
3	Kitchener	29	19	48	27	16	43	1	3	4	1	–	1	16	12	28
4	London	53	49	102	47	43	90	6	5	11	–	1	1	31	23	54
5	Niagara Falls	10	11	21	10	11	21	–	–	–	–	–	–	4	2	6
6	North Bay	17	16	33	16	15	31	1	1	2	–	–	–	4	4	8
7	Oshawa	34	31	65	32	30	62	2	1	3	–	–	–	14	14	28
8	Ottawa	142	144	286	129	130	259	9	11	20	4	3	7	88	79	167
9	Owen Sound	9	6	15	8	6	14	1	–	1	–	–	–	2	3	5
10	Peterborough	17	13	30	11	10	21	6	3	9	–	–	–	10	8	18
11	Port Arthur	24	19	43	23	18	41	1	1	2	–	–	–	16	9	25
12	St. Catharines	20	11	31	17	10	27	2	1	3	1	–	1	10	4	14
13	St. Thomas	9	11	20	8	10	18	1	1	2	–	–	–	6	7	13
14	Sarnia	25	18	43	22	14	36	3	4	7	–	–	–	10	9	19
15	Sault Ste. Marie	18	19	37	18	17	35	–	2	2	–	–	–	1	5	6
16	Stratford	13	8	21	11	8	19	2	–	2	–	–	–	8	2	10
17	Toronto	472	338	810	433	300	733	39	37	76	–	1	1	306	216	522
18	Welland	9	7	16	7	7	14	2	–	2	–	–	–	5	1	6
19	Windsor	80	62	142	67	56	123	11	6	17	2	–	2	39	27	66
20	Woodstock	11	5	16	8	4	12	3	1	4	–	–	–	6	4	10
	Towns—*Villes*—															
21	Barrie	9	2	11	8	1	9	1	1	2	–	–	–	5	1	6
22	Brockville	6	4	10	3	3	6	3	1	4	–	–	–	6	4	10
23	Cobourg	2	4	6	1	3	4	1	1	2	–	–	–	2	1	3
24	Collingwood	2	1	3	1	1	2	1	–	1	–	–	–	1	1	2
25	Cornwall	36	23	59	34	22	56	1	1	2	1	–	1	15	8	23
26	Eastview	11	5	16	11	5	16	–	–	–	–	–	–	–	–	–
27	Ford City	17	12	29	17	10	27	–	1	1	–	1	1	–	–	–
28	Hawkesbury	19	8	27	19	6	25	–	1	1	–	1	1	–	2	2
29	Ingersoll	7	–	7	6	–	6	1	–	1	–	–	–	5	–	5
30	Kenora	8	8	16	8	6	14	–	2	2	–	–	–	2	4	6
31	Lindsay	10	5	15	6	5	11	4	–	4	–	–	–	4	1	5
32	Midland	11	7	18	10	7	17	1	–	1	–	–	–	5	3	8
33	Orillia	5	7	12	4	6	10	1	1	2	–	–	–	3	3	6
34	Pembroke	19	14	33	16	12	28	1	2	3	2	–	2	11	9	20
35	Preston	2	3	5	2	3	5	–	–	–	–	–	–	–	–	–
36	Smith's Falls	8	8	16	8	8	16	–	–	–	–	–	–	5	3	8
37	Sudbury	25	18	43	23	16	39	2	2	4	–	–	–	5	8	13
38	Trenton	6	1	7	6	1	7	–	–	–	–	–	–	–	–	–
39	Walkerville	2	–	2	2	–	2	–	–	–	–	–	–	–	–	–
40	Waterloo	5	2	7	5	2	7	–	–	–	–	–	–	–	–	–
	Manitoba—															
	Cities—*Cités*—															
41	Brandon	16	11	27	11	10	21	4	1	5	1	–	1	11	6	17
42	Portage la Prairie	9	7	16	6	6	12	3	1	4	–	–	–	4	4	8
43	St. Boniface	34	25	59	15	17	32	19	7	26	–	1	1	25	16	41
44	Winnipeg	154	119	273	131	98	229	18	16	34	5	5	10	98	89	187
	Town—*Ville*—															
45	Transcona	9	2	11	9	2	11	–	–	–	–	–	–	–	–	–
	Saskatchewan—															
	Cities—*Cités*—															
46	Moose Jaw	24	17	41	20	13	33	4	4	8	–	–	–	16	9	25
47	Prince Albert	18	15	33	12	10	22	6	5	11	–	–	–	11	11	22
48	Regina	50	34	84	30	29	59	20	5	25	–	–	–	25	22	47
49	Saskatoon	60	45	105	44	34	78	16	10	26	–	1	1	37	27	64
	Alberta—															
	Cities—*Cités*—															
50	Calgary	47	38	85	40	36	76	6	2	8	1	–	1	35	25	60
51	Edmonton	60	53	113	43	44	87	16	9	25	1	–	1	40	30	70
52	Lethbridge	10	9	19	7	8	15	3	1	4	–	–	–	2	5	7
53	Medicine Hat	15	7	22	11	5	16	4	1	5	–	1	1	8	4	12
	British Columbia—															
	Cities—*Cités*—															
54	Nanaimo	4	7	11	4	6	10	–	1	1	–	–	–	–	–	–
55	Nelson	3	5	8	2	3	5	1	2	3	–	–	–	1	2	3
56	New Westminster	8	9	17	7	5	12	1	4	5	–	–	–	6	8	14
57	North Vancouver	5	5	10	5	5	10	–	–	–	–	–	–	–	3	3
58	Prince Rupert	6	1	7	4	1	5	2	–	2	–	–	–	4	1	5
59	Vancouver	96	68	164	84	62	146	12	6	18	–	–	–	57	49	106
60	Victoria	18	14	32	15	11	26	3	3	6	–	–	–	13	11	24

TABLEAU 15—Total des décès (mort-nés exclus) et décès dans les institutions publiques, des enfants de moins d'un an, classifiés selon le domicile, dans les cités et villes de 5,000 âmes et plus, 1927—*fin*

| public institutions — les institutions publiques | | | | | | | | | Deaths elsewhere than in public institutions — Décès ailleurs que dans les institutions publiques | | | | | | | | |

TABLE 16—Deaths of children under 1 year (exclusive of stillbirths) by age at death, 1927
TABLEAU 16—Décès des enfants de moins d'un an (mort-nés exclus) selon l'âge au moment du décès, 1927

Ages—Âges		Canada (1)	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
All infants—Tous enfants	**Total**	**22,010**	**113**	**1,628**	**1,006**	**10,739**	**4,812**	**1,021**	**1,575**	**1,110**	**606**
	M.	**12,548**	**70**	**579**	**542**	**6,149**	**2,733**	**601**	**913**	**616**	**345**
	F.	**9,462**	**43**	**449**	**464**	**4,590**	**2,079**	**420**	**662**	**494**	**261**
Under 1 day—Moins d'un jour	Total	3,912	12	126	164	1,662	1,056	183	320	255	134
	M.	2,304	9	70	100	1,019	598	98	188	150	72
	F.	1,608	3	56	64	643	458	85	132	105	62
1 day—1 jour	Total	1,023	8	47	57	403	299	49	58	64	38
	M.	596	4	29	28	229	183	29	33	41	20
	F.	427	4	18	29	174	116	20	25	23	18
2 days—2 jours	Total	862	2	37	31	328	276	41	67	48	32
	M.	493	1	19	13	188	162	25	42	25	18
	F.	369	1	18	18	140	114	16	25	23	14
3 days—3 jours	Total	611	2	35	26	239	191	25	40	35	18
	M.	360	2	24	16	145	112	13	22	15	11
	F.	251	–	11	10	94	79	12	18	20	7
4 days—4 jours	Total	374	2	34	17	132	100	24	37	16	12
	M.	216	1	18	9	74	57	15	24	11	7
	F.	158	1	16	8	58	43	9	13	5	5
5 days—5 jours	Total	305	–	15	23	111	83	25	30	10	8
	M.	182	–	9	14	67	49	15	19	6	3
	F.	123	–	6	9	44	34	10	11	4	5
6 days—6 jours	Total	263	–	12	14	104	74	15	23	16	5
	M.	143	–	7	6	54	38	11	16	7	4
	F.	120	–	5	8	50	36	4	7	9	1
Under 1 week—Moins d'une semaine	*Total*	*7,350*	*26*	*306*	*332*	*2,979*	*2,079*	*362*	*575*	*444*	*247*
	M.	*4,294*	*17*	*176*	*186*	*1,776*	*1,199*	*206*	*344*	*255*	*135*
	F.	*3,056*	*9*	*130*	*146*	*1,203*	*880*	*156*	*231*	*189*	*112*
1 week and under 2 weeks—1 semaine et moins de 2 semaines	Total	1,330	6	49	57	607	313	75	124	67	32
	M.	735	5	28	23	335	170	43	73	38	20
	F.	595	1	21	34	272	143	32	51	29	12
2 weeks and under 3 weeks—2 semaines et moins de 3 semaines	Total	1,044	1	58	34	518	217	63	75	48	30
	M.	561	1	35	15	275	111	35	43	28	18
	F.	483	–	23	19	243	106	28	32	20	12
3 weeks and under 1 month—3 semaines et moins de 1 mois	Total	808	5	32	33	408	169	28	65	43	25
	M.	487	3	16	17	249	100	18	41	27	16
	F.	321	2	16	16	159	69	10	24	16	9
Under 1 month—Moins d'un mois	*Total*	*10,532*	*38*	*445*	*456*	*4,512*	*2,778*	*528*	*839*	*602*	*334*
	M.	*6,077*	*26*	*255*	*241*	*2,635*	*1,580*	*302*	*501*	*348*	*189*
	F.	*4,455*	*12*	*190*	*215*	*1,877*	*1,198*	*226*	*338*	*254*	*145*
1 month and under 2 months—1 mois et moins de 2 mois	Total	2,177	14	119	91	1,180	387	95	149	103	39
	M.	1,278	11	75	50	684	233	53	96	59	17
	F.	899	3	44	41	496	154	42	53	44	22
2 months and under 3 months—2 mois et moins de 3 mois	Total	1,836	11	91	79	1,064	274	76	115	83	43
	M.	1,036	7	47	43	607	161	47	60	39	25
	F.	800	4	44	36	457	113	29	55	44	18
3 months and under 4 months—3 mois et moins de 4 mois	Total	1,459	8	87	74	809	231	56	104	65	25
	M.	796	5	52	43	433	127	30	52	39	15
	F.	663	3	35	31	376	104	26	52	26	10
4 months and under 5 months—4 mois et moins de 5 mois	Total	1,150	8	56	69	615	202	47	76	45	32
	M.	674	6	25	39	361	113	36	46	26	22
	F.	476	2	31	30	254	89	11	30	19	10
5 months and under 6 months—5 mois et moins de 6 mois	Total	1,008	3	53	43	568	186	43	55	37	20
	M.	564	3	28	23	325	98	32	31	17	7
	F.	444	–	25	20	243	88	11	24	20	13
6 months and under 7 months—6 mois et moins de 7 mois	Total	797	6	34	39	397	173	40	44	40	24
	M.	443	1	19	21	225	103	25	20	17	12
	F.	354	5	15	18	172	70	15	24	23	12
7 months and under 8 months—7 mois et moins de 8 mois	Total	741	8	35	32	385	148	31	49	33	20
	M.	416	1	18	21	223	82	17	26	18	10
	F.	325	7	17	11	162	66	14	23	15	10
8 months and under 9 months—8 mois et moins de 9 mois	Total	683	6	40	37	350	135	27	42	25	21
	M.	377	6	26	23	186	63	17	26	16	14
	F.	306	–	14	14	164	72	10	16	9	7
9 months and under 10 months—9 mois et moins de 10 mois	Total	601	4	28	29	325	104	27	38	24	22
	M.	329	1	13	15	178	60	14	22	12	14
	F.	272	3	15	14	147	44	13	16	12	8
10 months and under 11 months—10 mois et moins de 11 mois	Total	515	3	16	29	268	98	22	35	30	14
	M.	285	1	8	13	145	60	15	20	13	10
	F.	230	2	8	16	123	38	7	15	17	4
11 months and under 12 months—11 mois et moins de 12 mois	Total	511	4	24	28	266	96	29	29	23	12
	M.	273	2	13	10	147	53	13	13	12	10
	F.	238	2	11	18	119	43	16	16	11	2

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

TABLE 17—Deaths of children under one year of age (exclusive of stillbirths) classified according to racial origin of decedents, 1927

TABLEAU 17—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus) classifiés selon l'origine raciale des décédés, 1927

Racial origin — Origine raciale	(1) Canada	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
All origins—Toutes origines	**22,010**	**113**	**1,028**	**1,006**	**10,739**	**4,812**	**1,021**	**1,575**	**1,110**	**606**
English—Anglaise	3,750	33	462	233	340	1,775	218	275	230	184
Irish—Irlandaise	1,524	26	108	111	211	732	78	133	77	48
Scotch—Écossaise	1,416	32	240	69	100	529	106	127	123	90
Welsh—Galloise	34	–	1	–	1	8	5	8	5	6
French—Française	11,651	20	126	575	9,698	913	100	128	82	9
Armenian—Arménienne	3	–	–	–	–	3	–	–	–	–
Austrian—Autrichienne	188	–	1	–	3	38	31	67	39	9
Belgian—Belge	59	–	2	–	8	20	18	8	3	–
Bulgarian—Bulgare	4	–	–	–	1	2	–	–	–	1
Chinese—Chinoise	23	–	–	–	2	2	–	2	1	16
Czech and Slovak—Tchèque et Slovaque	30	–	3	–	1	10	1	5	9	1
Danish—Danoise	32	–	–	–	–	3	3	9	15	2
Dutch—Hollandaise	113	–	5	5	1	38	19	28	15	2
Finnish—Finlandaise	45	–	–	–	3	35	2	2	2	1
German—Allemande	644	–	18	1	12	169	72	261	98	13
Greek—Grecque	24	–	–	–	8	13	1	1	–	1
Hindu—Hindoue	3	–	–	–	–	–	–	–	–	3
Hungarian—Hongroise	74	–	–	–	4	17	3	45	3	2
Icelandic—Islandaise	17	–	–	–	–	–	11	5	–	1
Indian—Indienne	426	2	4	2	18	73	39	96	88	104
Italian—Italienne	224	–	8	–	83	105	3	1	11	13
Japanese—Japonaise	72	–	–	–	–	1	1	–	2	68
Jewish—Hébraïque	77	–	–	–	45	11	13	4	3	1
Negro—Nègre	62	–	39	2	3	11	–	3	3	1
Norwegian—Norvégienne	109	–	–	1	2	2	8	57	34	5
Polish—Polonaise	251	–	3	1	23	72	78	41	28	5
Rumanian—Roumaine	74	–	–	1	9	34	1	19	10	–
Russian—Russe	216	–	3	1	17	33	44	68	45	5
Serb and Croat—Serbe et Croate	15	–	–	–	2	7	1	2	2	1
Swedish—Suédoise	91	–	1	1	2	12	13	27	26	9
Swiss—Suisse	10	–	–	–	3	2	1	3	1	–
Syrian—Syrienne	22	–	2	3	12	2	–	1	2	–
Ukranian (2)—Ukranienne (2)	499	–	1	–	6	53	142	147	147	3
Other—Autres	19	–	1	–	8	7	1	–	2	–
Not specified—Non spécifiée	209	–	–	–	113	80	8	2	4	2

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

(2) Including "Galician"—Y compris "Galicienne".

TABLE 18—Deaths of children under one year of age (exclusive of stillbirths) classified according to birthplace of parents, Canada(1), 1927

No.	Birthplace of father — Lieu de naissance du père	Total fathers—Total des pères	Birthplace of mother														
			Canada										British Isles — Îles britanniques				
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not specified Prov. non spécifiée	England—Angleterre	Ireland—Irlande	Scotland—Écosse	Wales Galles, pays de	Other—Autres
1	**Canada**	**15,801**	**130**	**821**	**871**	**9,168**	**2,610**	**371**	**238**	**74**	**147**	**296**	**325**	**37**	**87**	**6**	**2**
2	Prince Edward Island	145	111	10	11	1	3	1	–	–	–	–	2	–	–	–	–
3	Nova Scotia	884	14	755	19	4	15	5	1	2	4	–	15	–	4	–	–
4	New Brunswick	921	3	27	797	36	8	4	–	–	1	–	8	1	2	–	–
5	Quebec	9,511	–	9	38	8,912	222	26	14	3	–	7	34	3	10	2	–
6	Ontario	3,070	–	17	6	194	2,295	63	31	11	8	8	198	26	50	3	1
7	Manitoba	408	1	–	–	12	31	253	33	4	5	1	17	1	7	1	–
8	Saskatchewan	215	–	1	–	2	13	14	152	–	1	–	7	–	2	–	–
9	Alberta	79	1	1	–	1	2	1	4	53	–	1	2	–	1	–	–
10	British Columbia	168	–	–	–	1	7	4	3	–	128	–	11	2	–	–	–
11	Prov. not specified	400	–	1	–	5	14	–	–	1	–	279	31	4	11	–	1
12	**British Isles**	**1,640**	**4**	**35**	**21**	**58**	**256**	**55**	**22**	**4**	**24**	**68**	**632**	**94**	**260**	**12**	–
13	England	1,076	1	20	16	43	172	35	15	3	16	49	546	22	65	9	–
14	Ireland	163	–	3	3	2	33	6	–	1	3	6	29	58	11	–	–
15	Scotland	373	3	10	1	12	40	13	7	–	5	13	52	12	184	–	–
16	Wales	27	–	2	1	1	11	1	–	–	–	–	5	1	–	3	–
17	Other	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
18	**British Possessions**	**150**	–	**29**	**1**	**7**	**7**	–	**2**	**1**	**2**	–	**9**	**1**	**2**	–	–
19	Newfoundland	106	–	23	1	3	4	–	1	1	1	–	3	1	–	–	–
20	Other	44	–	6	–	4	3	–	1	–	1	–	6	–	2	–	–
21	**Europe**	**2,073**	–	**10**	**6**	**54**	**51**	**100**	**83**	**31**	**3**	**37**	**30**	**3**	**8**	–	–
22	Austria	389	–	1	–	2	2	23	29	8	–	12	–	–	–	–	–
23	Belgium	57	–	–	–	5	1	3	–	–	–	–	2	–	2	–	–
24	Denmark	19	–	–	–	1	2	–	–	1	–	–	–	–	1	–	–
25	Finland	41	–	–	–	–	4	–	–	–	–	–	–	–	1	–	–
26	France	36	–	–	–	7	3	5	–	2	–	1	–	–	–	–	–
27	Germany	44	–	–	–	1	5	–	1	–	1	1	2	1	–	–	–
28	Holland	18	–	1	1	–	1	–	–	–	–	–	2	–	–	–	–
29	Hungary	72	–	–	–	–	–	2	3	–	–	1	1	1	–	–	–
30	Italy	209	–	3	1	18	16	1	–	1	2	3	2	–	1	–	–
31	Norway	53	–	–	2	1	1	1	–	–	–	1	1	1	–	–	–
32	Poland (2)	386	–	–	–	2	1	31	16	8	–	7	2	–	–	–	–
33	Rumania (3)	139	–	–	1	4	3	2	7	5	–	–	2	–	1	–	–
34	Russia (4)	453	–	1	–	3	5	27	24	5	–	7	8	–	–	–	–
35	Sweden	66	–	1	1	2	4	3	3	1	–	1	5	–	1	–	–
36	Other	91	–	3	–	8	3	2	–	–	–	3	3	–	1	–	–
37	**Asia**	**117**	–	–	–	**6**	**1**	–	–	–	**5**	–	**1**	–	–	–	–
38	China	20	–	–	–	1	–	–	–	–	4	–	–	–	–	–	–
39	Japan	73	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
40	Other	24	–	–	–	5	1	–	–	–	–	–	–	–	–	–	–
41	United States	873	–	20	17	226	97	37	34	16	10	26	36	8	11	2	–
42	Various	9	–	–	–	–	1	1	–	–	–	–	1	–	1	–	–
43	Not specified	1,347	2	40	37	253	177	38	38	8	3	18	28	8	15	3	–
44	**Total mothers—Total des mères**	**22,010**	**136**	**955**	**953**	**9,772**	**3,200**	**602**	**417**	**134**	**194**	**445**	**1,062**	**151**	**384**	**23**	**2**

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.
(2) Including Galicia—Y compris la Galicie.
(3) Including Bukovina—Y compris la Bukovine.
(4) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 18—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus) classifiés selon le lieu de naissance des parents, Canada[1], 1927

| Lieu de naissance de la mère | | |

TABLE 19—Deaths of children (exclusive of stillbirths) from certain specified causes in first year of life by months, 1927

Int. list No.	Causes of death — Causes de décès	Total under 1 year — Total moins de 1 an			Month of death					
					January — Janvier		February — Février		March — Mars	
		Total	M.	F.	M.	F.	M.	F.	M.	F.
	CANADA [1]									
	All causes—Toutes causes	**22,010**	**12,548**	**9,462**	**1,229**	**886**	**1,102**	**832**	**1,130**	**908**
7	Measles—Rougeole	187	113	74	16	12	12	12	15	10
8	Scarlet fever—Scarlatine	35	23	12	1	2	1	1	1	1
9	Whooping-cough—Coqueluche	640	336	304	41	37	34	21	17	21
10	Diphtheria—Diphtérie	48	24	24	3	2	3	3	3	3
11	Influenza—Grippe	719	411	308	87	66	77	67	78	57
16	Dysentery—Dysenterie	3	1	2	–	–	1	–	–	–
21	Erysipelas—Érysipèle	95	48	47	8	2	5	6	4	10
22	Acute anterior poliomyelitis—Poliomyélite aiguë	24	17	7	1	–	1	1	1	1
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique	64	46	18	3	2	2	2	7	2
29	Tetanus—Tétanos	2	1	1	1	–	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	73	39	34	1	5	4	1	6	2
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	85	41	44	3	3	1	5	5	5
33–37	Tuberculosis, other forms—Tuberculose, autres formes	30	20	10	3	–	4	1	2	2
38	Syphilis	131	70	61	4	5	4	7	7	8
41	Purulent infection, septicaemia—Infection purulente, septicémie	80	38	42	3	3	3	4	5	8
56	Rickets—Rachitisme	95	58	37	9	3	2	4	7	6
62	Diseases of the thymus—Affections du thymus	93	54	39	6	2	4	4	3	4
70	Encephalitis—Encéphalite	23	14	9	1	2	2	1	2	3
71a	Simple meningitis—Méningite simple	325	186	139	23	14	19	7	14	10
71b	Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non-épidémique	–	–	–	–	–	–	–	–	–
80	Convulsions	441	265	176	24	14	28	17	26	24
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	245	136	109	6	3	7	6	15	10
87–90	Diseases of the heart—Affections du cœur	–	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite	134	74	60	12	6	8	4	9	9
100	Bronchopneumonia—Broncho-pneumonie	1,293	729	564	125	105	102	75	97	79
101	Pneumonia—Pneumonie	857	481	376	82	66	69	54	57	43
110–112	Diseases of the stomach—Affections de l'estomac	302	170	132	16	12	13	13	22	10
113	Diarrhoea and enteritis—Diarrhée et entérite	4,249	2,430	1,819	109	84	97	74	99	103
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	105	73	32	9	2	3	4	5	2
128	Nephritis—Néphrite	17	8	9	–	1	–	–	1	1
153	Acute abscess—Phlegmon, abcès chaud	53	35	18	4	1	3	–	5	4
159	Malformations—Vices de conformation	1,256	661	595	69	47	68	59	59	59
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	95	53	42	7	5	8	6	3	7
	(o) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur	616	346	270	41	26	41	29	30	28
	(c) Others under this title—Autres sous ce titre	545	262	283	21	16	19	24	26	24
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	2,368	1,355	1,013	127	93	103	94	119	91
161a	Premature birth—Naissance prématurée	4,402	2,550	1,852	231	153	240	162	234	180
161b	Injury at birth—Conséquence de l'accouchement	1,009	601	408	44	28	52	27	67	33
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	1,454	848	606	82	56	73	50	71	64
175–203	External causes—Causes extérieures	197	114	83	15	8	8	3	9	4
	Other specified causes—Autres causes spécifiées	738	399	339	49	42	43	37	48	33
204, 205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	138	79	59	11	5	6	6	10	6
	PRINCE EDWARD ISLAND									
	All causes—Toutes causes	**113**	**70**	**43**	**6**	**4**	**8**	**2**	**13**	**4**
7	Measles—Rougeole	–	–	–	–	–	–	–	–	–
8	Scarlet fever—Scarlatine	–	–	–	–	–	–	–	–	–
9	Whooping-cough—Coqueluche	5	3	2	–	1	1	–	–	–
10	Diphtheria—Diphtérie	–	–	–	–	–	–	–	–	–
11	Influenza—Grippe	5	3	2	1	–	–	–	2	–
16	Dysentery—Dysenterie	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	–	–	–	–	–	–	–	–	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë	–	–	–	–	–	–	–	–	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique	–	–	–	–	–	–	–	–	–

[1] Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

NOTE.—For fuller list of causes of infant deaths see table 30—Voir au tableau 30 pour une liste plus détaillée des causes de mortalité infantile.

TABLEAU 19—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus), par certaines causes spécifiques et par mois, 1927

Mois de décès																		No. liste int.
April — Avril		May — Mai		June — Juin		July — Juillet		August — Août		September — Septembre		October — Octobre		November — Novembre		December — Décembre		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
CANADA [1]																		
1,135	**801**	**1,041**	**791**	**866**	**681**	**860**	**693**	**1,088**	**768**	**1,268**	**979**	**1,046**	**790**	**875**	**673**	**908**	**660**	
15	8	10	10	11	2	8	4	1	3	4	3	6	3	6	5	9	2	7
3	2	1	1	2	–	–	1	5	1	4	1	1	1	2	–	2	1	8
28	30	31	23	28	30	24	29	32	23	31	25	30	19	22	23	18	23	9
–	2	3	–	2	2	–	3	3	1	3	3	3	2	1	–	–	3	10
42	31	43	22	7	8	12	9	10	3	2	3	10	16	24	12	19	14	11
–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	16
7	4	6	5	5	3	2	3	2	2	1	2	1	2	3	3	4	5	21
–	–	3	–	–	–	–	–	1	1	3	1	6	3	1	–	–	–	22
6	2	5	3	2	1	3	2	4	–	2	–	4	1	5	2	3	1	24
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	29
9	9	6	2	2	6	–	–	2	2	2	2	2	2	2	2	3	1	31
4	5	4	6	6	4	2	3	3	2	2	3	2	4	3	3	6	1	32
–	1	1	–	2	2	1	–	–	–	1	1	1	1	2	2	3	–	33–37
8	5	8	9	5	6	8	4	7	6	6	4	4	1	4	3	5	3	38
9	3	2	1	2	2	1	2	5	6	3	2	1	6	1	1	3	4	41
7	6	5	1	3	1	3	3	7	5	8	–	2	3	1	–	4	5	56
7	5	5	3	2	4	4	1	5	3	4	2	3	2	6	6	5	3	62
2	–	–	–	2	–	–	–	1	–	2	1	1	1	–	1	1	–	70
17	13	14	9	16	7	7	16	14	12	21	16	16	17	15	7	10	11	71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
36	22	29	15	18	11	15	9	16	9	14	10	10	13	20	20	29	12	80
19	10	13	13	3	9	5	3	10	10	22	11	19	12	8	15	9	7	86
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	87–90
9	7	9	4	6	5	1	2	3	2	2	1	3	7	9	3	3	10	99
84	53	59	41	39	28	27	22	19	15	26	28	28	29	51	43	72	46	100
54	46	28	23	28	19	17	15	20	12	18	21	29	19	38	30	41	28	101
11	13	14	11	14	14	11	5	13	10	21	11	10	7	10	11	15	15	110–112
127	69	122	86	123	106	206	166	418	285	532	420	348	245	137	101	112	80	113
7	4	11	5	5	2	9	1	3	2	6	2	3	4	5	2	7	2	118
1	3	1	–	2	–	–	–	1	–	1	–	–	2	1	2	–	–	128
2	1	–	3	3	–	4	3	4	1	2	1	3	1	2	2	3	1	153
48	42	62	52	55	47	48	43	58	46	49	53	46	46	42	45	57	56	159
3	3	6	2	6	3	4	4	1	–	4	1	4	4	5	3	2	4	159a
18	19	35	30	25	19	23	19	29	24	26	20	20	13	21	20	37	23	159b
27	20	21	20	24	25	21	20	28	22	19	32	22	29	16	22	18	29	159c
123	99	131	105	105	90	112	79	81	70	111	89	128	69	92	65	123	69	160
253	183	241	197	205	158	178	150	188	127	199	138	178	130	206	133	197	141	161a
58	31	46	38	48	31	51	40	47	36	47	29	51	36	45	40	45	39	161b
85	55	82	61	78	47	69	50	64	42	65	55	54	35	66	46	59	45	162
8	3	4	7	8	10	9	10	12	6	12	5	8	10	13	8	8	9	175–203
36	32	41	30	28	18	17	12	23	17	26	33	32	36	29	31	27	18	
10	2	1	4	1	7	6	3	6	7	16	3	3	5	3	6	6	5	204, 205
ÎLE DU PRINCE-ÉDOUARD																		
8	**4**	**2**	**5**	**1**	**2**	**6**	**2**	**3**	**5**	**3**	**4**	**7**	**2**	**8**	**4**	**5**	**5**	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	11
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24

TABLE 19—Deaths of children (exclusive of stillbirths) from certain specified causes in first year of life by months, 1927—*con.*

Int. list No.	Causes of death — Causes de décès	Total under 1 year — Total moins de 1 an			Month of death					
					January — Janvier		February — Février		March — Mars	
		Total	M.	F.	M.	F.	M.	F.	M.	F.
	PRINCE EDWARD ISLAND—con.									
29	Tetanus—Tétanos	–	–	–	–	–	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	–	–	–	–	–	–	–	–	–
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	–	–	–	–	–	–	–	–	–
33–37	Tuberculosis, other forms—Tuberculose, autres formes	–	–	–	–	–	–	–	–	–
38	Syphilis	–	–	–	–	–	–	–	–	–
41	Purulent infection, septicaemia—Infection purulente, septicémie	–	–	–	–	–	–	–	–	–
56	Rickets—Rachitisme	–	–	–	–	–	–	–	–	–
62	Diseases of the thymus—Affections du thymus	–	–	–	–	–	–	–	–	–
70	Encephalitis—Encéphalite	–	–	–	–	–	–	–	–	–
71a	Simple meningitis—Méningite simple	6	4	2	1	–	–	–	–	–
71b	Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non épidémique	–	–	–	–	–	–	–	–	–
80	Convulsions	5	3	2	–	1	1	–	1	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	–	–	–	–	–	–	–	–	–
87–90	Diseases of the heart—Affections du cœur	–	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite	–	–	–	–	–	–	–	–	–
100	Bronchopneumonia—Broncho-pneumonie	3	3	–	–	–	–	–	1	–
101	Pneumonia—Pneumonie	13	7	6	–	1	1	1	–	3
110–112	Diseases of the stomach—Affections de l'estomac	5	4	1	–	–	–	–	1	–
113	Diarrhoea and enteritis—Diarrhée et entérite	8	4	4	–	–	–	–	–	–
118	Hernia, intestinal obstruction—Hernie, oostruction intestinale	–	–	–	–	–	–	–	–	–
128	Nephritis—Néphrite	–	–	–	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	–	–	–	–	–	–	–	–	–
159	Malformations—Vices de conformation	7	4	3	–	–	1	–	–	–
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	1	1	–	–	–	–	–	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur	4	2	2	–	–	1	–	–	–
	(c) Others under this title—Autres sous ce titre	2	1	1	–	–	–	–	–	–
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	10	4	6	–	–	–	–	1	–
161a	Premature birth—Naissance prématurée	10	7	3	1	–	1	–	–	–
161b	Injury at birth—Conséquence de l'accouchement	2	2	–	–	–	–	–	–	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	17	10	7	1	–	2	–	2	1
175–203	External causes—Causes extérieures	1	1	–	–	–	–	–	1	–
	Other specified causes—Autres causes spécifiées	7	5	2	–	–	–	1	2	–
204, 205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	9	6	3	2	1	1	–	2	–
	NOVA SCOTIA									
	All causes—Toutes causes	**1,028**	**579**	**449**	**49**	**31**	**47**	**39**	**67**	**37**
7	Measles—Rougeole	14	6	8	2	–	–	1	1	–
8	Scarlet fever—Scarlatine	–	–	–	–	–	–	–	–	–
9	Whooping-cough—Coqueluche	45	22	23	–	3	2	2	3	1
10	Diphtheria—Diphtérie	3	–	3	–	–	–	–	–	1
11	Influenza—Grippe	24	12	12	–	–	2	2	3	1
16	Dysentery—Dysenterie	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	1	–	1	–	–	–	–	–	1
22	Acute anterior poliomyelitis—Poliomyélite aiguë	1	1	–	–	–	1	–	–	–
24	Meningococcus meningitis—Méningite cérébrospinale épidémique	2	2	–	–	–	–	–	–	–
29	Tetanus—Tétanos	–	–	–	–	–	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	1	1	–	–	–	–	–	–	–
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	8	2	6	1	–	–	2	–	1
33–37	Tuberculosis, other forms—Tuberculose, autres formes	–	–	–	–	–	–	–	–	–
38	Syphilis	5	4	1	–	–	–	–	1	–
41	Purulent infection, septicaemia—Infection purulente, septicémie	–	–	–	–	–	–	–	–	–
56	Rickets—Rachitisme	1	1	–	1	–	–	–	–	–
62	Diseases of the thymus—Affections du thymus	5	4	1	–	–	–	–	–	–
70	Encephalitis—Encéphalite	–	–	–	–	–	–	–	–	–
71a	Simple meningitis—Méningite simple	13	8	5	1	1	–	–	–	–
71b	Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non épidémique	–	–	–	–	–	–	–	–	–

TABLEAU 19—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus), par certaines causes spécifiques et par mois, 1927—*suite*

Mois de décès																								No. liste int.
April — Avril		May — Mai		June — Juin		July — Juillet		August — Août		September — Septembre		October — Octobre		November — Novembre		December — Décembre								
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.							
ÎLE DU PRINCE-ÉDOUARD—fin																								
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							29
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							31
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							32
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							33–37
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							41
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							56
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							70
1	–	–	–	1	1	–	1	–	–	1	–	–	–	–	–	–	–							71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							71b
–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–							80
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							86
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							87–90
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							99
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–							100
1	–	–	1	–	–	1	–	1	–	1	–	–	–	–	–	2	–							101
–	–	–	–	–	–	1	–	–	–	–	1	1	–	1	–	–	–							110–112
–	1	–	–	–	–	–	–	–	2	–	–	2	1	2	–	–	–							113
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							118
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							128
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							153
1	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	–	–							159
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–							159a
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–							159b
1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–							159c
1	1	–	–	–	1	1	1	–	1	–	–	1	–	–	–	–	2							160
–	–	–	–	–	–	1	–	–	1	–	–	1	–	2	–	1	2							161a
1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–							161b
1	2	1	2	–	–	–	–	–	–	1	2	–	–	2	–	–	–							162
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							175–203
2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–							
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–							204, 205
NOUVELLE-ÉCOSSE																								
57	**36**	**42**	**36**	**35**	**31**	**36**	**28**	**52**	**46**	**62**	**62**	**51**	**41**	**36**	**29**	**45**	**33**							
–	1	–	2	–	–	1	–	–	1	–	–	–	1	–	2	2	–							7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							8
3	–	2	2	1	1	2	1	2	3	2	3	–	2	1	2	4	3							9
–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–							10
4	4	–	1	1	2	–	1	–	–	1	–	–	–	1	–	–	1							11
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							21
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							22
–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–							24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							29
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							31
–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	1	1	–							32
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							33–37
–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	1	1	–							38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							41
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							56
1	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–							62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							70
2	–	1	1	–	–	1	–	–	–	–	1	1	2	1	–	1	–							71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							71b

TABLE 19—Deaths of children (exclusive of stillbirths) from certain specified causes in first year of life by months, 1927—*con.*

Int. list No.	Causes of death — Causes de décès	Total under 1 year — Total moins de 1 an			Month of death					
					January — Janvier		February — Février		March — Mars	
		Total	M.	F.	M.	F.	M.	F.	M.	F.
	NOVA SCOTIA—con.									
80	Convulsions	81	44	37	5	3	6	4	4	2
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	3	3	–	1	–	–	–	–	–
87–90	Diseases of the heart—Affections du cœur	–	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite	9	4	5	2	–	–	–	1	1
100	Bronchopneumonia—Broncho-pneumonie	80	52	28	6	3	7	3	12	4
101	Pneumonia—Pneumonie	72	42	30	7	6	8	4	8	3
110–112	Diseases of the stomach—Affections de l'estomac	6	4	2	1	–	–	–	1	1
113	Diarrhoea and enteritis—Diarrhée et entérite	150	85	65	2	1	4	–	–	–
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	7	2	5	–	–	–	–	–	–
128	Nephritis—Néphrite	1	–	1	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	3	1	2	–	1	–	–	–	–
159	Malformations—Vices de conformation	58	31	27	–	1	3	4	5	1
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	3	2	1	–	1	1	–	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur	29	17	12	–	–	2	1	4	–
	(c) Others under this title—Autres sous ce titre	26	12	14	–	–	–	3	1	1
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	149	84	65	8	6	5	5	14	6
161a	Premature birth—Naissance prématurée	180	101	79	8	3	5	9	9	11
161b	Injury at birth—Conséquence de l'accouchement	33	19	14	1	–	1	–	1	1
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	36	24	12	1	–	1	2	2	1
175–203	External causes—Causes extérieures	10	5	5	–	–	1	–	1	–
	Other specified causes—Autres causes spécifiées	20	10	10	1	3	1	–	1	1
204, 205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	7	5	2	1	–	–	1	–	–
	NEW BRUNSWICK									
	All causes—Toutes causes	**1,006**	**542**	**464**	**52**	**37**	**41**	**36**	**42**	**39**
7	Measles—Rougeole	13	9	4	–	–	1	–	–	–
8	Scarlet fever—Scarlatine	7	6	1	–	–	–	–	–	–
9	Whooping-cough—Coqueluche	36	18	18	3	3	4	2	2	–
10	Diphtheria—Diphtérie	–	–	–	–	–	–	–	–	–
11	Influenza—Grippe	42	16	26	1	5	2	3	3	5
16	Dysentery—Dysenterie	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	–	–	–	–	–	–	–	–	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë	2	2	–	–	–	–	–	–	–
24	Meningococcus meningitis—Méningite cérébrospinale épidémique	4	2	2	–	1	–	–	–	–
29	Tetanus—Tétanos	–	–	–	–	–	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	1	–	1	–	–	–	–	–	–
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	4	4	–	–	–	–	–	1	–
33–37	Tuberculosis, other forms—Tuberculose, autres formes	1	1	–	1	–	–	–	–	–
38	Syphilis	1	1	–	–	–	–	–	–	–
41	Purulent infection, septicaemia—Infection purulente, septicémie	–	–	–	–	–	–	–	–	–
56	Rickets—Rachitisme	3	3	–	1	–	–	–	–	–
62	Diseases of the thymus—Affections du thymus	4	1	3	–	–	–	1	–	–
70	Encephalitis—Encéphalite	–	–	–	–	–	–	–	–	–
71a	Simple meningitis—Méningite simple	10	6	4	–	1	–	–	1	–
71o	Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non-épidémique	–	–	–	–	–	–	–	–	–
80	Convulsions	20	14	6	1	1	2	1	–	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	2	2	–	–	–	–	–	1	–
87–90	Diseases of the heart—Affections du cœur	–	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite	2	1	1	–	–	–	1	–	–
100	Bronchopneumonia—Broncho-pneumonie	45	26	19	5	3	3	4	3	4
101	Pneumonia—Pneumonie	61	38	23	5	3	4	1	3	1
110–112	Diseases of the stomach—Affections de l'estomac	12	4	8	–	–	1	–	–	–
113	Diarrhoea and enteritis—Diarrnée et entérite	109	57	52	–	–	1	2	1	1
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	2	2	–	–	–	–	–	–	–
128	Nephritis—Néphrite	3	–	3	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	–	–	–	–	–	–	–	–	–

TABLEAU 19—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus), par certaines causes spécifiques et par mois, 1927—*suite*

Mois de décès																		No. liste int.
April — Avril		May — Mai		June — Juin		July — Juillet		August — Août		September — Septembre		October — Octobre		November — Novembre		December — Décembre		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
NOUVELLE-ÉCOSSE—fin																		
4	3	4	2	2	4	6	3	4	2	–	–	2	1	5	7	2	6	80
–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	86
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	87–90
–	1	1	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	99
5	2	5	1	3	1	1	1	–	1	3	1	1	6	1	3	8	2	100
4	3	2	2	1	2	1	3	2	–	4	1	1	1	2	2	2	3	101
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	110–112
2	1	1	1	2	1	1	1	23	18	26	30	17	7	5	5	2	–	113
–	–	2	1	–	–	–	–	–	1	–	–	–	1	–	1	–	1	118
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	128
–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	153
–	3	3	3	3	3	1	2	5	2	2	3	1	2	3	–	5	3	159
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	159a
–	1	1	3	2	2	–	2	2	–	1	–	–	1	2	–	3	2	159b
–	2	2	–	1	1	1	–	3	2	1	3	1	1	–	–	2	1	159c
7	6	4	5	9	8	4	4	3	8	9	7	8	6	6	1	7	3	160
15	9	9	8	10	5	12	7	6	4	7	11	8	5	6	1	6	6	161a
3	–	2	3	2	1	2	2	–	2	2	1	3	–	1	1	1	3	161b
2	–	1	3	–	2	2	–	4	–	3	1	5	1	1	1	2	1	162
1	–	1	–	–	1	1	1	–	1	–	–	–	2	–	–	–	–	175–203
1	1	3	–	–	–	1	1	2	2	–	–	–	1	–	1	–	–	
2	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	204, 205
NOUVEAU-BRUNSWICK																		
57	**54**	**46**	**42**	**39**	**31**	**39**	**28**	**43**	**40**	**69**	**49**	**45**	**36**	**36**	**32**	**33**	**40**	
2	1	–	1	2	–	1	–	–	1	1	–	–	–	–	–	2	1	7
–	–	–	1	1	–	–	–	1	–	2	–	–	–	2	–	–	–	8
1	5	1	1	2	–	1	1	–	1	1	2	2	1	1	1	–	1	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
2	6	2	1	2	2	–	–	–	–	–	–	2	–	2	2	–	2	11
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21
–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	22
–	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	31
1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	32
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	33–37
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	41
–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	56
–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70
1	–	–	–	1	–	–	2	–	–	3	1	–	–	–	–	–	–	71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
–	–	4	1	–	2	1	–	3	–	–	–	1	–	1	–	1	1	80
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	86
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	87–90
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	99
6	1	1	1	1	1	1	–	–	–	1	3	1	1	1	1	3	–	100
9	6	3	2	1	–	3	1	1	1	1	3	1	1	3	2	4	2	101
–	3	–	1	–	–	–	–	1	2	1	1	–	–	–	–	1	1	110–112
3	–	1	–	1	–	2	3	6	15	29	17	9	8	3	4	1	2	113
–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	118
–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	128
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	153

TABLE 19—Deaths of children (exclusive of stillbirths) from certain specified causes in first year of life by months, 1927—*con.*

Int. list No.	Causes of death — Causes de décès	Total under 1 year — Total moins de 1 an			Month of death					
					January — Janvier		February — Février		March — Mars	
		Total	M.	F.	M.	F.	M.	F.	M.	F.
	NEW BRUNSWICK—con.									
159	Malformations—Vices de conformation	41	19	22	3	1	1	1	1	2
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	4	1	3	–	–	–	–	–	–
	(b) Congenital malformations of the heart.. Vices de conformation intra-utérins du cœur.	8	6	2	1	–	1	1	1	1
	(c) Others under this title—Autres sous ce titre.	29	12	17	2	1	–	–	–	1
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	87	37	50	3	1	2	4	1	4
161a	Premature birth—Naissance prématurée	170	99	71	6	8	12	2	10	9
161b	Injury at birth—Conséquence de l'accouchement..	32	17	15	2	–	–	–	4	2
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	207	111	96	14	8	6	12	6	7
175–203	External causes—Causes extérieures	7	4	3	–	1	1	–	–	–
	Other specified causes—Autres causes spécifiées	22	9	13	3	–	–	1	1	3
204, 205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	56	33	23	4	1	1	1	4	1
	QUEBEC									
	All causes—Toutes causes	**10,739**	**6,149**	**4,590**	**558**	**410**	**482**	**357**	**465**	**438**
7	Measles—Rougeole	116	71	45	10	11	5	8	11	5
8	Scarlet fever—Scarlatine	20	11	9	1	1	1	1	1	1
9	Whooping-cough—Coqueluche	339	177	162	27	20	12	10	8	13
10	Diphtheria—Diphtérie	24	13	11	1	1	2	–	1	1
11	Influenza—Grippe	332	188	144	36	24	30	35	31	29
16	Dysentery—Lysenterie	2	1	1	–	–	1	–	–	–
21	Erysipelas—Érysipèle	38	15	23	1	1	3	1	–	7
22	Acute anterior poliomyelitis—Poliomyélite aiguë	10	6	4	–	–	–	1	–	1
24	Meningococcus meningitis—Méningite cérébrospinale épidémique	30	24	6	1	–	1	–	5	–
29	Tetanus—Tétanos	2	1	1	1	–	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	42	22	20	–	1	1	–	4	2
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	35	14	21	1	–	–	2	1	1
33–37	Tuberculosis, other forms—Tuberculose, autres formes	8	6	2	1	–	1	–	–	–
38	Syphilis	78	42	36	3	4	4	4	4	3
41	Purulent infection, septicaemia—Infection purulente, septicémie	68	29	39	2	3	2	4	4	7
56	Rickets—Rachitisme	54	33	21	6	2	–	2	1	3
62	Diseases of the thymus—Affections du thymus	20	11	9	3	–	–	1	–	–
70	Encephalitis—Encéphalite	10	7	3	1	–	–	–	1	1
71a	Simple meningitis—Méningite simple	241	136	105	17	9	17	6	10	7
71b	Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non-épidémique	–	–	–	–	–	–	–	–	–
80	Convulsions	113	79	34	8	2	4	3	4	8
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien..	186	103	83	2	2	6	2	10	6
87–90	Diseases of the heart—Affections du cœur	–	–	–	–	–	–	–	–	–
99	Broncaitis—Bronchite	62	38	24	5	3	3	1	5	4
100	Bronchopneumonia—Broncho-pneumonie	526	290	236	42	52	33	27	29	29
101	Pneumonia—Pneumonie	280	148	132	26	24	19	17	19	16
110–112	Diseases of the stomach—Affections de l'estomac	138	74	64	8	5	3	4	7	4
113	Diarrhoea and enteritis—Diarrhée et entérite	3,112	1,789	1,323	89	68	74	57	75	85
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	34	26	8	4	1	1	1	2	–
128	Nephritis—Néphrite	8	5	3	–	1	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	33	21	12	1	–	3	–	3	2
159	Malformations—Vices de conformation	393	219	174	30	21	24	14	20	14
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	36	18	18	4	2	3	2	1	5
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur.	237	141	96	20	12	17	7	13	7
	(c) Others under this title—Autres sous ce titre.	120	60	60	6	7	4	5	6	2
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	1,332	764	568	71	47	59	48	55	56
161a	Premature birth—Naissance prématurée	1,556	901	655	78	48	91	53	86	79
161b	Injury at birth—Conséquence de l'accouchement..	472	275	197	14	14	19	14	24	15
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	638	396	242	35	23	39	19	23	21
175–203	External causes—Causes extérieures	40	21	19	2	1	2	2	2	2
	Other specified causes—Autres causes spécifiées	332	184	148	29	20	21	20	19	16
204, 205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	15	9	6	2	1	1	–	–	–

TABLEAU 19—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus), par certaines causes spécifiques et par mois, 1927—*suite*

Mois de décès																		No. liste int.
April — Avril		May — Mai		June — Juin		July — Juillet		August — Août		September — Septembre		October — Octobre		November — Novembre		December — Décembre		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
NOUVEAU-BRUNSWICK—fin																		
3	1	2	2	4	2	1	1	–	2	2	3	–	4	1	1	1	2	159
–	–	1	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	159a
–	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	159b
3	1	–	2	3	2	1	1	–	2	1	2	–	2	1	1	1	2	159c
1	8	6	8	4	4	2	2	3	1	3	5	5	3	2	2	5	8	160
11	7	8	8	6	6	6	5	11	8	10	2	7	6	6	4	6	6	161a
1	3	2	2	1	1	1	–	2	1	–	2	1	3	1	1	2	–	161b
13	10	12	10	12	8	14	9	9	4	6	9	9	1	6	9	4	9	162
–	–	–	–	1	–	–	–	1	–	–	–	–	1	1	–	–	1	175–203
–	1	2	2	–	1	–	1	–	1	1	1	1	1	1	1	–	–	
2	1	–	1	–	2	4	2	5	3	6	–	3	5	1	2	3	4	204, 205
QUÉBEC																		
501	387	532	364	430	345	471	381	626	412	695	507	524	374	426	323	439	292	
9	3	8	5	9	2	5	1	1	1	2	3	5	2	4	3	2	1	7
2	2	1	–	–	–	–	1	4	1	1	1	–	1	–	–	–	–	8
17	15	19	10	17	18	12	20	19	7	14	12	10	10	12	15	10	12	9
–	1	3	–	–	1	–	3	2	–	2	1	2	2	–	–	–	1	10
17	11	24	7	3	4	10	4	6	3	1	3	6	12	14	3	10	9	11
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
3	3	4	4	2	–	–	2	–	–	–	1	–	1	1	3	1	–	21
–	–	2	–	–	–	–	–	1	–	2	–	1	2	–	–	–	–	22
3	1	3	1	1	–	–	1	2	–	1	–	2	1	2	2	3	–	24
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	29
4	7	2	2	1	4	–	–	2	1	2	–	1	2	2	1	3	–	31
2	2	1	4	1	3	1	–	1	1	2	2	1	4	2	1	1	1	32
–	1	1	–	1	–	–	–	–	–	1	1	1	–	–	–	–	–	33–37
5	4	7	6	4	4	3	2	5	4	4	2	1	1	1	1	1	1	38
7	3	–	1	–	2	1	2	5	5	3	2	1	5	1	1	3	4	41
3	3	3	1	1	–	3	1	7	3	6	–	–	2	–	–	3	4	56
–	2	3	–	1	1	–	–	–	1	1	2	–	1	3	1	–	–	62
1	–	–	–	2	–	–	–	–	–	1	1	1	1	–	–	–	–	70
10	10	10	7	7	4	4	13	12	9	15	13	12	12	14	6	8	9	71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
17	6	6	3	6	1	4	–	3	1	7	1	4	1	4	6	12	2	80
16	9	8	10	2	5	5	2	7	9	18	11	16	9	6	11	7	7	86
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	87–90
4	3	4	–	4	3	–	2	2	–	2	1	1	1	7	1	1	5	99
29	23	28	18	18	14	14	9	12	4	11	12	13	6	29	17	32	25	100
15	14	10	6	10	12	6	4	7	8	5	8	11	9	10	7	10	7	101
4	6	6	4	10	8	6	4	4	5	13	4	4	3	3	8	6	9	110–112
90	47	100	68	95	93	176	145	331	208	362	275	219	147	91	69	87	61	113
3	2	5	1	2	1	3	–	–	–	2	–	–	2	1	–	3	–	118
–	–	1	–	1	–	–	–	1	–	1	–	–	1	1	1	–	–	128
1	1	–	2	2	–	3	2	3	1	1	1	2	–	1	2	1	1	153
11	8	18	15	14	8	22	19	19	16	13	14	18	14	13	19	17	12	159
–	1	–	–	2	1	1	4	1	–	2	–	3	2	–	1	1	–	159a
7	3	13	11	8	5	15	11	9	11	8	10	8	6	8	8	15	5	159b
4	4	5	4	4	2	6	4	9	5	3	4	7	6	5	10	1	7	159c
63	64	73	49	69	52	73	49	46	40	59	48	67	33	55	44	74	38	160
83	77	99	68	71	60	59	49	57	38	68	46	52	40	76	54	81	43	161a
34	19	21	22	24	14	24	21	25	14	19	10	28	18	20	18	23	18	161b
36	22	39	25	34	20	29	20	31	20	39	22	28	16	35	16	28	18	162
1	1	2	1	1	4	1	1	–	1	1	–	4	2	3	4	2	–	175–203
10	16	21	21	17	7	6	4	11	10	13	9	13	13	15	8	9	4	
1	1	–	2	–	–	1	–	–	–	3	1	–	–	–	1	1	–	204, 205

TABLE 19—Deaths of children (exclusive of stillbirths) from certain specified causes in first year of life by months, 1927—*con.*

Int. list No.	Causes of death — Causes de décès	Total under 1 year — Total moins de 1 an			Month of death					
					January — Janvier		February — Février		March — Mars	
		Total	M.	F.	M.	F.	M.	F.	M.	F.
	ONTARIO									
	All causes—Toutes causes	**4,812**	**2,733**	**2,079**	**253**	**186**	**262**	**201**	**274**	**195**
7	Measles—Rougeole	22	13	9	2	–	5	2	2	3
8	Scarlet fever—Scarlatine	4	4	–	–	–	–	–	–	–
9	Whooping-cough—Coqueluche	121	63	58	8	8	9	3	3	3
10	Diphtheria—Diphtérie	12	4	8	–	1	–	3	–	1
11	Influenza—Grippe	96	63	33	14	7	11	7	12	7
16	Dysentery—Dysenterie	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	28	17	11	4	–	2	2	2	2
22	Acute anterior poliomyelitis—Poliomyélite aiguë	1	1	–	–	–	–	–	1	–
24	Meningococcus meningitis—Méningite cérébrospinale épidémique	11	9	2	2	–	–	1	1	1
29	Tetanus—Tétanos	–	–	–	–	–	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	5	4	1	–	–	–	–	–	–
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	15	9	6	–	1	1	–	1	3
33–37	Tuberculosis, other forms—Tuberculose, autres formes	10	7	3	1	–	2	1	1	–
38	Syphilis	29	18	11	–	–	–	–	2	2
41	Purulent infection, septicaemia—Infection purulente, septicémie	6	4	2	–	–	–	–	1	1
56	Rickets—Rachitisme	22	11	11	–	1	2	1	3	3
62	Diseases of the thymus—Affections du thymus	36	20	16	1	1	3	2	1	2
70	Encephalitis—Encéphalite	7	3	4	–	–	1	1	–	2
71a	Simple meningitis—Méningite simple	30	17	13	1	1	–	1	–	1
71b	Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non-épidémique	–	–	–	–	–	–	–	–	–
80	Convulsions	84	47	37	4	3	6	3	2	2
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	30	17	13	3	–	–	2	2	3
87–90	Diseases of the heart—Affections du cœur	–	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite	29	13	16	1	2	2	1	1	3
100	Bronchopneumonia—Broncho-pneumonie	278	163	115	27	12	23	15	28	22
101	Pneumonia—Pneumonie	203	118	85	16	11	20	14	7	12
110–112	Diseases of the stomach—Affections de l'estomac	72	43	29	5	4	5	7	7	1
113	Diarrhoea and enteritis—Diarrhée et entérite	492	279	213	8	7	9	7	8	10
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	29	20	9	3	–	1	1	2	2
128	Nephritis—Néphrite	–	–	–	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	9	7	2	1	–	–	–	2	–
159	Malformations—Vices de conformation	439	227	212	18	11	22	26	23	21
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	35	20	15	2	2	4	2	–	1
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur	176	104	72	9	5	10	12	9	6
	(c) Others under this title—Autres sous ce titre	228	103	125	7	4	8	12	14	14
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	414	255	159	22	23	25	20	28	11
161a	Premature birth—Naissance prématurée	1,421	796	625	68	55	66	60	72	46
161b	Injury at birth—Conséquence de l'accouchement	300	181	119	14	11	20	6	25	4
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	279	155	124	15	14	14	8	21	19
175–203	External causes—Causes extérieures	73	36	37	5	4	3	1	1	2
	Other specified causes—Autres causes spécifiées	187	99	88	9	8	10	6	14	5
204, 205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	18	10	8	1	1	–	–	1	1
	MANITOBA									
	All causes—Toutes causes	**1,021**	**601**	**420**	**71**	**42**	**74**	**58**	**65**	**48**
7	Measles—Rougeole	3	2	1	–	–	–	–	–	–
8	Scarlet fever—Scarlatine	2	1	1	–	1	–	–	–	–
9	Whooping-cough—Coqueluche	15	9	6	–	–	1	–	1	1
10	Diphtheria—Diphtérie	5	4	1	1	–	1	–	–	–
11	Influenza—Grippe	56	42	14	5	3	15	6	10	4
16	Dysentery—Dysenterie	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	8	4	4	–	1	–	1	–	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë	–	–	–	–	–	–	–	–	–
24	Meningococcus meningitis—Méningite cérébrospinale épidémique	4	2	2	–	1	–	–	1	–
29	Tetanus—Tétanos	–	–	–	–	–	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	5	2	3	–	–	1	–	–	–

TABLEAU 19—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus), par certaines causes spécifiques et par mois, 1927—*suite*

Mois de décès																		No. liste int.
April — Avril		May — Mai		June — Juin		July — Juillet		August — Août		September — Septembre		October — Octobre		November — Novembre		December — Décembre		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
ONTARIO																		
278	**164**	**214**	**188**	**202**	**146**	**178**	**140**	**183**	**144**	**263**	**209**	**228**	**208**	**202**	**143**	**196**	**155**	
1	1	1	1	–	–	1	2	–	–	1	–	–	–	–	–	–	–	7
1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	1	–	8
5	7	2	7	3	8	4	3	7	4	6	5	8	4	4	4	4	2	9
–	–	–	–	2	1	–	–	1	1	1	–	–	–	–	–	–	1	10
5	2	9	7	–	–	2	–	1	–	–	–	1	3	5	–	3	–	11
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
2	1	1	–	–	2	2	–	–	–	–	–	–	1	2	–	2	3	21
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
1	–	2	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
1	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	31
–	1	2	–	2	–	–	–	–	1	–	–	1	–	–	–	2	–	32
–	–	–	–	1	1	–	–	–	–	–	–	–	–	2	1	–	–	33–37
3	1	1	2	–	1	3	1	2	2	2	1	–	–	2	–	3	1	38
2	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	41
3	1	1	–	–	1	–	1	–	1	1	–	1	1	–	–	–	1	56
3	1	1	2	1	2	2	–	1	1	2	–	1	1	1	2	3	2	62
1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	70
2	3	1	–	4	2	2	–	2	2	2	1	2	1	–	1	1	–	71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
7	5	3	3	4	1	1	2	2	3	3	5	3	6	5	1	7	3	80
3	–	2	–	–	3	–	1	1	–	3	–	3	2	–	2	–	–	86
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	87–90
3	3	2	1	1	1	1	–	–	1	–	–	1	1	1	1	–	2	99
26	12	14	11	7	6	6	5	4	3	7	3	5	9	6	9	10	8	100
14	13	8	7	9	3	4	3	2	1	2	4	11	–	14	8	11	9	101
5	3	4	2	1	1	1	–	2	3	3	3	2	3	4	2	4	–	110–112
15	7	11	6	11	4	13	6	31	25	75	62	62	62	26	11	10	6	113
1	1	2	1	2	1	1	1	–	–	3	1	2	1	2	–	1	–	118
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	128
1	–	–	1	–	–	1	–	–	–	–	–	1	1	1	–	–	–	153
23	16	20	19	19	19	20	16	16	14	20	18	17	15	12	13	17	24	159
2	1	4	2	1	1	3	–	–	–	1	–	1	–	1	2	1	4	159a
7	7	9	10	9	6	8	3	7	4	10	3	8	1	8	4	10	11	159b
14	8	7	7	9	12	9	13	9	10	9	15	8	14	3	7	6	9	159c
24	10	26	18	15	12	17	9	17	12	23	15	24	13	18	8	16	8	160
84	48	65	72	77	49	57	56	60	44	68	51	51	48	67	43	61	53	161a
9	6	14	6	16	8	19	11	11	13	17	13	11	11	13	16	12	14	161b
16	10	12	11	12	10	14	14	10	8	11	8	6	8	12	10	12	4	162
1	2	1	6	4	4	3	4	5	2	4	3	3	3	1	2	5	4	175–203
15	10	6	5	8	3	3	4	7	2	4	14	9	13	3	8	11	10	
1	–	1	–	1	3	1	1	1	1	3	1	–	–	–	–	–	–	204, 205
MANITOBA																		
64	**30**	**36**	**33**	**27**	**32**	**31**	**16**	**45**	**26**	**46**	**38**	**57**	**34**	**40**	**33**	**45**	**30**	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	8
1	–	–	–	–	–	1	2	–	2	–	–	4	–	1	–	–	1	9
–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	10
5	1	2	–	–	–	–	–	3	–	–	–	–	–	–	–	2	–	11
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
–	–	–	–	1	1	–	–	1	–	1	–	1	–	–	–	–	1	21
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	31

TABLE 19—Deaths of children (exclusive of stillbirths) from certain specified causes in first year of life by months, 1927—*con.*

Int. list No.	Causes of death — Causes de décès	Total under 1 year — Total moins de 1 an			Month of death: January — Janvier		February — Février		March — Mars	
		Total	M.	F.	M.	F.	M.	F.	M.	F.
	MANITOBA—con.									
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	6	5	1	–	1	–	–	1	–
33–37	Tuberculosis, other forms—Tuberculose, autres formes	6	4	2	–	–	–	–	1	–
38	Syphilis	8	2	6	–	1	–	1	–	3
41	Purulent infection, septicaemia—Infection purulente, septicémie	2	2	–	1	–	–	–	–	–
56	Rickets—Rachitisme	3	2	1	–	–	–	1	1	–
62	Diseases of the thymus—Affections du thymus	4	3	1	–	–	–	–	–	–
70	Encephalitis—Encéphalite	2	1	1	–	1	–	–	–	–
71a	Simple meningitis—Méningite simple	7	5	2	–	–	–	–	3	1
71b	Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non-épidémique	–	–	–	–	–	–	–	–	–
80	Convulsions	24	12	12	1	1	1	2	2	1
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	10	5	5	–	–	–	–	–	1
87–90	Diseases of the heart—Affections du cœur	–	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite	8	5	3	1	1	2	–	–	–
100	Bronchopneumonia—Broncho-pneumonie	123	70	53	15	9	12	12	8	9
101	Pneumonia—Pneumonie	52	29	23	7	6	3	5	5	2
110–112	Diseases of the stomach—Affections de l'estomac	26	14	12	2	1	1	1	1	1
113	Diarrhoea and enteritis—Diarrhée et entérite	107	66	41	4	1	3	1	3	1
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	7	5	2	–	–	–	1	–	–
128	Nephritis—Néphrite	1	1	–	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	2	1	1	1	–	–	–	–	1
159	Malformations—Vices de conformation	70	38	32	4	1	6	7	4	3
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	4	2	2	–	–	–	1	1	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur	30	16	14	2	1	3	4	2	2
	(c) Others under this title—Autres sous ce titre	36	20	16	2	–	3	2	1	1
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	75	40	35	6	3	1	7	3	4
161a	Premature birth—Naissance prématurée	220	136	84	16	6	19	4	9	5
161b	Injury at birth—Conséquence de l'accouchement	45	28	17	–	1	4	4	4	3
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	59	30	29	3	2	2	1	–	6
175–203	External causes—Causes extérieures	11	9	2	2	–	–	–	2	–
	Other specified causes—Autres causes spécifiées	36	18	18	1	1	1	3	4	1
204, 205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	9	4	5	1	–	1	1	2	1
	SASKATCHEWAN									
	All causes—Toutes causes	**1,575**	**913**	**662**	**114**	**77**	**90**	**67**	**110**	**70**
7	Measles—Rougeole	5	4	1	2	–	–	–	–	–
8	Scarlet fever—Scarlatine	1	1	–	–	–	–	–	–	–
9	Whooping-cough—Coqueluche	32	17	15	2	1	2	4	–	2
10	Diphtheria—Diphtérie	1	1	–	–	–	–	–	1	–
11	Influenza—Grippe	96	54	42	16	12	13	11	12	8
16	Dysentery—Dysenterie	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	7	4	3	–	–	–	1	2	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë	2	1	1	–	–	–	–	–	–
24	Meningococcus meningitis—Méningite cérébrospinale épidémique	6	4	2	–	–	1	–	–	–
29	Tetanus—Tétanos	–	–	–	–	–	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	3	1	2	1	–	–	1	–	–
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	7	6	1	1	–	–	–	1	–
33–37	Tuberculosis, other forms—Tuberculose, autres formes	–	–	–	–	–	–	–	–	–
38	Syphilis	3	1	2	–	–	–	1	–	–
41	Purulent infection, septicaemia—Infection purulente, septicémie	2	1	1	–	–	–	–	–	–
56	Rickets—Rachitisme	6	4	2	1	–	–	–	1	–
62	Diseases of the thymus—Affections du thymus	5	1	4	–	1	–	–	–	1
70	Encephalitis—Encéphalite	2	2	–	–	–	1	–	–	–
71a	Simple meningitis—Méningite simple	9	5	4	2	1	–	–	–	–
71b	Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non-épidémique	–	–	–	–	–	–	–	–	–
80	Convulsions	70	40	30	4	1	7	–	7	7
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	6	2	4	–	–	–	1	–	–

TABLEAU 19—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus), par certaines causes spécifiques et par mois, 1927—*suite*

Mois de décès																		No. liste int.
April — Avril		May — Mai		June — Juin		July — Juillet		August — Août		September — Septembre		October — Octobre		November — Novembre		December — Décembre		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
MANITOBA—fin																		
–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	2	–	32
–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	2	–	33–37
–	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	38
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	41
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	56
1	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	62
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	70
–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
4	1	1	2	–	1	–	–	1	–	–	–	–	2	1	2	1	–	80
–	–	1	1	–	–	–	–	1	1	–	–	–	1	1	1	2	–	86
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	87–90
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	99
9	4	4	2	3	–	–	2	2	1	1	5	4	2	5	4	7	3	100
3	1	2	2	1	–	1	–	1	–	2	2	–	1	3	4	1	–	101
1	–	2	2	–	4	1	–	3	–	–	1	3	–	–	–	–	2	110–112
6	3	2	5	4	1	3	3	6	5	15	11	14	5	3	5	3	–	113
–	–	–	–	–	–	1	–	1	–	–	1	1	–	1	–	1	–	118
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	128
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	153
3	1	5	2	3	6	1	–	6	2	1	5	1	1	2	3	2	1	159
–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	159a
1	1	1	1	1	2	–	–	4	1	–	–	1	–	–	2	1	–	159b
2	–	4	1	2	3	1	–	2	1	–	5	–	1	2	1	1	1	159c
7	3	1	3	2	3	2	3	2	2	6	–	6	2	–	2	4	3	160
12	10	10	11	3	7	9	3	10	6	14	6	19	11	7	7	8	8	161a
3	–	–	1	1	–	–	1	2	1	5	1	1	2	5	1	3	2	161b
5	2	2	–	6	3	4	1	2	4	1	3	1	1	2	1	2	5	162
–	–	–	–	–	–	–	1	2	–	–	–	–	1	3	–	–	–	175–203
2	1	2	–	–	4	4	–	–	–	–	2	–	5	3	1	1	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	204, 205
SASKATCHEWAN																		
86	**53**	**79**	**61**	**61**	**39**	**48**	**45**	**72**	**47**	**65**	**66**	**62**	**43**	**55**	**47**	**71**	**47**	
2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	7
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	8
–	1	3	2	2	–	2	1	1	–	2	2	2	1	1	–	–	1	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
5	3	2	3	1	–	–	1	–	–	–	–	–	–	2	3	3	1	11
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
–	–	–	–	2	–	–	–	–	1	–	1	–	–	–	–	–	–	21
–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	22
1	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	31
1	–	1	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	32
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	33–37
–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	38
–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	41
1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	56
–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	70
1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	2	71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
2	3	4	3	4	1	2	4	3	3	3	3	–	2	2	3	2	–	80
–	–	–	2	1	–	–	–	1	–	–	–	–	–	–	1	–	–	86

TABLE 19—Deaths of children (exclusive of stillbirths) from certain specified causes in first year of life by months, 1927—*con.*

Int. list No.	Causes of death — Causes de décès	Total under 1 year — Total moins de 1 an			Month of death					
					January — Janvier		February — Février		March — Mars	
		Total	M.	F.	M.	F.	M.	F.	M.	F.
	SASKATCHEWAN—con.									
87–90	Diseases of the heart—Affections du cœur	–	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite	11	6	5	1	–	–	1	2	–
100	Bronchopneumonia—Broncho-pneumonie	132	69	63	14	15	14	6	12	9
101	Pneumonia—Pneumonie	80	46	34	11	6	6	7	7	2
110–112	Diseases of the stomach—Affections de l'estomac	31	18	13	–	2	1	1	3	3
113	Diarrhoea and enteritis—Diarrhée et entérite	141	73	68	4	6	1	4	6	3
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	16	11	5	1	–	1	1	1	–
128	Nephritis—Néphrite	3	1	2	–	–	–	–	1	1
153	Acute abscess—Phlegmon, abcès chaud	3	3	–	–	–	–	–	–	–
159	Malformations—Vices de conformation	109	55	54	6	3	6	2	4	5
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	4	4	–	–	–	–	–	1	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur	61	27	34	4	1	3	2	1	3
	(c) Others under this title—Autres sous ce titre	44	24	20	2	2	3	–	2	2
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	187	114	73	11	8	5	6	12	6
161a	Premature birth—Naissance prématurée	363	228	135	20	12	20	10	23	9
161b	Injury at birth—Conséquence de l'accouchement	63	41	22	5	1	4	2	7	6
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	87	46	41	4	3	3	5	7	6
175–203	External causes—Causes extérieures	25	16	9	4	1	–	–	–	–
	Other specified causes—Autres causes spécifiées	58	35	23	4	4	5	2	1	2
204, 205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	3	2	1	–	–	–	1	–	–
	ALBERTA									
	All causes—Toutes causes	**1,110**	**616**	**494**	**87**	**65**	**64**	**47**	**69**	**50**
7	Measles—Rougeole	4	3	1	–	1	1	–	–	–
8	Scarlet fever—Scarlatine	1	–	1	–	–	–	–	–	–
9	Whooping-cough—Coqueluche	21	10	11	1	1	2	–	–	1
10	Diphtheria—Diphtérie	2	1	1	–	–	–	–	1	–
11	Influenza—Grippe	44	21	23	9	12	1	–	5	2
16	Dysentery—Dysenterie	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	9	7	2	3	–	–	1	–	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë	7	5	2	1	–	–	–	–	–
24	Meningococcus meningitis—Méningite cérébrospinale épidémique	5	2	3	–	–	–	1	–	1
29	Tetanus—Tétanos	–	–	–	–	–	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	13	7	6	–	4	1	–	2	–
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	6	1	5	–	1	–	1	–	–
33–37	Tuberculosis, other forms—Tuberculose, autres formes	4	2	2	–	–	1	–	–	1
38	Syphilis	3	–	3	–	–	–	1	–	–
41	Purulent infection, septicaemia—Infection purulente, septicémie	–	–	–	–	–	–	–	–	–
56	Rickets—Rachitisme	4	3	1	–	–	–	–	1	–
62	Diseases of the thymus—Affections du thymus	11	10	1	2	–	1	–	2	–
70	Encephalitis—Encéphalite	–	–	–	–	–	–	–	–	–
71a	Simple meningitis—Méningite simple	5	4	1	–	–	2	–	–	1
71b	Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non-épidémique	–	–	–	–	–	–	–	–	–
80	Convulsions	33	19	14	–	2	1	3	4	4
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	4	1	3	–	1	–	1	1	–
87–90	Diseases of the heart—Affections du cœur	–	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite	9	4	5	2	–	–	–	–	1
100	Bronchopneumonia—Broncho-pneumonie	70	36	34	12	6	8	7	2	2
101	Pneumonia—Pneumonie	60	33	27	6	6	5	3	7	4
110–112	Diseases of the stomach—Affections de l'estomac	4	3	1	–	–	1	–	1	–
113	Diarrhoea and enteritis—Diarrhée et entérite	104	58	46	1	1	3	2	6	2
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	8	6	2	1	–	–	–	–	–
128	Nephritis—Néphrite	1	1	–	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	–	–	–	–	–	–	–	–	–
159	Malformations—Vices de conformation	86	48	38	5	2	5	3	2	5
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	7	5	2	1	–	–	–	–	1
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur	42	22	20	2	2	4	2	–	3
	(c) Others under this title—Autres sous ce titre	37	21	16	2	–	1	1	2	1

TABLEAU 19—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus), par certaines causes spécifiques et par mois, 1927—*suite*

April — Avril		May — Mai		June — Juin		July — Juillet		August — Août		September — Septembre		October — Octobre		November — Novembre		December — Décembre		No. liste int.
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
SASKATCHEWAN—fin																		
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	87–90
1	–	1	1	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1 99
5	6	4	4	3	2	1	4	1	4	2	2	2	3	5	6	6	2	100
2	3	1	1	2	2	1	2	5	2	2	2	2	3	3	1	4	3	101
1	–	2	2	1	1	–	1	3	–	3	1	–	–	2	–	2	2	110–112
5	4	1	3	2	3	4	5	14	8	13	19	11	7	6	4	6	2	113
2	–	–	2	1	–	2	–	1	1	–	–	–	–	–	1	2	–	118
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	128
–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	153
4	6	6	6	7	2	–	–	5	5	5	7	4	5	3	5	5	8	159
–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	–	–	159a
2	4	6	4	1	2	–	–	3	5	2	6	–	2	2	3	3	2	159b
2	2	–	2	4	–	–	–	2	–	3	1	4	3	–	2	2	6	159c
15	4	15	7	4	5	9	6	5	4	8	10	12	8	3	5	15	4	160
24	13	23	16	20	17	18	15	20	10	11	10	17	6	15	8	17	9	161a
4	2	6	3	2	2	1	–	3	2	3	1	3	1	1	2	2	–	161b
5	4	5	4	5	1	4	2	3	3	2	4	1	3	4	1	3	5	162
1	–	–	–	1	–	1	–	3	1	4	2	–	1	2	1	–	3	175–203
3	–	3	1	–	2	1	2	1	1	5	1	7	1	4	5	1	2	
1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	204, 205
ALBERTA																		
53	**57**	**59**	**36**	**39**	**35**	**28**	**31**	**44**	**27**	**41**	**35**	**47**	**40**	**41**	**34**	**44**	**37**	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	8
1	1	1	1	2	2	–	–	1	3	1	–	–	1	1	1	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	10
2	4	3	1	–	–	–	1	–	–	–	–	1	–	–	3	–	–	11
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
2	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	21
–	–	–	–	–	–	–	–	–	1	1	1	2	–	1	–	–	–	22
–	–	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
2	–	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	31
–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	32
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	33–37
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	41
–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	56
1	1	1	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70
–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
2	3	6	–	1	1	–	–	–	–	1	1	–	–	2	–	2	–	80
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	86
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	87–90
–	–	1	2	1	1	–	–	–	–	–	–	–	1	–	–	–	–	99
2	4	3	2	1	3	2	1	–	1	–	1	1	2	2	1	3	4	100
3	3	1	1	2	–	–	1	1	–	1	1	3	3	1	3	3	2	101
–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	110–112
4	6	6	3	5	3	5	3	5	2	8	6	11	8	1	2	3	8	113
1	1	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	118
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	128
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	153
2	5	4	4	3	7	3	2	5	2	4	1	3	3	5	–	7	4	159
1	1	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	159a
1	2	1	1	1	2	–	1	3	2	3	1	2	2	1	–	4	2	159b
–	2	2	3	1	5	3	1	2	–	1	–	1	1	3	–	3	2	159c

TABLE 19—Deaths of children (exclusive of stillbirths) from certain specified causes in first year of life by months, 1927—*con.*

Int. list No.	Causes of death — Causes de décès	Total under 1 year — Total moins de 1 an			Month of death					
					January — Janvier		February — Février		March — Mars	
		Total	M.	F.	M.	F.	M.	F.	M.	F.
	ALBERTA—con.									
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	70	32	38	5	4	4	4	5	1
161a	Premature birth—Naissance prématurée	309	182	127	22	12	17	14	18	16
161b	Injury at birth—Conséquence de l'accouchement	43	24	19	6	1	2	–	1	1
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	83	46	37	8	6	5	1	5	1
175–203	External causes—Causes extérieures	21	16	5	1	1	–	–	1	–
	Other specified causes—Autres causes spécifiées	52	24	28	2	3	3	4	5	4
204, 205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	14	7	7	–	1	1	1	–	3
	BRITISH COLUMBIA									
	All causes—Toutes causes	**606**	**345**	**261**	**39**	**34**	**34**	**25**	**25**	**27**
7	Measles—Rougeole	10	5	5	–	–	–	1	1	2
8	Scarlet fever—Scarlatine	–	–	–	–	–	–	–	–	–
9	Whooping-cough—Coqueluche	26	17	9	–	–	1	–	–	–
10	Diphtheria—Diphtérie	1	1	–	1	–	–	–	–	–
11	Influenza—Grippe	24	12	12	5	3	3	3	–	1
16	Dysentery—Dysenterie	1	–	1	–	–	–	–	–	–
21	Erysipelas—Érysipèle	4	1	3	–	–	–	–	–	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë	1	1	–	–	–	–	–	–	–
24	Meningococcus meningitis—Méningite cérébrospinale épidémique	2	1	1	–	–	–	–	–	–
29	Tetanus—Tétanos	–	–	–	–	–	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	3	2	1	–	–	1	–	–	–
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	4	–	4	–	–	–	–	–	–
33–37	Tuberculosis, other forms—Tuberculose, autres formes	1	–	1	–	–	–	–	–	1
38	Syphilis	4	2	2	1	–	–	–	–	–
41	Purulent infection, septicaemia—Infection purulente, septicémie	2	2	–	–	–	1	–	–	–
56	Rickets—Rachitisme	2	1	1	–	–	–	–	–	–
62	Diseases of the thymus—Affections du thymus	8	4	4	–	–	–	–	–	1
70	Encephalitis—Encéphalite	2	1	1	–	1	–	–	1	–
71a	Simple meningitis—Méningite simple	4	1	3	1	1	–	–	–	–
71b	Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non-épidémique	–	–	–	–	–	–	–	–	–
80	Convulsions	11	7	4	1	–	–	1	2	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	4	3	1	–	–	1	–	1	–
87–90	Diseases of the heart—Affections du cœur	–	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite	4	3	1	–	–	1	–	–	–
100	Bronchopneumonia—Broncho-pneumonie	36	20	16	4	5	2	1	2	–
101	Pneumonia—Pneumonie	36	20	16	4	3	3	2	1	–
110–112	Diseases of the stomach—Affections de l'estomac	8	6	2	–	–	1	–	1	–
113	Diarrhoea and enteritis—Diarrhée et entérite	26	19	7	1	–	2	1	–	1
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	2	1	1	–	1	–	–	–	–
128	Nephritis—Néphrite	–	–	–	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	3	2	1	1	–	–	–	–	1
159	Malformations—Vices de conformation	53	20	33	3	7	–	2	–	8
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	1	–	1	–	–	–	1	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur	29	11	18	3	5	–	–	–	6
	(c) Others under this title—Autres sous ce titre	23	9	14	–	2	–	1	–	2
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	44	25	19	1	1	2	–	–	3
161a	Premature birth—Naissance prématurée	173	100	73	12	9	9	10	7	5
161b	Injury at birth—Conséquence de l'accouchement	19	14	5	2	–	2	1	1	1
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	48	30	18	1	–	1	2	5	2
175–203	External causes—Causes extérieures	9	6	3	1	–	1	–	1	–
	Other specified causes—Autres causes spécifiées	24	15	9	–	3	2	–	1	1
204, 205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	7	3	4	–	–	1	1	1	–

TABLEAU 19—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus), par certaines causes spécifiques et par mois, 1927—*fin*

Mois de décès																		No. liste int.
April — Avril		May — Mai		June — Juin		July — Juillet		August — Août		September — Septembre		October — Octobre		November — Novembre		December — Décembre		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
ALBERTA—fin																		
3	2	2	8	–	3	2	4	3	1	1	3	1	4	4	1	2	3	160
14	15	17	8	11	7	9	9	16	13	16	9	17	10	15	8	10	6	161a
1	1	1	1	1	4	3	3	3	3	1	1	2	1	1	1	2	2	161b
4	5	6	3	5	1	–	2	3	1	1	5	3	4	3	6	3	2	162
4	–	–	–	1	1	2	2	1	–	3	–	1	–	1	1	1	–	175–203
2	3	1	1	1	–	1	–	1	–	1	5	1	1	3	5	3	2	
3	–	–	1	–	1	–	–	–	–	2	–	–	–	–	–	1	–	204,205
COLOMBIE BRITANNIQUE																		
31	16	31	26	32	20	23	22	20	21	24	9	25	12	31	28	30	21	
1	1	1	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	1	3	–	1	1	1	1	1	3	5	1	4	–	1	–	–	2	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
2	–	1	1	–	–	–	2	–	–	–	–	–	–	–	1	1	1	11
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	16
–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	1	1	21
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	22
1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	31
–	1	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	32
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	33–37
–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–	38
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	41
–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	56
1	–	–	1	–	–	–	–	1	–	–	–	–	–	1	2	1	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70
–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
–	1	–	–	1	–	1	–	–	–	–	–	–	1	–	1	2	–	80
–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	86
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	87–90
–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	99
2	1	–	2	3	1	1	–	–	1	1	1	1	–	2	2	2	2	100
3	3	1	1	2	–	–	1	–	–	–	–	–	1	2	3	4	2	101
–	1	–	–	1	–	2	–	–	–	–	–	–	–	–	1	1	–	110–112
2	–	–	–	3	1	2	–	2	2	4	–	3	–	–	1	–	1	113
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	118
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	128
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	153
1	2	4	1	2	–	–	3	2	3	2	1	1	2	2	2	3	2	159
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	559a
–	1	3	–	2	–	–	2	1	1	1	–	–	1	–	1	1	1	159b
1	1	1	1	–	–	–	1	1	2	1	1	1	1	2	1	2	1	159c
2	1	4	7	2	2	2	1	2	1	2	1	4	–	4	2	–	–	160
10	4	10	6	7	7	7	6	8	3	5	3	6	4	12	8	7	8	161a
2	–	–	–	1	1	1	2	1	–	–	–	1	–	3	–	–	–	161b
3	–	4	3	4	2	2	2	2	2	1	1	1	1	1	2	5	1	162
–	–	–	–	–	–	1	1	–	1	–	–	–	–	2	–	–	1	175–203
1	–	3	–	2	1	1	–	–	1	2	1	1	1	–	1	2	–	
–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	1	–	–	204, 205

TABLE 20—Deaths of children (exclusive of stillbirths) from certain specified causes in first year of life, by ages, 1927

CANADA(1)

Int. list No.	Causes of death — Causes de décès	Total under 1 year — Total moins de 1 an			Age at death									
					Under 1 day — Moins d'un jour		1 day and under 1 week — Un jour et moins d'une semaine		1 week and under 2 weeks — 1 semaine et moins de 2		2 weeks and under 3 weeks — 2 semaines et moins de 3		3 weeks and under 1 month — 3 semaines et moins de 1 mois	
		Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	All causes—Toutes causes	**22,010**	**12,548**	**9,462**	**2,304**	**1,608**	**1,990**	**1,448**	**735**	**595**	**561**	**483**	**487**	**321**
7	Measles—Rougeole	187	113	74	–	–	1	–	1	–	2	3	2	2
8	Scarlet fever—Scarlatine	35	23	12	–	–	–	–	1	–	–	–	–	–
9	Whooping-cough—Coqueluche	640	336	304	–	–	–	–	2	2	9	8	12	7
10	Diphtheria—Diphtérie	48	24	24	–	–	1	–	–	1	–	1	1	1
11	Influenza—Grippe	719	411	308	–	–	5	4	10	12	26	16	20	13
16	Dysentery—Dysenterie	3	1	2	–	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	95	48	47	–	–	1	2	5	2	8	3	3	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë	24	17	7	–	–	–	–	1	–	–	–	–	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique	64	46	18	–	–	–	1	–	–	3	1	3	–
29	Tetanus—Tétanos	2	1	1	–	–	–	–	–	1	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	73	39	34	–	–	–	1	–	–	–	–	–	1
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	85	41	44	–	–	–	1	–	–	2	–	–	–
33–37	Tuberculosis, other forms—Tuberculose, autres formes	30	20	10	–	–	1	–	–	–	–	–	–	–
38	Syphilis	131	70	61	3	3	8	3	5	3	8	5	9	5
41	Purulent infection, septicaemia—Infection purulente, septicémie	80	38	42	–	1	1	2	3	5	8	7	2	3
56	Rickets—Rachitisme	95	58	37	–	–	–	1	–	–	–	2	1	–
62	Diseases of the thymus—Affections du thymus	93	54	39	4	1	9	7	5	2	3	1	–	2
70	Encephalitis—Encéphalite	23	14	9	–	–	–	–	2	2	–	1	2	–
71a	Simple meningitis—Méningite simple	325	186	139	–	–	12	3	3	7	5	7	7	3
71b	Non-epidemic, cerebrospinal meningitis—Méningite céréoro-spinale non épidémique	–	–	–	–	–	–	–	–	–	–	–	–	–
80	Convulsions	441	265	176	8	1	61	43	31	12	16	7	12	3
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	245	136	109	–	–	–	–	7	3	8	13	8	3
87–90	Diseases of the heart—Affections du cœur	–	–	–	–	–	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite	134	74	60	–	–	4	2	3	3	3	3	4	3
100	Bronchopneumonia—Broncho-pneumonie	1,293	729	564	1	–	14	16	26	28	25	32	34	18
101	Pneumonia—Pneumonie	857	481	376	4	1	17	12	19	7	16	20	11	16
110–112	Diseases of the stomach—Affections de l'estomac	302	170	132	1	–	12	11	7	7	6	5	4	6
113	Diarrhoea and enteritis—Diarrhée et entérite	4,249	2,430	1,819	1	1	22	29	54	34	62	52	94	44
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	105	73	32	–	–	3	1	4	–	2	3	1	2
128	Nephritis—Néphrite	17	8	9	–	–	–	1	–	1	1	–	1	–
153	Acute abscess—Phlegmon, abcès chaud	53	35	18	–	–	1	–	2	–	3	4	3	3
159	Malformations—Vices de conformation	1,256	661	595	126	139	198	159	71	59	32	41	29	24
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	95	53	42	11	12	11	9	2	4	–	–	1	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur	616	346	270	74	71	127	82	29	27	17	15	13	10
	(c) Others under this title—Autres sous ce titre	545	262	283	41	56	60	68	40	28	15	26	15	14
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	2,368	1,355	1,013	246	166	330	255	152	127	104	69	86	50
161a	Premature birth—Naissance prématurée	4,402	2,550	1,852	1,210	846	759	505	192	177	129	110	88	69
161b	Injury at birth—Conséquence de l'accouchement	1,009	601	408	323	217	222	149	29	24	6	7	2	1
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	1,454	848	606	344	220	257	202	62	48	48	31	22	23
175–203	External causes—Causes extérieures	197	114	83	17	6	7	12	4	3	3	5	5	5
	Other specified causes—Autres causes spécifiées	738	399	339	15	1	39	25	34	25	21	25	20	13
204, 205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	138	79	59	1	5	5	1	–	–	2	1	1	1

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

NOTE.—For fuller list of causes of infant deaths see Table 30—Voir au tableau 30 pour une liste plus détaillée des causes de mortalité infantile.

TABLEAU 20—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus), par âge et par certaines causes spécifiques, 1927

CANADA [1]

Âge au moment du décès																						No. liste int.
1 month and under 2 months — 1 mois et moins de 2		2 months and under 3 months — 2 mois et moins de 3		3 months and under 4 months — 3 mois et moins de 4		4 months and under 5 months — 4 mois et moins de 5		5 months and under 6 months — 5 mois et moins de 6		6 months and under 7 months — 6 mois et moins de 7		7 months and under 8 months — 7 mois et moins de 8		8 months and under 9 months — 8 mois et moins de 9		9 months and under 10 mos. — 9 mois et moins de 10		10 mos. and under 11 mos. — 10 mois et moins de 11		11 mos. and under 12 mos. — 11 mois et moins de 12		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
1,278	**899**	**1,036**	**800**	**796**	**663**	**674**	**476**	**564**	**444**	**443**	**354**	**416**	**325**	**377**	**306**	**329**	**272**	**285**	**230**	**273**	**238**	
9	3	10	2	4	4	10	5	8	6	9	3	5	6	11	8	14	10	14	9	13	13	7
3	2	1	1	3	–	1	1	2	1	3	1	1	1	3	–	1	2	3	1	1	2	8
45	44	52	39	40	36	36	17	19	27	19	21	23	24	21	24	20	16	17	17	21	22	9
2	1	2	4	2	2	2	1	1	–	1	1	2	2	1	2	2	4	2	1	5	3	10
72	48	40	28	33	30	41	27	26	25	39	24	23	14	26	21	19	24	19	15	12	7	11
–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–	16
12	10	7	7	3	3	1	3	1	5	1	2	1	4	1	1	1	1	3	2	–	2	21
3	1	4	–	3	2	–	–	–	3	2	–	2	–	–	1	1	–	–	–	1	–	22
4	–	3	3	3	–	6	5	4	1	4	1	5	2	4	–	2	1	2	1	3	2	24
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
2	1	3	2	5	1	5	4	4	5	1	2	5	4	3	3	5	1	3	3	3	6	31
2	1	5	5	3	6	3	3	5	3	4	8	4	3	4	5	2	4	1	2	6	3	32
1	–	–	4	3	–	2	–	2	1	1	2	–	–	3	–	2	3	4	–	1	–	33–37
15	10	6	14	8	6	3	4	–	3	1	–	1	2	1	1	–	1	1	–	1	1	38
6	7	1	3	3	1	4	4	–	1	1	1	3	2	–	2	2	3	3	–	1	–	41
3	2	12	2	2	4	1	2	9	3	5	4	4	4	6	3	6	4	4	3	5	3	56
8	7	8	4	4	4	1	1	3	4	2	2	3	1	1	1	2	2	–	–	1	–	62
–	–	2	–	–	–	1	–	–	–	1	1	2	1	1	–	1	1	1	2	1	1	70
20	11	22	21	24	18	14	8	13	9	15	12	13	11	11	7	7	4	6	9	14	9	71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
30	18	19	18	12	12	16	13	10	12	8	5	9	8	9	6	11	5	8	7	5	6	80
28	18	21	15	17	11	8	8	9	8	8	5	7	3	3	8	6	4	4	1	2	9	86
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	87–90
9	12	9	8	11	6	3	1	4	6	4	2	6	2	4	6	3	3	4	2	3	1	99
89	66	80	64	71	53	60	53	54	44	57	31	56	31	54	43	34	32	40	31	34	22	100
67	47	57	33	56	48	32	22	42	20	37	23	27	28	27	28	29	24	21	23	19	24	101
29	13	24	19	17	21	24	12	9	11	9	5	8	7	4	3	3	7	4	3	9	2	110–112
350	242	365	291	309	250	293	193	239	155	153	132	133	110	112	91	107	80	68	55	68	60	113
8	4	8	3	6	3	6	1	7	4	5	3	5	4	5	2	6	1	5	1	2	–	118
1	–	1	1	–	–	1	–	1	1	–	3	–	1	–	–	1	–	–	–	1	1	128
7	2	1	3	4	–	4	3	3	1	–	–	1	–	2	–	2	–	1	1	1	1	153
68	61	45	39	17	10	17	9	11	12	9	11	11	10	6	10	10	3	4	7	7	1	159
5	3	3	5	2	1	2	–	2	1	1	1	1	1	4	1	3	2	2	2	3	–	159a
29	24	18	12	7	4	9	3	4	5	3	4	6	2	2	6	5	1	1	3	2	1	159b
34	34	24	22	8	5	6	6	5	6	5	6	4	7	–	3	2	–	1	2	2	–	159c
174	99	105	75	61	62	23	38	22	19	13	14	12	12	11	10	8	6	4	9	4	2	160
108	86	37	31	10	12	6	5	4	8	1	–	1	2	3	–	–	1	–	–	2	–	161a
6	4	5	3	2	–	–	–	1	3	1	–	1	–	1	–	1	–	1	–	–	–	161b
43	38	35	16	19	13	7	5	4	1	1	4	3	2	2	1	–	1	–	1	1	–	162
10	10	10	9	6	6	5	2	9	8	7	5	5	3	4	1	6	2	8	3	8	3	175–203
40	28	32	28	29	33	25	21	30	28	15	19	26	17	24	15	11	14	23	20	15	27	
4	3	3	5	6	6	13	5	8	5	6	7	8	4	8	3	4	7	7	1	3	5	204, 205

TABLE 20—Deaths of children (exclusive of stillbirths) from certain specified causes in first year of life, by ages, 1927—*con.*

PRINCE EDWARD ISLAND

Int. list No.	Causes of death — Causes de décès	Total under 1 year — Total moins de 1 an			Age at death									
					Under 1 day — Moins d'un jour		1 day and under 1 week — Un jour et moins d'une semaine		1 week and under 2 weeks — 1 semaine et moins de 2		2 weeks and under 3 weeks — 2 semaines et moins de 3		3 weeks and under 1 month — 3 semaines et moins de 1 mois	
		Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	All causes—Toutes causes	**113**	**70**	**43**	**9**	**3**	**8**	**6**	**5**	**1**	**1**	–	**3**	**2**
7	Measles—Rougeole	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever—Scarlatine	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping-cough—Coqueluche	5	3	2	–	–	–	–	–	–	–	–	–	–
10	Diphtheria—Diphtérie	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza—Grippe	5	3	2	–	–	–	–	–	–	–	–	–	–
16	Dysentery—Dysenterie	–	–	–	–	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique	–	–	–	–	–	–	–	–	–	–	–	–	–
29	Tetanus—Tétanos	–	–	–	–	–	–	–	–	–	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	–	–	–	–	–	–	–	–	–	–	–	–	–
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	–	–	–	–	–	–	–	–	–	–	–	–	–
33–37	Tuberculosis, other forms—Tuberculose, autres formes	–	–	–	–	–	–	–	–	–	–	–	–	–
38	Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
41	Purulent infection, septicaemia—Infection purulente, septicémie	–	–	–	–	–	–	–	–	–	–	–	–	–
56	Rickets—Rachitisme	–	–	–	–	–	–	–	–	–	–	–	–	–
62	Diseases of the thymus—Affections du thymus	–	–	–	–	–	–	–	–	–	–	–	–	–
70	Encephalitis—Encéphalite	–	–	–	–	–	–	–	–	–	–	–	–	–
71a	Simple meningitis—Méningite simple	6	4	2	–	–	–	–	–	–	–	–	–	–
71b	Non-epidemic, cerebrospinal meningitis—Méningite cérébro-spinale non épidémique	–	–	–	–	–	–	–	–	–	–	–	–	–
80	Convulsions	5	3	2	–	–	–	–	1	–	–	–	1	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	–	–	–	–	–	–	–	–	–	–	–	–	–
87–90	Diseases of the heart—Affections du cœur	–	–	–	–	–	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite	–	–	–	–	–	–	–	–	–	–	–	–	–
100	Bronchopneumonia—Broncho-pneumonie	3	3	–	–	–	–	–	–	–	–	–	–	–
101	Pneumonia—Pneumonie	13	7	6	–	–	–	–	1	–	1	–	–	2
110–112	Diseases of the stomach—Affections de l'estomac	5	4	1	–	–	–	–	–	–	–	–	–	–
113	Diarrhoea and enteritis—Diarrhée et entérite	8	4	4	–	–	–	–	–	–	–	–	–	–
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	–	–	–	–	–	–	–	–	–	–	–	–	–
128	Nephritis—Néphrite	–	–	–	–	–	–	–	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Malformations—Vices de conformation	7	4	3	1	2	1	–	1	–	–	–	1	–
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	1	1	–	1	–	–	–	–	–	–	–	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur	4	2	2	–	2	1	–	–	–	–	–	1	–
	(c) Others under this title—Autres sous ce titre	2	1	1	–	–	–	–	1	–	–	–	–	–
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	10	4	6	–	–	–	–	–	1	–	–	–	–
161a	Premature birth—Naissance prématurée	10	7	3	6	–	1	2	–	–	–	–	–	–
161b	Injury at birth—Conséquence de l'accouchement	2	2	–	–	–	1	–	1	–	–	–	–	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	17	10	7	1	1	4	4	1	–	–	–	–	–
175–203	External causes—Causes extérieures	1	1	–	–	–	–	–	–	–	–	–	–	–
	Other specified causes—Autres causes spécifiées	7	5	2	–	–	–	–	–	–	–	–	1	–
204, 205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	9	6	3	1	–	1	–	–	–	–	–	–	–

TABLEAU 20—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus), par âge et par certaines causes spécifiques, 1927—*suite*

ÎLE DU PRINCE-ÉDOUARD

Âge au moment du décès																						No. liste int.
1 month and under 2 months — 1 mois et moins de 2		2 months and under 3 months — 2 mois et moins de 3		3 months and under 4 months — 3 mois et moins de 4		4 months and under 5 months — 4 mois et moins de 5		5 months and under 6 months — 5 mois et moins de 6		6 months and under 7 months — 6 mois et moins de 7		7 months and under 8 months — 7 mois et moins de 8		8 months and under 9 months — 8 mois et moins de 9		9 months and under 10 mos. — 9 mois et moins de 10		10 mos. and under 11 mos. — 10 mois et moins de 11		11 mos. and under 12 mos. — 11 mois et moins de 12		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
11	**3**	**7**	**4**	**5**	**3**	**6**	**2**	**3**	–	**1**	**5**	**1**	**7**	**6**	–	**1**	**3**	**1**	**2**	**2**	**2**	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	9
1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11
1	–	–	–	–	1	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	31
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	33–37
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	41
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	56
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70
–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	1	–	71a
1	–	1	–	–	–	–	–	–	–	–												
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	80
–	–	–	–	–	–																	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	86
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	87–90
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	99
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	100
1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	101
1	1	1	–	–	–	2	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	
1	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	110–112
1	–	1	1	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	1	–	–	113
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	118
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	128
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	153
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159c
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	1	2	1	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	160
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	161a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	175–203
–	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	1	1	
–	–	–	1	–	–	2	–	2	–	–	1	–	–	–	–	–	–	–	1	–	–	204, 205

TABLE 20—Deaths of children (exclusive of stillbirths) from certain specified causes in first year of life, by ages, 1927—*con.*

NOVA SCOTIA

Int. list No.	Causes of death — Causes de décès	Total under 1 year — Total moins de 1 an			Age at death: Under 1 day — Moins d'un jour		1 day and under 1 week — Un jour et moins d'une semaine		1 week and under 2 weeks — 1 semaine et moins de 2		2 weeks and under 3 weeks — 2 semaines et moins de 3		3 weeks and under 1 month — 3 semaines et moins de 1 mois	
		Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	All causes—Toutes causes	**1,028**	**579**	**449**	**70**	**56**	**106**	**74**	**28**	**21**	**35**	**23**	**16**	**16**
7	Measles—Rougeole	14	6	8	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever—Scarlatine	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping-cough—Coqueluche	45	22	23	–	–	–	–	–	–	1	1	–	–
10	Diphtheria—Diphtérie	3	–	3	–	–	–	–	–	–	–	1	–	1
11	Influenza—Grippe	24	12	12	–	–	–	–	–	–	–	–	–	2
16	Dysentery—Dysenterie	–	–	–	–	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	1	–	1	–	–	–	–	–	–	–	–	–	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë	1	1	–	–	–	–	–	–	–	–	–	–	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique	2	2	–	–	–	–	–	–	–	–	–	–	–
29	Tetanus—Tétanos	–	–	–	–	–	–	–	–	–	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	1	1	–	–	–	–	–	–	–	–	–	–	–
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	8	2	6	–	–	–	–	–	–	–	–	–	–
33–37	Tuberculosis, other forms—Tuberculose, autres formes	–	–	–	–	–	–	–	–	–	–	–	–	–
38	Syphilis	5	4	1	–	–	–	–	–	–	–	1	–	–
41	Purulent infection, septicaemia—Infection purulente, septicémie	–	–	–	–	–	–	–	–	–	–	–	–	–
56	Rickets—Rachitisme	1	1	–	–	–	–	–	–	–	–	–	–	–
62	Diseases of the thymus—Affections du thymus	5	4	1	–	–	2	–	–	–	–	–	–	–
70	Encephalitis—Encéphalite	–	–	–	–	–	–	–	–	–	–	–	–	–
71a	Simple meningitis—Méningite simple	13	8	5	–	–	2	–	1	–	–	–	–	–
71b	Non-epidemic, cerebrospinal meningitis—Méningite cérébro-spinale non épidémique	–	–	–	–	–	–	–	–	–	–	–	–	–
80	Convulsions	81	44	37	3	–	13	7	4	2	3	2	3	1
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	3	3	–	–	–	–	–	–	–	–	–	–	–
87–90	Diseases of the heart—Affections du cœur	–	–	–	–	–	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite	9	4	5	–	–	–	–	–	1	–	–	–	1
100	Bronchopneumonia—Broncho-pneumonie	80	52	28	–	–	2	–	–	2	4	–	–	–
101	Pneumonia—Pneumonie	72	42	30	–	–	1	1	2	–	1	2	1	1
110–112	Diseases of the stomach—Affections de l'estomac	6	4	2	–	–	–	–	–	–	–	–	–	–
113	Diarrhoea and enteritis—Diarrhée et entérite	150	85	65	–	–	1	1	–	–	–	1	3	–
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	7	2	5	–	–	1	–	–	–	–	1	–	–
128	Nephritis—Néphrite	1	–	1	–	–	–	–	–	1	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	3	1	2	–	–	–	–	–	–	–	–	–	–
159	Malformations—Vices de conformation	58	31	27	6	5	11	9	1	1	1	1	1	1
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	3	2	1	–	1	–	–	–	–	–	–	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur	29	17	12	3	1	8	7	1	–	–	–	1	–
	(c) Others under this title—Autres sous ce titre	26	12	14	3	3	3	2	–	1	1	1	–	1
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	149	84	65	9	11	24	17	8	3	4	5	3	3
161a	Premature birth—Naissance prématurée	180	101	79	42	32	27	22	6	10	16	7	5	4
161b	Injury at birth—Conséquence de l'accouchement	33	19	14	5	4	12	8	1	1	–	1	–	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	36	24	12	4	4	10	8	2	–	4	–	–	–
175–203	External causes—Causes extérieures	10	5	5	1	–	–	–	–	–	–	–	–	1
	Other specified causes—Autres causes spécifiées	20	10	10	–	–	–	1	3	–	–	–	–	1
204, 205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	7	5	2	–	–	–	–	–	–	1	–	–	–

TABLEAU 20—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus), par âge et par certaines causes spécifiques, 1927—*suite*

NOUVELLE-ÉCOSSE

Âge au moment du décès																						No. liste int.
1 month and under 2 months — 1 mois et moins de 2		2 months and under 3 months — 2 mois et moins de 3		3 months and under 4 months — 3 mois et moins de 4		4 months and under 5 months — 4 mois et moins de 5		5 months and under 6 months — 5 mois et moins de 6		6 months and under 7 months — 6 mois et moins de 7		7 months and under 8 months — 7 mois et moins de 8		8 months and under 9 months — 8 mois et moins de 9		9 months and under 10 mos. — 9 mois et moins de 10		10 mos. and under 11 mos. — 10 mois et moins de 11		11 mos. and under 12 mos. — 11 mois et moins de 12		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
75	**44**	**47**	**44**	**52**	**35**	**25**	**31**	**28**	**25**	**19**	**15**	**18**	**17**	**26**	**14**	**13**	**15**	**8**	**8**	**13**	**11**	
1	1	–	1	1	1	1	–	1	–	–	1	–	–	1	1	–	–	1	1	–	2	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
3	4	5	2	6	3	3	1	–	–	1	1	1	2	–	3	1	3	–	1	1	2	9
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
2	1	1	1	2	–	1	3	2	2	2	1	2	–	–	–	–	1	–	1	–	–	11
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	21
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	22
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	31
–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	2	1	2	–	–	–	–	32
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	33–37
1	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	41
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	56
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70
1	–	–	1	–	1	2	–	–	–	–	2	–	–	1	–	–	–	–	–	1	1	71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
9	7	2	5	1	3	2	4	2	2	–	–	–	1	–	–	1	1	–	1	1	1	80
–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	86
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	87–90
1	–	1	–	2	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	99
11	3	7	5	7	1	3	3	3	4	4	3	2	4	4	3	1	–	2	–	2	–	100
4	3	5	3	8	6	2	5	5	2	2	1	2	1	5	2	2	1	1	–	1	2	101
–	–	1	1	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	110–112
16	7	12	12	8	9	7	9	9	6	8	6	6	7	7	–	4	3	1	2	3	2	113
–	–	–	1	–	1	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	118
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	128
–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	1	–	–	153
3	6	4	1	–	2	–	–	1	–	–	–	1	1	1	–	1	–	–	–	–	–	159
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	159a
2	1	1	1	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	159b
1	5	3	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	159c
15	6	5	7	7	6	–	3	2	3	–	–	3	–	2	–	2	1	–	–	–	–	160
4	3	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161a
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161b
1	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162
–	2	–	1	–	–	–	–	–	–	–	–	–	–	2	–	–	1	2	–	–	–	175–203
1	–	–	1	4	2	–	–	1	2	–	–	1	–	–	1	–	–	–	1	–	1	
1	1	1	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	204, 205

TABLE 20—Deaths of children (exclusive of stillbirths) from certain specified causes in first year of life, by ages, 1927—*con.*

NEW BRUNSWICK

Int. list No.	Causes of death — Causes de décès	Total under 1 year — Total moins de 1 an			Age at death: Under 1 day — Moins d'un jour		1 day and under 1 week — Un jour et moins d'une semaine		1 week and under 2 weeks — 1 semaine et moins de 2		2 weeks and under 3 weeks — 2 semaines et moins de 3		3 weeks and under 1 month — 3 semaines et moins de 1 mois	
		Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	All causes—Toutes causes	**1,006**	**542**	**464**	**100**	**64**	**86**	**82**	**23**	**34**	**15**	**19**	**17**	**16**
7	Measles—Rougeole	13	9	4	–	–	–	–	–	–	–	2	–	–
8	Scarlet fever—Scarlatine	7	6	1	–	–	–	–	–	–	–	–	–	–
9	Whooping-cough—Coqueluche	36	18	18	–	–	–	–	–	–	–	–	–	1
10	Diphtheria—Diphtérie	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza—Grippe	42	16	26	–	–	–	–	1	–	–	2	2	–
16	Dysentery—Lysenterie	–	–	–	–	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë	2	2	–	–	–	–	–	–	–	–	–	–	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique	4	2	2	–	–	–	–	–	–	–	–	–	–
29	Tetanus—Tétanos	–	–	–	–	–	–	–	–	–	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	1	–	1	–	–	–	–	–	–	–	–	–	–
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	4	4	–	–	–	–	–	–	–	–	–	–	–
33–37	Tuberculosis, other forms—Tuberculose, autres formes	1	1	–	–	–	–	–	–	–	–	–	–	–
38	Syphilis	1	1	–	1	–	–	–	–	–	–	–	–	–
41	Purulent infection, septicaemia—Infection purulente, septicémie	–	–	–	–	–	–	–	–	–	–	–	–	–
56	Rickets—Rachitisme	3	3	–	–	–	–	–	–	–	–	–	–	–
62	Diseases of the thymus—Affections du thymus	4	1	3	–	–	–	–	–	–	–	–	–	1
70	Encephalitis—Encéphalite	–	–	–	–	–	–	–	–	–	–	–	–	–
71a	Simple meningitis—Méningite simple	10	6	4	–	–	–	–	–	–	–	–	–	–
71b	Non-epidemic, cerebrospinal meningitis—Méningite cérébro-spinale non épidémique	–	–	–	–	–	–	–	–	–	–	–	–	–
80	Convulsions	20	14	6	1	–	3	2	3	–	–	1	1	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	2	2	–	–	–	–	–	–	–	–	–	–	–
87–90	Diseases of the heart—Affections du cœur	–	–	–	–	–	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite	2	1	1	–	–	–	–	–	–	–	–	–	1
100	Bronchopneumonia—Broncho-pneumonie	45	26	19	–	–	2	–	–	1	1	–	1	1
101	Pneumonia—Pneumonie	61	38	23	–	–	1	–	–	1	–	–	–	–
110–112	Diseases of the stomach—Affections de l'estomac	12	4	8	–	–	–	1	–	–	–	–	1	1
113	Diarrhoea and enteritis—Diarrhée et entérite	109	57	52	–	–	–	1	–	4	–	–	1	–
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	2	2	–	–	–	–	–	–	–	–	–	–	–
128	Nephritis—Néphrite	3	–	3	–	–	–	–	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Malformations—Vices de conformation	41	19	22	2	4	3	7	1	2	3	–	3	1
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	4	1	3	–	–	–	1	1	–	–	–	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur	8	6	2	–	–	1	1	–	–	1	–	–	–
	(c) Others under this title—Autres sous ce titre	29	12	17	2	4	2	5	–	2	2	–	3	1
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	87	37	50	9	4	10	15	1	5	1	2	1	2
161a	Premature birth—Naissance prématurée	170	99	71	54	31	30	20	5	10	1	5	1	1
161b	Injury at birth—Conséquence de l'accouchement	32	17	15	5	8	10	6	2	–	–	1	–	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	207	111	96	28	17	24	27	10	11	8	6	5	7
175–203	External causes—Causes extérieures	7	4	3	–	–	1	1	–	–	–	–	–	–
	Other specified causes—Autres causes spécifiées	22	9	13	–	–	1	1	–	–	1	–	1	–
204, 205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	56	33	23	–	–	1	1	–	–	–	–	–	–

TABLEAU 20—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus), par âge et par certaines causes spécifiques, 1927—*suite*

NOUVEAU-BRUNSWICK

Âge au moment du décès																						No. liste int.
1 month and under 2 months — 1 mois et moins de 2		2 months and under 3 months — 2 mois et moins de 3		3 months and under 4 months — 3 mois et moins de 4		4 months and under 5 months — 4 mois et moins de 5		5 months and under 6 months — 5 mois et moins de 6		6 months and under 7 months — 6 mois et moins de 7		7 months and under 8 months — 7 mois et moins de 8		8 months and under 9 months — 8 mois et moins de 9		9 months and under 10 mos. — 9 mois et moins de 10		10 mos. and under 11 mos. — 10 mois et moins de 11		11 mos. and under 12 mos. — 11 mois et moins de 12		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
50	**41**	**43**	**36**	**43**	**31**	**39**	**30**	**23**	**20**	**21**	**18**	**21**	**11**	**23**	**14**	**15**	**14**	**13**	**16**	**10**	**18**	
1	–	1	–	1	–	1	–	1	–	–	–	–	1	2	–	–	–	2	1	–	–	7
1	–	–	–	–	–	–	–	1	–	1	–	1	–	2	–	–	–	–	1	–	–	8
1	2	4	2	2	1	2	4	4	1	–	–	2	–	–	1	1	1	1	2	1	3	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
5	3	–	7	2	2	2	1	1	2	–	1	–	1	–	3	1	1	2	–	–	3	11
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21
–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
–	–	–	1	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	31
–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	2	–	32
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	33–37
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	41
–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	56
1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70
–	1	–	1	1	–	3	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–	71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
2	–	1	–	1	–	1	–	–	–	–	–	1	–	–	1	–	–	–	1	–	1	80
–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	86
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	87–90
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	99
3	1	2	3	5	1	2	2	3	1	2	2	–	2	3	–	1	2	–	2	1	1	100
8	3	3	1	4	4	4	3	2	–	4	2	3	3	1	–	4	3	3	1	1	2	101
–	–	1	1	–	1	1	–	–	1	–	–	1	–	–	–	–	1	–	1	–	1	110–112
3	4	6	5	8	4	10	9	6	7	4	6	6	–	6	5	3	3	2	3	2	1	113
–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	118
–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	128
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	153
2	4	1	2	2	–	–	1	–	–	1	–	–	–	–	–	1	–	–	1	–	–	159
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	159a
–	–	1	–	1	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	159b
2	3	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159c
4	5	5	3	2	7	2	3	1	2	1	1	–	–	–	1	–	–	–	–	–	–	160
5	3	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161b
11	12	12	6	9	5	3	1	–	1	–	–	1	1	–	1	–	1	–	–	–	–	162
1	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	175–203
1	–	1	2	1	2	1	2	–	–	1	–	–	–	–	1	–	–	–	3	1	2	
1	1	–	–	4	4	4	3	2	3	4	4	4	1	5	1	3	2	3	–	2	3	204, 205

TABLE 20—Deaths of children (exclusive of stillbirths) from certain specified causes in first year of life, by ages, 1927—*con.*

QUEBEC

Int. list No.	Causes of death — Causes de décès	Total under 1 year — Total moins de 1 an			Age at death									
					Under 1 day — Moins d'un jour		1 day and under 1 week — Un jour et moins d'une semaine		1 week and under 2 weeks — 1 semaine et moins de 2		2 weeks and under 3 weeks — 2 semaines et moins de 3		3 weeks and under 1 month — 3 semaines et moins de 1 mois	
		Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	All causes—Toutes causes	**10,739**	**6,149**	**4,590**	**1,019**	**643**	**757**	**560**	**335**	**272**	**275**	**243**	**249**	**159**
7	Measles—Rougeole	116	71	45	–	–	1	–	1	–	2	1	1	1
8	Scarlet fever—Scarlatine	20	11	9	–	–	–	–	1	–	–	–	–	–
9	Whooping-cough—Coqueluche	339	177	162	–	–	–	–	2	1	4	5	5	3
10	Diphtheria—Diphtérie	24	13	11	–	–	1	–	–	1	–	–	1	–
11	Influenza—Grippe	332	188	144	–	–	1	2	6	7	13	7	13	8
16	Dysentery — Dysenterie	2	1	1	–	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	38	15	23	–	–	–	1	1	1	3	2	–	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë	10	6	4	–	–	–	–	1	–	–	–	–	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique	30	24	6	–	–	–	1	–	–	3	–	3	–
29	Tetanus—Tétanos	2	1	1	–	–	–	–	–	1	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	42	22	20	–	–	–	1	–	–	–	–	–	1
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	35	14	21	–	–	–	1	–	–	1	–	–	–
33-37	Tuberculosis, other forms—Tuberculose, autres formes	8	6	2	–	–	1	–	–	–	–	–	–	–
38	Syphilis	78	42	36	–	2	5	1	4	2	6	2	4	5
41	Purulent infection, septicaemia—Infection purulente, septicémie	68	29	39	–	1	1	2	3	5	5	7	2	3
56	Rickets—Rachitisme	54	33	21	–	–	–	1	–	–	–	2	1	–
62	Diseases of the thymus—Affections du thymus	20	11	9	–	–	1	2	2	–	1	–	–	–
70	Encephalitis—Encéphalite	10	7	3	–	–	–	–	1	2	–	–	2	–
71a	Simple meningitis—Méningite simple	241	136	105	–	–	6	2	1	3	4	6	5	2
71b	Non-epidemic, cerebrospinal meningitis—Méningite cérébro-spinale non épidémique	–	–	–	–	–	–	–	–	–	–	–	–	–
80	Convulsions	113	79	34	1	–	13	9	8	2	7	1	2	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	186	103	83	–	–	–	–	6	3	7	12	8	3
87-90	Diseases of the heart—Affections du cœur	–	–	–	–	–	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite	62	38	24	–	–	1	2	1	1	2	1	3	–
100	Bronchopneumonia—Broncho-pneumonie	526	290	236	–	–	4	6	8	7	11	15	14	7
101	Pneumonia—Pneumonie	280	148	132	2	1	2	3	5	3	4	5	3	3
110-112	Diseases of the stomach—Affections de l'estomac	138	74	64	–	–	4	4	1	3	2	1	–	2
113	Diarrhoea and enteritis—Diarrhée et entérite	3,112	1,789	1,323	–	–	14	20	43	19	46	38	73	35
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	34	26	8	–	–	1	1	2	–	1	1	–	–
128	Nephritis—Néphrite	8	5	3	–	–	–	1	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	33	21	12	–	–	1	–	–	–	1	4	2	3
159	Malformations—Vices de conformation	393	219	174	44	44	70	44	19	20	12	13	7	9
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	36	18	18	7	9	–	3	1	1	–	–	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur	237	141	96	25	24	54	27	11	11	8	7	6	4
	(c) Others under this title—Autres sous ce titre	120	60	60	12	11	16	14	7	8	4	6	1	5
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	1,332	764	568	174	103	179	150	89	72	66	46	49	29
161a	Premature birth—Naissance prématurée	1,556	901	655	346	232	307	192	90	85	51	49	31	28
161b	Injury at birth—Conséquence de l'accouchement	472	275	197	213	133	47	47	8	7	–	4	1	1
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	638	396	242	229	122	76	53	21	15	17	12	10	9
175-203	External causes—Causes extérieures	40	21	19	6	5	1	3	1	2	–	–	–	–
	Other specified causes—Autres causes spécifiées	332	184	148	4	–	20	11	10	10	6	9	8	7
204-205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	15	9	6	–	–	–	–	–	–	–	–	1	–

TABLEAU 20—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus), par âge et par certaines causes spécifiques, 1927—*suite*

QUÉBEC

Âge au moment du décès																						No. liste int.
1 month and under 2 months — 1 mois et moins de 2		2 months and under 3 months — 2 mois et moins de 3		3 months and under 4 months — 3 mois et moins de 4		4 months and under 5 months — 4 mois et moins de 5		5 months and under 6 months — 5 mois et moins de 6		6 months and under 7 months — 6 mois et moins de 7		7 months and under 8 months — 7 mois et moins de 8		8 months and under 9 months — 8 mois et moins de 9		9 months and under 10 mos. — 9 mois et moins de 10		10 mos. and under 11 mos. — 10 mois et moins de 11		11 mos. and under 12 mos. — 11 mois et moins de 12		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
684	**496**	**607**	**457**	**433**	**376**	**361**	**254**	**325**	**243**	**225**	**172**	**223**	**162**	**186**	**164**	**178**	**147**	**145**	**123**	**147**	**119**	
6	2	5	1	1	1	4	3	4	5	4	2	2	3	7	5	13	9	9	7	11	5	7
2	1	1	1	2	–	1	1	1	1	–	1	–	1	1	–	1	2	1	–	–	1	8
18	28	29	22	20	26	17	7	10	13	10	13	13	13	11	12	10	6	13	3	15	10	9
1	–	1	2	1	1	1	–	–	–	–	1	1	–	–	1	2	2	–	1	4	2	10
36	29	20	8	12	14	17	11	11	11	16	11	9	6	10	8	8	12	9	9	7	1	11
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	16
4	6	3	5	2	2	1	1	–	1	–	–	–	2	–	–	–	–	1	1	–	1	21
2	1	–	–	1	1	–	–	–	2	–	–	1	–	–	–	–	–	–	–	1	–	22
–	–	2	–	1	–	3	1	1	1	1	1	4	1	3	–	–	–	–	1	3	–	24
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
2	–	3	2	3	–	2	–	3	5	–	2	2	1	2	2	2	1	2	1	1	4	31
–	1	4	2	1	6	2	1	2	2	3	3	–	2	–	1	–	–	–	2	1	–	32
1	–	–	2	2	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	33–37
10	2	5	10	4	5	–	1	–	2	1	–	1	1	1	1	–	1	–	–	1	1	38
6	6	1	3	2	1	3	3	–	1	1	1	3	2	–	2	–	2	2	–	–	–	41
3	1	9	2	2	2	1	2	6	1	1	2	1	3	2	1	4	–	2	2	1	2	56
2	1	3	2	–	1	1	1	–	1	–	–	–	1	–	–	1	–	–	–	–	–	62
–	–	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	1	–	70
15	7	16	16	23	16	7	8	11	5	12	6	12	9	5	6	6	4	5	8	8	7	71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
5	1	6	1	5	1	2	4	2	5	4	1	4	2	2	1	9	2	5	2	4	2	80
25	16	17	15	15	6	5	6	6	6	3	3	5	1	2	5	3	3	1	–	–	4	86
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	87–90
5	4	4	4	5	2	2	–	3	1	2	1	4	1	3	3	1	2	1	1	1	1	99
35	26	40	28	16	16	19	15	23	23	24	12	30	10	22	21	14	18	14	20	16	12	100
18	16	19	13	14	15	12	6	14	9	13	8	8	9	9	15	9	7	8	9	8	10	101
14	8	8	12	7	7	10	6	5	4	6	4	5	3	2	3	1	4	3	2	6	1	110–112
273	198	288	220	235	197	208	141	180	108	98	78	92	78	72	62	77	54	50	37	40	38	113
2	–	4	–	2	1	4	–	3	2	2	–	2	1	–	2	–	–	1	–	2	–	118
–	–	1	–	–	–	1	–	1	–	–	2	–	–	–	–	1	–	–	–	1	–	128
5	–	–	2	2	–	2	2	2	–	–	–	1	–	1	–	2	–	1	–	1	1	153
19	16	11	10	8	3	6	3	2	4	5	3	2	–	5	3	5	1	1	1	3	–	159
1	1	–	1	1	1	1	–	–	–	1	–	–	–	3	1	2	1	–	–	1	–	159a
12	9	7	4	4	1	2	–	1	4	2	2	2	–	2	2	2	–	1	1	2	–	159b
6	6	4	5	3	1	3	3	1	–	2	1	–	–	–	–	1	–	–	–	–	–	159c
85	50	51	39	24	29	11	14	9	7	7	6	6	6	6	5	3	4	3	6	2	2	160
46	41	16	15	6	7	3	1	2	4	1	–	1	1	1	–	–	–	–	–	–	–	161a
1	2	2	1	–	–	–	–	1	2	1	–	1	–	–	–	–	–	–	–	–	–	161b
19	17	14	7	2	2	2	2	4	–	1	2	1	–	–	–	–	–	–	1	–	–	162
2	3	–	–	1	1	–	1	2	2	3	–	–	–	2	–	–	–	–	1	3	1	175–203
20	13	22	11	14	13	13	13	16	15	6	8	10	5	14	5	5	10	10	7	6	11	
2	–	–	1	–	–	–	–	1	–	–	1	1	–	–	–	1	2	3	–	–	2	204, 205

TABLE 20—Deaths of children (exclusive of stillbirths) from certain specified causes in first year of life, by ages, 1927—*con.*

ONTARIO

Int. list No.	Causes of death — Causes de décès	Total under 1 year — Total moins de 1 an			Age at death									
					Under 1 day — Moins d'un jour		1 day and under 1 week — Un jour et moins d'une semaine		1 week and under 2 weeks — 1 semaine et moins de 2		2 weeks and under 3 weeks — 2 semaines et moins de 3		3 weeks and under 1 month — 3 semaines et moins de 1 mois	
		Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	All causes—Toutes causes	**4,812**	**2,733**	**2,079**	**598**	**458**	**601**	**422**	**170**	**143**	**111**	**106**	**100**	**69**
7	Measles—Rougeole	22	13	9	–	–	–	–	–	–	–	–	–	1
8	Scarlet fever—Scarlatine	4	4	–	–	–	–	–	–	–	–	–	–	–
9	Whooping-cough—Coqueluche	121	63	58	–	–	–	–	–	–	1	2	5	2
10	Diphtheria—Diphtérie	12	4	8	–	–	–	–	–	–	–	–	–	–
11	Influenza—Grippe	96	63	33	–	–	2	–	1	–	6	1	2	1
16	Dysentery—Dysenterie	–	–	–	–	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	28	17	11	–	–	–	–	2	–	2	–	1	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë	1	1	–	–	–	–	–	–	–	–	–	–	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique	11	9	2	–	–	–	–	–	–	–	1	–	–
29	Tetanus—Tétanos	–	–	–	–	–	–	–	–	–	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	5	4	1	–	–	–	–	–	–	–	–	–	–
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	15	9	6	–	–	–	–	–	–	–	–	–	–
33–37	Tuberculosis, other forms—Tuberculose, autres formes	10	7	3	–	–	–	–	–	–	–	–	–	–
38	Syphilis	29	18	11	1	1	2	–	1	–	2	–	3	–
41	Purulent infection, septicaemia—Infection purulente, septicémie	6	4	2	–	–	–	–	–	–	2	–	–	–
56	Rickets—Rachitisme	22	11	11	–	–	–	–	–	–	–	–	–	–
62	Diseases of the thymus—Affections du thymus	36	20	16	3	–	3	4	2	2	2	1	–	–
70	Encephalitis—Encéphalite	7	3	4	–	–	–	–	–	–	–	1	–	–
71a	Simple meningitis—Méningite simple	30	17	13	–	–	4	1	1	3	1	–	2	–
71b	Non-epidemic, cerebrospinal meningitis—Méningite cérébro-spinale non épidémique	–	–	–	–	–	–	–	–	–	–	–	–	–
80	Convulsions	84	47	37	–	–	15	12	3	5	3	1	1	1
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	30	17	13	–	–	–	–	1	–	–	–	–	–
87–90	Diseases of the heart—Affections du cœur	–	–	–	–	–	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite	29	13	16	–	–	1	–	1	–	–	–	–	1
100	Bronchopneumonia—Broncho-pneumonie	278	163	115	–	–	–	3	6	2	6	8	7	5
101	Pneumonia—Pneumonie	203	118	85	–	–	8	2	2	2	4	8	4	4
110–112	Diseases of the stomach—Affections de l'estomac	72	43	29	–	–	3	1	3	3	1	–	3	2
113	Diarrhoea and enteritis—Diarrhée et entérite	492	279	213	–	–	1	3	4	2	8	6	6	3
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	29	20	9	–	–	–	–	1	–	–	–	–	–
128	Nephritis—Néphrite	–	–	–	–	–	–	–	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	9	7	2	–	–	–	–	1	–	1	–	1	–
159	Malformations—Vices de conformation	439	227	212	44	39	64	54	32	26	11	17	8	7
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	35	20	15	2	2	6	3	–	2	–	–	1	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur	176	104	72	25	12	38	25	14	11	4	2	1	3
	(c) Others under this title—Autres sous ce titre	228	103	125	17	25	20	26	18	13	7	15	6	4
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	414	255	159	32	17	70	39	30	23	10	12	19	9
161a	Premature birth—Naissance prématurée	1,421	796	625	403	310	239	177	50	45	31	30	26	24
161b	Injury at birth—Conséquence de l'accouchement	300	181	119	54	48	107	55	7	11	5	1	–	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	279	155	124	50	41	74	61	12	11	6	3	3	2
175–203	External causes—Causes extérieures	73	36	37	5	–	2	5	–	1	3	5	2	3
	Other specified causes—Autres causes spécifiées	187	99	88	6	–	4	5	10	7	6	8	7	3
204, 205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	18	10	8	–	2	2	–	–	–	–	1	–	1

TABLEAU 20—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus) par âge et par certaines causes spécifiques, 1927—*suite*

ONTARIO

Âge au moment du décès																						No. liste int.
1 month and under 2 months — 1 mois et moins de 2		2 months and under 3 months — 2 mois et moins de 3		3 months and under 4 months — 3 mois et moins de 4		4 months and under 5 months — 4 mois et moins de 5		5 months and under 6 months — 5 mois et moins de 6		6 months and under 7 months — 6 mois et moins de 7		7 months and under 8 months — 7 mois et moins de 8		8 months and under 9 months — 8 mois et moins de 9		9 months and under 10 mos. — 9 mois et moins de 10		10 mos. and under 11 mos. — 10 mois et moins de 11		11 mos. and under 12 mos. — 11 mois et moins de 12		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
233	**154**	**161**	**113**	**127**	**104**	**113**	**89**	**98**	**88**	**103**	**70**	**82**	**66**	**63**	**72**	**60**	**44**	**60**	**38**	**53**	**43**	
–	–	2	–	–	1	1	2	–	–	3	–	2	1	1	1	1	–	1	–	2	3	7
–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	2	–	–	–	8
12	8	8	8	5	3	7	2	3	9	6	3	4	3	4	7	7	3	–	5	1	3	9
–	1	–	1	1	1	–	–	–	–	1	–	1	1	–	1	–	2	1	–	–	1	10
7	5	8	2	5	4	2	2	3	3	12	–	–	2	4	7	4	4	3	1	4	1	11
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
4	3	3	–	1	1	–	2	1	1	1	2	–	–	–	–	–	–	2	1	–	1	21
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
2	–	–	–	2	–	–	–	2	–	1	–	1	–	–	–	–	–	1	–	–	1	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
–	–	–	–	1	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	1	–	31
1	–	–	–	1	–	–	–	–	–	1	3	2	–	2	1	–	–	–	–	2	2	32
–	–	–	–	1	–	–	–	1	1	–	–	–	–	1	–	1	2	3	–	–	–	33–37
4	3	1	2	2	1	1	2	–	1	–	–	–	1	–	–	–	–	1	–	–	–	38
–	1	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	41
–	1	2	–	–	2	–	–	3	1	1	1	1	–	1	2	–	3	1	–	2	1	56
3	2	2	1	1	1	–	–	1	1	1	2	1	–	–	1	1	1	–	–	–	–	62
–	–	1	–	–	–	1	–	–	–	1	1	–	1	–	–	–	1	–	–	–	–	70
1	2	2	2	–	1	1	–	1	2	1	–	–	1	1	–	–	–	–	–	2	1	71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
5	3	3	3	3	1	3	2	5	1	–	1	1	2	2	2	–	1	3	1	–	1	80
3	–	2	–	–	5	–	1	2	2	2	–	1	–	–	2	1	–	3	1	2	2	86
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	87–90
1	6	2	2	2	1	–	1	1	2	2	1	–	1	–	1	1	–	1	–	1	–	99
15	10	11	15	22	11	18	20	11	9	11	5	14	6	14	9	10	4	9	5	9	3	100
16	8	13	4	14	11	4	6	10	7	11	2	9	9	5	8	8	4	6	8	4	2	101
4	1	8	2	4	8	7	3	2	5	2	1	2	2	1	–	1	1	1	–	1	–	110–112
27	15	31	25	30	24	40	21	27	19	36	28	20	16	15	18	14	12	6	9	14	12	113
5	2	2	2	–	1	1	–	1	1	–	3	2	–	2	–	4	–	2	–	–	–	118
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	128
1	1	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	153
23	22	19	15	3	1	7	5	4	6	1	5	6	7	–	4	2	1	2	2	1	1	159
3	1	2	2	1	–	1	–	2	1	–	1	1	1	–	–	–	1	1	1	–	–	159a
10	7	5	4	1	–	3	2	1	1	–	1	1	1	–	2	1	–	–	–	–	1	159b
10	14	12	9	1	1	3	3	1	4	1	3	4	5	–	2	1	–	1	1	1	–	159c
43	12	19	11	14	9	5	11	5	5	3	4	2	2	2	3	–	–	1	2	–	–	160
32	24	11	10	1	2	1	–	–	2	–	–	–	–	1	–	–	1	–	–	1	–	161a
4	2	1	1	1	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	161b
4	4	2	–	2	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	162
4	5	2	2	2	4	2	1	5	4	–	2	2	2	–	1	3	1	2	–	2	1	175–203
12	12	3	4	6	10	7	6	7	5	4	5	9	7	6	4	1	2	8	3	3	7	
–	1	2	–	1	–	2	1	1	–	–	1	1	–	1	–	–	1	–	–	–	–	204, 205

TABLE 20—Deaths of children (exclusive of stillbirths) from certain specified causes in first year of life, by ages, 1927—*con.*

MANITOBA

Int. list No.	Causes of death — Causes de décès	Total under 1 year — Total moins de 1 an			Age at death: Under 1 day — Moins d'un jour		1 day and under 1 week — Un jour et moins d'une semaine		1 week and under 2 weeks — 1 semaine et moins de 2		2 weeks and under 3 weeks — 2 semaines et moins de 3		3 weeks and under 1 month — 3 semaines et moins de 1 mois	
		Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	All causes—Toutes causes	**1,021**	**601**	**420**	**98**	**85**	**108**	**71**	**43**	**32**	**35**	**28**	**18**	**10**
7	Measles—Rougeole	3	2	1	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever—Scarlatine	2	1	1	–	–	–	–	–	–	–	–	–	–
9	Whooping-cough—Coqueluche	15	9	6	–	–	–	–	–	–	–	–	–	–
10	Diphtheria—Diphtérie	5	4	1	–	–	–	–	–	–	–	–	–	–
11	Influenza—Grippe	56	42	14	–	–	1	–	1	2	1	2	3	–
16	Dysentery — Dysenterie	–	–	–	–	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	8	4	4	–	–	1	–	–	1	1	–	–	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique	4	2	2	–	–	–	–	–	–	–	–	–	–
29	Tetanus—Tétanos	–	–	–	–	–	–	–	–	–	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	5	2	3	–	–	–	–	–	–	–	–	–	–
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	6	5	1	–	–	–	–	–	–	–	–	–	–
33–37	Tuberculosis, other forms—Tuberculose, autres formes	6	4	2	–	–	–	–	–	–	–	–	–	–
38	Syphilis	8	2	6	1	–	–	–	–	–	–	1	1	–
41	Purulent infection, septicaemia—Infection purulente, septicémie	2	2	–	–	–	–	–	–	–	–	–	–	–
56	Rickets—Rachitisme	3	2	1	–	–	–	–	–	–	–	–	–	–
62	Diseases of the thymus—Affections du thymus	4	3	1	–	–	–	–	1	–	–	–	–	–
70	Encephalitis—Encéphalite	2	1	1	–	–	–	–	–	–	–	–	–	–
71a	Simple meningitis—Méningite simple	7	5	2	–	–	–	–	–	–	–	–	–	1
71b	Non-epidemic, cerebrospinal meningitis—Méningite cérébro-spinale non épidémique	–	–	–	–	–	–	–	–	–	–	–	–	–
80	Convulsions	24	12	12	–	1	2	3	3	–	–	1	1	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	10	5	5	–	–	–	–	–	–	1	1	–	–
87–90	Diseases of the heart—Affections du cœur	–	–	–	–	–	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite	8	5	3	–	–	–	–	1	–	1	1	–	–
100	Bronchopneumonia—Broncho-pneumonie	123	70	53	–	–	5	2	3	7	2	6	3	1
101	Pneumonia—Pneumonie	52	29	23	–	–	2	1	3	–	1	2	–	2
110–112	Diseases of the stomach—Affections de l'estomac	26	14	12	–	–	1	4	–	–	1	–	–	–
113	Diarrhoea and enteritis—Diarrhée et entérite	107	66	41	–	–	2	1	6	1	3	2	2	1
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	7	5	2	–	–	–	–	–	–	1	–	–	–
128	Nephritis—Néphrite	1	1	–	–	–	–	–	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	2	1	1	–	–	–	–	–	–	–	–	–	–
159	Malformations—Vices de conformation	70	38	32	7	11	13	9	4	4	1	–	1	–
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	4	2	2	–	–	2	1	–	–	–	–	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur	30	16	14	4	6	4	3	1	3	1	–	–	–
	(c) Others under this title—Autres sous ce titre	36	20	16	3	5	7	5	3	1	–	–	1	–
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	75	40	35	4	10	10	8	5	4	3	1	2	1
161a	Premature birth—Naissance prématurée	220	136	84	65	49	40	19	8	4	13	6	3	2
161b	Injury at birth—Conséquence de l'accouchement	45	28	17	10	3	13	12	4	2	–	–	–	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	59	30	29	8	9	15	12	2	2	4	3	–	2
175–203	External causes—Causes extérieures	11	9	2	2	–	–	–	–	–	–	–	1	–
	Other specified causes—Autres causes spécifiées	36	18	18	1	1	3	–	2	5	1	2	1	–
204, 205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	9	4	5	–	1	–	–	–	–	–	–	–	–

TABLEAU 20—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus), par âge et par certaines causes spécifiques, 1927—*suite*

MANITOBA

Âge au moment du décès																						No. liste int.
1 month and under 2 months — 1 mois et moins de 2		2 months and under 3 months — 2 mois et moins de 3		3 months and under 4 months — 3 mois et moins de 4		4 months and under 5 months — 4 mois et moins de 5		5 months and under 6 months — 5 mois et moins de 6		6 months and under 7 months — 6 mois et moins de 7		7 months and under 8 months — 7 mois et moins de 8		8 months and under 9 months — 8 mois et moins de 9		9 months and under 10 mos. — 9 mois et moins de 10		10 mos. and under 11 mos. — 10 mois et moins de 11		11 mos. and under 12 mos. — 11 mois et moins de 12		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
53	**42**	**47**	**29**	**30**	**26**	**36**	**11**	**32**	**11**	**25**	**15**	**17**	**14**	**17**	**10**	**14**	**13**	**15**	**7**	**13**	**16**	
–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	8
3	–	–	1	–	–	3	1	2	–	–	–	1	–	–	–	–	–	–	1	–	3	9
1	–	1	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	10
6	1	4	2	2	1	7	1	3	–	3	3	5	–	2	–	2	1	1	1	1	–	11
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
1	1	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	21
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	22
1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
–	–	–	–	–	1	–	1	–	–	–	–	–	1	–	–	2	–	–	–	–	–	31
1	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1	32
–	–	–	2	–	–	1	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–	33-37
–	3	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	41
–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–	–	56
–	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	70
1	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	1	–	–	–	71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
–	3	1	–	1	2	–	–	–	1	2	–	–	–	2	–	–	–	–	1	–	–	80
–	1	1	–	–	–	–	–	–	–	1	1	1	1	1	–	–	–	–	–	–	1	86
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	87-90
–	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	99
7	7	10	3	6	7	4	4	8	1	5	3	3	3	5	3	2	2	3	2	4	2	100
3	5	4	1	4	1	3	–	3	1	3	1	–	–	–	1	1	5	–	–	2	3	101
3	3	2	1	2	3	4	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	110–112
11	4	7	4	5	6	11	2	6	4	1	5	3	3	2	3	1	2	3	–	3	3	113
–	–	–	–	1	–	–	–	2	–	1	–	–	2	–	–	–	–	–	–	–	–	118
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	128
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	153
5	2	3	3	1	–	1	–	–	–	1	1	1	–	–	1	–	1	–	–	–	–	159
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159a
1	1	3	–	–	–	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	159b
4	1	–	2	1	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	159c
6	4	4	3	3	2	1	1	–	–	1	–	–	1	–	–	1	–	–	–	–	–	160
1	4	2	–	2	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	161a
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	611b
–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	162
–	–	2	1	–	–	–	–	–	1	3	–	–	–	–	–	–	–	1	–	–	–	175–203
2	1	–	3	–	1	–	–	2	2	–	–	1	1	1	1	2	–	2	1	–	–	
–	–	–	–	–	1	1	–	2	–	–	–	–	1	–	1	–	1	–	–	1	–	204, 205

TABLE 20—Deaths of children (exclusive of stillbirths) from certain specified causes in first year of life, by ages, 1927—*con.*

SASKATCHEWAN

Int. list No.	Causes of death — Causes de décès	Total under 1 year — Total moins de 1 an			Age at death: Under 1 day — Moins d'un jour		1 day and under 1 week — Un jour et moins d'une semaine		1 week and under 2 weeks — 1 semaine et moins de 2		2 weeks and under 3 weeks — 2 semaines et moins de 3		3 weeks and under 1 month — 3 semaines et moins de 1 mois	
		Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	All causes—Toutes causes	**1,575**	**913**	**662**	**188**	**132**	**156**	**99**	**73**	**51**	**43**	**32**	**41**	**24**
7	Measles—Rougeole	5	4	1	–	–	–	–	–	–	–	–	1	–
8	Scarlet fever—Scarlatine	1	1	–	–	–	–	–	–	–	–	–	–	–
9	Whooping-cough—Coqueluche	32	17	15	–	–	–	–	–	1	–	–	1	–
10	Diphtheria—Diphtérie	1	1	–	–	–	–	–	–	–	–	–	–	–
11	Influenza—Grippe	96	54	42	–	–	1	2	–	3	5	2	–	1
16	Dysentery—Dysenterie	–	–	–	–	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	7	4	3	–	–	–	1	1	–	1	–	–	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë	2	1	1	–	–	–	–	–	–	–	–	–	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique	6	4	2	–	–	–	–	–	–	–	–	–	–
29	Tetanus—Tétanos	–	–	–	–	–	–	–	–	–	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	3	1	2	–	–	–	–	–	–	–	–	–	–
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	7	6	1	–	–	–	–	–	1	–	–	–	–
33–37	Tuberculosis, other forms—Tuberculose, autres formes	–	–	–	–	–	–	–	–	–	–	–	–	–
38	Syphilis	3	1	2	–	–	–	–	–	1	–	–	1	–
41	Purulent infection, septicaemia—Infection purulente, septicémie	2	1	1	–	–	–	–	–	–	–	–	–	–
56	Rickets—Rachitisme	6	4	2	–	–	–	–	–	–	–	–	–	–
62	Diseases of the thymus—Affections du thymus	5	1	4	–	–	1	1	–	–	–	–	–	–
70	Encephalitis—Encéphalite	2	2	–	–	–	–	–	–	–	–	–	–	–
71a	Simple meningitis—Méningite simple	9	5	4	–	–	–	–	–	–	–	1	–	–
71b	Non-epidemic, cerebro-spinal meningitis—Méningite cérébro-spinale non épidémique	–	–	–	–	–	–	–	–	–	–	–	–	–
80	Convulsions	70	40	30	2	–	10	4	6	3	1	1	2	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	6	2	4	–	–	–	–	–	–	–	–	–	–
87–90	Diseases of the heart—Affections du cœur	–	–	–	–	–	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite	11	6	5	–	–	1	–	–	–	–	1	1	–
100	Bronchopneumonia—Broncho-pneumonie	132	69	63	1	–	1	3	6	7	1	2	4	2
101	Pneumonia—Pneumonie	80	46	34	1	–	1	3	1	1	2	–	2	2
110–112	Diseases of the stomach—Affections de l'estomac	31	18	13	1	–	3	–	2	1	1	4	–	1
113	Diarrhoea and enteritis—Diarrhée et entérite	141	73	68	–	–	3	2	1	3	2	3	3	4
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	16	11	5	–	–	1	–	1	–	–	1	1	1
128	Nephritis—Néphrite	3	1	2	–	–	–	–	–	–	1	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	3	3	–	–	–	–	–	–	–	–	–	–	–
159	Malformations—Vices de conformation	109	55	54	11	12	10	17	6	3	2	3	4	1
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	4	4	–	–	–	1	–	–	–	–	–	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur	61	27	34	10	10	5	9	–	1	2	2	2	1
	(c) Others under this title—Autres sous ce titre	44	24	20	1	2	4	8	6	2	–	1	2	–
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	187	114	73	12	14	30	13	13	12	12	3	7	3
161a	Premature birth—Naissance prématurée	363	228	135	129	82	48	20	19	11	8	5	12	5
161b	Injury at birth—Conséquence de l'accouchement	63	41	22	17	9	18	12	4	1	–	–	1	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	87	46	41	9	15	22	16	8	3	3	4	–	1
175–203	External causes—Causes extérieures	25	16	9	1	–	–	2	1	–	–	–	1	1
	Other specified causes—Autres causes spécifiées	58	35	23	4	–	5	3	4	1	3	2	–	2
204, 205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	3	2	1	–	–	1	–	–	–	–	–	–	–

TABLEAU 20—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus), par âge et par certaines causes spécifiques, 1927—*suite*

SASKATCHEWAN

Âge au moment du décès																						No. liste int.
1 month and under 2 months — 1 mois et moins de 2		2 months and under 3 months — 2 mois et moins de 3		3 months and under 4 months — 3 mois et moins de 4		4 months and under 5 months — 4 mois et moins de 5		5 months and under 6 months — 5 mois et moins de 6		6 months and under 7 months — 6 mois et moins de 7		7 months and under 8 months — 7 mois et moins de 8		8 months and under 9 months — 8 mois et moins de 9		9 months and under 10 mos. — 9 mois et moins de 10		10 mos. and under 11 mos. — 10 mois et moins de 11		11 mos. and under 12 mos. — 11 mois et moins de 12		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
96	**53**	**60**	**55**	**52**	**52**	**46**	**30**	**31**	**24**	**20**	**24**	**26**	**23**	**26**	**16**	**22**	**16**	**20**	**15**	**13**	**16**	
–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
1	1	3	1	5	2	2	–	–	2	–	2	1	3	1	–	1	–	1	2	1	1	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	10
10	5	5	3	6	4	6	4	3	4	4	5	5	4	5	3	3	2	1	–	–	–	11
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
1	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	21
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	22
1	–	1	–	–	–	–	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	31
–	–	–	–	–	–	–	1	–	–	–	–	1	–	2	–	1	–	–	–	1	–	32
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	33–37
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	41
–	–	1	–	–	–	–	–	–	–	1	–	1	1	–	–	–	1	–	–	1	–	56
–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	62
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	70
1	1	1	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	1	1	–	71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
4	1	3	6	1	4	3	1	1	2	2	3	2	1	3	2	–	–	–	1	–	1	80
–	1	–	–	–	–	1	1	–	–	–	1	–	–	–	1	1	–	–	–	–	–	86
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	87–90
1	–	–	1	–	1	–	–	–	–	–	–	2	–	–	1	–	1	–	–	1	–	99
11	7	3	4	7	12	8	5	6	3	4	4	4	4	2	4	4	3	6	1	1	2	100
11	2	7	7	7	6	2	1	5	–	1	1	–	2	1	–	1	2	3	3	1	4	101
3	1	3	1	1	2	1	1	1	1	1	–	–	1	–	–	1	–	–	–	–	–	110–112
13	5	11	11	8	8	9	8	5	9	3	4	2	2	6	–	3	4	2	3	2	2	113
1	–	–	–	2	–	–	1	1	1	1	–	1	–	1	–	1	–	–	1	–	–	118
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	128
–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	153
10	5	2	4	–	3	2	–	2	1	1	1	1	1	–	2	1	–	–	1	3	–	159
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	159a
3	4	–	2	–	2	2	–	1	–	–	1	1	–	–	2	1	–	–	–	–	–	159b
7	1	1	2	–	1	–	–	1	1	1	–	–	1	–	–	–	–	–	1	1	–	159c
14	14	13	6	7	4	3	2	1	–	–	1	–	–	–	1	2	–	–	–	–	–	160
8	7	3	1	–	2	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	161a
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161b
2	1	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	162
1	–	2	2	1	1	1	–	2	–	–	2	1	–	–	–	1	–	3	1	1	–	175–203
2	–	2	6	3	1	3	–	1	–	1	–	3	1	2	–	–	2	2	1	–	4	
–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	204, 205

TABLE 20—Deaths of children (exclusive of stillbirths) from certain specified causes in first year of life, by ages, 1927—*con.*

ALBERTA

Int. list No.	Causes of death — Causes de décès	Total under 1 year — Total moins de 1 an			Age at death: Under 1 day — Moins d'un jour		1 day and under 1 week — Un jour et moins d'une semaine		1 week and under 2 weeks — 1 semaine et moins de 2		2 weeks and under 3 weeks — 2 semaines et moins de 3		3 weeks and under 1 month — 3 semaines et moins de 1 mois	
		Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	All causes—Toutes causes	**1,110**	**616**	**494**	**150**	**105**	**105**	**84**	**38**	**29**	**28**	**20**	**27**	**16**
7	Measles—Rougeole	4	3	1	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever—Scarlatine	1	–	1	–	–	–	–	–	–	–	–	–	–
9	Whooping-cough—Coqueluche	21	10	11	–	–	–	–	–	–	–	–	–	–
10	Diphtheria—Diphtérie	2	1	1	–	–	–	–	–	–	–	–	–	–
11	Influenza—Grippe	44	21	23	–	–	–	–	–	–	1	1	–	–
16	Dysentery—Dysenterie	–	–	–	–	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	9	7	2	–	–	–	–	1	–	1	–	1	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë	7	5	2	–	–	–	–	–	–	–	1	–	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique	5	2	3	–	–	–	–	–	–	–	–	–	–
29	Tetanus—Tétanos	–	–	–	–	–	–	–	–	–	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	13	7	6	–	–	–	–	–	–	–	–	–	–
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	6	1	5	–	–	–	–	–	–	–	–	–	–
33–37	Tuberculosis, other forms—Tuberculose, autres formes	4	2	2	–	–	–	–	–	–	–	–	–	–
38	Syphilis	3	–	3	–	–	–	2	–	–	–	1	–	–
41	Purulent infection, septicaemia—Infection purulente, septicémie	–	–	–	–	–	–	–	–	–	–	–	–	–
56	Rickets—Rachitisme	4	3	1	–	–	–	–	–	–	–	–	–	–
62	Diseases of the thymus—Affections du thymus	11	10	1	1	–	2	–	–	–	–	–	–	–
70	Encephalitis—Encéphalite	–	–	–	–	–	–	–	–	–	–	–	–	–
71a	Simple meningitis—Méningite simple	5	4	1	–	–	–	–	–	–	–	–	–	–
71b	Non-epidemic, cerebrospinal meningitis—Méningite cérébro-spinale non épidémique	–	–	–	–	–	–	–	–	–	–	–	–	–
80	Convulsions	33	19	14	1	–	3	6	3	–	2	–	1	1
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	4	1	3	–	–	–	–	–	–	–	–	–	–
87–90	Diseases of the heart—Affections du cœur	–	–	–	–	–	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite	9	4	5	–	–	1	–	–	–	–	–	–	–
100	Bronchopneumonia—Broncho-pneumonie	70	36	34	–	–	–	1	3	1	–	–	3	2
101	Pneumonia-Pneumonie	60	33	27	1	–	1	2	3	–	3	1	1	1
10–112	Diseases of the stomach—Affections de l'estomac	4	3	1	–	–	–	–	1	–	–	–	–	–
113	Diarrhoea and enteritis—Diarrhée et entérite	104	58	46	1	1	1	1	–	5	3	2	4	1
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	8	6	2	–	–	–	–	–	–	–	–	–	–
128	Nephritis—Néphrite	1	1	–	–	–	–	–	–	–	–	–	1	–
153	Acute abscess—Phlegmon, abcès chaud	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Malformations—Vices de conformation	86	48	38	7	12	18	10	6	2	1	2	3	2
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	7	5	2	1	–	2	1	–	–	–	–	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur	42	22	20	5	11	11	2	2	1	–	1	1	1
	(c) Others under this title—Autres sous ce titre	37	21	16	1	1	5	7	4	1	1	1	2	1
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	70	32	38	1	4	4	9	5	6	6	–	2	3
161a	Premature birth—Naissance prématurée	309	182	127	115	69	42	32	7	7	3	6	6	4
161b	Injury at birth—Conséquence de l'accouchement	43	24	19	15	10	7	6	1	2	1	–	–	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	83	46	37	7	6	20	12	3	4	3	3	3	2
175–203	External causes—Causes extérieures	21	16	5	1	1	–	–	2	–	–	–	1	–
	Other specified causes—Autres causes spécifiées	52	24	28	–	–	6	3	3	2	3	4	1	–
204, 205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	14	7	7	–	2	–	–	–	–	1	–	–	–

TABLEAU 20—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus), par âge et par certaines causes spécifiques, 1927—*suite*

ALBERTA

Âge au moment du décès																					No. liste int.
1 month and under 2 months — 1 mois et moins de 2		2 months and under 3 months — 2 mois et moins de 3		3 months and under 4 months — 3 mois et moins de 4		4 months and under 5 months — 4 mois et moins de 5		5 months and under 6 months — 5 mois et moins de 6		6 months and under 7 months — 6 mois et moins de 7		7 months and under 8 months — 7 mois et moins de 8		8 months and under 9 months — 8 mois et moins de 9		9 months and under 10 mos. — 9 mois et moins de 10		10 mos. and under 11 mos. — 10 mois et moins de 11		11 mos. and under 12 mos. — 11 mois et moins de 12		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
59	**44**	**39**	**44**	**39**	**26**	**26**	**19**	**17**	**20**	**17**	**23**	**18**	**15**	**16**	**9**	**12**	**12**	**13**	**17**	**12**	**11**	
1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	7
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
5	–	1	2	1	1	–	1	–	1	1	1	–	1	1	–	–	1	–	3	1	–	9
–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	10
5	2	1	5	3	2	3	4	2	1	1	1	1	–	2	–	–	3	2	2	–	2	11
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
2	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	21
1	–	2	–	–	1	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	22
–	–	–	1	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
–	1	–	–	1	–	2	1	–	–	–	–	2	1	1	1	–	–	1	1	–	1	31
–	–	–	1	–	–	1	–	–	–	–	2	–	1	–	–	–	1	–	–	–	–	32
–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	1	–	33–37
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	41
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	1	–	–	–	56
–	–	–	–	2	–	–	–	2	1	1	–	1	–	1	–	–	–	–	–	–	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70
–	–	2	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
5	2	1	2	–	–	3	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	80
–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	86
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	87–90
–	–	1	1	1	2	–	–	–	1	–	–	–	–	–	–	1	–	–	1	–	–	99
5	6	5	4	5	3	2	3	–	3	4	2	2	2	2	2	2	3	2	1	1	1	100
4	7	3	3	4	3	1	–	2	1	2	3	4	1	3	2	–	1	–	2	1	–	101
2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	110–112
5	7	8	11	12	2	6	2	6	2	3	1	1	4	1	3	3	2	2	–	2	2	113
–	2	–	–	1	–	–	–	–	–	1	–	–	–	2	–	–	–	2	–	–	–	118
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	128
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	153
6	4	2	3	2	1	–	–	2	–	–	–	–	–	–	–	–	–	1	2	–	–	159
1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	159a
1	1	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	2	–	–	159b
4	3	2	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	159c
4	4	5	1	1	3	–	3	1	2	1	1	1	1	–	–	–	–	–	1	1	–	160
8	3	1	3	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	161a
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161b
4	3	2	1	3	4	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	162
1	–	4	2	2	–	1	–	–	–	–	1	1	–	–	–	1	–	–	1	2	–	175–203
1	2	1	–	1	3	–	–	1	3	1	6	2	–	–	1	1	–	1	3	2	1	
–	–	–	2	–	–	1	1	–	1	2	–	1	–	1	–	–	1	1	–	–	–	204, 205

TABLE 20—Deaths of children (exclusive of stillbirths) from certain specified causes in first year of life, by ages, 1927—*con.*

BRITISH COLUMBIA

Int. list No.	Causes of death — Causes de décès	Total under 1 year — Total moins de 1 an			Age at death									
					Under 1 day — Moins d'un jour		1 day and under 1 week — Un jour et moins d'une semaine		1 week and under 2 weeks — 1 semaine et moins de 2		2 weeks and under 3 weeks — 2 semaines et moins de 3		3 weeks and under 1 month — 3 semaines et moins de 1 mois	
		Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	All causes—Toutes causes	**606**	**345**	**261**	**72**	**62**	**63**	**50**	**20**	**12**	**18**	**12**	**16**	**9**
7	Measles—Rougeole	10	5	5	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever—Scarlatine	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping-cough—Coqueluche	26	17	9	–	–	–	–	–	–	3	–	1	1
10	Diphtheria—Diphtérie	1	1	–	–	–	–	–	–	–	–	–	–	–
11	Influenza—Grippe	24	12	12	–	–	–	–	1	–	–	1	–	1
16	Dysentery—Dysenterie	1	–	1	–	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	4	1	3	–	–	–	–	–	–	–	1	1	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë	1	1	–	–	–	–	–	–	–	–	–	–	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique	2	1	1	–	–	–	–	–	–	–	–	–	–
29	Tetanus—Tétanos	–	–	–	–	–	–	–	–	–	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	3	2	1	–	–	–	–	–	–	–	–	–	–
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	4	–	4	–	–	–	–	–	–	–	–	–	–
33–37	Tuberculosis, other forms—Tuberculose, autres formes	1	–	1	–	–	–	–	–	–	–	–	–	–
38	Syphilis	4	2	2	–	–	1	–	–	–	–	–	–	–
41	Purulent infection, septicaemia—Infection purulente, septicémie	2	2	–	–	–	–	–	–	–	1	–	–	–
56	Rickets—Rachitisme	2	1	1	–	–	–	–	–	–	–	–	–	–
62	Diseases of the thymus—Affections du thymus	8	4	4	–	1	–	–	–	–	–	–	–	1
70	Encephalitis—Encéphalite	2	1	1	–	–	–	–	1	–	–	–	–	–
71a	Simple meningitis—Méningite simple	4	1	3	–	–	–	–	–	1	–	–	–	–
71o	Non-epidemic, cerebrospinal meningitis—Méningite cérébro-spinale non épidémique	–	–	–	–	–	–	–	–	–	–	–	–	–
80	Convulsions	11	7	4	–	–	2	–	–	–	–	–	–	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	4	3	1	–	–	–	–	–	–	–	–	–	–
87–90	Diseases of the heart—Affections du cœur	–	–	–	–	–	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite	4	3	1	–	–	–	–	–	1	–	–	–	–
100	Bronchopneumonia—Broncho-pneumonie	36	20	16	–	–	–	1	–	1	–	1	2	–
101	Pneumonia—Pneumonie	36	20	16	–	–	1	–	2	–	–	2	–	1
110–112	Diseases of the stomach—Affections de l'estomac	8	6	2	–	–	1	1	–	–	1	–	–	–
113	Diarrhoea and enteritis—Diarrhée et entérite	26	19	7	–	–	–	–	–	–	–	–	2	–
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	2	1	1	–	–	–	–	–	–	–	–	–	1
128	Nephritis—Néphrite	–	–	–	–	–	–	–	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	3	2	1	–	–	–	–	1	–	–	–	–	–
159	Malformations—Vices de conformation	53	20	33	4	10	8	9	1	1	1	5	1	3
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	1	–	1	–	–	–	–	–	1	–	–	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur	29	11	18	2	5	5	8	–	–	1	3	1	1
	(c) Others under this title—Autres sous ce titre	23	9	14	2	5	3	1	1	–	–	2	–	2
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	44	25	19	5	3	3	4	1	1	2	–	3	–
161a	Premature birth—Naissance prématurée	173	100	73	50	41	25	21	7	5	6	2	4	1
161o	Injury at birth—Conséquence de l'accouchement	19	14	5	4	2	7	3	1	–	–	–	–	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	48	30	18	8	5	12	9	3	2	3	–	1	–
175–203	External causes—Causes extérieures	9	6	3	1	–	3	1	–	–	–	–	–	–
	Other specified causes—Autres causes spécifiées	24	15	9	–	–	–	1	2	–	1	–	1	–
204, 205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	7	3	4	–	–	–	–	–	–	–	–	–	–

TABLEAU 20—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus), par âge et par certaines causes spécifiques, 1927—*fin*

COLOMBIE BRITANNIQUE

Âge au moment du décès																						No. liste int.
1 month and under 2 months — 1 mois et moins de 2		2 months and under 3 months — 2 mois et moins de 3		3 months and under 4 months — 3 mois et moins de 4		4 months and under 5 months — 4 mois et moins de 5		5 months and under 6 months — 5 mois et moins de 6		6 months and under 7 months — 6 mois et moins de 7		7 months and under 8 months — 7 mois et moins de 8		8 months and under 9 months — 8 mois et moins de 9		9 months and under 10 mos. — 9 mois et moins de 10		10 mos. and under 11 mos. — 10 mois et moins de 11		11 mos. and under 12 mos. — 11 mois et moins de 12		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
17	**22**	**25**	**18**	**15**	**10**	**22**	**10**	**7**	**13**	**12**	**12**	**10**	**10**	**14**	**7**	**14**	**8**	**10**	**4**	**10**	**2**	
–	–	–	–	1	–	–	–	–	1	2	–	1	1	–	1	–	1	1	–	–	1	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
1	1	2	1	1	–	1	1	–	1	1	1	1	1	4	1	–	1	1	–	1	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	10
–	2	1	–	1	2	3	–	1	2	1	2	1	1	1	–	1	–	1	1	–	–	11
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	16
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	21
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	31
–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	32
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	33–37
–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	41
–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	56
1	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70
–	–	–	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
–	1	2	1	–	1	1	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	80
–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	86
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	87–90
1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	99
1	6	2	2	1	2	4	1	–	–	3	–	1	–	2	1	–	–	4	–	–	1	100
2	2	2	1	1	2	2	1	1	–	–	5	1	1	3	–	4	1	–	–	1	–	101
2	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	110–112
1	2	1	2	3	–	2	1	–	–	–	2	3	–	1	–	2	–	2	–	2	–	113
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	118
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	128
1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	153
–	1	3	1	1	–	1	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	159
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159a
–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159b
–	–	2	1	1	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	159c
1	4	2	3	2	1	1	1	3	–	–	–	–	1	1	–	–	1	–	–	1	–	160
4	1	2	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	161a
–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	161b
–	–	2	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162
1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	175–203
1	–	2	1	–	1	1	–	2	1	2	–	–	2	–	2	1	–	–	1	2	–	
–	–	–	–	–	1	2	–	–	1	–	–	1	1	–	1	–	–	–	–	–	–	204, 205

GENERAL MORTALITY

MORTALITÉ GÉNÉRALE

TABLE 21—Total deaths (exclusive of stillbirths) in Canada by months, 1927
TABLEAU 21—Total des décès (mort-nés exclus) dans le Canada par mois, 1927

Provinces	Total	Months—Mois											
		January — Janvier	February Février	March — Mars	April — Avril	May — Mai	June — Juin	July — Juillet	August — Août	September — Septembre	October Octobre	November — Novembre	December — Décembre
Canada[1]	**105,292**	**9,747**	**8,868**	**9,491**	**9,581**	**9,316**	**8,442**	**7,919**	**8,247**	**8,534**	**8,452**	**8,008**	**8,687**
Prince Edward Island	913	98	88	89	101	69	62	49	68	54	81	71	83
Nova Scotia	6,378	533	580	577	555	545	514	450	538	543	494	501	548
New Brunswick	4,902	421	401	425	484	443	396	334	381	403	393	379	442
Quebec	36,175	3,199	2,788	3,149	3,314	3,357	3,059	2,840	2,979	3,094	2,836	2,708	2,852
Ontario	34,775	3,168	2,931	3,165	3,206	3,067	2,827	2,631	2,592	2,724	2,868	2,689	2,907
Manitoba	5,309	500	600	533	443	421	367	385	369	438	449	381	423
Saskatchewan	6,031	624	569	576	519	501	433	420	480	476	464	462	507
Alberta	5,059	526	436	465	484	428	369	354	373	403	427	362	432
British Columbia	5,750	678	475	512	475	485	415	456	467	399	440	455	493

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction.—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

TABLE 22—Total deaths (exclusive of stillbirths) and deaths in public institutions showing the number non-resident in the province, 1927
TABLEAU 22—Total des décès (mort-nés exclus) et décès dans les institutions publiques de non-domiciliés dans la province, 1927

Provinces	All deaths — Tous les décès						In public institutions — Dans les institutions publiques					
	Total			Non-resident in province — Non domiciliés dans la province			Total			Non-resident in province — Non domiciliés dans la province		
	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total
Canada[1]	**56,265**	**49,027**	**105,292**	.....	.....	.....	**15,264**	**11,686**	**26,950**	.....	.....	.....
Prince Edward Island	451	462	913	–	1	1	47	44	91	–	–	–
Nova Scotia	3,300	3,078	6,378	49	22	71	692	514	1,206	28	8	36
New Brunswick	2,537	2,365	4,902	54	40	94	489	401	890	37	26	63
Quebec	18,827	17,348	36,175	113	51	164	3,333	3,029	6,362	53	29	82
Ontario	18,305	16,470	34,775	215	120	335	5,700	4,494	10,194	136	79	215
Manitoba	2,968	2,341	5,309	77	51	128	1,147	829	1,976	60	45	105
Saskatchewan	3,395	2,636	6,031	59	25	84	1,016	750	1,766	22	13	35
Alberta	2,932	2,127	5,059	60	35	95	1,194	773	1,967	34	21	55
British Columbia	3,550	2,200	5,750	81	33	114	1,646	852	2,498	60	19	79

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction.—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

TABLE 23—Total deaths (exclusive of stillbirths) and deaths in public institutions, classified according to residence of decedents in cities and towns of 5,000 population and over, 1927

No.	Provinces, cities and towns — Provinces, cités et villes	All deaths—Tous les décès												Deaths in Décès dans		
		Total			Residents — Domiciliés			Non-resident in city or town where death occurred — Non domiciliés dans la cité ou ville du décès						Total		
								Resident in province — Domiciliés dans la province			Non-resident in province — Non domiciliés dans la province					
		M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total
	Prince Edward Island—															
	City—Cité—															
1	Charlottetown	92	110	202	88	107	195	4	3	7	–	–	–	55	67	122
	Nova Scotia—															
	Cities—Cités—															
2	Glace Bay	177	167	344	158	149	307	19	18	37	–	–	–	56	50	106
3	Halifax	468	408	876	365	347	712	85	58	143	18	3	21	225	173	398
4	Sydney	135	137	272	125	124	249	9	13	22	1	–	1	50	29	79
	Towns—Villes—															
5	Amherst	58	51	109	46	42	88	7	7	14	5	2	7	14	8	22
6	Dartmouth	49	44	93	39	35	74	10	9	19	–	–	–	1	2	3
7	New Glasgow	58	57	115	32	41	73	25	16	41	1	–	1	32	19	51
8	New Waterford	49	47	96	48	41	89	1	6	7	–	–	–	16	11	27
9	North Sydney	53	59	112	40	56	96	7	3	10	6	–	6	10	5	15
10	Springhill	32	46	78	27	44	71	5	2	7	–	–	–	17	17	34
11	Stellarton	39	26	65	37	24	61	2	2	4	–	–	–	5	6	11
12	Sydney Mines	53	50	103	46	45	91	7	5	12	–	–	–	17	12	29
13	Truro	68	48	116	53	38	91	14	10	24	1	–	1	24	17	41
14	Yarmouth	64	59	123	42	38	80	18	19	37	4	2	6	25	20	45
	New Brunswick—															
	Cities—Cités—															
15	Fredericton	65	82	147	51	62	113	13	19	32	1	1	2	21	33	54
16	Moncton	135	108	243	103	87	190	30	19	49	2	2	4	60	38	98
17	St. John	337	334	671	296	305	601	32	27	59	9	2	11	137	115	252
	Town—Ville—															
18	Campbellton	63	56	119	35	31	66	16	14	30	12	11	23	26	25	51
	Québec—															
	Cities—Cités—															
19	Cap de la Madeleine	76	84	160	76	84	160	–	–	–	–	–	–	–	–	–
20	Granby	61	48	109	60	47	107	1	–	1	–	1	1	–	–	–
21	Grand'Mère	42	32	74	40	32	72	2	–	2	–	–	–	1	–	1
22	Hull	209	173	382	202	167	369	7	5	12	–	1	1	13	8	21
23	Joliette	92	73	165	84	70	154	8	3	11	–	–	–	13	5	18
24	Lachine	91	114	205	80	104	184	10	10	20	1	–	1	14	23	37
25	Lévis	92	109	201	66	76	142	26	33	59	–	–	–	34	43	77
26	Montreal	5,751	5,283	11,034	5,372	5,017	10,389	312	238	550	67	28	95	2,062	1,794	3,856
27	Outremont	31	43	74	30	41	71	1	2	3	–	–	–	–	–	–
28	Quebec	1,067	1,024	2,091	988	955	1,943	71	67	138	8	2	10	413	404	817
29	Rivière du Loup	68	59	127	55	45	100	13	14	27	–	–	–	23	16	39
30	St. Hyacinthe	118	142	260	99	127	226	19	15	34	–	–	–	35	26	61
31	St. Jean	59	60	119	53	54	107	6	6	12	–	–	–	11	8	19
32	Shawinigan Falls	113	72	185	111	70	181	1	2	3	1	–	1	5	2	7
33	Sherbrooke	208	203	411	162	157	319	45	44	89	1	2	3	93	86	179
34	Sorel	87	77	164	84	77	161	3	–	3	–	–	–	5	9	14
35	Thetford Mines	72	64	136	72	61	133	–	3	3	–	–	–	4	4	8
36	Trois Rivières	268	271	539	246	253	499	21	18	39	1	–	1	48	54	102
37	Valleyfield	105	109	214	99	106	205	6	3	9	–	–	–	12	22	34
38	Verdun	187	174	361	170	167	337	17	7	24	–	–	–	28	23	51
39	Westmount	25	46	71	23	42	65	2	4	6	–	–	–	–	–	–
	Towns—Villes—															
40	Chicoutimi	134	148	282	118	134	252	15	14	29	1	–	1	16	19	35
41	La Tuque	46	35	81	45	31	76	1	4	5	–	–	–	2	2	4
42	Magog	44	41	85	44	41	85	–	–	–	–	–	–	1	1	2
43	St. Jérôme	63	71	134	62	70	132	1	1	2	–	–	–	–	–	–
	Ontario—															
	Cities—Cités—															
44	Belleville	106	121	227	76	89	165	29	29	58	1	3	4	53	53	106
45	Brantford	183	164	347	149	143	292	32	20	52	2	1	3	102	74	176
46	Chatham	159	155	314	114	112	226	42	40	82	3	3	6	90	83	173
47	Fort William	112	67	179	100	61	161	10	5	15	2	1	3	56	36	92
48	Galt	91	89	180	74	79	153	16	8	24	1	2	3	46	31	77
49	Guelph	114	110	224	92	83	175	20	26	46	2	1	3	54	51	105

NOTE.—The classification of cities and towns in Manitoba, Saskatchewan and Alberta is according to the Census of 1926 and in the remaining provinces according to the Census of 1921—La classification des cités et villes dans le Manitoba, la Saskatchewan et l'Alberta est selon le recensement de 1926 et dans toutes les autres provinces selon le recensement de 1921.

TABLEAU 23—Total des décès (mort-nés exclus) et décès dans les institutions publiques, classifiés selon le domicile des défunts, dans les cités et villes de 5,000 âmes et plus, 1927

public institutions — les institutions publiques									Deaths elsewhere than in public institutions — Décès ailleurs que dans les institutions publiques										No.
Residents — Domiciliés			Non-resident in city or town where death occurred — Non domiciliés dans la cité ou ville du décès						Total			Residents — Domiciliés			Non-resident in city or town where death occurred — Non domiciliés dans la cité ou ville du décès						
			Resident in province — Domiciliés dans la province			Non-resident in province — Non domiciliés dans la province									Resident in province — Domiciliés dans la province			Non-resident in province — Non domiciliés dans la province			
M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	
55	66	121	–	1	1	–	–	–	37	43	80	33	41	74	4	2	6	–	–	–	1
43	36	79	13	14	27	–	–	–	121	117	238	115	113	228	6	4	10	–	–	–	2
138	120	258	74	50	124	13	3	16	243	235	478	227	227	454	11	8	19	5	–	5	3
47	21	68	7	8	15	–	–	–	85	108	193	82	103	185	2	5	7	1	–	1	4
3	2	5	6	4	10	5	2	7	44	43	87	43	40	83	1	3	4	–	–	–	5
1	–	1	–	2	2	–	–	–	48	42	90	38	35	73	10	7	17	–	–	–	6
10	7	17	21	12	33	1	–	1	26	38	64	22	34	56	4	4	8	–	–	–	7
15	7	22	1	4	5	–	–	–	33	36	69	33	34	67	–	2	2	–	–	–	8
1	3	4	5	2	7	4	–	4	43	54	97	39	53	92	2	1	3	2	–	2	9
12	15	27	5	2	7	–	–	–	15	29	44	15	29	44	–	–	–	–	–	–	10
5	5	10	–	1	1	–	–	–	34	20	54	32	19	51	2	1	3	–	–	–	11
10	7	17	7	5	12	–	–	–	36	38	74	–	38	38	–	–	–	–	–	–	12
13	10	23	10	7	17	1	–	1	44	31	75	46	28	68	4	3	7	–	–	–	13
11	8	19	12	10	22	2	2	4	39	39	78	31	30	61	6	9	15	2	–	2	14
10	16	26	10	16	26	1	1	2	44	49	93	41	46	87	3	3	6	–	–	–	15
32	19	51	26	18	44	2	1	3	75	70	145	71	68	139	4	1	5	–	1	1	16
101	93	194	29	20	49	7	2	9	200	219	419	195	212	407	3	7	10	2	–	2	17
8	10	18	12	8	20	6	7	13	37	31	68	27	21	48	4	6	10	6	4	10	18
–	–	–	–	–	–	–	–	–	76	84	160	76	84	160	–	–	–	–	–	–	19
–	–	–	–	–	–	–	–	–	61	48	109	60	47	107	1	–	1	–	1	1	20
–	–	–	1	–	1	–	–	–	41	32	73	40	32	72	1	–	1	–	–	–	21
9	5	14	4	3	7	–	–	–	196	165	361	193	162	355	3	2	5	–	1	1	22
8	2	10	5	3	8	–	–	–	79	68	147	76	68	144	3	–	3	–	–	–	23
6	13	19	7	10	17	1	–	1	77	91	168	74	91	165	3	–	3	–	–	–	24
10	15	25	24	28	52	–	–	–	58	66	124	56	61	117	2	5	7	–	–	–	25
1,762	1,566	3,328	261	207	468	39	21	60	3,689	3,489	7,178	3,610	3,451	7,061	51	31	82	28	7	35	26
–	–	–	–	–	–	–	–	–	31	43	74	30	41	71	1	2	3	–	–	–	27
345	341	686	63	61	124	5	2	7	654	620	1,274	643	614	1,257	8	6	14	3	–	3	28
10	4	14	13	12	25	–	–	–	45	43	88	45	41	86	–	2	2	–	–	–	29
19	15	34	16	11	27	–	–	–	83	116	199	80	112	192	3	4	7	–	–	–	30
7	4	11	4	4	8	–	–	–	48	52	100	46	50	96	2	2	4	–	–	–	31
5	1	6	–	1	1	–	–	–	108	70	178	106	69	175	1	1	2	1	–	1	32
54	47	101	39	37	76	–	2	2	115	117	232	108	110	218	6	7	13	1	–	1	33
3	9	12	2	–	2	–	–	–	82	68	150	81	68	149	1	–	1	–	–	–	34
4	3	7	–	1	1	–	–	–	68	60	128	68	58	126	–	2	2	–	–	–	35
31	38	69	17	16	33	–	–	–	220	217	437	215	215	430	4	2	6	1	–	1	36
9	21	30	3	1	4	–	–	–	93	87	180	90	85	175	3	2	5	–	–	–	37
17	17	34	11	6	17	–	–	–	159	151	310	153	150	303	6	1	7	–	–	–	38
–	–	–	–	–	–	–	–	–	25	46	71	23	42	65	2	4	6	–	–	–	39
4	7	11	11	12	23	1	–	1	118	129	247	114	127	241	4	2	6	–	–	–	40
2	–	2	–	2	2	–	–	–	44	33	77	43	31	74	1	2	3	–	–	–	41
1	1	2	–	–	–	–	–	–	43	40	83	43	40	83	–	–	–	–	–	–	42
–	–	–	–	–	–	–	–	–	63	71	134	62	70	132	1	1	2	–	–	–	43
25	25	50	28	26	54	–	2	2	53	68	121	51	64	115	1	3	4	1	1	2	44
73	54	127	28	19	47	1	1	2	81	90	171	76	89	165	4	1	5	1	–	1	45
49	42	91	39	38	77	2	3	5	69	72	141	65	70	135	3	2	5	1	–	1	46
46	30	76	8	5	13	2	1	3	56	31	87	54	31	85	2	–	2	–	–	–	47
31	23	54	14	7	21	1	1	2	45	58	103	43	56	99	2	1	3	–	1	1	48
34	28	62	18	22	40	2	1	3	60	59	119	58	55	113	2	4	6	–	–	–	49

TABLE 23—Total deaths (exclusive of stillbirths) and deaths in public institutions, classified according to residence of decedents in cities and towns of 5,000 population and over, 1927—*con.*

No.	Provinces, cities and towns — Provinces, cités et villes	All deaths—Tous les décès												Deaths in Décès dans		
		Total			Residents — Domiciliés			Non-resident in city or town where death occurred — Non domiciliés dans la cité ou ville du décès						Total		
								Resident in province — Domiciliés dans la province			Non-resident in province — Non domiciliés dans la province					
		M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total
	Ontario—con.—fin															
	Cities—con.—*Cités*—fin															
1	Hamilton	695	658	1,353	626	601	1,227	64	51	115	5	6	11	355	292	647
2	Kingston	211	217	428	155	152	307	55	64	119	1	1	2	131	129	260
3	Kitchener	148	148	296	129	125	254	16	22	38	3	1	4	73	56	129
4	London	524	534	1,058	403	448	851	115	82	197	6	4	10	305	264	569
5	Niagara Falls	98	90	188	84	83	167	11	3	14	3	4	7	39	30	69
6	North Bay	78	55	133	64	46	110	13	9	22	1	–	1	32	17	49
7	Oshawa	132	106	238	117	98	215	12	8	20	3	–	3	52	29	81
8	Ottawa	752	784	1,536	628	686	1,314	86	69	155	38	29	67	417	367	784
9	Owen Sound	85	62	147	67	60	127	18	1	19	–	1	1	27	10	37
10	Peterborough	150	157	307	117	129	246	33	27	60	–	1	1	76	81	157
11	Port Arthur	117	104	221	96	84	180	19	20	39	2	–	2	77	66	143
12	St. Catharines	148	124	272	118	112	230	28	11	39	2	1	3	82	45	127
13	St. Thomas	111	111	222	96	100	196	13	11	24	2	–	2	51	39	90
14	Sarnia	112	103	215	98	87	185	12	14	26	2	2	4	41	28	69
15	Sault Ste. Marie	116	87	203	99	78	177	14	9	23	3	–	3	44	29	73
16	Stratford	104	90	194	89	82	171	14	7	21	1	1	2	48	26	74
17	Toronto	3,207	3,056	6,263	2,929	2,818	5,747	254	226	480	24	12	36	1,607	1,307	2,914
18	Welland	104	63	167	88	49	137	14	14	28	2	–	2	51	27	78
19	Windsor	373	332	705	289	272	561	75	58	133	9	2	11	214	164	378
20	Woodstock	89	78	167	74	65	139	14	12	26	1	1	2	43	36	79
	Towns—*Villes*—															
21	Barrie	69	48	117	52	42	94	16	6	22	1	–	1	26	14	40
22	Brockville	75	74	149	48	62	110	24	10	34	3	2	5	49	44	93
23	Cobourg	41	57	98	32	53	85	8	3	11	1	1	2	24	34	58
24	Collingwood	56	37	93	45	33	78	11	4	15	–	–	–	22	13	35
25	Cornwall	124	112	236	87	86	173	30	25	55	7	1	8	71	54	125
26	Eastview	23	20	43	23	20	43	–	–	–	–	–	–	–	–	–
27	Ford City	35	38	73	34	36	70	1	1	2	–	1	1	1	–	1
28	Hawkesbury	51	31	82	44	25	69	4	4	8	3	2	5	8	6	14
29	Ingersoll	37	37	74	35	34	69	2	3	5	–	–	–	5	7	12
30	Kenora	44	25	69	33	19	52	7	5	12	4	1	5	18	13	31
31	Lindsay	54	54	108	39	47	86	15	6	21	–	1	1	19	14	33
32	Midland	65	32	97	55	29	84	10	3	13	–	–	–	26	11	37
33	Orillia	70	71	141	53	58	111	14	12	26	3	1	4	40	33	73
34	Pembroke	88	87	175	58	59	117	20	20	40	10	8	18	56	49	105
35	Preston	20	29	49	18	25	43	2	4	6	–	–	–	1	1	2
36	Smith's Falls	55	48	103	42	41	83	12	7	19	1	–	1	34	27	61
37	Sudbury	106	61	167	80	42	122	26	19	45	–	–	–	46	32	78
38	Trenton	32	32	64	32	32	64	–	–	–	–	–	–	–	–	–
39	Walkerville	25	23	48	24	23	47	1	–	1	–	–	–	–	–	–
40	Waterloo	25	32	57	24	31	55	1	1	2	–	–	–	1	–	1
	Manitoba—															
	Cities—*Cités*—															
41	Brandon	137	93	230	86	64	150	37	18	55	14	11	25	106	58	164
42	Portage la Prairie	81	54	135	50	36	86	31	18	49	–	–	–	60	34	94
43	St. Boniface	306	189	495	96	74	170	201	106	307	9	9	18	265	155	420
44	Winnipeg	912	744	1,656	732	617	1,349	142	100	242	38	27	65	531	413	944
	Town—*Ville*—															
45	Transcona	18	9	27	18	9	27	–	–	–	–	–	–	–	–	–
	Saskatchewan—															
	Cities—*Cités*—															
46	Moose Jaw	133	95	228	91	63	154	36	30	66	6	2	8	87	53	140
47	Prince Albert	77	65	142	39	40	79	38	25	63	–	–	–	58	45	103
48	Regina	214	188	402	114	124	238	94	62	156	6	2	8	134	133	267
49	Saskatoon	283	213	496	149	117	266	132	94	226	2	2	4	211	154	365
	Alberta—															
	Cities—*Cités*—															
50	Calgary	345	270	615	255	220	475	83	47	130	7	3	10	218	154	372
51	Edmonton	463	326	789	265	219	484	186	101	287	12	6	18	338	223	561
52	Lethbridge	89	51	140	51	39	90	32	10	42	6	2	8	60	24	84
53	Medicine Hat	70	34	104	40	20	60	23	12	35	7	2	9	43	21	64
	British Columbia—															
	Cities—*Cités*—															
54	Nanaimo	38	37	75	34	34	68	4	3	7	–	–	–	6	7	13
55	Nelson	58	33	91	36	22	58	21	11	32	1	–	1	39	14	53
56	New Westminster	139	109	248	79	69	148	57	39	96	3	1	4	90	77	167
57	North Vancouver	41	36	77	27	30	57	14	6	20	–	–	–	22	15	37
58	Prince Rupert	45	15	60	29	9	38	15	6	21	1	–	1	35	9	44
59	Vancouver	1,088	666	1,754	887	566	1,453	161	80	241	40	20	60	657	362	1,019
60	Victoria	283	199	482	193	162	355	76	35	111	14	2	16	186	130	316

TABLEAU 23—Total des décès (mort-nés exclus) et décès dans les institutions publiques, classifiés selon le domicile des défunts, dans les cités et villes de 5,000 âmes et plus, 1927—*fin*

public institutions — les institutions publiques									Deaths elsewhere than in public institutions — Décès ailleurs que dans les institutions publiques													No.
Residents — Domiciliés			Non-resident in city or town where death occurred — Non domiciliés dans la cité ou ville du décès						Total			Residents — Domiciliés			Non-resident in city or town where death occurred — Non domiciliés dans la cité ou ville du décès							
			Resident in province — Domiciliés dans la province			Non-resident in province — Non domiciliés dans la province									Resident in province — Domiciliés dans la province			Non-resident in province — Non domiciliés dans la province				
M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total		
294	238	532	59	49	108	2	5	7	340	366	706	332	363	695	5	2	7	3	1	4		1
77	68	145	53	60	113	1	1	2	80	88	168	78	84	162	2	4	6	–	–	–		2
57	38	95	13	17	30	3	1	4	75	92	167	72	87	159	3	5	8	–	–	–		3
192	188	380	109	74	183	4	2	6	219	270	489	211	260	471	6	8	14	2	2	4		4
28	27	55	10	2	12	1	1	2	59	60	119	56	56	112	1	1	2	2	3	5		5
19	11	30	12	6	18	1	–	1	46	38	84	45	35	80	1	3	4	–	–	–		6
40	23	63	11	6	17	1	–	1	80	77	157	77	75	152	1	2	3	2	–	2		7
299	277	576	82	64	146	36	26	62	335	417	752	329	409	738	4	5	9	2	3	5		8
11	9	20	16	1	17	–	–	–	58	52	110	56	51	107	2	–	2	–	1	1		9
47	57	104	29	23	52	–	1	1	74	76	150	70	72	142	4	4	8	–	–	–		10
58	46	104	18	20	38	1	–	1	40	38	78	38	38	76	1	–	1	1	–	1		11
54	34	88	27	11	38	1	–	1	66	79	145	64	78	142	1	–	1	1	1	2		12
36	30	66	13	9	22	2	–	2	60	72	132	60	70	130	–	2	2	–	–	–		13
28	13	41	11	13	24	2	2	4	71	75	146	70	74	144	1	1	2	–	–	–		14
28	22	50	13	7	20	3	–	3	72	58	130	71	56	127	1	2	3	–	–	–		15
36	18	54	12	7	19	–	1	1	56	64	120	53	64	117	2	–	2	1	–	1		16
1,359	1,088	2,447	233	213	446	15	6	21	1,600	1,749	3,349	1,570	1,730	3,300	21	13	34	9	6	15		17
35	13	48	14	14	28	2	–	2	53	36	89	53	36	89	–	–	–	–	–	–		18
140	108	248	66	54	120	8	2	10	159	168	327	149	164	313	9	4	13	1	–	1		19
28	24	52	14	11	25	1	1	2	46	42	88	46	41	87	–	1	1	–	–	–		20
12	8	20	14	6	20	–	–	–	43	34	77	40	34	74	2	–	2	1	–	1		21
23	33	56	23	10	33	3	1	4	26	30	56	25	29	54	1	–	1	–	1	1		22
16	31	47	7	3	10	1	–	1	17	23	40	16	22	38	1	–	1	–	1	1		23
11	10	21	11	3	14	–	–	–	34	24	58	34	23	57	–	1	1	–	–	–		24
36	28	64	29	25	54	6	1	7	53	58	111	51	58	109	1	–	1	1	–	1		25
–	–	–	–	–	–	–	–	–	23	20	43	23	20	43	–	–	–	–	–	–		26
1	–	1	–	–	–	–	–	–	34	38	72	33	36	69	1	1	2	–	1	1		27
2	–	2	3	4	7	3	2	5	43	25	68	42	25	67	1	–	1	–	–	–		28
4	4	8	1	3	4	–	–	–	32	30	62	31	30	61	1	–	1	–	–	–		29
14	9	23	4	3	7	–	1	1	26	12	38	19	10	29	3	2	5	4	–	4		30
6	7	13	13	6	19	–	1	1	35	40	75	33	40	73	2	–	2	–	–	–		31
19	8	27	7	3	10	–	–	–	39	21	60	36	21	57	3	–	3	–	–	–		32
23	21	44	14	12	26	3	–	3	30	38	68	30	37	67	–	–	–	–	1	1		33
27	23	50	19	18	37	10	8	18	32	38	70	31	36	67	1	2	3	–	–	–		34
1	–	1	–	1	1	–	–	–	19	28	47	17	25	42	2	3	5	–	–	–		35
22	21	43	12	6	18	–	–	–	21	21	42	20	20	40	–	1	1	1	–	1		36
21	14	35	25	18	43	–	–	–	60	29	89	59	28	87	1	1	2	–	–	–		37
–	–	–	–	–	–	–	–	–	32	32	64	32	32	64	–	–	–	–	–	–		38
–	–	–	–	–	–	–	–	–	25	23	48	24	23	47	1	–	1	–	–	–		39
1	–	1	–	–	–	–	–	–	24	32	56	23	31	54	1	1	2	–	–	–		40
56	30	86	37	17	54	13	11	24	31	35	66	30	34	64	–	1	1	1	–	1		41
32	18	50	28	16	44	–	–	–	21	20	41	18	18	36	3	2	5	–	–	–		42
61	45	106	196	102	298	8	8	16	41	34	75	35	29	64	5	4	9	1	1	2		43
367	289	656	131	99	230	33	25	58	381	331	712	365	328	693	11	1	12	5	2	7		44
–	–	–	–	–	–	–	–	–	18	9	27	18	9	27	–	–	–	–	–	–		45
49	21	70	34	30	64	4	2	6	46	42	88	42	42	84	2	–	2	2	–	2		46
20	20	40	38	25	63	–	–	–	19	20	39	19	20	39	–	–	–	–	–	–		47
42	72	114	87	59	146	5	2	7	80	55	135	72	52	124	7	3	10	1	–	1		48
85	62	147	125	90	215	1	2	3	72	59	131	64	55	119	7	4	11	1	–	1		49
141	109	250	71	42	113	6	3	9	127	116	243	114	111	225	12	5	17	1	–	1		50
153	123	276	175	96	271	10	4	14	125	103	228	112	96	208	11	5	16	2	2	4		51
28	13	41	27	9	36	5	2	7	29	27	56	23	26	49	5	1	6	1	–	1		52
16	9	25	20	11	31	7	1	8	27	13	40	24	11	35	3	2	5	–	1	1		53
4	6	10	2	1	3	–	–	–	32	30	62	30	28	58	2	2	4	–	–	–		54
19	5	24	19	9	28	1	–	1	19	19	38	17	17	34	2	2	4	–	–	–		55
38	39	77	49	37	86	3	1	4	49	32	81	41	30	71	8	2	10	–	–	–		56
11	11	22	11	4	15	–	–	–	19	21	40	16	19	35	3	2	5	–	–	–		57
22	5	27	13	4	17	–	–	–	10	6	16	7	4	11	2	2	4	1	–	1		58
482	278	760	145	73	218	30	11	41	431	304	735	405	288	693	16	7	23	10	9	19		59
104	96	200	69	32	101	13	2	15	97	69	166	89	66	155	7	3	10	1	–	1		60

TABLE 24—Deaths (exclusive of stillbirths) by single years of age and by age groups, 1927

	Ages — Âges	Canada (1)			P.E. Island			Nova Scotia			New Brunswick		
		Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.
1	**All ages—Tous âges**	**105,292**	**56,265**	**49,027**	**913**	**451**	**462**	**6,378**	**3,300**	**3,078**	**4,902**	**2,537**	**2,365**
2	**Under 1 year (2)—Moins de 1 an (2)**	**22,010**	**12,548**	**9,462**	**113**	**70**	**43**	**1,028**	**579**	**449**	**1,006**	**542**	**464**
3	1 year—1 an	3,401	1,863	1,538	15	6	9	189	108	81	186	103	83
4	2 years—2 ans	1,517	775	742	8	4	4	63	33	30	76	37	39
5	3 " 3 "	1,101	572	529	8	6	2	53	28	25	50	18	32
6	4 " 4 "	841	443	398	1	1	–	27	13	14	33	17	16
7	**Total under 5 years—Moins de 5 ans**	**28,870**	**16,201**	**12,669**	**145**	**87**	**58**	**1,360**	**761**	**599**	**1,351**	**717**	**634**
8	5 years—5 ans	750	390	360	4	1	3	36	20	16	27	12	15
9	6 " 6 "	599	329	270	3	2	1	28	14	14	21	12	9
10	7 " 7 "	551	287	264	3	1	2	27	16	11	16	9	7
11	8 " 8 "	441	238	203	3	1	2	12	4	8	19	10	9
12	9 " 9 "	425	232	193	4	1	3	10	7	3	17	7	10
13	**Total 5-9 years—ans**	**2,766**	**1,476**	**1,290**	**17**	**6**	**11**	**113**	**61**	**52**	**100**	**50**	**50**
14	10 years—10 ans	435	241	194	3	–	3	20	12	8	25	14	11
15	11 " 11 "	443	248	195	2	1	1	20	10	10	20	9	11
16	12 " 12 "	399	205	194	1	–	1	13	7	6	10	3	7
17	13 " 13 "	422	195	227	2	1	1	21	9	12	21	11	10
18	14 " 14 "	438	230	208	7	4	3	30	21	9	23	8	15
19	**Total 10-14 years—ans**	**2,137**	**1,119**	**1,018**	**15**	**6**	**9**	**104**	**59**	**45**	**99**	**45**	**54**
20	15 years—15 ans	416	207	209	1	1	–	16	9	7	17	9	8
21	16 " 16 "	556	288	268	5	2	3	28	13	15	26	13	13
22	17 " 17 "	535	255	280	5	3	2	42	19	23	32	13	19
23	18 " 18 "	526	250	276	3	2	1	34	17	17	24	14	10
24	19 " 19 "	638	306	332	4	2	2	38	19	19	38	18	20
25	**Total 15-19 years—ans**	**2,671**	**1,306**	**1,365**	**18**	**10**	**8**	**158**	**77**	**81**	**137**	**67**	**70**
26	20 years—20 ans	624	317	307	7	5	2	36	13	23	20	10	10
27	21 " 21 "	600	297	303	2	–	2	44	23	21	31	16	15
28	22 " 22 "	598	276	322	1	–	1	45	25	20	24	10	14
29	23 " 23 "	620	284	336	3	3	–	44	16	28	35	12	23
30	24 " 24 "	600	268	332	4	2	2	43	19	24	23	10	13
31	**Total 20-24 years—ans**	**3,042**	**1,442**	**1,600**	**17**	**10**	**7**	**212**	**96**	**116**	**133**	**58**	**75**
32	25 years—25 ans	566	288	278	4	2	2	39	17	22	32	15	17
33	26 " 26 "	629	274	355	3	–	3	48	23	25	39	13	26
34	27 " 27 "	600	305	295	4	2	2	34	17	17	27	18	9
35	28 " 28 "	595	283	312	5	1	4	37	20	17	27	12	15
36	29 " 29 "	501	248	253	1	–	1	27	17	10	19	11	8
37	**Total 25-29 years—ans**	**2,891**	**1,398**	**1,493**	**17**	**5**	**12**	**185**	**94**	**91**	**144**	**69**	**75**
38	30 years—30 ans	557	258	299	7	3	4	46	21	25	21	7	14
39	31 " 31 "	510	254	256	4	2	2	35	21	14	19	7	12
40	32 " 32 "	565	268	297	–	–	–	35	20	15	21	11	10
41	33 " 33 "	544	265	279	4	2	2	34	16	18	25	14	11
42	34 " 34 "	559	247	312	4	1	3	32	12	20	25	9	16
43	**Total 30-34 years—ans**	**2,735**	**1,292**	**1,443**	**19**	**8**	**11**	**182**	**90**	**92**	**111**	**48**	**63**
44	35 years—35 ans	628	313	315	3	2	1	24	9	15	26	12	14
45	36 " 36 "	597	284	313	3	1	2	34	12	22	15	8	7
46	37 " 37 "	656	313	343	6	3	3	30	15	15	20	9	11
47	38 " 38 "	726	333	393	5	2	3	39	16	23	26	11	15
48	39 " 39 "	659	339	320	–	–	–	30	15	15	22	8	14
49	**Total 35-39 years—ans**	**3,266**	**1,582**	**1,684**	**17**	**8**	**9**	**157**	**67**	**90**	**109**	**48**	**61**
50	40 years—40 ans	768	414	354	5	–	5	36	17	19	28	15	13
51	41 " 41 "	606	311	295	4	4	–	24	11	13	18	10	8
52	42 " 42 "	752	395	357	4	2	2	38	22	16	28	14	14
53	43 " 43 "	658	333	325	3	1	2	39	17	22	15	8	7
54	44 " 44 "	645	342	303	2	–	2	29	22	7	26	14	12
55	**Total 40-44 years—ans**	**3,429**	**1,795**	**1,634**	**18**	**7**	**11**	**166**	**89**	**77**	**115**	**61**	**54**
56	45 years—45 ans	813	445	368	7	6	1	50	29	21	24	6	18
57	46 " 46 "	723	381	342	3	3	–	41	22	19	30	16	14
58	47 " 47 "	756	412	344	7	3	4	24	16	8	33	12	21
59	48 " 48 "	823	465	358	4	2	2	42	24	18	35	21	14
60	49 " 49 "	799	408	391	4	2	2	37	16	21	28	16	12
61	**Total 45-49 years—ans**	**3,914**	**2,111**	**1,803**	**25**	**16**	**9**	**194**	**107**	**87**	**150**	**71**	**79**
62	50 years—50 ans	855	507	348	12	2	10	44	31	13	24	14	10
63	51 " 51 "	675	365	310	3	1	2	44	35	9	15	8	7
64	52 " 52 "	944	519	425	2	–	2	54	23	31	34	16	18
65	53 " 53 "	914	513	401	5	2	3	52	26	26	32	15	17
66	54 " 54 "	855	475	380	3	2	1	59	40	19	44	22	22
67	**Total 50-54 years—ans**	**4,243**	**2,379**	**1,864**	**25**	**7**	**18**	**253**	**155**	**98**	**149**	**75**	**74**

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

(2) For age periods under 1 year see Table 16, page 86—Pour moins d'un an voir tableau 16, page 86.

TABLEAU 24—Décès (mort-nés exclus) par âges individuels et par groupes d'âges, 1927

Quebec			Ontario			Manitoba			Saskatchewan			Alberta			British Columbia			
Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	
36,175	**18,827**	**17,348**	**34,775**	**18,305**	**16,470**	**5,309**	**2,968**	**2,341**	**6,031**	**3,395**	**2,636**	**5,059**	**2,932**	**2,127**	**5,750**	**3,550**	**2,200**	1
10,739	**6,149**	**4,590**	**4,812**	**2,733**	**2,079**	**1,021**	**601**	**420**	**1,575**	**913**	**662**	**1,110**	**616**	**494**	**606**	**345**	**261**	2
1,802	985	817	610	332	278	140	73	67	191	107	84	139	79	60	129	70	59	3
759	391	368	280	139	141	79	40	39	96	52	44	65	27	38	91	52	39	4
511	273	238	227	113	114	53	29	24	71	40	31	69	36	33	59	29	30	5
378	196	182	198	104	94	38	22	16	62	33	29	59	35	24	45	22	23	6
14,189	**7,994**	**6,195**	**6,127**	**3,421**	**2,706**	**1,331**	**765**	**566**	**1,995**	**1,145**	**850**	**1,442**	**793**	**649**	**930**	**518**	**412**	7
365	187	178	152	84	68	41	21	20	50	30	20	40	20	20	35	15	20	8
263	129	134	136	85	51	36	25	11	42	24	18	37	22	15	33	16	17	9
209	98	111	147	85	62	28	21	7	49	24	25	41	18	23	31	15	16	10
181	89	92	117	72	45	21	13	8	29	17	12	45	25	20	14	7	7	11
175	92	83	104	63	41	25	14	11	45	20	25	22	12	10	23	16	7	12
1,193	**595**	**598**	**656**	**389**	**267**	**151**	**94**	**57**	**215**	**115**	**100**	**185**	**97**	**88**	**136**	**69**	**67**	13
162	94	68	106	58	48	21	11	10	37	19	18	33	17	16	28	16	12	14
156	86	70	112	67	45	37	18	19	39	21	18	24	19	5	33	17	16	15
162	83	79	102	53	49	20	12	8	37	21	16	33	18	15	21	8	13	16
144	61	83	112	61	51	33	15	18	34	12	22	22	8	14	33	17	16	17
163	74	89	99	59	40	32	18	14	25	14	11	23	13	10	36	19	17	18
787	**398**	**389**	**531**	**298**	**233**	**143**	**74**	**69**	**172**	**87**	**85**	**135**	**75**	**60**	**151**	**77**	**74**	19
161	75	86	95	44	51	24	13	11	39	24	15	32	16	16	31	16	15	20
228	105	123	118	69	49	29	17	12	43	26	17	42	24	18	37	19	18	21
222	96	126	101	43	58	27	14	13	38	22	16	37	24	13	31	21	10	22
215	92	123	132	68	64	39	17	22	18	10	8	33	13	20	28	17	11	23
246	117	129	170	82	88	28	13	15	41	17	24	30	13	17	43	25	18	24
1,072	**485**	**587**	**616**	**306**	**310**	**147**	**74**	**73**	**179**	**99**	**80**	**174**	**90**	**84**	**170**	**98**	**72**	25
244	116	128	152	83	69	29	12	17	48	29	19	42	27	15	46	22	24	26
229	103	126	135	72	63	35	18	17	37	18	19	48	27	21	39	20	19	27
245	102	143	161	74	87	23	10	13	29	15	14	39	21	18	31	19	12	28
249	101	148	160	79	81	23	15	8	40	21	19	31	14	17	35	23	12	29
215	91	124	157	74	83	41	18	23	46	15	31	39	19	20	32	20	12	30
1,182	**513**	**669**	**765**	**382**	**383**	**151**	**73**	**78**	**200**	**98**	**102**	**199**	**108**	**91**	**183**	**104**	**79**	31
221	104	117	139	68	71	32	22	10	29	18	11	30	19	11	40	23	17	32
219	80	139	193	93	100	34	17	17	33	16	17	24	11	13	36	21	15	33
212	88	124	181	100	81	31	17	14	37	21	16	29	16	13	45	26	19	34
184	81	103	186	86	100	31	11	20	37	19	18	40	23	17	48	30	18	35
169	72	97	154	82	72	37	12	25	28	13	15	22	16	6	44	25	19	36
1,005	**425**	**580**	**853**	**429**	**424**	**165**	**79**	**86**	**164**	**87**	**77**	**145**	**85**	**60**	**213**	**125**	**88**	37
171	72	99	163	80	83	33	15	18	39	20	19	28	12	16	49	28	21	38
178	80	98	154	81	73	24	9	15	38	20	18	28	18	10	30	16	14	39
195	86	109	181	76	105	32	17	15	29	15	14	32	18	14	40	25	15	40
165	77	88	183	86	97	34	13	21	47	23	24	25	16	9	27	18	9	41
190	81	109	173	75	98	30	13	17	30	13	17	31	14	17	44	29	15	42
899	**396**	**503**	**854**	**398**	**456**	**153**	**67**	**86**	**183**	**91**	**92**	**144**	**78**	**66**	**190**	**116**	**74**	43
170	76	94	234	119	115	34	20	14	41	22	19	44	23	21	52	30	22	44
178	74	104	202	101	101	39	25	14	36	17	19	47	23	24	43	23	20	45
196	91	105	213	99	114	37	17	20	55	29	26	47	19	28	52	31	21	46
204	82	122	237	113	124	49	25	24	52	28	24	51	24	27	63	32	31	47
203	91	112	215	116	99	36	22	14	60	29	31	50	31	19	43	27	16	48
951	**414**	**537**	**1,101**	**548**	**553**	**195**	**109**	**86**	**244**	**125**	**119**	**239**	**120**	**119**	**253**	**143**	**110**	49
241	121	120	245	133	112	35	21	14	50	28	22	57	35	22	71	44	27	50
166	78	88	224	108	116	35	18	17	44	24	20	37	27	10	54	31	23	51
209	97	112	262	133	129	38	19	19	59	33	26	57	30	27	57	45	12	52
221	104	117	185	91	94	54	28	26	45	23	22	47	30	17	49	31	18	53
170	81	89	238	117	121	44	24	20	47	26	21	35	19	16	54	39	15	54
1,007	**481**	**526**	**1,154**	**582**	**572**	**206**	**110**	**96**	**245**	**134**	**111**	**233**	**141**	**92**	**285**	**190**	**95**	55
216	92	124	288	165	123	56	33	23	47	29	18	47	33	14	78	52	26	56
184	82	102	259	130	129	55	35	20	50	23	27	43	30	13	58	40	18	57
183	94	89	272	149	123	38	19	19	64	33	31	51	33	18	84	53	31	**58**
221	108	113	312	167	145	57	37	20	45	31	14	30	21	9	77	54	23	59
216	112	104	285	131	154	55	27	28	53	30	23	54	38	16	67	36	31	60
1,020	**488**	**532**	**1,416**	**742**	**674**	**261**	**151**	**110**	**259**	**146**	**113**	**225**	**155**	**70**	**364**	**235**	**129**	61
193	102	91	308	177	131	59	30	29	61	42	19	69	41	28	85	68	17	62
212	110	102	219	111	108	40	20	20	38	21	17	48	21	27	56	38	18	63
252	129	123	352	199	153	56	34	22	51	28	23	59	35	24	84	55	29	64
246	142	104	334	183	151	54	28	26	46	26	20	57	32	25	88	59	29	65
235	113	122	312	158	154	53	33	20	45	31	14	36	27	9	68	49	19	66
1,138	**596**	**542**	**1,525**	**828**	**697**	**262**	**145**	**117**	**241**	**148**	**93**	**269**	**156**	**113**	**381**	**269**	**112**	67

TABLE 24—Deaths (exclusive of stillbirths) by single years of age and by age groups, 1927—*con.*

	Ages — Âges	Canada			P.E. Island			Nova Scotia			New Brunswick		
		Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.
1	55 years—55 ans	922	538	384	7	4	3	49	30	19	38	19	19
2	56 " 56 "	895	524	371	9	5	4	49	35	14	42	24	18
3	57 " 57 "	1,024	585	439	9	6	3	54	28	26	41	22	19
4	58 " 58 "	1,030	563	467	6	2	4	52	24	28	56	31	25
5	59 " 59 "	1,069	615	454	10	5	5	75	32	43	47	33	14
6	**Total 55-59 years—ans**	**4,940**	**2,825**	**2,115**	**41**	**22**	**19**	**279**	**149**	**130**	**224**	**129**	**95**
7	60 years—60 ans	1,240	706	534	15	10	5	68	32	36	61	33	28
8	61 " 61 "	948	535	413	11	4	7	52	29	23	37	26	11
9	62 " 62 "	1,208	651	557	10	4	6	59	39	20	56	25	31
10	63 " 63 "	1,280	697	583	11	2	9	74	42	32	53	31	22
11	64 " 64 "	1,380	783	597	8	6	2	94	49	45	57	38	19
12	**Total 60-64 years—ans**	**6,056**	**3,372**	**2,684**	**55**	**26**	**29**	**347**	**191**	**156**	**264**	**153**	**111**
13	65 years—65 ans	1,482	818	664	8	3	5	99	58	41	61	40	21
14	66 " 66 "	1,309	731	578	13	6	7	92	45	47	57	35	22
15	67 " 67 "	1,480	797	683	16	7	9	75	36	39	68	38	30
16	68 " 68 "	1,615	911	704	21	6	15	86	47	39	84	43	41
17	69 " 69 "	1,464	800	664	14	6	8	88	52	36	65	36	29
18	**Total 65-69 years—ans**	**7,350**	**4,057**	**3,293**	**72**	**28**	**44**	**440**	**238**	**202**	**335**	**192**	**143**
19	70 years—70 ans	1,704	949	755	23	15	8	104	49	55	69	39	30
20	71 " 71 "	1,341	746	595	18	12	6	83	41	42	64	37	27
21	72 " 72 "	1,629	888	741	17	7	10	109	56	53	92	53	39
22	73 " 73 "	1,557	877	680	16	9	7	97	51	46	84	47	37
23	74 " 74 "	1,594	879	715	25	13	12	126	69	57	75	43	32
24	**Total 70-74 years—ans**	**7,825**	**4,339**	**3,486**	**99**	**56**	**43**	**519**	**266**	**253**	**384**	**219**	**165**
25	75 years—75 ans	1,614	842	772	18	6	12	96	57	39	84	46	38
26	76 " 76 "	1,713	908	805	23	13	10	129	72	57	90	50	40
27	77 " 77 "	1,500	788	712	18	7	11	105	53	52	81	49	32
28	78 " 78 "	1,553	826	727	25	14	11	126	65	61	90	49	41
29	79 " 79 "	1,355	725	630	14	5	9	87	48	39	84	44	40
30	**Total 75-79 years—ans**	**7,735**	**4,089**	**3,646**	**98**	**45**	**53**	**543**	**295**	**248**	**429**	**238**	**191**
31	80 years—80 ans	1,371	677	694	19	10	9	120	57	63	67	30	37
32	81 " 81 "	1,099	558	541	23	8	15	90	39	51	68	34	34
33	82 " 82 "	1,263	630	633	25	13	12	119	52	67	70	34	36
34	83 " 83 "	1,094	513	581	16	9	7	109	58	51	60	27	33
35	84 " 84 "	1,019	503	516	15	8	7	97	41	56	61	31	30
36	**Total 80-84 years—ans**	**5,846**	**2,881**	**2,965**	**98**	**48**	**50**	**535**	**247**	**288**	**326**	**156**	**170**
37	85 years—85 ans	923	462	461	23	15	8	91	43	48	46	26	20
38	86 " 86 "	887	394	493	18	10	8	97	41	56	50	20	30
39	87 " 87 "	752	354	398	16	7	9	87	43	44	59	26	33
40	88 " 88 "	557	253	304	12	7	5	65	30	35	28	13	15
41	89 " 89 "	503	233	270	13	3	10	53	26	27	34	13	21
42	**Total 85-89 years—ans**	**3,622**	**1,696**	**1,926**	**82**	**42**	**40**	**393**	**183**	**210**	**217**	**98**	**119**
43	90 years—90 ans	429	192	237	6	1	5	53	17	36	29	12	17
44	91 " 91 "	307	140	167	6	2	4	33	8	25	26	8	18
45	92 " 92 "	258	114	144	4	1	3	39	12	27	16	6	10
46	93 " 93 "	195	71	124	3	–	3	23	8	15	13	1	12
47	94 " 94 "	186	83	103	1	1	–	20	9	11	12	4	8
48	**Total 90-94 years—ans**	**1,375**	**600**	**775**	**20**	**5**	**15**	**168**	**54**	**114**	**96**	**31**	**65**
49	95 years—95 ans	120	50	70	5	3	2	12	4	8	8	2	6
50	96 " 96 "	93	43	50	2	1	1	15	6	9	4	3	1
51	97 " 97 "	66	23	43	1	–	1	14	1	13	5	2	3
52	98 " 98 "	54	24	30	1	1	–	12	5	7	5	1	4
53	99 " 99 "	22	8	14	–	–	–	–	–	–	3	–	3
54	**Total 95-99 years—ans**	**355**	**148**	**207**	**9**	**5**	**4**	**53**	**16**	**37**	**25**	**8**	**17**
55	100 years and over—100 ans et plus	80	34	46	–	–	–	12	2	10	4	4	–
56	Not stated—Non donné	144	123	21	6	4	2	5	3	2	–	–	–

TABLEAU 24—Décès (mort-nés exclus) par âges individuels et par groupes d'âges, 1927—*fin*

Quebec			Ontario			Manitoba			Saskatchewan			Alberta			British Columbia			
Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	
225	124	101	377	219	158	48	27	21	46	28	18	53	34	19	79	53	26	1
216	114	102	343	193	150	52	27	25	56	37	19	51	36	15	77	53	24	2
261	134	127	447	256	191	53	33	20	45	32	13	47	30	17	67	44	23	3
280	144	136	391	212	179	38	23	15	72	37	35	47	30	17	88	60	28	4
299	171	128	407	229	178	54	29	25	53	31	22	51	33	18	73	52	21	5
1,281	**687**	**594**	**1,965**	**1,109**	**856**	**245**	**139**	**106**	**272**	**165**	**107**	**249**	**163**	**86**	**384**	**262**	**122**	6
279	153	126	501	270	231	74	48	26	67	42	25	69	44	25	106	74	32	7
261	152	109	360	185	175	56	36	20	60	38	22	44	22	22	67	43	24	8
313	148	165	502	272	230	59	36	23	67	41	26	70	40	30	72	46	26	9
334	186	148	525	263	262	59	32	27	72	39	33	68	51	17	84	51	33	10
350	190	160	563	305	258	68	41	27	77	45	32	73	48	25	90	61	29	11
1,537	**829**	**708**	**2,451**	**1,295**	**1,156**	**316**	**193**	**123**	**343**	**205**	**138**	**324**	**205**	**119**	**419**	**275**	**144**	12
356	175	181	636	339	297	72	48	24	63	29	34	71	50	21	116	76	40	13
335	183	152	550	290	260	72	48	24	50	25	25	58	36	22	82	63	19	14
391	209	182	645	325	320	77	50	27	61	34	27	55	38	17	92	60	32	15
428	224	204	677	384	293	73	52	21	76	45	31	70	44	26	100	66	34	16
354	195	159	678	357	321	77	32	45	62	39	23	55	35	20	71	48	23	17
1,864	**986**	**878**	**3,186**	**1,695**	**1,491**	**371**	**230**	**141**	**312**	**172**	**140**	**309**	**203**	**106**	**461**	**313**	**148**	18
436	219	217	709	391	318	109	67	42	75	45	30	70	46	24	109	78	31	19
355	184	171	577	319	258	64	42	22	63	39	24	52	30	22	65	42	23	20
417	207	210	716	395	321	85	51	34	80	48	32	38	22	16	75	49	26	21
445	239	206	639	365	274	90	51	39	55	40	15	55	27	28	76	48	28	22
441	232	209	648	351	297	85	47	38	57	37	20	56	36	20	81	51	30	23
2,094	**1,081**	**1,013**	**3,289**	**1,821**	**1,468**	**433**	**258**	**175**	**330**	**209**	**121**	**271**	**161**	**110**	**406**	**268**	**138**	24
416	221	195	728	368	360	73	39	34	66	30	36	46	23	23	87	52	35	25
477	248	229	707	359	348	78	45	33	74	45	29	55	32	23	80	44	36	26
436	222	214	630	325	305	72	34	38	51	29	22	42	30	12	65	39	26	27
391	198	193	643	332	311	82	45	37	63	36	27	71	51	20	62	36	26	28
385	199	186	572	314	258	50	28	22	56	24	32	38	19	19	69	44	25	29
2,105	**1,088**	**1,017**	**3,280**	**1,698**	**1,582**	**355**	**191**	**164**	**310**	**164**	**146**	**252**	**155**	**97**	**363**	**215**	**148**	30
362	168	194	576	293	283	50	24	26	60	31	29	44	21	23	73	43	30	31
314	166	148	471	233	238	36	22	14	38	21	17	26	17	9	33	18	15	32
307	147	160	574	287	287	47	25	22	37	20	17	26	13	13	58	39	19	33
283	128	155	478	218	260	53	15	38	27	18	9	30	19	11	38	21	17	34
254	115	139	462	237	225	33	19	14	29	14	15	29	16	13	39	22	17	35
1,520	**724**	**796**	**2,561**	**1,268**	**1,293**	**219**	**105**	**114**	**191**	**104**	**87**	**155**	**86**	**69**	**241**	**143**	**98**	36
253	132	121	385	175	210	34	14	20	33	20	13	17	11	6	41	26	15	37
213	94	119	388	163	225	34	18	16	34	17	17	26	17	9	27	14	13	38
169	81	88	335	151	184	22	12	10	19	11	8	20	8	12	25	15	10	39
131	62	69	248	102	146	27	19	8	12	5	7	12	5	7	22	10	12	40
131	66	65	224	99	125	12	7	5	13	6	7	10	7	3	13	6	7	41
897	**435**	**462**	**1,580**	**690**	**890**	**129**	**70**	**59**	**111**	**59**	**52**	**85**	**48**	**37**	**128**	**71**	**57**	42
97	48	49	185	85	100	21	10	11	16	9	7	5	3	2	17	7	10	43
82	40	42	132	67	65	14	9	5	4	3	1	3	–	3	7	3	4	44
58	23	35	118	58	60	6	3	3	6	3	3	2	2	–	9	6	3	45
45	18	27	88	33	55	8	5	3	4	1	3	3	1	2	8	4	4	46
44	18	26	95	45	50	4	1	3	5	2	3	1	–	1	4	3	1	47
326	**147**	**179**	**618**	**288**	**330**	**53**	**28**	**25**	**35**	**18**	**17**	**14**	**6**	**8**	**45**	**23**	**22**	48
21	13	8	58	23	35	7	3	4	4	2	2	2	–	2	3	–	3	49
20	8	12	38	16	22	6	4	2	3	1	2	1	1	–	4	3	1	50
14	5	9	27	11	16	3	2	1	1	1	–	1	1	–	–	–	–	51
12	6	6	19	8	11	1	1	–	2	1	1	1	1	–	1	–	1	52
6	2	4	11	4	7	–	–	–	1	1	–	1	1	–	–	–	–	53
73	**34**	**39**	**153**	**62**	**91**	**17**	**10**	**7**	**11**	**6**	**5**	**6**	**4**	**2**	**8**	**3**	**5**	54
10	6	4	30	8	22	3	–	3	6	5	1	3	2	1	12	7	5	55
25	25	–	64	48	16	3	3	–	13	13	–	1	1	–	27	26	1	56

TABLE 25—Deaths (exclusive of stillbirths) classified according to racial origin of decedents, by provinces, 1927

No.	Racial origin — Origine raciale	Canada (1)			P. E. Island			Nova Scotia			New Brunswick		
		Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.
1	**All origins—Toutes origines**	**105,292**	**56,265**	**49,027**	**913**	**451**	**462**	**6,378**	**3,300**	**3,078**	**4,902**	**2,537**	**2,365**
2	English—Anglaise	25,763	13,804	11,959	236	113	123	2,817	1,508	1,309	1,654	863	791
3	Irish—Irlandaise	13,600	7,074	6,526	177	87	90	641	342	299	903	463	440
4	Scotch—Écossaise	12,767	6,734	6,033	358	183	175	1,746	853	893	587	328	259
5	Welsh—Galloise	322	186	136	–	–	–	6	3	3	9	2	7
6	French—Française	36,884	19,138	17,746	128	60	68	655	315	340	1,612	815	797
7	German—Allemande	3,366	1,832	1,534	–	–	–	172	79	93	11	5	6
8	Armenian—Arménienne	18	12	6	–	–	–	–	–	–	–	–	–
9	Austrian—Autrichienne	610	379	231	–	–	–	6	5	1	–	–	–
10	Belgian—Belge	190	97	93	–	–	–	7	3	4	1	–	1
11	Bulgarian—Bulgare	16	10	6	–	–	–	–	–	–	1	1	–
12	Chinese—Chinoise	314	287	27	–	–	–	3	3	–	1	1	–
13	Czech and Slovak—Tchèque et Slovaque	105	62	43	–	–	–	3	2	1	–	–	–
14	Danish—Danoise	177	103	74	–	–	–	1	–	1	13	7	6
15	Dutch—Hollandaise	883	482	401	–	–	–	54	32	22	23	11	12
16	Finnish—Finlandaise	339	229	110	–	–	–	2	2	–	1	1	–
17	Greek—Grecque	82	57	25	–	–	–	–	–	–	–	–	–
18	Hindu—Hindoue	14	8	6	–	–	–	1	1	–	–	–	–
19	Hungarian—Hongroise	172	100	72	–	–	–	2	1	1	–	–	–
20	Icelandic—Islandaise	179	95	84	–	–	–	1	1	–	–	–	–
21	Indian—Indienne	2,000	1,037	963	9	4	5	22	11	11	22	7	15
22	Italian—Italienne	739	452	287	–	–	–	21	15	6	3	2	1
23	Japanese—Japonaise	196	118	78	–	–	–	–	–	–	–	–	–
24	Jewish—Hébraïque	638	351	287	–	–	–	11	7	4	11	5	6
25	Negro—Nègre	355	201	154	–	–	–	145	76	69	22	9	13
26	Norwegian—Norvégienne	619	374	245	–	–	–	5	5	–	3	1	2
27	Polish—Polonaise	761	478	283	–	–	–	11	6	5	1	1	–
28	Rumanian—Roumaine	202	129	73	–	–	–	–	–	–	2	2	–
29	Russian—Russe	791	467	324	–	–	–	6	3	3	3	2	1
30	Serb and Croat—Serbe et Croate	71	51	20	–	–	–	–	–	–	–	–	–
31	Swedish—Suédoise	580	371	209	–	–	–	4	4	–	3	2	1
32	Swiss—Suisse	104	65	39	–	–	–	8	4	4	2	1	1
33	Syrian—Syrienne	94	49	45	–	–	–	10	7	3	10	5	5
34	Ukranian(2)—Ukranienne(2)	1,321	784	537	–	–	–	1	–	1	–	–	–
35	Other—Autres	90	56	34	–	–	–	7	5	2	1	1	–
36	Not specified—Non spécifiée	930	593	337	5	4	1	10	7	3	3	2	1

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.
(2) Including "Galician"—Y compris "Galicienne".

TABLEAU 25—Décès (mort-nés exclus) classifiés selon l'origine raciale des décédés, par provinces, 1927

Quebec			Ontario			Manitoba			Saskatchewan			Alberta			British Columbia			
Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	
36,175	**18,827**	**17,348**	**34,775**	**18,305**	**16,470**	**5,309**	**2,968**	**2,341**	**6,031**	**3,395**	**2,636**	**5,059**	**2,932**	**2,127**	**5,750**	**3,550**	**2,200**	1
2,198	1,188	1,010	12,760	6,721	6,039	1,377	749	628	1,321	718	603	1,262	713	549	2,138	1,231	907	2
1,531	781	750	7,953	4,004	3,949	614	353	261	626	363	263	539	304	235	616	377	239	3
861	452	409	5,740	2,887	2,853	826	456	370	733	413	320	787	451	336	1,129	711	418	4
7	5	2	146	85	61	30	15	15	32	22	10	46	28	18	46	26	20	5
30,201	15,579	14,622	3,052	1,664	1,388	401	221	180	421	223	198	297	183	114	117	78	39	6
74	44	30	1,581	840	741	298	158	140	771	432	339	369	211	158	90	63	27	7
3	3	–	15	9	6	–	–	–	–	–	–	–	–	–	–	–	–	8
15	8	7	111	73	38	121	77	44	205	118	87	120	78	42	32	20	12	9
43	16	27	39	23	16	45	21	24	24	13	11	16	9	7	15	12	3	10
2	1	1	10	6	4	–	–	–	–	–	–	1	1	–	2	1	1	11
29	27	2	37	34	3	7	7	–	11	9	2	19	17	2	207	189	18	12
6	4	2	28	18	10	7	4	3	24	11	13	28	17	11	9	6	3	13
9	8	1	26	12	14	19	10	9	39	23	16	45	26	19	25	17	8	14
21	14	7	507	281	226	66	33	33	123	68	55	65	27	38	24	16	8	15
24	19	5	206	130	76	7	4	3	17	10	7	24	16	8	58	47	11	16
25	15	10	41	30	11	5	4	1	2	1	1	1	1	–	8	6	2	17
1	–	1	1	1	–	2	1	1	–	–	–	–	–	–	9	5	4	18
9	6	3	40	27	13	13	8	5	97	52	45	6	2	4	5	4	1	19
–	–	–	3	1	2	131	71	60	28	16	12	3	2	1	13	4	9	20
105	60	45	412	214	198	190	85	105	305	162	143	349	183	166	586	311	275	21
261	147	114	335	203	132	13	7	6	2	2	–	25	12	13	79	64	15	22
1	1	–	2	2	–	2	2	–	1	1	–	5	3	2	185	109	76	23
291	147	144	170	98	72	107	60	47	24	19	5	17	10	7	7	5	2	24
22	17	5	129	76	53	4	3	1	8	6	2	15	9	6	10	5	5	25
10	8	2	28	21	7	52	29	23	251	147	104	177	100	77	93	63	30	26
63	45	18	255	172	83	217	118	99	106	70	36	88	54	34	20	12	8	27
32	22	10	76	47	29	9	6	3	53	35	18	28	16	12	2	1	1	28
66	46	20	185	116	69	141	84	57	225	117	108	126	76	50	39	23	16	29
4	4	–	31	23	8	4	2	2	8	5	3	7	6	1	17	11	6	30
7	4	3	77	44	33	69	35	34	143	86	57	149	97	52	128	99	29	31
20	13	7	39	23	16	5	3	2	8	5	3	16	12	4	6	4	2	32
36	20	16	28	12	16	2	–	2	3	3	–	3	2	1	2	–	2	33
25	19	6	130	78	52	441	273	168	356	194	162	364	217	147	4	3	1	34
28	15	13	33	18	15	3	3	–	3	3	–	6	3	3	9	8	1	35
145	89	56	549	312	237	81	66	15	61	48	13	56	46	10	20	19	1	36

TABLE 26—Deaths (exclusive of stillbirths) classified according to birthplace of decedents, by provinces, cities and towns of 10,000 population and over, 1927

No.	Provinces, cities and towns — Provinces, cités et villes		Total deaths by sex Total des décès par sexe	Birthplace of decedents														
				Canada										British Isles — Îles britanniques				
				Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not specified Prov. non spécifiée	England Angleterre	Ireland—Irlande	Scotland—Écosse	Wales—Galles, pays de	Other—Autres
1	**Canada**(1).....	**M.**	**56,265**	**563**	**3,166**	**2,436**	**18,284**	**14,266**	**1,312**	**1,540**	**1,111**	**937**	**118**	**3,925**	**1,053**	**1,554**	**90**	**17**
2		**F.**	**49,027**	**512**	**2,979**	**2,253**	**16,915**	**12,905**	**1,090**	**1,212**	**929**	**754**	**97**	**3,108**	**1,038**	**1,328**	**63**	**14**
3		**Total**	**105,292**	**1,075**	**6,145**	**4,689**	**35,199**	**27,171**	**2,402**	**2,752**	**2,040**	**1,691**	**215**	**7,033**	**2,091**	**2,882**	**153**	**31**
4	Prince Edward Island	M.	451	425	5	3	1	2	–	–	–	–	–	4	1	5	–	–
5		F.	462	425	10	4	1	1	1	–	–	–	–	5	3	5	–	–
6		Total	913	850	15	7	2	3	1	–	–	–	–	9	4	10	–	–
7	Nova Scotia.....	M.	3,300	29	2,873	47	8	12	1	–	–	1	1	76	17	39	1	2
8		F.	3,078	19	2,763	56	8	11	2	–	–	–	–	42	12	32	2	–
9		Total	6,378	48	5,636	103	16	23	3	–	–	1	1	118	29	71	3	2
10	New Brunswick.....	M.	2,537	31	63	2,196	63	8	1	–	–	1	1	34	29	17	–	–
11		F.	2,365	22	52	2,057	55	5	–	–	–	1	–	34	25	19	2	–
12		Total	4,902	53	115	4,253	118	13	1	–	–	2	1	68	54	36	2	–
13	Quebec.....	M.	18,827	6	19	50	17,147	235	7	5	2	–	1	322	129	152	3	4
14		F.	17,348	7	20	47	15,958	243	4	4	1	–	2	273	128	110	2	8
15		Total	36,175	13	39	97	33,105	478	11	9	3	–	3	595	257	262	5	12
16	Ontario.....	M.	18,305	15	46	50	735	12,401	25	18	8	5	82	1,974	595	707	28	7
17		F.	16,470	8	45	30	672	11,509	16	13	5	2	74	1,635	688	662	23	4
18		Total	34,775	23	91	80	1,407	23,910	41	31	13	7	156	3,609	1,283	1,369	51	11
19	Manitoba.....	M.	2,968	4	22	14	98	438	1,142	25	2	3	17	299	76	144	14	1
20		F.	2,341	4	14	10	55	350	938	26	4	–	8	248	56	140	7	–
21		Total	5,309	8	36	24	153	788	2,080	51	6	3	25	547	132	284	21	1
22	Saskatchewan.....	M.	3,395	12	27	11	69	423	87	1,435	11	5	2	263	42	110	8	–
23		F.	2,636	4	17	9	71	312	84	1,122	16	2	5	207	28	85	5	–
24		Total	6,031	16	44	20	140	735	171	2,557	27	7	7	470	70	195	13	–
25	Alberta.....	M.	2,932	13	39	16	85	334	22	35	1,069	19	14	274	51	122	17	2
26		F.	2,127	11	21	7	55	235	19	28	885	12	7	182	40	102	10	1
27		Total	5,059	24	60	23	140	569	41	63	1,954	31	21	456	91	224	27	3
28	British Columbia....	M.	3,550	28	72	49	78	413	27	22	19	903	–	679	113	258	19	1
29		F.	2,200	12	37	33	40	239	26	19	18	737	1	482	58	173	12	1
30		Total	5,750	40	109	82	118	652	53	41	37	1,640	1	1,161	171	431	31	2
31	**Cities and towns of**	**M.**	**21,897**	**145**	**733**	**473**	**7,338**	**5,625**	**475**	**264**	**236**	**301**	**72**	**2,233**	**563**	**835**	**41**	**12**
32	**10,000 and over—**	**F.**	**19,659**	**147**	**681**	**455**	**6,990**	**5,401**	**382**	**197**	**210**	**231**	**70**	**1,827**	**596**	**701**	**34**	**9**
33	**Cités et villes de 10,000 et plus.**	**Total**	**41,556**	**292**	**1,414**	**928**	**14,328**	**11,026**	**857**	**461**	**446**	**532**	**142**	**4,060**	**1,159**	**1,536**	**75**	**21**
34	Belleville, Ont.....	M.	106	–	–	–	6	80	–	–	–	–	–	7	1	2	1	–
35		F.	121	–	–	–	4	100	–	–	–	–	–	7	6	1	–	–
36		Total	227	–	–	–	10	180	–	–	–	–	–	14	7	3	1	–
37	Brandon, Man.....	M.	137	–	2	1	6	36	30	5	–	–	1	24	3	8	1	–
38		F.	93	–	–	–	1	21	26	4	–	–	1	14	3	6	–	–
39		Total	230	–	2	1	7	57	56	9	–	–	2	38	6	14	1	–
40	Brantford, Ont.....	M.	183	1	–	1	–	127	–	–	1	–	–	32	4	7	–	–
41		F.	164	–	–	–	3	115	–	–	–	–	–	23	3	4	–	–
42		Total	347	1	–	1	3	242	–	–	1	–	–	55	7	11	–	–
43	Brockville, Ont.....	M.	75	–	1	1	–	58	–	–	–	–	–	3	7	3	–	–
44		F.	74	–	–	–	2	54	–	–	–	–	–	6	5	–	–	–
45		Total	149	–	1	1	2	112	–	–	–	–	–	9	12	3	–	–
46	Calgary, Alta.....	M.	345	3	7	1	8	58	3	8	89	3	–	62	12	25	1	–
47		F.	270	3	6	–	7	57	4	4	68	2	–	43	5	26	1	–
48		Total	615	6	13	1	15	115	7	12	157	5	–	105	17	51	2	–
49	Charlottetown, P.E.I.	M.	92	87	–	–	–	–	–	–	–	–	–	3	–	–	–	–
50		F.	110	102	2	–	–	1	–	–	–	–	–	3	–	–	–	–
51		Total	202	189	2	–	–	1	–	–	–	–	–	6	–	–	–	–

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.
(2) Including Galicia—Y compris la Galicie.
(3) Including Bukovina—Y compris la Bukovine.
(4) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 26—Décès (mort-nés exclus) classifiés selon le lieu de naissance des décédés, par provinces, cités et villes de 10,000 habitants et plus, 1927

Lieu de naissance des décédés																									
British Possessions — Possessions britanniques		Europe																	Asia — Asie						
Newfoundland — Terre-Neuve	Other—Autres	Austria—Autriche	Belgium — Belgique	Denmark Danemark	Finland—Finlande	France	Germany Allemagne	Holland Hollande	Hungary Hongrie	Italy—Italie	Norway-Norvège	Poland (2) Pologne (2)	Rumania (3) Roumanie (3)	Russia (4) Russie (4)	Sweden—Suède	Other—Autres	China—Chine	Japan—Japon	Other—Autres	United States—États-Unis	Various—Divers	Not specified—Non spécifié	No.
139	88	374	66	69	172	133	301	36	47	238	194	451	146	608	249	238	269	62	43	1,501	13	456	1
158	75	218	57	28	76	89	251	19	47	102	110	252	90	473	104	121	9	29	24	1,375	6	117	2
297	163	592	123	97	248	222	552	55	94	340	304	703	236	1,081	353	359	278	91	67	2,876	19	573	3
1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	4
1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	5
2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8	6
70	13	5	2	–	2	6	2	–	–	11	5	7	–	5	2	1	3	–	6	29	2	22	7
77	5	–	2	–	–	3	–	–	1	–	–	2	–	3	–	1	–	–	–	31	–	6	8
147	18	5	4	–	2	9	2	–	1	11	5	9	–	8	2	2	3	–	6	60	2	28	9
7	3	–	–	5	1	2	–	–	–	–	–	1	1	4	1	2	1	–	4	48	–	13	10
5	1	–	1	3	–	2	2	1	–	–	–	1	–	5	–	–	–	1	2	62	–	7	11
12	4	–	1	8	1	4	2	1	–	–	–	2	1	9	1	2	1	1	6	110	–	20	12
27	16	12	15	7	18	51	18	6	3	65	3	36	35	106	4	29	28	1	12	216	3	34	13
30	5	14	21	1	2	32	8	–	2	38	1	10	26	65	2	20	–	–	8	249	2	5	14
57	21	26	36	8	20	83	26	6	5	103	4	46	61	171	6	49	28	1	20	465	5	39	15
22	20	48	10	7	91	23	153	8	15	108	14	122	32	133	31	66	32	1	19	443	2	209	16
27	41	21	7	8	54	15	162	4	4	51	5	58	9	85	11	21	1	–	11	410	1	78	17
49	61	69	17	15	145	38	315	12	19	159	19	180	41	218	42	87	33	1	30	853	3	287	18
–	5	118	11	5	4	16	15	3	9	3	15	134	16	117	18	55	7	1	1	69	1	46	19
1	1	51	12	5	3	14	14	4	4	5	13	94	11	111	22	45	–	–	1	62	–	8	20
1	6	169	23	10	7	30	29	7	13	8	28	228	27	228	40	100	7	1	2	131	1	54	21
–	5	108	8	17	7	18	42	8	18	1	61	58	32	158	51	25	8	1	–	227	1	36	22
1	2	92	6	5	4	14	28	1	33	–	50	46	22	142	29	16	1	–	–	176	–	1	23
1	7	200	14	22	11	32	70	9	51	1	111	104	54	300	80	41	9	1	–	403	1	37	24
1	3	67	8	13	8	10	41	6	1	8	46	82	29	63	59	32	16	1	–	282	1	43	25
4	3	33	6	3	5	7	27	8	2	1	25	37	21	52	25	7	1	2	–	239	1	3	26
5	6	100	14	16	13	17	68	14	3	9	71	119	50	115	84	39	17	3	–	521	2	46	27
11	22	16	12	15	41	7	30	5	1	42	50	11	1	22	83	28	174	57	1	187	3	50	28
12	16	7	2	3	8	2	10	1	1	7	16	4	1	10	15	11	6	26	2	146	2	4	29
23	38	23	14	18	42	9	40	6	2	49	66	15	2	32	98	39	180	83	3	333	5	54	30
86	63	120	29	18	61	68	98	25	19	152	41	205	65	306	63	97	195	36	25	607	7	165	31
108	49	74	31	11	35	45	79	9	19	86	19	108	41	228	24	53	6	21	18	617	5	42	32
194	112	194	60	29	96	113	177	34	38	238	60	313	106	534	87	150	201	57	43	1,224	12	207	33
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	–	–	–	4	–	–	34
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	35
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	–	–	–	7	–	–	36
–	1	5	–	–	–	1	1	–	–	–	–	2	–	2	–	3	2	–	–	1	–	2	37
–	–	3	1	–	–	–	–	1	–	–	1	4	1	1	–	1	–	–	–	4	–	–	38
–	1	8	1	–	–	1	1	1	–	–	1	6	1	3	–	4	2	–	–	5	–	2	39
–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	3	5	–	–	40
–	1	–	–	–	1	–	2	–	1	1	–	1	–	–	–	–	–	–	2	6	–	1	41
–	2	–	–	–	1	1	2	–	1	1	–	1	–	–	–	–	–	–	5	11	–	1	42
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	43
1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	44
1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	1	45
–	–	3	–	1	–	3	–	2	–	–	2	5	1	10	3	1	6	1	–	20	–	7	46
2	1	–	1	–	–	2	1	–	–	–	–	3	2	5	1	–	–	–	–	26	–	–	47
2	1	3	1	1	–	5	1	2	–	–	2	8	3	15	4	1	6	1	–	46	–	7	48
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	49
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	50
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	51

NOTE.—The classification of cities and towns in Manitoba, Saskatchewan and Alberta is according to the Census of 1926 and in the remaining provinces according to the Census of 1921—La classification des cités et villes dans le Manitoba, la Saskatchewan et l'Alberta est selon le recensement de 1926 et dans toutes les autres provinces selon le recensement de 1921.

TABLE 26—Deaths (exclusive of stillbirths) classified according to birthplace of decedents, by provinces, cities and towns of 10,000 population and over, 1927—*con.*

No.	Provinces, cities and towns — Provinces, cités et villes		Total deaths by sex Total des décès par sexe	Birthplace of decedents														
				Canada										British Isles — Îles britanniques				
				Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not specified Prov. non spécifiée	England Angleterre	Ireland—Irlande	Scotland—Écosse	Wales—Galles, pays de	Other—Autres
1	Chatham, Ont.....	M.	159	–	–	–	3	121	1	–	–	–	–	15	4	3	–	–
2		F.	155	–	–	–	–	119	1	–	–	–	–	13	3	4	–	–
3		Total	314	–	–	–	3	240	2	–	–	–	–	28	7	7	–	–
4	Edmonton, Alta.....	M.	463	–	9	2	25	72	5	3	113	3	3	60	12	24	4	1
5		F.	326	2	2	4	6	48	3	3	106	1	2	43	12	16	1	1
6		Total	789	2	11	6	31	120	8	6	219	4	5	103	24	40	5	2
7	Fort William, Ont...	M.	112	–	–	1	3	60	2	–	–	–	–	12	2	3	–	–
8		F.	67	–	–	–	1	37	2	–	–	–	–	7	2	4	–	–
9		Total	179	–	–	1	4	97	4	–	–	–	–	19	4	7	–	–
10	Galt, Ont.....	M.	91	–	–	–	1	59	–	–	–	–	–	14	3	10	–	–
11		F.	89	–	–	–	–	59	–	–	–	–	1	15	3	9	–	–
12		Total	180	–	–	–	1	118	–	–	–	–	1	29	6	19	–	–
13	Glace Bay, N.S.....	M.	177	–	146	1	–	–	–	–	–	–	–	6	1	4	–	1
14		F.	167	–	146	–	–	–	–	–	–	–	–	1	–	3	–	–
15		Total	344	–	292	1	–	–	–	–	–	–	–	7	1	7	–	1
16	Guelph, Ont.....	M.	114	–	–	2	1	82	–	–	–	–	–	11	2	6	–	–
17		F.	110	–	–	3	1	82	–	–	–	–	–	15	2	1	1	2
18		Total	224	–	–	5	2	164	–	–	–	–	–	26	4	7	1	2
19	Halifax, N.S.....	M.	468	9	361	5	1	–	1	–	–	1	–	31	6	7	–	–
20		F.	408	4	320	14	1	4	–	–	–	–	–	14	6	6	1	–
21		Total	876	13	681	19	2	4	1	–	–	1	–	45	12	13	1	–
22	Hamilton, Ont.....	M.	695	1	2	3	8	413	–	1	–	–	–	117	29	42	1	–
23		F.	658	1	5	–	8	370	–	–	–	–	2	131	41	54	2	–
24		Total	1,353	2	7	3	16	783	–	1	–	–	2	248	70	96	3	–
25	Hull, Que.....	M.	209	–	–	–	191	16	–	–	–	–	–	–	–	–	–	–
26		F.	173	–	–	1	157	14	–	–	–	–	–	–	–	–	–	–
27		Total	382	–	–	1	348	30	–	–	–	–	–	–	–	–	–	–
28	Kingston, Ont.....	M.	211	–	1	–	4	150	–	–	–	–	1	22	14	8	–	1
29		F.	217	1	–	2	8	170	–	–	–	–	–	16	12	3	–	–
30		Total	428	1	1	2	12	320	–	–	–	–	1	38	26	11	–	1
31	Kitchener, Ont.....	M.	148	–	–	–	–	111	–	–	–	–	–	8	1	–	–	–
32		F.	148	–	–	–	–	112	–	–	–	–	–	8	2	2	–	–
33		Total	296	–	–	–	–	223	–	–	–	–	–	16	3	2	–	–
34	Lachine, Que.....	M.	91	–	–	–	70	3	1	–	–	–	–	5	3	1	–	–
35		F.	114	–	–	–	97	5	–	–	–	–	–	1	–	3	–	–
36		Total	205	–	–	–	167	8	1	–	–	–	–	6	3	4	–	–
37	Lethbridge, Alta....	M.	89	–	2	1	2	12	1	2	21	1	–	13	–	6	–	–
38		F.	51	–	1	–	–	7	1	–	15	–	–	9	2	5	–	–
39		Total	140	–	3	1	2	19	2	2	36	1	–	22	2	11	–	–
40	Lévis, Que.....	M.	92	–	–	–	91	–	–	–	–	–	–	–	–	–	–	–
41		F.	109	–	–	–	107	–	–	–	–	–	–	–	–	–	–	–
42		Total	201	–	–	–	198	–	–	–	–	–	–	–	–	–	–	–
43	London, Ont.....	M.	524	1	1	–	8	348	–	–	–	–	–	99	19	18	1	1
44		F.	534	–	1	–	4	361	–	1	–	–	–	88	26	24	–	–
45		Total	1,058	1	2	–	12	709	–	1	–	–	–	187	45	42	1	1

(1) Including Galicia—Y compris la Galicie.
(2) Including Bukovina—Y compris la Bukovine.
(3) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 26—Décès (mort-nés exclus) classifiés selon le lieu de naissance des décédés, par provinces, cités et villes de 10,000 habitants et plus, 1927—*suite*

| Lieu de naissance des décédés | | |

TABLE 26—Deaths (exclusive of stillbirths) classified according to birthplace of decedents, by provinces, cities and towns of 10,000 population and over, 1927—*con.*

No.	Provinces, cities and towns — Provinces, cités et villes		Total deaths by sex — Total des décès par sexe	Birthplace of decedents														
				Canada										British Isles — Îles britanniques				
				Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not specified — Prov. non spécifiée	England — Angleterre	Ireland—Irlande	Scotland—Écosse	Wales—Galles, pays de	Other—Autres
1	Moncton, N.B.....	M.	135	1	10	114	1	1	–	–	–	–	–	3	1	–	–	–
2		F.	108	5	7	87	1	–	–	–	–	–	–	4	–	–	–	–
3		Total	243	6	17	201	2	1	–	–	–	–	–	7	1	–	–	–
4	Montreal, Que.....	M.	5,751	4	18	26	4,657	133	6	3	1	–	–	215	87	102	2	1
5		F.	5,283	4	12	16	4,420	144	3	2	1	–	–	178	84	73	2	5
6		Total	11,034	8	30	42	9,077	277	9	5	2	–	1	393	171	175	4	6
7	Moose Jaw, Sask.....	M.	133	2	1	1	2	27	3	38	1	–	–	16	1	6	–	–
8		F.	95	–	3	1	3	15	–	34	–	–	–	20	2	5	–	–
9		Total	228	2	4	2	5	42	3	72	1	–	–	36	3	11	–	–
10	New Westminster,B.C.	M.	139	2	6	1	5	17	1	2	–	28	–	30	7	6	–	–
11		F.	109	–	4	4	2	24	3	–	1	20	–	23	4	4	–	–
12		Total	248	2	10	5	7	41	4	2	1	48	–	53	11	10	–	–
13	Niagara Falls, Ont...	M.	98	–	–	–	1	55	–	–	–	–	–	13	4	5	1	–
14		F.	90	–	–	–	–	52	–	–	–	–	–	13	6	4	–	–
15		Total	188	–	–	–	1	107	–	–	–	–	–	26	10	9	1	–
16	North Bay, Ont.....	M.	78	–	1	–	13	47	–	–	–	–	–	2	1	3	–	–
17		F.	55	–	–	–	7	39	–	–	–	–	–	3	–	2	–	–
18		Total	133	–	1	–	20	86	–	–	–	–	–	5	1	5	–	–
19	Oshawa, Ont.....	M.	132	–	–	2	1	91	–	1	–	–	–	19	2	7	1	–
20		F.	106	–	2	–	1	70	–	1	–	–	1	12	7	4	–	–
21		Total	238	–	2	2	2	161	–	2	–	–	1	31	9	11	1	–
22	Ottawa, Ont.....	M.	752	2	2	7	175	425	–	–	–	–	4	42	27	14	3	–
23		F.	784	–	2	2	183	464	–	–	–	–	5	41	34	12	2	–
24		Total	1,536	2	4	9	358	889	–	–	–	–	9	83	61	26	5	–
25	Outremont, Que.....	M.	31	–	–	–	20	3	–	–	–	–	–	1	1	–	–	–
26		F.	43	–	–	1	27	–	–	–	–	–	–	2	6	2	–	–
27		Total	74	–	–	1	47	3	–	–	–	–	–	3	7	2	–	–
28	Owen Sound, Ont....	M.	85	–	1	–	1	62	–	1	–	–	–	11	1	6	–	–
29		F.	62	–	–	–	2	44	–	–	–	–	–	5	3	6	–	–
30		Total	147	–	1	–	3	106	–	1	–	–	–	16	4	12	–	–
31	Peterborough, Ont...	M.	150	–	–	–	6	116	–	–	–	–	–	17	5	2	–	–
32		F.	157	–	2	–	3	112	–	1	–	–	–	23	8	1	–	–
33		Total	307	–	2	–	9	228	–	1	–	–	–	40	13	3	–	–
34	Port Arthur, Ont....	M.	117	1	1	2	9	50	–	–	–	–	1	16	2	2	–	–
35		F.	104	1	1	–	5	50	–	–	–	–	–	13	3	2	–	–
36		Total	221	2	2	2	14	100	–	–	–	–	1	29	5	4	–	–
37	Quebec, Que.....	M.	1,067	–	–	2	1,026	1	–	–	–	–	–	8	4	1	–	–
38		F.	1,024	–	–	6	986	4	–	–	–	–	–	6	5	2	–	–
39		Total	2,091	–	–	8	2,012	5	–	–	–	–	–	14	9	3	–	–
40	Regina, Sask.....	M.	214	1	1	2	2	38	9	73	–	–	–	25	5	11	2	–
41		F.	188	1	1	2	5	34	8	57	–	–	–	24	4	11	–	–
42		Total	402	2	2	4	7	72	17	130	–	–	–	49	9	22	2	–
43	St. Boniface, Man....	M.	306	1	3	–	28	28	89	2	–	–	–	37	11	20	1	1
44		F.	189	–	–	1	14	22	78	1	1	–	1	22	3	11	–	–
45		Total	495	1	3	1	42	50	167	3	1	–	1	59	14	31	1	1
46	St. Catharines, Ont..	M.	148	–	–	–	3	99	–	–	1	–	–	11	7	8	–	–
47		F.	124	–	1	–	3	66	1	–	2	–	–	26	9	5	–	–
48		Total	272	–	1	–	6	165	1	–	3	–	–	37	16	13	–	–
49	St. Hyacinthe, Que..	M.	118	–	–	–	110	–	–	–	–	–	–	–	1	–	–	–
50		F.	142	–	–	1	133	–	–	–	–	–	–	–	–	–	–	–
51		Total	260	–	–	1	243	–	–	–	–	–	–	–	1	–	–	–

(1) Including Galicia—Y compris la Galicie.
(2) Including Bukovina—Y compris la Bukovine.
(3) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 26—Décès (mort-nés exclus) classifiés selon le lieu de naissance des décédés, par provinces, cités et villes de 10,000 habitants et plus, 1927—*suite*

| Lieu de naissance des décédés | | |

TABLE 26—Deaths (exclusive of stillbirths,) classified according to birthplace of decedents, by provinces, cities and towns of 10,000 population and over, 1927—*con.*

No.	Provinces, cities and towns — Provinces, cités et villes	Total deaths by sex — Total des décès par sexe	Birthplace of decedents														
			Canada										British Isles — Îles britanniques				
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not specified — Prov. non spécifiée	England Angleterre	Ireland—Irlande	Scotland—Écosse	Wales—Galles, pays de	Other—Autres
1	St. John, N.B..... M.	337	7	17	266	2	1	–	–	–	–	–	12	8	7	–	–
2	F.	334	3	13	269	3	2	–	–	–	1	–	14	10	2	–	–
3	Total	671	10	30	535	5	3	–	–	–	1	–	26	18	9	–	–
4	St. Thomas, Ont.... M.	111	–	–	–	1	70	–	–	–	–	–	29	1	6	–	–
5	F.	111	–	–	1	–	83	–	–	–	–	–	15	1	4	–	–
6	Total	222	–	–	1	1	153	–	–	–	–	–	44	2	10	–	–
7	Sarnia, Ont..... M.	112	–	–	–	2	76	–	–	–	–	–	13	3	10	–	–
8	F.	103	–	–	1	3	75	–	–	–	–	–	11	5	3	–	–
9	Total	215	–	–	1	5	151	–	–	–	–	–	24	8	13	–	–
10	Saskatoon, Sask..... M.	283	–	5	1	8	44	7	102	1	2	–	32	1	15	1	–
11	F.	213	1	3	3	6	32	6	70	3	1	–	22	1	13	–	–
12	Total	496	1	8	4	14	76	13	172	4	3	–	54	2	28	1	–
13	Sault Ste. Marie, Ont. M.	116	–	–	–	15	61	2	–	–	–	–	12	3	1	–	–
14	F.	87	–	–	1	3	54	1	–	–	–	–	8	–	2	–	–
15	Total	203	–	–	1	18	115	3	–	–	–	–	20	3	3	–	–
16	Shawinigan Falls, Que. M.	113	–	–	–	113	–	–	–	–	–	–	–	–	–	–	–
17	F.	72	–	1	–	69	1	–	–	–	–	–	–	–	1	–	–
18	Total	185	–	1	–	182	1	–	–	–	–	–	–	–	1	–	–
19	Sherbrooke, Que..... M.	208	–	–	–	185	–	–	–	–	–	–	9	4	3	1	–
20	F.	203	1	1	2	181	1	–	–	–	–	–	7	–	1	–	–
21	Total	411	1	1	2	366	1	–	–	–	–	–	16	4	4	1	–
22	Stratford, Ont..... M.	104	–	–	–	5	79	–	–	–	–	–	14	1	2	–	–
23	F.	90	–	–	–	–	53	–	–	–	–	–	16	5	5	–	–
24	Total	194	–	–	–	5	132	–	–	–	–	–	30	6	7	–	–
25	Sydney, N.S..... M.	135	3	89	–	–	–	–	–	–	–	–	5	1	6	–	–
26	F.	137	4	113	2	2	–	–	–	–	–	–	–	–	1	–	–
27	Total	272	7	202	2	2	–	–	–	–	–	–	5	1	7	–	–
28	Toronto, Ont..... M.	3,207	2	6	8	47	1,763	2	2	2	3	47	608	155	213	5	5
29	F.	3,056	2	6	8	65	1,763	2	5	1	1	52	502	187	175	13	–
30	Total	6,263	4	12	16	112	3,526	4	7	3	4	99	1,110	342	388	18	5
31	Trois-Rivières, Que.. M.	268	–	–	–	263	–	–	–	–	–	–	–	1	1	–	–
32	F.	271	–	–	–	258	1	1	–	–	–	–	–	2	1	–	–
33	Total	539	–	–	–	521	1	1	–	–	–	–	–	3	2	–	–
34	Vancouver, B.C..... M.	1,088	14	22	13	21	162	13	8	5	200	–	197	37	102	5	–
35	F.	666	7	14	14	18	94	9	5	10	158	–	147	19	64	3	–
36	Total	1,754	21	36	27	39	256	22	13	15	358	–	344	56	166	8	–
37	Verdun, Que..... M.	187	–	–	–	138	1	–	–	–	–	–	18	3	9	–	1
38	F.	174	–	1	–	127	6	–	–	–	–	–	17	3	8	–	–
39	Total	361	–	1	–	265	7	–	–	–	–	–	35	6	17	–	1
40	Victoria, B.C..... M.	283	1	5	2	3	22	2	2	1	57	–	96	12	21	2	–
41	F.	199	1	3	2	4	20	2	1	–	47	–	68	8	16	2	1
42	Total	482	2	8	4	7	42	4	3	1	104	–	164	20	37	4	1
43	Westmount, Que..... M.	25	–	–	–	15	2	–	–	–	–	–	5	–	2	–	–
44	F.	46	1	–	1	28	4	–	–	–	–	–	1	6	1	–	–
45	Total	71	1	–	1	43	6	–	–	–	–	–	6	6	3	–	–
46	Windsor, Ont..... M.	373	1	3	1	13	221	1	1	–	–	1	47	9	15	1	–
47	F.	332	–	2	–	9	226	–	–	1	–	–	31	9	17	2	–
48	Total	705	1	5	1	22	447	1	1	1	–	1	78	18	32	3	–
49	Winnipeg, Man..... M.	912	1	10	6	19	124	296	10	–	3	14	126	34	52	7	–
50	F.	744	3	6	6	12	110	231	8	1	–	4	96	29	72	4	–
51	Total	1,656	4	16	12	31	234	527	18	1	3	18	222	63	124	11	–

(1) Including Galicia—Y compris la Galicie.
(2) Including Bukovina.—Y compris la Bukovine.
(3) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 26—Décès (mort-nés exclus) classifiés selon le lieu de naissance des décédés, par provinces, cités et villes de 10,000 habitants et plus, 1927—*fin*

| Lieu de naissance des décédés | | |

TABLE 27—Deaths (exclusive of stillbirths) classified according to birthplace of parents of decedents for Canada [1], 1927

No.	Birthplace of father — Lieu de naissance du père	Total fathers — Total des pères	Birthplace of mother														
			Canada										British Isles — Îles britanniques				
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not specified — Prov. non spécifiée	England — Angleterre	Ireland—Irlande	Scotland—Écosse	Wales Galles, pays de	Other—Autres
1	**Canada**	**58,055**	**776**	**4,687**	**3,320**	**31,520**	**10,335**	**790**	**452**	**185**	**655**	**1,305**	**909**	**598**	**445**	**11**	**5**
2	Prince Edward Island	845	705	29	34	7	11	2	–	–	1	–	8	6	10	–	–
3	Nova Scotia	5,006	38	4,509	81	11	48	6	3	2	6	5	41	28	54	–	–
4	New Brunswick	3,563	23	80	3,089	75	33	4	–	–	2	2	25	36	21	–	–
5	Quebec	32,590	2	16	85	30,916	597	50	17	4	4	16	113	106	43	2	–
6	Ontario	12,238	5	45	26	467	9,498	117	44	16	20	50	588	363	266	6	4
7	Manitoba	866	1	2	4	18	50	575	58	11	6	1	25	1	14	2	–
8	Saskatchewan	435	–	1	–	4	18	24	322	6	1	–	11	1	5	–	–
9	Alberta	183	1	1	–	2	5	3	4	145	1	2	3	1	1	–	–
10	British Columbia	681	–	1	–	1	10	5	4	–	614	–	15	3	1	1	–
11	Province not specified	1,648	1	3	1	19	65	4	–	1	–	1,229	80	53	30	–	1
12	**British Isles**	**28,028**	**75**	**397**	**267**	**473**	**2,218**	**98**	**30**	**11**	**56**	**442**	**9,953**	**6,458**	**5,871**	**228**	**35**
13	England	12,552	26	116	88	184	919	56	19	5	31	193	9,331	440	363	51	4
14	Ireland	7,961	14	96	116	166	756	6	1	4	5	142	271	5,754	242	7	–
15	Scotland	7,201	35	178	61	113	519	33	10	2	19	105	305	251	5,259	13	–
16	Wales	263	–	7	2	3	20	3	–	–	1	2	41	12	5	157	–
17	Other	51	–	–	–	7	4	–	–	–	–	–	5	1	2	–	31
18	**British Possessions**	**591**	**2**	**52**	**4**	**14**	**28**	–	**2**	**1**	**2**	**2**	**24**	**10**	**14**	–	–
19	Newfoundland	444	2	43	3	8	14	–	1	1	1	2	6	6	4	–	–
20	Other	147	–	9	1	6	14	–	1	–	1	–	18	4	10	–	–
21	**Europe**	**9,620**	**1**	**25**	**21**	**151**	**188**	**143**	**94**	**40**	**14**	**71**	**87**	**37**	**28**	–	**1**
22	Austria	1,182	–	1	–	2	3	28	33	10	–	16	–	–	–	–	–
23	Belgium	192	–	–	1	11	3	3	–	–	–	–	4	–	2	–	–
24	Denmark	154	–	–	3	2	4	–	–	1	1	–	4	1	2	–	–
25	Finland	297	–	–	–	–	4	–	–	–	–	–	–	–	1	–	–
26	France	461	1	5	4	55	20	12	–	4	3	6	10	7	3	–	1
27	Germany	1,349	–	3	3	13	90	–	1	–	1	15	20	13	4	–	–
28	Holland	117	–	3	1	–	2	–	–	–	1	1	8	5	5	–	–
29	Hungary	178	–	–	–	–	–	2	4	–	–	1	1	1	–	–	–
30	Italy	704	–	5	2	33	22	3	–	1	4	5	2	3	2	–	–
31	Norway	483	–	–	4	4	6	2	2	2	1	4	2	2	–	–	–
32	Poland [2]	1,266	–	–	–	7	5	39	17	8	–	8	4	1	1	–	–
33	Rumania [3]	408	–	–	1	5	3	4	7	5	–	–	3	–	1	–	–
34	Russia [4]	1,803	–	2	–	4	9	42	26	7	1	9	12	–	–	–	–
35	Sweden	490	–	1	1	2	6	4	3	1	2	1	7	2	2	–	–
36	Other	536	–	5	1	13	11	4	1	1	–	5	10	2	5	–	–
37	**Asia**	**613**	**1**	**1**	–	**7**	**2**	–	–	–	**6**	–	**2**	–	–	–	–
38	China	301	–	–	–	1	–	–	–	–	5	–	1	–	–	–	–
39	Japan	197	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
40	Other	115	1	1	–	6	2	–	–	–	–	–	–	–	–	–	–
41	United States	3,342	5	46	57	433	490	56	41	23	16	64	113	83	47	4	2
42	Various	16	–	–	–	1	1	1	–	–	1	–	2	–	1	–	–
43	Not specified	5,027	10	80	83	280	280	53	46	8	6	27	70	35	40	3	–
	Total mothers—Total des mères	**105,292**	**870**	**5,288**	**3,752**	**32,879**	**13,542**	**1,141**	**665**	**268**	**756**	**1,911**	**11,160**	**7,221**	**6,446**	**246**	**43**

[1] Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.
[2] Including Galicia—Y compris la Galicie.
[3] Including Bukovina—Y compris la Bukovine.
[4] Including the Ukraine—Y compris l'Ukraine.

TABLEAU 27—Décès (mort-nés exclus) classifiés selon le lieu de naissance des parents des décédés, pour le Canada (1) ,1927

Lieu de naissance de la mère																													
British Possessions — Possessions britanniques			Europe																				Asia — Asie						
Newfoundland	Terre-Neuve	Other—Autres	Austria—Autriche	Belgium Belgique	Denmark Danemark	Finland—Finlande	France	Germany Allemagne	Holland Hollande	Hungary Hongrie	Italy—Italie	Norway Norvège	Poland (2)	Pologne (2)	Rumania (3) Roumanie (3)	Russia (4) Russie (4)	Sweden—Suède	Other—Autres	China—Chine	Japan—Japon	Other—Autres	United States—États-Unis	Various—Divers	Not specified—Non spécifié	No.
	67	**24**	**18**	**9**	**6**	**3**	**36**	**49**	**9**	**2**	**1**	**4**	**10**	**2**	**18**	**7**	**17**	**3**	–	–	**1,218**	–	**559**	1
	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	8	–	21	2
	45	3	1	–	1	–	1	2	–	–	–	1	–	–	–	–	1	–	–	–	50	–	69	3
	5	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	87	–	79	4
	11	3	1	5	1	1	17	6	2	–	–	1	–	–	3	1	4	–	–	–	460	–	103	5
	5	14	5	2	3	2	15	35	6	2	1	1	3	1	2	1	4	–	–	–	421	–	200	6
	–	–	2	2	1	–	–	–	–	–	–	–	4	1	8	3	8	–	–	–	43	–	26	7
	–	–	6	–	–	–	1	–	–	–	–	–	2	–	3	–	–	–	–	–	20	–	10	8
	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	12	–	–	9
	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	19	–	1	10
	–	1	2	–	–	–	1	5	1	–	–	–	–	–	2	1	–	–	–	–	98	–	50	11
	49	**43**	**5**	**6**	**1**	**3**	**26**	**24**	**16**	–	–	**4**	**1**	–	**3**	**4**	**9**	–	**1**	–	**358**	**3**	**860**	12
	36	23	4	4	1	3	15	10	8	–	–	3	–	–	2	3	7	–	–	–	175	1	431	13
	6	10	–	–	–	–	7	8	3	–	–	–	1	–	–	–	1	–	–	–	110	1	234	14
	7	10	1	2	–	–	4	6	3	–	–	1	–	–	1	1	1	–	1	–	68	–	192	15
	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	4	1	3	16
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	17
	341	**70**	–	–	–	–	–	–	–	–	–	–	–	–	**1**	–	**2**	–	–	**1**	**9**	–	**12**	18
	339	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	9	19
	2	69	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	1	5	–	3	20
	6	**1**	**1,054**	**168**	**124**	**292**	**299**	**1,078**	**79**	**160**	**599**	**396**	**1,156**	**359**	**1,607**	**413**	**450**	–	**1**	**1**	**221**	–	**255**	21
	–	–	990	–	–	–	–	3	–	2	–	–	18	6	15	–	1	–	–	–	11	–	43	22
	–	–	–	162	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	23
	–	–	–	–	122	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	7	–	3	24
	–	–	–	–	–	279	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	12	25
	4	–	–	3	–	–	278	10	–	1	1	1	–	–	–	–	4	–	–	–	15	–	13	26
	–	1	5	–	1	–	14	1,037	2	–	–	1	6	1	16	2	4	–	–	–	51	–	45	27
	–	–	–	1	–	–	–	2	77	–	–	–	–	–	–	–	–	–	–	–	5	–	6	28
	–	–	2	–	–	1	–	–	–	152	–	–	–	2	4	–	–	–	1	–	4	–	3	29
	1	–	1	1	–	1	1	1	–	–	598	–	1	–	–	–	–	–	–	–	8	–	9	30
	–	–	–	1	–	–	1	3	–	–	–	380	–	–	–	11	–	–	–	–	46	–	12	31
	–	–	12	–	–	1	–	5	–	–	–	–	1,092	10	17	–	–	–	–	–	3	–	36	32
	–	–	6	–	–	–	–	–	–	3	–	–	9	327	13	–	–	–	–	–	9	–	12	33
	1	–	35	–	–	1	–	9	–	1	–	1	26	13	1,539	–	5	–	–	–	26	–	34	34
	–	–	–	–	–	9	–	1	–	–	–	11	1	–	1	396	2	–	–	–	26	–	11	35
	–	–	3	–	1	–	3	7	–	1	–	–	3	–	2	2	434	–	–	–	9	–	13	36
	–	–	–	–	–	–	–	–	–	–	**1**	–	–	–	–	–	–	**286**	**195**	**98**	**1**	–	**13**	37
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	286	–	–	–	–	8	38
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	195	–	–	–	–	39
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	98	1	–	5	40
	5	7	3	2	2	3	12	13	1	5	1	16	4	–	20	13	3	–	–	1	1,656	–	95	41
	–	–	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	5	–	42
	8	4	3	1	1	3	1	3	1	–	1	–	4	–	3	1	1	–	–	1	54	–	3,916	43
	476	**149**	**1,083**	**187**	**134**	**304**	**374**	**1,167**	**106**	**167**	**604**	**420**	**1,175**	**361**	**1,653**	**438**	**482**	**289**	**197**	**102**	**3,518**	**8**	**5,710**	

TABLE 28—Causes of death for each sex, by provinces, 1927

Int. list No.	Causes of death — Causes de décès		Canada (1)	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia
	DEATHS—ALL CAUSES—DÉCÈS—TOUTES CAUSES.	**Total**	**105,292**	**913**	**6,378**	**4,902**	**36,175**	**34,775**	**5,309**	**6,031**	**5,059**	**5,750**
		M.	**56,265**	**451**	**3,300**	**2,537**	**18,827**	**18,305**	**2,968**	**3,395**	**2,932**	**3,550**
		F.	**49,027**	**462**	**3,078**	**2,365**	**17,348**	**16,470**	**2,341**	**2,636**	**2,127**	**2,200**
	CLASS I—EPIDEMIC, ENDEMIC, AND INFECTIOUS DISEASES—CLASSE I—AFFECTIONS ÉPIDÉMIQUES, ENDÉMIQUES ET INFECTIEUSES.	**Total**	**17,368**	**124**	**1,075**	**798**	**7,269**	**4,125**	**946**	**1,021**	**902**	**1,108**
		M.	**8,646**	**56**	**504**	**387**	**3,397**	**2,130**	**501**	**557**	**468**	**646**
		F.	**8,722**	**68**	**571**	**411**	**3,872**	**1,995**	**445**	**464**	**434**	**462**
1	Typhoid and paratyphoid fever—Fièvre typhoïde et paratyphoïde.	M.	599	3	6	17	445	76	14	14	14	10
		F.	513	1	7	18	424	33	13	7	7	3
	(a) Typhoid fever—Fièvre typhoïde....	M.	587	3	4	17	437	76	13	13	14	10
		F.	504	1	7	18	416	33	12	7	7	3
	(b) Paratyphoid fever—Fièvre paratyphoïde.	M.	12	–	2	–	8	–	1	1	–	–
		F.	9	–	–	–	8	–	1	–	–	–
5	Malaria—Fièvre et cachexie paludéennes..	M.	5	–	–	–	1	2	–	–	–	2
		F.	–	–	–	–	–	–	–	–	–	–
6	Small-pox—Variole.....	M.	5	–	–	–	–	2	–	1	2	–
		F.	6	–	–	–	2	1	–	–	2	1
7	Measles—Rougeole.....	M.	330	1	19	22	187	53	9	9	6	24
		F.	286	–	26	21	176	29	11	3	6	14
8	Scarlet fever—Scarlatine.....	M.	219	1	11	20	104	44	11	13	12	3
		F.	192	1	10	13	91	43	5	15	10	4
9	Whooping-cough—Coqueluche.....	M.	511	4	34	28	274	91	13	24	18	25
		F.	519	3	34	33	280	90	12	22	24	21
10	Diphtheria—Diphtérie.....	M.	518	–	13	7	239	159	49	29	10	12
		F.	494	–	16	11	230	138	39	34	16	10
11	Influenza—Grippe.....	M.	1,744	13	77	66	527	484	142	173	108	154
		F.	1,707	13	102	71	510	475	123	167	113	133
	(a) Sole cause—Cause unique.....	M.	354	5	20	35	134	36	43	33	17	31
		F.	328	3	24	45	110	40	22	32	21	31
	(b) With phthisis—Avec phtisie.....	M.	50	–	7	1	16	9	3	4	2	8
		F.	84	3	8	2	37	13	3	7	3	8
	(c) With bronchitis—Avec bronchite....	M.	68	–	2	1	29	21	5	4	4	2
		F.	72	–	6	–	39	16	2	5	1	3
	(d) With pneumonia—Avec pneumonie..	M.	699	6	30	10	182	224	51	81	47	68
		F.	535	2	27	8	141	186	37	58	30	46
	(e) With other respiratory diseases—Avec autres affections de l'appareil respiratoire.	M.	65	–	–	1	40	7	5	4	3	5
		F.	75	–	7	2	46	6	1	5	2	3
	(f) With diseases and accidents of pregnancy and parturition—Avec affections et accidents de la grossesse.	F.	36	–	1	1	3	7	7	8	6	3
	(g) With other causes—Avec autres causes.	M.	508	2	18	18	126	187	35	47	35	40
		F.	577	5	29	13	131	207	51	52	50	39
13	Mumps—Oreillons.....	M.	18	2	–	–	14	1	–	–	1	–
		F.	15	–	–	–	8	2	2	3	–	–
16	Dysentery—Dysenterie.....	M.	44	–	4	–	6	27	3	1	1	2
		F.	49	2	4	–	5	23	7	2	1	5
19	Spirochetal haemorrhagic jaundice—Spirochétose ictéro-hémorragique.	M.	1	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
20	Leprosy—Lèpre.....	M.	1	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle.....	M.	155	–	6	4	36	73	12	8	11	5
		F.	167	–	5	4	62	59	12	10	7	8
22	Acute anterior poliomyelitis—Poliomyélite aiguë.	M.	115	–	6	4	21	13	1	5	38	27
		F.	78	–	5	2	19	8	4	3	27	10
23	Lethargic encephalitis—Encéphalite léthargique.	M.	69	–	2	–	10	25	8	12	5	7
		F.	51	–	–	–	9	23	5	4	2	3
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique.	M.	129	2	5	5	45	20	11	16	11	14
		F.	90	1	3	7	32	12	8	7	15	5
25	Other epidemic and endemic diseases—Autres affections épidémiques et endémiques.	M.	19	–	1	1	9	6	–	1	1	–
		F.	24	–	–	1	15	5	–	–	2	1
	(a) Chicken-pox—Varicelle.....	M.	7	–	–	1	3	3	–	–	–	–
		F.	17	–	–	1	10	4	–	–	1	1
	(b) German measles—Rubéole.....	M.	11	–	1	–	6	3	–	1	–	–
		F.	5	–	–	–	5	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	1	–	–	–	–	–	–	–	1	–
		F.	2	–	–	–	–	1	–	–	1	–
28	Rabies—Rage.....	M.	3	–	–	–	3	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
29	Tetanus—Tétanos.....	M.	26	–	3	2	13	8	–	–	–	–
		F.	17	–	–	1	4	10	2	–	–	–
30	Mycoses.....	M.	6	–	–	–	1	3	–	–	–	2
		F.	3	–	–	–	–	2	1	–	–	–
31-37	**Tuberculosis—Tuberculose**.....	**M.**	**3,593**	**29**	**297**	**193**	**1,291**	**851**	**191**	**214**	**205**	**322**
		F.	**4,189**	**43**	**346**	**219**	**1,854**	**952**	**178**	**177**	**191**	**229**
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire.	M.	2,914	26	254	148	1,025	720	148	162	151	280
		F.	3,530	38	300	193	1,582	796	155	140	151	175

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

TABLEAU 28—Causes de décès pour chaque sexe, par provinces, 1927

Int. list No.	Causes of death — Causes de décès		Canada	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia
	CLASS I-con.—CLASSE I-fin											
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central.	M.	259	1	21	20	101	48	18	17	18	15
		F.	266	1	25	6	115	53	5	10	21	30
33	Tuberculosis of the intestines and peritoneum—Tuberculose des intestins et du péritoine.	M.	156	1	6	7	81	27	6	7	13	8
		F.	184	3	13	7	74	45	9	13	8	12
34	Tuberculosis of the vertebral column—Tuberculose de la colonne vertébrale.	M.	36	–	1	1	8	8	3	10	2	3
		F.	30	–	1	1	12	10	–	2	–	4
35	Tuberculosis of the joints—Tuberculose articulaire.	M.	22	1	2	1	5	5	1	2	2	3
		F.	15	–	–	2	3	4	1	2	3	–
36	Tuberculosis of other organs—Tuberculose d'autres organes.	M.	115	–	8	11	48	20	4	8	10	6
		F.	81	–	4	3	44	20	2	2	4	2
	(a) Skin and sub-cutaneous cellular tissue—De la peau et du tissu cellulaire sous-cutané.	M.	12	–	–	3	5	1	–	1	1	1
		F.	8	–	–	–	5	2	–	–	1	–
	(b) Bones (vertebral column excepted)—Des os (excepté la colonne vertébrale).	M.	23	–	2	1	15	2	2	1	–	–
		F.	19	–	1	1	12	4	–	–	–	1
	(c) Lymphatic system (mesenteric, and retroperitoneal glands excepted)—Du système lymphatique (excepté les ganglions mésentériques et les ganglions rétropéritonéaux).	M.	16	–	–	–	7	3	1	2	3	–
		F.	17	–	–	–	11	3	–	1	2	–
	(d) Genito-urinary system—Des organes génito-urinaires.	M.	55	–	5	7	19	10	1	4	5	4
		F.	29	–	3	2	14	8	1	–	1	–
	(e) Organs other than above—Autres organes que ceux déjà mentionnés.	M.	9	–	1	–	2	4	–	–	1	1
		F.	8	–	–	–	2	3	1	1	–	1
37	Disseminated tuberculosis—Tuberculose disséminée.	M.	91	–	5	5	23	23	11	8	9	7
		F.	83	1	3	7	24	24	6	8	4	6
	(a) Acute—Aiguë	M.	59	–	4	3	14	15	7	7	4	5
		F.	47	1	3	4	9	18	3	5	2	2
	(b) Chronic or unstated—Chronique ou non spécifiée.	M.	32	–	1	2	9	8	4	1	5	2
		F.	36	–	–	3	15	6	3	3	2	4
38	Syphilis	M.	240	–	10	9	77	90	18	17	9	10
		F.	122	2	6	–	59	28	10	5	6	6
39	Soft chancre—Chancre mou	M.	1	–	–	–	1	–	–	–	–	–
		F.	1	–	–	–	1	–	–	–	–	–
40	Gonococcus infection—Gonococcie	M.	10	–	–	–	5	4	–	–	–	1
		F.	9	–	–	–	5	2	1	1	–	–
41	Purulent infection, septicaemia—Infection purulente, septicémie.	M.	285	1	10	9	88	98	19	20	16	24
		F.	190	2	7	5	86	60	12	4	5	9
	CLASS II—GENERAL DISEASES NOT INCLUDED IN CLASS I—CLASSE II—MALADIES GÉNÉRALES NON MENTIONNÉES DANS LA CLASSE I.	Total	**11,950**	**92**	**752**	**470**	**2,882**	**4,931**	**741**	**685**	**643**	**754**
		M.	**5,765**	**42**	**356**	**234**	**1,378**	**2,243**	**404**	**349**	**352**	**407**
		F.	**6,185**	**50**	**396**	**236**	**1,504**	**2,688**	**337**	**336**	**291**	**347**
42-49	**Cancer**	M.	**3,828**	**34**	**262**	**158**	**909**	**1,458**	**270**	**224**	**234**	**279**
		F.	**4,091**	**33**	**294**	**174**	**1,000**	**1,719**	**226**	**221**	**186**	**238**
43	Cancer of the buccal cavity—Cancer de la cavité buccale.	M.	300	1	21	10	83	120	25	14	13	13
		F.	62	1	3	4	20	21	4	3	3	3
44	Cancer of the stomach and liver—Cancer de l'estomac et du foie.	M.	1,825	16	124	75	494	608	132	120	124	132
		F.	1,295	9	105	55	346	507	66	76	65	66
45	Cancer of the peritoneum, intestines and rectum—Cancer du péritoine, des intestins et du rectum.	M.	636	4	47	27	139	262	42	25	37	53
		F.	639	6	47	35	163	264	30	22	34	38
46	Cancer of the female genital organs—Cancer des organes génitaux de la femme.	F.	808	9	52	34	187	348	55	49	26	48
47	Cancer of the breast—Cancer du sein	M.	11	–	1	2	4	3	–	–	–	1
		F.	721	5	48	27	186	307	32	30	32	54
48	Cancer of the skin—Cancer de la peau	M.	109	5	15	3	20	43	3	7	6	7
		F.	67	1	5	3	16	32	3	5	1	1
49	Cancer of other or unspecified organs—Cancer d'autres organes ou d'organes non spécifiés.	M.	947	8	54	41	169	422	68	58	54	73
		F.	499	2	34	16	82	240	36	36	25	28
	(a) Other—Autres	M.	939	7	54	41	167	420	68	58	51	73
		F.	489	2	34	15	78	236	36	36	24	28
	(b) Unspecified—Non spécifiés	M.	8	1	–	–	2	2	–	–	3	–
		F.	10	–	–	1	4	4	–	–	1	–
50	Benign tumours and tumours not returned as malignant (tumours of female genital organs excepted)—Tumeurs bénignes et tumeurs non données comme malignes (tumeurs des organes génitaux de la femme exceptées).	M.	55	1	5	3	12	22	4	6	1	1
		F.	72	–	11	2	16	31	6	4	–	2
51	Acute rheumatic fever—Rhumatisme articulaire aigu fébrile.	M.	184	–	4	4	48	79	9	14	12	14
		F.	167	1	7	6	40	70	10	12	11	10
52	Chronic rheumatism, osteo-arthritis, gout—Rhumatisme chronique ou goutte.	M.	57	2	2	4	26	10	1	3	4	5
		F.	90	1	9	4	27	23	4	6	10	6
53	Scurvy—Scorbut	M.	4	–	–	–	2	1	–	–	–	1
		F.	4	–	–	–	3	–	–	1	–	–

TABLE 28—Causes of death for each sex, by provinces, 1927—*con.*

Int. list No.	Causes of death — Causes de décès		Canada	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia
	CLASS II–con.—**CLASSE II**–fin											
54	Pellagra—Pellagre	M.	2	–	–	–	–	2	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
56	Rickets—Rachitisme	M.	110	–	3	4	67	16	6	7	6	1
		F.	79	1	4	1	48	14	2	3	3	3
57	Diabetes mellitus—Diabète	M.	489	–	28	25	120	190	37	30	30	29
		F.	594	5	33	21	169	251	35	33	21	26
58	Anaemia, chlorosis—Anémie, chlorose	M.	376	5	21	17	77	174	23	20	12	27
		F.	417	6	17	15	98	209	13	22	14	23
	(a) Pernicious anaemia—Anémie pernicieuse.	M.	306	4	15	17	36	159	23	18	10	24
		F.	310	3	11	10	43	179	10	20	13	21
	(b) Other anaemias and chlorosis—Autres anémies et chloroses.	M.	70	1	6	–	41	15	–	2	2	3
		F.	107	3	6	5	55	30	3	2	1	2
59	Diseases of the pituitary gland—Affections du corps pituitaire.	M.	4	–	–	–	1	1	1	–	1	–
		F.	5	–	–	–	–	2	1	–	–	2
60	Diseases of the thyroid gland—Affections de la glande thyroïde.	M.	87	–	2	–	8	59	3	4	5	6
		F.	394	2	8	3	50	243	25	14	31	18
	(a) Exophthalmic goiter—Goître exophtalmique.	M.	54	–	2	–	5	37	1	1	4	4
		F.	210	2	5	2	22	125	13	10	21	10
	(b) Other diseases of the thyroid gland—Autres affections de la glande thyroïde.	M.	33	–	–	–	3	22	2	3	1	2
		F.	184	–	3	1	28	118	12	4	10	8
61	Diseases of the parathyroid glands—Affections des glandes parathyroïdes.	M.	17	–	–	–	8	6	1	–	–	2
		F.	13	–	–	–	3	7	–	2	–	1
62	Diseases of the thymus—Affections du thymus.	M.	72	–	5	3	12	24	7	2	10	9
		F.	49	–	1	3	10	22	3	4	1	5
63	Diseases of the adrenals (Addison's disease)—Affections des glandes surrénales (maladie d'Addison).	M.	20	–	–	1	4	10	2	2	1	–
		F.	25	–	1	–	4	11	4	1	1	3
64	Diseases of the spleen—Affections de la rate	M.	13	–	1	–	4	4	1	2	1	–
		F.	11	–	–	–	3	3	2	–	2	1
65	Leukaemia, lymphadenoma—Leucémie, lymphadénie.	M.	116	–	7	4	8	60	10	11	10	6
		F.	75	1	6	4	6	38	3	7	3	7
	(a) Leukaemia—Leucémie	M.	72	–	3	4	5	36	6	5	9	4
		F.	53	1	3	4	6	25	3	4	2	5
	(b) Lymphadenoma (Hodgkin's disease)—Lymphadénie (maladie d'Hodgkin).	M.	44	–	4	–	3	24	4	6	1	2
		F.	22	–	3	–	–	13	–	3	1	2
66	Alcoholism—Alcoolisme	M.	213	–	8	9	52	76	24	13	9	22
		F.	16	–	–	–	5	7	–	2	2	–
	(a) Delirium tremens	M.	16	–	1	2	3	5	1	2	1	1
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Acute alcoholism—Alcoolisme aigu	M.	110	–	2	5	15	44	22	6	6	10
		F.	7	–	–	–	2	3	–	2	–	–
	(c) Chronic alcoholism—Alcoolisme chronique.	M.	87	–	5	2	34	27	1	5	2	11
		F.	9	–	–	–	3	4	–	–	2	–
67	Chronic poisoning by mineral substances—Empoisonnements chroniques par substances minérales.	M.	14	–	1	–	3	9	–	–	1	–
		F.	1	–	–	–	1	–	–	–	–	–
	(a) Chronic lead poisoning—Empoisonnements chroniques par le plomb.	M.	10	–	1	–	3	5	–	–	1	–
		F.	1	–	–	–	1	–	–	–	–	–
	(b) Others under this title—Autres sous ce titre.	M.	4	–	–	–	–	4	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
68	Chronic organic poisoning—Empoisonnements chroniques par substances organiques.	M.	15	–	2	–	4	5	1	1	1	1
		F.	5	–	1	–	1	3	–	–	–	–
	(a) Chronic morphinism—Morphinisme chronique.	M.	4	–	–	–	2	–	–	–	1	1
		F.	3	–	1	–	–	2	–	–	–	–
	(b) Chronic cocainism, etc.—Cocaïnisme chronique, etc.	M.	1	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Other organic poisoning—Autres empoisonnements organiques.	M.	10	–	2	–	2	4	1	1	–	–
		F.	2	–	–	–	1	1	–	–	–	–
69	Other general diseases—Autres maladies générales.	M.	89	–	5	2	13	37	4	10	14	4
		F.	77	–	4	3	20	35	3	4	6	2
	(a) Diabetes insipidus—Diabète insipide	M.	4	–	1	–	2	–	–	1	–	–
		F.	3	–	–	–	1	2	–	–	–	–
	(b) Haemophilia—Hémophilie	M.	36	–	–	1	2	15	1	4	9	4
		F.	20	–	1	–	5	8	1	2	3	–
	(c) Purpura haemorrhagica—Purpura hémorragique.	M.	28	–	2	1	7	12	–	2	4	–
		F.	33	–	2	1	7	18	1	1	3	–
	(d) Others under this title—Autres sous ce titre.	M.	21	–	2	–	2	10	3	3	1	–
		F.	21	–	1	2	7	7	1	1	–	2
	CLASS III—DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE—CLASSE III—AFFECTIONS DU SYSTÈME NERVEUX ET DES ORGANES DES SENS.	Total	8,079	117	661	428	2,557	2,745	385	452	328	406
		M.	4,165	51	341	226	1,287	1,365	203	252	194	246
		F.	3,914	66	320	202	1,270	1,380	182	200	134	160
0	Encephalitis—Encéphalite	M.	88	1	3	3	27	29	8	10	10	7
		F.	82	1	4	7	22	30	6	3	6	3
	(a) Abscess of brain—Abcès du cerveau	M.	41	–	3	3	10	10	2	7	3	3
		F.	29	–	2	3	11	5	4	1	2	1
	(b) Encephalitis—Encéphalite	M.	57	1	–	–	17	19	6	3	7	4
		F.	53	1	2	4	11	25	2	2	4	2

TABLEAU 28—Causes de décès pour chaque sexe, par provinces, 1927—*suite*

Int. list No.	Causes of death — Causes de décès		Canada	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia
	CLASS III—con.—**CLASSE III**—fin											
71	Meningitis—Méningite	M.	428	8	25	14	259	70	14	15	16	7
		F.	384	4	11	14	255	59	11	16	5	9
	(a) Simple meningitis—Méningite simple	M.	428	8	25	14	259	70	14	15	16	7
		F.	383	4	11	13	255	59	11	16	5	9
	(b) Non-epidemic, cerebrospinal meningitis—Méningite cérébro-spinale non épidémique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	1	–	–	–	–	–	–
72	Tabes dorsalis (locomotor ataxia)—Ataxie locomotrice progressive.	M.	55	–	3	5	14	20	3	2	2	6
		F.	18	–	1	–	7	7	–	1	1	1
73	Other diseases of the spinal cord—Autres affections de la moelle épinière.	M.	229	1	20	6	37	107	19	14	8	17
		F.	174	3	6	5	31	91	12	8	4	14
74	Cerebral haemorrhage, apoplexy—Hémorragie cérébrale, apoplexie.	M.	1,437	23	111	86	282	632	65	78	67	93
		F.	1,501	30	132	89	287	697	86	69	41	70
	(a) Apoplexy—Apoplexie	M.	620	13	53	32	97	303	22	35	42	23
		F.	572	17	61	25	62	316	31	28	21	11
	(b) Cerebral haemorrhage—Hémorragie cérébrale.	M.	762	10	49	51	175	307	41	40	23	66
		F.	849	13	64	57	209	341	54	38	19	54
	(c) Cerebral thrombosis and embolism—Thrombose et embolie cérébrales.	M.	55	–	9	3	10	22	2	3	2	4
		F.	80	–	7	7	16	40	1	3	1	5
75	Paralysis without specified cause—Paralysie sans cause indiquée.	M.	507	6	40	38	251	129	10	8	5	20
		F.	601	14	57	33	315	128	16	13	16	9
	(a) Hemiplegia—Hémiplégie	M.	172	1	7	9	36	93	9	1	3	13
		F.	193	3	9	12	48	87	13	9	7	5
	(b) Others under this title—Autres sous ce titre.	M.	335	5	33	29	215	36	1	7	2	7
		F.	408	11	48	21	267	41	3	4	9	4
76	General paralysis of the insane—Paralysie générale des aliénés.	M.	119	–	8	2	12	49	11	8	8	20
		F.	46	1	4	1	10	19	4	3	3	1
77	Other forms of mental alienation—Autres formes de l'aliénation mentale.	M.	147	2	22	14	25	27	6	19	4	28
		F.	164	4	21	15	39	54	3	15	5	8
78	Epilepsy—Épilepsie	M.	234	2	16	11	62	82	11	21	16	13
		F.	186	3	13	8	54	70	6	14	8	10
79	Convulsions (non-puerperal, 5 years or over) — Éclampsie (non-puerpérale, cinq ans ou au-dessus).	M.	4	–	1	–	2	–	–	1	–	–
		F.	13	–	1	1	3	5	1	1	1	–
80	Infantile convulsions (under 5 years of age)—Convulsions des enfants (moins de cinq ans).	M.	328	3	50	18	112	57	15	45	20	8
		F.	225	2	41	10	56	44	13	33	16	10
81	Chorea—Chorée	M.	7	–	1	3	1	1	–	1	–	–
		F.	12	–	–	–	2	7	–	–	3	–
82	Neuralgia and neuritis—Névralgie et névrite.	M.	24	–	2	1	8	6	4	1	–	2
		F.	31	1	1	2	13	11	1	1	–	1
83	Softening of the brain—Ramollissement du cerveau.	M.	52	–	3	4	28	13	1	1	–	2
		F.	45	–	4	2	25	11	2	–	–	1
84	Other diseases of the nervous system—Autres affections du système nerveux.	M.	204	4	21	10	23	75	20	14	22	15
		F.	206	3	22	8	34	85	9	8	15	12
85	Diseases of the eye and annexa—Affections de l'œil et de ses annexes.	M.	10	–	2	2	2	2	1	1	–	–
		F.	11	–	–	–	3	5	1	1	–	1
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien.	M.	282	1	12	9	142	66	15	13	16	8
		F.	215	–	2	7	114	47	11	14	10	10
	(a) Diseases of the ear—Affections de l'oreille.	M.	140	–	6	7	59	36	11	9	7	5
		F.	102	–	1	5	42	29	7	12	5	1
	(b) Diseases of the mastoid process—Affections du sinus mastoïdien.	M.	142	1	6	2	83	30	4	4	9	3
		F.	113	–	1	2	72	18	4	2	5	9
	CLASS IV—DISEASES OF THE CIRCULATORY SYSTEM—CLASSE IV—AFFECTIONS DE L'APPAREIL CIRCULATOIRE.	**Total**	**17,169**	**147**	**971**	**722**	**3,888**	**8,161**	**830**	**749**	**681**	**1,020**
		M.	**9,231**	**70**	**528**	**389**	**2,008**	**4,313**	**460**	**416**	**400**	**647**
		F.	**7,938**	**77**	**443**	**333**	**1,880**	**3,848**	**370**	**333**	**281**	**373**
87–90	**Diseases of the heart—Affections du cœur.**	**M.**	**6,255**	**55**	**377**	**271**	**1,462**	**2,784**	**307**	**323**	**281**	**395**
		F.	**5,520**	**67**	**318**	**254**	**1,411**	**2,511**	**269**	**246**	**195**	**249**
87	Pericarditis—Péricardite	M.	64	–	2	3	23	22	3	2	3	6
		F.	32	1	–	–	11	10	3	–	2	5
88	Endocarditis and myocarditis (acute)—Endocardite et myocardite (aiguës).	M.	194	–	6	6	51	85	10	13	14	9
		F.	205	2	7	6	54	91	12	16	7	10
	(a) Acute endocarditis—Endocardite aiguë.	M.	106	–	3	4	27	46	7	8	7	4
		F.	112	1	3	4	31	47	8	6	4	8
	(b) Acute myocarditis — Myocardite aiguë.	M.	88	–	3	2	24	39	3	5	7	5
		F.	93	1	4	2	23	44	4	10	3	2
89	Angina pectoris—Angine de poitrine	M.	846	3	52	21	207	432	31	29	27	44
		F.	389	1	17	11	113	201	14	9	5	18
90	Other diseases of the heart—Autres affections du cœur.	M.	5,151	52	317	241	1,181	2,245	263	279	237	336
		F.	4,894	63	294	237	1,233	2,209	240	221	181	216
	(a) Valvular disease—Affection valvulaire.	M.	1,045	11	82	54	197	463	50	74	45	69
		F.	1,037	15	100	52	217	459	57	63	40	34
	(b) Fatty degeneration of the heart—Dégénérescence ou stéanose du cœur.	M.	38	1	3	–	10	13	2	4	4	1
		F.	34	–	2	1	8	10	3	–	1	9
	(c) Aortic insufficiency — Insuffisance aortique.	M.	9	–	–	–	6	–	–	3	–	–
		F.	7	–	–	–	7	–	–	–	–	–
	(d) Chronic endocarditis—Endocardite chronique.	M.	766	2	24	46	197	319	47	42	35	54
		F.	827	7	26	50	210	333	60	51	43	47

TABLE 28—Causes of death for each sex, by provinces, 1927—*con.*

Int. list No.	Causes of death — Causes de décès		Canada	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia
	CLASS IV-con.—**CLASSE IV**-fin											
90	(e) Chronic myocarditis—Myocardite chronique.	M.	2,100	29	79	78	362	1,071	118	98	113	152
		F.	1,915	24	74	93	361	1,059	77	68	70	89
	(f) Others under this title—Autres sous ce titre.	M.	1,193	9	129	63	409	379	46	58	40	60
		F.	1,074	17	92	41	430	348	43	39	27	37
91	Diseases of the arteries—Affections des artères.	M.	2,814	14	144	108	519	1,452	138	83	113	243
		F.	2,296	10	113	71	440	1,286	94	80	82	120
	(a) Aneurysm—Anévrisme	M.	113	–	1	4	18	47	10	4	4	25
		F.	35	–	–	1	9	14	4	2	3	2
	(b) Arteriosclerosis—Artério-sclérose	M.	2,667	14	141	102	496	1,393	120	75	108	218
		F.	2,249	10	112	69	430	1,265	90	78	78	117
	(c) Other diseases of the arteries—Autres affections des artères.	M.	34	–	2	2	5	12	8	4	1	–
		F.	12	–	1	1	1	7	–	–	1	1
92	Embolism and thrombosis (not cerebral)—Embolie et thrombose (non cérébrales).	M.	90	–	3	6	10	44	14	5	1	7
		F.	64	–	6	4	14	28	5	2	2	3
93	Diseases of the veins (varices, haemorrhoids, phlebitis, etc.)—Affections des veines (varices, hémorroïdes, phlébite, etc.)	M.	40	–	3	1	5	23	–	3	3	2
		F.	36	–	2	2	4	21	2	2	2	1
94	Diseases of the lymphatic system (lymphangitis, etc.)—Affections du système lymphatique (lymphangite, etc.)	M.	19	–	–	1	9	6	–	2	1	–
		F.	9	–	3	–	4	1	–	1	–	–
95	Haemorrhage without specified cause—Hémorragie sans cause déterminée.	M.	12	1	1	2	3	3	1	–	1	–
		F.	10	–	–	2	5	1	–	2	–	–
96	Other diseases of the circulatory system—Autres affections de l'appareil circulatoire.	M.	1	–	–	–	–	1	–	–	–	–
		F.	3	–	1	–	2	–	–	–	–	–
	CLASS V—DISEASES OF THE RESPIRATORY SYSTEM—CLASSE V—AFFECTIONS DE L'APPAREIL RESPIRATOIRE.	Total	**9,602**	**106**	**603**	**489**	**3,370**	**2,966**	**574**	**598**	**439**	**457**
		M.	**5,184**	**58**	**323**	**241**	**1,775**	**1,604**	**327**	**332**	**241**	**283**
		F.	**4,418**	**48**	**280**	**248**	**1,595**	**1,362**	**247**	**266**	**198**	**174**
97	Diseases of the nasal fossae and their annexa—Affections des fosses nasales et de leurs annexes.	M.	23	–	–	1	4	8	–	1	6	3
		F.	19	–	1	1	3	4	1	1	5	3
98	Diseases of the larynx—Affections du larynx.	M.	97	1	2	1	56	17	6	6	4	4
		F.	101	–	3	6	58	17	3	5	5	4
	(a) Laryngismus stridulus—Laryngite striduleuse.	M.	19	1	–	–	13	2	1	–	2	–
		F.	16	–	–	–	13	1	–	1	1	–
	(b) Laryngitis—Laryngite	M.	21	–	–	1	4	12	2	1	1	–
		F.	22	–	–	1	7	7	2	1	2	2
	(c) Croup	M.	41	–	1	–	29	3	2	5	–	1
		F.	49	–	2	5	31	7	–	2	1	1
	(d) Other diseases of the larynx—Autres affections du larynx.	M.	16	–	1	–	10	–	1	–	1	3
		F.	14	–	1	–	7	2	1	1	1	1
99	Bronchitis—Bronchite	M.	251	2	24	9	99	63	17	17	9	11
		F.	254	3	21	13	93	71	11	15	18	9
	(a) Acute—Aiguë	M.	102	1	6	2	52	17	8	7	5	4
		F.	94	–	7	6	38	21	6	5	7	4
	(b) Chronic—Chronique	M.	84	1	10	7	27	25	3	6	3	2
		F.	104	3	8	7	36	28	4	4	10	4
	(c) Not otherwise defined, under 5 years of age—Sans épithète, au-dessous de cinq ans.	M.	15	–	2	–	1	6	3	1	–	2
		F.	19	–	2	–	3	8	–	4	1	1
	(d) Not otherwise defined, 5 years or over—Sans épithète, cinq ans ou au-dessus	M.	50	–	6	–	19	15	3	3	1	3
		F.	37	–	4	–	16	14	1	2	–	–
100	Bronchopneumonia (including capillary bronchitis)—Broncho-pneumonie (y compris bronchite capillaire.	M.	1,576	13	102	48	585	434	134	116	73	71
		F.	1,437	10	93	53	518	409	120	119	62	53
	(a) Bronchopneumonia—Broncho-pneumonie.	M.	1,516	13	100	48	535	430	132	115	72	71
		F.	1,361	10	90	52	457	404	118	116	62	52
	(b) Capillary bronchitis—Bronchite capillaire.	M.	60	–	2	–	50	4	2	1	1	–
		F.	76	–	3	1	61	5	2	3	–	1
101	Pneumonia—Pneumonie	M.	2,503	36	163	161	689	880	135	157	128	154
		F.	2,046	31	140	151	618	724	89	111	95	87
	(a) Lobar—Lobaire	M.	1,187	10	60	53	194	482	108	98	86	96
		F.	871	9	50	56	183	344	71	62	54	42
	(b) Not otherwise defined—Sans épithète.	M.	1,316	26	103	108	495	398	27	59	42	58
		F.	1,175	22	90	95	435	380	18	49	41	45
102	Pleurisy—Pleurésie	M.	225	1	6	9	96	69	15	11	7	11
		F.	144	1	4	2	82	39	4	5	2	5
103	Congestion and haemorrhagic infarct of the lung—Congestion et hémorragie parenchymateuse des poumons.	M.	239	4	8	6	161	42	4	4	4	6
		F.	244	2	5	9	155	54	7	3	4	5
104	Gangrene of the lung—Gangrène du poumon.	M.	10	–	–	–	8	1	–	–	1	–
		F.	5	–	1	–	2	1	1	–	–	–
105	Asthma—Asthme	M.	124	1	7	2	43	36	3	14	6	12
		F.	101	–	8	9	39	25	8	5	3	4
106	Pulmonary emphysema—Emphysème pulmonaire.	M.	27	–	–	1	19	3	3	–	1	–
		F.	13	–	1	–	10	1	–	–	–	1

TABLEAU 28—Causes de décès pour chaque sexe, par provinces, 1927—*suite*

Int. list No.	Causes of death — Causes de décès		Canada	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia
	CLASS V-con.—CLASSE V-fin											
107	Other diseases of the respiratory system (tuberculosis excepted)—Autres affections de l'appareil respiratoire (tuberculose exceptée).	M.	109	–	11	3	15	51	10	6	2	11
		F.	54	1	3	4	17	17	3	2	4	3
	(a) Chronic interstitial pneumonia including occupational diseases of the lungs—Pneumonie interstitielle chronique comprenant les affections professionnelles de l'appareil pulmonaire.	M.	15	–	1	–	–	9	–	–	2	3
		F.	1	–	–	–	–	–	–	–	1	–
	(b) Diseases of the mediastinum—Affections du médiastin.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	1	1	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	94	–	10	3	15	42	10	6	–	8
		F.	51	1	3	4	17	16	2	2	3	3
	CLASS VI—DISEASES OF THE DIGESTIVE SYSTEM—CLASSE VI—AFFECTIONS DE L'APPAREIL DIGESTIF.	Total	**11,613**	**45**	**475**	**390**	**6,058**	**2,661**	**516**	**619**	**505**	**344**
		M.	**6,426**	**20**	**254**	**201**	**3,344**	**1,448**	**279**	**350**	**305**	**225**
		F.	**5,187**	**25**	**221**	**189**	**2,714**	**1,213**	**237**	**269**	**200**	**119**
108	Diseases of the mouth and annexa—Affections de la bouche et de ses annexes.	M.	55	1	3	1	11	25	5	3	2	4
		F.	41	1	2	3	11	18	2	2	1	1
109	Diseases of the pharynx and tonsils (including adenoid vegetations)—Affections du pharynx et des amygdales (y compris les végétations adénoïdiennes).	M.	219	–	5	4	82	76	14	11	16	11
		F.	199	–	6	5	72	76	8	14	9	9
	(a) Adenoid vegetations—Végétations adénoïdiennes.	M.	2	–	–	–	2	–	–	–	–	–
		F.	3	–	–	1	1	1	–	–	–	–
	(b) Pharynx and tonsils—Pharynx et amygdales.	M.	217	–	5	4	80	76	14	11	16	11
		F.	196	–	6	4	71	75	8	14	9	9
110	Diseases of the œsophagus—Affections de l'œsophage.	M.	11	–	–	2	5	3	–	1	–	–
		F.	7	–	–	–	3	3	1	–	–	–
111	Ulcer of the stomach and duodenum—Ulcère de l'estomac et du duodénum.	M.	387	1	17	6	89	151	30	27	22	44
		F.	142	3	10	–	41	60	10	4	10	4
	(a) Ulcer of the stomach—Ulcère de l'estomac.	M.	248	1	14	6	66	89	16	18	13	25
		F.	106	3	9	–	35	42	7	2	7	1
	(b) Ulcer of the duodenum—Ulcère du duodénum.	M.	139	–	3	–	23	62	14	9	9	19
		F.	36	–	1	–	6	18	3	2	3	3
112	Other diseases of the stomach (cancer excepted)—Autres affections de l'estomac (cancer excepté).	M.	561	7	13	15	309	121	21	34	20	21
		F.	487	3	11	22	295	98	20	20	7	11
113	Diarrhoea and enteritis (under 2 years of age)—Diarrhée et entérite (au-dessous de 2 ans).	M.	2,746	4	106	73	1,984	325	76	88	69	21
		F.	2,072	5	81	60	1,487	248	52	79	50	10
114	Diarrhoea and enteritis (2 years or over)—Diarrhée et entérite (deux ans ou au-dessus).	M.	347	2	23	12	177	73	13	21	15	11
		F.	369	1	20	21	172	90	14	20	18	13
116	Diseases due to other intestinal parasites—Affections dues à d'autres parasites intestinaux.	M.	10	–	1	2	6	–	1	–	–	–
		F.	7	–	1	1	3	1	–	1	–	–
	(a) Cestodes (hydatids of the liver excepted)—Cestodes (non compris les hydatides du foie.)	M.	1	–	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Trematodes—Trématodes	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	1	–	–	–	–	–	–
	(c) Nematodes (other than ankylostoma)—Nématodes (autres que ankylostomiase).	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	1	–	–	–	–	–
	(d) Coccidia—Coccidies	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Other parasites specified—Autres parasites spécifiés.	M.	2	–	–	–	2	–	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–
	(f) Parasites not specified—Parasites non spécifiés.	M.	7	–	–	2	4	–	1	–	–	–
		F.	4	–	1	–	2	–	–	1	–	–
117	Appendicitis and typhlitis—Appendicite et typhlite.	M.	791	2	31	35	235	238	50	68	90	42
		F.	591	8	22	29	186	170	40	53	62	21
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale.	M.	543	2	26	21	153	195	33	53	35	25
		F.	367	–	21	7	118	149	26	21	11	14
	(a) Hernia—Hernie	M.	218	–	5	10	62	81	16	22	15	7
		F.	111	–	2	4	46	33	11	7	5	3
	(b) Intestinal obstruction—Obstruction intestinale.	M.	325	2	21	11	91	114	17	31	20	18
		F.	256	–	19	3	72	116	15	14	6	11
119	Other diseases of the intestines—Autres affections des intestins.	M.	126	1	9	4	60	37	3	3	6	3
		F.	104	–	3	6	53	29	4	4	3	2
120	Acute yellow atrophy of the liver—Atrophie jaune aiguë du foie.	M.	15	–	2	–	6	3	1	2	–	1
		F.	28	–	3	1	9	4	7	2	–	2
122	Cirrhosis of the liver—Cirrhose du foie	M.	228	–	7	8	86	82	8	9	11	17
		F.	119	1	8	3	46	43	6	1	5	6
	(a) Specified as alcoholic—Spécifiée comme alcoolique.	M.	8	–	1	–	1	5	–	–	–	1
		F.	3	–	–	–	1	2	–	–	–	–
	(b) Not specified as alcoholic—Non spécifiée comme alcoolique.	M.	220	–	6	8	85	77	8	9	11	16
		F.	116	1	8	3	45	41	6	1	5	6

TABLE 28—Causes of death for each sex, by provinces, 1927—*con.*

Int. list No.	Causes of death — Causes de décès		Canada	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia
	CLASS VI-con.—**CLASSE VI**-fin											
123	Biliary calculi—Calculs biliaires.....	M.	58	–	1	3	20	17	3	5	4	5
		F.	169	–	7	6	56	55	16	15	8	6
124	Other diseases of the liver—Autres affections du foie.	M.	206	–	7	7	77	66	12	14	7	16
		F.	323	2	21	19	99	115	22	19	13	13
125	Diseases of the pancreas—Affections du pancréas.	M.	18	–	–	1	4	7	1	1	4	–
		F.	18	–	–	–	3	9	3	1	–	2
126	Peritonitis without specified cause—Péritonite sans cause indiquée.	M.	105	–	3	7	40	29	8	10	4	4
		F.	144	1	5	6	60	45	6	13	3	5
	CLASS VII—NON-VENEREAL DISEASES OF THE GENITO-URINARY SYSTEM AND ANNEXA—CLASSE VII—AFFECTIONS NON VÉNÉRIENNES DE L'APPAREIL GÉNITO-URINAIRE ET DE SES ANNEXES.	Total	**6,938**	**66**	**433**	**258**	**2,543**	**2,423**	**255**	**314**	**248**	**398**
		M.	**3,814**	**43**	**251**	**158**	**1,272**	**1,369**	**160**	**169**	**145**	**247**
		F.	**3,124**	**23**	**182**	**100**	**1,271**	**1,054**	**95**	**145**	**103**	**151**
128	Acute nephritis (including unspecified, under 10 years of age)—Néphrite aiguë (y compris non spécifiée au-dessous de dix ans).	M.	185	2	14	6	63	57	9	17	15	2
		F.	180	3	9	10	73	43	8	12	10	12
129	Chronic nephritis (including unspecified, 10 years of age or over)—Néphrite chronique (y compris non spécifiée, dix ans ou au-dessus..	M.	2,557	38	153	104	930	866	78	113	92	183
		F.	2,313	17	133	65	1,006	763	67	98	58	106
131	Other diseases of the kidneys and annexa—Autres affections des reins et de leurs annexes.	M.	200	1	26	9	43	71	18	11	8	13
		F.	164	3	16	6	24	84	6	7	9	9
132	Calculi of the urinary passages—Calculs des voies urinaires.	M.	53	–	3	–	14	17	7	1	3	8
		F.	19	–	1	–	3	6	–	1	3	5
133	Diseases of the bladder—Affections de la vessie.	M.	139	1	9	7	44	61	4	3	5	5
		F.	29	–	3	2	5	16	–	1	1	1
134	Diseases of the urethra, urinary abscess, etc.—Affections de l'urètre, abcès uri-neux, etc.	M.	28	–	1	2	7	11	2	2	1	2
		F.	1	–	–	–	–	1	–	–	–	–
	(a) Stricture of the urethra—Rétrécissement de l'urètre.	M.	17	–	1	1	3	7	–	2	1	2
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other diseases of the urethra—Autres affections de l'urètre.	M.	11	–	–	1	4	4	2	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–
135	Diseases of the prostate—Affections de la prostate.	M.	638	1	44	30	167	282	41	19	21	33
136	Non-venereal diseases of the male genital organs—Affections non vénériennes des organes génitaux de l'homme.	M.	14	–	1	–	4	4	1	3	–	1
137	Cysts and other benign tumours of the ovary—Kystes et autres tumeurs bénignes de l'ovaire.	F.	97	–	2	2	37	44	3	3	4	2
138	Salpingitis and pelvic abscess—Salpingite et abcès du bassin.	F.	86	–	3	3	32	26	3	7	6	6
139	Benign tumours of the uterus—Tumeurs bénignes de l'utérus.	F.	71	–	5	5	11	28	1	8	7	6
140	Non-puerperal uterine haemorrhage—Hémorragie utérine non puerpérale.	F.	5	–	2	–	1	2	–	–	–	–
141	Other diseases of the female genital organs—Autres affections des organes génitaux de la femme.	F.	155	–	8	7	78	38	7	8	5	4
142	Non-puerperal diseases of the breast (cancer excepted)—Affections non puerpérales du sein (cancer excepté).	F.	4	–	–	–	1	3	–	–	–	–
	CLASS VIII—THE PUERPERAL STATE—CLASSE VIII—ÉTAT PUERPÉRAL.	Total	**1,300**	**4**	**76**	**65**	**403**	**403**	**72**	**114**	**95**	**68**
143	Accidents of pregnancy—Accidents de la grossesse.	F.	102	1	3	1	29	30	9	13	10	6
	(a) Abortion—Avortement.....	F.	40	1	1	1	15	8	5	2	4	3
	(b) Ectopic gestation—Gestation ectopique.	F.	35	–	1	–	9	13	1	7	4	–
	(c) Others under this title—Autres sous ce titre.	F.	23	–	1	–	4	7	3	4	2	2
	(d) Abortion, self-induced—Avortement provoqué par soi-même.	F.	4	–	–	–	1	2	–	–	–	1
144	Puerperal haemorrhage—Hémorragie puerpérale.	F.	183	–	6	10	66	49	11	18	12	11
145	Other accidents of labour—Autres accidents de l'accouchement.	F.	133	–	17	12	33	38	8	8	12	5
	(a) Caesarean section—Opération césarienne.	F.	34	–	4	4	2	12	2	1	6	3
	(b) Difficult labour—Accouchement laborieux.	F.	24	–	2	1	10	4	1	5	1	–

TABLEAU 28—Causes de décès pour chaque sexe, par provinces, 1927—*suite*

Int. list No.	Causes of death — Causes de décès		Canada	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia
	CLASS VIII-con.—**CLASSE VIII**-fin											
145	(c) Other surgical operations and instrumental delivery—Autres opérations chirurgicales et application d'instruments.	F.	38	–	7	4	6	12	3	1	3	2
	(d) Uncontrollable vomiting—Vomissements incontrôlables.	F.	34	–	4	2	14	10	2	1	1	–
	(e) Rupture of uterus in labour, etc.— Rupture de l'utérus durant l'accouchement, etc.	F.	3	–	–	1	1	–	–	–	1	–
146	Puerperal septicaemia—Septicémie puerpérale.	F.	448	1	15	12	151	143	23	49	30	24
147	Puerperal phlegmasia alba dolens, puerperal embolism, sudden death in puerperium—Phlegmasia alba dolens, embolie, mort subite puerpérales.	F.	81	–	4	2	15	33	7	14	3	3
148	Puerperal albuminuria and convulsions—Albuminurie et éclampsie puerpérales.	F.	310	2	24	23	91	106	12	10	25	17
149	Following childbirth (not otherwise defined)—Suites de couches (sans autres explications).	F.	42	–	7	5	17	4	2	2	3	2
150	Puerperal diseases of the breast—Affections puerpérales de la mamelle.	F.	1	–	–	–	1	–	–	–	–	–
	CLASS IX—DISEASES OF THE SKIN AND OF THE CELLULAR TISSUE—CLASSE IX—AFFECTIONS DE LA PEAU ET DU TISSU CELLULAIRE.	**Total**	**629**	**3**	**40**	**30**	**219**	**215**	**38**	**32**	**26**	**26**
		M.	**363**	**1**	**24**	**16**	**130**	**116**	**22**	**23**	**14**	**17**
		F.	**266**	**2**	**16**	**14**	**89**	**99**	**16**	**9**	**12**	**9**
151	Gangrene—Gangrène	M.	142	–	12	6	47	52	8	7	7	3
		F.	95	1	8	10	21	43	4	2	4	2
152	Furuncle—Furoncle	M.	40	–	2	2	11	14	2	3	2	4
		F.	19	–	1	–	6	8	1	–	2	1
153	Acute abscess—Phlegmon, abcès chaud	M.	113	1	8	5	52	28	2	8	3	6
		F.	78	–	6	4	40	15	5	2	1	5
154	Other diseases of the skin and annexa—Autres affections de la peau et de ses annexes.	M.	68	–	2	3	20	22	10	5	2	4
		F.	74	1	1	–	22	33	6	5	5	1
	CLASS X—DISEASES OF THE BONES AND OF THE ORGANS OF LOCOMOTION—CLASSE X—AFFECTIONS DES OS ET DES ORGANES DE LA LOCOMOTION.	**Total**	**242**	**2**	**10**	**18**	**58**	**91**	**15**	**16**	**14**	**18**
		M.	**142**	**2**	**7**	**10**	**30**	**45**	**10**	**14**	**11**	**13**
		F.	**100**	**–**	**3**	**8**	**28**	**46**	**5**	**2**	**3**	**5**
155	Diseases of the bones (mastoid and tuberculosis excepted)—Affections des os (sinus mastoïdien et tuberculose exceptés).	M.	106	2	5	9	21	34	7	10	9	9
		F.	72	–	2	5	17	36	5	1	2	4
156	Diseases of the joints (tuberculosis and rheumatism excepted)—Affections articulaires (tuberculose et rhumatisme exceptés).	M.	29	–	–	1	8	11	2	2	1	4
		F.	19	–	1	3	8	6	–	–	1	–
157	Amputations	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–
158	Other diseases of the organs of locomotion—Autres affections des organes de la locomotion.	M.	7	–	2	–	1	–	1	2	1	–
		F.	8	–	–	–	3	3	–	1	–	1
	CLASS XI—MALFORMATIONS—CLASSE XI—VICES DE CONFORMATION.	**Total**	**1,347**	**7**	**64**	**44**	**422**	**473**	**74**	**115**	**89**	**59**
		M.	**711**	**4**	**36**	**20**	**237**	**243**	**40**	**58**	**50**	**23**
		F.	**636**	**3**	**28**	**24**	**185**	**230**	**34**	**57**	**39**	**36**
159	Congenital malformations (stillbirths not included)—Vices de conformation congénitaux (mort-nés non compris).	M.	711	4	36	20	237	243	40	58	50	23
		F.	636	3	28	24	185	230	34	57	39	36
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale.	M.	64	1	3	1	22	25	2	4	5	1
		F.	51	–	2	3	20	19	3	–	2	2
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur.	M.	366	2	19	6	147	110	17	30	23	12
		F.	285	2	12	3	102	76	14	36	21	19
	(c) Others under this title—Autres sous ce titre.	M.	281	1	14	13	68	108	21	24	22	10
		F.	300	1	14	18	63	135	17	21	16	15
	CLASS XII—DISEASES OF EARLY INFANCY—CLASSE XII—AFFECTIONS DU PREMIER ÂGE.	**Total**	**9,246**	**40**	**398**	**496**	**3,998**	**2,420**	**400**	**703**	**506**	**285**
		M.	**5,363**	**24**	**228**	**264**	**2,336**	**1,391**	**235**	**431**	**284**	**170**
		F.	**3,883**	**16**	**170**	**232**	**1,662**	**1,029**	**165**	**272**	**222**	**115**
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème.	M.	1,355	4	84	37	764	255	40	114	32	25
		F.	1,013	6	65	50	568	159	35	73	38	19

TABLE 28—Causes of death for each sex, by provinces, 1927—*con.*

Int. list No.	Causes of death — Causes de décès		Canada	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia
	CLASS XII—con.—CLASSE XII—fin.											
161	Premature birth, injury at birth—Naissance prématurée, conséquence de l'accouchement.	M.	3,151	9	120	116	1,176	977	164	269	206	114
		F.	2,260	3	93	86	852	744	101	157	146	78
	(a) Premature birth—Naissance prématurée.	M.	2,550	7	101	99	901	796	136	228	182	100
		F.	1,852	3	79	71	655	625	84	135	127	73
	(b) Injury at birth—Conséquence de l'accouchement.	M.	601	2	19	17	275	181	28	41	24	14
		F.	408	–	14	15	197	119	17	22	19	5
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge.	M.	848	10	24	111	396	155	30	46	46	30
		F.	606	7	12	96	242	124	29	41	37	18
163	Lack of care—Défaut de soins	M.	9	1	–	–	–	4	1	2	–	1
		F.	4	–	–	–	–	2	–	1	1	–
	CLASS XIII—OLD AGE—CLASSE XIII—VIEILLESSE.	Total	2,470	95	428	299	620	677	83	119	64	85
		M.	1,071	38	155	127	268	307	45	55	37	39
		F.	1,399	57	273	172	352	370	38	64	27	46
164	Senility—Sénilité	M.	1,071	38	155	127	268	307	45	55	37	39
		F.	1,399	57	273	172	352	370	38	64	27	46
	CLASS XIV—EXTERNAL CAUSES—CLASSE XIV—CAUSES EXTÉRIEURES.	Total	6,268	19	338	207	1,497	2,315	336	445	469	642
		M.	4,749	12	265	158	1,132	1,625	264	358	395	540
		F.	1,519	7	73	49	365	690	72	87	74	102
165–174	**Suicides**	M.	612	3	17	17	65	231	53	61	68	97
		F.	147	–	2	4	20	87	9	7	9	9
165	Suicide by solid or liquid poisons (corrosive substances excepted)—Suicide par ingestion de poisons solides ou liquides (substances corrosives exceptées).	M.	63	–	2	3	8	28	2	7	5	8
		F.	17	–	–	–	3	8	2	2	2	–
166	Suicide by corrosive substances—Absorption volontaire de substances corrosives.	M.	37	–	1	2	4	15	1	3	7	4
		F.	36	–	–	2	3	26	2	1	1	1
167	Suicide by poisonous gas—Suicide par ingestion de gaz vénéneux.	M.	40	–	–	–	6	20	–	–	1	13
		F.	13	–	–	–	4	8	1	–	–	–
168	Suicide by hanging or strangulation—Suicide par pendaison ou strangulation.	M.	148	2	6	2	18	57	13	14	16	20
		F.	28	–	1	–	6	14	2	1	1	3
169	Suicide by drowning—Suicide par submersion.	M.	57	–	2	1	3	32	8	3	2	6
		F.	35	–	–	2	2	24	1	1	3	2
170	Suicide by firearms—Suicide par armes à feu.	M.	181	1	6	6	18	43	20	27	29	31
		F.	8	–	–	–	2	2	–	1	1	2
171	Suicide by cutting or piercing instruments—Suicide par instruments tranchants ou piquants.	M.	65	–	–	3	7	29	6	5	6	9
		F.	2	–	–	–	–	2	–	–	–	–
172	Suicide by jumping from high places—Suicide par précipitation d'un lieu élevé.	M.	6	–	–	–	–	3	1	–	1	1
		F.	4	–	1	–	–	1	–	–	1	1
173	Suicide by crushing—Suicide par écrasement.	M.	2	–	–	–	–	–	–	1	–	1
		F.	2	–	–	–	–	1	1	–	–	–
174	Other suicides—Autres suicides	M.	13	–	–	–	1	4	2	1	1	4
		F.	2	–	–	–	–	1	–	1	–	–
175	Poisoning by food—Empoisonnement par aliments.	M.	15	–	3	–	4	3	1	–	1	3
		F.	13	–	1	–	–	6	1	1	–	4
176	Poisoning by venomous animals—Attaques d'animaux venimeux.	M.	2	–	–	–	–	1	–	–	–	1
		F.	3	–	1	1	–	–	–	–	1	–
177	Other acute accidental poisonings (gas excepted)—Autres empoisonnements accidentels, aigus (par gaz exceptés).	M.	78	–	7	2	32	19	2	7	8	1
		F.	43	–	4	1	16	10	2	5	3	2
178	Conflagration—Incendie	M.	114	–	3	3	63	15	2	14	6	8
		F.	99	1	1	4	58	14	3	7	6	5
179	Accidental burns and scalds (conflagration excepted)—Brûlures accidentelles (autres que par l'incendie).	M.	189	–	12	14	57	42	9	24	20	11
		F.	186	–	7	12	60	62	10	13	13	9
180	Accidental mechanical suffocation—Suffocation mécanique accidentelle.	M.	41	–	1	3	5	14	4	5	6	3
		F.	30	–	1	1	6	15	–	4	2	1
	(a) Overlaying—Étouffé pendant le sommeil.	M.	10	–	–	1	–	2	–	4	1	2
		F.	5	–	–	1	–	3	–	–	–	1
	(b) Asphyxia—Asphyxie	M.	31	–	1	2	5	12	4	1	5	1
		F.	25	–	1	–	6	12	–	4	2	–
181	Accidental absorption of irrespirable or poisonous gas—Absorption accidentelle de gaz irrespirables ou toxiques.	M.	69	–	1	1	17	30	2	4	5	9
		F.	34	–	1	–	10	18	1	1	1	2
182	Accidental drowning—Submersion accidentelle.	M.	821	1	67	26	226	269	40	58	47	87
		F.	113	–	8	4	17	44	6	12	9	13
183	Accidental traumatism by firearms—Traumatismes accidentels par armes à feu.	M.	138	–	5	7	22	37	16	21	17	13
		F.	14	–	1	1	1	2	2	2	4	1
184	Accidental traumatism by cutting or piercing instruments—Traumatismes accidentels par instruments tranchants ou piquants.	M.	16	–	2	–	5	8	–	–	1	–
		F.	2	–	–	–	1	1	–	–	–	–

TABLEAU 28—Causes de décès pour chaque sexe, par provinces, 1927—*fin*

Int. list No.	Causes of death — Causes de décès		Canada	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia
	CLASS XIV-con.—CLASSE XIV-fin											
185	Accidental traumatism by fall—Traumatismes accidentels par chute.	M.	505	1	35	20	159	149	29	22	33	57
		F.	245	2	21	10	46	117	11	14	7	17
186	Accidental traumatism in mines and quarries—Traumatismes accidentels par mines et carrières.	M.	98	–	27	–	9	13	–	2	28	19
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Coal mines—Mines de charbon	M.	69	–	27	–	–	–	–	–	28	14
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other mines—Autres mines	M.	26	–	–	–	8	11	–	2	–	5
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Quarries—Carrières	M.	3	–	–	–	1	2	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
187	Accidental traumatism by machines—Traumatismes accidentels par machines.	M.	156	1	10	4	33	44	14	21	19	10
		F.	1	–	–	–	1	–	–	–	–	–
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.)—Traumatismes accidentels par autres écrasements (voitures, railways, éboulements, etc.)	M.	1,350	2	53	48	314	532	62	79	79	181
		F.	303	1	11	6	86	142	12	9	10	26
	(a) Railroad accidents—Accidents par chemins de fer.	M.	339	–	17	15	58	145	19	28	24	33
		F.	33	–	2	2	9	15	1	–	2	2
	(b) Street car accidents—Accidents par tramways.	M.	40	–	2	–	11	20	1	–	4	2
		F.	14	–	2	–	4	5	2	–	–	1
	(c) Automobile accidents—Accidents par automobiles.	M.	634	2	25	22	187	267	25	19	28	59
		F.	231	–	6	3	65	120	7	5	7	18
	(d) Aeroplane and balloon accidents—Accidents par aéroplanes et ballons.	M.	9	–	–	–	2	3	3	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Injuries by other vehicles—Blessures par autres voitures.	M.	112	–	6	4	22	30	8	22	12	8
		F.	19	1	1	1	4	1	2	4	1	4
	(f) Other crushing—Autres écrasements.	M.	216	–	3	7	34	67	6	10	10	79
		F.	6	–	–	–	4	1	–	–	–	1
189	Injuries by animals (poisoning excepted)—Violences exercées par des animaux (empoisonnements exceptés).	M.	94	–	1	2	21	35	5	14	15	1
		F.	12	–	–	–	3	4	2	3	–	–
192	Starvation (deprivation of food or water)—Faim ou soif.	M.	8	–	–	1	4	1	–	1	1	–
		F.	2	–	–	–	–	1	–	–	–	1
193	Excessive cold—Froid excessif	M.	45	–	3	1	6	8	6	4	13	4
		F.	8	–	–	–	–	3	1	3	1	–
194	Excessive heat—Chaleur excessive	M.	20	–	–	–	3	10	1	1	3	2
		F.	10	–	–	–	5	3	–	–	–	2
195	Lightning—Foudre	M.	23	–	–	–	–	5	3	10	5	–
		F.	2	–	–	–	1	1	–	–	–	–
196	Other accidental electric shocks—Autres électrocutions accidentelles.	M.	37	–	2	–	11	21	1	–	1	1
		F.	–	–	–	–	–	–	–	–	–	–
197–199	**Homicides**	**M.**	**76**	**–**	**2**	**5**	**16**	**19**	**6**	**4**	**9**	**15**
		F.	**48**	**–**	**1**	**1**	**9**	**17**	**6**	**2**	**5**	**7**
197	Homicide by firearms—Homicide par armes à feu.	M.	32	–	–	1	3	6	2	3	7	10
		F.	14	–	1	–	2	4	–	1	3	3
198	Homicide by cutting or piercing instruments—Homicide par instruments tranchants ou piquants.	M.	8	–	–	–	2	4	1	–	–	1
		F.	7	–	–	–	–	5	–	1	–	1
199	Homicide by other means—Homicide par autres moyens.	M.	36	–	2	4	11	9	3	1	2	4
		F.	27	–	–	1	7	8	6	–	2	3
201	Fracture (cause not specified)—Fracture (cause non spécifiée).	M.	100	2	6	–	22	65	2	1	–	2
		F.	168	3	11	3	20	127	3	–	–	1
202	Other external violence (cause specified)—Autres violences extérieures (cause spécifiée).	M.	130	2	7	4	33	51	6	4	10	13
		F.	32	–	2	1	2	16	3	4	3	1
203	External violence (cause not specified)—Violences extérieures (cause non spécifiée)	M.	12	–	1	–	5	3	–	1	–	2
		F.	4	–	–	–	3	–	–	–	–	1
	CLASS XV—ILL-DEFINED DISEASES—CLASSE XV—MALADIES MAL DÉFINIES.	**Total**	**1,071**	**46**	**54**	**188**	**391**	**169**	**44**	**49**	**50**	**80**
		M.	**635**	**30**	**28**	**106**	**233**	**106**	**18**	**31**	**36**	**47**
		F.	**436**	**16**	**26**	**82**	**158**	**63**	**26**	**18**	**14**	**33**
204	Sudden death—Mort subite	M.	89	5	4	11	54	9	2	–	–	4
		F.	36	1	2	6	18	6	2	1	–	–
205	Cause of death not specified of ill-defined—Cause de décès non spécifiée ou mal définie.	M.	546	25	24	95	179	97	16	31	36	43
		F.	400	15	24	76	140	57	24	17	14	33
	(a) Ill-defined—Mal définie	M.	64	1	3	10	21	10	1	3	11	4
		F.	54	1	4	2	31	4	1	5	5	1
	(b) Not specified or unknown—Non spécifiée ou inconnue.	M.	163	17	8	66	8	23	6	7	6	22
		F.	159	13	6	65	9	16	18	3	7	22
	(c) Heart failure—Paralysie du cœur	M.	318	7	13	19	150	63	9	21	19	17
		F.	187	1	14	9	100	37	5	9	2	10
	(d) Syncope	M.	1	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLE 29—Causes of death for each sex, by conjugal condition, nativity and month of death, for Canada[1], 1927

Int. list No.	Causes of death — Causes de décès		Total	Conjugal condition—État civil										
					Single—Célibataire					Married—Marié				
				Under 15 years — Moins de 15 ans	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné
	DEATHS—ALL CAUSES— DÉCÈS—TOUTES CAUSES.	**Total**	**105,292**	**33,773**	**4,698**	**3,527**	**3,158**	**3,871**	**103**	**997**	**8,494**	**13,465**	**14,610**	**18**
		M.	**56,265**	**18,796**	**2,589**	**2,355**	**2,059**	**1,948**	**94**	**153**	**3,529**	**7,598**	**9,756**	**13**
		F.	**49,027**	**14,977**	**2,109**	**1,172**	**1,099**	**1,923**	**9**	**844**	**4,875**	**5,867**	**4,854**	**5**
	CLASS I—EPIDEMIC, ENDEMIC AND INFECTIOUS DISEASES—CLASSE I—AFFECTIONS ÉPIDÉMIQUES, ENDÉMIQUES ET INFECTIEUSES.	**Total**	**17,368**	**6,647**	**2,279**	**1,320**	**456**	**214**	**14**	**410**	**2,439**	**1,600**	**797**	**1**
		M.	**8,645**	**3,437**	**968**	**795**	**287**	**105**	**9**	**60**	**1,059**	**931**	**510**	**1**
		F.	**8,722**	**3,210**	**1,311**	**525**	**169**	**109**	**5**	**350**	**1,380**	**669**	**287**	**-**
1	Typhoid and paratyphoid fever—Fièvre typhoïde et paratyphoïde.	M.	599	109	154	79	12	–	–	24	142	55	13	–
		F.	513	145	117	31	7	–	–	39	103	50	3	–
	(a) Typhoid fever—Fièvre typhoïde.	M.	587	104	152	78	12	–	–	24	140	54	13	–
		F.	504	139	117	31	7	–	–	39	102	49	3	–
	(b) Paratyphoid fever—Fièvre paratyphoïde.	M.	12	5	2	1	–	–	–	–	2	1	–	–
		F.	9	6	–	–	–	–	–	–	1	1	–	–
5	Malaria—Fièvre et cachexie paludéennes.	M.	5	–	–	1	–	–	–	–	1	3	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–
6	Small-pox—Variole	M.	5	1	–	–	–	–	–	1	–	1	–	–
		F.	6	2	1	–	–	–	–	1	–	1	–	–
7	Measles—Rougeole	M.	330	324	2	–	–	–	–	–	2	2	–	–
		F.	286	271	6	–	–	–	–	2	5	2	–	–
8	Scarlet fever—Scarlatine	M.	219	202	7	2	–	–	–	–	3	3	1	1
		F.	192	164	6	2	–	–	–	4	11	5	–	–
9	Whooping-cough—Coqueluche	M.	511	511	–	–	–	–	–	–	–	–	–	–
		F.	519	517	2	–	–	–	–	–	–	–	–	–
10	Diphtheria—Diphtérie	M.	518	498	11	2	–	–	–	–	4	2	1	–
		F.	494	469	10	1	–	1	–	2	7	2	–	–
11	Influenza—Grippe	M.	1,744	732	75	49	49	46	1	1	120	199	253	–
		F.	1,707	622	76	25	30	59	–	16	164	176	174	–
	(a) Sole cause—Cause unique	M.	354	222	9	7	5	7	–	–	11	14	50	–
		F.	328	191	8	2	1	11	–	1	10	14	30	–
	(b) With phthisis—Avec phtisie	M.	50	8	9	2	2	1	–	–	12	8	2	–
		F.	84	20	23	5	1	–	–	2	18	8	6	–
	(c) With bronchitis—Avec bronchite.	M.	68	31	2	–	2	4	–	–	–	5	15	–
		F.	72	31	2	–	1	3	–	–	2	4	13	–
	(d) With pneumonia—Avec pneumonie.	M.	699	271	30	32	22	21	–	–	58	108	80	–
		F.	535	186	9	9	12	12	–	1	66	78	50	–
	(e) With other respiratory diseases—Avec autres affections de l'appareil respiratoire.	M.	65	27	3	2	–	–	–	–	5	5	13	–
		F.	75	33	4	2	–	7	–	2	4	2	5	–
	(f) With diseases and accidents of pregnancy and parturition—Avec affections et accidents de la grossesse.	F.	36	–	1	–	–	–	–	8	24	3	–	–
	(g) With other causes—Avec autres causes.	M.	508	173	22	6	18	13	1	1	34	59	93	–
		F.	577	161	29	7	15	26	–	2	40	67	70	–
13	Mumps—Oreillons	M.	18	15	1	–	–	–	–	–	1	–	–	–
		F.	15	8	–	–	2	–	–	1	1	2	–	–
16	Dysentery—Dysenterie	M.	44	23	1	–	–	4	–	–	–	6	8	–
		F.	49	18	1	1	1	1	–	–	2	3	6	–
19	Spirochetal haemorrhagic jaundice—Spirochétose ictéro-hémorragique.	M.	1	1	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–
20	Leprosy—Lèpre	M.	1	–	–	–	–	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	M.	155	57	2	5	5	5	–	–	12	29	17	–
		F.	167	64	2	1	5	11	–	2	20	18	8	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë.	M.	115	77	22	7	–	–	–	–	6	–	2	–
		F.	78	62	7	1	1	–	–	1	4	–	1	–
23	Lethargic encephalitis—Encéphalite léthargique.	M.	69	17	10	8	3	1	–	–	9	15	4	–
		F.	51	9	14	4	–	–	–	2	8	7	1	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique.	M.	129	98	15	7	1	–	–	–	3	3	1	–
		F.	90	74	9	1	–	–	–	–	2	2	–	–
25	Other epidemic and endemic diseases—Autres affections épidémiques et endémiques.	M.	19	17	–	–	–	–	–	–	–	–	1	–
		F.	24	24	–	–	–	–	–	–	–	–	–	–
	(a) Chicken-pox—Varicelle	M.	7	7	–	–	–	–	–	–	–	–	–	–
		F.	17	17	–	–	–	–	–	–	–	–	–	–
	(b) German measles—Rubécle	M.	11	9	–	–	–	–	–	–	–	–	1	–
		F.	5	5	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	1	1	–	–	–	–	–	–	–	–	–	–
		F.	2	2	–	–	–	–	–	–	–	–	–	–

[1] Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction.—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

NOTE.—Included in "widowed" are 74 "divorced"—Avec les veufs, figurent 74 divorcés.

TABLEAU 29—Causes de décès de chaque sexe selon l'état civil, le lieu de naissance et le mois de décès, pour le Canada(1), 1927

Widowed En veuvage	Not stated Non donné	Nativity—Lieu de naissance: Canada	British — Britannique	Foreign — Pays étrangers: United States — États-Unis	Foreign — Pays étrangers: Other — Autre	Not stated — Non donné	Months—Mois: January—Janvier	February—Février	March—Mars	April—Avril	May—Mai	June—Juin	July—Juillet	August—Août	September Septembre	October Octobre	November Novembre	December Décembre	No. liste int.
18,627	**41**	**83,379**	**12,650**	**2,876**	**5,814**	**573**	**9,747**	**8,868**	**9,491**	**9,581**	**9,316**	**8,442**	**7,919**	**8,247**	**8,534**	**8,452**	**8,008**	**8,687**	
7,338	**37**	**43,733**	**6,866**	**1,501**	**3,709**	**456**	**5,158**	**4,605**	**5,030**	**5,044**	**4,977**	**4,512**	**4,319**	**4,524**	**4,645**	**4,537**	**4,279**	**4,635**	
11,289	**4**	**39,646**	**5,784**	**1,375**	**2,105**	**117**	**4,589**	**4,263**	**4,461**	**4,537**	**4,339**	**3,930**	**3,600**	**3,723**	**3,889**	**3,915**	**3,729**	**4,052**	
1,185	**6**	**14,494**	**1,392**	**511**	**905**	**66**	**1,877**	**1,809**	**1,882**	**1,853**	**1,673**	**1,410**	**1,173**	**1,080**	**1,088**	**1,141**	**1,118**	**1,264**	
478	**6**	**6,965**	**782**	**244**	**608**	**47**	**958**	**906**	**912**	**926**	**835**	**708**	**545**	**545**	**539**	**568**	**580**	**624**	
707	**–**	**7,529**	**610**	**267**	**297**	**19**	**919**	**903**	**970**	**927**	**838**	**702**	**628**	**535**	**549**	**573**	**538**	**640**	
11	–	496	38	13	46	6	20	19	65	133	92	91	40	29	27	30	24	29	1
18	–	466	23	13	11	–	20	17	57	89	107	63	33	29	29	25	20	24	
10	–	484	38	13	46	6	20	18	64	132	91	90	40	27	26	27	23	29	1a
17	–	458	23	13	10	–	19	16	53	89	107	63	33	29	29	25	19	22	
1	–	12	–	–	–	–	–	1	1	1	1	1	–	2	1	3	1	–	1b
1	–	8	–	–	1	–	1	1	4	–	–	–	–	–	–	–	1	2	
–	–	1	4	–	–	–	–	–	1	–	2	–	–	–	–	–	1	1	5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	3	1	1	–	–	1	1	–	–	–	–	1	–	–	1	–	1	6
1	–	4	1	1	–	–	2	–	1	–	–	–	–	–	1	1	–	1	
–	–	322	2	2	4	–	59	42	32	42	37	31	20	7	8	13	15	24	7
–	–	279	4	2	–	1	47	48	36	27	37	29	16	14	5	6	9	12	
–	–	201	8	5	5	–	21	17	22	19	17	23	11	17	17	13	24	18	8
–	–	181	6	2	3	–	16	13	20	14	17	17	16	9	16	13	16	25	
–	–	505	1	3	1	1	51	55	35	40	51	34	41	54	46	45	29	30	9
–	–	513	4	2	–	–	63	34	38	52	47	43	42	46	48	35	34	37	
–	–	495	16	3	4	–	52	43	36	38	34	52	36	43	32	55	53	44	10
2	–	474	5	9	5	1	53	45	38	40	22	29	37	33	45	52	45	55	
218	1	1,407	200	54	74	9	348	320	263	192	167	67	42	36	38	66	87	118	11
365	–	1,395	186	60	64	2	316	319	276	208	145	84	58	31	38	66	73	93	
29	–	321	17	6	9	1	63	72	54	32	30	11	11	10	9	15	25	22	11a
60	–	296	22	3	6	1	57	66	40	46	26	15	10	4	9	18	17	20	
6	–	41	6	1	1	1	7	5	7	8	3	4	2	2	4	2	2	4	11b
1	–	78	4	2	–	–	16	8	12	9	3	7	6	7	1	6	2	7	
9	–	54	8	3	3	–	9	13	14	7	6	4	2	1	–	3	3	6	11c
16	–	63	4	2	3	–	8	16	11	11	11	3	3	–	1	–	2	6	
77	–	543	92	23	37	4	174	129	98	80	71	21	6	11	17	18	27	47	11d
112	–	433	59	14	28	1	120	103	95	65	46	25	16	7	9	8	18	23	
10	–	53	9	2	1	–	13	9	9	9	4	2	2	–	1	4	4	8	11e
16	–	67	1	4	3	–	15	12	6	9	9	8	2	1	2	4	1	6	
–	–	24	4	5	3	–	6	7	9	7	–	–	–	1	1	3	1	1	11f
87	1	395	68	19	23	3	82	92	81	56	53	25	19	12	7	24	26	31	11g
160	–	434	92	30	21	–	94	107	103	61	50	26	21	11	15	27	32	30	
1	–	18	–	–	–	–	2	–	1	3	3	1	3	–	–	2	1	2	13
1	–	11	1	–	3	–	2	1	4	1	1	2	–	–	1	1	1	1	
2	–	37	5	–	2	–	2	4	2	1	1	1	2	5	12	9	5	–	16
16	–	38	6	1	3	1	2	3	–	–	2	7	3	2	16	8	1	5	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	19
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	20
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
23	–	113	26	4	12	–	17	20	21	22	15	13	8	7	4	2	11	15	21
36	–	140	14	10	3	–	22	19	29	20	9	12	10	8	10	5	6	17	
1	–	99	8	4	3	1	2	2	3	3	4	3	6	11	39	30	6	6	22
1	–	69	2	5	2	–	1	2	2	2	2	1	5	5	26	20	6	6	
1	1	46	5	5	12	1	9	4	3	5	11	3	4	7	8	4	7	4	23
6	–	37	9	1	4	–	5	5	2	3	6	8	6	3	3	6	–	4	
1	–	117	6	1	5	–	19	13	16	10	8	14	12	10	4	9	8	6	24
–	–	80	4	2	4	–	12	10	11	8	5	4	14	2	4	7	6	7	
1	–	18	–	1	–	–	–	2	3	5	4	1	–	1	–	2	–	1	25
–	–	24	–	–	–	–	4	4	1	2	5	2	1	–	2	3	–	–	
–	–	7	–	–	–	–	–	2	–	2	2	–	–	–	–	–	–	1	25a
–	–	17	–	–	–	–	3	3	–	1	3	2	1	–	2	2	–	–	
1	–	10	–	1	–	–	–	–	3	2	2	1	–	1	–	2	–	–	25b
–	–	5	–	–	–	–	1	1	–	–	2	–	–	–	–	1	–	–	
–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	25c
–	–	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	

TABLE 29—Causes of death for each sex, by conjugal condition, nativity and month of death, for Canada, 1927—*con.*

Int. list No.	Causes of death — Causes de décès		Total	Conjugal condition—État civil										
				Single—Célibataire						Married—Marié				
				Under 15 years — Moins de 15 ans	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné
	CLASS I-con.—CLASSE I-fin													
28	Rabies—Rage	M.	3	2	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–
29	Tetanus—Tétanos	M.	26	12	3	–	–	–	–	1	1	4	4	–
		F.	17	7	1	1	1	–	–	–	5	–	1	–
30	Mycoses	M.	6	1	1	–	1	–	–	–	–	–	2	–
		F.	3	1	–	–	–	–	–	1	1	–	–	–
31-37	**Tuberculosis—Tuberculose**	**M.**	**3,593**	**572**	**643**	**598**	**183**	**38**	**6**	**32**	**678**	**503**	**160**	–
		F.	**4,189**	**607**	**1,040**	**445**	**117**	**32**	**5**	**272**	**1,002**	**368**	**79**	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire.	M.	2,914	245	544	529	164	34	6	28	619	447	135	–
		F.	3,530	308	916	405	106	26	5	245	925	318	69	–
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central.	M.	259	204	28	10	–	–	–	1	10	3	1	–
		F.	266	201	33	8	–	–	–	8	12	4	–	–
33	Tuberculosis of the intestines and peritoneum — Tuberculose des intestins et du péritoine.	M.	156	57	25	16	8	3	–	1	13	21	10	–
		F.	184	38	56	12	2	3	–	8	41	17	4	–
34	Tuberculosis of the vertebral column—Tuberculose de la colonne vertébrale.	M.	36	8	5	8	4	–	–	–	3	6	1	–
		F.	30	10	6	1	3	1	–	–	3	4	–	–
35	Tuberculosis of the joints—Tuberculose articulaire.	M.	22	1	7	2	1	1	–	–	2	2	3	–
		F.	15	8	3	1	–	–	–	–	1	1	–	–
36	Tuberculosis of other organs—Tuberculose d'autres organes.	M.	115	25	19	21	2	–	–	–	20	14	8	–
		F.	81	21	8	9	3	2	–	3	13	12	4	–
	(a) Skin and sub-cutaneous cellular tissue—De la peau et du tissu cellulaire sous-cutané.	M.	12	5	1	3	–	–	–	–	1	1	1	–
		F.	8	2	–	–	–	–	–	–	1	1	3	–
	(b) Bones (vertebral column excepted)—Des os (excepté la colonne vertébrale).	M.	23	7	4	4	1	–	–	–	2	4	1	–
		F.	19	5	2	5	2	1	–	–	2	1	–	–
	(c) Lymphatic system (mesenteric and retroperitoneal glands excepted)—Du système lymphatique (excepté les ganglions mésentériques et les ganglions rétropéritonéaux).	M.	16	9	4	–	–	–	–	–	2	–	–	–
		F.	17	7	1	–	1	1	–	–	1	2	1	–
	(d) Genito-urinary system — Des organes génito-urinaires.	M.	55	1	9	13	–	–	–	–	14	9	5	–
		F.	29	5	4	3	–	–	–	2	8	6	–	–
	(e) Organs other than above—Autres organes que ceux déjà mentionnés.	M.	9	3	1	1	1	–	–	–	1	–	1	–
		F.	8	2	1	1	–	–	–	1	1	2	–	–
37	Disseminated tuberculosis—Tuberculose disséminée.	M.	91	32	15	12	4	–	–	2	11	10	2	–
		F.	83	21	18	9	3	–	–	8	7	12	2	–
	(a) Acute—Aiguë	M.	59	26	8	8	2	–	–	1	6	6	–	–
		F.	47	15	10	3	2	–	–	6	3	6	1	–
	(b) Chronic or unstated—Chronique ou non spécifiée.	M.	32	6	7	4	2	–	–	1	5	4	2	–
		F.	36	6	8	6	1	–	–	2	4	6	1	–
38	Syphilis	M.	240	84	2	20	25	5	–	–	37	47	10	–
		F.	122	71	6	1	1	–	–	1	14	14	3	–
39	Soft chancre—Chancre mou	M.	1	–	–	–	–	–	–	–	–	–	1	–
		F.	1	–	–	–	–	–	–	–	–	–	1	–
40	Gonococcus infection—Gonococcie	M.	10	4	1	–	–	1	1	–	1	–	1	–
		F.	9	6	1	–	–	–	–	–	2	–	–	–
41	Purulent infection, septicaemia—Infection purulente, septicémie	M.	285	80	17	17	8	5	1	1	39	58	31	–
		F.	190	69	12	11	4	5	–	4	29	19	10	–
	CLASS II—GENERAL DISEASES NOT INCLUDED IN CLASS I—CLASSE II—MALADIES GÉNÉRALES NON MENTIONNÉES DANS LA CLASSE I.	**Total**	**11,950**	**825**	**220**	**313**	**678**	**528**	**3**	**30**	**916**	**3,285**	**2,457**	**1**
		M.	**5,765**	**482**	**116**	**199**	**390**	**249**	**3**	**3**	**297**	**1,537**	**1,545**	**1**
		F.	**6,185**	**343**	**104**	**114**	**288**	**279**	–	**27**	**619**	**1,748**	**912**	–
42-49	**Cancer**	**M.**	**3,828**	**37**	**23**	**89**	**257**	**195**	**1**	**1**	**157**	**1,132**	**1,207**	**1**
		F.	**4,091**	**27**	**21**	**66**	**218**	**211**	–	**10**	**378**	**1,290**	**617**	–
43	Cancer of the buccal cavity—Cancer de la cavité buccale.	M.	300	1	–	2	18	20	–	–	8	85	83	–
		F.	62	1	–	3	3	6	–	–	8	16	6	–
44	Cancer of the stomach and liver—Cancer de l'estomac et du foie.	M.	1,825	2	1	36	147	90	1	–	56	578	598	–
		F.	1,295	1	1	10	56	79	–	–	67	360	261	–

TABLEAU 29—Causes de décès de chaque sexe selon l'état civil, le lieu de naissance et le mois de décès, pour le Canada, 1927—*suite*

Widowed — En veuvage	Not stated — Non donné	Nativity—Lieu de naissance: Canada	British — Britanniques	Foreign — Pays étrangers: United States — États-Unis	Foreign — Pays étrangers: Other — Autre	Not stated — Non donné	Months—Mois: January—Janvier	February—Février	March—Mars	April—Avril	May—Mai	June—Juin	July—Juillet	August—Août	September Septembre	October Octobre	November Novembre	December Décembre	No. liste int.
–	–	3	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	28
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	24	–	1	1	–	2	–	1	2	3	5	2	2	4	2	1	2	29
1	–	13	1	1	2	–	–	2	1	–	2	3	2	3	2	2	–	–	
1	–	4	2	–	–	–	–	–	–	–	1	1	1	1	–	2	–	–	30
–	–	1	–	1	1	–	–	–	–	1	–	–	–	2	–	–	–	–	
176	**4**	**2,676**	**376**	**121**	**397**	**23**	**308**	**326**	**356**	**357**	**346**	**325**	**274**	**272**	**249**	**242**	**265**	**273**	**31-37**
222	**–**	**3,529**	**317**	**147**	**183**	**13**	**331**	**351**	**423**	**427**	**389**	**376**	**362**	**325**	**280**	**305**	**300**	**320**	
160	3	2,112	329	99	357	17	249	279	292	288	270	252	226	227	194	198	220	219	31
207	–	2,957	272	127	161	13	285	302	357	367	321	311	300	264	234	251	264	274	
2	–	234	8	6	10	1	21	18	35	29	33	24	16	21	14	12	17	19	32
–	–	246	6	10	4	–	20	24	30	28	27	25	25	20	15	19	14	19	
2	–	132	7	6	8	3	10	8	8	22	18	20	12	8	17	13	10	10	33
3	–	154	18	2	10	–	15	10	21	14	21	18	19	19	11	14	11	11	
1	–	25	7	1	3	–	4	4	–	2	6	5	1	1	2	4	2	5	34
2	–	23	5	–	2	–	–	1	2	5	1	1	4	6	3	2	1	4	
3	–	14	5	–	2	1	3	1	1	–	1	1	1	1	3	3	3	4	35
1	–	11	3	–	1	–	1	2	–	2	2	1	–	1	2	1	1	2	
5	1	94	7	5	9	–	13	11	9	10	8	15	8	9	11	7	7	7	36
6	–	73	6	–	2	–	5	7	8	5	9	10	4	9	5	10	4	5	
–	–	10	–	1	1	–	4	3	–	–	–	2	–	–	2	1	–	–	36a
1	–	7	1	–	–	–	–	2	–	1	2	1	–	–	–	2	–	–	
–	–	21	1	1	–	–	1	3	1	2	3	5	–	2	2	–	2	2	36b
1	–	19	–	–	–	–	1	–	3	2	3	3	2	2	1	1	1	–	
1	–	14	1	–	1	–	1	1	2	–	–	3	3	1	1	2	–	2	36c
3	–	16	1	–	–	–	2	1	1	1	2	2	1	2	1	2	–	2	
3	1	43	4	3	5	–	5	3	6	8	4	4	5	5	5	3	4	3	36d
1	–	24	3	–	2	–	2	3	4	1	2	2	1	3	2	4	2	3	
1	–	6	1	–	2	–	2	1	–	–	1	1	–	1	1	1	1	–	36e
–	–	7	1	–	–	–	–	1	–	–	–	2	–	2	1	1	1	–	
3	–	65	13	4	8	1	8	5	11	6	10	8	10	5	8	5	6	9	37
3	–	65	7	8	3	–	5	5	5	6	8	10	10	6	10	8	5	5	
2	–	45	5	3	5	1	5	2	8	5	8	4	5	4	5	2	4	7	37a
1	–	38	4	4	1	–	2	4	3	3	5	5	7	5	5	4	1	3	
1	–	20	8	1	3	–	3	3	3	1	2	4	5	1	3	3	2	2	37b
2	–	27	3	4	2	–	3	1	2	3	3	5	3	1	5	4	4	2	
10	–	157	39	16	25	3	16	20	24	23	19	22	21	16	23	16	18	22	38
11	–	103	10	6	3	–	11	11	10	12	16	8	9	9	13	3	8	12	
–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	39
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	
1	–	8	–	1	–	1	–	2	2	–	2	2	–	1	1	–	–	–	40
–	–	7	2	–	–	–	–	1	1	1	3	1	–	–	1	–	1	–	
28	–	213	45	9	16	2	29	16	26	29	17	18	21	26	26	25	24	28	41
27	–	164	15	4	6	1	12	18	20	20	23	13	14	14	9	14	12	21	
2,691	**3**	**8,248**	**2,268**	**411**	**958**	**65**	**1,024**	**925**	**1,011**	**1,044**	**1,041**	**989**	**945**	**1,042**	**963**	**993**	**982**	**991**	
941	**2**	**3,872**	**1,091**	**179**	**568**	**55**	**510**	**448**	**499**	**495**	**513**	**459**	**464**	**505**	**470**	**460**	**448**	**494**	
1,750	**1**	**4,376**	**1,177**	**232**	**390**	**10**	**514**	**477**	**512**	**549**	**528**	**530**	**481**	**537**	**493**	**533**	**534**	**497**	
728	**–**	**2,424**	**826**	**113**	**442**	**23**	**317**	**287**	**319**	**313**	**320**	**313**	**327**	**346**	**327**	**333**	**312**	**314**	**43-49**
1,253	**–**	**2,768**	**896**	**150**	**269**	**8**	**343**	**300**	**340**	**355**	**333**	**325**	**330**	**359**	**345**	**355**	**358**	**348**	
83	–	214	58	10	17	1	25	24	22	27	21	26	23	31	26	20	28	27	43
19	–	42	13	2	4	1	3	7	6	6	4	5	3	6	7	1	8	6	
316	–	1,127	348	54	283	13	146	129	150	147	154	146	161	171	163	162	163	133	44
460	–	864	279	41	107	4	96	103	109	111	113	95	102	109	107	120	109	121	

TABLE 29—Causes of death for each sex, by conjugal condition, nativity and month of death, for Canada, 1927—*con.*

Int. list No.	Causes of death — Causes de décès		Total	Conjugal condition—État civil											
					Single—Célibataire					Married—Marié					
				Under 15 years — Moins de 15 ans	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné
	CLASS II-con.—**CLASSE II**-suite														
45	Cancer of the peritoneum, intestines and rectum—Cancer du péritoine, des intestins et du rectum.	M.	636	4	5	16	36	42	–	–	28	204	187	–
		F.	639	4	1	13	32	38	–	1	40	179	109	–
46	Cancer of the female genital organs—Cancer des organes génitaux de la femme.	F.	808	2	5	12	39	18	–	2	149	309	71	–
47	Cancer of the breast — Cancer du sein.	M.	11	–	–	–	1	–	–	–	–	6	4	–
		F.	721	–	–	21	59	41	–	1	71	276	81	–
48	Cancer of the skin—Cancer de la peau.	M.	109	–	–	3	5	16	–	–	–	16	39	–
		F.	67	–	–	1	1	10	–	1	1	8	13	–
49	Cancer of other or unspecified organs—Cancer d'autres organes ou d'organes non spécifiés.	M.	947	30	17	32	50	27	–	1	65	243	296	1
		F.	499	19	14	6	28	19	–	5	42	142	76	–
	(a) Other—Autres	M.	939	30	17	31	49	27	–	1	62	242	295	1
		F.	489	19	14	6	28	19	–	4	42	139	73	–
	(b) Unspecified—Non spécifiés.	M.	8	–	–	1	1	–	–	–	3	1	1	–
		F.	10	–	–	–	–	–	–	1	–	3	3	–
50	Benign tumours and tumours not returned as malignant (tumours of female genital organs excepted)—Tumeurs bénignes et tumeurs non données comme malignes (tumeurs des organes génitaux de la femme exceptées).	M.	55	5	3	2	4	1	–	–	3	14	11	–
		F.	72	1	3	–	5	4	–	1	5	17	14	–
51	Acute rheumatic fever—Rhumatisme articulaire aigu fébrile.	M.	184	83	32	4	4	–	–	–	17	19	16	–
		F.	167	56	18	8	7	1	–	3	32	19	7	–
52	Chronic rheumatism, osteo-arthritis, gout—Rhumatisme chronique ou goutte.	M.	57	3	1	1	4	3	–	–	5	8	19	–
		F.	90	1	2	–	1	12	–	–	3	17	18	–
53	Scurvy—Scorbut	M.	4	3	–	–	–	–	–	–	–	–	–	–
		F.	4	4	–	–	–	–	–	–	–	–	–	–
54	Pellagra—Pellagre	M.	2	–	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–
56	Rickets—Rachitisme	M.	110	106	2	1	–	–	–	–	–	–	1	–
		F.	79	78	–	1	–	–	–	–	–	–	–	–
57	Diabetes mellitus—Diabète	M.	489	29	22	17	25	19	1	1	22	119	143	–
		F.	594	16	16	9	12	15	–	3	41	152	133	–
58	Anaemia, chlorosis—Anémie, chlorose.	M.	376	40	6	14	30	16	–	–	15	110	109	–
		F.	417	28	12	8	19	25	–	1	37	103	63	–
	(a) Pernicious anaemia—Anémie pernicieuse.	M.	306	13	2	9	28	14	–	–	12	101	99	–
		F.	310	11	2	5	18	20	–	1	29	85	50	–
	(b) Other anaemias and chlorosis —Autres anémies et chloroses.	M.	70	27	4	5	2	2	–	–	3	9	10	–
		F.	107	17	10	3	1	5	–	–	8	18	13	–
59	Diseases of the pituitary gland—Affections du corps pituitaire.	M.	4	–	–	1	–	–	–	–	2	1	–	–
		F.	5	–	–	–	–	–	–	–	2	3	–	–
60	Diseases of the thyroid gland—Affections de la glande thyroïde.	M.	87	6	3	8	3	4	–	–	9	37	10	–
		F.	394	7	17	12	19	7	–	5	82	107	50	–
	(a) Exophthalmic goiter—Goître exophtalmique.	M.	54	2	3	7	2	1	–	–	7	25	3	–
		F.	210	3	12	4	9	4	–	4	52	59	26	–
	(b) Other diseases of the thyroid gland—Autres affections de la glande thyroïde.	M.	33	4	–	1	1	3	–	–	2	12	7	–
		F.	184	4	5	8	10	3	–	1	30	48	24	–
61	Diseases of the parathyroid glands—Affections des glandes parathyroïdes.	M.	17	16	–	–	–	–	–	–	1	–	–	–
		F.	13	13	–	–	–	–	–	–	–	–	–	–
62	Diseases of the thymus—Affections du thymus.	M.	72	70	1	–	1	–	–	–	–	–	–	–
		F.	49	47	–	–	–	1	–	1	–	–	–	–
63	Diseases of the adrenals (Addison's disease)—Affections des glandes surrénales (maladie d'Addison).	M.	20	–	1	4	3	–	–	–	3	6	2	–
		F.	25	–	1	3	2	–	–	–	4	5	5	–
64	Diseases of the spleen—Affections de la rate.	M.	13	4	1	3	1	–	–	–	2	1	–	–
		F.	11	5	–	–	–	–	–	–	3	2	1	–
65	Leukaemia, lymphadenoma—Leucémie, lymphadénie.	M.	116	25	11	4	6	–	–	–	19	29	11	–
		F.	75	16	5	4	4	3	–	1	21	15	1	–
	(a) Leukaemia—Leucémie	M.	72	20	7	1	4	–	–	–	7	17	9	–
		F.	53	13	5	1	1	1	–	–	19	9	1	–
	(b) Lymphadenoma (Hodgkin's disease—Lymphadénie (maladie d'Hodgkin).	M.	44	5	4	3	2	–	–	–	12	12	2	–
		F.	22	3	–	3	3	2	–	1	2	6	–	–
66	Alcoholism—Alcoolisme	M.	213	1	3	45	47	8	1	1	33	44	7	–
		F.	16	–	1	1	1	–	–	–	5	6	–	–
	(a) Delirium tremens	M.	16	–	–	5	2	1	–	–	4	3	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–
	(b) Acute alcoholism—Alcoolisme aigu.	M.	110	1	2	28	29	1	1	1	15	19	2	–
		F.	7	–	1	–	1	–	–	–	1	3	–	–

TABLEAU 29—Causes de décès de chaque sexe selon l'état civil, le lieu de naissance et le mois de décès, pour le Canada, 1927—*suite*

Widowed — En veuvage	Not stated — Non donné	Nativity—Lieu de naissance					Months—Mois												No. liste int.
		Canada	British — Britanniques	Foreign — Pays étrangers		Not stated — Non donné	January—Janvier	February—Février	March—Mars	April—Avril	May—Mai	June—Juin	July—Juillet	August—Août	September — Septembre	October — Octobre	November — Novembre	December — Décembre	
				United States — États-Unis	Other — Autre														
114	–	404	160	19	50	3	60	45	57	59	51	61	47	56	54	49	46	51	45
222	–	445	135	24	34	1	53	53	43	49	46	59	62	54	62	55	44	59	
201	–	528	182	32	65	1	74	55	72	72	65	58	56	71	74	71	82	58	46
–	–	10	1	–	–	–	–	1	1	1	1	–	2	–	1	1	2	1	47
171	–	501	165	27	27	1	75	45	58	63	61	63	56	61	51	68	64	56	
30	–	81	15	4	8	1	9	8	8	6	9	8	13	9	15	10	4	10	48
32	–	44	15	3	5	–	7	4	8	4	2	4	7	4	11	4	6	6	
185	–	588	244	26	84	5	77	80	81	73	84	72	81	79	68	91	69	92	49
148	–	344	107	21	27	–	35	33	44	50	42	41	44	54	33	36	45	42	
184	–	584	244	25	81	5	76	79	81	70	83	72	80	79	67	91	69	92	49a
145	–	335	106	21	27	–	34	33	44	50	42	41	43	52	30	35	44	41	
1	–	4	–	1	3	–	1	1	–	3	1	–	1	–	1	–	–	–	49b
3	–	9	1	–	–	–	1	–	–	–	–	–	1	2	3	1	1	1	
12	–	40	7	1	7	–	11	5	7	4	3	2	4	7	–	4	4	4	50
22	–	60	7	1	4	–	9	7	6	4	9	5	3	10	5	8	2	4	
9	–	151	21	7	4	1	15	13	16	21	18	17	22	14	9	10	13	16	51
16	–	135	23	4	5	–	12	12	13	20	20	18	15	13	16	10	10	8	
13	–	40	10	–	6	1	6	9	5	1	8	4	2	6	2	3	5	6	52
36	–	58	15	4	13	–	10	8	6	10	9	7	7	5	6	7	9	6	
1	–	3	–	–	1	–	–	–	1	1	1	–	–	1	–	–	–	–	53
–	–	4	–	–	–	–	–	1	1	–	1	–	–	1	–	–	–	–	
1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	54
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	106	–	1	2	1	15	4	10	14	10	8	7	13	14	4	3	8	56
–	–	78	–	1	–	–	6	6	7	10	9	5	5	12	6	4	2	7	
90	1	357	74	22	35	1	50	46	40	44	52	33	28	43	37	36	40	40	57
197	–	424	92	31	47	–	46	49	40	46	41	58	38	50	46	62	65	53	
36	–	278	61	13	20	4	32	28	47	30	41	35	24	23	30	22	27	37	58
120	1	323	66	16	11	1	40	34	44	49	39	49	25	27	24	29	29	28	
28	–	215	59	11	18	3	25	25	37	22	36	32	20	19	22	19	18	31	58a
88	1	228	57	14	10	1	32	27	33	35	31	41	23	16	17	19	18	18	
8	–	63	2	2	2	1	7	3	10	8	5	3	4	4	8	3	9	6	58b
32	–	95	9	2	1	–	8	7	11	14	8	8	2	11	7	10	11	10	
–	–	4	–	–	–	–	3	–	1	–	–	–	–	–	–	–	–	–	59
–	–	2	2	–	1	–	–	–	3	–	–	1	–	–	–	–	1	–	
7	–	60	16	3	8	–	6	8	9	11	9	11	4	7	8	2	7	5	60
88	–	298	51	19	26	–	31	42	29	33	38	42	33	42	24	29	26	25	
4	–	36	10	1	7	–	3	6	6	4	5	7	3	6	5	2	3	4	60a
37	–	156	26	11	17	–	17	24	17	20	16	22	17	28	10	14	12	13	
3	–	24	6	2	1	–	3	2	3	7	4	4	1	1	3	–	4	1	60b
51	–	142	25	8	9	–	14	18	12	13	22	20	16	14	14	15	14	12	
–	–	17	–	–	–	–	5	1	1	–	–	–	4	–	1	2	–	3	61
–	–	13	–	–	–	–	1	1	1	1	1	3	–	–	1	3	1	–	
–	–	70	2	–	–	–	8	4	3	9	7	3	6	6	5	5	9	7	62
–	–	47	1	–	1	–	2	7	5	5	5	4	2	3	3	2	8	3	
1	–	13	4	–	3	–	2	–	2	–	5	1	2	2	2	2	2	–	63
5	–	18	6	–	1	–	1	1	3	1	3	1	6	2	4	2	1	–	
1	–	11	2	–	–	–	–	1	–	3	–	–	1	3	1	1	2	1	64
–	–	7	1	2	1	–	–	2	1	–	2	1	–	–	2	–	1	2	
11	–	77	18	5	14	2	9	10	9	14	3	11	9	11	13	9	6	12	65
5	–	58	11	1	5	–	3	3	6	8	8	6	7	8	5	6	7	8	
7	–	53	8	2	8	1	4	5	5	9	1	8	4	9	7	6	4	10	65a
3	–	42	8	–	3	–	3	3	5	6	5	4	3	6	3	6	4	5	
4	–	24	10	3	6	1	5	5	4	5	2	3	5	2	6	3	2	2	65b
2	–	16	3	1	2	–	–	–	1	2	3	2	4	2	2	–	3	3	
22	1	125	35	11	21	21	23	18	16	14	24	12	19	14	13	17	10	33	66
2	–	10	3	1	1	1	3	1	–	1	–	–	3	1	–	3	4	–	
1	–	9	3	–	3	1	4	1	1	1	–	–	–	3	2	–	1	3	66a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
10	1	63	18	4	8	17	9	4	9	7	12	7	11	5	7	11	5	23	66b
1	–	6	1	–	–	–	–	1	–	1	–	–	1	–	–	2	2	–	

TABLE 29—Causes of death for each sex, by conjugal condition, nativity and month of death, for Canada, 1927—*con.*

Int. list No.	Causes of death — Causes de décès	Total	Conjugal condition—État civil										
			Single—Célibataire						Married—Marié				
			Under 15 years — Moins de 15 ans	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné
	CLASS II-con.—**CLASSE II**-fin												
66	(c) Chronic alcoholism—Alcoolisme chronique. M.	87	–	1	12	16	6	–	–	14	22	5	–
	F.	9	–	–	1	–	–	–	–	4	3	–	–
67	Chronic poisoning by mineral substances—Empoisonnements chroniques par substances minérales. M.	14	–	–	2	1	1	–	–	1	6	–	–
	F.	1	–	–	–	–	–	–	–	–	–	1	–
	(a) Chronic lead poisoning—Empoisonnements chroniques par le plomb. M.	10	–	–	2	1	–	–	–	1	4	–	–
	F.	1	–	–	–	–	–	–	–	–	–	1	–
	(b) Others under this title—Autres sous ce titre. M.	4	–	–	–	–	1	–	–	–	2	–	–
	F.	–	–	–	–	–	–	–	–	–	–	–	–
68	Chronic organic poisoning—Empoisonnements chroniques par substances organiques. M.	15	–	1	2	1	1	–	–	5	3	1	–
	F.	5	–	–	–	–	–	–	1	1	2	–	–
	(a) Chronic morphinism—Morphinisme chronique. M.	4	–	–	–	–	1	–	–	2	1	–	–
	F.	3	–	–	–	–	–	–	1	1	1	–	–
	(b) Chronic cocainism, etc.—Cocaïnisme chronique, etc. M.	1	–	–	–	–	–	–	–	–	1	–	–
	F.	–	–	–	–	–	–	–	–	–	–	–	–
	(c) Other organic poisoning—Autres empoisonnements organiques. M.	10	–	1	2	1	–	–	–	3	1	1	–
	F.	2	–	–	–	–	–	–	–	–	1	–	–
69	Other general diseases—Autres maladies générales. M.	89	54	5	2	3	1	–	–	3	8	8	–
	F.	77	44	8	2	–	–	–	1	5	10	2	–
	(a) Diabetes insipidus—Diabète insipide. M.	4	–	1	–	–	1	–	–	–	1	1	–
	F.	3	–	–	–	–	–	–	–	–	1	1	–
	(b) Haemophilia—Hémophilie... M.	36	34	–	1	–	–	–	–	–	–	1	–
	F.	20	16	1	–	–	–	–	1	1	–	–	–
	(c) Purpura haemorrhagica—Purpura hémorragique. M.	28	13	2	–	2	–	–	–	2	3	3	–
	F.	33	19	4	–	–	–	–	–	3	6	1	–
	(d) Others under this title—Autres sous ce titre. M.	21	7	2	1	1	–	–	–	1	4	3	–
	F.	21	9	3	2	–	–	–	–	1	3	–	–
	CLASS III—DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE—CLASSE III—AFFECTIONS DU SYSTÈME NERVEUX ET DES ORGANES DES SENS. Total	8,079	1,881	265	274	300	435	7	24	415	1,116	1,520	4
	M.	4,165	1,031	163	165	187	193	5	7	201	584	977	1
	F.	3,914	850	102	109	113	242	2	17	214	532	543	3
70	Encephalitis—Encéphalite..... M.	98	30	14	11	6	1	–	1	8	14	9	–
	F.	82	31	6	1	2	–	1	2	13	19	3	–
	(a) Abscess of brain—Abcès du cerveau. M.	41	14	7	7	1	–	–	1	4	3	2	–
	F.	29	9	2	–	–	–	–	2	7	5	2	–
	(b) Encephalitis—Encéphalite.... M.	57	16	7	4	5	1	–	–	4	11	7	–
	F.	53	22	4	1	2	–	1	–	6	14	1	–
71	Meningitis—Méningite..... M.	428	361	19	8	4	2	–	2	14	12	4	–
	F.	384	308	21	9	2	2	–	2	15	6	10	–
	(a) Simple meningitis—Méningite simple. M.	428	361	19	8	4	2	–	2	14	12	4	–
	F.	383	308	21	9	2	2	–	2	15	6	9	–
	(b) Non-epidemic, cerebrospinal meningitis—Méningite cérébro-spinale non épidémique. M.	–	–	–	–	–	–	–	–	–	–	–	–
	F.	1	–	–	–	–	–	–	–	–	–	1	–
72	Tabes dorsalis (locomotor ataxia)— M.	55	–	1	3	6	1	–	–	1	19	17	–
	Ataxie locomotrice progressive. F.	18	–	–	–	2	1	–	–	2	6	3	–
73	Other diseases of the spinal cord— M.	229	6	13	10	12	12	–	1	21	53	72	–
	Autres affections de la mœlle épinière. F.	174	10	1	8	6	11	–	2	12	36	26	–
74	Cerebral haemorrhage, apoplexy— M.	1,437	13	9	12	65	100	3	–	52	276	548	–
	Hémorragie cérébrale, apoplexie. F.	1,501	6	9	14	40	120	1	2	55	238	293	2
	(a) Apoplexy—Apoplexie..... M.	620	2	2	3	30	43	1	–	15	117	247	–
	F.	572	–	–	4	15	42	–	2	15	86	129	1
	(b) Cerebral haemorrhage—Hémorragie cérébrale. M.	762	9	7	9	33	54	2	–	31	147	287	–
	F.	849	6	7	7	23	69	1	–	31	142	153	1
	(c) Cerebral thrombosis and embolism—Thrombose et embolie cérébrales. M.	55	2	–	–	2	3	–	–	6	12	14	–
	F.	80	–	2	3	2	9	–	–	9	10	11	–
75	Paralysis without specified cause— M.	507	5	2	7	22	35	1	1	4	52	229	–
	Paralysie sans cause indiquée. F.	601	7	4	7	14	59	–	–	12	82	139	–
	(a) Hemiplegia—Hémiplégie..... M.	172	1	–	1	12	14	–	1	1	15	72	–
	F.	193	–	–	2	7	16	–	–	4	30	31	–
	(b) Others under this title—Autres sous ce titre. M.	335	4	2	6	10	21	1	–	3	37	157	–
	F.	408	7	4	5	7	43	–	–	8	52	108	–
76	General paralysis of the insane—Paralysie générale des aliénés. M.	119	–	2	14	14	6	–	–	32	25	7	–
	F.	46	–	1	3	–	8	–	–	7	11	8	–

TABLEAU 29—Causes de décès de chaque sexe selon l'état civil, le lieu de naissance et le mois de décès, pour le Canada, 1927—*suite*

Widowed — En veuvage	Not stated — Non donné	Nativity—Lieu de naissance: Canada	British — Britanniques	Foreign — Pays étrangers: United States — États-Unis	Foreign — Pays étrangers: Other — Autre	Not stated — Non donné	Months—Mois: January—Janvier	February—Février	March—Mars	April—Avril	May—Mai	June—Juin	July—Juillet	August—Août	September — Septembre	October — Octobre	November — Novembre	December — Décembre	No. liste int.
11	–	53	14	7	10	3	10	13	6	6	12	5	8	6	4	6	4	7	66c
1	–	4	2	1	1	1	3	–	–	–	–	–	2	1	–	1	2	–	
3	–	8	5	1	–	–	2	–	–	–	3	3	–	2	–	2	1	–	67
–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
2	–	7	2	1	–	–	2	–	–	2	2	1	–	2	–	1	–	–	67a
–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
1	–	1	3	–	–	–	–	–	–	1	1	–	–	–	–	1	1	–	67b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	11	1	–	3	–	1	4	2	2	–	1	3	1	–	1	–	–	68
1	–	4	–	–	1	–	–	–	–	–	4	–	–	–	–	–	1	–	
–	–	3	–	–	1	–	–	1	–	1	–	1	–	1	–	–	–	–	68a
–	–	2	–	–	1	–	–	–	–	–	2	–	–	–	–	–	1	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	68b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	7	1	–	2	–	1	3	2	1	–	–	2	–	–	1	–	–	68c
1	–	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	
5	–	75	9	2	2	1	5	10	11	11	9	7	2	6	8	7	6	7	69
5	–	68	3	2	4	–	7	3	7	6	6	4	7	4	6	13	9	5	69a
–	–	4	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	
1	–	2	1	–	–	–	–	–	2	–	1	–	1	–	–	–	–	–	69b
–	–	34	–	1	–	1	–	3	6	2	2	5	1	4	5	4	1	3	
1	–	18	–	1	1	–	3	–	–	1	1	–	2	1	3	4	3	2	
3	–	23	3	1	1	–	3	4	3	3	2	1	1	2	2	3	1	3	69c
–	–	29	1	1	2	–	2	2	5	4	2	3	2	2	3	2	5	1	
2	–	14	6	–	1	–	1	2	2	4	5	1	–	–	1	–	4	1	69d
3	–	19	1	–	1	–	2	1	–	1	2	1	3	1	–	7	1	2	
1,831	**7**	**6,381**	**1,011**	**253**	**393**	**41**	**730**	**685**	**715**	**755**	**685**	**689**	**574**	**624**	**608**	**654**	**645**	**715**	
645	**6**	**3,247**	**529**	**132**	**230**	**27**	**375**	**346**	**393**	**392**	**359**	**347**	**302**	**310**	**310**	**320**	**341**	**370**	
1,186	**1**	**3,134**	**482**	**121**	**163**	**14**	**355**	**339**	**322**	**363**	**326**	**342**	**272**	**314**	**298**	**334**	**304**	**345**	
4	–	67	15	4	11	1	10	8	7	10	10	7	5	5	10	11	7	8	70
4	–	68	7	3	4	–	10	9	8	4	2	9	8	8	9	6	7	2	
2	–	30	7	2	2	–	5	3	4	1	6	1	1	1	7	5	2	5	70a
2	–	22	2	3	2	–	4	4	–	1	–	5	1	5	5	–	4	–	
2	–	37	8	2	9	1	5	5	3	9	4	6	4	4	3	6	5	3	70b
2	–	46	5	–	2	–	6	5	8	3	2	4	7	3	4	6	3	2	
2	–	401	7	12	8	–	42	34	45	27	41	39	31	36	38	32	38	25	71
9	–	370	9	2	2	1	35	25	33	41	36	36	37	36	29	33	21	22	
2	–	401	7	12	8	–	42	34	45	27	41	39	31	36	38	32	38	25	71a
9	–	369	9	2	2	1	34	25	33	41	36	36	37	36	29	33	21	22	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
7	–	41	10	2	2	–	5	3	1	5	8	5	4	3	8	2	7	4	72
4	–	11	4	1	2	–	2	1	1	2	5	–	1	–	1	–	–	5	
29	–	164	43	6	16	–	18	20	24	24	19	19	14	17	13	21	13	27	73
62	–	128	31	7	6	2	21	16	15	14	11	18	14	15	14	9	14	13	
355	4	1,025	248	56	99	9	144	127	134	126	110	119	119	90	98	110	123	137	74
720	1	1,084	263	52	95	7	142	133	117	128	123	128	97	117	107	148	115	146	
160	–	442	103	29	41	5	52	56	64	54	47	55	52	38	32	53	57	60	74a
277	1	423	87	21	38	3	60	47	51	51	38	57	37	41	44	54	36	56	
179	4	544	135	25	54	4	87	66	66	68	60	59	62	50	60	51	61	72	74b
409	–	599	163	30	54	3	76	82	61	69	75	66	57	74	56	86	70	77	
16	–	39	10	2	4	–	5	5	4	4	3	5	5	2	6	6	5	5	74c
34	–	62	13	1	3	1	6	4	5	8	10	5	3	2	7	8	9	13	
149	–	411	62	9	19	6	39	25	52	41	48	46	31	46	36	39	51	53	75
277	–	508	61	16	15	1	48	48	49	61	44	50	42	47	50	53	51	58	
55	–	114	42	5	8	3	12	9	16	11	21	16	7	18	15	11	18	18	75a
103	–	136	40	7	9	1	18	15	20	24	9	13	7	16	18	15	19	19	
94	–	297	20	4	11	3	27	16	36	30	27	30	24	28	21	28	33	35	75b
174	–	372	21	9	6	–	30	33	29	37	35	37	35	31	32	38	32	39	
18	1	66	30	6	15	2	13	8	10	12	7	11	12	8	8	14	8	8	76
8	–	27	11	4	4	–	6	3	4	4	2	5	1	1	3	3	4	10	

TABLE 29—Causes of death for each sex, by conjugal condition, nativity and month of death, for Canada, 1927—*con.*

Int. list No.	Causes of death — Causes de décès		Total	Conjugal condition—État civil										
				Single—Célibataire						Married—Marié				
				Under 15 years — Moins de 15 ans	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné
	CLASS III-con.—**CLASSE III**-fin													
77	Other forms of mental alienation— Autres formes de l'aliénation mentale.	M.	147	–	7	27	23	15	1	–	18	29	13	1
		F.	164	1	10	15	15	11	–	2	28	48	14	–
78	Epilepsy—Épilepsie	M.	234	44	48	45	19	5	–	–	8	26	19	–
		F.	186	28	26	35	11	10	–	2	21	20	13	–
79	Convulsions (non-puerperal, 5 years or over)—Éclampsie (non-puerpérale, cinq ans ou au-dessus).	M.	4	2	–	1	–	–	–	–	–	–	–	–
		F.	13	4	–	1	1	1	–	–	3	1	1	–
80	Infantile convulsions (under 5 years of age)—Convulsions des enfants (moins de cinq ans).	M.	328	328	–	–	–	–	–	–	–	–	–	–
		F.	225	225	–	–	–	–	–	–	–	–	–	–
81	Chorea—Chorée	M.	7	2	–	–	–	1	–	–	–	2	1	–
		F.	12	6	3	–	1	–	–	2	–	–	–	–
82	Neuralgia and neuritis—Névralgie et névrite.	M.	24	2	1	–	2	1	–	–	1	6	6	–
		F.	31	2	2	3	2	2	–	–	–	6	8	–
83	Softening of the brain—Ramollissement du cerveau.	M.	52	–	–	–	1	4	–	–	–	6	8	–
		F.	45	–	–	–	3	4	–	–	–	6	21	–
84	Other diseases of the nervous system —Autres affections du système nerveux.	M.	204	41	13	14	11	9	–	–	–	11	9	–
		F.	206	37	8	11	13	12	–	2	21	50	27	–
85	Diseases of the eye and annexa—Affections de l'œil et de ses annexes.	M.	10	2	1	–	1	1	–	–	2	1	1	–
		F.	11	4	–	–	–	–	–	–	–	–	3	1
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien.	M.	282	195	33	13	1	–	–	2	19	13	3	–
		F.	215	181	11	2	1	1	–	1	7	5	1	–
	(a) Diseases of the ear—Affections de l'oreille.	M.	140	95	15	8	–	–	–	–	11	9	1	–
		F.	102	84	6	–	1	–	–	–	4	3	–	–
	(b) Diseases of the mastoid process Affections du sinus mastoïdien.	M.	142	100	18	5	1	–	–	2	8	4	2	–
		F.	113	97	5	2	–	1	–	1	3	2	1	–
	CLASS IV—DISEASES OF THE CIRCULATORY SYSTEM CLASSE IV — AFFECTIONS DE L'APPAREIL CIRCULATOIRE.	Total	17,169	346	248	272	607	1,216	5	38	776	2,343	4,777	2
		M.	9,231	178	138	168	394	639	5	8	354	1,762	3,251	2
		F.	7,938	168	110	104	213	577	–	30	422	1,181	1,526	–
87-90	**Diseases of the heart—Affections du cœur.**	M.	6,255	159	134	149	299	392	4	8	296	1,295	2,060	1
		F.	5,520	158	104	97	152	370	–	29	362	884	1,054	–
87	Pericarditis—Péricardite	M.	64	11	5	3	4	2	–	1	9	11	11	–
		F.	32	4	5	1	1	–	–	1	6	4	4	–
88	Endocarditis and myocarditis (acute)—Endocardite et myocardite (aiguës).	M.	194	44	22	18	7	2	1	2	32	33	17	–
		F.	205	54	19	9	8	3	–	6	44	22	12	–
	(a) Acute endocarditis—Endocardite aiguë.	M.	106	34	16	9	2	–	–	1	16	17	4	–
		F.	112	30	18	4	3	1	–	5	25	11	6	–
	(b) Acute myocarditis—Myocardite aiguë.	M.	88	10	6	9	5	2	1	1	16	16	13	–
		F.	93	24	1	5	5	2	–	1	19	11	6	–
89	Angina pectoris—Angine de poitrine.	M.	846	1	–	10	31	32	–	–	27	278	320	–
		F.	389	3	1	2	11	27	–	1	10	67	99	–
90	Other diseases of the heart—Autres affections du cœur.	M.	5,151	103	107	118	257	356	3	5	228	973	1,712	1
		F.	4,894	97	79	85	132	340	–	21	302	791	939	–
	(a) Valvular disease—Affection valvulaire.	M.	1,045	28	41	37	60	63	–	1	65	194	343	–
		F.	1,037	24	19	28	28	64	–	4	96	184	190	–
	(b) Fatty degeneration of the heart — Dégénérescence ou stéanose du cœur.	M.	38	–	–	1	3	2	–	–	2	11	14	–
		F.	34	1	–	–	1	2	–	–	5	11	7	–
	(c) Aortic insufficiency—Insuffisance aortique.	M.	9	–	–	–	1	–	–	–	–	2	4	–
		F.	7	–	–	2	–	–	–	–	–	3	–	–
	(d) Chronic endocarditis—Endocardite chronique.	M.	766	36	34	27	33	46	1	2	56	143	219	–
		F.	827	40	32	27	16	56	–	12	83	160	127	–
	(e) Chronic myocarditis—Myocardite chronique.	M.	2,100	9	16	19	99	158	1	1	56	395	742	1
		F.	1,915	4	10	10	56	149	–	1	64	268	362	–
	(f) Others under this title—Autres sous ce titre.	M.	1,193	30	16	34	61	87	1	1	49	228	390	–
		F.	1,074	28	18	18	31	69	–	4	54	165	253	–
91	Diseases of the arteries—Affections des artères.	M.	2,814	–	1	14	89	238	–	–	42	417	1,163	1
		F.	2,296	–	3	7	53	203	–	–	38	271	456	–
	(a) Aneurysm—Anévrisme	M.	113	–	–	6	11	4	–	–	14	41	22	–
		F.	35	–	1	1	1	–	–	–	7	5	7	–
	(b) Arteriosclerosis—Artério-sclérose.	M.	2,667	–	–	8	78	234	–	–	26	367	1,128	1
		F.	2,249	–	2	6	52	202	–	–	31	265	444	–
	(c) Other diseases of the arteries— Autres affections des artères.	M.	34	–	1	–	–	–	–	–	2	9	13	–
		F.	12	–	–	–	–	1	–	–	–	1	5	–

TABLEAU 29—Causes de décès de chaque sexe selon l'état civil, le lieu de naissance et le mois de décès, pour le Canada, 1927—*suite*

Widowed — En veuvage	Not stated — Non donné	Nativity—Lieu de naissance: Canada	British — Britanniques	Foreign — Pays étrangers: United States — États-Unis	Foreign — Pays étrangers: Other — Autre	Not stated — Non donné	Months—Mois: January—Janvier	February—Février	March—Mars	April—Avril	May—Mai	June—Juin	July—Juillet	August—Août	September — Septembre	October — Octobre	November — Novembre	December — Décembre	No. liste int.
12	1	81	27	10	24	5	22	16	9	10	12	15	12	10	9	9	12	11	77
20	–	112	31	10	11	–	21	22	10	16	9	10	11	12	10	16	10	17	
20	–	182	32	7	13	–	13	20	18	21	23	19	26	26	13	15	18	22	78
20	–	150	20	8	8	–	11	10	14	15	12	24	15	13	22	12	13	25	
1	–	4	–	–	–	–	1	–	1	–	1	–	–	–	1	–	–	–	79
1	–	10	–	–	3	–	–	–	–	2	2	–	1	4	1	3	–	–	
–	–	327	–	1	–	–	29	34	31	49	33	26	16	19	20	15	21	35	80
–	–	221	–	3	1	–	19	22	27	26	21	14	12	14	15	16	25	14	
1	–	6	–	–	1	–	1	1	–	1	–	1	1	1	–	1	–	–	81
–	–	12	–	–	–	–	–	2	1	1	4	–	2	–	–	1	–	1	
5	–	18	6	–	–	–	2	1	1	1	4	2	1	–	3	3	5	1	82
6	–	27	2	2	–	–	–	5	3	5	5	3	2	2	1	2	2	1	
20	–	43	4	2	1	2	3	2	6	2	5	5	2	5	2	5	10	5	83
18	–	35	8	2	–	–	7	4	5	5	2	1	3	8	2	3	1	4	
18	–	148	31	11	12	2	17	20	22	19	13	16	13	24	18	11	12	19	84
29	–	166	25	6	8	1	19	23	14	12	17	25	14	19	16	17	14	16	
1	–	9	1	–	–	–	1	1	–	2	–	–	1	4	1	–	–	–	85
3	–	8	1	–	1	1	1	–	1	1	2	1	1	2	1	–	1	–	
3	–	254	13	6	9	–	15	26	32	42	25	17	14	16	32	32	16	15	86
5	–	197	9	5	3	1	13	16	20	26	29	18	11	16	17	12	26	11	
1	–	123	11	3	3	–	7	15	21	17	11	9	7	9	18	11	5	10	86a
4	–	90	6	4	1	1	8	11	12	9	15	8	7	8	7	5	10	2	
2	–	131	2	3	6	–	8	11	11	25	14	8	7	7	14	21	11	5	86b
1	–	107	3	1	2	–	5	5	8	17	14	10	4	8	10	7	16	9	
5,931	**8**	**11,814**	**3,483**	**606**	**1,161**	**105**	**1,545**	**1,360**	**1,515**	**1,490**	**1,548**	**1,401**	**1,263**	**1,344**	**1,245**	**1,451**	**1,404**	**1,603**	
2,325	**7**	**6,226**	**1,908**	**320**	**701**	**76**	**798**	**705**	**817**	**785**	**845**	**747**	**699**	**741**	**680**	**793**	**748**	**873**	
3,606	**1**	**5,588**	**1,575**	**286**	**460**	**29**	**747**	**655**	**698**	**705**	**703**	**654**	**564**	**603**	**565**	**658**	**656**	**730**	
1,453	**5**	**4,290**	**1,191**	**220**	**507**	**47**	**534**	**460**	**566**	**524**	**571**	**492**	**499**	**524**	**455**	**545**	**526**	**559**	**87-90**
2,310	–	**3,933**	**1,040**	**194**	**332**	**21**	**544**	**458**	**511**	**484**	**481**	**449**	**372**	**434**	**384**	**441**	**447**	**515**	
7	–	46	13	1	4	–	9	5	7	2	6	6	10	–	2	7	5	5	87
6	–	24	6	1	1	–	3	3	6	1	3	3	1	3	2	4	3	–	
16	–	135	38	11	8	2	23	7	10	17	19	13	20	13	22	17	21	12	88
28	–	140	41	10	13	1	15	12	18	17	19	19	13	20	17	19	17	19	
7	–	78	17	5	6	–	11	4	9	12	13	11	4	7	10	11	11	3	88a
9	–	76	19	6	10	1	10	7	11	7	12	11	9	12	9	5	6	13	
9	–	57	21	6	2	2	12	3	1	5	6	2	16	6	12	6	10	9	88b
19	–	64	22	4	3	–	5	5	7	10	7	8	4	8	8	14	11	6	
147	–	598	167	29	47	5	70	48	73	81	81	70	72	62	73	69	68	79	89
168	–	295	68	10	16	–	37	26	31	35	33	36	22	26	33	34	33	43	
1,283	5	3,511	973	179	448	40	432	400	476	424	465	403	397	449	358	452	432	463	90
2,108	–	3,474	925	173	302	20	489	417	456	431	426	391	336	385	332	384	394	453	
213	–	741	181	29	89	5	79	71	114	70	102	75	80	95	84	89	96	90	90a
400	–	753	180	36	64	4	101	93	106	85	98	84	69	82	68	82	79	90	
5	–	24	9	4	1	–	2	5	3	4	2	2	2	4	3	5	2	4	90b
7	–	24	9	–	1	–	2	4	5	1	3	1	2	3	2	1	4	6	
2	–	6	2	–	1	–	2	1	2	–	–	1	–	1	–	1	–	1	90c
2	–	7	–	–	–	–	–	1	–	–	1	1	–	1	1	–	1	1	
169	–	529	138	37	57	5	59	66	67	75	60	74	61	67	52	71	50	64	90d
274	–	585	154	26	59	3	94	76	84	72	68	67	64	64	58	59	57	64	
599	4	1,313	494	78	196	19	178	170	185	161	179	158	180	169	141	191	180	208	90e
991	–	1,264	452	74	117	8	184	149	159	168	157	148	138	151	126	159	173	203	
295	1	898	149	31	104	11	112	87	105	114	122	93	74	113	78	95	104	96	90f
434	–	841	130	37	61	5	108	94	102	105	99	90	63	84	77	83	80	89	
847	2	1,841	677	96	175	25	248	236	240	244	261	245	191	201	214	227	205	302	91
1,264	1	1,567	514	87	120	8	192	190	178	205	211	193	183	161	171	207	201	204	
15	–	54	36	13	8	2	7	10	6	12	13	4	6	14	5	10	10	16	91a
13	–	24	6	1	4	–	1	3	10	2	4	1	3	4	2	1	3	1	
824	1	1,764	636	83	161	23	239	222	231	231	247	237	181	183	207	213	192	284	91b
1,246	1	1,532	507	86	116	8	189	185	168	201	204	192	179	157	168	206	198	202	
8	1	23	5	–	6	–	2	4	3	1	1	4	4	4	2	4	3	2	91c
5	–	11	1	–	–	–	2	2	–	2	3	–	1	–	1	–	–	1	

TABLE 29—Causes of death for each sex, by conjugal condition, nativity and month of death, for Canada, 1927—*con.*

Int. list No.	Causes of death — Causes de décès		Total	Conjugal condition—État civil										
					Single—Célibataire					Married—Marié				
				Under 15 years — Moins de 15 ans	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné
	CLASS IV–con.—**CLASSE IV**–fin													
92	Embolism and thrombosis (not cerebral)—Embolie et thrombose (non cérébrales).	M.	90	3	1	2	3	4	–	–	6	34	21	–
		F.	64	3	2	–	4	2	–	–	13	15	11	–
93	Diseases of the veins (varices, haemorrhoids, phlebitis, etc.)—Affections des veines (varices) hémorroïdes, phlébite, etc.).	M.	40	1	2	2	2	4	1	–	5	14	5	–
		F.	36	–	–	–	3	2	–	–	7	9	3	–
94	Diseases of the lymphatic system (lymphangitis, etc.)—Affections du système lymphatique (lymphangite, etc.).	M.	19	13	–	–	–	1	–	–	3	–	–	–
		F.	9	6	–	–	–	–	–	–	–	–	–	–
95	Haemorrhage without specified cause—Hémorragie sans cause déterminée.	M.	12	2	–	1	1	–	–	–	2	2	1	–
		F.	10	1	1	–	–	–	–	1	2	1	2	–
96	Other diseases of the circulatory system—Autres affections de l'appareil circulatoire.	M.	1	–	–	–	–	–	–	–	–	–	1	–
		F.	3	–	–	–	1	–	–	–	–	1	–	–
	CLASS V—DISEASES OF THE RESPIRATORY SYSTEM— CLASSE V—AFFECTIONS DE L'APPAREIL RESPIRATOIRE	Total	9,602	4,380	241	199	215	360	3	45	538	939	1,114	–
		M.	5,184	2,391	147	145	147	160	3	9	259	595	734	–
		F.	4,418	1,989	94	54	68	200	–	36	279	344	380	–
97	Diseases of the nasal fossae and their annexa—Affections des fosses nasales et de leurs annexes.	M.	23	9	3	–	1	1	–	–	2	4	2	–
		F.	19	10	2	–	–	–	–	–	3	2	–	–
98	Diseases of the larynx—Affections du larynx.	M.	97	83	1	1	–	1	–	–	1	3	5	–
		F.	101	91	2	–	1	–	–	–	3	3	1	–
	(a) Laryngismus stridulus—Laryngite striduleuse.	M.	19	19	–	–	–	–	–	–	–	–	–	–
		F.	16	16	–	–	–	–	–	–	–	–	–	–
	(b) Laryngitis—Laryngite	M.	21	12	1	1	–	1	–	–	1	2	2	–
		F.	22	17	–	–	1	–	–	–	2	2	–	–
	(c) Croup	M.	41	40	–	–	–	–	–	–	–	–	1	–
		F.	49	48	1	–	–	–	–	–	–	–	–	–
	(d) Other diseases of the larynx—Autres affections du larynx.	M.	16	12	–	–	–	–	–	–	–	1	2	–
		F.	14	10	1	–	–	–	–	–	1	1	1	–
99	Bronchitis—Bronchite	M.	251	104	2	4	–	15	–	–	6	16	47	–
		F.	254	80	–	2	2	21	–	–	1	17	39	–
	(a) Acute—Aiguë	M.	102	80	1	1	–	–	–	–	2	–	8	–
		F.	94	54	–	–	–	5	–	–	–	5	8	–
	(b) Chronic—Chronique	M.	84	7	1	3	–	9	–	–	4	11	24	–
		F.	104	7	–	1	1	9	–	–	1	10	25	–
	(c) Not otherwise defined, under 5 years of age—Sans épithète, au-dessous de cinq ans.	M.	15	15	–	–	–	–	–	–	–	–	–	–
		F.	19	19	–	–	–	–	–	–	–	–	–	–
	(d) Not otherwise defined, 5 years or over—Sans épithète, cinq ans ou au-dessus.	M.	50	2	–	–	–	6	–	–	–	5	15	–
		F.	37	–	–	1	1	7	–	–	–	2	6	–
100	Bronchopneumonia (including capillary bronchitis)—Broncho-pneumonie (y compris bronchite capillaire).	M.	1,576	1,137	17	23	20	37	–	3	26	75	119	–
		F.	1,437	949	9	7	15	39	–	3	37	60	82	–
	(a) Bronchopneumonia—Bronchopneumonie.	M.	1,516	1,081	17	23	20	37	–	3	25	74	117	–
		F.	1,361	887	9	7	15	36	–	3	37	59	79	–
	(b) Capillary bronchitis—Bronchite capillaire.	M.	60	56	–	–	–	–	–	–	1	1	2	–
		F.	76	62	–	–	–	3	–	–	–	1	3	–
101	Pneumonia—Pneumonie	M.	2,503	884	100	82	92	81	2	5	171	381	415	–
		F.	2,046	720	56	25	35	94	–	28	184	213	189	–
	(a) Lobar—Lobaire	M.	1,187	283	57	51	61	33	1	3	116	236	207	–
		F.	871	216	23	14	15	38	–	17	109	121	81	–
	(b) Not otherwise defined—Sans épithète.	M.	1,316	601	43	31	31	48	1	2	55	145	208	–
		F.	1,175	504	33	11	20	56	–	11	75	92	108	–
102	Pleurisy—Pleurésie	M.	225	56	16	9	12	4	1	–	25	39	34	–
		F.	144	49	14	11	6	4	–	3	20	13	7	–
103	Congestion and haemorrhagic infarct of the lung—Congestion et hémorragie parenchymateuse des poumons.	M.	239	93	4	6	6	15	–	–	4	14	46	–
		F.	244	66	2	–	5	28	–	1	17	10	34	–
104	Gangrene of the lung—Gangrène du poumon.	M.	10	–	–	1	–	1	–	–	2	3	2	–
		F.	5	–	–	–	–	–	–	–	1	1	1	–
105	Asthma—Asthme	M.	124	10	1	5	5	1	–	–	7	30	34	–
		F.	101	6	4	3	2	10	–	–	6	19	21	–
106	Pulmonary emphysema—Emphysème pulmonaire.	M.	27	3	–	–	3	–	–	–	–	4	12	–
		F.	13	3	–	–	–	–	–	–	–	3	3	–

TABLEAU 29—Causes de décès de chaque sexe selon l'état civil, le lieu de naissance et le mois de décès, pour le Canada, 1927—*suite*

Widowed — En veuvage	Not stated — Non donné	Nativity—Lieu de naissance: Canada	British — Britanniques	Foreign — Pays étrangers: United States — États-Unis	Foreign — Pays étrangers: Other — Autre	Not stated — Non donné	Months—Mois: January—Janvier	February—Février	March—Mars	April—Avril	May—Mai	June—Juin	July—Juillet	August—Août	September Septembre	October Octobre	November Novembre	December Décembre	No. liste int.
16	–	47	24	3	14	2	8	4	4	10	9	6	5	7	5	14	11	7	92
14	–	44	12	4	4	–	10	4	5	7	5	5	5	4	3	7	6	3	
4	–	21	14	1	3	1	2	3	6	4	2	1	3	4	5	4	2	4	93
12	–	24	7	1	4	–	–	2	3	4	3	6	3	1	5	2	2	5	
2	–	16	2	–	1	–	3	1	1	2	2	–	1	3	–	2	3	1	94
3	–	8	1	–	–	–	1	1	–	2	1	–	1	1	–	–	–	2	
3	–	10	–	–	1	1	3	1	–	1	–	3	–	2	1	1	–	–	95
2	–	10	–	–	–	–	–	–	1	1	1	1	–	2	2	1	–	1	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	96
1	–	2	1	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	
1,565	**3**	**7,964**	**995**	**193**	**424**	**26**	**1,276**	**1,084**	**1,097**	**1,059**	**875**	**687**	**415**	**377**	**438**	**617**	**746**	**931**	
592	**2**	**4,223**	**558**	**107**	**279**	**17**	**663**	**577**	**630**	**560**	**470**	**394**	**233**	**213**	**238**	**335**	**374**	**497**	
973	**1**	**3,741**	**437**	**86**	**145**	**9**	**613**	**507**	**467**	**499**	**405**	**293**	**182**	**164**	**200**	**282**	**372**	**434**	
1	–	17	2	4	–	–	–	3	2	3	2	5	1	–	3	2	–	2	97
2	–	14	2	2	1	–	2	3	1	–	3	1	2	1	1	2	2	1	
2	–	93	2	–	2	–	9	13	12	11	5	7	6	6	3	7	7	11	98*
–	–	97	2	1	1	–	14	9	12	16	4	8	7	3	5	5	8	10	
–	–	19	–	–	–	–	–	3	2	3	–	2	–	2	–	3	1	3	98a
–	–	16	–	–	–	–	3	2	4	2	1	1	–	–	–	–	–	3	
1	–	19	1	–	1	–	3	4	3	2	–	1	1	–	–	2	2	3	98b
–	–	20	1	1	–	–	2	3	1	6	–	2	1	1	1	2	2	1	
–	–	41	–	–	–	–	5	6	4	4	2	3	3	3	2	2	3	4	98c
–	–	48	1	–	–	–	8	3	6	7	3	4	3	–	4	3	5	3	
1	–	14	1	–	1	–	1	–	3	2	3	1	2	1	1	–	1	1	98d
–	–	13	–	–	1	–	1	1	1	1	–	1	3	2	–	–	1	3	
57	–	205	33	3	10	–	27	22	27	28	33	28	5	15	9	16	20	21	99
92	–	206	30	4	12	2	28	17	30	29	25	17	6	7	13	22	24	36	
10	–	91	6	2	3	–	11	11	13	12	13	10	1	5	5	2	11	8	99a
22	–	77	10	3	3	1	12	9	12	15	4	7	1	1	6	7	5	15	
25	–	61	17	1	5	–	7	2	9	10	14	12	3	8	2	7	2	8	99b
50	–	82	14	1	7	–	7	2	13	11	15	9	4	3	6	8	12	14	
–	–	15	–	–	–	–	2	3	1	1	–	2	1	1	–	1	–	3	99c
–	–	18	–	–	–	1	2	1	2	1	1	–	1	3	–	3	2	3	
22	–	38	10	–	2	–	7	6	4	5	6	4	–	1	2	6	7	2	99d
20	–	29	6	–	2	–	7	5	3	2	5	1	–	–	1	4	5	4	
118	1	1,393	108	20	52	3	227	196	192	172	129	107	67	49	69	92	116	160	100
236	–	1,259	121	25	30	2	209	166	163	144	133	94	51	49	67	94	118	149	
118	1	1,335	107	20	51	3	219	191	190	163	119	101	65	44	65	90	111	158	100a
229	–	1,186	118	25	30	2	199	157	155	135	124	86	47	48	61	91	115	143	
–	–	58	1	–	1	–	8	5	2	9	10	6	2	5	4	2	5	2	100b
7	–	73	3	–	–	–	10	9	8	9	9	8	4	1	6	3	3	6	
289	1	1,976	305	64	148	10	326	281	315	279	233	177	105	104	100	166	175	242	101
501	1	1,704	217	42	79	4	300	244	197	256	189	126	83	72	81	132	176	190	
139	–	820	204	47	107	9	146	137	170	123	105	81	35	55	49	75	94	117	101a
236	1	658	134	23	53	3	118	111	79	97	81	58	29	27	31	66	89	85	
150	1	1,156	101	17	41	1	180	144	145	156	128	96	70	49	51	91	81	125	101b
265	–	1,046	83	19	26	1	182	133	118	159	108	68	54	45	50	66	87	105	
29	–	164	42	6	13	–	26	20	27	21	20	19	14	14	13	16	17	18	102
17	–	123	13	4	3	1	12	17	19	15	14	17	7	10	11	5	12	5	
51	–	206	20	2	10	1	21	21	24	26	21	27	18	10	16	18	15	22	103
81	–	208	21	3	12	–	26	35	27	22	19	15	14	12	15	13	19	27	
1	–	8	1	1	–	–	1	–	–	1	3	1	–	–	2	–	1	1	104
2	–	4	–	1	–	–	1	–	1	–	1	–	–	1	–	–	–	1	
31	–	82	20	4	18	–	13	10	14	13	9	8	5	8	11	8	14	11	105
30	–	72	21	2	6	–	15	7	14	11	11	6	6	4	4	6	8	9	
5	–	20	2	–	4	1	1	1	3	2	8	2	1	1	2	1	4	1	106
4	–	10	2	–	1	–	2	3	2	1	–	3	–	1	–	–	–	1	

TABLE 29—Causes of death for each sex, by conjugal condition, nativity and month of death, for Canada, 1927—*con.*

Int. list No.	Causes of death — Causes de décès		Total	Conjugal condition—État civil										
				Single—Célibataire						Married—Marié				
				Under 15 years — Moins de 15 ans	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné
	CLASS V-con.—CLASSE V-fin													
107	Other diseases of the respiratory system (tuberculosis excepted)—Autres affections de l'appareil respiratoire (tuberculose exceptée)	M.	109	12	3	14	8	4	–	1	15	26	18	–
		F.	54	15	5	6	2	4	–	1	7	3	3	–
	(a) Chronic interstitial pneumonia including occupational diseases of the lungs—Pneumonie interstitielle chronique comprenant les affections professionnelles de l'appareil pulmonaire.	M.	15	–	–	–	1	2	–	–	1	6	4	–
		F.	1	–	–	–	–	–	–	–	–	–	1	–
	(b) Diseases of the mediastinum—Affections du médiastin.	M.	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	1	–	–	1	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	94	12	3	14	7	2	–	1	14	20	14	–
		F.	51	15	5	6	2	3	–	1	6	3	2	–
	CLASS VI—DISEASES OF THE DIGESTIVE SYSTEM—CLASSE VI—AFFECTIONS DE L'APPAREIL DIGESTIF.	Total	11,613	6,806	430	259	231	190	3	71	729	1,159	775	1
		M.	6,426	3,806	268	178	143	103	3	19	356	642	498	1
		F.	5,187	3,000	162	81	88	87	–	52	364	508	277	–
108	Diseases of the mouth and annexa—Affections de la bouche et de ses annexes.	M.	55	9	1	1	4	2	–	–	9	12	9	–
		F.	41	15	1	2	2	1	–	1	6	6	3	–
109	Diseases of the pharynx and tonsils (including adenoid vegetations)—Affections du pharynx et des amygdales (y compris les végétations adénoïdiennes).	M.	219	137	18	12	2	–	–	–	20	17	6	1
		F.	199	137	15	3	2	2	–	1	19	8	2	–
	(a) Adenoid vegetations—Végétations adénoïdiennes.	M.	2	2	–	–	–	–	–	–	–	–	–	–
		F.	3	2	–	–	–	–	–	–	–	–	–	–
	(b) Pharynx and tonsils—Pharynx et amygdales.	M.	217	135	18	12	2	–	–	–	20	17	6	1
		F.	196	135	15	3	2	2	–	1	19	8	2	–
110	Diseases of the oesophagus—Affections de l'œsophage.	M.	11	4	–	–	–	2	–	–	–	3	2	–
		F.	7	–	–	–	–	–	–	–	2	3	1	–
111	Ulcer of the stomach and duodenum—Ulcère de l'estomac et du duodénum.	M.	387	4	5	34	30	9	1	2	67	120	68	–
		F.	142	2	4	9	11	7	–	–	15	43	23	–
	(a) Ulcer of the stomach—Ulcère de l'estomac.	M.	248	2	2	18	18	9	1	1	35	78	48	–
		F.	106	1	4	8	7	6	–	–	10	30	19	–
	(b) Ulcer of the duodenum—Ulcère du duodénum.	M.	139	2	3	16	12	–	–	1	32	42	20	–
		F.	36	1	–	1	4	1	–	–	5	13	4	–
112	Other diseases of the stomach (cancer excepted)—Autres affections de l'estomac (cancer excepté).	M.	561	249	12	8	17	20	2	–	25	81	86	–
		F.	487	192	2	6	13	21	–	2	24	66	54	–
113	Diarrhoea and enteritis (under 2 years of age)—Diarrhée et entérite (au-dessous de 2 ans).	M.	2,746	2,746	–	–	–	–	–	–	–	–	–	–
		F.	2,072	2,072	–	–	–	–	–	–	–	–	–	–
114	Diarrhoea and enteritis (2 years or over)—Diarrhée et entérite (deux ans ou au-dessus).	M.	347	190	12	8	9	13	–	1	7	31	37	–
		F.	369	180	8	9	10	14	–	–	18	21	30	–
116	Diseases due to other intestinal parasites—Affections dues à d'autres parasites intestinaux.	M.	10	9	1	–	–	–	–	–	–	–	–	–
		F.	7	6	–	–	1	–	–	–	–	–	–	–
	(a) Cestodes (hydatids of the liver excepted)—Cestodes (non compris les hydatides du foie).	M.	1	1	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–
	(b) Trematodes—Trématodes....	M.	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–	–	–
	(c) Nematodes (other than ankylostoma)—Nématodes (autres que ankylostomiase).	M.	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–	–	–
	(d) Coccidia—Coccidies.....	M.	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–
	(e) Other parasites specified—Autres parasites spécifiés.	M.	2	1	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	1	–	–	–	–	–	–	–
	(f) Parasites not specified—Parasites non spécifiés.	M.	7	7	–	–	–	–	–	–	–	–	–	–
		F.	4	4	–	–	–	–	–	–	–	–	–	–
117	Appendicitis and typhlitis—Appendicite et typhlite.	M.	791	262	176	55	18	2	–	14	122	97	24	–
		F.	591	236	102	28	8	2	–	29	93	59	11	–
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale.	M.	543	114	23	17	26	22	–	1	39	98	106	–
		F.	367	58	4	4	13	15	–	4	54	62	43	–

TABLEAU 29—Causes de décès de chaque sexe selon l'état civil, le lieu de naissance et le mois de décès, pour le Canada, 1927—*suite*

Widowed — En veuvage	Not stated — Non donné	Nativity—Lieu de naissance: Canada	British — Britanniques	Foreign — Pays étrangers: United States — États-Unis	Foreign — Pays étrangers: Other — Autre	Not stated — Non donné	Months—Mois: January—Janvier	February—Février	March—Mars	April—Avril	May—Mai	June—Juin	July—Juillet	August—Août	September — Septembre	October — Octobre	November — Novembre	December — Décembre	No. liste int.
8	–	59	23	3	22	2	12	10	14	4	7	13	11	6	10	9	5	8	107
8	–	44	8	2	–	–	4	6	1	5	6	6	6	4	3	3	5	5	
1	–	3	7	–	4	1	2	–	3	1	1	3	–	–	1	1	1	2	107a
–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107b
–	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	
7	–	56	16	3	18	1	10	10	11	3	6	10	11	6	9	8	4	6	107c
8	–	44	5	2	–	–	4	6	1	4	5	6	6	4	3	3	5	4	
974	**3**	**10,129**	**803**	**232**	**419**	**30**	**793**	**701**	**757**	**829**	**814**	**775**	**964**	**1,368**	**1,743**	**1,258**	**797**	**814**	
406	**3**	**5,550**	**456**	**126**	**266**	**28**	**435**	**366**	**395**	**466**	**448**	**423**	**536**	**793**	**968**	**683**	**454**	**459**	
568	–	**4,579**	**347**	**106**	**153**	**2**	**358**	**335**	**362**	**363**	**366**	**352**	**428**	**575**	**775**	**575**	**343**	**355**	
8	–	45	6	1	3	–	6	2	4	5	4	1	4	4	6	3	10	6	108
4	–	33	4	1	3	–	5	4	1	6	3	2	3	4	3	3	3	4	
6	–	186	18	5	8	2	20	20	18	26	15	17	15	14	18	18	18	20	109
10	–	181	11	2	5	–	19	17	19	16	29	13	9	14	19	9	18	17	
–	–	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	109a
1	–	2	1	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	
6	–	184	18	5	8	2	20	19	18	26	14	17	15	14	18	18	18	20	109b
9	–	179	10	2	5	–	19	16	19	16	29	13	9	14	17	9	18	17	
–	–	8	1	–	2	–	3	–	1	1	1	1	–	1	–	1	2	–	110
1	–	6	–	1	–	–	–	3	2	–	–	–	–	–	1	1	–	–	
47	–	236	81	13	50	7	36	29	28	26	27	33	39	29	30	40	33	37	111
28	–	110	18	8	6	–	16	11	15	10	7	10	9	13	11	19	9	12	
36	–	152	45	10	36	5	23	21	15	16	17	15	26	23	21	22	23	26	111a
21	–	86	11	5	4	–	11	5	12	10	4	8	5	10	7	18	7	9	
11	–	84	36	3	14	2	13	8	13	10	10	18	13	6	9	18	10	11	111b
7	–	24	7	3	2	–	5	6	3	–	3	2	4	3	4	1	2	3	
60	1	504	28	8	18	3	55	37	56	49	37	51	43	40	53	39	44	57	112
107	–	442	30	4	11	–	52	38	42	44	43	37	31	38	38	33	40	51	
–	–	2,727	1	13	2	3	122	104	110	143	150	135	231	470	616	388	154	123	113
–	–	2,052	3	10	6	1	93	85	113	80	101	127	184	323	476	281	114	95	
39	–	315	15	7	9	1	9	24	18	16	16	19	24	50	76	48	23	24	114
79	–	328	25	6	10	–	23	16	12	25	20	21	35	41	65	57	29	25	
–	–	10	–	–	–	–	–	1	–	–	1	1	2	2	–	–	2	1	116
–	–	6	–	–	1	–	–	–	1	–	1	1	–	1	1	1	–	1	
–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	116a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116b
–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116c
–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	2	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	116e
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	
–	–	7	–	–	–	–	–	–	–	–	–	1	2	1	–	–	2	1	116f
–	–	3	–	–	1	–	–	–	–	–	1	–	–	1	1	–	–	1	
20	1	600	94	31	63	3	68	56	64	69	77	55	69	77	70	60	49	77	117
23	–	485	58	23	24	1	49	53	51	58	54	35	52	48	58	54	34	45	
96	1	384	95	19	41	4	55	41	40	53	46	55	42	42	45	29	49	46	118
110	–	271	67	9	20	–	31	31	35	29	29	27	28	29	36	36	28	28	

TABLE 29—Causes of death for each sex, by conjugal condition, nativity and month of death, for Canada, 1927—*con.*

Int. list No.	Causes of death — Causes de décès		Total	Conjugal condition—État civil										
				Single—Célibataire						Married—Marié				
				Under 15 years — Moins de 15 ans	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné
	CLASS VI-con.—**CLASSE VI**-fin													
118	(a) Hernia—Hernie.....	M.	218	29	5	3	11	12	–	1	10	46	47	–
		F.	111	2	–	1	3	5	–	1	12	26	20	–
	(b) Intestinal obstruction—Obstruction intestinale.	M.	325	85	18	14	15	10	–	–	29	52	59	–
		F.	256	56	4	3	10	10	–	3	42	36	23	–
119	Other diseases of the intestines—Autres affections des intestins.	M.	126	34	3	6	3	8	–	1	10	16	22	–
		F.	104	27	9	2	3	3	–	–	18	16	12	–
120	Acute yellow atrophy of the liver—Atrophie jaune aiguë du foie.	M.	15	2	2	–	1	–	–	–	1	5	3	–
		F.	28	3	–	–	1	–	–	6	10	5	1	–
122	Cirrhosis of the liver—Cirrhose du foie.	M.	228	1	1	16	16	9	–	–	15	64	60	–
		F.	119	3	–	1	5	2	–	–	10	35	22	–
	(a) Specified as alcoholic—Spécifiée comme alcoolique.	M.	8	–	–	1	1	–	–	–	2	2	1	–
		F.	3	–	–	–	–	–	–	–	2	1	–	–
	(b) Not specified as alcoholic—Non spécifiée comme alcoolique.	M.	220	1	1	15	15	9	–	–	13	62	59	–
		F.	116	3	–	1	5	2	–	–	8	34	22	–
123	Biliary calculi—Calculs biliaires....	M.	58	–	1	2	3	2	–	–	4	22	18	–
		F.	169	–	–	6	3	9	–	3	30	54	22	–
124	Other diseases of the liver—Autres affections du foie.	M.	206	8	7	10	8	11	–	–	20	51	45	–
		F.	323	12	7	5	10	9	–	4	36	98	47	–
125	Diseases of the pancreas—Affections du pancréas.	M.	18	–	–	1	2	–	–	–	2	9	1	–
		F.	18	–	–	1	1	1	–	–	6	7	–	–
126	Peritonitis without specified cause—Péritonite sans cause indiquée.	M.	105	37	6	8	4	3	–	–	15	16	11	–
		F.	144	57	10	5	5	1	–	2	23	25	6	–
	CLASS VII—NON-VENEREAL DISEASES OF THE GENITO-URINARY SYSTEM AND ANNEXA—CLASSE VII—AFFECTIONS NON VÉNÉRIENNES DE L'APPAREIL GÉNITO-URINAIRE ET DE SES ANNEXES.	Total	6,938	269	143	205	297	396	7	37	613	1,322	1,784	–
		M.	3,814	143	67	107	188	239	7	6	187	685	1,312	–
		F.	3,124	126	76	98	109	157	–	31	426	637	472	–
128	Acute nephritis (including unspecified under 10 years of age)—Néphrite aiguë (y compris non spécifiée au-dessous de dix ans).	M.	185	70	19	11	9	5	1	1	19	30	13	–
		F.	180	64	18	7	3	2	–	5	26	26	12	–
129	Chronic nephritis (including unspecified, 10 years of age or over)—Néphrite chronique (y compris non spécifiée, dix ans ou au-dessus).	M.	2,557	42	41	77	140	157	6	3	138	538	836	–
		F.	2,313	32	33	53	85	149	–	11	195	472	421	–
131	Other diseases of the kidneys and annexa—Autres affections des reins et de leurs annexes.	M.	200	21	5	9	13	12	–	–	18	32	54	–
		F.	164	29	3	8	2	3	–	1	17	33	16	–
132	Calculi of the urinary passages—Calculs des voies urinaires.	M.	53	–	1	2	1	2	–	–	6	14	18	–
		F.	19	–	–	–	2	–	–	–	4	7	1	–
133	Diseases of the bladder—Affections de la vessie.	M.	139	4	–	2	1	7	–	2	1	13	72	–
		F.	29	1	–	2	2	–	–	–	2	2	3	–
134	Diseases of the urethra, urinary abscess, etc.—Affections de l'urètre, abcès urineux, etc.	M.	28	–	–	5	4	2	–	–	2	6	6	–
		F.	1	–	–	–	–	–	–	–	1	–	–	–
	(a) Stricture of the urethra—Rétrécissement de l'urètre.	M.	17	–	–	2	3	1	–	–	1	6	3	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–
	(b) Other diseases of the urethra—Autres affections de l'urètre.	M.	11	–	–	3	1	1	–	–	1	–	3	–
		F.	1	–	–	–	–	–	–	–	1	–	–	–
135	Diseases of the prostate—Affections de la prostate.	M.	638	–	1	1	19	53	–	–	2	51	310	–
136	Non-venereal diseases of the male genital organs — Affections non vénériennes des organes génitaux de l'homme.	M.	14	6	–	–	1	1	–	–	1	1	3	–
137	Cysts and other benign tumours of the ovary—Kystes et autres tumeurs bénignes de l'ovaire.	F.	97	–	8	10	5	1	–	4	41	16	4	–
138	Salpingitis and pelvic abscess—Salpingite et abcès du bassin.	F.	86	–	8	3	1	–	–	8	49	9	2	–
139	Benign tumours of the uterus—Tumeurs bénignes de l'utérus.	F.	71	–	–	6	3	1	–	–	27	20	3	–
140	Non-puerperal uterine haemorrhage—Hémorragie utérine non puerpérale.	F.	5	–	1	1	–	–	–	–	–	3	–	–
141	Other diseases of the female genital organs—Autres affections des organes génitaux de la femme.	F.	155	–	5	8	6	1	–	1	64	48	8	–

TABLEAU 29—Causes de décès de chaque sexe, selon l'état civil, le lieu de naissance et le mois de décès, pour le Canada, 1927—*suite*

Widowed — En veuvage	Not stated — Non donné	Nativity—Lieu de naissance: Canada	British — Britanniques	Foreign — Pays étrangers: United States — États-Unis	Foreign — Pays étrangers: Other — Autre	Not stated — Non donné	Months—Mois: January—Janvier	February—Février	March—Mars	April—Avril	May—Mai	June—Juin	July—Juillet	August—Août	September — Septembre	October — Octobre	November — Novembre	December — Décembre	No. liste int.
53	1	141	41	15	19	2	24	15	14	20	19	22	18	17	24	12	20	13	118a
41	–	79	23	2	7	–	10	8	11	8	7	5	7	13	12	15	6	9	
43	–	243	54	4	22	2	31	26	26	33	27	33	24	25	21	17	29	33	118b
69	–	162	44	7	13	–	21	23	24	21	22	22	21	16	24	21	22	19	
23	–	99	17	4	6	–	8	11	8	17	13	6	10	11	8	9	11	14	119
14	–	85	10	3	6	–	8	7	5	11	8	13	11	12	6	10	6	7	
1	–	10	2	–	2	1	3	1	1	3	1	–	1	1	–	–	3	1	120
2	–	20	5	1	2	–	2	2	2	4	2	2	3	2	–	3	4	2	
46	–	151	33	15	26	3	11	16	16	20	28	20	21	22	13	23	19	19	122
41	–	85	23	3	8	–	11	11	5	13	16	9	8	7	6	10	8	15	
1	–	5	2	–	1	–	–	–	1	–	1	2	1	–	1	–	2	–	122a
–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	
45	–	146	31	15	25	3	11	16	15	20	27	18	20	22	12	23	17	19	122b
41	–	83	22	3	8	–	11	11	5	13	16	9	8	7	6	9	8	13	
6	–	39	11	2	6	–	5	9	3	5	1	5	5	5	6	4	6	4	123
42	–	109	30	13	17	–	13	10	15	20	18	15	17	7	17	11	15	11	
46	–	143	35	5	23	–	25	9	19	18	20	19	18	13	16	12	20	17	124
95	–	239	42	17	25	–	23	25	32	27	25	26	28	27	27	30	26	27	
3	–	9	7	1	1	–	1	–	–	1	1	1	2	1	2	2	3	4	125
2	–	9	6	1	2	–	3	3	1	–	–	3	1	2	1	2	2	–	
5	–	84	12	2	6	1	8	6	9	14	10	4	10	11	9	7	8	9	126
10	–	118	15	4	7	–	10	19	11	20	10	11	9	7	10	15	7	15	
1,864	**1**	**5,178**	**1,045**	**241**	**435**	**39**	**568**	**553**	**607**	**593**	**639**	**557**	**522**	**557**	**566**	**587**	**593**	**596**	
872	**1**	**2,796**	**595**	**136**	**259**	**28**	**312**	**304**	**331**	**321**	**361**	**310**	**294**	**293**	**303**	**330**	**319**	**336**	
992	**–**	**2,382**	**450**	**105**	**176**	**11**	**256**	**249**	**276**	**272**	**278**	**247**	**228**	**264**	**263**	**257**	**274**	**260**	
7	–	148	16	5	14	2	18	13	27	13	22	16	16	10	15	5	16	14	128
17	–	148	16	7	9	–	16	21	15	13	17	9	11	15	8	22	11	22	
578	1	1,888	372	99	178	20	209	197	193	208	237	215	205	205	207	232	202	247	129
862	–	1,789	321	65	128	10	186	180	211	203	201	187	167	200	197	183	210	188	
36	–	144	36	5	14	1	12	17	17	19	22	15	13	14	16	20	17	18	131
52	–	116	34	6	8	–	14	10	9	11	7	16	13	17	16	17	13	21	
9	–	32	12	2	7	–	–	9	4	4	6	3	3	4	4	5	8	3	132
5	–	10	8	1	–	–	2	3	1	–	1	–	1	2	3	3	3	–	
37	–	101	25	3	9	1	9	7	18	13	14	9	15	13	8	7	20	6	133
17	–	22	4	1	2	–	2	–	4	1	7	5	2	1	–	1	3	3	
3	–	16	4	3	3	2	6	2	2	4	2	2	1	3	2	1	2	1	134
–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
1	–	11	3	1	1	1	3	2	–	3	1	2	–	2	1	1	1	1	134a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	5	1	2	2	1	3	–	2	1	1	–	1	1	1	–	1	–	134b
–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
201	–	455	130	19	33	1	57	58	69	57	58	50	41	44	49	58	52	45	135
1	–	12	–	–	1	1	1	1	1	3	–	–	–	–	2	2	2	2	136
8	–	70	18	2	7	–	5	4	7	10	11	14	7	4	12	5	13	5	137
6	–	62	12	6	5	1	6	4	8	9	13	3	5	5	9	9	7	8	138
11	–	43	17	6	5	–	8	9	8	10	4	5	7	4	2	8	4	2	139
–	–	4	1	–	–	–	1	1	–	1	–	–	1	–	–	1	–	–	140
14	–	115	18	10	12	–	16	17	12	13	15	7	14	16	16	8	10	11	141

TABLE 29—Causes of death for each sex, by conjugal condition, nativity and month of death, for Canada, 1927—*con.*

Int. list No.	Causes of death — Causes de décès		Total	Conjugal condition—État civil										
				Single—Célibataire						Married—Marié				
				Under 15 years — Moins de 15 ans	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné
	CLASS VII-con.—**CLASSE VII**-fin													
142	Non-puerperal diseases of the breast (cancer excepted)—Affections non puerpérales du sein (cancer excepté).	F.	4	–	–	–	–	–	–	1	–	1	2	–
	CLASS VIII—THE PUERPERAL STATE—CLASSE VIII—ÉTAT PUERPÉRAL.		1,300	1	27	23	–	–	–	252	974	13	–	–
143	Accidents of pregnancy—Accidents de la grossesse.	F.	102	–	1	3	–	–	–	13	81	3	–	–
	(a) Abortion—Avortement.	F.	40	–	–	1	–	–	–	5	33	–	–	–
	(b) Ectopic gestation — Gestation ectopique.	F.	35	–	–	1	–	–	–	1	32	1	–	–
	(c) Others under this title—Autres sous ce titre.	F.	23	–	–	1	–	–	–	6	14	2	–	–
	(d) Abortion, self-induced—Avortement provoqué par soi-même.	F.	4	–	1	–	–	–	–	1	2	–	–	–
144	Puerperal haemorrhage—Hémorragie puerpérale.	F.	183	–	1	3	–	–	–	17	160	1	–	–
145	Other accidents of labour—Autres accidents de l'accouchement.	F.	133	–	1	3	–	–	–	28	99	1	–	–
	(a) Caesarean section—Opération césarienne.	F.	34	–	–	1	–	–	–	4	29	–	–	–
	(b) Difficult labour — Accouchement laborieux.	F.	24	–	–	1	–	–	–	7	15	1	–	–
	(c) Other surgical operations and instrumental delivery — Autres opérations chirurgicales et application d'instruments.	F.	38	–	–	1	–	–	–	7	30	–	–	–
	(d) Uncontrollable vomiting—Vomissements incontrôlables.	F.	34	–	1	–	–	–	–	10	22	–	–	–
	(e) Rupture of uterus in labour, etc.—Rupture de l'utérus durant l'accouchement, etc.	F.	3	–	–	–	–	–	–	–	3	–	–	–
146	Puerperal septicaemia—Septicémie puerpérale.	F.	448	–	13	7	–	–	–	102	316	5	–	–
147	Puerperal phlegmasia alba dolens, puerperal embolism, sudden death in puerperium—Phlegmasia alba dolens, embolie, mort subite puerpérales.	F.	81	–	–	–	–	–	–	11	69	–	–	–
148	Puerperal albuminuria and convulsions—Albuminurie et éclampsie puerpérales.	F.	310	1	9	6	–	–	–	72	218	3	–	–
149	Following childbirth (not otherwise defined)—Suites de couches (sans autres explications).	F.	42	–	2	1	–	–	–	9	30	–	–	–
150	Puerperal diseases of the breast—Affections puerpérales de la mamelle.	F.	1	–	–	–	–	–	–	–	1	–	–	–
	CLASS IX—DISEASES OF THE SKIN AND OF THE CELLULAR TISSUE—CLASSE IX—AFFECTIONS DE LA PEAU ET DU TISSU CELLULAIRE.	Total	629	172	17	10	19	32	–	5	31	68	99	1
		M.	363	99	13	7	11	14	–	–	19	39	72	1
		F.	266	73	4	3	8	18	–	5	12	29	27	–
151	Gangrene—Gangrène	M.	142	–	1	–	3	7	–	–	3	7	52	1
		F.	95	5	–	–	–	15	–	–	1	7	17	–
152	Furuncle—Furoncle	M.	40	3	4	1	2	1	–	–	6	8	9	–
		F.	19	4	1	–	3	–	–	1	2	6	1	–
153	Acute abscess—Phlegmon, abcès chaud.	M.	113	54	6	5	4	4	–	–	8	17	6	–
		F.	78	35	2	2	4	1	–	3	6	7	3	–
154	Other diseases of the skin and annexa—Autres affections de la peau et de ses annexes.	M.	68	42	2	1	2	2	–	–	2	7	5	–
		F.	74	29	1	1	1	2	–	1	3	9	6	–

TABLEAU 29—Causes de décès de chaque sexe selon l'état civil, le lieu de naissance et le mois de décès, pour le Canada, 1927—*suite*

Widowed — En veuvage	Not stated — Non donné	Nativity—Lieu de naissance: Canada	British — Britanniques	Foreign — Pays étrangers: United States — États-Unis	Foreign — Pays étrangers: Other — Autre	Not stated — Non donné	Months—Mois: January—Janvier	February—Février	March—Mars	April—Avril	May—Mai	June—Juin	July—Juillet	August—Août	September — Septembre	October — Octobre	November — Novembre	December — Décembre	No. liste int.
–	–	2	1	1	–	–	–	–	1	1	2	–	–	–	–	–	–	–	142
10	–	**920**	**197**	**63**	**120**	–	**102**	**112**	**115**	**125**	**120**	**113**	**113**	**103**	**80**	**82**	**111**	**124**	
1	–	60	16	6	20	–	9	7	10	9	5	5	15	8	4	5	20	5	143
1	–	26	7	2	5	–	5	2	4	4	5	–	4	3	1	2	9	1	143a
–	–	21	3	3	8	–	3	3	2	4	–	4	6	5	–	2	4	2	143b
–	–	11	5	1	6	–	1	2	3	1	–	1	4	–	2	1	6	2	143c
–	–	2	1	–	1	–	–	–	1	–	–	–	1	–	1	–	1	–	143d
1	–	129	28	5	21	–	14	16	11	14	15	15	18	13	12	16	14	25	144
1	–	98	17	8	10	–	12	11	10	11	11	10	8	21	11	6	15	7	145
–	–	19	11	2	2	–	3	4	3	5	2	3	2	5	3	–	4	–	145a
–	–	19	1	1	3	–	1	1	2	2	–	4	1	8	1	2	1	1	145b
–	–	27	4	4	3	–	5	2	1	3	5	2	2	5	5	1	3	4	145c
1	–	30	1	1	2	–	3	4	3	1	3	1	3	3	1	3	7	2	145d
–	–	3	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	145e
5	–	299	78	23	48	–	32	48	48	49	53	39	35	24	20	33	27	40	146
1	–	56	14	5	6	–	4	7	6	6	4	14	12	8	1	3	8	8	147
1	–	244	39	16	11	–	22	20	26	31	28	27	23	27	29	18	22	37	148
–	–	33	5	–	4	–	9	3	4	5	4	3	2	2	3	–	5	2	149
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	150
175	–	**491**	**88**	**16**	**33**	**1**	**58**	**54**	**66**	**46**	**60**	**50**	**68**	**45**	**43**	**53**	**37**	**49**	
88	–	**286**	**48**	8	**20**	**1**	**32**	**32**	**36**	**27**	**34**	**32**	**38**	**28**	**24**	**31**	**18**	**31**	
87	–	**205**	**40**	8	**13**	–	**26**	**22**	**30**	**19**	**26**	**18**	**30**	**17**	**19**	**22**	**19**	**18**	
68	–	107	26	3	6	–	9	10	14	10	13	14	14	9	12	16	8	13	151
50	–	64	20	4	7	–	9	6	14	4	12	4	10	4	6	9	9	8	
6	–	30	8	1	1	–	4	3	5	3	2	4	4	2	3	4	3	3	152
1	–	16	3	–	–	–	3	3	3	1	4	2	2	–	–	1	–	–	
9	–	93	8	3	8	1	11	9	11	8	6	10	16	14	7	8	5	8	153
15	–	63	11	2	2	–	10	4	12	6	6	7	13	5	3	5	3	4	
5	–	56	6	1	5	–	8	10	6	6	13	4	4	3	2	3	2	7	154
21	–	62	6	2	4	–	4	9	1	8	4	5	5	8	10	7	7	6	

TABLE 29—Causes of death for each sex, by conjugal condition, nativity and month of death, for Canada, 1927—*con.*

Int. list No.	Causes of death — Causes de décès	Total	Conjugal condition—État civil										
			Single—Célibataire						Married—Marié				
			Under 15 years — Moins de 15 ans	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné
	CLASS X—DISEASES OF THE BONES AND OF THE ORGANS OF LOCOMOTION—CLASSE X—AFFECTIONS DES OS ET DES ORGANES DE LA LOCOMOTION.	**Total**	**242**	**78**	**23**	**10**	**7**	**16**	**–**	**1**	**12**	**31**	**19**	**–**
		M.	**142**	**47**	**18**	**7**	**6**	**6**	**–**	**1**	**9**	**22**	**13**	**–**
		F.	**100**	**31**	**5**	**3**	**1**	**10**	**–**	**–**	**3**	**9**	**6**	**–**
155	Diseases of the bones (mastoid and tuberculosis excepted)—Affections des os (sinus mastoïdien et tuberculose exceptés).	M.	106	40	13	4	5	4	–	–	6	17	11	–
		F.	72	26	5	3	–	8	–	–	1	5	1	–
156	Diseases of the joints(tuberculosis and rheumatism excepted)—Affections articulaires (tuberculose et rhumatisme exceptés).	M.	29	6	4	3	1	2	–	1	3	4	–	–
		F.	19	4	–	–	–	1	–	–	1	3	3	–
157	Amputations	M.	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–
158	Other diseases of the organs of locomotion—Autres affections des organes de la locomotion.	M.	7	1	1	–	–	–	–	–	–	1	2	–
		F.	8	1	–	–	1	1	–	–	1	1	2	–
	CLASS XI—MALFORMATIONS—CLASSE XI—VICES DE CONFORMATION.	**Total**	**1,347**	**1,341**	**5**	**–**	**–**	**–**	**–**	**–**	**–**	**1**	**–**	**–**
		M.	**711**	**706**	**4**	**–**	**–**	**–**	**–**	**–**	**–**	**1**	**–**	**–**
		F.	**636**	**635**	**1**	**–**	**–**	**–**	**–**	**–**	**–**	**–**	**–**	**–**
159	Congenital malformations (stillbirths not included)—Vices de conformation congénitaux (mort-nés non compris).	M.	711	706	4	–	–	–	–	–	–	1	–	–
		F.	636	635	1	–	–	–	–	–	–	–	–	–
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale.	M.	64	63	1	–	–	–	–	–	–	–	–	–
		F.	51	51	–	–	–	–	–	–	–	–	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur.	M.	366	363	2	–	–	–	–	–	–	1	–	–
		F.	285	285	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	281	280	1	–	–	–	–	–	–	–	–	–
		F.	300	299	1	–	–	–	–	–	–	–	–	–
	CLASS XII—DISEASES OF EARLY INFANCY—CLASSE XII—AFFECTIONS DU PREMIER ÂGE.	**Total**	**9,246**	**9,246**	**–**	**–**	**–**	**–**	**–**	**–**	**–**	**–**	**–**	**–**
		M.	**5,363**	**5,363**	**–**	**–**	**–**	**–**	**–**	**–**	**–**	**–**	**–**	**–**
		F.	**3,883**	**3,883**	**–**	**–**	**–**	**–**	**–**	**–**	**–**	**–**	**–**	**–**
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème.	M.	1,355	1,355	–	–	–	–	–	–	–	–	–	–
		F.	1,013	1,013	–	–	–	–	–	–	–	–	–	–
161	Premature birth, injury at birth—Naissance prématurée, conséquence de l'accouchement.	M.	3,151	3,151	–	–	–	–	–	–	–	–	–	–
		F.	2,260	2,260	–	–	–	–	–	–	–	–	–	–
	(a) Premature birth—Naissance prématurée.	M.	2,550	2,550	–	–	–	–	–	–	–	–	–	–
		F.	1,852	1,852	–	–	–	–	–	–	–	–	–	–
	(b) Injury at birth—Conséquence de l'accouchement.	M.	601	601	–	–	–	–	–	–	–	–	–	–
		F.	408	408	–	–	–	–	–	–	–	–	–	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge.	M.	848	848	–	–	–	–	–	–	–	–	–	–
		F.	606	606	–	–	–	–	–	–	–	–	–	–
163	Lack of care—Défaut de soins	M.	9	9	–	–	–	–	–	–	–	–	–	–
		F.	4	4	–	–	–	–	–	–	–	–	–	–
	CLASS XIII—OLD AGE—CLASSE XIII—VIEILLESSE.	**Total**	**2,470**	**–**	**–**	**–**	**3**	**263**	**–**	**–**	**–**	**7**	**659**	**3**
		M.	**1,071**	**–**	**–**	**–**	**–**	**101**	**–**	**–**	**–**	**4**	**405**	**2**
		F.	**1,399**	**–**	**–**	**–**	**3**	**162**	**–**	**–**	**–**	**3**	**254**	**1**
164	Senility—Sénilité	M.	1,071	–	–	–	–	101	–	–	–	4	405	2
		F.	1,399	–	–	–	3	162	–	–	–	3	254	1
	CLASS XIV—EXTERNAL CAUSES—CLASSE XIV—CAUSES EXTÉRIEURES.	**Total**	**6,268**	**1,464**	**772**	**611**	**285**	**167**	**54**	**77**	**923**	**829**	**445**	**4**
		M.	**4,749**	**945**	**673**	**565**	**259**	**101**	**53**	**39**	**759**	**691**	**333**	**4**
		F.	**1,519**	**519**	**99**	**46**	**26**	**66**	**1**	**38**	**164**	**138**	**112**	**–**
165-174	**Suicides**	**M.**	**612**	**1**	**32**	**116**	**70**	**22**	**6**	**5**	**110**	**157**	**44**	**–**
		F.	**147**	**–**	**10**	**17**	**8**	**2**	**1**	**7**	**43**	**42**	**2**	**–**
165	Suicide by solid or liquid poisons (corrosive substances excepted)—Suicide par ingestion de poisons solides ou liquides (substances corrosives exceptées).	M.	63	–	1	10	5	1	3	1	10	23	4	–
		F.	17	–	–	1	1	–	–	1	5	4	1	–

TABLEAU 29—Causes de décès de chaque sexe selon l'état civil, le lieu de naissance et le mois de décès, pour le Canada, 1927—*suite*

Widowed — En veuvage	Not stated — Non donné	Nativity—Lieu de naissance: Canada	British — Britanniques	Foreign — Pays étrangers: United States — États-Unis	Foreign — Pays étrangers: Other — Autre	Not stated — Non donné	Months—Mois: January—Janvier	February—Février	March—Mars	April—Avril	May—Mai	June—Juin	July—Juillet	August—Août	September — Septembre	October — Octobre	November — Novembre	December — Décembre	No. liste int.
45	–	**190**	**26**	**9**	**16**	**1**	**19**	**17**	**26**	**26**	**20**	**17**	**20**	**17**	**24**	**23**	**17**	**16**	
13	–	**105**	**17**	**5**	**14**	**1**	**8**	**10**	**17**	**17**	**12**	**8**	**13**	**10**	**17**	**9**	**10**	**11**	
32	–	**85**	**9**	**4**	**2**	–	**11**	**7**	**9**	**9**	**8**	**9**	**7**	**7**	**7**	**14**	**7**	**5**	
6	–	81	10	4	10	1	5	6	15	14	7	4	9	9	13	6	8	10	155
23	–	62	7	1	2	–	7	6	5	8	4	8	5	5	6	10	5	3	
5	–	19	6	1	3	–	2	2	2	3	4	4	3	1	3	3	2	–	156
7	–	14	2	3	–	–	1	1	3	1	3	1	1	2	–	2	2	2	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	157
1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
2	–	5	1	–	1	–	1	2	–	–	1	–	1	–	1	–	–	1	158
1	–	8	–	–	–	–	3	–	1	–	–	–	1	–	1	2	–	–	
–	–	**1,337**	**4**	**3**	**2**	**1**	**122**	**132**	**121**	**98**	**117**	**110**	**96**	**111**	**118**	**102**	**97**	**123**	
–	–	**707**	**1**	**3**	–	–	**72**	**72**	**59**	**52**	**62**	**60**	**51**	**62**	**58**	**54**	**48**	**61**	
–	–	**630**	**3**	–	**2**	**1**	**50**	**60**	**62**	**46**	**55**	**50**	**45**	**49**	**60**	**48**	**49**	**62**	
–	–	707	1	3	–	–	72	72	59	52	62	60	51	62	58	54	48	61	159
–	–	630	3	–	2	1	50	60	62	46	55	50	45	49	60	48	49	62	
–	–	63	–	1	–	–	8	8	3	3	6	8	6	3	6	5	6	2	159a
–	–	50	–	–	–	1	6	7	8	3	4	5	4	1	1	5	3	4	
–	–	364	1	1	–	–	42	42	30	20	35	26	24	30	27	23	26	41	159b
–	–	282	2	–	1	–	27	29	30	19	30	20	20	25	21	13	22	29	
–	–	280	–	1	–	–	22	22	26	29	21	26	21	29	25	26	16	18	159c
–	–	298	1	–	1	–	17	24	24	24	21	25	21	23	38	30	24	29	
–	–	**9,230**	**2**	**7**	**5**	**2**	**814**	**801**	**859**	**888**	**901**	**763**	**731**	**658**	**735**	**682**	**696**	**718**	
–	–	**5,358**	**1**	**1**	**2**	**1**	**484**	**468**	**491**	**520**	**503**	**437**	**412**	**382**	**423**	**412**	**410**	**424**	
–	–	**3,872**	**1**	**6**	**3**	**1**	**330**	**333**	**368**	**368**	**401**	**326**	**319**	**276**	**312**	**270**	**286**	**294**	
–	–	1,352	–	1	1	1	127	103	119	123	131	105	112	81	111	128	93	122	160
–	–	1,007	–	2	3	1	93	94	91	99	105	90	79	70	89	69	65	69	
–	–	3,149	1	–	1	–	275	292	301	311	287	253	229	235	246	229	251	242	161
–	–	2,255	1	4	–	–	181	189	213	214	235	189	190	163	167	166	173	180	
–	–	2,548	1	–	1	–	231	240	234	253	241	205	178	188	199	178	206	197	161a
–	–	1,847	1	4	–	–	153	162	180	183	197	158	150	127	138	130	133	141	
–	–	601	–	–	–	–	44	52	67	58	46	48	51	47	47	51	45	45	161b
–	–	408	–	–	–	–	28	27	33	31	38	31	40	36	29	36	40	39	
–	–	848	–	–	–	–	82	73	71	85	82	78	69	64	65	54	66	59	162
–	–	606	–	–	–	–	56	50	64	55	61	47	50	42	55	35	46	45	
–	–	9	–	–	–	–	–	–	–	1	–	1	2	2	1	1	–	1	163
–	–	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	
1,533	**2**	**1,867**	**365**	**47**	**176**	**15**	**234**	**222**	**232**	**241**	**243**	**198**	**179**	**162**	**166**	**209**	**181**	**203**	
557	**2**	**793**	**158**	**22**	**89**	**9**	**101**	**91**	**103**	**109**	**109**	**86**	**76**	**70**	**67**	**97**	**75**	**87**	
976	–	**1,074**	**207**	**25**	**87**	**6**	**133**	**131**	**129**	**132**	**134**	**112**	**103**	**92**	**99**	**112**	**106**	**116**	
557	2	793	158	22	89	9	101	91	103	109	109	86	76	70	67	97	75	87	164
976	–	1,074	207	25	87	6	133	131	129	132	134	112	103	92	99	112	106	116	
631	**6**	**4,227**	**897**	**265**	**718**	**161**	**507**	**321**	**385**	**425**	**486**	**618**	**781**	**673**	**620**	**512**	**491**	**449**	
321	**6**	**3,078**	**678**	**201**	**640**	**152**	**365**	**225**	**288**	**311**	**376**	**473**	**610**	**517**	**481**	**393**	**396**	**314**	
310	–	**1,149**	**219**	**64**	**78**	**9**	**142**	**96**	**97**	**114**	**110**	**145**	**171**	**156**	**139**	**119**	**95**	**135**	
47	**2**	**289**	**123**	**40**	**137**	**23**	**49**	**32**	**63**	**56**	**50**	**50**	**67**	**53**	**52**	**44**	**54**	**42**	165-
15	–	**84**	**30**	**12**	**19**	**2**	**7**	**11**	**10**	**16**	**8**	**12**	**15**	**8**	**19**	**20**	**8**	**13**	174
5	–	35	14	5	5	4	2	4	13	6	6	3	8	7	5	4	4	1	165
4	–	10	3	3	1	–	1	1	–	1	2	1	3	1	2	1	1	3	

TABLE 29—Causes of death for each sex, by conjugal condition, nativity and month of death, for Canada, 1927—*con.*

Int. list No.	Causes of death — Causes de décès	Total	Conjugal condition—État civil										
			Single—Célibataire						Married—Marié				
			Under 15 years — Moins de 15 ans	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné
	CLASS XIV-con.—**CLASSE XIV**-suite												
166	Suicide by corrosive substances— M.	37	–	3	2	4	2	–	–	11	12	1	–
	Absorption volontaire de sub- F.	36	–	6	4	1	–	–	3	12	8	–	–
	stances corrosives.												
167	Suicide by poisonous gas—Suicide M.	40	–	–	4	12	1	–	–	7	10	4	–
	par ingestion de gaz vénéneux. F.	13	–	1	5	1	–	–	1	–	4	–	–
168	Suicide by hanging or strangula- M.	148	–	3	33	17	6	–	2	20	35	16	–
	tion—Suicide par pendaison ou F.	28	–	–	3	2	–	–	–	9	10	1	–
	strangulation.												
169	Suicide by drowning—Suicide par M.	57	–	6	10	7	4	–	–	10	12	3	–
	submersion. F.	35	–	2	3	2	1	1	2	7	13	–	–
170	Suicide by firearms—Suicide par M.	181	1	18	43	16	3	2	2	33	40	12	–
	armes à feu. F.	8	–	–	1	–	–	–	–	4	2	–	–
171	Suicide by cutting or piercing ins- M.	65	–	1	11	7	3	–	–	13	20	4	–
	truments—Suicide par instru- F.	2	–	–	–	–	–	–	–	2	–	–	–
	ments tranchants ou piquants.												
172	Suicide by jumping from high M.	6	–	–	1	1	1	–	–	1	2	–	–
	places—Suicide par précipitation F.	4	–	–	–	1	1	–	–	1	1	–	–
	d'un lieu élevé.												
173	Suicide by crushing—Suicide par M.	2	–	–	–	1	–	1	–	–	–	–	–
	écrasement. F.	2	–	–	–	–	–	–	–	2	–	–	–
174	Other suicides—Autres suicides... M.	13	–	–	2	–	1	–	–	5	3	–	–
	F.	2	–	1	–	–	–	–	–	1	–	–	–
175	Poisoning by food—Empoisonne- M.	15	6	2	–	1	1	–	–	2	1	1	–
	ment par aliments. F.	13	4	–	–	–	–	–	3	–	5	–	–
176	Poisoning by venomous animals— M.	2	1	–	–	1	–	–	–	–	–	–	–
	Attaques d'animaux venimeux. F.	3	2	1	–	–	–	–	–	–	–	–	–
177	Other acute accidental poisonings M.	78	42	3	3	7	1	–	1	5	8	3	–
	(gas excepted)—Autres empoison- F.	43	23	2	–	–	–	–	2	10	3	1	–
	nements accidentels, aigus (par gaz exceptés).												
178	Conflagration—Incendie..... M.	114	82	5	4	2	2	–	–	6	4	6	–
	F.	99	77	7	1	–	–	–	–	8	2	3	–
179	Accidental burns and scalds (confla- M.	189	125	12	8	2	4	–	1	12	15	4	–
	gration excepted)—Brûlures acci- F.	186	124	10	3	–	3	–	3	15	5	11	–
	dentelles (autres que par l'incendie).												
180	Accidental mechanical suffocation— M.	41	36	2	1	–	–	–	–	1	–	–	–
	Suffocation mécanique acciden- F.	30	29	–	–	–	–	–	–	1	–	–	–
	telle.												
	(a) Overlaying—Étouffé pendant M.	10	10	–	–	–	–	–	–	–	–	–	–
	le sommeil. F.	5	5	–	–	–	–	–	–	–	–	–	–
	(b) Asphyxia—Asphyxie..... M.	31	26	2	1	–	–	–	–	1	–	–	–
	F.	25	24	–	–	–	–	–	–	1	–	–	–
181	Accidental absorption of irrespirable M.	69	5	4	7	9	3	–	–	9	15	8	1
	or poisonous gas—Absorption ac- F.	34	7	2	1	3	3	–	2	7	5	2	–
	cidentelle de gaz irrespirables ou toxiques.												
182	Accidental drowning—Submersion M.	821	229	242	110	23	4	27	11	87	54	10	2
	accidentelle. F.	113	59	24	6	1	1	–	5	10	5	–	–
183	Accidental traumatism by firearms M.	138	30	44	15	6	1	–	–	20	18	1	–
	—Traumatismes accidentels par F.	14	7	1	–	–	–	–	1	3	2	–	–
	armes à feu.												
184	Accidental traumatism by cutting or M.	16	4	5	–	–	1	–	–	3	3	–	–
	piercing instruments—Traumatis- F.	2	2	–	–	–	–	–	–	–	–	–	–
	mes accidentels par instruments tranchants ou piquants.												
185	Accidental traumatism by fall— M.	505	63	47	53	15	19	3	1	77	67	93	–
	Traumatismes accidentels par F.	245	28	3	4	9	17	–	3	12	24	40	–
	chute.												
186	Accidental traumatism in mines and M.	98	–	20	12	2	–	–	–	38	18	2	–
	quarries—Traumatismes acciden- F.	–	–	–	–	–	–	–	–	–	–	–	–
	tels par mines et carrières.												
	(a) Coal mines—Mines de charbon M.	69	–	12	10	2	–	–	–	24	15	2	–
	F.	–	–	–	–	–	–	–	–	–	–	–	–
	(b) Other mines—Autres mines M.	26	–	8	2	–	–	–	–	13	3	–	–
	F.	–	–	–	–	–	–	–	–	–	–	–	–
	(c) Quarries—Carrières..... M.	3	–	–	–	–	–	–	–	1	–	–	–
	F.	–	–	–	–	–	–	–	–	–	–	–	–
187	Accidental traumatism by machines M.	156	9	17	17	6	4	1	3	58	28	9	–
	—Traumatismes accidentels par F.	1	1	–	–	–	–	–	–	–	–	–	–
	machines.												

TABLEAU 29—Causes de décès de chaque sexe selon l'état civil, le lieu de naissance et le mois de décès, pour le Canada, 1927—*suite*

Widowed — En veuvage	Not stated — Non donné	Nativity—Lieu de naissance: Canada	British — Britanniques	Foreign — Pays étrangers: United States — États-Unis	Foreign — Pays étrangers: Other — Autre	Not stated — Non donné	Months—Mois: January—Janvier	February—Février	March—Mars	April—Avril	May—Mai	June—Juin	July—Juillet	August—Août	September Septembre	October Octobre	November Novembre	December Décembre	No. liste int.
2	–	20	7	2	7	1	1	1	3	1	7	1	4	1	2	3	7	6	166
2	–	19	7	4	5	1	3	4	3	3	1	1	3	4	3	5	1	5	
1	1	24	8	3	3	2	7	1	2	4	2	5	5	–	4	3	4	3	167
1	–	8	3	–	2	–	–	–	–	2	–	–	2	1	2	4	1	1	
15	1	68	18	8	49	5	15	7	15	16	8	16	17	10	13	14	10	7	168
3	–	17	6	1	4	–	1	2	4	3	1	–	4	1	3	3	4	2	
5	–	19	20	–	14	4	–	1	5	–	8	7	6	8	9	6	6	1	169
4	–	20	6	2	6	1	1	1	1	6	4	5	2	1	6	5	1	2	
11	–	84	38	20	35	4	14	11	13	22	15	13	23	20	17	7	15	11	170
1	–	5	1	1	1	–	1	1	1	–	–	2	–	–	2	1	–	–	
6	–	30	15	2	17	1	8	6	9	6	2	3	2	4	2	6	8	9	171
–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	
–	–	2	2	–	1	1	–	–	–	1	1	–	1	1	–	1	–	1	172
–	–	1	2	1	–	–	–	1	1	–	–	1	1	–	–	–	–	–	
–	–	–	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–	1	173
–	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	
2	–	7	1	–	5	–	2	1	3	–	1	2	1	1	–	–	–	2	174
–	–	1	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	
1	–	13	–	–	1	1	1	–	1	–	1	4	1	4	–	2	–	1	175
1	–	10	1	1	1	–	–	–	–	1	2	2	–	6	1	–	–	1	
–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	176
–	–	3	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	
5	–	68	7	2	1	–	4	6	10	7	5	7	10	5	7	7	3	7	177
2	–	33	6	2	2	–	3	2	2	8	2	2	6	7	4	4	3	–	
3	–	102	5	3	4	–	55	8	7	4	2	1	6	2	14	6	2	7	178
1	–	93	5	1	–	–	33	5	1	4	1	2	10	5	3	2	3	30	
6	–	153	21	7	7	1	27	12	14	10	16	14	15	8	24	15	18	16	179
12	–	164	16	2	4	–	25	16	13	11	15	19	11	16	12	15	14	19	
1	–	39	–	1	1	–	6	1	4	2	1	4	2	1	4	2	10	4	180
–	–	29	–	–	1	–	1	–	2	1	5	2	2	1	3	2	4	7	
–	–	10	–	–	–	–	2	–	2	–	–	–	1	1	–	–	3	1	180a
–	–	5	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	2	
1	–	29	–	1	1	–	4	1	2	2	1	4	1	–	4	2	7	3	180b
–	–	24	–	–	1	–	1	–	2	1	5	1	2	1	3	–	4	5	
6	2	45	14	2	3	5	8	6	7	5	7	6	3	4	9	–	7	7	181
2	–	19	14	1	–	–	2	1	6	2	5	4	–	4	–	2	4	4	
20	2	580	97	33	66	45	15	14	21	40	81	132	196	166	61	47	31	17	182
2	–	92	12	8	–	1	5	2	3	6	6	15	30	27	9	2	5	3	
3	–	95	16	9	18	–	11	4	7	9	7	10	6	5	21	21	24	13	183
–	–	13	–	–	1	–	1	1	1	1	2	2	1	–	1	3	1	–	
–	–	12	2	–	2	–	1	1	–	2	–	1	2	4	1	2	1	1	184
–	–	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	
67	–	334	83	14	67	7	52	39	36	30	37	34	46	48	54	48	48	33	185
105	–	168	58	8	11	–	25	23	20	17	15	26	20	26	20	17	17	19	
6	–	36	23	3	36	–	10	8	1	6	8	6	3	12	5	17	12	10	186
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
4	–	22	21	2	24	–	7	5	–	2	6	6	2	8	4	12	7	10	186a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	13	2	1	10	–	3	3	1	4	2	–	1	3	–	4	5	–	186b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	1	–	–	2	–	–	–	–	–	–	–	–	1	1	1	–	–	186c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
4	–	87	34	8	25	2	11	8	15	16	17	10	18	15	13	12	18	3	187
–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	

TABLE 29—Causes of death for each sex, by conjugal condition, nativity and month of death, for Canada, 1927—*con.*

Int. list No.	Causes of death — Causes de décès		Total	Conjugal condition—État civil										
				Single—Célibataire						Married—Marié				
				Under 15 years — Moins de 15 ans	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné
	CLASS XIV-con.—**CLASSE XIV**-fin													
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.)—Traumatismes accidentels par autres écrasements (voitures, railways, éboulements, etc.).	M.	1,350	225	189	170	85	21	10	14	246	237	83	–
		F.	303	102	31	12	5	9	–	7	36	37	18	–
	(a) Railroad accidents—Accidents par chemins de fer.	M.	339	13	47	50	26	7	7	–	98	67	9	–
		F.	33	8	3	2	1	–	–	1	4	4	5	–
	(b) Street car accidents—Accidents par tramways.	M.	40	5	2	1	5	1	–	–	4	9	10	–
		F.	14	3	–	1	1	–	–	–	2	2	–	–
	(c) Automobile accidents—Accidents par automobiles.	M.	634	156	94	73	32	8	–	4	87	97	43	–
		F.	231	80	26	9	2	9	–	5	29	28	8	–
	(d) Aeroplane and balloon accidents—Accidents par aéroplanes et ballons.	M.	9	1	–	4	–	–	1	–	2	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–
	(e) Injuries by other vehicles—Blessures par autres voitures.	M.	112	29	9	7	5	3	–	2	11	23	16	–
		F.	19	9	1	–	1	–	–	–	–	3	5	–
	(f) Other crushing—Autres écrasements.	M.	216	21	37	35	17	2	2	8	44	40	5	–
		F.	6	2	1	–	–	–	–	1	1	–	–	–
189	Injuries by animals (poisoning excepted)—Violences exercées par des animaux (empoisonnements exceptés).	M.	94	21	13	9	6	1	–	–	5	17	17	–
		F.	12	6	1	–	–	–	–	–	–	2	3	–
192	Starvation (deprivation of food or water)—Faim ou soif.	M.	8	3	–	–	1	–	–	–	–	–	1	–
		F.	2	–	–	–	–	–	–	–	1	1	–	–
193	Excessive cold—Froid excessif.....	M.	45	4	3	3	9	4	–	–	3	8	6	–
		F.	8	1	–	–	–	2	–	–	1	1	–	–
194	Excessive heat—Chaleur excessive..	M.	20	7	–	1	3	1	–	–	–	2	4	1
		F.	10	4	–	–	–	–	–	1	1	–	–	–
195	Lightning—Foudre.....	M.	23	1	7	4	–	–	–	–	7	1	2	–
		F.	2	–	2	–	–	–	–	–	–	–	–	–
196	Other accidental electric shocks—Autres électrocutions accidentelles	M.	37	3	5	4	–	–	–	–	18	4	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–
197-199	**Homicides**.....	**M.**	**76**	**20**	**5**	**9**	**3**	–	–	**2**	**21**	**12**	–	–
		F.	**48**	**18**	**5**	**2**	–	–	–	**4**	**16**	**1**	–	–
197	Homicide by firearms—Homicide par armes à feu.	M.	32	1	2	4	2	–	–	–	16	6	–	–
		F.	14	–	3	–	–	–	–	4	7	–	–	–
198	Homicide by cutting or piercing instruments—Homicide par instruments tranchants ou piquants.	M.	8	1	1	2	–	–	–	–	2	2	–	–
		F.	7	4	–	1	–	–	–	–	1	–	–	–
199	Homicide by other means—Homicide par autres moyens.	M.	36	18	2	3	1	–	–	2	3	4	–	–
		F.	27	14	2	1	–	–	–	–	8	1	–	–
201	Fracture (cause not specified)—Fracture (cause non spécifiée).	M.	100	–	–	1	–	12	–	–	–	2	34	–
		F.	168	1	–	–	–	28	–	–	–	–	29	–
202	Other external violence (cause specified)—Autres violences extérieures (cause spécifiée).	M.	130	26	16	16	7	–	5	1	30	18	3	–
		F.	32	23	–	–	–	1	–	–	–	2	3	–
203	External violence (cause not specified—)Violences extérieures (cause non spécifiée).	M.	12	2	–	2	1	–	1	–	1	2	2	–
		F.	4	1	–	–	–	–	–	–	–	1	–	–
	CLASS XV—ILL-DEFINED DISEASES — CLASSE XV—MALADIES MAL DÉFINIES	**Total**	**1,071**	**317**	**28**	**31**	**60**	**54**	**7**	**7**	**47**	**161**	**164**	**1**
		M.	**635**	**168**	**14**	**19**	**47**	**38**	**6**	**1**	**29**	**105**	**106**	–
		F.	**436**	**149**	**14**	**12**	**13**	**16**	**1**	**6**	**18**	**56**	**58**	**1**
204	Sudden death—Mort subite.....	M.	89	6	3	3	12	3	2	–	5	16	23	–
		F.	36	5	1	1	3	2	–	–	1	5	8	–
205	Cause of death not specified or ill-defined—Cause de décès non spécifiée ou mal définie.	M.	546	162	11	16	35	35	4	1	24	89	83	–
		F.	400	144	13	11	10	14	1	6	17	51	50	1
	(a) Ill-defined—Mal définie.....	M.	64	41	1	1	4	2	–	–	2	8	3	–
		F.	54	32	1	2	1	–	–	–	1	8	5	–
	(b) Not specified or unknown—Non spécifiée ou inconnue.	M.	163	112	6	3	6	5	3	–	1	12	8	–
		F.	159	108	7	2	2	3	1	6	7	10	7	1
	(c) Heart failure—Paralysie du cœur.	M.	318	8	4	12	25	28	1	1	21	69	72	–
		F.	187	4	5	7	7	11	–	–	9	33	38	–
	(d) Syncope.....	M.	1	1	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–

TABLEAU 29—Causes de décès de chaque sexe selon l'état civil, le lieu de naissance et le mois de décès, pour le Canada, 1927—*fin*

Widowed — En veuvage	Not stated — Non donné	Nativity—Lieu de naissance: Canada	British — Britanniques	Foreign — Pays étrangers: United States — États-Unis	Foreign — Pays étrangers: Other — Autre	Not stated — Non donné	Months—Mois: January—Janvier	February—Février	March—Mars	April—Avril	May—Mai	June—Juin	July—Juillet	August—Août	September — Septembre	October — Octobre	November — Novembre	December — Décembre	No. liste int.
70	–	881	180	56	194	39	61	52	76	83	100	140	161	143	168	138	122	106	188
46	–	233	36	17	17	–	8	8	17	16	24	33	41	35	46	36	18	21	
15	–	196	50	12	57	24	19	11	18	29	30	38	28	27	33	32	45	29	188a
5	–	26	4	1	2	–	1	1	3	2	3	4	3	3	3	6	2	2	
3	–	23	13	1	3	–	3	2	6	–	3	6	3	2	7	3	2	3	188b
5	–	11	2	–	1	–	2	–	–	1	2	1	4	1	1	–	2	–	
40	–	466	82	31	50	5	12	13	23	37	49	71	90	82	99	67	45	46	188c
35	–	176	27	14	14	–	4	6	11	12	18	27	31	29	39	25	13	16	
–	–	4	–	2	2	1	–	–	–	–	–	2	4	2	–	1	–	–	188d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
7	–	77	14	2	17	2	4	8	7	9	4	12	12	17	12	14	4	9	188e
–	–	14	3	2	–	–	–	–	3	1	1	1	2	2	2	5	–	2	
5	–	115	21	8	65	7	23	18	22	8	14	11	24	13	17	21	26	19	188f
1	–	6	–	–	–	–	1	1	–	–	–	–	1	–	1	–	1	1	
5	–	68	10	5	10	1	9	2	6	8	12	13	11	6	13	5	5	4	189
–	–	10	1	–	1	–	–	1	–	2	–	2	2	–	4	1	–	–	
3	–	7	–	–	–	1	–	1	–	1	–	2	1	–	–	–	2	1	192
–	–	–	1	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–	
5	–	25	11	5	1	3	7	5	2	4	–	–	–	1	–	1	9	16	193
3	–	3	1	–	3	1	2	1	1	–	–	–	–	–	–	–	2	2	
1	–	12	4	2	1	1	–	–	–	–	–	3	13	3	1	–	–	–	194
4	–	10	–	–	–	–	–	–	–	–	1	1	6	2	–	–	–	–	
1	–	13	1	4	4	1	–	–	–	–	–	3	13	2	5	–	–	–	195
–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	
3	–	28	5	1	3	–	2	2	3	3	4	4	5	3	2	3	4	2	196
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
4	–	**30**	**7**	**2**	**25**	**12**	**10**	**4**	**3**	**6**	**6**	**6**	**5**	**11**	**4**	**10**	**6**	**5**	**197–**
2	–	**28**	**4**	**7**	**7**	**2**	**5**	**5**	**4**	**5**	**3**	**9**	**4**	**3**	**4**	–	**3**	**3**	**199**
1	–	10	5	1	14	2	6	1	–	2	2	2	2	7	3	4	2	1	197
–	–	7	1	2	4	–	3	2	–	–	2	–	3	1	2	–	1	–	
–	–	3	–	–	5	–	–	–	–	2	–	1	1	–	–	1	1	2	198
1	–	3	–	1	2	1	–	–	1	3	–	1	–	–	1	–	1	–	
3	–	17	2	1	6	10	4	3	3	2	4	3	2	4	1	5	3	2	199
1	–	18	3	4	1	1	2	3	3	2	1	8	1	2	1	–	1	3	
51	–	73	22	2	3	–	12	10	8	12	7	8	5	8	11	2	9	8	201
110	–	117	34	5	9	3	24	16	15	20	16	13	16	10	9	9	9	11	
8	–	79	12	2	29	8	14	9	4	7	13	12	20	10	12	8	10	11	202
3	–	31	–	–	1	–	1	3	2	3	3	–	2	3	4	5	4	2	
1	–	7	1	–	2	2	–	1	–	–	2	3	1	3	–	1	1	–	203
2	–	4	–	–	–	–	–	–	–	1	1	–	1	–	–	1	–	–	
192	**2**	**909**	**74**	**19**	**49**	**20**	**78**	**92**	**103**	**109**	**94**	**65**	**75**	**86**	**97**	**88**	**93**	**91**	
100	**2**	**527**	**44**	**17**	**33**	**14**	**45**	**55**	**59**	**63**	**53**	**28**	**46**	**55**	**67**	**52**	**58**	**54**	
92	–	**382**	**30**	**2**	**16**	**6**	**33**	**37**	**44**	**46**	**41**	**37**	**29**	**31**	**39**	**36**	**35**	**37**	
15	1	73	5	2	6	3	2	17	12	11	8	3	4	2	2	3	19	6	204
10	–	29	3	–	3	1	5	6	3	9	3	2	1	1	–	1	2	3	
85	1	454	39	15	27	11	43	38	47	52	45	25	42	53	65	49	39	48	205
82	–	353	27	2	13	5	28	31	41	37	38	35	28	30	30	35	33	34	
2	–	57	3	–	2	2	13	5	5	4	10	3	4	4	10	1	3	2	205a
4	–	47	2	1	4	–	7	7	3	4	6	3	4	4	8	4	2	2	
6	1	150	2	2	3	6	14	11	18	22	6	3	15	17	21	16	9	11	205b
5	–	151	1	1	1	5	12	13	14	11	19	19	13	15	7	13	9	14	
77	–	246	34	13	22	3	15	22	24	26	29	19	23	32	34	32	27	35	205c
73	–	155	24	–	8	–	9	11	24	22	13	13	11	11	15	18	22	18	
–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	205d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927

CANADA (1)

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	DEATHS—ALL CAUSES—DÉCÈS—TOUTES CAUSES.	**Total**	**105,292**	**22,010**	**3,401**	**1,517**	**1,101**	**841**	**2,766**	**2,137**	**2,671**	**3,042**
		M.	**56,265**	**12,548**	**1,863**	**775**	**572**	**443**	**1,476**	**1,119**	**1,306**	**1,442**
		F.	**49,027**	**9,462**	**1,538**	**742**	**529**	**398**	**1,290**	**1,018**	**1,365**	**1,600**
	CLASS I—EPIDEMIC, ENDEMIC AND INFECTIOUS DISEASES—CLASSE I—AFFECTIONS ÉPIDÉMIQUES, ENDÉMIQUES ET INFECTIEUSES.	**Total**	**17,368**	**2,269**	**1,079**	**578**	**460**	**347**	**1,117**	**797**	**1,248**	**1,449**
		M.	**8,646**	**1,252**	**570**	**301**	**227**	**171**	**572**	**344**	**447**	**582**
		F.	**8,722**	**1,017**	**509**	**277**	**233**	**176**	**545**	**453**	**801**	**867**
1	Typhoid and paratyphoid fever—Fièvre typhoïde et paratyphoïde.	M.	599	3	4	8	6	9	34	45	78	100
		F.	513	3	9	9	6	5	50	63	88	67
	(a) Typhoid fever—Fièvre typhoïde.....	M.	587	3	4	7	5	9	33	43	76	100
		F.	504	3	9	8	5	5	50	59	89	67
	(b) Paratyphoid fever—Fièvre paratyphoïde.	M.	12	–	–	1	1	–	1	2	2	–
		F.	9	–	–	1	1	–	–	4	–	–
5	Malaria—Fièvre et cachexie paludéennes..	M.	5	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
6	Small-pox—Variole.....	M.	5	–	–	–	–	–	–	1	–	1
		F.	6	2	–	–	–	–	–	–	1	1
7	Measles—Rougeole.....	M.	330	113	117	30	16	11	25	12	2	–
		F.	286	74	79	32	26	13	38	9	7	1
8	Scarlet fever—Scarlatine.....	M.	219	23	26	29	24	23	59	18	5	2
		F.	192	12	18	25	23	19	48	19	6	4
9	Whooping-cough—Coqueluche.....	M.	511	336	103	38	12	7	13	2	–	–
		F.	519	304	132	34	19	13	15	–	2	–
10	Diphtheria—Diphtérie.....	M.	518	24	44	70	70	60	186	44	5	6
		F.	494	24	42	54	66	62	167	54	9	3
11	Influenza—Grippe.....	M.	1,744	411	131	50	30	21	58	31	45	32
		F.	1,707	308	106	53	39	18	53	45	46	47
	(a) Sole cause—Cause unique.....	M.	354	142	33	15	6	7	10	9	6	3
		F.	328	128	17	19	9	3	9	6	4	6
	(b) With phthisis—Avec phtisie.....	M.	50	3	1	2	–	–	–	2	5	4
		F.	84	2	1	4	1	–	4	8	16	9
	(c) With bronchitis—Avec bronchite....	M.	68	20	8	2	–	–	1	–	2	–
		F.	72	17	5	4	1	2	2	–	2	–
	(d) With pneumonia—Avec pneumonie..	M.	699	146	60	14	15	5	21	10	17	13
		F.	535	94	43	13	9	5	14	8	3	7
	(e) With other respiratory diseases—Avec autres affections de l'appareil respiratoire.	M.	65	14	4	1	4	–	2	2	2	1
		F.	75	10	12	4	3	–	4	–	3	3
	(f) With diseases and accidents of pregnancy and parturition—Avec affections et accidents de la grossesse.	F.	36	–	–	–	–	–	–	–	1	8
	(g) With other causes—Avec autres causes.	M.	508	86	25	16	5	9	24	8	13	11
		F.	577	57	28	9	16	8	20	23	17	14
13	Mumps—Oreillons.....	M.	18	3	4	1	–	1	5	1	1	–
		F.	15	4	1	2	–	–	1	–	–	1
16	Dysentery—Dysenterie.....	M.	44	1	10	6	2	–	4	–	–	1
		F.	49	2	9	3	1	1	2	–	–	1
19	Spirochetal haemorrhagic jaundice—Spirochétose ictéro-hémorragique.	M.	1	–	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
20	Leprosy—Lèpre.....	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle.....	M.	155	48	6	1	–	–	1	1	1	1
		F.	167	47	8	2	2	1	–	4	1	3
22	Acute anterior poliomyelitis—Poliomyélite aiguë.	M.	115	17	6	4	4	3	23	20	14	8
		F.	78	7	15	5	2	3	21	9	7	1
23	Lethargic encephalitis—Encéphalite léthargique.	M.	69	3	2	1	3	1	3	4	8	2
		F.	51	–	–	–	–	2	5	2	8	8
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique.	M.	129	46	14	3	3	3	15	14	10	5
		F.	90	18	10	13	2	3	13	15	6	5
25	Other epidemic and endemic diseases—Autres affections épidémiques et endémiques.	M.	19	10	3	3	–	1	–	–	–	–
		F.	24	13	4	4	–	–	3	–	–	–
	(a) Chicken-pox—Varicelle.....	M.	7	6	1	–	–	–	–	–	–	–
		F.	17	9	4	2	–	–	2	–	–	–
	(b) German measles—Rubéole.....	M.	11	3	2	3	–	1	–	–	–	–
		F.	5	2	–	2	–	–	1	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	1	1	–	–	–	–	–	–	–	–
		F.	2	2	–	–	–	–	–	–	–	–
28	Rabies—Rage.....	M.	3	–	1	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927

CANADA[1]

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
2,891	**2,735**	**3,266**	**3,429**	**3,914**	**4,243**	**4,940**	**6,056**	**7,350**	**7,825**	**7,735**	**5,846**	**3,622**	**1,375**	**355**	**80**	**144**	
1,398	**1,292**	**1,582**	**1,795**	**2,111**	**2,379**	**2,825**	**3,372**	**4,057**	**4,339**	**4,089**	**2,881**	**1,696**	**600**	**148**	**34**	**123**	
1,493	**1,443**	**1,684**	**1,634**	**1,803**	**1,864**	**2,115**	**2,684**	**3,293**	**3,486**	**3,646**	**2,965**	**1,926**	**775**	**207**	**46**	**21**	
1,240	**981**	**896**	**753**	**732**	**606**	**514**	**469**	**462**	**440**	**389**	**279**	**167**	**59**	**15**	**1**	**21**	
571	**460**	**472**	**468**	**405**	**347**	**295**	**287**	**259**	**231**	**192**	**127**	**80**	**26**	**5**	**1**	**14**	
669	**521**	**424**	**345**	**327**	**259**	**219**	**182**	**203**	**209**	**197**	**152**	**87**	**33**	**10**	**–**	**7**	
89	52	45	35	32	18	13	12	7	5	2	1	1	–	–	–	–	1
45	45	26	20	22	25	11	8	4	6	–	–	–	–	–	–	–	
88	51	45	34	32	17	13	11	7	5	2	1	1	–	–	–	–	1a
45	45	26	19	21	24	11	8	4	6	–	–	–	–	–	–	–	
1	1	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	1b
–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–	5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	6
–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	
1	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	7
1	–	3	1	2	–	–	–	–	–	–	–	–	–	–	–	–	
2	1	1	1	1	1	–	1	1	–	–	–	–	–	–	–	1	8
5	4	4	–	2	1	1	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	–	1	2	1	–	1	–	–	–	1	–	–	–	–	–	–	10
4	2	–	2	1	2	–	–	1	–	–	–	–	–	1	–	–	
35	38	57	41	57	60	72	88	88	108	113	89	63	20	5	–	1	11
43	39	57	52	62	49	67	58	96	110	142	104	75	29	9	–	–	
5	3	5	5	4	3	8	6	12	17	16	19	13	6	1	–	–	11a
2	2	4	5	3	3	5	6	6	15	28	16	19	12	1	–	–	
4	6	3	1	4	5	2	3	2	2	1	–	–	–	–	–	–	11b
8	6	5	4	1	4	1	3	4	1	–	1	1	–	–	–	–	
–	–	–	–	–	4	3	–	5	5	5	9	4	–	–	–	–	11c
–	1	1	–	1	2	4	1	2	7	11	6	2	1	–	–	–	
17	16	35	22	36	26	36	46	38	39	35	25	20	5	2	–	–	11d
14	17	23	21	28	16	24	30	38	32	37	31	20	5	3	–	–	
2	2	1	2	–	3	1	2	3	3	7	2	4	2	1	–	–	11e
2	–	2	2	1	1	–	1	5	8	10	3	–	1	–	–	–	
10	3	8	3	3	–	–	–	–	–	–	–	–	–	–	–	–	11f
7	11	13	11	13	19	22	31	28	42	49	34	22	7	1	–	1	11g
7	10	14	17	25	23	33	17	41	47	56	47	33	10	5	–	–	
–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	13
–	–	1	–	–	1	1	2	–	1	–	–	–	–	–	–	–	
–	–	–	–	1	2	3	–	2	5	3	–	3	1	–	–	–	16
1	1	1	–	1	1	1	5	2	4	3	7	3	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	20
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	3	6	8	8	14	4	11	10	7	8	8	5	2	–	–	–	21
4	7	7	4	7	10	3	7	5	16	12	10	5	2	–	–	–	
7	–	4	2	–	–	–	–	1	2	–	–	–	–	–	–	–	22
4	–	1	–	1	–	–	–	1	1	–	–	–	–	–	–	–	
6	4	3	4	4	5	3	7	2	–	4	–	–	–	–	–	–	23
3	2	3	4	3	1	3	4	1	–	–	2	–	–	–	–	–	
6	–	3	1	2	1	–	2	1	–	–	–	–	–	–	–	–	24
2	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	25
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	25b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	28
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

CANADA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS I-con.—**CLASSE I**-fin											
29	Tetanus—Tétanos	M.	26	1	–	–	1	–	8	2	2	2
		F.	17	1	–	–	1	–	1	4	1	–
30	Mycoses	M.	6	1	–	–	–	–	–	–	1	–
		F.	3	1	–	–	–	–	–	–	–	1
31–37	**Tuberculosis—Tuberculose**	**M.**	**3,593**	**100**	**85**	**54**	**52**	**26**	**124**	**131**	**265**	**410**
		F.	**4,189**	**88**	**67**	**38**	**44**	**32**	**114**	**224**	**609**	**709**
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire.	M.	2,914	39	33	17	12	8	56	80	216	356
		F.	3,530	34	28	13	19	12	52	150	514	653
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central.	M.	259	41	31	24	30	11	43	24	18	11
		F.	266	44	28	15	19	17	42	36	27	14
33	Tuberculosis of the intestines and peritoneum—Tuberculose des intestins et du péritoine.	M.	156	3	6	7	6	5	14	16	11	15
		F.	184	2	2	4	2	2	9	17	40	24
34	Tuberculosis of the vertebral column—Tuberculose de la colonne vertébrale.	M.	36	–	1	–	–	1	4	2	–	5
		F.	30	–	2	–	1	1	2	4	5	1
35	Tuberculosis of the joints—Tuberculose articulaire.	M.	22	–	–	–	–	–	–	1	6	1
		F.	15	–	–	2	–	–	2	4	2	1
36	Tuberculosis of other organs—Tuberculose d'autres organes.	M.	115	6	5	5	2	–	3	4	9	10
		F.	81	3	5	–	3	–	3	7	5	6
	(a) Skin and sub-cutaneous cellular tissue—De la peau et du tissu cellulaire sous-cutané.	M.	12	2	3	–	–	–	–	–	1	–
		F.	8	–	2	–	–	–	–	–	–	–
	(b) Bones (vertebral column excepted)—Des os (excepté la colonne vertébrale).	M.	23	1	1	4	1	–	–	–	3	1
		F.	19	–	1	–	1	–	2	1	–	2
	(c) Lymphatic system (mesenteric, and retroperitoneal glands excepted)—Du système lymphatique (excepté les ganglions mésentériques et les ganglions rétropéritonéaux).	M.	16	2	1	1	1	–	1	3	2	2
		F.	17	2	2	–	1	–	–	2	1	–
	(d) Genito-urinary system—Des organes génito-urinaires.	M.	55	–	–	–	–	–	–	1	3	6
		F.	29	–	–	–	–	–	–	–	–	1
	(e) Organs other than above—Autres organes que ceux déjà mentionnés.	M.	9	1	–	–	1	–	1	3	3	3
		F.	8	1	–	–	–	–	2	–	–	1
37	Disseminated tuberculosis—Tuberculose disséminée.	M.	91	11	9	1	2	1	–	1	1	1
		F.	83	5	2	4	–	–	4	4	5	12
	(a) Acute—Aiguë	M.	59	10	9	1	1	–	4	6	16	10
		F.	47	4	2	3	–	–	3	2	4	5
	(b) Chronic or unstated—Chronique ou non spécifiée.	M.	32	1	–	–	1	1	2	4	11	5
		F.	36	1	–	1	–	–	1	2	1	7
38	Syphilis	M.	240	70	4	1	–	1	2	2	5	5
		F.	122	61	2	2	–	1	3	5	–	2
39	Soft chancre—Chancre mou	M.	1	–	–	–	–	–	4	1	1	6
		F.	1	–	–	–	–	–	–	–	–	–
40	Gonococcus infection—Gonococcie	M.	10	4	–	–	–	–	–	–	–	–
		F.	9	6	–	–	–	–	–	–	1	–
41	Purulent infection, septicaemia—Infection purulente, septicémie.	M.	285	38	9	2	4	4	11	12	9	1
		F.	190	42	7	1	2	3	10	4	8	9
	CLASS II—GENERAL DISEASES NOT INCLUDED IN CLASS I—CLASSE II—MALADIES GÉNÉRALES NON MENTIONNÉES DANS LA CLASSE I.	**Total**	**11,950**	**316**	**125**	**44**	**35**	**33**	**141**	**131**	**129**	**121**
		M.	**5,765**	**185**	**74**	**26**	**16**	**19**	**83**	**79**	**68**	**51**
		F.	**6,185**	**131**	**51**	**18**	**19**	**14**	**58**	**52**	**61**	**70**
43–49	**Cancer**	**M.**	**3,823**	**7**	**6**	**3**	**3**	**6**	**6**	**6**	**12**	**12**
		F.	**4,091**	**3**	**3**	**1**	**4**	**2**	**6**	**8**	**11**	**20**
43	Cancer of the buccal cavity—Cancer de la cavité buccale.	M.	300	–	–	–	–	–	1	–	–	–
		F.	62	–	–	–	–	–	1	–	–	–
44	Cancer of the stomach and liver—Cancer de l'estomac et du foie.	M.	1,825	1	–	–	–	–	–	1	–	1
		F.	1,295	–	–	–	–	–	–	1	–	1
45	Cancer of the peritoneum, intestines and rectum—Cancer du péritoine, des intestins et du rectum.	M.	636	–	–	1	–	2	1	–	2	3
		F.	639	–	1	–	1	–	1	1	–	2
46	Cancer of the female genital organs—Cancer des organes génitaux de la femme.	F.	808	1	1	–	–	–	–	–	1	6
47	Cancer of the breast—Cancer du sein	M.	11	–	–	–	–	–	–	–	–	–
		F.	721	–	–	–	–	–	–	–	–	1
48	Cancer of the skin—Cancer de la peau	M.	109	–	–	–	–	–	–	–	–	–
		F.	67	–	–	–	–	–	–	–	1	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

CANADA—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	1	1	2	–	1	2	1	–	1	1	–	–	–	–	29
2	–	3	1	–	–	1	1	–	1	–	–	–	–	–	–	–	
–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	30
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
400	**340**	**319**	**269**	**264**	**193**	**157**	**134**	**112**	**81**	**46**	**15**	**4**	**2**	–	**1**	**9**	**31-37**
544	**404**	**300**	**242**	**209**	**158**	**124**	**78**	**78**	**64**	**33**	**19**	**4**	–	–	–	**7**	
345	305	293	253	240	171	139	115	98	70	41	13	3	1	–	1	9	31
504	374	278	215	190	134	110	65	68	58	31	18	4	–	–	–	6	
10	4	3	3	1	1	2	1	–	1	–	–	–	–	–	–	–	32
8	4	4	4	–	1	1	2	–	–	–	–	–	–	–	–	–	
12	8	8	2	7	11	6	6	6	4	2	1	–	–	–	–	–	33
17	17	9	11	6	4	3	6	6	2	–	–	–	–	–	–	1	
6	3	2	1	2	4	2	2	1	–	–	–	–	–	–	–	–	34
2	–	–	2	1	5	2	1	–	–	1	–	–	–	–	–	–	
2	2	1	–	1	–	1	1	2	2	2	–	–	–	–	–	–	35
–	–	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	
14	12	9	6	7	3	4	5	5	3	1	1	–	1	–	–	–	36
6	6	4	7	6	3	5	4	4	3	–	1	–	–	–	–	–	
2	2	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	36a
–	1	–	–	–	1	–	–	2	1	–	1	–	–	–	–	–	
3	3	–	–	1	1	1	2	1	–	–	–	–	–	–	–	–	36b
3	1	1	3	2	–	–	1	–	1	–	–	–	–	–	–	–	
1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	36c
–	–	–	1	1	–	2	2	2	1	–	–	–	–	–	–	–	
7	7	8	5	5	1	3	2	3	2	–	1	–	1	–	–	–	36d
3	4	1	3	2	2	2	1	–	–	–	–	–	–	–	–	–	
1	–	1	–	–	1	–	1	1	–	–	–	–	–	–	–	–	36e
–	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	
11	6	3	4	6	3	3	4	–	1	–	–	1	–	–	–	–	37
7	3	3	3	6	11	1	–	–	1	1	–	–	–	–	–	–	
8	2	2	2	4	2	2	2	–	–	–	–	–	–	–	–	–	37a
2	3	1	–	4	5	–	–	–	–	1	–	–	–	–	–	–	
3	4	1	2	2	1	1	2	–	1	–	–	1	–	–	–	–	37b
5	–	2	3	2	6	1	–	–	1	–	–	–	–	–	–	–	
8	6	16	27	14	27	25	11	11	4	5	–	–	–	–	–	–	38
3	5	6	3	5	6	3	7	4	2	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	39
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	1	–	–	1	–	–	–	1	–	1	–	–	–	–	1	40
–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
12	15	15	14	18	20	16	16	19	16	9	11	3	1	–	–	2	41
8	11	11	14	10	5	3	11	10	4	7	10	–	1	–	–	–	
144	**247**	**357**	**548**	**798**	**1,009**	**1,257**	**1,563**	**1,618**	**1,399**	**1,037**	**579**	**247**	**57**	**7**	**1**	**7**	
72	**97**	**129**	**212**	**329**	**464**	**596**	**743**	**805**	**748**	**562**	**272**	**107**	**20**	**4**	–	**4**	
72	**150**	**228**	**336**	**469**	**545**	**661**	**820**	**813**	**651**	**475**	**307**	**140**	**37**	**3**	**1**	**3**	
30	**48**	**58**	**114**	**201**	**334**	**442**	**566**	**607**	**586**	**453**	**222**	**83**	**17**	**4**	–	**2**	**43-49**
26	**87**	**137**	**224**	**360**	**420**	**489**	**567**	**529**	**460**	**351**	**240**	**112**	**28**	**1**	**1**	**1**	
–	2	2	6	11	21	37	53	35	52	37	26	14	2	1	–	–	43
–	4	1	6	5	6	8	5	2	7	8	3	6	–	–	–	–	
6	13	27	47	101	177	230	288	321	286	207	86	26	6	–	–	1	44
5	12	21	46	79	100	139	207	212	197	136	97	25	16	–	–	1	
9	11	9	16	26	59	89	95	99	85	81	34	12	2	–	–	–	45
7	11	17	23	50	65	58	89	87	82	74	49	19	2	–	–	–	
8	37	59	68	102	104	127	99	70	52	35	25	11	2	–	–	–	46
–	–	–	–	1	2	2	2	2	1	1	–	–	–	–	–	–	47
4	14	23	54	90	98	95	96	79	55	52	35	21	4	–	–	–	
1	–	1	1	5	3	7	8	8	22	13	22	14	2	2	–	–	48
–	–	1	1	2	5	–	3	7	6	8	13	17	2	–	1	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

CANADA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS II–con.—**CLASSE II**–suite											
49	Cancer of other or unspecified organs—Cancer d'autres organes ou d'organes non spécifiés.	M.	947	6	6	2	3	4	4	5	10	8
		F.	499	2	1	1	3	2	4	6	9	10
	(a) Other—Autres	M.	939	6	6	2	3	4	4	5	10	8
		F.	489	2	1	1	3	2	4	6	9	9
	(b) Unspecified—Non spécifiés	M.	8	–	–	–	–	–	–	–	–	–
		F.	10	–	–	–	–	–	–	–	–	1
50	Benign tumours and tumours not returned as malignant (tumours of female genital organs excepted)—Tumeurs bénignes et tumeurs non données comme malignes (tumeurs des organes génitaux de la femme exceptées).	M.	55	2	–	1	1	1	–	–	2	1
		F.	72	1	–	–	–	–	–	–	2	2
51	Acute rheumatic fever—Rhumatisme articulaire aigu fébrile.	M.	184	1	1	2	5	4	34	36	23	9
		F.	167	4	1	–	3	5	20	23	14	7
52	Chronic rheumatism, osteo-arthritis, gout—Rhumatisme chronique ou goutte.	M.	57	1	–	–	–	–	1	1	–	1
		F.	90	–	–	–	–	–	–	1	1	1
53	Scurvy—Scorbut	M.	4	1	–	1	1	–	–	–	–	–
		F.	4	1	1	–	–	–	1	1	–	–
54	Pellagra—Pellagre	M.	2	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
56	Rickets—Rachitisme	M.	110	58	34	8	1	1	2	2	1	1
		F.	79	37	26	8	3	–	4	–	–	–
57	Diabetes mellitus—Diabète	M.	489	1	2	2	1	1	7	15	12	11
		F.	594	–	–	1	2	1	8	4	10	9
58	Anaemia, chlorosis—Anémie, chlorose	M.	376	5	11	3	–	2	12	7	4	2
		F.	417	4	7	–	2	2	7	6	8	5
	(a) Pernicious anaemia—Anémie pernicieuse.	M.	306	2	–	1	–	2	6	2	1	1
		F.	310	–	3	–	2	–	2	4	1	2
	(b) Other anaemias and chlorosis—Autres anémies et chloroses.	M.	70	3	11	2	–	–	6	5	3	1
		F.	107	4	4	–	–	2	5	2	7	3
59	Diseases of the pituitary gland—Affections du corps pituitaire.	M.	4	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
60	Diseases of the thyroid gland—Affections de la glande thyroïde.	M.	87	3	–	–	–	–	1	2	1	2
		F.	394	3	1	–	–	–	–	3	7	15
	(a) Exophthalmic goiter—Goitre exophtalmique.	M.	54	–	–	–	–	–	1	1	1	2
		F.	210	–	1	–	–	–	–	2	6	10
	(b) Other diseases of the thyroid gland—Autres affections de la glande thyroïde.	M.	33	3	–	–	–	–	–	1	–	–
		F.	184	3	–	–	–	–	–	1	1	5
61	Diseases of the parathyroid glands—Affections des glandes parathyroïdes.	M.	17	13	2	1	–	–	–	–	–	–
		F.	13	9	2	1	–	–	1	–	–	–
62	Diseases of the thymus—Affections du thymus.	M.	72	54	12	1	–	–	2	1	1	–
		F.	49	39	4	2	2	–	–	–	–	1
63	Diseases of the adrenals (Addison's disease)—Affections des glandes surrénales (maladie d'Addison).	M.	20	–	–	–	–	–	–	–	–	1
		F.	25	–	–	–	–	–	–	–	–	1
64	Diseases of the spleen—Affections de la rate.	M.	13	–	1	1	–	–	2	–	1	–
		F.	11	2	1	–	–	–	2	–	–	–
65	Leukaemia, lymphadenoma—Leucémie, lymphadénie.	M.	116	2	2	2	2	3	8	6	7	4
		F.	75	–	1	2	2	2	6	3	4	2
	(a) Leukaemia—Leucémie	M.	72	1	2	1	2	3	7	4	5	2
		F.	53	–	1	1	2	2	4	3	4	1
	(b) Lymphadenoma (Hodgkin's disease)—Lymphadénie (maladie d'Hodgkin)	M.	44	1	–	1	–	–	1	2	2	2
		F.	22	–	–	1	–	–	2	–	–	1
66	Alcoholism—Alcoolisme	M.	213	–	–	–	–	–	–	1	–	4
		F.	16	–	–	–	–	–	–	–	–	1
	(a) Delirium tremens	M.	16	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Acute alcoholism—Alcoolisme aigu	M.	110	–	–	–	–	–	–	1	–	3
		F.	7	–	–	–	–	–	–	–	–	1
	(c) Chronic alcoholism—Alcoolisme chronique.	M.	87	–	–	–	–	–	–	–	–	1
		F.	9	–	–	–	–	–	–	–	–	–
67	Chronic poisoning by mineral substances—Empoisonnements chroniques par substances minérales.	M.	14	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(a) Chronic lead poisoning—Empoisonnements chroniques par le plomb.	M.	10	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Others under this title—Autres sous ce titre.	M.	4	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
68	Chronic organic poisoning—Empoisonnements chroniques par substances organiques.	M.	15	–	–	–	–	–	–	–	1	–
		F.	5	–	–	–	–	–	–	–	–	1

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

CANADA—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
14	22	19	44	57	72	77	120	142	140	114	54	17	5	1	–	1	49
2	9	15	26	32	42	62	68	72	61	38	18	13	2	1	–	–	
14	21	18	42	57	72	76	118	142	140	114	54	16	5	1	–	1	49a
2	9	15	25	31	41	62	67	72	59	36	17	13	2	1	–	–	
–	1	1	2	–	–	1	2	–	–	–	–	1	–	–	–	–	49b
–	–	–	1	1	1	–	1	–	2	2	1	–	–	–	–	–	
1	1	1	2	7	3	5	6	1	7	6	3	4	–	–	–	–	50
2	1	–	2	8	4	5	8	10	7	8	8	3	1	–	–	–	
6	4	4	9	8	4	4	9	7	10	1	2	1	–	–	–	–	51
9	7	17	10	3	6	9	11	6	4	3	2	3	–	–	–	–	
–	4	–	2	3	2	6	3	3	6	11	6	7	–	–	–	–	52
–	2	–	2	5	6	3	11	15	10	17	9	5	2	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	53
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	54
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	56
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
5	12	5	20	17	33	48	60	90	69	54	16	6	1	–	–	1	57
6	11	16	21	20	34	61	102	121	86	49	21	7	2	1	–	1	
3	5	8	13	28	33	33	52	57	51	27	15	3	2	–	–	–	58
6	9	15	20	27	31	41	48	65	55	28	17	8	4	1	–	1	
1	2	7	11	25	31	32	46	54	48	24	9	1	–	–	–	–	58a
5	6	11	15	22	27	36	41	59	48	19	4	–	2	–	–	1	
2	3	1	2	3	2	1	6	3	3	3	6	2	2	–	–	–	58b
1	3	4	5	5	4	5	7	6	7	9	13	8	2	1	–	–	
–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	59
1	–	1	–	–	–	–	3	–	–	–	–	–	–	–	–	–	
2	2	5	8	13	12	5	13	12	–	3	3	–	–	–	–	–	60
10	17	30	44	37	27	39	53	56	24	18	8	2	–	–	–	–	
2	2	5	5	7	10	4	9	5	–	–	–	–	–	–	–	–	60a
6	11	17	27	24	17	20	20	27	14	4	4	–	–	–	–	–	
–	–	–	3	6	2	1	4	7	–	3	3	–	–	–	–	–	60b
4	6	13	17	13	10	19	33	29	10	14	4	2	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	61
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	62
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
3	–	1	3	6	1	–	3	1	1	–	–	–	–	–	–	–	63
2	3	1	2	3	2	2	3	3	3	–	–	–	–	–	–	–	
1	2	1	1	1	2	–	–	–	–	–	–	–	–	–	–	–	64
–	1	–	2	–	1	–	1	–	1	–	–	–	–	–	–	–	
7	5	8	5	9	8	15	7	7	5	3	–	1	–	–	–	–	65
7	8	7	4	2	8	5	7	4	–	1	–	–	–	–	–	–	
3	3	3	1	4	4	9	6	4	4	3	–	1	–	–	–	–	65a
6	5	7	3	1	4	3	3	3	–	–	–	–	–	–	–	–	
4	2	5	4	5	4	6	1	3	1	–	–	–	–	–	–	–	65b
1	3	–	1	1	4	2	4	1	–	1	–	–	–	–	–	–	
10	9	31	31	29	27	30	17	13	6	2	1	1	–	–	–	1	66
1	–	3	3	2	2	3	1	–	–	–	–	–	–	–	–	–	
3	1	4	2	–	1	2	2	1	–	–	–	–	–	–	–	–	66a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
4	8	17	14	18	14	17	6	3	3	1	–	–	–	–	–	1	66b
–	–	1	–	–	2	2	1	–	–	–	–	–	–	–	–	–	
3	–	10	15	11	12	11	9	9	3	1	1	1	–	–	–	–	66c
1	–	2	3	2	–	1	–	–	–	–	–	–	–	–	–	–	
2	–	–	1	2	2	2	3	1	1	–	–	–	–	–	–	–	67
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
2	–	–	1	2	1	2	2	–	–	–	–	–	–	–	–	–	67a
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	67b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	2	3	1	–	–	3	1	–	2	–	1	–	–	–	–	–	68
–	1	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

CANADA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS II—con.—**CLASSE II**—fin											
68	(a) Chronic morphinism—Morphinisme chronique.	M.	4	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	1
	(b) Chronic cocainism, etc.—Cocaïnisme chronique, etc.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Other organic poisoning—Autres empoisonnements organiques	M.	10	–	–	–	–	–	–	–	1	–
		F.	2	–	–	–	–	–	–	–	–	–
69	Other general diseases—Autres maladies générales.	M.	89	37	3	1	2	1	8	2	3	2
		F.	77	28	4	3	1	2	3	3	4	5
	(a) Diabetes insipidus—Diabète insipide	M.	4	–	–	–	–	–	–	–	1	–
		F.	3	–	–	–	–	–	–	–	–	–
	(b) Haemophilia—Hémophilie	M.	36	25	1	1	2	–	4	1	–	–
		F.	20	16	–	–	–	–	–	–	1	1
	(c) Purpura haemorrhagica—Purpura hémorragique.	M.	28	7	1	–	–	1	3	1	–	2
		F.	33	9	3	1	1	1	2	2	1	3
	(d) Others under this title—Autres sous ce titre.	M.	21	5	1	–	–	–	1	–	2	–
		F.	21	3	1	2	–	1	1	1	2	1
	CLASS III—DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE—CLASSE III—AFFECTIONS DU SYSTÈME NERVEUX ET DES ORGANES DES SENS.	Total	8,079	1,096	229	103	60	53	185	155	143	146
		M.	4,165	634	124	42	28	32	92	79	86	84
		F.	3,914	462	105	61	32	21	93	76	57	62
70	Encephalitis—Encéphalite	M.	98	14	2	1	2	–	4	7	7	8
		F.	82	9	8	2	2	1	3	6	2	6
	(a) Abscess of brain—Abcès du cerveau.	M.	41	4	–	1	1	–	4	4	3	5
		F.	29	2	3	1	–	–	1	2	2	2
	(b) Encephalitis—Encéphalite	M.	57	10	2	–	1	–	–	3	4	3
		F.	53	7	5	1	2	1	2	4	–	4
71	Meningitis—Méningite	M.	428	186	50	21	15	20	44	25	15	6
		F.	384	139	42	32	15	12	42	26	11	12
	(a) Simple meningitis—Méningite simple	M.	428	186	50	21	15	20	44	25	15	6
		F.	383	139	42	32	15	12	42	26	11	12
	(b) Non-epidemic, cerebrospinal meningitis—Méningite cérébro-spinale non épidémique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
72	Tabes dorsalis (locomotor ataxia)—Ataxie locomotrice progressive	M.	55	–	–	–	–	–	–	–	1	–
		F.	18	–	–	–	–	–	–	–	–	–
73	Other diseases of the spinal cord—Autres affections de la moelle épinière.	M.	229	–	4	1	–	–	–	1	9	5
		F.	174	1	1	1	–	–	3	4	2	1
74	Cerebral haemorrhage, apoplexy—Hémorragie cérébrale, apoplexie.	M.	1,437	7	–	1	–	1	1	3	2	7
		F.	1,501	3	–	–	1	–	1	1	6	5
	(a) Apoplexy—Apoplexie	M.	620	2	–	–	–	–	–	–	–	2
		F.	572	–	–	–	–	–	–	–	1	1
	(b) Cerebral haemorrhage—Hémorragie cérébrale.	M.	762	4	–	1	–	1	1	2	2	5
		F.	849	3	–	–	1	–	1	1	4	3
	(c) Cerebral thrombosis and embolism—Thrombose et embolie cérébrales.	M.	55	1	–	–	–	–	–	1	–	–
		F.	80	–	–	–	–	–	–	–	1	1
75	Paralysis without specified cause—Paralysie sans cause indiquée.	M.	507	–	–	2	–	–	1	2	–	3
		F.	601	1	2	–	–	–	3	1	3	1
	(a) Hemiplegia—Hémiplégie	M.	172	–	–	–	–	–	–	1	–	1
		F.	193	–	–	–	–	–	–	–	–	–
	(b) Others under this title—Autres sous ce titre.	M.	335	–	–	2	–	–	1	1	–	2
		F.	408	1	2	–	–	–	3	1	3	1
76	General paralysis of the insane—Paralysie générale des aliénés.	M.	119	–	–	–	–	–	–	–	1	1
		F.	46	–	–	–	–	–	–	–	–	1
77	Other forms of mental alienation—Autres formes de l'aliénation mentale.	M.	147	–	–	–	–	–	–	–	4	3
		F.	164	–	–	–	–	–	1	–	4	8
78	Epilepsy—Épilepsie	M.	234	13	2	2	–	1	10	16	20	28
		F.	186	9	2	3	1	2	3	8	12	16
79	Convulsions (non-puerperal, 5 years or over)—Éclampsie (non-puerpérale, cinq ans ou au-dessus).	M.	4	–	–	–	–	–	1	1	–	–
		F.	13	–	–	–	–	–	3	1	–	–
80	Infantile convulsions (under 5 years of age)—Convulsions des enfants (moins de cinq ans).	M.	328	265	42	12	5	4	–	–	–	–
		F.	225	176	33	9	3	4	–	–	–	–
81	Chorea—Chorée	M.	7	–	–	–	–	–	1	1	–	–
		F.	12	1	–	1	–	–	3	1	4	1
82	Neuralgia and neuritis—Névralgie et névrite.	M.	24	1	–	–	–	–	1	–	–	1
		F.	31	–	1	–	–	–	1	–	2	–
83	Softening of the brain—Ramollissement du cerveau.	M.	52	–	–	–	–	–	–	–	–	–
		F.	45	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

CANADA—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	1	1	–	–	–	1	–	1	–	–	–	–	–	–	–	68a
–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	68b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	2	2	–	–	–	2	–	–	1	–	1	–	–	–	–	–	68c
–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	
1	2	2	–	4	2	3	2	5	3	2	3	1	–	–	–	–	69
2	2	1	2	1	2	4	5	3	–	–	2	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	69a
–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	69b
1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
–	1	1	–	1	2	1	1	1	3	–	1	1	–	–	–	–	69c
–	2	–	1	1	–	4	1	1	–	–	–	–	–	–	–	–	
–	1	1	–	3	–	1	1	4	–	1	–	–	–	–	–	–	69d
1	–	1	1	–	2	–	2	1	–	–	1	–	–	–	–	–	
133	**130**	**212**	**239**	**319**	**337**	**440**	**546**	**705**	**880**	**868**	**612**	**345**	**97**	**27**	**5**	**14**	
68	**70**	**116**	**127**	**157**	**187**	**224**	**293**	**357**	**465**	**414**	**273**	**158**	**37**	**10**	**1**	**7**	
65	**60**	**96**	**112**	**162**	**150**	**216**	**253**	**348**	**415**	**454**	**339**	**187**	**60**	**17**	**4**	**7**	
5	3	7	4	7	4	5	6	5	2	4	1	–	–	–	–	–	70
3	3	7	1	6	6	5	4	4	1	2	–	–	–	–	–	1	
4	2	2	3	2	2	1	1	2	–	–	–	–	–	–	–	–	70a
2	–	4	1	1	3	–	1	2	1	1	–	–	–	–	–	–	
1	1	5	1	5	2	4	5	3	2	4	1	–	–	–	–	–	70b
1	3	3	–	5	3	5	3	2	–	1	–	–	–	–	–	1	
8	2	6	6	7	5	4	2	3	2	1	–	–	–	–	–	–	71
8	5	8	5	4	1	4	2	3	4	6	1	2	–	–	–	–	
8	2	6	6	7	5	4	2	3	2	1	–	–	–	–	–	–	71a
8	5	8	5	4	1	4	2	3	4	5	1	2	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	3	1	–	6	9	10	4	12	6	2	1	–	–	–	–	–	72
–	–	–	2	2	1	4	1	5	2	1	–	–	–	–	–	–	
5	7	11	9	6	21	20	21	38	40	19	9	2	1	–	–	–	73
4	4	5	8	9	8	18	17	22	29	17	14	5	1	–	–	–	
9	11	22	30	41	70	106	167	184	250	231	165	96	21	9	–	3	74
3	14	20	34	63	64	102	127	188	230	256	202	126	31	15	4	5	
3	4	5	9	14	22	47	74	75	99	114	89	46	10	4	–	1	74a
2	4	8	6	23	22	38	42	79	94	104	82	49	9	3	2	3	
6	7	13	19	25	47	53	87	104	145	107	70	47	9	5	–	2	74b
1	4	11	23	38	41	61	75	103	124	138	112	71	21	9	2	2	
–	–	4	2	2	1	6	6	5	6	10	6	3	2	–	–	–	74c
–	6	1	5	2	1	3	10	6	12	14	8	6	1	3	–	–	
1	2	4	6	12	13	26	37	60	93	106	75	51	12	–	–	1	75
1	5	5	10	14	18	31	51	73	101	121	92	43	23	2	–	–	
–	–	–	2	5	5	10	14	31	32	33	15	17	6	–	–	–	75a
–	3	–	4	5	9	13	20	28	33	37	23	9	9	–	–	–	
1	2	4	4	7	8	16	23	29	61	73	60	34	6	–	–	1	75b
1	2	5	6	9	9	18	31	45	68	84	69	34	14	2	–	–	
2	6	18	22	18	11	12	8	11	2	3	1	3	–	–	–	–	76
3	–	4	3	5	6	1	3	5	5	3	6	–	1	–	–	–	
14	5	15	11	18	15	9	11	20	8	5	2	1	1	1	1	3	77
10	3	15	17	19	20	13	19	19	6	5	3	2	–	–	–	–	
9	18	12	16	14	11	10	14	11	16	8	2	1	–	–	–	–	78
14	12	15	15	11	8	7	8	12	9	13	4	–	2	–	–	–	
–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	79
3	–	1	–	1	1	–	–	–	1	1	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	1	–	1	2	–	–	–	–	–	–	81
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	1	3	4	1	1	8	2	–	–	–	–	–	–	82
1	1	–	1	2	2	5	1	1	5	5	3	–	–	–	–	–	
–	–	–	–	3	–	1	4	4	17	10	9	2	2	–	–	–	83
–	–	–	–	2	–	8	5	3	7	8	7	4	1	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

CANADA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS III-con.—**CLASSE III**-fin											
84	Other diseases of the nervous system—Autres affections du système nerveux.	M.	204	11	2	2	1	2	14	9	6	7
		F.	206	11	4	4	3	2	9	4	5	5
85	Diseases of the eye and annexa—Affections de l'œil et de ses annexes.	M.	10	1	–	–	–	–	1	–	1	–
		F.	11	3	–	–	1	–	–	–	–	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien.	M.	282	136	22	–	5	4	14	14	20	15
		F.	215	109	12	9	6	–	21	24	6	6
	(a) Diseases of the ear—Affections de l'oreille.	M.	140	63	13	–	3	2	8	6	9	6
		F.	102	52	6	7	2	–	11	6	4	2
	(b) Diseases of the mastoid process—Affections du sinus mastoïdien.	M.	142	73	9	–	2	2	6	8	11	9
		F.	113	57	6	2	4	–	10	18	2	4
	CLASS IV—DISEASES OF THE CIRCULATORY SYSTEM— CLASSE IV—AFFECTIONS DE L'APPAREIL CIRCULATOIRE.	**Total**	**17,169**	**14**	**26**	**15**	**16**	**16**	**104**	**155**	**144**	**143**
		M.	**9,231**	**8**	**13**	**9**	**10**	**11**	**53**	**74**	**80**	**67**
		F.	**7,938**	**6**	**13**	**6**	**6**	**5**	**51**	**81**	**64**	**76**
87-90	**Diseases of the heart—Affections du cœur.**	**M.**	**6,255**	–	**8**	**9**	**8**	**11**	**50**	**73**	**79**	**64**
		F.	**5,520**	–	**12**	**6**	**5**	**5**	**50**	**80**	**63**	**70**
87	Pericarditis—Péricardite.....	M.	64	–	1	1	1	–	4	4	3	3
		F.	32	–	–	–	–	–	4	–	3	3
88	Endocarditis and myocarditis (acute)—Endocardite et myocardite (aiguës).	M.	194	–	2	4	4	6	17	11	16	8
		F.	205	–	2	5	3	2	15	27	14	11
	(a) Acute endocarditis—Endocardite aiguë.	M.	106	–	2	4	2	5	13	8	13	4
		F.	112	–	–	2	1	–	11	16	14	9
	(b) Acute myocarditis—Myocardite aiguë.	M.	88	–	–	–	2	1	4	3	3	4
		F.	93	–	2	3	2	2	4	11	–	2
89	Angina pectoris—Angine de poitrine....	M.	846	–	–	–	–	–	1	–	–	–
		F.	389	–	–	–	–	1	–	2	1	1
90	Other diseases of the heart—Autres affections du cœur.	M.	5,151	–	5	4	3	5	28	58	60	53
		F.	4,894	–	10	1	2	2	31	51	45	55
	(a) Valvular disease—Affection valvulaire.	M.	1,045	–	–	1	–	–	8	19	27	15
		F.	1,037	–	4	1	–	–	5	14	13	10
	(b) Fatty degeneration of the heart—Dégénérescence ou stéanose du cœur.	M.	38	–	–	–	–	–	–	–	–	–
		F.	34	–	–	–	–	–	–	1	–	–
	(c) Aortic insufficiency — Insuffisance aortique.	M.	9	–	–	–	–	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–
	(d) Chronic endocarditis—Endocardite chronique.	M.	766	–	–	–	2	2	12	20	18	18
		F.	827	–	1	–	1	1	15	22	18	26
	(e) Chronic myocarditis—Myocardite chronique.	M.	2,100	–	1	–	–	–	2	6	9	9
		F.	1,915	–	–	–	–	–	1	3	3	8
	(f) Others under this title—Autres sous ce titre.	M.	1,193	–	4	3	1	3	6	13	6	11
		F.	1,074	–	5	–	1	1	10	11	11	11
91	Diseases of the arteries—Affections des artères.	M.	2,814	–	–	–	–	–	–	–	–	1
		F.	2,296	–	–	–	–	–	–	–	1	2
	(a) Aneurysm—Anévrisme.....	M.	113	–	–	–	–	–	–	–	–	–
		F.	35	–	–	–	–	–	–	–	1	–
	(b) Arteriosclerosis—Artério-sclérose....	M.	2,667	–	–	–	–	–	–	–	–	–
		F.	2,249	–	–	–	–	–	–	–	–	2
	(c) Other diseases of the arteries—Autres affections des artères.	M.	34	–	–	–	–	–	–	–	–	1
		F.	12	–	–	–	–	–	–	–	–	–
92	Embolism and thrombosis (not cerebral)—Embolie et thrombose (non cérébrales).	M.	90	1	–	–	1	–	–	1	–	1
		F.	64	2	–	–	–	–	–	1	–	2
93	Diseases of the veins (varices, haemorrhoids, phlebitis, etc.)—Affections des veines (varices, hémorroïdes, phlébite, etc.)	M.	40	–	–	–	–	–	1	–	1	1
		F.	36	–	–	–	–	–	–	–	–	–
94	Diseases of the lymphatic system (lymphangitis, etc.)—Affections du système lymphatique (lymphangite, etc.)	M.	19	7	4	–	1	–	1	–	–	–
		F.	9	4	1	–	1	–	–	–	–	–
95	Haemorrhage without specified cause—Hémorragie sans cause déterminée.	M.	12	–	1	–	–	–	1	–	–	–
		F.	10	–	–	–	–	–	1	–	–	2
96	Other diseases of the circulatory system—Autres affections de l'appareil circulatoire	M.	1	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
	CLASS V—DISEASES OF THE RESPIRATORY SYSTEM— CLASSE V—AFFECTIONS DE L'APPAREIL RESPIRATOIRE.	**Total**	**9,602**	**2,484**	**892**	**308**	**186**	**111**	**262**	**137**	**150**	**137**
		M.	**5,184**	**1,398**	**495**	**150**	**96**	**60**	**136**	**56**	**86**	**70**
		F.	**4,418**	**1,086**	**397**	**158**	**90**	**51**	**126**	**81**	**64**	**67**
97	Diseases of the nasal fossae and their annexa—Affections des fosses nasales et de leurs annexes.	M.	23	3	2	1	–	1	1	1	2	1
		F.	19	5	1	–	–	–	1	3	1	1

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

CANADA—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
4	7	11	13	18	20	13	15	6	19	17	5	2	–	–	–	–	84
13	9	13	16	19	14	17	13	10	13	14	4	4	–	–	–	–	
–	1	1	–	-	1	1	–	–	1	1	1	–	–	–	–	–	85
–	–	–	–	–	–	–	–	2	–	–	2	1	1	–	–	1	
11	5	8	8	6	4	2	2	2	–	2	2	–	–	–	–	–	86
2	4	3	–	4	1	1	2	1	2	2	–	–	–	–	–	–	
4	4	4	7	5	–	2	2	–	–	1	1	–	–	–	–	–	86a
–	4	–	–	2	1	1	1	1	1	1	–	–	–	–	–	–	
7	1	4	1	1	4	–	–	2	–	1	1	–	–	–	–	–	86b
2	–	3	–	2	–	–	1	–	1	1	–	–	–	–	–	–	
169	**182**	**308**	**428**	**587**	**823**	**1,126**	**1,594**	**2,284**	**2,637**	**2,735**	**1,956**	**1,220**	**379**	**83**	**15**	**10**	
89	**85**	**136**	**228**	**309**	**493**	**698**	**888**	**1,275**	**1,458**	**1,475**	**982**	**567**	**171**	**36**	**6**	**10**	
80	**97**	**172**	**200**	**278**	**330**	**428**	**706**	**1,009**	**1,179**	**1,260**	**974**	**653**	**208**	**47**	**9**	–	
79	**76**	**116**	**189**	**259**	**362**	**531**	**604**	**849**	**938**	**920**	**577**	**336**	**88**	**18**	**4**	**7**	**87-90**
76	**82**	**155**	**166**	**221**	**250**	**309**	**492**	**684**	**783**	**840**	**614**	**391**	**132**	**27**	**7**	–	
5	2	2	3	4	3	6	3	5	4	7	3	–	–	–	–	–	87
2	–	3	2	1	2	1	1	2	5	2	1	–	–	–	–	–	
7	11	14	21	11	9	11	12	7	6	8	5	2	1	–	–	1	88
12	12	22	11	9	7	7	9	10	9	5	6	4	1	2	–	–	
5	7	5	9	7	5	5	4	1	4	2	–	1	–	–	–	–	88a
9	8	11	6	5	4	3	1	4	3	–	3	1	–	1	–	–	
2	4	9	12	4	4	6	8	6	2	6	5	1	1	–	–	1	88b
3	4	11	5	4	3	4	8	6	6	5	3	3	1	1	–	–	
4	6	11	18	44	62	94	133	151	145	106	50	16	5	–	–	–	89
1	3	8	3	10	15	21	52	80	73	69	31	14	4	–	–	–	
63	57	89	147	200	288	420	456	686	783	799	519	318	82	18	4	6	90
61	67	122	150	201	226	280	430	592	696	764	576	373	127	25	7	–	
15	19	31	39	49	57	89	83	146	169	142	86	39	9	–	2	–	90a
14	21	42	50	55	46	65	95	134	156	124	104	64	14	5	1	–	
–	–	2	1	1	4	7	4	6	4	6	3	–	–	–	–	–	90b
–	1	2	2	2	2	3	6	2	8	3	1	1	–	–	–	–	
–	–	–	–	–	1	1	1	1	1	2	–	1	–	1	–	–	90c
–	–	–	2	–	1	2	–	–	–	1	1	–	–	–	–	–	
19	16	24	28	38	48	57	53	99	97	98	68	39	8	1	–	1	90d
23	26	36	30	43	41	50	76	95	99	114	60	38	8	3	1	–	
10	5	14	47	59	110	176	203	274	349	346	259	160	44	12	2	3	90e
12	8	19	37	57	83	111	171	206	273	364	283	188	74	12	2	–	
19	17	18	32	53	68	90	112	160	163	205	103	79	21	4	–	2	90f
12	11	23	29	44	53	49	82	155	160	158	127	82	31	5	3	–	
4	7	12	33	35	114	147	277	406	503	544	403	226	80	18	2	2	91
–	5	12	30	52	69	110	200	315	380	413	353	257	75	20	2	–	
2	3	4	11	8	15	18	14	17	9	10	1	1	–	–	–	–	91a
–	2	1	5	3	2	1	4	7	3	2	1	2	1	–	–	–	
2	4	8	20	26	96	128	257	384	484	533	401	223	79	18	2	2	91b
–	3	11	25	49	67	108	195	305	372	411	350	255	74	20	2	–	
–	–	–	2	1	3	1	6	5	10	1	1	2	1	–	–	–	91c
–	–	–	–	–	–	1	1	3	5	–	2	–	–	–	–	–	
3	1	4	1	8	13	14	4	14	9	9	1	2	3	–	–	–	92
2	5	4	2	3	7	5	6	6	13	1	4	1	–	–	–	–	
1	–	2	4	6	3	5	3	5	5	1	1	–	–	–	–	1	93
–	5	1	2	2	4	2	5	3	2	6	2	1	1	–	–	–	
–	1	1	1	–	–	–	–	–	2	1	–	–	–	–	–	–	94
–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	
2	–	1	–	1	1	1	–	–	1	–	–	3	–	–	–	–	95
2	–	–	–	–	–	1	1	–	1	–	–	2	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	96
–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	
147	**145**	**220**	**248**	**276**	**302**	**328**	**449**	**521**	**602**	**629**	**540**	**343**	**147**	**36**	**7**	**4**	
72	**76**	**115**	**151**	**175**	**188**	**210**	**265**	**280**	**329**	**292**	**250**	**150**	**65**	**12**	**3**	**4**	
75	**69**	**105**	**97**	**101**	**114**	**118**	**175**	**241**	**273**	**337**	**290**	**193**	**82**	**24**	**4**	–	
–	1	1	–	3	–	1	1	1	1	–	1	1	–	–	–	–	97
1	1	–	1	–	–	1	1	–	–	–	2	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

CANADA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS V-con.—CLASSE V-fin											
98	Diseases of the larynx—Affections du larynx.	M.	97	32	23	5	6	8	8	1	1	–
		F.	101	23	20	18	11	5	11	3	2	–
	(a) Laryngismus stridulus—Laryngite striduleuse.	M.	19	6	5	2	1	2	3	–	–	–
		F.	16	1	3	4	4	–	4	–	–	–
	(b) Laryngitis—Laryngite	M.	21	5	3	–	1	3	–	–	1	–
		F.	22	5	5	5	–	–	2	–	–	–
	(c) Croup	M.	41	17	9	2	4	3	5	–	–	–
		F.	49	14	12	4	7	5	4	2	1	–
	(d) Other diseases of the larynx—Autres affections du larynx.	M.	16	4	6	1	–	–	–	1	–	–
		F.	14	3	–	5	–	–	1	1	1	
99	Bronchitis—Bronchite	M.	251	74	22	3	–	1	4	–	1	1
		F.	254	60	8	4	3	1	1	3	–	–
	(a) Acute—Aiguë	M.	102	62	14	2	–	–	2	–	–	1
		F.	94	45	2	3	2	–	–	2	–	–
	(b) Chronic—Chronique	M.	84	2	4	–	–	–	1	–	1	–
		F.	104	2	1	1	1	–	1	1	–	–
	(c) Not otherwise defined, under 5 years of age—Sans épithète, au-dessous de cinq ans.	M.	15	9	4	1	–	1	–	–	–	–
		F.	19	13	5	–	–	1	–	–	–	–
	(d) Not otherwise defined, 5 years and over—Sans épithète, cinq ans ou au-dessus.	M.	50	1	–	–	–	–	1	–	–	–
		F.	37	–	–	–	–	–	–	–	–	–
100	Bronchopneumonia (including capillary bronchitis)—Broncho-pneumonie (y compris bronchite capillaire).	M.	1,576	729	238	63	38	20	39	10	11	9
		F.	1,437	564	200	71	40	17	33	24	6	6
	(a) Bronchopneumonia—Broncho-pneumonie.	M.	1,516	698	225	59	35	18	36	10	11	9
		F.	1,361	532	185	67	36	14	30	23	6	6
	(b) Capillary bronchitis—Bronchite capillaire.	M.	60	31	13	4	3	2	3	–	–	–
		F.	76	32	15	4	4	3	3	1	–	–
101	Pneumonia—Pneumonie	M.	2,503	481	178	64	41	23	62	35	54	51
		F.	2,046	376	141	56	27	22	62	36	40	45
	(a) Lobar—Lobaire	M.	1,187	125	72	21	15	5	30	15	29	31
		F.	871	89	50	19	4	9	27	18	17	24
	(b) Not otherwise defined—Sans épithète	M.	1,316	356	106	43	26	18	32	20	25	20
		F.	1,175	287	91	37	23	13	35	18	23	21
102	Pleurisy—Pleurésie	M.	225	9	10	9	5	3	14	6	11	5
		F.	144	11	11	3	6	4	9	5	8	9
103	Congestion and haemorrhagic infarct of the lung—Congestion et hémorragie parenchymateuse des poumons.	M.	239	60	19	5	4	1	4	–	1	3
		F.	244	36	10	6	3	1	7	3	1	2
104	Gangrene of the lung—Gangrène du poumon	M.	10	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
105	Asthma—Asthme	M.	124	4	1	–	–	1	2	2	1	–
		F.	101	4	1	–	–	–	–	1	1	3
106	Pulmonary emphysema—Emphysème pulmonaire.	M.	27	1	1	–	–	–	1	–	–	–
		F.	13	1	–	–	–	–	1	1	–	–
107	Other diseases of the respiratory system (tuberculosis excepted)—Autres affections de l'appareil respiratoire (tuberculose exceptée).	M.	109	5	1	–	2	2	1	1	4	–
		F.	54	6	5	–	–	1	1	2	5	1
	(a) Chronic intersitial pneumonia including occupational diseases of the lungs—Pneumonie intersitielle chronique comprenant les affections professionnelles de l'appareil pulmonaire.	M.	15	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Diseases of the mediastinum—Affections du médiastin.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	94	5	1	–	2	2	1	1	4	–
		F.	51	6	5	–	–	1	1	2	5	1
	CLASS VI—DISEASES OF THE DIGESTIVE SYSTEM—CLASSE VI—AFFECTIONS DE L'APPAREIL DIGESTIF.	**Total**	**11,613**	**4,809**	**732**	**266**	**180**	**136**	**402**	**287**	**271**	**232**
		M.	**6,426**	**2,749**	**407**	**137**	**98**	**59**	**198**	**158**	**153**	**135**
		F.	**5,187**	**2,060**	**325**	**129**	**82**	**71**	**204**	**129**	**118**	**97**
108	Diseases of the mouth and annexa—Affections de la bouche et de ses annexes.	M.	55	4	1	–	1	–	2	1	1	–
		F.	41	8	3	–	–	1	2	1	–	2
109	Diseases of the pharynx and tonsils (including adenoid vegetations)—Affections du pharynx et des amygdales (y compris les végétations adénoïdiennes).	M.	219	41	20	12	14	10	27	13	9	9
		F.	199	38	14	11	13	12	32	17	8	8
	(a) Adenoid vegetations—Végétations adénoïdiennes.	M.	2	1	1	–	–	–	–	–	–	–
		F.	3	1	–	1	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

CANADA—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
1	–	1	–	–	1	2	–	5	1	–	1	1	–	–	–	–	98
1	–	1	1	2	1	1	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	98a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	1	–	–	–	2	–	3	–	–	–	1	–	–	–	–	98b
–	–	1	1	1	1	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	98c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	2	–	–	1	–	–	–	–	–	98d
1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	
1	4	1	4	1	4	7	8	7	19	22	34	18	11	3	1	–	99
1	–	1	1	7	7	3	5	4	22	40	35	34	7	7	–	–	
–	1	–	2	–	–	1	–	–	5	2	6	3	1	–	–	–	99a
–	–	–	–	4	1	–	1	–	4	9	8	9	1	3	–	–	
1	3	1	2	1	1	5	5	5	11	14	14	8	3	1	1	–	99b
–	–	1	1	2	5	3	3	3	13	24	17	18	5	2	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	99c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	3	1	3	2	3	6	14	7	7	2	–	–	99d
1	–	–	–	1	1	–	1	1	5	7	10	7	1	2	–	–	
8	9	15	19	22	18	28	41	40	56	60	55	28	17	2	1	–	100
12	12	12	11	17	21	19	35	50	64	86	59	56	18	2	2	–	
8	9	14	19	22	18	27	41	40	56	59	54	28	17	2	1	–	100a
12	12	12	11	17	21	19	34	48	63	84	54	54	17	2	2	–	
–	–	1	–	–	–	1	–	–	–	1	1	–	–	–	–	–	100b
–	–	–	–	–	–	–	1	2	1	2	5	2	1	–	–	–	
46	42	75	95	105	128	133	161	160	188	159	109	76	30	4	1	2	101
40	47	66	63	58	68	72	108	144	151	146	142	80	43	11	2	–	
27	32	51	60	74	79	88	90	84	94	85	47	27	5	–	–	1	101a
22	28	40	29	31	34	40	65	66	74	69	57	32	11	4	2	–	
19	10	24	35	31	49	45	71	76	94	74	62	49	25	4	1	1	101b
18	19	26	24	27	34	32	43	78	77	77	85	48	32	7	–	–	
7	3	11	14	14	14	11	20	21	17	15	5	–	–	–	–	1	102
11	3	12	5	7	5	6	5	10	2	5	6	1	–	–	–	–	
2	2	2	5	9	4	8	4	13	19	14	31	21	5	3	–	–	103
3	3	6	6	3	4	5	11	16	18	35	32	17	13	3	–	–	
–	–	1	2	–	1	2	–	3	–	1	–	–	–	–	–	–	104
–	–	–	1	–	–	2	–	–	–	1	1	–	–	–	–	–	
1	4	3	5	8	5	9	21	13	14	15	9	4	1	–	–	1	105
2	1	3	4	2	5	8	9	12	11	21	9	2	1	1	–	–	
–	–	–	–	2	2	1	2	6	4	1	4	1	1	–	–	–	106
–	–	–	–	2	1	–	–	2	3	–	1	1	–	–	–	–	
6	11	5	7	11	11	8	7	11	10	5	1	–	–	–	–	–	107
4	2	4	4	3	2	1	1	3	2	3	2	2	–	–	–	–	
–	1	–	–	3	–	1	3	3	3	1	–	–	–	–	–	–	107a
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107b
–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	
6	10	5	7	8	11	7	4	8	7	4	1	–	–	–	–	–	107c
4	2	4	3	3	2	1	1	2	1	3	2	2	–	–	–	–	
194	**211**	**295**	**305**	**373**	**370**	**419**	**418**	**454**	**383**	**387**	**294**	**137**	**47**	**11**	**1**	**5**	
100	**115**	**150**	**187**	**200**	**193**	**243**	**238**	**269**	**218**	**188**	**137**	**63**	**21**	**5**	–	**5**	
94	**96**	**145**	**118**	**173**	**177**	**176**	**180**	**185**	**165**	**199**	**157**	**74**	**26**	**6**	**1**	–	
3	3	2	2	3	3	5	8	7	5	2	2	–	–	–	–	–	108
2	2	5	1	4	3	2	–	1	1	2	1	–	–	–	–	–	
9	7	7	11	8	4	5	4	2	3	2	–	–	1	–	–	1	109
6	6	8	3	5	4	3	1	2	4	1	2	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	109a
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

CANADA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VI—con.—**CLASSE VI**—fin											
109	(b) Pharynx and tonsils—Pharynx et amygdales.	M.	217	40	19	12	14	10	27	13	9	9
		F.	196	37	14	10	13	12	32	17	8	8
110	Diseases of the oesophagus—Affections de l'œsophage.	M.	11	1	–	1	1	–	1	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–
111	Ulcer of the stomach and duodenum—Ulcère de l'estomac et du duodénum.	M.	387	1	–	1	–	–	1	1	2	6
		F.	142	–	1	–	–	–	1	–	–	4
	(a) Ulcer of the stomach—Ulcère de l'estomac.	M.	248	–	–	1	–	–	1	–	–	4
		F.	106	–	1	–	–	–	–	–	–	4
	(b) Ulcer of the duodenum—Ulcère du duodénum.	M.	139	1	–	–	–	–	–	1	2	2
		F.	36	–	–	–	–	–	1	–	–	–
112	Other diseases of the stomach (cancer excepted)—Autres affections de l'estomac (cancer excepté).	M.	561	168	36	16	13	4	7	5	6	6
		F.	487	132	21	10	16	3	7	3	2	2
113	Diarrhoea and enteritis (under 2 years of age)—Diarrhée et entérite (au-dessous de 2 ans).	M.	2,746	2,430	316	–	–	–	–	–	–	–
		F.	2,072	1,819	253	–	–	–	–	–	–	–
114	Diarrhoea and enteritis, (2 years or over)—Diarrhée et entérite (deux ans ou au-dessus).	M.	347	–	–	85	42	24	32	7	6	7
		F.	369	–	–	84	33	20	35	8	5	3
116	Diseases due to other intestinal parasites—Affections dues à d'autres parasites intestinaux.	M.	10	2	2	4	–	–	1	–	–	1
		F.	7	2	2	–	–	–	2	–	–	–
	(a) Cestodes (hydatids of the liver excepted)—Cestodes (non compris les hydatides du foie).	M.	1	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Trematodes—Trématodes	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(c) Nematodes (other than ankylostoma)—Nématodes (autres que ankylostomiase).	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–
	(d) Coccidia—Coccidies	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Other parasites specified—Autres parasites spécifiés.	M.	2	–	–	1	–	–	–	–	–	1
		F.	1	–	–	–	–	–	–	–	–	–
	(f) Parasites not specified—Parasites non spécifiés.	M.	7	1	2	3	–	–	1	–	–	–
		F.	4	1	2	–	–	–	1	–	–	–
117	Appendicitis and typhlitis—Appendicite et typhlite.	M.	791	5	6	11	21	11	100	108	105	85
		F.	591	5	7	6	15	24	95	84	83	49
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale.	M.	543	73	13	5	1	3	8	11	14	10
		F.	367	32	7	3	–	4	8	4	1	7
	(a) Hernia—Hernie	M.	218	20	4	3	–	1	–	1	1	5
		F.	111	2	–	–	–	–	–	–	–	1
	(b) Intestinal obstruction—Obstruction intestinale.	M.	325	53	9	2	1	2	8	10	13	5
		F.	256	30	7	3	–	4	8	4	1	6
119	Other diseases of the intestines—Autres affections des intestins.	M.	126	16	5	1	1	5	5	1	1	3
		F.	104	11	7	3	–	–	4	2	2	7
120	Acute yellow atrophy of the liver—Atrophie jaune aiguë du foie.	M.	15	–	–	–	–	–	2	–	–	2
		F.	28	–	–	–	1	–	2	–	1	5
122	Cirrhosis of the liver—Cirrhose du foie	M.	228	–	–	–	–	–	1	–	1	–
		F.	119	–	–	1	–	1	–	1	–	–
	(a) Specified as alcoholic—Spécifiée comme alcoolique	M.	8	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
	(b) Not specified as alcoholic—Non spécifiée comme alcoolique.	M.	220	–	–	–	–	–	1	–	1	–
		F.	116	–	–	1	–	1	–	1	–	–
123	Biliary calculi—Calculs biliaires	M.	58	–	–	–	–	–	–	–	1	–
		F.	169	–	–	–	–	–	–	–	–	3
124	Other diseases of the liver—Autres affections du foie.	M.	206	1	–	–	2	–	2	3	2	5
		F.	323	2	2	3	–	2	1	2	7	4
125	Diseases of the pancreas—Affections du pancréas.	M.	18	–	–	–	–	–	–	–	–	–
		F.	18	–	–	–	–	–	–	–	–	–
126	Peritonitis without specified cause—Péritonite sans cause indiquée.	M.	105	7	8	1	2	2	9	8	5	1
		F.	144	11	8	8	4	4	15	7	9	3
	CLASS VII—NON-VENEREAL DISEASES OF THE GENITO-URINARY SYSTEM AND ANNEXA—CLASSE VII—AFFECTIONS NON VÉNÉRIENNES DE L'APPAREIL GÉNITO-URINAIRE ET DE SES ANNEXES.	Total	6,938	50	25	18	13	17	71	75	80	101
		M.	3,814	24	14	9	9	12	40	35	29	44
		F.	3,124	26	11	9	4	5	31	40	51	57
128	Acute nephritis (including unspecified, under 10 years of age)—Néphrite aiguë (y compris non spécifiée au-dessous de dix ans).	M.	185	8	9	7	6	7	21	12	10	10
		F.	180	9	8	5	2	3	21	16	14	9

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

CANADA—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
9	7	7	11	8	4	5	4	2	3	2	–	–	1	–	–	1	109b
6	6	8	3	4	4	3	1	2	4	1	2	1	–	–	–	–	
–	–	–	–	–	1	2	–	2	–	1	1	–	–	–	–	–	110
–	–	1	1	–	1	2	1	1	–	–	–	–	–	–	–	–	
14	19	29	42	41	37	45	43	45	28	18	8	3	2	–	–	1	111
6	6	2	11	17	14	13	19	18	12	12	4	2	–	–	–	–	
8	10	18	19	29	23	32	22	32	21	16	6	3	2	–	–	1	111a
4	6	2	6	12	9	12	11	15	9	10	4	1	–	–	–	–	
6	9	11	23	12	14	13	21	13	7	2	2	–	–	–	–	–	111b
2	–	–	5	5	5	1	8	3	3	2	–	1	–	–	–	–	
5	8	6	14	22	20	28	37	31	39	36	29	20	2	–	–	3	112
4	5	8	13	14	22	20	31	33	26	47	39	17	11	1	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	113
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	5	5	4	9	9	12	12	17	15	24	15	8	6	1	–	–	114
9	2	8	8	10	9	5	11	13	21	28	33	15	5	4	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116e
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116f
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
46	38	53	47	48	30	25	21	16	10	2	1	1	1	–	–	–	117
34	28	36	24	27	20	19	11	9	5	7	1	1	1	–	–	–	
10	15	12	22	20	33	44	38	53	46	41	44	20	5	2	–	–	118
3	18	24	15	24	26	21	30	29	32	29	34	12	4	–	–	–	
–	4	4	7	9	13	20	21	27	18	20	25	11	3	1	–	–	118a
1	3	6	4	4	14	3	19	13	15	11	9	5	1	–	–	–	
10	11	8	15	11	20	24	17	26	28	21	19	9	2	1	–	–	118b
2	15	18	11	20	12	18	11	16	17	18	25	7	3	–	–	–	
–	5	5	6	3	3	8	9	8	10	12	10	5	2	2	–	–	119
5	5	5	5	3	3	6	9	3	8	5	6	2	2	1	–	–	
–	–	1	–	2	1	3	–	1	2	1	–	–	–	–	–	–	120
3	2	4	1	3	–	2	1	1	1	–	1	–	–	–	–	–	
4	2	9	17	14	26	25	26	38	35	23	7	–	–	–	–	–	122
3	2	4	2	12	13	16	8	14	8	17	9	7	–	–	1	–	
–	–	–	3	–	–	2	1	2	–	–	–	–	–	–	–	–	122a
–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	
4	2	9	14	14	26	23	25	36	35	23	7	–	–	–	–	–	122b
3	1	4	1	12	13	16	7	14	8	17	9	7	–	–	1	–	
–	2	2	2	6	3	10	9	7	8	7	1	–	–	–	–	–	123
3	3	13	17	6	20	23	18	21	18	16	5	3	–	–	–	–	
5	5	10	10	17	15	20	23	31	16	15	16	6	2	–	–	–	124
6	8	14	14	34	32	35	29	33	25	33	20	14	3	–	–	–	
–	2	2	–	1	3	3	5	2	–	–	–	–	–	–	–	–	125
2	1	3	1	6	1	–	1	1	1	1	–	–	–	–	–	–	
2	4	7	10	6	5	8	3	9	1	4	3	–	–	–	–	–	126
8	8	10	2	8	9	9	9	6	3	1	2	–	–	–	–	–	
128	**165**	**233**	**327**	**369**	**382**	**476**	**622**	**830**	**904**	**900**	**657**	**360**	**102**	**22**	**4**	**7**	
45	**55**	**75**	**128**	**166**	**180**	**258**	**348**	**493**	**546**	**581**	**418**	**223**	**61**	**12**	**2**	**7**	
83	**110**	**158**	**199**	**203**	**202**	**218**	**274**	**337**	**358**	**319**	**239**	**137**	**41**	**10**	**2**	–	
3	9	8	11	11	10	10	10	4	6	3	5	1	2	1	–	1	128
6	12	9	7	4	11	6	14	9	7	5	1	2	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

CANADA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VII-con.—**CLASSE VII**-fin											
129	Chronic nephritis (including unspecified, 10 years of age or over)—Néphrite chronique (y compris non spécifiée, dix ans ou au-dessus).	M.	2,557	–	3	1	1	5	12	20	18	26
		F.	2,313	–	–	2	1	–	9	20	23	22
131	Other diseases of the kidneys and annexa—Autres affections des reins et de leurs annexes.	M.	200	8	2	1	1	–	7	2	–	5
		F.	164	17	3	1	1	2	1	4	1	3
132	Calculi of the urinary passages—Calculs des voies urinaires.	M.	53	–	–	–	–	–	–	–	1	–
		F.	19	–	–	–	–	–	–	–	–	–
133	Diseases of the bladder—Affections de la vessie.	M.	139	2	–	–	1	–	–	1	–	2
		F.	29	–	–	1	–	–	–	–	–	–
134	Diseases of the urethra, urinary abscess, etc.—Affections de l'urètre, abcès uri-neux, etc.	M.	28	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(a) Stricture of the urethra—Rétrécissement de l'urètre.	M.	17	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other diseases of the urethra—Autres affections de l'urètre.	M.	11	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
135	Diseases of the prostate—Affections de la prostate.	M.	638	–	–	–	–	–	–	–	–	1
136	Non-venereal diseases of the male genital organs—Affections non vénériennes des organes génitaux de l'homme.	M.	14	6	–	–	–	–	–	–	–	–
137	Cysts and other benign tumours of the ovary—Kystes et autres tumeurs bénignes de l'ovaire.	F.	97	–	–	–	–	–	–	–	2	10
138	Salpingitis and pelvic abscess—Salpingite et abcès du bassin.	F.	86	–	–	–	–	–	–	–	6	10
139	Benign tumours of the uterus—Tumeurs bénignes de l'utérus.	F.	71	–	–	–	–	–	–	–	–	–
140	Non-puerperal uterine haemorrhage—Hémorragie utérine non puerpérale.	F.	5	–	–	–	–	–	–	–	–	1
141	Other diseases of the female genital organs—Autres affections des organes génitaux de la femme.	F.	155	–	–	–	–	–	–	–	5	1
142	Non-puerperal diseases of the breast (cancer excepted)—Affections non puerpérales du sein (cancer excepté).	F.	4	–	–	–	–	–	–	–	–	1
	CLASS VIII—THE PUERPERAL STATE—CLASSE VIII—ÉTAT PUERPÉRAL.	Total	1,300	–	–	–	–	–	–	1	58	222
143	Accidents of pregnancy—Accidents de la grossesse.	F.	102	–	–	–	–	–	–	–	3	11
	(a) Abortion—Avortement.....	F.	40	–	–	–	–	–	–	–	–	5
	(b) Ectopic gestation—Gestation ectopique.	F.	35	–	–	–	–	–	–	–	–	1
	(c) Others under this title—Autres sous ce titre.	F.	23	–	–	–	–	–	–	–	2	4
	(d) Abortion, self-induced—Avortement provoqué par soi-même.	F.	4	–	–	–	–	–	–	–	1	1
144	Puerperal haemorrhage—Hémorragie puerpérale.	F.	183	–	–	–	–	–	–	–	3	15
145	Other accidents of labour—Autres accidents de l'accouchement.	F.	133	–	–	–	–	–	–	–	7	22
	(a) Caesarean section—Opération césarienne.	F.	34	–	–	–	–	–	–	–	–	4
	(b) Difficult labour—Accouchement laborieux.	F.	24	–	–	–	–	–	–	–	–	7
	(c) Other surgical operations and instrumental delivery—Autres opérations chirurgicales et application d'instruments.	F.	38	–	–	–	–	–	–	–	1	6
	(d) Uncontrollable vomiting—Vomissements incontrôlables.	F.	34	–	–	–	–	–	–	–	6	5
	(e) Rupture of uterus in labour, etc.—Rupture de l'utérus durant l'accouchement, etc.	F.	3	–	–	–	–	–	–	–	–	–
146	Puerperal septicaemia—Septicémie puerpérale.	F.	448	–	–	–	–	–	–	–	21	95

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

CANADA—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
32	39	53	98	135	142	194	270	348	354	373	248	137	35	6	1	6	129
31	34	75	122	126	145	173	233	300	326	290	213	123	34	9	2	–	
7	5	8	7	8	12	15	15	23	19	21	18	13	3	–	–	–	131
6	9	7	5	12	11	12	9	11	13	12	16	6	1	1	–	–	
1	–	4	4	5	3	3	5	5	8	6	5	1	1	1	–	–	132
2	–	1	1	1	3	2	4	1	1	1	1	1	–	–	–	–	133
–	–	–	3	2	4	6	3	16	25	29	22	18	4	1	–	–	
1	1	1	2	–	1	3	2	3	–	5	2	3	4	–	–	–	134
2	1	1	3	4	–	4	3	3	5	–	1	–	1	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	3	4	–	3	3	1	1	–	1	–	1	–	–	–	134a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	1	1	–	–	–	1	–	2	4	–	–	–	–	–	–	–	134b
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	1	1	1	9	24	42	93	128	148	119	51	15	3	1	–	135
–	–	–	1	–	–	2	–	1	1	1	–	2	–	–	–	–	136
11	11	15	14	9	3	7	2	5	2	1	4	–	1	–	–	–	137
14	16	15	9	8	2	2	2	1	–	1	–	–	–	–	–	–	138
2	8	13	13	13	8	3	2	–	5	1	1	1	1	–	–	–	139
–	–	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	140
9	19	22	25	28	18	9	5	7	3	3	1	–	–	–	–	–	141
–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	142
277	**280**	**288**	**161**	**12**	**1**	–	–	–	–	–	–	–	–	–	–	–	
21	24	30	10	2	1	–	–	–	–	–	–	–	–	–	–	–	143
7	6	16	6	–	–	–	–	–	–	–	–	–	–	–	–	–	143a
10	10	10	3	1	–	–	–	–	–	–	–	–	–	–	–	–	143b
3	7	4	1	1	1	–	–	–	–	–	–	–	–	–	–	–	143c
1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143d
40	39	48	37	1	–	–	–	–	–	–	–	–	–	–	–	–	144
32	25	29	17	1	–	–	–	–	–	–	–	–	–	–	–	–	145
9	8	8	5	–	–	–	–	–	–	–	–	–	–	–	–	–	145a
8	2	5	1	1	–	–	–	–	–	–	–	–	–	–	–	–	145b
9	6	7	9	–	–	–	–	–	–	–	–	–	–	–	–	–	145c
6	8	7	2	–	–	–	–	–	–	–	–	–	–	–	–	–	145d
–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145e
108	97	82	40	5	–	–	–	–	–	–	–	–	–	–	–	–	146

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

CANADA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VIII–con.—**CLASSE VIII**–fin											
147	Puerperal phlegmasia alba dolens, puerperal embolism, sudden death in puerperium—Phlegmasia alba dolens, embolie, mort subite puerpérales.	F.	81	–	–	–	–	–	–	–	–	11
148	Puerperal albuminuria and convulsions—Albuminurie et éclampsie puerpérales.	F.	310	–	–	–	–	–	–	1	21	60
149	Following childbirth (not otherwise defined—Sites de couches (sans autres explications).	F.	42	–	–	–	–	–	–	–	3	8
150	Puerperal diseases of the breast—Affections puerpérales de la mamelle.	F.	1	–	–	–	–	–	–	–	–	–
	CLASS IX—DISEASES OF THE SKIN AND OF THE CELLULAR TISSUE—CLASSE IX—AFFECTIONS DE LA PEAU ET DU TISSU CELLULAIRE.	**Total**	**629**	**127**	**8**	**8**	**3**	**4**	**11**	**11**	**8**	**14**
		M.	**363**	**77**	**3**	**3**	**2**	**3**	**6**	**5**	**4**	**9**
		F.	**266**	**50**	**5**	**5**	**1**	**1**	**5**	**6**	**4**	**5**
151	Gangrene—Gangrène	M.	142	–	–	–	–	–	–	–	–	1
		F.	95	–	–	1	–	–	2	2	–	–
152	Furuncle—Furoncle	M.	40	2	–	–	–	–	–	1	3	1
		F.	19	4	–	–	–	–	–	–	1	1
153	Acute abscess—Phlegmon, abcès chaud	M.	113	35	3	2	2	2	6	4	1	5
		F.	78	18	5	3	1	1	3	4	2	3
154	Other diseases of the skin and annexa—Autres affections de la peau et de ses annexes.	M.	68	40	–	1	–	1	–	–	–	2
		F.	74	28	–	1	–	–	–	–	1	1
	CLASS X—DISEASES OF THE BONES AND OF THE ORGANS OF LOCOMOTION—CLASSE X—AFFECTIONS DES OS ET DES ORGANES DE LA LOCOMOTION.	**Total**	**242**	**8**	**13**	**2**	**5**	**5**	**22**	**23**	**19**	**5**
		M.	**142**	**4**	**5**	**1**	**5**	**3**	**15**	**14**	**14**	**5**
		F.	**100**	**4**	**8**	**1**	–	**2**	**7**	**9**	**5**	–
155	Diseases of the bones (mastoid and tuberculosis excepted)—Affections des os (sinus mastoïdien et tuberculose exceptés)	M.	106	3	4	1	4	3	13	12	11	2
		F.	72	3	7	1	–	2	6	7	5	–
156	Diseases of the joints (tuberculosis and rheumatism excepted)—Affections articulaires (tuberculose et rhumatisme exceptés).	M.	29	–	1	–	1	–	2	2	2	3
		F.	19	1	–	–	–	–	1	2	–	–
157	Amputations	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
158	Other diseases of the organs of locomotion—Autres affections des organes de la locomotion.	M.	7	1	–	–	–	–	–	–	1	–
		F.	8	–	1	–	–	–	–	–	–	–
	CLASS XI—MALFORMATIONS—CLASSE XI—VICES DE CONFORMATION.	**Total**	**1,347**	**1,256**	**31**	**16**	**7**	**5**	**14**	**12**	**3**	**2**
		M.	**711**	**661**	**16**	**10**	**3**	**2**	**8**	**6**	**2**	**2**
		F.	**636**	**595**	**15**	**6**	**4**	**3**	**6**	**6**	**1**	–
159	Congenital malformations (stillbirths not included)—Vices de conformation congénitaux (mort-nés non compris).	M.	711	661	16	10	3	2	8	6	2	2
		F.	636	595	15	6	4	3	6	6	1	–
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale.	M.	64	53	5	3	–	1	–	1	–	1
		F.	51	42	3	3	–	1	–	2	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur.	M.	366	346	2	6	1	–	6	2	2	–
		F.	285	270	6	1	2	1	2	3	–	–
	(c) Others under this title—Autres sous ce titre.	M.	281	262	9	1	2	1	2	3	–	1
		F.	300	283	6	2	2	1	4	1	1	–
	CLASS XII—DISEASES OF EARLY INFANCY—CLASSE XII—AFFECTIONS DU PREMIER ÂGE.	**Total**	**9,246**	**9,246**	–	–	–	–	–	–	–	–
		M.	**5,363**	**5,363**	–	–	–	–	–	–	–	–
		F.	**3,883**	**3,883**	–	–	–	–	–	–	–	–
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème.	M.	1,355	1,355	–	–	–	–	–	–	–	–
		F.	1,013	1,013	–	–	–	–	–	–	–	–
161	Premature birth, injury at birth—Naissance prématurée, conséquence de l'accouchement.	M.	3,151	3,151	–	–	–	–	–	–	–	–
		F.	2,260	2,260	–	–	–	–	–	–	–	–
	(a) Premature birth—Naissance prématurée.	M.	2,550	2,550	–	–	–	–	–	–	–	–
		F.	1,852	1,852	–	–	–	–	–	–	–	–
	(b) Injury at birth—Conséquence de l'accouchement.	M.	601	601	–	–	–	–	–	–	–	–
		F.	408	408	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

CANADA—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
12	26	23	9	–	–	–	–	–	–	–	–	–	–	–	–	–	147
55	62	66	42	3	–	–	–	–	–	–	–	–	–	–	–	–	148
8	7	10	6	–	–	–	–	–	–	–	–	–	–	–	–	–	149
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	150
7	**7**	**11**	**17**	**16**	**29**	**25**	**27**	**35**	**43**	**81**	**62**	**46**	**20**	**4**	**4**	**1**	
6	**4**	**8**	**8**	**9**	**19**	**17**	**12**	**17**	**27**	**47**	**40**	**24**	**8**	**3**	**1**	**1**	
1	**3**	**3**	**9**	**7**	**10**	**8**	**15**	**18**	**16**	**34**	**22**	**22**	**12**	**1**	**3**	–	
1	–	2	–	1	3	5	6	10	15	39	30	19	7	1	1	1	151
1	–	–	1	–	2	3	3	9	10	17	18	15	8	1	2	–	
–	–	5	2	2	3	3	2	1	5	4	3	1	–	2	–	–	152
–	–	–	2	2	5	–	2	–	–	1	1	–	–	–	–	–	
5	4	1	3	4	10	7	2	5	5	–	5	2	–	–	–	–	153
–	1	2	5	4	2	3	3	5	1	9	1	1	1	–	–	–	
–	–	–	3	2	3	2	2	1	2	4	2	2	1	–	–	–	154
–	2	1	1	1	1	2	7	4	5	7	2	6	3	–	1	–	
8	**4**	**7**	**4**	**8**	**9**	**11**	**14**	**17**	**15**	**16**	**11**	**13**	**3**	–	–	–	
4	**3**	**5**	**4**	**6**	**7**	**8**	**10**	**12**	**8**	**5**	**2**	**2**	–	–	–	–	
4	**1**	**2**	–	**2**	**2**	**3**	**4**	**5**	**7**	**11**	**9**	**11**	**3**	–	–	–	
3	2	3	2	4	5	6	7	10	5	3	2	1	–	–	–	–	155
3	–	2	–	1	1	2	2	2	3	5	7	10	3	–	–	–	
1	1	2	2	2	2	1	3	–	1	2	–	1	–	–	–	–	156
1	–	–	–	1	1	–	1	1	2	5	2	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	157
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	2	2	–	–	–	–	–	–	–	158
–	1	–	–	–	–	1	1	1	2	1	–	–	–	–	–	–	
–	–	–	–	**1**	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	**1**	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	159
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	159b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	160
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

CANADA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XII-con.—**CLASSE XII**-fin											
162	Other diseases peculiar to early infancy— Autres affections spéciales au premier âge.	M.	848	848	–	–	–	–	–	–	–	–
		F.	606	606	–	–	–	–	–	–	–	–
163	Lack of care—Défaut de soins	M.	9	9	–	–	–	–	–	–	–	–
		F.	4	4	–	–	–	–	–	–	–	–
	CLASS XIII—OLD AGE—CLASSE XIII—VIEILLESSE.	**Total**	**2,470**	–	–	–	–	–	–	–	–	–
		M.	**1,071**	–	–	–	–	–	–	–	–	–
		F.	**1,399**	–	–	–	–	–	–	–	–	–
164	Senility—Sénilité	M.	1,071	–	–	–	–	–	–	–	–	–
		F.	1,399	–	–	–	–	–	–	–	–	–
	CLASS XIV—EXTERNAL CAUSES —CLASSE XIV—CAUSES EXTÉRIEURES.	**Total**	**6,268**	**197**	**149**	**129**	**123**	**111**	**418**	**337**	**399**	**454**
		M.	**4,749**	**114**	**91**	**71**	**71**	**65**	**269**	**264**	**327**	**388**
		F.	**1,519**	**83**	**58**	**58**	**52**	**46**	**149**	**73**	**72**	**66**
165-174	**Suicides**	**M.**	**612**	–	–	–	–	–	–	**1**	**7**	**30**
		F.	**147**	–	–	–	–	–	–	–	**5**	**13**
165	Suicide by solid or liquid poisons (corrosive substances excepted)—Suicide par ingestion de poisons solides ou liquides (substances corrosives exceptées).	M.	63	–	–	–	–	–	–	–	–	2
		F.	17	–	–	–	–	–	–	–	1	–
166	Suicide by corrosive substances—Absorption volontaire de substances corrosives.	M.	37	–	–	–	–	–	–	–	–	3
		F.	36	–	–	–	–	–	–	–	2	7
167	Suicide by poisonous gas—Suicide par ingestion de gaz vénéneux.	M.	40	–	–	–	–	–	–	–	–	–
		F.	13	–	–	–	–	–	–	–	–	2
168	Suicide by hanging or strangulation—Suicide par pendaison ou strangulation.	M.	148	–	–	–	–	–	–	–	–	5
		F.	28	–	–	–	–	–	–	–	–	–
169	Suicide by drowning—Suicide par submersion.	M.	57	–	–	–	–	–	–	–	1	5
		F.	35	–	–	–	–	–	–	–	2	2
170	Suicide by firearms—Suicide par armes à feu.	M.	181	–	–	–	–	–	–	1	6	14
		F.	8	–	–	–	–	–	–	–	–	1
171	Suicide by cutting or piercing instruments —Suicide par instruments tranchants ou piquants.	M.	65	–	–	–	–	–	–	–	–	1
		F.	2	–	–	–	–	–	–	–	–	–
172	Suicide by jumping from high places—Suicide par précipitation d'un lieu élevé.	M.	6	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
173	Suicide by crushing—Suicide par écrasement.	M.	2	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
174	Other suicides—Autres suicides	M.	13	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	1
175	Poisoning by food—Empoisonnement par aliments.	M.	15	–	1	–	1	1	2	1	2	–
		F.	13	–	–	1	–	1	2	–	–	3
176	Poisoning by venomous animals—Attaques d'animaux venimeux.	M.	2	–	–	–	–	–	–	1	–	–
		F.	3	2	–	–	–	–	–	–	1	–
177	Other acute accidental poisonings (gas excepted)—Autres empoisonnements accidentels, aigus (par gaz exceptés).	M.	78	2	14	10	7	2	7	–	1	3
		F.	43	4	8	7	2	–	2	–	2	2
178	Conflagration—Incendie	M.	114	9	4	3	4	5	18	39	5	–
		F.	99	2	2	4	8	4	40	17	5	2
179	Accidental burns and scalds (conflagration excepted)—Brûlures accidentelles (autres que par l'incendie).	M.	189	13	33	24	15	16	17	7	7	6
		F.	186	10	23	27	19	17	22	6	9	4
180	Accidental mechanical suffocation—Suffocation mécanique accidentelle.	M.	41	33	1	–	1	–	1	–	–	2
		F.	30	26	2	–	1	–	–	–	–	–
	(a) Overlaying—Étouffé pendant le sommeil.	M.	10	10	–	–	–	–	–	–	–	–
		F.	5	5	–	–	–	–	–	–	–	–
	(b) Asphyxia—Asphyxie	M.	31	23	1	–	1	–	1	–	–	2
		F.	25	21	2	–	1	–	–	–	–	–
181	Accidental absorption of irrespirable or poisonous gas—Absorption accidentelle de gaz irrespirables ou toxiques.	M.	69	3	1	–	–	1	–	–	2	2
		F.	34	4	–	–	–	2	1	–	2	2
182	Accidental drowning—Submersion accidentelle.	M.	821	3	15	13	12	10	86	90	133	121
		F.	113	2	11	9	3	2	12	20	20	9
183	Accidental traumatism by firearms—Traumatismes accidentels par armes à feu.	M.	138	–	1	–	–	–	4	25	29	16
		F.	14	–	–	–	–	–	2	5	2	–
184	Accidental traumatism by cutting or piercing instruments—Traumatismes accidentels par instruments tranchants ou piquants.	M.	16	–	1	–	1	–	1	1	3	2
		F.	2	–	–	–	–	–	1	1	–	–
185	Accidental traumatism by fall—Traumatismes accidentels par chute.	M.	505	9	10	4	5	7	15	13	17	31
		F.	245	4	2	3	3	3	10	3	3	3

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

CANADA—suite

Âges																		No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés		
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		162
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		163
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
–	–	–	–	–	–	–	**16**	**47**	**244**	**395**	**625**	**585**	**391**	**125**	**38**	**4**		
–	–	–	–	–	–	–	**9**	**25**	**120**	**169**	**263**	**246**	**167**	**50**	**19**	**3**		
–	–	–	–	–	–	–	**7**	**22**	**124**	**226**	**362**	**339**	**224**	**75**	**19**	**1**		
–	–	–	–	–	–	–	9	25	120	169	263	246	167	50	19	3		164
–	–	–	–	–	–	–	7	22	124	226	362	339	224	75	19	1		
427	**363**	**421**	**370**	**376**	**318**	**269**	**270**	**268**	**215**	**212**	**186**	**118**	**58**	**17**	**2**	**61**		
364	**315**	**363**	**322**	**326**	**266**	**224**	**220**	**200**	**144**	**114**	**89**	**56**	**19**	**7**	–	**60**		
63	**48**	**58**	**48**	**50**	**52**	**45**	**50**	**68**	**71**	**98**	**97**	**62**	**39**	**10**	**2**	**1**		
45	**50**	**70**	**69**	**84**	**66**	**44**	**49**	**49**	**23**	**10**	**9**	–	–	–	–	**6**		165-174
17	**13**	**19**	**11**	**22**	**13**	**16**	**10**	**4**	**3**	–	–	–	–	–	–	**1**		
4	6	7	5	11	7	4	7	6	–	1	–	–	–	–	–	3		165
1	1	2	2	2	2	5	–	–	1	–	–	–	–	–	–	–		
1	4	4	4	3	5	2	6	1	4	–	–	–	–	–	–	–		166
5	4	7	–	7	–	1	3	–	–	–	–	–	–	–	–	–		167
1	–	5	5	6	6	6	5	6	–	–	–	–	–	–	–	–		
3	–	–	2	2	1	2	1	–	–	–	–	–	–	–	–	–		168
12	8	20	16	22	15	14	8	13	7	5	3	–	–	–	–	–		
3	2	3	4	5	5	2	2	1	1	–	–	–	–	–	–	–		169
5	3	8	4	4	6	2	8	7	1	2	1	–	–	–	–	1		
2	3	4	1	5	4	5	3	2	1	–	–	–	–	–	–	2		170
18	18	17	26	23	14	12	11	8	6	2	3	–	–	–	–	–		
1	1	2	1	1	–	1	–	–	–	–	–	–	–	–	–	–		171
4	11	4	5	12	10	3	3	7	4	–	1	–	–	–	–	–		
–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–		
–	–	1	1	1	1	–	1	1	–	–	–	–	–	–	–	–		172
–	1	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–		
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1		173
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
–	–	4	3	1	2	1	–	–	1	–	1	–	–	–	–	–		174
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
1	1	–	1	–	2	–	–	1	–	–	–	1	–	–	–	–		175
–	–	–	–	1	1	2	2	–	–	–	–	–	–	–	–	–		176
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–		
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		177
3	2	3	2	8	1	4	4	4	1	–	–	–	–	–	–	–		
5	2	2	1	2	–	1	–	–	–	–	3	–	–	–	–	–		
2	–	5	4	4	–	2	–	4	2	2	1	–	1	–	–	–		178
2	1	2	4	–	1	–	1	1	2	–	1	–	–	–	–	–		
10	2	4	4	6	5	4	3	2	4	4	1	1	1	–	–	–		179
5	–	8	6	1	2	–	4	9	6	4	2	1	1	–	–	–		
2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–		180
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		180a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–		180b
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
2	3	7	5	5	7	6	9	4	3	5	1	–	–	–	–	3		181
3	2	1	2	1	3	2	2	3	2	2	–	–	–	–	–	–		
76	43	46	37	31	22	14	19	12	2	2	2	1	1	–	–	30		182
3	5	6	2	3	2	1	–	–	2	–	1	–	–	–	–	–		
12	8	8	8	10	9	3	3	1	1	–	–	–	–	–	–	–		183
1	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–		
2	–	1	–	1	1	1	–	1	–	–	–	–	–	–	–	–		184
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
38	27	39	28	26	19	19	29	39	38	32	27	19	9	2	–	3		185
4	3	1	7	5	7	13	11	28	19	37	28	28	16	3	1	–		

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

CANADA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages									
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XIV-con.—**CLASSE XIV**-fin											
186	Accidental traumatism in mines and quarries—Traumatismes accidentels par mines et carrières.	M.	98	–	–	–	–	–	–	–	4	16
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Coal mines—Mines de charbon	M.	69	–	–	–	–	–	–	–	3	9
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other mines—Autres mines	M.	26	–	–	–	–	–	–	–	1	7
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Quarries—Carrières	M.	3	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
187	Accidental traumatism by machines—Traumatismes accidentels par machines.	M.	156	–	–	2	1	–	3	3	12	8
		F.	1	–	–	–	–	–	1	–	–	–
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.)—Traumatismes accidentels par autres écrasements (voitures, railways, éboulements, etc.)	M.	1,350	10	4	7	20	20	94	70	84	120
		F.	303	3	8	2	13	15	46	15	13	25
	(a) Railroad accidents—Accidents par chemins de fer.	M.	339	–	1	–	–	–	8	4	19	28
		F.	33	–	2	–	–	–	5	1	2	2
	(b) Street car accidents—Accidents par tramways.	M.	40	–	–	–	–	–	3	2	1	1
		F.	14	–	–	–	1	–	2	–	–	–
	(c) Automobile accidents—Accidents par automobiles.	M.	634	8	2	7	16	18	62	43	50	49
		F.	231	3	5	1	11	13	35	12	10	21
	(d) Aeroplane and balloon accidents—Accidents par aéroplanes et ballons.	M.	9	–	–	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Injuries by other vehicles—Blessures par autres voitures.	M.	112	1	–	–	2	2	12	12	6	5
		F.	19	–	1	1	1	1	3	2	–	1
	(f) Other crushing—Autres écrasements	M.	216	1	1	–	2	–	9	8	8	37
		F.	6	–	–	–	–	1	1	–	1	1
189	Injuries by animals (poisoning excepted)—Violences exercées par des animaux (empoisonnements exceptés).	M.	94	1	–	3	3	2	7	5	7	6
		F.	12	1	–	–	–	1	2	2	1	–
192	Starvation (deprivation of food or water)—Faim ou soif.	M.	8	2	–	1	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
193	Excessive cold—Froid excessif.	M.	45	2	–	–	1	–	1	–	1	2
		F.	8	1	–	–	–	–	–	–	–	–
194	Excessive heat—Chaleur excessive	M.	20	4	–	1	–	1	–	1	–	–
		F.	10	3	–	–	–	1	–	–	–	1
195	Lightning—Foudre	M.	23	–	–	–	–	–	–	1	5	2
		F.	2	–	–	–	–	–	–	–	2	–
196	Other accidental electric shocks—Autres électrocutions accidentelles.	M.	37	–	–	–	–	–	1	2	2	3
		F.	–	–	–	–	–	–	–	–	–	–
197-199	**Homicides**	**M.**	**76**	**16**	**1**	**1**	–	–	**2**	–	**1**	**6**
		F.	**48**	**11**	–	–	**2**	–	**2**	**3**	**7**	**2**
197	Homicide by firearms—Homicide par armes à feu.	M.	32	–	–	–	–	–	1	–	–	2
		F.	14	–	–	–	–	–	–	–	5	2
198	Homicide by cutting or piercing instruments—Homicide par instruments tranchants ou piquants.	M.	8	–	–	–	–	–	1	–	–	1
		F.	7	–	–	–	1	–	2	1	–	–
199	Homicide by other means—Homicide par autres moyens.	M.	36	16	1	1	–	–	–	–	1	3
		F.	27	11	–	–	1	–	–	2	2	–
201	Fracture (cause not specified)—Fracture (cause non spécifiée).	M.	100	–	–	–	–	–	–	–	–	–
		F.	168	–	1	–	–	–	–	–	–	–
202	Other external violence (cause specified)—Autres violences extérieures (cause spécifiée).	M.	130	6	4	2	–	–	10	4	5	12
		F.	32	9	1	5	1	–	6	1	–	–
203	External violence (cause not specified)—Violences extérieures (cause non spécifiée)	M.	12	1	1	–	–	–	–	–	–	–
		F.	4	1	–	–	–	–	–	–	–	–
	CLASS XV—ILL-DEFINED DISEASES—CLASSE XV—MALADIES MAL DÉFINIES.	**Total**	**1,071**	**138**	**92**	**30**	**13**	**9**	**19**	**16**	**19**	**16**
		M.	**635**	**79**	**51**	**16**	**7**	**6**	**4**	**5**	**10**	**5**
		F.	**436**	**59**	**41**	**14**	**6**	**3**	**15**	**11**	**9**	**11**
204	Sudden death—Mort subite	M.	89	5	1	–	–	–	–	–	2	1
		F.	36	4	–	–	–	–	–	1	1	–
205	Cause of death not specified or ill-defined—Cause de décès non spécifiée ou mal définie.	M.	546	74	50	16	7	6	4	5	8	4
		F.	400	55	41	14	6	3	15	10	8	11
	(a) Ill-defined—Mal définie	M.	64	15	19	5	–	1	1	–	1	–
		F.	54	9	10	4	2	–	4	3	–	1
	(b) Not specified or unknown—Non spécifiée ou inconnue.	M.	163	57	28	11	6	4	3	3	3	3
		F.	159	45	30	10	4	3	9	7	6	7
	(c) Heart failure—Paralysie du cœur	M.	318	1	3	–	1	1	–	2	4	1
		F.	187	1	1	–	–	–	2	–	2	3
	(d) Syncope	M.	1	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

CANADA—fin

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
15	10	15	12	14	4	4	2	2	–	–	–	–	–	–	–	–	186
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
7	7	11	9	12	3	4	2	2	–	–	–	–	–	–	–	–	186a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
6	3	4	2	2	1	–	–	–	–	–	–	–	–	–	–	–	186b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	186c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
17	20	17	21	9	10	9	7	12	1	2	–	1	–	–	–	1	187
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
111	109	113	93	106	91	80	68	53	34	33	18	2	–	–	–	10	188
18	11	12	12	11	20	8	17	20	13	14	6	–	1	–	–	–	
31	43	45	31	31	29	18	22	10	4	5	3	–	–	–	–	7	188a
2	1	2	2	2	–	–	4	4	1	2	1	–	–	–	–	–	
–	1	3	1	3	3	3	5	5	2	4	3	–	–	–	–	–	188b
2	1	–	–	1	2	–	1	1	1	2	–	–	–	–	–	–	
52	36	39	40	38	42	31	27	29	18	17	9	1	–	–	–	–	188c
14	8	10	10	8	16	7	11	12	9	9	5	–	1	–	–	–	
3	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	188d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
5	3	8	2	9	6	8	8	5	9	6	2	1	–	–	–	–	188e
–	–	–	–	–	2	1	1	3	2	–	–	–	–	–	–	–	
20	25	16	19	24	11	20	6	4	1	1	1	–	–	–	–	2	188f
–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
3	3	5	5	4	7	7	7	5	9	4	1	–	–	–	–	–	189
–	–	–	–	1	–	1	–	2	1	–	–	–	–	–	–	–	
–	1	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	192
1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
1	2	1	2	2	5	8	4	2	3	2	3	2	–	1	–	–	193
–	1	–	–	–	–	–	1	–	2	1	1	1	–	–	–	–	
–	–	1	–	–	3	–	2	1	3	1	–	1	–	–	–	1	194
–	–	1	–	–	–	–	–	–	–	–	2	–	1	–	1	–	
–	6	2	3	1	1	–	–	1	1	–	–	–	–	–	–	–	195
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
4	10	3	6	2	2	1	1	–	–	–	–	–	–	–	–	–	196
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
4	**8**	**10**	**9**	**4**	**5**	**4**	**3**	**1**	–	**1**	–	–	–	–	–	–	197-199
4	**7**	**6**	**2**	–	**1**	–	**1**	–	–	–	–	–	–	–	–	–	
4	4	6	7	2	2	3	1	–	–	–	–	–	–	–	–	–	197
2	3	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	3	–	1	1	–	–	–	–	–	–	–	–	–	–	–	198
–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	3	1	2	1	2	1	2	1	–	1	–	–	–	–	–	–	199
2	4	4	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	1	–	–	1	–	1	1	1	16	15	25	28	7	4	–	–	201
–	–	–	–	–	–	–	–	–	19	38	51	32	20	7	–	–	
15	9	13	11	7	6	8	6	4	2	1	–	–	–	–	–	5	202
–	–	–	–	1	1	–	1	1	1	2	2	–	–	–	–	–	
1	–	–	2	1	–	2	1	–	1	–	1	–	–	–	–	1	203
–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	
17	**20**	**18**	**29**	**47**	**57**	**75**	**77**	**109**	**63**	**86**	**45**	**41**	**15**	**8**	**2**	**10**	
7	**12**	**13**	**20**	**28**	**35**	**52**	**59**	**65**	**45**	**50**	**28**	**20**	**5**	**4**	**1**	**8**	
10	**8**	**5**	**9**	**19**	**22**	**23**	**18**	**44**	**18**	**36**	**17**	**21**	**10**	**4**	**1**	**2**	
–	2	1	6	10	3	7	12	11	6	10	5	4	–	–	–	3	204
1	–	1	1	1	6	1	1	5	–	7	1	2	2	1	–	–	
7	10	12	14	18	32	45	47	54	39	40	23	16	5	4	1	5	205
9	8	4	8	18	16	22	17	39	18	29	16	19	8	3	1	2	
1	1	1	1	2	3	2	5	3	1	2	–	–	–	–	–	–	205a
–	1	1	1	3	4	2	–	6	2	–	1	–	–	–	–	–	
2	1	2	–	5	2	6	8	11	–	4	–	–	–	–	–	4	205b
5	2	1	1	4	3	3	3	11	1	1	–	1	–	–	–	2	
4	8	9	13	11	27	37	34	40	38	34	23	16	5	4	1	1	205c
4	5	2	6	11	9	17	14	22	15	28	15	18	8	3	1	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	205d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

PRINCE EDWARD ISLAND

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	DEATHS—ALL CAUSES—DÉCÈS—TOUTES CAUSES.	**Total**	**913**	**113**	**15**	**8**	**8**	**1**	**17**	**15**	**18**	**17**
		M.	**451**	**70**	**6**	**4**	**6**	**1**	**6**	**6**	**10**	**10**
		F.	**462**	**43**	**9**	**4**	**2**	–	**11**	**9**	**8**	**7**
	CLASS I—EPIDEMIC, ENDEMIC AND INFECTIOUS DISEASES—CLASSE I—AFFECTIONS ÉPIDÉMIQUES, ENDÉMIQUES ET INFECTIEUSES.	**Total**	**124**	**11**	**3**	**3**	**1**	**1**	**5**	**7**	**11**	**10**
		M.	**56**	**7**	**2**	**1**	–	**1**	**1**	**2**	**6**	**5**
		F.	**68**	**4**	**1**	**2**	**1**	–	**4**	**5**	**5**	**5**
1	Typhoid and paratyphoid fever—Fièvre typhoïde et paratyphoïde.	M.	3	–	–	1	–	–	–	–	–	1
		F.	1	–	–	–	–	–	–	–	–	–
	(a) Typhiod fever—Fièvre typhoïde...	M.	3	–	–	1	–	–	–	–	–	1
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Paratyphoid fever—Fièvre paratyphoïde.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
7	Measles—Rougeole	M.	1	–	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever—Scarlatine	M.	1	–	–	–	–	–	–	–	1	–
		F.	1	–	–	–	–	–	–	1	–	–
9	Whooping-cough—Coqueluche	M.	4	3	1	–	–	–	–	–	–	–
		F.	3	2	–	–	–	–	–	–	1	–
11	Influenza—Grippe	M.	13	3	–	–	–	–	–	–	2	–
		F.	13	2	1	–	1	–	1	1	–	–
	(a) Sole cause—Cause unique	M.	5	1	–	–	–	–	–	–	–	–
		F.	3	1	1	–	1	–	–	–	–	–
	(b) With phthisis—Avec phtisie	M.	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
	(c) With bronchitis—Avec bronchite	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) With pneumonia—Avec pneumonie	M.	6	2	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	1	–
	(e) With other respiratory diseases—Avec autres affections de l'appareil respiratoire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(f) With diseases and accidents of pregnancy and parturition—Avec affections et accidents de la grossesse.	F.	–	–	–	–	–	–	–	–	–	–
	(g) With other causes—Avec autres causes.	M.	2	–	–	–	–	–	–	–	1	–
		F.	5	1	–	–	–	–	1	1	–	–
13	Mumps—Oreillons	M.	2	1	–	–	–	–	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
16	Dysentery—Dysenterie	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique.	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	1	–	–	–	–	–	–
31-37	**Tuberculosis—Tuberculose**	**M.**	**29**	–	–	–	–	**1**	–	**2**	**3**	**4**
		F.	**43**	–	–	**1**	–	–	**3**	**2**	**4**	**5**
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire.	M.	26	–	–	–	–	1	–	–	3	4
		F.	38	–	–	1	–	–	2	2	4	4
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central.	M.	1	–	–	–	–	–	–	1	–	–
		F.	1	–	–	–	–	–	1	–	–	–
33	Tuberculosis of the intestines and peritoneum—Tuberculose des intestins et du péritoine.	M.	1	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	1
35	Tuberculosis of the joints—Tuberculose articulaire.	M.	1	–	–	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
37	Disseminated tuberculosis—Tuberculose disséminée.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(a) Acute—Aiguë	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Chronic or unstated—Chronique ou non spécifiée.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
38	Syphilis	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	1	–	–
41	Purulent infection, septicaemia—Infection purulente, septicémie.	M.	1	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

ÎLE DU PRINCE-ÉDOUARD

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
17	**19**	**17**	**18**	**25**	**25**	**41**	**55**	**72**	**99**	**98**	**98**	**82**	**20**	**9**	–	**6**	
5	**8**	**8**	**7**	**16**	**7**	**22**	**26**	**28**	**56**	**45**	**48**	**42**	**5**	**5**	–	**4**	
12	**11**	**9**	**11**	**9**	**18**	**19**	**29**	**44**	**43**	**53**	**50**	**40**	**15**	**4**	–	**2**	
8	**10**	**6**	**6**	**7**	**1**	**4**	**5**	**4**	**7**	**5**	**5**	**3**	–	–	–	**1**	
3	**3**	**4**	–	**4**	**1**	**2**	–	**1**	**5**	**1**	**3**	**3**	–	–	–	**1**	
5	**7**	**2**	**6**	**3**	–	**2**	**5**	**3**	**2**	**4**	**2**	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1a
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	2	–	2	–	–	–	–	1	–	1	2	–	–	–	–	11
–	3	–	–	–	–	–	1	–	–	2	1	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	1	2	–	–	–	–	11a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11b
–	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	11d
–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11f
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	11g
–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	**3**	**2**	–	**2**	–	**1**	–	**1**	**4**	**1**	**2**	**1**	–	–	–	**1**	**31-37**
5	**4**	**2**	**5**	**3**	–	**2**	**2**	**3**	**2**	–	–	–	–	–	–	–	
1	**3**	**1**	–	**2**	–	**1**	–	**1**	**4**	**1**	**2**	**1**	–	–	–	**1**	**31**
5	**3**	**2**	**4**	**3**	–	**2**	**2**	**2**	**2**	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	**32**
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	**1**	–	–	–	–	–	–	–	–	–	–	–	–	–	–	**33**
–	–	–	**1**	–	–	–	–	**1**	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	**35**
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	**37**
–	**1**	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	**37a**
–	**1**	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	**37b**
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	**38**
–	–	–	–	–	–	–	–	**1**	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	**1**	–	–	–	–	–	–	–	–	–	–	**41**
–	–	–	**1**	–	–	–	–	–	–	–	**1**	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

PRINCE EDWARD ISLAND—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS II—GENERAL DISEASES NOT INCLUDED IN CLASS I—CLASSE II—MALADIES GÉNÉRALES NON MENTIONNÉES DANS LA CLASSE I.	**Total**	**92**	**1**	**2**	**1**	–	–	–	–	–	–
		M.	**42**	–	**1**	–	–	–	–	–	–	–
		F.	**50**	**1**	**1**	**1**	–	–	–	–	–	–
43-49	**Cancer**	**M.**	**34**	–	–	–	–	–	–	–	–	–
		F.	**33**	–	–	–	–	–	–	–	–	–
43	Cancer of the buccal cavity—Cancer de la cavité buccale.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
44	Cancer of the stomach and liver—Cancer de l'estomac et du foie.	M.	16	–	–	–	–	–	–	–	–	–
		F.	9	–	–	–	–	–	–	–	–	–
45	Cancer of the peritoneum, intestines and rectum—Cancer du péritoine, des intestins et du rectum.	M.	4	–	–	–	–	–	–	–	–	–
		F.	6	–	–	–	–	–	–	–	–	–
46	Cancer of the female genital organs—Cancer des organes génitaux de la femme	F.	9	–	–	–	–	–	–	–	–	–
47	Cancer of the breast—Cancer du sein	M.	–	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
48	Cancer of the skin—Cancer de la peau	M.	5	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
49	Cancer of other or unspecified organs—Cancer d'autres organes ou d'organes non spécifiés.	M.	8	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(a) Other—Autres	M.	7	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(b) Unspecified—Non spécifiés	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
50	Benign tumours and tumours not returned as malignant (tumours of female genital organs excepted)—Tumeurs bénignes et tumeurs non données comme malignes (tumeurs des organes génitaux de la femme exceptées).	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
51	Acute rheumatic fever—Rhumatisme articulaire aigu fébrile.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
52	Chronic rheumatism, osteo-arthritis, gout—Rhumatisme chronique ou goutte.	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
56	Rickets—Rachitisme	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	1	–	–	–	–	–	–
57	Diabetes mellitus—Diabète	M.	–	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
58	Anaemia, chlorosis—Anémie, chlorose	M.	5	–	1	–	–	–	–	–	–	–
		F.	6	1	1	–	–	–	–	–	–	–
	(a) Pernicious anaemia—Anémie pernicieuse.	M.	4	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
	(b) Other anaemias and chlorosis—Autres anémies et chloroses.	M.	1	–	1	–	–	–	–	–	–	–
		F.	3	1	1	–	–	–	–	–	–	–
60	Diseases of the thyroid gland—Affections de la glande thyroïde.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(a) Exophthalmic goiter—Goître exophtalmique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(b) Other diseases of the thyroid gland—Autres affections de la glande thyroïde.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
65	Leukaemia, lymphadenoma—Leucémie, lymphadénie.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(a) Leukaemia—Leucémie	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Lymphadenoma (Hodgkin's disease)—Lymphadénie (maladie d'Hodgkin).	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS III—DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE—CLASSE III—AFFECTIONS DU SYSTÈME NERVEUX ET DES ORGANES DES SENS.	**Total**	**117**	**12**	**3**	**1**	**1**	–	–	**1**	**2**	**1**
		M.	**51**	**8**	**2**	**1**	**1**	–	–	**1**	**1**	–
		F.	**66**	**4**	**1**	–	–	–	–	–	**1**	**1**
70	Encephalitis—Encéphalite	M.	1	–	1	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(a) Abscess of brain—Abcès du cerveau.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Encephalitis—Encéphalite	M.	1	–	1	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

ÎLE DU PRINCE-ÉDOUARD—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
1	–	1	3	3	5	8	8	13	17	11	9	9	–	–	–	–	
–	–	1	2	–	1	3	4	6	7	6	5	6	–	–	–	–	
1	–	–	1	3	4	5	4	7	10	5	4	3	–	–	–	–	
–	–	1	2	–	1	3	3	6	5	3	5	5	–	–	–	–	**43-49**
–	–	–	1	2	4	3	3	6	6	4	2	2	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	43
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	2	–	1	1	2	3	2	3	1	1	–	–	–	–	44
–	–	–	–	–	–	–	1	3	3	1	–	1	–	–	–	–	
–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–	45
–	–	–	–	1	–	–	1	1	–	2	–	1	–	–	–	–	
–	–	–	1	–	4	2	–	–	2	–	–	–	–	–	–	–	46
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	47
–	–	–	–	1	–	–	–	–	1	1	2	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	1	3	–	–	–	–	48
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	1	–	2	1	–	2	1	–	–	–	–	49
–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	1	–	2	1	–	2	–	–	–	–	–	49a
–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	49b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	50
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	51
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	52
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	56
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	57
–	–	–	–	–	–	2	–	–	1	1	1	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–	58
–	–	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–	58a
–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	58b
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	60
–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	60a
–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	60b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	65
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	65a
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	65b
1	3	3	–	1	8	7	8	14	15	13	12	9	–	–	–	2	
1	2	–	–	1	2	3	3	5	8	6	4	2	–	–	–	–	
–	1	3	–	–	6	4	5	9	7	7	8	7	–	–	–	2	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

PRINCE EDWARD ISLAND—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS III-con.—**CLASSE III**-fin											
71	Meningitis—Méningite	M.	8	4	1	1	1	–	–	1	–	–
		F.	4	2	1	–	–	–	–	–	–	–
	(a) Simple meningitis—Méningite simple.	M.	8	4	1	1	1	–	–	1	–	–
		F.	4	2	1	–	–	–	–	–	–	–
	(b) Non-epidemic, cerebrospinal meningitis—Méningite cérébro-spinale non épidémique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
73	Other diseases of the spinal cord—Autres affections de la moelle épinière.	M.	1	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
74	Cerebral haemorrhage, apoplexy—Hémorragie cérébrale, apoplexie.	M.	22	–	–	–	–	–	–	–	–	–
		F.	30	–	–	–	–	–	–	–	–	–
	(a) Apoplexy—Apoplexie	M.	13	–	–	–	–	–	–	1	–	–
		F.	17	–	–	–	–	–	–	–	–	–
	(b) Cerebral haemorrhage—Hémorragie cérébrale.	M.	10	–	–	–	–	–	–	–	–	–
		F.	13	–	–	–	–	–	–	–	–	–
	(c) Cerebral thrombosis and embolism—Thrombose et embolie cérébrales.	M.	–	–	–	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
75	Paralysis without specified cause—Paralysie sans cause indiquée.	M.	6	–	–	–	–	–	–	–	–	–
		F.	14	–	–	–	–	–	–	–	–	–
	(a) Hemiplegia—Hémiplégie	M.	1	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
	(b) Others under this title—Autres sous ce titre.	M.	5	–	–	–	–	–	–	–	–	–
		F.	11	–	–	–	–	–	–	–	–	–
76	General paralysis of the insane—Paralysie générale des aliénés.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
77	Other forms of mental alienation—Autres formes de l'aliénation mentale.	M.	2	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
78	Epilepsy—Épilepsie	M.	4	–	–	–	–	–	–	–	–	1
		F.	2	–	–	–	–	–	–	–	–	–
80	Infantile convulsions (under 5 years of age)—Convulsions des enfants (moins de cinq ans).	M.	3	–	–	–	–	–	–	1	–	–
		F.	3	3	–	–	–	–	–	–	–	–
82	Neuralgia and neuritis—Névralgie et névrite.	M.	2	2	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
84	Other diseases of the nervous system—Autres affections du système nerveux.	M.	1	–	–	–	–	–	–	–	–	–
		F.	4	1	–	–	–	–	–	–	–	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien.	M.	3	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(a) Diseases of the ear—Affections de l'oreille.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Diseases of the mastoid process—Affections du sinus mastoïdien.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	CLASS IV—DISEASES OF THE CIRCULATORY SYSTEM—CLASSE IV—AFFECTIONS DE L'APPAREIL CIRCULATOIRE.	Total	147	–	–	–	–	–	1	–	–	1
		M.	70	–	–	–	–	–	–	–	–	1
		F.	77	–	–	–	–	–	1	–	–	–
87-90	**Diseases of the heart—Affections du cœur.**	M.	55	–	–	–	–	–	–	–	–	1
		F.	67	–	–	–	–	–	1	–	–	–
87	Pericarditis—Péricardite	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
88	Endocarditis and myocarditis (acute)—Endocardite et myocardite (aiguës).	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(a) Acute endocarditis — Endocardite aiguë.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Acute myocarditis—Myocardite aiguë.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
89	Angina pectoris—Angine de poitrine	M.	3	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
90	Other diseases of the heart—Autres affections du cœur.	M.	52	–	–	–	–	–	–	–	–	1
		F.	63	–	–	–	–	–	1	–	–	–
	(a) Valvular disease—Affection valvulaire.	M.	11	–	–	–	–	–	–	–	–	1
		F.	15	–	–	–	–	–	1	–	–	–
	(b) Fatty degeneration of the heart—Dégénérescence ou stéanose du cœur	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Aortic insufficiency — Insuffisance aortique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Chronic endocarditis — Endocardite chronique.	M.	2	–	–	–	–	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–
	(e) Chronic myocarditis — Myocardite chronique.	M.	29	–	–	–	–	–	–	–	–	–
		F.	24	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

ÎLE DU PRINCE-ÉDOUARD—suite

Âges																		
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	73
–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	
–	1	–	–	–	1	2	3	4	6	3	1	2	–	–	–	–	74
–	–	1	–	–	2	2	3	3	2	3	6	6	–	–	–	1	
–	–	–	–	–	1	1	1	3	2	2	1	2	–	–	–	–	74a
–	–	–	–	–	1	2	1	2	2	3	5	1	–	–	–	–	
–	1	–	–	–	–	1	2	1	4	1	–	–	–	–	–	–	74b
–	–	1	–	–	1	–	2	1	–	–	1	5	–	–	–	1	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	74c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	1	1	3	–	–	–	–	–	75
–	–	1	–	–	1	1	2	1	3	2	2	1	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	75a
–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	1	3	–	–	–	–	–	75b
–	–	1	–	–	1	–	1	–	3	2	2	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	76
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	77
–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	78
–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	82
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	84
–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	86
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	86a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	86b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	**1**	**1**	**2**	**5**	**9**	**15**	**20**	**18**	**27**	**22**	**19**	**2**	**1**	–	**2**	
–	–	–	**1**	**2**	**1**	**7**	**6**	**7**	**11**	**9**	**10**	**12**	–	**1**	–	**2**	
1	–	**1**	–	–	**4**	**2**	**9**	**13**	**7**	**18**	**12**	**7**	**2**	–	–	–	
–	–	–	–	**2**	**1**	**6**	**4**	**7**	**10**	**7**	**8**	**9**	–	–	–	–	87-90
1	–	**1**	–	–	**4**	**2**	**9**	**11**	**7**	**15**	**8**	**7**	**1**	–	–	–	87
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	88
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	88a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	88b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	89
–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	90
–	–	–	–	2	1	5	4	6	10	7	8	8	–	–	–	–	
–	–	1	–	–	3	2	8	11	7	14	8	7	1	–	–	–	90a
–	–	–	–	1	–	–	2	1	4	2	–	–	–	–	–	–	
–	–	–	–	–	1	1	2	4	–	3	1	2	–	–	–	–	90b
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	90c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	90d
–	–	–	–	–	–	1	–	–	1	1	4	–	–	–	–	–	
–	–	–	–	1	–	4	2	4	5	3	5	5	–	–	–	–	90e
–	–	–	–	–	2	–	5	2	4	6	2	3	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

PRINCE EDWARD ISLAND—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS IV-con.—**CLASSE IV**-fin											
90	(f) Others under this title—Autres sous ce titre.	M.	9	–	–	–	–	–	–	–	–	–
		F.	17	–	–	–	–	–	–	–	–	–
91	Diseases of the arteries—Affections des artères.	M.	14	–	–	–	–	–	–	–	–	–
		F.	10	–	–	–	–	–	–	–	–	–
	(a) Aneurysm—Anévrisme	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Arteriosclerosis—Artério-sclérose	M.	14	–	–	–	–	–	–	–	–	–
		F.	10	–	–	–	–	–	–	–	–	–
	(c) Other diseases of the arteries—Autres affections des artères.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
95	Haemorrhage without specified cause—Hémorragie sans cause déterminée.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS V—DISEASES OF THE RESPIRATORY SYSTEM — CLASSE V—AFFECTIONS DE L'APPAREIL RESPIRATOIRE.	Total	**106**	**18**	**2**	**1**	–	–	**2**	**3**	**2**	–
		M.	**58**	**12**	–	**1**	–	–	**2**	**2**	**2**	–
		F.	**48**	**6**	**2**	–	–	–	–	**1**	–	–
98	Diseases of the larynx—Affections du larynx.	M.	1	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Laryngismus stridulus—Laryngite striduleuse.	M.	1	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Laryngitis—Laryngite	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Croup	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Other diseases of the larynx—Autres affections du larynx.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite	M.	2	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
	(a) Acute—Aiguë	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Chronic—Chronique	M.	1	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
	(c) Not otherwise defined, under 5 years of age—Sans épithète, au-dessous de cinq ans.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Not otherwise defined, 5 years or over—Sans épithète, cinq ans ou au-dessus.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
100	Bronchopneumonia (including capillary bronchitis)—Broncho-pneumonie (y compris bronchite capillaire).	M.	13	3	–	1	–	–	–	1	1	–
		F.	10	–	–	–	–	–	–	1	–	–
	(a) Bronchopneumonia—Broncho-pneumonie.	M.	13	3	–	1	–	–	–	1	1	–
		F.	10	–	–	–	–	–	–	1	–	–
	(b) Capillary bronchitis—Bronchite capillaire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
101	Pneumonia—Pneumonie	M.	36	7	–	–	–	–	2	1	–	–
		F.	31	6	2	–	–	–	–	–	–	–
	(a) Lobar—Lobaire	M.	10	–	–	–	–	–	1	–	–	–
		F.	9	1	1	–	–	–	–	–	–	–
	(b) Not otherwise defined—Sans épithète.	M.	26	7	–	–	–	–	1	1	–	–
		F.	22	5	1	–	–	–	–	–	–	–
102	Pleurisy—Pleurésie	M.	1	–	–	–	–	–	–	–	1	–
		F.	1	–	–	–	–	–	–	–	–	–
103	Congestion and haemorrhagic infarct of the lung—Congestion et hémorragie parenchymateuse des poumons.	M.	4	1	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
105	Asthma—Asthme	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
107	Other diseases of the respiratory system (tuberculosis excepted)—Autres affections de l'appareil respiratoire (tuberculose exceptée)	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(a) Chronic interstitial pneumonia including occupational diseases of the lungs—Pneumonie interstitielle chronique comprenant les affections professionnelles de l'appareil pulmonaire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Diseases of the mediastinum—Affections du médiastin.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

ÎLE DU PRINCE-ÉDOUARD—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	–	–	1	1	–	–	1	2	1	3	–	–	–	–	90f
–	–	1	–	–	–	–	1	5	2	4	1	2	1	–	–	–	
–	–	–	1	–	–	1	2	–	1	2	2	2	–	1	–	2	91
–	–	–	–	–	–	–	–	2	–	3	4	–	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	91a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	1	2	–	1	2	2	2	–	1	–	2	91b
–	–	–	–	–	–	–	–	2	–	3	4	–	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	91c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	95
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	**3**	–	**2**	**3**	**1**	**3**	**6**	**11**	**11**	**15**	**12**	**6**	**2**	–	–	–	
1	**2**	–	**1**	**1**	**1**	**1**	**5**	**4**	8	**7**	**4**	**3**	**1**	–	–	–	
2	**1**	–	**1**	**2**	–	**2**	**1**	**7**	**3**	8	8	**3**	**1**	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	99
–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	99a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	99b
–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	99c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	99d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	2	1	1	2	–	–	–	–	–	–	100
–	–	–	–	–	–	–	1	3	–	1	2	2	–	–	–	–	
–	1	–	–	–	–	–	2	1	1	2	–	–	–	–	–	–	100a
–	–	–	–	–	–	–	1	3	–	1	2	2	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	100b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	–	1	1	1	1	2	2	6	5	2	3	–	–	–	–	101
1	1	–	1	2	–	1	–	2	3	6	4	1	1	–	–	–	
–	1	–	1	1	–	–	1	2	–	2	–	1	–	–	–	–	101a
–	1	–	1	–	–	–	–	–	1	2	1	–	1	–	–	–	
1	–	–	–	–	1	1	1	–	6	3	2	2	–	–	–	–	101b
1	–	–	–	2	–	1	–	2	2	4	3	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	102
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	103
–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	105
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107c
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

PRINCE EDWARD ISLAND—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VI—DISEASES OF THE DIGESTIVE SYSTEM—CLASSE VI—AFFECTIONS DE L'APPAREIL DIGESTIF.	Total	45	14	1	1	1	–	3	3	1	–
		M.	20	8	–	–	1	–	1	1	–	–
		F.	25	6	1	1	–	–	2	2	1	–
108	Diseases of the mouth and annexa—Affections de la bouche et de ses annexes.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
111	Ulcer of the stomach and duodenum—Ulcère de l'estomac et du duodénum.	M.	1	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
	(a) Ulcer of the stomach—Ulcère de l'estomac.	M.	1	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
	(b) Ulcer of the duodenum—Ulcère du duodénum.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
112	Other diseases of the stomach (cancer excepted)—Autres affections de l'estomac (cancer excepté).	M.	7	4	–	–	–	–	–	–	–	–
		F.	3	1	–	–	–	–	–	–	–	–
113	Diarrhoea and enteritis (under 2 years of age)—Diarrhée et entérite (au-dessous de 2 ans).	M.	4	4	–	–	–	–	–	–	–	–
		F.	5	4	1	–	–	–	–	–	–	–
114	Diarrhoea and enteritis (2 years or over)—Diarrhée et entérite (deux ans ou au-dessus).	M.	2	–	–	–	1	–	–	–	–	–
		F.	1	–	–	1	–	–	–	–	–	–
117	Appendicitis and typhlitis—Appendicite et typhlite.	M.	2	–	–	–	–	–	1	–	–	–
		F.	8	–	–	–	–	–	2	2	1	–
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale.	M.	2	–	–	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Hernia—Hernie	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Intestinal obstruction—Obstruction intestinale.	M.	2	–	–	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
119	Other diseases of the intestines—Autres affections des intestins.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
122	Cirrhosis of the liver—Cirrhose du foie	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(a) Specified as alcoholic—Spécifiée comme alcoolique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Not specified as alcoholic—Non spécifiée comme alcoolique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
124	Other diseases of the liver—Autres affections du foie.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
126	Peritonitis without specified cause—Péritonite sans cause indiquée.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	CLASS VII—NON-VENEREAL DISEASES OF THE GENITO-URINARY SYSTEM AND ANNEXA—CLASSE VII—AFFECTIONS NON VÉNÉRIENNES DE L'APPAREIL GÉNITO-URINAIRE ET DE SES ANNEXES.	Total	66	–	–	–	–	–	2	–	–	3
		M.	43	–	–	–	–	–	–	–	–	3
		F.	23	–	–	–	–	–	2	–	–	–
128	Acute nephritis (including unspecified, under 10 years of age)—Néphrite aiguë (y compris non spécifiée au-dessous de dix ans).	M.	2	–	–	–	–	–	–	–	–	1
		F.	3	–	–	–	–	–	2	–	–	–
129	Chronic nephritis (including unspecified, 10 years of age or over)—Néphrite chronique (y compris non spécifiée, dix ans ou au-dessus).	M.	38	–	–	–	–	–	–	–	–	2
		F.	17	–	–	–	–	–	–	–	–	–
131	Other diseases of the kidneys and annexa—Autres affecticns des reins et de leurs annexes.	M.	1	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
133	Diseases of the bladder—Affections de la vessie.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
135	Diseases of the prostate—Affections de la prostate.	M.	1	–	–	–	–	–	–	–	–	–
	CLASS VIII—THE PUERPERAL STATE—CLASSE VIII—ÉTAT PUERPÉRAL.	Total	4	–	–	–	–	–	–	–	–	1
143	Accidents of pregnancy—Accidents de la grossesse.	F.	1	–	–	–	–	–	–	–	–	–
	(a) Abortion—Avortement	F.	1	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

ÎLE DU PRINCE-EDOUARD—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	2	1	1	3	–	1	5	1	1	2	4	–	–	–	–	–	
–	1	–	–	2	–	1	2	–	–	1	2	–	–	–	–	–	
–	1	1	1	1	–	–	3	1	1	1	2	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	108
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	111
–	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	111a
–	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	111b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	112
–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	113
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	114
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	117
–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	118
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	118a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	118b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	119
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	122
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	122a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	122b
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	124
–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	126
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
2	–	–	3	5	3	6	3	5	7	10	8	7	1	1	–	–	
–	–	–	2	5	–	3	1	3	6	7	6	5	1	1	–	–	
2	–	–	1	–	3	3	2	2	1	3	2	2	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	128
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	2	5	–	3	1	3	5	6	5	5	–	1	–	–	129
2	–	–	–	–	3	2	1	2	1	3	1	2	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	131
–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	133
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	135
1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143a

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

PRINCE EDWARD ISLAND—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VIII—con.—**CLASSE VIII**—fin											
143	(b) Ectopic gestation—Gestation ectopique.	F.	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	F.	–	–	–	–	–	–	–	–	–	–
	(d) Abortion, self-induced—Avortement provoqué par soi-même.	F.	–	–	–	–	–	–	–	–	–	–
146	Puerperal septicaemia—Septicémie puerpérale.	F.	1	–	–	–	–	–	–	–	–	1
148	Puerperal albuminuria and convulsions—Albuminurie et éclampsie puerpérales.	F.	2	–	–	–	–	–	–	–	–	–
	CLASS IX—DISEASES OF THE SKIN AND OF THE CELLULAR TISSUE—CLASSE IX—AFFECTIONS DE LA PEAU ET DU TISSU CELLULAIRE.	Total	3	–	–	–	–	–	–	–	–	–
		M.	1	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
151	Gangrene—Gangrène	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
154	Other diseases of the skin and annexa—Autres affections de la peau et de ses annexes.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	CLASS X—DISEASES OF THE BONES AND OF THE ORGANS OF LOCOMOTION—CLASSE X—AFFECTIONS DES OS ET DES ORGANES DE LA LOCOMOTION.	Total	2	–	–	–	1	–	–	–	1	–
		M.	2	–	–	–	1	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
155	Diseases of the bones (mastoid and tuberculosis excepted)—Affections des os (sinus mastoïdien et tuberculose exceptés).	M.	2	–	–	–	1	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS XI—MALFORMATIONS—CLASSE XI—VICES DE CONFORMATION.	Total	7	7	–	–	–	–	–	–	–	–
		M.	4	4	–	–	–	–	–	–	–	–
		F.	3	3	–	–	–	–	–	–	–	–
159	Congenital malformations (stillbirths not included)—Vices de conformation congénitaux (mort-nés non compris).	M.	4	4	–	–	–	–	–	–	–	–
		F.	3	3	–	–	–	–	–	–	–	–
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale.	M.	1	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur.	M.	2	2	–	–	–	–	–	–	–	–
		F.	2	2	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	1	1	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	CLASS XII—DISEASES OF EARLY INFANCY—CLASSE XII—AFFECTIONS DU PREMIER ÂGE.	Total	40	40	–	–	–	–	–	–	–	–
		M.	24	24	–	–	–	–	–	–	–	–
		F.	16	16	–	–	–	–	–	–	–	–
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème.	M.	4	4	–	–	–	–	–	–	–	–
		F.	6	6	–	–	–	–	–	–	–	–
161	Premature birth, injury at birth—Naissance prématurée, conséquence de l'accouchement.	M.	9	9	–	–	–	–	–	–	–	–
		F.	3	3	–	–	–	–	–	–	–	–
	(a) Premature birth—Naissance prématurée.	M.	7	7	–	–	–	–	–	–	–	–
		F.	3	3	–	–	–	–	–	–	–	–
	(b) Injury at birth—Conséquence de l'accouchement.	M.	2	2	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge.	M.	10	10	–	–	–	–	–	–	–	–
		F.	7	7	–	–	–	–	–	–	–	–
163	Lack of care—Défaut de soins	M.	1	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

ÎLE DU PRINCE-ÉDOUARD—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	146
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	148
1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	151
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	153
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	154
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	155
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	160
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	163

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

PRINCE EDWARD ISLAND—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XIII—OLD AGE—CLASSE XIII—VIEILLESSE.	**Total**	**95**	–	–	–	–	–	–	–	–	–
		M.	**38**	–	–	–	–	–	–	–	–	–
		F.	**57**	–	–	–	–	–	–	–	–	–
164	Senility—Sénilité	M.	38	–	–	–	–	–	–	–	–	–
		F.	57	–	–	–	–	–	–	–	–	–
	CLASS XIV—EXTERNAL CAUSES—CLASSE XIV—CAUSES EXTÉRIEURES.	**Total**	**19**	1	1	–	2	–	2	–	–	1
		M.	**12**	1	–	–	1	–	1	–	–	1
		F.	**7**	–	1	–	1	–	1	–	–	–
165-174	**Suicides**	**M.**	**3**	–	–	–	–	–	–	–	–	–
		F.	**–**	–	–	–	–	–	–	–	–	–
168	Suicide by hanging or strangulation—Suicide par pendaison ou strangulation.	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
170	Suicide by firearms—Suicide par armes à feu.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
178	Conflagration—Incendie	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	1	–	–	–	–	–
182	Accidental drowning—Submersion accidentelle.	M.	1	–	–	–	–	–	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
185	Accidental traumatism by fall—Traumatismes accidentels par chute.	M.	1	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
187	Accidental traumatism by machines.—Traumatismes accidentels par machines.	M.	1	–	–	–	–	–	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.)—Traumatismes accidentels par autres écrasements (voitures, railways, éboulements, etc.)	M.	2	–	–	–	1	–	–	–	–	–
		F.	1	–	1	–	–	–	–	–	–	1
	(a) Railroad accidents—Accidents par chemins de fer.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Street car accidents—Accidents par tramways.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Automobile accidents—Accidents par automobiles.	M.	2	–	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	1
	(d) Aeroplane and balloon accidents—Accidents par aéroplanes et ballons.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Injuries by other vehicles—Blessures par autres voitures.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	1	–	–	–	–	–	–	–
	(f) Other crushing—Autres écrasements.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
201	Fracture (cause not specified)—Fracture (cause non spécifiée).	M.	2	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
202	Other external violence (cause specified)—Autres violences extérieures (cause spécifiée).	M.	2	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS XV—ILL-DEFINED DISEASES—CLASSE XV—MALADIES MAL DÉFINIES.	**Total**	**46**	9	3	1	2	–	2	1	1	–
		M.	**30**	6	1	1	2	–	1	–	–	–
		F.	**16**	3	2	–	–	–	1	1	1	–
204	Sudden death—Mort subite	M.	5	1	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
205	Cause of death not specified or ill-defined—Cause de décès non spécifiée ou mal définie.	M.	25	5	1	1	2	–	1	–	–	–
		F.	15	2	2	–	–	–	1	1	1	–
	(a) Ill-defined—Mal définie	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Not specified or unknown—Non spécifiée ou inconnue.	M.	17	5	1	1	2	–	1	1	–	–
		F.	13	2	2	–	–	–	1	–	–	–
	(c) Heart failure—Paralysie du cœur	M.	7	–	–	–	–	–	–	–	1	–
		F.	1	–	–	–	–	–	–	–	–	–
	d) Syncope	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

ÎLE DU PRINCE-ÉDOUARD—fin

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	–	–	–	–	–	–	**19**	**9**	**23**	**23**	**15**	**6**	–	–	
–	–	–	–	–	–	–	–	–	**9**	**3**	**12**	**9**	**3**	**2**	–	–	
–	–	–	–	–	–	–	–	–	**10**	**6**	**11**	**14**	**12**	**4**	–	–	
–	–	–	–	–	–	–	–	–	9	3	12	9	3	2	–	–	164
–	–	–	–	–	–	–	–	–	10	6	11	14	12	4	–	–	
–	–	**2**	–	–	**1**	–	–	**1**	**1**	**3**	**1**	**3**	–	–	–	–	
–	–	**2**	–	–	**1**	–	–	**1**	–	**2**	**1**	**1**	–	–	–	–	
–	–	–	–	–	–	–	–	–	**1**	**1**	–	**2**	–	–	–	–	
–	–	**1**	–	–	**1**	–	–	–	–	–	**1**	–	–	–	–	–	**165-174**
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	168
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	170
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	178
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	182
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	185
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	187
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	188
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	188a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	188b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	188c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	188d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	188e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	188f
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	201
–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	202
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	**1**	**1**	**2**	**1**	**1**	**3**	**5**	**3**	**2**	**3**	**1**	**2**	–	**1**	–	**1**	
–	–	**1**	**1**	**1**	–	**2**	**5**	**1**	**2**	**3**	–	**1**	–	**1**	–	**1**	
–	**1**	–	**1**	–	**1**	**1**	–	**2**	–	–	**1**	**1**	–	–	–	–	
–	–	–	–	–	–	1	–	–	1	1	–	1	–	–	–	–	204
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	1	1	–	1	5	1	1	2	–	–	–	1	–	1	205
–	1	–	1	–	1	1	–	2	–	–	1	1	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	205a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	1	–	1	2	1	–	–	–	–	1	–	–	1	205b
–	1	–	1	–	1	1	–	2	–	–	–	1	–	–	–	–	
–	–	–	1	–	–	–	2	–	1	2	–	–	–	1	–	–	205c
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	205d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

NOVA SCOTIA

Int. list No.	Causes of death — Causes de décès		Total	Ages									
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	DEATHS—ALL CAUSES—DÉCÈS—TOUTES CAUSES.	**Total**	**6,378**	**1,028**	**189**	**63**	**53**	**27**	**113**	**104**	**158**	**212**
		M.	**3,300**	**579**	**108**	**33**	**28**	**13**	**61**	**59**	**77**	**96**
		F.	**3,078**	**449**	**81**	**30**	**25**	**14**	**52**	**45**	**81**	**116**
	CLASS I—EPIDEMIC, ENDEMIC AND INFECTIOUS DISEASES —CLASSE I — AFFECTIONS ÉPIDÉMIQUES, ENDÉMIQUES ET INFECTIEUSES.	**Total**	**1,075**	**104**	**56**	**27**	**21**	**5**	**41**	**46**	**82**	**134**
		M.	**504**	**50**	**34**	**14**	**11**	–	**21**	**22**	**29**	**48**
		F.	**571**	**54**	**22**	**13**	**10**	**5**	**20**	**24**	**53**	**86**
1	Typhoid and paratyphoid fever—Fièvre typhoïde et paratyphoïde.	M.	6	–	–	–	–	–	–	1	–	1
		F.	7	–	–	–	–	–	–	1	2	1
	(a) Typhoid fever—Fièvre typhoïde...	M.	4	–	–	–	–	–	–	1	–	1
		F.	7	–	–	–	–	–	–	1	2	1
	(b) Paratyphoid fever—Fièvre paratyphoïde.	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
7	Measles—Rougeole.....	M.	19	6	10	1	–	–	1	1	–	–
		F.	26	8	6	1	1	1	3	2	1	–
8	Scarlet fever—Scarlatine.....	M.	11	–	1	1	2	–	4	2	–	–
		F.	10	–	2	1	2	–	2	2	–	1
9	Whooping-cough—Coqueluche.....	M.	34	22	9	2	1	–	–	–	–	–
		F.	34	23	6	2	–	–	3	–	–	–
10	Diphtheria—Diphtérie.....	M.	13	–	1	4	1	–	3	3	–	–
		F.	16	3	2	3	2	–	2	2	1	–
11	Influenza—Grippe.....	M.	77	12	5	1	–	–	1	1	–	3
		F.	102	12	3	1	1	–	2	4	1	2
	(a) Sole cause—Cause unique.....	M.	20	5	3	–	–	–	–	–	–	–
		F.	24	6	–	–	1	–	1	–	–	1
	(b) With phthisis—Avec phtisie.....	M.	7	1	–	–	–	–	–	–	–	2
		F.	8	–	–	–	–	–	1	–	1	1
	(c) With bronchitis—Avec bronchite....	M.	2	–	–	–	–	–	–	–	–	–
		F.	6	1	–	–	–	–	–	–	–	–
	(d) With pneumonia—Avec pneumonie..	M.	30	2	1	–	–	–	1	1	–	–
		F.	27	4	2	1	–	–	–	3	–	–
	(e) With other respiratory diseases—Avec autres affections de l'appareil respiratoire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	7	1	–	–	–	–	–	–	–	–
	(f) With diseases and accidents of pregnancy and parturition—Avec affections et accidents de la grossesse.	F.	1	–	–	–	–	–	–	–	–	–
	(g) With other causes—Avec autres causes.	M.	18	4	1	1	–	–	–	–	–	1
		F.	29	–	1	–	–	–	–	1	–	–
16	Dysentery—Dysenterie.....	M.	4	–	2	1	–	–	–	–	–	–
		F.	4	–	–	2	–	–	1	–	–	–
21	Erysipelas—Érysipèle.....	M.	6	–	–	–	–	–	–	–	–	–
		F.	5	1	–	–	–	–	–	–	–	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë.	M.	6	1	1	–	1	–	1	1	1	–
		F.	5	–	–	1	–	–	2	–	1	–
23	Lethargic encephalitis—Encéphalite léthargique.	M.	2	–	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique.	M.	5	2	1	–	–	–	–	–	–	–
		F.	3	–	1	–	–	–	2	–	–	–
25	Other epidemic and endemic diseases—Autres affections épidémiques et endémiques.	M.	1	–	–	–	–	1	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Chicken-pox—Varicelle.....	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) German measles—Rubéole.....	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
29	Tetanus—Tétanos.....	M.	3	–	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
31-37	**Tuberculosis—Tuberculose**.....	**M.**	**297**	**3**	**2**	**4**	**5**	–	**11**	**10**	**26**	**44**
		F.	**346**	**6**	**2**	**2**	**4**	**3**	**5**	**12**	**47**	**81**
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire.	M.	254	1	1	2	–	–	6	9	21	36
		F.	300	–	–	1	–	1	1	7	41	76
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central.	M.	21	2	–	2	4	–	4	1	3	4
		F.	25	6	2	–	4	2	4	4	2	1
33	Tuberculosis of the intestines and peritoneum—Tuberculose des intestins et du péritoine.	M.	6	–	–	–	–	–	–	–	1	1
		F.	13	–	–	1	–	–	–	1	2	2
34	Tuberculosis of the vertebral column—Tuberculose de la colonne vertébrale.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	1	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

NOUVELLE-ÉCOSSE

Âges																		No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
185	**182**	**157**	**166**	**194**	**253**	**279**	**347**	**440**	**519**	**543**	**535**	**393**	**168**	**53**	**12**	**5**	
94	**99**	**67**	**89**	**107**	**155**	**149**	**191**	**238**	**266**	**295**	**247**	**183**	**54**	**16**	**2**	**3**	
91	**92**	**90**	**77**	**87**	**98**	**130**	**156**	**202**	**253**	**248**	**288**	**210**	**114**	**37**	**10**	**2**	
102	**78**	**48**	**42**	**40**	**49**	**35**	**27**	**26**	**47**	**22**	**24**	**19**	**7**	**1**	–	**1**	
48	**36**	**26**	**22**	**26**	**22**	**17**	**16**	**9**	**22**	**11**	**10**	**8**	**2**	–	–	–	
54	**42**	**22**	**20**	**14**	**18**	**18**	**11**	**17**	**25**	**11**	**14**	**11**	**5**	**1**	–	**1**	
–	–	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1
–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1a
–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1b
–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	8
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
2	1	4	–	2	3	2	5	3	12	6	6	6	2	–	–	–	11
5	1	3	–	2	3	3	5	12	13	7	8	9	4	1	–	–	
–	–	–	–	–	1	–	–	–	4	2	2	3	–	–	–	–	11a
–	–	1	–	–	1	–	–	1	6	–	1	3	2	–	–	–	
–	–	1	–	–	2	–	–	–	–	1	–	–	–	–	–	–	11b
1	1	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	11c
–	–	–	–	–	–	–	1	–	1	2	–	1	–	–	–	–	
1	1	3	–	2	–	2	4	1	3	2	3	1	2	–	–	–	11d
1	–	–	–	1	1	–	3	5	2	1	1	2	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11e
1	–	–	–	–	–	–	–	1	2	2	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11f
1	–	–	–	–	–	–	1	2	4	1	–	2	–	–	–	–	11g
1	–	1	–	1	1	2	1	5	1	2	6	3	2	1	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	16
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	1	1	1	1	1	–	–	1	–	–	–	–	–	21
–	–	1	–	–	–	–	–	–	1	–	1	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	23
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	25
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	25b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	29
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
43	**34**	**19**	**19**	**21**	**16**	**12**	**8**	**4**	**9**	**5**	**2**	–	–	–	–	–	**31-37**
46	**38**	**18**	**18**	**10**	**13**	**15**	**5**	**2**	**9**	**4**	**4**	**1**	–	–	–	**1**	
38	31	19	19	21	15	11	7	3	8	5	1	–	–	–	–	–	31
45	34	17	16	9	13	15	4	2	9	4	4	1	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	33
1	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–	1	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

NOVA SCOTIA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS I-con.—**CLASSE I**-fin											
35	Tuberculosis of the joints—Tuberculose articulaire.	M.	2	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
36	Tuberculosis of other organs—Tuberculose d'autres organes.	M.	8	–	–	–	–	–	–	–	–	1
		F.	4	–	–	–	–	–	–	–	–	1
	(a) Skin and sub-cutaneous cellular tissue—De la peau et du tissu cellulaire sous-cutané.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Bones (vertebral column excepted)—Des os (excepté la colonne vertébrale).	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(c) Lymphatic system (mesenteric, and retroperitoneal glands excepted)—Du système lymphatique (excepté les ganglions mésentériques et les ganglions rétropéritonéaux.)	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Genito-urinary system—Des organes génito-urinaires.	M.	5	–	–	–	–	–	–	–	–	1
		F.	3	–	–	–	–	–	–	–	–	–
	(e) Organs other than above—Autres organes que ceux déjà mentionnés.	M.	1	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
37	Disseminated tuberculosis—Tuberculose disséminée.	M.	5	–	1	–	1	–	1	–	1	1
		F.	3	–	–	–	–	–	–	–	1	1
	(a) Acute—Aiguë	M.	4	–	1	–	1	–	1	–	1	–
		F.	3	–	–	–	–	–	–	–	1	1
	(b) Chronic or unstated—Chronique ou non spécifiée.	M.	1	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
38	Syphilis	M.	10	4	1	–	–	–	–	–	–	–
		F.	6	1	–	–	–	–	–	–	–	–
41	Purulent infection, septicaemia—Infection purulente, septicémie.	M.	10	–	–	–	–	–	–	–	–	1
		F.	7	–	–	–	–	–	–	1	2	–
	CLASS II—GENERAL DISEASES NOT INCLUDED IN CLASS I—CLASSE II—MALADIES GÉNÉRALES NON MENTIONNÉES DANS LA CLASSE I.	**Total**	**752**	**9**	**7**	**–**	**2**	**1**	**6**	**7**	**4**	**6**
		M.	**356**	**6**	**3**	**–**	**2**	**–**	**2**	**6**	**3**	**5**
		F.	**396**	**3**	**4**	**–**	**–**	**1**	**4**	**1**	**1**	**1**
43-49	**Cancer**	**M.**	**262**	–	–	–	–	–	–	1	–	2
		F.	**294**	–	–	–	–	–	–	–	1	–
43	Cancer of the buccal cavity—Cancer de la cavité buccale.	M.	21	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
44	Cancer of the stomach and liver—Cancer de l'estomac et du foie.	M.	124	–	–	–	–	–	–	1	–	–
		F.	105	–	–	–	–	–	–	–	–	–
45	Cancer of the peritoneum, intestines and rectum—Cancer du péritoine, des intestins et du rectum.	M.	47	–	–	–	–	–	–	–	–	–
		F.	47	–	–	–	–	–	–	–	–	1
46	Cancer of the female genital organs—Cancer des organes génitaux de la femme.	F.	52	–	–	–	–	–	–	–	–	–
47	Cancer of the breast—Cancer du sein	M.	1	–	–	–	–	–	–	–	–	–
		F.	48	–	–	–	–	–	–	–	–	–
48	Cancer of the skin—Cancer de la peau	M.	15	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
49	Cancer of other or unspecified organs—Cancer d'autres organes ou d'organes non spécifiés.	M.	54	–	–	–	–	–	–	–	–	–
		F.	34	–	–	–	–	–	–	–	–	1
	(a) Other—Autres	M.	54	–	–	–	–	–	–	–	1	–
		F.	34	–	–	–	–	–	–	–	–	1
	(b) Unspecified—Non spécifiés	M.	–	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
50	Benign tumours and tumours not returned as malignant (tumours of female genital organs excepted)—Tumeurs bénignes et tumeurs non données comme malignes (tumeurs des organes génitaux de la femme exceptées).	M.	5	–	–	–	–	–	–	–	–	–
		F.	11	–	–	–	–	–	–	–	–	1
51	Acute rheumatic fever—Rhumatisme articulaire aigu fébrile.	M.	4	–	–	–	–	–	1	2	–	–
		F.	7	–	–	–	–	–	1	–	–	–
52	Chronic rheumatism, osteo-arthritis, gout—Rhumatisme chronique ou goutte.	M.	2	–	–	–	–	–	–	–	–	–
		F.	9	–	–	–	–	–	–	–	–	–
56	Rickets—Rachitisme	M.	3	1	2	–	–	–	–	–	–	–
		F.	4	–	4	–	–	–	–	–	–	–
57	Diabetes mellitus—Diabète	M.	28	–	–	–	1	–	1	3	1	1
		F.	33	–	–	–	–	–	–	1	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

NOUVELLE-ÉCOSSE—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	35
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	2	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	36
–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	36b
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	36d
–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	37
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	37a
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	37b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	38
1	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	
–	1	–	1	1	–	1	1	1	–	–	–	1	–	–	–	–	41
1	1	–	–	–	1	–	1	1	–	–	1	–	1	–	–	–	
14	**16**	**19**	**16**	**45**	**58**	**77**	**87**	**104**	**102**	**77**	**53**	**37**	**5**	–	–	–	
8	**4**	**3**	**7**	**21**	**34**	**29**	**46**	**49**	**46**	**42**	**25**	**14**	**1**	–	–	–	
6	**12**	**16**	**9**	**24**	**24**	**48**	**41**	**55**	**56**	**35**	**28**	**23**	**4**	–	–	–	
2	**1**	**3**	**4**	**11**	**23**	**26**	**37**	**44**	**38**	**37**	**22**	**10**	**1**	–	–	–	**43–49**
4	**6**	**10**	**6**	**17**	**22**	**40**	**32**	**43**	**45**	**28**	**22**	**15**	**3**	–	–	–	
–	–	–	–	–	1	4	4	3	1	3	4	1	–	–	–	–	43
–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	
2	–	–	–	5	10	15	24	20	18	16	9	4	–	–	–	–	44
2	–	3	3	4	4	11	12	17	23	14	7	4	1	–	–	–	
–	1	1	2	4	7	5	2	7	7	9	–	–	1	–	–	–	45
1	1	–	–	1	4	5	8	6	7	4	6	3	1	–	–	–	
–	3	4	–	6	6	7	6	8	5	2	2	3	–	–	–	–	46
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	47
–	1	1	–	5	5	10	5	7	3	3	4	3	1	–	–	–	
–	–	–	–	–	1	–	1	–	5	3	4	1	–	–	–	–	48
–	–	–	–	1	1	–	–	–	–	–	1	2	–	–	–	–	
–	–	2	2	2	4	2	5	14	7	6	5	4	–	–	–	–	49
1	1	2	2	–	2	6	1	5	7	4	2	–	–	–	–	–	
–	–	2	2	2	4	2	5	14	7	6	5	4	–	–	–	–	49a
1	1	2	2	–	2	6	1	5	7	4	2	–	–	–	–	–	49b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	50
–	–	–	–	1	–	1	1	–	1	3	1	2	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	51
1	1	2	–	–	–	1	–	–	–	–	–	1	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	52
–	–	–	–	3	–	–	1	–	–	1	1	2	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	56
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	2	1	4	–	1	2	6	3	1	1	–	–	–	–	57
–	–	1	1	1	1	2	5	7	6	3	2	3	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

NOVA SCOTIA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS II–con.—**CLASSE II**–fin											
58	Anaemia, chlorosis—Anémie, chlorose....	M.	21	–	–	–	–	–	–	–	1	–
		F.	17	–	–	–	–	–	–	–	–	–
	(a) Pernicious anaemia—Anémie pernicieuse.	M.	15	–	–	–	–	–	–	–	–	–
		F.	11	–	–	–	–	–	–	–	–	–
	(b) Other anaemias and chlorosis—Autres anémies et chloroses.	M.	6	–	–	–	–	–	–	–	1	–
		F.	6	–	–	–	–	–	–	–	–	–
60	Diseases of the thyroid gland—Affections de la glande thyroïde.	M.	2	–	–	–	–	–	–	–	–	1
		F.	8	–	–	–	–	–	–	–	–	–
	(a) Exophthalmic goiter—Goître exophtalmique.	M.	2	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	1
	(b) Other diseases of the thyroid gland—Autres affections de la glande thyroïde.	M.	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
62	Diseases of the thymus—Affections du thymus.	M.	5	4	1	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
63	Diseases of the adrenals (Addison's disease)—Affections des glandes surrénales (maladie d'Addison).	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
64	Diseases of the spleen—Affections de la rate.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
65	Leukaemia, lymphadenoma — Leucémie, lymphadénie.	M.	7	–	–	–	1	–	–	–	–	–
		F.	6	–	–	–	–	–	–	–	–	1
	(a) Leukaemia—Leucémie.....	M.	3	–	–	–	–	–	2	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
	(b) Lymphadenoma (Hodgkin's disease) —Lymphadénie (maladie d'Hodgkin).	M.	4	–	–	–	1	–	2	–	–	–
		F.	3	–	–	–	–	–	–	–	–	1
66	Alcoholism—Alcoolisme.....	M.	8	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Delirium tremens.....	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Acute alcoholism—Alcoolisme aigu.	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Chronic alcoholism—Alcoolisme chronique.	M.	5	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
67	Chronic poisoning by mineral substances—Empoisonnements chroniques par substances minérales.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Chronic lead poisoning—Empoisonnements chroniques par le plomb.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Others under this title—Autres sous ce titre.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
68	Chronic organic poisoning—Empoisonnements chroniques par substances organiques.	M.	2	–	–	–	–	–	–	–	1	–
		F.	1	–	–	–	–	–	–	–	–	–
	(a) Chronic morphinism—Morphinisme chronique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Chronic cocainism, etc. Cocaïnisme chronique, etc.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Other organic poisoning—Autres empoisonnements organiques.	M.	2	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
69	Other general diseases—Autres maladies générales.	M.	5	1	–	–	–	–	–	–	–	–
		F.	4	2	–	–	–	1	1	–	–	–
	(a) Diabetes insipidus—Diabète insipide	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Haemophilia—Hémophilie.....	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(c) Purpura haemorrhagica — Purpura hémorragique.	M.	2	–	–	–	–	–	–	–	–	–
		F.	2	1	–	–	–	1	–	–	–	–
	(d) Others under this title—Autres sous ce titre.	M.	2	1	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–
	CLASS III—DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE—CLASSE III—AFFECTIONS DU SYSTÈME NERVEUX ET DES ORGANES DES SENS.	Total	661	100	11	4	2	3	10	7	14	12
		M.	341	56	9	2	2	2	5	5	9	8
		F.	320	44	2	2	–	1	5	2	5	4
70	Encephalitis—Encéphalite.....	M.	3	–	–	–	–	–	–	1	–	–
		F.	4	–	–	–	–	–	–	1	–	–
	(a) Abscess of brain—Abcès du cerveau.	M.	3	–	–	–	–	–	–	1	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(b) Encephalitis—Encéphalite.....	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	1	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

NOUVELLE-ÉCOSSE—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
1	–	–	–	3	4	1	6	3	2	–	–	–	–	–	–	–	58
–	1	2	1	1	1	2	1	3	4	–	1	–	–	–	–	–	
–	–	–	–	2	3	1	4	3	2	–	–	–	–	–	–	–	58a
–	–	2	1	1	–	2	–	1	3	–	1	–	–	–	–	–	
1	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	58b
–	1	–	–	–	1	–	1	2	1	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	60
1	1	–	1	1	–	1	–	2	–	–	1	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	60a
–	1	–	1	1	–	–	–	2	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	60b
1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	63
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	64
1	–	–	–	–	2	–	1	–	–	–	–	1	–	–	–	–	
–	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	65
–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	65a
1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	
–	2	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	65b
2	–	–	1	3	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	66
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	66a
–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	66b
1	–	–	–	2	–	1	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	66c
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	67
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	67a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	67b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	68
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	68a
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	68b
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	68c
–	1	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69b
–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69c
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69d
4	**13**	**15**	**18**	**19**	**38**	**31**	**43**	**56**	**68**	**70**	**66**	**43**	**9**	**2**	**1**	**2**	
3	**7**	**4**	**9**	**9**	**24**	**16**	**26**	**25**	**34**	**37**	**27**	**17**	**3**	–	**1**	**1**	
1	**6**	**11**	**9**	**10**	**14**	**15**	**17**	**31**	**34**	**33**	**39**	**26**	**6**	**2**	–	**1**	
1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	70
–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	
1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	70a
–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70b
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

NOVA SCOTIA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS III–con.—**CLASSE III**–fin											
71	Meningitis—Méningite	M.	25	8	4	1	1	–	4	1	2	1
		F.	11	5	–	–	–	1	1	–	1	1
	(a) Simple meningitis—Méningite simple	M.	25	8	4	1	1	–	4	1	2	1
		F.	11	5	–	–	–	1	1	–	1	1
	(b) Non-epidemic, cerebrospinal meningitis—Méningite cérébro-spinale non épidémique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
72	Tabes dorsalis (locomotor ataxia)—Ataxie locomotrice progressive.	M.	3	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
73	Other diseases of the spinal cord—Autres affections de la moelle épinière.	M.	20	–	–	–	–	–	–	–	–	1
		F.	6	–	–	–	–	–	–	–	–	–
74	Cerebral haemorrhage, apoplexy—Hémorragie cérébrale, apoplexie.	M.	111	–	–	–	–	–	–	–	–	–
		F.	132	–	–	–	–	–	1	–	–	–
	(a) Apoplexy—Apoplexie	M.	53	–	–	–	–	–	–	–	–	–
		F.	61	–	–	–	–	–	–	–	–	–
	(b) Cerebral haemorrhage—Hémorragie cérébrale.	M.	49	–	–	–	–	–	–	–	–	–
		F.	64	–	–	–	–	–	1	–	–	–
	(c) Cerebral thrombosis and embolism—Thrombose et embolie cérébrales.	M.	9	–	–	–	–	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–
75	Paralysis without specified cause—Paralysie sans cause indiquée.	M.	40	–	–	–	–	–	–	1	–	–
		F.	57	–	–	–	–	–	–	–	–	–
	(a) Hemiplegia—Hémiplégie	M.	7	–	–	–	–	–	–	–	–	–
		F.	9	–	–	–	–	–	–	–	–	–
	(b) Others under this title—Autres sous ce titre.	M.	33	–	–	–	–	–	–	1	–	–
		F.	48	–	–	–	–	–	–	–	–	–
76	General paralysis of the insane—Paralysie générale des aliénés.	M.	9	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
77	Other forms of mental alienation—Autres formes de l'aliénation mentale.	M.	22	–	–	–	–	–	–	–	–	–
		F.	21	–	–	–	–	–	–	–	–	2
78	Epilepsy—Épilepsie	M.	16	–	–	–	–	–	–	2	4	2
		F.	13	–	–	–	–	–	1	–	4	–
79	Convulsions (non-puerperal, 5 years or over)—Éclampsie (non-puerpérale, cinq ans et au-dessus).	M.	1	–	–	–	–	–	1	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
80	Infantile convulsions (under 5 years of age)—Convulsions des enfants (moins de cinq ans).	M.	50	44	4	1	–	1	–	–	–	–
		F.	41	37	2	2	–	–	–	–	–	–
81	Chorea—Chorée	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
82	Neuralgia and neuritis—Névralgie et névrite.	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
83	Softening of the brain—Ramollissement du cerveau.	M.	3	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
84	Other diseases of the nervous system—Autres affections du système nerveux.	M.	21	–	1	–	1	1	–	–	1	–
		F.	22	2	–	–	–	–	1	–	–	1
85	Diseases of the eye and annexa—Affections de l'œil et de ses annexes.	M.	2	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien.	M.	12	3	–	–	–	–	–	–	2	4
		F.	2	–	–	–	–	–	1	1	–	–
	(a) Diseases of the ear—Affections de l'oreille.	M.	6	1	–	–	–	–	–	–	–	3
		F.	1	–	–	–	–	–	1	–	–	–
	(b) Diseases of the mastoid process—Affections du sinus mastoïdien.	M.	6	2	–	–	–	–	–	–	2	1
		F.	1	–	–	–	–	–	–	1	–	–
	CLASS IV—DISEASES OF THE CIRCULATORY SYSTEM — CLASSE IV—AFFECTIONS DE L'APPAREIL CIRCULATOIRE.	Total	971	3	2	–	2	–	4	4	8	5
		M.	528	–	–	–	2	–	2	1	5	2
		F.	443	3	2	–	–	–	2	3	3	3
87–90	**Diseases of the heart—Affections du cœur.**	M.	377	–	–	–	2	–	2	1	5	2
		F.	318	–	1	–	–	–	2	3	3	3
87	Pericarditis—Péricardite	M.	2	–	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
88	Endocarditis and myocarditis (acute)—Endocardite et myocardite (aiguës).	M.	6	–	–	–	–	–	2	–	1	–
		F.	7	–	–	–	–	–	1	1	1	1
	(a) Acute endocarditis—Endocardite aiguë.	M.	3	–	–	–	–	–	2	–	1	–
		F.	3	–	–	–	–	–	1	–	1	1
	(b) Acute myocarditis—Myocardite aiguë.	M.	3	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	1	–	–
89	Angina pectoris—Angine de poitrine	M.	52	–	–	–	–	–	–	–	–	–
		F.	17	–	–	–	–	–	–	–	1	–
90	Other diseases of the heart—Autres affections du cœur.	M.	317	–	–	–	1	–	–	1	4	2
		F.	294	–	1	–	–	–	1	2	1	2

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

NOUVELLE-ÉCOSSE—suite

Âges																		
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	71
–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	71a
–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	72
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	1	6	1	2	3	1	4	–	–	–	–	–	–	73
–	–	–	–	–	–	1	–	–	2	1	2	–	–	–	–	–	
–	–	1	2	2	6	9	14	8	19	21	16	10	3	–	–	–	74
–	2	3	5	3	5	8	6	16	22	17	18	21	3	1	–	1	
–	–	1	–	1	3	4	5	4	6	11	9	8	1	–	–	–	74a
–	1	3	1	1	1	3	3	6	11	8	12	9	1	–	–	1	
–	–	–	2	1	3	4	6	4	12	9	5	2	1	–	–	–	74b
–	–	–	3	2	4	4	3	10	9	8	5	12	2	1	–	–	
–	–	–	–	–	–	1	3	–	1	1	2	–	1	–	–	–	74c
–	1	–	1	–	–	1	–	–	2	1	1	–	–	–	–	–	
–	1	–	–	–	1	–	3	6	6	6	9	6	–	–	–	1	75
–	1	1	1	1	–	1	6	8	6	11	14	4	2	1	–	–	
–	–	–	–	–	1	–	–	2	–	1	1	2	–	–	–	–	75a
–	–	–	–	–	–	–	2	1	–	2	3	1	–	–	–	–	
–	1	–	–	–	–	–	3	4	6	5	8	4	–	–	–	1	75b
–	1	1	1	1	–	1	4	7	6	9	11	3	2	1	–	–	
–	2	1	2	–	–	2	1	–	–	–	–	1	–	–	–	–	76
–	–	1	–	–	–	1	–	–	–	–	2	–	–	–	–	–	
1	1	–	3	2	4	1	2	5	1	1	–	–	–	–	1	–	77
–	–	3	1	2	3	2	2	4	1	1	–	–	–	–	–	–	
–	–	1	1	2	–	1	2	–	1	–	–	–	–	–	–	–	78
–	1	1	1	–	2	–	1	–	–	1	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	79
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	81
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	82
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	83
–	–	–	–	–	–	–	1	–	–	1	1	–	1	–	–	–	
1	1	–	–	1	4	1	2	–	3	3	1	–	–	–	–	–	84
1	1	1	1	3	3	2	1	2	1	1	–	1	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	85
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	86
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	86a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	86b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
10	**7**	**8**	**14**	**28**	**38**	**65**	**92**	**114**	**132**	**175**	**139**	**92**	**23**	**5**	–	**1**	
4	**4**	**1**	**8**	**18**	**22**	**46**	**50**	**66**	**70**	**96**	**71**	**50**	**7**	**2**	–	**1**	
6	**3**	**7**	**6**	**10**	**16**	**19**	**42**	**48**	**62**	**79**	**68**	**42**	**16**	**3**	–	–	
4	**4**	**1**	**8**	**17**	**19**	**40**	**37**	**45**	**41**	**66**	**43**	**34**	**4**	**1**	–	**1**	**87-90**
5	**2**	**7**	**6**	**7**	**13**	**12**	**33**	**35**	**42**	**56**	**48**	**27**	**10**	**3**	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	87
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	88
1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	88a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	88b
1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	1	–	1	3	5	6	8	8	4	9	4	3	–	–	–	–	89
–	–	1	–	–	2	–	2	–	2	3	2	4	–	–	–	–	
4	3	1	6	13	14	32	29	37	37	57	39	31	4	1	–	1	90
4	2	5	6	7	11	12	30	35	40	53	46	23	10	3	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

NOVA SCOTIA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS IV-con.—CLASSE IV-fin											
90	(a) Valvular disease—Affection valvulaire.	M.	82	–	–	–	–	–	–	–	3	2
		F.	100	–	1	–	–	–	1	1	–	–
	(b) Fatty degeneration of the heart—Dégénérescence ou stéanose du cœur.	M.	3	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(c) Aortic insufficiency—Insuffisance aortique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Chronic endocarditis — Endocardite chronique.	M.	24	–	–	–	1	–	–	–	–	–
		F.	26	–	–	–	–	–	–	1	–	1
	(e) Chronic myocarditis—Myocardite chronique.	M.	79	–	–	–	–	–	–	1	1	–
		F.	74	–	–	–	–	–	–	–	–	–
	(f) Others under this title—Autres sous ce titre.	M.	129	–	–	–	–	–	–	–	–	–
		F.	92	–	–	–	–	–	–	–	1	1
91	Diseases of the arteries—Affections des artères.	M.	144	–	–	–	–	–	–	–	–	–
		F.	113	–	–	–	–	–	–	–	–	–
	(a) Aneurysm—Anévrisme	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Arteriosclerosis—Artério-sclérose	M.	141	–	–	–	–	–	–	–	–	–
		F.	112	–	–	–	–	–	–	–	–	–
	(c) Other diseases of the arteries—Autres affections des artères.	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
92	Embolism and thrombosis (not cerebral)—Embolie et thrombose (non cérébrales).	M.	3	–	–	–	–	–	–	–	–	–
		F.	6	2	–	–	–	–	–	–	–	–
93	Diseases of the veins (varices, haemorrhoids, phlebitis, etc.)—Affections des veines (varices, hémorroïdes, phlébite, etc.).	M.	3	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
94	Diseases of the lymphatic system (lymphangitis, etc.)—Affections du système lymphatique (lymphangite, etc.)	M.	–	–	–	–	–	–	–	–	–	–
		F.	3	1	1	–	–	–	–	–	–	–
95	Haemorrhage without specified cause—Hémorragie sans cause déterminée.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
96	Other diseases of the circulatory system—Autres affections de l'appareil circulatoire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	CLASS V—DISEASES OF THE RESPIRATORY SYSTEM — CLASSE V—AFFECTIONS DE L'APPAREIL RESPIRATOIRE.	Total	**603**	**165**	**52**	**14**	**10**	**3**	**10**	**6**	**3**	**6**
		M.	**323**	**100**	**27**	**7**	**3**	**3**	**5**	**3**	**3**	**4**
		F.	**280**	**65**	**25**	**7**	**7**	–	**5**	**3**	–	**2**
97	Diseases of the nasal fossae and their annexa—Affections des fosses nasales et de leurs annexes.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
98	Diseases of the larynx—Affections du larynx.	M.	2	–	1	–	–	–	–	–	–	–
		F.	3	2	–	–	–	–	–	–	–	–
	(a) Laryngismus—Laryngite striduleuse.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Laryngitis—Laryngite	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Croup	M.	1	–	–	–	–	–	–	–	–	–
		F.	2	2	–	–	–	–	–	–	–	–
	(d) Other diseases of the larynx—Autres affections du larynx.	M.	1	–	1	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite	M.	24	4	2	–	–	–	–	–	–	–
		F.	21	5	1	–	–	–	–	–	–	–
	(a) Acute—Aiguë	M.	6	3	1	–	–	–	–	–	–	–
		F.	7	3	1	–	–	–	–	–	–	–
	(b) Chronic—Chronique	M.	10	–	–	–	–	–	–	–	–	–
		F.	8	–	–	–	–	–	–	–	–	–
	(c) Not otherwise defined, under 5 years of age—Sans épithète, au-dessous de cinq ans.	M.	2	1	1	–	–	–	–	–	–	–
		F.	2	2	–	–	–	–	–	–	–	–
	(d) Not otherwise defined, 5 years or over—Sans épithète, cinq ans ou au-dessus.	M.	6	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
100	Bronchopneumonia (including capillary bronchitis) — Broncho-pneumonie (y compris bronchite capillaire).	M.	102	52	11	3	1	1	1	–	–	–
		F.	93	28	10	2	4	–	2	2	–	–
	(a) Bronchopneumonia — Broncho-pneumonie.	M.	100	50	11	3	1	1	1	–	–	–
		F.	90	27	10	2	4	–	2	2	–	–
	(b) Capillary bronchitis—Bronchite capillaire.	M.	2	2	–	–	–	–	–	–	–	–
		F.	3	1	–	–	–	–	–	–	–	–
101	Pneumonia—Pneumonie	M.	163	42	12	4	2	2	2	2	3	4
		F.	140	30	13	5	3	–	3	1	–	2

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

NOUVELLE-ÉCOSSE—suite

Âges																		No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	3	4	4	12	4	10	9	16	7	7	1	–	–	–	90a
2	1	1	5	4	3	4	7	16	15	13	17	5	3	1	–	–	
–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	90b
–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	90c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	3	4	4	6	3	1	1	–	–	–	90d
–	–	2	1	–	1	–	3	1	4	6	1	3	1	1	–	–	
–	–	1	2	2	3	4	6	6	10	15	16	8	2	1	–	1	90e
1	–	–	–	2	–	2	11	5	9	19	12	8	4	1	–	–	
4	2	–	1	7	7	16	15	16	13	20	13	15	–	–	–	–	90f
1	1	2	–	1	6	6	9	13	11	15	16	7	2	–	–	–	
–	–	–	–	1	2	4	13	19	28	29	28	16	3	1	–	–	91
–	–	–	–	3	3	6	9	13	18	22	18	15	6	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	91a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	2	4	13	19	26	29	28	15	3	1	–	–	91b
–	–	–	–	3	3	6	9	13	18	22	17	15	6	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	91c
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	92
1	1	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	93
–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	94
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	95
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	96
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
1	**10**	**11**	**11**	**11**	**18**	**16**	**25**	**35**	**41**	**45**	**54**	**36**	**13**	**6**	**1**	–	
–	**6**	**6**	**10**	**2**	**11**	**7**	**14**	**19**	**20**	**25**	**19**	**19**	**8**	**2**	–	–	
1	**4**	**5**	**1**	**9**	**7**	**9**	**11**	**16**	**21**	**20**	**35**	**17**	**5**	**4**	**1**	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	97
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98
–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	98c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98d
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	1	2	1	4	3	2	2	2	–	–	–	99
1	–	–	–	1	–	–	–	–	2	2	2	5	–	2	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	99a
–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	
–	–	–	1	–	–	1	–	1	3	2	1	–	1	–	–	–	99b
–	–	–	–	–	–	–	–	–	1	1	2	3	–	1	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	99c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	2	–	–	1	1	1	1	–	–	–	99d
1	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	
–	2	1	–	–	4	1	2	8	2	7	2	2	1	1	–	–	100
–	1	–	1	3	2	2	3	6	6	7	7	5	2	–	–	–	
–	2	1	–	–	4	1	2	8	2	7	2	2	1	1	–	–	100a
–	1	–	1	3	2	2	3	4	6	7	7	5	2	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	100b
–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	
–	1	4	6	1	5	5	8	6	11	14	12	13	4	–	–	–	101
–	3	4	–	3	5	5	5	8	11	8	20	6	2	2	1	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

NOVA SCOTIA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS V-con.—CLASSE V-fin											
101	(a) Lobar—Lobaire	M.	60	10	3	1	–	1	–	1	3	2
		F.	50	4	3	1	1	–	2	–	–	1
	(b) Not otherwise defined—Sans épithète	M.	103	32	9	3	2	1	2	1	–	2
		F.	90	26	10	4	2	–	1	1	–	1
102	Pleurisy—Pleurésie	M.	6	–	–	–	–	–	1	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
103	Congestion and haemorrhagic infarct of the lung—Congestion et hémorragie parenchymateuse des poumons.	M.	8	–	1	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
104	Gangrene of the lung—Gangrène du poumon.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
105	Asthma—Asthme	M.	7	–	–	–	–	–	–	1	–	–
		F.	8	–	–	–	–	–	–	–	–	–
106	Pulmonary emphysema—Emphysème pulmonaire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
107	Other diseases of the respiratory system (tuberculosis excepted)—Autres affections respiratoires (tuberculose exceptée).	M.	11	2	–	–	–	–	1	–	–	–
		F.	3	–	1	–	–	–	–	–	–	–
	(a) Chronic interstitial pneumonia including occupational diseases of the lungs—Pneumonie interstitielle chronique comprenant les affections professionnelles de l'appareil pulmonaire.	M. F.	1 –	– –	– –	– –	– –	– –	– –	– –	– –	– –
	(b) Diseases of the mediastinum—Affections du médiastin.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	10	2	–	–	–	–	1	–	–	–
		F.	3	–	1	–	–	–	–	–	–	–
	CLASS VI—DISEASES OF THE DIGESTIVE SYSTEM—CLASSE VI—AFFECTIONS DE L'APPAREIL DIGESTIF.	Total	475	169	40	9	10	10	15	20	10	7
		M.	254	96	23	5	6	5	7	10	4	5
		F.	221	73	17	4	4	5	8	10	6	2
108	Diseases of the mouth and annexa—Affections de la bouche et de ses annexes.	M.	3	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	1	–	–	–
109	Diseases of the pharynx and tonsils (including adenoid vegetations)—Affections du pharynx et des amygdales (y compris les végétations adénoïdiennes).	M.	5	–	–	–	–	–	2	–	–	–
		F.	6	1	–	1	–	–	–	1	–	1
	(a) Adenoid vegetations—Végétations adénoïdiennes.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Pharynx and tonsils—Pharynx et amygdales.	M.	5	–	–	–	–	–	2	–	–	–
		F.	6	1	–	1	–	–	–	1	–	1
111	Ulcer of the stomach and duodenum—Ulcère de l'estomac et du duodénum.	M.	17	–	–	–	–	–	–	–	–	–
		F.	10	–	–	–	–	–	–	–	–	–
	(a) Ulcer of the stomach—Ulcère de l'estomac.	M.	14	–	–	–	–	–	–	–	–	–
		F.	9	–	–	–	–	–	–	–	–	–
	(b) Ulcer of the duodenum—Ulcère du duodénum.	M.	3	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
112	Other diseases of the stomach (cancer excepted)—Autres affections de l'estomac (cancer excepté).	M.	13	4	–	–	–	1	–	–	–	–
		F.	11	2	–	–	1	–	–	–	–	–
113	Diarrhoea and enteritis (under 2 years of age)—Diarrhée et entérite (au-dessous de 2 ans).	M.	106	85	21	–	–	–	–	–	–	–
		F.	81	65	16	–	–	–	–	–	–	–
114	Diarrhoea and enteritis (2 years or over)—Diarrhée et entérite (deux ans ou au-dessus).	M.	23	–	–	5	6	2	2	–	1	1
		F.	20	–	–	3	1	2	4	1	–	–
116	Diseases due to other intestinal parasites—Affections dues à d'autres parasites intestinaux.	M.	1	1	–	–	–	–	–	–	–	–
		F.	1	–	1	–	–	–	–	–	–	–
	(a) Cestodes (hydatids of the liver excepted)—Cestodes (non compris les hydatides du foie).	M.	1	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Trematodes—Trématodes	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Nematodes (other than ankylostoma)—Nématodes (autres que ankylostomiase).	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Coccidia—Coccidies	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Other parasites specified—Autres parasites spécifiés.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

NOUVELLE-ÉCOSSE—suite

Âges																		
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	2	3	1	–	4	3	6	6	5	5	4	–	–	–	–	101a
–	2	2	–	2	2	5	2	3	7	4	7	1	–	–	1	–	
–	1	2	3	–	5	1	5	–	5	9	7	9	4	–	–	–	101b
–	1	2	–	1	3	–	3	5	4	4	13	5	2	2	–	–	
–	–	–	1	–	–	–	2	–	1	–	1	–	–	–	–	–	102
–	–	1	–	–	–	1	2	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	1	–	2	2	–	1	–	–	103
–	–	–	–	–	–	–	–	–	–	1	2	1	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	104
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
–	1	–	1	1	–	–	–	1	–	1	–	–	1	–	–	–	105
–	–	–	–	–	–	1	1	1	2	1	2	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	106
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	1	1	–	1	–	–	3	–	–	–	–	–	–	–	–	107
–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	107a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	1	1	–	1	–	–	2	–	–	–	–	–	–	–	–	107c
–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	
9	**15**	**13**	**17**	**11**	**17**	**12**	**15**	**16**	**17**	**19**	**12**	**10**	**1**	**1**	–	–	
6	**9**	**7**	**7**	**5**	**10**	**7**	**8**	**9**	**10**	**6**	**5**	**4**	–	–	–	–	
3	**6**	**6**	**10**	**6**	**7**	**5**	**7**	**7**	**7**	**13**	**7**	**6**	**1**	**1**	–	–	
–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	108
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	109
–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	109a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	109b
–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	3	2	2	1	–	1	2	3	1	–	–	–	–	–	–	111
–	–	–	1	1	1	–	2	2	2	1	–	–	–	–	–	–	
2	–	3	2	2	1	–	1	1	1	1	–	–	–	–	–	–	111a
–	–	–	1	1	1	–	2	2	2	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	111b
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
1	–	–	–	1	3	–	1	–	–	1	–	1	–	–	–	–	112
–	–	–	1	–	–	–	–	–	1	4	2	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	113
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	1	1	–	–	–	1	1	–	1	–	–	–	–	–	114
–	1	–	–	1	–	–	–	–	1	1	2	2	–	1	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

NOVA SCOTIA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VI—con.—**CLASSE VI**—fin											
116	(f) Parasites not specified—Parasites non spécifiés.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	1	–	–	–	–	–	–	–
117	Appendicitis and typhlitis—Appendicite et typhlite.	M.	31	–	1	–	–	1	3	8	2	2
		F.	22	–	–	–	1	1	2	7	5	1
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale.	M.	26	2	–	–	–	–	–	2	1	1
		F.	21	5	–	–	–	2	–	–	–	–
	(a) Hernia—Hernie	M.	5	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(b) Intestinal obstruction—Obstruction intestinale.	M.	21	2	–	–	–	–	–	2	1	1
		F.	19	5	–	–	–	2	–	–	–	–
119	Other diseases of the intestines—Autres affections des intestins.	M.	9	4	–	–	–	1	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
120	Acute yellow atrophy of the liver—Atrophie jaune aiguë du foie.	M.	2	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	1	–	–	–	1	–
122	Cirrhosis of the liver—Cirrhose du foie	M.	7	–	–	–	–	–	–	–	–	–
		F.	8	–	–	–	–	–	–	–	–	–
	(a) Specified as alcoholic—Spécifiée comme alcoolique.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Not specified as alcoholic—Non spécifiée comme alcoolique.	M.	6	–	–	–	–	–	–	–	–	–
		F.	8	–	–	–	–	–	–	–	–	–
123	Biliary calculi—Calculs biliaires	M.	1	–	–	–	–	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–
124	Other diseases of the liver—Autres affections du foie.	M.	7	–	–	–	–	–	–	–	–	–
		F.	21	–	–	–	–	–	1	1	–	–
126	Peritonitis without specified cause—Péritonite sans cause indiquée.	M.	3	–	1	–	–	–	–	–	–	1
		F.	5	–	–	–	–	–	–	–	–	–
	CLASS VII—NON-VENEREAL DISEASES OF THE GENITO-URINARY SYSTEM AND ANNEXA CLASSE VII—AFFECTIONS NON VÉNÉRIENNES DE L'APPAREIL GÉNITO-URINAIRE ET DE SES ANNEXES.	**Total**	**433**	**1**	**1**	**2**	–	**1**	**4**	**4**	**6**	**3**
		M.	**251**	–	**1**	**1**	–	–	**4**	**2**	**3**	–
		F.	**182**	**1**	–	**1**	–	**1**	–	**2**	**3**	**3**
128	Acute nephritis (including unspecified, under 10 years of age)—Néphrite aiguë (y compris non spécifiée au-dessous de dix ans).	M.	14	–	–	–	–	–	1	1	3	–
		F.	9	1	–	–	–	–	–	–	1	1
129	Chronic nephritis (including unspecified, 10 years of age or over)—Néphrite chronique (y compris non spécifiée, dix ans ou au-dessus).	M.	153	–	1	–	–	–	1	–	–	–
		F.	133	–	–	–	–	–	–	1	–	1
131	Other diseases of the kidneys and annexa—Autres affections des reins et de leurs annexes.	M.	26	–	–	1	–	–	2	1	–	–
		F.	16	–	–	1	–	1	–	1	–	–
132	Calculi of the urinary passages—Calculs des voies urinaires.	M.	3	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
133	Diseases of the bladder—Affections de la vessie.	M.	9	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
134	Diseases of the urethra, urinary abscess, etc.—Affections de l'urètre, abcès uri-neux, etc.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Stricture of the urethra—Rétrécissement de l'urètre.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other diseases of the urethra—Autres affections de l'urètre.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
135	Diseases of the prostate—Affections de la prostate.	M.	44	–	–	–	–	–	–	–	–	–
136	Non-venereal diseases of the male genital organs—Affections non vénériennes des organes génitaux de l'homme.	M.	1	–	–	–	–	–	–	–	–	–
137	Cysts and other benign tumours of the ovary—Kystes et autres tumeurs bénignes de l'ovaire.	F.	2	–	–	–	–	–	–	–	1	–
138	Salpingitis and pelvic abscess—Salpingite et abcès du bassin.	F.	3	–	–	–	–	–	–	–	–	–
139	Benign tumours of the uterus—Tumeurs bénignes de l'utérus.	F.	5	–	–	–	–	–	–	–	–	–
140	Non-puerperal uterine haemorrhage—Hémorragie utérine non puerpérale.	F.	2	–	–	–	–	–	–	–	–	1
141	Other diseases of the female genital organs—Autres affections des organes génitaux de la femme.	F.	8	–	–	–	–	–	–	–	1	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

NOUVELLE-ÉCOSSE—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116f
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	4	2	–	1	1	1	2	1	1	–	–	–	–	–	–	–	117
1	–	1	1	–	–	1	1	–	–	–	–	–	–	–	–	–	
1	–	–	2	–	2	1	3	1	2	2	3	3	–	–	–	–	118
–	3	1	–	–	–	1	2	1	2	3	–	1	–	–	–	–	
–	–	–	–	–	–	1	1	–	1	1	–	1	–	–	–	–	118a
–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	
1	–	–	2	–	2	–	2	1	1	1	3	2	–	–	–	–	118b
–	3	1	–	–	–	1	2	–	1	3	–	1	–	–	–	–	
–	–	–	1	–	–	1	1	–	–	1	–	–	–	–	–	–	119
1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	120
–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	122
–	–	–	1	–	2	1	–	1	1	1	–	–	–	–	–	–	
–	–	1	–	–	1	–	–	1	1	2	1	1	–	–	–	–	122a
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	122b
–	–	–	–	–	2	1	–	1	1	1	–	–	–	–	–	–	
–	–	1	–	–	1	–	–	1	1	2	1	1	–	–	–	–	123
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	4	–	1	1	–	–	–	–	–	1	–	–	–	–	124
–	1	1	–	–	–	1	–	2	1	–	1	–	–	–	–	–	
–	1	1	2	3	2	1	1	2	–	2	2	1	1	–	–	–	126
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–	
6	**8**	**13**	**15**	**16**	**18**	**23**	**39**	**48**	**60**	**61**	**59**	**29**	**12**	**3**	**1**	–	
3	**4**	**4**	**7**	**6**	**9**	**11**	**17**	**32**	**35**	**43**	**43**	**18**	**6**	**2**	–	–	
3	**4**	**9**	8	**10**	**9**	**12**	**22**	**16**	**25**	**18**	**16**	**11**	**6**	**1**	**1**	–	
–	1	2	–	–	1	–	–	1	1	1	1	–	–	1	–	–	128
–	1	1	1	–	1	1	1	–	–	–	–	–	–	–	–	–	
2	2	2	5	6	5	10	14	22	20	26	25	8	3	1	–	–	129
2	1	5	5	5	5	8	21	14	20	16	12	9	6	1	1	–	
1	1	–	1	–	2	1	–	2	3	3	2	5	1	–	–	–	131
1	–	1	–	–	1	1	–	1	3	1	3	1	–	–	–	–	
–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	132
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	2	3	1	1	1	–	–	–	133
–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	134
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	134a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	134b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	2	4	9	10	13	4	1	–	–	–	135
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	136
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	137
–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	138
–	–	–	–	2	1	–	–	–	2	–	–	–	–	–	–	–	139
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	140
–	–	1	2	2	–	1	–	–	–	1	–	–	–	–	–	–	141

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

NOVA SCOTIA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VIII—THE PUERPERAL STATE—CLASSE VIII—ÉTAT PUERPÉRAL.	Total	76	–	–	–	–	–	–	–	5	14
143	Accidents of pregnancy—Accidents de la grossesse.	F.	3	–	–	–	–	–	–	–	–	–
	(a) Abortion—Avortement.	F.	1	–	–	–	–	–	–	–	–	–
	(b) Ectopic gestation—Gestation ectopique.	F.	1	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	F.	1	–	–	–	–	–	–	–	–	–
	(d) Abortion, self-induced—Avortement provoqué par soi-même.	F.	–	–	–	–	–	–	–	–	–	–
144	Puerperal haemorrhage—Hémorragie puerpérale.	F.	6	–	–	–	–	–	–	–	–	–
145	Other accidents of labour—Autres accidents de l'accouchement.	F.	17	–	–	–	–	–	–	–	2	3
	(a) Caesarean section—Opération césarienne.	F.	4	–	–	–	–	–	–	–	–	–
	(b) Difficult labour—Accouchement laborieux.	F.	2	–	–	–	–	–	–	–	–	1
	(c) Other surgical operations and instrumental delivery—Autres opérations chirurgicales et application d'instruments.	F.	7	–	–	–	–	–	–	–	–	2
	(d) Uncontrollable vomiting—Vomissements incontrôlables.	F.	4	–	–	–	–	–	–	–	2	–
	(e) Rupture of uterus in labour, etc.—Rupture de l'utérus durant l'accouchement, etc.	F.	–	–	–	–	–	–	–	–	–	–
146	Puerperal septicaemia—Septicémie puerpérale.	F.	15	–	–	–	–	–	–	–	1	2
147	Puerperal phlegmasia alba dolens, puerperal embolism, sudden death in puerperium—Phlegmasia alba dolens, embolie, mort subite puerpérales.	F.	4	–	–	–	–	–	–	–	–	–
148	Puerperal albuminuria and convulsions—Albuminurie et éclampsie puerpérales.	F.	24	–	–	–	–	–	–	–	2	6
149	Following childbirth (not otherwise defined)—Suites de couches (sans autres explications.	F.	7	–	–	–	–	–	–	–	–	3
	CLASS IX—DISEASES OF THE SKIN AND OF THE CELLULAR TISSUE—CLASSE IX—AFFECTIONS DE LA PEAU ET DU TISSU CELLULAIRE.	Total	40	3	1	–	–	–	–	–	1	3
		M.	24	1	1	–	–	–	–	–	1	2
		F.	16	2	–	–	–	–	–	–	–	1
151	Gangrene—Gangrène.....	M.	12	–	–	–	–	–	–	–	–	–
		F.	8	–	–	–	–	–	–	–	–	–
152	Furuncle—Furoncle.....	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	1	–
153	Acute abscess—Phlegmon, abcès chaud...	M.	8	1	1	–	–	–	–	–	–	1
		F.	6	2	–	–	–	–	–	–	–	1
154	Other diseases of the skin and annexa—Autres affections de la peau et de ses annexes.	M.	2	–	–	–	–	–	–	–	–	1
		F.	1	–	–	–	–	–	–	–	–	–
	CLASS X—DISEASES OF THE BONES AND OF THE ORGANS OF LOCOMOTION—CLASSE X —AFFECTIONS DES OS ET DES ORGANES DE LA LOCOMOTION.	Total	10	1	1	–	1	–	–	–	–	1
		M.	7	1	–	–	1	–	–	–	–	1
		F.	3	–	1	–	–	–	–	–	–	–
155	Diseases of the bones (mastoid and tuberculosis excepted)—Affections des os (sinus mastoïdien et tuberculose exceptés).	M.	5	–	–	–	1	–	–	–	–	1
		F.	2	–	1	–	–	–	–	–	–	–
156	Diseases of the joints (tuberculosis and rheumatism excepted)—Affections articulaires (tuberculose et rhumatisme exceptés).	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
158	Other diseases of the organs of locomotion—Autres affections des organes de la locomotion.	M.	2	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

NOUVELLE-ÉCOSSE—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
15	**14**	**13**	**12**	**2**	**1**	–	–	–	–	–	–	–	–	–	–	–	
–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	143
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143a
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143b
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	143c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143d
1	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	144
6	2	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	145
3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145a
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145b
1	1	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	145c
1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145e
3	1	5	1	2	–	–	–	–	–	–	–	–	–	–	–	–	146
1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	147
3	5	3	5	–	–	–	–	–	–	–	–	–	–	–	–	–	148
1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	149
–	–	–	**1**	–	**5**	–	**3**	**1**	**3**	**6**	**4**	**4**	**3**	–	**2**	–	
–	–	–	**1**	–	**4**	–	–	–	**1**	**5**	**2**	**4**	**1**	–	**1**	–	
–	–	–	–	–	**1**	–	**3**	**1**	**2**	**1**	**2**	–	**2**	–	**1**	–	
–	–	–	–	–	1	–	–	–	–	4	1	4	1	–	1	–	151
–	–	–	–	–	–	–	1	–	1	1	2	–	2	–	1	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	152
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	3	–	–	–	–	–	1	–	–	–	–	–	153
–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	154
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	**1**	–	**1**	**1**	**2**	–	**1**	–	–	–	–	–	
–	–	–	–	–	**1**	–	**1**	**1**	**1**	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	**1**	–	**1**	–	–	–	–	–	
–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	155
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	156
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	158

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

NOVA SCOTIA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XI—MALFORMATIONS—CLASSE XI—VICES DE CONFORMATION.	**Total**	**64**	**58**	**2**	–	–	**1**	**2**	**1**	–	–
		M.	**36**	**31**	**1**	–	–	**1**	**2**	**1**	–	–
		F.	**28**	**27**	**1**	–	–	–	–	–	–	–
159	Congenital malformations (stillbirths not included)—Vices de conformation congénitaux (mort-nés non compris).	M.	36	31	1	–	–	1	2	1	–	–
		F.	28	27	1	–	–	–	–	–	–	–
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale.	M.	3	2	1	–	–	–	–	–	–	–
		F.	2	1	1	–	–	–	–	–	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur.	M.	19	17	–	–	–	–	2	–	–	–
		F.	12	12	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	14	12	–	–	–	1	–	1	–	–
		F.	14	14	–	–	–	–	–	–	–	–
	CLASS XII—DISEASES OF EARLY INFANCY—CLASSE XII—AFFECTIONS DU PREMIER ÂGE.	**Total**	**398**	**398**	–	–	–	–	–	–	–	–
		M.	**228**	**228**	–	–	–	–	–	–	–	–
		F.	**170**	**170**	–	–	–	–	–	–	–	–
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème.	M.	84	84	–	–	–	–	–	–	–	–
		F.	65	65	–	–	–	–	–	–	–	–
161	Premature birth, injury at birth—Naissance prématurée, conséquence de l'accouchement.	M.	120	120	–	–	–	–	–	–	–	–
		F.	93	93	–	–	–	–	–	–	–	–
	(a) Premature birth—Naissance prématurée.	M.	101	101	–	–	–	–	–	–	–	–
		F.	79	79	–	–	–	–	–	–	–	–
	(b) Injury at birth—Conséquence de l'accouchement.	M.	19	19	–	–	–	–	–	–	–	–
		F.	14	14	–	–	–	–	–	–	–	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	M.	24	24	–	–	–	–	–	–	–	–
		F.	12	12	–	–	–	–	–	–	–	–
	CLASS XIII—OLD AGE—CLASSE XIII—VIEILLESSE.	**Total**	**428**	–	–	–	–	–	–	–	–	–
		M.	**155**	–	–	–	–	–	–	–	–	–
		F.	**273**	–	–	–	–	–	–	–	–	–
164	Senility—Sénilité	M.	155	–	–	–	–	–	–	–	–	–
		F.	273	–	–	–	–	–	–	–	–	–
	CLASS XIV—EXTERNAL CAUSES—CLASSE XIV—CAUSES EXTÉRIEURES.	**Total**	**338**	**10**	**11**	**5**	**5**	**3**	**20**	**9**	**25**	**21**
		M.	**265**	**5**	**7**	**4**	**1**	**2**	**13**	**9**	**20**	**21**
		F.	**73**	**5**	**4**	**1**	**4**	**1**	**7**	–	**5**	–
165–174	**Suicides**	**M.**	**17**	–	–	–	–	–	–	–	**1**	**2**
		F.	**2**	–	–	–	–	–	–	–	–	–
165	Suicide by solid or liquid poisons (corrosive substances excepted)—Suicide par ingestion de poisons solides ou liquides (substances corrosives exceptées).	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
166	Suicide by corrosive substances—Absorption volontaire de substances corrosives.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
168	Suicide by hanging or strangulation—Suicide par pendaison ou strangulation.	M.	6	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
169	Suicide by drowning—Suicide par submersion.	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
170	Suicide by firearms—Suicide par armes à feu.	M.	6	–	–	–	–	–	–	–	1	2
		F.	–	–	–	–	–	–	–	–	–	–
172	Suicide by jumping from high places—Suicide par précipitation d'un lieu élevé.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
175	Poisoning by food—Empoisonnement par aliments.	M.	3	–	–	–	–	–	1	–	1	–
		F.	1	–	–	–	–	–	1	–	–	–
176	Poisoning by venomous animals—Attaques d'animaux venimeux.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
177	Other acute accidental poisonings (gas excepted)—Autres empoisonnements accidentels, aigus (par gaz exceptés).	M.	7	1	3	1	–	–	–	–	1	–
		F.	4	1	1	1	–	–	–	–	–	–
178	Conflagration—Incendie	M.	3	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

NOUVELLE-ÉCOSSE—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	160
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	**1**	**3**	**32**	**46**	**106**	**115**	**86**	**33**	**6**	–	
–	–	–	–	–	–	–	–	**1**	**17**	**20**	**40**	**43**	**25**	**9**	–	–	
–	–	–	–	–	–	–	**1**	**2**	**15**	**26**	**66**	**72**	**61**	**24**	**6**	–	
–	–	–	–	–	–	–	–	1	17	20	40	43	25	9	–	–	164
–	–	–	–	–	–	–	1	2	15	26	66	72	61	24	6	–	
23	**20**	**17**	**20**	**21**	**17**	**18**	**13**	**27**	**13**	**15**	**13**	**4**	**7**	–	–	**1**	
22	**19**	**16**	**18**	**19**	**16**	**16**	**12**	**21**	**8**	**9**	**3**	**3**	–	–	–	**1**	
1	**1**	**1**	**2**	**2**	**1**	**2**	**1**	**6**	**5**	**6**	**10**	**1**	**7**	–	–	–	**165-174**
3	**1**	–	**1**	**1**	**1**	**1**	**3**	**1**	**1**	**1**	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	**2**	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	165
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	166
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	1	–	1	–	–	1	1	1	–	–	–	–	–	–	168
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	169
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	170
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	172
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	175
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	176
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	177
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	178
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

NOVA SCOTIA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XIV-con.—**CLASSE XIV**-fin											
179	Accidental burns and scalds (conflagration excepted)—Brûlures accidentelles (autres que par l'incendie).	M.	12	1	1	1	–	1	1	–	2	–
		F.	7	1	1	–	2	–	1	–	–	–
180	Accidental mechanical suffocation—Suffocation mécanique accidentelle.	M.	1	1	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(a) Overlaying—Étouffé pendant le sommeil.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Asphyxia—Asphyxie	M.	1	1	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
181	Accidental absorption of irrespirable or poisonous gas—Absorption accidentelle de gaz irrespirables ou toxiques.	M.	1	–	1	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
182	Accidental drowning—Submersion accidentelle.	M.	67	–	2	–	1	–	5	8	9	10
		F.	8	–	–	–	–	–	2	–	4	–
183	Accidental traumatism by firearms—Traumatismes accidentels par armes à feu.	M.	5	–	–	–	–	–	–	1	2	–
		F.	1	–	–	–	–	–	1	–	–	–
184	Accidental traumatism by cutting or piercing instruments—Traumatismes accidentels par instruments tranchants ou piquants.	M.	2	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
185	Accidental traumatism by fall—Traumatismes accidentels par chute.	M.	35	–	–	1	–	1	–	–	1	–
		F.	21	–	1	–	1	–	1	–	–	–
186	Accidental traumatism in mines and quarries—Traumatismes accidentels par mines et carrières.	M.	27	–	–	–	–	–	–	–	2	5
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Coal mines—Mines de charbon	M.	27	–	–	–	–	–	–	–	2	5
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other mines—Autres mines	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Quarries—Carrières	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
187	Accidental traumatism by machines—Traumatismes accidentels par machines.	M.	10	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.)—Traumatismes accidentels par autres écrasements (voitures, railways, éboulements, etc.)	M.	53	–	–	1	–	–	4	–	–	2
		F.	11	–	1	–	1	1	1	–	–	–
	(a) Railroad accidents—Accidents par chemins de fer.	M.	17	–	–	–	–	–	–	–	–	2
		F.	2	–	–	–	–	–	–	–	–	–
	(b) Street car accidents—Accidents par tramways.	M.	2	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	1	–	–	–	–	–
	(c) Automobile accidents—Accidents par automobiles.	M.	25	–	–	1	–	–	1	–	–	–
		F.	6	–	1	–	–	1	3	–	–	–
	(d) Aeroplane and balloon accidents—Accidents par aéroplanes et ballons.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Injuries by other vehicles—Blessures par autres voitures.	M.	6	–	–	–	–	–	1	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(f) Other crushing—Autres écrasements.	M.	3	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
189	Injuries by animals (poisoning excepted)—Violences exercées par des animaux (empoisonnements exceptés).	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
193	Excessive cold—Froid excessif	M.	3	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
196	Other accidental electric shocks—Autres électrocutions accidentelles.	M.	2	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
197–199	**Homicides**	**M.**	**2**	**1**	–	–	–	–	–	–	–	–
		F.	**1**	–	–	–	–	–	–	–	1	–
197	Homicide by firearms—Homicide par armes à feu.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	1	–
198	Homicide by cutting or piercing instruments—Homicide par instruments tranchants ou piquants.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
199	Homicide by other means—Homicide par autres moyens.	M.	2	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
201	Fracture (cause not specified)—Fracture (cause non spécifiée).	M.	6	–	–	–	–	–	–	–	–	–
		F.	11	–	–	–	–	–	–	–	–	–
202	Other external violence (cause specified)—Autres violences extérieures (cause spécifiée).	M.	7	1	–	–	–	–	2	–	–	–
		F.	2	1	–	–	–	–	–	–	–	–
203	External violence (cause not specified)—Violences extérieures (cause non spécifiée).	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

NOUVELLE-ÉCOSSE—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
1	1	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	179
–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	181
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
7	4	3	3	4	2	3	4	1	–	–	–	–	–	–	–	1	182
–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	183
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	184
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	2	2	1	2	–	2	2	9	4	5	1	–	–	–	–	–	185
–	–	–	–	2	1	–	–	2	2	2	4	1	4	–	–	–	
4	–	4	4	5	–	1	1	1	–	–	–	–	–	–	–	–	186
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
4	–	4	4	5	–	1	1	1	–	–	–	–	–	–	–	–	186a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	186b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	186c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	3	1	1	–	1	–	–	3	–	–	–	–	–	–	–	–	187
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
4	5	2	6	5	8	6	2	4	–	3	1	–	–	–	–	–	188
–	–	1	–	–	–	2	–	1	1	–	2	–	–	–	–	–	
–	2	2	3	2	2	3	–	–	–	–	1	–	–	–	–	–	188a
–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	188b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	3	–	3	1	5	2	1	3	–	–	–	–	–	–	–	–	188c
–	–	1	–	–	–	2	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	188d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	1	1	–	2	–	–	–	–	–	–	188e
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	188f
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	189
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	193
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	196
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	197–199
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	197
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	198
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	199
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	1	–	1	3	–	–	–	–	201
–	–	–	–	–	–	–	–	–	1	4	3	–	3	–	–	–	
–	–	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–	202
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	203
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

NOVA SCOTIA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XV—ILL-DEFINED DISEASES—CLASSE XV—MALADIES MAL DÉFINIES.	**Total**	**54**	**7**	**5**	**2**	–	–	**1**	–	–	–
		M.	**28**	**5**	**2**	–	–	–	–	–	–	–
		F.	**26**	**2**	**3**	**2**	–	–	**1**	–	–	–
204	Sudden death—Mort subite	M.	4	2	–	–	–	–	–	–	–	–
		F.	2	1	–	–	–	–	–	–	–	–
205	Cause of death not specified or ill-defined—Cause de décès non spécifiée ou mal définie.	M.	24	3	2	–	–	–	–	–	–	–
		F.	24	1	3	2	–	–	1	–	–	–
	(a) Ill-defined—Mal définie	M.	3	–	1	–	–	–	–	–	–	–
		F.	4	–	–	1	–	–	1	–	–	–
	(b) Not specified or unknown—Non spécifiée ou inconnue.	M.	8	3	1	–	–	–	–	–	–	–
		F.	6	1	3	1	–	–	–	–	–	–
	(c) Heart failure—Paralysie du cœur	M.	13	–	–	–	–	–	–	–	–	–
		F.	14	–	–	–	–	–	–	–	–	–
	(d) Syncope	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

NEW BRUNSWICK

	DEATHS—ALL CAUSES—DÉCÈS—TOUTES CAUSES.	**Total**	**4,902**	**1,006**	**186**	**76**	**50**	**33**	**100**	**99**	**137**	**133**
		M.	**2,537**	**542**	**103**	**37**	**18**	**17**	**59**	**45**	**67**	**58**
		F.	**2,365**	**464**	**83**	**39**	**32**	**16**	**50**	**54**	**70**	**75**
	CLASS I—EPIDEMIC, ENDEMIC AND INFECTIOUS DISEASES—CLASSE I—AFFECTIONS ÉPIDÉMIQUES, ENDÉMIQUES ET INFECTIEUSES.	**Total**	**798**	**113**	**59**	**26**	**15**	**12**	**29**	**36**	**59**	**68**
		M.	**387**	**60**	**29**	**14**	**4**	**6**	**15**	**12**	**20**	**26**
		F.	**411**	**53**	**30**	**12**	**11**	**6**	**14**	**24**	**39**	**42**
1	Typhoid and paratyphoid fever—Fièvre typhoïde et paratyphoïde.	M.	17	–	–	–	–	1	–	2	2	4
		F.	18	–	–	1	–	–	–	1	2	5
	(a) Typhoid fever—Fièvre typhoïde	M.	17	–	–	–	–	1	–	2	2	4
		F.	18	–	–	1	–	–	–	1	2	5
	(b) Paratyphoid fever—Fièvre paratyphoïde.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
7	Measles—Rougeole	M.	22	9	10	–	1	–	2	–	–	–
		F.	21	4	7	1	2	–	1	2	1	1
8	Scarlet fever—Scarlatine	M.	20	6	2	–	1	3	4	1	–	2
		F.	13	1	3	1	1	1	3	1	1	–
9	Whooping-cough—Coqueluche	M.	28	18	5	3	1	1	–	–	–	–
		F.	33	18	10	1	2	2	–	–	–	–
10	Diphtheria—Diphtérie	M.	7	–	–	3	–	1	2	1	–	–
		F.	11	–	1	2	2	–	4	1	–	–
11	Influenza—Grippe	M.	66	16	5	3	–	–	–	2	3	–
		F.	71	26	4	2	2	1	2	2	1	1
	(a) Sole cause—Cause unique	M.	35	13	3	3	–	–	–	1	1	–
		F.	45	25	3	1	1	1	–	2	1	–
	(b) With phthisis—Avec phtisie	M.	1	–	–	–	–	–	–	–	–	–
		F.	2	–	–	1	–	–	–	–	–	–
	(c) With bronchitis—Avec bronchite	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) With pneumonia—Avec pneumonie	M.	10	1	–	–	–	–	–	–	2	–
		F.	8	1	–	–	–	–	–	–	–	–
	(e) With other respiratory diseases—Avec autres affections de l'appareil respiratoire.	M.	1	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	1	–	–	–	–	–
	(f) With diseases and accidents of pregnancy and parturition—Avec affections et accidents de la grossesse.	F.	1	–	–	–	–	–	–	–	–	1
	(g) With other causes—Avec autres causes.	M.	18	2	2	–	–	–	–	1	–	–
		F.	13	–	1	–	–	–	2	–	–	–
21	Erysipelas—Érysipèle	M.	4	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë.	M.	4	2	1	–	–	–	–	–	–	–
		F.	2	–	2	–	–	–	–	–	–	–
23	Lethargic encephalitis—Encéphalite léthargique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	1	–	–	1	2
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique.	M.	5	2	1	–	–	–	1	–	–	–
		F.	7	2	1	2	–	–	–	–	–	2
25	Other epidemic and endemic diseases—Autres affections épidémiques et endémiques.	M.	1	1	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

NOUVELLE-ÉCOSSE—fin

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
1	**1**	–	–	**1**	**2**	**2**	**1**	**9**	**2**	**7**	**4**	**4**	**2**	**2**	**1**	–	
–	**1**	–	–	**1**	**2**	–	**1**	**6**	**2**	**1**	**2**	**3**	**1**	**1**	–	–	
1	–	–	–	–	–	**2**	–	**3**	–	**6**	**2**	**1**	**1**	**1**	**1**	–	
–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	204
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	1	–	–	1	2	–	1	4	2	1	2	3	1	1	–	–	205
1	–	–	–	–	–	2	–	3	–	5	2	1	1	1	1	–	
–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	205a
–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	205b
–	1	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	205c
–	–	–	–	–	1	–	1	1	2	1	2	3	1	1	–	–	
–	–	–	–	–	–	1	–	2	–	5	2	1	1	1	1	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	205d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

NOUVEAU-BRUNSWICK

144	**111**	**109**	**115**	**150**	**149**	**224**	**264**	**335**	**384**	**429**	**326**	**217**	**96**	**25**	**4**	–	
69	**48**	**48**	**61**	**71**	**75**	**129**	**153**	**192**	**219**	**238**	**156**	**98**	**31**	**8**	**4**	–	
75	**63**	**61**	**54**	**79**	**74**	**95**	**111**	**143**	**165**	**191**	**170**	**119**	**65**	**17**	–	–	
73	**41**	**36**	**30**	**41**	**24**	**30**	**16**	**23**	**20**	**17**	**16**	**10**	**3**	**1**	–	–	
35	**21**	**20**	**16**	**22**	**7**	**19**	**9**	**13**	**13**	**8**	**9**	**8**	**1**	–	–	–	
38	**20**	**16**	**14**	**19**	**17**	**11**	**7**	**10**	**7**	**9**	**7**	**2**	**2**	**1**	–	–	
3	–	2	1	–	–	1	–	–	–	–	–	1	–	–	–	–	1
1	2	1	1	2	1	1	–	–	–	–	–	–	–	–	–	–	
3	–	2	1	–	–	1	–	–	–	–	–	1	–	–	–	–	1a
1	2	1	1	2	1	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11
2	1	–	2	2	–	5	2	2	4	5	6	5	1	–	–	–	
1	–	–	1	–	2	2	1	5	5	6	4	1	2	–	–	–	11a
1	1	–	1	2	–	2	–	1	1	1	3	1	–	–	–	–	
–	–	–	1	–	–	2	1	–	1	2	2	–	2	–	–	–	11b
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	11c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	3	–	–	2	–	1	1	–	–	–	–	11d
–	–	–	–	–	1	–	–	2	2	2	–	–	–	–	–	–	11e
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11f
1	–	–	1	–	–	–	1	1	1	3	1	3	1	–	–	–	11g
1	–	–	–	–	–	–	–	3	2	1	2	1	–	–	–	–	
–	–	–	–	1	–	–	–	1	–	–	–	2	–	–	–	–	21
–	–	–	1	–	2	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	22
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	23
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

NEW BRUNSWICK—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages									
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS I-con.—CLASSE I-fin											
25	(a) Chicken pox—Varicelle	M.	1	1	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(b) German measles—Rubéole	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
29	Tetanus—Tétanos	M.	2	–	–	–	–	–	–	1	–	1
		F.	1	–	–	–	–	–	–	1	–	–
31-37	**Tuberculosis—Tuberculose**	**M.**	**193**	**5**	**4**	**5**	**1**	**–**	**4**	**5**	**15**	**19**
		F.	**219**	**1**	**2**	**2**	**2**	**1**	**3**	**16**	**32**	**31**
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire.	M.	148	–	2	–	–	–	1	4	11	17
		F.	193	1	–	1	1	–	2	14	24	28
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central.	M.	20	4	2	4	1	–	2	–	2	2
		F.	6	–	1	1	–	1	1	1	1	–
33	Tuberculosis of the intestines and peritoneum—Tuberculose des intestins et du péritoine.	M.	7	–	–	1	–	–	1	1	–	–
		F.	7	–	–	–	–	–	–	–	3	1
34	Tuberculosis of the vertebral column—Tuberculose de la colonne vertébrale.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	1	–
35	Tuberculosis of the joints—Tuberculose articulaire.	M.	1	–	–	–	–	–	–	–	1	–
		F.	2	–	–	–	–	–	–	1	–	1
36	Tuberculosis of other organs—Tuberculose d'autres organes.	M.	11	1	–	–	–	–	–	–	1	–
		F.	3	–	–	–	1	–	–	–	1	–
	(a) Skin and sub-cutaneous cellular tissue—De la peau et du tissu cellulaire sous-cutané.	M.	3	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Bones (vertebral column excepted)—Des os (excepté la colonne vertébrale)	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	1	–	–	–	–	–
	(c) Lymphatic system, mesenteric, and retroperitoneal glands excepted)—Du système lymphatique(excepté les ganglions mésentériques et les ganglions rétropéritonéaux).	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Genito-urinary system—Des organes génito-urinaires.	M.	7	–	–	–	–	–	–	–	1	–
		F.	2	–	–	–	–	–	–	–	1	–
	(e) Organs other than above—Autres organes que ceux déjà mentionnés.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
37	Disseminated tuberculosis—Tuberculose disséminée.	M.	5	–	–	–	–	–	–	–	–	–
		F.	7	–	1	–	–	–	–	–	2	1
	(a) Acute—Aiguë	M.	3	–	–	–	–	–	–	–	–	–
		F.	4	–	1	–	–	–	–	–	1	1
	(b) Chronic or unstated—Chronique ou non spécifiée.	M.	2	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	1	–
38	Syphilis	M.	9	1	–	–	–	–	2	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
41	Purulent infection, septicaemia—Infection purulente, septicémie.	M.	9	–	1	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	1	–	1	–
	CLASS II—GENERAL DISEASES NOT INCLUDED IN CLASS I—CLASSE II—MALADIES GÉNÉRALES NON MENTIONNÉES DANS LA CLASSE I.	**Total**	**470**	**10**	**6**	**–**	**1**	**–**	**3**	**4**	**4**	**6**
		M.	**234**	**6**	**4**	**–**	**–**	**–**	**1**	**3**	**1**	**3**
		F.	**236**	**4**	**2**	**–**	**1**	**–**	**2**	**1**	**3**	**3**
43-49	**Cancer**	**M.**	**158**	**–**	**1**	**–**	**–**	**–**	**–**	**–**	**–**	**1**
		F.	**174**	**–**	**–**	**–**	**–**	**–**	**1**	**–**	**1**	**–**
43	Cancer of the buccal cavity—Cancer de la cavité buccale.	M.	10	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
44	Cancer of the stomach and liver—Cancer de l'estomac et du foie.	M.	75	–	–	–	–	–	–	–	–	–
		F.	55	–	–	–	–	–	–	–	–	–
45	Cancer of the peritoneum, intestines and rectum—Cancer du péritoine, des intestins et du rectum.	M.	27	–	–	–	–	–	–	–	–	1
		F.	35	–	–	–	–	–	–	–	–	–
46	Cancer of the female genital organs—Cancer des organes génitaux de la femme.	F.	34	–	–	–	–	–	–	–	–	–
47	Cancer of the breast—Cancer du sein	M.	2	–	–	–	–	–	–	–	–	–
		F.	27	–	–	–	–	–	–	–	–	–
48	Cancer of the skin—Cancer de la peau	M.	3	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	1	–
49	Cancer of other or unspecified organs.—Cancer d'autres organes ou d'organes non spécifiés.	M.	41	–	1	–	–	–	–	–	–	–
		F.	16	–	–	–	–	–	1	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

NOUVEAU-BRUNSWICK—suite

Âges																		
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
30	**19**	**16**	**13**	**16**	**6**	**10**	**7**	**7**	**7**	**3**	**1**	–	–	–	–	–	**31-37**
34	**18**	**12**	**10**	**17**	**12**	8	**6**	**5**	**1**	**3**	2	1	–	–	–	–	
25	18	12	10	13	4	7	7	7	7	2	1	–	–	–	–	–	31
34	18	12	8	16	11	6	6	4	1	3	2	1	–	–	–	–	
3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	33
–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	35
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	3	2	–	–	2	–	–	–	1	–	–	–	–	–	–	36
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	36a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	36b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	3	2	–	–	1	–	–	–	–	–	–	–	–	–	–	36d
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	1	3	–	–	–	–	–	–	–	–	–	–	–	–	37
–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	37a
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	37b
–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	2	–	2	1	1	–	–	–	–	–	–	–	–	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	1	–	2	–	1	1	–	2	–	–	–	–	–	41
–	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	
4	**12**	**8**	**13**	**24**	**29**	**49**	**63**	**64**	**76**	**57**	**25**	8	4	–	–	–	
3	**4**	**4**	**5**	**10**	**11**	**24**	**36**	**34**	**41**	**31**	**10**	2	1	–	–	–	
1	8	**4**	8	**14**	**18**	**25**	**27**	**30**	**35**	**26**	**15**	**6**	**3**	–	–	–	
–	**2**	**2**	**3**	8	8	**15**	**26**	**25**	**33**	**23**	8	**2**	**1**	–	–	–	**43-49**
–	**4**	**2**	**7**	**10**	**16**	**19**	**21**	**21**	**29**	**21**	**14**	**6**	**2**	–	–	–	
–	–	–	–	1	–	–	1	1	3	1	1	1	1	–	–	–	43
–	–	–	–	–	–	–	1	–	1	1	–	1	–	–	–	–	
–	2	1	2	–	5	7	10	13	18	12	4	1	–	–	–	–	44
–	1	–	1	1	6	4	8	11	9	8	4	1	1	–	–	–	
–	–	1	–	2	3	4	6	3	2	4	1	–	–	–	–	–	45
–	1	1	1	3	4	1	5	4	8	3	3	1	–	–	–	–	
–	2	1	1	3	5	5	5	1	5	3	2	1	–	–	–	–	46
–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	47
–	–	–	3	3	1	5	1	4	3	2	2	2	1	–	–	–	
–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	48
–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	
–	–	–	1	5	–	3	8	8	8	5	2	–	–	–	–	–	49
–	–	–	1	–	–	4	1	1	3	4	1	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

NEW BRUNSWICK—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS II-con.—CLASSE II-fin											
49	(a) Other—Autres	M.	41	–	1	–	–	–	–	–	–	–
		F.	15	–	–	–	–	–	1	–	–	–
	(b) Unspecified—Non spécifiés	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
50	Benign tumours and tumours not returned as malignant (tumours of female genital organs excepted)—Tumeurs bénignes et tumeurs non données comme malignes (tumeurs des organes génitaux de la femme exceptées).	M.	3	1	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
51	Acute rheumatic fever—Rhumatisme articulaire aigu fébrile.	M.	4	–	–	–	–	–	–	–	1	1
		F.	6	–	–	–	1	–	–	1	–	2
52	Chronic rheumatism, osteo-arthritis, gout —Rhumatisme chronique ou goutte.	M.	4	–	–	–	–	–	–	–	–	1
		F.	4	–	–	–	–	–	–	–	–	–
56	Rickets—Rachitisme	M.	4	3	1	–	–	–	–	–	–	–
		F.	1	–	1	–	–	–	–	–	–	–
57	Diabetes mellitus—Diabète	M.	25	–	–	–	–	–	–	2	–	–
		F.	21	–	–	–	–	–	–	–	2	–
58	Anaemia, chlorosis—Anémie, chlorose	M.	17	–	–	–	–	–	–	–	–	–
		F.	15	–	1	–	–	–	1	–	–	–
	(a) Pernicious anaemia—Anémie pernicieuse.	M.	17	–	–	–	–	–	–	–	–	–
		F.	10	–	1	–	–	–	1	–	–	–
	(b) Other anaemias and chlorosis—Autres anémies et chloroses.	M.	–	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
60	Diseases of the thyroid gland—Affections de la glande thyroïde.	M.	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
	(a) Exophthalmic goiter—Goître exophtalmique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(b) Other diseases of the thyroid gland— Autres affections de la glande thyroïde.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
62	Diseases of the thymus—Affections du thymus.	M.	3	1	2	–	–	–	–	–	–	–
		F.	3	3	–	–	–	–	–	–	–	–
63	Diseases of the adrenals (Addison's disease)—Affections des glandes surrénales (maladie d'Addison).	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
65	Leukaemia, lymphadenoma—Leucémie, lymphadénie.	M.	4	–	–	–	–	–	–	1	–	–
		F.	4	–	–	–	–	–	–	–	–	–
	(a) Leukaemia—Leucémie	M.	4	–	–	–	–	–	–	1	–	–
		F.	4	–	–	–	–	–	–	–	–	–
	(b) Lymphadenoma (Hodgkin's disease) —Lymphadénie (maladie d'Hodgkin).	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
66	Alcoholism—Alcoolisme	M.	9	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Delirium tremens	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Acute alcoholism—Alcoolisme aigu	M.	5	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Chronic alcoholism — Alcoolisme chronique.	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
69	Other general diseases—Autres maladies générales.	M.	2	1	–	–	–	–	1	–	–	–
		F.	3	1	–	–	–	–	–	–	–	1
	(a) Diabetes insipidus—Diabète insipide	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Haemophilia—Hémophilie	M.	1	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Purpura haemorrhagica—Purpura hémorragique.	M.	1	–	–	–	–	–	1	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1
	(d) Others under this title—Autres sous ce titre.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	1	–	–	–	–	–	–	–	–
	CLASS III—DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE—CLASSE III—AFFECTIONS DU SYSTÈME NERVEUX ET DES ORGANES DES SENS.	Total	428	35	13	5	2	2	7	9	7	5
		M.	226	23	5	2	–	2	4	6	6	2
		F.	202	12	8	3	2	–	3	3	1	3
70	Encephalitis—Encéphalite	M.	3	–	–	–	–	–	–	2	–	–
		F.	7	–	1	–	–	–	–	1	–	1
	(a) Abscess of brain—Abcès du cerveau	M.	3	–	–	–	–	–	–	2	–	–
		F.	3	–	–	–	–	–	–	1	–	–
	(b) Encephalitis—Encéphalite	M.	–	–	–	–	–	–	–	–	–	–
		F.	4	–	1	–	–	–	–	–	–	1

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

NOUVEAU-BRUNSWICK—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	1	5	–	3	8	8	8	5	2	–	–	–	–	–	49a
–	–	–	1	–	–	4	1	1	3	3	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	49b
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	50
–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	51
–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	52
–	–	–	–	–	1	–	–	1	–	1	–	–	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	56
–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	–	–	
–	2	–	–	–	1	2	3	4	6	5	–	–	–	–	–	–	57
–	1	–	1	1	1	3	2	3	3	3	1	–	–	–	–	–	
1	–	–	1	1	2	5	2	1	2	1	1	–	–	–	–	–	58
1	1	1	–	1	–	1	2	3	3	–	–	–	–	–	–	–	
1	–	–	1	1	2	5	2	1	2	1	1	–	–	–	–	–	58a
–	–	1	–	1	–	–	1	2	3	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	58b
1	1	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	60
–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	60a
–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	60b
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	63
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	65
–	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	65a
–	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	65b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	2	–	–	–	1	2	3	–	–	–	–	–	–	–	–	66
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	66a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–	66b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	66c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	69a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69d
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
9	**8**	**14**	**13**	**12**	**17**	**23**	**30**	**43**	**58**	**55**	**29**	**24**	**7**	**1**	–	–	
4	**4**	**6**	**9**	**7**	**8**	**11**	**15**	**22**	**32**	**31**	**11**	**15**	**1**	–	–	–	
5	**4**	**8**	**4**	**5**	**9**	**12**	**15**	**21**	**26**	**24**	**18**	**9**	**6**	**1**	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	70
–	–	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	70a
–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70b
–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

NEW BRUNSWICK—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS III-con.—**CLASSE III**-fin											
71	Meningitis—Méningite	M.	14	6	–	2	–	1	2	2	1	–
		F.	14	4	3	1	–	–	–	2	–	–
	(a) Simple meningitis—Méningite simple	M.	14	6	–	2	–	1	2	2	1	–
		F.	13	4	3	1	–	–	–	2	–	–
	(b) Non-epidemic, cerebrospinal meningitis—Méningite cérébro-spinale non épidémique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
72	Tabes dorsalis (locomotor ataxia)—Ataxie locomotrice progressive.	M.	5	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
73	Other diseases of the spinal cord—Autres affections de la moelle épinière.	M.	6	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
74	Cerebral haemorrhage, apoplexy—Hémorragie cérébrale, apoplexie.	M.	86	1	–	–	–	–	–	–	–	–
		F.	89	1	–	–	–	–	–	–	–	–
	(a) Apoplexy—Apoplexie	M.	32	–	–	–	–	–	–	–	–	–
		F.	25	–	–	–	–	–	–	–	–	–
	(b) Cerebral haemorrhage—Hémorragie cérébrale.	M.	51	1	–	–	–	–	–	–	–	–
		F.	57	1	–	–	–	–	–	–	–	–
	(c) Cerebral thrombosis and embolism—Thrombose et embolie cérébrales.	M.	3	–	–	–	–	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–
75	Paralysis without specified cause—Paralysie sans cause indiquée.	M.	38	–	–	–	–	–	–	–	–	–
		F.	33	–	–	–	–	–	1	–	–	–
	(a) Hemiplegia—Hémiplégie	M.	9	–	–	–	–	–	–	–	–	–
		F.	12	–	–	–	–	–	–	–	–	–
	(b) Others under this title—Autres sous ce titre.	M.	29	–	–	–	–	–	–	–	–	–
		F.	21	–	–	–	–	–	1	–	–	–
76	General paralysis of the insane—Paralysie générale des aliénés.	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
77	Other forms of mental alienation—Autres formes de l'aliénation mentale.	M.	14	–	–	–	–	–	–	–	–	–
		F.	15	–	–	–	–	–	–	–	–	1
78	Epilepsy—Épilepsie	M.	11	–	–	–	–	–	–	1	1	2
		F.	8	–	–	–	–	–	–	–	1	–
79	Convulsions (non-puerperal, 5 years or over)—Éclampsie (non-puerpérale, cinq ans ou au-dessus).	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–
80	Infantile convulsions (under 5 years of age)—Convulsions des enfants (moins de cinq ans).	M.	18	14	4	–	–	–	–	–	–	–
		F.	10	6	3	–	1	–	–	–	–	–
81	Chorea—Chorée	M.	3	–	–	–	–	–	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
82	Neuralgia and neuritis—Névralgie et névrite.	M.	1	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
83	Softening of the brain—Ramollissement du cerveau.	M.	4	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
84	Other diseases of the nervous system—Autres affections du système nerveux.	M.	10	–	–	–	–	–	1	–	1	–
		F.	8	1	–	1	–	–	–	–	–	–
85	Diseases of the eye and annexa—Affections de l'œil et de ses annexes.	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien.	M.	9	2	1	–	–	1	–	1	2	–
		F.	7	–	1	1	1	–	1	–	–	1
	(a) Diseases of the ear—Affections de l'oreille.	M.	7	2	1	–	–	–	–	1	1	–
		F.	5	–	1	1	–	–	1	–	–	–
	(b) Diseases of the mastoid process—Affections du sinus mastoïdien.	M.	2	–	–	–	–	1	–	–	1	–
		F.	2	–	–	–	1	–	–	–	–	1
	CLASS IV—DISEASES OF THE CIRCULATORY SYSTEM—CLASSE IV—AFFECTIONS DE L'APPAREIL CIRCULATOIRE.	Total	722	–	1	1	–	–	3	2	5	9
		M.	389	–	1	1	–	–	2	1	2	5
		F.	333	–	–	–	–	–	1	1	3	4
87-90	**Diseases of the heart—Affections du cœur.**	M.	271	–	–	1	–	–	2	1	2	3
		F.	254	–	–	–	–	–	1	–	3	3
87	Pericarditis—Péricardite	M.	3	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
88	Endocarditis and myocarditis (acute)—Endocardite et myocardite (aiguës).	M.	6	–	–	–	–	–	1	–	1	1
		F.	6	–	–	–	–	–	–	–	–	2
	(a) Acute endocarditis — Endocardite aiguë.	M.	4	–	–	–	–	–	1	–	–	1
		F.	4	–	–	–	–	–	–	–	–	1
	(b) Acute myocarditis — Myocardite aiguë.	M.	2	–	–	–	–	–	–	–	1	–
		F.	2	–	–	–	–	–	–	–	–	–
89	Angina pectoris—Angine de poitrine	M.	21	–	–	–	–	–	–	–	–	–
		F.	11	–	–	–	–	–	–	–	–	–
90	Other diseases of the heart—Autres affections du cœur.	M.	241	–	–	–	–	–	1	1	1	2
		F.	237	–	–	–	–	–	1	–	3	1

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

NOUVEAU-BRUNSWICK—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71
–	–	1	–	1	–	1	–	–	–	1	–	–	–	–	–	–	71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	71b
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	1	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	72
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	1	1	1	1	–	1	–	–	–	–	–	–	73
1	1	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	74
–	1	2	2	4	2	5	7	16	13	17	6	10	–	–	–	–	
1	1	–	–	3	4	4	6	11	17	15	13	8	4	1	–	–	74a
–	1	–	–	2	2	3	4	5	4	6	2	3	–	–	–	–	
–	–	–	–	1	–	1	2	5	4	6	2	4	–	–	–	–	74b
–	–	2	2	1	–	2	3	11	8	11	4	6	–	–	–	–	
1	–	–	–	2	4	3	3	6	11	7	11	3	4	1	–	–	74c
–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–	
–	1	–	–	–	–	–	1	–	2	2	–	1	–	–	–	–	75
–	–	–	–	1	2	1	2	4	11	8	4	3	1	–	–	–	
–	–	–	–	–	–	4	3	7	8	4	3	1	2	–	–	–	75a
–	–	–	–	–	–	–	1	2	3	2	–	–	1	–	–	–	
–	–	–	–	–	–	2	1	3	3	2	–	–	1	–	–	–	75b
–	–	–	1	1	2	1	1	2	8	6	4	3	–	–	–	–	
–	–	–	–	–	–	2	2	4	5	2	3	1	1	–	–	–	76
–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	77
1	–	2	2	1	3	1	–	–	2	1	–	1	–	–	–	–	
1	–	2	3	1	4	–	1	1	–	1	–	–	–	–	–	–	78
1	1	–	1	1	–	–	1	–	2	–	–	–	–	–	–	–	
2	–	1	–	–	–	–	1	–	1	1	1	–	–	–	–	–	79
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	81
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	82
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	83
–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	1	2	–	–	1	–	–	–	–	–	–	84
1	–	1	2	–	–	1	–	1	–	1	–	–	–	–	–	–	
–	–	3	–	–	–	1	–	–	–	1	–	–	–	–	–	–	85
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	86
1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	86a
1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	86b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
9	**4**	**7**	**12**	**27**	**25**	**42**	**73**	**97**	**110**	**131**	**95**	**49**	**20**	–	–	–	
3	**2**	**3**	**8**	**13**	**14**	**21**	**44**	**59**	**64**	**74**	**51**	**19**	**2**	–	–	–	
6	**2**	**4**	**4**	**14**	**11**	**21**	**29**	**38**	**46**	**57**	**44**	**30**	**18**	–	–	–	
3	**2**	**3**	**7**	**12**	**10**	**15**	**34**	**47**	**40**	**48**	**26**	**15**	–	–	–	–	**87-90**
6	**2**	**3**	**3**	**12**	**8**	**19**	**23**	**28**	**38**	**44**	**31**	**20**	**10**	–	–	–	**87**
–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	88
–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	
–	–	1	–	2	–	–	–	–	–	–	–	–	–	1	–	–	88a
–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	88b
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	89
–	–	–	1	4	–	–	4	5	3	1	3	–	–	–	–	–	
–	–	–	–	–	–	–	1	2	1	4	1	2	–	–	–	–	90
3	2	3	6	7	10	15	30	41	35	46	23	15	–	–	–	–	
6	2	2	3	10	8	19	22	26	37	40	30	18	9	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

NEW BRUNSWICK—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages									
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS IV-con.—**CLASSE IV**-fin											
90	(a) Valvular disease—Affection valvulaire.	M.	54	–	–	–	–	–	1	–	–	–
		F.	52	–	–	–	–	–	–	–	2	–
	(b) Fatty degeneration of the heart—Dégénérescence ou stéanose du cœur.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(c) Aortic insufficiency — Insuffisance aortique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Chronic endocarditis — Endocardite chronique.	M.	46	–	–	–	–	–	–	–	1	1
		F.	50	–	–	–	–	–	1	–	1	–
	(e) Chronic myocarditis—Myocardite chronique.	M.	78	–	–	–	–	–	–	–	–	–
		F.	93	–	–	–	–	–	–	–	–	–
	(f) Others under this title—Autres sous ce titre.	M.	63	–	–	–	–	–	–	1	–	1
		F.	41	–	–	–	–	–	–	–	–	1
91	Diseases of the arteries—Affections des artères.	M.	108	–	–	–	–	–	–	–	–	1
		F.	71	–	–	–	–	–	–	–	–	–
	(a) Aneurysm—Anévrisme	M.	4	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Arteriosclerosis—Artério-sclérose	M.	102	–	–	–	–	–	–	–	–	–
		F.	69	–	–	–	–	–	–	–	–	–
	(c) Other diseases of the arteries—Autres affections des artères.	M.	2	–	–	–	–	–	–	–	–	1
		F.	1	–	–	–	–	–	–	–	–	–
92	Embolism and thrombosis (not cerebral)—Embolie et thrombose (non cérébrales).	M.	6	–	–	–	–	–	–	–	–	1
		F.	4	–	–	–	–	–	–	1	–	–
93	Diseases of the veins (varices, haemorrhoids, phlebitis, etc.)—Affections des veines (varices, hémorroïdes, phlébite, etc).	M.	1	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
94	Diseases of the lymphatic system (lymphangitis, etc.)—Affections du système lymphatique, (lymphangite, etc.)	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
95	Haemorrhage without specified cause. Hémorragie sans cause déterminée.	M.	2	–	1	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	1
	CLASS V—DISEASES OF THE RESPIRATORY SYSTEM— CLASSE V—AFFECTIONS DE L'APPAREIL RESPIRATOIRE.	Total	**489**	**115**	**36**	**15**	**11**	**9**	**10**	**9**	**16**	**3**
		M.	**241**	**66**	**22**	**8**	**5**	**4**	**4**	**3**	**8**	–
		F.	**248**	**49**	**14**	**7**	**6**	**5**	**6**	**6**	**8**	**3**
97	Diseases of the nasal fossae and their annexa—Affections des fosses nasales et de leurs annexes.	M.	1	–	–	–	–	–	–	1	–	–
		F.	1	–	–	–	–	–	–	1	–	–
98	Diseases of the larynx—Affections du larynx.	M.	1	1	–	–	–	–	–	–	–	–
		F.	6	4	–	–	2	–	–	–	–	–
	(a) Laryngismus stridulus—Laryngite striduleuse.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Laryngitis—Laryngite	M.	1	1	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(c) Croup	M.	–	–	–	–	–	–	–	–	–	–
		F.	5	3	–	–	2	–	–	–	–	–
	(d) Other diseases of the larynx—Autres affections du larynx.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite	M.	9	1	1	–	–	–	–	–	–	–
		F.	13	1	–	–	–	–	–	–	–	–
	(a) Acute—Aiguë	M.	2	1	–	–	–	–	–	–	–	–
		F.	6	1	–	–	–	–	–	–	–	–
	(b) Chronic—Chronique	M.	7	–	1	–	–	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–
	(c) Not otherwise defined, under 5 years of age—Sans épithète, au-dessous de cinq ans.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Not otherwise defined, 5 years or over—Sans épithète, cinq ans ou au-dessus.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
100	Bronchopneumonia (including capillary bronchitis)—Broncho-pneumonie (y compris bronchite capillaire).	M.	48	26	6	1	1	–	1	–	2	–
		F.	53	19	6	2	–	2	2	1	1	–
	(a) Bronchopneumonia—Broncho-pneumonie.	M.	48	26	6	1	1	–	1	–	2	–
		F.	52	19	5	2	–	2	2	1	1	–
	(b) Capillary bronchi is—Bronchite capillaire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	1	–	–	–	–	–	–	–
101	Pneumonia—Pneumonie	M.	161	38	12	7	4	3	2	2	5	–
		F.	151	23	8	5	2	3	4	3	6	3
	(a) Lobar—Lobaire	M.	53	7	6	–	1	–	–	1	3	–
		F.	56	5	3	2	–	1	1	3	2	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

NOUVEAU-BRUNSWICK—suite

Âges																		No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
1	1	1	1	3	–	2	9	11	9	7	5	3	–	–	–	–	90a
2	1	1	1	3	1	1	5	6	6	9	9	4	1	–	–	–	90b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	90c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	90d
2	1	2	–	1	4	2	3	10	7	7	3	2	–	–	–	–	
3	1	1	–	1	2	4	5	5	7	11	3	3	2	–	–	–	90e
–	–	–	4	–	2	6	12	10	14	15	7	8	–	–	–	–	
–	–	–	1	4	4	9	7	9	18	14	14	9	4	–	–	–	90f
–	–	–	1	3	4	5	6	10	5	17	8	2	–	–	–	–	
1	–	–	1	2	1	5	4	6	6	6	4	2	2	–	–	–	91
–	–	–	1	–	3	5	10	12	21	25	25	3	2	–	–	–	
–	–	–	–	1	3	1	5	10	8	13	13	9	8	–	–	–	91a
–	–	–	–	–	1	–	–	1	1	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
–	–	–	1	–	2	5	10	11	20	24	24	3	2	–	–	–	91b
–	–	–	–	1	3	1	5	9	8	13	13	8	8	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	91c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	1	1	1	–	–	1	1	–	–	–	–	–	–	92
–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	93
–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
									1	–	–	–	–	–	–	–	94
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–									
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	95
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	–									
3	**7**	**8**	**11**	**10**	**13**	**17**	**26**	**31**	**33**	**38**	**31**	**27**	**9**	**1**	–	–	
2	**2**	**1**	**4**	**4**	**10**	**10**	**10**	**13**	**18**	**19**	**14**	**10**	**4**	–	–	–	
1	**5**	**7**	**7**	**6**	**3**	**7**	**16**	**18**	**15**	**19**	**17**	**17**	**5**	**1**	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	97
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	99
–	1	–	–	–	–	–	1	–	–	1	3	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	2	2	5	1	1	–	99a
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	2	1	2	–	–	–	99b
–	1	–	–	–	–	–	–	–	–	1	3	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	1	3	1	1	–	99c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	99d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	2	–	2	1	–	1	–	2	1	1	–	–	–	–	100
–	–	1	1	–	–	1	2	4	2	2	3	4	–	–	–	–	
1	–	–	2	–	2	1	–	1	–	2	1	1	–	–	–	–	100a
–	–	1	1	–	–	1	2	4	2	2	3	4	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	100b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	2	4	8	6	7	11	16	14	8	7	4	–	–	–	101
1	5	4	6	5	3	5	10	13	11	12	8	8	3	–	–	–	
–	–	–	–	1	5	3	4	4	8	6	2	2	–	–	–	–	101a
–	2	2	3	2	1	1	9	5	4	3	4	3	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

NEW BRUNSWICK—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS V-con.—CLASSE V-fin											
101	(b) Not otherwise defined—Sans épithète.	M.	108	31	6	7	3	3	2	1	2	–
		F.	95	18	5	3	2	2	3	–	4	3
102	Pleurisy—Pleurésie	M.	9	–	1	–	–	1	1	–	1	–
		F.	2	–	–	–	2	–	–	–	–	–
103	Congestion and haemorrhagic infarct of the lung—Congestion et hémorragie parenchymateuse des poumons.	M.	6	–	2	–	–	–	–	–	–	–
		F.	9	–	–	–	–	–	–	–	–	–
105	Asthma—Asthme	M.	2	–	–	–	–	–	–	–	–	–
		F.	9	1	–	–	–	–	–	1	1	–
106	Pulmonary emphysema—Emphysème pulmonaire.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
107	Other diseases of the respiratory system (tuberculosis excepted)—Autres affections de l'appareil respiratoire (tuberculose exceptée).	M.	3	–	–	–	–	–	–	–	–	–
		F.	4	1	–	–	–	–	–	–	–	–
	(a) Chronic interstitial pneumonia including occupational diseases of the lungs—Pneumonie interstitielle chronique comprenant les affections professionnelles de l'appareil pulmonaire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Diseases of the mediastinum—Affections du médiastin.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	3	–	–	–	–	–	–	–	–	–
		F.	4	1	–	–	–	–	–	–	–	–
	CLASS VI—DISEASES OF THE DIGESTIVE SYSTEM—CLASSE VI—AFFECTIONS DE L'APPAREIL DIGESTIF.	Total	390	129	34	16	8	3	20	17	18	5
		M.	201	66	19	7	3	2	7	7	12	2
		F.	189	63	15	9	5	1	13	10	6	3
108	Diseases of the mouth and annexa—Affections de la bouche et de ses annexes.	M.	1	–	–	–	–	–	–	–	–	–
		F.	3	1	–	–	–	–	–	–	–	–
109	Diseases of the pharynx and tonsils (including adenoid vegetations)—Affections du pharynx et des amygdales (y compris les végétations adénoïdiennes).	M.	4	1	1	–	–	–	–	–	–	–
		F.	5	–	–	2	–	–	1	2	–	–
	(a) Adenoid vegetations—Végétations adénoïdiennes.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	1	–	–	–	–	–	–
	(b) Pharynx and tonsils—Pharynx et amygdales.	M.	4	1	1	–	–	–	1	–	–	–
		F.	4	–	–	1	–	–	–	2	–	–
110	Diseases of the œsophagus—Affections de l'œsophage.	M.	2	–	–	–	1	–	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
111	Ulcer of the stomach and duodenum—Ulcère de l'estomac et du duodénum.	M.	6	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Ulcer of the stomach—Ulcère de l'estomac.	M.	6	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Ulcer of the duodenum—Ulcère du duodénum.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
112	Other diseases of the stomach (cancer excepted)—Autres affections de l'estomac (cancer excepté).	M.	15	4	–	–	–	1	–	–	–	–
		F.	22	8	5	–	2	–	–	–	–	–
113	Diarrhoea and enteritis (under 2 years of age)—Diarrhée et entérite (au-dessous de 2 ans).	M.	73	57	16	–	–	–	–	–	–	–
		F.	60	52	8	–	–	–	–	–	–	–
114	Diarrhoea and enteritis (2 years or over)—Diarrhée et entérite (deux ans ou au-dessus).	M.	12	–	–	6	1	–	–	–	–	–
		F.	21	–	–	6	3	–	4	–	–	–
116	Diseases due to other intestinal parasites—Affections dues à d'autres parasites intestinaux.	M.	2	1	–	1	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(a) Cestodes (hydatids of the liver excepted)—Cestodes (non compris les hydatides du foie).	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Trematodes—Trématodes	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(c) Nematodes (other than ankylostoma)—Nématodes (autres que ankylostomiase).	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Coccidia—Coccidies	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Other parasites specified—Autres parasites spécifiés.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(f) Parasites not specified—Parasites non spécifiés.	M.	2	1	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

NOUVEAU-BRUNSWICK—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	1	2	3	3	3	3	7	8	8	6	5	4	–	–	–	101b
1	3	2	3	3	2	4	1	8	7	9	4	5	3	–	–	–	102
–	–	–	–	–	–	1	1	–	1	–	2	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	103
–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	
–	–	–	–	–	–	1	2	–	1	1	3	–	1	–	–	–	
–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	105
–	–	–	–	–	–	–	2	1	–	2	1	–	–	–	–	–	106
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	107
1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107c
1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
8	7	8	7	12	9	15	11	15	18	16	9	4	1	–	–	–	
5	3	3	5	7	6	9	7	8	9	7	5	2	–	–	–	–	
3	4	5	2	5	3	6	4	7	9	9	4	2	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	108
–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	109a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	109b
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	110
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	1	–	1	1	1	–	1	–	–	–	–	–	111
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	1	–	1	1	1	–	1	–	–	–	–	–	111a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	111b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	112
1	–	1	–	2	–	–	2	–	2	1	–	1	–	–	–	–	
–	–	1	–	–	1	–	–	–	2	2	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	113
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	1	–	2	1	–	–	–	–	114
1	–	–	–	–	–	1	–	1	1	1	1	1	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116f
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

NEW BRUNSWICK—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VI-con.—**CLASSE VI**-fin											
117	Appendicitis and typhlitis—Appendicite et typhlite..	M.	35	–	–	–	–	1	3	5	10	1
		F.	29	–	–	–	–	1	8	5	4	3
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale.	M.	21	2	1	–	–	–	–	–	2	1
		F.	7	–	–	–	–	–	–	–	–	–
	(a) Hernia—Hernie.....	M.	10	2	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
	(b) Intestinal obstruction—Obstruction intestinale.	M.	11	–	1	–	–	–	–	–	2	1
		F.	3	–	–	–	–	–	–	–	–	–
119	Other diseases of the intestines—Autres affections des intestins.	M.	4	1	1	–	1	–	–	–	–	–
		F.	6	1	1	–	–	–	–	–	–	–
120	Acute yellow atrophy of the liver—Atrophie jaune aiguë du foie.	M.	–	–	–	–	–	–	–	–	1	–
		F.	1	–	–	–	–	–	–	–	–	–
122	Cirrhosis of the liver—Cirrhose du foie...	M.	8	–	–	–	–	–	1	–	–	–
		F.	3	–	–	–	–	–	–	1	–	–
	(a) Specified as alcoholic—Spécifiée comme alcoolique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Not specified as alcoholic—Non spécifiée comme alcoolique.	M.	8	–	–	–	–	–	1	–	–	–
		F.	3	–	–	–	–	–	–	1	–	–
123	Biliary calculi—Calculs biliaires.....	M.	3	–	–	–	–	–	–	–	–	–
		F.	6	–	–	–	–	–	–	–	–	–
124	Other diseases of the liver—Autres affections du foie.	M.	7	–	–	–	–	–	1	–	–	–
		F.	19	–	–	1	–	–	–	–	–	–
125	Diseases of the pancreas—Affections du pancréas.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
126	Peritonitis without specified cause—Péritonite sans cause indiquée.	M.	7	–	–	–	–	–	–	2	–	–
		F.	6	–	1	–	–	–	1	2	1	–
	CLASS VII—NON-VENEREAL DISEASES OF THE GENITO-URINARY SYSTEM AND ANNEXA—CLASSE VII—AFFECTIONS NON VÉNÉRIENNES DE L'APPAREIL GÉNITO-URINAIRE ET DE SES ANNEXES.	Total	258	3	1	–	1	–	4	3	2	3
		M.	158	–	–	–	–	–	1	–	2	–
		F.	100	3	1	–	1	–	3	3	–	3
128	Acute nephritis (including unspecified, under 10 years of age)—Néphrite aiguë (y compris non spécifiée au-dessous de dix ans).	M.	6	–	–	–	–	–	1	–	–	–
		F.	10	3	1	–	1	–	2	1	–	–
129	Chronic nephritis (including unspecified, 10 years of age or over)—Néphrite chronique (y compris non spécifiée, dix ans ou au-dessus.)	M.	104	–	–	–	–	–	–	–	2	–
		F.	65	–	–	–	–	–	–	1	–	2
131	Other diseases of the kidneys and annexa—Autres affections des reins et de leurs annexes.	M.	9	–	–	–	–	–	–	–	–	–
		F.	6	–	–	–	–	–	1	1	–	–
133	Diseases of the bladder—Affections de la vessie.	M.	7	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
134	Diseases of the urethra, urinary abscess, etc.—Affections de l'urètre, abcès uri-neux, etc.	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Stricture of the urethra—Rétrécissement de l'urètre.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other diseases of the urethra—Autres affections de l'urètre.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
135	Diseases of the prostate—Affections de la prostate.	M.	30	–	–	–	–	–	–	–	–	–
137	Cysts and other benign tumours of the ovary—Kystes et autres tumeurs bénignes de l'ovaire.	F.	2	–	–	–	–	–	–	–	–	–
138	Salpingitis and pelvic abscess—Salpingite et abcès du bassin.	F.	3	–	–	–	–	–	–	–	–	1
139	Benign tumours of the uterus.—Tumeurs bénignes de l'utérus.	F.	5	–	–	–	–	–	–	–	–	–
141	Other diseases of the female genital organs —Autres affections des organes génitaux de la femme.	F.	7	–	–	–	–	–	–	–	–	–
	CLASS VIII—THE PUERPERAL STATE—CLASSE VIII—ÉTAT PUERPÉRAL.	Total	65	–	–	–	–	–	–	–	2	11
143	Accidents of pregnancy—Accidents de la grossesse.	F.	1	–	–	–	–	–	–	–	–	–
	(a) Abortion—Avortement.....	F.	1	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

NOUVEAU-BRUNSWICK—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
3	1	–	1	2	3	2	1	1	1	–	–	–	–	–	–	–	117
1	2	2	–	1	1	1	–	–	–	–	–	–	–	–	–	–	118
–	–	–	1	1	1	3	–	5	–	3	1	–	–	–	–	–	
–	1	–	1	–	–	–	1	1	1	2	–	–	–	–	–	–	118a
–	–	–	–	1	–	1	–	5	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	118b
–	–	–	1	–	1	2	–	–	–	2	1	–	–	–	–	–	
–	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	119
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	120
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	122
–	–	–	–	1	1	2	1	–	2	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	122a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	122b
–	–	–	–	1	1	2	1	–	2	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	123
–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	
1	–	–	–	–	–	2	1	1	1	–	1	–	–	–	–	–	124
1	1	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	
–	1	–	–	3	1	2	1	3	3	3	1	–	–	–	–	–	125
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	126
–	–	1	1	–	–	1	–	1	–	1	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
6	**6**	**4**	**11**	**13**	**17**	**27**	**23**	**25**	**28**	**42**	**22**	**13**	**4**	–	–	–	
4	**1**	–	**6**	**3**	**8**	**19**	**15**	**21**	**20**	**32**	**18**	**5**	**3**	–	–	–	
2	**5**	**4**	**5**	**10**	**9**	8	8	4	8	**10**	4	8	**1**	–	–	–	
–	–	–	3	–	–	1	1	–	–	–	–	–	–	–	–	–	128
–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
2	1	–	3	2	7	13	9	18	15	18	9	4	1	–	–	–	129
2	1	2	3	4	6	7	8	3	8	7	4	6	1	–	–	–	
1	–	–	–	–	–	2	2	–	–	2	2	–	–	–	–	–	131
–	–	–	–	2	–	–	–	–	–	2	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	3	2	–	1	–	–	–	133
–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	
1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	134
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	134a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	134b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	3	3	3	5	9	5	1	1	–	–	–	135
–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	137
–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	138
–	1	–	1	2	–	–	–	–	–	1	–	–	–	–	–	–	139
–	1	–	–	1	3	1	–	1	–	–	–	–	–	–	–	–	141
16	**14**	**11**	**10**	**1**	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143a

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

NEW BRUNSWICK—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VIII-con.—**CLASSE VIII**-fin											
143	(b) Ectopic gestation—Gestation ectopique.	F.	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	F.	–	–	–	–	–	–	–	–	–	–
	(d) Abortion, self-induced—Avortement provoqué par soi-même.	F.	–	–	–	–	–	–	–	–	–	–
144	Puerperal haemorrhage—Hémorragie puerpérale.	F.	10	–	–	–	–	–	–	–	–	–
145	Other accidents of labour—Autres accidents de l'accouchement.	F.	12	–	–	–	–	–	–	–	–	1
	(a) Caesarean section—Opération césarienne.	F.	4	–	–	–	–	–	–	–	–	–
	(b) Difficult labour—Accouchement laborieux.	F.	1	–	–	–	–	–	–	–	–	1
	(c) Other surgical operations and instrumental delivery—Autres opérations chirurgicales et application d'instruments.	F.	4	–	–	–	–	–	–	–	–	–
	(d) Uncontrollable vomiting—Vomissements incontrôlables.	F.	2	–	–	–	–	–	–	–	–	–
	(e) Rupture of uterus in labour, etc.— Rupture de l'utérus durant l'accouchement, etc.	F.	1	–	–	–	–	–	–	–	–	–
146	Puerperal septicaemia—Septicémie puerpérale.	F.	12	–	–	–	–	–	–	–	2	2
147	Puerperal phlegmasia alba dolens, puerperal embolism, sudden death in puerperium—Phlegmasia alba dolens, embolie, mort subite puerpérales.	F.	2	–	–	–	–	–	–	–	–	–
148	Puerperal albuminuria and convulsions—Albuminurie et éclampsie puerpérales.	F.	23	–	–	–	–	–	–	–	–	7
149	Following childbirth (not otherwise defined)—Suites de couches (sans autres explications).	F.	5	–	–	–	–	–	–	–	–	1
	CLASS IX—DISEASES OF THE SKIN AND OF THE CELLULAR TISSUE—CLASSE IX—AFFECTIONS DE LA PEAU ET DU TISSU CELLULAIRE.	Total	30	1	–	–	–	–	–	–	1	1
		M.	16	1	–	–	–	–	–	–	–	1
		F.	14	–	–	–	–	–	–	–	1	–
151	Gangrene—Gangrène	M.	6	–	–	–	–	–	–	–	–	–
		F.	10	–	–	–	–	–	–	–	–	–
152	Furuncle—Furoncle	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	M.	5	–	–	–	–	–	–	–	–	1
		F.	4	–	–	–	–	–	–	–	1	–
154	Other diseases of the skin and annexa—Autres affections de la peau et de ses annexes	M.	3	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS X—DISEASES OF THE BONES AND OF THE ORGANS OF LOCOMOTION—CLASSE X—AFFECTIONS DES OS ET DES ORGANES DE LA LOCOMOTION.	Total	18	–	–	–	–	–	3	1	3	–
		M.	10	–	–	–	–	–	3	1	2	–
		F.	8	–	–	–	–	–	–	–	1	–
155	Diseases of the bones (mastoid and tuberculosis excepted)—Affections des os (sinus mastoïdien et tuberculose exceptés).	M.	9	–	–	–	–	–	3	1	2	–
		F.	5	–	–	–	–	–	–	–	1	–
156	Diseases of the joints (tuberculosis and rheumatism excepted)—Affections articulaires (tuberculose et rhumatisme exceptés).	M.	1	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
	CLASS XI—MALFORMATIONS—CLASSE XI—VICES DE CONFORMATION.	Total	44	41	–	–	–	–	–	2	1	–
		M.	20	19	–	–	–	–	–	1	–	–
		F.	24	22	–	–	–	–	–	1	1	–
159	Congenital malformations (stillbirths not included)—Vices de conformation congénitaux (mort-nés non compris).	M.	20	19	–	–	–	–	–	1	–	–
		F.	24	22	–	–	–	–	–	1	1	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

NOUVEAU-BRUNSWICK—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143d
1	5	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	144
3	2	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	145
1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145b
1	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	145c
1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145d
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145e
5	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	146
–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	147
5	3	3	4	1	–	–	–	–	–	–	–	–	–	–	–	–	148
2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	149
–	–	1	–	1	1	4	2	2	1	6	5	2	2	–	–	–	
–	–	1	–	–	1	2	2	1	1	3	2	1	–	–	–	–	
–	–	–	–	1	–	2	–	1	–	3	3	1	2	–	–	–	
–	–	–	–	–	–	–	1	1	–	1	2	1	–	–	–	–	151
–	–	–	–	–	–	1	–	1	–	2	3	1	2	–	–	–	
–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	152
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	153
–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	154
1	–	–	–	1	1	1	1	1	–	1	2	2	–	–	–	–	
1	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	1	–	1	1	–	1	1	2	–	–	–	–	
1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	155
–	–	–	–	–	1	–	–	–	–	–	1	2	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	156
–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

NEW BRUNSWICK—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages									
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XI—con.—**CLASSE XI**—fin											
159	(a) Congenital hydrocephalus—Hydrocéphalie congénitale.	M.	1	1	–	–	–	–	–	–	–	–
		F.	3	3	–	–	–	–	–	–	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur.	M.	6	6	–	–	–	–	–	–	–	–
		F.	3	2	–	–	–	–	–	1	–	–
	(c) Others under this title—Autres sous ce titre.	M.	13	12	–	–	–	–	–	1	–	–
		F.	18	17	–	–	–	–	–	–	1	–
	CLASS XII—DISEASES OF EARLY INFANCY—CLASSE XII—AFFECTIONS DU PREMIER ÂGE.	Total	496	496	–	–	–	–	–	–	–	–
		M.	264	264	–	–	–	–	–	–	–	–
		F.	232	232	–	–	–	–	–	–	–	–
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème.	M.	37	37	–	–	–	–	–	–	–	–
		F.	50	50	–	–	–	–	–	–	–	–
161	Premature birth, injury at birth—Naissance prématurée, conséquence de l'accouchement.	M.	116	116	–	–	–	–	–	–	–	–
		F.	86	86	–	–	–	–	–	–	–	–
	(a) Premature birth—Naissance prématurée.	M.	99	99	–	–	–	–	–	–	–	–
		F.	71	71	–	–	–	–	–	–	–	–
	(b) Injury at birth—Conséquence de l'accouchement.	M.	17	17	–	–	–	–	–	–	–	–
		F.	15	15	–	–	–	–	–	–	–	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge.	M.	111	111	–	–	–	–	–	–	–	–
		F.	96	96	–	–	–	–	–	–	–	–
	CLASS XIII—OLD AGE—CLASSE XIII—VIEILLESSE.	Total	299	–	–	–	–	–	–	–	–	–
		M.	127	–	–	–	–	–	–	–	–	–
		F.	172	–	–	–	–	–	–	–	–	–
164	Senility—Sénilité	M.	127	–	–	–	–	–	–	–	–	–
		F.	172	–	–	–	–	–	–	–	–	–
	CLASS XIV—EXTERNAL CAUSES—CLASSE XIV—CAUSES EXTÉRIEURES.	Total	207	7	5	6	9	5	16	10	15	19
		M.	158	4	4	2	5	2	13	9	12	17
		F.	49	3	1	4	4	3	3	1	3	2
165-174	**Suicides**	M.	17	–	–	–	–	–	–	–	–	2
		F.	4	–	–	–	–	–	–	–	–	–
165	Suicide by solid or liquid poisons (corrosive substances excepted)—Suicide par ingestion de poisons solides ou liquides (substances corrosives exceptées).	M.	3	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
166	Suicide by corrosive substances—Absorption volontaire de substances corrosives.	M.	2	–	–	–	–	–	–	–	–	1
		F.	2	–	–	–	–	–	–	–	–	–
168	Suicide by hanging or strangulation—Suicide par pendaison ou strangulation.	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
169	Suicide by drowning—Suicide par submersion.	M.	1	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
170	Suicide by firearms—Suicide par armes à feu.	M.	6	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
171	Suicide by cutting or piercing instruments—Suicide par instruments tranchants ou piquants.	M.	3	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
176	Poisoning by venomous animals—Attaques d'animaux venimeux.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
177	Other acute accidental poisonings (gas excepted)—Autres empoisonnements accidentels, aigus (par gaz exceptés).	M.	2	–	–	–	–	–	1	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
178	Conflagration—Incendie	M.	3	1	–	–	–	–	–	–	–	–
		F.	4	–	–	–	1	–	1	1	–	–
179	Accidental burns and scalds (conflagration excepted)—Brûlures accidentelles (autres que par l'incendie).	M.	14	–	4	1	2	2	1	1	–	1
		F.	12	–	1	3	2	2	1	–	–	1
180	Accidental mechanical suffocation—Suffocation mécanique accidentelle.	M.	3	3	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(a) Overlaying—Etouffé pendant le sommeil.	M.	1	1	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(b) Asphyxia—Asphyxie	M.	2	2	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

NOUVEAU-BRUNSWICK—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	160
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	28	51	79	74	42	20	4	–	
–	–	–	–	–	–	–	–	–	13	21	27	35	19	8	4	–	
–	–	–	–	–	–	–	–	1	15	30	52	39	23	12	–	–	
–	–	–	–	–	–	–	–	–	13	21	27	35	19	8	4	–	164
–	–	–	–	–	–	–	–	1	15	30	52	39	23	12	–	–	
12	10	10	6	6	10	7	10	9	11	7	11	1	4	1	–	–	
10	9	9	6	4	9	7	8	7	8	6	7	–	–	–	–	–	
2	1	1	–	2	1	–	2	2	3	1	4	1	4	1	–	–	
2	2	1	1	–	–	1	1	2	3	–	2	–	–	–	–	–	165-174
–	–	1	–	2	–	–	1	–	–	–	–	–	–	–	–	–	
–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	165
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	166
–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	168
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	169
–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
2	1	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	170
–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	171
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	176
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	177
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	178
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	179
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

NEW BRUNSWICK—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XIV-con.—**CLASSE XIV**-fin											
181	Accidental absorption of irrespirable or poisonous gas—Absorption accidentelle de gaz irrespirables ou toxiques.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
182	Accidental drowning—Submersion accidentelle.	M.	26	–	–	–	2	–	5	4	6	2
		F.	4	–	–	1	–	–	–	–	1	–
183	Accidental traumatism by firearms—Traumatismes accidentels par armes à feu.	M.	7	–	–	–	–	–	1	–	1	3
		F.	1	–	–	–	–	–	–	–	–	–
185	Accidental traumatism by fall—Traumatismes accidentels par chute.	M.	20	–	–	1	–	–	–	1	1	–
		F.	10	–	–	–	1	–	1	–	–	–
187	Accidental traumatism by machines—Traumatismes accidentels par machines.	M.	4	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.)—Traumatismes accidentels par autres écrasements (voitures, railways, éboulements, etc.)	M.	48	–	–	–	1	–	5	3	3	6
		F.	6	–	–	–	–	1	–	–	1	1
	(a) Railroad accidents—Accidents par chemins de fer.	M.	15	–	–	–	–	–	–	–	1	2
		F.	2	–	–	–	–	–	–	–	–	1
	(b) Street car accidents—Accidents par tramways.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Automobile accidents—Accidents par automobiles.	M.	22	–	–	–	1	–	3	3	1	3
		F.	3	–	–	–	–	1	–	–	1	–
	(d) Aeroplane and balloon accidents—Accidents par aéroplanes et ballons.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Injuries by other vehicles—Blessures par autres voitures.	M.	4	–	–	–	–	–	1	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(f) Other crushing—Autres écrasements.	M.	7	–	–	–	–	–	1	–	1	1
		F.	–	–	–	–	–	–	–	–	–	–
189	Injuries by animals (poisoning excepted)—Violences exercées par des animaux (empoisonnements exceptés).	M.	2	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
192	Starvation (deprivation of food or water)—Faim ou soif.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
193	Excessive cold—Froid excessif	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
197-199	**Homicides**	**M.**	**5**	–	–	–	–	–	–	–	–	1
		F.	**1**	1	–	–	–	–	–	–	–	–
197	Homicide by firearms—Homicide par armes à feu.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
198	Homicide by cutting or piercing instruments—Homicide par instruments tranchants ou piquants.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
199	Homicide by other means—Homicide par autres moyens.	M.	4	–	–	–	–	–	–	–	–	1
		F.	1	1	–	–	–	–	–	–	–	–
201	Fracture (cause not specified)—Fracture (cause non spécifiée).	M.	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
202	Other external violence (cause specified)—Autres violences extérieures (cause spécifiée).	M.	4	–	–	–	–	–	–	–	–	1
		F.	1	–	–	–	–	–	–	–	–	–
	CLASS XV—ILL-DEFINED DISEASES—CLASSE XV—MALADIES MAL DÉFINIES.	**Total**	**188**	**56**	**31**	**7**	**3**	**2**	**5**	**6**	**4**	**3**
		M.	**106**	**33**	**19**	**3**	**1**	**1**	–	**2**	**2**	**2**
		F.	**82**	**23**	**12**	**4**	**2**	**1**	**5**	**4**	**2**	**1**
204	Sudden death—Mort subite	M.	11	2	–	–	–	–	–	–	1	–
		F.	6	–	–	–	–	–	–	–	1	–
205	Cause of death not specified or ill-defined—Cause de décès non spécifiée ou mal définie.	M.	95	31	19	3	1	1	–	2	1	2
		F.	76	23	12	4	2	1	5	4	1	1
	(a) Ill-defined—Mal définie	M.	10	3	4	–	–	–	–	–	1	–
		F.	2	–	–	–	–	–	–	1	–	–
	(b) Not specified or unknown—Non spécifiée ou inconnue.	M.	66	28	15	3	1	1	–	2	–	2
		F.	65	23	12	4	2	1	4	3	1	1
	(c) Heart failure—Paralysie du cœur	M.	19	–	–	–	–	–	–	–	–	–
		F.	9	–	–	–	–	–	1	–	–	–
	(d) Syncope	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

NOUVEAU-BRUNSWICK—fin

Âges																		
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	181
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	–	1	–	1	1	1	–	–	–	1	–	–	–	–	–	182
–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	183
–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	185
1	1	2	1	–	–	–	1	3	2	4	2	–	–	–	–	–	
–	–	–	–	–	1	–	1	–	1	–	1	1	2	1	–	–	187
–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	3	3	2	1	7	3	2	1	3	–	2	–	–	–	–	–	188
1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	
–	2	3	1	–	3	1	1	–	1	–	–	–	–	–	–	–	188a
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	188b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	–	–	1	3	2	–	1	1	–	1	–	–	–	–	–	188c
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	188d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	188e
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	1	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	188f
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	189
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	192
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	193
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	197-199
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	197
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	198
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	199
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	201
–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	
2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	202
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
3	2	2	2	2	3	9	9	24	1	8	2	3	–	1	–	–	
2	2	1	2	–	1	6	7	14	–	6	1	1	–	–	–	–	
1	–	1	–	2	2	3	2	10	1	2	1	2	–	1	–	–	
–	1	–	2	–	–	2	1	1	–	1	–	–	–	–	–	–	204
–	–	–	–	–	–	1	–	1	–	1	–	1	–	1	–	–	
2	1	1	–	–	1	4	6	13	–	5	1	1	–	–	–	–	205
1	–	1	–	2	2	2	2	9	1	1	1	1	–	–	–	–	
1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	205a
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
1	–	1	–	–	–	2	4	5	–	1	–	–	–	–	–	–	205b
1	–	1	–	2	1	1	2	5	1	–	–	–	–	–	–	–	
–	1	–	–	–	–	2	2	8	–	4	1	1	–	–	–	–	205c
–	–	–	–	–	–	1	–	4	–	1	1	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	205d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

QUEBEC

Int. list No.	Causes of death — Causes de décès		Total	Ages									
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	DEATHS—ALL CAUSES—DÉCÈS—TOUTES CAUSES.	**Total**	**36,175**	**10,739**	**1,802**	**759**	**511**	**378**	**1,193**	**787**	**1,072**	**1,182**
		M.	**18,827**	**6,149**	**985**	**391**	**273**	**195**	**595**	**398**	**485**	**513**
		F.	**17,348**	**4,590**	**817**	**368**	**238**	**182**	**598**	**389**	**587**	**669**
	CLASS I—EPIDEMIC, ENDEMIC AND INFECTIOUS DISEASES—CLASSE I—AFFECTIONS ÉPIDÉMIQUES, ENDÉMIQUES ET INFECTIEUSES.	**Total**	**7,269**	**1,176**	**596**	**319**	**240**	**164**	**504**	**316**	**585**	**679**
		M.	**3,397**	**633**	**310**	**171**	**122**	**74**	**242**	**127**	**197**	**264**
		F.	**3,872**	**543**	**286**	**148**	**118**	**90**	**262**	**189**	**388**	**415**
1	Typhoid and paratyphoid fever—Fièvre typhoïde et paratyphoïde.	M.	445	3	4	6	5	5	27	34	67	80
		F.	424	3	8	7	6	5	43	49	74	52
	(a) Typhoid fever—Fièvre typhoïde....	M.	437	3	4	6	4	5	26	33	65	80
		F.	416	3	8	6	5	5	43	45	74	52
	(b) Paratyphoid fever—Fièvre paratyphoïde.	M.	8	–	–	–	1	–	1	1	2	–
		F.	8	–	–	1	1	–	–	4	–	–
5	Malaria—Fièvre et cachexie paludéennes..	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
6	Small-pox—Variole.....	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	1	–	–	–	–	–	–	–	1
7	Measles—Rougeole.....	M.	187	71	66	20	9	6	13	2	–	–
		F.	176	45	56	23	14	9	26	3	–	–
8	Scarlet fever—Scarlatine.....	M.	104	11	15	21	11	11	27	5	2	–
		F.	91	9	9	13	15	9	27	2	2	–
9	Whooping-cough—Coqueluche.....	M.	274	177	57	24	8	3	5	–	–	–
		F.	280	162	74	20	7	10	7	–	–	–
10	Diphtheria—Diphtérie.....	M.	239	13	23	36	38	29	77	17	3	2
		F.	230	11	29	28	38	30	73	17	2	–
11	Influenza—Grippe.....	M.	527	188	67	29	17	6	20	11	17	10
		F.	510	144	55	28	16	7	20	10	18	14
	(a) Sole cause—Cause unique.....	M.	134	66	15	7	3	2	5	6	1	3
		F.	110	48	6	12	2	–	1	2	2	1
	(b) With phthisis—Avec phtisie.....	M.	16	–	–	–	–	–	–	1	4	–
		F.	37	2	1	1	–	–	–	3	9	5
	(c) With bronchitis—Avec bronchite....	M.	29	10	6	1	–	–	–	–	2	–
		F.	39	9	3	3	1	2	2	–	1	–
	(d) With pneumonia—Avec pneumonie..	M.	182	58	34	8	9	3	5	1	4	3
		F.	141	45	18	4	6	3	9	1	1	3
	(e) With other respiratory diseases—Avec autres affections de l'appareil respiratoire.	M.	40	10	4	1	2	–	1	1	1	–
		F.	49	8	10	3	1	–	4	–	1	2
	(f) With diseases and accidents of pregnancy and parturition—Avec affections et accidents de la grossesse.	F.	3	–	–	–	–	–	–	–	–	2
	(g) With other causes—Avec autres causes.	M.	126	44	8	12	3	1	9	2	5	4
		F.	131	32	17	5	6	2	4	4	4	1
13	Mumps—Oreillons.....	M.	14	2	3	1	–	1	4	1	1	–
		F.	8	2	1	2	–	–	1	–	–	–
16	Dysentery—Dysenterie.....	M.	6	1	1	2	–	–	–	–	–	–
		F.	5	1	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle.....	M.	36	15	4	1	–	–	–	1	1	–
		F.	62	23	4	1	1	–	–	2	–	1
22	Acute anterior poliomyelitis—Poliomyélite aiguë.	M.	21	6	2	2	–	–	6	1	2	–
		F.	19	4	6	1	1	2	3	1	1	–
23	Lethargic encephalitis—Encéphalite léthargique.	M.	10	1	–	1	2	1	1	–	–	1
		F.	9	–	–	–	–	–	2	–	1	2
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique.	M.	45	24	5	3	2	–	2	3	2	3
		F.	32	6	5	6	–	1	4	4	5	1
25	Other epidemic and endemic diseases—Autres affections épidémiques et endémiques.	M.	9	5	2	2	–	–	–	–	–	–
		F.	15	8	2	3	–	–	2	–	–	–
	(a) Chicken-pox—Varicelle.....	M.	3	2	1	–	–	–	–	–	–	–
		F.	10	6	2	1	–	–	1	–	–	–
	(b) German measles—Rubéole.....	M.	6	3	1	2	–	–	–	–	–	–
		F.	5	2	–	2	–	–	1	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
28	Rabies—Rage.....	M.	3	–	1	–	–	–	–	1	–	1
		F.	–	–	–	–	–	–	–	–	–	–
29	Tetanus—Tétanos.....	M.	13	1	–	–	–	–	6	–	2	–
		F.	4	1	–	–	–	–	–	–	1	–
30	Mycoses.....	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
31-37	**Tuberculosis—Tuberculose**.....	**M.**	**1,291**	**42**	**51**	**22**	**27**	**11**	**48**	**48**	**99**	**163**
		F.	**1,854**	**43**	**33**	**14**	**19**	**14**	**45**	**99**	**282**	**340**

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

QUÉBEC

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
1,005	**899**	**951**	**1,007**	**1,020**	**1,138**	**1,281**	**1,537**	**1,864**	**2,094**	**2,105**	**1,529**	**897**	**326**	**73**	**10**	**25**	
425	**396**	**414**	**481**	**488**	**596**	**687**	**829**	**986**	**1,081**	**1,088**	**724**	**435**	**147**	**34**	**6**	**25**	
580	**503**	**537**	**526**	**532**	**542**	**594**	**708**	**878**	**1,013**	**1,017**	**796**	**462**	**179**	**39**	**4**	–	
528	**406**	**325**	**270**	**246**	**208**	**147**	**114**	**109**	**111**	**105**	**70**	**28**	**18**	**4**	–	**1**	
213	**175**	**147**	**131**	**128**	**102**	**78**	**57**	**61**	**56**	**47**	**38**	**13**	**8**	**2**	–	**1**	
315	**231**	**178**	**139**	**118**	**106**	**69**	**57**	**48**	**55**	**58**	**32**	**15**	**10**	**2**	–	–	
68	39	31	25	21	11	7	4	3	3	2	–	–	–	–	–	–	1
40	37	23	15	17	22	6	7	4	6	–	–	–	–	–	–	–	
67	38	31	24	21	11	7	4	3	3	2	–	–	–	–	–	–	1a
40	37	23	14	17	21	6	7	4	6	–	–	–	–	–	–	–	
1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1b
–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	8
1	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11
7	9	4	6	8	11	12	11	7	19	25	24	11	5	2	–	1	
9	9	7	9	12	9	13	14	13	21	37	22	12	9	2	–	–	
1	–	1	–	–	–	1	–	1	5	5	7	2	3	–	–	–	11a
1	2	1	1	–	–	2	2	2	1	8	4	5	6	1	–	–	
2	2	1	–	1	2	–	1	1	1	–	–	–	–	–	–	–	11b
4	3	2	1	1	3	–	2	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	2	1	–	2	1	1	3	–	–	–	–	–	11c
–	–	–	–	–	1	1	–	1	3	7	4	–	1	–	–	–	
2	3	1	2	4	4	7	7	2	4	5	8	7	1	–	–	–	11d
2	2	2	3	3	2	6	6	5	7	5	3	5	–	–	–	–	
2	1	–	1	–	1	1	2	1	2	5	2	1	–	1	–	–	11e
1	–	2	1	–	1	–	–	1	5	6	2	–	1	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	11f
–	3	1	3	3	2	2	1	–	6	9	4	1	1	1	–	1	11g
1	2	–	3	7	2	4	4	4	5	11	9	2	1	1	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	13
–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	16
–	–	–	–	–	–	–	2	–	–	–	1	1	–	–	–	–	
–	–	2	–	1	3	–	1	–	2	–	4	–	1	–	–	–	21
2	5	–	1	1	2	–	2	1	7	5	2	1	1	–	–	–	
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	23
–	–	–	2	–	–	–	1	–	–	–	1	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	28
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	1	–	–	–	1	–	–	1	–	–	–	–	–	29
1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	30
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
128	**123**	**105**	**90**	**91**	**64**	**57**	**36**	**42**	**24**	**14**	**3**	**1**	**2**	–	–	–	31-37
259	**174**	**143**	**106**	**82**	**68**	**45**	**27**	**26**	**20**	**12**	**2**	**1**	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

QUEBEC—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS I-con.—**CLASSE I**—fin											
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire.	M.	1,025	22	26	9	6	1	19	21	79	138
		F.	1,582	20	13	4	10	6	15	72	247	314
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central.	M.	101	14	14	4	14	5	18	15	7	3
		F.	115	21	12	4	5	7	20	14	10	8
33	Tuberculosis of the intestines and peritoneum—Tuberculose des intestins et du péritoine	M.	81	2	4	5	5	4	8	8	6	9
		F.	74	1	1	2	1	1	4	5	16	14
34	Tuberculosis of the vertebral column—Tuberculose de la colonne vertébrale.	M.	8	–	–	–	–	1	2	1	–	2
		F.	12	–	1	–	1	–	1	2	2	1
35	Tuberculosis of the joints—Tuberculose articulaire.	M.	5	–	–	–	–	–	–	–	2	–
		F.	3	–	–	2	–	–	–	–	–	–
36	Tuberculosis of other organs—Tuberculose d'autres organes.	M.	48	2	4	3	1	–	1	1	5	7
		F.	44	–	5	–	2	–	3	6	3	2
	(a) Skin and sub-cutaneous cellular tissue—De la peau et du tissu cellulaire sous-cutané.	M.	5	1	2	–	–	–	–	–	–	–
		F.	5	–	2	–	–	–	–	–	–	–
	(b) Bones (vertebral column excepted)—Des os (excepté la colonne vertébrale).	M.	15	–	1	3	1	–	–	–	2	1
		F.	12	–	1	–	–	–	2	1	–	2
	(c) Lymphatic system (mesenteric, and retroperitoneal glands excepted)—Du système lymphatique (excepté les ganglions rétropéritonéaux.)	M.	7	1	1	–	–	–	–	1	1	2
		F.	11	–	2	–	1	–	–	2	1	–
	(d) Genito-urinary system—Des organes génito-urinaires.	M.	19	–	–	–	–	–	–	–	2	4
		F.	14	–	–	–	1	–	1	2	2	–
	(e) Organs other than above—Autres organes que ceux déjà mentionnés.	M.	2	–	–	–	–	–	1	–	–	–
		F.	2	–	–	–	–	–	–	1	–	–
37	Disseminated tuberculosis—Tuberculose disséminée.	M.	23	2	3	1	1	–	–	2	–	4
		F.	24	1	1	2	–	–	2	–	4	1
	(a) Acute—Aiguë	M.	14	2	3	1	–	–	–	1	–	2
		F.	9	–	1	1	–	–	1	–	3	–
	(b) Chronic or unstated—Chronique ou non spécifiée.	M.	9	–	–	–	1	–	–	1	–	2
		F.	15	1	–	1	–	–	1	–	1	1
38	Syphilis	M.	77	42	2	1	–	–	–	1	–	2
		F.	59	36	1	2	–	1	3	–	–	2
39	Soft chancre—Chancre mou	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
40	Gonococcus infection—Gonococcie	M.	5	2	–	–	–	–	–	–	–	–
		F.	5	5	–	–	–	–	–	–	–	–
41	Purulent infection, septicaemia—Infection purulente, septicémie.	M.	88	29	7	–	3	1	6	2	1	2
		F.	86	39	3	–	1	2	6	2	2	2
	CLASS II—GENERAL DISEASES NOT INCLUDED IN CLASS I—CLASSE II—MALADIES GÉNÉRALES NON MENTIONNÉES DANS LA CLASSE I.	**Total**	**2,882**	**103**	**56**	**24**	**10**	**10**	**33**	**39**	**35**	**38**
		M.	**1,378**	**61**	**31**	**17**	**3**	**8**	**16**	**21**	**22**	**13**
		F.	**1,504**	**42**	**25**	**7**	**7**	**2**	**17**	**18**	**13**	**25**
43–49	**Cancer**	**M.**	**909**	**2**	**–**	**2**	**–**	**3**	**–**	**1**	**4**	**1**
		F.	**1,000**	**–**	**–**	**–**	**–**	**–**	**1**	**4**	**1**	**8**
43	Cancer of the buccal cavity—Cancer de la cavité buccale.	M.	83	–	–	–	–	–	–	–	–	–
		F.	20	–	–	–	–	–	–	–	–	–
44	Cancer of the stomach and liver—Cancer de l'estomac et du foie.	M.	494	–	–	–	–	–	–	–	–	1
		F.	346	–	–	–	–	–	–	1	–	1
45	Cancer of the peritoneum, intestines and rectum—Cancer du péritoine, des intestins et du rectum.	M.	139	–	–	1	–	1	–	–	–	–
		F.	163	–	–	–	–	–	1	1	–	2
46	Cancer of the female genital organs—Cancer des organes génitaux de la femme.	F.	187	–	–	–	–	–	–	–	–	2
47	Cancer of the breast—Cancer du sein	M.	4	–	–	–	–	–	–	–	–	–
		F.	186	–	–	–	–	–	–	–	–	1
48	Cancer of the skin—Cancer de la peau	M.	20	–	–	–	–	–	–	–	–	–
		F.	16	–	–	–	–	–	–	–	–	–
49	Cancer of other or unspecified organs—Cancer d'autres organes ou d'organes non spécifiés.	M.	169	2	–	1	–	2	–	1	4	–
		F.	82	–	–	–	–	–	–	2	1	2
	(a) Other—Autres	M.	167	2	–	1	–	2	–	1	4	–
		F.	78	–	–	–	–	–	–	2	1	
	(b) Unspecified—Non spécifiés	M.	2	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

QUÉBEC—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
107	115	99	86	85	58	52	30	35	20	13	3	–	1	–	–	–	31
238	162	132	96	77	60	41	20	23	18	11	2	1	–	–	–	–	
2	1	–	–	1	–	1	1	–	1	–	–	–	–	–	–	–	32
8	–	2	2	–	–	–	2	–	–	–	–	–	–	–	–	–	
6	3	3	2	3	4	3	2	2	1	1	–	–	–	–	–	–	33
7	8	3	2	1	3	1	3	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	34
–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	
1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	35
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
6	4	2	2	2	1	–	1	4	1	–	–	–	1	–	–	–	36
3	3	3	3	3	1	2	2	2	1	–	–	–	–	–	–	–	
1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36a
–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	
3	1	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	36b
1	–	1	1	1	–	–	1	–	1	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	36c
–	–	–	1	–	–	2	1	1	–	–	–	–	–	–	–	–	
2	2	2	1	1	–	–	1	2	1	–	–	–	1	–	–	–	36d
2	2	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	36e
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
6	–	–	–	–	–	1	1	–	1	–	–	1	–	–	–	–	37
3	1	2	2	1	2	–	–	–	1	1	–	–	–	–	–	–	
4	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	37a
–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	
2	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	37b
3	–	2	2	1	1	–	–	–	1	–	–	–	–	–	–	–	
2	2	1	7	2	7	1	1	2	2	2	–	–	–	–	–	–	38
–	1	3	1	2	4	1	2	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	39
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	40
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	1	3	1	3	3	1	4	5	5	3	5	–	–	–	–	–	41
2	3	2	5	3	–	2	–	3	1	4	4	–	–	–	–	–	
31	**54**	**73**	**134**	**173**	**230**	**298**	**357**	**368**	**358**	**237**	**140**	**63**	**15**	**3**	–	–	
17	**21**	**21**	**54**	**62**	**115**	**138**	**164**	**188**	**189**	**125**	**58**	**25**	**7**	**2**	–	–	
14	**33**	**52**	**80**	**111**	**115**	**160**	**193**	**180**	**169**	**112**	**82**	**38**	**8**	**1**	–	–	
8	**9**	**9**	**25**	**42**	**91**	**106**	**129**	**153**	**157**	**99**	**44**	**17**	**5**	**2**	–	–	**43-49**
4	**23**	**32**	**54**	**95**	**96**	**119**	**137**	**122**	**121**	**85**	**64**	**29**	**4**	**1**	–	–	
–	–	–	1	1	1	11	13	10	17	16	10	2	–	1	–	–	43
–	1	1	2	1	1	3	–	1	4	3	1	2	–	–	–	–	
2	5	6	14	30	58	63	76	89	83	44	16	4	3	–	–	–	44
–	4	4	17	18	26	41	59	52	54	28	34	5	2	–	–	–	
4	1	2	1	–	17	17	22	23	23	18	7	2	–	–	–	–	45
2	2	7	6	14	19	13	18	21	19	22	11	5	–	–	–	–	
–	8	13	14	25	24	33	23	15	14	9	2	5	–	–	–	–	46
–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	47
2	6	3	12	28	16	18	24	22	22	13	11	8	–	–	–	–	
–	–	–	1	3	–	–	1	3	1	2	4	4	1	–	–	–	48
–	–	–	1	–	4	–	–	1	1	2	2	4	1	–	–	–	
2	3	1	8	8	14	13	16	28	33	19	7	5	1	1	–	–	49
–	2	4	2	9	6	11	13	10	7	8	3	–	1	1	–	–	
2	3	1	7	8	14	13	15	28	33	19	7	5	1	1	–	–	49a
–	2	4	2	8	6	11	12	10	7	7	2	–	1	1	–	–	
–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	49b
–	–	–	–	1	–	–	1	–	–	1	1	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

QUEBEC—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS II-con.—**CLASSE II**-suite											
50	Benign tumours and tumours not returned as malignant (tumours of female genital organs excepted)—Tumeurs bénignes et tumeurs non données comme malignes (tumeurs des organes génitaux de la femme exceptées).	M.	12	–	–	1	–	–	–	–	1	–
		F.	16	1	–	–	–	–	–	–	–	–
51	Acute rheumatic fever—Rhumatisme articulaire aigu fébrile.	M.	48	–	1	2	1	2	5	11	6	3
		F.	40	2	1	–	2	–	4	6	3	3
52	Chronic rheumatism, osteo-arthritis, gout —Rhumatisme chronique ou goutte.	M.	26	1	–	–	–	–	–	1	–	–
		F.	27	–	–	–	–	–	–	1	–	1
53	Scurvy—Scorbut	M.	2	–	–	1	1	–	–	–	–	–
		F.	3	1	–	–	–	–	1	1	–	–
56	Rickets—Rachitisme	M.	67	33	19	7	1	1	1	2	1	1
		F.	48	21	15	6	3	–	2	–	–	–
57	Diabetes mellitus—Diabète	M.	120	–	–	1	–	–	–	3	5	5
		F.	169	–	–	–	–	–	1	1	1	1
58	Anaemia, chlorosis—Anémie, chlorose	M.	77	4	8	1	–	1	7	2	3	–
		F.	98	1	3	–	1	2	4	3	6	2
	(a) Pernicious anaemia—Anémie pernicieuse.	M.	36	2	–	–	–	1	2	–	1	–
		F.	43	–	2	–	1	–	–	1	1	1
	(b) Other anaemias and chlorosis—Autres anémies et chloroses.	M.	41	2	8	1	–	–	5	2	2	–
		F.	55	1	1	–	–	2	4	2	5	1
59	Diseases of the pituitary gland—Affections du corps pituitaire.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
60	Diseases of the thyroid gland—Affections de la glande thyroïde.	M.	8	1	–	–	–	–	–	–	–	–
		F.	50	–	–	–	–	–	–	–	2	6
	(a) Exophthalmic goiter—Goître exophtalmique.	M.	5	–	–	–	–	–	–	–	–	–
		F.	22	–	–	–	–	–	–	–	1	4
	(b) Other diseases of the thyroid gland— Autres affections de la glande thyroïde.	M.	3	1	–	–	–	–	–	–	–	–
		F.	28	–	–	–	–	–	–	–	1	2
61	Diseases of the parathyroid glands—Affections des glandes parathyroïdes.	M.	8	7	–	–	–	–	–	–	–	–
		F.	3	–	2	–	–	–	1	–	–	–
62	Diseases of the thymus—Affections du thymus.	M.	12	11	1	–	–	–	–	–	–	–
		F.	10	9	1	–	–	–	–	–	–	–
63	Diseases of the adrenals (Addison's disease)—Affections des glandes surrénales (maladie d'Addison).	M.	4	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	1
64	Diseases of the spleen—Affections de la rate	M.	4	–	1	1	–	–	–	–	–	–
		F.	3	–	1	–	–	–	2	–	–	–
65	Leukaemia, lymphadenoma—Leucémie, lymphadénie.	M.	8	–	–	1	–	–	1	–	1	1
		F.	6	–	–	–	1	–	–	1	–	–
	(a) Leukaemia—Leucémie	M.	5	–	–	1	–	–	1	–	1	1
		F.	6	–	–	–	1	–	–	1	–	–
	(b) Lymphadenoma (Hodgkin's disease) —Lymphadénie (maladie d'Hodgkin).	M.	3	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
66	Alcoholism—Alcoolisme	M.	52	–	–	–	–	–	–	–	–	1
		F.	5	–	–	–	–	–	–	–	–	–
	(a) Delirium tremens	M.	3	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Acute alcoholism—Alcoolisme aigu.	M.	15	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(c) Chronic alcoholism — Alcoolisme chronique.	M.	34	–	–	–	–	–	–	–	–	1
		F.	3	–	–	–	–	–	–	–	–	–
67	Chronic poisoning by mineral susbtances— Empoisonnements chroniques par substances minérales.	M.	3	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(a) Chronic lead poisoning—Empoisonnements chroniques par le plomb.	M.	3	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Others under this title—Autres sous ce titre.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
68	Chronic organic poisoning—Empoisonnements chroniques par substances organiques.	M.	4	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(a) Chronic morphinism—Morphinisme chronique.	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Chronic cocainism, etc.—Cocaïnisme chronique. etc.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Other organic poisoning—Autres empoisonnements organiques.	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
69	Other general diseases—Autres maladies générales.	M.	13	2	1	–	–	1	2	1	1	1
		F.	20	7	2	1	–	–	1	1	–	3
	(a) Diabetes insipidus—Diabète insipide	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

QUÉBEC—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	1	1	–	3	2	–	2	–	–	1	–	–	–	–	50
–	–	–	1	2	–	1	1	2	3	3	1	1	–	–	–	–	
1	1	–	4	2	–	1	3	1	3	–	1	–	–	–	–	–	51
2	–	4	2	–	1	4	1	1	1	1	1	1	–	–	–	–	
–	3	–	2	1	2	4	1	1	3	4	–	3	–	–	–	–	52
–	1	–	1	–	–	2	4	4	4	6	2	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	53
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	56
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	3	2	5	2	8	11	18	21	13	15	5	1	–	–	–	–	57
3	2	6	4	9	9	21	38	34	27	6	4	1	1	–	–	–	
1	1	1	2	7	5	3	4	7	7	5	5	1	2	–	–	–	58
3	1	7	4	4	4	5	6	7	10	8	10	4	3	–	–	–	
–	–	–	–	5	5	2	2	5	6	3	2	–	–	–	–	–	58a
3	–	3	3	2	2	2	5	6	6	3	1	–	1	–	–	–	
1	1	1	2	2	–	1	2	2	1	2	3	1	2	–	–	–	58b
–	1	4	1	2	2	3	1	1	4	5	9	4	2	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	59
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	2	1	–	–	2	–	1	–	–	–	–	–	–	60
1	2	2	10	–	3	4	5	8	3	3	–	1	–	–	–	–	
–	–	1	–	1	1	–	–	2	–	–	–	–	–	–	–	–	60a
1	2	–	7	–	1	1	1	3	1	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	60b
–	–	2	3	–	2	3	4	5	2	3	–	1	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	61
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	63
–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	64
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	65
–	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	65a
–	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	65b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	2	7	12	5	5	8	6	1	1	–	1	1	–	–	–	–	66
1	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	
1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	66a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	3	5	1	2	1	1	–	–	–	–	–	–	–	–	–	66b
–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	
–	–	4	7	4	2	7	5	1	1	–	1	1	–	–	–	–	66c
1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	67
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	67a
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	67b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	68
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	68a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	68b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	68c
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	69
–	–	–	1	–	1	1	1	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	69a
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

QUEBEC—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS II–con.—**CLASSE II**–fin											
69	(b) Haemophilia-Hémophilie	M.	2	1	–	–	–	–	1	–	–	–
		F.	5	5	–	–	–	–	–	–	–	–
	(c) Purpura haemorrhagica—Purpura hémorragique.	M.	7	1	1	–	–	1	1	1	–	1
		F.	7	1	1	–	–	–	1	1	–	2
	(d) Others under this title—Autres sous ce titre.	M.	2	–	–	–	–	–	–	–	1	–
		F.	7	1	1	1	–	–	–	–	–	1
	CLASS III—DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE—CLASSE III—AFFECTIONS DU SYSTÈME NERVEUX ET DES ORGANES DES SENS.	Total	2,557	568	125	54	28	25	82	46	47	53
		M.	1,287	336	66	23	12	17	37	20	24	29
		F.	1,270	232	59	31	16	8	45	26	23	24
70	Encephalitis—Encéphalite	M.	27	7	–	1	1	–	2	3	1	2
		F.	22	3	4	1	–	–	1	1	1	3
	(a) Abscess of brain—Abcès du cerveau.	M.	10	1	–	1	–	–	2	–	1	2
		F.	11	–	3	1	–	–	1	–	1	1
	(b) Encephalitis—Encéphalite	M.	17	6	–	–	1	–	–	3	–	–
		F.	11	3	1	–	–	–	–	1	–	2
71	Meningitis—Méningite	M.	259	136	31	12	10	13	25	10	6	3
		F.	255	105	27	23	13	7	31	15	7	7
	(a) Simple meningitis—Méningite simple.	M.	259	136	31	12	10	13	25	10	6	3
		F.	255	105	27	23	13	7	31	15	7	7
	(b) Non-epidemic, cerebrospinal meningitis—Méningite cérébro-spinale non épidémique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
72	Tabes dorsalis (locomotor ataxia)—Ataxie locomotrice progressive.	M.	14	–	–	–	–	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–
73	Other diseases of the spinal cord—Autres affections de la moelle épinière.	M.	37	–	2	–	–	–	–	2	1	
		F.	31	–	–	–	–	–	–	1	–	
74	Cerebral haemorrhage, apoplexy—Hémorragie cérébrale, apoplexie.	M.	282	2	–	1	–	–	–	–	3	
		F.	287	–	–	–	–	–	–	3	3	
	(a) Apoplexy—Apoplexie	M.	97	2	–	–	–	–	–	–	1	
		F.	62	–	–	–	–	–	–	1	–	
	(b) Cerebral haemorrhage—Hémorragie cérébrale.	M.	175	–	–	1	–	–	–	–	2	
		F.	209	–	–	–	–	–	–	2	2	
	(c) Cerebral thrombosis and embolism—Thrombose et embolie cérébrales.	M.	10	–	–	–	–	–	–	–	–	
		F.	16	–	–	–	–	–	–	–	1	
75	Paralysis without specified cause—Paralysie sans cause indiquée.	M.	251	–	–	2	–	–	–	–	1	
		F.	315	–	2	–	–	–	2	1	2	1
	(a) Hemiplegia—Hémiplégie	M.	36	–	–	–	–	–	–	–	–	
		F.	48	–	–	–	–	–	–	–	–	
	(b) Others under this title—Autres sous ce titre.	M.	215	–	–	2	–	–	–	–	1	
		F.	267	–	2	–	–	–	2	1	2	1
76	General paralysis of the insane—Paralysie générale des aliénés.	M.	12	–	–	–	–	–	–	–	–	
		F.	10	–	–	–	–	–	–	–	–	
77	Other forms of mental alienation.—Autres formes de l'aliénation mentale.	M.	25	–	–	–	–	–	–	2	1	
		F.	39	–	–	–	–	–	–	2	4	
78	Epilepsy—Épilepsie	M.	62	8	2	–	–	1	2	3	3	10
		F.	54	3	–	–	1	–	1	3	3	5
79	Convulsions (non-puerperal, 5 years or over)—Éclampsie (non-puerpérale, cinq ans ou au-dessus).	M.	2	–	–	–	–	–	–	–	–	
		F.	3	–	–	–	–	–	–	–	–	
80	Infantile convulsions (under 5 years of age)	M.	112	79	24	7	1	1	–	–	–	
	Convulsions des enfants (moins de cinq ans)	F.	56	34	17	4	–	1	–	–	–	
81	Chorea—Chorée	M.	1	–	–	–	–	–	–	1	–	
		F.	2	1	–	–	–	–	–	–	1	
82	Neuralgia and neuritis—Névralgie et névrite.	M.	8	1	–	–	–	–	1	–	–	1
		F.	13	–	1	–	–	–	1	–	1	–
83	Softening of the brain—Ramollissement du cerveau.	M.	28	–	–	–	–	–	–	–	–	
		F.	25	–	–	–	–	–	–	–	–	
84	Other diseases of the nervous system—Autres affections du système nerveux.	M.	23	–	–	–	–	1	2	1	1	2
		F.	34	2	2	–	1	–	2	–	1	–
85	Diseases of the eye and annexa—Affections de l'œil et de ses annexes.	M.	2	–	–	–	–	–	–	–	–	
		F.	3	1	–	–	–	–	–	–	–	
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien.	M.	142	103	7	–	–	1	5	2	9	5
		F.	114	83	6	3	1	–	7	6	1	1
	(a) Diseases of the ear—Affections de l'oreille.	M.	59	41	2	–	–	1	3	1	5	1
		F.	42	33	3	1	–	–	3	1	–	–
	(b) Diseases of the mastoid process—Affections du sinus mastoïdien.	M.	83	62	5	–	–	–	2	1	4	4
		F.	72	50	3	2	1	–	4	5	1	1

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

QUÉBEC—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	69c
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	69d
–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	
39	**24**	**46**	**66**	**77**	**74**	**111**	**139**	**155**	**234**	**264**	**171**	**94**	**29**	**5**	–	**1**	
17	**13**	**30**	**37**	**33**	**36**	**51**	**73**	**70**	**114**	**120**	**72**	**45**	**10**	**1**	–	**1**	
22	**11**	**16**	**29**	**44**	**38**	**60**	**66**	**85**	**120**	**144**	**99**	**49**	**19**	**4**	–	–	
–	1	2	1	1	1	1	1	–	–	2	–	–	–	–	–	–	70
–	1	2	–	1	2	–	1	1	–	–	–	–	–	–	–	–	
–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	70a
–	–	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	
–	–	1	1	1	–	1	1	–	–	2	–	–	–	–	–	–	70b
–	1	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	
5	1	2	1	1	1	1	1	–	–	–	–	–	–	–	–	–	71
6	2	2	2	1	–	3	–	–	1	1	1	1	–	–	–	–	
5	1	2	1	1	1	1	1	–	–	–	–	–	–	–	–	–	71a
6	2	2	2	1	–	3	–	–	1	1	1	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	–	–	2	1	4	1	2	1	1	–	–	–	–	–	–	72
–	–	–	1	–	–	1	2	2	1	–	–	–	–	–	–	–	
–	1	1	1	–	2	5	4	4	7	4	2	1	–	–	–	–	73
1	–	2	2	1	3	3	4	5	4	2	1	1	1	–	–	–	
4	3	9	11	10	19	18	35	33	44	45	27	14	3	1	–	–	74
–	2	1	8	17	13	25	28	32	42	54	38	14	4	3	–	–	
2	1	2	4	4	6	11	10	11	15	14	8	4	2	–	–	–	74a
–	1	–	2	2	5	5	6	10	7	16	5	1	1	–	–	–	
2	2	7	7	6	13	6	23	20	28	28	18	10	1	1	–	–	74b
–	1	1	6	14	8	19	20	21	32	35	31	12	3	2	–	–	
–	–	–	–	–	–	1	2	2	1	3	1	–	–	–	–	–	74c
–	–	–	–	1	–	1	2	1	3	3	2	1	–	1	–	–	
1	1	3	4	6	6	15	19	23	44	53	38	29	6	–	–	–	75
1	–	1	4	7	8	12	21	34	59	71	49	27	12	1	–	–	
–	–	–	1	1	1	3	4	5	8	4	2	5	2	–	–	–	75a
–	–	–	1	2	2	1	3	6	10	8	6	7	2	–	–	–	
1	1	3	3	5	5	12	15	18	36	49	36	24	4	–	–	–	75b
1	–	1	3	5	6	11	18	28	49	63	43	20	10	1	–	–	
–	–	3	5	–	–	1	1	2	–	–	–	–	–	–	–	–	76
1	–	–	1	2	2	–	–	2	–	1	1	–	–	–	–	–	
4	1	3	2	2	4	–	–	3	2	–	–	–	–	–	–	1	77
2	–	4	3	3	6	3	3	1	2	2	3	1	–	–	–	–	
1	1	4	6	4	1	3	3	3	1	4	1	1	–	–	–	–	78
7	4	2	4	5	1	3	3	3	2	3	–	–	1	–	–	–	
–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	79
–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	81
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	1	–	2	1	–	–	–	–	–	–	82
1	1	–	–	1	–	2	–	1	1	1	2	–	–	–	–	–	
–	–	–	–	1	–	1	3	–	11	8	3	–	1	–	–	–	83
–	–	–	–	–	–	6	2	1	5	4	3	4	–	–	–	–	
–	1	1	3	3	1	1	4	–	1	1	–	–	–	–	–	–	84
2	1	1	4	4	3	3	2	3	–	2	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	85
–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	
2	1	2	2	3	–	–	–	–	–	–	–	–	–	–	–	–	86
1	–	1	–	1	–	–	1	–	1	1	–	–	–	–	–	–	
–	1	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	86a
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
2	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	86b
1	–	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

QUEBEC—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS IV—DISEASES OF THE CIRCULATORY SYSTEM— CLASSE IV—AFFECTIONS DE L'APPAREIL CIRCULATOIRE.	Total	3,888	9	12	6	7	7	43	64	49	52
		M.	2,008	7	5	4	4	5	23	31	25	26
		F.	1,880	2	7	2	3	2	20	33	24	26
87-90	**Diseases of the heart—Affections du cœur.**	M.	1,462	–	3	4	4	5	21	31	25	25
		F.	1,411	–	7	2	2	2	20	33	24	24
87	Pericarditis—Péricardite	M.	23	–	–	–	–	–	2	4	1	1
		F.	11	–	–	–	–	–	2	–	–	2
88	Endocarditis and myocarditis (acute)— Endocardite et myocardite (aiguës).	M.	51	–	–	2	2	2	6	4	5	2
		F.	54	–	1	2	1	–	5	12	4	2
	(a) Acute endocarditis — Endocardite aiguë.	M.	27	–	–	2	1	1	5	3	4	–
		F.	31	–	–	1	–	–	3	8	4	1
	(b) Acute myocarditis—Myocardite aiguë.	M.	24	–	–	–	1	1	1	1	1	2
		F.	23	–	1	1	1	–	2	4	–	1
89	Angina pectoris—Angine de poitrine	M.	207	–	–	–	–	–	1	–	–	–
		F.	113	–	–	–	–	1	–	1	–	1
90	Other diseases of the heart—Autres affections du cœur.	M.	1,181	–	3	2	2	3	12	23	19	22
		F.	1,233	–	6	–	1	1	13	20	20	19
	(a) Valvular disease—Affection valvulaire.	M.	197	–	–	–	–	–	3	7	8	6
		F.	217	–	1	–	–	–	3	5	4	1
	(b) Fatty degeneration of the heart— Dégénérescence ou stéanose du cœur.	M.	10	–	–	–	–	–	–	–	–	–
		F.	8	–	–	–	–	–	–	1	–	–
	(c) Aortic insufficiency — Insuffisance aortique.	M.	6	–	–	–	–	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–
	(d) Chronic endocarditis—Endocardite chronique.	M.	197	–	–	–	1	1	3	5	5	9
		F.	210	–	–	–	–	1	5	6	6	8
	(e) Chronic myocarditis—Myocardite chronique.	M.	362	–	–	–	–	–	1	3	4	2
		F.	361	–	–	–	–	–	–	2	1	4
	(f) Others under this title—Autresous ce titre.	M.	409	–	3	2	1	2	5	8	2	5
		F.	430	–	5	–	1	–	5	6	9	6
91	Diseases of the arteries—Affections des artères.	M.	519	–	–	–	–	–	–	–	–	–
		F.	440	–	–	–	–	–	–	–	–	1
	(a) Aneurysm—Anévrisme	M.	18	–	–	–	–	–	–	–	–	–
		F.	9	–	–	–	–	–	–	–	–	–
	(b) Arteriosclerosis—Artério-sclérose	M.	496	–	–	–	–	–	–	–	–	–
		F.	430	–	–	–	–	–	–	–	–	1
	(c) Other diseases of the arteries—Autres affections des artères.	M.	5	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
92	Embolism and thrombosis (not cerebral)— Embolie et thrombose (non cérébrales).	M.	10	1	–	–	–	–	–	–	–	–
		F.	14	–	–	–	–	–	–	–	–	–
93	Diseases of the veins (varices, haemorrhoids, phlebitis, etc.)—Affections des veines (varices, hémorroïdes, phlébite, etc.)	M.	5	–	–	–	–	–	–	–	–	1
		F.	4	–	–	–	–	–	–	–	–	–
94	Diseases of the lymphatic system (lymphangitis, etc.)—Affections du système lymphatique (lymphangite, etc.)	M.	9	6	2	–	–	–	1	–	–	–
		F.	4	2	–	–	1	–	–	–	–	–
95	Haemorrhage without specified cause— Hémorragie sans cause déterminée.	M.	3	–	–	–	–	–	1	–	–	–
		F.	5	–	–	–	–	–	–	–	–	1
96	Other diseases of the circulatory system— Autres affections de l'appareil circulatoire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	CLASS V—DISEASES OF THE RESPIRATORY SYSTEM—CLASSE V—AFFECTIONS DE L'APPAREIL RESPIRATOIRE.	Total	3,370	1,013	458	153	93	55	139	41	47	47
		M.	1,775	560	261	71	50	28	69	14	26	19
		F.	1,595	453	197	82	43	27	70	27	21	28
97	Diseases of the nasal fossae and their annexa—Affections des fosses nasales et de leurs annexes.	M.	4	1	2	–	–	–	–	–	–	1
		F.	3	2	1	–	–	–	–	–	–	–
98	Diseases of the larynx—Affections du larynx.	M.	56	18	14	3	3	5	8	–	1	–
		F.	58	11	15	10	6	3	8	2	1	–
	(a) Laryngismus stridulus—Laryngite striduleuse.	M.	13	2	5	1	–	2	3	–	–	–
		F.	13	–	3	3	4	–	3	–	–	–
	(b) Laryngitis—Laryngite	M.	4	1	–	–	–	–	–	–	1	–
		F.	7	3	–	1	–	–	2	–	–	–
	(c) Croup	M.	29	11	5	2	3	3	5	–	–	–
		F.	31	6	12	3	2	3	3	2	–	–
	(d) Other diseases of the larynx—Autres affections du larynx.	M.	10	4	4	–	–	–	–	–	–	–
		F.	7	2	–	3	–	–	–	–	1	–
99	Bronchitis—Bronchite	M.	99	38	8	1	–	1	1	–	–	1
		F.	93	24	1	2	1	1	1	2	–	–
	(a) Acute—Aiguë	M.	52	37	7	1	–	–	1	–	–	1
		F.	38	21	–	2	1	–	–	1	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

QUÉBEC—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
54	**60**	**80**	**102**	**114**	**184**	**250**	**333**	**486**	**611**	**584**	**419**	**254**	**84**	**21**	**3**	–	
28	**34**	**37**	**48**	**48**	**106**	**147**	**191**	**244**	**311**	**326**	**206**	**110**	**36**	**11**	**1**	–	
26	**26**	**43**	**54**	**66**	**78**	**103**	**142**	**242**	**300**	**264**	**213**	**144**	**48**	**10**	**2**	–	
25	**30**	**33**	**46**	**45**	**89**	**114**	**142**	**178**	**207**	**216**	**127**	**62**	**22**	**7**	**1**	–	**87-90**
25	**22**	**37**	**51**	**56**	**61**	**82**	**115**	**176**	**210**	**198**	**137**	**89**	**29**	**8**	**1**	–	
1	1	–	2	1	2	–	1	1	1	4	1	–	–	–	–	–	87
–	–	–	1	–	1	–	1	1	1	1	1	–	–	–	–	–	
–	4	1	4	1	2	2	4	1	2	1	4	1	1	–	–	–	88
3	2	2	2	1	2	1	3	3	2	1	1	2	–	2	–	–	
–	2	–	1	–	1	2	2	–	1	1	–	1	–	–	–	–	88a
2	1	1	2	–	2	1	–	1	2	–	1	–	–	1	–	–	
–	2	1	3	1	1	–	2	1	1	–	4	–	1	–	–	–	88b
1	1	1	–	1	–	–	3	2	–	1	–	2	–	1	–	–	
2	2	3	5	6	16	25	27	41	33	27	16	2	1	–	–	–	89
1	3	2	1	1	2	7	15	29	21	17	7	3	1	–	–	–	
22	23	29	35	37	69	87	110	135	171	184	106	59	20	7	1	–	90
21	17	33	47	54	56	74	96	143	186	179	128	84	28	6	1	–	
4	5	5	6	7	12	15	12	24	30	23	17	9	3	–	1	–	90a
2	6	10	11	8	8	19	16	22	43	24	15	15	2	2	–	–	
–	–	1	–	1	1	2	1	1	1	2	–	–	–	–	–	–	90b
–	–	–	–	–	–	1	1	1	2	1	1	–	–	–	–	–	
–	–	–	–	–	–	1	1	–	–	2	–	1	–	1	–	–	90c
–	–	–	2	–	1	2	–	–	–	1	1	–	–	–	–	–	
7	5	10	8	7	19	15	17	20	25	19	10	10	1	–	–	–	90d
8	5	8	9	12	16	11	17	26	28	28	8	7	1	–	–	–	
4	3	4	10	7	17	29	42	39	57	61	49	21	6	3	–	–	90e
3	3	2	14	10	17	22	33	36	39	71	55	34	12	3	–	–	
7	10	9	11	15	19	25	38	51	58	77	30	18	10	3	–	–	90f
8	3	13	11	24	14	19	29	58	74	54	48	28	13	1	1	–	
2	4	4	1	2	15	31	49	64	101	104	78	47	13	4	–	–	91
–	2	5	3	8	14	19	22	64	84	66	76	54	19	2	1	–	
1	2	1	–	–	–	3	3	2	4	1	–	1	–	–	–	–	91a
–	2	–	1	1	–	–	2	–	–	1	–	1	1	–	–	–	
1	2	3	1	2	14	28	45	61	96	103	78	45	13	4	–	–	91b
–	–	5	2	7	14	19	20	63	84	65	76	53	18	2	1	–	
–	–	–	–	–	1	–	1	1	1	–	–	1	–	–	–	–	91c
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
1	–	–	–	1	2	1	–	1	2	–	–	–	1	–	–	–	92
–	1	1	–	2	3	1	2	–	4	–	–	–	–	–	–	–	
–	–	–	1	–	–	1	–	1	–	–	1	–	–	–	–	–	93
–	1	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	94
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	95
1	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	96
–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	
56	**40**	**68**	**72**	**66**	**94**	**76**	**117**	**154**	**156**	**160**	**143**	**85**	**25**	**10**	**1**	**1**	
22	**20**	**27**	**38**	**41**	**54**	**45**	**72**	**88**	**78**	**74**	**60**	**42**	**11**	**4**	–	**1**	
34	**20**	**41**	**34**	**25**	**40**	**31**	**45**	**66**	**78**	**86**	**83**	**43**	**14**	**6**	**1**	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	97
–	–	–	–	–	–	–	–	3	–	–	1	–	–	–	–	–	98
–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	98a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98b
–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	98c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98d
–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
–	1	–	1	–	3	3	1	3	8	8	10	7	2	2	–	–	99
–	–	–	–	2	5	–	1	2	8	17	15	10	–	1	–	–	
–	–	–	1	–	–	–	–	–	2	–	1	1	–	–	–	–	99a
–	–	–	–	1	–	–	–	–	2	4	2	3	–	1	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

QUEBEC—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS V-con.—CLASSE V-fin											
99	(b) Chronic—Chronique	M.	27	1	1	–	–	–	–	–	–	–
		F.	36	1	1	–	–	–	1	1	–	–
	(c) Not otherwise defined, under 5 years of age—Sans épithète, au-dessous de cinq ans.	M.	1	–	–	–	–	1	–	–	–	–
		F.	3	2	–	–	–	1	–	–	–	–
	(d) Not otherwise defined, 5 years or over—Sans épithète, cinq ans ou au-dessus.	M.	19	–	–	–	–	–	–	–	–	–
		F.	16	–	–	–	–	–	–	–	–	–
100	Bronchopneumonia (including capillary bronchitis)—Broncho-pneumonie (y compris bronchite capillaire).	M.	585	290	133	34	21	12	17	1	2	3
		F.	518	236	102	38	19	12	17	6	2	2
	(a) Bronchopneumonia—Broncho-pneumonie.	M.	535	266	120	31	18	10	15	1	2	3
		F.	457	210	88	34	16	9	14	5	2	2
	(b) Capillary bronchitis—Bronchite capillaire.	M.	50	24	13	3	3	2	2	–	–	–
		F.	61	26	14	4	3	3	3	1	–	–
101	Pneumonia—Pneumonie	M.	689	148	81	23	18	7	28	9	17	10
		F.	618	132	60	24	13	8	28	8	8	16
	(a) Lobar—Lobaire	M.	194	30	17	5	6	1	12	1	3	1
		F.	183	25	18	5	2	3	8	–	1	9
	(b) Not otherwise defined—Sans épithète	M.	495	118	64	18	12	6	16	8	14	9
		F.	435	107	42	19	11	5	20	8	7	7
102	Pleurisy—Pleurésie	M.	96	8	5	5	4	2	9	3	4	2
		F.	82	10	7	2	1	2	7	5	7	7
103	Congestion and haemorrhagic infarct of the lung—Congestion et hémorragie parenchymateuse des poumons.	M.	161	53	16	5	4	1	3	–	1	2
		F.	155	33	10	6	3	1	7	3	1	2
104	Gangrene of the lung—Gangrène du poumon.	M.	8	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
105	Asthma—Asthme	M.	43	1	–	–	–	–	2	1	1	–
		F.	39	2	–	–	–	–	–	–	–	1
106	Pulmonary emphysema—Emphysème pulmonaire.	M.	19	1	1	–	–	–	1	–	–	–
		F.	10	1	–	–	–	–	1	1	–	–
107	Other diseases of the respiratory system (tuberculosis excepted)—Autres affections de l'appareil respiratoire (tuberculose exceptée).	M.	15	2	1	–	–	–	–	–	–	–
		F.	17	2	1	–	–	–	1	–	2	–
	(a) Chronic interstitial pneumonia including occupational diseases of the lungs—Pneumonie interstitielle chronique comprenant les affections professionnelles de l'appareil pulmonaire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Diseases of the mediastinum—Affections du médiastin.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	15	2	1	–	–	–	–	–	–	–
		F.	17	2	1	–	–	–	1	–	2	–
	CLASS VI—DISEASES OF THE DIGESTIVE SYSTEM—CLASSE VI—AFFECTIONS DE L'APPAREIL DIGESTIF.	Total	6,058	3,348	443	138	78	57	193	126	116	77
		M.	3,344	1,922	245	73	46	27	97	79	66	45
		F.	2,714	1,426	198	65	32	30	96	47	50	32
108	Diseases of the mouth and annexa—Affections de la bouche et de ses annexes.	M.	11	2	1	–	–	–	1	1	1	–
		F.	11	1	1	–	–	1	–	–	–	–
109	Diseases of the pharynx and tonsils (including adenoid vegetations)—Affections du pharynx et des amygdales (y compris les végétations adénoïdiennes).	M.	82	17	9	5	9	7	14	4	3	3
		F.	72	16	6	5	6	7	16	3	1	–
	(a) Adenoid vegetations—Végétations adénoïdiennes.	M.	2	1	1	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(b) Pharynx and tonsils—Pharynx et amygdales.	M.	80	16	8	5	9	7	14	4	3	3
		F.	71	15	6	5	6	7	16	3	1	–
110	Diseases of the oesophagus—Affections de l'œsophage.	M.	5	1	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
111	Ulcer of the stomach and duodenum—Ulcère de l'estomac et du duodénum.	M.	89	–	–	–	–	–	1	1	1	3
		F.	41	–	1	–	–	–	–	–	–	1
	(a) Ulcer of the stomach—Ulcère de l'estomac.	M.	66	–	–	–	–	–	1	–	–	2
		F.	35	–	1	–	–	–	–	–	–	1
	(b) Ulcer of the duodenum—Ulcère du duodénum.	M.	23	–	–	–	–	–	–	1	1	1
		F.	6	–	–	–	–	–	–	–	–	–
112	Other diseases of the stomach (cancer excepted)—Autres affections de l'estomac (cancer excepté).	M.	309	73	25	13	6	2	4	5	4	3
		F.	295	64	13	7	10	3	6	1	2	2

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

QUÉBEC—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	1	–	–	–	–	2	–	2	4	6	5	4	1	–	–	–	99b
–	–	–	–	–	4	–	–	1	5	9	8	5	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	99c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	3	1	1	1	2	2	4	2	1	2	–	–	99d
–	–	–	–	1	1	–	1	1	1	4	5	2	–	–	–	–	
–	–	4	5	2	3	6	8	5	8	14	11	4	1	1	–	–	100
3	4	5	2	2	4	3	6	8	11	17	11	4	3	1	–	–	
–	–	4	5	2	3	5	8	5	8	13	10	4	1	1	–	–	100a
3	4	5	2	2	4	3	5	8	11	16	8	3	2	1	–	–	
–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	100b
–	–	–	–	–	–	–	1	–	–	1	3	1	1	–	–	–	
15	12	16	19	23	38	25	43	47	35	31	17	18	8	–	–	1	101
17	11	22	22	12	22	18	26	38	42	26	32	23	6	3	1	–	
5	7	6	10	11	16	9	13	15	3	12	5	6	–	–	–	–	101a
8	4	9	12	5	10	6	6	12	19	8	6	5	–	1	1	–	
10	5	10	9	12	22	16	30	32	32	19	12	12	8	–	–	1	101b
9	7	13	10	7	12	12	20	26	23	18	26	18	6	2	–	–	
4	2	4	4	4	3	2	8	11	7	4	1	–	–	–	–	–	102
9	1	4	1	4	3	3	2	4	–	1	2	–	–	–	–	–	
1	2	2	5	7	3	5	2	9	9	7	13	10	–	1	–	–	103
3	3	5	6	2	3	3	7	8	8	15	16	4	5	1	–	–	
–	–	1	1	–	1	1	–	3	–	1	–	–	–	–	–	–	104
–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	
–	–	–	2	2	–	1	8	4	7	8	4	2	–	–	–	–	105
–	1	3	2	–	–	3	3	4	5	8	5	2	–	–	–	–	
–	–	–	–	2	1	–	2	3	3	1	3	1	–	–	–	–	106
–	–	–	–	1	1	–	–	1	3	–	1	–	–	–	–	–	
2	3	–	1	1	2	2	–	–	1	–	–	–	–	–	–	–	107
2	–	2	1	1	2	–	–	1	1	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	3	–	1	1	2	2	–	–	1	–	–	–	–	–	–	–	107c
2	–	2	1	1	2	–	–	1	1	1	–	–	–	–	–	–	
55	**66**	**80**	**88**	**102**	**125**	**135**	**140**	**166**	**144**	**174**	**124**	**59**	**21**	**3**	–	–	
23	**34**	**36**	**52**	**45**	**51**	**69**	**75**	**94**	**74**	**83**	**62**	**34**	**10**	**2**	–	–	
32	**32**	**44**	**36**	**57**	**74**	**66**	**65**	**72**	**70**	**91**	**62**	**25**	**11**	**1**	–	–	
–	–	–	–	–	1	1	1	–	1	–	1	–	–	–	–	–	108
1	1	–	1	2	–	–	–	1	–	1	1	–	–	–	–	–	
1	1	2	3	1	1	1	–	–	–	1	–	–	–	–	–	–	109
3	–	2	1	1	–	1	–	–	2	1	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	109a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	2	3	1	1	1	–	–	–	1	–	–	–	–	–	–	109b
3	–	2	1	1	–	1	–	–	2	1	1	–	–	–	–	–	
–	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–	–	110
–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	
1	3	3	13	7	5	11	9	9	9	7	2	2	2	–	–	–	111
3	2	–	3	2	3	8	4	5	3	4	1	1	–	–	–	–	
–	1	2	8	5	5	8	5	7	9	7	2	2	2	–	–	–	111a
2	2	–	2	2	2	8	3	4	3	4	1	–	–	–	–	–	
1	2	1	5	2	–	3	4	2	–	–	–	–	–	–	–	–	111b
1	–	–	1	–	1	–	1	1	–	–	–	1	–	–	–	–	
2	4	4	7	11	9	13	20	25	24	20	20	13	2	–	–	–	112
2	4	5	8	11	17	13	24	19	17	30	21	9	7	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

QUEBEC—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VI-con.—CLASSE VI-fin											
113	Diarrhoea and enteritis (under 2 years of age)—Diarrhée et entérite (au-dessous de 2 ans).	M.	1,984	1,789	195	–	–	–	–	–	–	–
		F.	1,487	1,323	164	–	–	–	–	–	–	–
114	Diarrhoea and enteritis (2 years or over)—Diarrhée et entérite (deux ans ou au-dessus).	M.	177	–	–	44	21	11	21	3	2	3
		F.	172	–	–	40	13	5	10	3	4	2
116	Diseases due to other intestinal parasites—Affections dues à d'autres parasites intestinaux.	M.	6	–	2	3	–	–	–	–	–	1
		F.	3	1	1	–	–	–	1	–	–	–
	(a) Cestodes (hydatids of the liver excepted)—Cestodes (non compris les hydatides du foie).	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Trematodes—Trématodes	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Nematodes (other than ankylostoma)—Nématodes (autres que ankylostomiase).	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–
	(d) Coccidia—Coccidies	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Other parasites specified—Autres parasites spécifiés.	M.	2	–	–	1	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
	(f) Parasites not specified—Parasites non spécifiés.	M.	4	–	2	2	–	–	–	–	–	–
		F.	2	1	1	–	–	–	–	–	–	–
117	Appendicitis and typhlitis—Appendicite et typhlite.	M.	235	2	1	4	9	4	44	55	42	27
		F.	186	2	2	2	3	8	48	31	30	14
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale.	M.	153	26	4	4	1	1	2	2	7	1
		F.	118	8	–	2	–	1	–	2	1	2
	(a) Hernia—Hernie	M.	62	10	1	3	–	–	–	–	–	1
		F.	46	1	–	–	–	–	–	–	–	–
	(b) Intestinal obstruction—Obstruction intestinale.	M.	91	16	3	1	1	1	2	2	7	–
		F.	72	7	–	2	–	1	–	2	1	2
119	Other diseases of the intestines—Autres affections des intestins.	M.	60	9	3	–	–	–	3	1	1	2
		F.	53	6	5	3	–	–	4	2	1	5
120	Acute yellow atrophy of the liver—Atrophie jaune aiguë du fcie.	M.	6	–	–	–	–	–	2	–	–	1
		F.	9	–	–	–	–	–	2	–	–	4
122	Cirrhosis of the liver—Cirrhose du foie	M.	86	–	–	–	–	–	–	–	–	–
		F.	46	–	–	–	–	1	–	–	–	–
	(a) Specified as alcoholic—Spécifiée comme alcoolique.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Not specified as alcoholic—Non spécifiée comme alcoolique.	M.	85	–	–	–	–	–	–	–	–	–
		F.	45	–	–	–	–	1	–	–	–	–
123	Biliary calculi—Calculs biliaires	M.	20	–	–	–	–	–	–	–	1	–
		F.	56	–	–	–	–	–	–	–	–	–
124	Other diseases of the liver—Autres affections du foie.	M.	77	–	–	–	–	–	–	1	1	1
		F.	99	–	1	1	–	2	–	1	6	2
125	Diseases of the pancreas—Affections du pancréas.	M.	4	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
126	Peritonitis without specified cause—Peritonite sans cause indiquée.	M.	40	3	5	–	–	2	5	6	3	–
		F.	60	5	4	5	–	2	9	4	5	–
	CLASS VII—NON-VENEREAL DISEASES OF THE GENITO-URINARY SYSTEM AND ANNEXA—CLASSE VII—AFFECTIONS NON VÉNÉRIENNES DE L'APPAREIL GÉNITO-URINAIRE ET DE SES ANNEXES.	Total	2,543	13	15	11	5	11	35	23	33	47
		M.	1,272	9	10	6	5	8	21	9	9	15
		F.	1,271	4	5	5	–	3	14	14	24	32
128	Acute nephritis (including unspecified, under 10 years of age)—Néphrite aiguë (y compris non spécifiée au dessous de dix ans).	M.	63	5	7	5	3	4	13	2	2	3
		F.	73	3	5	3	–	3	10	6	4	5
129	Chronic nephritis (including unspecified, 10 years of age or over)—Néphrite chronique (y compris non spécifiée, dix ans ou au-dessus).	M.	930	–	2	1	–	4	5	7	6	9
		F.	1,006	–	–	1	–	–	4	8	12	11
131	Other diseases of the kidneys and annexa—Autres affections des reins et de leurs annexes.	M.	43	2	1	–	1	–	3	–	–	1
		F.	24	1	–	–	–	–	–	–	–	1
132	Calculi of the urinary passages—Calculs des voies urinaires.	M.	14	–	–	–	–	–	–	–	1	–
		F.	3	–	–	–	–	–	–	–	–	–
133	Diseases of the bladder—Affections de la vessie.	M.	44	2	–	–	1	–	–	–	–	1
		F.	5	–	–	1	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

QUÉBEC—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	113
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	1	–	5	4	7	6	9	5	17	7	6	3	–	–	–	114
2	–	6	4	6	7	3	6	9	9	17	16	8	1	1	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116f
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	117
10	9	8	3	5	3	2	4	3	–	–	–	–	–	–	–	–	118
9	9	6	4	5	3	4	3	1	1	1	–	–	–	–	–	–	
4	5	2	4	2	5	12	10	15	11	11	15	7	1	1	–	–	118a
1	4	8	3	7	10	7	6	11	15	13	12	3	2	–	–	–	
–	1	–	2	1	4	8	6	4	3	3	11	3	–	1	–	–	118b
–	1	3	1	2	7	1	4	6	8	6	4	1	1	–	–	–	
4	4	2	2	1	1	4	4	11	8	8	4	4	1	–	–	–	119
1	3	5	2	5	3	6	2	5	7	7	8	2	1	–	–	–	
–	2	4	2	1	2	3	5	4	3	5	3	4	2	1	–	–	120
4	4	2	2	–	1	2	5	1	3	1	2	–	–	–	–	–	
–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	122
–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	
2	2	5	10	6	9	5	4	14	14	10	5	–	–	–	–	–	122a
1	–	3	–	6	7	7	1	6	3	10	1	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	122b
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
2	2	5	9	6	9	5	4	14	14	10	5	–	–	–	–	–	123
1	–	3	–	6	7	7	–	6	3	10	1	–	–	–	–	–	
–	2	2	–	2	1	3	3	2	1	2	1	–	–	–	–	–	124
1	1	5	4	1	13	9	4	6	8	4	–	–	–	–	–	–	
2	1	3	4	4	9	8	11	9	6	7	8	2	–	–	–	–	125
1	3	3	4	8	12	10	8	9	8	9	6	4	1	–	–	–	
–	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	126
–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	2	6	–	1	2	1	1	–	1	–	–	–	–	–	–	
4	3	3	–	6	1	2	3	3	1	–	–	–	–	–	–	–	
50	**72**	**82**	**137**	**133**	**125**	**174**	**228**	**306**	**326**	**335**	**221**	**124**	**31**	**4**	–	**2**	
15	**23**	**27**	**52**	**52**	**57**	**92**	**120**	**165**	**164**	**192**	**123**	**77**	**17**	**2**	–	**2**	
35	**49**	**55**	**85**	**81**	**68**	**82**	**108**	**141**	**162**	**143**	**98**	**47**	**14**	**2**	–	–	
–	1	–	2	5	2	3	4	1	–	–	–	1	–	–	–	–	128
2	5	3	1	–	6	1	5	6	2	2	–	1	–	–	–	–	
13	21	21	44	44	49	71	99	127	115	136	83	56	13	2	–	2	129
13	17	25	62	58	47	76	97	124	155	138	97	46	13	2	–	–	
2	1	4	1	2	2	5	2	5	4	4	3	–	–	–	–	–	131
2	2	1	1	4	3	1	1	3	3	1	–	–	–	–	–	–	
–	–	1	2	–	–	2	2	2	1	2	1	–	–	–	–	–	132
–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	2	3	–	5	10	8	6	5	–	–	–	–	133
–	–	–	–	–	–	–	–	2	–	1	–	–	1	–	–		

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

QUEBEC—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VII-con.—**CLASSE VII**-fin											
134	Diseases of the urethra, urinary abscess, etc.—Affections de l'urètre, abcès uri- neux, etc.	M.	7	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Stricture of the urethra—Rétrécisse- ment de l'urètre.	M.	3	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other diseases of the urethra—Autres affections de l'urètre.	M.	4	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
135	Diseases of the prostate—Affections de la prostate.	M.	167	–	–	–	–	–	–	–	–	1
136	Non-venereal diseases of the male genital organs—Affections non vénériennes des organes génitaux de l'homme.	M.	4	–	–	–	–	–	–	–	–	–
137	Cysts and other benign tumours of the ovary—Kystes et autres tumeurs béni- gnes de l'ovaire.	F.	37	–	–	–	–	–	–	–	–	7
138	Salpingitis and pelvic abscess—Salpingite et abcès du bassin.	F.	32	–	–	–	–	–	–	–	4	6
139	Benign tumours of the uterus—Tumeurs bé- nignes de l'utérus.	F.	11	–	–	–	–	–	–	–	–	–
140	Non-puerperal uterine haemorrhage—Hé- morragie utérine non puerpérale.	F.	1	–	–	–	–	–	–	–	–	–
141	Other diseases of the female genital organs —Autres affections des organes génitaux de la femme.	F.	78	–	–	–	–	–	–	–	4	1
142	Non puerperal diseases of the breast (cancer excepted)—Affections non puerpérales du sein (cancer excepté).	F.	1	–	–	–	–	–	–	–	–	1
	CLASS VIII—THE PUERPERAL STATE—CLASSE VIII—ÉTAT PUERPÉRAL.	Total	403	–	–	–	–	–	–	–	18	67
143	Accidents of pregnancy—Accidents de la grossesse.	F.	29	–	–	–	–	–	–	–	2	3
	(a) Abortion—Avortement.....	F.	15	–	–	–	–	–	–	–	–	1
	(b) Ectopic gestation—Gestation ecto- pique.	F.	9	–	–	–	–	–	–	–	–	1
	(c) Others under this title—Autres sous ce titre.	F.	4	–	–	–	–	–	–	–	1	1
	(d) Abortion, self-induced—Avortement provoqué par soi-même.	F.	1	–	–	–	–	–	–	–	1	–
144	Puerperal haemorrhage—Hémorragie puer- pérale.	F.	66	–	–	–	–	–	–	–	1	7
145	Other accidents of labour—Autres acci- dents de l'accouchement.	F.	33		–	–	–	–	–	–	2	8
	(a) Caesarean section—Opération césa- rienne.	F.	2	–	–	–	–	–	–	–	–	–
	(b) Difficult labour—Accouchement la- borieux.	F.	10	–	–	–	–	–	–	–	–	4
	(c) Other surgical operations and instru- mental delivery—Autres opérations chirurgicales et application d'instru- ments.	F.	6	–	–	–	–	–	–	–	–	2
	(d) Uncontrollable vomiting—Vomisse- ments incontrôlables.	F.	14	–	–	–	–	–	–	–	2	2
	(e) Rupture of uterus in labour, etc.— Rupture de l'utérus durant l'accouche- ment, etc.	F.	1	–	–	–	–	–	–	–	–	–
146	Puerperal septicaemia—Septicémie puer- pérale.	F.	151	–	–	–	–	–	–	–	7	29
147	Puerperal phlegmasia alba dolens, puerperal embolism, sudden death in puerperium—Phlegmasia alba dolens, embolie, mort subite puerpérales.	F.	15	–	–	–	–	–	–	–	–	2
148	Puerperal albuminuria and convulsions— Albuminurie et éclampsie puerpérales.	F.	91	–	–	–	–	–	–	–	6	16
149	Following childbirth (not otherwise de- fined)—Suites de couches (sans autres ex- plications).	F.	17	–	–	–	–	–	–	–	–	2
150	Puerperal diseases of the breast—Affections puerpérales de la mamelle.	F.	1	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

QUÉBEC—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	1	–	1	–	2	–	–	3	–	–	–	–	–	–	–	134
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	134a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	3	–	–	–	–	–	–	–	134b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	2	6	13	25	30	41	30	14	4	–	–	–	135
–	–	–	1	–	–	–	–	–	1	1	–	1	–	–	–	–	136
7	6	4	5	2	2	1	1	1	–	–	1	–	–	–	–	–	137
4	4	4	3	4	1	–	1	1	–	–	–	–	–	–	–	–	138
–	3	2	4	–	1	–	–	–	1	–	–	–	–	–	–	–	139
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	140
7	12	16	8	12	8	2	2	4	1	1	–	–	–	–	–	–	141
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	142
84	86	92	52	4	–	–	–	–	–	–	–	–	–	–	–	–	
7	5	9	3	–	–	–	–	–	–	–	–	–	–	–	–	–	143
3	2	6	3	–	–	–	–	–	–	–	–	–	–	–	–	–	143a
3	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143b
1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143d
10	16	18	14	–	–	–	–	–	–	–	–	–	–	–	–	–	144
5	7	7	3	1	–	–	–	–	–	–	–	–	–	–	–	–	145
–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145a
3	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	145b
–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	145c
2	5	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	145d
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145e
37	34	26	17	1	–	–	–	–	–	–	–	–	–	–	–	–	146
2	4	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–	147
19	16	21	11	2	–	–	–	–	–	–	–	–	–	–	–	–	148
3	4	6	2	–	–	–	–	–	–	–	–	–	–	–	–	–	149
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	150

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

QUEBEC—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS IX—DISEASES OF THE SKIN AND OF THE CELLULAR TISSUE—CLASSE IX—AFFECTIONS DE LA PEAU ET DU TISSU CELLULAIRE.	Total	219	61	7	5	2	4	4	5	1	3
		M.	130	35	2	1	1	3	3	1	–	1
		F.	89	26	5	4	1	1	1	4	1	2
151	Gangrene—Gangrène	M.	47	–	–	–	–	–	–	–	–	–
		F.	21	–	–	–	–	–	–	1	–	–
152	Furuncle—Furoncle	M.	11	1	–	–	–	–	–	–	–	–
		F.	6	1	–	–	–	–	–	–	1	–
153	Acute abscess—Phlegmon, abcès chaud	M.	52	21	2	–	1	2	3	1	–	1
		F.	40	12	5	3	1	1	1	3	–	2
154	Other diseases of the skin and annexa—Autres affections de la peau et de ses annexes.	M.	20	13	–	1	–	1	–	–	–	–
		F.	22	13	–	1	–	–	–	–	–	–
	CLASS X—DISEASES OF THE BONES AND OF THE ORGANS OF LOCOMOTION—CLASSE X—AFFECTIONS DES OS ET DES ORGANES DE LA LOCOMOTION.	Total	58	2	4	–	–	2	5	6	4	1
		M.	30	1	2	–	–	1	2	2	3	1
		F.	28	1	2	–	–	1	3	4	1	–
155	Diseases of the bones (mastoid and tuberculosis excepted)—Affections des os (sinus mastoïdien et tuberculose exceptés).	M.	21	1	2	–	–	1	2	1	2	–
		F.	17	1	2	–	–	1	2	3	1	–
156	Diseases of the joints (tuberculosis and rheumatism excepted)—Affections articulaires (tuberculose et rhumatisme exceptés).	M.	8	–	–	–	–	–	–	1	–	1
		F.	8	–	–	–	–	–	1	1	–	–
158	Other diseases of the organs of locomotion—Autres affections des organes de la locomotion.	M.	1	–	–	–	–	–	–	–	1	–
		F.	3	–	–	–	–	–	–	–	–	–
	CLASS XI—MALFORMATIONS—CLASSE XI—VICES DE CONFORMATION.	Total	422	393	13	4	4	–	4	2	1	1
		M.	237	219	9	2	1	–	3	1	1	1
		F.	185	174	4	2	3	–	1	1	–	–
159	Congenital malformations (stillbirths not included) — Vices de conformation congénitaux (mort-nés non compris).	M.	237	219	9	2	1	–	3	1	1	1
		F.	185	174	4	2	3	–	1	1	–	–
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale.	M.	22	18	2	2	–	–	–	–	–	–
		F.	20	18	1	1	–	–	–	–	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur.	M.	147	141	1	–	1	–	2	1	1	–
		F.	102	96	2	–	2	–	1	1	–	–
	(c) Others under this title—Autres sous ce titre.	M.	68	60	6	–	–	–	1	–	–	1
		F.	63	60	1	1	1	–	–	–	–	–
	CLASS XII—DISEASES OF EARLY INFANCY—CLASSE XII—AFFECTIONS DU PREMIER ÂGE.	Total	3,998	3,998	–	–	–	–	–	–	–	–
		M.	2,336	2,336	–	–	–	–	–	–	–	–
		F.	1,662	1,662	–	–	–	–	–	–	–	–
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème.	M.	764	764	–	–	–	–	–	–	–	–
		F.	568	568	–	–	–	–	–	–	–	–
161	Premature birth, injury at birth—Naissance prématurée, conséquence de l'accouchement.	M.	1,176	1,176	–	–	–	–	–	–	–	–
		F.	852	852	–	–	–	–	–	–	–	–
	(a) Premature birth—Naissance prématurée.	M.	901	901	–	–	–	–	–	–	–	–
		F.	655	655	–	–	–	–	–	–	–	–
	(b) Injury at birth—Conséquence de l'accouchement.	M.	275	275	–	–	–	–	–	–	–	–
		F.	197	197	–	–	–	–	–	–	–	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge.	M.	396	396	–	–	–	–	–	–	–	–
		F.	242	242	–	–	–	–	–	–	–	–
	CLASS XIII—OLD AGE—CLASSE XIII—VIEILLESSE.	Total	620	–	–	–	–	–	–	–	–	–
		M.	268	–	–	–	–	–	–	–	–	–
		F.	352	–	–	–	–	–	–	–	–	–
164	Senility—Sénilité	M.	268	–	–	–	–	–	–	–	–	–
		F.	352	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

QUÉBEC—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
3	4	2	4	5	5	9	12	7	13	29	22	9	2	1	–	–	
2	3	1	4	3	2	7	6	4	8	23	13	5	1	1	–	–	
1	1	1	–	2	3	2	6	3	5	6	9	4	1	–	–	–	
–	–	–	–	1	1	2	3	2	4	19	9	4	1	1	–	–	151
1	–	–	–	–	1	1	1	1	3	2	6	3	1	–	–	–	
–	–	–	–	–	–	1	1	–	2	4	2	–	–	–	–	–	152
–	–	–	–	1	2	–	–	–	–	–	1	–	–	–	–	–	
2	3	1	2	2	–	4	1	2	2	–	2	–	–	–	–	–	153
–	1	1	–	–	–	1	2	1	1	3	1	1	–	–	–	–	
–	–	–	2	–	1	–	1	–	–	–	–	1	–	–	–	–	154
–	–	–	–	1	–	–	3	1	1	1	1	–	–	–	–	–	
2	2	2	1	2	–	1	4	3	5	5	4	1	2	–	–	–	
1	2	1	1	1	–	1	3	3	3	1	1	–	–	–	–	–	
1	–	1	–	1	–	–	1	–	2	4	3	1	2	–	–	–	
–	1	–	1	1	–	1	1	3	2	1	1	–	–	–	–	–	155
–	–	1	–	1	–	–	–	–	1	1	1	–	2	–	–	–	
1	1	1	–	–	–	–	2	–	1	–	–	–	–	–	–	–	156
1	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	158
–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	160
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	7	11	61	123	162	144	86	20	6	–	
–	–	–	–	–	–	–	3	4	30	51	64	62	40	9	5	–	
–	–	–	–	–	–	–	4	7	31	72	98	82	46	11	1	–	
–	–	–	–	–	–	–	3	4	30	51	64	62	40	9	5	–	164
–	–	–	–	–	–	–	4	7	31	72	98	82	46	11	1	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

QUEBEC—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XIV—EXTERNAL CAUSES—CLASSE XIV—CAUSES EXTÉRIEURES.	**Total**	**1,497**	**40**	**51**	**38**	**42**	**41**	**147**	**116**	**129**	**113**
		M.	**1,132**	**21**	**34**	**19**	**29**	**23**	**81**	**92**	**108**	**98**
		F.	**365**	**19**	**17**	**19**	**13**	**18**	**66**	**24**	**21**	**15**
165-174	**Suicides**	**M.**	**65**	–	–	–	–	–	–	–	–	**2**
		F.	**20**	–	–	–	–	–	–	–	**1**	**4**
165	Suicide by solid or liquid poisons (corrosive substances excepted)—Suicide par ingestion de poisons solides ou liquides (substances corrosives exceptées).	M.	8	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
166	Suicide by corrosive substances—Absorption volontaire de substances corrosives	M.	4	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
167	Suicide by poisonous gas—Suicide par ingestion de gaz vénéneux.	M.	6	–	–	–	–	–	–	–	–	2
		F.	4	–	–	–	–	–	–	–	–	–
168	Suicide by hanging or strangulation—Suicide par pendaison ou strangulation.	M.	18	–	–	–	–	–	–	–	–	2
		F.	6	–	–	–	–	–	–	–	–	1
169	Suicide by drowning—Suicide par submersion.	M.	3	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	1	–
170	Suicide by firearms—Suicide par armes à feu.	M.	18	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
171	Suicide by cutting or piercing instruments—Suicide par instruments tranchants ou piquants.	M.	7	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
172	Sui ide by jumping from high places—Suicide par pré ipitation d'un lieu élevé.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
173	Suicide by crushing—Suicide par écrasement.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
174	Other suicides—Autres suicides	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
175	Poisoning by food—Empoisonnement par aliments.	M.	4	–	1	–	–	1	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
177	Other acute accidental poisonings (gas excepted)—Autres empoisonnements accidentels aigus (par gaz exceptés).	M.	32	–	7	6	3	1	2	–	–	–
		F.	16	2	4	3	1	–	1	–	1	–
178	Conflagration—Incendie	M.	63	3	1	1	2	1	12	35	3	–
		F.	58	–	–	2	–	1	35	13	5	–
179	Accidental burns and scalds (conflagration excepted)—Brûlures accidentelles (autres que par l'incendie).	M.	57	3	12	6	9	4	5	4	3	1
		F.	60	1	6	11	9	5	10	2	3	–
180	Accidental mechanical suffocation—Suffocation mécanique accidentelle.	M.	5	3	–	–	1	–	–	–	–	–
		F.	6	4	1	–	–	–	–	–	–	–
	(a) Overlaying—Étouffé pendant le sommeil.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Asphyxia—Asphyxie	M.	5	3	–	–	1	–	–	–	–	–
		F.	6	4	1	–	–	–	–	–	–	–
181	Accidental absorption of irrespirable or poisonous gas—Absorption accidentelle de gaz irrespirables ou toxiques.	M.	17	–	–	–	–	–	–	–	1	–
		F.	10	2	–	–	–	1	1	–	1	1
182	Accidental drowning—Submersion accidentelle.	M.	226	–	2	2	3	5	19	18	43	43
		F.	17	–	2	1	–	–	2	–	3	1
183	Accidental traumatism by firearms—Traumatismes accidentels par armes à feu.	M.	22	–	1	–	–	–	–	2	6	2
		F.	1	–	–	–	–	–	–	–	–	–
184	Accidental traumatism by cutting or piercing instruments—Traumatismes accidentels par instruments tranchants ou piquants.	M.	5	–	1	–	1	–	1	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–
185	Accidental traumatism by fall—Traumatismes accidentels par chute.	M.	159	2	7	1	4	2	4	3	6	14
		F.	46	1	1	1	1	2	2	1	1	2
186	Accidental traumatism in mines and quarries — Traumatismes accidentels par mines et carrières.	M.	9	–	–	–	–	–	–	–	1	1
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Coal mines—Mines de charbon	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other mines—Autres mines	M.	8	–	–	–	–	–	–	–	1	1
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Quarries—Carrières	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
187	Accidental traumatism by machines—Traumatismes accidentels par machines.	M.	33	–	–	–	–	–	–	2	5	2
		F.	1	–	–	–	–	–	1	–	–	–
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.)—Traumatismes accidentels par autres écrasements (voitures, railways, éboulements, etc.)	M.	314	3	–	1	6	9	32	27	32	28
		F.	86	–	2	–	2	8	13	8	3	7
	(a) Railroad accidents—Accidents par chemins de fer.	M.	58	–	–	–	–	–	4	3	5	5
		F.	9	–	1	–	–	–	–	–	1	–
	(b) Street car accidents—Accidents par tramways.	M.	11	–	–	–	–	–	2	–	–	1
		F.	4	–	–	–	–	–	1	–	–	–
	(c) Automobile accidents—Accidents par automobiles.	M.	187	2	–	1	4	8	20	18	21	13
		F.	65	–	1	–	2	7	10	8	1	6

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

QUÉBEC—suite

Âges																		
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
96	**76**	**90**	**60**	**73**	**62**	**50**	**51**	**52**	**42**	**45**	**31**	**21**	**10**	**2**	–	**19**	
84	**68**	**78**	**51**	**60**	**52**	**41**	**40**	**39**	**31**	**27**	**17**	**14**	**6**	–	–	**19**	
12	8	**12**	**9**	**13**	**10**	9	**11**	**13**	**11**	**18**	**14**	7	**4**	2	–	–	
5	**5**	**3**	**5**	8	7	**5**	**10**	**6**	**6**	**2**	–	–	–	–	–	1	165-174
2	**2**	**3**	–	**3**	**1**	**3**	**1**	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	3	–	1	2	–	–	–	–	–	–	–	1	165
–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	1	1	–	1	–	–	–	–	–	–	–	166
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	1	2	2	–	–	–	–	–	–	–	–	167
1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
2	2	1	1	3	1	1	2	2	1	1	–	–	–	–	–	–	168
1	1	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	169
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
2	–	1	4	3	1	2	2	–	2	1	–	–	–	–	–	–	170
–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
1	3	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	171
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	172
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	173
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	174
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	175
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	1	1	–	3	–	1	1	3	1	–	–	–	–	–	–	–	177
1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	1	–	1	–	–	–	–	1	–	1	–	–	–	178
–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	2	–	1	1	1	–	1	1	–	1	–	1	–	–	–	179
1	–	2	–	–	–	–	1	1	3	3	2	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	180
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	180b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	181
–	2	4	2	1	3	–	2	1	–	1	–	–	–	–	–	–	
1	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	
23	12	14	8	8	5	1	4	2	–	1	–	–	–	–	–	13	182
–	1	3	–	2	1	1	–	–	–	–	–	–	–	–	–	–	
2	3	1	–	2	2	1	–	–	–	–	–	–	–	–	–	–	183
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	184
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
12	10	17	6	10	9	4	7	8	10	7	5	8	1	–	–	2	185
3	–	–	1	2	1	2	2	5	4	5	2	3	3	1	–	–	
4	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	186
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	186a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	186b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	186c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	5	3	4	1	4	2	1	1	–	1	–	–	–	–	–	–	187
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
25	20	23	16	21	13	18	9	10	8	8	3	–	–	–	–	2	188
4	1	2	6	4	6	1	6	6	2	4	1	–	–	–	–	–	
5	6	5	2	6	4	4	2	2	2	1	1	–	–	–	–	1	188a
–	–	–	2	1	–	–	2	–	–	2	–	–	–	–	–	–	
–	1	–	1	1	–	1	1	2	–	–	1	–	–	–	–	–	188b
–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	
18	8	12	12	9	8	10	5	6	6	5	1	–	–	–	–	–	188c
4	1	2	4	2	3	1	4	5	1	2	1	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

QUEBEC—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XIV-con.—CLASSE XIV-fin											
188	(d) Aeroplane and balloon accidents—Accidents par aéroplanes et ballons.	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Injuries by other vehicles—Blessures par autres voitures.	M.	22	–	–	–	1	1	4	4	4	1
		F.	4	–	–	–	–	–	1	–	–	–
	(f) Other crushing—Autres écrasements.	M.	34	1	–	–	1	–	2	2	2	8
		F.	4	–	–	–	–	1	1	–	1	1
189	Injuries by animals (poisoning excepted)—Violences exercées par des animaux (empoisonnements exceptés).	M.	21	–	–	2	–	–	3	–	3	–
		F.	3	–	–	–	–	–	–	–	1	–
192	Starvation (deprivation of food or water)—Faim ou soif.	M.	4	2	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
193	Excessive cold—Froid excessif	M.	6	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	1	–
194	Excessive heat—Chaleur excessive	M.	3	–	–	–	–	–	–	1	–	–
		F.	5	1	–	–	–	1	–	–	–	–
195	Lightning—Foudre	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
196	Other accidental electric shocks—Autres électrocutions accidentelles.	M.	11	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	1	1
197-199	**Homicides**	**M.**	16	5	–	–	–	–	–	–	–	–
		F.	9	7	–	–	–	–	–	–	–	2
197	Homicide by firearms—Homicide par armes à feu.	M.	3	–	–	–	–	–	–	–	1	–
		F.	2	–	–	–	–	–	–	–	–	–
198	Homicide by cutting or piercing instruments—Homicide par instruments tranchants ou piquants.	M.	2	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	1
199	Homicide by other means—Homicide par autres moyens.	M.	11	5	–	–	–	–	–	–	–	1
		F.	7	7	–	–	–	–	–	–	–	–
201	Fracture (cause not specified)—Fracture (cause non spécifiée).	M.	22	–	–	–	–	–	–	–	–	–
		F.	20	–	1	–	–	–	–	–	–	–
202	Other external violence (cause specified)—Autres violences extérieures (cause spécifiée).	M.	33	–	2	–	–	–	2	–	3	2
		F.	2	–	–	1	–	–	–	–	–	–
203	External violence (cause not specified)—Violences extérieures (cause non spécifiée).	M.	5	–	–	–	–	–	–	–	–	–
		F.	3	1	–	–	–	–	–	–	–	–
	CLASS XV—ILL-DEFINED DISEASES—CLASSE XV—MALADIES MAL DÉFINIES.	**Total**	391	15	22	7	2	2	4	3	7	4
		M.	233	9	10	4	–	2	1	1	4	1
		F.	158	6	12	3	2	–	3	2	3	3
204	Sudden death—Mort subite	M.	54	–	1	–	–	–	–	–	1	1
		F.	18	1	–	–	–	–	–	1	–	–
205	Cause of death not specified or ill-defined—Cause de décès non spécifiée ou mal définie.	M.	179	9	9	4	–	2	1	1	3	–
		F.	140	5	12	3	2	–	3	1	3	3
	(a) Ill-defined—Mal définie	M.	21	5	5	3	–	–	–	–	–	–
		F.	31	4	7	2	1	–	2	1	–	1
	(b) Not specified or unknown—Non spécifiée ou inconnue.	M.	8	3	1	1	–	1	1	–	–	–
		F.	9	–	4	1	1	–	–	–	1	–
	(c) Heart failure—Paralysie du cœur.	M.	150	1	3	–	–	1	–	1	3	–
		F.	100	1	1	–	–	–	1	–	2	2
	(d) Syncope	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

ONTARIO

	DEATHS—ALL CAUSES—DÉCÈS—TOUTES CAUSES.	**Total**	34,775	4,812	610	289	227	198	656	531	616	765
		M.	18,305	2,733	332	139	113	104	389	298	306	382
		F.	16,470	2,079	278	141	114	94	267	233	310	383
	CLASS I—EPIDEMIC, ENDEMIC AND INFECTIOUS DISEASES—CLASSE I—AFFECTIONS ÉPIDÉMIQUES, ENDÉMIQUES ET INFECTIEUSES.	**Total**	4,125	370	168	88	81	77	230	157	227	264
		M.	2,130	222	89	46	39	38	135	70	75	105
		F.	1,995	148	79	42	42	39	95	87	152	159
1	Typhoid and paratyphoid fever—Fièvre typhoïde et paratyphoïde.	M.	76	–	–	–	–	1	4	6	5	7
		F.	33	–	1	–	–	–	3	7	4	3
	(a) Typhoid fever—Fièvre typhoïde	M.	76	–	–	–	–	1	4	6	5	7
		F.	33	–	1	–	–	–	3	7	4	3
	(b) Paratyphoid fever—Fièvre paratyphoïde.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

QUÉBEC—fin

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	188d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	1	–	2	–	–	1	–	–	2	–	–	–	–	–	–	188e
–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	
2	4	5	1	2	1	3	–	–	–	–	–	–	–	–	–	–	188f
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	3	2	–	2	–	1	1	–	2	1	–	–	–	–	–	189
–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	192
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	1	1	–	–	1	–	–	1	–	–	–	–	–	193
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	194
–	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	195
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	3	1	3	–	1	–	–	–	–	–	–	–	–	–	–	–	196
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	2	1	2	2	1	–	–	–	–	–	–	–	–	–	–	–	197-199
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	197
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	198
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	199
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	1	1	3	3	4	6	3	–	–	–	201
–	–	–	–	–	–	–	–	–	1	6	7	4	–	1	–	–	
5	1	4	–	1	1	4	2	3	1	1	–	–	–	–	–	1	202
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
1	–	–	1	–	–	–	1	–	1	–	1	–	–	–	–	–	203
–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	
7	**9**	**11**	**21**	**25**	**31**	**30**	**35**	**47**	**33**	**44**	**13**	**15**	**3**	–	–	**1**	
3	**3**	**9**	**13**	**15**	**21**	**18**	**25**	**26**	**23**	**25**	**10**	**8**	**1**	–	–	**1**	
4	**6**	**2**	**8**	**10**	**10**	**12**	**10**	**21**	**10**	**19**	**3**	**7**	**2**	–	–	–	
–	1	1	4	7	2	2	9	7	4	6	4	3	–	–	–	1	204
1	–	–	1	1	4	–	1	4	–	3	1	–	–	–	–	–	
3	2	8	9	8	19	16	16	19	19	19	6	5	1	–	–	–	205
3	6	2	7	9	6	12	9	17	10	16	2	7	2	–	–	–	
–	–	–	–	1	1	1	2	–	1	2	–	–	–	–	–	–	205a
–	1	1	1	3	1	1	–	3	2	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	205b
–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	
3	2	8	9	7	18	15	14	18	18	17	6	5	1	–	–	–	205c
3	5	1	6	6	5	11	8	14	8	15	2	7	2	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	205d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

ONTARIO

853	**854**	**1,101**	**1,154**	**1,416**	**1,525**	**1,965**	**2,451**	**3,186**	**3,289**	**3,280**	**2,561**	**1,580**	**618**	**153**	**30**	**64**	
429	**398**	**548**	**582**	**742**	**828**	**1,109**	**1,295**	**1,695**	**1,821**	**1,698**	**1,268**	**690**	**288**	**62**	**8**	**48**	
424	**456**	**553**	**572**	**674**	**697**	**856**	**1,156**	**1,491**	**1,468**	**1,582**	**1,293**	**890**	**330**	**91**	**22**	**16**	
276	**253**	**268**	**213**	**217**	**179**	**174**	**183**	**173**	**161**	**151**	**93**	**77**	**22**	**7**	–	**16**	
131	**124**	**154**	**118**	**115**	**111**	**98**	**115**	**88**	**85**	**81**	**38**	**31**	**11**	**1**	–	**10**	
145	**129**	**114**	**95**	**102**	**68**	**76**	**68**	**85**	**76**	**70**	**55**	**46**	**11**	**6**	–	**6**	
9	8	8	6	5	4	5	3	3	2	–	–	–	–	–	–	–	1
2	2	1	3	2	1	4	–	–	–	–	–	–	–	–	–	–	
9	8	8	6	5	4	5	3	3	2	–	–	–	–	–	–	–	1a
2	2	1	3	2	1	4	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

ONTARIO—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS I-con.—**CLASSE I**-suite											
5	Malaria—Fièvre et cachexie paludéennes	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
6	Small-pox—Variole	M.	2	–	–	–	–	–	–	–	–	1
		F.	1	–	–	–	–	–	–	–	–	–
7	Measles—Rougeole	M.	53	13	20	5	4	–	5	3	1	–
		F.	29	9	3	3	6	1	3	1	2	–
8	Scarlet fever—Scarlatine	M.	44	4	4	3	5	2	16	6	–	–
		F.	43	–	4	9	3	6	8	4	2	–
9	Whooping-cough—Coqueluche	M.	91	63	19	3	1	1	3	1	–	–
		F.	90	58	23	2	3	1	2	–	1	–
10	Diphtheria—Diphtérie	M.	159	4	12	19	19	21	63	14	2	1
		F.	138	8	7	15	16	18	46	20	3	1
11	Influenza—Grippe	M.	484	63	11	4	3	5	15	5	13	4
		F.	475	33	12	4	8	3	4	9	9	16
	(a) Sole cause—Cause unique	M.	36	14	1	–	1	–	–	1	1	–
		F.	40	7	–	1	1	–	–	–	1	3
	(b) With phthisis—Avec phtisie	M.	9	–	–	–	–	–	–	–	1	–
		F.	13	–	–	–	–	–	1	1	2	2
	(c) With bronchitis—Avec bronchite	M.	21	6	–	–	–	–	–	–	–	–
		F.	16	4	1	1	–	–	–	–	1	–
	(d) With pneumonia—Avec pneumonie	M.	224	26	6	3	1	–	8	2	7	3
		F.	186	11	8	1	1	1	1	2	–	3
	(e) With other respiratory diseases—Avec autres affections de l'appareil respiratoire.	M.	7	–	–	–	–	–	–	–	–	–
		F.	6	1	–	–	–	–	–	–	1	–
	(f) With diseases and accidents of pregnancy and parturition—Avec affections et accidents de la grossesse.	F.	7	–	–	–	–	–	–	–	–	2
	(g) With other causes—Avec autres causes.	M.	187	17	4	1	1	5	7	2	4	1
		F.	207	10	3	1	6	2	2	6	4	6
13	Mumps—Oreillons	M.	1	–	–	–	–	–	–	–	–	–
		F.	2	1	–	–	–	–	–	–	–	–
16	Dysentery—Dysenterie	M.	27	–	6	3	2	–	3	–	–	–
		F.	23	–	7	–	1	1	1	–	–	1
21	Erysipelas—Érysipèle	M.	73	17	1	–	–	–	1	–	–	1
		F.	59	11	4	1	–	1	–	1	–	1
22	Acute anterior poliomyelitis—Poliomyélite aiguë.	M.	13	1	–	–	–	–	1	3	–	2
		F.	8	–	–	–	1	–	–	2	1	–
23	Lethargic encephalitis—Encéphalite léthargique.	M.	25	–	–	–	–	–	1	1	4	1
		F.	23	–	–	–	–	1	1	2	2	3
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique.	M.	20	9	3	–	1	–	3	–	–	1
		F.	12	2	–	1	–	–	3	4	–	–
25	Other epidemic and endemic diseases—Autres affections épidémiques et endémiques.	M.	6	3	1	1	–	1	–	–	–	–
		F.	5	2	1	1	–	–	1	–	–	–
	(a) Chicken-pox—Varicelle	M.	3	3	–	–	–	–	–	–	–	–
		F.	4	1	1	1	–	–	1	–	–	–
	(b) German measles—Rubéole	M.	3	–	1	1	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
29	Tetanus—Tétanos	M.	8	–	–	–	–	–	2	1	–	1
		F.	10	–	–	–	1	–	1	3	–	–
30	Mycoses	M.	3	1	–	–	–	–	–	–	1	–
		F.	2	1	–	–	–	–	–	–	–	–
31-37	**Tuberculosis—Tuberculose**	**M.**	**851**	**20**	**12**	**7**	**4**	**5**	**16**	**26**	**47**	**80**
		F.	**952**	**10**	**15**	**6**	**3**	**6**	**21**	**33**	**124**	**128**
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire.	M.	720	4	1	–	–	1	7	18	40	74
		F.	796	1	5	–	2	2	9	15	100	121
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central.	M.	48	9	6	5	3	3	6	4	2	2
		F.	53	6	10	5	1	3	6	9	6	2
33	Tuberculosis of the intestines and peritoneum—Tuberculose des intestins et du péritoine.	M.	27	1	2	1	1	–	–	3	–	–
		F.	45	–	–	–	–	–	3	3	10	2
34	Tuberculosis of the vertebral column—Tuberculose de la colonne vertébrale.	M.	8	–	1	–	–	–	–	–	–	–
		F.	10	–	–	–	–	1	1	–	–	–
35	Tuberculosis of the joints—Tuberculose articulaire.	M.	5	–	–	–	–	–	–	–	1	–
		F.	4	–	–	–	–	–	1	1	1	–
36	Tuberculosis of other organs—Tuberculose d'autres organes.	M.	20	2	1	1	–	–	2	–	–	1
		F.	20	–	–	–	–	–	–	1	1	1
	(a) Skin and sub-cutaneous cellular tissue—De la peau et du tissu cellulaire sous-cutané.	M.	1	–	1	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

ONTARIO—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	7
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	8
3	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	10
1	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	
13	11	27	10	17	24	25	40	38	47	47	30	23	8	1	–	–	11
12	15	14	18	20	17	29	21	45	40	52	39	40	9	6	–	–	
1	1	3	–	–	–	–	–	3	2	3	3	–	2	–	–	–	11a
–	–	–	1	–	–	–	1	2	3	8	4	8	–	–	–	–	
1	1	–	1	1	1	1	–	1	1	–	–	–	–	–	–	–	11b
2	–	–	1	–	–	–	–	3	–	–	1	–	–	–	–	–	
–	–	–	–	–	1	2	–	1	2	3	3	3	–	–	–	–	11c
–	–	–	–	1	1	2	–	1	1	1	1	1	–	–	–	–	
8	7	15	6	10	14	12	22	21	23	16	7	5	1	1	–	–	11d
5	9	9	10	10	8	10	12	16	14	18	19	10	5	3	–	–	
–	–	1	–	–	–	–	–	–	1	1	–	2	2	–	–	–	11e
–	–	–	1	–	–	–	–	2	–	1	–	–	–	–	–	–	
3	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	11f
3	2	8	3	6	8	10	18	12	18	24	17	13	3	–	–	–	11g
2	5	5	4	9	8	17	8	21	22	24	14	21	4	3	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	13
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	1	–	3	–	1	2	3	–	2	1	–	–	–	16
1	–	1	–	–	–	–	2	1	2	1	2	2	–	–	–	–	
1	3	4	6	4	7	2	6	8	3	6	–	2	1	–	–	–	21
2	1	3	2	3	3	2	3	4	5	5	3	3	1	–	–	–	
3	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	22
3	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
3	–	1	2	1	1	2	6	–	–	2	–	–	–	–	–	–	23
1	1	3	1	1	1	3	2	–	–	–	1	–	–	–	–	–	
–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	24
–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	29
–	–	2	1	–	–	1	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	30
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
92	**91**	**97**	**77**	**72**	**51**	**34**	**44**	**24**	**21**	**17**	**5**	**2**	–	–	–	**7**	**31-37**
117	**97**	**80**	**64**	**66**	**40**	**35**	**30**	**29**	**24**	**10**	**7**	**1**	–	–	–	**6**	
82	84	90	72	66	47	31	37	21	18	14	4	2	–	–	–	7	31
107	90	73	55	57	33	32	26	26	20	9	6	1	–	–	–	6	
2	1	2	2	–	–	1	–	–	–	–	–	–	–	–	–	–	32
–	1	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	
2	2	2	–	3	2	–	3	2	1	1	1	–	–	–	–	–	33
5	4	3	4	3	–	1	2	3	2	–	–	–	–	–	–	–	
1	2	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–	34
1	–	–	1	1	3	–	1	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	35
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	2	1	1	2	–	1	3	–	1	–	–	–	–	–	–	–	36
3	2	1	1	3	2	1	1	–	2	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36a
–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

ONTARIO—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS I-con.—**CLASSE I**-fin											
36	(b) Bones (vertebral column excepted) —Des os (excepté la colonne vertébrale).	M.	2	1	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
	(c) Lymphatic system (mesenteric, and retroperitoneal glands excepted) —Du système lymphatique (excepté les ganglions mésentériques et les ganglions rétropéritonéaux).	M.	3	–	–	1	–	–	1	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
	(d) Genito-urinary system—Des organes génito-urinaires.	M.	10	–	–	–	–	–	–	–	–	–
		F.	8	–	–	–	–	–	–	1	–	1
	(e) Organs other than above—Autres organes que ceux déjà mentionnés.	M.	4	1	–	–	–	–	1	–	–	1
		F.	3	–	–	–	–	–	–	–	1	–
37	Disseminated tuberculosis—Tuberculose disséminée.	M.	23	4	1	–	–	1	1	1	4	3
		F.	24	3	–	1	–	–	1	4	6	2
	(a) Acute—Aiguë	M.	15	3	1	–	–	–	–	1	3	–
		F.	18	3	–	1	–	–	1	3	4	1
	(b) Chronic or unstated—Chronique ou non spécifiée.	M.	8	1	–	–	–	1	1	–	1	3
		F.	6	–	–	–	–	–	–	1	2	1
38	Syphilis	M.	90	18	–	–	–	–	–	1	–	–
		F.	28	11	–	–	–	–	–	–	1	1
40	Gonococcus infection—Gonococcie	M.	4	2	–	–	–	–	–	–	1	–
		F.	2	–	–	–	–	–	–	–	–	1
41	Purulent infection, septicaemia—Infection purulente, septicémie.	M.	98	4	–	1	–	2	2	3	1	6
		F.	60	2	2	–	–	1	1	1	3	4
	CLASS II—GENERAL DISEASES NOT INCLUDED IN CLASS I—CLASSE II—MALADIES GÉNÉRALES NON MENTIONNÉES DANS LA CLASSE I.	**Total**	**4,931**	**107**	**25**	**10**	**11**	**18**	**52**	**43**	**44**	**39**
		M.	**2,243**	**58**	**15**	**6**	**6**	**9**	**29**	**29**	**24**	**15**
		F.	**2,688**	**49**	**10**	**4**	**5**	**9**	**23**	**14**	**20**	**24**
43-49	**Cancer**	**M.**	**1,458**	**3**	**2**	**1**	**2**	**2**	**4**	**1**	**4**	**3**
		F.	**1,719**	**1**	**1**	**1**	**2**	**2**	**3**	**1**	**3**	**7**
43	Cancer of the buccal cavity—Cancer de la cavité buccale.	M.	120	–	–	–	–	–	–	–	–	–
		F.	21	–	–	–	–	–	1	–	–	–
44	Cancer of the stomach and liver—Cancer de l'estomac et du foie.	M.	608	–	–	–	–	–	–	–	–	–
		F.	507	–	–	–	–	–	–	–	–	–
45	Cancer of the peritoneum, intestines and rectum—Cancer du péritoine, des intestins et du rectum.	M.	262	–	–	–	–	–	–	–	–	–
		F.	264	–	–	–	–	–	–	–	–	–
46	Cancer of the female genital organs—Cancer des organes génitaux de la femme.	F.	348	–	1	–	–	–	–	–	1	1
47	Cancer of the breast—Cancer du sein	M.	3	–	–	–	–	–	–	–	–	–
		F.	307	–	–	–	–	–	–	–	–	–
48	Cancer of the skin—Cancer de la peau	M.	43	–	–	–	–	–	–	–	–	–
		F.	32	–	–	–	–	–	–	–	–	–
49	Cancer of other or unspecified organs—Cancer d'autres organes ou d'organes non spécifiés.	M.	422	3	2	1	2	2	4	1	4	3
		F.	240	1	–	1	2	2	2	1	2	6
	(a) Other—Autres	M.	420	3	2	1	2	2	4	1	4	3
		F.	236	1	–	1	2	2	2	1	2	5
	(b) Unspecified—Non spécifiés	M.	2	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	1
50	Benign tumours and tumours not returned as malignant (tumours of female genital organs excepted)—Tumeurs bénignes et tumeurs non données comme malignes (tumeurs des organes génitaux de la femme exceptées).	M.	22	1	–	–	1	1	–	–	1	1
		F.	31	–	–	–	–	–	–	–	1	–
51	Acute rheumatic fever—Rhumatisme articulaire aigu fébrile.	M.	79	1	–	–	3	2	9	15	12	4
		F.	70	1	–	–	–	3	12	9	3	1
52	Chronic rheumatism, osteo-arthritis, gout Rhumatisme chronique ou goutte.	M.	10	–	–	–	–	–	–	–	–	–
		F.	23	–	–	–	–	–	–	–	–	–
53	Scurvy—Scorbut	M.	1	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
54	Pellagra—Pellagre	M.	2	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
56	Rickets—Rachitisme	M.	16	11	4	1	–	–	–	–	–	–
		F.	14	11	2	–	–	–	1	–	–	–
57	Diabetes mellitus—Diabète	M.	190	1	1	1	–	–	2	5	2	1
		F.	251	–	–	–	–	1	3	–	3	4
58	Anaemia, chlorosis—Anémie, chlorose	M.	174	1	1	1	–	1	3	4	–	1
		F.	209	1	1	–	1	–	1	–	1	1

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

ONTARIO—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	36b
2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	36c
–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	
2	2	1	1	2	–	1	1	–	–	–	–	–	–	–	–	–	36d
1	1	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	36e
–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
3	–	1	1	1	1	1	–	–	–	–	–	–	–	–	–	–	37
1	–	1	1	2	2	–	–	–	–	–	–	–	–	–	–	–	
3	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	37a
1	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	37b
–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	
2	3	8	8	7	12	17	7	5	1	1	–	–	–	–	–	–	38
–	4	3	–	1	1	1	2	2	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	40
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
6	7	6	4	5	10	8	7	8	7	4	3	2	1	–	–	1	41
2	6	5	4	5	4	1	8	4	2	2	3	–	–	–	–	–	
54	**102**	**145**	**220**	**305**	**384**	**527**	**661**	**735**	**584**	**457**	**277**	**94**	**28**	**3**	**1**	**5**	
26	**44**	**56**	**83**	**113**	**151**	**247**	**286**	**333**	**291**	**233**	**141**	**35**	**10**	**1**	–	**2**	
28	**58**	**89**	**137**	**192**	**233**	**280**	**375**	**402**	**293**	**224**	**136**	**59**	**18**	**2**	**1**	**3**	
10	**22**	**22**	**51**	**62**	**100**	**181**	**204**	**234**	**212**	**186**	**113**	**28**	**9**	**1**	–	**1**	**43-49**
11	**37**	**52**	**86**	**147**	**167**	**191**	**245**	**245**	**188**	**159**	**103**	**49**	**16**	–	**1**	**1**	
–	2	–	5	5	10	17	20	15	19	11	8	7	1	–	–	–	43
–	2	–	3	1	2	3	1	–	1	3	1	3	–	–	–	–	
–	2	7	14	25	46	79	92	107	95	91	39	8	3	–	–	–	44
2	6	7	12	36	35	46	82	92	68	62	37	11	10	–	–	1	
2	8	4	10	10	18	42	37	42	29	32	21	7	–	–	–	–	45
3	4	8	11	22	21	26	35	39	36	30	21	7	1	–	–	–	
6	14	26	26	39	41	52	43	38	23	16	18	1	2	–	–	–	46
–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	47
–	6	10	21	33	48	38	50	33	21	27	13	6	1	–	–	–	
–	–	–	–	1	1	3	3	4	9	6	11	3	1	1	–	–	48
–	–	–	–	1	–	–	2	6	3	3	5	10	1	–	1	–	
8	10	11	22	21	24	40	52	64	60	46	34	3	4	–	–	1	49
–	5	1	13	15	20	26	32	37	36	18	8	11	1	–	–	–	
8	10	10	21	21	24	40	52	64	60	46	34	3	4	–	–	1	49a
–	5	1	12	15	20	26	32	37	34	18	8	11	1	–	–	–	
–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	49b
–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	
–	1	1	–	2	2	–	2	1	3	3	–	2	–	–	–	–	50
1	–	–	1	4	2	2	5	5	3	2	5	–	–	–	–	–	
3	3	2	3	3	2	2	2	4	6	1	1	1	–	–	–	–	51
3	3	9	3	1	5	2	6	3	3	2	1	–	–	–	–	–	
–	–	–	–	1	–	1	1	–	1	2	4	–	–	–	–	–	52
–	–	–	–	–	1	–	3	6	3	4	4	2	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	53
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	54
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	56
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	4	1	5	5	11	20	26	40	32	18	9	3	1	–	–	–	57
–	2	7	6	5	17	27	37	56	41	26	10	3	1	1	–	1	
–	1	1	6	11	12	15	26	34	28	18	9	1	–	–	–	–	58
1	5	2	10	12	16	21	27	44	35	17	6	4	1	1	–	1	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

ONTARIO—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS II-con.—**CLASSE II**-fin											
58	(a) Pernicious anaemia—Anémie pernicieuse.	M.	159	–	–	–	–	1	2	2	–	1
		F.	179	–	–	–	1	–	1	–	–	–
	(b) Other anaemias and chlorosis—Autres anémies et chloroses.	M.	15	1	1	1	–	–	1	2	–	–
		F.	30	1	1	–	–	–	–	–	1	1
59	Diseases of the pituitary gland—Affections du corps pituitaire.	M.	1	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
60	Diseases of the thyroid gland—Affections de la glande thyroïde.	M.	59	–	–	–	–	–	1	2	1	–
		F.	243	1	1	–	–	–	–	2	4	7
	(a) Exophthalmic goiter—Goître exophtalmique.	M.	37	–	–	–	–	–	1	1	1	–
		F.	125	–	1	–	–	–	–	1	4	5
	(b) Other diseases of the thyroid gland—Autres affections de la glande thyroïde.	M.	22	–	–	–	–	–	–	1	–	–
		F.	118	1	–	–	–	–	–	1	–	2
61	Diseases of the parathyroid glands—Affections des glandes parathyroïdes.	M.	6	3	2	1	–	–	–	–	–	–
		F.	7	7	–	–	–	–	–	–	–	–
62	Diseases of the thymus—Affections du thymus.	M.	24	20	3	–	–	–	1	–	–	–
		F.	22	16	3	1	–	–	–	–	–	1
63	Diseases of the adrenals (Addison's disease)—Affections des glandes surrénales (maladie d'Addison).	M.	10	–	–	–	–	–	–	–	–	–
		F.	11	–	–	–	–	–	–	–	–	–
64	Diseases of the spleen—Affections de la rate.	M.	4	–	–	–	–	–	1	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
65	Leukaemia, lymphadenoma—Leucémie, lymphadénie.	M.	60	1	1	1	–	3	5	2	3	2
		F.	38	–	–	1	1	2	3	–	3	1
	(a) Leukaemia—Leucémie	M.	36	1	1	–	–	3	4	1	3	1
		F.	25	–	–	1	1	2	2	–	3	1
	(b) Lymphadenoma (Hodgkin's disease)—Lymphadénie (maladie d'Hodgkin).	M.	24	–	–	1	–	–	1	1	–	1
		F.	13	–	–	–	–	–	1	–	–	–
66	Alcoholism—Alcoolisme	M.	76	–	–	–	–	–	–	–	–	1
		F.	7	–	–	–	–	–	–	–	–	1
	(a) Delirium tremens	M.	5	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Acute alcoholism—Alcoolisme aigu.	M.	44	–	–	–	–	–	–	–	–	1
		F.	3	–	–	–	–	–	–	–	–	1
	(c) Chronic alcoholism—Alcoolisme chronique.	M.	27	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
67	Chronic poisoning by mineral substances—Empoisonnements chroniques par substances minérales.	M.	9	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Chronic lead poisoning—Empoisonnements chroniques par le plomb	M.	5	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Others under this title—Autres sous ce titre.	M.	4	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
68	Chronic organic poisoning—Empoisonnements chroniques par substances organiques.	M.	5	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	1
	(a) Chronic morphinism—Morphinisme chronique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	1
	(b) Chronic cocainism, etc.—Cocaïnisme chronique, etc.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Other organic poisoning—Autres empoisonnements organiques.	M.	4	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
69	Other general diseases—Autres maladies générales.	M.	37	15	1	–	–	–	3	–	1	1
		F.	35	11	2	1	1	1	–	2	2	–
	(a) Diabetes insipidus—Diabète insipide	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(b) Haemophilia—Hémophilie	M.	15	10	1	–	–	–	2	–	–	–
		F.	8	5	–	–	–	–	–	–	1	–
	(c) Purpura haemorrhagica—Purpura hémorragique.	M.	12	3	–	–	–	–	1	–	–	1
		F.	18	5	2	–	1	–	–	1	–	–
	(d) Others under this title—Autres sous ce titre.	M.	10	2	–	–	–	–	–	–	1	–
		F.	7	1	–	1	–	1	–	1	1	–
	CLASS III—DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE—CLASSE III—AFFECTIONS DU SYSTÈME NERVEUX ET DES ORGANES DES SENS.	Total	2,745	164	43	20	9	10	51	53	32	47
		M.	1,365	90	24	8	4	6	31	28	22	26
		F.	1,380	74	19	12	5	4	20	25	10	21
70	Encephalitis—Encéphalite	M.	29	3	–	–	–	–	1	–	2	1
		F.	30	4	3	–	–	–	1	1	–	2
	(a) Abscess of brain—Abcès du cerveau.	M.	10	1	–	–	–	–	1	–	2	–
		F.	5	1	–	–	–	–	–	–	–	1

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

ONTARIO—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	1	1	6	11	12	15	24	34	26	17	6	–	–	–	–	–	58a
1	5	2	7	10	15	20	23	42	33	15	2	–	1	–	–	1	
–	–	–	–	–	–	–	2	–	2	1	3	1	–	–	–	–	58b
–	–	–	3	2	1	1	4	2	2	2	4	4	–	1	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	59
–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	
1	1	4	6	8	8	5	10	7	–	2	3	–	–	–	–	–	60
4	7	14	26	20	14	30	42	35	17	13	5	1	–	–	–	–	
1	1	4	4	5	6	4	7	2	–	–	–	–	–	–	–	–	60a
2	4	9	16	11	8	17	16	15	10	4	2	–	–	–	–	–	
–	–	–	2	3	2	1	3	5	–	2	3	–	–	–	–	–	60b
2	3	5	10	9	6	13	26	20	7	9	3	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	61
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	62
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
1	–	1	–	4	–	–	3	1	–	–	–	–	–	–	–	–	63
1	1	1	–	–	1	1	1	3	2	–	–	–	–	–	–	–	
–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	64
–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	
6	3	6	3	6	1	8	2	3	2	2	–	–	–	–	–	–	65
5	1	3	–	1	7	2	4	3	–	1	–	–	–	–	–	–	
3	3	3	–	2	–	5	1	1	2	2	–	–	–	–	–	–	65a
4	1	3	–	–	3	1	–	3	–	–	–	–	–	–	–	–	
3	–	3	3	4	1	3	1	2	–	–	–	–	–	–	–	–	65b
1	–	–	–	1	4	1	4	–	–	1	–	–	–	–	–	–	
1	6	13	9	8	12	11	7	5	2	–	–	–	–	–	–	1	66
–	–	1	2	–	1	1	1	–	–	–	–	–	–	–	–	–	
1	–	1	1	–	–	–	1	1	–	–	–	–	–	–	–	–	66a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	6	7	3	5	7	9	3	1	1	–	–	–	–	–	–	1	66b
–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	
–	–	5	5	3	5	2	3	3	1	–	–	–	–	–	–	–	66c
–	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	1	1	2	2	1	1	–	–	–	–	–	–	–	67
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	67a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	67b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	2	–	–	–	1	–	–	1	–	1	–	–	–	–	–	68
–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	68a
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	68b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	68c
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
1	1	1	–	2	2	1	1	3	2	1	1	–	–	–	–	–	69
2	2	–	1	1	–	3	2	2	–	–	2	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69a
–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	69b
1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
–	–	1	–	1	2	–	–	–	2	–	1	–	–	–	–	–	69c
–	2	–	1	1	–	3	1	1	–	–	–	–	–	–	–	–	
–	1	–	–	1	–	1	1	3	–	–	–	–	–	–	–	–	69d
1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
46	**39**	**77**	**80**	**122**	**115**	**182**	**212**	**310**	**355**	**335**	**255**	**117**	**43**	**18**	**4**	**6**	
20	**19**	**40**	**34**	**58**	**69**	**92**	**105**	**161**	**186**	**149**	**112**	**50**	**19**	**9**	–	**3**	
26	**20**	**37**	**46**	**64**	**46**	**90**	**107**	**149**	**169**	**186**	**143**	**67**	**24**	**9**	**4**	**3**	
2	1	2	2	4	1	2	1	4	1	2	–	–	–	–	–	–	70
2	1	2	–	2	2	4	2	2	–	2	–	–	–	–	–	–	
1	–	–	2	1	–	1	–	1	–	–	–	–	–	–	–	–	70a
1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

ONTARIO—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS III-con.—CLASSE III—fin											
70	(b) Encephalitis—Encéphalite	M.	19	2	–	–	–	–	–	–	–	1
		F.	25	3	3	–	–	–	1	1	–	1
71	Meningitis—Méningite	M.	70	17	8	5	–	2	9	8	2	1
		F.	59	13	6	4	1	2	3	7	1	3
	(a) Simple meningitis—Méningite simple	M.	70	17	8	5	–	2	9	8	2	1
		F.	59	13	6	4	1	2	3	7	1	3
	(b) Non-epidemic, cerebrospinal meningitis—Méningite cérébro-spinale non épidémique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
72	Tabes dorsalis (locomotor ataxia)—Ataxie locomotrice progressive.	M.	20	–	–	–	–	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–
73	Other diseases of the spinal cord—Autres affections de la moelle épinière.	M.	107	–	1	1	–	–	–	1	6	2
		F.	91	–	1	–	–	–	1	3	–	1
74	Cerebral haemorrhage, apoplexy—Hémorragie cérébrale, apoplexie.	M.	632	–	–	–	–	1	1	2	1	3
		F.	697	–	–	–	–	–	–	–	2	1
	(a) Apoplexy—Apoplexie	M.	303	–	–	–	–	–	–	–	–	1
		F.	316	–	–	–	–	–	–	–	–	1
	(b) Cerebral haemorrhage—Hémorragie cérébrale.	M.	307	–	–	–	–	1	1	1	1	2
		F.	341	–	–	–	–	–	–	–	1	–
	(c) Cerebral thrombosis and embolism—Thrombose et embolie cérébrales.	M.	22	–	–	–	–	–	–	1	–	–
		F.	40	–	–	–	–	–	–	–	1	–
75	Paralysis without specified cause—Paralysie sans cause indiquée.	M.	129	–	–	–	–	–	1	1	–	1
		F.	128	–	–	–	–	–	–	–	–	–
	(a) Hemiplegia—Hémiplégie	M.	93	–	–	–	–	–	–	1	–	1
		F.	87	–	–	–	–	–	–	–	–	–
	(b) Others under this title—Autres sous ce titre.	M.	36	–	–	–	–	–	1	–	–	–
		F.	41	–	–	–	–	–	–	–	–	–
76	General paralysis of the insane—Paralysie générale des aliénés.	M.	49	–	–	–	–	–	–	–	–	1
		F.	19	–	–	–	–	–	–	–	–	1
77	Other forms of mental alienation—Autres formes de l'aliénation mentale.	M.	27	–	–	–	–	–	–	–	1	1
		F.	54	–	–	–	–	–	–	–	–	–
78	Epilepsy—Épilepsie	M.	82	–	–	1	–	–	5	8	5	9
		F.	70	2	–	2	–	–	–	3	2	8
79	Convulsions (non-puerperal, 5 years or over)—Éclampsie (non-puerpérale, cinq ans ou au-dessus).	M.	–	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	1	1	–	–
80	Infantile convulsions (under 5 years of age)—Convulsions des enfants (moins de cinq ans).	M.	57	47	5	–	3	2	–	–	–	–
		F.	44	37	4	1	1	1	–	–	–	–
81	Chorea—Chorée	M.	1	–	–	–	–	–	–	–	–	–
		F.	7	–	–	1	–	–	2	1	2	–
82	Neuralgia and neuritis—Névralgie et névrite.	M.	6	–	–	–	–	–	–	–	–	–
		F.	11	–	–	–	–	–	–	–	–	–
83	Softening of the brain—Ramollissement du cerveau.	M.	13	–	–	–	–	–	–	–	–	–
		F.	11	–	–	–	–	–	–	–	–	–
84	Other diseases of the nervous system—Autres affections du système nerveux.	M.	75	6	–	1	–	–	7	3	2	2
		F.	95	3	1	1	–	1	5	2	2	3
85	Diseases of the eye and annexa—Affections de l'œil et de ses annexes.	M.	2	–	–	–	–	–	–	–	–	–
		F.	5	2	–	–	–	–	–	–	–	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien.	M.	66	17	10	–	1	1	7	5	3	5
		F.	47	13	4	3	3	–	7	7	1	2
	(a) Diseases of the ear—Affections de l'oreille.	M.	36	11	7	–	–	–	4	2	2	1
		F.	29	11	2	3	2	–	3	2	1	1
	(b) Diseases of the mastoid process—Affections du sinus mastoïdien.	M.	30	6	3	–	1	1	3	3	1	4
		F.	18	2	2	–	1	–	4	5	–	1
	CLASS IV—DISEASES OF THE CIRCULATORY SYSTEM — CLASSE IV—AFFECTIONS DE L'APPAREIL CIRCULATOIRE.	**Total**	**8,161**	**–**	**5**	**5**	**5**	**7**	**30**	**41**	**50**	**46**
		M.	**4,313**	**–**	**2**	**4**	**4**	**4**	**18**	**22**	**28**	**21**
		F.	**3,848**	**–**	**3**	**1**	**1**	**3**	**12**	**19**	**22**	**25**
87-90	**Diseases of the heart—Affections du cœur.**	**M.**	**2,784**	**–**	**1**	**4**	**2**	**4**	**17**	**22**	**28**	**21**
		F.	**2,511**	**–**	**3**	**1**	**1**	**3**	**12**	**19**	**22**	**23**
87	Pericarditis—Péricardite	M.	22	–	–	–	–	–	2	–	1	2
		F.	10	–	–	–	–	–	1	–	2	1
88	Endocarditis and myocarditis (acute)—Endocardite et myocardite (aiguës).	M.	85	–	–	2	2	2	6	4	6	3
		F.	91	–	1	1	1	2	3	5	6	3
	(a) Acute endocarditis — Endocardite aiguë.	M.	46	–	–	2	1	2	4	3	5	3
		F.	47	–	–	–	–	–	2	5	6	3
	(b) Acute myocarditis—Myocardite aiguë.	M.	39	–	–	–	1	–	2	1	1	–
		F.	44	–	1	1	1	2	1	–	–	–
89	Angina pectoris—Angine de poitrine	M.	432	–	–	–	–	–	–	–	–	–
		F.	201	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

ONTARIO—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
1	1	2	–	3	1	1	1	3	1	2	–	–	–	–	–	–	70b
1	1	2	–	2	2	4	2	1	–	1	–	–	–	–	–	–	
2	–	2	3	4	1	2	–	2	1	1	–	–	–	–	–	–	71
1	1	4	3	2	1	–	1	2	1	3	–	–	–	–	–	–	
2	–	2	3	4	1	2	–	2	1	1	–	–	–	–	–	–	71a
1	1	4	3	2	1	–	1	2	1	3	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	3	2	3	1	7	2	–	1	–	–	–	–	–	72
–	–	–	1	2	–	2	–	2	–	–	–	–	–	–	–	–	
1	1	7	4	3	3	10	8	27	20	6	4	1	1	–	–	–	73
1	2	3	3	4	4	10	9	10	16	12	7	4	–	–	–	–	
4	3	8	8	17	28	49	71	80	117	98	80	38	12	8	–	3	74
1	6	9	13	26	18	43	57	90	109	128	110	52	17	9	4	2	
1	2	2	2	4	8	23	36	37	50	56	50	21	5	4	–	1	74a
1	2	2	1	14	8	21	25	43	48	60	53	24	7	3	2	1	
3	1	3	6	13	19	23	34	40	65	37	28	16	7	4	–	2	74b
–	2	6	10	12	10	21	27	42	57	61	52	24	9	4	2	1	
–	–	3	–	–	1	3	1	3	2	5	2	1	–	–	–	–	74c
–	2	1	2	–	–	1	5	5	4	7	5	4	1	2	–	–	
–	–	1	1	2	3	7	3	19	25	32	18	10	5	–	–	–	75
–	1	1	4	4	7	10	14	17	20	18	17	9	6	–	–	–	
–	–	–	1	1	3	5	3	17	17	21	11	9	3	–	–	–	75a
–	1	–	3	3	6	8	10	12	15	12	12	–	5	–	–	–	
–	–	1	–	1	–	2	–	2	8	11	7	1	2	–	–	–	75b
–	–	1	1	1	1	2	4	5	5	6	5	9	1	–	–	–	
1	3	4	5	6	9	4	5	8	1	1	1	–	–	–	–	–	76
1	–	2	1	2	–	–	2	3	3	2	2	–	–	–	–	–	
4	–	2	1	4	2	3	3	4	–	–	1	–	–	1	–	–	77
4	1	3	7	6	3	6	12	10	1	1	–	–	–	–	–	–	
3	9	4	4	5	6	4	5	5	6	3	–	–	–	–	–	–	78
5	4	6	8	4	4	3	1	6	3	7	1	–	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	79
2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	81
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	2	–	–	2	1	–	–	–	–	–	–	82
–	–	–	–	1	1	2	1	–	1	4	1	–	–	–	–	–	
–	–	–	–	1	–	–	1	2	2	1	4	1	1	–	–	–	83
–	–	–	–	1	–	1	1	2	2	1	3	–	–	–	–	–	
1	1	6	4	8	9	5	6	2	8	2	2	–	–	–	–	–	84
9	3	5	6	7	6	8	7	4	12	7	2	1	–	–	–	–	
–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	85
–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	
2	–	3	2	1	3	1	1	1	–	2	1	–	–	–	–	–	86
–	1	1	–	2	–	1	–	–	1	1	–	–	–	–	–	–	
2	–	1	2	1	–	1	1	–	–	1	–	–	–	–	–	–	86a
–	1	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	
–	–	2	–	–	3	–	–	1	–	1	1	–	–	–	–	–	86b
–	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	
55	**72**	**131**	**165**	**248**	**354**	**496**	**704**	**1,119**	**1,288**	**1,388**	**1,021**	**665**	**208**	**47**	**9**	**2**	
35	**29**	**55**	**79**	**135**	**207**	**303**	**370**	**617**	**710**	**739**	**505**	**306**	**99**	**17**	**2**	**2**	
20	**43**	**76**	**86**	**113**	**147**	**193**	**334**	**502**	**578**	**649**	**516**	**359**	**109**	**30**	**7**	–	
29	**24**	**48**	**66**	**108**	**149**	**228**	**243**	**392**	**458**	**423**	**287**	**173**	**45**	**9**	**1**	**2**	**87-90**
20	**38**	**68**	**63**	**88**	**112**	**130**	**211**	**328**	**359**	**393**	**319**	**207**	**73**	**12**	**6**	–	
2	1	–	1	1	–	3	1	3	2	1	2	–	–	–	–	–	87
–	–	2	–	1	–	1	–	1	1	–	–	–	–	–	–	–	
5	5	9	11	3	5	5	3	4	3	5	1	1	–	–	–	–	88
5	8	12	8	5	4	4	4	6	5	3	4	1	–	–	–	–	
3	4	3	5	3	3	1	1	–	2	1	–	–	–	–	–	–	88a
4	6	4	4	3	2	2	1	3	–	–	2	–	–	–	–	–	
2	1	6	6	–	2	4	2	4	1	4	1	1	–	–	–	–	88b
1	2	8	4	2	2	2	3	3	5	3	2	1	–	–	–	–	
2	3	7	3	25	25	44	68	80	86	52	24	9	4	–	–	–	89
–	–	4	1	8	10	10	24	40	42	35	19	5	3	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

ONTARIO—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS IV-con.—CLASSE IV-fin											
90	Other diseases of the heart—Autres affections du cœur.	M.	2,245	–	1	2	–	2	9	18	21	16
		F.	2,209	–	2	–	–	1	8	14	14	19
	(a) Valvular disease—Affection valvulaire.	M.	463	–	–	1	–	–	3	5	10	5
		F.	459	–	1	–	–	–	–	3	6	4
	(b) Fatty degeneration of the heart—Dégénérescence ou stéanose du cœur.	M.	13	–	–	–	–	–	–	–	–	–
		F.	10	–	–	–	–	–	–	–	–	–
	(c) Aortic insufficiency — Insuffisance aortique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Chronic endocarditis—Endocardite chronique.	M.	319	–	–	–	–	1	5	8	7	7
		F.	333	–	1	–	–	–	5	10	7	12
	(e) Chronic myocarditis—Myocardite chronique.	M.	1,071	–	–	–	–	–	1	1	1	3
		F.	1,059	–	–	–	–	–	1	–	1	2
	(f) Others under this title—Autres sous ce titre.	M.	379	–	1	1	–	1	–	4	3	1
		F.	348	–	–	–	–	1	2	1	–	1
91	Diseases of the arteries—Affections des artères.	M.	1,452	–	–	–	–	–	–	–	–	–
		F.	1,286	–	–	–	–	–	–	–	–	1
	(a) Aneurysm—Anévrisme	M.	47	–	–	–	–	–	–	–	–	–
		F.	14	–	–	–	–	–	–	–	–	–
	(b) Arteriosclerosis—Artério-sclérose	M.	1,393	–	–	–	–	–	–	–	–	–
		F.	1,265	–	–	–	–	–	–	–	–	1
	(c) Other diseases of the arteries—Autres affections des artères.	M.	12	–	–	–	–	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–
92	Embolism and thrombosis (not cerebral)—Embolie et thrombose (non cérébrales).	M.	44	–	–	–	1	–	–	–	–	–
		F.	28	–	–	–	–	–	–	–	–	1
93	Diseases of the veins (varices, haemorrhoids, phlebitis, etc.)—Affections des veines (varices, hémorroïdes, phlébite, etc.)	M.	23	–	–	–	–	–	1	–	–	–
		F.	21	–	–	–	–	–	–	–	–	–
94	Diseases of the lymphatic system (lymphangitis, etc.)—Affections du système lymphatique (lymphangite, etc.)	M.	6	–	1	–	1	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
95	Haemorrhage without specified cause—Hémorragie sans cause déterminée.	M.	3	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
96	Other diseases of the circulatory system—Autres affections de l'appareil circulatoire.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS V—DISEASES OF THE RESPIRATORY SYSTEM — CLASSE V—AFFECTIONS DE L'APPAREIL RESPIRATOIRE.	Total	2,966	528	181	59	32	19	49	49	48	41
		M.	1,604	307	105	25	16	12	28	18	27	26
		F.	1,362	221	76	34	16	7	21	22	21	15
97	Diseases of the nasal fossae and their annexa—Affections des fosses nasales et de leurs annexes.	M.	8	–	–	–	–	–	1	–	1	–
		F.	4	–	–	–	–	–	–	1	–	1
98	Diseases of the larynx—Affections du larynx.	M.	17	6	4	–	1	2	–	–	–	–
		F.	17	1	2	4	3	1	3	–	–	–
	(a) Laryngismus stridulus—Laryngite striduleuse.	M.	2	2	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–
	(b) Laryngitis—Laryngite	M.	12	3	2	–	1	2	–	–	–	–
		F.	7	–	2	2	–	–	–	–	–	–
	(c) Croup	M.	3	1	2	–	–	–	–	–	–	–
		F.	7	1	–	1	3	1	1	–	–	–
	(d) Other diseases of the larynx—Autres affections du larynx.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	1	–	–	1	–	–	–
99	Bronchitis—Bronchite	M.	63	13	5	2	–	–	–	–	–	–
		F.	71	16	2	–	–	–	–	–	–	–
	(a) Acute—Aiguë	M.	17	8	3	1	–	–	–	–	–	–
		F.	21	10	–	–	–	–	–	–	–	–
	(b) Chronic—Chronique	M.	25	1	1	–	–	–	–	–	–	–
		F.	28	–	–	–	–	–	–	–	–	–
	(c) Not otherwise defined, under 5 years of age — Sans épithète, au-dessous de cinq ans.	M.	6	4	1	1	–	–	–	–	–	–
		F.	8	6	2	–	–	–	–	–	–	–
	(d) Not otherwise defined, 5 years or over—Sans épithète, cinq ans ou au-dessus.	M.	15	–	–	–	–	–	–	–	–	–
		F.	14	–	–	–	–	–	–	–	–	–
100	Bronchopneumonia (including capillary bronchitis)—Broncho-pneumonie (y compris bronchite capillaire).	M.	434	163	53	7	7	3	10	4	1	2
		F.	409	115	37	17	7	1	6	6	1	2
	(a) Bronchopneumonia—Broncho-pneumonie.	M.	430	160	53	7	7	3	10	4	1	2
		F.	404	114	37	17	7	1	6	6	1	2
	(b) Capillary bronchitis—Bronchite capillaire.	M.	4	3	–	–	–	–	–	–	–	–
		F.	5	1	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

ONTARIO—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
20	15	32	51	79	119	176	171	305	367	365	260	163	41	9	1	2	90
15	30	50	54	74	98	115	183	281	311	355	296	201	70	12	6	–	
6	4	15	14	18	26	38	32	69	81	74	42	16	4	–	–	–	90a
4	9	16	21	20	23	26	44	62	66	57	57	31	7	1	1	–	
–	–	1	1	–	–	3	2	1	1	2	2	–	–	–	–	–	90b
–	–	1	–	1	1	1	3	1	1	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	90c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
8	7	6	9	14	11	21	18	40	39	50	41	23	3	1	–	–	90d
5	13	15	10	17	12	18	30	42	35	45	29	21	3	2	1	–	
4	1	5	18	27	59	94	89	138	186	179	137	93	25	7	1	2	90e
5	4	13	13	26	40	59	85	121	156	193	164	119	48	7	2	–	
2	3	5	9	20	23	20	30	57	60	60	38	31	9	1	–	–	90f
1	4	5	10	10	22	11	21	55	53	59	46	30	12	2	2	–	
2	3	2	12	17	52	64	122	212	248	309	217	131	52	8	1	–	91
–	2	5	20	24	29	59	117	167	213	250	195	149	36	18	1	–	
1	1	–	3	6	6	9	4	10	2	5	–	–	–	–	–	–	91a
–	–	–	1	1	1	1	2	4	2	1	1	–	–	–	–	–	
1	2	2	9	10	44	54	114	202	243	304	217	131	51	8	1	–	91b
–	2	5	19	23	28	58	114	162	207	249	193	149	36	18	1	–	
–	–	–	–	1	2	1	4	–	3	–	–	–	1	–	–	–	91c
–	–	–	–	–	–	–	1	1	4	–	1	–	–	–	–	–	
2	1	2	–	4	4	6	2	11	–	6	1	2	2	–	–	–	92
–	1	3	1	–	3	3	3	5	5	1	1	1	–	–	–	–	
1	–	2	–	5	2	4	3	1	3	1	–	–	–	–	–	–	93
–	2	–	2	1	3	1	3	2	1	5	1	–	–	–	–	–	
–	1	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	94
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	95
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	96
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
58	**54**	**79**	**96**	**115**	**104**	**138**	**172**	**201**	**247**	**247**	**214**	**150**	**76**	**14**	**2**	**2**	
54	**27**	**50**	**64**	**72**	**66**	**94**	**94**	**99**	**133**	**107**	**105**	**58**	**29**	**5**	**1**	**2**	
24	**27**	**29**	**32**	**43**	**38**	**44**	**78**	**102**	**114**	**140**	**109**	**92**	**47**	**9**	**1**	–	
–	1	–	–	1	–	–	1	1	1	–	1	–	–	–	–	–	97
–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	98
–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	98b
–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	1	1	1	1	1	2	3	3	5	12	6	4	1	–	–	99
–	–	1	1	2	–	1	3	1	7	8	10	12	5	2	–	–	
–	–	–	1	–	–	–	–	–	–	1	2	1	–	–	–	–	99a
–	–	–	–	1	–	–	1	–	–	–	3	3	1	2	–	–	
1	1	1	–	1	1	1	2	2	2	1	6	3	–	1	–	–	99b
–	–	1	1	1	–	1	2	1	4	5	4	5	3	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	99c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	1	3	4	2	4	–	–	–	99d
–	–	–	–	–	–	–	–	–	3	3	3	4	1	–	–	–	
5	4	5	4	10	4	12	14	20	27	22	27	19	10	–	1	–	100
5	5	2	5	9	7	7	19	20	30	40	26	32	9	–	1	–	
5	4	4	4	10	4	12	14	20	27	22	27	19	10	–	1	–	100a
5	5	2	5	9	7	7	19	20	29	39	25	31	9	–	1	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	100b
–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

ONTARIO—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages									
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS V-con.—CLASSE V-fin											
101	Pneumonia—Pneumonie	M.	880	118	40	14	6	5	14	12	17	21
		F.	724	85	29	12	4	4	10	14	17	10
	(a) Lobar—Lobaire	M.	482	23	23	3	2	–	9	5	12	15
		F.	344	14	9	6	–	4	5	8	7	5
	(b) Not otherwise defined—Sans épithète	M.	398	95	17	11	4	5	5	7	5	6
		F.	380	71	20	6	4	–	5	6	10	5
102	Pleurisy—Pleurésie	M.	69	1	2	2	1	–	2	1	4	2
		F.	39	1	4	1	2	1	2	–	1	1
103	Congestion and haemorrhagic infarct of the lung—Congestion et hémorragie parenchymateuse des poumons.	M.	42	3	–	–	–	–	1	–	–	1
		F.	54	1	–	–	–	–	–	–	–	–
104	Gangrene of the lung—Gangrène du poumon.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
105	Asthma—Asthme	M.	36	2	1	–	–	–	–	–	–	–
		F.	25	1	–	–	–	–	–	–	–	–
106	Pulmonary emphysema—Emphysème pulmonaire.	M.	3	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
107	Other diseases of the respiratory system (tuberculosis excepted)—Autres affections de l'appareil respiratoire (tuberculose exceptée).	M.	51	1	–	–	1	2	–	1	4	–
		F.	17	1	2	–	–	–	–	1	2	1
	(a) Chronic interstitial pneumonia including occupational diseases of the lungs—Pneumonie interstitielle chronique comprenant les affections professionnelles de l'appareil pulmonaire.	M.	9	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Diseases of the mediastinum—Affections du médiastin.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	42	1	–	–	1	2	–	1	4	–
		F.	16	1	2	–	–	–	–	1	2	1
	CLASS VI—DISEASES OF THE DIGESTIVE SYSTEM—CLASSE VI—AFFECTIONS DE L'APPAREIL DIGESTIF.	Total	2,661	640	117	56	41	33	78	59	53	68
		M.	1,448	363	63	26	21	14	38	31	33	37
		F.	1,213	277	54	30	20	19	40	28	26	31
108	Diseases of the mouth and annexa—Affections de la bouche et de ses annexes.	M.	25	–	–	–	1	–	–	–	–	–
		F.	18	3	1	–	–	–	1	1	–	2
109	Diseases of the pharynx and tonsils (including adenoid vegetations)—Affections du pharynx et des amygdales (y compris les végétations adénoïdiennes).	M.	76	17	7	5	2	2	5	3	3	4
		F.	76	17	7	3	2	4	7	2	5	4
	(a) Adenoid vegetations—Végétations adénoïdiennes.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Pharynx and tonsils—Pharynx et amygdales.	M.	76	17	7	5	2	2	5	3	3	4
		F.	75	17	7	3	2	4	7	2	5	4
110	Diseases of the oesophagus—Affections de l'œsophage.	M.	3	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
111	Ulcer of the stomach and duodenum—Ulcère de l'estomac et du duodénum.	M.	151	–	–	1	–	–	–	–	1	1
		F.	60	–	–	–	–	–	–	–	–	2
	(a) Ulcer of the stomach—Ulcère de l'estomac.	M.	89	–	–	1	–	–	–	–	–	–
		F.	42	–	–	–	–	–	–	–	–	2
	(b) Ulcer of the duodenum—Ulcère du duodénum.	M.	62	–	–	–	–	–	–	–	1	1
		F.	18	–	–	–	–	–	–	–	–	–
112	Other diseases of the stomach (cancer excepted)—Autres affections de l estomac (cancer excepté).	M.	121	43	6	2	4	–	1	–	–	2
		F.	98	29	1	2	3	–	–	1	–	–
113	Diarrhoea and enteritis (under 2 years of age)—Diarrhée et entérite (au-dessous de 2 ans).	M.	325	279	46	–	–	–	–	–	–	–
		F.	248	213	35	–	–	–	–	–	–	–
114	Diarrhoea and enteritis (2 years or over)—Diarrhée et entérite (deux ans ou au-dessus).	M.	73	–	–	13	8	5	5	3	1	2
		F.	90	–	–	17	8	9	6	3	–	1
116	Diseases due to other intestinal parasites—Affections dues à d'autres parasites intestinaux.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(a) Cestodes (hydatids of the liver excepted)—Cestodes (non compris les hydatides du foie).	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Trematodes—Trématodes	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Nematodes (other than ankylostoma)—Nématodes (autres que ankylostomiase).	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

ONTARIO—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
23	14	34	52	44	48	67	62	56	82	60	51	25	12	3	–	–	101
15	19	19	21	26	25	29	52	66	67	70	63	35	26	6	–	–	
18	11	23	33	32	33	50	41	30	49	35	23	8	4	–	–	–	101a
9	13	13	13	16	13	19	36	35	29	32	29	17	9	3	–	–	
5	3	11	19	12	15	17	21	26	33	25	28	17	8	3	–	–	101b
6	6	6	8	10	12	10	16	31	38	38	34	18	17	3	–	–	
2	–	4	6	4	6	5	5	8	5	8	–	–	–	–	–	1	102
–	1	5	3	2	1	2	–	6	2	3	1	–	–	–	–	–	
1	–	–	–	1	–	1	2	3	6	3	10	6	3	1	–	–	103
–	–	1	–	1	–	1	1	5	7	13	6	11	6	1	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	104
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
1	2	3	–	3	1	2	4	3	4	5	3	1	–	–	–	1	105
2	–	–	–	2	4	3	1	3	1	6	1	–	1	–	–	–	
–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	106
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
–	5	3	1	8	6	4	4	3	4	4	–	–	–	–	–	–	107
2	1	–	1	1	–	–	1	1	–	–	2	1	–	–	–	–	
–	1	–	–	2	–	1	1	1	2	1	–	–	–	–	–	–	107a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107b
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	4	3	1	6	6	3	3	2	2	3	–	–	–	–	–	–	107c
2	1	–	1	1	–	–	1	–	–	–	2	1	–	–	–	–	
73	**62**	**87**	**96**	**136**	**126**	**156**	**159**	**173**	**133**	**122**	**117**	**45**	**19**	**6**	–	**3**	
38	**34**	**45**	**56**	**66**	**70**	**95**	**92**	**102**	**81**	**66**	**50**	**15**	**9**	**3**	–	**3**	
35	**28**	**42**	**40**	**70**	**56**	**61**	**67**	**71**	**52**	**56**	**67**	**30**	**10**	**3**	–	–	
2	1	–	1	2	1	3	5	5	4	–	–	–	–	–	–	–	108
1	1	4	–	1	2	1	–	–	–	–	–	–	–	–	–	–	
4	2	3	3	3	2	3	4	–	2	–	–	–	1	–	–	1	109
3	2	4	1	3	3	2	1	2	2	–	1	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	109a
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
4	2	3	3	3	2	3	4	–	2	–	–	–	1	–	–	1	109b
3	2	4	1	2	3	2	1	2	2	–	1	1	–	–	–	–	
–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	110
–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	
7	10	9	8	12	12	24	23	22	8	8	4	1	–	–	–	–	111
1	2	1	4	11	6	4	6	9	7	5	1	1	–	–	–	–	
3	5	6	1	8	5	17	12	15	6	7	2	1	–	–	–	–	111a
–	2	1	1	8	5	3	3	7	4	4	1	1	–	–	–	–	
4	5	3	7	4	7	7	11	7	2	1	2	–	–	–	–	–	111b
1	–	–	3	3	1	1	3	2	3	1	–	–	–	–	–	–	
1	2	1	4	5	6	7	9	3	6	8	7	2	–	–	–	2	112
–	1	1	2	3	4	4	6	9	3	5	13	7	3	1	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	113
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	2	–	–	4	1	5	5	5	6	3	1	2	1	–	–	114
4	1	–	2	3	1	–	4	2	6	4	13	2	3	1	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

ONTARIO—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VI–con.—**CLASSE VI**–fin											
116	(d) Coccidia—Coccidies	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Other parasites specified—Autres parasites spécifiés.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(f) Parasites not specified—Parasites non spécifiés.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
117	Appendicitis and typhlitis—Appendicite et typhlite.	M.	238	1	1	3	5	4	21	21	23	23
		F.	170	1	3	2	4	4	18	18	19	14
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale.	M.	195	20	2	1	–	1	2	3	1	1
		F.	149	9	4	1	–	–	5	2	–	3
	(a) Hernia—Hernie	M.	81	4	1	–	–	–	–	–	1	1
		F.	33	1	–	–	–	–	–	–	–	1
	(b) Intestinal obstruction—Obstruction intestinale.	M.	114	16	1	1	–	1	2	3	–	–
		F.	116	8	4	1	–	–	5	2	–	2
119	Other diseases of the intestines—Autres affections des intestins.	M.	37	1	1	–	–	2	2	–	–	–
		F.	29	1	–	–	–	–	–	–	–	1
120	Acute yellow atrophy of the liver—Atrophie jaune aiguë du foie.	M.	3	–	–	–	–	–	–	–	–	1
		F.	4	–	–	–	–	–	–	–	–	1
122	Cirrhosis of the liver—Cirrhose du foie	M.	82	–	–	–	–	–	–	–	–	–
		F.	43	–	–	1	–	–	–	–	–	–
	(a) Specified as alcoholic—Spécifiée comme alcoolique.	M.	5	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(b) Not specified as alcoholic—Non spécifiée comme alcoolique.	M.	77	–	–	–	–	–	–	–	–	–
		F.	41	–	–	1	–	–	–	–	–	–
123	Biliary calculi—Calculs biliaires	M.	17	–	–	–	–	–	–	–	–	–
		F.	55	–	–	–	–	–	–	–	–	1
124	Other diseases of the liver—Autres affections du foie.	M.	66	–	–	–	–	–	1	1	–	3
		F.	115	1	1	1	–	–	–	–	–	–
125	Diseases of the pancreas—Affections du pancréas.	M.	7	–	–	–	–	–	–	–	–	–
		F.	9	–	–	–	–	–	–	–	–	–
126	Peritonitis without specified cause—Péritonite sans cause indiquée.	M.	29	2	–	1	1	–	1	–	1	–
		F.	45	3	2	3	3	2	3	1	2	2
	CLASS VII—NON-VENEREAL DISEASES OF THE GENITO-URINARY SYSTEM AND ANNEXA—CLASSE VII—AFFECTIONS NON VÉNÉRIENNES DE L'APPAREIL GÉNITO-URINAIRE ET DE SES ANNEXES.	Total	2,423	17	5	4	3	3	10	20	19	27
		M.	1,369	7	1	1	1	2	6	11	5	17
		F.	1,054	10	4	3	2	1	4	9	14	10
128	Acute nephritis (including unspecified, under 10 years of age)—Néphrite aiguë (y compris non spécifiée au-dessous de dix ans).	M.	57	–	1	1	1	1	2	7	1	5
		F.	43	–	2	2	–	–	1	3	4	–
129	Chronic nephritis (including unspecified, 10 years of age or over)—Néphrite chronique (y compris non spécifiée, dix ans ou au-dessus).	M.	866	–	–	–	–	1	4	4	4	10
		F.	763	–	–	1	1	–	3	5	8	6
131	Other diseases of the kidneys and annexa—Autres affections des reins et de leurs annexes.	M.	71	5	–	–	–	–	–	–	–	1
		F.	84	10	2	–	1	1	–	1	1	1
132	Calculi of the urinary passages—Calculs des voies urinaires.	M.	17	–	–	–	–	–	–	–	–	–
		F.	6	–	–	–	–	–	–	–	–	–
133	Diseases of the bladder—Affections de la vessie.	M.	61	–	–	–	–	–	–	–	–	1
		F.	16	–	–	–	–	–	–	–	–	–
134	Diseases of the urethra, urinary abscess, etc.—Affections de l'urètre, abcès uri-neux, etc.	M.	11	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(a) Stricture of the urethra—Rétrécissement de l'urètre.	M.	7	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other diseases of the urethra—Autres affections de l'urètre.	M.	4	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
135	Diseases of the prostate—Affections de la prostate.	M.	282	–	–	–	–	–	–	–	–	–
136	Non-venereal diseases of the male genital organs—Affections non vénériennes des organes génitaux de l'homme.	M.	4	2	–	–	–	–	–	–	–	–
137	Cysts and other benign tumours of the ovary—Kystes et autres tumeurs bénignes de l'ovaire.	F.	44	–	–	–	–	–	–	–	–	2
138	Salpingitis and pelvic abscess—Salpingite et abcès du bassin	F.	26	–	–	–	–	–	–	–	1	1

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

ONTARIO—suite

Âges																		
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116e
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116f
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
16	8	21	21	18	13	14	9	6	5	2	1	1	1	–	–	–	117
14	8	8	8	13	8	7	4	6	4	5	–	1	1	–	–	–	
5	5	4	7	8	12	16	12	21	23	18	22	7	3	1	–	–	118
1	6	8	10	12	8	11	15	13	9	8	17	5	2	–	–	–	
–	2	2	2	3	3	5	7	11	9	10	13	5	2	–	–	–	118a
–	–	–	3	–	2	1	9	3	4	2	5	2	–	–	–	–	
5	3	2	5	5	9	11	5	10	14	8	9	2	1	1	–	–	118b
1	6	8	7	12	6	10	6	10	5	6	12	3	2	–	–	–	
–	3	–	2	2	1	3	2	3	4	4	5	1	–	1	–	–	119
–	–	2	1	2	2	3	3	2	3	3	3	1	1	1	–	–	
–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	120
2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	1	3	5	10	9	11	14	14	12	1	–	–	–	–	–	122
1	1	–	1	5	3	8	5	4	2	3	5	4	–	–	–	–	
–	–	–	1	–	–	2	–	2	–	–	–	–	–	–	–	–	122a
–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	1	2	5	10	7	11	12	14	12	1	–	–	–	–	–	122b
1	–	–	–	5	3	8	5	4	2	3	5	4	–	–	–	–	
–	–	–	2	1	1	3	3	3	3	1	–	–	–	–	–	–	123
1	1	4	4	4	3	6	6	8	4	8	4	1	–	–	–	–	
1	–	1	3	7	4	8	7	11	5	6	4	2	2	–	–	–	124
3	2	6	5	8	12	10	13	13	11	14	8	7	–	–	–	–	
–	–	1	–	1	1	–	2	2	–	–	–	–	–	–	–	–	125
2	–	–	1	2	1	–	1	1	1	–	–	–	–	–	–	–	
–	2	2	2	2	1	3	–	7	1	1	2	–	–	–	–	–	126
2	3	4	1	2	2	3	2	2	–	1	2	–	–	–	–	–	
42	**53**	**73**	**82**	**124**	**137**	**157**	**218**	**298**	**330**	**325**	**275**	**139**	**45**	**11**	**2**	**4**	
16	**23**	**25**	**26**	**59**	**59**	**80**	**125**	**176**	**221**	**215**	**172**	**82**	**28**	**5**	**2**	**4**	
26	**30**	**48**	**56**	**65**	**78**	**77**	**93**	**122**	**109**	**110**	**103**	**57**	**17**	**6**	–	–	
1	7	3	3	2	5	3	3	1	4	1	3	–	1	–	–	1	128
3	4	2	3	2	2	3	5	1	2	3	1	–	–	–	–	–	
12	13	16	17	48	47	58	94	115	136	130	91	45	16	1	1	3	
5	9	26	26	36	58	55	72	110	96	95	85	50	11	5	–	–	129
2	1	2	3	3	3	4	9	10	8	6	6	7	1	–	–	–	131
2	4	2	3	4	6	6	7	6	5	5	11	4	1	1	–	–	
1	–	3	1	2	–	–	1	1	2	2	2	–	1	1	–	–	132
1	–	–	1	–	1	–	1	1	–	1	–	–	–	–	–	–	
–	–	–	1	2	–	2	3	9	8	11	12	11	–	1	–	–	133
–	–	1	1	–	–	3	2	1	–	3	1	1	3	–	–	–	
–	1	–	1	1	–	2	1	1	2	–	1	–	1	–	–	–	134
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	1	–	1	1	–	1	–	1	–	1	–	–	–	134a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	134b
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	1	–	1	4	10	14	39	61	65	57	18	8	2	1	–	135
–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	136
3	1	8	8	5	1	5	1	3	2	1	3	–	1	–	–	–	137
7	5	4	3	3	1	–	–	–	–	1	–	–	–	–	–	–	138

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

ONTARIO—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VII-con.—**CLASSE VII**-fin											
139	Benign tumours of the uterus—Tumeurs bénignes de l'utérus.	F.	28	–	–	–	–	–	–	–	–	–
140	Non-puerperal uterine haemorrhage—Hémorragie utérine non puerpérale.	F.	2	–	–	–	–	–	–	–	–	–
141	Other diseases of the female genital organs —Autres affections des organes génitaux de la femme.	F.	38	–	–	–	–	–	–	–	–	–
142	Non-puerperal diseases of the breast (cancer excepted)—Affections non puerpérales du sein (cancer excepté).	F.	3	–	–	–	–	–	–	–	–	–
	CLASS VIII—THE PUERPERAL STATE—CLASSE VIII—ÉTAT PUERPÉRAL.	Total	403	–	–	–	–	–	–	1	20	66
143	Accidents of pregnancy—Accidents de la grossesse.	F.	30	–	–	–	–	–	–	–	1	4
	(a) Abortion—Avortement	F.	8	–	–	–	–	–	–	–	–	2
	(b) Ectopic gestation—Gestation ectopique.	F.	13	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	F.	7	–	–	–	–	–	–	–	1	1
	(d) Abortion, self-induced—Avortement provoqué par soi-même.	F.	2	–	–	–	–	–	–	–	–	1
144	Puerperal haemorrhage—Hémorragie puerpérale.	F.	49	–	–	–	–	–	–	–	–	3
145	Other accidents of labour—Autres accidents de l'accouchement.	F.	38	–	–	–	–	–	–	–	1	4
	(a) Caesarean section—Opération césarienne.	F.	12	–	–	–	–	–	–	–	–	1
	(b) Difficult labour—Accouchement laborieux.	F.	4	–	–	–	–	–	–	–	–	–
	(c) Other surgical operations and instrumental delivery—Autres opérations chirurgicales et application d'instruments.	F.	12	–	–	–	–	–	–	–	–	1
	(d) Uncontrollable vomiting—Vomissements incontrôlables.	F.	10	–	–	–	–	–	–	–	1	2
	(e) Rupture of uterus in labour, etc.— Rupture de l'utérus durant l'accouchement, etc.	F.	–	–	–	–	–	–	–	–	–	–
146	Puerperal septicaemia—Septicémie puerpérale.	F.	143	–	–	–	–	–	–	–	8	33
147	Puerperal phlegmasia alba dolens, puerperal embolism, sudden death in puerperium—Phlegmasia alba dolens, embolie, mort subite puerpérales.	F.	33	–	–	–	–	–	–	–	–	3
148	Puerperal albuminuria and convulsions— Albuminurie et éclampsie puerpérales.	F.	106	–	–	–	–	–	–	1	10	19
149	Following childbirth (not otherwise defined)—Suites de couches (sans autres explications).	F.	4	–	–	–	–	–	–	–	–	–
	CLASS IX—DISEASES OF THE SKIN AND OF THE CELLULAR TISSUE—CLASSE IX—AFFECTIONS DE LA PEAU ET DU TISSU CELLULAIRE.	Total	215	32	–	–	1	–	5	1	1	3
		M.	116	20	–	–	1	–	3	1	1	1
		F.	99	12	–	–	–	–	2	–	–	2
151	Gangrene—Gangrène	M.	52	–	–	–	–	–	–	–	–	–
		F.	43	–	–	–	–	–	1	–	–	–
152	Furuncle—Furoncle	M.	14	–	–	–	–	–	–	–	1	–
		F.	8	2	–	–	–	–	–	–	–	1
153	Acute abscess—Phlegmon, abcès chaud	M.	28	7	–	–	1	–	3	1	–	1
		F.	15	2	–	–	–	–	1	–	–	–
154	Other diseases of the skin and annexa—Autres affections de la peau et de ses annexes	M.	22	13	–	–	–	–	–	–	–	–
		F.	33	8	–	–	–	–	–	–	–	1

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

ONTARIO—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
2	3	3	1	8	3	2	2	–	1	–	1	1	1	–	–	–	139
–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	140
2	4	2	10	6	6	2	2	–	2	1	1	–	–	–	–	–	141
–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	142
88	94	83	50	1	–	–	–	–	–	–	–	–	–	–	–	–	
6	6	9	4	–	–	–	–	–	–	–	–	–	–	–	–	–	143
2	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143a
2	2	6	3	–	–	–	–	–	–	–	–	–	–	–	–	–	143b
1	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	143c
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143d
11	10	11	14	–	–	–	–	–	–	–	–	–	–	–	–	–	144
11	10	7	5	–	–	–	–	–	–	–	–	–	–	–	–	–	145
3	3	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	145a
1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	145b
5	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145c
2	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	145d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145e
35	33	23	10	1	–	–	–	–	–	–	–	–	–	–	–	–	146
7	9	8	6	–	–	–	–	–	–	–	–	–	–	–	–	–	147
16	26	24	10	–	–	–	–	–	–	–	–	–	–	–	–	–	148
2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	149
3	**2**	**3**	**6**	**4**	**14**	**8**	**5**	**16**	**21**	**24**	**22**	**27**	**11**	**3**	**2**	**1**	
3	**1**	**3**	–	**2**	**10**	**5**	**2**	**6**	**14**	**6**	**16**	**13**	**5**	**2**	–	**1**	
–	**1**	–	**6**	**2**	**4**	**3**	**3**	**10**	**7**	**18**	**6**	**14**	**6**	**1**	**2**	–	
1	–	1	–	–	1	2	2	3	9	6	12	9	5	–	–	1	151
–	–	–	1	–	1	1	–	6	4	9	5	10	3	1	1	–	
–	–	2	–	1	3	–	–	1	2	–	1	1	–	2	–	–	152
–	–	–	1	1	1	–	1	–	–	1	–	–	–	–	–	–	
2	1	–	–	1	4	2	–	1	1	–	1	2	–	–	–	–	153
–	–	–	3	1	1	1	–	1	–	5	–	–	–	–	–	–	
–	–	–	–	–	2	1	–	1	2	–	2	1	–	–	–	–	154
–	1	–	1	–	1	1	2	3	3	3	1	4	3	–	1	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

ONTARIO—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS X—DISEASES OF THE BONES AND OF THE ORGANS OF LOCOMOTION—CLASSE X—AFFECTIONS DES OS ET DES ORGANES DE LA LOCOMOTION.	Total	**91**	**4**	**5**	**–**	**2**	**1**	**6**	**9**	**3**	**–**
		M.	**45**	**2**	**1**	**–**	**2**	**–**	**3**	**6**	**2**	**–**
		F.	**46**	**2**	**4**	**–**	**–**	**1**	**3**	**3**	**1**	**–**
155	Diseases of the bones (mastoid and tuberculosis excepted)—Affections des os (sinus mastoïdien et tuberculose exceptés).	M.	34	2	–	–	2	–	2	6	1	–
		F.	36	1	3	–	–	1	3	2	1	–
156	Diseases of the joints (tuberculosis and rheumatism excepted)—Affections articulaires (tuberculose et rhumatisme exceptés).	M.	11	–	1	–	–	–	1	–	1	–
		F.	6	1	–	–	–	–	–	1	–	–
157	Amputations	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
158	Other diseases of the organs of locomotion—Autres affections des organes de la locomotion.	M.	–	–	–	–	–	–	–	–	–	–
		F.	3	–	1	–	–	–	–	–	–	–
	CLASS XI—MALFORMATIONS—CLASSE XI—VICES DE CONFORMATION.	Total	**473**	**439**	**10**	**7**	**2**	**3**	**6**	**4**	**1**	**1**
		M.	**243**	**227**	**3**	**4**	**2**	**1**	**3**	**1**	**1**	**1**
		F.	**230**	**212**	**7**	**3**	–	**2**	**3**	**3**	–	–
159	Congenital malformations (stillbirths not included)—Vices de conformation congénitaux (mort-nés non compris).	M.	243	227	3	4	2	1	3	1	1	1
		F.	230	212	7	3	–	2	3	3	–	–
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale.	M.	25	20	2	1	–	1	–	–	–	1
		F.	19	15	–	2	–	1	–	1	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur.	M.	110	104	–	3	–	–	2	–	1	–
		F.	76	72	3	–	–	–	–	1	–	–
	(c) Others under this title—Autres sous ce titre.	M.	103	103	1	–	2	–	1	1	–	–
		F.	135	125	4	1	–	1	3	1	–	–
	CLASS XII—DISEASES OF EARLY INFANCY—CLASSE XII—AFFECTIONS DU PREMIER ÂGE.	Total	**2,420**	**2,420**	–	–	–	–	–	–	–	–
		M.	**1,391**	**1,391**	–	–	–	–	–	–	–	–
		F.	**1,029**	**1,029**	–	–	–	–	–	–	–	–
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème.	M.	255	255	–	–	–	–	–	–	–	–
		F.	159	159	–	–	–	–	–	–	–	–
161	Premature birth, injury at birth—Naissance prématurée, conséquence de l'accouchement.	M.	977	977	–	–	–	–	–	–	–	–
		F.	744	744	–	–	–	–	–	–	–	–
	(a) Premature birth—Naissance prématurée.	M.	796	796	–	–	–	–	–	–	–	–
		F.	625	625	–	–	–	–	–	–	–	–
	(b) Injury at birth—Conséquence de l'accouchement.	M.	181	181	–	–	–	–	–	–	–	–
		F.	119	119	–	–	–	–	–	–	–	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge.	M.	155	155	–	–	–	–	–	–	–	–
		F.	124	124	–	–	–	–	–	–	–	–
163	Lack of care—Défaut de soins	M.	4	4	–	–	–	–	–	–	–	–
		F.	2	2	–	–	–	–	–	–	–	–
	CLASS XIII—OLD AGE—CLASSE XIII—VIEILLESSE.	Total	**677**	–	–	–	–	–	–	–	–	–
		M.	**307**	–	–	–	–	–	–	–	–	–
		F.	**370**	–	–	–	–	–	–	–	–	–
164	Senility—Sénilité	M.	307	–	–	–	–	–	–	–	–	–
		F.	370	–	–	–	–	–	–	–	–	–
	CLASS XIV—EXTERNAL CAUSES—CLASSE XIV—CAUSES EXTÉRIEURES.	Total	**2,315**	**73**	**40**	**26**	**39**	**27**	**139**	**103**	**114**	**160**
		M.	**1,625**	**36**	**22**	**16**	**16**	**18**	**95**	**81**	**99**	**131**
		F.	**690**	**37**	**18**	**10**	**23**	**9**	**44**	**22**	**24**	**29**
165-174	**Suicides**	M.	**231**	–	–	–	–	–	–	–	**2**	**10**
		F.	**87**	–	–	–	–	–	–	–	**3**	**4**
165	Suicide by solid or liquid poisons (corrosive substances excepted)—Suicide par ingestion de poisons solides ou liquides (substances corrosives exceptées).	M.	28	–	–	–	–	–	–	–	–	**1**
		F.	8	–	–	–	–	–	–	–	–	–
166	Suicide by corrosive substances—Absorption volontaire de substances corrosives.	M.	15	–	–	–	–	–	–	–	–	**2**
		F.	26	–	–	–	–	–	–	–	**2**	**3**
167	Suicide by poisonous gas—Suicide par ingestion de gaz vénéneux.	M.	20	–	–	–	–	–	–	–	–	–
		F.	8	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

ONTARIO—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
4	–	2	2	4	5	5	6	7	5	7	4	9	1	–	–	–	
1	–	2	2	3	4	3	4	4	2	3	–	1	–	–	–	–	
3	–	–	–	1	1	2	2	3	3	4	4	8	1	–	–	–	
1	–	1	–	2	2	3	3	4	2	2	–	1	–	–	–	–	155
3	–	–	–	–	–	1	2	2	1	3	4	8	1	–	–	–	
–	–	1	2	1	2	–	1	–	–	1	–	–	–	–	–	–	156
–	–	–	–	1	1	–	–	–	1	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	157
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	158
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	160
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	163
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	4	21	58	102	157	169	128	29	7	2	
–	–	–	–	–	–	–	4	13	33	44	68	64	66	12	2	1	
–	–	–	–	–	–	–	–	8	25	58	89	105	62	17	5	1	
–	–	–	–	–	–	–	4	13	33	44	68	64	66	12	2	1	164
–	–	–	–	–	–	–	–	8	25	58	89	105	62	17	5	1	
151	122	151	142	131	102	108	118	119	94	108	111	75	29	11	2	20	
124	96	117	118	113	79	80	92	85	55	47	51	29	10	5	–	19	
27	26	34	24	18	23	28	26	34	39	61	60	46	19	6	2	1	
16	20	23	30	28	22	17	21	25	8	4	4	–	–	–	–	1	165–174
8	9	15	9	10	8	11	5	2	2	–	–	–	–	–	–	1	
3	4	1	4	4	–	3	4	4	–	–	–	–	–	–	–	–	165
–	–	2	1	–	2	3	–	–	–	–	–	–	–	–	–	–	
1	1	1	2	1	2	1	2	1	1	–	–	–	–	–	–	–	166
4	4	7	–	3	–	1	2	–	–	–	–	–	–	–	–	–	
1	–	3	3	4	1	2	3	3	–	–	–	–	–	–	–	–	167
1	–	–	2	2	–	2	1	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

ONTARIO—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XIV-con.—**CLASSE XIV**-suite											
168	Suicide by hanging or strangulation—Suicide par pendaison ou strangulation.	M.	57	–	–	–	–	–	–	–	–	1
		F.	14	–	–	–	–	–	–	–	–	–
169	Suicide by drowning—Suicide par submersion.	M.	32	–	–	–	–	–	–	–	–	5
		F.	24	–	–	–	–	–	–	–	1	1
170	Suicide by firearms—Suicide par armes à feu.	M.	43	–	–	–	–	–	–	–	2	1
		F.	2	–	–	–	–	–	–	–	–	–
171	Suicide by cutting or piercing instruments—Suicide par instruments tranchants ou piquants.	M.	29	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
172	Suicide by jumping from high places—Suicide par précipitation d'un lieu élevé.	M.	3	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
173	Suicide by crushing—Suicide par écrasement.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
174	Other suicides—Autres suicides	M.	4	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
175	Poisoning by food—Empoisonnement par aliments.	M.	3	–	–	–	1	–	–	1	1	–
		F.	6	–	–	1	–	1	1	–	–	–
176	Poisoning by venomous animals—Attaques d'animaux venimeux.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
177	Other acute accidental poisonings (gas excepted)—Autres empoisonnements accidentels, aigus (par gaz exceptés).	M.	19	–	2	–	1	–	2	–	–	2
		F.	10	–	–	–	1	–	–	–	–	1
178	Conflagration—Incendie	M.	15	1	1	1	1	3	4	–	1	–
		F.	14	1	1	–	3	–	2	2	–	2
179	Accidental burns and scalds (conflagration excepted)—Brûlures accidentelles (autres que par l'incendie).	M.	42	4	9	5	–	5	1	1	1	–
		F.	62	3	8	6	5	2	6	3	4	2
180	Accidental mechanical suffocation—Suffocation mécanique accidentelle.	M.	14	11	1	–	–	–	–	–	–	1
		F.	15	14	1	–	–	–	–	–	–	–
	(a) Overlaying—Étouffé pendant le sommeil.	M.	2	2	–	–	–	–	–	–	–	–
		F.	3	3	–	–	–	–	–	–	–	–
	(b) Asphyxia—Asphyxie	M.	12	9	1	–	–	–	–	–	–	1
		F.	12	11	1	–	–	–	–	–	–	–
181	Accidental absorption of irrespirable or poisonous gas—Absorption accidentelle de gaz irrespirables ou toxiques.	M.	30	2	–	–	–	–	–	–	1	1
		F.	18	2	–	–	–	–	–	–	1	1
182	Accidental drowning—Submersion accidentelle.	M.	269	1	4	7	2	2	37	34	38	42
		F.	44	1	5	2	2	2	3	10	6	6
183	Accidental traumatism by firearms—Traumatismes accidentels par armes à feu.	M.	37	–	–	–	–	–	2	9	7	4
		F.	2	–	–	–	–	–	–	1	–	–
184	Accidental traumatism by cutting or piercing instruments—Traumatismes accidentels par instruments tranchants ou piquants.	M.	8	–	–	–	–	–	–	1	1	2
		F.	1	–	–	–	–	–	–	1	–	–
185	Accidental traumatism by fall—Traumatismes accidentels par chute.	M.	149	3	2	–	1	1	3	1	4	10
		F.	117	2	–	–	–	1	4	–	–	1
186	Accidental traumatism in mines and quarries—Traumatismes accidentels par mines et carrières.	M.	13	–	–	–	–	–	–	–	–	4
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Coal mines—Mines de charbon	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other mines—Autres mines	M.	11	–	–	–	–	–	–	–	–	4
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Quarries—Carrières	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
187	Accidental traumatism by machines—Traumatismes accidentels par machines.	M.	44	–	–	–	–	–	1	–	2	1
		F.	–	–	–	–	–	–	–	–	–	–
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.)—Traumatismes accidentels par autres écrasements (voitures, railways, éboulements, etc.)	M.	532	4	1	2	9	7	35	29	28	43
		F.	142	3	2	–	9	2	23	1	7	12
	(a) Railroad accidents—Accidents par chemins de fer.	M.	145	–	–	–	–	–	3	–	8	12
		F.	15	–	1	–	–	–	4	–	1	1
	(b) Street car accidents—Accidents par tramways.	M.	20	–	–	–	–	–	–	2	1	–
		F.	5	–	–	–	–	–	–	–	–	–
	(c) Automobile accidents—Accidents par automobiles.	M.	267	4	1	2	8	7	28	17	17	18
		F.	120	3	1	–	9	2	19	1	6	11
	(d) Aeroplane and balloon accidents—Accidents par aéroplanes et ballons.	M.	3	–	–	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Injuries by other vehicles—Blessures par autres voitures.	M.	30	–	–	–	–	–	4	4	1	1
		F.	1	–	–	–	–	–	–	–	–	–
	(f) Other crushing—Autres écrasements.	M.	67	–	–	–	1	–	–	5	1	12
		F.	1	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

ONTARIO—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
6	5	5	6	7	5	6	5	5	3	2	1	–	–	–	–	–	168
1	1	1	3	2	4	1	–	–	1	–	–	–	–	–	–	–	169
2	1	3	2	3	3	–	3	6	1	2	1	–	–	–	–	1	
1	2	3	1	3	2	4	2	2	1	–	–	–	–	–	–	1	170
2	5	5	8	6	4	3	3	1	1	–	1	–	–	–	–	–	
–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	171
1	4	3	3	3	6	2	–	5	2	–	–	–	–	–	–	–	
–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	172
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	173
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	174
–	–	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	175
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	176
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	–	1	4	1	2	1	1	–	–	–	–	–	–	–	–	177
1	1	1	1	1	–	1	–	–	–	–	2	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	2	–	–	–	–	–	–	178
–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	
2	1	1	2	3	–	1	2	1	1	2	–	–	–	–	–	–	179
3	–	5	4	–	1	–	3	4	2	–	–	1	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180b
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	3	2	2	–	5	5	1	2	2	1	–	–	–	–	1	181
2	2	–	–	1	1	2	1	2	1	2	–	–	–	–	–	–	
25	11	18	12	8	5	3	4	6	1	–	–	–	1	–	–	8	182
2	1	1	1	–	1	–	–	–	–	–	1	–	–	–	–	–	
3	–	2	4	2	1	1	1	1	–	–	–	–	–	–	–	–	183
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	184
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
9	4	7	11	5	6	8	9	13	12	8	16	10	5	1	–	–	185
1	2	1	2	–	2	9	8	16	9	24	13	18	3	–	1	–	
4	–	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	186
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	186a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	186b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	186c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
7	4	4	6	5	2	3	2	4	–	1	–	1	–	–	–	1	187
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
43	40	46	34	45	32	29	35	27	13	15	11	1	–	–	–	3	188
8	8	8	6	5	8	3	7	10	8	8	3	–	1	–	–	–	
17	17	19	15	14	11	6	12	4	1	3	1	–	–	–	–	2	188a
1	1	1	–	–	–	–	2	3	–	–	–	–	–	–	–	–	
–	–	3	–	2	–	2	3	3	1	1	2	–	–	–	–	–	188b
1	1	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	
22	15	15	16	16	17	12	13	15	8	9	7	–	–	–	–	–	188c
6	5	7	6	5	7	3	5	6	7	7	3	–	1	–	–	–	
–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	188d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	2	–	2	–	3	3	2	2	2	1	1	–	–	–	–	188e
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
3	6	6	3	11	4	6	4	3	1	–	–	–	–	–	–	1	188f
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

ONTARIO—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XIV-con.—CLASSE XIV-fin											
189	Injuries by animals (poisoning excepted)— Violences exercées par des animaux (empoisonnements exceptés).	M.	35	–	–	–	1	–	2	1	1	2
		F.	4	1	–	–	–	1	–	1	–	–
192	Starvation (deprivation of food or water)— Faim ou soif.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
193	Excessive cold—Froid excessif	M.	8	–	–	–	–	–	–	–	–	2
		F.	3	1	–	–	–	–	–	–	–	–
194	Excessive heat—Chaleur excessive	M.	10	3	–	–	–	–	–	–	–	–
		F.	3	1	–	–	–	–	–	–	–	–
195	Lightning—Foudre	M.	5	–	–	–	–	–	–	–	1	–
		F.	1	–	–	–	–	–	–	–	–	–
196	Other accidental electric shocks—Autres électrocutions accidentelles.	M.	21	–	–	–	–	–	1	1	1	1
		F.	–	–	–	–	–	–	–	–	–	–
197-199	**Homicides**	**M.**	19	4	1	1	–	–	2	–	1	–
		F.	17	2	–	–	2	–	2	2	2	–
197	Homicide by firearms—Homicide par armes à feu.	M.	6	–	–	–	–	–	1	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
198	Homicide by cutting or piercing instruments—Homicide par instruments tranchants ou piquants.	M.	4	–	–	–	–	–	1	–	1	–
		F.	5	–	–	–	1	–	2	1	–	–
199	Homicide by other means—Homicide par autres moyens.	M.	9	4	1	1	–	–	–	–	1	–
		F.	8	2	–	–	1	–	–	1	1	–
201	Fracture (cause not specified)—Fracture (cause non spécifiée).	M.	65	–	–	–	–	–	–	–	–	–
		F.	127	–	–	–	–	–	–	–	–	–
202	Other external violence (cause specified)— Autres violences extérieures (cause spécifiée).	M.	51	3	–	–	–	–	5	3	–	6
		F.	16	6	1	1	1	–	3	1	–	–
203	External violence (cause not specified)— Violences extérieures (cause non spécifiée)	M.	3	–	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS XV—ILL-DEFINED DISEASES—CLASSE XV—MALADIES MAL DÉFINIES.	Total	169	18	11	5	1	–	–	–	1	3
		M.	106	10	7	3	1	–	–	–	1	2
		F.	63	8	4	2	–	–	–	–	–	1
204	Sudden death—Mort subite	M.	9	–	–	–	–	–	–	–	–	–
		F.	6	–	–	–	–	–	–	–	–	–
205	Cause of death not specified or ill-defined— Cause de décès non spécifiée ou mal définie.	M.	97	10	7	3	1	–	–	–	1	2
		F.	57	8	4	2	–	–	–	–	–	1
	(a) Ill-defined—Mal définie	M.	10	2	2	2	–	–	–	–	–	–
		F.	4	1	3	–	–	–	–	–	–	–
	(b) Not specified or unknown—Non spécifiée ou inconnue.	M.	23	7	5	1	1	–	–	–	1	1
		F.	16	7	1	2	–	–	–	–	–	–
	(c) Heart failure—Paralysie du cœur	M.	63	–	–	–	–	–	–	–	–	–
		F.	37	–	–	–	–	–	–	–	–	1
	(d) Syncope	M.	1	1	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–

MANITOBA

	DEATHS—ALL CAUSES—DÉCÈS—TOUTES CAUSES.	Total	5,309	1,021	140	79	53	38	151	143	147	151
		M.	2,968	601	73	40	29	22	94	74	74	73
		F.	2,341	420	67	39	24	16	57	69	73	78
	CLASS I—EPIDEMIC, ENDEMIC AND INFECTIOUS DISEASES—CLASSE I—AFFECTIONS ÉPIDÉMIQUES, ENDÉMIQUES ET INFECTIEUSES.	Total	946	120	44	25	16	23	71	43	63	75
		M.	501	79	22	13	8	13	44	19	22	27
		F.	445	41	22	12	8	10	27	24	41	48
1	Typhoid and paratyphoid fever—Fièvre typhoïde et paratyphoïde.	M.	14	–	–	1	–	1	–	1	1	1
		F.	13	–	–	–	–	–	1	3	4	2
	(a) Typhoid fever—Fièvre typhoïde	M.	13	–	–	–	–	1	–	1	1	1
		F.	12	–	–	–	–	–	1	3	4	2
	(b) Paratyphoid fever—Fièvre paratyphoïde.	M.	1	–	–	1	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
7	Measles—Rougeole	M.	9	2	3	–	–	1	1	1	–	–
		F.	11	1	3	3	–	1	1	1	1	–
8	Scarlet fever—Scarlatine	M.	11	1	2	2	1	1	1	2	–	–
		F.	5	1	–	–	–	1	2	–	–	1

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

ONTARIO—fin

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
1	1	–	2	2	4	6	4	3	4	1	–	–	–	–	–	–	18
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	19
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	1	1	–	1	1	–	1	–	–	–	–	19
–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	
–	–	1	–	–	–	–	2	1	2	–	–	–	–	–	–	1	**194**
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	
–	1	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	**195**
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	5	2	3	2	1	–	1	–	–	–	–	–	–	–	–	–	196
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	3	–	–	2	–	2	1	–	–	–	–	–	–	–	–	**197–199**
1	3	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	197
–	2	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	
1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	198
–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	199
–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	10	11	19	16	4	4	–	–	201
–	–	–	–	–	–	–	–	–	14	26	39	27	15	6	–	–	
5	6	2	7	3	2	3	1	–	1	–	–	–	–	–	–	4	202
–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	
–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	203
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	**1**	**2**	**2**	**9**	**5**	**14**	**9**	**14**	**13**	**14**	**15**	**13**	**8**	**4**	**1**	**3**	
1	**1**	**1**	**2**	**6**	**2**	**12**	**6**	**11**	**10**	**8**	**10**	**6**	**2**	**2**	**1**	**1**	
2	–	**1**	–	**3**	**3**	**2**	**3**	**3**	**3**	**6**	**5**	**7**	**6**	**2**	–	**2**	
–	–	–	–	3	–	–	1	1	1	2	–	–	–	–	–	1	204
–	–	1	–	–	2	–	–	–	–	1	–	1	1	–	–	–	
1	1	1	2	3	2	12	5	10	9	6	10	6	2	2	1	–	205
2	–	–	–	3	1	2	3	3	3	5	5	6	5	2	–	2	
–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	205a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	1	1	2	–	2	–	–	–	–	–	–	205b
1	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	2	
1	1	1	2	1	1	10	3	8	9	4	10	6	2	2	1	–	205c
1	–	–	–	2	1	2	3	1	3	5	5	6	5	2	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	205d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

MANITOBA

165	**153**	**195**	**206**	**261**	**262**	**245**	**316**	**371**	**433**	**355**	**219**	**129**	**53**	**17**	**3**	**3**	
79	**67**	**109**	**110**	**151**	**145**	**139**	**193**	**230**	**258**	**191**	**105**	**70**	**28**	**10**	–	**3**	
86	**86**	**86**	**96**	**110**	**117**	**106**	**123**	**141**	**175**	**164**	**114**	**59**	**25**	**7**	**3**	–	
64	**41**	**46**	**41**	**42**	**38**	**26**	**32**	**36**	**31**	**26**	**26**	**11**	**4**	**1**	–	**1**	
36	**17**	**25**	**25**	**21**	**22**	**15**	**21**	**26**	**15**	**13**	**7**	**7**	**2**	**1**	–	**1**	
28	**24**	**21**	**16**	**21**	**16**	**11**	**11**	**10**	**16**	**13**	**19**	**4**	**2**	–	–	–	
2	2	2	–	1	–	–	1	1	–	–	–	–	–	–	–	–	1
–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
2	2	2	–	1	–	–	1	1	–	–	–	–	–	–	–	–	1a
–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1b
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	8
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

MANITOBA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages									
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS I-con.—CLASSE I-suite											
9	Whooping-cough—Coqueluche	M.	13	9	2	2	–	–	–	–	–	–
		F.	12	6	3	–	1	–	2	–	–	–
10	Diphtheria—Diphtérie	M.	49	4	3	3	4	3	24	4	–	2
		F.	39	1	3	3	2	6	13	8	1	2
11	Influenza—Grippe	M.	142	42	7	2	1	2	5	2	1	1
		F.	123	14	5	2	2	2	2	4	3	1
	(a) Sole cause—Cause unique	M.	43	18	1	1	–	2	1	–	1	–
		F.	22	7	1	–	–	–	1	–	–	–
	(b) With phthisis—Avec phtisie	M.	3	1	1	–	–	–	–	–	–	–
		F.	3	–	–	1	–	–	–	–	1	–
	(c) With bronchitis—Avec bronchite	M.	5	3	1	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(d) With pneumonia—Avec pneumonie	M.	51	14	2	1	1	–	1	1	–	–
		F.	37	6	3	–	1	1	–	1	1	–
	(e) With other respiratory diseases—Avec autres affections de l'appareil respiratoire.	M.	5	1	–	–	–	–	–	1	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(f) With diseases and accidents of pregnancy and parturition—Avec affections et accidents de la grossesse.	F.	7	–	–	–	–	–	–	–	–	1
	(g) With other causes—Avec autres causes.	M.	35	5	2	–	–	–	3	–	–	1
		F.	51	1	1	1	1	1	1	3	1	–
13	Mumps—Oreillons	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
16	Dysentery—Dysenterie	M.	3	–	–	–	–	–	–	–	–	1
		F.	7	–	2	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	M.	12	4	–	–	–	–	–	–	–	–
		F.	12	4	–	–	–	–	–	1	–	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë.	M.	1	–	–	–	–	–	1	–	–	–
		F.	4	–	1	1	–	–	1	1	–	–
23	Lethargic encephalitis—Encéphalite léthargique.	M.	8	–	–	–	–	–	–	–	2	–
		F.	5	–	–	–	–	–	1	–	2	1
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique.	M.	11	2	2	–	–	1	1	1	2	1
		F.	8	2	1	2	–	–	–	1	–	–
29	Tetanus—Tétanos	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
30	Mycoses	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1
31-37	**Tuberculosis—Tuberculose**	**M.**	**191**	**11**	**2**	**3**	**2**	**4**	**11**	**5**	**14**	**21**
		F.	**178**	**6**	**3**	–	**2**	–	**3**	**5**	**29**	**40**
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire.	M.	148	2	–	1	1	1	5	3	11	18
		F.	155	3	2	–	1	–	1	3	27	35
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central.	M.	18	5	2	1	1	2	5	1	1	–
		F.	5	1	–	–	1	–	1	–	1	1
33	Tuberculosis of the intestines and peritoneum—Tuberculose des intestins et du péritoine.	M.	6	–	–	–	–	1	1	–	1	1
		F.	9	–	1	–	–	–	1	1	1	1
34	Tuberculosis of the vertebral column—Tuberculose de la colonne vertébrale.	M.	3	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
35	Tuberculosis of the joints—Tuberculose articulaire.	M.	1	–	–	–	–	–	–	–	1	–
		F.	1	–	–	–	–	–	–	–	–	–
36	Tuberculosis of other organs—Tuberculose d'autres organes.	M.	4	1	–	1	–	–	–	1	–	–
		F.	2	1	–	–	–	–	–	–	–	1
	(a) Skin and sub cutaneous cellular tissue—De la peau et du tissu cellulaire sous-cutané.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Bones (vertebral column excepted—Des os (excepté la colonne vertébrale).	M.	2	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Lymphatic system (mesenteric, and retroperitoneal glands excepted)—Du système lymphatique (excepté les ganglions mésentériques et les ganglions rétropéritonéaux.	M.	1	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Genito-urinary system—Des organes génito-urinaires.	M.	1	–	–	–	–	–	–	1	–	–
		F.	1	–	–	–	–	–	–	–	–	1
	(e) Organs other than above—Autres organes que ceux déjà mentionnés.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
37	Disseminated tuberculosis—Tuberculose disséminée.	M.	11	3	–	–	–	–	–	–	–	1
		F.	6	1	–	–	–	–	–	1	–	2
	(a) Acute—Aiguë	M.	7	3	–	–	–	–	–	–	–	1
		F.	3	1	–	–	–	–	–	1	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

MANITOBA—suite

Âges																		
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	10
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
4	–	3	6	6	5	6	7	12	7	9	4	7	2	1	–	–	11
4	2	6	5	8	8	5	5	5	12	11	11	4	2	–	–	–	
1	–	–	3	–	1	1	2	3	2	2	1	2	1	–	–	–	11a
–	–	2	–	1	1	1	–	–	1	2	2	2	1	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	11b
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	11c
–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
3	–	1	2	5	2	3	2	1	1	3	3	3	1	1	–	–	11d
2	–	–	–	4	1	2	3	3	3	3	2	1	–	–	–	–	
–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	11e
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
2	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	11f
–	–	2	–	–	2	2	3	6	4	4	–	1	–	–	–	–	11g
–	1	2	3	2	6	2	2	2	8	6	5	1	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13
–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	16
–	–	–	–	1	–	–	–	–	1	–	3	–	–	–	–	–	
1	–	–	2	–	1	–	1	–	1	–	2	–	–	–	–	–	21
–	–	–	–	1	–	–	1	–	1	1	3	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	1	1	1	–	1	–	–	–	1	–	–	–	–	–	–	23
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24
1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	30
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
26	**14**	**18**	**9**	**9**	**11**	**5**	**10**	**9**	**5**	**1**	–	–	–	–	–	**1**	**31-37**
21	**20**	**10**	**10**	**8**	**7**	**5**	**2**	**3**	**1**	**1**	**2**	–	–	–	–	–	
24	10	17	9	8	9	5	9	9	4	1	–	–	–	–	–	1	31
20	19	10	9	8	4	4	2	3	1	1	2	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	33
1	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	34
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	35
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	3	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	37
–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	
–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	37a
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

MANITOBA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS I-con.—**CLASSE I**-fin											
37	(b) Chronic or unstated—Chronique ou non spécifiée.	M.	4	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	2
38	Syphilis	M.	18	2	1	–	–	–	–	–	–	–
		F.	10	6	–	–	–	–	1	–	–	–
40	Gonococcus infection—Gonococcie	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
41	Purulent infection, septicaemia—Infection purulente, septicémie.	M.	19	2	–	–	–	–	–	3	2	–
		F.	12	–	1	1	1	–	–	–	1	–
	CLASS II—GENERAL DISEASES NOT INCLUDED IN CLASS I— CLASSE II—MALADIES GÉNÉRALES NON MENTIONNÉES DANS LA CLASSE I.	Total	741	13	9	2	3	–	12	8	11	4
		M.	404	7	6	1	2	–	10	3	4	1
		F.	337	6	3	1	1	–	2	5	7	3
43-49	**Cancer**	M.	270	–	–	–	1	–	1	–	–	–
		F.	226	–	1	–	–	–	–	2	1	–
43	Cancer of the buccal cavity—Cancer de la cavité buccale.	M.	25	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
44	Cancer of the stomach and liver—Cancer de l'estomac et du foie.	M.	132	–	–	–	–	–	–	–	–	–
		F.	66	–	–	–	–	–	–	–	–	–
45	Cancer of the peritoneum, intestines and rectum—Cancer du péritoine, des intestins et du rectum.	M.	42	–	–	–	–	–	1	–	–	–
		F.	30	–	–	–	–	–	–	–	–	–
46	Cancer of the female genital organs— Cancer des organes génitaux de la femme.	F.	55	–	–	–	–	–	–	–	–	–
47	Cancer of the breast—Cancer du sein	M.	–	–	–	–	–	–	–	–	–	–
		F.	32	–	–	–	–	–	–	–	–	–
48	Cancer of the skin—Cancer de la peau	M.	3	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
49	Cancer of other or unspecified organs— Cancer d'autres organes ou d'organes non spécifiés.	M.	68	–	–	–	1	–	–	–	–	–
		F.	36	–	1	–	–	–	–	2	1	–
	(a) Other—Autres	M.	68	–	–	–	1	–	–	–	–	–
		F.	36	–	1	–	–	–	–	2	1	–
	(b) Unspecified—Non spécifiés	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
50	Benign tumours and tumours not returned as malignant (tumours of female genital organs excepted)—Tumeurs bénignes et tumeurs non données comme malignes (tumeurs des organes génitaux de la femme exceptées).	M.	4	–	–	–	–	–	–	–	–	–
		F.	6	–	–	–	–	–	–	–	1	1
51	Acute rheumatic fever—Rhumatisme articulaire aigu fébrile.	M.	9	–	–	–	–	–	4	1	1	–
		F.	10	–	–	–	–	–	1	1	2	–
52	Chronic rheumatism, osteo-arthritis, gout —Rhumatisme chronique ou goutte	M.	1	–	–	–	–	–	1	–	–	–
		F.	4	–	–	–	–	–	–	–	1	–
56	Rickets—Rachitisme	M.	6	2	4	–	–	–	–	–	–	–
		F.	2	1	1	–	–	–	–	–	–	–
57	Diabetes mellitus—Diabète	M.	37	–	–	–	–	–	1	1	1	1
		F.	35	–	–	–	–	–	–	1	1	2
58	Anaemia, chlorosis—Anémie, chlorose	M.	23	–	–	–	–	–	1	–	–	–
		F.	13	1	1	–	–	–	1	1	–	–
	(a) Pernicious anaemia—Anémie pernicieuse.	M.	23	–	–	–	–	–	1	–	–	–
		F.	10	–	–	–	–	–	–	1	–	–
	(b) Other anaemias and chlorosis—Autres anémies et chloroses.	M.	–	–	–	–	–	–	–	–	–	–
		F.	3	1	1	–	–	–	1	–	–	–
59	Diseases of the pituitary gland—Affections du corps pituitaire.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
60	Diseases of the thyroid gland—Affections de la glande thyroïde.	M.	3	–	–	–	–	–	–	–	–	–
		F.	25	1	–	–	–	–	–	–	–	–
	(a) Exophthalmic goiter—Goître exophtalmique.	M.	1	–	–	–	–	–	–	–	–	–
		F.	13	–	–	–	–	–	–	–	–	–
	(b) Other diseases of the thyroid gland— Autres affections de la glande thyroïde.	M.	2	–	–	–	–	–	–	–	–	–
		F.	12	1	–	–	–	–	–	–	–	–
61	Diseases of the parathyroid glands—Affections des glandes parathyroïdes.	M.	1	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
62	Diseases of the thymus—Affections du thymus.	M.	7	3	1	1	–	–	1	–	–	–
		F.	3	1	–	1	1	–	–	–	–	–
63	Diseases of the adrenals (Addison's disease)—Affections des glandes surrénales (maladie d'Addison).	M.	2	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

MANITOBA—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
1	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	37b
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	5	–	2	2	1	1	1	2	–	–	–	–	–	–	38
–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	40
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	1	3	1	1	1	2	1	–	1	–	–	–	–	–	41
1	–	2	1	2	–	–	–	1	1	–	–	–	–	–	–	–	
10	**21**	**26**	**42**	**67**	**73**	**73**	**106**	**84**	**90**	**57**	**17**	**10**	**3**	–	–	–	
5	**9**	**14**	**18**	**29**	**34**	**35**	**55**	**53**	**61**	**39**	**9**	**8**	**1**	–	–	–	
5	**12**	**12**	**24**	**38**	**39**	**38**	**51**	**31**	**29**	**18**	**8**	**2**	**2**	–	–	–	
2	**4**	**8**	**7**	**16**	**25**	**23**	**51**	**37**	**48**	**31**	**9**	**6**	**1**	–	–	–	43-49
3	**7**	**8**	**13**	**30**	**31**	**31**	**35**	**19**	**19**	**15**	**8**	**2**	**1**	–	–	–	
–	–	2	–	2	2	1	7	–	4	4	1	2	–	–	–	–	43
–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	
1	1	3	5	9	15	13	21	20	25	12	6	1	–	–	–	–	44
–	–	1	1	7	4	11	13	7	10	8	3	–	1	–	–	–	
1	–	1	1	3	2	4	10	5	8	4	1	–	1	–	–	–	45
–	1	–	–	2	7	4	4	5	3	1	2	1	–	–	–	–	
2	6	2	5	11	8	8	8	1	1	2	–	1	–	–	–	–	46
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	47
1	–	2	3	7	6	5	5	1	1	–	1	–	–	–	–	–	48
–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	2	–	–	–	–	–	–	49
–	3	2	1	2	6	5	13	11	10	11	1	2	–	–	–	–	
–	–	2	4	2	4	2	5	5	4	2	2	–	–	–	–	–	49a
–	3	2	1	2	6	5	13	11	10	11	1	2	–	–	–	–	
–	–	2	4	2	4	2	5	5	4	2	2	–	–	–	–	–	49b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	2	–	–	–	–	1	–	–	–	–	–	–	–	50
–	–	–	–	1	–	1	–	1	–	–	–	–	1	–	–	–	
1	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	51
–	1	–	1	–	–	1	3	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	52
–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	56
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	2	–	3	2	3	3	–	8	3	7	–	1	–	–	–	–	57
–	2	–	6	1	2	1	7	6	5	1	–	–	–	–	–	–	
–	–	–	1	2	2	3	2	5	5	1	–	1	–	–	–	–	58
1	–	–	1	1	1	1	1	1	1	1	–	–	–	–	–	–	
–	–	–	1	2	2	3	2	5	5	1	–	1	–	–	–	–	58a
1	–	–	1	1	1	1	1	1	1	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	58b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	59
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	60
1	2	3	3	4	3	2	–	4	1	1	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	60a
1	1	2	2	2	2	1	–	2	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	60b
–	1	1	1	2	1	1	–	2	1	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	61
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	63
–	–	–	–	1	1	1	–	–	1	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

MANITOBA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS II con.—**CLASSE II**-fin											
64	Diseases of the spleen—Affections de la rate.	M.	1	–	–	–	–	–	–	–	1	–
		F.	2	–	–	–	–	–	–	–	–	–
65	Leukaemia, lymphadenoma—Leucémie, lymphadénie.	M.	10	–	–	–	1	–	–	1	1	–
		F.	3	–	–	–	–	–	–	–	1	–
	(a) Leukaemia—Leucémie	M.	6	–	–	–	1	–	–	1	–	–
		F.	3	–	–	–	–	–	–	–	1	–
	(b) Lymphadenoma (Hodgkin's disease)—Lymphadénie (maladie d'Hodgkin).	M.	4	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
66	Alcoholism—Alcoolisme	M.	24	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Delirium tremens	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Acute alcoholism—Alcoolisme aigu	M.	22	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Chronic alcoholism—Alcoolisme chronique.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
68	Chronic organic poisoning—Empoisonnements chroniques par substances organiques.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Chronic morphinism—Morphinisme chronique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Chronic cocainism, etc.—Cocaïnisme chronique, etc.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Other organic poisoning—Autres empoisonnements organiques.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
69	Other general diseases—Autres maladies générales.	M.	4	1	1	–	–	–	1	–	–	–
		F.	3	2	–	–	–	–	–	–	–	–
	(a) Diabetes insipidus—Diabète insipide	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Haemophilia—Hémophilie	M.	1	–	–	–	–	–	1	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(c) Purpura haemorrhagica—Purpura hémorragique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(d) Others under this title—Autres sous ce titre.	M.	3	1	1	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	CLASS III—DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE—CLASSE III—AFFECTIONS DU SYSTÈME NERVEUX ET DES ORGANES DES SENS.	Total	385	48	7	7	5	1	8	8	13	5
		M.	203	26	3	3	2	1	3	5	9	4
		F.	182	22	4	4	3	–	5	3	4	1
70	Encephalitis—Encéphalite	M.	8	1	–	–	–	–	–	–	2	1
		F.	6	1	–	–	1	–	–	–	1	–
	(a) Abscess of brain—Abcès du cerveau	M.	2	–	–	–	–	–	–	–	–	–
		F.	4	1	–	–	–	–	–	–	1	–
	(b) Encephalitis—Encéphalite	M.	6	1	–	–	–	–	–	–	2	1
		F.	2	–	–	–	1	–	–	–	–	–
71	Meningitis—Méningite	M.	14	5	–	–	1	1	1	–	2	1
		F.	11	2	2	–	–	–	3	–	1	1
	(a) Simple meningitis—Méningite simple	M.	14	5	–	–	1	1	1	–	2	1
		F.	11	2	2	–	–	–	3	–	1	1
	(b) Non-epidemic, cerebrospinal meningitis—Méningite cérébro-spinale non épidémique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
72	Tabes dorsalis (locomotor ataxia)—Ataxie locomotrice progressive.	M.	3	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
73	Other diseases of the spinal cord—Autres affections de la moelle épinière.	M.	19	–	1	–	–	–	–	–	–	–
		F.	12	1	–	1	–	–	1	–	–	–
74	Cerebral haemorrhage, apoplexy—Hémorragie cérébrale, apoplexie.	M.	65	–	–	–	–	–	–	–	1	–
		F.	86	–	–	–	1	–	–	–	–	–
	(a) Apoplexy—Apoplexie	M.	22	–	–	–	–	–	–	–	–	–
		F.	31	–	–	–	–	–	–	–	–	–
	(b) Cerebral haemorrhage—Hémorragie cérébrale.	M.	41	–	–	–	–	–	–	–	1	–
		F.	54	–	–	–	1	–	–	–	–	–
	(c) Cerebral thrombosis and embolism—Thrombose et embolie cérébrales.	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
75	Paralysis without specified cause—Paralysie sans cause indiquée.	M.	10	–	–	–	–	–	–	–	–	1
		F.	16	–	–	–	–	–	–	–	–	–
	(a) Hemiplegia—Hémiplégie	M.	9	–	–	–	–	–	–	–	–	–
		F.	13	–	–	–	–	–	–	–	–	–
	(b) Others under this title—Autres sous ce titre.	M.	1	–	–	–	–	–	–	–	–	1
		F.	3	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

MANITOBA—suite

Âges																		No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	64
–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	65
–	–	1	–	–	1	3	–	–	2	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	65a
–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	65b
–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	66
1	1	5	5	4	2	3	1	–	2	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	66a
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	66b
1	1	5	4	4	2	2	1	–	2	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	66c
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	68
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	68a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	68b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	68c
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	69
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	69a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	69d
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
6	**8**	**14**	**12**	**16**	**23**	**16**	**26**	**32**	**43**	**43**	**25**	**17**	**2**	–	–	–	
5	**4**	**10**	**8**	**9**	**13**	**7**	**18**	**15**	**21**	**20**	**9**	**8**	–	–	–	–	
1	**4**	**4**	**4**	**7**	**10**	**9**	**8**	**17**	**22**	**23**	**16**	**9**	**2**	–	–	–	
1	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	70
–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	70a
–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	70b
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	71
–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	71a
–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	72
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	1	2	1	–	3	–	1	1	4	3	–	–	–	–	–	–	73
–	–	–	–	–	–	1	1	2	2	1	2	–	–	–	–	–	
–	–	–	1	–	5	4	9	9	12	10	7	7	–	–	–	–	74
–	1	2	–	2	8	7	6	10	16	15	9	9	–	–	–	–	
–	–	–	–	–	–	1	4	–	2	5	7	3	–	–	–	–	74a
–	–	1	–	–	2	1	1	3	11	5	4	3	–	–	–	–	
–	–	–	1	–	5	2	5	9	9	5	–	4	–	–	–	–	74b
–	–	1	–	2	6	6	5	7	5	10	5	6	–	–	–	–	
–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	74c
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	2	–	–	2	1	–	3	1	–	–	–	–	–	75
–	1	–	–	1	–	–	–	4	1	6	2	–	1	–	–	–	
–	–	–	–	2	–	–	2	1	–	3	1	–	–	–	–	–	75a
–	1	–	–	–	–	–	–	3	1	6	1	–	–	1	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	75b
–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

MANITOBA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS III-con.—**CLASSE III**-fin											
76	General paralysis of the insane—Paralysie générale des aliénés.	M.	11	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
77	Other forms of mental alienation—Autres formes de l'aliénation mentale.	M.	6	–	–	–	–	–	–	–	1	–
		F.	3	–	–	–	–	–	–	–	–	–
78	Epilepsy—Épilepsie	M.	11	3	–	–	–	–	1	1	–	–
		F.	6	1	1	1	–	–	–	–	–	–
79	Convulsions (non-puerperal, 5 years or over)—Éclampsie (non-puerpérale, cinq ans ou au-dessus).	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–
80	Infantile convulsions (under 5 years of age)—Convulsions des enfants (moins de cinq ans).	M.	15	12	1	2	–	–	–	–	–	–
		F.	13	12	–	1	–	–	–	–	–	–
82	Neuralgia and neuritis—Névralgie et névrite.	M.	4	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
83	Softening of the brain—Ramollissement du cerveau.	M.	1	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
84	Other diseases of the nervous system—Autres affections du système nerveux.	M.	20	–	–	1	–	–	1	3	1	1
		F.	9	–	–	–	–	–	–	1	1	–
85	Diseases of the eye and annexa—Affections de l'œil et de ses annexes.	M.	1	–	–	–	–	–	–	–	1	–
		F.	1	–	–	–	1	–	–	–	–	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien.	M.	15	5	1	–	1	–	–	1	1	–
		F.	11	5	1	1	–	–	–	2	1	–
	(a) Diseases of the ear—Affections de l'oreille.	M.	11	5	1	–	1	–	–	1	–	–
		F.	7	4	–	1	–	–	–	–	1	–
	(b) Diseases of the mastoid process—Affections du sinus mastoïdien.	M.	4	–	–	–	–	–	–	–	1	–
		F.	4	1	1	–	–	–	–	2	–	–
	CLASS IV—DISEASES OF THE CIRCULATORY SYSTEM — CLASSE IV—AFFECTIONS DE L'APPAREIL CIRCULATOIRE.	Total	830	–	–	–	–	1	8	14	8	6
		M.	460	–	–	–	–	1	2	5	3	3
		F.	370	–	–	–	–	–	6	9	5	3
87-90	**Diseases of the heart—Affections du cœur.**	M.	307	–	–	–	–	1	2	5	3	3
		F.	269	–	–	–	–	–	6	9	5	3
87	Pericarditis—Péricardite	M.	3	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
88	Endocarditis and myocárditis (acute)—Endocardite et myocardite (aiguës).	M.	10	–	–	–	–	1	1	2	1	–
		F.	12	–	–	–	–	–	4	3	1	1
	(a) Acute endocarditis—Endocardite aiguë.	M.	7	–	–	–	–	1	1	1	1	–
		F.	8	–	–	–	–	–	3	1	1	1
	(b) Acute myocarditis—Myocardite aiguë.	M.	3	–	–	–	–	–	–	1	–	–
		F.	4	–	–	–	–	–	1	2	–	–
89	Angina pectoris—Angine de poitrine	M.	31	–	–	–	–	–	–	–	–	–
		F.	14	–	–	–	–	–	–	–	–	–
90	Other diseases of the heart—Autres affections du cœur.	M.	263	–	–	–	–	–	1	3	2	3
		F.	240	–	–	–	–	–	2	6	4	2
	(a) Valvular disease—Affection valvulaire.	M.	50	–	–	–	–	–	–	1	–	1
		F.	57	–	–	–	–	–	–	2	1	1
	(b) Fatty degeneration of the heart—Dégénérescence ou stéanose du cœur.	M.	2	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
	(c) Aortic insufficiency — Insuffisance aortique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Chronic endocarditis—Endocardite chronique.	M.	47	–	–	–	–	–	1	1	1	–
		F.	60	–	–	–	–	–	2	1	1	1
	(e) Chronic myocarditis—Myocardite chronique.	M.	118	–	–	–	–	–	–	1	1	2
		F.	77	–	–	–	–	–	–	1	1	–
	(f) Others under this title—Autres sous ce titre.	M.	46	–	–	–	–	–	–	–	–	–
		F.	43	–	–	–	–	–	–	2	1	–
91	Diseases of the arteries—Affections des artères.	M.	138	–	–	–	–	–	–	–	–	–
		F.	94	–	–	–	–	–	–	–	–	–
	(a) Aneurysm—Anévrisme	M.	10	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
	(b) Arteriosclerosis—Artério-sclérose	M.	120	–	–	–	–	–	–	–	–	–
		F.	90	–	–	–	–	–	–	–	–	–
	(c) Other diseases of the arteries—Autres affections des artères.	M.	8	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
92	Embolism and thrombosis not cerebral—Embolie et thrombose (non cérébrales).	M.	14	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
93	Diseases of the veins (varices, haemorrhoids, phlebitis, etc.)—Affections des veines, (varices, hémorroïdes, phlébite, etc.)	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
95	Haemorrhage without specified cause—Hémorragie sans cause déterminée.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

MANITOBA—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	1	4	4	–	–	1	–	–	–	–	–	1	–	–	–	–	76
1	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–	77
–	–	–	–	2	–	–	1	2	–	–	–	–	–	–	–	–	
–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	78
–	2	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	79
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	1	–	–	–	2	–	–	–	–	–	–	–	82
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	83
–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	2	1	2	1	1	1	1	1	3	–	–	–	–	–	–	84
–	1	1	3	1	–	–	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	85
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–	86
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	86a
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	86b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
11	**13**	**19**	**31**	**41**	**52**	**59**	**79**	**112**	**143**	**109**	**66**	**37**	**15**	**6**	–	–	
6	**5**	**13**	**15**	**24**	**34**	**37**	**46**	**66**	**83**	**54**	**33**	**17**	**9**	**4**	–	–	
5	**8**	**6**	**16**	**17**	**18**	**22**	**33**	**46**	**60**	**55**	**33**	**20**	**6**	**2**	–	–	
5	**5**	**10**	**8**	**21**	**25**	**26**	**30**	**38**	**49**	**35**	**23**	**11**	**6**	**1**	–	–	87-90
5	**6**	**6**	**12**	**12**	**13**	**17**	**25**	**30**	**44**	**36**	**22**	**13**	**3**	**2**	–	–	
–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	87
1	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	
1	1	–	–	1	–	–	1	1	–	–	–	1	–	–	–	–	88
–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	
1	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	88a
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	88b
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	1	4	4	9	3	4	3	1	1	–	–	–	–	89
–	–	–	1	–	1	2	3	2	2	3	–	–	–	–	–	–	
4	4	8	8	19	21	21	20	34	45	31	22	10	6	1	–	–	90
4	6	6	11	11	11	15	22	28	40	33	22	12	3	2	–	–	
–	2	2	3	4	6	1	3	7	10	4	4	2	–	–	–	–	90a
1	1	1	3	4	2	4	7	6	7	11	2	2	1	1	–	–	
–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	90b
–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	90c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	90d
1	1	2	2	4	2	6	3	5	7	3	6	–	2	–	–	–	
3	3	1	3	2	2	5	3	7	7	8	7	3	1	–	–	–	90e
1	–	2	2	10	9	7	9	15	19	20	11	4	4	1	–	–	
–	1	2	2	4	4	3	7	10	17	11	10	3	1	–	–	–	90f
2	1	2	1	1	4	6	5	6	9	4	1	4	–	1	–	–	
–	1	2	2	1	3	3	5	5	8	2	3	4	–	1	–	–	91
–	–	2	7	2	7	8	15	26	31	18	10	6	3	3	–	–	
–	–	–	4	4	5	5	8	15	15	19	9	7	3	–	–	–	91a
–	–	1	3	–	3	1	1	1	–	–	–	–	–	–	–	–	
–	–	–	2	–	1	–	–	–	1	–	–	–	–	–	–	–	91b
–	–	1	3	2	4	7	14	22	28	17	10	6	3	3	–	–	
–	–	–	2	4	4	5	8	15	14	19	9	7	3	–	–	–	91c
–	–	–	1	–	–	–	–	3	3	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	92
–	–	1	–	1	2	3	1	2	3	1	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	93
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	95
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

MANITOBA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS V—DISEASES OF THE RESPIRATORY SYSTEM — CLASSE V—AFFECTIONS DE L'APPAREIL RESPIRATOIRE.	Total	574	188	37	17	13	4	9	9	12	6
		M.	327	107	20	7	6	3	6	4	8	4
		F.	247	81	17	10	7	1	3	5	4	2
97	Diseases of the nasal fossae and their annexa—Affections des fosses nasales et de leurs annexes.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	1	–
98	Diseases of the larynx—Affections du larynx	M.	6	2	–	–	1	1	–	–	–	–
		F.	3	1	–	1	–	–	–	–	–	–
	(a) Laryngismus stridulus—Laryngite striduleuse.	M.	1	–	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Laryngitis—Laryngite	M.	2	–	–	–	–	1	–	–	–	–
		F.	2	1	–	1	–	–	–	–	–	–
	(c) Croup	M.	2	2	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Other diseases of the larynx—Autres affections du larynx.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite	M.	17	5	2	–	–	–	–	–	–	–
		F.	11	3	–	1	–	–	–	–	–	–
	(a) Acute—Aiguë	M.	8	3	1	–	–	–	–	–	–	–
		F.	6	3	–	1	–	–	–	–	–	–
	(b) Chronic—Chronique	M.	3	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
	(c) Not otherwise defined, under 5 years of age—Sans épithète, au-dessous de cinq ans.	M.	3	2	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Not otherwise defined, 5 years or over—Sans épithète, cinq ans ou au-dessus.	M.	3	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
100	Bronchopneumonia (including capillary bronchitis)—Broncho-pneumonie (y compris bronchite capillaire).	M.	134	70	11	3	3	–	4	–	3	2
		F.	120	53	11	6	6	1	–	5	1	–
	(a) Bronchopneumonia—Broncho-pneumonie.	M.	132	69	11	3	3	–	3	–	3	2
		F.	118	52	11	6	5	1	–	5	1	–
	(b) Capillary bronchitis—Bronchite capillaire.	M.	2	1	–	–	–	–	1	–	–	–
		F.	2	1	–	–	1	–	–	–	–	–
101	Pneumonia—Pneumonie	M.	135	29	6	3	2	2	2	2	5	2
		F.	89	23	5	2	1	–	3	–	2	2
	(a) Lobar—Lobaire	M.	108	18	6	2	2	1	2	2	3	2
		F.	71	16	5	1	1	–	3	–	1	2
	(b) Not otherwise defined—Sans épithète	M.	27	11	–	1	–	1	–	–	2	–
		F.	18	7	–	1	–	–	–	–	1	–
102	Pleurisy—Pleurésie	M.	15	–	1	1	–	–	–	2	–	–
		F.	4	–	–	–	–	–	–	–	–	–
103	Congestion and haemorrhagic infarct of the lung—Congestion et hémorragie parenchymateuse des poumons.	M.	4	1	–	–	–	–	–	–	–	–
		F.	7	1	–	–	–	–	–	–	–	–
104	Gangrene of the lung—Gangrène du poumon	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
105	Asthma—Asthme	M.	3	–	–	–	–	–	–	–	–	–
		F.	8	–	–	–	–	–	–	–	–	–
106	Pulmonary emphysema—Emphysème pulmonaire.	M.	3	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
107	Other diseases of the respiratory system (tuberculosis excepted)—Autres affections de l'appareil respiratoire (tuberculose exceptée).	M.	10	–	–	–	–	–	–	–	–	–
		F.	3	–	1	–	–	–	–	–	–	–
	(a) Chronic interstitial pneumonia including occupational diseases of the lungs—Pneumonie interstitielle chronique comprenant les affections professionnelles de l'appareil pulmonaire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Diseases of the mediastinum—Affections du médiastin.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	10	–	–	–	–	–	–	–	–	–
		F.	2	–	1	–	–	–	–	–	–	–
	CLASS VI—DISEASES OF THE DIGESTIVE SYSTEM—CLASSE VI—AFFECTIONS DE L'APPAREIL DIGESTIF.	Total	516	148	25	13	8	2	19	21	16	18
		M.	279	88	10	8	5	1	11	11	11	12
		F.	237	60	15	5	3	1	8	10	5	6
108	Diseases of the mouth and annexa—Affections de la bouche et de ses annexes.	M.	5	1	–	–	–	–	1	–	–	–
		F.	2	1	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

MANITOBA—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
10	**5**	**16**	**18**	**18**	**15**	**17**	**22**	**28**	**33**	**41**	**30**	**13**	**11**	**2**	–	–	
5	**4**	**10**	**8**	**12**	**11**	**10**	**18**	**16**	**19**	**21**	16	**6**	**6**	–	–	–	
5	**1**	**6**	**10**	**6**	**4**	**7**	**4**	**12**	**14**	**20**	**14**	**7**	**5**	**2**	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	97
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	98
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	98b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	98d
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	1	1	3	2	2	–	–	–	99
–	–	–	–	–	–	1	–	–	1	3	–	1	–	1	–	–	
–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	99a
–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	99b
–	–	–	–	–	–	1	–	–	–	2	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	99c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	99d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	
–	–	2	2	1	1	1	5	2	8	7	6	1	2	–	–	–	100
2	–	2	1	1	2	–	–	5	5	7	5	4	3	–	–	–	
–	–	2	2	1	1	1	5	2	8	7	6	1	2	–	–	–	100a
2	–	2	1	1	2	–	–	5	5	7	5	4	3	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	100b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	4	5	4	8	6	5	11	11	9	10	4	3	–	–	–	–	101
2	1	3	5	4	2	5	4	6	5	5	5	2	2	–	–	–	
2	4	5	3	7	6	4	8	8	7	10	3	3	–	–	–	–	101a
2	1	2	5	2	1	5	4	6	5	4	3	2	–	–	–	–	
–	–	–	1	1	–	1	3	3	2	–	1	–	–	–	–	–	101b
–	–	1	–	2	1	–	–	–	–	1	2	–	2	–	–	–	
–	–	2	1	3	2	–	1	–	–	1	1	–	–	–	–	–	102
–	–	1	–	1	–	–	–	–	–	–	2	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	103
–	–	–	–	–	–	–	–	1	1	2	2	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	104
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	105
–	–	–	1	–	–	1	–	–	2	3	–	–	–	1	–	–	
–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–	106
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	–	1	–	–	1	2	–	1	1	–	1	–	–	–	–	–	107
–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107b
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	–	1	–	–	1	2	–	1	1	–	1	–	–	–	–	–	107c
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
11	**14**	**28**	**19**	**30**	**25**	**20**	**21**	**17**	**22**	**19**	**8**	**10**	**1**	–	**1**	–	
3	**6**	**13**	**12**	**22**	**10**	**10**	**13**	**10**	**11**	**5**	**2**	**5**	–	–	–	–	
8	**8**	**15**	**7**	**8**	**15**	**10**	**8**	**7**	**11**	**14**	**6**	**5**	**1**	–	**1**	–	
–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	108
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

MANITOBA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages									
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans	
	CLASS VI–con.—**CLASSE VI**–fin												
109	Diseases of the pharynx and tonsils (including adenoid vegetations)—Affections du pharynx et des amygdales (y compris les végétations adénoïdiennes).	M.	14	1	–	2	1	–	1	3	1	2	
		F.	8	1	–	–	1	–	2	1	–	1	
	(a) Adenoid vegetations—Végétations adénoïdiennes.	M.	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	
	(b) Pharynx and tonsils—Pharynx et amygdales.	M.	14	1	–	2	1	–	1	3	1	2	
		F.	8	1	–	–	1	–	2	1	–	1	
110	Diseases of the oesophagus—Affections de l'œsophage.	M.	–	–	–	–	–	–	–	–	–	–	
		F.	1	–	–	–	–	–	–	–	–	–	
111	Ulcer of the stomach and duodenum—Ulcère de l'estomac et du duodénum....	M.	30	–	–	–	–	–	–	–	–	–	
		F.	10	–	–	–	–	–	–	–	–	–	
	(a) Ulcer of the stomach—Ulcère de l'estomac.	M.	16	–	–	–	–	–	–	–	–	–	
		F.	7	–	–	–	–	–	–	–	–	–	
	(b) Ulcer of the duodenum—Ulcère du duodénum.	M.	14	–	–	–	–	–	–	–	–	–	
		F.	3	–	–	–	–	–	–	–	–	–	
112	Other diseases of the stomach (cancer excepted)—Autres affections de l'estomac (cancer excepté).	M.	21	14	–	–	1	–	–	–	–	–	
		F.	20	12	1	–	–	–	–	–	–	–	
113	Diarrhoea and enteritis (under 2 years of age)—Diarrhée et entérite (au dessous de 2 ans).	M.	76	66	10	–	–	–	–	–	–	–	
		F.	52	41	11	–	–	–	–	–	–	–	
114	Diarrhoea and enteritis (2 years or over)—Diarrhée et entérite (deux ans ou au-dessus).	M.	13	–	–	4	1	–	1	1	1	–	
		F.	14	–	–	4	–	–	1	1	–	–	
116	Diseases due to other intestinal parasites—Affections dues à d'autres parasites intestinaux.	M.	1	–	–	–	–	–	1	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	
	(a) Cestodes (hydatids of the liver excepted)—Cestodes (non compris les hydatides du foie).	M.	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	
	(b) Trematodes—Trématodes.....	M.	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	
	(c) Nematodes (other than ankylostoma)—Nématodes (autres que ankylostomiase)..	M.	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	
	(d) Coccidia—Coccidies.....	M.	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	
	(e) Other parasites specified—Autres parasites spécifiés.	M.	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	
	(f) Parasites not specified—Parasites non spécifiés.	M.	1	–	–	–	–	–	1	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	
117	Appendicitis and typhlitis—Appendicite et typhlite.	M.	50	1	–	2	2	–	5	6	8	8	
		F.	40	1	–	1	1	1	4	8	4	4	
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale.	M.	33	5	–	–	–	1	1	–	1	1	
		F.	26	2	2	–	–	–	1	–	–	1	
	(a) Hernia—Hernie.....	M.	16	–	–	–	–	1	–	–	–	1	
		F.	11	–	–	–	–	–	–	–	–	–	
	(b) Intestinal obstruction—Obstruction intestinale.	M.	17	5	–	–	–	–	1	–	1	–	
		F.	15	2	2	–	–	–	1	–	–	1	
119	Other diseases of the intestines—Autres affections des intestins.	M.	3	–	–	–	–	–	–	–	–	–	
		F.	4	1	–	–	–	–	–	–	–	–	
120	Acute yellow atrophy of the liver—Atrophie jaune aiguë du foie.	M.	1	–	–	–	–	–	–	–	–	–	
		F.	7	–	–	–	–	–	–	–	–	–	
122	Cirrhosis of the liver—Cirrhose du foie....	M.	8	–	–	–	–	–	–	–	–	–	
		F.	6	–	–	–	–	–	–	–	–	–	
	(a) Specified as alcoholic—Spécifiée comme alcoolique.	M.	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	
	(b) Not specified as alcoholic—Non spécifiée comme alcoolique.	M.	8	–	–	–	–	–	–	–	–	–	
		F.	6	–	–	–	–	–	–	–	–	–	
123	Biliary calculi—Calculs biliaires.....	M.	3	–	–	–	–	–	–	–	–	–	
		F.	16	–	–	–	–	–	–	–	–	–	
124	Other diseases of the liver—Autres affections du foie.	M.	12	–	–	–	–	–	–	1	–	1	
		F.	22	–	–	–	–	–	–	–	–	–	
125	Diseases of the pancreas—Affections du pancréas.	M.	1	–	–	–	–	–	–	–	–	–	
		F.	3	–	–	–	–	–	–	–	–	–	
126	Peritonitis without specified cause—Péritonite sans cause indiquée.	M.	8	–	–	–	–	–	1	–	–	–	
		F.	6	1	1	–	1	–	–	–	1	–	

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

MANITOBA—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	109
–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	109a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	109b
–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	110
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	5	6	9	3	1	2	1	2	1	–	–	–	–	–	–	111
2	1	1	1	1	1	1	2	–	–	–	–	–	–	–	–	–	
–	–	1	2	7	2	1	2	1	–	–	–	–	–	–	–	–	111a
2	1	1	1	–	–	1	1	–	–	–	–	–	–	–	–	–	
–	–	4	4	2	1	–	–	–	2	1	–	–	–	–	–	–	111b
–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	1	1	1	1	–	–	1	–	–	–	–	112
1	–	1	–	–	–	–	–	1	1	1	2	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	113
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	1	–	–	1	–	1	1	–	–	–	–	–	–	114
–	–	–	1	–	–	–	–	1	2	2	1	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116f
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	3	2	2	5	2	1	–	2	–	–	–	–	–	–	–	–	117
1	5	3	2	3	2	–	–	–	–	–	–	–	–	–	–	–	
–	1	1	1	2	3	3	2	3	2	3	–	3	–	–	–	–	118
1	1	2	–	–	5	1	2	1	1	2	2	2	–	–	–	–	
–	–	1	1	2	2	1	1	2	–	2	–	2	–	–	–	–	118a
1	1	1	–	–	3	1	1	–	1	1	–	1	–	–	–	–	
–	1	–	–	–	1	2	1	1	2	1	–	1	–	–	–	–	118b
–	–	1	–	–	2	–	1	1	–	1	2	1	–	–	–	–	
–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	119
–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	120
1	–	2	–	1	–	2	–	–	1	–	–	–	–	–	–	–	
–	–	2	–	1	–	–	3	2	–	–	–	–	–	–	–	–	122
1	–	–	–	–	–	–	–	–	1	2	1	–	–	–	1	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	122a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	2	–	1	–	–	3	2	–	–	–	–	–	–	–	–	122b
1	–	–	–	–	–	–	–	–	1	2	1	–	–	–	1	–	
–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	123
–	–	2	1	–	1	2	3	2	2	3	–	–	–	–	–	–	
1	–	1	1	–	–	2	1	–	2	–	1	1	–	–	–	–	124
1	1	2	1	1	4	3	–	2	2	4	–	1	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	125
–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	2	2	–	1	–	–	–	1	–	–	–	–	–	126
–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

MANITOBA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VII—NON-VENEREAL DISEASES OF THE GENITO-URINARY SYSTEM AND ANNEXA—CLASSE VII—AFFECTIONS NON VÉNÉRIENNES DE L'APPAREIL GÉNITO-URINAIRE ET DE SES ANNEXES.	Total	255	2	3	1	2	–	3	9	3	3
		M.	160	2	2	1	2	–	2	6	1	2
		F.	95	–	1	–	–	–	1	3	2	1
128	Acute nephritis (including unspecified, under 10 years of age)—Néphrite aiguë (y compris non spécifiée au-dessous de dix ans).	M.	9	1	1	1	2	–	–	–	1	–
		F.	8	–	–	–	–	–	–	2	1	–
129	Chronic nephritis (including unspecified, 10 years of age or over)—Néphrite chronique (y compris non spécifiée, dix ans ou au-dessus).	M.	78	–	–	–	–	–	–	5	–	1
		F.	67	–	–	–	–	–	1	–	1	1
131	Other diseases of the kidneys and annexa—Autres affections des reins et de leurs annexes.	M.	18	–	1	–	–	–	2	1	–	1
		F.	6	–	1	–	–	–	–	1	–	–
132	Calculi of the urinary passages—Calculs des voies urinaires.	M.	7	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
133	Diseases of the bladder—Affections de la vessie.	M.	4	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
134	Diseases of the urethra, urinary abscess, etc.—Affections de l'urètre, abcès uri-neux, etc.	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Stricture of the urethra—Rétrécissement de l'urètre.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other diseases of the urethra—Autres affections de l'urètre.	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
135	Diseases of the prostate—Affections de la prostate.	M.	41	–	–	–	–	–	–	–	–	–
136	Non-venereal diseases of the male genital organs—Affections non vénériennes des organes génitaux de l'homme.	M.	1	1	–	–	–	–	–	–	–	–
137	Cysts and other benign tumours of the ovary—Kystes et autres tumeurs bénignes de l'ovaire.	F.	3	–	–	–	–	–	–	–	–	–
138	Salpingitis and pelvic abscess—Salpingite et abcès du bassin.	F.	3	–	–	–	–	–	–	–	–	–
139	Benign tumours of the uterus—Tumeurs bénignes de l'utérus.	F.	1	–	–	–	–	–	–	–	–	–
141	Other diseases of the female genital organs—Autres affections des organes génitaux de la femme.	F.	7	–	–	–	–	–	–	–	–	–
	CLASS VIII—THE PUERPERAL STATE—CLASSE VIII—ÉTAT PUERPÉRAL.	Total	72	–	–	–	–	–	–	–	1	6
143	Accidents of pregnancy—Accidents de la grossesse.	F.	9	–	–	–	–	–	–	–	–	–
	(a) Abortion—Avortement	F.	5	–	–	–	–	–	–	–	–	–
	(b) Ectopic gestation—Gestation ectopique.	F.	1	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	F.	3	–	–	–	–	–	–	–	–	–
	(d) Abortion, self-induced—Avortement provoqué par soi-même.	F.	–	–	–	–	–	–	–	–	–	–
144	Puerperal haemorrhage—Hémorragie puerpérale.	F.	11	–	–	–	–	–	–	–	–	–
145	Other accidents of labour—Autres accidents de l'accouchement.	F.	8	–	–	–	–	–	–	–	–	2
	(a) Caesarean section—Opération césarienne.	F.	2	–	–	–	–	–	–	–	–	1
	(b) Difficult labour—Accouchement laborieux.	F.	1	–	–	–	–	–	–	–	–	–
	(c) Other surgical operations and instrumental delivery—Autres opérations chirurgicales et application d'instruments.	F.	3	–	–	–	–	–	–	–	–	–
	(d) Uncontrollable vomiting—Vomissements incontrôlables.	F.	2	–	–	–	–	–	–	–	–	1
	(e) Rupture of uterus in labour, etc.—Rupture de l'utérus durant l'accouchement, etc.	F.	–	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

MANITOBA—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
7	**5**	**5**	**14**	**14**	**14**	**14**	**16**	**36**	**44**	**31**	**15**	**10**	**3**	–	**1**	–	
3	–	**1**	**4**	**8**	**6**	**8**	**10**	**24**	**32**	**23**	**13**	**8**	**2**	–	–	–	
4	**5**	**4**	**10**	**6**	**8**	**6**	**6**	**12**	**12**	**8**	**2**	**2**	**1**	–	**1**	–	
1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	128
1	–	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–	
–	–	1	4	6	2	5	7	13	15	11	5	3	–	–	–	–	129
2	2	4	6	3	5	3	3	11	11	8	2	2	1	–	1	–	
1	–	–	–	–	2	1	–	2	2	2	2	–	1	–	–	–	131
–	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	2	1	–	–	–	4	–	–	–	–	–	–	–	132
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–	–	133
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	134
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	134a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	134b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	1	2	8	9	9	5	5	1	–	–	–	135
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	136
1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	137
–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	138
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	139
–	1	–	2	2	1	–	1	–	–	–	–	–	–	–	–	–	141
23	**18**	**17**	**5**	**2**	–	–	–	–	–	–	–	–	–	–	–	–	
3	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143
1	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143a
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143b
1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143d
7	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	144
3	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	145
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145a
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145b
1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	145c
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145e

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

MANITOBA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VIII—con.—**CLASSE VIII**—fin											
146	Puerperal septicaemia—Septicémie puerpérale.	F.	23	–	–	–	–	–	–	–	–	2
147	Puerperal phlegmasia alba dolens, puerperal embolism, sudden death in puerperium—Phlegmasia alba dolens, embolie, mort subite puerpérales.	F.	7	–	–	–	–	–	–	–	–	1
148	Puerperal albuminuria and convulsions—Albuminurie et éclampsie puerpérales.	F.	12	–	–	–	–	–	–	–	–	1
149	Following childbirth (not otherwise defined)—Suites de couches (sans autres explications).	F.	2	–	–	–	–	–	–	–	1	–
	CLASS IX—DISEASES OF THE SKIN AND OF THE CELLULAR TISSUE—CLASSE IX—AFFECTIONS DE LA PEAU ET DU TISSU CELLULAIRE.	Total	38	11	–	–	–	–	–	1	–	–
		M.	22	6	–	–	–	–	–	1	–	–
		F.	16	5	–	–	–	–	–	–	–	–
151	Gangrene—Gangrène	M.	8	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
152	Furuncle—Furoncle	M.	2	–	–	–	–	–	–	1	–	–
		F.	1	–	–	–	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	M.	2	1	–	–	–	–	–	–	–	–
		F.	5	1	–	–	–	–	–	–	–	–
154	Other diseases of the skin and annexa—Autres affections de la peau et de ses annexes.	M.	10	5	–	–	–	–	–	–	–	–
		F.	6	4	–	–	–	–	–	–	–	–
	CLASS X—DISEASES OF THE BONES AND OF THE ORGANS OF LOCOMOTION—CLASSE X—AFFECTIONS DES OS ET DES ORGANES DE LA LOCOMOTION.	Total	15	1	–	2	–	–	5	2	1	1
		M.	10	–	–	1	–	–	4	1	–	1
		F.	5	1	–	1	–	–	1	1	1	–
155	Diseases of the bones (mastoid and tuberculosis excepted)—Affections des os (sinus mastoïdien et tuberculose exceptés).	M.	7	–	–	1	–	–	4	1	–	–
		F.	5	1	–	1	–	–	1	1	1	–
156	Diseases of the joints (tuberculosis and rheumatism excepted)—Affections articulaires (tuberculose et rhumatisme exceptés).	M.	2	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
158	Other diseases of the organs of locomotion—Autres affections des organes de la locomotion.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS XI—MALFORMATIONS—CLASSE XI—VICES DE CONFORMATION.	Total	74	70	3	–	–	–	–	1	–	–
		M.	40	38	2	–	–	–	–	–	–	–
		F.	34	32	1	–	–	–	–	1	–	–
159	Congenital malformations (stillbirths not included)—Vices de conformation congénitaux (mort-nés non compris).	M.	40	38	2	–	–	–	–	–	–	–
		F.	34	32	1	–	–	–	–	1	–	–
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale.	M.	2	2	–	–	–	–	–	–	–	–
		F.	3	2	–	–	–	–	–	1	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur.	M.	17	16	1	–	–	–	–	–	–	–
		F.	14	14	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	21	20	1	–	–	–	–	–	–	–
		F.	17	16	1	–	–	–	–	–	–	–
	CLASS XII—DISEASES OF EARLY INFANCY—CLASSE XII—AFFECTIONS DU PREMIER ÂGE.	Total	400	400	–	–	–	–	–	–	–	–
		M.	235	235	–	–	–	–	–	–	–	–
		F.	165	165	–	–	–	–	–	–	–	–
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème.	M.	40	40	–	–	–	–	–	–	–	–
		F.	35	35	–	–	–	–	–	–	–	–
161	Premature birth, injury at birth—Naissance prématurée, conséquence de l'accouchement.	M.	164	164	–	–	–	–	–	–	–	–
		F.	101	101	–	–	–	–	–	–	–	–
	(a) Premature birth—Naissance prématurée.	M.	136	136	–	–	–	–	–	–	–	–
		F.	84	84	–	–	–	–	–	–	–	–
	(b) Injury at birth—Conséquence de l'accouchement.	M.	28	28	–	–	–	–	–	–	–	–
		F.	17	17	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

MANITOBA—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
6	8	5	1	1	–	–	–	–	–	–	–	–	–	–	–	–	146
1	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	147
3	2	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	148
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	149
–	–	1	1	4	1	1	2	3	1	6	2	2	2	–	–	–	
–	–	1	1	2	–	1	1	1	1	4	1	1	1	–	–	–	
–	–	–	–	2	1	–	1	2	–	2	1	1	1	–	–	–	
–	–	1	–	–	–	1	–	1	–	3	1	1	–	–	–	–	151
–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	152
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	153
–	–	–	–	2	–	–	–	1	–	–	–	–	1	–	–	–	154
–	–	–	–	2	–	–	1	–	–	1	–	–	1	–	–	–	
–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	155
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	156
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	158
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	160
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

MANITOBA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XII—con.—**CLASSE XII**—fin											
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge.	M.	30	30	–	–	–	–	–	–	–	–
		F.	29	29	–	–	–	–	–	–	–	–
163	Lack of care—Défaut de soins	M.	1	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS XIII—OLD AGE—CLASSE XIII—VIEILLESSE.	Total	83	–	–	–	–	–	–	–	–	–
		M.	45	–	–	–	–	–	–	–	–	–
		F.	38	–	–	–	–	–	–	–	–	–
164	Senility—Sénilité	M.	45	–	–	–	–	–	–	–	–	–
		F.	38	–	–	–	–	–	–	–	–	–
	CLASS XIV—EXTERNAL CAUSES—CLASSE XIV—CAUSES EXTÉRIEURES.	Total	336	11	7	12	5	7	15	25	17	25
		M.	264	9	6	6	4	3	12	18	16	19
		F.	72	2	1	6	1	4	3	7	1	6
165-174	**Suicides**	M.	53	–	–	–	–	–	–	1	1	3
		F.	9	–	–	–	–	–	–	–	–	2
165	Suicide by solid or liquid poisons (corrosive substances excepted)—Suicide par ingestion de poisons solides ou liquides (substances corrosives exceptées).	M.	2	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
166	Suicide by corrosive substances—Absorption volontaire de substances corrosives.	M.	1	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	2
167	Suicide by poisonous gas—Suicide par ingestion de gaz vénéneux.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
168	Suicide by hanging or strangulation—Suicide par pendaison ou strangulation.	M.	13	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
169	Suicide by drowning—Suicide par submersion.	M.	8	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
170	Suicide by firearms—Suicide par armes à feu.	M.	20	–	–	–	–	–	–	1	1	3
		F.	–	–	–	–	–	–	–	–	–	–
171	Suicide by cutting or piercing instruments—Suicide par instruments tranchants ou piquants.	M.	6	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
172	Suicide by jumping from high places—Suicide par précipitation d'un lieu élevé.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
173	Suicide by crushing—Suicide par écrasement.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
174	Other suicides—Autres suicides	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
175	Poisoning by food—Empoisonnement par aliments.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1
177	Other acute accidental poisonings (gas excepted)—Autres empoisonnements accidentels aigus (par gaz exceptés).	M.	2	1	–	–	–	–	–	–	–	–
		F.	2	–	–	1	–	–	–	–	–	1
178	Conflagration—Incendie	M.	2	1	–	–	–	–	–	–	–	–
		F.	3	–	–	–	1	–	1	–	–	–
179	Accidental burns and scalds (conflagration excepted)—Brûlures accidentelles (autres que par l'incendie).	M.	9	–	1	2	1	–	2	1	–	–
		F.	10	2	–	3	–	3	–	–	–	–
180	Accidental mechanical suffocation—Suffocation mécanique accidentelle.	M.	4	3	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Overlaying—Etouffé pendant le sommeil.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Asphyxia—Asphyxie	M.	4	3	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
181	Accidental absorption of irrespirable or poisonous gas—Absorption accidentelle de gaz irrespirables ou toxiques.	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
182	Accidental drowning—Submersion accidentelle.	M.	40	–	2	–	1	1	4	4	10	3
		F.	6	–	–	1	–	–	2	2	–	–
183	Accidental traumatism by firearms—Traumatismes accidentels par armes à feu.	M.	16	–	–	–	–	–	1	6	2	3
		F.	2	–	–	–	–	–	–	2	–	–
185	Accidental traumatism by fall—Traumatismes accidentels par chute.	M.	29	1	–	–	–	1	1	2	1	2
		F.	11	–	–	–	–	–	–	–	1	–
187	Accidental traumatism by machines—Traumatismes accidentels par machines.	M.	14	–	–	1	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

MANITOBA—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	163
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	**3**	**13**	**13**	**24**	**14**	**10**	**5**	**1**	–	
–	–	–	–	–	–	–	–	**3**	**7**	**6**	**13**	**7**	**6**	**3**	–	–	
–	–	–	–	–	–	–	–	–	**6**	**7**	**11**	**7**	**4**	**2**	**1**	–	
–	–	–	–	–	–	–	–	3	7	6	13	7	6	3	–	–	164
–	–	–	–	–	–	–	–	–	6	7	11	7	4	2	1	–	
22	**26**	**23**	**23**	**27**	**16**	**14**	**10**	**18**	**9**	**8**	**5**	**4**	**2**	**3**	–	**2**	
16	**21**	**22**	**19**	**24**	**12**	**12**	**9**	**15**	**6**	**5**	**2**	**3**	**1**	**2**	–	**2**	
6	**5**	**1**	**4**	**3**	**4**	**2**	**1**	**3**	**3**	**3**	**3**	**1**	**1**	**1**	–	–	
4	**3**	**5**	**7**	**12**	**5**	**3**	**3**	**4**	**1**	**1**	–	–	–	–	–	–	**165-**
3	–	–	**1**	**1**	**1**	**1**	–	–	–	–	–	–	–	–	–	–	**174**
–	–	**1**	–	–	–	–	–	–	–	**1**	–	–	–	–	–	–	165
–	–	–	**1**	–	–	**1**	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	**1**	–	–	–	–	–	–	–	–	–	–	–	–	166
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	167
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	**1**	**2**	**4**	**3**	**1**	–	**1**	**1**	–	–	–	–	–	–	–	168
1	–	–	–	**1**	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	**2**	**2**	–	–	–	**2**	–	–	–	–	–	–	–	–	–	169
–	–	–	–	–	**1**	–	–	–	–	–	–	–	–	–	–	–	
1	**3**	–	**3**	**4**	**1**	**1**	**1**	**1**	–	–	–	–	–	–	–	–	170
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	**1**	–	**3**	–	–	–	**1**	–	–	–	–	–	–	–	–	171
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	**1**	–	–	–	–	–	–	–	–	172
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	173
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	**1**	**1**	–	–	–	–	–	–	–	–	–	–	174
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	**1**	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	175
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	**1**	–	–	–	–	–	–	–	–	–	–	–	–	–	–	177
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	**1**	–	–	–	–	–	–	–	–	178
–	**1**	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	**1**	–	–	–	–	–	**1**	–	–	–	–	179
–	–	–	**1**	–	–	–	–	–	–	**1**	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	**1**	–	–	**1**	–	–	–	–	–	–	–	–	181
–	–	–	–	–	**1**	–	–	–	–	–	–	–	–	–	–	–	
1	**2**	**1**	**2**	**3**	–	**1**	–	**2**	–	–	**1**	–	–	–	–	**2**	182
–	**1**	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	**3**	–	–	**1**	–	–	–	–	–	–	–	–	–	–	–	183
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	**3**	**2**	**3**	**1**	**1**	**1**	**1**	**1**	**1**	**2**	–	**1**	**1**	**1**	–	–	185
–	–	–	**2**	–	–	**1**	–	–	**2**	–	**3**	**1**	–	**1**	–	–	
1	**4**	**1**	–	**1**	–	**2**	**1**	**1**	**1**	–	–	–	–	–	–	–	187
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

MANITOBA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XIV-con.—**CLASSE XIV**-fin											
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.)— Traumatismes accidentels par autres écrasements (voitures, railways, éboulements, etc.)	M.	62	–	2	1	2	1	4	2	–	6
		F.	12	–	1	–	–	1	–	2	–	2
	(a) Railroad accidents—Accidents par chemins de fer.	M.	19	–	1	–	–	–	–	–	–	2
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Street car accidents—Accidents par tramways.	M.	1	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(c) Automobile accidents—Accidents par automobiles.	M.	25	–	1	1	2	1	2	1	–	4
		F.	7	–	1	–	–	–	–	2	–	1
	(d) Aeroplane and balloon accidents—Accidents par aéroplanes et ballons.	M.	3	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Injuries by other vehicles—Blessures par autres voitures.	M.	8	–	–	–	–	–	1	1	–	–
		F.	2	–	–	–	–	1	–	–	–	1
	(f) Other crushing—Autres écrasements.	M.	6	–	–	–	–	–	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
189	Injuries by animals (poisoning excepted)—Violences exercées par des animaux (empoisonnements exceptés).	M.	5	–	–	1	–	–	–	1	–	–
		F.	2	–	–	–	–	–	–	–	–	–
193	Excessive cold—Froid excessif	M.	6	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
194	Excessive heat—Chaleur excessive	M.	1	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
195	Lightning—Foudre	M.	3	–	–	–	–	–	–	1	1	–
		F.	–	–	–	–	–	–	–	–	–	–
196	Other accidental electric shocks—Autres électrocutions accidentelles.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
197-199	**Homicides**	**M.**	**6**	**2**	–	–	–	–	–	–	–	–
		F.	**6**	–	–	–	–	–	–	**1**	–	–
197	Homicide by firearms—Homicide par armes à feu.	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
198	Homicide by cutting or piercing instruments—Homicide par instruments tranchants ou piquants.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
199	Homicide by other means—Homicide par autres moyens.	M.	3	2	–	–	–	–	–	–	–	–
		F.	6	–	–	–	–	–	–	1	–	–
201	Fracture (cause not specified)—Fracture (cause non spécifiée).	M.	2	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
202	Other external violence (cause specified)—Autres violences extérieures (cause spécifiée).	M.	6	1	1	–	–	–	–	–	–	1
		F.	3	–	–	1	–	–	–	–	–	–
	CLASS XV—ILL-DEFINED DISEASES—CLASSE XV—MALADIES MAL DÉFINIES.	**Total**	**44**	**9**	**5**	–	**1**	–	**1**	**2**	**2**	**2**
		M.	**18**	**4**	**2**	–	–	–	–	**1**	–	–
		F.	**26**	**5**	**3**	–	**1**	–	**1**	**1**	**2**	**2**
204	Sudden death—Mort subite	M.	2	–	–	–	–	–	–	–	–	–
		F.	2	1	–	–	–	–	–	–	–	–
205	Cause of death not specified or ill-defined—Cause de décès non spécifiée ou mal définie.	M.	16	4	2	–	–	–	–	1	–	–
		F.	24	4	3	–	1	–	1	1	2	2
	(a) Ill-defined—Mal définie	M.	1	–	1	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Not specified or unknown—Non spécifiée ou inconnue.	M.	6	4	1	–	–	–	–	–	–	–
		F.	18	4	3	–	1	–	1	1	2	2
	(c) Heart failure—Paralysie du cœur	M.	9	–	–	–	–	–	–	1	–	–
		F.	5	–	–	–	–	–	–	–	–	–
	(d) Syncope	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

MANITOBA—fin

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
7	6	6	5	5	3	1	3	4	3	1	–	–	–	–	–	–	188
1	1	–	–	1	2	–	–	–	–	1	–	–	–	–	–	–	
1	4	2	1	3	–	–	3	2	–	–	–	–	–	–	–	–	188a
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	188b
1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
1	–	3	3	1	2	–	–	1	1	1	–	–	–	–	–	–	188c
–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	
2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	188d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	–	–	1	–	1	–	1	1	–	–	–	–	–	–	–	188e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	188f
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	189
–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	
–	–	–	1	–	1	3	–	–	–	–	–	–	–	1	–	–	193
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	194
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	195
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	196
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	197-199
2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	197
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	198
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	199
2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	201
–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	
–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	202
–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	
1	2	–	–	–	4	3	2	2	4	2	1	1	–	–	–	–	
–	1	–	–	–	2	2	2	1	2	1	–	–	–	–	–	–	
1	1	–	–	–	2	1	–	1	2	1	1	1	–	–	–	–	
–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	204
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	1	–	–	–	2	1	1	1	2	1	–	–	–	–	–	–	205
1	1	–	–	–	2	1	–	1	2	–	1	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	205a
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	205b
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
1	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	205c
–	1	–	–	–	2	–	1	1	2	1	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	2	–	1	1	–	–	–	–	205d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

SASKATCHEWAN

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	DEATHS—ALL CAUSES—DÉCÈS —TOUTES CAUSES.	**Total**	**6,031**	**1,575**	**191**	**96**	**71**	**62**	**215**	**172**	**179**	**200**
		M.	**3,395**	**913**	**107**	**52**	**49**	**33**	**115**	**87**	**99**	**98**
		F.	**2,636**	**662**	**84**	**44**	**31**	**29**	**100**	**85**	**80**	**102**
	CLASS I—EPIDEMIC, ENDEMIC AND INFECTIOUS DISEASES CLASSE I—AFFECTIONS ÉPIDÉMIQUES, ENDÉMIQUES ET INFECTIEUSES.	**Total**	**1,021**	**167**	**54**	**22**	**26**	**24**	**95**	**57**	**71**	**74**
		M.	**557**	**95**	**33**	**10**	**13**	**12**	**47**	**27**	**30**	**38**
		F.	**464**	**72**	**21**	**12**	**13**	**12**	**48**	**30**	**41**	**36**
1	Typhoid and paratyphoid fever—Fièvre typhoïde et paratyphoïde.	M.	14	–	–	–	1	–	1	1	1	1
		F.	7	–	–	–	–	–	2	1	1	1
	(a) Typhoid fever—Fièvre typhoïde.....	M.	13	–	–	–	1	–	1	–	1	1
		F.	7	–	–	–	–	–	2	1	1	1
	(b) Paratyphoid fever—Fièvre paratyphoïde.	M.	1	–	–	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
6	Small-pox—Variole.....	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
7	Measles—Rougeole.....	M.	9	4	1	1	1	–	–	1	1	–
		F.	3	1	–	–	–	–	1	–	1	–
8	Scarlet fever—Scarlatine.....	M.	13	1	2	1	2	2	3	1	1	–
		F.	15	–	–	1	1	2	2	5	–	1
9	Whooping-cough—Coqueluche.....	M.	24	17	5	1	–	–	1	–	–	–
		F.	22	15	4	2	1	–	–	–	–	–
10	Diphtheria—Diphtérie.....	M.	29	1	2	3	3	2	13	4	–	1
		F.	34	–	–	–	4	5	17	3	2	–
11	Influenza—Grippe.....	M.	173	54	16	2	3	4	8	2	4	8
		F.	167	42	11	7	5	2	11	4	6	7
	(a) Sole cause—Cause unique.....	M.	33	14	3	1	1	1	2	1	2	–
		F.	32	15	2	3	1	2	3	–	–	1
	(b) With phthisis—Avec phtisie.....	M.	4	–	–	–	–	–	–	–	–	1
		F.	7	–	–	1	1	–	1	–	2	–
	(c) With bronchitis—Avec bronchite....	M.	4	1	–	–	–	–	1	–	–	–
		F.	5	2	1	–	–	–	–	–	–	–
	(d) With pneumonia—Avec pneumonie..	M.	81	30	9	–	1	1	2	1	1	4
		F.	58	19	6	2	–	–	3	–	1	–
	(e) With other respiratory diseases—Avec autres affections de l'appareil respiratoire.	M.	4	1	–	–	–	–	–	–	–	1
		F.	5	–	1	1	1	–	–	–	–	–
	(f) With diseases and accidents of pregnancy and parturition—Avec affections et accidents de la grossesse.	F.	8	–	–	–	–	–	–	–	–	1
	(g) With other causes—Avec autres causes.	M.	47	8	4	1	1	2	3	–	1	2
		F.	52	6	1	–	2	–	4	4	3	5
13	Mumps—Oreillons.....	M.	–	–	–	–	–	–	–	–	–	–
		F.	3	1	–	–	–	–	–	–	–	1
16	Dysentery—Dysenterie.....	M.	1	–	–	–	–	–	1	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle.....	M.	8	4	–	–	–	–	–	–	–	–
		F.	10	3	–	–	–	–	–	–	1	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë.	M.	5	1	–	1	–	–	2	–	–	1
		F.	3	1	1	–	–	–	–	1	–	–
23	Lethargic encephalitis—Encéphalite léthargique.	M.	12	–	1	–	–	–	–	2	2	–
		F.	4	–	–	–	–	–	1	–	2	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique.	M.	16	4	–	–	–	2	4	3	1	–
		F.	7	2	–	–	–	–	4	–	–	1
25	Other epidemic and endemic diseases—Autres affections épidémiques et endémiques.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Chicken-pox—Varicelle.....	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) German measles—Rubéole.....	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
31-37	**Tuberculosis—Tuberculose**.....	**M.**	**214**	**7**	**6**	**1**	**3**	**1**	**12**	**10**	**17**	**27**
		F.	**177**	**3**	**4**	**2**	**2**	**3**	**10**	**16**	**28**	**24**
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire.	M.	162	1	2	–	1	1	6	6	13	24
		F.	140	2	3	1	–	–	9	10	20	22
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central.	M.	17	6	2	1	2	–	1	1	1	–
		F.	10	1	–	1	2	2	1	1	2	–
33	Tuberculosis of the intestines and peritoneum—Tuberculose des intestins et du péritoine.	M.	7	–	–	–	–	–	2	1	1	1
		F.	13	–	–	–	–	1	–	3	3	1

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

SASKATCHEWAN

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
164	**183**	**244**	**245**	**259**	**241**	**272**	**343**	**312**	**330**	**310**	**191**	**111**	**35**	**11**	**6**	**13**	
87	**91**	**125**	**134**	**146**	**148**	**165**	**205**	**172**	**209**	**164**	**104**	**59**	**18**	**6**	**5**	**13**	
77	**92**	**119**	**111**	**113**	**93**	**107**	**138**	**140**	**121**	**146**	**87**	**52**	**17**	**5**	**1**	–	
53	**55**	**55**	**37**	**43**	**43**	**32**	**31**	**23**	**15**	**19**	**17**	**6**	**1**	**1**	–	–	
29	**31**	**33**	**23**	**20**	**27**	**25**	**19**	**13**	**10**	**7**	**9**	**4**	**1**	**1**	–	–	
24	**24**	**22**	**14**	**23**	**16**	**7**	**12**	**10**	**5**	**12**	**8**	**2**	–	–	–	–	
3	2	–	2	1	–	–	1	–	–	–	–	–	–	–	–	–	1
1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	2	–	2	1	–	–	1	–	–	–	–	–	–	–	–	–	1a
1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	6
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
1	6	8	5	3	8	10	4	7	5	2	7	4	1	1	–	–	11
5	4	8	6	9	5	3	6	6	3	9	6	2	–	–	–	–	
–	1	–	1	1	–	1	–	1	1	–	1	–	–	1	–	–	11a
–	–	–	–	–	–	–	1	–	–	3	1	–	–	–	–	–	
1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11b
1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	11c
–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	
–	2	5	3	2	4	5	2	4	1	1	2	1	–	–	–	–	11d
–	2	4	3	5	1	1	3	3	1	2	2	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	11e
–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	
2	1	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	11f
–	2	2	1	–	2	4	2	2	3	1	3	2	1	–	–	–	11g
2	1	1	3	3	4	2	1	1	1	3	3	2	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	
–	–	–	–	–	1	–	1	–	–	1	1	–	–	–	–	–	21
–	–	1	–	2	2	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	1	2	–	1	1	–	1	–	–	–	–	–	–	23
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	25
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	25b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
23	**20**	**20**	**14**	**11**	**12**	**13**	**9**	**2**	**4**	**1**	**1**	–	–	–	–	–	**31-37**
16	**20**	**11**	**6**	**9**	**8**	**4**	**4**	**2**	**2**	**2**	**1**	–	–	–	–	–	
17	17	16	14	8	11	10	8	1	4	1	1	–	–	–	–	–	31
12	18	11	6	7	7	3	3	1	2	2	1	–	–	–	–	–	
2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	33
2	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

SASKATCHEWAN—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS I-con.—**CLASSE I**-fin											
34	Tuberculosis of the vertebral column—Tuberculose de la colonne vertébrale.	M.	10	–	–	–	–	–	2	1	–	1
		F.	2	–	1	–	–	–	–	1	–	–
35	Tuberculosis of the joints—Tuberculose articulaire.	M.	2	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	1	1	–
36	Tuberculosis of other organs—Tuberculose d'autres organes.	M.	8	–	–	–	–	–	–	1	2	–
		F.	2	–	–	–	–	–	–	–	–	–
	(a) Skin and sub-cutaneous cellular tissue—De la peau et du tissu cellulaire sous-cutané.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Bones (vertebral column excepted)—Des os (excepté la colonne vertébrale).	M.	1	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Lymphatic system (mesenteric, and retroperitoneal glands excepted)—Du système lymphatique (excepté les ganglions mésentériques et les ganglions rétropéritonéaux.)	M.	2	–	–	–	–	–	–	1	1	–
		F.	1	–	–	–	–	–	–	–	–	–
	(d) Genito-urinary system—Des organes génito-urinaires.	M.	4	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Organs other than above—Autres organes que ceux déjà mentionnés.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
37	Disseminated tuberculosis—Tuberculose disséminée.	M.	8	–	2	–	–	–	1	–	–	1
		F.	8	–	–	–	–	–	–	–	2	1
	(a) Acute—Aiguë	M.	7	–	2	–	–	–	1	–	–	1
		F.	5	–	–	–	–	–	–	–	1	1
	(b) Chronic or unstated—Chronique ou non spécifiée.	M.	1	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	1	–
38	Syphilis	M.	17	1	–	–	–	–	–	1	–	–
		F.	5	2	1	–	–	–	–	–	–	–
40	Gonococcus infection—Gonococcie	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
41	Purulent infection, septicaemia—Infection purulente, septicémie.	M.	20	1	–	–	–	1	2	2	3	–
		F.	4	1	–	–	–	–	–	–	–	1
	CLASS II—GENERAL DISEASES NOT INCLUDED IN CLASS I—CLASSE II—MALADIES GÉNÉRALES NON MENTIONNÉES DANS LA CLASSE I.	**Total**	**685**	**23**	**8**	**4**	**3**	**2**	**19**	**12**	**14**	**16**
		M.	**349**	**11**	**5**	**1**	–	**2**	**14**	**7**	**9**	**6**
		F.	**336**	**12**	**3**	**3**	**3**	–	**5**	**5**	**5**	**10**
43-49	**Cancer**	**M.**	**224**	**1**	**3**	–	–	**1**	**1**	**3**	**2**	**1**
		F.	**221**	**2**	–	–	**2**	–	**1**	–	**4**	**4**
43	Cancer of the buccal cavity—Cancer de la cavité buccale.	M.	14	–	–	–	–	–	1	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
44	Cancer of the stomach and liver—Cancer de l'estomac et du foie.	M.	120	–	–	–	–	–	–	–	–	–
		F.	76	–	–	–	–	–	–	–	–	–
45	Cancer of the peritoneum, intestines and rectum—Cancer du péritoine, des intestins et du rectum.	M.	25	–	–	–	–	1	–	–	2	–
		F.	22	–	–	–	1	–	–	–	–	–
46	Cancer of the female genital organs—Cancer des organes génitaux de la femme.	F.	49	1	–	–	–	–	–	–	–	3
47	Cancer of the breast—Cancer du sein	M.	–	–	–	–	–	–	–	–	–	–
		F.	30	–	–	–	–	–	–	–	–	–
48	Cancer of the skin—Cancer de la peau	M.	7	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
49	Cancer of other or unspecified organs—Cancer d'autres organes ou d'organes non spécifiés.	M.	58	1	3	–	–	–	–	3	–	1
		F.	36	1	–	–	1	–	1	–	4	1
	(a) Other—Autres	M.	58	1	3	–	–	–	–	3	–	1
		F.	36	1	–	–	1	–	1	–	4	1
	(b) Unspecified—Non spécifiés	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
50	Benign tumours and tumours not returned as malignant (tumours of female genital organs excepted)—Tumeurs bénignes et tumeurs non données comme malignes (tumeurs des organes génitaux de la femme exceptées).	M.	6	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
51	Acute rheumatic fever—Rhumatisme articulaire aigu fébrile.	M.	14	–	–	–	–	–	7	1	2	–
		F.	12	1	–	–	–	–	2	2	1	1
52	Chronic rheumatism, osteo-arthritis, gout—Rhumatisme chronique ou goutte.	M.	3	–	–	–	–	–	–	–	–	–
		F.	6	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

SASKATCHEWAN—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
1	1	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	34
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	35
1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36
2	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	36a
–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36c
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	36d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36e
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	37
–	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–	
2	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	37a
–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	
1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	37b
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	38
2	1	2	1	3	3	1	1	1	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	40
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	41
–	1	3	1	–	1	1	–	1	1	2	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	
10	**13**	**28**	**46**	**59**	**48**	**69**	**86**	**78**	**73**	**48**	**17**	**7**	**1**	–	–	**1**	
3	**2**	**10**	**17**	**31**	**22**	**37**	**43**	**40**	**46**	**27**	**9**	**6**	–	–	–	**1**	
7	**11**	**18**	**29**	**28**	**26**	**32**	**43**	**38**	**27**	**21**	**8**	**1**	**1**	–	–	–	
2	**1**	**6**	**7**	**17**	**15**	**25**	**33**	**32**	**35**	**25**	**9**	**5**	–	–	–	–	**43-49**
1	**4**	**11**	**25**	**16**	**18**	**27**	**29**	**26**	**26**	**16**	**7**	**1**	**1**	–	–	–	
–	–	–	–	2	2	1	3	2	2	1	–	–	–	–	–	–	43
–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	
–	–	4	3	11	8	16	18	24	17	11	5	3	–	–	–	–	44
–	–	3	4	3	7	6	12	11	18	7	4	–	1	–	–	–	
–	–	–	1	–	–	4	3	3	6	3	2	–	–	–	–	–	45
1	–	–	1	1	2	5	3	2	2	4	–	–	–	–	–	–	
–	4	4	11	6	5	6	6	2	–	1	–	–	–	–	–	–	46
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	47
–	–	3	6	2	1	5	2	7	2	2	–	–	–	–	–	–	48
1	–	1	–	–	–	2	1	–	2	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	2	–	2	1	–	–	–	–	49
1	1	1	3	4	5	2	8	3	8	10	2	2	–	–	–	–	
–	–	1	3	4	3	5	4	4	2	2	–	–	–	–	–	–	49a
1	1	1	3	4	5	2	8	3	8	10	2	2	–	–	–	–	
–	–	1	3	4	3	5	4	4	2	2	–	–	–	–	–	–	49b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	50
–	–	–	–	2	1	1	1	–	1	–	–	–	–	–	–	–	
1	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	1	–	1	–	1	–	1	–	–	–	–	–	–	–	51
1	2	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	52
–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	
–	–	–	1	–	2	–	1	–	1	1	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

SASKATCHEWAN—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS II—con.—**CLASSE II**—fin											
53	Scurvy—Scorbut	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	1	–	–	–	–	–	–	–
56	Rickets—Rachitisme	M.	7	4	1	–	–	–	1	–	–	–
		F.	3	2	1	–	–	–	–	–	–	–
57	Diabetes mellitus—Diabète	M.	30	–	1	–	–	1	1	–	2	2
		F.	33	–	–	–	1	–	2	1	–	2
58	Anaemia, chlorosis—Anémie, chlorose	M.	20	–	–	1	–	–	1	–	–	1
		F.	22	–	–	–	–	–	–	2	–	1
	(a) Pernicious anaemia—Anémie pernicieuse.	M.	18	–	–	1	–	–	1	–	–	–
		F.	20	–	–	–	–	–	–	2	–	–
	(b) Other anaemias and chlorosis—Autres anémies et chloroses.	M.	2	–	–	–	–	–	–	–	–	1
		F.	2	–	–	–	–	–	–	–	–	1
60	Diseases of the thyroid gland—Affections de la glande thyroïde.	M.	4	1	–	–	–	–	–	–	–	–
		F.	14	–	–	–	–	–	–	–	–	1
	(a) Exophthalmic goiter—Goître exophtalmique.	M.	1	–	–	–	–	–	–	–	–	–
		F.	10	–	–	–	–	–	–	–	–	1
	(b) Other diseases of the thyroid gland—Autres affections de la glande thyroïde.	M.	3	1	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
61	Diseases of the parathyroid glands—Affections des glandes parathyroïdes.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	1	–	1	–	–	–	–	–	–
62	Diseases of the thymus—Affections du thymus.	M.	2	1	–	–	–	–	–	–	1	–
		F.	4	4	–	–	–	–	–	–	–	–
63	Diseases of the adrenals (Addison's disease)—Affections des glandes surrénales (maladie d'Addison).	M.	2	–	–	–	–	–	–	–	–	1
		F.	1	–	–	–	–	–	–	–	–	–
64	Diseases of the spleen—Affections de la rate.	M.	2	–	–	–	–	–	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
65	Leukaemia, lymphadenoma—Leucémie, lymphadénie.	M.	11	–	–	–	–	–	2	1	1	–
		F.	7	–	1	1	–	–	–	–	–	1
	(a) Leukaemia—Leucémie	M.	5	–	–	–	–	–	2	–	–	–
		F.	4	–	1	–	–	–	–	–	–	–
	(b) Lymphadenoma (Hodgkin's disease)—Lymphadénie (maladie d'Hodgkin).	M.	6	–	–	–	–	–	–	1	1	–
		F.	3	–	–	1	–	–	–	–	–	1
66	Alcoholism—Alcoolisme	M.	13	–	–	–	–	–	–	1	–	1
		F.	2	–	–	–	–	–	–	–	–	–
	(a) Delirium tremens	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Acute alcoholism—Alcoolisme aigu	M.	6	–	–	–	–	–	–	1	–	1
		F.	2	–	–	–	–	–	–	–	–	–
	(c) Chronic alcoholism—Alcoolisme chronique.	M.	5	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
68	Chronic organic poisoning—Empoisonnements chroniques par substances organiques.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Chronic morphinism—Morphinisme chronique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Chronic cocainism, etc.—Cocaïnisme chronique, etc.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Other organic poisoning—Autres empoisonnements organiques.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
69	Other general diseases—Autres maladies générales.	M.	10	4	–	–	–	–	–	1	1	–
		F.	4	2	–	1	–	–	–	–	–	–
	(a) Diabetes insipidus—Diabète insipide	M.	1	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Haemophilia—Hémophilie	M.	4	3	–	–	–	–	–	1	–	–
		F.	2	2	–	–	–	–	–	–	–	–
	(c) Purpura haemorrhagica—Purpura hémorragique.	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	1	–	–	–	–	–	–
	(d) Others under this title—Autres sous ce titre.	M.	3	1	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	CLASS III—DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE—CLASSE III—AFFECTIONS DU SYSTÈME NERVEUX ET DES ORGANES DES SENS.	Total	452	95	11	3	5	4	12	13	7	9
		M.	252	53	6	1	2	2	5	7	3	8
		F.	200	42	5	2	3	2	7	6	4	1
70	Encephalitis—Encéphalite	M.	10	2	–	–	–	–	–	–	–	3
		F.	3	–	–	–	1	–	1	1	–	–
	(a) Abscess of brain—Abcès du cerveau.	M.	7	2	–	–	–	–	–	–	–	3
		F.	1	–	–	–	–	–	–	1	–	–
	(b) Encephalitis—Encéphalite	M.	3	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	1	–	1	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

SASKATCHEWAN—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	53
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	56
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	3	2	2	2	5	3	3	2	–	–	–	–	–	1	57
2	1	–	1	2	1	2	8	6	–	3	1	–	–	–	–	–	58
–	–	1	1	2	2	2	3	2	4	–	–	–	–	–	–	–	
–	1	1	1	4	3	3	3	2	–	1	–	–	–	–	–	–	58a
–	–	1	1	2	2	2	3	1	4	–	–	–	–	–	–	–	
–	1	1	1	4	3	3	3	2	–	–	–	–	–	–	–	–	58b
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	60
1	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	
1	2	4	–	4	–	–	1	1	–	–	–	–	–	–	–	–	60a
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	2	–	3	–	–	1	1	–	–	–	–	–	–	–	–	60b
–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	
–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	61
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	63
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	64
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	2	2	–	2	–	–	–	–	–	–	–	–	–	–	65
1	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	65a
1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	65b
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	2	2	3	1	3	–	–	–	–	–	–	–	–	–	–	66
–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	66a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	66b
–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	1	1	1	1	–	–	–	–	–	–	–	–	–	–	66c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	68
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	68a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	68b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	68c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	1	–	1	–	–	–	1	–	–	–	–	–	–	69
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	69c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	69d
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
14	**16**	**16**	**20**	**25**	**18**	**26**	**26**	**31**	**36**	**30**	**20**	**14**	**1**	–	–	–	
9	**10**	**11**	**9**	**10**	**12**	**17**	**13**	**18**	**20**	**18**	**11**	**6**	**1**	–	–	–	
5	**6**	**5**	**11**	**15**	**6**	**9**	**13**	**13**	**16**	**12**	**9**	**8**	–	–	–	–	
–	1	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–	70
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	70a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	70b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

SASKATCHEWAN—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS III—con.—CLASSE III—fin											
71	Meningitis—Méningite	M.	15	5	2	–	1	1	1	1	–	–
		F.	16	4	1	1	1	–	3	1	1	–
	(a) Simple meningitis—Méningite simple	M.	15	5	2	–	1	1	1	1	–	–
		F.	16	4	1	1	1	–	3	1	1	–
	(b) Non-epidemic, cerebrospinal meningitis—Méningite cérébro-spinale non épidémique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
72	Tabes dorsalis (locomotor ataxia)—Ataxie locomotrice progressive.	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
73	Other diseases of the spinal cord—Autres affections de la moelle épinière.	M.	14	–	–	–	–	–	–	–	–	–
		F.	8	–	–	–	–	–	–	–	–	–
74	Cerebral haemorrhage, apoplexy—Hémorragie cérébrale, apoplexie.	M.	78	1	–	–	–	–	–	1	–	–
		F.	69	1	–	–	–	–	–	–	–	–
	(a) Apoplexy—Apoplexie	M.	35	–	–	–	–	–	–	–	–	–
		F.	28	–	–	–	–	–	–	–	–	–
	(b) Cerebral haemorrhage—Hémorragie cérébrale.	M.	40	1	–	–	–	–	–	1	–	–
		F.	38	1	–	–	–	–	–	–	–	–
	(c) Cerebral thrombosis and embolism—Thrombose et embolie cérébrales.	M.	3	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
75	Paralysis without specified cause—Paralysie sans cause indiquée.	M.	8	–	–	–	–	–	–	–	–	–
		F.	13	1	–	–	–	–	–	–	–	–
	(a) Hemiplegia—Hémiplégie	M.	1	–	–	–	–	–	–	–	–	–
		F.	9	–	–	–	–	–	–	–	–	–
	(b) Others under this title—Autres sous ce titre.	M.	7	–	–	–	–	–	–	–	–	–
		F.	4	1	–	–	–	–	–	–	–	–
76	General paralysis of the insane—Paralysie générale des aliénés.	M.	8	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
77	Other forms of mental alienation—Autres formes d'aliénation mentale.	M.	19	–	–	–	–	–	–	–	–	1
		F.	15	–	–	–	–	–	–	–	–	–
78	Epilepsy—Épilepsie	M.	21	2	–	–	–	–	1	–	2	2
		F.	14	1	1	–	–	1	–	2	–	1
79	Convulsions (non-puerperal, 5 years or over)—Éclampsie (non-puerpérale, cinq ans ou au-dessus).	M.	1	–	–	–	–	–	–	1	–	–
		F.	1	–	–	–	–	–	–	–	–	–
80	Infantile convulsions (under 5 years of age)—Convulsions des enfants (moins de cinq ans).	M.	45	40	3	1	1	–	–	–	–	–
		F.	33	30	3	–	–	–	–	–	–	–
81	Chorea—Chorée	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
82	Neuralgia and neuritis—Névralgie et névrite.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	1	–
83	Softening of the brain—Ramollissement du cerveau.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
84	Other diseases of the nervous system—Autres affections du système nerveux.	M.	14	1	1	–	–	–	2	2	–	1
		F.	8	1	–	–	1	1	1	–	–	–
85	Diseases of the eye and annexa—Affections de l'œil et de ses annexes.	M.	1	–	–	–	–	–	1	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien.	M.	13	2	–	–	–	1	–	2	1	1
		F.	14	4	–	1	–	–	2	2	2	–
	(a) Diseases of the ear—Affections de l'oreille.	M.	9	–	–	–	–	1	–	1	1	1
		F.	12	2	–	1	–	–	2	2	2	–
	(b) Diseases of the mastoid process—Affections du sinus mastoïdien.	M.	4	2	–	–	–	–	–	1	–	–
		F.	2	2	–	–	–	–	–	–	–	–
	CLASS IV—DISEASES OF THE CIRCULATORY SYSTEM — CLASSE IV—AFFECTIONS DE L'APPAREIL CIRCULATOIRE.	Total	749	2	4	2	–	–	6	11	10	6
		M.	416	1	3	–	–	–	2	3	8	2
		F.	333	1	1	2	–	–	4	8	2	4
87–90	**Diseases of the heart—Affections du cœur.**	M.	323	–	3	–	–	–	2	3	7	2
		F.	248	–	1	2	–	–	3	8	2	4
87	Pericarditis—Péricardite	M.	2	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
88	Endocarditis and myocarditis (acute)—Endocardite et myocardite (aiguës)	M.	13	–	2	–	–	–	–	–	1	–
		F.	16	–	–	1	–	–	–	4	1	–
	(a) Acute endocarditis—Endocardite aiguë	M.	8	–	2	–	–	–	–	–	1	–
		F.	6	–	–	–	–	–	–	–	1	–
	(b) Acute myocarditis — Myocardite aiguë.	M.	5	–	–	–	–	–	–	–	–	–
		F.	10	–	–	1	–	–	–	4	–	–
89	Angina pectoris—Angine de poitrine	M.	29	–	–	–	–	–	–	–	–	–
		F.	9	–	–	–	–	–	–	1	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

SASKATCHEWAN—suite

Âges																		
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	1	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	71
1	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	71a
–	1	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	71b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	72
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
1	2	–	–	1	3	2	–	1	3	–	1	–	–	–	–	–	73
–	–	–	2	1	–	2	1	–	1	–	1	–	–	–	–	–	74
–	1	–	3	2	3	7	10	9	11	15	9	5	1	–	–	–	
–	1	3	4	4	6	4	7	9	11	7	6	6	–	–	–	–	74a
–	–	–	3	–	1	2	5	3	3	11	5	1	1	–	–	–	
–	–	2	1	3	3	2	1	3	5	2	1	5	–	–	–	–	74b
–	1	–	–	2	2	5	5	6	8	3	3	3	–	–	–	–	
–	1	1	3	–	2	2	6	6	5	5	5	1	–	–	–	–	74c
–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	
–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	75
–	–	–	–	–	–	–	–	2	3	1	1	1	–	–	–	–	
–	1	–	–	–	–	1	4	–	–	4	2	–	–	–	–	–	75a
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	1	–	–	–	–	1	2	–	–	4	1	–	–	–	–	–	75b
–	–	–	–	–	–	–	–	2	2	1	1	1	–	–	–	–	
–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	76
1	–	4	–	2	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	77
2	2	5	1	2	–	1	1	2	1	1	–	–	–	–	–	–	
3	1	–	2	5	–	1	–	1	2	–	–	–	–	–	–	–	78
3	2	–	2	1	–	1	1	1	2	1	–	–	–	–	–	–	
–	1	2	1	2	–	–	–	1	1	–	–	–	–	–	–	–	79
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	81
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	82
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	83
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	84
1	–	–	–	–	3	3	–	–	–	–	–	–	1	–	–	–	
–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	85
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	86
1	1	1	1	1	–	–	–	1	1	–	–	–	–	–	–	–	
–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	
1	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	86a
–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	86b
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
10	**9**	**16**	**44**	**35**	**55**	**57**	**100**	**89**	**96**	**99**	**52**	**31**	**8**	–	**3**	**4**	
4	**3**	**9**	**28**	**16**	**36**	**34**	**58**	**47**	**59**	**48**	**27**	**15**	**6**	–	**3**	**4**	
6	**6**	**7**	**16**	**19**	**19**	**23**	**42**	**42**	**37**	**51**	**25**	**16**	**2**	–	–	–	
4	**3**	**8**	**24**	**12**	**31**	**30**	**49**	**39**	**45**	**34**	**18**	**9**	**4**	–	**2**	**3**	**87-90**
5	**5**	**7**	**15**	**16**	**12**	**18**	**28**	**27**	**26**	**42**	**14**	**11**	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	87
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	88
1	–	2	1	1	1	1	1	–	–	–	–	–	–	–	–	–	
1	1	2	1	–	–	1	–	–	2	1	1	–	–	–	–	–	88a
1	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	
1	1	2	–	–	–	–	–	–	1	–	–	–	–	–	–	1	88b
–	–	1	–	1	–	–	1	–	–	1	–	–	–	–	–	–	
–	–	–	1	–	–	1	–	–	1	1	1	–	–	–	–	–	89
–	–	–	3	–	7	2	5	1	6	4	1	–	–	–	–	–	
–	–	–	–	1	–	2	–	2	1	2	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

SASKATCHEWAN—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages: Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS IV-con.—**CLASSE IV**-fin											
90	Other diseases of the heart—Autres affections du cœur.	M.	279	–	1	–	–	–	2	3	5	2
		F.	221	–	1	1	–	–	3	3	1	4
	(a) Valvular disease—Affection valvulaire.	M.	74	–	–	–	–	–	–	2	3	–
		F.	63	–	1	1	–	–	–	–	–	3
	(b) Fatty degeneration of the heart—Dégénérescence ou stéanose du cœur.	M.	4	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Aortic insufficiency—Insuffisance aortique.	M.	3	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Chronic endocarditis--Endocardite chronique.	M.	42	–	–	–	–	–	2	1	–	–
		F.	51	–	–	–	–	–	1	2	1	–
	(e) Chronic myocarditis—Myocardite chronique.	M.	98	–	1	–	–	–	–	–	1	–
		F.	68	–	–	–	–	–	–	–	–	–
	(f) Others under this title—Autres sous ce titre.	M.	58	–	–	–	–	–	–	–	1	2
		F.	39	–	–	–	–	–	2	1	–	1
91	Diseases of the arteries—Affections des artères.	M.	83	–	–	–	–	–	–	–	–	–
		F.	80	–	–	–	–	–	–	–	–	–
	(a) Aneurysm—Anévrisme	M.	4	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(b) Arteriosclerosis—Artério-sclérose	M.	75	–	–	–	–	–	–	–	–	–
		F.	78	–	–	–	–	–	–	–	–	–
	(c) Other diseases of the arteries—Autres affections des artères.	M.	4	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
92	Embolism and thrombosis (not cerebral)—Embolie et thrombose (non cérébrales).	M.	5	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
93	Diseases of the veins (varices, haemorrhoids, phlebitis, etc.)—Affections des veines (varices, hémorroïdes, phlébite, etc.)	M.	3	–	–	–	–	–	–	–	1	–
		F.	2	–	–	–	–	–	–	–	–	–
94	Diseases of the lymphatic system (lymphangitis, etc.)—Affections du système lymphatique, (lymphangite, etc.)	M.	2	1	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
95	Haemorrhage without specified cause—Hémorragie sans cause déterminée.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	1	–	–	–
	CLASS V—DISEASES OF THE RESPIRATORY SYSTEM-CLASSE V-AFFECTIONS DE L'APPAREIL RESPIRATOIRE.	Total	598	233	54	19	13	8	17	14	10	15
		M.	332	128	24	11	9	5	10	5	5	8
		F.	266	105	30	8	4	3	7	9	5	7
97	Diseases of the nasal fossae and their annexa—Affections des fosses nasales et de leurs annexes.	M.	1	1	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–
98	Diseases of the larynx—Affections du larynx.	M.	6	3	2	–	1	–	–	–	–	–
		F.	5	2	–	1	–	–	–	1	–	–
	(a) Laryngismus stridulus—Laryngite striduleuse.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	1	–	–	–	–	–	–
	(b Laryngitis—Laryngite	M.	1	–	1	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(c) Croup	M.	5	3	1	–	1	–	–	–	–	–
		F.	2	2	–	–	–	–	–	–	–	–
	(d) Other diseases of the larynx—Autres affections du larynx.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	1	–	–
99	Bronchitis—Bronchite	M.	17	6	2	–	–	–	–	–	1	–
		F.	15	5	2	1	–	–	–	–	–	–
	(a) Acute—Aiguë	M.	7	5	1	–	–	–	–	–	–	–
		F.	5	3	–	–	–	–	–	–	–	–
	(b) Chronic—Chronique	M.	6	–	1	–	–	–	–	–	1	–
		F.	4	–	–	1	–	–	–	–	–	–
	(c) Not otherwise defined, under 5 years of age—Sans épithète, au-dessous de cinq ans.	M.	1	1	–	–	–	–	–	–	–	–
		F.	4	2	2	–	–	–	–	–	–	–
	(d) Not otherwise defined, 5 years or over—Sans épithète, cinq ans ou au-dessus.	M.	3	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
100	Bronchopneumonia (including capillary bronchitis) — Broncho-pneumonie (y compris bronchite capillaire).	M.	116	69	12	6	4	2	2	1	1	1
		F.	119	63	20	3	3	–	1	2	1	1
	(a) Bronchopneumonia — Broncho-pneumonie.	M.	115	68	12	6	4	2	2	1	1	1
		F.	116	61	20	3	3	–	1	2	1	1
	(b) Capillary bronchitis—Bronchite capillaire.	M.	1	1	–	–	–	–	–	–	–	–
		F.	3	2	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

SASKATCHEWAN—suite

Âges																		
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
2	3	6	20	11	23	27	34	38	39	29	17	9	4	–	2	2	90
4	4	5	14	15	12	15	28	25	23	39	13	11	–	–	–	–	
1	2	3	8	4	5	7	7	9	11	4	5	2	–	–	1	–	90a
1	2	4	5	4	4	6	6	9	7	4	2	4	–	–	–	–	
–	–	–	–	–	1	–	–	1	1	1	–	–	–	–	–	–	90b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	90c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	3	5	5	5	4	3	5	5	1	–	1	–	–	1	90d
1	2	1	2	5	4	6	10	5	5	4	2	–	–	–	–	–	
–	1	1	6	–	7	12	17	14	16	9	6	4	2	–	1	–	90e
2	–	–	4	4	3	3	5	9	9	20	7	2	–	–	–	–	
1	–	1	3	2	5	3	5	10	5	10	5	3	1	–	–	1	90f
–	–	–	3	2	1	–	7	2	2	11	2	5	–	–	–	–	
–	–	–	4	3	3	4	17	8	13	13	9	6	2	–	1	–	91
–	1	–	1	3	6	5	13	15	10	9	11	5	1	–	–	–	
–	–	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–	91a
–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	1	3	3	3	15	8	11	13	9	6	2	–	1	–	91b
–	1	–	1	2	6	5	13	14	10	9	11	5	1	–	–	–	
–	–	–	1	–	–	–	1	–	2	–	–	–	–	–	–	–	91c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	1	1	–	1	–	1	–	–	–	–	–	–	–	92
–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	93
–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	94
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	95
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
5	**10**	**14**	**12**	**14**	**13**	**22**	**26**	**16**	**23**	**29**	**19**	**7**	**3**	**2**	–	–	
3	**6**	**9**	**6**	**12**	**7**	**11**	**20**	**11**	**14**	**12**	**11**	**4**	–	**1**	–	–	
2	**4**	**5**	**6**	**2**	**6**	**11**	**6**	**5**	**9**	**17**	**8**	**3**	**3**	**1**	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	97
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98b
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	2	–	–	2	2	1	–	–	–	–	99
–	–	–	–	–	1	1	–	–	–	2	3	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	99a
–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	99b
–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	99c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	99d
–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	
1	–	3	1	2	1	1	3	–	2	1	2	1	–	–	–	–	100
1	–	–	–	1	1	4	1	1	6	6	2	–	1	1	–	–	
1	–	3	1	2	1	1	3	–	2	1	2	1	–	–	–	–	100a
1	–	–	–	1	1	4	1	1	6	6	1	–	1	1	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	100b
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

SASKATCHEWAN—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages									
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS V-con.—**CLASSE V**-fin											
101	Pneumonia—Pneumonie	M.	157	46	8	4	3	3	7	4	3	6
		F.	111	34	8	3	1	2	5	6	4	4
	(a) Lobar—Lobaire	M.	98	19	5	4	2	1	3	3	2	5
		F.	62	15	5	1	–	–	2	3	3	3
	(b) Not otherwise defined—Sans épithète.	M.	59	27	3	–	1	2	4	1	1	1
		F.	49	19	3	2	1	2	3	3	1	1
102	Pleurisy—Pleurésie	M.	11	–	–	1	–	–	1	–	–	1
		F.	5	–	–	–	–	1	–	–	–	1
103	Congestion and haemorrhagic infarct of the lung—Congestion et hémorragie parenchymateuse des poumons.	M.	4	2	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
105	Asthma—Asthme	M.	14	1	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	1
107	Other diseases of the respiratory system (tuberculosis excepted)—Autres affections de l'appareil respiratoire (tuberculose exceptée).	M.	6	–	–	–	1	–	–	–	–	–
		F.	2	1	–	–	–	–	–	–	–	–
	(a) Chronic interstitial pneumonia including occupational diseases of the lungs—Pneumonie interstitielle chronique comprenant les affections professionnelles de l'appareil pulmonaire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Diseases of the mediastinum—Affections du m^diastin.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	6	–	–	–	1	–	–	–	–	–
		F.	2	1	–	–	–	–	–	–	–	–
	CLASS VI—DISEASES OF THE DIGESTIVE SYSTEM—CLASSE VI—AFFECTIONS DE L'APPAREIL DIGESTIF.	Total	619	198	38	12	13	14	33	23	22	20
		M.	350	108	23	6	8	7	16	8	12	10
		F.	269	90	15	6	5	7	17	15	10	10
108	Diseases of the mouth and annexa—Affections de la bouche et de ses annexes.	M.	3	1	–	–	–	–	–	–	–	–
		F.	2	1	1	–	–	–	–	–	–	–
109	Diseases of the pharynx and tonsils (including adenoid vegetations)—Affections du pharynx et des amygdales (y compris les végétations adénoïdiennes).	M.	11	2	–	–	1	1	2	–	1	–
		F.	14	1	–	–	1	1	2	6	1	2
	(a) Adenoid vegetations—Végétations adénoïdiennes.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Pharynx and tonsils—Pharynx et amygdales.	M.	11	2	–	–	1	1	2	–	1	–
		F.	14	1	–	–	1	1	2	6	1	2
110	Diseases of the oesophagus—Affections de l'œsophage.	M.	1	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
111	Ulcer of the stomach and duodenum—Ulcère de l'estomac et du duodénum.	M.	27	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
	(a) Ulcer of the stomach—Ulcère de l'estomac.	M.	18	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(b) Ulcer of the duodenum—Ulcère du duodénum.	M.	9	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
112	Other diseases of the stomach (cancer excepted)—Autres affections de l'estomac (cancer excepté).	M.	34	18	3	–	1	–	–	–	–	–
		F.	20	13	1	–	–	–	1	–	–	–
113	Diarrhoea and enteritis (under 2 years of age)—Diarrhée et entérite (au-dessous de 2 ans).	M.	88	73	15	–	–	–	–	–	–	–
		F.	79	68	11	–	–	–	–	–	–	–
114	Diarrhoea and enteritis (2 years or over)—Diarrhée et entérite (deux ans ou au-dessus).	M.	21	–	–	4	–	3	1	–	1	–
		F.	20	–	–	5	2	2	4	–	–	–
116	Diseases due to other intestinal parasites—Affections dues à d'autres parasites intestinaux.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–
	(a) Cestodes (hydatids of the liver excepted)—Cestodes (non compris les hydatides du foie).	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Trematodes—Trématodes	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Nematodes (other than ankylostoma)—Nématodes (autres que ankylostomiase.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Coccidia—Coccidies	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Other parasites specified—Autres parasites spécifiés.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

SASKATCHEWAN—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
1	4	6	4	10	4	6	10	7	8	6	5	1	–	1	–	–	101
1	3	4	6	1	3	5	3	1	3	7	3	2	2	–	–	–	
–	4	6	4	8	3	4	5	5	7	4	4	–	–	–	–	–	101a
1	3	4	4	1	2	2	3	–	3	4	2	1	–	–	–	–	
1	–	–	–	2	1	2	5	2	1	2	1	1	–	1	–	–	101b
–	–	–	2	–	1	3	–	1	–	3	1	1	2	–	–	–	
1	1	–	–	–	1	1	2	–	1	1	–	–	–	–	–	–	102
–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	103
–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	
–	–	–	1	–	1	3	2	3	1	–	1	1	–	–	–	–	105
–	–	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	1	2	1	–	–	–	–	–	–	107
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	1	2	1	–	–	–	–	–	–	107c
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
19	**16**	**28**	**19**	**24**	**26**	**27**	**20**	**21**	**17**	**12**	**8**	**4**	**3**	**1**	–	**1**	
12	**10**	**15**	**12**	**17**	**14**	**16**	**13**	**15**	**14**	**5**	**5**	**1**	**2**	–	–	**1**	
7	**6**	**13**	**7**	**7**	**12**	**11**	**7**	**6**	**3**	**7**	**3**	**3**	**1**	**1**	–	–	
–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	108
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	109
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	109a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	109b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	110
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	1	2	3	3	3	4	3	4	–	1	–	–	–	–	–	1	111
–	–	–	2	–	1	–	–	–	–	1	–	–	–	–	–	–	
2	–	2	1	2	2	3	1	3	–	1	–	–	–	–	–	1	111a
–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	1	–	2	1	1	1	2	1	–	–	–	–	–	–	–	–	111b
–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	2	1	2	1	1	3	–	1	1	–	–	–	–	112
–	–	–	–	–	–	1	–	1	1	1	–	–	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	113
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	2	–	1	–	3	–	1	2	–	1	–	1	–	–	–	114
–	–	1	–	–	1	1	–	–	1	1	–	1	–	1	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

SASKATCHEWAN—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages									
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VI–con.—**CLASSE VI**–fin											
116	(f) Parasites not specified—Parasites non spécifiés.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–
117	Appendicitis and typhlitis—Appendicite et typhlite.	M.	68	1	1	–	3	1	11	6	7	8
		F.	53	–	1	1	2	3	5	9	9	3
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale.	M.	53	11	3	–	–	–	1	2	1	2
		F.	21	5	–	–	–	1	2	–	–	1
	(a) Hernia—Hernie	M.	22	1	2	–	–	–	–	1	–	–
		F.	7	–	–	–	–	–	–	–	–	–
	(b) Intestinal obstruction—Obstruction intestinale.	M.	31	10	1	–	–	–	1	1	1	2
		F.	14	5	–	–	–	1	2	–	–	1
119	Other diseases of the intestines—Autres affections des intestins.	M.	3	–	–	1	–	2	–	–	–	–
		F.	4	1	1	–	–	–	–	–	–	1
120	Acute yellow atrophy of the liver—Atrophie jaune aiguë du foie.	M.	2	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
122	Cirrhosis of the liver—Cirrhose du foie	M.	9	–	–	–	–	–	–	–	1	–
		F.	1	–	–	–	–	–	–	–	–	–
	(a) Specified as alcoholic—Spécifiée comme alcoolique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Not specified as alcoholic—Non spécifiée comme alcoolique.	M.	9	–	–	–	–	–	–	–	1	–
		F.	1	–	–	–	–	–	–	–	–	–
123	Biliary calculi—Calculs biliaires	M.	5	–	–	–	–	–	–	–	–	–
		F.	15	–	–	–	–	–	–	–	–	1
124	Other diseases of the liver—Autres affections du foie.	M.	14	1	–	–	2	–	–	–	–	–
		F.	19	–	–	–	–	–	–	–	–	1
125	Diseases of the pancreas—Affections du pancréas.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
126	Peritonitis without specified cause—Péritonite sans cause indiquée.	M.	10	1	1	–	1	–	1	–	1	–
		F.	13	1	–	–	–	–	2	–	–	1
	CLASS VII—NON-VENEREAL DISEASES OF THE GENITO-URINARY SYSTEM AND ANNEXA—CLASSE VII—AFFECTIONS NON VÉNÉRIENNES DE L'APPAREIL GÉNITO-URINAIRE ET DE SES ANNEXES.	**Total**	**314**	**9**	**–**	**–**	**–**	**–**	**5**	**7**	**7**	**5**
		M.	**169**	**5**	**–**	**–**	**–**	**–**	**3**	**1**	**3**	**1**
		F.	**145**	**4**	**–**	**–**	**–**	**–**	**2**	**6**	**4**	**4**
128	Acute nephritis (including unspecified, under 10 years of age)—Néphrite aiguë (y compris non spécifiée au-dessous de dix ans).	M.	17	1	–	–	–	–	2	1	1	–
		F.	12	2	–	–	–	–	1	2	1	1
129	Chronic nephritis (including unspecified, 10 years of age or over)—Néphrite chronique (y compris non spécifiée, dix ans ou au-dessus).	M.	113	–	–	–	–	–	1	–	2	1
		F.	98	–	–	–	–	–	1	4	1	1
131	Other diseases of the kidneys and annexa—Autres affections des reins et de leurs annexes.	M.	11	1	–	–	–	–	–	–	–	–
		F.	7	2	–	–	–	–	–	–	–	1
132	Calculi of the urinary passages—Calculs des voies urinaires.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
133	Diseases of the bladder—Affections de la vessie.	M.	3	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
134	Diseases of the urethra, urinary abscess, etc.—Affections de l'urètre, abcès urineux, etc.	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Stricture of the urethra—Rétrécissement de l'urètre.	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other diseases of the urethra—Autres affections de l'urètre.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
135	Diseases of the prostate—Affections de la prostate.	M.	19	–	–	–	–	–	–	–	–	–
136	Non-venereal diseases of the male genital organs—Affections non vénériennes des organes génitaux de l'homme.	M.	3	3	–	–	–	–	–	–	–	–
137	Cysts and other benign tumours of the ovary—Kystes et autres tumeurs bénignes de l'ovaire.	F.	3	–	–	–	–	–	–	–	1	1
138	Salpingitis and pelvic abscess—Salpingite et abcès du bassin.	F.	7	–	–	–	–	–	–	–	1	–
139	Benign tumours of the uterus—Tumeurs bénignes de l'utérus.	F.	8	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

SASKATCHEWAN—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116f
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
6	6	7	3	5	3	–	–	–	–	–	–	–	–	–	–	–	117
5	2	5	–	3	1	1	–	1	–	1	1	–	–	–	–	–	
–	1	2	3	3	5	3	4	3	5	1	2	–	1	–	–	–	118
–	2	1	–	1	3	–	1	1	1	1	–	1	–	–	–	–	
–	1	–	1	2	3	2	1	2	4	1	–	–	1	–	–	–	118a
–	–	1	–	1	2	–	1	1	–	–	–	1	–	–	–	–	
–	–	2	2	1	2	1	3	1	1	–	2	–	–	–	–	–	118b
–	2	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	119
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	120
–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	1	–	–	1	2	2	1	–	–	–	–	–	–	–	122
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	122a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	1	–	–	1	2	2	1	–	–	–	–	–	–	–	122b
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	1	–	–	1	1	1	–	–	–	–	–	–	123
–	1	1	3	–	1	1	3	1	–	1	1	1	–	–	–	–	
–	1	–	1	1	–	–	2	3	1	1	1	–	–	–	–	–	124
1	–	1	1	3	1	5	3	1	–	1	1	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	125
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	1	–	–	–	2	–	–	–	1	–	–	–	–	–	–	126
1	1	1	–	–	3	2	–	1	–	–	–	–	–	–	–	–	
5	**6**	**20**	**25**	**25**	**15**	**22**	**26**	**38**	**34**	**33**	**20**	**10**	**2**	–	–	–	
2	–	**7**	**10**	**11**	**11**	**10**	**16**	**21**	**21**	**25**	**14**	**7**	**1**	–	–	–	
3	**6**	**13**	**15**	**14**	**4**	**12**	**10**	**17**	**13**	8	**6**	**3**	**1**	–	–	–	
–	–	2	2	3	1	1	1	–	–	1	–	–	1	–	–	–	128
–	–	1	1	–	–	1	1	1	–	–	–	–	–	–	–	–	
2	–	4	7	6	9	7	12	16	14	17	10	5	–	–	–	–	129
2	3	5	9	8	3	9	9	16	13	6	4	3	1	–	–	–	
–	–	1	1	1	–	1	–	2	–	2	2	–	–	–	–	–	131
–	–	–	–	1	–	1	–	–	–	1	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	132
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	133
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	134
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	134a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	134b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	1	2	2	5	4	2	2	–	–	–	–	135
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	136
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	137
1	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	138
–	1	4	2	–	1	–	–	–	–	–	–	–	–	–	–	–	139

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

SASKATCHEWAN—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VII–con.—**CLASSE VII**–fin											
141	Other diseases of the female genital organs—Autres affections des organes génitaux de la femme.	F.	8	–	–	–	–	–	–	–	–	–
	CLASS VIII—THE PUERPERAL STATE—CLASSE VIII—ÉTAT PUERPÉRAL.	Total	114	–	–	–	–	–	–	–	2	26
143	Accidents of pregnancy—Accidents de la grossesse.	F.	13	–	–	–	–	–	–	–	–	1
	(a) Abortion—Avortement	F.	2	–	–	–	–	–	–	–	–	1
	(b) Ectopic gestation—Gestation ectopique.	F.	7	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	F.	4	–	–	–	–	–	–	–	–	–
	(d) Abortion, self-induced—Avortement provoqué par soi-même.	F.	–	–	–	–	–	–	–	–	–	–
144	Puerperal haemorrhage—Hémorragie puerpérale.	F.	18	–	–	–	–	–	–	–	1	3
145	Other accidents of labour—Autres accidents de l'accouchement.	F.	8	–	–	–	–	–	–	–	–	1
	(a) Caesarean section—Opération césarienne.	F.	1	–	–	–	–	–	–	–	–	–
	(b) Difficult labour—Accouchement laborieux.	F.	5	–	–	–	–	–	–	–	–	1
	(c) Other surgical operations and instrumental delivery—Autres opérations chirurgicales et application d'instruments.	F.	1	–	–	–	–	–	–	–	–	–
	(d) Uncontrollable vomiting—Vomissements incontrôlables.	F.	1	–	–	–	–	–	–	–	–	–
	(e) Rupture of uterus in labour, etc.— Rupture de l'utérus durant l'accouchement, etc.	F.	–	–	–	–	–	–	–	–	–	–
146	Puerperal septicaemia—Septicémie puerpérale.	F.	49	–	–	–	–	–	–	–	–	15
147	Puerperal phlegmasia alba dolens, puerperal embolism, sudden death in puerperium—Phlegmasia alba dolens, embolie, mort subite puerpérales.	F.	14	–	–	–	–	–	–	–	–	3
148	Puerperal albuminuria and convulsions—Albuminurie et éclampsie puerpérales.	F.	10	–	–	–	–	–	–	–	1	2
149	Following childbirth (not otherwise defined)—Suites de couches (sans autres explications).	F.	2	–	–	–	–	–	–	–	–	1
	CLASS IX—DISEASES OF THE SKIN AND OF THE CELLULAR TISSUE—CLASSE IX—AFFECTIONS DE LA PEAU ET DU TISSU CELLULAIRE.	Total	32	8	–	1	–	–	1	1	4	3
		M.	23	8	–	1	–	–	–	1	2	3
		F.	9	–	–	–	–	–	1	–	2	–
151	Gangrene—Gangrène	M.	7	–	–	–	–	–	–	–	–	1
		F.	2	–	–	–	–	–	1	–	–	–
152	Furuncle—Furoncle	M.	3	1	–	–	–	–	–	–	1	1
		F.	–	–	–	–	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud..	M.	8	3	–	1	–	–	–	1	1	1
		F.	2	–	–	–	–	–	–	–	1	–
154	Other diseases of the skin and annexa—Autres affections de la peau et de ses annexes.	M.	5	4	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	1	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

SASKATCHEWAN—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
																	141
–	1	–	2	4	–	1	–	–	–	–	–	–	–	–	–	–	
18	24	32	11	1	–	–	–	–	–	–	–	–	–	–	–	–	
3	4	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	143
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143a
3	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143b
–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	143c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143d
4	2	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–	144
1	1	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	145
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	145a
1	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145b
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145c
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145e
7	11	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	146
–	5	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	147
3	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	148
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	149
–	1	1	2	1	–	–	2	–	1	3	2	1	–	–	–	–	
–	–	–	1	1	–	–	–	–	1	3	2	–	–	–	–	–	
–	1	1	1	–	–	–	2	–	–	–	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	3	2	–	–	–	–	–	151
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	152
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	153
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	154
–	1	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

SASKATCHEWAN—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS X—DISEASES OF THE BONES AND OF THE ORGANS OF LOCOMOTION—CLASSE X—AFFECTIONS DES OS ET DES ORGANES DE LA LOCOMOTION.	**Total**	**16**	–	**1**	–	**1**	**1**	**1**	**4**	**2**	–
		M.	**14**	–	**1**	–	**1**	**1**	**1**	**3**	**2**	–
		F.	**2**	–	–	–	–	–	–	**1**	–	–
155	Diseases of the bones (mastoid and tuberculosis excepted)—Affections des os (sinus mastoïdien et tuberculose exceptés).	M.	10	–	1	–	–	1	1	2	2	–
		F.	1	–	–	–	–	–	–	1	–	–
156	Diseases of the joints (tuberculosis and rheumatism excepted)—Affections articulaires (tuberculose et rhumatisme exceptés).	M.	2	–	–	–	1	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
158	Other diseases of the organs of locomotion—Autres affections des organes de la locomotion.	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	CLASS XI—MALFORMATIONS—CLASSE XI—VICES DE CONFORMATION.	**Total**	**115**	**109**	**1**	**4**	–	–	**1**	–	–	–
		M.	**58**	**55**	–	**3**	–	–	–	–	–	–
		F.	**57**	**54**	**1**	**1**	–	–	**1**	–	–	–
159	Congenital malformations (stillbirths not included)—Vices de conformation congénitaux (mort-nés non compris).	M.	58	55	–	3	–	–	–	–	–	–
		F.	57	54	1	1	–	–	1	–	–	–
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale.	M.	4	4	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur.	M.	30	27	–	3	–	–	–	–	–	–
		F.	36	34	1	1	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	24	24	–	–	–	–	–	–	–	–
		F.	21	20	–	–	–	–	1	–	–	–
	CLASS XII—DISEASES OF EARLY INFANCY—CLASSE XII—AFFECTIONS DU PREMIER ÂGE.	**Total**	**703**	**703**	–	–	–	–	–	–	–	–
		M.	**431**	**431**	–	–	–	–	–	–	–	–
		F.	**272**	**272**	–	–	–	–	–	–	–	–
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème.	M.	114	114	–	–	–	–	–	–	–	–
		F.	73	73	–	–	–	–	–	–	–	–
161	Premature birth, injury at birth—Naissance prématurée, conséquence de l'accouchement.	M.	269	269	–	–	–	–	–	–	–	–
		F.	157	157	–	–	–	–	–	–	–	–
	(a) Premature birth—Naissance prématurée.	M.	228	228	–	–	–	–	–	–	–	–
		F.	135	135	–	–	–	–	–	–	–	–
	(b) Injury at birth—Conséquence de l'accouchement.	M.	41	41	–	–	–	–	–	–	–	–
		F.	22	22	–	–	–	–	–	–	–	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge.	M.	46	46	–	–	–	–	–	–	–	–
		F.	41	41	–	–	–	–	–	–	–	–
163	Lack of care—Défaut de soins	M.	2	2	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	CLASS XIII—OLD AGE—CLASSE XIII—VIEILLESSE.	**Total**	**119**	–	–	–	–	–	–	–	–	–
		M.	**55**	–	–	–	–	–	–	–	–	–
		F.	**64**	–	–	–	–	–	–	–	–	–
164	Senility—Sénilité	M.	55	–	–	–	–	–	–	–	–	–
		F.	64	–	–	–	–	–	–	–	–	–
	CLASS XIV—EXTERNAL CAUSES—CLASSE XIV—CAUSES EXTÉRIEURES.	**Total**	**445**	**25**	**17**	**26**	**9**	**9**	**25**	**30**	**30**	**25**
		M.	**358**	**16**	**10**	**17**	**6**	**4**	**17**	**25**	**25**	**22**
		F.	**87**	**9**	**7**	**9**	**3**	**5**	**8**	**5**	**5**	**3**
165–174	**Suicides**	**M.**	**61**	–	–	–	–	–	–	–	**1**	**4**
		F.	**7**	–	–	–	–	–	–	–	**1**	**2**
165	Suicide by solid or liquid poisons (corrosive substances excepted)—Suicide par ingestion de poisons solides ou liquides (substances corrosives exceptées).	M.	7	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	1	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

SASKATCHEWAN—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	**1**	–	–	–	–	**1**	**2**	**2**	–	–	–	–	–	–	–	
–	–	**1**	–	–	–	–	**1**	**1**	**2**	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	**1**	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	155
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	156
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	158
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	160
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	163
30	**33**	**32**	**28**	**28**	**19**	**13**	**17**	**6**	**17**	**9**	**3**	**3**	**4**	–	–	**7**	
25	**29**	**30**	**27**	**26**	**18**	**11**	**16**	**3**	**14**	**6**	**1**	**1**	**2**	–	–	**7**	
5	**4**	**2**	**1**	**2**	**1**	**2**	**1**	**3**	**3**	**3**	**2**	**2**	**2**	–	–	–	
4	**8**	**8**	**3**	**12**	**9**	**4**	**2**	**1**	**2**	–	–	–	–	–	–	**3**	165–174
–	**1**	–	–	**1**	–	–	**1**	–	**1**	–	–	–	–	–	–	–	
–	1	–	–	4	–	–	–	–	–	–	–	–	–	–	–	2	165
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

SASKATCHEWAN—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XIV-con.—**CLASSE XIV**-suite											
166	Suicide by corrosive substances—Absorption volontaire de substances corrosives.	M.	3	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
168	Suicide by hanging or strangulation—Suicide par pendaison ou strangulation.	M.	14	–	–	–	–	–	–	–	–	1
		F.	1	–	–	–	–	–	–	–	–	–
169	Suicide by drowning—Suicide par submersion.	M.	3	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1
170	Suicide by firearms—Suicide par armes à feu.	M.	27	–	–	–	–	–	–	–	1	3
		F.	1	–	–	–	–	–	–	–	–	–
171	Suicide by cutting or piercing instruments—Suicide par instruments tranchants ou piquants.	M.	5	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
173	Suicide by crushing—Suicide par écrasement.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
174	Other suicides—Autres suicides	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1
175	Poisoning by food—Empoisonnement par aliments.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
177	Other acute accidental poisonings (gas excepted)—Autres empoisonnements accidentels, aigus (par gaz exceptés).	M.	7	–	2	2	1	1	–	–	–	–
		F.	5	–	3	1	–	–	–	–	–	–
178	Conflagration—Incendie	M.	14	2	1	–	–	–	1	4	1	–
		F.	7	1	–	1	1	2	1	–	–	–
179	Accidental burns and scalds (conflagration excepted)—Brûlures accidentelles (autres que par l'incendie).	M.	24	4	4	7	–	–	4	–	–	–
		F.	13	3	3	3	–	2	1	–	1	–
180	Accidental mechanical suffocation—Suffocation mécanique accidentelle.	M.	5	4	–	–	–	–	–	–	–	–
		F.	4	3	–	–	1	–	–	–	–	–
	(a) Overlaying—Etouffé pendant le sommeil.	M.	4	4	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Asphyxia—Asphyxie	M.	1	–	–	–	–	–	–	–	–	–
		F.	4	3	–	–	1	–	–	–	–	–
181	Accidental absorption of irrespirable or poisonous gas—Absorption accidentelle de gaz irrespirables ou toxiques.	M.	4	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–
182	Accidental drowning—Submersion accidentelle.	M.	58	1	2	4	1	–	4	6	11	9
		F.	12	–	1	1	–	–	2	2	3	–
183	Accidental traumatism by firearms—Traumatismes accidentels par armes à feu.	M.	21	–	–	–	–	–	–	4	2	2
		F.	2	–	–	–	–	–	1	–	–	–
185	Accidental traumatism by fall—Traumatismes accidentels par chute.	M.	22	2	–	1	–	1	–	2	–	–
		F.	14	–	–	–	–	–	–	1	–	–
186	Accidental traumatism in mines and quarries—Traumatismes accidentels par mines et carrières.	M.	2	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Coal mines—Mines de charbon	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other mines—Autres mines	M.	2	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Quarries—Carrières	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
187	Accidental traumatism by machines—Traumatismes accidentels par machines.	M.	21	–	–	1	–	–	2	1	1	1
		F.	–	–	–	–	–	–	–	–	–	–
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.)—Traumatismes accidentels par autres écrasements (voitures, railways, éboulements, etc.)	M.	79	1	–	–	1	1	5	4	5	3
		F.	9	–	–	1	1	–	1	1	–	1
	(a) Railroad accidents—Accidents par chemins de fer.	M.	28	–	–	–	–	–	1	–	2	2
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Street car accidents—Accidents par tramways.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Automobile accidents—Accidents par automobiles.	M.	19	–	–	–	–	–	1	1	2	–
		F.	5	–	–	1	–	–	1	–	–	1
	(d) Aeroplane and balloon accidents—Accidents par aéroplanes et ballons.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Injuries by other vehicles—Blessures par autres voitures.	M.	22	1	–	–	1	1	1	2	–	1
		F.	4	–	–	–	1	–	–	1	–	–
	(f) Other crushing—Autres écrasements.	M.	10	–	–	–	–	–	2	1	1	–
		F.	–	–	–	–	–	–	–	–	–	–
189	Injuries by animals (poisoning excepted)—Violences exercées par des animaux (empoisonnements exceptés).	M.	14	–	–	–	2	1	1	3	1	–
		F.	3	–	–	–	–	–	2	1	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

SASKATCHEWAN—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	166
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	2	1	2	3	2	–	1	–	–	–	–	–	–	–	–	168
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	169
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	4	4	2	3	4	2	1	–	1	–	–	–	–	–	–	–	170
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–	171
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	173
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	174
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	175
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	177
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	178
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	1	–	1	–	–	–	1	1	–	–	–	–	–	–	179
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	1	181
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
7	2	5	2	–	–	–	1	–	1	1	–	–	–	–	–	1	182
1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
4	1	1	3	3	1	–	–	–	–	–	–	–	–	–	–	–	183
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	2	–	2	2	–	1	1	–	2	1	–	–	2	–	–	1	185
–	1	–	–	–	–	1	–	2	–	3	2	2	2	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	186
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	186a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	186b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	186c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	3	3	5	–	1	–	1	–	–	–	–	–	–	–	–	–	187
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	8	11	7	5	5	3	7	2	3	3	1	–	–	–	–	1	188
2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	
2	5	5	3	1	2	1	1	1	–	1	–	–	–	–	–	1	188a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	188b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	2	2	2	2	1	–	3	–	1	1	–	–	–	–	–	–	188c
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	188d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	3	–	2	2	2	2	1	2	–	1	–	–	–	–	–	188e
–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	
–	1	1	2	–	–	–	1	–	–	1	–	–	–	–	–	–	188f
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	2	–	3	–	–	–	–	–	–	–	189
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

SASKATCHEWAN—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages: Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XIV-con.—CLASSE XIV-fin											
192	Starvation (deprivation of food or water)—Faim ou soif.	M.	1	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
193	Excessive cold—Froid excessif	M.	4	–	–	–	1	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
194	Excessive heat—Chaleur excessive	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
195	Lightning—Foudre	M.	10	–	–	–	–	–	–	–	3	2
		F.	–	–	–	–	–	–	–	–	–	–
197-199	**Homicides**	**M.**	**4**	**1**	–	–	–	–	–	–	–	–
		F.	**2**	–	–	–	–	–	–	–	–	–
197	Homicide by firearms—Homicide par armes à feu.	M.	3	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
198	Homicide by cutting or piercing instruments — Homicide par instruments tranchants ou piquants.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
199	Homicide by other means—Homicide par autres moyens.	M.	1	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
201	Fracture (cause not specified)—Fracture (cause non spécifiée).	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
202	Other external violence (cause specified)—Autres violences extérieures (cause spécifiée).	M.	4	–	1	1	–	–	–	1	–	–
		F.	4	2	–	2	–	–	–	–	–	–
203	External violence (cause not specified)—Violences extérieures (cause non spécifiée)	M.	1	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS XV—ILL-DEFINED DISEASES—CLASSE XV—MALADIES MAL DÉFINIES.	**Total**	**49**	**3**	**3**	**3**	**1**	–	–	–	–	**1**
		M.	**31**	**2**	**2**	**2**	**1**	–	–	–	–	–
		F.	**18**	**1**	**1**	**1**	–	–	–	–	–	**1**
204	Sudden death—Mort subite	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
205	Cause of death not specified or ill-defined—Cause de décès non spécifiée ou mal définie.	M.	31	2	2	2	1	–	–	–	–	–
		F.	17	1	1	1	–	–	–	–	–	1
	(a) Ill-defined—Mal définie	M.	3	–	2	–	–	–	–	–	–	–
		F.	5	1	–	1	–	–	–	–	–	–
	(b) Not specified or unknown—Non spécifiée ou inconnue.	M.	7	2	–	2	–	–	–	–	–	–
		F.	3	–	1	–	–	–	–	–	–	1
	(c) Heart failure—Paralysie du cœur	M.	21	–	–	–	1	–	–	–	–	–
		F.	9	–	–	–	–	–	–	–	–	–
	(d) Syncope	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

ALBERTA

	DEATHS—ALL CAUSES—DÉCÈS—TOUTES CAUSES.	**Total**	**5,059**	**1,110**	**139**	**65**	**69**	**59**	**185**	**135**	**174**	**199**
		M.	**2,932**	**616**	**79**	**27**	**36**	**35**	**97**	**75**	**90**	**108**
		F.	**2,127**	**494**	**60**	**38**	**33**	**24**	**88**	**60**	**84**	**91**
	CLASS I—EPIDEMIC, ENDEMIC AND INFECTIOUS DISEASES—CLASSE I—AFFECTIONS ÉPIDÉMIQUES, ENDÉMIQUES ET INFECTIEUSES.	**Total**	**902**	**122**	**46**	**29**	**32**	**24**	**79**	**64**	**73**	**72**
		M.	**468**	**60**	**26**	**11**	**18**	**17**	**31**	**30**	**27**	**35**
		F.	**434**	**62**	**20**	**18**	**14**	**7**	**48**	**34**	**46**	**37**
1	Typhoid and paratyphoid fever—Fièvre typhoïde et paratyphoïde.	M.	14	–	–	–	–	1	–	–	2	4
		F.	7	–	–	1	–	–	1	1	1	2
	(a) Typhoid fever—Fièvre typhoïde	M.	14	–	–	–	–	1	–	–	2	4
		F.	7	–	–	1	–	–	1	1	1	2
	(b) Paratyphoid fever—Fièvre paratyphoïde.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
6	Small-pox—Variole	M.	2	–	–	–	–	–	–	1	–	–
		F.	2	1	–	–	–	–	–	–	1	–
7	Measles—Rougeole	M.	6	3	1	–	–	1	–	1	–	–
		F.	6	1	1	1	1	1	–	–	1	–
8	Scarlet fever—Scarlatine	M.	12	–	–	1	2	3	3	1	1	–
		F.	10	1	–	–	1	–	2	3	1	1
9	Whooping-cough—Coqueluche	M.	18	10	3	1	–	2	2	–	–	–
		F.	24	11	7	2	3	–	1	–	–	–
10	Diphtheria—Diphtérie	M.	10	1	2	–	2	2	2	1	–	–
		F.	16	1	–	1	1	2	8	2	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

SASKATCHEWAN—fin

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	192
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	193
–	1	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	194
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	195
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	197-199
–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	197
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	198
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	199
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	201
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	202
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	203
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	1	4	4	4	7	4	1	4	4	2	2	–	–	–	
–	–	–	1	2	1	4	6	2	1	3	2	1	1	–	–	–	
–	–	1	–	2	3	–	1	2	–	1	2	1	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	204
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
–	–	–	1	2	1	4	6	2	1	3	2	1	1	–	–	–	205
–	–	1	–	2	3	–	1	2	–	1	2	1	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	205a
–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	205b
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	4	6	2	1	3	2	1	1	–	–	–	205c
–	–	1	–	2	1	–	1	–	–	1	2	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	205d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

ALBERTA

145	**144**	**239**	**233**	**225**	**269**	**249**	**324**	**309**	**271**	**252**	**155**	**85**	**14**	**6**	**3**	**1**	
85	**78**	**120**	**141**	**155**	**156**	**163**	**205**	**203**	**161**	**155**	**86**	**48**	**6**	**4**	**2**	**1**	
60	**66**	**119**	**92**	**70**	**113**	**86**	**119**	**106**	**110**	**97**	**69**	**37**	**8**	**2**	**1**	–	
47	**36**	**50**	**44**	**33**	**30**	**25**	**24**	**25**	**16**	**15**	**11**	**5**	–	–	–	–	
27	**18**	**28**	**23**	**26**	**23**	**11**	**20**	**17**	**7**	**10**	**2**	**1**	–	–	–	–	
20	**18**	**22**	**21**	**7**	**7**	**14**	**4**	**8**	**9**	**5**	**9**	**4**	–	–	–	–	
1	–	–	1	3	1	–	1	–	–	–	–	–	–	–	–	–	1
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	1	3	1	–	1	–	–	–	–	–	–	–	–	–	1a
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	6
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

ALBERTA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS I-con.—**CLASSE I**-suite											
11	Influenza—Grippe	M.	108	21	9	3	5	1	4	3	3	2
		F.	113	23	6	5	–	2	6	6	7	1
	(a) Sole cause—Cause unique	M.	17	7	1	–	1	–	1	–	–	–
		F.	21	11	1	–	–	–	1	1	–	–
	(b) With phthisis—Avec phtisie	M.	2	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	1	–	–
	(c) With bronchitis—Avec bronchite	M.	4	–	1	1	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(d) With pneumonia—Avec pneumonie	M.	47	9	4	1	3	1	2	2	1	1
		F.	30	7	2	3	–	–	1	1	–	–
	(e) With other respiratory diseases—Avec autres affections de l'appareil respiratoire.	M.	3	–	–	–	1	–	–	–	1	–
		F.	2	–	–	–	–	–	–	–	1	–
	(f) With diseases and accidents of pregnancy and parturition—Avec affections et accidents de la grossesse.	F.	6	–	–	–	–	–	–	–	1	1
	(g) With other causes—Avec autres causes.	M.	35	5	3	1	–	–	1	1	1	1
		F.	50	5	3	2	–	2	4	3	5	–
13	Mumps—Oreillons	M.	1	–	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
16	Dysentery—Dysenterie	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	M.	11	7	1	–	–	–	–	–	–	–
		F.	7	2	–	–	–	–	–	–	–	1
22	Acute anterior poliomyelitis—Poliomyélite aiguë.	M.	38	5	2	1	2	2	5	8	6	3
		F.	27	2	3	1	–	–	11	3	3	1
23	Lethargic encephalitis—Encéphalite léthargique.	M.	5	–	–	–	1	–	–	1	–	–
		F.	2	–	–	–	–	–	–	–	–	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique.	M.	11	2	–	–	–	–	3	2	2	–
		F.	15	3	1	–	1	1	2	4	1	1
25	Other epidemic and endemic diseases—Autres affections épidémiques et endémiques.	M.	1	1	–	–	–	–	–	–	–	–
		F.	2	1	1	–	–	–	–	–	–	–
	(a) Chicken-pox—Varicelle	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	1	–	–	–	–	–	–	–
	(b) German measles—Rubéole	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	1	1	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
31–37	**Tuberculosis—Tuberculose**	**M.**	**205**	**10**	**6**	**5**	**5**	**4**	**10**	**11**	**13**	**26**
		F.	**191**	**13**	**1**	**7**	**7**	**1**	**15**	**15**	**30**	**29**
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire.	M.	151	7	1	2	1	3	6	6	11	19
		F.	151	6	1	3	3	–	9	10	27	26
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central.	M.	18	1	4	3	3	1	3	1	2	–
		F.	21	5	–	2	4	1	4	3	1	–
33	Tuberculosis of the intestines and peritoneum—Tuberculose des intestins et du péritoine.	M.	13	–	–	–	–	–	1	2	–	3
		F.	8	–	–	1	–	–	1	1	2	1
34	Tuberculosis of the vertebral column—Tuberculose de la colonne vertébrale.	M.	2	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
35	Tuberculosis of the joints—Tuberculose articulaire.	M.	2	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	1	1	–	–
36	Tuberculosis of other organs—Tuberculose d'autres organes.	M.	10	–	–	–	1	–	–	1	–	1
		F.	4	2	–	–	–	–	–	–	–	–
	(a) Skin and sub-cutaneous cellular tissue—De la peau et du tissu cellulaire sous-cutané.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Bones (vertebral column excepted)—Des os (excepté la colonne vertébrale).	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Lymphatic system (mesenteric, and retroperitoneal glands excepted)—Du système lymphatique (excepté les ganglions mésentériques et les ganglions rétropéritonéaux.	M.	3	–	–	–	1	–	–	1	–	–
		F.	2	2	–	–	–	–	–	–	–	–
	(d) Genito-urinary system—Des organes génito-urinaires.	M.	5	–	–	–	–	–	–	–	–	1
		F.	1	–	–	–	–	–	–	–	–	–
	(e) Organs other than above—Autres organes que ceux déjà mentionnés.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
37	Disseminated tuberculosis—Tuberculose disséminée.	M.	9	2	1	–	–	–	–	1	–	2
		F.	4	–	–	1	–	–	–	–	–	2
	(a) Acute—Aiguë	M.	4	2	1	–	–	–	–	–	–	1
		F.	2	–	–	1	–	–	–	–	–	1

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

ALBERTA—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 a 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
4	4	6	2	6	5	3	7	7	3	8	2	–	–	–	–	–	11
4	2	7	8	4	1	7	2	3	5	3	7	4	–	–	–	–	
1	–	–	–	–	1	–	2	1	–	1	1	–	–	–	–	–	11a
1	–	–	2	1	–	–	–	–	1	–	1	1	–	–	–	–	
–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	11b
–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	11c
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
2	1	6	2	3	–	1	2	2	1	3	–	–	–	–	–	–	11d
2	1	1	1	–	–	4	1	1	2	1	1	1	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	11e
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11f
1	3	–	–	2	3	1	3	2	2	4	1	–	–	–	–	–	11g
–	–	4	4	2	1	2	1	2	2	2	5	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	16
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	21
–	1	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	
1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	22
–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	
–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	23
–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
21	**11**	**16**	**14**	**14**	**14**	**7**	**8**	**7**	**1**	**2**	–	–	–	–	–	–	**31-37**
13	**12**	**12**	**11**	**3**	**6**	**6**	**1**	**4**	**3**	**1**	**1**	–	–	–	–	–	
18	7	15	13	11	12	5	6	5	1	2	–	–	–	–	–	–	31
13	12	9	11	3	5	4	1	3	3	1	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	2	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–	33
–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	34
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	35
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
2	2	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	36
–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	36a
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	36d
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	36e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	37
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	37a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

ALBERTA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS I-con.—**CLASSE I**-fin											
37	(b) Chronic or unstated—Chronique ou non spécifiée.	M.	5	–	–	–	–	–	–	1	–	1
		F.	2	–	–	–	–	–	–	–	–	1
38	Syphilis	M.	9	–	–	–	–	1	1	1	–	–
		F.	6	3	–	–	–	–	–	–	–	1
41	Purulent infection, septicaemia—Infection purulente, septicémie.	M.	16	–	1	–	1	–	1	–	–	–
		F.	5	–	–	–	–	–	2	–	1	–
	CLASS II—GENERAL DISEASES NOT INCLUDED IN CLASS I— CLASSE II—MALADIES GÉNÉRALES NON MENTIONNÉES DANS LA CLASSE I.	Total	643	33	6	2	1	1	10	10	9	7
		M.	352	26	4	1	1	–	7	5	1	4
		F.	291	7	2	1	–	1	3	5	8	3
43-49	**Cancer**	M.	234	1	–	–	–	–	–	–	1	2
		F.	186	–	1	–	–	–	–	–	–	1
43	Cancer of the buccal cavity—Cancer de la cavité buccale.	M.	13	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
44	Cancer of the stomach and liver—Cancer de l'estomac et du foie.	M.	124	1	–	–	–	–	–	–	–	–
		F.	65	–	–	–	–	–	–	–	–	–
45	Cancer of the peritoneum, intestines and rectum—Cancer du péritoine, des intestins et du rectum.	M.	37	–	–	–	–	–	–	–	–	1
		F.	34	–	1	–	–	–	–	–	–	–
46	Cancer of the female genital organs—Cancer des organes génitaux de la femme.	F.	26	–	–	–	–	–	–	–	–	–
47	Cancer of the breast—Cancer du sein	M.	–	–	–	–	–	–	–	–	–	–
		F.	32	–	–	–	–	–	–	–	–	–
48	Cancer of the skin—Cancer de la peau	M.	6	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
49	Cancer of other or unspecified organs—Cancer d'autres organes ou d'organes non spécifiés.	M.	54	–	–	–	–	–	–	–	1	1
		F.	25	–	–	–	–	–	–	–	–	1
	(a) Other—Autres	M.	51	–	–	–	–	–	–	–	1	1
		F.	24	–	–	–	–	–	–	–	–	1
	(b) Unspecified—Non spécifiés	M.	3	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
50	Benign tumours and tumours not returned as malignant (tumours of female genital organs excepted)—Tumeurs bénignes et tumeurs non données comme malignes (tumeurs des organes génitaux de la femme exceptées).	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
51	Acute rheumatic fever—Rhumatisme articulaire aigu fébrile.	M.	12	–	–	–	1	–	4	2	–	–
		F.	11	–	–	–	–	1	–	4	4	–
52	Chronic rheumatism, osteo-arthritis, gout—Rhumatisme chronique ou goutte.	M.	4	–	–	–	–	–	–	–	–	–
		F.	10	–	–	–	–	–	–	–	–	–
56	Rickets—Rachitisme	M.	6	3	3	–	–	–	–	–	–	–
		F.	3	1	1	–	–	–	1	–	–	–
57	Diabetes mellitus—Diabète	M.	30	–	–	–	–	–	2	1	–	1
		F.	21	–	–	1	–	–	1	–	2	–
58	Anaemia, chlorosis—Anémie, chlorose	M.	12	–	–	–	–	–	–	1	–	–
		F.	14	–	–	–	–	–	–	–	–	–
	(a) Pernicious anaemia—Anémie pernicieuse.	M.	10	–	–	–	–	–	–	–	–	–
		F.	13	–	–	–	–	–	–	–	–	–
	(b) Other anaemias and chlorosis—Autres anémies et chloroses.	M.	2	–	–	–	–	–	–	1	–	–
		F.	1	–	–	–	–	–	–	–	–	–
59	Diseases of the pituitary gland—Affections du corps pituitaire.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
60	Diseases of the thyroid gland—Affections de la glande thyroïde.	M.	5	–	–	–	–	–	–	–	–	1
		F.	31	1	–	–	–	–	–	–	1	1
	(a) Exophthalmic goiter—Goître exophtalmique.	M.	4	–	–	–	–	–	–	–	–	1
		F.	21	–	–	–	–	–	–	–	1	–
	(b) Other diseases of the thyroid gland—Autres affections de la glande thyroïde.	M.	1	–	–	–	–	–	–	–	–	–
		F.	10	1	–	–	–	–	–	–	–	1
62	Diseases of the thymus—Affections du thymus.	M.	10	10	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
63	Diseases of the adrenals (Addison's disease)—Affections des glandes surrénales (maladie d'Addison).	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
64	Diseases of the spleen—Affections de la rate.	M.	1	–	–	–	–	–	–	–	–	–
		F.	2	1	–	–	–	–	–	–	–	–
65	Leukaemia, lymphadenoma — Leucémie, lymphadénie.	M.	10	1	1	–	–	–	–	1	–	–
		F.	3	–	–	–	–	–	–	1	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

ALBERTA—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	37b
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	2	–	1	1	1	1	–	–	–	–	–	–	–	–	38
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	1	2	3	2	–	2	1	–	–	–	–	–	–	–	–	41
–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
9	**16**	**29**	**39**	**54**	**80**	**60**	**96**	**71**	**50**	**35**	**14**	**10**	**1**	–	–	–	
6	**8**	**8**	**15**	**30**	**37**	**38**	**54**	**39**	**33**	**23**	**5**	**7**	–	–	–	–	
3	**8**	**21**	**24**	**24**	**43**	**22**	**42**	**32**	**17**	**12**	**9**	**3**	**1**	–	–	–	
3	**6**	**3**	**9**	**20**	**32**	**28**	**42**	**30**	**30**	**18**	**3**	**6**	–	–	–	–	**43-49**
–	**2**	**13**	**18**	**14**	**35**	**17**	**32**	**19**	**14**	8	8	**3**	**1**	–	–	–	
–	–	–	–	–	2	1	4	1	2	1	1	1	–	–	–	–	43
–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	
–	1	3	5	12	17	17	22	18	16	9	1	2	–	–	–	–	44
–	–	3	4	2	13	6	13	8	7	4	2	3	–	–	–	–	
2	1	–	–	3	7	6	6	4	3	2	1	1	–	–	–	–	45
–	–	1	4	3	4	1	9	3	4	3	1	–	–	–	–	–	
–	–	3	5	4	3	4	4	2	–	–	1	–	–	–	–	–	46
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	47
–	–	3	4	4	11	2	2	2	1	1	1	–	1	–	–	–	
–	–	–	–	–	–	–	–	–	3	1	–	2	–	–	–	–	48
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
1	4	–	4	5	6	4	10	7	6	5	–	–	–	–	–	–	49
–	1	3	1	–	3	4	4	4	2	–	2	–	–	–	–	–	
1	3	–	4	5	6	3	9	7	6	5	–	–	–	–	–	–	49a
–	1	3	1	–	2	4	4	4	2	–	2	–	–	–	–	–	
–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	49b
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	50
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	1	1	–	1	1	–	–	–	–	–	–	–	–	–	51
–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	1	–	–	–	1	1	–	–	–	–	52
–	1	–	–	1	–	1	1	3	–	3	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	56
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	2	1	4	2	4	3	3	3	3	1	–	–	–	–	–	57
1	2	2	–	1	2	1	2	4	1	1	–	–	–	–	–	–	
–	2	2	1	1	–	1	3	1	–	–	–	–	–	–	–	–	58
–	–	2	2	1	4	2	2	–	1	–	–	–	–	–	–	–	
–	1	2	1	1	–	1	3	1	–	–	–	–	–	–	–	–	58a
–	–	2	1	1	4	2	2	–	1	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	58b
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	59
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	60
1	1	3	4	6	2	1	3	5	1	–	1	–	–	–	–	–	
–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	60a
1	1	2	1	6	2	1	1	3	1	–	1	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	60b
–	–	1	3	–	–	–	2	2	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	63
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	64
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	2	3	–	1	–	–	–	–	–	–	65
–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

ALBERTA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS II-con.—**CLASSE II**-fin											
65	(a) Leukaemia—Leucémie	M.	9	–	1	–	–	–	–	1	–	–
		F.	2	–	–	–	–	–	–	1	–	–
	(b) Lymphadenoma (Hodgkin's disease) —Lymphadénie (maladie d'Hodgkin).	M.	1	1	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
66	Alcoholism—Alcoolisme	M.	9	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(a) Delirium tremens	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Acute alcoholism—Alcoolisme aigu.	M.	6	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Chronic alcoholism—Alcoolisme chronique.	M.	2	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
67	Chronic poisoning by mineral substances—Empoisonnements chroniques par substances minérales.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Chronic lead poisoning—Empoisonnements chroniques par le plomb.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Others under this title—Autres sous ce titre.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
68	Chronic organic poisoning—Empoisonnements chroniques par substances organiques.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Chronic morphinism—Morphinisme chronique.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Chronic cocainism, etc.—Cocaïnisme chronique, etc.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Other organic poisoning—Autres empoisonnements organiques.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
69	Other general diseases—Autres maladies générales.	M.	14	11	–	1	–	–	1	–	–	–
		F.	6	3	–	–	–	–	1	–	1	1
	(a) Diabetes insipidus—Diabète insipide.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Haemophilia—Hémophilie	M.	9	8	–	1	–	–	–	–	–	–
		F.	3	2	–	–	–	–	–	–	–	1
	(c) Purpura haemorrhagica—Purpura hémorragique.	M.	4	3	–	–	–	–	–	–	–	–
		F.	3	1	–	–	–	–	1	–	1	–
	(d) Others under this title—Autres sous ce titre.	M.	1	–	–	–	–	–	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS III—DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE—CLASSE III—AFFECTIONS DU SYSTÈME NERVEUX ET DES ORGANES DES SENS.	Total	**328**	**51**	**9**	**3**	**3**	**5**	**7**	**10**	**11**	**9**
		M.	**194**	**29**	**7**	–	**2**	**1**	**4**	**6**	**7**	**4**
		F.	**134**	**22**	**2**	**3**	**1**	**4**	**3**	**4**	**4**	**5**
70	Encephalitis—Encéphalite	M.	10	–	1	–	–	–	–	–	2	1
		F.	6	–	–	1	–	1	–	1	–	–
	(a) Abscess of brain—Abcès du cerveau.	M.	3	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(b) Encephalitis—Encéphalite	M.	7	–	1	–	–	–	–	–	2	1
		F.	4	–	–	1	–	1	–	1	–	–
71	Meningitis—Méningite	M.	16	4	3	–	–	1	2	2	–	–
		F.	5	1	–	1	–	2	–	1	–	–
	(a) Simple meningitis—Méningite simple	M.	16	4	3	–	–	1	2	2	–	–
		F.	5	1	–	1	–	2	–	1	–	–
	(b) Non-epidemic, cerebrospinal meningitis—Méningite cérébro-spinale non épidémique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
72	Tabes dorsalis (locomotor ataxia)—Ataxie locomotrice progressive.	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
73	Other diseases of the spinal cord—Autres affections de la moëlle épinière.	M.	8	–	–	–	–	–	–	–	–	1
		F.	4	–	–	–	–	–	–	–	–	–
74	Cerebral haemorrhage, apoplexy—Hémorragie cérébrale, apoplexie.	M.	67	3	–	–	–	–	–	–	–	1
		F.	41	1	–	–	–	–	–	–	–	–
	(a) Apoplexy—Apoplexie	M.	42	–	–	–	–	–	–	–	–	–
		F.	21	–	–	–	–	–	–	–	–	–
	(b) Cerebral haemorrhage—Hémorragie cérébrale	M.	23	2	–	–	–	–	–	–	–	1
		F.	19	1	–	–	–	–	–	–	–	–
	(c) Cerebral thrombosis and embolism—Thrombose et embolie cérébrales.	M.	2	1	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
75	Paralysis without specified cause—Paralysie sans cause indiquée.	M.	5	–	–	–	–	–	–	–	–	–
		F.	16	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

ALBERTA—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	–	–	1	–	2	3	–	1	–	–	–	–	–	–	65a
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	65b
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	–	–	2	–	3	–	1	–	1	–	–	–	–	–	–	66
–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	66a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	2	–	2	–	–	–	1	–	–	–	–	–	–	66b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	66c
–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	67
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	67a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	67b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	68
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	68a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	68b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	68c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	69
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	69c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
6	**12**	**9**	**11**	**18**	**21**	**13**	**24**	**21**	**30**	**28**	**15**	**11**	**1**	–	–	–	
5	**9**	**6**	**8**	**9**	**7**	**7**	**15**	**13**	**20**	**18**	**11**	**6**	–	–	–	–	
1	**3**	**3**	**3**	**9**	**14**	**6**	**9**	**8**	**10**	**10**	**4**	**5**	**1**	–	–	–	
1	–	1	1	1	–	–	–	–	1	–	1	–	–	–	–	–	70
–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	
1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	70a
–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	70b
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	71
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	72
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
1	1	1	–	1	–	–	1	–	–	1	1	–	–	–	–	–	73
–	–	–	–	1	–	–	–	1	1	1	–	–	–	–	–	–	
–	1	1	–	2	1	4	9	9	13	11	8	4	–	–	–	–	74
1	–	–	1	4	5	4	7	5	4	4	–	4	1	–	–	–	
–	–	–	–	1	–	1	4	8	13	6	6	3	–	–	–	–	74a
1	–	–	–	2	2	1	3	4	3	3	–	2	–	–	–	–	
–	1	–	–	1	1	3	5	1	–	5	2	1	–	–	–	–	74b
–	–	–	–	2	3	3	4	1	1	1	–	2	1	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	74c
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	2	1	–	1	–	–	–	–	–	–	75
–	–	–	1	1	2	1	–	1	3	3	3	1	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

ALBERTA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages									
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS III-con.—**CLASSE III**-fin											
75	(a) Hemiplegia—Hémiplégie	M.	3	–	–	–	–	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–
	(b) Others under this title—Autres sous ce titre.	M.	2	–	–	–	–	–	–	–	–	–
		F.	9	–	–	–	–	–	–	–	–	–
76	General paralysis of the insane—Paralysie générale des aliénés.	M.	8	–	–	–	–	–	–	–	1	–
		F.	3	–	–	–	–	–	–	–	–	–
77	Other forms of mental alienation—Autres formes de l'aliénation mentale.	M.	4	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	1	–
78	Epilepsy—Épilepsie	M.	16	–	–	–	–	–	–	1	3	1
		F.	8	2	–	–	–	1	–	–	1	1
79	Convulsions (non-puerperal, 5 years or over)—Éclampsie (non-puerpérale, cinq ans ou au-dessus).	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
80	Infantile convulsions (under 5 years of age)—Convulsions des enfants (moins de cinq ans).	M.	20	19	1	–	–	–	–	–	–	–
		F.	16	14	1	–	1	–	–	–	–	–
81	Chorea—Chorée	M.	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	1	–	1	1
84	Other diseases of the nervous system—Autres affections du système nerveux.	M.	22	2	–	–	–	–	–	–	–	–
		F.	15	1	1	1	–	–	–	1	1	1
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien.	M.	16	1	2	–	2	–	2	3	1	–
		F.	10	3	–	–	–	–	2	1	–	2
	(a) Diseases of the ear—Affections de l'oreille.	M.	7	1	1	–	1	–	1	–	–	–
		F.	5	2	–	–	–	–	1	–	–	1
	(b) Diseases of the mastoid process—Affections du sinus mastoïdien.	M.	9	–	1	–	1	–	1	3	1	–
		F.	5	1	–	–	–	–	1	1	–	1
	CLASS IV—DISEASES OF THE CIRCULATORY SYSTEM — CLASSE IV—AFFECTIONS DE L'APPAREIL CIRCULATOIRE.	Total	**681**	–	**2**	–	–	**1**	**5**	**10**	**7**	**13**
		M.	**400**	–	**2**	–	–	**1**	**2**	**4**	**5**	**6**
		F.	**281**	–	–	–	–	–	**3**	**6**	**2**	**7**
87-90	**Diseases of the heart—Affections du cœur.**	M.	**281**	–	**1**	–	–	**1**	**2**	**4**	**5**	**6**
		F.	**195**	–	–	–	–	–	**3**	**6**	**2**	**6**
87	Pericarditis—Péricardite	M.	3	–	1	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	1	–	–	–
88	Endocarditis and myocarditis (acute)—Endocardite et myocardite (aiguës).	M.	14	–	–	–	–	1	–	1	–	1
		F.	7	–	–	–	–	–	1	1	1	2
	(a) Acute endocarditis—Endocardite aiguë.	M.	7	–	–	–	–	1	–	1	–	–
		F.	4	–	–	–	–	–	1	1	1	1
	(b) Acute myocarditis—Myocardite aiguë.	M.	7	–	–	–	–	–	–	–	–	1
		F.	3	–	–	–	–	–	–	–	–	1
89	Angina pectoris—Angine de poitrine	M.	27	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
90	Other diseases of the heart—Autres affections du cœur.	M.	237	–	–	–	–	–	2	3	5	5
		F.	181	–	–	–	–	–	1	5	1	4
	(a) Valvular disease—Affection valvulaire.	M.	45	–	–	–	–	–	1	2	2	–
		F.	40	–	–	–	–	–	–	2	–	1
	(b) Fatty degeneration of the heart—Dégénérescence ou stéanose du cœur.	M.	4	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(c) Aortic insufficiency—Insuffisance aortique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Chronic endocarditis — Endocardite chronique.	M.	35	–	–	–	–	–	–	1	2	1
		F.	43	–	–	–	–	–	1	2	1	2
	(e) Chronic myocarditis—Myocardite chronique.	M.	113	–	–	–	–	–	–	–	1	2
		F.	70	–	–	–	–	–	–	–	–	1
	(f) Others under this title—Autres sous ce titre.	M.	40	–	–	–	–	–	1	–	–	2
		F.	27	–	–	–	–	–	–	1	–	–
91	Diseases of the arteries—Affections des artères.	M.	113	–	–	–	–	–	–	–	–	–
		F.	82	–	–	–	–	–	–	–	–	–
	(a) Aneurysm—Anévrisme	M.	4	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
	(b) Arteriosclerosis—Artério-sclérose	M.	108	–	–	–	–	–	–	–	–	–
		F.	78	–	–	–	–	–	–	–	–	–
	(c) Other diseases of the arteries—Autres affections des artères.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
92	Embolism and thrombosis (not cerebral)—Embolie et thrombose (non cérébrales).	M.	1	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	1
93	Diseases of the veins (varices, haemorrhoids, phlebitis, etc.)—Affections des veines (varices, hémorroïdes, phlébite, etc.)	M.	3	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

ALBERTA—suite

Âges																		
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	75a
–	–	–	–	–	1	–	–	1	3	1	–	1	–	–	–	–	
–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	75b
–	–	–	1	1	1	1	–	–	–	2	3	–	–	–	–	–	
–	–	–	3	2	–	–	1	1	–	–	–	–	–	–	–	–	76
–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	77
–	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	
1	3	1	1	–	2	–	1	1	1	–	–	–	–	–	–	–	78
–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	79
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	81
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	3	1	1	–	1	–	–	1	5	5	1	2	–	–	–	–	84
–	1	–	1	2	–	1	1	–	–	2	1	–	–	–	–	–	
1	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	86
–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	86a
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	86b
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
10	**7**	**21**	**26**	**33**	**47**	**63**	**87**	**93**	**86**	**89**	**50**	**26**	**3**	**2**	–	–	
5	**3**	**8**	**15**	**21**	**29**	**40**	**48**	**61**	**50**	**54**	**29**	**14**	**2**	**1**	–	–	
5	**4**	**13**	**11**	**12**	**18**	**23**	**39**	**32**	**36**	**35**	**21**	**12**	**1**	**1**	–	–	
5	**3**	**7**	**14**	**19**	**16**	**32**	**32**	**39**	**27**	**44**	**14**	**8**	**2**	–	–	–	**87-90**
5	**4**	**11**	**9**	**11**	**13**	**15**	**25**	**20**	**23**	**21**	**13**	**6**	**1**	**1**	–	–	
1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	87
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	1	1	3	2	1	–	2	1	–	–	–	–	–	–	–	–	88
–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	2	1	–	–	–	1	–	–	–	–	–	–	–	–	88a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	1	1	1	–	2	–	–	–	–	–	–	–	–	–	88b
–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	4	2	6	4	3	2	4	1	–	–	–	–	–	89
–	–	1	–	–	–	–	1	1	–	1	1	–	–	–	–	–	
4	2	6	10	13	13	25	26	35	25	40	13	8	2	–	–	–	90
5	3	9	9	11	13	15	24	19	22	20	12	6	1	1	–	–	
1	2	2	–	3	–	8	5	8	4	5	2	–	–	–	–	–	90a
2	1	3	2	5	3	2	5	5	8	1	–	–	–	–	–	–	
–	–	–	–	–	2	–	–	1	–	1	–	–	–	–	–	–	90b
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	90c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	2	3	3	4	3	3	6	3	1	1	1	–	–	–	–	90d
1	1	4	2	4	2	2	4	3	7	4	3	–	–	–	–	–	
1	–	1	5	6	5	10	13	18	17	20	7	6	1	–	–	–	90e
1	–	1	3	1	7	8	10	7	7	14	6	3	1	–	–	–	
1	–	1	2	1	2	4	5	2	1	13	3	1	1	–	–	–	90f
1	1	–	2	1	1	3	5	4	–	1	3	3	–	1	–	–	
–	–	–	–	1	12	8	16	21	23	10	15	6	–	1	–	–	91
–	–	2	2	1	4	7	13	12	13	14	8	6	–	–	–	–	
–	–	–	–	–	2	–	–	1	–	1	–	–	–	–	–	–	91a
–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	1	10	8	16	19	23	9	15	6	–	1	–	–	91b
–	–	1	1	1	4	7	13	11	12	14	8	6	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	91c
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	92
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	93
–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

ALBERTA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages									
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS IV-con.—CLASSE IV-fin											
94	Diseases of the lymphatic system (lymphangitis, etc.)—Affections du système lymphatique (lymphangite, etc.).	M.	1	–	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
95	Haemorrhage without specified cause—Hémorragie sans cause déterminée.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS V—DISEASES OF THE RESPIRATORY SYSTEM — CLASSE V—AFFECTIONS DE L'APPAREIL RESPIRATOIRE.	Total	439	147	42	9	7	4	15	6	5	9
		M.	241	75	18	5	3	1	8	3	4	5
		F.	198	72	24	4	4	3	7	3	1	4
97	Diseases of the nasal fossae and their annexa—Affections des fosses nasales et de leurs annexes.	M.	6	1	–	–	–	–	–	–	–	–
		F.	5	2	–	–	–	–	–	1	–	–
98	Diseases of the larynx—Affections du larynx.	M.	4	1	1	1	–	–	–	–	–	–
		F.	5	2	1	1	–	1	–	–	–	–
	(a) Laryngismus stridulus — Laryngite striduleuse.	M.	2	1	–	1	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(b) Laryngitis—Laryngite	M.	1	–	–	–	–	–	–	–	–	–
		F.	2	–	1	1	–	–	–	–	–	–
	(c) Croup	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–
	(d) Other diseases of the larynx—Autres affections du larynx.	M.	1	–	1	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite	M.	9	4	–	–	–	–	3	–	–	–
		F.	18	5	2	–	1	–	–	–	–	–
	(a) Acute—Aiguë	M.	5	4	–	–	–	–	1	–	–	–
		F.	7	4	1	–	–	–	–	–	–	–
	(b) Chronic—Chronique	M.	3	–	–	–	–	–	1	–	–	–
		F.	10	1	–	–	1	–	–	–	–	–
	(c) Not otherwise defined, under 5 years of age—Sans épithète, au-dessous de cinq ans.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	1	–	–	–	–	–	–	–
	(d) Not otherwise defined, 5 years or over—Sans épithète, cinq ans ou au-dessus.	M.	1	–	–	–	–	–	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
100	Bronchopneumonia (including capillary bronchitis)—Broncho-pneumonie (y compris bronchite capillaire)	M.	73	36	5	1	1	1	3	1	–	1
		F.	62	34	8	–	1	–	2	–	–	1
	(a) Bronchopneumonia—Broncho-pneumonie.	M.	72	36	5	–	1	1	3	1	–	1
		F.	62	34	8	–	1	–	2	–	–	1
	(b) Capillary bronchitis—Bronchite capillaire.	M.	1	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
101	Pneumonia—Pneumonie	M.	128	33	11	3	2	–	2	2	3	4
		F.	95	27	12	3	2	2	5	1	1	3
	(a) Lobar—Lobaire	M.	86	10	6	3	–	–	1	2	3	3
		F.	54	8	4	2	–	1	4	1	1	3
	(b) Not otherwise defined—Sans épithète.	M.	42	23	5	–	2	–	1	–	–	1
		F.	41	19	8	1	2	1	1	–	–	–
102	Pleurisy—Pleurésie	M.	7	–	1	–	–	–	–	–	1	–
		F.	2	–	–	–	–	–	–	–	–	–
103	Congestion and haemorrhagic infarct of the lung—Congestion et hémorragie parenchymateuse des poumons.	M.	4	–	–	–	–	–	–	–	–	–
		F.	4	1	–	–	–	–	–	–	–	–
104	Gangrene of the lung—Gangrène du poumon.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
105	Asthma—Asthme	M.	6	–	–	–	–	–	–	–	–	–
		F.	3	–	1	–	–	–	–	–	–	–
106	Pulmonary emphysema—Emphysème pulmonaire.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
107	Other diseases of the respiratory system (tuberculosis excepted)—Autres affections de l'appareil respiratoire (tuberculose exceptée).	M.	2	–	–	–	–	–	–	–	–	–
		F.	4	1	–	–	–	–	–	1	–	–
	(a) Chronic interstitial pneumonia including occupational diseases of the lungs—Pneumonie interstitielle chronique comprenant les affections professionnelles de l'appareil pulmonaire.	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Diseases of the mediastinum—Affections du médiastin.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	–	–	–	–	–	–	–	–	–	–
		F.	3	1	–	–	–	–	–	1	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

ALBERTA—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	94
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	95
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	**3**	**10**	**10**	**18**	**19**	**15**	**20**	**16**	**29**	**23**	**15**	**9**	**3**	–	**2**	–	
1	**1**	**5**	**7**	**15**	**10**	**11**	**17**	**12**	**19**	**9**	**4**	**5**	**2**	–	**1**	–	
2	**2**	**5**	**3**	**3**	**9**	**4**	**3**	**4**	**10**	**14**	**11**	**4**	**1**	–	**1**	–	
–	–	1	–	2	–	1	–	–	–	–	–	1	–	–	–	–	97
1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	99
–	–	–	–	2	1	–	–	–	3	3	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	99a
–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	99b
–	–	–	–	1	1	–	–	–	2	3	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	99c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	99d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	3	4	1	3	3	3	5	1	–	–	1	–	–	–	100
–	1	–	1	–	2	1	–	–	3	2	3	2	–	–	1	–	
–	–	–	3	4	1	3	3	3	5	1	–	–	1	–	–	–	100a
–	1	–	1	–	2	1	–	–	3	2	3	2	–	–	1	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	100b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	2	3	7	8	5	10	6	11	7	3	3	1	–	–	–	101
–	1	5	1	1	4	2	2	4	3	8	5	2	1	–	–	–	
1	–	2	3	7	8	4	9	5	7	6	2	3	1	–	–	–	101a
–	–	4	1	–	4	2	1	2	1	8	4	2	1	–	–	–	
–	1	–	–	–	–	1	1	1	4	1	1	–	–	–	–	–	101b
–	1	1	–	1	–	–	1	2	2	–	1	–	–	–	–	–	
–	–	1	–	–	1	1	1	1	–	–	–	–	–	–	–	–	102
1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	103
–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	104
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	1	1	1	1	–	1	–	–	–	–	–	105
–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	106
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	107
–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	
–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	107a
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107c
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

ALBERTA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VI—DISEASES OF THE DIGESTIVE SYSTEM—CLASSE VI—AFFECTIONS DE L'APPAREIL DIGESTIF.	Total	505	122	22	11	16	6	31	12	22	28
		M.	305	69	16	5	6	3	18	9	13	18
		F.	200	53	6	6	10	3	13	3	9	10
108	Diseases of the mouth and annexa—Affections de la bouche et de ses annexes.	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
109	Diseases of the pharynx and tonsils (including adenoid vegetations)—Affections du pharynx et des amygdales (y compris les végétations adénoïdiennes).	M.	16	1	2	–	1	–	2	3	1	–
		F.	9	2	–	–	2	–	4	–	–	–
	(a) Adenoid vegetations—Végétations adénoïdiennes.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Pharynx and tonsils—Pharynx et amygdales.	M.	16	1	2	–	1	–	2	3	1	–
		F.	9	2	–	–	2	–	4	–	–	–
111	Ulcer of the stomach and duodenum—Ulcère de l'estomac et du duodénum.	M.	22	–	–	–	–	–	–	–	–	1
		F.	10	–	–	–	–	–	1	–	–	1
	(a) Ulcer of the stomach—Ulcère de l'estomac.	M.	13	–	–	–	–	–	–	–	–	1
		F.	7	–	–	–	–	–	–	–	–	1
	(b) Ulcer of the duodenum—Ulcère du duodénum.	M.	9	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	1	–	–	–
112	Other diseases of the stomach (cancer excepted)—Autres affections de l'estomac (cancer excepté).	M.	20	3	1	–	1	–	2	–	–	1
		F.	7	1	–	1	–	–	–	1	–	–
113	Diarrhoea and enteritis (under 2 years of age)—Diarrhée et entérite (au-dessous de 2 ans).	M.	69	58	11	–	–	–	–	–	–	–
		F.	50	46	4	–	–	–	–	–	–	–
114	Diarrhoea and enteritis (2 years or over)—Diarrhée et entérite (deux ans ou au-dessus).	M.	15	–	–	5	3	3	1	–	–	–
		F.	18	–	–	5	4	1	3	–	1	–
117	Appendicitis and typhlitis—Appendicite et typhlite.	M.	90	–	2	–	1	–	10	5	11	12
		F.	62	1	1	–	4	2	5	2	8	8
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale.	M.	35	6	–	–	–	–	2	1	1	3
		F.	11	2	1	–	–	–	–	–	–	–
	(a) Hernia—Hernie	M.	15	3	–	–	–	–	–	–	–	2
		F.	5	–	–	–	–	–	–	–	–	–
	(b) Intestinal obstruction—Obstruction intestinale.	M.	20	3	–	–	–	–	2	1	1	1
		F.	6	2	1	–	–	–	–	–	–	–
119	Other diseases of the intestines—Autres affections des intestins.	M.	6	1	–	–	–	–	–	–	–	1
		F.	3	–	–	–	–	–	–	–	–	–
122	Cirrhosis of the liver—Cirrhose du foie	M.	11	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
	(a) Specified as alcoholic—Spécifiée comme alcoolique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Not specified as alcoholic—Non spécifiée comme alcoolique.	M.	11	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
123	Biliary calculi—Calculs biliaires	M.	4	–	–	–	–	–	–	–	–	–
		F.	8	–	–	–	–	–	–	–	–	–
124	Other diseases of the liver—Autres affections du foie.	M.	7	–	–	–	–	–	–	–	–	–
		F.	13	1	–	–	–	–	–	–	–	1
125	Diseases of the pancreas—Affections du pancréas.	M.	4	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
126	Peritonitis without specified cause—Péritonite sans cause indiquée.	M.	4	–	–	–	–	–	1	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
	CLASS VII—NON-VENEREAL DISEASES OF THE GENITO-URINARY SYSTEM AND ANNEXA—CLASSE VII—AFFECTIONS NON VÉNÉRIENNES DE L'APPAREIL GÉNITO-URINAIRE ET DE SES ANNEXES.	Total	248	3	–	–	2	2	4	5	6	5
		M.	145	1	–	–	1	2	2	3	4	3
		F.	103	2	–	–	1	–	2	2	2	2
128	Acute nephritis (including unspecified, under 10 years of age)—Néphrite aiguë (y compris non spécifiée au-dessous de dix ans).	M.	15	1	–	–	–	2	2	1	2	1
		F.	16	–	–	–	1	–	2	1	1	–
129	Chronic nephritis (including unspecified, 10 years of age or over)—Néphrite chronique (y compris non spécifiée, dix ans ou au-dessus).	M.	92	–	–	–	1	–	–	2	2	1
		F.	58	–	–	–	–	–	–	1	1	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

ALBERTA—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
11	**15**	**27**	**38**	**22**	**17**	**22**	**28**	**21**	**16**	**9**	**7**	**1**	**1**	–	–	–	
6	**9**	**15**	**29**	**17**	**8**	**14**	**17**	**14**	**10**	**6**	**3**	–	–	–	–	–	
5	**6**	**12**	**9**	**5**	**9**	**8**	**11**	**7**	**6**	**3**	**4**	**1**	**1**	–	–	–	
–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	108
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	2	2	–	–	–	1	–	–	–	–	–	–	–	–	109
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	109a
–	–	–	–	–	..	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	2	2	–	–	–	1	–	–	–	–	–	–	–	–	109b
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	2	4	4	3	4	–	–	–	2	–	–	–	–	–	–	–	111
–	–	–	–	2	2	–	2	1	–	1	–	–	–	–	–	–	
1	2	3	1	3	1	–	–	–	1	–	–	–	–	–	–	–	111a
–	–	–	–	1	1	–	2	1	–	1	–	–	–	–	–	–	
1	–	1	3	–	3	–	–	–	1	–	–	–	–	–	–	–	111b
–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	1	–	–	3	2	1	–	4	–	–	–	–	–	–	112
1	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	113
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	114
1	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	
4	5	8	15	5	1	3	4	2	2	–	–	–	–	–	–	–	117
3	2	9	7	–	4	4	1	1	–	–	–	–	–	–	–	–	
–	1	–	3	2	2	2	5	3	3	–	1	–	–	–	–	–	118
–	–	1	1	1	–	–	3	–	1	–	1	–	–	–	–	–	
–	–	–	1	–	–	1	5	1	1	–	1	–	–	–	–	–	118a
–	–	1	–	1	–	–	3	–	–	–	–	–	–	–	–	–	
–	1	–	2	2	2	1	–	2	2	–	–	–	–	–	–	–	118b
–	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	1	1	1	–	–	–	–	–	119
–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	1	2	3	2	2	–	1	–	–	–	–	–	122
–	1	–	–	–	1	–	1	–	–	–	1	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	122a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	2	3	2	2	–	1	–	–	–	–	–	122b
–	1	–	–	–	1	–	1	–	–	–	1	1	–	–	–	–	
–	–	–	–	–	–	1	2	–	–	1	–	–	–	–	–	–	123
–	–	1	1	–	1	1	–	2	2	–	–	–	–	–	–	–	
–	–	–	–	3	–	–	–	4	–	–	–	–	–	–	–	–	124
–	–	–	–	2	–	3	1	2	–	–	2	–	1	–	–	–	
–	–	1	–	–	–	3	–	–	–	–	–	–	–	–	–	–	125
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	126
–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
3	**8**	**18**	**13**	**10**	**20**	**23**	**21**	**32**	**23**	**25**	**12**	**12**	–	**1**	–	–	
1	**3**	**6**	**5**	**5**	**10**	**15**	**12**	**23**	**10**	**20**	**10**	**8**	–	**1**	–	–	
2	**5**	**12**	**8**	**5**	**10**	**8**	**9**	**9**	**13**	**5**	**2**	**4**	–	–	–	–	
–	–	–	1	1	1	2	–	1	–	–	–	–	–	–	–	–	128
–	1	–	–	1	1	–	–	–	2	–	–	–	–	–	–	–	
1	2	6	3	2	7	11	7	14	7	13	7	5	–	1	–	–	129
–	–	3	4	2	7	5	8	8	9	5	2	3	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

ALBERTA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages									
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VII-con.—**CLASSE VII**-fin											
131	Other diseases of the kidneys and annexa— Autres affections des reins et de leurs annexes.	M.	8	–	–	–	–	–	–	–	–	1
		F.	9	2	–	–	–	–	–	–	–	–
132	Calculi of the urinary passages—Calculs des voies urinaires.	M.	3	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
133	Diseases of the bladder—Affections de la vessie.	M.	5	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
134	Diseases of the urethra, urinary abscess, etc.—Affections de l'urètre, abcès urineux, etc.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Stricture of the urethra—Rétrécissement de l'urètre.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other diseases of the urethra—Autres affections de l'urètre.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
135	Diseases of the prostate—Affections de la prostate.	M.	21	–	–	–	–	–	–	–	–	–
137	Cysts and other benign tumours of the ovary—Kystes et autres tumeurs bénignes de l'ovaire.	F.	4	–	–	–	–	–	–	–	–	–
138	Salpingitis and pelvic abscess—Salpingite et abcès du bassin.	F.	6	–	–	–	–	–	–	–	–	2
139	Benign tumours of the uterus—Tumeurs bénignes de l'utérus.	F.	7	–	–	–	–	–	–	–	–	–
141	Other diseases of the female genital organs —Autres affections des organes génitaux de la femme.	F.	5	–	–	–	–	–	–	–	–	–
	CLASS VIII—THE PUERPERAL STATE—CLASSE VIII—ÉTAT PUERPÉRAL.	Total	95	–	–	–	–	–	–	–	5	20
143	Accidents of pregnancy—Accidents de la grossesse.	F.	10	–	–	–	–	–	–	–	–	2
	(a) Abortion—Avortement.....	F.	4	–	–	–	–	–	–	–	–	1
	(b) Ectopic gestation—Gestation ectopique.	F.	4	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	F.	2	–	–	–	–	–	–	–	–	1
	(d) Abortion, self-induced—Avortement provoqué par soi-même.	F.	–	–	–	–	–	–	–	–	–	–
144	Puerperal haemorrhage—Hémorragie puerpérale.	F.	12	–	–	–	–	–	–	–	–	1
145	Other accidents of labour—Autres accidents de l'accouchement.	F.	12	–	–	–	–	–	–	–	1	3
	(a) Caesarean section—Opération césarienne.	F.	6	–	–	–	–	–	–	–	–	2
	(b) Difficult labour—Accouchement laborieux.	F.	1	–	–	–	–	–	–	–	–	–
	(c) Other surgical operations and instrumental delivery—Autres opérations chirurgicales et application d'instruments.	F.	3	–	–	–	–	–	–	–	–	1
	(d) Uncontrollable vomiting—Vomissements incontrôlables.	F.	1	–	–	–	–	–	–	–	1	–
	(e) Rupture of uterus in labour, etc.— Rupture de l'utérus durant l'accouchement, etc.	F.	1	–	–	–	–	–	–	–	–	–
146	Puerperal septicaemia—Septicémie puerpérale.	F.	30	–	–	–	–	–	–	–	1	6
147	Puerperal phlegmasia alba dolens, puerperal embolism, sudden death in puerperium—Phlegmasia alba dolens, embolie, mort subite puerpérales.	F.	3	–	–	–	–	–	–	–	–	2
148	Puerperal albuminuria and convulsions— Albuminurie et éclampsie puerpérales.	F.	25	–	–	–	–	–	–	–	1	6
149	Following childbirth (not otherwise defined)—Suites de couches (sans autres explications).	F.	3	–	–	–	–	–	–	–	2	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

ALBERTA—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	1	–	1	2	–	1	1	1	–	–	–	–	–	–	–	–	131
1	1	1	–	1	1	1	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–	132
–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	2	2	–	–	–	–	–	–	133
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	134
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	134a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	134b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	3	7	1	4	3	2	–	–	–	–	135
–	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	137
1	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	138
–	–	3	2	1	–	–	–	–	1	–	–	–	–	–	–	–	139
–	–	2	–	–	–	2	–	1	–	–	–	–	–	–	–	–	141
16	**18**	**25**	**10**	**1**	–	–	–	–	–	–	–	–	–	–	–	–	
1	2	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	143
–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	143a
1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	143b
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143d
4	3	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	144
1	2	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	145
–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145a
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145b
–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	145c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145d
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145e
8	5	8	2	–	–	–	–	–	–	–	–	–	–	–	–	–	146
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	147
2	5	6	5	–	–	–	–	–	–	–	–	–	–	–	–	–	148
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	149

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

ALBERTA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS IX—DISEASES OF THE SKIN AND OF THE CELLULAR TISSUE—CLASSE IX—AFFECTIONS DE LA PEAU ET DU TISSU CELLULAIRE.	Total	26	5	–	1	–	–	–	1	–	1
		M.	14	1	–	–	–	–	–	–	–	1
		F.	12	4	–	1	–	–	–	1	–	–
151	Gangrene—Gangrène	M.	7	–	–	–	–	–	–	–	–	–
		F.	4	–	–	1	–	–	–	1	–	–
152	Furuncle—Furoncle	M.	2	–	–	–	–	–	–	–	–	–
		F.	2	1	–	–	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	M.	3	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
154	Other diseases of the skin and annexa—Autres affections de la peau et de ses annexes.	M.	2	1	–	–	–	–	–	–	–	1
		F.	5	3	–	–	–	–	–	–	–	–
	CLASS X—DISEASES OF THE BONES AND OF THE ORGANS OF LOCOMOTION—CLASSE X—AFFECTIONS DES OS ET DES ORGANES DE LA LOCOMOTION.	Total	14	–	2	–	–	1	–	1	3	–
		M.	11	–	1	–	–	1	–	1	3	–
		F.	3	–	1	–	–	–	–	–	–	–
155	Diseases of the bones (mastoid and tuberculosis excepted)—Affections des os (sinus mastoïdien et tuberculose exceptés).	M.	9	–	1	–	–	1	–	1	2	–
		F.	2	–	1	–	–	–	–	–	–	–
156	Diseases of the joints (tuberculosis and rheumatism excepted)—Affections articulaires (tuberculose et rhumatisme exceptés).	M.	1	–	–	–	–	–	–	–	1	–
		F.	1	–	–	–	–	–	–	–	–	–
158	Other diseases of the organs of locomotion—Autres affections des organes de la locomotion.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS XI—MALFORMATIONS — CLASSE XI—VICES DE CONFORMATION.	Total	89	86	–	1	–	1	–	–	–	–
		M.	50	48	–	1	–	–	–	–	–	–
		F.	39	38	–	–	–	1	–	–	–	–
159	Congenital malformations (stillbirths not included)—Vices de conformation congénitaux (mort-nés non compris).	M.	50	48	–	1	–	–	–	–	–	–
		F.	39	38	–	–	–	1	–	–	–	–
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale.	M.	5	5	–	–	–	–	–	–	–	–
		F.	2	2	–	–	–	–	–	–	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur.	M.	23	22	–	–	–	–	–	–	–	–
		F.	21	20	–	–	–	1	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	22	21	–	1	–	–	–	–	–	–
		F.	16	16	–	–	–	–	–	–	–	–
	CLASS XII—DISEASES OF EARLY INFANCY—CLASSE XII—AFFECTIONS DU PREMIER ÂGE.	Total	506	506	–	–	–	–	–	–	–	–
		M.	284	284	–	–	–	–	–	–	–	–
		F.	222	222	–	–	–	–	–	–	–	–
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème.	M.	32	32	–	–	–	–	–	–	–	–
		F.	38	38	–	–	–	–	–	–	–	–
161	Premature birth, injury at birth—Naissance prématurée, conséquence de l'accouchement.	M.	206	206	–	–	–	–	–	–	–	–
		F.	146	146	–	–	–	–	–	–	–	–
	(a) Premature birth—Naissance prématurée.	M.	182	182	–	–	–	–	–	–	–	–
		F.	127	127	–	–	–	–	–	–	–	–
	(b) Injury at birth—Conséquence de l'accouchement.	M.	24	24	–	–	–	–	–	–	–	–
		F.	19	19	–	–	–	–	–	–	–	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge.	M.	46	46	–	–	–	–	–	–	–	–
		F.	37	37	–	–	–	–	–	–	–	–
163	Lack of care—Défaut de soins	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

ALBERTA—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
1	–	2	–	1	2	–	–	4	2	4	2	–	–	–	–	–	
1	–	1	–	1	1	–	–	4	1	1	2	–	–	–	–	–	
–	–	1	–	–	1	–	–	–	1	3	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	3	1	1	2	–	–	–	–	–	151
–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	
–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	152
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	153
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	154
–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	
–	–	–	1	1	–	2	–	2	–	1	–	–	–	–	–	–	
–	–	–	1	1	–	1	–	2	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	
–	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–	155
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	156
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	158
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	159
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	159b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	160
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	163

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

ALBERTA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XIII—OLD AGE—CLASSE XIII—VIEILLESSE.	**Total**	**64**	–	–	–	–	–	–	–	–	–
		M.	**37**	–	–	–	–	–	–	–	–	–
		F.	**27**	–	–	–	–	–	–	–	–	–
164	Senility—Sénilité	M.	37	–	–	–	–	–	–	–	–	–
		F.	27	–	–	–	–	–	–	–	–	–
	CLASS XIV—EXTERNAL CAUSES —CLASSE XIV—CAUSES EXTÉRIEURES.	**Total**	**469**	**21**	**8**	**9**	**7**	**12**	**33**	**16**	**32**	**34**
		M.	**395**	**16**	**4**	**4**	**5**	**8**	**24**	**14**	**25**	**32**
		F.	**74**	**5**	**4**	**5**	**2**	**4**	**9**	**2**	**7**	**2**
165–174	**Suicides**	**M.**	**68**	–	–	–	–	–	–	–	–	**4**
		F.	**9**	–	–	–	–	–	–	–	–	–
165	Suicide by solid or liquid poisons (corrosive substances excepted)—Suicide par ingestion de poisons solides ou liquides (substances corrosives exceptées).	M.	5	–	–	–	–	–	–	–	–	1
		F.	2	–	–	–	–	–	–	–	–	–
166	Suicide by corrosive substances—Absorption volontaire de substances corrosives.	M.	7	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
167	Suicide by poisonous gas—Suicide par ingestion de gaz vénéneux.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
168	Suicide by hanging or strangulation—Suicide par pendaison ou strangulation.	M.	16	–	–	–	–	–	–	–	–	1
		F.	1	–	–	–	–	–	–	–	–	–
169	Suicide by drowning—Suicide par submersion.	M.	2	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
170	Suicide by firearms—Suicide par armes à feu.	M.	29	–	–	–	–	–	–	–	–	2
		F.	1	–	–	–	–	–	–	–	–	–
171	Suicide by cutting or piercing instruments —Suicide par instruments tranchants ou piquants.	M.	6	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
172	Suicide by jumping from high places—Suicide par précipitation d'un lieu élevé.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
174	Other suicides—Autres suicides	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
175	Poisoning by food—Empoisonnement par aliments.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
176	Poisoning by venomous animals—Attaques d'animaux venimeux.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
177	Other acute accidental poisonings (gas excepted)—Autres empoisonnements accidentels aigus (par gaz exceptés).	M.	8	–	–	1	2	–	2	–	–	1
		F.	3	–	–	1	–	–	–	–	1	–
178	Conflagration—Incendie	M.	6	1	1	1	1	–	–	–	–	–
		F.	6	–	1	–	1	1	–	–	–	–
179	Accidental burns and scalds (conflagration excepted)—Brûlures accidentelles (autres que par l'incendie).	M.	20	–	2	1	2	3	3	–	1	3
		F.	13	–	1	–	–	2	3	–	–	1
180	Accidental mechanical suffocation—Suffocation mécanique accidentelle.	M.	6	5	–	–	–	–	1	–	–	–
		F.	2	2	–	–	–	–	–	–	–	–
	(a) Overlaying—Étouffé pendant le sommeil.	M.	1	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Asphyxia—Asphyxie	M.	5	4	–	–	–	–	1	–	–	–
		F.	2	2	–	–	–	–	–	–	–	–
181	Accidental absorption of irrespirable or poisonous gas—Absorption accidentelle de gaz irrespirables ou toxiques.	M.	5	1	–	–	–	1	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
182	Accidental drowning—Submersion accidentelle.	M.	47	1	1	–	–	–	6	6	7	6
		F.	9	1	2	3	1	–	–	1	1	–
183	Accidental traumatism by firearms—Traumatismes accidentels par armes à feu.	M.	17	–	–	–	–	–	–	2	5	1
		F.	4	–	–	–	–	–	–	1	2	–
184	Accidental traumatism by cutting or piercing instruments—Traumatismes accidentels par instruments tranchants ou piquants.	M.	1	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
185	Accidental traumatism by fall—Traumatismes accidentels par chute.	M.	33	1	–	–	–	1	5	4	2	1
		F.	7	–	–	–	–	–	1	–	–	–
186	Accidental traumatism in mines and quarries—Traumatismes accidentels par mines et carrières.	M.	28	–	–	–	–	–	–	–	1	3
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Coal mines—Mines de charbon	M.	28	–	–	–	–	–	–	–	1	3
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other mines—Autres mines	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Quarries—Carrières	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

ALBERTA—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	–	–	–	–	2	4	7	14	21	8	4	3	1	–	
–	–	–	–	–	–	–	1	3	2	7	14	5	2	2	1	–	
–	–	–	–	–	–	–	1	1	5	7	7	3	2	1	–	–	
–	–	–	–	–	–	–	1	3	2	7	14	5	2	2	1	–	164
–	–	–	–	–	–	–	1	1	5	7	7	3	2	1	–	–	
39	26	47	40	31	39	22	17	18	10	5	7	3	1	–	–	1	
33	24	42	37	27	28	22	16	13	8	4	6	2	–	–	–	1	
6	2	5	3	4	2	–	1	5	2	1	1	1	1	–	–	–	
3	4	17	10	8	7	4	3	6	1	–	1	–	–	–	–	–	165–174
4	1	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	
–	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–	–	165
1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	2	2	–	2	–	1	–	–	–	–	–	–	–	–	–	166
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	167
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	5	2	3	–	1	–	2	1	–	–	–	–	–	–	–	168
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	169
1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
3	3	6	3	3	1	2	1	4	–	–	1	–	–	–	–	–	170
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	2	1	2	1	–	–	–	–	–	–	–	–	–	–	171
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	172
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	174
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	175
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	176
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	177
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	178
1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
2	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	179
–	–	1	–	1	1	–	–	2	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	181
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
5	3	1	4	1	4	1	–	–	–	–	–	–	–	–	–	1	182
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	2	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	183
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	184
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	3	2	–	–	1	4	3	1	–	3	–	–	–	–	–	185
–	–	–	1	–	–	–	–	2	–	1	1	–	1	–	–	–	
3	6	3	4	5	1	2	–	–	–	–	–	–	–	–	–	–	186
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	6	3	4	5	1	2	–	–	–	–	–	–	–	–	–	–	186a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	186b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	186c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

ALBERTA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XIV-con.—**CLASSE XIV**-fin											
187	Accidental traumatism by machines—Traumatismes accidentels par machines.	M.	19	–	–	–	–	–	–	–	2	1
		F.	–	–	–	–	–	–	–	–	–	–
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.)—Traumatismes accidentels par autres écrasements (voitures, railways, éboulements, etc.)	M.	79	2	–	–	–	1	5	2	3	8
		F.	10	–	–	1	–	1	2	–	2	–
	(a) Railroad accidents—Accidents par chemins de fer.	M.	24	–	–	–	–	–	–	–	1	3
		F.	2	–	–	–	–	–	1	–	–	–
	(b) Street car accidents—Accidents par tramways.	M.	4	–	–	–	–	–	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Automobile accidents—Accidents par automobiles.	M.	28	2	–	–	–	1	2	2	2	3
		F.	7	–	–	–	–	1	1	–	2	–
	(d) Aeroplane and balloon accidents—Accidents par aéroplanes et ballons.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Injuries by other vehicles—Blessures par autres voitures.	M.	12	–	–	–	–	–	–	–	–	1
		F.	1	–	–	1	–	–	–	–	–	–
	(f) Other crushing—Autres écrasements.	M.	10	–	–	–	–	–	2	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
189	Injuries by animals (poisoning excepted)—Violences exercées par des animaux (empoisonnements exceptés).	M.	15	1	–	–	–	1	1	–	2	3
		F.	–	–	–	–	–	–	–	–	–	–
192	Starvation (deprivation of food or water)—Faim ou soif.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
193	Excessive cold—Froid excessif	M.	13	1	–	–	–	–	1	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
194	Excessive heat—Chaleur excessive	M.	3	1	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
195	Lightning—Foudre	M.	5	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
196	Other accidental electric shocks—Autres électrocutions accidentelles.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
197-199	**Homicides**	**M.**	**9**	**2**	–	–	–	–	–	–	–	–
		F.	**5**	**1**	–	–	–	–	–	–	**1**	**1**
197	Homicide by firearms—Homicide par armes à feu.	M.	7	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	1	1
198	Homicide by cutting or piercing instruments—Homicide par instruments tranchants ou piquants.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
199	Homicide by other means—Homicide par autres moyens.	M.	2	2	–	–	–	–	–	–	–	–
		F.	2	1	–	–	–	–	–	–	–	–
202	Other external violence (cause specified)—Autres violences extérieures (cause spécifiée).	M.	10	–	–	1	–	–	–	–	1	1
		F.	3	–	–	–	–	–	3	–	–	–
	CLASS XV—ILL-DEFINED DISEASES—CLASSE XV—MALADIES MAL DÉFINIES.	**Total**	**50**	**14**	**2**	–	**1**	**2**	**1**	–	**1**	**1**
		M.	**36**	**7**	**1**	–	–	**1**	**1**	–	**1**	–
		F.	**14**	**7**	**1**	–	**1**	**1**	–	–	–	**1**
205	Cause of death not specified or ill-defined—Cause de décès non spécifiée ou mal définie.	M.	36	7	1	–	–	1	1	–	1	–
		F.	14	7	1	–	1	1	–	–	–	1
	(a) Ill-defined—Mal définie	M.	11	5	1	–	–	1	1	–	–	–
		F.	5	3	–	–	1	–	–	–	–	–
	(b) Not specified or unknown—Non spécifiée ou inconnue.	M.	6	2	–	–	–	–	–	–	–	–
		F.	7	4	1	–	–	1	–	–	–	1
	(c) Heart failure—Paralysie du cœur	M.	19	–	–	–	–	–	–	–	1	–
		F.	2	–	–	–	–	–	–	–	–	–
	(d) Syncope	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

ALBERTA—fin

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
3	–	4	3	1	2	1	1	1	–	–	–	–	–	–	–	–	187
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
11	3	10	5	8	7	5	4	–	2	3	–	–	–	–	–	–	188
–	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	
4	1	5	1	4	3	1	1	–	–	–	–	–	–	–	–	–	188a
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	188b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	3	2	3	2	1	2	–	–	1	–	–	–	–	–	–	188c
–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	188d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	1	1	1	1	2	1	–	2	–	–	–	–	–	–	–	188e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
4	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	188f
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	1	1	1	1	–	–	2	–	–	–	–	–	–	–	189
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	192
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	1	–	–	2	2	1	–	1	2	1	–	–	–	–	193
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	194
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–	195
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	196
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	–	4	1	–	–	–	–	–	–	–	–	–	–	–	–	197–199
–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	–	4	1	–	–	–	–	–	–	–	–	–	–	–	–	197
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	198
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	199
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	1	1	1	1	1	–	–	–	–	–	–	–	–	–	–	202
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	3	1	1	2	3	4	5	2	2	4	1	–	–	–	–	–	
–	3	1	1	2	3	4	5	2	1	3	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	
–	3	1	1	2	3	4	5	2	1	3	–	–	–	–	–	–	205
–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	
–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	205a
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	205b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	3	–	1	2	3	3	3	–	1	2	–	–	–	–	–	–	205c
–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	205d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

BRITISH COLUMBIA

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	DEATHS—ALL CAUSES—DÉCÈS —TOUTES CAUSES.	**Total**	**5,759**	**606**	**129**	**91**	**59**	**45**	**136**	**151**	**170**	**183**
		M.	**3,550**	**345**	**70**	**52**	**29**	**22**	**69**	**77**	**98**	**104**
		F.	**2,209**	**261**	**59**	**39**	**30**	**23**	**67**	**74**	**72**	**79**
	CLASS I—EPIDEMIC, ENDEMIC AND INFECTIOUS DISEASES —CLASSE I—AFFECTIONS ÉPIDÉMIQUES, ENDÉMIQUES ET INFECTIEUSES.	**Total**	**1,108**	**86**	**53**	**39**	**28**	**17**	**63**	**71**	**77**	**73**
		M.	**646**	**46**	**25**	**21**	**12**	**10**	**36**	**35**	**41**	**34**
		F.	**462**	**40**	**28**	**18**	**16**	**7**	**27**	**36**	**36**	**39**
1	Typhoid and paratyphoid fever—Fièvre typhoïde et paratyphoïde.	M.	10	–	–	–	–	–	2	–	–	1
		F.	3	–	–	–	–	–	–	–	1	1
	(a) Typhoid fever—Fièvre typhoïde...	M.	10	–	–	–	–	–	2	–	–	1
		F.	3	–	–	–	–	–	–	–	1	1
	(b) Paratyphoid fever—Fièvre paratyphoïde.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
5	Malaria—Fièvre et cachexie paludéennes..	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
6	Small-pox—Variole.....	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
7	Measles—Rougeole.....	M.	24	5	5	3	1	3	3	3	–	–
		F.	14	5	3	–	2	–	3	–	–	–
8	Scarlet fever—Scarlatine.....	M.	3	–	–	–	–	1	1	–	–	–
		F.	4	–	–	–	–	–	2	1	–	–
9	Whooping-cough—Coqueluche.....	M.	25	17	2	2	1	–	2	1	–	–
		F.	21	9	5	5	2	–	–	–	–	–
10	Diphtheria—Diphtérie.....	M.	12	1	1	2	3	2	2	–	–	–
		F.	10	–	–	2	1	1	4	1	–	–
11	Influenza—Grippe.....	M.	154	12	11	6	1	3	5	5	2	4
		F.	133	12	9	4	4	1	5	5	1	5
	(a) Sole cause—Cause unique.....	M.	31	4	6	3	–	2	1	–	–	–
		F.	31	8	3	2	2	–	2	1	–	–
	(b) With phthisis—Avec phtisie.....	M.	8	1	–	2	–	–	–	1	–	1
		F.	8	–	–	–	–	–	1	3	1	1
	(c) With bronchitis—Avec bronchite...	M.	2	–	–	–	–	–	–	–	–	–
		F.	3	1	–	–	–	–	–	–	–	–
	(d) With pneumonia—Avec pneumonie.	M.	68	4	4	1	–	–	2	2	1	2
		F.	46	1	4	2	1	–	–	–	–	1
	(e) With other respiratory diseases—Avec autres affections de l'appareil respiratoire.	M.	5	2	–	–	1	–	1	–	–	–
		F.	3	–	1	–	–	–	–	–	–	1
	(f) With diseases and accidents of pregnancy and parturition—Avec affections et accidents de la grossesse.	F.	3	–	–	–	–	–	–	–	–	–
	(g) With other causes—Avec autres causes.	M.	40	1	1	–	–	1	1	2	1	1
		F.	39	2	1	–	1	1	2	1	–	2
16	Dysentery—Dysenterie.....	M.	2	–	1	–	–	–	–	–	–	–
		F.	5	1	–	1	–	–	–	–	–	–
19	Spirochetal haemorrhagic jaundice—Spirochétose ictéro-hémorragique.	M.	1	–	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
20	Leprosy—Lèpre.....	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle.....	M.	5	1	–	–	–	–	–	–	–	–
		F.	8	3	–	–	1	–	–	–	–	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë.	M.	27	1	–	–	1	1	7	7	5	2
		F.	10	–	2	1	–	1	4	1	1	–
23	Lethargic encephalitis—Encéphalite léthargique.	M.	7	2	–	–	–	–	1	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique.	M.	14	1	2	–	–	–	1	3	3	–
		F.	5	1	1	1	1	–	–	1	–	–
25	Other epidemic and endemic diseases—Autres affections épidémique et endémiques.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(a) Chicken pox—Varicelle.....	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(b) German measles—Rubéole.....	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
30	Mycoses.....	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
31–37	**Tuberculosis—Tuberculose**.....	**M.**	**322**	**2**	**2**	**7**	**5**	**–**	**12**	**14**	**31**	**26**
		F.	**229**	**6**	**7**	**4**	**5**	**4**	**9**	**26**	**33**	**31**
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire.	M.	280	2	–	3	3	–	6	13	27	26
		F.	175	1	4	2	2	3	4	17	24	27

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

COLOMBIE BRITANNIQUE

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
213	**190**	**253**	**285**	**364**	**381**	**384**	**419**	**461**	**406**	**363**	**241**	**128**	**45**	**8**	**12**	**27**	
125	**116**	**143**	**190**	**235**	**269**	**262**	**275**	**313**	**268**	**215**	**143**	**71**	**23**	**3**	**7**	**26**	
88	**74**	**110**	**95**	**129**	**112**	**122**	**144**	**148**	**138**	**148**	**98**	**57**	**22**	**5**	**5**	**1**	
89	**61**	**62**	**70**	**63**	**43**	**41**	**37**	**43**	**32**	**29**	**17**	**8**	**4**	–	**1**	**1**	
49	**35**	**35**	**50**	**43**	**32**	**30**	**30**	**31**	**18**	**14**	**11**	**5**	**1**	–	**1**	**1**	
40	**26**	**27**	**20**	**20**	**11**	**11**	**7**	**12**	**14**	**15**	**6**	**3**	**3**	–	–	–	
3	1	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	1
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	1	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	1a
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	7
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	6	3	10	11	4	9	12	12	10	11	9	5	1	–	–	–	11
3	3	12	5	7	4	5	3	7	11	15	6	3	3	–	–	–	
–	–	1	–	–	–	3	2	2	2	2	–	3	–	–	–	–	11a
–	–	–	–	1	1	–	1	1	2	5	1	–	1	–	–	–	
–	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	11b
–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	11c
–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
1	2	2	7	9	2	3	7	7	4	5	1	2	–	–	–	–	11d
2	2	7	4	5	2	1	2	3	1	4	3	1	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11e
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	11f
1	1	–	3	2	2	3	2	3	3	3	8	–	1	–	–	–	11g
–	1	1	–	1	1	4	–	3	6	6	2	2	2	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	16
–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	20
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	1	1	–	–	–	1	–	–	–	–	–	–	21
–	–	1	–	–	1	1	–	–	1	–	–	–	–	–	–	–	
1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	22
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	23
1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	
2	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	30
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
36	**25**	**26**	**33**	**28**	**19**	**18**	**12**	**16**	**6**	**2**	**1**	–	–	–	**1**	–	**31-37**
33	**21**	**12**	**12**	**11**	**4**	**4**	**1**	**4**	**2**	–	–	–	–	–	–	–	
33	20	24	30	26	15	17	11	16	4	2	1	–	–	–	–	1	–	31
30	18	12	10	10	1	3	1	4	2	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

BRITISH COLUMBIA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS I-con.—CLASSE I-fin											
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central.	M.	15	–	1	4	2	–	4	–	–	–
		F.	30	4	3	2	2	1	4	4	4	2
33	Tuberculosis of the intestines and peritoneum—Tuberculose des intestins et du péritoine.	M.	8	–	–	–	–	–	1	1	2	–
		F.	12	1	–	–	1	–	–	3	3	1
34	Tuberculosis of the vertebral column—Tuberculose de la colonne vertébrale.	M.	3	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	1	1	–
35	Tuberculosis of the joints—Tuberculose articulaire.	M.	3	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
36	Tuberculosis of other organs—Tuberculose d'autres organes.	M.	6	–	–	–	–	–	–	–	1	–
		F.	2	–	–	–	–	–	–	–	–	1
	(a) Skin and sub-cutaneous cellular tissue—De la peau et du tissu cellulaire sous-cutané.	M.	1	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Bones (vertebral column excepted)—Des os (excepté la colonne vertébrale).	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(c) Lymphatic system (mesenteric, and retroperitoneal glands excepted)—Du système lymphatique (excepté les ganglions mésentériques et les ganglions rétropéritonéaux.)	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Genito-urinary system—Des organes génito-urinaires.	M.	4	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Organs other than above—Autres organes que ceux déjà mentionnés.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1
37	Disseminated tuberculosis — Tuberculose disséminée.	M.	7	–	1	–	–	–	1	–	–	–
		F.	6	–	–	–	–	–	1	1	1	–
	(a) Acute—Aiguë	M.	5	–	1	–	–	–	1	–	–	–
		F.	2	–	–	–	–	–	–	–	1	–
	(b) Chronic or unstated—Chronique ou non spécifiée.	M.	2	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	1	1	–	–
38	Syphilis	M.	10	2	–	–	–	–	–	1	–	–
		F.	6	2	–	–	–	–	–	–	–	1
40	Gonococcus infection—Gonococcie	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
41	Purulent infection, septicaemia—Infection purulente, septicémie.	M.	24	2	–	1	–	–	–	1	–	1
		F.	9	–	1	–	–	–	–	1	–	1
	CLASS II—GENERAL DISEASES NOT INCLUDED IN CLASS I—CLASSE II—MALADIES GÉNÉRALES NON MENTIONNÉES DANS LA CLASSE I.	Total	754	17	6	1	4	1	6	8	8	5
		M.	407	10	5	–	2	–	4	5	4	4
		F.	347	7	1	1	2	1	2	3	4	1
43-49	**Cancer**	M.	279	–	–	–	–	–	–	–	1	2
		F.	238	–	–	–	–	–	–	1	–	–
43	Cancer of the buccal cavity—Cancer de la cavité buccale.	M.	13	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
44	Cancer of the stomach and liver—Cancer de l'estomac et du foie.	M.	132	–	–	–	–	–	–	–	–	–
		F.	66	–	–	–	–	–	–	–	–	–
45	Cancer of the peritoneum, intestines and rectum—Cancer du péritoine, des intestins et du rectum.	M.	53	–	–	–	–	–	–	–	–	–
		F.	38	–	–	–	–	–	–	–	–	–
46	Cancer of the female genital organs—Cancer des organes génitaux de la femme.	F.	48	–	–	–	–	–	–	–	–	–
47	Cancer of the breast—Cancer du sein	M.	1	–	–	–	–	–	–	–	–	–
		F.	54	–	–	–	–	–	–	–	–	–
48	Cancer of the skin—Cancer de la peau	M.	7	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
49	Cancer of other or unspecified organs—Cancer d'autres organes ou d'organes non spécifiés.	M.	73	–	–	–	–	–	–	–	1	2
		F.	28	–	–	–	–	–	–	1	–	–
	(a) Other—Autres	M.	73	–	–	–	–	–	–	–	1	2
		F.	28	–	–	–	–	–	–	1	–	–
	(b) Unspecified—Non spécifiés	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province en 1927—*suite*

COLOMBIE BRITANNIQUE—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	32
–	3	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	33
1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	34
1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	35
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–	36
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36b
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	36d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	37
1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	
1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	37a
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	37b
1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	2	2	–	1	1	–	1	–	–	–	–	–	–	–	–	38
–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	40
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	2	2	4	2	3	1	1	–	1	–	–	–	–	–	–	1	41
2	1	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	
11	**13**	**28**	**35**	**68**	**102**	**96**	**99**	**101**	**49**	**58**	**27**	**9**	–	**1**	–	**1**	
4	**5**	**12**	**11**	**33**	**59**	**45**	**55**	**63**	**34**	**36**	**10**	**4**	–	**1**	–	**1**	
7	**8**	**16**	**24**	**35**	**43**	**51**	**44**	**38**	**15**	**22**	**17**	**5**	–	–	–	–	
3	**3**	**4**	**6**	**25**	**39**	**35**	**41**	**46**	**28**	**31**	**9**	**4**	–	**1**	–	**1**	**43-49**
3	**4**	**9**	**14**	**29**	**31**	**42**	**33**	**28**	**12**	**15**	**12**	**5**	–	–	–	–	
–	–	–	–	–	3	2	1	2	4	–	1	–	–	–	–	–	43
–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	
1	2	3	2	9	17	19	23	27	12	9	5	2	–	–	–	1	44
1	1	–	4	8	5	14	7	11	5	4	6	–	–	–	–	–	
–	–	–	1	4	5	7	8	12	5	9	–	2	–	–	–	–	45
–	2	–	–	3	4	3	6	6	3	5	5	1	–	–	–	–	
–	–	6	5	8	8	10	4	3	2	2	–	–	–	–	–	–	46
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	47
1	1	1	5	7	10	12	7	3	1	3	1	2	–	–	–	–	
–	–	–	–	1	1	–	1	–	–	1	2	–	–	1	–	–	48
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
2	1	1	3	10	13	7	8	5	7	12	1	–	–	–	–	–	49
1	–	2	–	2	4	3	8	5	–	–	–	2	–	–	–	–	
2	1	1	3	10	13	7	8	5	7	12	1	–	–	–	–	–	49a
1	–	2	–	2	4	3	8	5	–	–	–	2	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	49b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

BRITISH COLUMBIA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS II-con.—**CLASSE -II**-fin											
50	Benign tumours and tumours not returned as malignant (tumours of female genital organs excepted)—Tumeurs bénignes et tumeurs non données comme malignes (tumeurs des organes génitaux de la femme exceptées.)	M.	1	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
51	Acute rheumatic fever—Rhumatisme articulaire aigu fébrile.	M.	14	–	–	–	–	–	4	4	1	1
		F.	10	–	–	–	–	1	–	–	1	–
52	Chronic rheumatism, osteo-arthritis, gout —Rhumatisme chronique ou goutte.	M.	5	–	–	–	–	–	–	–	–	–
		F.	6	–	–	–	–	–	–	–	–	–
53	Scurvy—Scorbut	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
56	Rickets—Rachitisme	M.	1	1	–	–	–	–	–	–	–	–
		F.	3	1	1	1	–	–	–	–	–	–
57	Diabetes mellitus—Diabète	M.	29	–	–	–	–	–	–	–	1	–
		F.	26	–	–	–	1	–	1	–	1	–
58	Anaemia, chlorosis—Anémie, chlorose	M.	27	–	1	–	–	–	–	–	–	–
		F.	23	–	–	–	–	–	–	–	1	1
	(a) Pernicious anaemia—Anémie pernicieuse.	M.	24	–	–	–	–	–	–	–	–	–
		F.	21	–	–	–	–	–	–	–	–	1
	(b) Other anaemias and chlorosis—Autres anémies et chloroses.	M.	3	–	1	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	1	–
59	Diseases of the pituitary gland—Affections du corps pituitaire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
60	Diseases of the thyroid gland—Affections de la glande thyroïde.	M.	6	1	–	–	–	–	–	–	–	–
		F.	18	–	–	–	–	–	–	1	–	–
	(a) Exophthalmic goitre—Goître exophtalmique.	M.	4	–	–	–	–	–	–	–	–	–
		F.	10	–	–	–	–	–	–	1	–	–
	(b) Other diseases of the thyroid gland— Autres affections de la glande thyroïde.	M.	2	1	–	–	–	–	–	–	–	–
		F.	8	–	–	–	–	–	–	–	–	–
61	Diseases of the parathyroid glands—Affections des glandes parathyroïdes.	M.	2	2	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
62	Diseases of the thymus—Affections du thymus.	M.	9	4	4	–	–	–	–	1	–	–
		F.	5	4	–	–	1	–	–	–	–	–
63	Diseases of the adrenals (Addison's disease)—Affections des glandes surrénales (maladie d'Addison).	M.	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
64	Diseases of the spleen—Affections de la rate.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
65	Leukaemia, lymphadenoma — Leucémie, lymphadénie.	M.	6	–	–	–	–	–	–	–	1	–
		F.	7	–	–	–	–	–	1	1	–	–
	(a) Leukaemia—Leucémie	M.	4	–	–	–	–	–	–	–	1	–
		F.	5	–	–	–	–	–	–	1	–	–
	(b) Lymphadenoma (Hodgkin's disease) —Lymphadénie (maladie d'Hodgkin).	M.	2	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	1	–	–	–
66	Alcoholism—Alcoolisme	M.	22	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Delirium tremens	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Acute alcoholism—Alcoolisme aigu.	M.	10	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Chronic alcoholism—Alcoolisme chronique.	M.	11	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
68	Chronic organic poisoning—Empoisonements chroniques par substances organiques.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Chronic morphinism—Morphinisme chronique.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Chronic cocainism, etc.—Cocaïnisme chronique, etc.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Other organic poisoning—Autres empoisonnements organiques.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
69	Other general diseases—Autres maladies générales.	M.	4	2	–	–	2	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	1	–
	(a) Diabetes insipidus—Diabète insipide	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Haemophilia—Hémophilie	M.	4	2	–	–	2	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Purpura haemorrhagica—Purpura hémorragique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Others under this title—Autres sous ce titre.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	1	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

COLOMBIE BRITANNIQUE—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	50
–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	
–	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–	51
2	–	2	4	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	3	1	–	–	–	–	–	52
–	–	–	–	1	1	–	–	1	–	1	2	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	53
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	56
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	1	1	2	6	4	9	3	1	–	–	–	–	–	–	57
–	1	–	2	–	1	2	3	5	2	5	2	–	–	–	–	–	
–	1	3	1	1	6	3	5	4	2	–	–	–	–	–	–	–	58
–	–	–	1	2	2	6	5	4	–	1	–	–	–	–	–	–	
–	–	3	1	1	5	3	5	4	2	–	–	–	–	–	–	–	58a
–	–	–	1	2	2	6	5	4	–	–	–	–	–	–	–	–	
–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	58b
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	59
1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	1	1	–	1	1	–	–	–	–	–	–	–	–	60
1	2	4	–	1	5	1	2	–	1	–	–	–	–	–	–	–	
–	–	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–	60a
–	1	2	–	–	4	–	1	–	1	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	60b
1	1	2	–	1	1	1	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	61
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	63
–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	64
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	3	–	1	–	–	–	–	–	–	–	–	–	65
–	1	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	65a
–	1	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	65b
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	2	2	4	7	–	1	3	1	–	–	–	–	–	–	–	66
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	66a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	1	3	3	–	–	1	–	–	–	–	–	–	–	–	66b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	1	1	4	–	1	2	1	–	–	–	–	–	–	–	66c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	68
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	68a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	68b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	68c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69d
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

BRITISH COLUMBIA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS III—DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE—CLASSE III—AFFECTIONS DU SYSTÈME NERVEUX ET DES ORGANES DES SENS.	Total	406	23	7	6	5	3	8	8	10	5
		M.	246	13	2	2	3	1	3	1	5	3
		F.	160	10	5	4	2	2	5	7	5	2
70	Encephalitis—Encéphalite	M.	7	1	–	–	1	–	1	1	–	–
		F.	3	1	–	–	–	–	–	–	–	–
	(a) Abscess of brain—Abcès du cerveau.	M.	3	–	–	–	1	–	1	1	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Encephalitis—Encéphalite	M.	4	1	–	–	–	–	–	–	–	–
		F.	2	1	–	–	–	–	–	–	–	–
71	Meningitis—Méningite	M.	7	1	1	–	1	1	–	–	2	–
		F.	9	3	2	2	–	–	1	–	–	–
	(a) Simple meningitis—Méningite simple.	M.	7	1	1	–	1	1	–	–	2	–
		F.	9	3	2	2	–	–	1	–	–	–
	(b) Non-epidemic, cerebrospinal meningitis—Méningite cérébro-spinale non épidémique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
72	Tabes dorsalis (locomotor ataxia)—Ataxie locomotrice progressive.	M.	6	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
73	Other diseases of the spinal cord—Autres affections de la moelle épinière.	M.	17	–	–	–	–	–	–	–	1	–
		F.	14	–	–	–	–	–	1	1	1	–
74	Cerebral haemorrhage, apoplexy—Hémorragie cérébrale, apoplexie.	M.	93	–	–	–	–	–	–	–	–	–
		F.	70	–	–	–	–	–	–	1	–	1
	(a) Apoplexy—Apoplexie	M.	23	–	–	–	–	–	–	–	–	–
		F.	11	–	–	–	–	–	–	–	–	–
	(b) Cerebral haemorrhage—Hémorragie cérébrale.	M.	66	–	–	–	–	–	–	–	–	–
		F.	54	–	–	–	–	–	–	1	–	1
	(c) Cerebral thrombosis and embolism—Thrombose et embolie cérébrales.	M.	4	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
75	Paralysis without specified cause—Paralysie sans cause indiquée.	M.	20	–	–	–	–	–	–	–	–	–
		F.	9	–	–	–	–	–	–	–	1	–
	(a) Hemiplegia—Hémiplégie	M.	13	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
	(b) Others under this title—Autres sous ce titre.	M.	7	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	1	–
76	General paralysis of the insane—Paralysie générale des aliénés.	M.	20	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
77	Other forms of mental alienation—Autres formes de l'aliénation mentale.	M.	28	–	–	–	–	–	–	–	–	–
		F.	8	–	–	–	–	–	1	–	1	–
78	Epilepsy—Épilepsie	M.	13	–	–	1	–	–	1	–	1	2
		F.	10	–	–	–	–	–	1	–	1	1
80	Infantile convulsions (under 5 years of age)—Convulsions des enfants (moins de cinq ans).	M.	8	7	–	1	–	–	–	–	–	–
		F.	10	4	3	1	–	2	–	–	–	–
82	Neuralgia and neuritis—Névralgie et névrite.	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
83	Softening of the brain—Ramollissement du cerveau.	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
84	Other diseases of the nervous system—Autres affections du système nerveux.	M.	15	1	–	–	–	–	1	–	–	1
		F.	12	1	–	1	1	–	–	–	–	–
85	Diseases of the eye and annexa—Affections de l'œil et de ses annexes.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien.	M.	8	3	1	–	1	–	–	–	1	–
		F.	10	1	–	–	1	–	1	5	1	–
	(a) Diseases of the ear—Affections de l'oreille.	M.	5	2	1	–	1	–	–	–	–	–
		F.	1	–	–	–	–	–	–	1	–	–
	(b) Diseases of the mastoid process—Affections du sinus mastoïdien.	M.	3	1	–	–	–	–	–	–	1	–
		F.	9	1	–	–	1	–	1	4	1	–
	CLASS IV—DISEASES OF THE CIRCULATORY SYSTEM — CLASSE IV—AFFECTIONS DE L'APPAREIL CIRCULATOIRE.	Total	1,020	–	–	1	2	–	4	9	7	5
		M.	647	–	–	–	–	–	2	7	4	1
		F.	373	–	–	1	2	–	2	2	3	4
87-90	**Diseases of the heart—Affections du cœur.**	M.	395	–	–	–	–	–	2	6	4	1
		F.	249	–	–	1	2	–	2	2	2	4
87	Pericarditis—Péricardite	M.	6	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	1	–
88	Endocarditis and myocarditis (acute)—Endocardite et myocardite (aiguës)	M.	9	–	–	–	–	–	1	–	1	1
		F.	10	–	–	1	1	–	1	1	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

COLOMBIE BRITANNIQUE—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
8	**7**	**18**	**19**	**29**	**23**	**31**	**38**	**43**	**41**	**30**	**19**	**16**	**5**	**1**	–	**3**	
4	**2**	**9**	**13**	**21**	**16**	**20**	**25**	**28**	**30**	**15**	**16**	**9**	**3**	–	–	**2**	
4	**5**	**9**	**6**	8	**7**	**11**	**13**	**15**	**11**	**15**	**3**	**7**	**2**	**1**	–	**1**	
–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	70
1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70a
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	70b
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	71
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	71a
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	3	2	–	–	1	–	–	–	–	–	–	–	72
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	2	–	3	1	4	1	4	–	1	–	–	–	–	–	73
1	1	–	1	2	1	1	1	1	2	–	–	–	–	–	–	–	
1	1	1	3	4	5	8	9	16	15	11	11	6	2	–	–	–	74
–	1	1	3	4	3	5	7	12	7	13	2	6	2	1	–	1	
–	–	–	–	2	1	1	5	4	4	3	1	1	1	–	–	–	74a
–	–	–	1	–	–	2	–	3	3	1	–	–	–	–	–	1	
1	1	1	1	1	4	7	4	12	11	8	10	5	–	–	–	–	74b
–	–	1	1	4	3	3	5	9	4	11	2	6	2	1	–	–	
–	–	–	2	1	–	–	–	–	–	–	–	–	1	–	–	–	74c
–	1	–	1	–	–	–	2	–	–	1	–	–	–	–	–	–	
–	–	–	–	1	1	1	6	4	3	1	1	2	–	–	–	–	75
–	1	1	–	–	–	1	1	1	1	2	–	–	–	–	–	–	
–	–	–	–	1	–	–	4	3	3	1	–	1	–	–	–	–	75a
–	–	–	–	–	–	–	1	1	1	2	–	–	–	–	–	–	
–	–	–	–	–	1	1	2	1	–	–	1	1	–	–	–	–	75b
–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	2	3	8	1	4	–	–	1	1	–	–	–	–	–	–	76
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
2	1	3	1	3	–	2	4	4	2	2	1	–	1	–	–	2	77
–	–	1	1	1	1	–	1	–	–	–	–	1	–	–	–	–	
–	–	2	1	1	1	–	1	–	1	–	1	–	–	–	–	–	78
–	1	2	1	–	–	1	1	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	82
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	83
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	2	4	1	1	–	2	1	–	1	–	–	–	–	–	84
1	1	2	–	1	1	1	2	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	85
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	86
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	86a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	86b
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
9	**10**	**25**	**33**	**59**	**63**	**85**	**111**	**154**	**153**	**133**	**92**	**47**	**16**	**1**	–	**1**	
4	**5**	**10**	**26**	**32**	**44**	**63**	**75**	**108**	**100**	**81**	**50**	**24**	**10**	–	–	**1**	
5	**5**	**15**	**7**	**27**	**19**	**22**	**36**	**46**	**53**	**52**	**42**	**23**	**6**	**1**	–	–	
4	**5**	**6**	**16**	**23**	**22**	**40**	**42**	**64**	**61**	**47**	**31**	**15**	**5**	–	–	**1**	87-90
4	**3**	**15**	**7**	**19**	**14**	**14**	**23**	**29**	**34**	**35**	**22**	**11**	**5**	**1**	–	–	
–	–	1	–	2	1	–	1	–	–	1	–	–	–	–	–	–	87
1	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	1	1	1	–	2	1	–	–	–	–	–	–	–	–	–	88
1	–	3	–	–	–	1	–	1	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

BRITISH COLUMBIA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS IV-con.—**CLASSE IV**-fin											
88	(a) Acute endocarditis—Endocardite aiguë.	M.	4	–	–	–	–	–	–	–	1	–
		F.	8	–	–	1	1	–	1	1	–	–
	(b) Acute myocarditis—Myocardite aiguë.	M.	5	–	–	–	–	–	1	–	–	1
		F.	2	–	–	–	–	–	–	–	–	–
89	Angina pectoris—Angine de poitrine....	M.	44	–	–	–	–	–	–	–	–	–
		F.	18	–	–	–	–	–	–	–	–	–
90	Other diseases of the heart—Autres affections du cœur.	M.	336	–	–	–	–	–	1	6	3	–
		F.	216	–	–	–	1	–	1	1	1	4
	(a) Valvular disease—Affection valvulaire.	M.	69	–	–	–	–	–	–	2	1	–
		F.	34	–	–	–	–	–	–	1	–	–
	(b) Fatty degeneration of the heart—Dégénérescence ou stéanose du cœur.	M.	1	–	–	–	–	–	–	–	–	–
		F.	9	–	–	–	–	–	–	–	–	–
	(c) Aortic insufficiency—Insuffisance aortique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Chronic endocarditis — Endocardite chronique.	M.	54	–	–	–	–	–	1	4	2	–
		F.	47	–	–	–	1	–	–	–	1	2
	(e) Chronic myocarditis — Myocardite chronique.	M.	152	–	–	–	–	–	–	–	–	–
		F.	89	–	–	–	–	–	–	–	–	1
	(f) Others under this title—Autres sous ce titre.	M.	60	–	–	–	–	–	–	–	–	–
		F.	37	–	–	–	–	–	1	–	–	1
91	Diseases of the arteries—Affections des artères.	M.	243	–	–	–	–	–	–	–	–	–
		F.	120	–	–	–	–	–	–	–	1	–
	(a) Aneurysm—Anévrisme.....	M.	25	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	1	–
	(b) Arteriosclerosis—Artério-sclérose....	M.	218	–	–	–	–	–	–	–	–	–
		F.	117	–	–	–	–	–	–	–	–	–
	(c) Other diseases of the arteries—Autres affections des artères.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
92	Embolism and thrombosis (not cerebral)—Embolie et thrombose (non cérébrales)..	M.	7	–	–	–	–	–	–	1	–	–
		F.	3	–	–	–	–	–	–	–	–	–
93	Diseases of the veins (varices, haemorrhoids, phlebitis, etc.)—Affections des veines (varices, hémorroïdes, phlébite, etc.)	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	CLASS V—DISEASES OF THE RESPIRATORY SYSTEM — CLASSE V—AFFECTIONS DE L'APPAREIL RESPIRATOIRE.	Total	457	77	30	21	7	9	11	9	7	10
		M.	283	43	18	15	4	4	4	4	3	4
		F.	174	34	12	6	3	5	7	5	4	6
97	Diseases of the nasal fossae and their annexa—Affections des fosses nasales et de leurs annexes.	M.	3	–	–	1	–	1	–	–	1	–
		F.	3	1	–	–	–	–	–	–	–	–
98	Diseases of the larynx—Affections du larynx.	M.	4	–	1	1	–	–	–	1	–	–
		F.	4	–	2	1	–	–	–	–	1	–
	(a) Laryngismus stridulus—Laryngite striduleuse.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Laryngitis—Laryngite.....	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	2	–	–	–	–	–	–	–
	(c) Croup.....	M.	1	–	1	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	1	–
	(d) Other diseases of the larynx—Autres affections du larynx.	M.	3	–	–	1	–	–	–	1	–	–
		F.	1	–	–	1	–	–	–	–	–	–
99	Bronchitis—Bronchite.....	M.	11	3	2	–	–	–	–	–	–	–
		F.	9	1	–	–	1	–	–	1	–	–
	(a) Acute—Aiguë.....	M.	4	1	1	–	–	–	–	–	–	–
		F.	4	–	–	–	1	–	–	1	–	–
	(b) Chronic—Chronique.....	M.	2	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
	(c) Not otherwise defined, under 5 years of age—Sans épithète, au-dessous de cinq ans.	M.	2	1	1	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(d) Not otherwise defined, 5 years or over—Sans épithète, cinq ans ou au-dessus.	M.	3	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
100	Bronchopneumonia (including capillary bronchitis)—Broncho-pneumonie (y compris bronchite capillaire).	M	71	20	7	7	–	1	1	2	1	–
		F.	53	16	6	3	–	1	3	1	–	–
	(a) Bronchopneumonia — Broncho-pneumonie.	M.	71	20	7	7	–	1	1	2	1	–
		F.	52	15	6	3	–	1	3	1	–	–
	(b) Capillary bronchitis—Bronchite capillaire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
101	Pneumonia—Pneumonie.....	M.	154	20	8	6	4	1	3	1	1	4
		F.	87	16	4	2	1	3	4	3	2	5

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

COLOMBIE BRITANNIQUE—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	88a
1	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	88b
–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	
–	–	–	4	1	3	6	8	9	7	6	–	–	–	–	–	–	89
–	–	–	–	–	–	–	6	4	4	3	1	–	–	–	–	–	
4	5	4	11	19	18	32	32	55	54	40	31	15	5	–	–	1	90
2	3	11	6	19	14	13	17	24	30	31	21	11	5	1	–	–	
2	3	3	4	5	4	6	9	7	11	7	4	–	1	–	–	–	90a
–	–	6	2	7	1	2	3	4	4	2	1	1	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	90b
–	1	–	1	1	–	1	1	–	3	–	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	90c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	1	3	4	3	5	2	10	7	7	2	2	–	–	–	–	90d
2	1	4	3	2	2	3	4	6	5	7	3	1	–	–	–	–	
–	–	–	–	6	8	10	13	30	25	24	21	11	4	–	–	–	90e
–	–	1	–	6	6	5	8	7	14	16	13	7	4	1	–	–	
2	1	–	4	4	3	10	8	8	11	2	4	2	–	–	–	1	90f
–	1	–	–	3	5	2	1	7	4	6	4	1	1	–	–	–	
–	–	4	7	9	20	22	33	44	37	34	19	9	5	–	–	–	91
–	–	–	–	8	5	8	13	17	19	17	19	12	1	–	–	–	
–	–	2	3	2	3	4	5	2	1	2	1	–	–	–	–	–	91a
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	2	4	7	17	18	28	42	36	32	18	9	5	–	–	–	91b
–	–	–	–	8	5	7	13	16	19	17	19	12	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	91c
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	2	1	–	–	2	–	–	–	–	–	–	–	92
1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	93
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
8	**13**	**14**	**16**	**21**	**25**	**24**	**26**	**29**	**29**	**31**	**22**	**10**	**5**	**1**	**1**	**1**	
4	**8**	**7**	**13**	**16**	**18**	**21**	**15**	**18**	**20**	**18**	**17**	**3**	**4**	–	**1**	**1**	
4	**5**	**7**	**3**	**5**	**7**	**3**	**11**	**11**	**9**	**13**	**5**	**7**	**1**	**1**	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	97
–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	98
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	98d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	1	–	3	–	1	–	–	–	99
–	–	–	–	–	–	–	1	–	–	2	1	1	1	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	99a
–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	99b
–	–	–	–	–	–	–	1	–	–	1	–	1	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	99c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	99d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	2	–	2	3	2	3	4	–	3	4	6	–	2	–	–	–	100
1	1	2	–	1	3	1	3	3	1	4	–	3	–	–	–	–	
1	2	–	2	3	2	3	4	–	3	4	6	–	2	–	–	–	100a
1	1	2	–	1	3	1	3	3	1	4	–	3	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	100b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	5	7	4	7	10	13	8	14	10	12	7	3	1	–	1	1	101
3	3	5	1	4	4	2	6	6	6	4	2	1	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

BRITISH COLUMBIA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS V–con.—**CLASSE V**–fin											
101	(a) Lobar—Lobaire	M.	96	8	6	3	2	1	2	–	–	3
		F.	42	1	2	1	–	–	2	3	2	1
	(b) Not otherwise defined—Sans épithète.	M.	58	12	2	3	2	–	1	1	1	1
		F.	45	15	2	1	1	3	2	–	–	4
102	Pleurisy—Pleurésie	M.	11	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	1	–	–	–	–	–
103	Congestion and haemorrhagic infarct of the lung—Congestion et hémorragie parenchymateuse des poumons.	M.	6	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
105	Asthma—Asthme	M.	12	–	–	–	–	1	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	1
106	Pulmonary emphysema—Emphysème pulmonaire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
107	Other diseases of the respiratory system (tuberculosis excepted)—Autres affections de l'appareil respiratoire (tuberculose exceptée).	M.	11	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	1	–	–	1	–
	(a) Chronic interstitial pneumonia including occupational diseases of the lungs—Pneumonie interstitielle chronique comprenant les affections professionnelles de l'appareil pulmonaire.	M.	3	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Diseases of the mediastinum—Affections du médiastin.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	8	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	1	–	–	1	–
	CLASS VI—DISEASES OF THE DIGESTIVE SYSTEM—CLASSE VI—AFFECTIONS DE L'APPAREIL DIGESTIF.	Total	344	41	12	10	5	5	10	6	10	9
		M.	225	29	8	7	2	–	3	2	5	6
		F.	119	12	4	3	3	5	7	4	5	3
108	Diseases of the mouth and annexa—Affections de la bouche et de ses annexes.	M.	4	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
109	Diseases of the pharynx and tonsils (including adenoid vegetations)—Affections du pharynx et des amygdales (y compris les végétations adénoïdiennes).	M.	11	2	1	–	–	–	–	–	–	–
		F.	9	–	1	–	1	–	1	2	1	–
	(a) Adenoid vegetations—Végétations adénoïdiennes.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Pharynx and tonsils—Pharynx et amygdales.	M.	11	2	1	–	–	–	–	–	–	–
		F.	9	–	1	–	1	–	1	2	1	–
111	Ulcer of the stomach and duodenum—Ulcère de l'estomac et du duodénum.	M.	44	1	–	–	–	–	–	–	–	1
		F.	4	–	–	–	–	–	–	–	–	–
	(a) Ulcer of the stomach—Ulcère de l'estomac.	M.	25	–	–	–	–	–	–	–	–	1
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Ulcer of the duodenum—Ulcère du duodénum.	M.	19	1	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
112	Other diseases of the stomach (cancer excepted)—Autres affections de l'estomac (cancer excepté).	M.	21	5	1	1	–	–	–	–	2	–
		F.	11	2	–	–	–	–	–	–	–	–
113	Diarrhoea and enteritis (under 2 years of age)—Diarrhée et entérite (au-dessous de 2 ans).	M.	21	19	2	–	–	–	–	–	–	–
		F.	10	7	3	–	–	–	–	–	–	–
114	Diarrhoea and enteritis (2 years or over)—Diarrhée et entérite (deux ans ou au-dessus).	M.	11	–	–	4	1	–	1	–	–	1
		F.	13	–	–	3	2	1	3	–	–	–
117	Appendicitis and typhlitis—Appendicite et typhlite.	M.	42	–	–	2	1	–	2	2	2	4
		F.	21	–	–	–	–	4	3	2	3	2
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale.	M.	25	1	3	–	–	–	–	–	–	–
		F.	14	1	–	–	–	–	–	–	–	–
	(a) Hernia—Hernie	M.	7	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
	(b) Intestinal obstruction—Obstruction intestinale.	M.	18	1	3	–	–	–	–	–	–	–
		F.	11	1	–	–	–	–	–	–	–	–
119	Other diseases of the intestines—Autres affections des intestins.	M.	3	–	–	–	–	–	–	–	–	–
		F.	2	1	–	–	–	–	–	–	–	–
120	Acute yellow atrophy of the liver—Atrophie jaune aiguë du foie.	M.	1	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
122	Cirrhosis of the liver—Cirrhose du foie	M.	17	–	–	–	–	–	–	–	–	–
		F.	6	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

COLOMBIE BRITANNIQUE—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
1	5	7	3	6	8	10	6	9	7	5	3	–	–	–	–	1	101a
2	2	4	–	3	1	–	4	3	5	4	1	1	–	–	–	–	
2	–	–	1	1	2	3	2	5	3	7	4	3	1	–	1	–	101b
1	1	1	1	1	3	2	2	3	1	–	1	–	–	–	–	–	
–	–	–	2	3	1	1	–	1	2	1	–	–	–	–	–	–	102
–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–	
–	–	–	–	1	–	2	–	–	1	1	1	–	–	–	–	–	103
–	–	–	–	–	–	–	–	1	1	1	–	1	–	1	–	–	
–	1	–	–	1	3	2	2	1	1	–	–	–	–	–	–	–	105
–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	106
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	4	1	1	–	1	2	2	–	–	–	–	–	–	–	107
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	107a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	4	1	1	–	–	1	1	–	–	–	–	–	–	–	107c
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
8	**14**	**23**	**20**	**33**	**25**	**31**	**19**	**24**	**15**	**14**	**5**	**4**	–	–	–	**1**	
7	**9**	**16**	**14**	**19**	**24**	**22**	**11**	**17**	**9**	**9**	**3**	**2**	–	–	–	**1**	
1	**5**	**7**	**6**	**14**	**1**	**9**	**8**	**7**	**6**	**5**	**2**	**2**	–	–	–	–	
1	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	108
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	1	2	1	–	–	1	1	1	–	–	–	–	–	–	109
–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	109a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	1	2	1	–	–	1	1	1	–	–	–	–	–	–	109b
–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	3	6	5	8	5	4	6	3	–	1	–	–	–	–	–	111
–	–	–	–	–	–	–	3	1	–	–	–	–	–	–	–	–	
–	–	1	4	2	6	3	–	4	3	–	1	–	–	–	–	–	111a
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	1	2	2	3	2	2	4	2	–	–	–	–	–	–	–	–	111b
–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	
–	1	–	1	1	1	2	–	–	3	1	–	1	–	–	–	1	112
–	–	–	2	–	–	2	–	2	–	2	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	113
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	114
1	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	
5	2	5	2	6	4	2	1	1	1	–	–	–	–	–	–	–	117
–	–	1	1	2	1	1	1	–	–	–	–	–	–	–	–	–	
–	2	3	1	1	3	4	2	2	–	3	–	–	–	–	–	–	118
–	1	3	–	3	–	1	–	1	2	–	2	–	–	–	–	–	
–	–	1	–	–	1	1	–	2	–	2	–	–	–	–	–	–	118a
–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	
–	2	2	1	1	2	3	2	–	–	1	–	–	–	–	–	–	118b
–	–	3	–	3	–	1	–	–	1	–	2	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	119
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	120
–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	2	1	3	5	2	3	1	–	–	–	–	–	–	–	122
–	–	–	1	1	–	1	1	1	1	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

BRITISH COLUMBIA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VI-con.—**CLASSE VI**-fin											
122	(a) Specified as alcoholic—Spécifiée comme alcoolique.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Not specified as alcoholic—Non spécifiée comme alcoolique.	M.	16	–	–	–	–	–	–	–	–	–
		F.	6	–	–	–	–	–	–	–	–	–
123	Biliary calculi—Calculs biliaires.....	M.	5	–	–	–	–	–	–	–	–	–
		F.	6	–	–	–	–	–	–	–	–	1
124	Other diseases of the liver—Autres affections du foie.	M.	16	–	–	–	–	–	–	–	1	–
		F.	13	–	–	–	–	–	–	–	1	–
125	Diseases of the pancreas—Affections du pancréas.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
126	Peritonitis without specified cause—Péritonite sans cause indiquée.	M.	4	1	1	–	–	–	–	–	–	–
		F.	5	1	–	–	–	–	–	–	–	–
	CLASS VII—NON-VENEREAL DISEASES OF THE GENITO-URINARY SYSTEM AND ANNEXA—CLASSE VII—AFFECTIONS NON VÉNÉRIENNES DE L'APPAREIL GÉNITO-URINAIRE ET DE SES ANNEXES.	Total	**398**	**2**	–	–	–	–	**4**	**4**	**4**	**5**
		M.	**247**	–	–	–	–	–	**1**	**3**	**2**	**3**
		F.	**151**	**2**	–	–	–	–	**3**	**1**	**2**	**2**
128	Acute nephritis (including unspecified, under 10 years of age)—Néphrite aiguë (y compris non spécifiée au-dessous de dix ans).	M.	2	–	–	–	–	–	–	–	–	–
		F.	12	–	–	–	–	–	3	1	2	2
129	Chronic nephritis (including unspecified, 10 years of age or over)—Néphrite chronique (y compris non spécifiée, dix ans ou au-dessus).	M.	183	–	–	–	–	–	1	2	2	2
		F.	106	–	–	–	–	–	–	–	–	–
131	Other diseases of the kidneys and annexa—Autres affections des reins et de leurs annexes.	M.	13	–	–	–	–	–	–	–	–	1
		F.	9	2	–	–	–	–	–	–	–	–
132	Calculi of the urinary passages—Calculs des voies urinaires.	M.	8	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
133	Diseases of the bladder—Affections de la vessie.	M.	5	–	–	–	–	–	–	1	–	–
		F.	1	–	–	–	–	–	–	–	–	–
134	Diseases of the urethra, urinary abscess, etc.—Affections de l'urètre, abcès uri-neux, etc.	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Stricture of the urethra—Rétrécissement de l'urètre.	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other diseases of the urethra—Autres affections de l'urètre.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
135	Diseases of the prostate—Affections de la prostate.	M.	33	–	–	–	–	–	–	–	–	–
136	Non-venereal diseases of the male genital organs—Affections non vénériennes des organes génitaux de l'homme.	M.	1	–	–	–	–	–	–	–	–	–
137	Cysts and other benign tumours of the ovary—Kystes et autres tumeurs bénignes de l'ovaire.	F.	2	–	–	–	–	–	–	–	–	–
138	Salpingitis and pelvic abscess—Salpingite et abcès du bassin.	F.	6	–	–	–	–	–	–	–	–	–
139	Benign tumours of the uterus—Tumeurs benignes de l'utérus.	F.	6	–	–	–	–	–	–	–	–	–
141	Other diseases of the female genital organs—Autres affections des organes génitaux de la femme.	F.	4	–	–	–	–	–	–	–	–	–
	CLASS VIII—THE PUERPERAL STATE—CLASSE VIII—ÉTAT PUERPÉRAL.	Total	**68**	–	–	–	–	–	–	–	**5**	**1**
143	Accidents of pregnancy—Accidents de la grossesse.	F.	6	–	–	–	–	–	–	–	–	1
	(a) Abortion—Avortement.....	F.	3	–	–	–	–	–	–	–	–	–
	(b) Ectopic gestation—Gestation ectopique.	F.	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	F.	2	–	–	–	–	–	–	–	–	1
	(d) Abortion, self-induced—Avortement provoqué par soi-même.	F.	1	–	–	–	–	–	–	–	–	–
144	Puerperal haemorrhage—Hémorragie puerpérale.	F.	11	–	–	–	–	–	–	–	1	1

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

COLOMBIE BRITANNIQUE—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	122a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	2	1	3	5	1	3	1	–	–	–	–	–	–	–	122b
–	–	–	1	1	–	1	1	1	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	2	1	1	–	1	–	–	–	–	–	–	123
–	–	–	–	1	–	1	1	1	1	–	–	–	–	–	–	–	
–	1	3	1	2	2	1	1	2	–	1	–	1	–	–	–	–	124
–	–	1	1	5	–	1	1	1	1	–	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	125
–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	
–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	126
–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	
7	**7**	**18**	**27**	**29**	**33**	**30**	**48**	**42**	**52**	**38**	**25**	**16**	**4**	**2**	–	**1**	
1	**1**	**5**	**16**	**17**	**20**	**20**	**32**	**28**	**37**	**24**	**19**	**13**	**3**	**1**	–	**1**	
6	**6**	**13**	**11**	**12**	**13**	**10**	**16**	**14**	**15**	**14**	**6**	**3**	**1**	**1**	–	–	
1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	128
–	1	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	
–	–	3	13	16	16	16	27	20	27	16	13	6	2	–	–	1	129
3	1	5	7	10	11	8	14	12	13	12	6	2	1	1	–	–	
–	1	1	–	–	3	–	1	1	2	1	1	1	–	–	–	–	131
–	1	2	–	–	–	–	–	–	1	2	–	1	–	–	–	–	
–	–	–	1	1	1	1	1	–	1	1	1	–	–	–	–	–	132
1	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	1	–	–	–	1	1	–	–	–	133
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	134
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	134a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	134b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	2	3	5	7	6	4	5	–	1	–	–	135
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	136
–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	137
1	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	138
–	–	1	3	–	1	1	–	–	–	–	–	–	–	–	–	–	139
–	–	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–	141
16	**12**	**13**	**11**	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	143
1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	143a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143b
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143c
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143d
2	–	4	3	–	–	–	–	–	–	–	–	–	–	–	–	–	144

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

BRITISH COLUMBIA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VIII-con.—CLASSE VIII-fin											
145	Other accidents of labour—Autres accidents de l'accouchement.	F.	5	–	–	–	–	–	–	–	1	–
	(a) Caesarean section—Opération césarienne.	F.	3	–	–	–	–	–	–	–	–	–
	(b) Difficult labour—Accouchement laborieux.	F.	–	–	–	–	–	–	–	–	–	–
	(c) Other surgical operations and instrumental delivery—Autres opérations chirurgicales et application d'instruments.	F.	2	–	–	–	–	–	–	–	1	–
	(d) Uncontrollable vomiting—Vomissements incontrôlables.	F.	–	–	–	–	–	–	–	–	–	–
	(e) Rupture of uterus in labour, etc.—Rupture de l'utérus durant l'accouchement, etc.	F.	–	–	–	–	–	–	–	–	–	–
146	Puerperal septicaemia—Septicémie puerpérale.	F.	24	–	–	–	–	–	–	–	2	5
147	Puerperal phlegmasia alba dolens, puerperal embolism, sudden death in puerperium—Phlegmasia alba dolens, embolie, mort subite puerpérales.	F.	3	–	–	–	–	–	–	–	–	–
148	Puerperal albuminuria and convulsions—Albuminurie et éclampsie puerpérales.	F.	17	–	–	–	–	–	–	–	1	3
149	Following childbirth (not otherwise defined)—Suites de couches (sans autres explications).	F.	2	–	–	–	–	–	–	–	–	1
	CLASS IX—DISEASES OF THE SKIN AND OF THE CELLULAR TISSUE—CLASSE IX—AFFECTIONS DE LA PEAU ET DU TISSU CELLULAIRE.	Total	26	6	–	1	–	–	1	2	–	–
		M.	17	5	–	1	–	–	–	1	–	–
		F.	9	1	–	–	–	–	1	1	–	–
151	Gangrene—Gangrène	M.	3	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
152	Furuncle—Furoncle	M.	4	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	M.	6	2	–	1	–	–	–	1	–	–
		F.	5	1	–	–	–	–	1	1	–	–
154	Other diseases of the skin and annexa—Autres affections de la peau et de ses annexes	M.	4	3	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	CLASS X—DISEASES OF THE BONES AND OF THE ORGANS OF LOCOMOTION—CLASSE X—AFFECTIONS DES OS ET DES ORGANES DE LA LOCOMOTION.	Total	18	–	–	–	–	–	2	–	2	2
		M.	13	–	–	–	–	–	2	–	1	2
		F.	5	–	–	–	–	–	–	–	1	–
155	Diseases of the bones (mastoid and tuberculosis excepted)—Affections des os (sinus mastoïdien et tuberculose exceptés).	M.	9	–	–	–	–	–	1	–	1	1
		F.	4	–	–	–	–	–	–	–	1	–
156	Diseases of the joints (tuberculosis and rheumatism excepted)—Affections articulaires (tuberculose et rhumatisme exceptés).	M.	4	–	–	–	–	–	1	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
158	Other diseases of the organs of locomotion—Autres affections des organes de la locomotion.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	CLASS XI—MALFORMATIONS—CLASSE XI—VICES DE CONFORMATION.	Total	59	53	2	–	1	–	1	2	–	–
		M.	23	20	1	–	–	–	–	2	–	–
		F.	36	33	1	–	1	–	1	–	–	–
159	Congenital malformations (stillbirths not included)—Vices de conformation congénitaux (mort-nés non compris).	M.	23	20	1	–	–	–	–	2	–	–
		F.	36	33	1	–	1	–	1	–	–	–
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale.	M.	1	–	–	–	–	–	–	1	–	–
		F.	2	1	1	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

COLOMBIE BRITANNIQUE—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	145
1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	145a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145b
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145e
7	4	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	146
1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	147
3	4	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	148
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	149
–	–	1	3	–	1	3	1	2	–	3	2	–	–	–	–	–	
–	–	1	1	–	1	2	1	1	–	2	1	–	–	–	–	–	
–	–	–	2	–	–	1	–	1	–	1	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	151
–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	
–	–	1	1	–	–	1	1	–	–	–	–	–	–	–	–	–	152
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	153
–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	154
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
1	2	2	–	–	1	–	1	1	1	2	–	1	–	–	–	–	
1	1	1	–	–	1	–	1	1	–	1	–	1	–	–	–	–	
–	1	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	
1	1	1	–	–	1	–	1	1	–	–	–	–	–	–	–	–	155
–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	156
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	158
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

BRITISH COLUMBIA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XI-con.—**CLASSE XI**-fin											
159	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur.	M.	12	11	–	–	–	–	–	1	–	–
		F.	19	18	–	–	–	–	1	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	10	9	1	–	–	–	–	–	–	–
		F.	15	14	–	–	1	–	–	–	–	–
	CLASS XII—DISEASES OF EARLY INFANCY—CLASSE XII—AFFECTIONS DU PREMIER ÂGE.	Total	285	285	–	–	–	–	–	–	–	–
		M.	170	170	–	–	–	–	–	–	–	–
		F.	115	115	–	–	–	–	–	–	–	–
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème.	M.	25	25	–	–	–	–	–	–	–	–
		F.	19	19	–	–	–	–	–	–	–	–
161	Premature birth, injury at birth—Naissance prématurée, conséquence de l'accouchement.	M.	114	114	–	–	–	–	–	–	–	–
		F.	78	78	–	–	–	–	–	–	–	–
	(a) Premature birth—Naissance prématurée.	M.	100	100	–	–	–	–	–	–	–	–
		F.	73	73	–	–	–	–	–	–	–	–
	(b) Injury at birth—Conséquence de l'accouchement.	M.	14	14	–	–	–	–	–	–	–	–
		F.	5	5	–	–	–	–	–	–	–	–
162	Other diseases peculiar to early infancy—Autres affections spéciale au premier âge.	M.	30	30	–	–	–	–	–	–	–	–
		F.	18	18	–	–	–	–	–	–	–	–
163	Lack of care—Défaut de soins	M.	1	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS XIII—OLD AGE—CLASSE XIII—VIEILLESSE.	Total	85	–	–	–	–	–	–	–	–	–
		M.	39	–	–	–	–	–	–	–	–	–
		F.	46	–	–	–	–	–	–	–	–	–
164	Senility—Sénilité	M.	39	–	–	–	–	–	–	–	–	–
		F.	46	–	–	–	–	–	–	–	–	–
	CLASS XIV—EXTERNAL CAUSES—CLASSE XIV—CAUSES EXTÉRIEURES.	Total	642	9	9	7	5	7	21	28	37	56
		M.	540	6	4	3	4	5	13	16	31	47
		F.	102	3	5	4	1	2	8	12	6	9
165-174	**Suicides**	M.	97	–	–	–	–	–	–	–	2	3
		F.	9	–	–	–	–	–	–	–	–	1
165	Suicide by solid or liquid poisons (corrosive substances excepted)—Suicide par ingestion de poisons solides ou liquides (substances corrosives exceptées).	M.	8	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
166	Suicide by corrosive substances—Absorption volontaire de substances corrosives	M.	4	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
167	Suicide by poisonous gas—Suicide par ingestion de gaz vénéneux.	M.	13	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
168	Suicide by hanging or strangulation—Suicide par pendaison ou strangulation.	M.	20	–	–	–	–	–	–	–	–	1
		F.	3	–	–	–	–	–	–	–	–	–
169	Suicide by drowning—Suicide par submersion.	M.	6	–	–	–	–	–	–	–	1	–
		F.	2	–	–	–	–	–	–	–	–	–
170	Suicide by firearms—Suicide par armes à feu.	M.	31	–	–	–	–	–	–	–	1	2
		F.	2	–	–	–	–	–	–	–	–	1
171	Suicide by cutting or piercing instruments—Suicide par instruments tranchants ou piquants	M.	9	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
172	Suicide by jumping from high places—Suicide par précipitation d'un lieu élevé	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
173	Suicide by crushing—Suicide par écrasement.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
174	Other suicides—Autres suicides	M.	4	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
175	Poisoning by food—Empoisonnement par aliments.	M.	3	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	2
176	Poisoning by venomous animals—Attaques d'animaux venimeux.	M.	1	–	–	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
177	Other acute accidental poisonings (gas excepted)—Autres empoisonnements accidentels, aigus (par gaz exceptés).	M.	1	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	1	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

COLOMBIE BRITANNIQUE—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	160
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	163
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	11	13	24	12	10	2	10	2	
–	–	–	–	–	–	–	1	–	2	7	12	7	2	1	5	2	
–	–	–	–	–	–	–	–	–	9	6	12	5	8	1	5	–	
–	–	–	–	–	–	–	1	–	2	7	12	7	2	1	5	2	164
–	–	–	–	–	–	–	–	–	9	6	12	5	8	1	5	–	
54	50	49	51	59	61	37	34	18	18	12	4	4	1	–	–	11	
50	49	47	46	53	51	35	27	16	14	8	1	3	–	–	–	11	
4	1	2	5	6	10	2	7	2	4	4	3	1	1	–	–	–	
8	7	12	12	15	14	9	6	4	1	2	1	–	–	–	–	1	165-174
–	–	–	–	4	2	1	1	–	–	–	–	–	–	–	–	–	
1	–	3	1	1	2	–	–	–	–	–	–	–	–	–	–	–	165
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	166
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	2	1	2	4	3	–	1	–	–	–	–	–	–	–	–	167
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	5	2	3	2	3	1	1	–	1	–	–	–	–	–	–	168
–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	
1	–	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–	169
–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	
4	2	1	6	3	2	2	3	2	–	1	1	–	–	–	–	1	170
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
1	3	–	–	3	1	–	1	–	–	–	–	–	–	–	–	–	171
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	172
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	173
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	174
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	175
–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	176
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	177
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

BRITISH COLUMBIA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XIV-con.—**CLASSE XIV**-suite											
178	Conflagration—Incendie	M.	8	–	–	–	–	1	1	–	–	–
		F.	5	–	–	1	–	–	–	1	–	–
179	Accidental burns and scalds (conflagration excepted)—Brûlures accidentelles (autres que par l'incendie).	M.	11	1	–	1	1	1	–	–	–	1
		F.	9	–	3	1	1	1	–	1	1	–
180	Accidental mechanical suffocation—Suffocation mécanique accidentelle.	M.	3	3	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(a) Overlaying—Étouffé pendant le sommeil.	M.	2	2	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(b) Asphyxia—Asphyxie	M.	1	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
181	Accidental absorption of irrespirable or poisonous gas—Absorption accidentelle de gaz irrespirables ou toxiques.	M.	9	–	–	–	–	–	–	–	–	1
		F.	2	–	–	–	–	–	–	–	–	–
182	Accidental drowning—Submersion accidentelle.	M.	87	–	2	–	2	2	5	10	9	6
		F.	13	–	1	–	–	–	1	5	2	2
183	Accidental traumatism by firearms—Traumatismes accidentels par armes à feu.	M.	13	–	–	–	–	–	–	1	4	1
		F.	1	–	–	–	–	–	–	1	–	–
185	Accidental traumatism by fall—Traumatismes accidentels par chute.	M.	57	–	1	–	–	–	2	–	2	4
		F.	17	1	–	2	–	–	–	1	1	–
186	Accidental traumatism in mines and quarries—Traumatismes accidentels par mines et carrières.	M.	19	–	–	–	–	–	–	–	–	2
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Coal mines—Mines de charbon	M.	14	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other mines—Autres mines	M.	5	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Quarries—Carrières	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
187	Accidental traumatism by machines—Traumatismes accidentels par machines.	M.	10	–	–	–	1	–	–	–	–	2
		F.	–	–	–	–	–	–	–	–	–	–
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.)—Traumatismes accidentels par autres écrasements (voitures, railways, éboulements, etc.)	M.	181	–	1	2	–	1	4	3	13	23
		F.	26	–	1	–	–	1	6	3	–	2
	(a) Railroad accidents—Accidents par chemins de fer.	M.	33	–	–	–	–	–	–	1	2	–
		F.	2	–	–	–	–	–	–	1	–	–
	(b) Street car accidents—Accidents par tramways.	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(c) Automobile accidents—Accidents par automobiles.	M.	59	–	–	2	–	1	3	1	7	7
		F.	18	–	1	–	–	1	4	1	–	2
	(d) Aeroplane and balloon accidents—Accidents par aéroplanes et ballons.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Injuries by other vehicles—Blessures par autres voitures.	M.	8	–	–	–	–	–	–	1	1	1
		F.	4	–	–	–	–	–	2	1	–	–
	(f) Other crushing—Autres écrasements.	M.	79	–	1	–	–	–	1	–	3	15
		F.	1	–	–	–	–	–	–	–	–	–
189	Injuries by animals (poisoning excepted)—Violences exercées par des animaux (empoisonnements exceptés).	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
192	Starvation (deprivation of food or water)—Faim ou soif.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
193	Excessive cold—Froid excessif	M.	4	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
194	Excessive heat—Chaleur excessive	M.	2	–	–	–	–	–	–	–	–	–
		F.	2	1	–	–	–	–	–	–	–	1
196	Other accidental electric shocks—Autres électrocutions accidentelles.	M.	1	–	–	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
197-199	**Homicides**	**M.**	**15**	**1**	–	–	–	–	–	–	–	**3**
		F.	**7**	–	–	–	–	–	–	–	**2**	**1**
197	Homicide by firearms—Homicide par armes à feu.	M.	10	–	–	–	–	–	–	–	–	2
		F.	3	–	–	–	–	–	–	–	1	1
198	Homicide by cutting or piercing instruments — Homicide par instruments tranchants ou piquants.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
199	Homicide by other means—Homicide par autres moyens.	M.	4	1	–	–	–	–	–	–	–	1
		F.	3	–	–	–	–	–	–	–	1	–
201	Fracture (cause not specified)—Fracture (cause non spécifiée).	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*suite*

COLOMBIE BRITANNIQUE—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	1	1	1	–	–	–	2	1	–	–	–	–	–	–	–	178
–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	
4	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	179
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180b
–	–	–	–	1	3	–	1	–	–	2	–	–	–	–	–	1	181
–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	
6	9	4	5	7	5	4	5	1	–	–	–	1	–	–	–	4	182
–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	1	2	2	–	–	–	1	–	–	–	–	–	–	–	183
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
8	5	6	2	6	3	2	4	2	6	4	–	–	–	–	–	–	185
–	–	–	1	1	2	–	–	1	1	2	2	1	1	–	–	–	
–	2	6	1	3	2	1	1	1	–	–	–	–	–	–	–	–	186
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	4	1	2	2	1	1	1	–	–	–	–	–	–	–	–	186a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	186b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	186c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	1	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	187
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
15	24	12	18	16	16	15	6	5	2	–	–	1	–	–	–	4	188
2	–	–	–	–	4	1	4	–	1	1	–	–	–	–	–	–	
2	6	4	5	1	4	2	2	1	–	–	–	–	–	–	–	3	188a
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	188b
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
4	7	4	2	5	4	4	3	3	1	–	–	1	–	–	–	–	188c
1	–	–	–	–	4	1	2	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	188d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	3	–	–	–	1	–	–	–	–	–	–	–	188e
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
9	11	3	11	10	4	9	–	1	–	–	–	–	–	–	–	1	188f
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	189
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	192
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	193
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	194
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	196
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	**5**	**2**	–	**1**	**1**	–	–	–	–	–	–	–	–	–	–	**197–**
1	**1**	**2**	–	–	–	–	–	–	–	–	–	–	–	–	–	–	**199**
2	–	4	1	–	–	1	–	–	–	–	–	–	–	–	–	–	197
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	198
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	199
–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	201
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	

TABLE 30—Causes of death by sex and age, in Canada and in each province, 1927—*con.*

BRITISH COLUMBIA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XIV-con.—**CLASSE XIV**-fin											
202	Other external violence (cause specified)— Autres violences extérieures (cause spécifiée).	M.	13	–	–	–	–	–	1	–	1	1
		F.	1	–	–	–	–	–	–	–	–	–
203	External violence (cause not specified)— Violences extérieures (cause non spécifiée)	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	CLASS XV—ILL-DEFINED DISEASES—CLASSE XV—MALADIES MAL DÉFINIES.	Total	80	7	10	5	2	3	5	4	3	2
		M.	47	3	7	3	2	2	1	1	2	–
		F.	33	4	3	2	–	1	4	3	1	2
204	Sudden death—Mort subite	M.	4	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
205	Cause of death not specified or ill-defined— Cause de décès non spécifiée ou mal définie.	M.	43	3	7	3	2	2	1	1	2	–
		F.	33	4	3	2	–	1	4	3	1	2
	(a) Ill-defined—Mal définie	M.	4	–	3	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–
	(b) Not specified or unknown—Non spécifiée ou inconnue.	M.	22	3	4	3	2	2	1	1	2	–
		F.	22	4	3	2	–	1	3	3	1	2
	(c) Heart failure—Paralysie du cœur	M.	17	–	–	–	–	–	–	–	–	–
		F.	10	–	–	–	–	–	–	–	–	–
	(d) Syncope	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1927—*fin*

COLOMBIE BRITANNIQUE—fin

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
3	–	–	3	–	1	–	3	–	–	–	–	–	–	–	–	–	202
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	203
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	**1**	–	–	**3**	**4**	**6**	**4**	**4**	**5**	–	**4**	**1**	–	–	–	**5**	
1	**1**	–	–	**1**	**3**	**4**	**2**	**2**	**4**	–	**3**	–	–	–	–	**5**	
1	–	–	–	**2**	**1**	**2**	**2**	**2**	**1**	–	**1**	**1**	–	–	–	–	
–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	1	204
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	–	–	1	2	3	2	2	4	–	2	–	–	–	–	4	205
1	–	–	–	2	1	2	2	2	1	–	1	1	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	205a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	205b
1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	1	2	3	2	2	4	–	2	–	–	–	–	1	205c
–	–	–	–	1	1	2	2	1	1	–	1	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	205d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex in cities of 40,000 and over, 1927

Int. list No.	Causes of death — Causes de décès		Total	Montreal	Toronto	Winnipeg	Vancouver	Hamilton	Ottawa	Quebec	Calgary	London	Edmonton	Halifax	St. John
	DEATHS—ALL CAUSES—DÉCÈS—TOUTES CAUSES.	**Total**	**29,696**	**11,034**	**6,263**	**1,656**	**1,754**	**1,353**	**1,536**	**2,091**	**615**	**1,058**	**789**	**876**	**671**
		M.	**15,609**	**5,751**	**3,207**	**912**	**1,088**	**695**	**752**	**1,067**	**345**	**524**	**463**	**468**	**337**
		F.	**14,087**	**5,283**	**3,056**	**744**	**666**	**658**	**784**	**1,024**	**270**	**534**	**326**	**408**	**334**
	CLASS I—EPIDEMIC, ENDEMIC AND INFECTIOUS DISEASES—CLASSE I—AFFECTIONS ÉPIDÉMIQUES, ENDÉMIQUES ET INFECTIEUSES	**Total**	**4,912**	**2,352**	**670**	**257**	**327**	**124**	**215**	**402**	**67**	**130**	**125**	**166**	**77**
		M.	**2,539**	**1,177**	**338**	**158**	**198**	**69**	**100**	**202**	**32**	**66**	**72**	**85**	**42**
		F.	**2,373**	**1,175**	**332**	**99**	**129**	**55**	**115**	**200**	**35**	**64**	**53**	**81**	**35**
1	Typhoid and paratyphoid fever—	M.	338	312	3	6	5	2	5	2	–	–	2	–	1
	Fièvre typhoïde et paratyphoïde.	F.	295	280	3	2	–	1	4	2	–	–	3	–	–
	(a) Typhoid fever—Fièvre typhoïde.	M.	335	309	3	6	5	2	5	2	–	–	2	–	1
		F.	292	278	3	1	–	1	4	2	–	–	3	–	–
	(b) Paratyphoid fever—Fièvre paratyphoïde.	M.	3	3	–	–	–	–	–	–	–	–	–	–	–
		F.	3	2	–	1	–	–	–	–	–	–	–	–	–
5	Malaria—Fièvre et cachexie paludéennes	M.	1	–	1	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
6	Small-pox—Variole	M.	2	–	1	–	–	–	–	–	–	1	–	–	–
		F.	1	–	–	–	–	–	–	–	1	–	–	–	–
7	Measles—Rougeole	M.	57	33	5	1	8	3	2	4	–	–	1	–	–
		F.	37	19	5	2	7	–	1	2	–	–	–	–	1
8	Scarlet fever—Scarlatine	M.	66	22	10	5	2	2	1	14	2	1	2	1	4
		F.	48	23	10	1	2	2	1	6	–	–	2	1	–
9	Whooping-cough—Coqueluche	M.	82	45	5	4	1	1	7	11	1	–	2	3	2
		F.	117	60	14	3	3	3	9	13	–	–	2	8	2
10	Diphtheria—Diphtérie	M.	251	116	58	21	11	–	13	11	2	4	3	7	5
		F.	206	101	56	14	4	1	7	6	–	7	1	6	3
11	Influenza—Grippe	M.	303	64	49	32	40	14	19	41	7	21	11	3	2
		F.	330	69	61	23	40	9	19	42	12	32	10	8	5
	(a) Sole cause—Cause unique	M.	26	5	2	8	2	–	–	4	–	3	2	–	–
		F.	30	6	1	3	4	–	–	4	1	3	3	3	2
	(b) With phthisis—Avec phtisie	M.	7	4	–	1	–	–	–	–	–	2	–	–	–
		F.	12	6	1	–	2	–	1	2	–	–	–	–	–
	(c) With bronchitis—Avec bronchite.	M.	15	6	1	1	–	–	4	2	–	–	–	1	–
		F.	21	9	3	–	1	–	3	4	–	–	–	1	–
	(d) With pneumonia—Avec pneumonie.	M.	142	29	21	11	25	9	5	21	5	10	4	1	1
		F.	125	27	23	9	18	3	8	13	5	15	2	–	2
	(e) With other respiratory diseases —Avec autres affections de l'appareil respiratoire.	M.	17	4	1	2	1	–	–	7	–	–	2	–	–
		F.	20	6	–	1	1	–	1	9	–	–	–	2	–
	(f) With diseases and accidents of pregnancy and parturition—Avec affections et accidents de la grossesse.	F.	6	1	–	–	1	1	–	–	–	2	–	1	–
	(g) With other causes—Avec autres causes	M.	96	16	24	9	12	5	10	7	2	6	3	1	1
		F.	116	14	33	10	13	5	6	10	6	12	5	1	1
13	Mumps—Oreillons	M.	4	2	–	–	–	–	–	2	–	–	–	–	–
		F.	2	1	1	–	–	–	–	–	–	–	–	–	–
16	Dysentery—Dysenterie	M.	4	2	–	1	–	–	–	–	–	1	–	–	–
		F.	6	–	1	–	2	2	1	–	–	–	–	–	–
21	Erysipelas—Érysipèle	M.	66	15	24	5	2	5	5	3	1	2	2	1	1
		F.	71	28	20	4	2	1	3	5	1	1	1	4	1
22	Acute anterior poliomyelitis—Poliomyélite aiguë.	M.	20	2	–	1	5	1	–	–	1	–	8	1	1
		F.	16	3	1	–	1	1	–	1	2	–	5	2	–
23	Lethargic encephalitis—Encéphalite léthargique.	M.	23	6	7	2	2	–	3	–	1	1	1	–	–
		F.	22	5	10	2	1	–	–	–	–	–	1	–	3
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique.	M.	44	15	4	6	5	4	1	3	–	–	3	3	–
		F.	28	10	6	1	1	2	–	1	3	–	3	1	–
25	Other epidemic and endemic diseases —Autres affections épidémiques et endémiques	M.	5	1	2	–	–	1	–	–	–	–	–	–	1
		F.	9	3	4	–	1	–	–	–	–	–	1	–	–
	(a) Chicken-pox—Varicelle	M.	2	–	–	–	–	1	–	–	–	–	–	–	1
		F.	7	3	3	–	1	–	–	–	–	–	–	–	–
	(b) German measles—Rubéole	M.	3	1	2	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	1	–	–	–	–	–	–	–	1	–	–
28	Rabies—Rage	M.	2	2	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
29	Tetanus—Tétanos	M.	8	5	2	–	–	1	–	–	–	–	–	–	–
		F.	3	2	1	–	–	–	–	–	–	–	–	–	–
30	Mycoses	M.	1	–	–	–	–	1	–	–	–	–	–	–	–
		F.	2	–	1	1	–	–	–	–	–	–	–	–	–
31-37	**Tuberculosis—Tuberculose**	**M.**	**1,034**	**463**	**130**	**56**	**106**	**18**	**34**	**83**	**15**	**25**	**30**	**57**	**17**
		F.	**1,030**	**510**	**113**	**38**	**57**	**25**	**62**	**103**	**12**	**20**	**22**	**49**	**19**
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire.	M.	805	384	87	40	89	13	30	58	12	21	17	47	7
		F.	829	440	82	30	35	18	54	75	9	17	12	41	16
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central.	M.	95	30	17	6	8	3	3	14	1	–	3	3	7
		F.	95	26	13	2	15	2	2	16	2	3	8	6	–

TABLEAU 31—Causes de décès selon le sexe dans les cités de 40,000 et plus, 1927

Int. list No.	Causes of death — Causes de décès		Total	Montreal	Toronto	Winnipeg	Vancouver	Hamilton	Ottawa	Quebec	Calgary	London	Edmonton	Halifax	St. John
	CLASS I-con.—CLASSE I-fin														
33	Tuberculosis of the intestines and peritoneum—Tuberculose des intestins et du péritoine.	M.	32	15	6	–	2	1	1	3	–	2	1	1	–
		F.	31	13	5	2	3	2	1	3	–	–	1	1	–
34	Tuberculosis of the vertebral column—Tuberculose de la colonne vertébrale.	M.	13	5	4	1	–	–	–	1	–	1	1	–	–
		F.	15	8	1	–	2	1	–	1	–	–	–	1	1
35	Tuberculosis of the joints—Tuberculose articulaire.	M.	8	2	1	–	–	–	–	2	–	–	–	2	1
		F.	7	–	3	1	–	1	–	1	–	–	1	–	–
36	Tuberculosis of other organs—Tuberculose d'autres organes.	M.	40	16	5	3	2	–	–	4	2	1	4	2	1
		F.	27	13	3	2	1	1	2	5	–	–	–	–	–
	(a) Skin and sub-cutaneous cellular tissue—De la peau et du tissu cellulaire sous-cutané.	M.	3	1	–	–	–	–	–	–	1	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
	(b) Bones (vertebral column excepted)—Des os (excepté la colonne vertébrale).	M.	9	4	1	1	–	–	–	2	–	–	–	1	–
		F.	9	4	2	–	1	–	1	1	–	–	–	–	–
	(c) Lymphatic system (mesenteric and retroperitoneal glands excepted)—Du système lymphatique (excepté les ganglions rétropéritonéaux).	M.	6	1	1	1	–	–	–	2	–	–	1	–	–
		F.	7	4	–	–	–	–	–	3	–	–	–	–	–
	(d) Genito-urinary system—Des organes génito-urinaires.	M.	17	9	–	1	2	–	–	–	1	1	2	1	–
		F.	9	5	1	1	–	1	–	1	–	–	–	–	–
	(e) Organs other than above—Autres organes que ceux déjà mentionnés.	M.	5	1	3	–	–	–	–	–	–	–	1	–	–
		F.	2	–	–	1	–	–	1	–	–	–	–	–	–
37	Disseminated tuberculosis—Tuberculose disséminée.	M.	41	11	10	6	5	1	–	1	–	–	4	2	1
		F.	26	10	6	1	1	–	3	2	1	–	–	–	2
	(a) Acute—Aiguë	M.	27	8	5	3	4	1	–	1	–	–	3	2	–
		F.	17	5	5	1	1	–	2	1	–	–	–	–	2
	(b) Chronic or unstated—Chronique ou non spécifiée.	M.	14	3	5	3	1	–	–	–	–	–	1	–	1
		F.	9	5	1	–	–	–	1	1	1	–	–	–	–
38	Syphilis	M.	119	37	23	11	2	5	5	17	–	5	2	8	4
		F.	67	32	9	4	3	2	5	7	1	1	1	2	–
40	Gonococcus infection—Gonococcie	M.	3	2	1	–	–	–	–	–	–	–	–	–	–
		F.	5	2	2	1	–	–	–	–	–	–	–	–	–
41	Purulent infection, septicaemia—Infection purulente, septicémie.	M.	106	33	13	7	9	11	5	11	2	5	5	1	4
		F.	78	27	14	3	5	6	3	12	3	3	1	–	1
	CLASS II—GENERAL DISEASES NOT INCLUDED IN CLASS I—CLASSE II—MALADIES GÉNÉRALES NON MENTIONNÉES DANS LA CLASSE I.	**Total**	**3,953**	**1,065**	**1,055**	**297**	**296**	**216**	**221**	**159**	**116**	**160**	**153**	**119**	**96**
		M.	**1,841**	**490**	**463**	**157**	**164**	**87**	**98**	**76**	**59**	**63**	**88**	**55**	**41**
		F.	**2,112**	**575**	**592**	**140**	**132**	**129**	**123**	**83**	**57**	**97**	**65**	**61**	**55**
43-49	Cancer	M.	1,227	328	307	101	109	58	65	51	33	43	65	40	27
		F.	1,442	385	403	101	98	91	75	58	31	74	45	44	37
43	Cancer of the buccal cavity—Cancer de la cavite buccale.	M.	99	26	20	10	6	3	8	12	–	1	5	8	–
		F.	23	9	4	2	1	3	2	–	–	–	2	–	–
44	Cancer of the stomach and liver—Cancer de l'estomac et du foie.	M.	548	173	120	43	54	20	29	23	17	17	28	13	11
		F.	401	125	87	22	23	39	25	22	6	18	10	10	14
45	Cancer of the peritoneum, intestines and rectum—Cancer du péritoine, des intestins et du rectum.	M.	218	50	65	16	14	15	10	8	7	6	14	8	5
		F.	225	54	66	11	15	10	11	13	6	10	15	7	7
46	Cancer of the female genital organs—Cancer des organes génitaux de la femme.	F.	334	96	100	34	28	12	15	6	6	13	6	10	8
47	Cancer of the breast—Cancer du sein.	M.	4	1	1	–	1	–	–	–	–	–	–	–	1
		F.	243	64	82	14	14	10	10	11	7	14	6	8	3
48	Cancer of the skin—Cancer de la peau.	M.	24	8	3	1	3	–	1	1	–	1	2	3	1
		F.	17	6	2	1	–	1	1	1	–	3	–	1	1
49	Cancer of other or unspecified organs—Cancer d'autres organes ou d'organes non spécifiés.	M.	334	70	98	31	31	20	17	7	9	18	16	8	9
		F.	199	31	62	17	17	16	11	5	6	16	6	8	4
	(a) Other—Autres	M.	333	69	98	31	31	20	17	7	9	18	16	8	9
		F.	197	30	62	17	17	16	11	5	6	15	6	8	4
	(b) Unspecified—Non spécifiés	M.	1	1	–	–	–	–	–	–	–	–	–	–	–
		F.	2	1	–	–	–	–	–	–	–	1	–	–	–
50	Benign tumours and tumours not returned as malignant (tumours of female genital organs excepted)—Tumeurs bénignes et tumeurs non données comme malignes (tumeurs des organes génitaux de la femme exceptées).	M.	15	3	4	–	1	1	1	1	–	2	1	1	–
		F.	17	2	4	3	1	1	1	2	–	–	–	3	–
51	Acute rheumatic fever—Rhumatisme articulaire aigu fébrile.	M.	51	18	13	3	5	3	6	1	–	–	1	–	1
		F.	44	16	10	2	3	3	2	1	3	1	1	1	1
52	Chronic rheumatism, osteo-arthritis, gout—Rhumatisme chronique ou goutte.	M.	10	6	1	–	–	–	–	2	–	–	1	–	–
		F.	21	7	1	4	2	–	1	–	2	–	1	3	–

TABLE 31—Causes of death by sex in cities of 40,000 and over, 1927—*con.*

Int. list No.	Causes of death / Causes de décès		Total	Montreal	Toronto	Winnipeg	Vancouver	Hamilton	Ottawa	Quebec	Calgary	London	Edmonton	Halifax	St. John
	CLASS II-con.—CLASSE II-fin														
53	Scurvy—Scorbut	M.	1	–	1	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
54	Pellagra—Pellagre	M.	1	–	–	–	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
56	Rickets—Rachitisme	M.	37	21	3	3	–	–	–	5	2	–	1	1	1
		F.	18	7	3	1	2	–	2	3	–	–	–	–	–
57	Diabetes mellitus—Diabète	M.	155	48	37	11	15	14	7	4	7	2	5	1	4
		F.	212	84	48	12	9	11	13	7	6	6	4	5	7
58	Anaemia, chlorosis—Anémie, chlorose.	M.	77	13	21	5	13	1	5	2	2	5	2	6	2
		F.	108	29	34	2	3	7	12	3	5	7	1	1	4
	(a) Pernicious anaemia—Anémie pernicieuse.	M.	67	9	19	5	11	1	5	2	2	5	1	5	2
		F.	91	21	30	2	3	7	9	3	5	7	1	1	2
	(b) Other anaemias and chlorosis—Autres anémies et chloroses.	M.	10	4	2	–	2	–	–	–	–	–	1	1	–
		F.	17	8	4	–	–	–	3	–	–	–	–	–	2
59	Diseases of the pituitary gland—Affections du corps pituitaire.	M.	1	–	–	–	–	–	–	–	–	–	1	–	–
		F.	2	–	–	–	2	–	–	–	–	–	–	–	–
60	Diseases of the thyroid gland—Affections de la glande thyroïde.	M.	37	5	15	2	3	2	2	1	1	4	2	–	–
		F.	151	23	62	12	8	9	6	4	7	6	9	4	1
	(a) Exophthalmic goiter—Goitre exophtalmique.	M.	26	4	10	1	3	2	1	–	1	2	2	–	–
		F.	76	12	26	6	3	4	3	2	7	4	7	2	–
	(b) Other diseases of the thyroid gland—Autres affections de la glande thyroïde.	M.	11	1	5	1	–	–	1	1	–	2	–	–	–
		F.	75	11	36	6	5	5	3	2	–	2	2	2	1
61	Diseases of the parathyroid glands—Affections des glandes parathyroïdes.	M.	9	4	–	–	1	1	1	2	–	–	–	–	–
		F.	8	2	1	–	1	–	2	1	–	1	–	–	–
62	Diseases of the thymus—Affections du thymus.	M.	30	4	9	3	4	–	1	2	2	–	2	–	3
		F.	18	3	8	–	–	1	–	4	–	–	–	–	2
63	Diseases of the adrenals (Addison's disease)—Affections des glandes surrénales (maladie d'Addison).	M.	9	3	2	1	–	–	1	1	–	1	–	–	–
		F.	10	2	3	–	1	–	2	–	1	–	–	1	–
64	Diseases of the spleen—Affections de la rate.	M.	6	2	–	1	–	1	–	–	–	1	–	1	–
		F.	5	1	1	–	1	–	1	–	–	–	1	–	–
35	Leukaemia, lymphadenoma—Leucémie, lymphadénie.	M.	44	7	17	5	4	3	2	–	4	1	–	1	–
		F.	29	3	10	2	1	3	3	–	1	1	1	2	2
	(a) Leukaemia—Leucémie	M.	30	5	10	3	4	1	1	–	4	1	–	1	–
		F.	22	3	7	2	1	2	2	–	–	1	1	1	2
	(b) Lymphadenoma (Hodgkin's disease)—Lymphadénie (maladie d'Hodgkin).	M.	14	2	7	2	–	2	1	–	–	–	–	–	–
		F.	7	–	3	–	–	1	1	–	1	–	–	1	–
	Alcoholism—Alcoolisme	M.	89	22	23	21	5	–	3	2	3	2	3	2	3
		F.	6	2	1	–	–	2	–	–	–	–	1	–	–
	(a) Delirium tremens	M.	4	–	1	–	–	–	1	1	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
	(b) Acute alcoholism—Alcoolisme aigu.	M.	61	6	19	21	2	–	2	1	2	2	2	1	3
		F.	2	1	1	–	–	–	–	–	–	–	–	–	–
	(c) Chronic alcoholism—Alcoolisme chronique.	M.	24	16	3	–	3	–	–	–	1	–	–	1	–
		F.	4	1	–	–	–	2	–	–	–	–	1	–	–
67	Chronic poisoning by mineral substances—Empoisonnements chroniques par substances minérales.	M.	6	1	1	–	–	–	1	–	–	2	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
	(a) Chronic lead poisoning—Empoisonnements chroniques par le plomb.	M.	5	1	1	–	–	–	1	–	–	1	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
	(b) Others under this title—Autres sous ce titre.	M.	1	–	–	–	–	–	–	–	–	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
68	Chronic organic poisoning—Empoisonnements chroniques par substances organiques.	M.	5	2	1	–	1	–	–	–	–	–	1	–	–
		F.	1	1	–	–	–	–	–	–	–	–	–	–	–
	(a) Chronic morphinism—Morphinisme chronique.	M.	3	1	–	–	1	–	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
	(b) Chronic cocainism, etc.—Cocaïnisme chronique, etc.	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
	(c) Other organic poisoning—Autres empoisonnements organiques.	M.	2	1	1	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–	–	–	–
69	Other general diseases—Autres maladies générales.	M.	31	3	8	1	3	3	2	2	5	–	3	1	–
		F.	20	8	3	1	–	1	3	–	1	1	1	–	1
	(a) Diabetes insipidus—Diabète insipide.	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	1	1	–	–	–	–	–	–	–	–	–	–
	(b) Haemophilia—Hémophilie	M.	11	–	1	–	3	1	–	1	3	–	2	–	–
		F.	6	2	1	1	–	–	1	–	–	1	–	–	–
	(c) Purpura haemorrhagica—Purpura hémorragique.	M.	14	2	5	–	–	2	1	1	1	–	1	1	–
		F.	10	5	1	–	–	1	–	–	1	–	1	–	1
	(d) Others under this title—Autres sous ce titre.	M.	6	1	2	1	–	–	1	–	1	–	–	–	–
		F.	2	–	–	–	–	–	2	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe dans les cités de 40,000 et plus, 1927—*suite*

Int. list No.	Causes of death — Causes de décès		Total	Montreal	Toronto	Winnipeg	Vancouver	Hamilton	Ottawa	Quebec	Calgary	London	Edmonton	Halifax	St. John
	CLASS III—DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE—CLASSE III—AFFECTIONS DU SYSTÈME NERVEUX ET DES ORGANES DES SENS.	Total	**1,951**	**662**	**442**	**108**	**111**	**112**	**94**	**136**	**36**	**78**	**48**	**69**	**55**
		M.	**968**	**344**	**218**	**45**	**61**	**52**	**38**	**66**	**20**	**37**	**31**	**30**	**26**
		F.	**983**	**318**	**224**	**63**	**50**	**60**	**56**	**70**	**16**	**41**	**17**	**39**	**29**
70	Encephalitis—Encéphalite	M.	32	9	5	4	3	2	1	1	1	4	1	1	–
		F.	26	6	6	4	2	2	1	1	–	1	2	–	1
	(a) Abscess of brain—Abcès du cerveau.	M.	14	2	2	2	2	2	1	1	–	1	–	1	–
		F.	9	3	1	3	1	–	–	–	–	–	1	–	–
	(b) Encephalitis—Encéphalite	M.	18	7	3	2	1	–	–	–	1	3	1	–	–
		F.	17	3	5	1	1	2	1	1	–	1	1	–	1
71	Meningitis—Méningite	M.	102	58	11	3	5	2	1	13	2	4	1	2	–
		F.	92	55	5	4	–	6	5	13	–	3	–	1	–
	(a) Simple meningitis—Méningite simple.	M.	102	58	11	3	5	2	1	13	2	4	1	2	–
		F.	92	55	5	4	–	6	5	13	–	3	–	1	–
	(b) Non-epidemic, cerebrospinal meningitis—Méningite cérébro-spinale non épidémique.	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
72	Tabes dorsalis (locomotor ataxia)—Ataxie locomotrice progressive.	M.	23	10	3	1	3	2	1	–	–	–	1	1	1
		F.	7	4	1	–	1	–	–	–	–	–	–	1	–
73	Other diseases of the spinal cord—Autres affections de la moelle épinière.	M.	70	16	27	1	6	4	4	3	2	2	2	2	1
		F.	52	11	19	3	5	5	4	2	–	2	–	–	1
74	Cerebral haemorrhage, apoplexy—Hémorragie cérébrale, apoplexie.	M.	324	104	86	10	19	30	13	13	4	7	13	11	14
		F.	387	81	106	29	17	34	22	29	7	17	8	21	16
	(a) Apoplexy—Apoplexie	M.	100	28	23	1	4	11	5	5	1	4	8	6	4
		F.	95	13	25	3	2	8	5	7	4	12	4	8	4
	(b) Cerebral haemorrhage—Hémorragie cérébrale.	M.	206	72	57	7	15	19	7	7	3	3	5	3	8
		F.	268	63	69	26	14	26	15	21	3	4	3	13	11
	(c) Cerebral thrombosis and embolism—Thrombose et embolie cérébrales.	M.	18	4	6	2	–	–	1	1	–	–	–	2	2
		F.	24	5	12	–	1	–	2	1	–	1	1	–	1
75	Paralysis without specified cause—Paralysie sans cause indiquée.	M.	103	47	20	3	5	1	6	5	1	6	1	3	5
		F.	129	61	22	3	3	4	14	10	3	3	1	3	2
	(a) Hemiplegia—Hémiplégie	M.	52	11	16	2	5	1	4	2	1	4	–	2	4
		F.	66	21	17	3	1	3	9	2	3	2	–	3	2
	(b) Others under this title—Autres sous ce titre.	M.	51	36	4	1	–	–	2	3	–	2	1	1	1
		F.	63	40	5	–	2	1	5	8	–	1	1	–	–
76	General paralysis of the insane—Paralysie générale des aliénés.	M.	17	4	10	1	–	–	–	–	–	2	–	–	–
		F.	10	4	4	1	–	–	1	–	–	–	–	–	–
77	Other forms of mental alienation—Autres formes de l'aliénation mentale.	M.	24	11	4	1	2	–	–	1	–	4	1	–	–
		F.	35	15	2	1	1	5	–	–	1	7	–	2	1
78	Epilepsy—Épilepsie	M.	40	13	9	–	2	2	1	3	1	4	1	4	–
		F.	44	18	8	1	3	1	2	2	2	3	1	2	1
79	Convulsions (non-puerperal, 5 years or over)—Éclampsie (non-puerpérale, cinq ans ou au-dessus).	M.	1	–	–	–	–	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
80	Infantile convulsions (under 5 years of age)—Convulsions des enfants (moins de cinq ans).	M.	54	26	–	2	–	–	2	17	–	2	2	1	2
		F.	44	18	6	2	2	1	3	5	–	1	1	3	2
81	Chorea—Chorée	M.	2	–	–	–	–	1	–	–	–	–	–	–	1
		F.	3	–	–	–	–	–	–	–	–	–	3	–	–
82	Neuralgia and neuritis—Névralgie et névrite.	M.	6	1	2	–	2	–	1	–	–	–	–	–	–
		F.	7	2	1	1	1	–	1	–	–	1	–	–	–
83	Softening of the brain—Ramollissement du cerveau	M.	7	3	–	–	1	–	1	2	–	–	–	–	–
		F.	11	3	2	1	1	–	–	4	–	–	–	–	–
84	Other diseases of the nervous system—Autres affections du système nerveux.	M.	56	10	14	8	6	4	4	1	2	1	4	2	–
		F.	59	12	20	6	4	1	2	–	2	3	–	6	3
85	Diseases of the eye and annexa—Affections de l'œil et de ses annexes.	M.	5	1	2	1	–	–	–	–	–	–	–	1	–
		F.	3	1	1	–	1	–	–	–	–	–	–	–	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien.	M.	102	31	25	10	7	4	3	6	7	1	4	2	2
		F.	74	27	21	7	9	1	1	4	1	–	1	–	2
	(a) Diseases of the ear—Affections de l'oreille.	M.	52	12	14	7	4	2	–	4	5	1	1	–	2
		F.	35	10	16	4	1	–	–	1	1	–	–	–	2
	(b) Diseases of the mastoid process—Affections du sinus mastoïdien.	M.	50	19	11	3	3	2	3	2	2	–	3	2	–
		F.	39	17	5	3	8	1	1	3	–	–	1	–	–
	CLASS IV—DISEASES OF THE CIRCULATORY SYSTEM—CLASSE IV—AFFECTIONS DE L'APPAREIL CIRCULATOIRE.	Total	**5,120**	**1,391**	**1,600**	**283**	**277**	**286**	**335**	**178**	**113**	**257**	**108**	**159**	**133**
		M.	**2,695**	**735**	**820**	**155**	**170**	**134**	**174**	**88**	**67**	**127**	**64**	**91**	**70**
		F.	**2,425**	**656**	**780**	**128**	**107**	**152**	**161**	**90**	**46**	**130**	**44**	**68**	**63**
87-90	**Diseases of the heart—Affections du cœur.**	M.	**1,781**	**538**	**494**	**106**	**83**	**99**	**130**	**70**	**46**	**81**	**37**	**52**	**45**
		F.	**1,605**	**489**	**450**	**85**	**64**	**101**	**116**	**67**	**33**	**83**	**32**	**35**	**50**
87	Pericarditis—Péricardite	M.	27	14	4	2	2	2	1	–	–	–	–	2	–
		F.	11	6	–	1	2	1	1	–	–	–	–	–	–
88	Endocarditis and myocarditis (acute)—Endocardite et myocardite (aiguës).	M.	77	27	23	4	3	6	4	2	4	1	1	2	–
		F.	86	27	22	7	3	9	7	2	3	–	4	1	1

TABLE 31—Causes of death by sex in cities of 40,000 and over, 1927—*con.*

Int. list No.	Causes of death — Causes de décès		Total	Montreal	Toronto	Winnipeg	Vancouver	Hamilton	Ottawa	Quebec	Calgary	London	Edmonton	Halifax	St. John
	CLASS IV-con.—**CLASSE IV**-fin														
88	(a) Acute endocarditis—Endocardite aiguë.	M.	46	14	15	2	2	5	3	1	2	–	–	2	–
		F.	51	16	14	4	3	4	4	–	1	–	3	1	1
	(b) Acute myocarditis—Myocardite aiguë.	M.	31	13	8	2	1	1	1	1	2	1	1	–	–
		F.	35	11	8	3	–	5	3	2	2	–	1	–	–
89	Angina pectoris—Angine de poitrine	M.	268	62	98	14	15	11	15	17	3	16	6	9	2
		F.	131	32	58	5	5	2	12	5	1	5	2	2	2
90	Other diseases of the heart—Autres affections du cœur.	M.	1,409	435	369	86	63	80	110	51	39	64	30	39	43
		F.	1,377	424	370	72	54	89	96	60	29	78	26	32	47
	(a) Valvular disease — Affection valvulaire.	M.	230	67	74	14	14	20	4	4	5	9	4	13	2
		F.	244	59	77	11	9	22	12	14	2	10	7	17	4
	(b) Fatty degeneration of the heart—Dégénérescence ou stéatose du cœur.	M.	6	3	1	–	–	–	–	–	1	–	1	–	–
		F.	6	3	1	–	1	–	–	–	–	–	–	–	1
	(c) Aortic insufficiency—Insufisance aortique.	M.	1	1	–	–	–	–	–	–	–	–	–	–	–
		F.	5	5	–	–	–	–	–	–	–	–	–	–	–
	(d) Chronic endocarditis—Endocardite chronique.	M.	215	83	49	11	14	10	21	6	9	1	5	–	6
		F.	263	109	63	16	13	13	10	8	8	5	5	2	11
	(e) Chronic myocarditis—Myocardite chronique.	M.	685	165	207	46	29	43	68	14	20	39	17	9	28
		F.	629	165	180	34	22	45	68	14	18	43	9	6	25
	(f) Others under this title—Autres sous ce titre.	M.	272	116	38	15	6	7	17	27	4	15	3	17	7
		F.	230	83	49	11	9	9	6	24	1	20	5	7	6
91	Diseases of the arteries—Affections des artères.	M.	860	186	305	42	85	33	43	16	21	44	25	38	22
		F.	778	158	317	40	42	49	42	19	13	45	12	29	12
	(a) Aneurysm—Anévrisme	M.	51	8	16	5	14	3	–	–	–	1	3	–	1
		F.	15	2	4	3	2	–	1	–	–	1	2	–	–
	(b) Arteriosclerosis—Artério-sclérose.	M.	802	176	289	35	71	28	43	16	21	43	21	38	21
		F.	759	155	311	37	40	49	41	19	13	44	10	29	11
	(c) Other diseases of the arteries—Autres affections des artères.	M.	7	2	–	2	–	2	–	–	–	–	1	–	–
		F.	4	1	2	–	–	–	–	–	–	–	–	–	1
92	Embolism and thrombosis (not cerebral)—Embolie et thrombose (non cérébrales).	M.	30	3	13	7	1	–	–	2	–	1	1	1	1
		F.	23	4	8	3	1	1	1	3	–	2	–	–	–
93	Diseases of the veins (varices, haemorrhoids, phlebitis, etc.)—Affections des veines (varices, hémorroïdes, phlébite, etc.).	M.	12	2	5	–	1	1	1	–	–	1	1	–	–
		F.	11	2	4	–	–	–	2	–	–	–	–	2	1
94	Diseases of the lymphatic system (lymphangitis, etc.)—Affections du système lymphatique (lymphangite, etc.).	M.	7	3	2	–	–	1	–	–	–	–	–	–	1
		F.	5	2	1	–	–	–	–	1	–	–	–	1	–
95	Haemorrhage without specified cause —Hémorragie sans cause déterminée	M.	5	3	1	–	–	–	–	–	–	–	–	–	1
		F.	1	–	–	–	–	1	–	–	–	–	–	–	–
96	Other diseases of the circulatory system—Autres affections de l'appareil circulatoire.	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	1	–	–	–	–	–	–	–	–	–	1	–
	CLASS V—DISEASES OF THE RESPIRATORY SYSTEM — CLASSE V—AFFECTIONS DE L'APPAREIL RESPIRATOIRE.	Total	2,628	957	530	163	155	142	117	219	45	101	48	86	65
		M.	1,445	499	310	90	108	96	57	102	24	48	29	53	29
		F.	1,183	458	220	73	47	46	60	117	21	53	19	33	36
97	Diseases of the nasal fossae and their annexa—Affections des fosses nasales et de leurs annexes.	M.	5	1	1	–	1	–	–	–	–	–	2	–	–
		F.	2	–	–	–	1	–	–	–	–	–	1	–	–
98	Diseases of the larynx—Affections du larynx.	M.	28	14	5	3	2	1	–	1	1	1	–	–	–
		F.	19	12	3	1	1	–	–	1	1	–	–	–	–
	(a) Laryngismus stridulus—Laryngite striduleuse.	M.	6	6	–	–	–	–	–	–	–	–	–	–	–
		F.	4	4	–	–	–	–	–	–	–	–	–	–	–
	(b) Laryngitis—Laryngite	M.	8	1	5	1	–	1	–	–	–	–	–	–	–
		F.	6	2	2	–	1	–	–	–	1	–	–	–	–
	(c) Croup	M.	5	2	–	1	–	–	–	1	–	1	–	–	–
		F.	4	2	1	–	–	–	–	1	–	–	–	–	–
	(d) Other diseases of the larynx—Autres affections du larynx.	M.	9	5	–	1	2	–	–	–	1	–	–	–	–
		F.	5	4	–	1	–	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite	M.	45	15	9	4	–	1	2	8	1	–	–	3	2
		F.	51	21	8	4	1	3	4	6	1	–	2	1	–
	(a) Acute—Aiguë	M.	24	8	3	3	–	–	1	7	–	–	–	1	1
		F.	20	9	4	2	1	–	1	2	–	–	–	1	–
	(b) Chronic—Chronique	M.	12	3	4	1	–	–	–	–	1	–	–	2	1
		F.	22	7	3	2	–	2	1	4	1	–	2	–	–
	(c) Not otherwise defined, under 5 years of age—Sans épithète, au-dessous de cinq ans.	M.	1	–	–	–	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
	(d) Not otherwise defined, 5 years or over—Sans épithète, cinq ans ou au-dessus.	M.	8	4	2	–	–	1	–	1	–	–	–	–	–
		F.	9	5	1	–	–	1	2	–	–	–	–	–	–
100	Bronchopneumonia (including capillary bronchitis)—Broncho-pneumonie (y compris bronchite capillaire).	M.	496	180	97	35	25	30	13	55	6	14	13	24	4
		F.	439	174	78	30	10	12	16	51	8	24	3	18	15
	(a) Bronchopneumonia — Broncho-pneumonie.	M.	481	173	96	35	25	29	13	49	6	14	13	24	4
		F.	420	161	78	30	10	12	16	45	8	24	3	18	15

TABLEAU 31—Causes de décès selon le sexe dans les cités de 40,000 et plus, 1927—*suite*

Int. list No.	Causes of death — Causes de décès		Total	Montreal	Toronto	Winnipeg	Vancouver	Hamilton	Ottawa	Quebec	Calgary	London	Edmonton	Halifax	St. John
	CLASS V-con.—CLASSE V-fin														
100	(b) Capillary bronchitis—Bronchite capillaire.	M.	15	7	1	–	–	1	–	6	–	–	–	–	–
		F.	19	13	–	–	–	–	–	6	–	–	–	–	–
101	Pneumonia—Pneumonie	M.	654	188	164	41	60	54	32	20	15	27	14	20	19
		F.	507	170	114	29	33	28	31	30	11	22	11	11	17
	(a) Lobar—Lobaire	M.	417	86	119	39	51	29	24	11	15	10	11	13	9
		F.	304	87	66	28	26	19	18	12	11	11	9	6	11
	(b) Not otherwise defined—Sans épithète.	M.	237	102	45	2	9	25	8	9	–	17	3	7	10
		F.	203	83	48	1	7	9	13	18	–	11	2	5	6
102	Pleurisy—Pleurésie	M.	82	39	13	4	8	4	4	5	1	2	–	2	–
		F.	59	32	8	2	–	1	5	7	–	3	–	1	–
103	Congestion and haemorrhagic infarct of the lung—Congestion et hémorragie parenchymateuse des poumons.	M.	55	32	4	1	2	–	2	11	–	1	–	1	1
		F.	59	27	5	2	–	1	2	17	–	2	1	2	–
104	Gangrene of the lung—Gangrène du poumon.	M.	7	6	1	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
105	Asthma—Asthme	M.	31	11	8	–	5	2	2	–	–	1	–	1	1
		F.	32	15	2	4	–	1	1	4	–	1	–	–	4
106	Pulmonary emphysema—Emphysème pulmonaire.	M.	12	9	1	1	–	–	–	1	–	–	–	–	–
		F.	4	3	–	–	–	–	–	1	–	–	–	–	–
107	Other diseases of the respiratory system (tuberculosis excepted)—Autres affections de l'appareil respiratoire (tuberculose exceptée).	M.	30	4	7	1	5	4	2	1	–	2	–	2	2
		F.	11	4	2	1	1	–	1	–	–	1	1	–	–
	(a) Chronic interstitial pneumonia including occupational diseases of the lungs—Pneumonie interstitielle chronique comprenant les affections professionnelles de l'appareil pulmonaire.	M.	2	–	1	–	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
	(b) Diseases of the mediastinum—Affections du médiastin.	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	1	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	28	4	6	1	4	4	2	1	–	2	–	2	2
		F.	10	4	2	–	1	–	1	–	–	1	1	–	–
	CLASS VI—DISEASES OF THE DIGESTIVE SYSTEM—CLASSE VI—AFFECTIONS DE L'APPAREIL DIGESTIF.	Total	3,572	1,703	551	172	125	103	143	125	75	72	90	57	56
		M.	1,947	897	306	94	84	56	72	244	48	39	52	29	32
		F.	1,625	806	251	78	41	47	71	181	27	33	38	28	24
108	Diseases of the mouth and annexa—Affections de la bouche et de ses annexes.	M.	11	1	2	3	–	1	2	1	–	1	–	–	–
		F.	11	5	2	1	1	–	–	–	–	–	1	–	1
109	Diseases of the pharynx and tonsils (including adenoid vegetations)—Affections du pharynx et des amygdales (y compris les végétations adénoïdiennes).	M.	74	15	35	4	5	2	–	3	4	3	2	1	–
		F.	73	19	35	3	4	2	1	2	1	1	2	3	–
	(a) Adenoid vegetations—Végétations adénoïdiennes.	M.	1	–	–	–	–	–	–	1	–	–	–	–	–
		F.	2	1	1	–	–	–	–	–	–	–	–	–	–
	(b) Pharynx and tonsils—Pharynx et amygdales.	M.	73	15	35	4	5	2	–	2	4	3	2	1	–
		F.	71	18	34	3	4	2	1	2	1	1	2	3	–
110	Diseases of the oesophagus—Affections de l'œsophage.	M.	4	2	2	–	–	–	–	–	–	–	–	–	–
		F.	2	–	1	–	–	–	–	1	–	–	–	–	–
111	Ulcer of the stomach and duodenum—Ulcère de l'estomac et du duodénum.	M.	151	31	47	13	24	5	6	5	4	5	5	3	3
		F.	36	8	13	5	–	–	1	5	–	2	1	1	–
	(a) Ulcer of the stomach—Ulcère de l'estomac.	M.	83	19	16	7	13	3	5	2	3	5	4	3	3
		F.	22	6	4	3	–	–	1	5	–	1	1	1	–
	(b) Ulcer of the duodenum—Ulcère du duodénum.	M.	68	12	31	6	11	2	1	3	1	–	1	–	–
		F.	14	2	9	2	–	–	–	–	–	1	–	–	–
112	Other diseases of the stomach (cancer excepted)—Autres affections de l'estomac (cancer excepté).	M.	112	64	11	1	3	5	7	12	2	2	2	1	2
		F.	118	75	8	3	2	1	6	15	–	5	–	–	3
113	Diarrhoea and enteritis (under 2 years of age)—Diarrhée et entérite (au-dessous de 2 ans).	M.	820	516	47	19	3	20	22	172	3	2	3	4	9
		F.	674	448	43	19	3	7	22	111	3	1	7	4	6
114	Diarrhoea and enteritis (2 years or over)—Diarrhée et entérite (deux ans ou au-dessus).	M.	78	38	12	5	4	1	1	8	1	6	–	2	–
		F.	76	33	13	3	3	4	3	8	–	4	3	2	–
116	Diseases due to other intestinal parasites—Affections dues à d'autres parasites intestinaux.	M.	1	1	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1	–	–	–
	(a) Cestodes (hydatids of the liver excepted)—Cestodes (non compris les hydatides du foie).	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
	(b) Trematodes—Trématodes	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
	(c) Nematodes (other than ankylostoma)—Nématodes (autres que ankylostomiase).	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 31—Causes of death by sex in cities of 40,000 and over, 1927—*con.*

Int. list No.	Causes of death — Causes de décès		Total	Montreal	Toronto	Winnipeg	Vancouver	Hamilton	Ottawa	Quebec	Calgary	London	Edmonton	Halifax	St. John
	CLASS VI-con.—CLASSE VI-fin														
116	(d) Coccidia—Coccidies.....	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
	(e) Other parasites specified—Autres parasites spécifiés.	M.	1	1	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1	–	–	–
	(f) Parasites not specified—Parasites non spécifiés.	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
117	Appendicitis and typhlitis—Appendicite et typhlite.	M.	282	80	59	20	16	10	13	20	21	5	24	9	5
		F.	181	50	46	13	4	6	10	14	12	4	13	5	4
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale.	M.	170	52	31	15	9	3	11	11	5	10	9	6	8
		F.	142	49	29	9	8	13	10	6	2	7	2	3	4
	(a) Hernia—Hernie.....	M.	67	20	15	4	1	2	5	2	3	4	4	2	5
		F.	43	16	7	5	–	4	2	3	1	1	1	–	3
	(b) Intestinal obstruction — Obstruction intestinale.	M.	103	32	16	11	8	1	6	9	2	6	5	4	3
		F.	99	33	22	4	8	9	8	3	1	6	1	3	1
119	Other diseases of the intestines—Autres affections des intestins.	M.	28	14	8	–	1	2	1	–	1	–	–	–	1
		F.	32	17	5	1	–	1	3	2	1	2	–	–	–
120	Acute yellow atrophy of the liver—Atrophie jaune aiguë du foie.	M.	5	2	1	–	1	–	–	1	–	–	–	–	–
		F.	10	2	1	2	2	1	–	2	–	–	–	–	–
122	Cirrhosis of the liver—Cirrhose du foie.	M.	81	34	18	3	8	2	6	4	1	–	2	1	2
		F.	41	21	4	2	3	2	4	1	–	1	1	2	–
	(a) Specified as alcoholic—Spécifiée comme alcoolique.	M.	2	1	–	–	–	–	–	–	–	–	–	1	–
		F.	1	–	1	–	–	–	–	–	–	–	–	–	–
	(b) Not specified as alcoholic—Non spécifiée comme alcoolique.	M.	79	33	18	3	8	2	6	4	1	–	2	–	2
		F.	40	21	3	2	3	2	4	1	–	1	1	2	–
123	Biliary calculi—Calculs biliaires.....	M.	26	10	4	3	3	–	1	1	–	1	3	–	–
		F.	72	29	16	4	2	3	4	4	2	–	4	2	2
124	Other diseases of the liver—Autres affections du foie.	M.	71	25	17	5	6	3	2	5	3	2	–	2	1
		F.	101	32	22	8	8	3	2	7	5	5	3	4	2
125	Diseases of the pancreas—Affections du pancréas.	M.	11	4	2	–	–	1	–	–	1	1	2	–	–
		F.	7	3	2	2	–	–	–	–	–	–	–	–	–
126	Peritonitis without specified cause—Péritonite sans cause indiquée.	M.	22	8	4	3	1	1	–	1	2	1	–	–	1
		F.	48	15	11	3	1	4	5	3	1	–	1	2	2
	CLASS VII—NON-VENEREAL DISEASES OF THE GENITO-URINARY SYSTEM AND ANNEXA—CLASSE VII — AFFECTIONS NON VÉNÉRIENNES DE L'APPAREIL GÉNITO-URINAIRE ET DE SES ANNEXES.	Total	**2,457**	**1,084**	**386**	**93**	**147**	**110**	**120**	**184**	**42**	**107**	**69**	**67**	**48**
		M.	**1,293**	**523**	**211**	**54**	**97**	**62**	**60**	**94**	**20**	**66**	**41**	**38**	**27**
		F.	**1,164**	**561**	**175**	**39**	**50**	**48**	**60**	**90**	**22**	**41**	**28**	**29**	**21**
128	Acute nephritis (including unspecified, under 10 years of age)—Néphrite aiguë (y compris non spécifiée au-dessous de dix ans).	M.	50	20	15	2	–	2	3	3	1	1	1	1	1
		F.	52	20	7	5	6	–	2	4	3	1	2	1	1
129	Chronic nephritis (including unspecified, 10 years of age or over)—Néphrite chronique (y compris non spécifiée, dix ans ou au-dessus).	M.	890	416	115	28	68	37	36	69	13	45	25	21	17
		F.	845	451	106	25	28	37	42	71	12	29	13	18	13
131	Other diseases of the kidneys and annexa—Autres affections des reins et de leurs annexes.	M.	57	17	11	6	3	4	5	2	2	2	3	2	–
		F.	55	8	25	2	4	4	4	1	1	4	1	–	1
132	Calculi of the urinary passages—Calculs des voies urinaires.	M.	22	8	3	1	4	3	1	–	–	–	2	–	–
		F.	7	1	1	–	3	–	–	–	1	–	1	–	–
133	Diseases of the bladder—Affections de la vessie.	M.	38	10	8	2	1	5	1	4	–	4	2	1	–
		F.	8	3	3	–	1	–	–	–	–	–	–	–	1
134	Diseases of the urethra, urinary abscess, etc.—Affections de l'urètre, F. abcès urineux, etc.	M.	15	3	7	1	1	1	–	1	–	1	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–	–	–	–
	(a) Stricture of the urethra—Rétrécissement de l'urètre.	M.	8	1	4	–	1	–	–	1	–	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
	(b) Other diseases of the urethra—Autres affections de l'urètre.	M.	7	2	3	1	–	1	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–	–	–	–
135	Diseases of the prostate—Affections de la prostate.	M.	216	47	50	14	20	10	13	15	4	13	8	13	9
136	Non-venereal diseases of the male genital organs—Affections non vénériennes des organes génitaux de l'homme.	M.	5	2	2	–	–	–	1	–	–	–	–	–	–
137	Cysts and other benign tumours of the ovary—Kystes et autres tumeurs bénignes de l'ovaire.	F.	53	20	12	2	2	1	5	3	2	1	1	2	2
138	Salpingitis and pelvic abscess—Salpingite et abcès du bassin.	F.	32	13	4	2	2	1	1	4	1	–	2	2	–
139	Benign tumours of the uterus—Tumeurs bénignes de l'utérus.	F.	29	6	7	1	2	1	1	1	1	4	4	1	–
140	Non-puerperal uterine haemorrhage—Hémorragie utérine non puerpérale.	F.	2	–	1	–	–	–	–	–	–	–	–	1	–
141	Other diseases of the female genital organs—Autres affections des organes génitaux de la femme.	F.	78	39	7	2	2	4	4	6	1	2	4	4	3

TABLEAU 31—Causes de décès selon le sexe dans les cités de 40,000 et plus, 1927—*suite*

Int. list No.	Causes of death — Causes de décès		Total	Montreal	Toronto	Winnipeg	Vancouver	Hamilton	Ottawa	Quebec	Calgary	London	Edmonton	Halifax	St. John
	CLASS VII–con.– **CLASSE VII**–fin														
142	Non-puerperal diseases of the breast (cancer excepted)—Affections non puerpérales du sein (cancer excepté).	F.	2	–	2	–	–	–	–	–	–	–	–	–	–
	CLASS VIII–THE PUERPERAL STATE—CLASSE VIII—ÉTAT PUERPÉRAL.	Total	**401**	**127**	**94**	**29**	**24**	**33**	**20**	**21**	**9**	**12**	**14**	**13**	**5**
143	Accidents of pregnancy—Accidents de la grossesse.	F.	32	11	7	4	1	2	–	1	1	3	1	1	–
	(a) Abortion—Avortement.....	F.	11	3	–	1	1	2	–	1	–	1	1	1	–
	(b) Ectopic gestation—Gestation ectopique.	F.	11	6	2	–	–	–	–	–	1	2	–	–	–
	(c) Others under this title—Autres sous ce titre.	F.	8	1	4	3	–	–	–	–	–	–	–	–	–
	(d) Abortion, self-induced—Avortement provoqué par soi-même.	F.	2	1	1	–	–	–	–	–	–	–	–	–	–
144	Puerperal haemorrhage—Hémorragie puerpérale.	F.	42	18	4	5	3	2	2	4	1	1	1	1	–
145	Other accidents of labour—Autres accidents de l'accouchement.	F.	35	7	10	5	2	–	2	2	1	1	2	1	2
	(a) Caesarean section—Opération césarienne.	F.	17	1	7	2	2	–	–	–	1	1	1	1	1
	(b) Difficult labour—Accouchemen laborieux.	F.	5	2	1	1	–	–	–	1	–	–	–	–	–
	(c) Other surgical operations and instrumental delivery—Autres opérations chirurgicales et application d'instruments.	F.	7	2	1	2	–	–	–	1	–	–	–	–	1
	(d) Uncontrollable vomiting—Vomissements incontrôlables.	F.	6	2	1	–	–	–	2	–	–	–	1	–	–
	(e) Rupture of uterus in labour, etc.—Rupture de l'utérus durant l'accouchement, etc.	F.	–	–	–	–	–	–	–	–	–	–	–	–	–
146	Puerperal septicaemia—Septicémie puerpérale.	F.	175	59	43	11	11	17	7	8	4	3	6	5	1
147	Puerperal phlegmasia alba dolens, puerperal embolism, sudden death in puerperium—Phlegmasia alba dolens, embolie, mort subite puerpérales.	F.	23	5	6	2	1	3	2	1	–	2	–	–	1
148	Puerperal albuminuria and convulsions—Albuminurie et éclampsie puerpérales.	F.	84	26	22	1	5	9	7	3	2	2	3	3	1
149	Following childbirth (not otherwise defined)—Suites de couches (sans autres explications).	F.	9	1	2	1	1	–	–	1	–	–	1	2	–
150	Puerperal diseases of the breast—Affections puerpérales de la mamelle.	F.	1	–	–	–	–	–	–	1	–	–	–	–	–
	CLASS IX–DISEASES OF THE SKIN AND OF THE CELLULAR TISSUE—CLASSE IX—AFFECTIONS DE LA PEAU ET DU TISSU CELLULAIRE.	Total	**178**	**72**	**31**	**11**	**9**	**7**	**9**	**10**	**4**	**6**	**6**	**5**	**8**
		M.	**103**	**46**	**15**	**5**	**6**	**3**	**6**	**6**	**3**	**3**	**2**	**4**	**4**
		F.	**75**	**26**	**16**	**6**	**3**	**4**	**3**	**4**	**1**	**3**	**4**	**1**	**4**
151	Gangrene—Gangrène.....	M.	33	10	4	1	1	1	2	5	1	2	1	2	3
		F.	19	3	4	1	–	2	–	2	–	2	2	–	3
152	Furuncle—Furoncle.....	M.	6	2	2	–	2	–	–	–	–	–	–	–	–
		F.	5	2	2	–	–	–	–	–	–	–	1	–	–
153	Acute abscess — Phlegmon, abcès chaud.	M.	44	26	5	1	3	2	–	1	1	1	1	2	1
		F.	30	15	4	3	3	1	1	1	–	–	–	1	1
154	Other diseases of the skin and annexa—Autres affections de la peau et de ses annexes.	M.	20	8	4	3	–	–	4	–	1	–	–	–	–
		F.	21	6	6	2	–	1	2	1	1	1	1	–	–
	CLASS X—DISEASES OF THE BONES AND OF THE ORGANS OF LOCOMOTION—CLASSE X—AFFECTIONS DES OS ET DES ORGANES DE LA LOCOMOTION.	Total	**83**	**16**	**20**	**7**	**12**	**4**	**6**	**3**	**2**	**3**	**4**	**1**	**5**
		M.	**48**	**10**	**9**	**5**	**8**	**3**	**5**	**1**	**2**	**2**	**2**	**1**	–
		F.	**35**	**6**	**11**	**2**	**4**	**1**	**1**	**2**	–	**1**	**2**	–	**5**
155	Diseases of the bones (mastoid and tuberculosis excepted)—Affections des os (sinus mastoïdien et tuberculose exceptés).	M.	36	8	6	3	6	2	4	1	1	2	2	1	–
		F.	27	4	11	2	3	–	1	2	–	–	1	–	3
156	Diseases of the joints (tuberculosis and rheumatism excepted)—Affections articulaires (tuberculose et rhumatisme exceptés).	M.	12	2	3	2	2	1	1	–	1	–	–	–	–
		F.	7	2	–	–	–	1	–	–	–	1	1	–	2

TABLE 31—Causes of death by sex in cities of 40,000 and over, 1927—*con.*

Int. list No.	Causes of death — Causes de décès		Total	Montreal	Toronto	Winnipeg	Vancouver	Hamilton	Ottawa	Quebec	Calgary	London	Edmonton	Halifax	St. John
	CLASS X—con.—CLASSE X—fin														
158	Other diseases of the organs of locomotion—Autres affections des organes de la locomotion.	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	1	–	–	–	–	–	–	–	–
	CLASS XI—MALFORMATIONS—CLASSE XI—VICES DE CONFORMATION.	Total	406	128	92	22	26	22	23	25	12	11	17	16	12
		M.	215	71	49	11	11	10	9	17	9	4	10	8	6
		F.	191	57	43	11	15	12	14	8	3	7	7	8	6
159	Congenital malformations (stillbirths not included)—Vices de conformation congénitaux (mort-nés non compris).	M.	215	71	49	11	11	10	9	17	9	4	10	8	6
		F.	191	57	43	11	15	12	14	8	3	7	7	8	6
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale.	M.	24	5	6	–	1	2	1	5	1	–	2	1	–
		F.	19	11	4	–	–	1	–	1	–	1	–	1	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur.	M.	99	50	19	5	3	–	1	5	3	3	4	4	2
		F.	77	31	12	5	9	4	3	4	1	2	2	4	–
	(c) Others under this title—Autres sous ce titre.	M.	92	16	24	6	7	8	7	7	5	1	4	3	4
		F.	95	15	27	6	6	7	11	3	2	4	5	3	6
	CLASS XII—DISEASES OF EARLY INFANCY—CLASSE XII—AFFECTIONS DU PREMIER ÂGE.	Total	2,023	810	374	113	78	88	138	182	45	47	44	59	45
		M.	1,195	490	228	67	50	53	74	99	21	26	23	37	27
		F.	828	320	146	46	28	35	64	83	24	21	21	22	18
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème.	M.	205	102	27	8	3	12	13	22	3	2	3	6	4
		F.	121	68	8	6	1	6	11	17	4	2	–	5	3
161	Premature birth, injury at birth—Naissance prématurée, conséquence de l'accouchement.	M.	818	306	178	49	41	36	57	59	16	19	16	24	17
		F.	583	200	117	30	23	26	51	53	20	15	19	16	13
	(a) Premature birth—Naissance prématurée.	M.	617	210	143	35	35	28	41	49	15	15	15	17	14
		F.	468	150	96	21	23	19	43	47	18	13	15	14	9
	(b) Injury at birth—Conséquence de l'accouchement.	M.	201	96	35	14	6	8	16	10	1	4	1	7	3
		F.	115	50	21	9	–	7	8	6	2	2	4	2	4
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge.	M.	171	82	22	10	6	5	4	18	2	5	4	7	6
		F.	114	52	21	10	4	3	2	13	–	4	2	1	2
163	Lack of care—Défaut de soins	M.	1	–	1	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
	CLASS XIII — OLD AGE — CLASSE XIII—VIEILLESSE.	Total	251	72	43	7	4	5	19	30	1	19	4	17	30
		M.	89	27	15	3	1	4	10	6	–	7	2	5	9
		F.	162	45	28	4	3	1	9	24	1	12	2	12	21
164	Senility—Sénilité	M.	89	27	15	3	1	4	10	6	–	7	2	5	9
		F.	162	45	28	4	3	1	9	24	1	12	2	12	21
	CLASS XIV—EXTERNAL CAUSES—CLASSE XIV—CAUSES EXTÉRIEURES.	Total	1,631	510	367	91	163	106	70	167	48	49	58	37	31
		M.	1,147	381	227	66	130	66	47	61	40	33	46	28	22
		F.	484	129	140	25	33	34	23	46	8	16	12	9	9
165-174	**Suicides**	M.	172	28	54	11	32	11	7	1	6	6	13	–	3
		F.	60	8	29	5	5	2	1	1	3	3	1	–	2
165	Suicide by solid or liquid poisons (corrosive substances excepted)—Suicide par ingestion de poisons solides ou liquides (substances corrosives exceptées).	M.	20	3	6	–	3	1	–	1	1	3	1	–	1
		F.	5	1	2	2	–	–	–	–	–	–	–	–	–
166	Suicide by corrosive substances—Absorption volontaire de substances corrosives.	M.	14	2	5	1	2	1	–	–	1	–	1	–	1
		F.	20	–	14	2	1	1	–	–	1	–	–	–	1
167	Suicide by poisonous gas—Suicide par ingestion de gaz vénéneux.	M.	34	5	15	–	12	1	–	–	1	–	–	–	–
		F.	12	4	7	1	–	–	–	–	–	–	–	–	–
168	Suicide by hanging or strangulation—Suicide par pendaison ou strangulation.	M.	26	4	5	4	3	3	2	–	1	1	3	–	–
		F.	10	3	1	–	2	1	1	–	–	2	–	–	–
169	Suicide by drowning—Suicide par submersion.	M.	18	1	9	1	2	2	2	–	–	1	–	–	–
		F.	4	–	1	–	1	–	–	–	1	–	–	–	1
170	Suicide by firearms—Suicide par armes à feu.	M.	35	10	6	4	5	2	3	–	1	–	4	–	–
		F.	4	–	1	–	1	–	–	1	–	–	1	–	–
171	Suicide by cutting or piercing instruments—Suicide par instruments tranchants ou piquants.	M.	19	3	5	1	3	1	–	–	1	1	3	–	1
		F.	1	–	1	–	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe dans les cités de 40,000 et plus, 1927—*suite*

Int. list No.	Causes of death — Causes de décès		Total	Montreal	Toronto	Winnipeg	Vancouver	Hamilton	Ottawa	Quebec	Calgary	London	Edmonton	Halifax	St. John
	CLASS XIV-con.—**CLASSE XIV**-suite														
172	Suicide by jumping from high places—Suicide par précipitation d'un lieu élevé.	M.	4	–	2	–	1	–	–	–	–	–	1	–	–
		F.	2	–	1	–	–	–	–	–	1	–	–	–	–
173	Suicide by crushing—Suicide par écrasement.	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	1	–	–	–	–	–	–	–	–	–	–
174	Other suicides—Autres suicides....	M.	2	–	1	–	1	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1	–	–	–
175	Poisoning by food—Empoisonnement par aliments.	M.	3	1	–	–	–	–	–	2	–	–	–	–	–
		F.	2	–	–	–	–	1	–	–	–	–	–	1	–
176	Poisoning by venomous animals—Attaques d'animaux venimeux.	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	1	–	–
177	Other acute accidental poisonings (gas excepted)—Autres empoisonnements accidentels, aigus (par gaz exceptés).	M.	19	10	–	1	1	–	–	1	1	–	3	1	1
		F.	15	6	2	1	–	1	1	2	1	–	–	–	1
178	Conflagration—Incendie.....	M.	59	48	4	–	4	–	2	1	–	–	–	–	–
		F.	64	25	4	–	4	–	2	27	–	–	2	–	–
179	Accidental burns and scalds (conflagration excepted)—Brûlures accidentelles (autres que par l'incendie).	M.	52	24	9	1	1	2	1	3	3	1	2	5	–
		F.	47	15	10	2	1	4	3	6	–	3	2	–	1
180	Accidental mechanical suffocation—Suffocation mécanique accidentelle.	M.	5	–	3	–	1	–	–	–	–	–	–	–	1
		F.	3	1	–	–	–	1	–	–	–	–	1	–	–
	(a) Overlaying—Étouffé pendant le sommeil.	M.	2	–	1	–	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
	(b) Asphyxia—Asphyxie.....	M.	3	–	2	–	–	–	–	–	–	–	–	–	1
		F.	3	1	–	–	–	1	–	–	–	–	1	–	–
181	Accidental absorption of irrespirable or poisonous gas—Absorption accidentelle de gaz irrespirables ou toxiques.	M.	39	15	15	1	4	1	–	–	1	–	1	–	1
		F.	20	10	4	–	1	2	–	–	–	3	–	–	–
182	Accidental drowning—Submersion accidentelle.	M.	96	29	9	8	14	4	2	16	1	2	2	7	2
		F.	6	–	1	–	3	–	1	1	–	–	–	–	–
183	Accidental traumatism by firearms—Traumatismes accidentels par armes à feu.	M.	15	3	3	3	2	–	–	1	2	1	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–	–	–	–
184	Accidental traumatism by cutting or piercing instruments — Traumatismes accidentels par instruments tranchants ou piquants.	M.	4	–	2	–	–	1	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
185	Accidental traumatism by fall—Traumatismes accidentels par chute.	M.	163	54	32	8	20	2	12	11	6	2	4	6	6
		F.	73	9	39	4	5	6	1	2	1	–	–	4	2
186	Accidental traumatism in mines and quarries—Traumatismes accidentels par mines et carrières.	M.	4	–	–	–	–	–	–	–	2	–	2	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
	(a) Coal mines—Mines de charbon.	M.	4	–	–	–	–	–	–	–	2	–	2	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
	(b) Other mines—Autres mines....	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
	(c) Quarries—Carrières.....	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
187	Accidental traumatism by machines —Traumatismes accidentels par machines.	M.	31	9	1	4	3	6	1	1	–	2	2	1	1
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.)—Traumatismes accidentels par autres écrasements (voitures, railways, éboulements, etc.).	M.	376	124	80	20	38	24	19	18	16	10	13	8	6
		F.	112	38	31	7	8	9	7	4	3	1	1	2	1
	(a) Railroad accidents—Accidents par chemins de fer.	M.	49	17	9	4	3	4	–	4	1	2	2	3	–
		F.	2	1	–	–	–	–	–	–	–	–	–	–	1
	(b) Street car accidents—Accidents par tramways.	M.	26	7	7	1	1	2	2	1	3	–	1	1	–
		F.	10	3	2	1	1	1	1	–	–	–	–	1	–
	(c) Automobile accidents — Accidents par automobiles.	M.	256	93	58	13	27	15	12	10	6	8	6	4	4
		F.	96	33	29	5	7	8	5	4	2	1	1	1	–
	(d) Aeroplane and balloon accidents —Accidents par aéroplanes et ballons.	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
	(e) Injuries by other vehicles—Blessures par autres voitures.	M.	18	4	2	1	1	1	1	1	4	–	1	–	2
		F.	4	1	–	1	–	–	1	–	1	–	–	–	–
	(f) Other crushing—Autres écrasements.	M.	27	3	4	1	6	2	4	2	2	–	3	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
189	Injuries by animals (poisoning excepted)—Violences exercées par des animaux (empoisonnements exceptés).	M.	7	2	1	1	–	–	1	–	–	1	1	–	–
		F.	2	–	–	–	–	–	2	–	–	–	–	–	–
192	Starvation (deprivation of food or water)—Faim ou soif.	M.	3	1	1	–	–	–	–	–	–	–	–	–	1
		F.	1	–	1	–	–	–	–	–	–	–	–	–	–
193	Excessive cold—Froid excessif.....	M.	5	–	1	2	–	1	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
194	Excessive heat—Chaleur excessive...	M.	3	2	–	–	–	1	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–	–	–	–
196	Other accidental electric shocks—Autres électrocutions accidentelles.	M.	11	3	2	1	1	4	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 31—Causes of death by sex in cities of 40,000 and over, 1927—*con.*

TABLEAU 31—Causes de décès selon le sexe dans les cités de 40,000 et plus, 1927—*fin*

Int. list No.	Causes of death — Causes de décès		Total	Montreal	Toronto	Winnipeg	Vancouver	Hamilton	Ottawa	Quebec	Calgary	London	Edmonton	Halifax	St. John
	CLASS XIV-con.—**CLASSE XIV**-fin														
197-199	**Homicides**	**M.**	**29**	**10**	**3**	**3**	**8**	**3**	–	**1**	**1**	–	–	–	–
		F.	**23**	**6**	**4**	**5**	**4**	**1**	–	–	–	–	**2**	**1**	–
197	Homicide by firearms—Homicide par armes à feu.	M.	9	–	1	2	5	–	–	–	1	–	–	–	–
		F.	5	1	2	–	–	–	–	–	–	–	1	1	–
198	Homicide by cutting or piercing instruments — Homicide par instruments tranchants ou piquants.	M.	2	1	–	–	–	1	–	–	–	–	–	–	–
		F.	2	–	1	–	1	–	–	–	–	–	–	–	–
199	Homicide by other means — Homicide par autres moyens.	M.	18	9	2	1	3	2	–	1	–	–	–	–	–
		F.	16	5	1	5	3	1	–	–	–	–	1	–	–
201	Fracture (cause not specified)—Fracture (cause non spécifiée).	M.	23	7	4	–	1	2	–	2	–	7	–	–	–
		F.	42	7	13	–	–	7	4	3	–	5	–	1	2
202	Other external violence (cause specified)—Autres violences extérieures (cause spécifiée).	M.	25	10	3	2	–	3	2	2	–	1	2	–	–
		F.	9	1	2	1	1	–	1	–	–	1	2	–	–
203	External violence (cause not specified)—Violences extérieures (cause non spécifiée).	M.	3	1	–	–	–	1	–	1	–	–	–	–	–
		F.	2	1	–	–	1	–	–	–	–	–	–	–	–
	CLASS XV—ILL-DEFINED DISEASES—CLASSE XV—MALADIES MAL DÉFINIES.	**Total**	**130**	**85**	**8**	**3**	–	**1**	**6**	**10**	–	**6**	**1**	**5**	**5**
		M.	**84**	**61**	**4**	**2**	–	–	**2**	**5**	–	**3**	**1**	**4**	**2**
		F.	**46**	**24**	**4**	**1**	–	**1**	**4**	**5**	–	**3**	–	**1**	**3**
204	Sudden death—Mort subite	M.	30	30	–	–	–	–	–	–	–	–	–	–	–
		F.	7	7	–	–	–	–	–	–	–	–	–	–	–
205	Cause of death not specified or ill-defined—Cause de décès non spécifiée ou mal définie.	M.	54	31	4	2	–	–	2	5	–	3	1	4	2
		F.	39	17	4	1	–	1	4	5	–	3	–	1	3
	(a) Ill-defined—Mal définie	M.	4	1	–	1	–	–	–	–	–	–	1	1	–
		F.	6	3	–	–	–	–	1	1	–	–	–	–	1
	(b) Not specified or unknown—Non spécifiée ou inconnue.	M.	2	–	–	–	–	–	2	–	–	–	–	–	–
		F.	2	–	–	1	–	–	–	–	–	1	–	–	–
	(c) Heart failure — Paralysie du cœur.	M.	48	30	4	1	–	–	–	5	–	3	–	3	2
		F.	31	14	4	–	–	1	3	4	–	2	–	1	2
	(d) Syncope	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 32—Deaths of males in Canada[1], classified according to occupations, 1927
TABLEAU 32—Décès masculins dans le Canada[1], classifiés selon l'occupation des décédés, 1927

Occupations	Total	Ages—Âges: Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
ALL CAUSES—TOUTES CAUSES																
Total	**56,265**	**18,796**	**1,306**	**1,442**	**1,398**	**1,292**	**1,582**	**1,795**	**2,111**	**2,379**	**2,825**	**3,372**	**4,057**	**4,339**	**9,448**	**123**
Owners, managers, etc.—Propriétaires, gérants, etc.	**433**	–	**1**	**4**	**3**	**7**	**12**	**25**	**34**	**34**	**50**	**42**	**46**	**58**	**117**	–
Agents (all classes)—Agents (toutes catégories)	**176**	–	–	–	**3**	**4**	**9**	**13**	**14**	**19**	**12**	**21**	**21**	**20**	**40**	–
Office employees (includ. gov't. and municipal)—Employés de bureau (y compris fonctionnaires du gouv. et des municipalités)	**1,292**	–	**28**	**59**	**68**	**64**	**74**	**73**	**92**	**93**	**128**	**128**	**149**	**132**	**204**	–
Labourers—Journaliers et manœuvres	**5,306**	**9**	**196**	**319**	**300**	**254**	**296**	**330**	**375**	**376**	**410**	**464**	**559**	**531**	**870**	**17**
Agriculture	409	5	30	35	27	18	24	19	21	24	26	33	36	33	78	–
Chemicals and allied products—Produits chimiques et connexes	6	–	–	–	–	–	1	1	4	–	–	–	–	–	–	–
Iron and steel—Fer et acier	41	–	–	2	2	2	2	3	4	4	6	5	6	1	4	–
Metal works (other than steel)—Usines sidérurgiques (autres qu'aciéries)	4	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–
Paints and varnishes—Peintures et vernis	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Pulp and paper—Pulpe et papier	28	–	–	4	1	4	3	4	3	4	1	1	–	1	2	–
Other factories—Autres manufactures	122	–	5	10	4	7	10	9	7	12	9	12	11	5	21	–
Construction	192	–	4	9	18	8	13	18	18	11	23	17	16	17	18	2
Steam and street railways—Chemins de fer et tramways	165	–	8	8	14	6	15	17	23	17	13	6	13	10	14	1
Water transportation—Transports par eau	12	–	1	1	1	1	2	–	2	–	–	–	1	1	2	–
Other and n.o.s.—Autres et n.a.s.	4,326	4	148	250	233	208	226	259	293	302	331	389	476	462	731	14
Farmers—Cultivateurs	**12,486**	**8**	**223**	**285**	**263**	**229**	**288**	**371**	**475**	**588**	**760**	**1,096**	**1,471**	**1,790**	**4,632**	**7**
Fishermen—Pêcheurs	**396**	**2**	**14**	**25**	**22**	**15**	**13**	**20**	**22**	**16**	**29**	**42**	**27**	**42**	**106**	**1**
Hunters and trappers—Chasseurs et trappeurs	**133**	**2**	**11**	**10**	**6**	**9**	**11**	**5**	**9**	**6**	**6**	**7**	**12**	**8**	**26**	**5**
Shantymen—Bûcherons	**504**	–	**18**	**59**	**39**	**31**	**32**	**34**	**39**	**34**	**31**	**36**	**45**	**33**	**67**	**6**
Miners and quarry workers—Mineurs et carriers	**575**	**3**	**9**	**34**	**40**	**38**	**43**	**48**	**59**	**44**	**48**	**42**	**51**	**50**	**66**	–
Coal—Houillères	322	3	6	23	18	21	18	27	41	27	29	25	29	22	33	–
Quarries—Carrières	12	–	2	1	–	–	3	1	–	–	1	1	–	2	1	–
Other mining—Autres mines	241	–	1	10	22	17	22	20	18	17	18	16	22	26	32	–
Factory employees—Ouvriers de manufacture	**2,952**	**2**	**65**	**131**	**167**	**125**	**158**	**186**	**207**	**260**	**265**	**298**	**325**	**282**	**477**	**4**
Automobiles, bicycles and aeroplanes—Automobiles, bicyclettes et aéroplanes	23	–	2	2	1	2	3	3	2	1	3	2	2	–	–	–
Agricultural implements—Instruments aratoires	9	–	–	–	–	1	–	–	1	1	–	–	1	1	4	–
Chemicals and allied products—Produits chimiques et connexes	38	–	–	1	6	–	3	4	3	6	–	3	4	1	6	1
Clay, glass and cement—Argile, verre et ciment	*47*	–	*2*	*5*	*3*	*3*	*3*	*5*	*3*	*4*	*5*	*2*	*1*	*3*	*8*	–
Brickmakers—Briquetiers	16	–	–	2	1	1	1	1	1	–	2	–	–	2	5	–
Glassblowers—Verriers	6	–	–	1	–	1	–	2	–	1	–	–	–	1	–	–
Other employees—Autres ouvriers	25	–	2	2	2	1	2	2	2	3	3	2	1	–	3	–
Clothing—Vêtements	*265*	–	*3*	*10*	*16*	*8*	*10*	*9*	*17*	*31*	*42*	*29*	*30*	*13*	*47*	–
Tailors—Tailleurs	209	–	2	6	11	4	8	6	14	27	35	26	22	11	37	–
Other employees—Autres ouvriers	56	–	1	4	5	4	2	3	3	4	7	3	8	2	10	–

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction

NOTE—n.o.s.=Not otherwise stated. NOTE—n.a.s.=Non autrement spécifié.

TABLE 32—Deaths of males in Canada, classified according to occupations, 1927—*con.*

Occupations	Ages—Âges															
	Total	Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
ALL CAUSES–con.—TOUTES CAUSES–suite																
Factory employees–con.—**Ouvriers de manufacture**–fin																
Gold, silver and jewelry—Orfèvres, argentiers et bijoutiers	27	–	1	1	1	–	2	4	–	5	3	3	3	1	3	–
Food—Alimentation	*464*	*1*	*11*	*17*	*25*	*19*	*20*	*25*	*36*	*39*	*40*	*51*	*50*	*54*	*76*	–
Bakers—Boulangers	137	–	1	6	8	6	6	7	8	9	10	16	15	19	26	–
Other employees—Autres ouvriers	327	1	10	11	17	13	14	18	28	30	30	35	35	35	50	–
Iron and steel—Fer et acier	*655*	–	*12*	*17*	*41*	*32*	*54*	*59*	*56*	*62*	*55*	*72*	*66*	*50*	*79*	–
Filers, grinders and polishers — Limeurs, broyeurs et polisseurs	31	–	1	–	1	2	3	2	4	1	1	7	5	3	1	–
Machinists and tool makers — Machinistes et outilleurs	324	–	5	10	26	11	31	34	27	27	25	31	30	28	39	–
Moulders, casters and enamellers — Mouleurs, fondeurs et émailleurs	115	–	2	2	4	3	7	12	13	8	12	12	15	10	15	–
Other employees—Autres ouvriers	185	–	4	5	10	16	13	11	12	26	17	22	16	9	24	–
Leather—Cuir	*146*	–	*2*	*8*	*3*	*5*	*4*	*9*	*6*	*10*	*11*	*15*	*19*	*21*	*33*	–
Boots and shoes — Chaussures	21	–	2	3	–	3	–	–	2	2	1	2	2	2	2	–
Harness and saddlery—Harnachement et sellerie	69	–	–	–	1	–	1	6	3	2	3	10	9	11	23	–
Tanners and curriers—Tanneurs et corroyeurs	34	–	–	1	–	–	2	1	1	5	4	2	5	7	6	–
Other leather workers —Autres ouvriers travaillant le cuir	22	–	–	4	2	2	1	2	–	1	3	1	3	1	2	–
Locomotive and railway car works—Usines construisant locomotives et wagons	63	–	–	–	3	4	2	4	11	4	3	7	12	9	4	–
Metal works (other than steel)—Usines sidérurgiques (autres qu'aciéries)	64	–	1	4	4	2	3	4	4	13	4	6	10	3	5	1
Paints and varnishes — Peintures et vernis	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
Printing and bookbinding—Impression et reliure	*151*	–	*4*	*11*	*10*	*6*	*10*	*7*	*10*	*11*	*17*	*15*	*19*	*12*	*19*	–
Printers and typesetters —Imprimeurs et compositeurs	102	–	2	5	7	5	7	6	9	6	13	9	10	9	14	–
Engravers—Graveurs	5	–	1	–	–	–	–	–	–	–	1	1	2	–	–	–
Other employees—Autres ouvriers	44	–	1	6	3	1	3	1	1	5	3	5	7	3	5	–
Pulp and paper—Pulpe et papier	51	–	1	6	3	3	4	5	6	4	6	4	1	2	5	1
Rubber—Caoutchouc	27	–	1	–	3	2	2	2	3	3	2	1	4	2	2	–
Saw and planing mills—Scieries et ateliers de planage	206	1	6	17	12	10	2	7	10	14	16	15	25	17	54	–
Textiles	*72*	–	*5*	*4*	*2*	*2*	*3*	*2*	*2*	*5*	*8*	*7*	*5*	*15*	*12*	–
Cotton—Coton	13	–	3	–	1	–	1	–	–	1	3	–	1	2	1	–
Woollen—Laine	16	–	–	1	1	1	–	1	1	1	2	–	1	2	5	–
Other textiles—Autres tissages	43	–	2	3	–	1	2	1	1	3	3	7	3	11	6	–
Tobacco and cigars—Tabacs et cigares	28	–	–	–	–	2	6	3	4	3	5	–	4	–	1	–
Wagons and carriages—Voitures de travail et de promenade	66	–	–	–	–	–	–	–	1	1	3	7	5	14	35	–
Woodworking factories—Manufactures travaillant le bois	135	–	2	3	2	3	3	10	4	13	12	12	15	21	35	–
Factories, other and n.o.s.—Manufactures, autres et n.a.s.	413	–	12	25	32	21	24	23	28	30	30	46	49	43	49	1

NOTE—n.o.s.=Not otherwise stated. NOTE—n.a.s.=Non autrement spécifié.

TABLEAU 32—Décès masculins dans le Canada, classifiés selon l'occupation des décédés, 1927—*suite*

Occupations	Total	Ages—Âges														
		Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
ALL CAUSES-con.—TOUTES CAUSES-suite																
Construction	2,432	–	35	61	65	90	94	109	159	155	208	232	287	337	600	–
Bricklayers and plasterers—Maçons (brique) et plâtriers	147	–	1	4	2	4	5	6	19	7	15	16	15	19	34	–
Carpenters—Charpentiers et menuisiers	1,201	–	14	22	25	38	42	41	51	71	87	113	160	177	360	–
Electricians—Électriciens	114	–	3	13	14	14	6	13	15	12	7	4	4	5	4	–
Masons and stonecutters—Maçons (pierre) et tailleurs de pierre	150	–	–	1	–	1	3	4	6	7	14	5	26	28	55	–
Painters and decorators—Peintres et décorateurs	387	–	9	12	16	19	24	25	39	30	44	38	38	48	45	–
Plumbers and tinsmiths—Plombiers et ferblantiers	169	–	7	9	7	11	9	16	10	12	22	16	8	17	25	–
Shipwrights — Charpentiers de navire	35	–	1	–	–	1	–	–	1	3	1	3	5	3	17	–
Structural steel workers—Charpentiers en acier	3	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Contractors — Entrepreneurs	226	–	–	–	–	2	4	3	18	13	18	37	31	40	60	–
Transportation and public utilities—Transports et utilités publiques	1,790	2	37	87	118	115	159	148	153	133	152	163	166	134	216	7
Engineers and firemen, steam railways—Mécaniciens et chauffeurs (de locomotive)	128	1	1	6	2	7	13	19	20	4	13	5	12	12	13	–
Conductors and brakemen, steam railways—Conducteurs et serre-freins (de train)	141	–	–	8	7	9	20	10	18	11	12	12	15	9	10	–
Other steam railway employees — Autres employés de chemins de fer	371	–	2	7	15	15	32	26	32	38	35	38	48	31	52	–
Railway mail clerks—Courriers convoyeurs des postes	14	–	–	–	–	2	2	2	1	–	1	2	1	1	2	–
Electric railway employees—Employés de tramways	93	–	–	1	5	2	10	10	8	11	9	9	12	7	9	–
Seamen—Marins	347	–	15	15	30	25	34	24	25	27	19	23	32	21	52	5
Chauffeurs, drivers, etc.—Chauffeurs, cochers, etc	553	1	15	40	45	36	35	45	39	32	50	62	35	48	70	–
Warehousemen — Entrepositaires et magasiniers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Telegraph and Telephone—Télégraphe et téléphone	*96*	–	*2*	*9*	*12*	*14*	*10*	*8*	*6*	*6*	*9*	*6*	*7*	*3*	*3*	*1*
Linemen-Poseurs de fil	36	–	1	4	4	7	5	1	1	–	6	2	2	1	1	1
Operators—Télégraphistes et téléphonistes	42	–	–	3	7	5	3	6	–	6	2	3	3	2	2	–
Other employees—Autres employés	18	–	1	2	1	2	2	1	5	–	1	1	2	–	–	–
Expressmen—Employés de messageries	12	–	1	–	1	1	1	–	2	1	–	1	1	1	2	–
Light and power employees—Employés des compagnies d'éclairage et de force motrice	26	–	1	1	1	3	2	3	2	2	3	4	1	1	1	1
Gas works employees—Employés des compagnies de gaz	9	–	–	–	–	1	–	1	–	1	1	1	2	–	2	–
Trade—Commerce	2,167	–	27	50	54	80	103	134	140	179	231	254	281	236	397	1
Merchants—Marchands	1,482	–	5	12	25	32	58	69	78	113	160	195	216	179	339	1
Salespeople, etc.—Commis, etc	457	–	21	35	23	40	29	44	48	43	38	38	41	30	27	–
Commercial travellers—Commis voyageurs	228	–	1	3	6	8	16	21	14	23	33	21	24	27	31	–
Finance	294	–	–	5	12	15	8	18	25	26	31	33	34	35	52	–
Bankers, brokers, etc.—Banquiers, courtiers, etc	294	–	–	5	12	15	8	18	25	26	31	33	34	35	52	–

TABLE 32—Deaths of males in Canada, classified according to occupations, 1927—*con.*

Occupations	Ages—Âges															
	Total	Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
ALL CAUSES—con.—TOUTES CAUSES—suite																
Service	**2,829**	**4**	**32**	**90**	**101**	**125**	**158**	**171**	**185**	**247**	**283**	**273**	**311**	**275**	**573**	**1**
Professional—Carrières libérales	*1,013*	–	*1*	*26*	*31*	*43*	*49*	*49*	*58*	*79*	*104*	*101*	*120*	*113*	*239*	–
Doctors—Médecins	151	–	–	–	6	8	3	9	9	9	24	21	21	18	23	–
Teachers — Professeurs et instituteurs	124	–	1	9	7	3	5	7	4	5	10	12	13	14	34	–
Other—Autres professions	738	–	–	17	18	32	41	33	45	65	70	68	86	81	182	–
Recreational — Amusements	51	–	3	3	1	2	3	4	7	8	6	3	6	1	4	–
Customs and repairs—Réparations et ouvrages à façon	*691*	–	*9*	*30*	*28*	*23*	*28*	*33*	*36*	*48*	*47*	*68*	*73*	*69*	*199*	–
Garage and bicycles—Garages et bicyclettes	70	–	2	14	13	7	7	7	2	6	1	5	2	3	1	–
Blacksmiths — Forgerons	340	–	–	6	8	8	12	11	20	18	24	30	39	39	125	
Boot and shoe repairs—Cordonniers et savetiers	230	–	3	7	5	7	8	10	11	20	16	29	26	26	62	–
Dyeing, cleaning and pressing—Teinturiers, nettoyeurs et presseurs	30	–	2	1	2	1	1	4	3	3	5	1	3	–	4	–
Jewelry and watch repairs—Bijoutiers et horlogers	6	–	2	1	–	–	–	–	–	1	–	–	–	–	2	–
Lock and gunsmiths—Armuriers et serruriers	8	–	–	–	–	–	–	1	–	–	–	2	2	–	3	–
Picture framing — Encadreurs	7	–	–	1	–	–	–	–	–	–	1	1	1	1	2	–
Personal—Service personnel	*1,074*	*4*	*19*	*31*	*41*	*57*	*78*	*85*	*84*	*112*	*126*	*101*	*112*	*92*	*131*	*1*
Barbers, hairdressers, etc.—Coiffeurs, perruquiers, etc	130	–	–	7	9	10	8	16	9	19	16	12	10	8	6	–
Hotel keepers — Hôteliers	204	–	–	1	3	8	13	10	12	20	24	20	32	28	33	–
Servants, waiters, etc.—Domestiques, garçons, etc	617	4	19	21	27	29	47	47	56	52	72	59	61	45	77	1
Laundry workers—Employés de buanderie	48	–	–	1	2	5	4	6	5	12	7	2	1	1	2	–
Firemen and furnacemen—Chauffeurs	26	–	–	1	–	3	3	2	1	1	3	4	2	3	3	–
Photographers — Photographes	21	–	–	–	–	1	2	2	1	4	2	–	1	5	3	–
Undertakers — Entrepreneurs de pompes funèbres	28	–	–	–	–	1	1	2	–	4	2	4	5	2	7	–
Miscellaneous — Occupations diverses	**3,351**	**1,842**	**462**	**138**	**77**	**60**	**70**	**62**	**71**	**92**	**95**	**83**	**86**	**86**	**126**	**1**
Inspectors, n.o.s.—Inspecteurs, n.a.s	4	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–
Postmen, policemen, etc.—Facteurs, agents de police, etc	291	–	2	8	16	21	19	13	28	21	30	23	28	32	50	–
Firemen (fire department)—Pompiers	27	–	–	1	–	4	4	1	1	2	2	3	2	2	5	–
Foremen, n.o.s.—Contremaîtres, n.a.s	70	–	–	–	2	4	3	6	4	8	11	11	6	6	9	–
Stationary engineers—Mécaniciens de machines fixes	148	–	–	2	10	5	9	5	9	15	10	20	21	17	25	–
Bill posters—Afficheurs	3	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
Clerks, n.o.s.—Commis, n.a.s	303	–	23	48	30	23	18	28	20	30	26	17	15	12	13	–
Firemen, n.o.s.—Chauffeurs, n.a.s	31	–	–	3	4	2	4	3	1	3	1	3	1	3	3	–
Engineers, n.o.s.—Mécaniciens, n.a.s	106	–	2	4	6	–	10	5	6	11	12	4	13	13	20	–
Messengers, n.o.s. — Messagers, n.a.s	8	1	6	1	–	–	–	–	–	–	–	–	–	–	–	–
Apprentices, n.o.s.—Apprentis, n.a.s	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE—n.o.s.=Not otherwise stated. NOTE—n.a.s.=Non autrement spécifié.

TABLEAU 32—Décès masculins dans le Canada, classifiés selon l'occupation des décédés, 1927—*suite*

Occupations	Total	Ages—Âges: Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
ALL CAUSES–con.—TOUTES CAUSES–fin																
Miscellaneous–con.–Occupations diverses–fin																
Packers, n.o.s.—Emballeurs, n.a.s.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Students—Étudiants	2,352	1,841	428	71	8	1	1	1	–	–	1	–	–	–	–	–
Aviators—Aviateurs	6	–	–	–	1	–	2	–	2	–	–	–	–	–	–	1
Occupation not given—Occupation inconnue	**9,723**	**8,308**	**70**	**38**	**38**	**14**	**31**	**31**	**32**	**52**	**63**	**98**	**127**	**205**	**579**	**37**
No occupation—Sans occupation	**9,426**	**8,614**	**78**	**47**	**22**	**17**	**23**	**17**	**20**	**25**	**23**	**60**	**59**	**85**	**300**	**36**
ACCIDENTAL DEATHS (Int. List Nos. 175–196, 201–203) MORTS ACCIDENTELLES (Nos. 175–196, 201–203, liste int.)																
Total	**4,061**	**924**	**319**	**352**	**315**	**257**	**283**	**244**	**238**	**195**	**176**	**168**	**150**	**121**	**265**	**54**
Owners, managers, etc—Propriétaires, gérants, etc.	**33**	–	–	**3**	**1**	**2**	**1**	**5**	**5**	**2**	**3**	**3**	**2**	**3**	**3**	–
Agents (all classes)—Agents (toutes catégories	**11**	–	–	–	–	**2**	**2**	**4**	**1**	**1**	–	–	–	**1**	–	–
Office employees (incl. govt. and municipal)—Employés de bureau (y compris fonctionnaires du gouv. et des municipalités	**73**	–	**6**	**10**	**12**	**5**	**6**	**4**	**6**	**2**	**5**	**6**	**4**	**5**	**2**	–
Labourers—Journaliers et manœuvres	**606**	**5**	**67**	**94**	**69**	**47**	**61**	**48**	**37**	**41**	**36**	**28**	**33**	**20**	**18**	**2**
Agriculture	54	4	10	6	5	3	5	6	–	3	3	4	3	1	1	–
Chemicals and allied products—Produits chimiques et connexes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Iron and steel—Fer et acier	5	–	–	1	1	–	2	–	–	–	–	–	1	–	–	–
Metal works (other than steel)—Usines sidérurgiques (autres qu'aciéries)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paints and varnishes—Peintures et vernis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pulp and paper—Pulpe et papier	7	–	–	3	–	2	–	1	–	1	–	–	–	–	–	–
Other factories—Autres manufactures	21	–	2	4	1	2	3	2	2	2	1	1	1	–	–	–
Construction	57	–	2	6	12	5	6	9	6	2	4	3	2	–	–	–
Steam and street railways—Chemins de fer et tramways	50	–	6	6	8	3	7	5	5	4	2	1	1	1	–	1
Water transportation—Transports par eau	5	–	1	1	1	1	–	–	1	–	–	–	–	–	–	–
Other and n.o.s.—Autres et n.a.s.	407	1	46	67	41	31	38	25	23	29	26	19	25	18	17	1
Farmers—Cultivateurs	**677**	**3**	**59**	**42**	**41**	**41**	**40**	**43**	**42**	**46**	**41**	**51**	**44**	**42**	**141**	**1**
Fishermen—Pêcheurs	**58**	**1**	**4**	**9**	**10**	**4**	**2**	**5**	**4**	**3**	**1**	**8**	**3**	**1**	**2**	**1**
Hunters and trappers—Chasseurs et trappeurs	12	–	–	2	–	–	2	–	3	1	–	–	3	–	–	1
Shantymen—Bûcherons	**139**	–	**8**	**39**	**15**	**15**	**7**	**13**	**15**	**6**	**8**	**4**	**3**	**1**	**2**	**3**
Miners and quarry workers—Mineurs et carriers	**148**	–	**5**	**17**	**21**	**22**	**18**	**17**	**16**	**17**	**6**	**4**	**3**	**2**	–	–
Coal—Houillères	91	–	3	10	12	11	12	11	12	9	6	2	2	1	–	–
Quarries—Carrières	4	–	2	–	–	–	–	1	–	–	–	1	–	–	–	–
Other mining—Autres mines	53	–	–	7	9	11	6	5	4	8	–	1	1	1	–	–
Factory employees—Ouvriers de manufacture	**258**	**1**	**23**	**24**	**39**	**26**	**20**	**22**	**25**	**13**	**17**	**12**	**11**	**8**	**16**	**1**
Automobiles, bicycles and aeroplanes — Automobiles, bicyclettes et aéroplanes	4	–	–	1	1	1	–	–	–	–	–	–	1	–	–	–
Agricultural implements—Instruments aratoires	2	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–
Chemicals and allied products—Produits chimiques et connexes	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–

NOTE—n.o.s.=Not otherwise stated. NOTE—n.a.s.=Non autrement spécifié.

TABLE 32—Deaths of males in Canada, classified according to occupations, 1927—*con.*

Occupations	Total	Ages—Âges: Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
ACCIDENTAL DEATHS (Int. List Nos. 175–196, 201–203)–con. MORTS ACCIDENTELLES (Nos. 175–196, 201–203, liste int.)–suite																
Factory employees–con.—**Ouvriers de manufacture**–suite																
Clay, glass and cement—Argile, verre et ciment	6	–	1	1	1	1	1	–	–	–	–	1	–	–	–	–
Brickmakers — Briquetiers	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Glassblowers — Verriers	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Other employees—Autres ouvriers	4	–	1	–	1	1	–	–	–	–	–	1	–	–	–	–
Clothing—Vêtements	11	–	1	2	2	–	–	–	1	–	1	1	–	1	2	–
Tailors—Tailleurs	10	–	1	2	2	–	–	–	–	–	1	1	–	1	2	–
Other employees—Autres ouvriers	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Gold, silver and jewelry — Orfèvres, argentiers et bijoutiers	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Food—Alimentation	33	–	3	–	9	–	2	4	6	3	2	2	–	1	1	–
Bakers—Boulangers	8	–	–	–	2	–	2	1	2	–	–	1	–	–	–	–
Other employees—Autres ouvriers	25	–	3	–	7	–	–	3	4	3	2	1	–	1	1	–
Iron and steel—Fer et acier	67	–	7	6	7	12	5	8	6	2	3	1	4	4	2	–
Filers, grinders and polishers — Limeurs, broyeurs et polisseurs	4	–	1	–	1	1	–	–	–	–	–	1	–	–	–	–
Machinists and toolmakers — Machinistes et outilleurs	33	–	4	4	3	4	4	4	3	–	2	–	3	2	–	–
Moulders, casters and enamellers — Mouleurs, fondeurs et émailleurs	8	–	–	–	1	2	–	2	–	–	–	–	–	1	2	–
Other employees—Autres ouvriers	22	–	2	2	2	5	1	2	3	2	1	–	1	1	–	–
Leather—Cuir	12	–	1	3	–	3	–	–	1	–	1	1	1	–	1	–
Boots and shoes — Chaussures	5	–	1	1	–	2	–	–	1	–	–	–	–	–	–	–
Harness and saddlery—Harnachement et sellerie	3	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–
Tanners and curriers—Tanneurs et corroyeurs	2	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
Other leather workers—Autres ouvriers travaillant le cuir	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Locomotive and railway car works—Usines construisant locomotives et wagons	6	–	–	–	1	–	1	1	2	–	–	1	–	–	–	–
Metal works (other than steel)—Usines sidérurgiques (autres qu'aciéries)	5	–	–	–	–	–	–	2	1	1	–	–	–	–	–	1
Paints and varnishes—Peintures et vernis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Printing and bookbinding—Impression et reliure	6	–	1	–	1	1	–	1	–	1	1	–	–	–	–	–
Printers and typesetters—Imprimeurs et compositeurs	3	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–
Engravers—Graveurs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other employees—Autres ouvriers	3	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–
Pulp and paper—Pulpe et papier	8	–	–	1	–	1	3	1	–	–	1	–	–	–	1	–
Rubber—Caoutchouc	4	–	–	–	–	–	2	–	1	–	–	–	–	–	1	–
Saw and planing mills—Scieries et ateliers de planage	31	1	4	3	2	4	1	3	3	2	1	1	1	1	4	–
Textiles	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Cotton—Coton	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Woollen—Laine	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLEAU 32—Décès masculins dans le Canada, classifiés selon l'occupation des décédés, 1927—*suite*

Occupations	Total	Ages—Âges														
		Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés

ACCIDENTAL DEATHS (Int. List Nos. 175-196, 201-203)—con.
MORTS ACCIDENTELLES (Nos. 175-196, 201-203, liste int.)—suite

Factory employees—con.—**Ouvriers de manufacture**—fin																
Textiles—con.—fin																
Other textiles—Autres tissages	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Tobacco and cigars—Tabacs et cigares	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wagons and carriages—Voitures de travail et de promenade	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Woodworking factories—Manufactures travaillant le bois	4	–	1	–	1	–	–	1	–	–	1	–	–	–	–	–
Factories, other and n.o.s.—Manufactures, autres et n.a.s.	52	–	4	7	12	2	5	1	4	4	3	4	4	1	1	–
Construction	**171**	**–**	**8**	**13**	**11**	**25**	**17**	**15**	**13**	**14**	**10**	**12**	**13**	**9**	**11**	**–**
Bricklayers and plasterers Maçons (brique) et plâtriers	6	–	–	–	1	1	–	1	–	–	1	–	1	1	–	–
Carpenters — Charpentiers et menuisiers	86	–	2	5	3	14	8	6	6	6	5	9	9	5	8	–
Electricians—Electriciens	22	–	–	5	3	2	3	2	4	3	–	–	–	–	–	–
Masons and stonecutters—Maçons (pierre) et tailleurs de pierre	4	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–
Painters and decorators—Peintres et décorateurs	26	–	3	1	2	3	2	2	2	3	3	1	1	2	1	–
Plumbers and tinsmiths—Plombiers et ferblantiers	19	–	3	2	1	5	2	4	–	1	1	–	–	–	–	–
Shipwrights — Charpentiers de navire	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Structural steel workers—Charpentiers en acier	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Contractors — Entrepreneurs	5	–	–	–	–	–	1	–	1	1	–	2	–	–	–	–
Transportation and public utilities—Transports et utilités publiques	**302**	**–**	**18**	**29**	**40**	**38**	**47**	**24**	**30**	**15**	**22**	**15**	**4**	**4**	**9**	**7**
Engineers and firemen, steam railways—Mécaniciens et chauffeurs (de locomotive)	25	–	1	–	1	2	6	4	5	1	3	1	1	–	–	–
Conductors and brakemen, steam railways—Conducteurs et serrefreins (de train)	36	–	–	5	3	6	7	4	6	3	1	1	–	–	–	–
Other steam railway employees — Autres employés de chemins de fer	47	–	1	4	5	4	9	3	4	6	6	4	1	–	–	–
Railway mail clerks—Courriers convoyeurs des postes	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Electric railway employees—Employés de tramways	5	–	–	–	–	–	–	1	1	2	–	–	1	–	–	–
Seamen—Marins	76	–	7	8	11	9	9	7	7	1	3	4	–	–	5	5
Chauffeurs, drivers, etc.—Chauffeurs, cochers, etc	80	–	7	8	13	8	14	4	6	2	6	3	1	4	4	–
Warehousemen — Entrepositaires et magasiniers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Telegraph and telephone—Télégraphe et téléphone	*21*	–	*2*	*3*	*6*	*6*	*1*	–	–	–	*2*	–	–	–	–	*1*
Linemen—Poseurs de fil	14	–	1	2	3	6	–	–	–	–	1	–	–	–	–	1
Operators — Télégraphistes et téléphonistes	4	–	–	–	3	–	1	–	–	–	–	–	–	–	–	–
Other employees—Autres employés	3	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–
Expressmen — Employés de messageries	3	–	–	–	1	–	–	–	1	–	–	1	–	–	–	

NOTE—n.o.s.=Not otherwise stated. NOTE—n.a.s.=Non autrement spécifié.

TABLE 32—Deaths of males in Canada, classified according to occupations, 1927—*con.*

Occupations	Total	Ages—Âges: Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
ACCIDENTAL DEATHS (Int. List Nos. 175-195, 201-203)–con. MORTS ACCIDENTELLES (Nos. 175-196, 201-203, liste int.)–suite																
Transportation and public utilities-con.—**Transports et utilités publiques**–fin																
Light and power employees—Employés des compagnies d'éclairage et de force motrice	7	–	–	1	–	1	1	1	–	–	1	1	–	–	–	1
Gas works employees—Employés des compagnies de gaz	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Trade—Commerce	**131**	–	**11**	**9**	**12**	**5**	**15**	**12**	**9**	**12**	**10**	**11**	**7**	**7**	**11**	–
Merchants—Marchands	65	–	2	2	5	1	10	4	5	6	7	8	5	3	7	–
Salespeople, etc.—Commis, etc.	44	–	9	6	4	2	4	4	3	3	1	3	1	1	3	–
Commercial travellers—Commis voyageurs	22	–	–	1	3	2	1	4	1	3	2	–	1	3	1	–
Finance	**14**	–	–	**1**	**4**	–	–	**3**	**2**	**1**	**1**	–	–	**1**	**1**	–
Bankers, brokers, etc.—Banquiers,courtiers,etc.	14	–	–	1	4	–	–	3	2	1	1	–	–	1	1	–
Service	**181**	**2**	**10**	**23**	**17**	**17**	**23**	**13**	**15**	**14**	**7**	**6**	**8**	**9**	**17**	–
Professional—Carrières libérales	*58*	–	*1*	*6*	*6*	*9*	*4*	*5*	*3*	*7*	*1*	*1*	*4*	*2*	*9*	–
Doctors—Médecins	7	–	–	–	1	2	–	1	–	3	–	–	–	–	–	–
Teachers — Professeurs et instituteurs	9	–	1	2	1	1	1	–	1	–	–	–	–	1	1	–
Other—Autres professions	42	–	–	4	4	6	3	4	2	4	1	1	4	1	8	–
Recreational — Amusements	4	–	1	1	–	–	1	–	–	–	–	–	–	1	–	–
Customs and repairs—Réparations et ouvrages à façon	*44*	–	*3*	*8*	*5*	*1*	*6*	*2*	*7*	*1*	*1*	*1*	*2*	*2*	*5*	–
Garage and bicycles—Garages et bicyclettes	9	–	1	4	1	1	1	1	–	–	–	–	–	–	–	–
Blacksmiths — Forgerons	20	–	–	1	3	–	4	–	3	1	1	1	2	2	2	–
Boot and shoe repairs—Cordonniers et savetiers	11	–	1	2	–	–	1	1	3	–	–	–	–	–	3	–
Dyeing, cleaning and pressing—Teinturiers, nettoyeurs et presseurs	4	–	1	1	1	–	–	–	1	–	–	–	–	–	–	–
Jewelry and watch repairs — Bijoutiers et horlogers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lock and gunsmiths—Armuiers et serruriers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Picture framing—Encadreurs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Personal—Service personnel	*76*	*2*	*5*	*8*	*6*	*7*	*12*	*6*	*5*	*6*	*5*	*4*	*2*	*4*	*3*	–
Barbers, hairdressers, etc.—Coiffeurs, perruquiers, etc	7	–	–	1	1	–	–	1	–	3	–	–	1	–	–	–
Hotel keepers — Hôteliers	9	–	–	1	1	–	4	1	–	–	–	1	–	1	–	–
Servants, waiters, etc.—Domestiques, garçons, etc	51	2	5	5	4	6	7	3	4	1	5	3	1	2	3	–
Laundry workers—Employés de buanderie	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
Firemen and furnacemen—Chauffeurs	2	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
Photographers — Photographes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Undertakers — Entrepreneurs de pompes funèbres	3	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–

TABLEAU 32—Décès masculins dans le Canada, classifiés selon l'occupation des décédés, 1927—*suite*

Occupations	Total	Ages—Âges: Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
ACCIDENTAL DEATHS (Int. List Nos. 175-196, 201-203)—con. MORTS ACCIDENTELLES (Nos. 175-196, 201-203, liste int.)—fin																
Miscellaneous — Occupations diverses	**606**	**410**	**90**	**29**	**18**	**7**	**17**	**7**	**10**	**4**	**4**	–	**4**	**1**	**4**	**1**
Inspectors, n.o.s.—Inspecteurs, n.a.s.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Postmen, policemen, etc.—Facteurs, agents de police, etc.	24	–	–	6	3	2	1	1	4	–	2	–	2	1	2	–
Firemen (fire department)—Pompiers	5	–	–	–	–	2	2	1	–	–	–	–	–	–	–	–
Foremen, n.o.s.—Contremaitres, n.a.s.	7	–	–	–	2	1	1	1	1	–	1	–	–	–	–	–
Stationary engineers—Mécaniciens de machines fixes	14	–	–	1	5	–	3	1	2	1	–	–	–	–	1	–
Bill posters—Afficheurs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Clerks, n.o.s. — Commis, n.a.s.	25	–	6	7	3	1	3	2	1	–	1	–	–	–	1	–
Firemen, n.o.s.—Chauffeurs, n.a.s.	9	–	–	2	–	1	3	1	1	1	–	–	–	–	–	–
Engineers, n.o.s.—Mécaniciens, n.a.s.	12	–	1	2	2	–	3	–	–	2	–	–	2	–	–	–
Messengers, n.o.s.—Messagers, n.a.s.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Apprentices, n.o.s. — Apprentis, n.a.s.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Packers, n.o.s.—Emballeurs, n.a.s.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Students—Etudiants	504	410	81	11	2	–	–	–	–	–	–	–	–	–	–	–
Aviators—Aviateurs	4	–	–	–	1	–	1	–	1	–	–	–	–	–	–	1
Occupation not given—Occupation inconnue	**58**	–	**3**	**7**	**3**	**1**	**2**	**6**	**3**	**2**	**1**	**4**	**1**	**2**	–	**23**
No occupation—Sans occupation	**583**	**502**	**7**	**1**	**2**	–	**3**	**3**	**2**	**1**	**4**	**4**	**7**	**5**	**28**	**14**
CANCER (INT. LIST Nos. 43-49)—CANCER (Nos. 43-49, liste int.)																
Total	**3,828**	**37**	**12**	**12**	**30**	**48**	**58**	**114**	**201**	**334**	**442**	**566**	**607**	**586**	**779**	**2**
Owners, managers, etc.—Propriétaires, gérants, etc.	**44**	–	–	–	–	**1**	**1**	**2**	**2**	**5**	**5**	**3**	**5**	**8**	**12**	–
Agents (all classes)—Agents (toutes catégories)	**20**	–	–	–	–	–	–	–	**1**	**5**	**2**	**5**	**2**	**2**	**3**	–
Office employees (incl. govt. and municipal)—Employés de bureau (y compris fonc. du gouv. et des municipalités)	**136**	–	–	**1**	**3**	**4**	**2**	**5**	**11**	**17**	**19**	**16**	**26**	**17**	**15**	–
Labourers—Journaliers et manœuvres	**490**	–	**1**	**2**	**6**	**8**	**12**	**21**	**40**	**53**	**73**	**72**	**77**	**64**	**59**	**2**
Agriculture	22	–	–	–	2	–	–	–	1	1	5	4	5	2	2	–
Chemicals and allied products—Produits chimiques et connexes	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Iron and steel—Fer et acier	4	–	–	–	–	1	–	–	–	1	1	1	–	–	–	–
Metal works (other than steel)—Usines sidérurgiques (autres qu'aciéries)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paints and varnishes—Peintures et vernis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pulp and paper—Pulpe et papier	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Other factories—Autres manufactures	9	–	–	–	–	–	1	–	–	2	2	2	1	1	–	–
Construction	20	–	–	–	–	1	–	1	2	1	2	5	5	3	–	–
Steam and street railways—Chemins de fer et tramways	13	–	–	–	–	–	1	1	–	1	1	3	3	1	2	–
Water transportation — Transports par eau	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Other and n.o.s.—Autres et n.a.s.	418	–	1	2	4	6	8	19	36	46	62	57	63	57	55	2
Farmers—Cultivateurs	**1,395**	–	**1**	**2**	**9**	**9**	**10**	**27**	**48**	**95**	**134**	**192**	**226**	**253**	**389**	–
Fishermen—Pêcheurs	**39**	–	–	–	**1**	–	–	–	**2**	**3**	**5**	**7**	**5**	**7**	**9**	–

NOTE—n.o.s.=Not otherwise stated. NOTE—n.a.s.=Non autrement spécifié.

TABLE 32—Deaths of males in Canada, classified according to occupations, 1927—*con.*

Occupations	Total	Ages—Âges														
		Under 15 — Moins de 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 and over — 75 et plus	Not stated — Non donnés
CANCER (Int. List Nos. 43-49)-con.—CANCER (Nos. 43-49, liste int.)-suite																
Hunters and trappers—Chasseurs et trappeurs	**4**	–	–	–	–	–	**1**	–	–	–	–	–	**2**	–	**1**	–
Shantymen—Bûcherons	**43**	–	–	**1**	–	–	**2**	**2**	**2**	**4**	**6**	**6**	**9**	**4**	**7**	–
Miners and quarry workers—Mineurs et carriers	**53**	–	–	**2**	–	–	**1**	**2**	**6**	**5**	**6**	**12**	**11**	**3**	**5**	–
Coal—Houillères	35	–	–	2	–	–	–	2	4	4	5	8	6	1	3	–
Quarries—Carrières	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other mining—Autres mines	18	–	–	–	–	–	1	–	2	1	1	4	5	2	2	–
Factory Employees—Ouvriers de manufacture	**291**	–	**2**	**1**	**1**	**6**	**8**	**14**	**14**	**33**	**34**	**52**	**46**	**30**	**50**	–
Automobiles, bicycles and aeroplanes — Automobiles, bicyclettes et aéroplanes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Agricultural implements—Instruments aratoires	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Chemicals and allied products—Produits chimiques et connexes	3	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–
Clay, glass and cement—Argile, verre et ciment	*3*	–	–	–	–	*1*	–	–	–	–	–	–	–	–	*2*	–
Brickmakers — Briquetiers	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Glassblowers—Verriers	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Other employees—Autres ouvriers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Clothing—Vêtements	*22*	–	–	–	–	–	–	*1*	*1*	*2*	*5*	*3*	*6*	–	*4*	–
Tailors—Tailleurs	18	–	–	–	–	–	–	1	1	2	4	2	5	–	3	–
Other employees—Autres ouvriers	4	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–
Gold, silver and jewelry—Orfèvres, argentiers et bijoutiers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Food—Alimentation	*47*	–	*2*	–	–	*1*	*2*	–	*1*	*6*	*8*	*12*	*4*	*7*	*4*	–
Bakers—Boulangers	16	–	1	–	–	–	–	–	1	1	3	5	2	2	1	–
Other employees—Autres ouvriers	31	–	1	–	–	1	2	–	–	5	5	7	2	5	3	–
Iron and steel—Fer et acier	*61*	–	–	–	–	*1*	*2*	*7*	*5*	*7*	*6*	*14*	*6*	*3*	*10*	–
Filers, grinders and polishers — Limeurs, broyeurs et polisseurs	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
Machinists and tool makers — Machinistes et outilleurs	31	–	–	–	–	1	2	4	3	3	4	7	1	3	3	–
Moulders, casters and enamellers — Mouleurs, fondeurs et émailleurs	8	–	–	–	–	–	–	2	1	1	–	1	2	–	1	–
Other employees—Autres ouvriers	20	–	–	–	–	–	–	–	1	3	2	5	3	–	6	–
Leather—Cuir	*12*	–	–	–	–	–	–	–	–	*1*	*3*	*1*	*4*	*3*	–	–
Boots and shoes—Chaussures	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Harness and saddlery—Harnachement et sellerie	4	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–
Tanners and curriers—Tanneurs et corroyeurs	6	–	–	–	–	–	–	–	–	1	2	–	1	2	–	–
Other leather workers—Autres ouvriers travaillant le cuir	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Locomotive and railway car works—Usines construisant locomotives et wagons	7	–	–	–	–	1	1	–	–	1	–	–	1	2	1	–
Metal works (other than steel)—Usines sidérurgiques (autres qu'aciéries)	13	–	–	–	–	1	1	–	–	3	1	1	4	1	1	–
Paints and varnishes—Peintures et vernis	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–

TABLEAU 32—Décès masculins dans le Canada, classifiés selon l'occupation des décédés, 1927—*suite*

Occupations	Total	Ages—Âges: Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
CANCER (Int. List Nos. 43–49)-con.—CANCER (Nos. 43–49, liste int.)-suite																
Factory employees-con.—**Ouvriers de manufacture**-fin																
Printing and bookbinding—Impression et reliure	*16*	–	–	*1*	–	–	–	*1*	*2*	–	*3*	*4*	*3*	–	*2*	–
Printers and typesetters—Imprimeurs et compositeurs	10	–	–	–	–	–	–	1	1	–	2	3	1	–	2	–
Engravers—Graveurs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other employees—Autres ouvriers	6	–	–	1	–	–	–	–	1	–	1	1	2	–	–	–
Pulp and paper—Pulpe et papier	6	–	–	–	–	–	–	1	2	1	–	1	–	1	–	–
Rubber—Caoutchouc	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
Saw and planing mills—Scieries et ateliers de planage	27	–	–	–	1	1	1	–	–	2	3	1	7	1	10	–
Textiles	*6*	–	–	–	–	–	–	–	–	*1*	*1*	*1*	–	*3*	–	–
Cotton—Coton	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Woollen—Laine	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Other textiles—Autres tissages	4	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–
Tobacco and cigars—Tabacs et cigares	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Wagons and carriages—Voitures de travail et de promenade	10	–	–	–	–	–	–	–	–	–	–	2	–	2	6	–
Woodworking factories—Manufactures travaillant le bois	11	–	–	–	–	–	–	–	–	2	–	1	2	1	5	–
Factories, other and n.o.s.—Manufactures, autres et n.a.s.	40	–	–	–	–	–	1	1	3	5	3	9	9	5	4	–
Construction	**280**	–	–	–	–	**1**	**4**	**6**	**12**	**21**	**36**	**43**	**49**	**56**	**52**	–
Bricklayers and plasterers—Maçons (brique) et plâtriers	17	–	–	–	–	–	–	1	3	1	4	2	1	3	2	–
Carpenters—Charpentiers et menuisiers	142	–	–	–	–	–	2	2	4	10	15	25	26	30	28	–
Electricians—Électriciens	4	–	–	–	–	–	–	–	–	3	–	–	–	–	1	–
Masons and stonecutters—Maçons (pierre) et tailleurs de pierre	26	–	–	–	–	–	–	–	2	–	3	1	5	8	7	–
Painters and decorators—Peintres et décorateurs	36	–	–	–	–	1	1	1	2	3	6	5	7	6	4	–
Plumbers and tinsmiths—Plombiers et ferblantiers	20	–	–	–	–	–	1	2	1	2	3	2	4	1	4	–
Shipwrights — Charpentiers de navire	4	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–
Structural steel workers—Charpentiers en acier	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Contractors — Entrepreneurs	31	–	–	–	–	–	–	–	–	2	4	8	5	7	5	–
Transportation and public utilities—Transports et utilités publiques	**171**	–	–	**1**	**3**	**6**	**4**	**10**	**13**	**19**	**24**	**28**	**23**	**19**	**21**	–
Engineers and firemen, steam railways—Mécaniciens et chauffeurs (de locomotive)	17	–	–	1	–	–	–	3	–	1	2	–	2	4	4	–
Conductors and brakemen, steam railways—Conducteurs et serre-freins (de train)	13	–	–	–	–	1	–	–	1	2	3	3	2	1	–	–
Other steam railway employees — Autres employés de chemins de fer	40	–	–	–	–	2	–	3	3	5	5	6	7	3	6	–
Railway mail clerks—Courriers convoyeurs des postes	3	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–
Electric railway employees—Employés de tramways	13	–	–	–	1	–	–	–	2	3	2		1	1	–	–

NOTE—n.o.s.=Not otherwise stated. NOTE—n.a.s.=Non autrement spécifié.

TABLE 32—Deaths of males in Canada, classified according to occupations, 1927—*con.*

Occupations	Total	Ages—Âges														
		Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
CANCER (Int. List Nos. 43–49)–con.—CANCER (Nos. 43–49, liste int.)–suite																
Transportation and public utilities-con.—**Transports et utilités publiques.**—fin																
Seamen—Marins	31	–	–	–	–	1	2	–	4	4	4	3	5	4	4	–
Chauffeurs, drivers, etc.—Chauffeurs, cochers, etc	44	–	–	–	2	2	1	4	2	4	4	11	4	4	6	–
Warehousemen — Entrepositaires et magasiniers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Telegraph and telephone—Télégraphe et téléphone	*8*	–	–	–	–	–	*1*	–	*1*	–	*1*	*1*	*2*	*1*	*1*	–
Linemen—Poseurs de fil	4	–	–	–	–	–	1	–	–	–	1	1	–	1	–	–
Operators — Télégraphistes et téléphonistes	3	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–
Other employees—Autres employés	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Expressmen —Employés de messageries	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Light and power employees—Employés des compagnies d'éclairage et de force motrice	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Gas works employees—Employés de compagnies de gaz	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Trade—Commerce	**227**	–	–	–	**1**	**4**	**2**	**11**	**19**	**20**	**27**	**37**	**40**	**36**	**30**	–
Merchants—Marchands	152	–	–	–	1	2	1	5	9	10	19	27	31	22	25	–
Salespeople, etc.—Commis, etc	45	–	–	–	–	1	1	6	9	7	4	3	6	7	1	–
Commercial travellers—Commis voyageurs	30	–	–	–	–	1	–	–	1	3	4	7	3	7	4	–
Finance	**32**	–	–	–	–	–	–	**1**	**3**	**4**	**5**	**6**	**5**	**3**	**5**	–
Bankers, brokers, etc.—Banquiers, courtiers, etc	32	–	–	–	–	–	–	1	3	4	5	6	5	3	5	–
Service	**285**	–	**1**	**1**	**3**	**5**	**4**	**7**	**16**	**23**	**42**	**48**	**47**	**37**	**51**	–
Professional—Carrières libérales	*100*	–	–	–	*2*	*1*	*2*	*4*	*4*	*5*	*12*	*22*	*16*	*14*	*18*	–
Doctors—Médecins	12	–	–	–	–	–	–	–	–	1	1	6	2	1	1	–
Teachers — Professeurs et instituteurs	11	–	–	–	1	–	–	1	–	–	–	3	2	2	2	–
Other—Autres professions	77	–	–	–	1	1	2	3	4	4	11	13	12	11	15	–
Recreational — Amusements	3	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–
Customs and repairs—Réparations et ouvrages à façon	*74*	–	*1*	–	*1*	*1*	*1*	*1*	*4*	*8*	*10*	*9*	*11*	*10*	*17*	–
Garage and bicycles—Garages et bicyclettes	3	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–
Blacksmiths — Forgerons	40	–	–	–	1	–	–	–	2	5	5	4	6	6	11	–
Boot and shoe repairs—Cordonniers et savetiers	28	–	1	–	–	–	1	–	2	2	4	4	4	4	6	–
Dyeing, cleaning and pressing — Teinturiers, nettoyeurs et presseurs	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Jewelry and watch repairs — Bijoutiers et horlogers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lock and gunsmiths—Armuriers et serruriers	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Picture framing—Encadreurs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Personal—Service personnel	*108*	–	–	*1*	–	*3*	*1*	*2*	*8*	*10*	*20*	*17*	*18*	*13*	*15*	–
Barbers, hairdressers, etc.—Coiffeurs, perruquiers, etc	10	–	–	–	–	1	–	–	–	1	1	3	–	2	2	–

TABLEAU 32—Décès masculins dans le Canada, classifiés selon l'occupation des décédés, 1927—*suite*

Occupations	Total	Ages—Âges: Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
CANCER (Int. List Nos. 43–49)-con.—CANCER (Nos. 43–49, liste int.)-fin																
Service-con.-fin. *Personal*-con.—*Service personnel*-fin																
Hotel keepers — Hôteliers	21	–	–	–	–	–	–	1	–	2	5	3	4	3	3	–
Servants, waiters, etc.—Domestiques, garçons, etc.	64	–	–	1	–	2	–	1	7	4	12	11	12	5	9	–
Laundry workers—Employés de buanderie	5	–	–	–	–	–	1	–	–	2	1	–	–	1	–	–
Firemen and furnacemen—Chauffeurs	3	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–
Photographers — Photographes	3	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–
Undertakers — Entrepreneurs de pompes funèbres	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Miscellaneous — Occupations diverses	**116**	**7**	**6**	**–**	**1**	**3**	**5**	**5**	**7**	**16**	**17**	**17**	**11**	**9**	**12**	**–**
Inspectors, n.o.s.—Inspecteurs, n.a.s.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Postmen, policemen, etc.—Facteurs, agents de police, etc.	29	–	–	–	–	1	–	–	1	4	5	4	5	4	5	–
Firemen (fire department)—Pompiers	3	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
Foremen, n.o.s.—Contremaîtres, n.a.s.	8	–	–	–	–	–	–	–	–	1	2	3	–	–	2	–
Stationary engineers—Mécaniciens de machines fixes	21	–	–	–	–	1	1	1	3	3	2	4	2	1	3	–
Bill posters—Afficheurs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Clerks, n.o.s.—Commis, n.a.s.	29	–	–	–	1	1	2	3	–	5	6	5	2	3	1	–
Firemen, n.o.s.—Chauffeurs, n.a.s.	3	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–
Engineers, n.o.s.—Mécaniciens, n.a.s.	10	–	–	–	–	–	1	–	2	1	2	1	2	1	–	–
Messengers, n.o.s.—Messagers, n.a.s.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apprentices, n.o.s.—Apprentis, n.a.s.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Packers, n.o.s.—Emballeurs, n.a.s.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Students—Etudiants	13	7	6	–	–	–	–	–	–	–	–	–	–	–	–	–
Aviators—Aviateurs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Occupation not given—Occupation inconnue	**32**	**–**	**–**	**–**	**2**	**–**	**1**	**1**	**3**	**5**	**2**	**5**	**3**	**5**	**5**	**–**
No occupation—Sans occupation	**170**	**30**	**1**	**1**	**–**	**1**	**1**	**–**	**2**	**6**	**5**	**17**	**20**	**33**	**53**	**–**
PNEUMONIA (Int. List Nos. 100–101)—PNEUMONIE (Nos. 100–101, liste int.)																
Total	**4,079**	**2,021**	**65**	**60**	**54**	**51**	**90**	**114**	**127**	**146**	**161**	**202**	**200**	**244**	**542**	**2**
Owners, managers, etc.—Propriétaires, gérants, etc.	**30**	**–**	**–**	**–**	**–**	**–**	**–**	**1**	**3**	**1**	**7**	**2**	**4**	**1**	**11**	**–**
Agents (all classes) — Agents (toutes catégories)	**7**	**–**	**–**	**–**	**–**	**–**	**–**	**1**	**–**	**1**	**–**	**1**	**2**	**–**	**2**	**–**
Office employees (incl. govt. and municipal)—Employés de bureau (y compris fonc. du gouv. et des municipalités)	**61**	**–**	**1**	**2**	**1**	**–**	**5**	**3**	**5**	**3**	**3**	**10**	**4**	**4**	**20**	**–**
Labourers—Journaliers et manœuvres	**317**	**–**	**9**	**10**	**10**	**7**	**18**	**24**	**31**	**26**	**23**	**35**	**42**	**31**	**51**	**–**
Agriculture	16	–	2	1	–	–	1	–	3	3	1	1	–	1	3	–
Chemicals and allied products—Produits chimiques et connexes	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Iron and steel—Fer et acier	3	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–

NOTE—n.o.s.=Not otherwise stated. NOTE—n.a.s.=Non autrement spécifié.

TABLE 32—Deaths of males in Canada, classified according to occupations, 1927—*con.*

Occupations	Ages—Âges															
	Total	Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over —5 7t e plus	Not stated — Non donnés
PNEUMONIA (Int. List Nos. 100–101)–con.—PNEUMONIE (Nos. 100–101,liste int.)–suite																
Labourers–con. — **Journaliers et manœuvres**–fin																
Metal works (other than steel)—Usines sidérurgiques (autres qu'aciéries)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paints and varnishes—Peintures et vernis	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Pulp and paper—Pulpe et papier	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Other factories—Autres manufactures	8	–	–	–	–	–	2	–	–	–	2	2	1	–	1	–
Construction	9	–	–	–	–	–	–	–	1	1	–	1	1	3	2	–
Steam and street railways—Chemins de fer et tramways	10	–	2	–	–	–	1	2	2	1	1	–	–	–	1	–
Water transportation — Transports par eau	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Other and n.o.s.—Autres et n.a.s.	267	–	5	9	10	7	13	21	24	21	18	30	40	26	43	–
Farmers—Cultivateurs	740	–	17	10	12	12	13	29	32	35	53	68	76	109	274	–
Fishermen—Pêcheurs	30	1	1	3	–	–	–	1	–	–	2	3	2	4	13	–
Hunters and trappers—Chasseurs et trappeurs	9	–	–	–	–	1	–	1	1	1	–	1	3	1	–	–
Shantymen—Bûcherons	24	–	1	2	2	1	3	–	–	–	1	2	2	2	8	–
Miners and quarry workers—Mineurs et carriers	25	–	–	–	1	1	1	2	1	2	4	3	4	2	4	–
Coal—Houillères	8	–	–	–	–	–	–	–	–	1	–	2	3	1	1	–
Quarries—Carrières	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Other mining—Autres mines	16	–	–	–	1	1	1	2	1	1	4	1	1	–	3	–
Factory employees—Ouvriers de manufacture	165	–	4	7	10	3	9	10	14	20	18	21	8	19	22	–
Automobiles,bicycles and aeroplanes — Automobiles, bicyclettes et aéroplanes	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Agricultural implements —Instruments aratoires	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Chemicals and allied products—Produits chimiques et connexes	5	–	–	–	2	–	–	–	–	2	–	–	–	–	1	–
Clay, glass and cement—Argile, verre et ciment	*2*	–	–	–	–	–	*1*	–	–	*1*	–	–	–	–	–	–
Brickmakers — Briquetiers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Glassblowers—Verriers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other employees—Autres ouvriers	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Clothing—Vêtements	*10*	–	–	*1*	–	–	–	–	–	*2*	*4*	*2*	–	–	*1*	–
Tailors—Tailleurs	9	–	–	1	–	–	–	–	–	2	4	1	–	–	1	–
Other employees—Autres ouvriers	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Gold, silver and jewelry—Orfèvres, argentiers et bijoutiers	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Food—Alimentation	*20*	–	–	*1*	*1*	*1*	*2*	*3*	*1*	*2*	–	*1*	*2*	*1*	*5*	–
Bakers—Boulangers	9	–	–	1	1	1	–	1	–	1	–	–	1	–	3	–
Other employees—Autres ouvriers	11	–	–	–	–	–	2	2	1	1	–	1	1	1	2	–
Iron and steel—Fer et acier	*48*	–	*3*	*1*	*2*	*2*	*2*	*1*	*5*	*7*	*7*	*9*	*2*	*4*	*3*	–
Filers, grinders and polishers — Limeurs, broyeurs et polisseurs	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Machinists and toolmakers— Machinistes et outilleurs	20	–	–	–	1	1	2	–	4	2	1	2	2	2	3	–
Moulders, casters and enamellers — Mouleurs, fondeurs et émailleurs	10	–	2	–	–	–	–	–	–	2	4	2	–	–	–	–
Other employees—Autres ouvriers	16	–	1	1	1	1	–	1	–	3	2	4	–	2	–	–
Leather—Cuir	*10*	–	–	–	–	–	*1*	*1*	*1*	–	–	*2*	*1*	*3*	*1*	–
Boots and shoes — Chaussures	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–

NOTE—n.o.s.=Not otherwise stated. NOTE—n.a.s.=Non autrement spécifié.

TABLEAU 32—Décès masculins dans le Canada, classifiés selon l'occupation des décédés, 1927—*suite*

Occupations	Total	Ages—Âges														
		Under 15 — Moins de 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 and over — 75 et plus	Not stated — Non donnés
PNEUMONIA (Int. List Nos. 100-101)-con.—PNEUMONIE (Nos. 100-101, liste int.)-suite																
Factory employees-con.—**Ouvriers de manufacture**-fin																
Leather-con.—*Cuir*-fin																
Harness and saddlery—Harnachement et sellerie	8	–	–	–	–	–	1	1	1	–	–	1	1	2	1	–
Tanners and curriers—Tanneurs et corroyeurs	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Other leather workers—Autres ouvriers travaillant le cuir	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive and railway car works—Usines construisant locomotives et wagons	3	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–
Metal works (other than steel)—Usines sidérurgiques (autres qu'aciéries)	4	–	–	1	–	–	–	–	2	1	–	–	–	–	–	–
Paints and varnishes—Peintures et vernis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Printing and bookbinding—Impression et reliure	7	–	–	*1*	*1*	–	–	–	–	*1*	*2*	–	–	*1*	*1*	–
Printers and typesetters—Imprimeurs et compositeurs	5	–	–	1	1	–	–	–	–	1	1	–	–	1	–	–
Engravers—Graveurs	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other employees — Autres ouvriers	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Pulp and paper—Pulpe et papier	3	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–
Rubber—Caoutchouc	3	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–
Saw and planing mills—Scieries et ateliers de planage	10	–	–	–	–	–	–	1	–	1	1	1	1	2	3	–
Textiles	*5*	–	–	–	*1*	–	–	*2*	–	*1*	–	–	–	–	*1*	–
Cotton—Coton	2	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Woollen—Laine	2	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–
Other textiles—Autres tissages	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Tobacco and cigars—Tabacs et cigares	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Wagons and carriages—Voitures de travail et de promenade	4	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–
Woodworking factories—Manufactures travaillant le bois	8	–	–	–	–	–	–	–	–	1	2	2	–	1	2	–
Factories, other and n.o.s.—Manufactures, autres et n.a.s.	18	–	1	–	2	–	2	–	2	–	2	3	–	4	2	–
Construction	**144**	–	**3**	**4**	**5**	**1**	**8**	**8**	**10**	**18**	**8**	**6**	**22**	**13**	**38**	–
Bricklayers and plasterers Maçons (brique) et plâtriers	13	–	–	1	–	1	1	–	1	1	3	1	–	–	4	–
Carpenters—Charpentiers et menuisiers	78	–	3	1	2	–	5	5	4	10	3	3	14	5	23	–
Electricians — Électriciens	6	–	–	1	–	–	–	1	2	2	–	–	–	–	–	–
Masons and stonecutters—Maçons (pierre) et tailleurs de pierre	11	–	–	–	–	–	1	–	–	–	1	–	4	1	4	–
Painters and decorators—Peintres et décorateurs	12	–	–	–	2	–	–	–	2	1	–	1	1	3	2	–
Plumbers and tinsmiths—Plombiers et ferblantiers	13	–	–	1	1	–	1	2	1	2	1	–	–	3	1	–
Shipwrights — Charpentiers de navire	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Structural steel workers—Charpentiers en acier	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Contractors — Entrepreneurs	11	–	–	–	–	–	–	–	–	2	–	1	3	1	4	–

NOTE—n.o.s.=Not otherwise stated. NOTE—n.a.s.=Non autrement spécifié.

TABLE 32—Deaths of males in Canada, classified according to occupations, 1927—*con.*

Occupations	Ages—Âges															
	Total	Under 15 — Moins de 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 and over — 75 et plus	Not stated — Non donnés
PNEUMONIA (List Int. Nos. 100-101)-con.—PNEUMONIE (Nos. 100-101, liste int.)-suite																
Transportation and public utilities — Transports et utilités publiques	86	–	2	8	5	6	11	9	5	6	8	6	6	6	8	–
Engineers and firemen, steam railways—Mécaniciens et chauffeurs (de locomotive)	6	–	–	–	–	–	2	–	1	1	2	–	–	–	–	–
Conductors and brakemen, steam railways—Conducteurs et serre-freins (de train)	3	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–
Other steam railway employees — Autres employés de chemins de fer	21	–	1	–	3	2	2	2	2	2	–	1	4	1	1	–
Railway mail clerks — Courriers convoyeurs des postes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Electric railway employees—Employés de tramways	6	–	–	–	–	–	3	1	–	–	–	–	–	–	2	–
Seamen—Marins	14	–	1	2	1	1	3	–	–	–	1	1	–	2	2	–
Chauffeurs, drivers, etc.—Chauffeurs, cochers, etc	28	–	–	4	1	2	1	5	2	–	4	3	1	3	2	–
Warehousemen — Entrepositaires et magasiniers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Telegraph and telephone—Télégraphe et téléphone	*2*	–	–	*1*	–	–	–	–	–	–	*1*	–	–	–	–	–
Linemen—Poseurs de fil	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Operators — Télégraphistes et téléphonistes	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other employees—Autres employés	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Expressmen — Employés de messageries	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Light and power employees — Employés des compagnies d'éclairage et de force motrice	3	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–
Gas works employees—Employés des compagnies de gaz	2	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
Trade—Commerce	90	–	–	3	2	6	6	6	3	6	9	11	7	12	19	–
Merchants—Marchands	59	–	–	1	1	1	1	4	2	3	7	9	5	7	18	–
Salespeople, etc.—Commis, etc	19	–	–	2	1	5	2	1	1	2	1	1	1	2	–	–
Commercial travellers—Commis voyageurs	12	–	–	–	–	–	3	1	–	1	1	1	1	3	1	–
Finance	16	–	–	2	–	–	3	–	3	–	–	3	1	1	3	–
Bankers, brokers, etc.—Banquiers, courtiers, etc	16	–	–	2	–	–	3	–	3	–	–	3	1	1	3	–
Service	157	–	1	3	3	7	9	13	10	17	16	18	9	18	33	–
Professional—Carrières libérales	*48*	–	–	–	*1*	*1*	*5*	*4*	*1*	*2*	*5*	*5*	*2*	*6*	*16*	–
Doctors—Médecins	6	–	–	–	–	–	–	1	–	–	1	1	–	2	1	–
Teachers — Professeurs et instituteurs	8	–	–	–	–	–	1	2	–	–	2	1	–	–	2	–
Other—Autres professions	34	–	–	–	1	1	4	1	1	2	2	3	2	4	13	–
Recreational — Amusements	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Customs and repairs—Réparations et ouvrages à façon	*37*	–	–	*1*	–	*2*	*1*	*1*	*1*	*3*	*2*	*4*	*3*	*6*	*13*	–
Garage and bicycles—Garages et bicyclettes	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Blacksmiths — Forgerons	18	–	–	1	–	1	–	1	1	1	–	1	1	4	7	–
Boot and shoe repairs—Cordonniers et savetiers	16	–	–	–	–	1	1	–	–	2	2	2	2	2	4	–

TABLEAU 32—Décès masculins dans le Canada, classifiés selon l'occupation des décédés, 1927—*suite*

Occupations	Total	Ages—Âges														
		Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
PNEUMONIA (Int. List Nos. 100–101)–con.—PNEUMONIE (Nos. 100–101, liste int.)–fin																
Service–con.—fin																
Customs and repairs–con.—*Réparations et ouvrages à façon*–fin																
Dyeing, cleaning and pressing—Teinturiers, nettoyeurs et presseurs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Jewelry and watch repairs—Bijoutiers et horlogers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lock and gunsmiths—Armuriers et serruriers	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Picture framing—Encadreurs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Personal—Service personnel	71	–	*1*	*1*	*2*	*4*	*3*	*8*	*8*	*12*	*9*	*9*	*4*	*6*	*4*	–
Barbers, hairdressers, etc.—Coiffeurs, perruquiers, etc	7	–	–	–	–	–	–	2	–	2	2	1	–	–	–	–
Hotel keepers — Hôteliers	5	–	–	–	–	–	–	–	–	2	–	–	1	2	–	–
Servants, waiters, etc.—Domestiques, garçons, etc	49	–	1	1	2	3	2	6	7	6	6	7	2	3	3	–
Laundry workers—Employés de buanderie	4	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–
Firemen and furnacemen—Chauffeurs	4	–	–	–	–	1	1	–	–	–	1	1	–	–	–	–
Photographers — Photographes	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Undertakers — Entrepreneurs de pompes funèbres	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Miscellaneous — Occupations diverses	**152**	**91**	**15**	**3**	**1**	**5**	**2**	**2**	**4**	**6**	**5**	**4**	**5**	**4**	**5**	–
Inspectors, n.o.s.—Inspecteurs, n.a.s	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Postmen, policemen, etc.—Facteurs, agents de police, etc	13	–	–	–	1	1	1	1	1	2	1	1	3	–	1	–
Firemen (fire department)—Pompiers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Foremen, n.o.s.—Contremaîtres, n.a.s	6	–	–	–	–	–	–	1	–	–	1	1	–	1	2	–
Stationary engineers—Mécaniciens de machines fixes	8	–	–	–	–	1	1	–	1	–	1	2	1	1	–	–
Bill posters—Afficheurs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Clerks, n.o.s.—Commis, n.a.s	13	–	–	2	–	3	–	–	1	2	2	–	1	–	2	–
Firemen, n.o.s.—Chauffeurs, n.a.s	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Engineers, n.o.s.—Mécaniciens, n.a.s	4	–	–	–	–	–	–	–	1	2	–	–	–	1	–	–
Messengers, n.o.s.—Messagers, n.a.s	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Apprentices, n.o.s.—Apprentis, n.a.s	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Packers, n.o.s.—Emballeurs, n.a.s	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Students—Étudiants	106	91	14	1	–	–	–	–	–	–	–	–	–	–	–	–
Aviators—Aviateurs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Occupation not given—Occupation inconnue	**25**	–	**2**	–	**2**	–	–	**2**	**2**	**3**	**2**	–	**1**	**6**	**4**	**1**
No occupation—Sans occupation	**2,001**	**1,929**	**9**	**3**	–	**1**	**2**	**2**	**3**	**1**	**2**	**8**	**2**	**11**	**27**	**1**

NOTE—n.o.s.=Not otherwise stated. NOTE—n.a.s.=Non autrement spécifié.

TABLE 32—Deaths of males in Canada, classified according to occupations, 1927—*con.*

Occupations	Ages—Âges															
	Total	Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
SUICIDES (Int. List Nos. 165–174)—SUICIDES (Nos. 165–174, liste int.)																
Total	**612**	**1**	**7**	**30**	**45**	**50**	**70**	**69**	**84**	**66**	**44**	**49**	**49**	**23**	**19**	**6**
Owners, managers, etc.—Propriétaires, gérants, etc.	5	–	–	–	–	–	–	2	1	–	1	1	–	–	–	–
Agents (all classes)—Agents (toutes catégories.)	3	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–
Office employees (incl. govt. and municipal)—Employés de bureau (y compris fonc. du gouv. et des municipalités	29	–	1	1	2	3	4	4	5	3	2	1	1	–	2	–
Labourers—Journaliers et manœuvres	116	–	1	5	10	10	14	16	19	11	5	8	7	5	2	3
Agriculture	14	–	–	1	3	1	3	3	1	1	1	–	–	–	–	–
Chemicals and allied products—Produits chimiques et connexes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Iron and steel—Fer et acier	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Metal works (other than steel)—Usines sidérurgiques (autres qu'aciéries)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paints and varnishes—Peintures et vernis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pulp and paper—Pulpe et papier	2	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–
Other factories—Autres manufactures	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Construction	3	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–
Steam and street railways—Chemins de fer et tramways	7	–	–	–	1	–	1	–	4	–	–	1	–	–	–	–
Water transportation—Transports par eau	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other and n.o.s.—Autres et n.a.s.	88	–	–	4	6	9	9	13	11	10	3	7	7	5	1	3
Farmers—Cultivateurs	187	–	–	12	14	11	14	17	21	25	17	18	18	8	11	1
Fishermen—Pêcheurs	4	–	–	–	–	–	1	1	–	–	1	–	–	–	1	–
Hunters and trappers—Chasseurs et trappeurs	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Shantymen—Bûcherons	13	–	1	1	–	4	–	2	1	2	–	1	–	1	–	–
Miners and quarry workers—Mineurs et carriers	13	–	–	1	1	2	1	1	–	3	2	2	–	–	–	–
Coal—Houillères	8	–	–	–	–	2	1	1	–	1	1	2	–	–	–	–
Quarries—Carrières	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Other mining—Autres mines	4	–	–	–	1	–	–	–	–	2	1	–	–	–	–	–
Factory employees—Ouvriers de manufacture	49	–	–	2	5	3	6	6	5	7	3	4	5	2	1	–
Automobiles, bicycles and aeroplanes — Automobiles, bicyclettes et aéroplanes	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Agricultural implements—Instruments aratoires	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chemicals and allied products—Produits chimiques et connexes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Clay, glass and cement—Argile, verre et ciment	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brickmakers — Briquetiers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Glassblowers — Verriers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other employees—Autres ouvriers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Clothing—Vêtements	6	–	–	–	2	1	–	–	–	2	–	1	–	–	–	–
Tailors—Tailleurs	4	–	–	–	1	–	–	–	–	2	–	1	–	–	–	–
Other employees—Autres ouvriers	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Gold, silver and jewelry—Orfèvres, argentiers et bijoutiers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE—n.o.s.=Not otherwise stated. NOTE—n.a.s.=Non autrement spécifié.

TABLEAU 32—Décès masculins dans le Canada, classifiés selon l'occupation des décédés, 1927—*suite*

Occupations	Total	Ages—Âges														
		Under 15 — Moins de 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 and over — 75 et plus	Not stated — Non donnés
SUICIDES (Int. List Nos. 165-174)—con.—SUICIDES (Nos. 165-174, liste int.)—suite																
Factory employees—con.—**Ouvriers de manufacture**—fin																
Food—Alimentation	7	–	–	–	–	–	2	2	1	–	2	–	–	–	–	–
Bakers—Boulangers	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Other employees—Autres ouvriers	6	–	–	–	–	–	2	1	1	–	2	–	–	–	–	–
Iron and steel — Fer et acier	11	–	–	–	3	1	2	1	–	–	1	1	2	–	–	–
Filers, grinders and polishers—Limeurs, broyeurs et polisseurs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Machinists and toolmakers — Machinistes et outilleurs	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Moulders, casters and enamellers — Mouleurs, fondeurs et émailleurs	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Other employees—Autres ouvriers	7	–	–	–	1	1	–	1	–	–	1	1	2	–	–	–
Leather—Cuir	5	–	–	–	–	–	–	1	2	–	–	–	–	1	1	–
Boots and shoes — Chaussures	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Harness and saddlery—Harnachement et sellerie	2	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–
Tanners and curriers—Tanneurs et corroyeurs	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other leather workers—Autres ouvriers travaillant le cuir	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Locomotive and railway car works—Usines construisant locomotives et wagons	2	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
Metal works (other than steel)—Usines sidérurgiques (autres qu'aciéries)	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Paints and varnishes—Peintures et vernis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Printing and bookbinding—Impression et reliure	3	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–
Printers and typesetters—Imprimeurs et compositeurs	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Engravers—Graveurs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other employees—Autres ouvriers	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Pulp and paper—Pulpe et papier	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Rubber—Caoutchouc	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Saw and planing mills—Scieries et ateliers de planage	3	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
Textiles	4	–	–	1	–	–	–	–	1	1	–	–	–	1	–	–
Cotton—Coton	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Woollen—Laine	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Other textiles—Autres tissages	3	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–
Tobacco and cigars—Tabacs et cigares	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wagons and carriages—Voitures de travail et de promenade	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Woodworking factories—Manufactures travaillant le bois	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Factories, other and n.o.s. Manufactures, autres et n.a.s.	4	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–
Construction	23	–	–	2	1	2	2	2	5	3	–	2	2	2	–	–
Bricklayers and plasterers—Maçons, (brique) et plâtriers	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–

NOTE—n.o.s.=Not otherwise stated. NOTE—n.a.s.=Non autrement spécifié.

TABLE 32—Deaths of males in Canada, classified according to occupations, 1927—*con.*

Occupations	Total	Ages—Âges														
		Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
SUICIDES (Int. List Nos. 165–174)—con.—SUICIDES (Nos. 165–174, liste int.)—suite																
Construction—con.—fin																
Carpenters — Charpentiers et menuisiers	13	–	–	–	–	2	2	1	1	1	–	2	2	2	–	–
Electricians — Électriciens	2	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Masons and stonecutters —Maçons (pierre) et tailleurs de pierre	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Painters and decorators—Peintres et décorateurs	4	–	–	1	–	–	–	–	2	1	–	–	–	–	–	–
Plumbers and tinsmiths—Plombiers et ferblantiers	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Shipwrights — Charpentiers de navire	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Structural steel workers—Charpentiers en acier	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Contractors — Entrepreneurs	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Transportation and public utilities — Transports et utilités publiques	39	–	1	1	5	4	6	4	8	2	3	3	2	–	–	–
Engineers and firemen, steam railways—Mécaniciens et chauffeurs (de locomotive)	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Conductors and brakemen, steam railways—Conducteurs et serre-freins (de train)	2	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Other steam railway employees — Autres employés de chemins de fer	11	–	–	–	1	1	1	–	4	1	1	1	1	–	–	–
Railway mail clerks—Courriers convoyeurs des postes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Electric railway employees—Employés de tramways	3	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–
Seamen—Marins	5	–	1	–	1	–	1	–	–	1	–	1	–	–	–	–
Chauffeurs, drivers, etc. —Chauffeurs, cochers, etc	11	–	–	1	3	1	3	1	1	–	1	–	–	–	–	–
Warehousemen —Entrepositaires et magasiniers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Telegraph and telephone—Télégraphe et téléphone	*4*	–	–	–	–	–	*1*	–	*1*	–	*1*	*1*	–	–	–	–
Linemen—Poseurs de fil	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Operators — Télégraphistes et téléphonistes	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other employees—Autres employés	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Expressmen — Employés de messageries	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Light and power employees — Employés des compagnies d'éclairage et de force motrice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gas works employees—Employés des compagnies de gaz	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Trade—Commerce	33	–	–	3	–	2	3	5	3	3	1	6	6	–	1	–
Merchants—Marchands	18	–	–	1	–	–	2	4	1	3	–	3	3	–	1	–
Salespeople, etc.—Commis, etc	13	–	–	2	–	2	1	1	1	–	1	3	2	–	–	–
Commercial travellers—Commis voyageurs	2	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
Finance	10	–	–	–	–	–	–	1	2	3	2	–	2	–	–	–
Bankers, brokers, etc.—Banquiers, courtiers, etc	10	–	–	–	–	–	–	1	2	3	2	–	2	–	–	

TABLEAU 32—Décès masculins dans le Canada, classifiés selon l'occupation des décédés, 1927—*suite*

Occupations	Total	Ages—Âges														
		Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
SUICIDES (Int. List Nos. 165–174)–con.—SUICIDES (Nos. 165–174, liste int.)–suite																
Service	47	–	–	1	2	6	11	8	7	3	5	1	1	2	–	–
Professional—Carrières libérales	13	–	–	–	1	2	2	2	2	1	1	1	–	1	–	–
Doctors—Médecins	4	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–
Teachers — Professeurs et instituteurs	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Other—Autres professions	8	–	–	–	–	–	1	1	2	1	1	1	–	1	–	–
Recreational—Amusements	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Customs and repairs—Réparations et ouvrages à façon	7	–	–	1	–	–	–	2	1	1	1	–	1	–	–	–
Garage and bicycles—Garages et bicyclettes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Blacksmiths — Forgerons	4	–	–	1	–	–	–	1	1	–	1	–	–	–	–	–
Boot and shoe repairs—Cordonniers et savetiers	3	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–
Dyeing, cleaning and pressing—Teinturiers nettoyeurs et presseurs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jewelry and watch repairs—Bijoutiers et horlogers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lock and gunsmiths—Armuriers et serruriers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Picture framing—Encadreurs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Personal—Service personnel	25	–	–	–	1	4	9	4	3	1	2	–	–	1	–	–
Barbers, hairdressers, etc.—Coiffeurs, perruquiers, etc	3	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
Hotel keepers — Hôteliers	4	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–
Servants, waiters, etc.. Domestiques, garçons, etc	15	–	–	–	–	2	6	3	2	–	1	–	–	1	–	–
Laundry workers—Employés de buanderie	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Firemen and furnacemen—Chauffeurs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Photographers — Photographes	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Undertakers — Entrepreneurs de pompes funèbres	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Miscellaneous — Occupations diverses	10	1	1	1	1	1	1	–	3	–	–	–	1	–	–	–
Inspectors, n.o.s.—Inspecteurs, n.a.s	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Postmen, policemen, etc.—Facteurs, agents de police, etc	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Firemen (fire department)—Pompiers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Foremen, n.o.s.—Contremaîtres, n.a.s	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stationary engineers—Mécaniciens de machines fixes	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Bill posters—Afficheurs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Clerks, n.o.s.—Commis, n.a.s	4	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–
Firemen, n.o.s.—Chauffeurs, n.a.s	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Engineers, n.o.s.—Mécaniciens, n.a.s	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Messengers, n.o.s.—Messagers, n.a.s	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apprentices, n.o.s.—Apprentis, n.a.s	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE—n.o.s.=Not otherwise stated. NOTE—n.a.s.=Non autrement spécifié.

TABLE 32—Deaths of males in Canada, classified according to occupations, 1927—*con.*

Occupations	Ages—Âges															
	Total	Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
SUICIDES (Int. List Nos. 165–174)-con.—SUICIDES (Nos. 165–174, liste int.)–fin																
Miscellaneous-con.—Occupations diverses–fin																
Packers, n.o.s.—Emballeurs, n.a.s.																
Students—Étudiants	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aviators—Aviateurs	3	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Occupation not given—Occupation inconnue	20	–	1	–	4	1	4	–	3	–	1	2	2	–	–	2
No occupation–Sans occupation	9	–	1	–	–	1	–	–	–	–	1	–	2	3	1	–
TUBERCULOSIS (Int. List Nos. 31-37)—TUBERCULOSE (Nos. 31-37, liste int.)																
Total	3,593	572	265	410	400	340	319	269	264	193	157	134	112	81	68	9
Owners, managers, etc.—Propriétaires, gérants, etc.	11	–	–	–	1	1	1	2	3	1	–	2	–	–	–	–
Agents (all classes)—Agents (toutes catégories)	10	–	–	–	2	–	1	3	1	3	–	–	–	–	–	–
Office employees (incl. govt. and municipal)—Employés de bureau (y compris fonc. du gouv. et des municipalités)	127	–	8	23	26	18	17	14	6	4	8	–	1	1	1	–
Labourers—Journaliers et manœuvres	638	–	37	88	90	77	66	66	68	38	33	21	27	16	11	1
Agriculture	45	–	6	7	8	6	6	2	2	2	2	1	1	2	–	–
Chemicals and allied products—Produits chimiques et connexes	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Iron and steel—Fer et acier	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Metal works (other than steel)—Usines sidérurgiques (autres qu'aciéries)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paints and varnishes—Peintures et vernis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pulp and paper—Pulpe et papier	7	–	–	–	1	–	2	1	1	1	–	1	–	–	–	–
Other factories—Autres manufactures	7	–	1	–	2	1	1	–	2	–	–	–	–	–	–	–
Construction	12	–	–	3	2	–	2	1	1	1	–	1	1	–	–	–
Steam and street railways—Chemins de fer et tramways	11	–	–	1	4	1	2	2	–	–	–	–	–	–	1	–
Water transportation—Transports par eau	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other and n.o.s.—Autres et n.a.s.	553	–	30	77	72	68	53	60	61	34	30	18	25	14	10	1
Farmers—Cultivateurs	596	–	28	80	68	53	56	44	44	44	40	48	39	23	28	1
Fishermen—Pêcheurs	53	–	8	8	7	7	3	4	5	1	4	1	1	2	2	–
Hunters and trappers—Chasseurs et trappeurs	42	2	8	6	4	2	4	1	1	2	1	2	1	1	4	3
Shantymen—Bûcherons	43	–	3	8	9	7	9	1	2	2	–	1	–	–	1	–
Miners and quarry workers — Mineurs et carriers	58	–	–	6	9	8	7	5	8	2	5	2	3	3	–	–
Coal—Houillères	30	–	–	6	2	5	1	1	6	2	3	1	2	1	–	–
Quarries—Carrières	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Other mining—Autres mines	27	–	–	–	7	3	5	4	2	–	2	1	1	2	–	–
Factory employees—Ouvriers de manufacture	277	–	5	38	38	27	35	27	25	31	16	14	11	7	3	–
Automobiles, bicycles and aeroplanes — Automobiles, bicyclettes et aéroplanes	4	–	–	1	–	–	2	1	–	–	–	–	–	–	–	–
Agricultural implements Instruments aratoires	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chemicals and allied products—Produits chimiques et connexes	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–

NOTE—n.o.s.=Not otherwise stated. NOTE—n.a.s.=Non autrement spécifié.

TABLEAU 32—Décès masculins dans le Canada, classifiés selon l'occupation des décédés, 1927—*suite*

Occupations	Total	Ages—Âges														
		Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
TUBERCULOSIS (Int. List Nos. 31-37)–con.—TUBERCULOSE (Nos. 31-37, liste int.)–suite																
Factory employees–con.—**Ouvriers de manufacture**–suite																
Clay, glass and cement—Argile, verre et ciment	7	–	–	–	*1*	–	*1*	*2*	*2*	*1*	–	–	–	–	–	–
Brickmakers — Briquetiers	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Glassblowers —Verriers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other employees — Autres ouvriers	5	–	–	–	1	–	1	1	1	1	–	–	–	–	–	–
Clothing—Vêtements	*24*	–	–	*2*	*7*	*2*	*1*	*4*	*2*	*2*	*3*	–	*1*	–	–	–
Tailors—Tailleurs	17	–	–	1	5	1	1	3	1	2	3	–	–	–	–	–
Other employees—Autres ouvriers	7	–	–	1	2	1	–	1	1	–	–	–	1	–	–	–
Gold, silver and jewelry—Orfèvres, argentiers et bijoutiers	2	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
Food—Alimentation	*38*	–	*1*	*4*	*4*	*8*	*4*	*2*	*5*	*6*	*1*	–	*1*	*2*	–	–
Bakers—Boulangers	9	–	–	2	1	2	1	–	–	2	1	–	–	–	–	–
Other employees—Autres ouvriers	29	–	1	2	3	6	3	2	5	4	–	–	1	2	–	–
Iron and steel—Fer et acier	*62*	–	–	*3*	*7*	*2*	*12*	*8*	*5*	*8*	*7*	*3*	*7*	–	–	–
Filers, grinders and polishers—Limeurs, broyeurs et polisseurs	5	–	–	–	–	1	2	–	1	–	–	–	1	–	–	–
Machinists and toolmakers — Machinistes et outilleurs	25	–	–	1	4	–	5	5	1	2	3	2	2	–	–	–
Moulders, casters and enamellers — Mouleurs, fondeurs et émailleurs	17	–	–	2	1	–	2	1	2	3	3	–	3	–	–	–
Other employees—Autres ouvriers	15	–	–	–	2	1	3	2	1	3	1	1	1	–	–	–
Leather—Cuir	*12*	–	–	*3*	*1*	–	*1*	*4*	*1*	*1*	–	–	–	*1*	–	–
Boots and shoes — Chaussures	2	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
Harness and saddlery—Harnachement et sellerie	4	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–
Tanners and curriers—Tanneurs et corroyeurs	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Other leather workers—Autres ouvriers travaillant le cuir	4	–	–	3	–	–	–	1	–	–	–	–	–	–	–	–
Locomotive and railway car works—Usines construisant locomotives et wagons	4	–	–	–	2	1	–	–	–	–	1	–	–	–	–	–
Metal works (other than steel)—Usines sidérurgiques (autres qu'aciéries)	7	–	–	2	2	1	1	–	–	1	–	–	–	–	–	–
Paints and varnishes—Peintures et vernis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Printing and bookbinding—Impression et reliure	*19*	–	*1*	*4*	*3*	*1*	*3*	*2*	–	*2*	*1*	*2*	–	–	–	–
Printers and typesetters —Imprimeurs et compositeurs	11	–	–	2	1	1	2	1	–	2	1	1	–	–	–	–
Engravers—Graveurs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other employees—Autres ouvriers	8	–	1	2	2	–	1	1	–	–	–	1	–	–	–	–
Pulp and paper—Pulpe et papier	4	–	–	1	1	1	–	–	–	1	–	–	–	–	–	–
Rubber—Caoutchouc	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Saw and planing mills—Scieries et ateliers de planage	24	–	1	9	1	4	–	–	1	4	2	–	1	–	1	–
Textiles	*8*	–	–	*1*	*1*	–	*1*	–	*1*	*1*	*1*	*2*	–	–	–	–
Cotton—Coton	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Woollen—Laine	2	–	–	–	1	–	–	–	1	–	–	–	–	–		–
Other textiles—Autres tissages	5	–	–	1	–	–	1	–	–	1	–					

TABLE 32—Deaths of males in Canada, classified according to occupations, 1927—*con.*

Occupations	Total	Ages—Âges														
		Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
TUBERCULOSIS (Int. List Nos. 31-37)-con.—TUBERCULOSE (Nos. 31-37, liste int.)-suite																
Factory employees-con.—**Ouvriers de manufacture**-fin																
Tobacco and cigars—Tabacs et cigares	6	–	–	–	–	2	2	1	–	1	–	–	–	–	–	–
Wagons and carriages—Voitures de travail et de promenade	4	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–
Woodworking factories—Manufactures travaillant le bois	8	–	–	–	1	2	–	1	1	1	–	–	–	1	1	–
Factories, other and n.o.s.—Manufactures, autres et n.a.s.	43	–	2	7	7	3	6	2	7	2	–	5	1	1	–	–
Construction	**190**	–	**8**	**10**	**23**	**25**	**19**	**17**	**27**	**19**	**11**	**12**	**9**	**7**	**3**	–
Bricklayers and plasterers—Maçons (brique) et plâtriers	11	–	–	–	–	–	2	3	2	2	1	1	–	–	–	–
Carpenters — Charpentiers et menuisiers	78	–	1	3	12	9	8	5	6	10	6	7	5	3	3	–
Electricians—Électriciens	14	–	2	1	3	6	1	–	–	–	1	–	–	–	–	–
Masons and stonecutters—Maçons (pierre) et tailleurs de pierre	14	–	–	–	–	1	1	2	2	3	1	–	2	2	–	–
Painters and decorators—Peintres et décorateurs	48	–	3	5	7	7	6	3	10	3	1	1	–	2	–	–
Plumbers and tinsmiths—Plombiers et ferblantiers	16	–	2	1	1	2	1	4	3	–	1	1	–	–	–	–
Shipwrights — Charpentiers de navire	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Structural steel workers—Charpentiers en acier	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Contractors — Entrepreneurs	7	–	–	–	–	–	–	–	3	–	–	2	2	–	–	–
Transportation and public utilities — Transports et utilités publiques	**153**	–	**4**	**17**	**28**	**24**	**25**	**19**	**17**	**4**	**3**	**3**	**4**	**3**	**2**	–
Engineers and firemen, steam railways—Mécaniciens et chauffeurs (de locomotive)	6	–	–	–	–	2	1	2	1	–	–	–	–	–	–	–
Conductors and brakemen, steam railways—Conducteurs et serre-freins (de train)	8	–	–	–	2	1	2	–	1	–	–	1	–	–	1	–
Other steam railway employees—Autres employés de chemins de fer	23	–	–	3	5	2	5	2	2	1	1	–	–	1	1	–
Railway mail clerks—Courriers convoyeurs des postes	3	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Electric railway employees—Employés de tramways	5	–	–	–	2	–	2	–	1	–	–	–	–	–	–	–
Seamen—Marins	43	–	2	4	7	3	11	6	3	2	1	–	3	1	–	–
Chauffeurs, drivers, etc.—Chauffeurs, cochers, etc	46	–	2	7	10	9	2	4	7	1	–	2	1	1	–	–
Warehousemen — Entrepositaires et magasiniers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Telegraph and telephone—Télégraphe et téléphone	*16*	–	–	*3*	*2*	*5*	*1*	*3*	*1*	–	*1*	–	–	–	–	–
Linemen—Poseurs de fil	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Operators—Télégraphistes et téléphonistes	12	–	–	2	1	4	1	3	–	–	1	–	–	–	–	–
Other employees—Autres employés	2	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Expressmen — Employés de messageries	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–

NOTE—n.o.s.=Not otherwise stated. NOTE—n.a.s.=Non autrement spécifié.

TABLEAU 32—Décès masculins dans le Canada, classifiés selon l'occupation des décédés, 1927—*suite*

Occupations	Ages—Âges															
	Total	Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
TUBERCULOSIS (Int. List Nos. 31-37)-con.—TUBERCULOSE (Nos. 31-37, liste int.)-suite																
Transportation and public utilities-con.—**Transports et utilités publiques**-fin																
Light and power employees—Employés des compagnies d'éclairage et de force motrice	2	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Gas works employees—Employés des compagnies de gaz	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Trade—Commerce	**142**	–	**6**	**16**	**15**	**24**	**17**	**14**	**13**	**11**	**5**	**10**	**6**	**3**	**2**	–
Merchants—Marchands	66	–	2	4	6	8	9	6	7	6	2	8	5	2	1	
Salespeople, etc.—Commis, etc	59	–	4	11	7	13	4	4	5	4	2	2	1	1	1	–
Commercial travellers—Commis voyageurs	17	–	–	1	2	3	4	4	1	1	1	–	–	–	–	–
Finance	**18**	–	–	**1**	**3**	**3**	**1**	**2**	**6**	**1**	–	**1**	–	–	–	–
Bankers, brokers, etc.—Banquiers,courtiers,etc	18	–	–	1	3	3	1	2	6	1	–	1	–	–	–	–
Service	**249**	**1**	**7**	**31**	**35**	**34**	**38**	**25**	**24**	**20**	**16**	8	**2**	**4**	4	–
Professional—Carrières libérales	*72*	–	–	*9*	*11*	*16*	*10*	*4*	*7*	*7*	*5*	*1*	–	–	*2*	–
Doctors—Médecins	8	–	–	–	1	3	1	–	–	1	1	1	–	–	–	–
Teachers — Professeurs et instituteurs	9	–	–	2	3	1	–	–	1	–	2	–	–	–	–	–
Other—Autres professions	55	–	–	7	7	12	9	4	6	6	2	–	–	–	2	–
Recreational—Amusements	5	–	–	1	1	–	–	1	1	1	–	–	–	–	–	–
Customs and repairs—Réparations et ouvrages à façon	*51*	–	*2*	*8*	*9*	*5*	*6*	*4*	*4*	*2*	*5*	*2*	–	*2*	*2*	–
Garage and bicycles—Garages et bicyclettes	9	–	1	4	1	1	2	–	–	–	–	–	–	–	–	–
Blacksmiths — Forgerons	14	–	–	1	4	–	1	–	2	1	1	1	–	1	2	–
Boot and shoe repairs—Cordonniers et savetiers	24	–	–	3	3	3	3	3	2	1	4	1	–	1	–	–
Dyeing, cleaning and pressing — Teinturiers, nettoyeurs et presseurs	4	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–
Jewelry and watch repairs—Bijoutiers et horlogers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lock and gunsmiths—Armuriers et serruriers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Picture framing — Encadreurs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Personal—Service personnel	*121*	*1*	*5*	*13*	*14*	*13*	*22*	*16*	*12*	*10*	*6*	*5*	*2*	*2*	–	–
Barbers, hairdressers, etc.—Coiffeurs, perruquiers, etc	24	–	–	3	3	4	2	6	2	2	2	–	–	–	–	–
Hotel keepers— Hôteliers	9	–	–	–	–	1	2	–	3	1	–	2	–	–	–	–
Servants, waiters, etc.—Domestiques, garçons, etc	75	1	5	9	9	4	16	9	7	6	3	2	2	2	–	–
Laundry workers—Employés de buanderie	10	–	–	1	2	3	1	–	–	1	1	1	–	–	–	–
Firemen and furnacemen—Chauffeurs	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Photographers — Photographes	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Undertakers— Entrepreneurs de pompes funèbres	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 32—Deaths of males in Canada, classified according to occupations, 1927—*con.*

TABLEAU 32—Décès masculins dans le Canada, classifiés selon l'occupation des décédés, 1927—*fin*

Occupations	Ages—Âges															
	Total	Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
TUBERCULOSIS (Int. List Nos. 31-37)-con.—TUBERCULOSE (Nos. 31-37, liste int.)-fin																
Miscellaneous — Occupations diverses	**433**	**188**	**101**	**45**	**25**	**18**	**8**	**15**	**9**	**5**	**10**	**3**	**2**	**3**	**1**	–
Inspectors, n.o.s. — Inspecteurs, n.a.s.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Postmen, policemen, etc.—Facteurs, agents de police, etc.	33	–	1	1	6	10	3	2	5	–	3	–	–	2	–	–
Firemen (fire department)—Pompiers	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Foremen, n.o.s. — Contremaîtres, n.a.s.	5	–	–	–	–	1	–	2	–	–	–	–	1	–	1	–
Stationary engineers—Mécaniciens de machines fixes	7	–	–	1	2	1	–	–	1	–	1	1	–	–	–	–
Bill posters—Afficheurs	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Clerks, n.o.s.—Commis, n.a.s.	64	–	6	16	11	6	3	10	3	4	4	–	1	–	–	–
Firemen, n.o.s.—Chauffeurs, n.a.s.	2	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Engineers, n.o.s. — Mécaniciens, n.a.s.	6	–	1	1	–	–	–	1	–	–	2	1	–	–	–	–
Messengers, n.o.s. — Messagers, n.a.s.	3	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Apprentices, n.o.s. — Apprentis, n.a.s.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Packers, n.o.s.—Emballeurs, n.a.s.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Students—Étudiants	308	188	91	24	5	–	–	–	–	–	–	–	–	–	–	–
Aviators—Aviateurs	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Occupation not given—Occupation inconnue	**43**	–	**5**	**5**	**7**	**4**	**5**	**5**	**1**	**3**	**1**	**2**	**1**	–	**1**	**3**
No occupation—Sans occupation	**510**	**381**	**37**	**28**	**10**	**8**	**7**	**5**	**4**	**2**	**5**	**4**	**5**	**8**	**5**	**1**

NOTE—n.o.s=Not otherwise stated. NOTE—n.a.s.=Non autrement spécifié.

MARRIAGES

MARIAGES

TABLE 33—Marriages in Canada, by months, 1927
TABLEAU 33—Mariages dans le Canada, par mois, 1927

Provinces	Total	Months—Mois											
		January — Janvier	February Février	March — Mars	April — Avril	May — Mai	June — Juin	July — Juillet	August — Août	September — Septembre	October — Octobre	November — Novembre	December Décembre
Canada[1]	**69,515**	**4,356**	**4,394**	**3,313**	**4,775**	**4,378**	**9,369**	**6,355**	**6,537**	**7,375**	**6,523**	**6,369**	**5,771**
Prince Edward Island	482	27	33	22	20	23	52	39	48	58	45	85	30
Nova Scotia	3,042	182	190	158	175	192	372	249	281	346	315	330	252
New Brunswick	2,887	130	149	127	178	183	366	250	278	381	336	303	206
Quebec	18,551	1,193	1,145	420	1,377	1,468	2,751	2,087	1,915	2,186	1,936	1,029	1,044
Ontario	24,677	1,416	1,380	1,273	1,717	1,523	3,693	1,890	2,215	3,017	2,409	2,141	2,003
Manitoba	4,716	363	368	290	274	253	516	443	427	358	427	617	380
Saskatchewan	5,733	451	459	378	326	237	562	551	478	273	366	891	761
Alberta	4,707	308	368	338	328	220	498	431	412	296	265	599	644
British Columbia	4,720	286	302	307	380	279	559	415	483	460	424	374	451

(1)Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

TABLE 34—Marriages—Conjugal condition of contracting parties by provinces, 1926-27
TABLEAU 34—Mariages—État civil des conjoints dans chaque province, 1926-27

Provinces	Total marriages	Total des mariages	Mariages between—Mariages entre										Per cent of bride-grooms who were — Pourcentage des époux qui étaient				Per cent of brides who were — Pourcentage des épouses qui étaient			
			Bachelors and — Célibataires et				Widowers and — Veufs et				Divorced men and — Divorcés et									
			Spinsters	Filles	Widows	Veuves	Divorced	Divorcées	Spinsters	Filles	Widows	Veuves	Divorced	Divorcées	Spinsters	Filles	Widowers	Veuf	Divorced	Divorcés	Bachelors	Célibataires	Widowers	Veufs	Divorced	Divorcés	Spinsters	Filles	Widows	Veuves	Divorced	Divorcées
Canada[1]	**1926**	**66,658**	**58,047**	**1,862**		**360**	**3,542**	**2,281**		**82**	**332**	**82**		**70**	**90·4**		**8·9**		**0·7**		**92·9**		**6·3**		**0·8**		
	1927	**69,515**	**60,585**	**1,825**		**348**	**3,685**	**2,397**		**89**	**408**	**94**		**84**	**90·3**		**8·9**		**0·8**		**93·0**		**6·2**		**0·7**		
P. E. Island	1926	459	397	8		–	32	21		–	–	1		–	88·2		11·5		0·2		93·5		6·5		–	
	1927	482	418	13		1	32	18		–	–	–		–	89·6		10·4		–		93·4		6·4		0·2	
Nova Scotia	1926	2,861	2,405	97		11	208	120		1	11	5		3	87·8		11·5		0·7		91·7		7·8		0·5	
	1927	3,042	2,637	85		5	206	92		7	8	1		1	89·6		10·0		0·3		93·7		5·9		0·4	
New Brunswick	1926	2,938	2,490	78		21	195	122		6	20	3		3	88·1		11·0		0·9		92·1		6·9		1·0	
	1927	2,887	2,444	75		18	191	113		8	28	5		5	87·9		10·8		1·3		92·2		6·7		1·1	
Quebec	1926	17,827	15,594	324		17	1,101	744		10	19	11		7	89·4		10·4		0·2		93·8		6·1		0·2	
	1927	18,551	16,220	378		15	1,126	762		9	30	6		5	89·6		10·2		0·2		93·7		6·2		0·2	
Ontario	1926	23,632	21,147	594		51	1,077	649		20	73	12		9	92·2		7·4		0·4		94·4		5·3		0·3	
	1927	24,677	21,969	572		66	1,169	752		16	101	22		10	91·6		7·8		0·5		94·2		5·5		0·4	
Manitoba	1926	4,537	3,922	126		37	236	159		7	34	9		7	90·0		8·9		1·1		92·4		6·5		1·1	
	1927	4,716	4,068	136		35	244	167		4	45	11		6	89·9		8·8		1·3		92·4		6·7		1·0	
Saskatchewan	1926	5,483	4,816	180		27	252	163		8	29	6		2	91·6		7·7		0·7		93·0		6·4		0·7	
	1927	5,733	5,041	166		31	273	173		7	32	6		4	91·4		7·9		0·7		93·2		6·0		0·7	
Alberta	1926	4,503	3,794	206		78	209	145		7	45	16		3	90·6		8·0		1·4		89·9		8·2		2·0	
	1927	4,707	4,012	186		57	215	136		17	64	12		8	90·4		7·8		1·8		91·2		7·1		1·7	
British Columbia	1926	4,418	3,482	249		118	232	158		23	101	19		36	87·1		9·3		3·5		86·4		9·6		4·0	
	1927	4,720	3,776	214		120	229	184		21	100	31		45	87·1		9·2		3·7		87·0		9·1		3·9	

(1)Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

TABLE 35—Marriages reported in rural and urban parts of counties or census divisions, 1927

TABLEAU 35—Mariages constatés dans les parties rurales et urbaines des comtés ou divisions de recensement, 1927

Counties or divisions — Comtés ou divisions	Total	Rural — Ruraux	Urban — Urbains
Canada[1]	**69,515**	**23,018**	**46,497**
Prince Edward Island	**482**	**241**	**241**
Kings	77	66	11
Prince	173	111	62
Queens	232	64	168
Nova Scotia	**3,042**	**816**	**2,226**
Annapolis	76	60	16
Antigonish	31	8	23
Cape Breton	517	34	483
Colchester	190	40	150
Cumberland	252	43	209
Digby	107	77	30
Guysborough	74	50	24
Halifax	757	87	670
Hants	99	31	68
Inverness	73	59	14
Kings	134	61	73
Lunenburg	192	103	89
Pictou	227	19	208
Queens	63	28	35
Richmond	26	26	–
Shelburne	61	48	13
Victoria	24	24	–
Yarmouth	139	18	121
New Brunswick	**2,887**	**1,369**	**1,518**
Albert	20	20	–
Carleton	315	143	172
Charlotte	287	57	230
Gloucester	225	167	58
Kent	107	107	–
Kings	90	71	19
Madawaska	143	104	39
Northumberland	226	136	90
Queens	52	52	–
Restigouche	165	88	77
St. John	457	64	393
Sunbury	20	20	–
Victoria	210	170	40
Westmorland	342	104	238
York	228	66	162
Quebec	**18,551**	**7,690**	**10,861**
Abitibi	139	139	–
Argenteuil	100	80	20
Arthabaska	172	117	55
Bagot	101	90	11
Beauce	317	278	39
Beauharnois	173	41	132
Bellechasse	125	125	–
Berthier	110	86	24
Bonaventure	167	167	–
Brome	76	76	–
Chambly	112	53	59
Champlain	349	213	136
Charlevoix	172	139	33
Chateauguay	102	102	–
Chicoutimi	432	130	302
Compton	111	89	22
Deux Montagnes	90	90	–
Dorchester	185	185	–
Drummond	146	80	66
Frontenac	164	133	31
Gaspé	227	227	–
Hull	473	187	286
Huntingdon	78	59	19
Iberville	55	32	23
Iles de la Madeleine	41	41	–
Joliette	179	98	81
Kamouraska	143	143	–
Quebec–con.—fin.			
Labelle	142	142	–
Lac St-Jean	389	358	31
Laprairie	64	47	17
L'Assomption	111	91	20
Lévis	202	99	103
L'Islet	123	123	–
Lotbinière	121	121	–
Maskinongé	110	87	23
Matane	120	120	–
Matapédia	137	137	–
Mégantic	208	121	87
Missisquoi	102	56	46
Montcalm	97	97	–
Montmagny	105	75	30
Montmorency	106	106	–
Montreal and Jesus Islands			
Îles de	6,881	104	6,777
Montreal Island—Île de	*6,803*	*43*	*6,760*
Jesus Island— Île de	*78*	*61*	*17*
Napierville	53	53	–
Nicolet	193	168	25
Papineau	173	140	33
Pontiac	109	109	–
Portneuf	216	206	10
Quebec	1,069	154	915
Richelieu	131	63	68
Richmond	154	88	66
Rimouski	172	147	25
Rouville	80	61	19
Saguenay	139	139	–
Shefford	219	112	107
Sherbrooke	271	30	241
Soulanges	51	51	–
Stanstead	192	84	108
St. Hyacinthe	158	43	115
St. Jean	127	59	68
St. Maurice	468	112	356
Témiscamingue	105	105	–
Témiscouata	302	244	58
Terrebonne	246	85	161
Vaudreuil	60	60	–
Verchères	66	53	13
Wolfe	120	120	–
Yamaska	120	120	–
Ontario	**24,677**	**5,979**	**18,698**
Addington	35	35	–
Algoma	324	68	256
Brant	375	59	316
Bruce	305	181	124
Carleton	1,169	128	1,041
Cochrane	370	131	239
Dufferin	87	64	23
Dundas	106	106	–
Durham	156	67	89
Elgin	264	106	158
Essex	1,485	127	1,358
Frontenac	340	92	248
Glengarry	108	85	23
Grenville	115	75	40
Grey	355	166	189
Haldimand	127	72	55
Haliburton	26	26	–
Halton	132	61	71
Hastings	405	218	187
Huron	296	183	113
Kenora	112	6	106
Kent	496	162	334
Lambton	347	124	223
Lanark	208	58	150
Leeds	234	97	137

[1]Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

NOTE.—"Urban" includes cities and towns of 1,000 population and over, "Rural" the remaining parts. The classification of cities and towns in Manitoba, Saskatchewan and Alberta is according to the Census of 1926 and in the remaining provinces according to the Census of 1921. For the number of marriages in each city and town of 1,000 population and over, see table 2, pages 6-10.—"Urbains" comprend les cités et villes ayant une population de 1,000 habitants et au-dessus, le reste est inclus avec "Ruraux". La classification des cités et villes dans le Manitoba, la Saskatchewan et l'Alberta est selon le recensement de 1926 et dans toutes les autres provinces selon le recensement de 1921. Pour le nombre des mariages de chaque cité et ville de 1,000 âmes et plus, voir tableau 2, pages 6-10.

TABLE 35—Marriages reported in rural and urban parts of counties or census divisions, 1927—*con.*

TABLEAU 35—Mariages constatés dans les parties rurales et urbaines des comtés ou divisions de recensement, 1927—*fin*

Counties or divisions — Comtés ou divisions	Total	Rural — Ruraux	Urban — Urbains
Ontario—con.—fin.			
Lennox	57	17	40
Lincoln	358	75	283
Manitoulin	84	84	–
Middlesex	930	193	737
Muskoka	144	34	110
Nipissing	275	94	181
Norfolk	165	97	68
Northumberland	187	123	64
Ontario	402	125	277
Oxford	336	138	198
Parry Sound	146	96	50
Peel	159	120	39
Perth	347	104	243
Peterborough	302	78	224
Prescott	193	123	70
Prince Edward	98	55	43
Rainy River	107	26	81
Renfrew	353	198	155
Russell	116	103	13
Simcoe	488	199	289
Stormont	240	70	170
Sudbury	318	125	193
Thunder Bay	484	32	452
Timiskaming	243	132	111
Victoria	175	85	90
Waterloo	661	101	560
Welland	634	148	486
Wellington	385	141	244
Wentworth	1,413	129	1,284
York	6,900	437	6,463
Manitoba	**4,716**	**1,538**	**3,178**
Division No. 1	115	115	–
Division No. 2	210	192	18
Division No. 3	128	128	–
Division No. 4	101	101	–
Division No. 5	159	130	29
Division No. 6	2,780	103	2,677
Division No. 7	303	84	219
Division No. 8	110	62	48
Division No. 9	166	122	44
Division No. 10	69	41	28
Division No. 11	107	89	18
Division No. 12	83	83	–
Division No. 13	152	84	68
Division No. 14	127	127	–
Division No. 15	44	44	–
Division No. 16	62	33	29
Saskatchewan	**5,733**	**2,814**	**2,919**
Division No. 1	285	192	93
Division No. 2	238	140	98
Division No. 3	194	151	43
Division No. 4	139	88	51
Division No. 5	315	249	66
Division No. 6	938	193	745
Division No. 7	506	137	369
Division No. 8	208	111	97
Division No. 9	376	211	165
Division No. 10	206	206	–
Division No. 11	893	156	737
Division No. 12	142	75	67
Division No. 13	189	176	13
Division No. 14	181	145	36
Division No. 15	540	301	239
Division No. 16	252	152	100
Division No. 17	114	114	–
Division No. 18	17	17	–
Alberta	**4,707**	**1,558**	**3,149**
Division No. 1	160	15	145
Division No. 2	398	69	329
Division No. 3	42	42	–
Division No. 4	61	48	13
Division No. 5	146	51	95
Division No. 6	1,249	200	1,049
Division No. 7	211	210	1
Division No. 8	443	135	308
Division No. 9	48	48	–
Division No. 10	267	188	79
Division No. 11	1,249	136	1,113
Division No. 12	27	10	17
Division No. 13	94	94	–
Division No. 14	127	127	–
Division No. 15	59	59	–
Division No. 16	94	94	–
Division No. 17	32	32	–
British Columbia	**4,720**	**1,013**	**3,707**
Victoria Division	548	203	345
New Westminster Division	518	208	310
Nanaimo Division	195	88	107
Beaton Division	409	95	314
Alberni Division	227	137	90
Ashcroft Division	98	64	34
Grand Forks Division	340	160	180
Vancouver Division	2,385	58	2,327

TABLE 36—Marriages classified according to age and occupation of bridegrooms in Canada,(1) 1927

TABLEAU 36—Mariages classifiés selon l'âge et l'occupation des époux dans le Canada,(1) 1927

Occupation of bridegroom — Occupation de l'époux	Age of bridegroom—Âge de l'époux															
	Total	Under 20 — Moins de 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80 and over — 80 et plus	Not stated — Non donnés
Total	**69,515**	**1,748**	**24,091**	**21,675**	**9,626**	**5,055**	**2,658**	**1,683**	**1,086**	**728**	**521**	**338**	**192**	**78**	**19**	**17**
Owners, managers, etc.—Propriétaires, gérants, etc.	**802**	**6**	**163**	**249**	**137**	**100**	**58**	**26**	**23**	**16**	**15**	**5**	**3**	**1**	–	–
Agents (all classes)—Agents (toutes catégories)	**421**	**1**	**90**	**140**	**73**	**48**	**21**	**13**	**12**	**11**	**6**	**4**	**1**	–	**1**	–
Office employees (incl. govt. and municipal)—Employés de bureau (y compris fonc. du gouv. et des municipalités)	**2,812**	**42**	**773**	**999**	**529**	**212**	**96**	**59**	**33**	**23**	**21**	**17**	**6**	**2**	–	–
Labourers — Journaliers et manœuvres	**9,584**	**416**	**4,041**	**2,791**	**1,056**	**556**	**254**	**174**	**118**	**68**	**63**	**32**	**8**	**3**	**2**	**2**
Agriculture	146	6	58	53	10	9	7	–	–	2	–	1	–	–	–	–
Chemicals and allied products—Produits chimiques et connexes	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Iron and steel—Fer et acier	3	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Metal works (other than steel)—Usines sidérurgiques (autres qu'aciéries)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paints and varnishes—Peintures et vernis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pulp and paper—Pulpe et papier	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Other factories—Autres manufactures	17	1	8	7	1	–	–	–	–	–	–	–	–	–	–	–
Construction	145	1	45	45	25	9	5	6	5	3	–	1	–	–	–	–
Steam and street railways—Chemins de fer et tramways	240	5	91	69	33	25	5	7	3	–	1	1	–	–	–	–
Water transportation—Transports par eau	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other and n.o.s.—Autres et n.a.s.	9,029	403	3,838	2,614	984	513	237	161	110	63	62	29	8	3	2	2
Farmers—Cultivateurs	**18,264**	**424**	**6,496**	**5,493**	**2,384**	**1,360**	**790**	**485**	**306**	**221**	**142**	**84**	**49**	**22**	**2**	**6**
Fishermen—Pêcheurs	**582**	**26**	**216**	**152**	**87**	**42**	**26**	**17**	**7**	**4**	**2**	**3**	–	–	–	–
Hunters and trappers—Chasseurs et trappeurs	**107**	**6**	**37**	**22**	**14**	**12**	**8**	**3**	**2**	**2**	–	–	**1**	–	–	–
Shantymen—Bûcherons	**433**	**5**	**138**	**129**	**58**	**46**	**30**	**14**	**5**	**3**	**4**	**1**	–	–	–	–
Miners and quarry workers—Mineurs et carriers	**1,004**	**21**	**338**	**321**	**153**	**74**	**38**	**34**	**13**	**7**	**2**	**3**	–	–	–	–
Coal—Houillères	491	14	193	141	72	33	17	12	5	1	1	2	–	–	–	–
Quarries—Carrières	19	1	12	1	–	3	–	1	–	1	–	–	–	–	–	–
Other mining—Autres mines	494	6	133	179	81	38	21	21	8	5	1	1	–	–	–	–
Factory employees—Ouvriers de manufacture	**9,924**	**338**	**4,078**	**3,128**	**1,150**	**540**	**262**	**178**	**123**	**61**	**42**	**15**	**7**	–	–	**2**
Automobiles, bicycles and aeroplanes—Automobiles, bicyclettes et aéroplanes	93	3	47	25	11	3	3	–	–	1	–	–	–	–	–	–
Agricultural implements—Instruments aratoires	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Chemicals and allied products—Produits chimiques et connexes	105	2	36	39	9	11	4	3	–	1	–	–	–	–	–	–
Clay, glass and cement—Argile, verre et ciment	*89*	*2*	*33*	*22*	*16*	*7*	*3*	*2*	*3*	–	*1*	–	–	–	–	–
Brickmakers—Briquetiers	15	1	6	4	3	–	–	1	–	–	–	–	–	–	–	–
Glassblowers—Verriers	2	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Other employees—Autres ouvriers	72	1	27	17	13	7	3	1	2	–	1	–	–	–	–	–
Clothing—Vêtements	*474*	*12*	*179*	*156*	*64*	*20*	*10*	*15*	*11*	*2*	*5*	–	–	–	–	–
Tailors—Tailleurs	246	3	77	88	39	12	6	10	7	–	4	–	–	–	–	–
Other employees—Autres ouvriers	228	9	102	68	25	8	4	5	4	2	1	–	–	–	–	–
Gold, silver and jewelry—Orfèvres, argentiers et bijoutiers	91	4	35	36	8	3	1	2	–	1	–	1	–	–	–	–
Food—Alimentation	*1,398*	*56*	*582*	*430*	*158*	*81*	*37*	*17*	*17*	*10*	*5*	*1*	*3*	–	–	*1*
Bakers—Boulangers	421	22	190	131	37	23	6	4	5	2	–	1	–	–	–	–
Other employees—Autres ouvriers	977	34	392	299	121	58	31	13	12	8	5	–	3	–	–	1
Iron and steel—Fer et acier	*1,626*	*47*	*611*	*515*	*204*	*103*	*59*	*47*	*20*	*11*	*8*	–	*1*	–	–	–
Filers, grinders and polishers—Limeurs, broyeurs et polisseurs	82	2	37	26	8	2	3	2	1	–	1	–	–	–	–	–
Machinists and toolmakers—Machinistes et outilleurs	875	21	317	292	116	59	29	21	10	5	5	–	–	–	–	–
Moulders, casters and enamellers—Mouleurs, fondeurs et émailleurs	226	10	88	57	29	13	8	10	5	3	2	–	1	–	–	–
Other employees—Autres ouvriers	443	14	169	140	51	29	19	14	4	3	–	–	–	–	–	–
Leather—Cuir	*216*	*13*	*99*	*55*	*18*	*10*	*2*	*4*	*4*	*2*	*5*	*1*	*3*	–	–	–
Boots and shoes—Chaussures	58	5	33	10	5	2	–	–	–	1	2	–	–	–	–	–
Harness and saddlery—Harnachement et sellerie	44	1	11	12	7	2	1	2	3	1	2	–	2	–	–	–

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

NOTE—n.o.s.=Not otherwise stated. NOTE—n.a.s.=Non autrement spécifié.

TABLE 36—Marriages classified according to age and occupation of bridegrooms in Canada, 1927—*con.*

Occupation of bridegroom — Occupation de l'époux	Age of bridegroom—Âge de l'époux															
	Total	Under 20 — Moins de 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80 and over — 80 et plus	Not stated — Non donnés
Factory employees-con.—**Ouvriers de manufacture**-fin																
Leather-con—*Cuir*-fin																
Tanners and curriers—Tanneurs et corroyeurs	42	3	23	11	1	1	–	1	–	–	1	–	1	–	–	–
Other leather workers—Autres ouvriers travaillant le cuir	72	4	32	22	5	5	1	1	1	–	–	1	–	–	–	–
Locomotive and railway car works—Usines construisant locomotives et wagons	118	2	42	34	14	8	7	4	4	2	1	–	–	–	–	–
Metal works (other than steel)—Usines sidérurgiques (autres qu'aciéries)	175	11	78	48	22	6	–	3	3	2	2	–	–	–	–	–
Paints and varnishes—Peintures et vernis	13	–	4	8	–	1	–	–	–	–	–	–	–	–	–	–
Printing and bookbinding—Impression et reliure	*538*	*16*	*250*	*149*	*61*	*21*	*12*	*11*	*11*	*1*	*5*	*1*	–	–	–	–
Printers and typesetters—Imprimeurs et compositeurs	422	13	210	103	49	16	7	9	9	1	4	1	–	–	–	–
Engravers—Graveurs	22	–	7	10	4	1	–	–	–	–	–	–	–	–	–	–
Other employees—Autres ouvriers	94	3	33	36	8	4	5	2	2	–	1	–	–	–	–	–
Pulp and paper—Pulpe et papier	254	6	116	80	31	14	2	2	1	1	1	–	–	–	–	–
Rubber—Caoutchouc	173	7	90	40	22	8	3	–	2	–	–	1	–	–	–	–
Saw and planing mills—Scieries et ateliers de planage	326	9	125	102	40	17	11	11	6	2	1	2	–	–	–	–
Textiles	*196*	*12*	*107*	*45*	*14*	*8*	*6*	–	*1*	*1*	*2*	–	–	–	–	–
Cotton—Coton	14	1	11	2	–	–	–	–	–	–	–	–	–	–	–	–
Woollen—Laine	9	–	1	5	1	1	–	–	–	–	–	–	–	–	–	–
Other textiles—Autres tissages	173	11	95	38	13	7	5	–	1	1	2	–	–	–	–	–
Tobacco and cigars—Tabacs et cigares	21	–	7	7	4	2	–	1	–	–	–	–	–	–	–	–
Wagons and carriages—Voitures de travail et de promenade	28	1	10	11	1	2	–	2	1	–	–	–	–	–	–	–
Woodworking factories—Manufactures travaillant le bois	162	14	57	42	19	13	3	4	2	5	1	2	–	–	–	–
Factories, other and n.o.s.—Manufactures, autres et n.a.s.	3,826	121	1,569	1,284	433	202	99	50	37	19	5	6	–	–	–	1
Construction	**4,549**	**109**	**1,523**	**1,267**	**632**	**371**	**210**	**146**	**100**	**78**	**60**	**32**	**17**	**3**	**1**	–
Bricklayers and plasterers—Maçons (brique) et plâtriers	283	6	124	81	27	12	16	6	1	5	4	1	–	–	–	–
Carpenters—Charpentiers et menuisiers	1,689	27	463	462	254	162	90	75	47	40	36	24	7	2	–	–
Electricians—Électriciens	792	17	300	275	110	50	20	12	5	1	1	–	1	–	–	–
Masons and stonecutters—Maçons (pierre) et tailleurs de pierre	139	5	48	30	18	11	7	3	6	7	2	1	1	–	–	–
Painters and decorators—Peintres et décorateurs	739	32	267	197	101	53	30	19	19	11	6	–	4	–	–	–
Plumbers and tinsmiths—Plombiers et ferblantiers	551	21	260	134	60	33	18	10	7	3	4	–	1	–	–	–
Shipwrights—Charpentiers de navire	36	1	8	8	10	6	1	1	–	–	1	–	–	–	–	–
Structural steel workers—Charpentiers en acier	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Contractors—Entrepreneurs	318	–	52	79	52	44	28	20	15	11	6	6	3	1	1	–
Transportation and public utilities—Transports et utilités publiques	**5,062**	**129**	**1,794**	**1,645**	**691**	**364**	**192**	**99**	**63**	**39**	**15**	**13**	**13**	**3**	–	**2**
Engineers and firemen, steam railways—Mécaniciens et chauffeurs (de locomotive)	245	–	59	90	39	27	13	6	4	5	–	–	2	–	–	–
Conductors and brakemen, steam railways—Conducteurs et serre-freins (de train)	366	3	78	119	72	40	28	13	5	7	1	–	–	–	–	–
Other steam railway employees—Autres employés de chemins de fer	765	14	202	237	136	73	43	20	23	8	3	3	2	1	–	–
Railway mail clerks—Courriers convoyeurs des postes	23	–	3	3	5	7	3	2	–	–	–	–	–	–	–	–
Electric railway employees—Employés de tramways	182	1	36	53	31	18	21	7	10	3	2	–	–	–	–	–
Seamen—Marins	595	14	189	200	83	55	19	13	8	3	2	4	3	1	–	1
Chauffeurs, drivers, etc.—Chauffeurs, cochers, etc	2,220	83	1,022	670	228	107	44	28	10	10	6	6	5	–	–	1
Warehousemen—Entrepositaires et magasiniers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Telegraph and telephone—Télégraphe et téléphone	*552*	*12*	*174*	*229*	*81*	*28*	*14*	*8*	*2*	*2*	–	–	*1*	*1*	–	–
Linemen—Poseurs de fil	142	7	52	53	17	6	4	2	–	1	–	–	–	–	–	–
Operators—Télégraphistes et téléphonistes	283	3	84	129	40	11	7	5	2	1	–	–	–	1	–	–
Other employees—Autres employés	127	2	38	47	24	11	3	1	–	–	–	–	1	–	–	–

NOTE—n.o.s.=Not otherwise stated. NOTE—n.a.s.=Non autrement spécifié.

TABLEAU 36—Mariages classifiés selon l'âge et l'occupation des époux dans le Canada, 1927—*fin*

Occupation of bridegroom — Occupation de l'époux	Age of bridegroom—Âge de l'époux															
	Total	Under 20 — Moins de 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80 and over — 80 et plus	Not stated — Non donnés
Transportation and public utilities-con.—**Transports et utilités publiques**-fin																
Expressmen—Employés de messageries	34	–	7	12	6	5	3	–	1	–	–	–	–	–	–	–
Light and power employees—Employés des compagnies d'éclairage et de force motrice	66	2	18	31	8	3	2	–	–	1	1	–	–	–	–	–
Gas works employees—Employés des compagnies de gaz	14	–	6	1	2	1	2	2	–	–	–	–	–	–	–	–
Trade—Commerce	**4,812**	**49**	**1,275**	**1,585**	**848**	**461**	**218**	**159**	**97**	**55**	**38**	**22**	**9**	**3**	**1**	**1**
Merchants—Marchands	2,203	18	502	693	377	246	123	86	66	32	33	16	7	3	1	–
Salespeople, etc.—Commis, etc.	2,184	29	685	743	390	171	77	42	21	16	5	3	2	–	–	–
Commercial travellers—Commis voyageurs	425	2	88	149	81	44	18	22	10	7	–	3	–	–	–	1
Finance	**653**	**1**	**77**	**218**	**157**	**78**	**47**	**29**	**17**	**7**	**13**	**3**	**3**	**2**	**1**	–
Bankers, brokers, etc.—Banquiers, courtiers, etc	653	1	77	218	157	78	47	29	17	7	13	3	3	2	1	–
Service	**5,546**	**68**	**1,451**	**1,980**	**931**	**495**	**231**	**138**	**99**	**67**	**31**	**29**	**12**	**9**	**3**	**2**
Professional—Carrières libérales	*2,609*	*9*	*478*	*1,083*	*524*	*243*	*104*	*53*	*45*	*29*	*12*	*11*	*7*	*8*	*1*	*2*
Doctors—Médecins	356	1	12	171	90	35	18	9	7	7	3	2	–	–	–	1
Teachers—Professeurs et instituteurs	479	2	151	175	86	40	14	3	3	2	1	1	–	–	–	1
Other—Autres professions	1,774	6	315	737	348	168	72	41	35	20	8	8	7	8	1	–
Recreational—Amusements	125	1	46	43	12	14	5	2	1	1	–	–	–	–	–	–
Customs and repairs—Réparations et ouvrages à façon	*1,065*	*22*	*389*	*326*	*124*	*74*	*42*	*33*	*17*	*19*	*5*	*10*	*3*	–	*1*	–
Garage and bicycles—Garages et bicyclettes	426	9	167	142	51	31	14	7	2	2	–	1	–	–	–	–
Blacksmiths—Forgerons	305	1	97	78	31	26	23	19	9	11	3	4	2	–	1	–
Boot and shoe repairs—Cordonniers et savetiers	261	8	95	87	30	15	3	6	4	5	2	5	1	–	–	–
Dyeing, cleaning and pressing—Teinturiers, nettoyeurs et presseurs	67	3	29	17	10	2	2	1	2	1	–	–	–	–	–	–
Jewelry and watch repairs—Bijoutiers et horlogers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lock and gunsmiths—Armuriers et serruriers	3	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–
Picture framing—Encadreurs	3	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Personal—Service personnel	*1,747*	*36*	*538*	*528*	*271*	*164*	*80*	*50*	*36*	*18*	*14*	*8*	*2*	*1*	*1*	–
Barbers, hairdressers, etc.—Coiffeurs, perruquiers, etc	573	13	211	192	86	35	15	10	6	3	2	–	–	–	–	–
Hotel keepers—Hôteliers	176	1	26	50	34	33	14	11	3	2	2	–	–	–	–	–
Servants, waiters, etc.—Domestiques, garçons, etc	845	14	251	238	134	88	42	25	21	12	9	7	2	1	1	–
Laundry workers—Employés de buanderie	28	4	7	8	1	2	4	–	2	–	–	–	–	–	–	–
Firemen and furnacemen—Chauffeurs	27	1	9	6	6	2	1	1	1	–	–	–	–	–	–	–
Photographers—Photographes	56	3	21	17	6	1	2	2	2	–	1	1	–	–	–	–
Undertakers—Entrepreneurs de pompes funèbres	42	–	13	17	4	3	2	1	1	1	–	–	–	–	–	–
Miscellaneous—Occupations diverses	**4,590**	**101**	**1,580**	**1,525**	**702**	**286**	**165**	**106**	**53**	**41**	**17**	**8**	**4**	**1**	**1**	–
Inspectors, n.o.s.—Inspecteurs, n.a.s	95	2	23	28	19	8	5	3	3	1	2	–	1	–	–	–
Postmen, policemen, etc.—Facteurs, agents de police, etc	524	6	134	160	110	42	31	22	8	6	3	1	1	–	–	–
Firemen (fire department)—Pompiers	39	–	6	14	9	6	2	1	–	–	1	–	–	–	–	–
Foremen, n.o.s.—Contremaîtres, n.a.s	288	–	68	81	56	29	18	13	11	7	–	3	1	1	–	–
Stationary engineers—Mécaniciens de machines fixes	149	1	29	51	38	9	9	7	1	3	1	–	–	–	–	–
Bill posters—Afficheurs	7	–	2	4	1	–	–	–	–	–	–	–	–	–	–	–
Clerks, n.o.s.—Commis, n.a.s	2,506	84	1,028	851	315	116	61	28	10	7	4	1	–	–	1	–
Firemen, n.o.s.—Chauffeurs, n.a.s	220	2	76	74	27	22	9	4	4	1	1	–	–	–	–	–
Engineers, n.o.s.—Mécaniciens, n.a.s	548	1	109	187	108	48	28	27	16	15	5	3	1	–	–	–
Messengers, n.o.s.—Messagers, n.a.s	3	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Apprentices, n.o.s.—Apprentis, n.a.s	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Packers, n.o.s.—Emballeurs, n.a.s	31	–	11	12	4	3	1	–	–	–	–	–	–	–	–	–
Students—Étudiants	149	3	83	51	9	2	–	1	–	–	–	–	–	–	–	–
Aviators—Aviateurs	29	2	8	10	6	1	1	–	–	1	–	–	–	–	–	–
Occupation not given—Occupation inconnue	**73**	**4**	**15**	**16**	**13**	**3**	**5**	–	**2**	**2**	**2**	**1**	**6**	**3**	**1**	–	**2**
No occupation—Sans occupation	**297**	**2**	**6**	**15**	**11**	**7**	**7**	**12**	**13**	**23**	**49**	**61**	**56**	**28**	**7**	–

NOTE—n.o.s.=Not otherwise stated. NOTE—n.a.s.=Non autrement spécifié.

TABLE 37—Marriages—Ages of bridegrooms and brides, 1927

No.	Age of bridegroom — Âge de l'époux	Total grooms — Total des époux	Age of bride: Under 16 — Moins de 16	16	17	18	19	20	21	22	23	24	25	26	27	28	29
CANADA(1)																	
1	Under 18—Moins de 18	95	8	14	12	17	17	15	5	4	1	1	–	–	–	–	–
2	18	441	12	36	58	140	61	54	34	13	12	7	5	2	2	2	1
3	19	1,212	18	96	159	279	266	147	100	49	38	22	10	11	3	4	1
4	20	2,340	33	113	247	442	456	422	250	154	96	52	28	17	13	4	2
5	21	4,813	46	138	324	885	836	732	798	430	231	148	84	68	40	16	13
6	22	5,312	40	144	324	736	780	725	893	703	351	243	140	77	66	25	27
7	23	5,897	31	113	312	633	706	729	920	763	680	363	252	142	85	46	38
8	24	5,729	23	92	235	546	630	643	806	768	613	552	283	206	102	74	48
9	25	5,340	22	71	189	428	490	581	692	617	575	518	435	265	162	97	56
10	26	5,046	19	87	165	327	443	477	612	568	506	475	399	366	212	140	71
11	27	4,532	11	38	138	318	341	385	452	456	482	440	348	308	293	191	95
12	28	3,686	3	43	99	239	236	283	382	345	357	356	260	270	252	183	121
13	29	3,071	7	35	61	135	206	220	288	290	265	271	261	227	205	177	150
14	30	2,679	4	21	52	112	159	173	220	211	239	202	217	227	184	169	128
15	31	2,054	2	17	36	73	105	119	192	173	152	142	158	134	136	114	97
16	32	1,953	4	13	36	69	87	100	145	182	140	128	139	142	145	103	99
17	33	1,606	1	13	21	43	79	92	90	100	147	118	116	114	119	101	86
18	34	1,334	2	7	13	45	39	61	72	84	86	119	85	85	81	78	69
19	35	1,244	1	7	9	36	41	46	77	81	81	81	91	79	77	78	68
20	36	1,117	1	2	16	41	30	49	62	70	68	66	62	84	70	65	50
21	37	961	1	2	6	25	21	32	50	49	48	50	56	58	68	52	52
22	38	940	–	1	7	19	16	25	45	40	48	56	52	47	52	56	44
23	39	793	–	3	5	18	19	20	26	37	29	38	32	38	24	50	52
24	40	732	1	6	4	8	12	16	16	21	21	43	31	27	36	32	39
25	41	506	2	–	1	6	12	7	11	13	14	22	14	19	26	13	24
26	42	598	1	4	2	6	9	10	14	20	15	17	15	21	29	33	24
27	43	480	–	1	1	6	1	8	14	9	11	17	11	16	14	14	22
28	44	342	–	–	1	2	6	3	8	8	5	5	10	10	7	7	16
29	45	444	1	–	1	8	5	5	5	4	5	12	7	15	15	14	19
30	46	319	–	–	–	2	5	3	8	9	14	2	4	3	8	12	5
31	47	346	–	–	2	3	–	3	4	6	5	4	5	10	10	6	5
32	48	300	–	–	1	4	2	2	3	3	2	7	8	6	7	11	5
33	49	274	–	1	1	–	–	–	1	6	3	5	3	5	5	5	3
34	50–54	1,086	1	–	2	8	7	8	4	6	14	8	18	21	15	12	17
35	55–59	728	1	1	–	2	2	3	–	5	7	3	3	3	5	8	4
36	60–64	521	–	–	–	1	1	1	1	1	1	–	–	–	1	5	–
37	65–69	338	–	–	–	–	1	–	–	–	–	–	–	2	1	–	1
38	70–74	192	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
39	75–79	78	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
40	80 and over—et plus	19	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
41	Not stated—Non donné	17	–	1	–	1	–	1	–	–	–	–	1	–	–	–	–
	Total brides—Total des épouses	69,515	296	1,120	2,549	5,663	6,127	6,200	7,302	6,298	5,362	4,593	3,643	3,125	2,571	1,997	1,552
PRINCE EDWARD ISLAND																	
1	Under 18—Moins de 18	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
2	18	4	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–
3	19	7	–	–	1	2	2	1	–	–	1	–	–	–	–	–	–
4	20	7	–	–	–	4	–	2	1	–	–	–	–	–	–	–	–
5	21	33	–	1	1	4	6	4	9	4	2	–	1	1	–	–	–
6	22	22	–	–	1	1	2	2	6	4	4	–	–	–	1	–	–
7	23	39	–	–	2	2	7	1	14	2	4	1	1	3	1	–	–
8	24	31	–	2	2	3	–	2	7	4	1	4	3	1	–	–	1
9	25	36	–	2	1	–	4	3	5	1	5	4	1	2	3	2	2
10	26	32	–	–	4	1	3	5	3	5	2	2	2	3	1	1	–
11	27	27	–	–	–	1	5	–	3	2	3	3	5	1	1	1	–
12	28	27	–	–	1	3	3	–	3	4	4	2	3	1	–	–	1
13	29	22	–	–	1	1	1	3	1	5	2	3	1	1	–	1	1
14	30	15	–	–	–	1	–	2	4	–	1	1	3	1	1	–	–
15	31	16	–	1	–	1	1	–	4	–	3	1	1	2	–	–	1
16	32	9	–	–	–	1	–	–	–	2	1	1	1	–	1	1	–
17	33	14	–	–	–	–	1	1	3	1	–	1	1	–	–	–	2
18	34	14	–	–	–	–	–	1	–	2	1	3	–	1	–	–	–
19	35	10	–	–	–	–	–	–	–	–	–	–	1	2	1	3	–
20	36	5	–	–	–	–	–	–	2	–	–	2	–	–	–	–	1
21	37	14	–	–	–	1	–	–	1	2	–	–	–	1	2	1	1
22	38	7	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
23	39	7	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1
24	40	9	–	–	–	–	1	–	1	–	–	1	–	–	–	1	–
25	41	3	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1
26	42	10	–	–	–	1	–	–	–	–	2	–	1	–	1	–	–
27	43	4	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
28	44	4	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
29	45	5	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
30	46	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
31	47	7	–	–	1	1	–	–	–	–	–	–	1	1	–	–	–
32	48	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
33	49	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	50–54	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
35	55–59	8	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
36	60–64	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37	65–69	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38	70–74	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39	75–79	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40	80 and over—et plus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
41	Not stated—Non donné	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Total brides—Total des épouses	482	1	6	17	28	39	30	66	40	37	30	27	23	13	13	12

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction.

TABLEAU 37—Mariages—Âges des mariés, 1927

Âge de l'épouse

30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74	75 and over — 75 et plus	Not stated — Non donné	No.
CANADA[1]																											
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2
4	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	3
2	2	2	1	1	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	4
4	4	3	1	3	–	3	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	5
12	4	8	6	2	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	6
27	9	16	12	4	1	1	4	3	2	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	7
33	18	14	12	7	3	5	3	2	1	1	–	1	1	–	–	1	1	–	1	–	–	–	–	–	–	4	8
51	29	16	11	10	8	3	4	1	4	1	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	1	9
55	41	23	18	14	11	6	5	2	2	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	10
63	56	37	13	18	11	8	9	4	6	2	1	1	2	–	1	1	–	–	–	3	–	–	–	–	–	–	11
82	41	41	16	21	19	7	9	8	1	–	–	3	2	–	1	–	1	1	–	2	1	–	–	–	–	1	12
83	55	36	32	17	13	11	2	9	8	–	–	3	–	1	–	–	–	–	–	2	–	–	–	–	–	1	13
136	58	53	29	29	12	13	6	5	6	5	3	1	4	–	–	–	–	–	–	1	–	–	–	–	–	–	14
105	87	53	41	21	23	19	18	11	9	5	4	3	1	1	–	1	–	1	–	–	1	–	–	–	–	–	15
94	74	85	49	25	31	15	14	10	4	6	1	3	2	2	1	–	–	–	1	3	–	–	–	–	–	1	16
68	52	64	51	32	23	17	10	17	10	5	2	4	2	2	2	–	–	–	–	3	1	–	–	–	–	1	17
65	44	67	46	44	31	29	13	19	12	7	3	3	3	5	7	1	4	2	–	2	–	1	–	–	–	–	18
74	48	55	39	37	40	22	29	13	7	4	7	2	1	4	3	2	–	–	1	1	–	1	–	–	–	1	19
50	37	43	34	31	28	46	29	19	15	15	5	7	7	1	3	1	1	2	–	4	1	1	–	–	1	–	20
56	38	49	49	35	38	22	26	18	11	12	9	9	3	4	5	1	3	3	–	–	–	–	–	–	–	–	21
54	42	43	36	37	35	33	28	26	17	19	13	16	5	6	6	3	2	4	2	3	1	–	–	–	–	1	22
43	28	43	29	35	39	39	23	20	31	16	12	12	10	1	3	5	2	3	2	4	2	–	–	–	–	–	23
43	22	40	24	38	36	27	29	35	24	30	12	7	14	8	9	4	4	1	2	6	3	–	–	–	–	1	24
22	39	25	23	23	22	22	16	23	18	26	14	9	12	3	11	3	2	1	–	4	2	1	–	–	–	1	25
25	21	40	28	22	24	23	22	36	13	25	14	19	18	11	3	6	8	5	4	8	3	–	–	–	–	–	26
19	17	25	28	22	17	23	18	22	15	14	19	24	22	8	9	5	8	5	2	13	–	–	–	–	–	–	27
15	11	17	14	11	20	15	16	22	19	18	11	14	6	7	4	7	9	7	2	8	1	–	–	–	–	–	28
17	5	23	20	19	30	27	18	27	17	22	10	10	19	13	10	10	9	1	2	14	4	1	–	–	–	–	29
11	9	19	10	13	17	15	8	17	13	10	12	15	7	13	14	15	4	5	2	9	4	–	1	–	1	–	30
9	13	13	8	12	21	12	24	16	13	10	11	18	8	12	15	16	13	7	8	15	7	1	1	–	–	–	31
4	4	11	14	7	11	13	12	21	13	16	12	11	10	12	10	7	16	6	6	11	7	3	1	–	–	1	32
4	4	5	8	7	10	17	12	11	15	10	14	12	12	13	9	10	12	11	10	23	5	2	–	–	–	–	33
23	26	19	25	29	35	35	25	44	39	46	48	38	36	36	56	45	25	58	42	142	45	19	4	3	–	2	34
5	7	14	8	11	19	14	13	18	17	29	21	23	25	24	35	30	32	28	27	138	99	30	12	1	1	–	35
6	2	2	–	5	2	2	6	10	6	16	9	17	7	9	24	16	13	21	22	91	102	95	19	4	2	1	36
–	1	1	1	2	1	4	4	2	1	7	–	4	2	2	8	7	11	10	12	44	63	83	50	11	2	–	37
–	–	1	–	1	2	3	–	2	2	1	–	–	–	1	–	1	4	3	1	17	24	50	60	16	2	–	38
1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	1	2	1	–	1	5	11	11	20	15	6	1	39
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	4	3	5	2	2	–	40
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12	41
1,365	949	1,010	737	645	634	552	457	494	374	380	267	291	244	200	251	201	185	185	151	583	391	303	173	52	17	35	
ÎLE DU PRINCE-ÉDOUARD																											
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	9
1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15
–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
–	1	1	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	17
–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
1	–	–	1	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	20
2	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21
1	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
–	1	–	–	–	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	23
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24
–	–	–	–	1	–	1	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	25
–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	27
–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	26
–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	28
–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	29
–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	30
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	31
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32
–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	1	2	–	2	1	3	–	–	–	–	–	–	33
–	–	–	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	34
–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	2	1	–	–	–	–	35
–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	1	–	–	–	–	–	36
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	37
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	39
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	40
6	8	7	3	6	8	3	3	6	4	4	3	4	3	2	3	6	–	2	1	9	3	2	2	–	–	2	41

(1) Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

TABLE 37—Marriages—Ages of bridegrooms and brides, 1927—*con.*

No.	Age of bridegroom — Âge de l'époux	Total grooms — Total des époux	Age of bride														
			Under 16 — Moins de 16	16	17	18	19	20	21	22	23	24	25	26	27	28	29
	NOVA SCOTIA																
1	Under 18—Moins de 18	4	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–
2	18	21	–	–	3	7	3	2	5	–	–	–	–	–	–	1	–
3	19	54	–	4	7	11	17	–	9	4	–	–	–	1	–	1	–
4	20	68	–	3	9	20	8	10	5	5	5	1	–	–	1	1	–
5	21	276	2	4	16	58	46	25	71	26	12	6	3	3	4	–	–
6	22	246	1	4	18	36	25	21	70	33	22	3	4	3	1	1	2
7	23	263	1	5	14	33	24	22	72	26	31	12	8	4	1	1	1
8	24	216	–	5	13	25	32	22	24	36	15	23	9	5	1	3	1
9	25	205	1	6	8	19	23	16	24	31	18	19	13	5	7	6	3
10	26	188	1	4	4	13	22	8	31	34	10	19	7	13	12	1	2
11	27	209	–	3	2	15	13	17	33	24	19	15	5	15	20	9	7
12	28	175	–	3	6	8	12	11	24	22	20	15	11	5	18	8	4
13	29	122	–	1	5	5	5	6	16	14	11	13	9	6	9	6	8
14	30	135	–	–	–	5	13	9	11	10	18	7	11	13	8	3	6
15	31	92	–	1	1	4	5	6	6	8	3	6	8	9	3	7	5
16	32	88	–	–	3	3	7	–	7	8	5	4	9	5	10	6	4
17	33	62	–	–	–	–	3	3	4	4	5	6	12	4	5	4	3
18	34	57	–	1	2	2	1	5	2	4	6	5	3	4	2	1	4
19	35	68	–	–	–	2	2	1	3	7	6	5	7	3	4	4	4
20	36	45	–	–	–	2	2	2	5	–	6	3	–	3	1	3	1
21	37	36	–	–	–	–	–	2	5	2	–	2	3	3	1	2	4
22	38	54	–	–	–	2	3	1	5	4	3	3	1	3	2	5	2
23	39	37	–	–	–	3	–	1	3	–	2	3	1	2	2	–	4
24	40	35	–	1	–	–	1	–	1	2	1	3	2	1	1	1	–
25	41	19	1	–	–	–	–	1	–	–	1	1	–	2	2	2	–
26	42	23	–	–	–	–	–	–	1	–	2	–	–	–	3	–	2
27	43	29	–	–	–	–	–	1	1	1	1	–	1	–	–	1	2
28	44	15	–	–	–	–	–	–	–	–	–	–	1	3	1	–	2
29	45	17	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–
30	46	12	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–
31	47	12	–	–	–	–	–	–	2	–	–	1	–	–	1	–	–
32	48	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
33	49	15	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–
34	50–54	51	–	–	–	1	1	–	–	–	3	–	1	–	–	2	2
35	55–59	27	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
36	60–64	25	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
37	65–69	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38	70–74	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39	75–79	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40	80 and over—et plus	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
41	Not stated—Non donné	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Total brides—Total des épouses	3,042	7	46	112	275	269	192	442	307	229	177	129	115	123	81	73
	NEW BRUNSWICK																
1	Under 18—Moins de 18	7	–	3	2	1	–	1	–	–	–	–	–	–	–	–	–
2	18	43	–	–	7	11	9	3	6	2	2	1	1	–	–	–	–
3	19	106	4	9	10	33	18	12	7	8	3	–	1	–	–	1	–
4	20	140	1	4	19	39	17	20	13	11	8	3	2	1	1	–	–
5	21	288	1	9	22	82	55	43	35	15	7	3	7	5	1	–	–
6	22	231	4	9	13	46	43	27	30	21	13	13	4	2	1	–	1
7	23	245	1	9	15	37	25	36	37	30	22	9	9	6	2	2	3
8	24	205	1	3	10	39	24	30	21	22	18	13	8	7	4	1	2
9	25	179	3	5	10	25	20	22	22	11	18	8	9	9	7	2	2
10	26	181	2	1	5	20	21	13	17	17	16	14	11	21	12	4	2
11	27	170	2	3	10	18	21	18	18	12	14	8	11	10	6	5	5
12	28	131	–	2	5	16	9	8	9	15	13	12	8	7	9	2	6
13	29	111	–	2	2	7	4	8	10	9	6	11	8	8	6	11	6
14	30	74	–	1	7	3	5	4	8	4	7	3	5	6	6	1	2
15	31	80	–	–	3	4	3	4	12	12	4	6	5	7	6	3	1
16	32	65	–	1	1	1	5	3	2	6	10	7	3	4	5	3	5
17	33	59	–	1	2	6	5	4	2	3	7	4	3	4	–	2	1
18	34	62	1	–	1	5	3	5	3	8	2	4	3	3	–	3	5
19	35	44	–	–	1	1	1	2	2	3	3	4	3	5	1	2	5
20	36	43	–	–	–	4	3	–	4	4	2	2	2	1	3	–	4
21	37	28	–	–	–	1	–	–	–	1	–	3	2	2	4	3	–
22	38	45	–	1	1	1	–	2	1	4	1	–	1	1	1	3	2
23	39	33	–	1	1	1	2	2	–	3	–	2	1	4	–	1	1
24	40	28	–	1	–	1	1	1	–	1	3	–	–	1	–	1	2
25	41	19	1	–	–	–	–	1	1	–	–	2	–	–	–	–	1
26	42	25	–	–	–	–	–	–	1	3	1	–	3	4	1	2	1
27	43	19	–	1	–	1	–	–	–	–	–	1	–	3	–	3	–
28	44	12	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1
29	45	18	1	–	1	1	1	–	–	–	1	–	–	–	–	–	1
30	46	9	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
31	47	9	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–
32	48	14	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–
33	49	13	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–
34	50–54	72	1	–	–	–	1	1	1	2	–	1	1	3	1	–	1
35	55–59	28	–	–	–	–	1	–	–	–	–	1	1	–	–	1	–
36	60–64	24	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
37	65–69	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38	70–74	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39	75–79	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40	80 and over—et plus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
41	Not stated—Non donné	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Total brides—Total des épouses	2,887	23	67	149	404	297	270	265	228	182	140	113	125	77	56	59

TABLEAU 37—Mariages—Âges des mariés, 1927—*suite*

Âge de l'épouse

30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74	75 and over — 75 et plus	Not stated — Non donné	No.
NOUVELLE-ÉCOSSE																											
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
2	–	2	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
3	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
2	–	1	2	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	9
5	–	6	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
2	1	1	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11
3	–	1	–	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12
7	5	3	1	1	1	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	13
7	2	2	1	1	3	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14
1	3	3	3	2	2	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15
3	2	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
1	–	3	2	3	1	–	2	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	17
1	3	5	–	2	4	–	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
3	–	1	2	1	3	–	2	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
3	3	2	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	20
5	1	3	2	2	2	2	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21
2	1	1	–	1	3	1	1	1	2	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	22
1	2	1	1	4	4	–	–	2	1	1	–	3	–	–	2	–	–	–	–	–	–	–	–	–	–	–	23
2	1	1	–	1	–	1	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24
2	1	1	3	1	1	–	–	2	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	25
2	2	–	1	1	2	1	–	1	1	2	2	2	2	–	–	–	2	–	–	–	–	–	–	–	–	–	26
3	1	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	27
1	1	–	1	1	–	1	1	2	–	2	–	–	1	–	–	1	1	–	–	–	–	1	–	–	–	–	28
–	1	–	–	–	1	1	2	–	–	–	1	–	–	1	1	–	–	–	–	2	–	–	–	–	–	–	29
–	2	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	30
–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	31
–	1	–	1	–	–	3	–	–	–	–	–	1	–	–	–	–	3	–	1	1	–	–	–	–	–	–	32
1	5	2	2	–	3	1	–	3	3	4	2	–	–	2	3	3	1	3	–	3	–	–	–	–	–	–	33
1	–	–	1	–	1	–	–	–	1	3	1	2	–	–	2	2	–	1	–	5	2	–	1	–	–	–	34
1	–	–	–	–	–	–	–	1	1	–	–	1	–	–	1	1	3	3	–	4	3	4	–	–	–	–	35
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	1	1	4	4	2	–	–	36
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	3	4	1	–	–	37
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	1	–	–	1	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	39
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	40
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	41
64	**40**	**42**	**32**	**24**	**42**	**16**	**19**	**20**	**12**	**19**	**9**	**14**	**5**	**4**	**12**	**7**	**13**	**9**	**5**	**22**	**7**	**14**	**10**	**3**	**1**	–	
NOUVEAU-BRUNSWICK																											
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
–	–	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	5
1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
1	–	1	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	8
2	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
1	1	1	1	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
4	3	1	–	1	2	–	–	–	1	3	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	11
4	2	2	–	1	1	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	12
6	–	1	2	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13
3	2	1	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14
3	1	2	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15
4	1	3	1	2	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
2	1	2	2	1	3	–	–	2	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	17
4	–	1	–	2	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
2	2	1	4	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	19
2	1	–	1	1	3	1	–	1	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	20
–	3	1	3	2	1	3	1	6	1	2	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	21
–	–	4	2	1	1	1	–	1	1	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	22
3	1	2	1	2	–	–	4	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	23
1	1	1	1	2	–	–	–	1	3	1	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	24
2	1	2	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25
–	–	–	1	3	1	2	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	26
2	–	1	2	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	27
4	–	1	–	1	1	1	1	1	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	28
–	–	–	–	–	1	–	1	2	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	29
1	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	30
–	–	1	1	–	–	–	1	3	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	31
–	–	–	–	1	1	–	2	–	–	1	–	–	–	–	–	–	1	–	1	–	–	2	–	–	–	–	32
–	1	–	2	3	2	4	1	4	1	2	5	1	1	3	5	1	1	4	3	2	1	–	–	–	–	–	33
–	–	–	1	1	–	1	1	1	1	3	–	–	2	2	–	1	1	1	–	9	6	–	–	–	–	–	34
–	–	1	–	–	–	–	–	1	1	–	1	–	1	1	–	–	1	1	–	4	3	1	–	–	–	–	35
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	5	6	4	1	–	–	–	36
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	3	–	–	1	–	37
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	5	3	2	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	39
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	40
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	41
52	**23**	**35**	**26**	**30**	**31**	**17**	**18**	**28**	**18**	**17**	**11**	**7**	**7**	**7**	**8**	**6**	**5**	**7**	**5**	**27**	**20**	**16**	**5**	**2**	**1**	**3**	

TABLE 37—Marriages—Ages of bridegrooms and brides, 1927—*con.*

No.	Age of bridegroom — Âge de l'époux	Total grooms — Total des époux	Age of bride														
			Under 16 — Moins de 16	16	17	18	19	20	21	22	23	24	25	26	27	28	29
	QUEBEC																
1	Under 18—Moins de 18.	23	3	2	2	3	5	4	1	2	–	–	–	–	–	–	–
2	18	75	2	8	11	17	8	10	8	3	3	2	1	1	1	–	–
3	19	275	8	17	32	43	50	37	32	16	16	9	5	1	1	2	1
4	20	788	11	40	64	92	136	191	77	68	38	27	18	12	9	1	1
5	21	1,143	18	24	81	127	171	196	197	116	78	47	35	21	16	6	5
6	22	1,560	15	39	82	148	222	237	258	237	104	74	50	32	28	10	11
7	23	1,838	19	31	88	141	200	278	229	260	231	130	83	44	34	17	19
8	24	1,761	12	30	72	97	179	218	272	245	199	168	97	62	39	21	18
9	25	1,603	7	25	43	95	122	215	200	215	196	153	110	77	47	33	23
10	26	1,432	6	22	44	69	111	168	166	169	149	136	117	98	58	38	25
11	27	1,208	2	7	29	54	71	124	91	139	132	143	103	88	74	44	30
12	28	952	1	13	23	35	45	76	77	83	104	93	79	91	64	56	34
13	29	765	3	7	15	23	46	55	64	81	64	64	78	70	55	37	33
14	30	752	3	4	10	21	29	45	55	53	64	59	69	85	59	54	40
15	31	505	–	1	9	11	18	27	30	45	46	37	45	32	39	31	28
16	32	448	–	5	4	8	12	30	30	39	19	32	38	34	30	26	28
17	33	366	–	3	5	6	14	21	18	28	36	28	28	25	26	26	17
18	34	275	–	5	2	7	7	9	14	14	20	22	17	16	17	16	15
19	35	265	1	3	–	5	2	8	17	15	13	12	20	17	23	21	13
20	36	243	–	1	3	5	4	12	2	14	15	15	11	19	17	12	6
21	37	217	–	1	2	4	5	12	5	5	15	11	12	12	10	12	13
22	38	181	–	–	2	6	2	4	4	8	2	13	13	3	8	14	10
23	39	151	–	–	1	2	6	4	5	7	3	6	3	9	4	6	10
24	40	165	–	1	–	3	3	1	3	4	7	12	5	2	10	5	8
25	41	111	–	–	–	1	4	–	2	4	6	5	1	1	4	1	7
26	42	125	–	1	–	–	2	1	4	3	1	7	2	2	5	8	3
27	43	109	–	–	1	1	–	1	1	2	1	5	1	2	5	2	5
28	44	62	–	–	–	1	–	–	2	1	–	–	3	–	1	1	2
29	45	105	–	–	–	1	–	1	1	–	1	3	2	6	2	3	4
30	46	67	–	–	–	–	1	–	–	1	1	–	1	1	2	3	1
31	47	81	–	–	1	1	–	–	–	1	1	1	1	3	2	2	1
32	48	54	–	–	–	1	–	2	1	–	–	–	1	1	1	1	2
33	49	64	–	–	–	–	–	–	–	1	1	2	1	–	–	1	1
34	50–54	253	–	–	–	–	1	–	1	–	1	2	3	8	2	2	3
35	55–59	181	–	1	–	–	–	1	–	2	1	–	–	1	2	–	1
36	60–64	138	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–
37	65–69	107	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38	70–74	71	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39	75–79	23	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
40	80 and over—et plus....	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
41	Not stated—Non donné	3	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
	Total brides—Total des épouses	18,551	111	292	626	1,028	1,479	1,989	1,867	1,881	1,568	1,318	1,054	879	696	513	418
	ONTARIO																
1	Under 18—Moins de 18.	40	4	4	4	7	6	7	4	2	1	1	–	–	–	–	–
2	18	231	8	21	29	83	27	29	14	5	6	3	1	1	1	1	1
3	19	570	3	47	81	141	132	78	33	17	16	11	3	5	1	–	–
4	20	937	16	51	89	189	214	149	106	52	36	16	7	2	2	1	1
5	21	1,833	17	63	117	370	333	282	264	163	81	52	24	28	12	9	7
6	22	1,916	13	58	116	274	299	261	257	250	135	108	62	27	26	7	12
7	23	2,029	7	31	89	219	260	240	300	250	246	143	98	56	30	19	13
8	24	1,944	7	21	67	190	197	209	234	265	207	215	108	81	46	32	17
9	25	1,878	8	20	53	138	156	169	222	217	201	217	185	106	67	37	17
0	26	1,787	8	30	53	100	154	144	195	179	187	186	154	152	83	65	23
11	27	1,553	5	13	43	79	112	107	122	155	178	165	132	137	102	82	31
12	28	1,298	2	11	31	69	77	102	128	99	117	150	86	97	105	74	51
13	29	1,107	2	13	17	44	58	57	89	89	105	93	98	91	81	84	67
14	30	951	1	9	17	29	44	56	59	69	81	88	77	75	68	76	56
15	31	724	1	5	7	18	34	38	49	55	47	51	53	54	51	48	44
16	32	701	4	1	14	20	28	31	38	50	55	34	45	59	55	47	46
17	33	564	–	4	5	11	20	25	24	25	44	43	36	42	51	42	37
18	34	470	1	1	2	11	11	18	23	26	22	50	32	33	29	26	27
19	35	407	–	1	2	7	16	9	21	17	26	21	28	30	25	22	29
20	36	373	1	1	3	5	9	17	18	18	15	21	22	34	25	33	18
21	37	312	–	–	–	9	6	6	13	15	16	15	12	17	18	13	20
22	38	277	–	–	3	–	6	4	16	7	11	16	13	16	22	14	14
23	39	261	–	1	2	5	4	7	7	13	8	5	6	9	6	19	15
24	40	227	–	2	1	2	1	5	4	8	3	10	7	10	12	11	14
25	41	157	–	–	–	2	2	3	1	2	1	7	6	8	6	7	8
26	42	191	–	2	1	1	5	1	1	4	3	5	3	7	8	11	13
27	43	152	–	–	–	2	1	1	2	5	–	2	3	3	5	4	10
28	44	113	–	–	–	–	2	1	1	1	1	2	4	3	–	2	5
29	45	137	–	–	–	4	3	1	1	–	–	5	1	2	5	5	8
30	46	106	–	–	–	–	2	1	4	3	2	–	1	–	1	5	2
31	47	100	–	–	–	–	–	1	1	1	1	–	1	2	1	2	4
32	48	103	–	–	–	2	1	–	–	–	1	3	2	2	3	2	1
33	49	99	–	–	–	–	–	–	–	3	1	–	–	1	3	1	1
34	50–54	400	–	–	1	3	1	3	2	2	4	1	6	4	9	2	5
35	55–59	283	–	–	–	1	–	1	–	2	1	2	1	1	2	4	2
36	60–64	208	–	–	–	1	–	–	–	1	–	–	–	–	1	1	–
37	65–69	129	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1
38	70–74	64	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
39	75–79	34	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40	80 and over—et plus....	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
41	Not stated—Non donné	7	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Total brides—Total des épouses	24,677	108	410	847	2,036	2,222	2,064	2,254	2,070	1,859	1,741	1,317	1,195	962	808	620

TABLEAU 37—Mariages—Âges des mariés, 1927—*suite*

Âge de l'épouse

30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74	75 and over — 75 et plus	Not stated — Non donné	No.
QUÉBEC																											1
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
2	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
1	–	1	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	6
3	1	3	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	7
12	6	6	3	2	–	–	1	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	8
12	5	7	4	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	9
15	13	3	3	2	2	–	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	0
20	13	8	4	2	1	2	3	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1
15	20	14	5	5	4	5	4	2	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1
18	13	8	9	8	4	2	2	2	–	–	–	2	–	–	–	–	1	1	–	2	–	–	–	–	–	–	1
22	13	12	6	1	3	5	–	3	3	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1
36	16	18	8	9	2	5	1	1	1	2	–	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	1
26	21	15	13	5	7	6	8	2	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
25	19	23	16	3	12	3	4	4	1	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	1
24	16	10	9	7	3	2	1	5	1	–	–	1	1	2	1	–	–	–	–	1	1	–	–	–	–	–	1
13	12	16	7	8	7	11	4	4	2	4	1	–	1	1	2	–	–	1	–	–	–	–	–	–	–	–	1
14	15	19	9	5	8	5	6	3	1	–	3	–	–	2	1	1	–	–	–	1	–	1	–	–	–	1	1
16	6	17	10	7	5	17	7	4	1	3	1	1	2	1	2	1	2	1	2	–	1	–	1	–	–	1	–
11	9	9	12	9	8	7	4	7	4	4	4	3	–	2	2	–	3	–	–	–	–	–	–	–	–	–	1
17	8	8	7	2	10	11	10	2	3	3	2	3	–	2	1	–	–	1	1	–	1	–	–	–	–	–	2
6	6	7	5	10	13	6	7	7	3	2	3	1	1	1	1	1	1	1	1	1	1	–	–	–	–	–	2
9	3	13	7	14	5	7	4	10	5	4	3	2	6	2	4	–	1	–	1	1	–	–	–	–	–	–	2
2	15	4	5	2	8	6	2	7	3	4	6	1	3	1	1	1	–	1	–	2	–	1	–	–	–	–	2
8	4	4	6	8	5	4	6	8	3	4	4	2	5	5	1	3	1	1	1	2	1	–	–	–	–	–	2
6	2	8	5	5	4	4	6	7	1	5	4	5	7	2	3	2	1	1	–	4	–	–	–	–	–	–	2
2	–	3	5	3	3	2	4	6	4	1	4	2	2	1	–	3	4	–	–	2	–	–	–	–	–	–	2
4	2	4	2	3	4	9	3	10	3	7	4	1	9	4	1	4	2	–	1	3	1	–	–	–	–	–	2
4	1	5	5	3	–	1	1	4	–	3	3	3	–	3	4	5	2	3	–	2	3	–	–	–	–	1	3
3	1	2	2	1	4	6	7	6	4	4	2	4	2	3	2	2	1	2	5	3	–	–	1	–	–	–	3
1	2	2	3	1	2	1	2	4	2	2	3	–	3	2	3	2	2	–	1	4	2	–	–	–	–	–	3
1	–	1	1	1	2	2	4	3	7	3	4	4	–	2	2	5	3	4	2	4	2	–	–	–	–	–	3
6	5	3	4	9	10	13	5	10	8	9	9	12	6	13	9	14	7	12	7	36	13	6	2	2	–	–	3
1	4	1	2	2	3	5	4	4	4	4	7	5	8	4	6	8	6	6	7	37	20	16	7	1	–	–	3
3	1	–	–	2	–	1	1	1	1	4	4	2	1	2	6	2	1	8	9	19	35	27	5	–	1	–	3
–	–	–	–	–	–	1	1	–	–	1	–	2	1	–	2	1	3	4	3	12	20	30	18	7	1	–	3
–	–	–	–	1	1	1	–	–	–	1	–	–	–	–	–	–	2	2	–	4	6	15	28	9	1	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	5	1	8	4	3	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	–	–	–	4
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4
358	**254**	**258**	**181**	**142**	**140**	**151**	**115**	**129**	**71**	**74**	**72**	**57**	**63**	**55**	**54**	**55**	**42**	**50**	**42**	**150**	**112**	**100**	**71**	**23**	**8**	**5**	
ONTARIO																											
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
2	–	1	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	4
1	2	1	–	2	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	5
6	–	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
11	2	5	4	1	–	1	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
16	7	3	6	3	2	3	2	1	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	2	8
23	13	7	7	6	4	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	9
20	18	11	8	8	4	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
28	22	12	4	7	3	2	4	–	3	2	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	11
33	13	20	2	8	7	2	4	6	–	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	1	12
30	28	13	19	10	2	5	1	4	3	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	1	13
56	23	24	9	7	5	5	3	4	4	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14
46	39	24	16	8	8	6	5	5	4	3	2	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	15
45	34	21	23	11	10	9	3	4	3	2	1	2	2	2	1	–	–	–	–	–	–	–	–	–	–	1	16
23	18	28	29	10	9	8	7	9	7	1	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	17
27	21	25	25	15	9	14	1	7	4	1	–	–	2	1	3	1	1	1	–	–	–	–	–	–	–	–	18
28	17	19	17	18	16	11	7	3	4	3	4	1	–	1	2	1	–	–	1	–	–	–	–	–	–	–	19
13	13	16	15	13	14	11	12	7	6	4	4	1	1	–	1	–	–	–	–	2	–	–	–	–	–	–	20
22	10	26	20	14	15	8	13	3	4	5	3	3	2	1	1	1	–	1	–	–	–	–	–	–	–	–	21
14	15	12	7	16	6	10	10	9	7	6	3	4	4	3	3	1	2	1	1	–	–	–	–	–	–	–	22
17	13	10	10	12	14	10	8	7	16	4	4	6	7	–	–	–	1	1	–	3	1	–	–	–	–	–	23
13	7	12	6	8	11	14	14	9	8	10	6	1	5	4	–	3	2	1	1	1	1	–	–	–	–	–	24
8	12	9	8	7	7	6	7	4	8	12	3	–	2	2	4	1	1	–	–	2	1	–	–	–	–	–	25
5	13	16	10	7	10	7	7	15	5	7	4	3	6	2	1	1	3	1	2	1	–	–	–	–	–	–	26
6	8	9	12	5	4	7	7	8	8	4	5	6	7	4	4	1	3	2	1	3	–	–	–	–	–	–	27
3	5	6	1	3	10	6	6	5	5	9	4	5	3	2	2	1	4	5	2	3	1	–	–	–	–	–	28
3	–	10	9	5	20	11	6	5	4	5	2	3	3	4	4	–	2	1	–	5	–	–	–	–	–	–	29
6	2	8	1	5	4	6	3	7	6	4	4	7	2	3	4	5	2	1	1	3	1	–	–	–	–	–	30
4	3	4	2	5	8	2	6	7	3	2	3	8	–	4	5	4	7	1	–	5	3	–	–	–	–	–	31
–	2	3	9	–	3	7	2	5	7	8	4	2	4	4	3	3	7	1	4	3	3	–	1	–	–	1	32
3	1	1	4	2	6	5	2	5	4	3	5	4	7	6	4	4	3	5	5	9	1	–	–	–	–	–	33
7	12	6	7	13	10	11	12	17	16	16	20	12	17	12	19	19	10	22	20	51	17	8	1	–	–	2	34
2	2	10	1	3	6	6	6	5	7	11	7	9	10	6	19	9	10	13	11	51	51	9	2	–	–	–	35
–	1	1	–	2	–	1	3	4	–	10	3	10	3	4	9	9	6	1	8	42	38	37	8	4	–	–	36
–	1	1	–	2	–	2	3	2	1	3	–	1	–	1	2	3	5	1	4	19	30	24	21	1	–	–	37
–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	1	2	1	1	4	10	18	19	4	–	–	38
–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	3	4	5	8	9	1	–	39
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	2	–	40
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	41
523	**377**	**375**	**295**	**237**	**227**	**214**	**168**	**170**	**151**	**141**	**94**	**96**	**90**	**67**	**92**	**70**	**73**	**61**	**63**	**214**	**165**	**131**	**61**	**20**	**3**	**16**	

TABLE 37—Marriages—Ages of bridegrooms and brides, 1927—*con.*

No.	Age of bridegroom — Âge de l'époux	Total grooms — Total des époux	Age of bride: Under 16 — Moins de 16	16	17	18	19	20	21	22	23	24	25	26	27	28	29
	MANITOBA																
1	Under 18—Moins de 18.	4	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–
2	18	15	–	1	–	5	5	1	1	1	1	–	–	–	–	–	–
3	19	46	–	3	5	13	11	5	4	–	1	1	–	1	1	–	–
4	20	102	–	3	14	24	20	17	13	8	2	1	–	–	–	–	–
5	21	291	–	4	15	67	61	44	36	30	15	7	5	3	1	1	–
6	22	309	1	5	17	61	50	39	50	41	23	11	5	3	–	2	–
7	23	349	–	6	19	52	48	45	51	44	34	14	13	11	6	2	–
8	24	377	–	2	18	42	50	44	43	47	52	28	14	21	4	4	2
9	25	368	–	4	12	57	41	50	36	31	37	31	34	15	6	4	5
10	26	340	–	7	12	22	34	40	42	37	35	29	22	24	15	8	6
11	27	340	1	–	11	36	30	27	31	30	41	37	24	14	26	13	9
12	28	288	–	2	7	29	20	26	26	30	24	22	18	15	20	23	8
13	29	252	–	–	4	10	28	34	24	21	20	26	16	14	16	10	9
14	30	199	–	–	4	13	18	17	19	27	13	9	14	12	10	12	11
15	31	147	–	–	1	8	10	10	16	13	14	9	10	8	12	5	5
16	32	164	–	1	1	9	11	10	15	15	13	11	16	9	14	3	6
17	33	130	1	–	1	3	8	9	11	3	15	9	9	8	7	12	9
18	34	108	–	–	1	3	6	6	4	8	5	8	5	8	11	8	5
19	35	105	–	–	2	6	4	10	5	13	5	9	9	3	5	10	4
20	36	91	–	–	1	7	2	2	4	4	7	6	8	5	5	7	5
21	37	70	–	–	1	2	1	2	4	5	3	2	5	4	3	5	5
22	38	82	–	–	–	1	2	2	2	6	10	4	4	6	2	5	3
23	39	54	–	–	–	1	–	–	4	5	2	4	6	3	5	4	2
24	40	46	–	1	–	–	2	1	–	–	–	4	2	6	1	2	2
25	41	36	–	–	–	–	1	–	–	–	1	3	1	3	2	–	1
26	42	41	1	1	1	1	–	1	1	–	1	–	–	–	2	4	1
27	43	29	–	–	–	1	–	1	1	1	2	3	–	1	1	1	2
28	44	32	–	–	1	–	–	–	1	2	1	1	–	2	1	1	3
29	45	43	–	–	–	1	–	1	2	1	–	4	–	2	1	1	2
30	46	27	–	–	–	1	–	–	–	1	2	–	–	–	–	1	–
31	47	27	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–
32	48	27	–	–	–	1	–	–	–	1	–	2	1	1	–	–	–
33	49	15	–	–	–	–	–	–	–	–	–	1	2	–	1	1	–
34	50–54	57	–	–	–	1	–	1	–	–	3	–	2	3	–	–	–
35	55–59	48	1	–	–	1	–	–	–	–	2	–	–	–	–	1	1
36	60–64	28	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–
37	65–69	17	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
38	70–74	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39	75–79	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40	80 and over—et plus	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
41	Not stated—Non donné	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Total brides—Total des épouses	**4,716**	**5**	**40**	**149**	**479**	**464**	**447**	**447**	**425**	**384**	**296**	**245**	**205**	**180**	**152**	**106**
	SASKATCHEWAN																
1	Under 18—Moins de 18.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
2	18	24	1	3	3	7	6	3	–	–	–	1	–	–	–	–	–
3	19	72	1	6	12	18	19	4	8	2	1	–	–	1	–	–	–
4	20	133	3	6	19	41	26	15	12	6	2	2	1	–	–	–	–
5	21	389	6	14	31	78	73	60	63	28	12	11	6	5	1	–	1
6	22	418	6	16	38	81	61	45	81	42	17	15	4	7	3	–	–
7	23	442	–	12	38	76	57	45	69	50	42	20	17	6	3	4	2
8	24	451	2	15	23	60	68	43	82	52	46	31	9	7	1	4	4
9	25	433	3	6	27	45	60	52	69	42	37	25	31	16	8	7	2
10	26	405	2	10	20	41	38	34	62	57	37	32	32	14	7	8	3
11	27	402	1	4	14	56	36	40	66	35	43	28	22	16	12	12	6
12	28	313	–	3	9	40	33	29	43	28	37	17	23	16	12	4	4
13	29	281	1	6	8	28	29	28	40	24	18	24	16	10	17	10	8
14	30	212	–	3	8	19	21	22	32	16	21	11	11	12	10	7	4
15	31	195	1	5	8	11	15	15	32	17	11	14	17	5	10	5	2
16	32	176	–	2	4	11	14	9	20	30	12	12	12	11	10	2	4
17	33	150	–	3	4	10	11	12	11	16	17	8	8	11	8	5	7
18	34	121	–	–	–	7	4	8	14	9	11	8	9	6	7	5	3
19	35	130	–	2	2	9	5	8	12	10	13	9	7	10	5	7	2
20	36	119	–	–	3	10	4	7	13	13	6	6	7	7	10	3	8
21	37	103	1	1	1	4	5	4	12	8	5	7	5	8	12	6	4
22	38	114	–	–	–	6	1	6	13	4	9	7	5	7	7	4	4
23	39	94	–	–	–	5	3	3	4	8	7	9	5	3	2	5	7
24	40	74	–	–	1	1	2	4	4	5	3	4	8	3	1	3	4
25	41	60	–	–	1	2	3	1	3	4	3	–	2	–	5	–	–
26	42	61	–	–	–	–	1	4	2	5	3	3	3	2	1	2	–
27	43	45	–	–	–	1	–	1	2	–	3	2	–	3	3	1	1
28	44	36	–	–	–	1	1	–	3	3	1	–	1	–	1	–	2
29	45	35	–	–	–	–	–	1	1	1	1	–	2	1	3	–	2
30	46	28	–	–	–	–	–	–	1	–	3	–	1	1	2	2	–
31	47	41	–	–	–	–	–	–	–	2	2	–	1	2	3	–	–
32	48	24	–	–	1	–	–	–	–	–	–	–	1	1	2	4	1
33	49	16	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1
34	50–54	54	–	–	–	1	1	1	–	1	1	1	2	2	–	1	1
35	55–59	39	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
36	60–64	22	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
37	65–69	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38	70–74	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39	75–79	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40	80 and over—et plus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
41	Not stated—Non donné	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Total brides—Total des épouses	**5,733**	**28**	**117**	**275**	**669**	**598**	**505**	**774**	**518**	**424**	**307**	**268**	**194**	**166**	**112**	**87**

TABLEAU 37—Mariages—Âges des mariés, 1927—*suite*

Âge de l'épouse																										
30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74	75 and over — 75 et plus	Not stated — Non donné	No.
MANITOBA																											
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
1	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
2	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	9
3	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
4	4	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11
9	5	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12
10	3	3	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13
8	6	1	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14
10	5	1	2	1	1	2	–	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	15
6	5	9	3	2	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	16
4	4	5	2	4	–	1	1	–	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
4	4	9	2	3	1	1	2	1	1	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	18
3	2	3	5	1	1	3	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
5	6	2	–	2	1	4	–	2	3	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	20
4	4	4	4	5	5	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21
6	1	4	5	3	6	1	1	–	2	–	2	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–	22
2	2	1	4	1	2	2	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	23
5	2	4	1	2	4	2	1	1	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	24
2	3	1	1	2	2	–	1	1	1	3	2	1	2	–	2	–	–	–	–	–	–	–	–	–	–	–	25
1	–	4	2	1	–	1	3	2	1	3	–	4	1	–	1	–	–	2	–	1	–	–	–	–	–	–	26
–	1	–	4	–	1	–	1	1	–	–	2	1	–	1	1	1	–	–	1	–	–	–	–	–	–	–	27
1	–	1	2	1	2	1	2	2	2	–	–	1	1	1	1	1	–	–	–	–	–	–	–	–	–	–	28
1	–	2	1	1	3	3	–	2	3	2	–	3	–	1	2	1	–	–	–	2	1	–	–	–	–	–	29
1	3	1	–	–	2	2	–	1	1	1	1	–	1	4	–	2	–	–	1	1	–	–	–	–	–	–	30
–	–	–	–	2	3	2	3	–	1	1	2	1	2	2	–	4	–	–	–	1	–	–	–	–	–	–	31
1	–	2	–	2	–	1	–	2	–	3	1	3	–	–	–	–	3	1	–	1	–	1	–	–	–	–	32
–	–	–	–	–	–	–	1	1	2	1	1	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–	33
2	1	2	3	2	1	–	3	1	2	1	2	2	3	–	4	1	2	3	3	6	–	1	1	1	–	–	34
–	–	1	1	2	1	2	–	1	1	–	–	2	1	5	1	2	2	3	–	10	4	3	–	–	–	–	35
–	–	–	–	1	–	–	–	1	2	–	–	1	1	–	–	2	–	2	–	5	3	3	3	–	1	1	36
–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	1	–	–	1	–	1	3	4	4	–	–	–	37
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	39
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	40
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	41
99	**63**	**66**	**47**	**43**	**43**	**32**	**26**	**21**	**28**	**23**	**13**	**25**	**14**	**15**	**16**	**15**	**9**	**12**	**5**	**29**	**14**	**29**	**10**	**2**	**1**	**1**	
SASKATCHEWAN																											
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	1	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
2	3	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
2	2	–	–	1	2	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	11
5	2	3	3	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12
4	4	3	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13
9	2	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14
5	5	6	3	2	2	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15
6	2	6	–	3	1	–	4	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
1	3	5	1	3	1	1	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
5	3	5	4	4	5	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
10	3	4	2	1	4	1	1	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	19
4	4	2	1	1	–	5	2	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	20
4	4	3	1	2	3	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	21
4	6	4	1	4	6	2	1	5	3	1	1	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	22
5	1	4	3	1	2	3	–	1	4	2	2	1	1	–	–	1	–	1	1	–	–	–	–	–	–	–	23
6	3	4	2	1	2	–	1	4	2	2	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	24
1	2	2	3	3	–	4	2	5	1	5	1	2	2	–	2	–	–	–	–	–	1	–	–	–	–	–	25
3	–	5	1	1	2	4	2	4	1	3	2	1	2	2	–	–	–	–	–	1	1	–	–	–	–	–	26
1	1	3	–	5	1	1	3	3	2	1	1	1	1	1	–	1	–	–	–	2	–	–	–	–	–	–	27
1	1	–	2	2	4	2	–	2	2	2	2	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	28
–	1	1	2	4	–	1	1	1	1	3	2	–	1	1	1	1	2	–	–	–	–	–	–	–	–	–	29
–	1	1	1	3	1	3	1	1	–	–	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	30
1	3	3	1	1	2	–	2	2	1	–	1	1	1	1	3	2	1	2	1	1	1	–	–	–	–	–	31
–	–	–	–	1	1	3	1	1	–	1	1	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	32
–	–	–	–	–	1	2	1	1	2	1	1	–	–	1	1	–	–	1	–	2	–	–	–	–	–	–	33
2	–	–	1	2	2	–	1	1	3	1	1	1	1	2	5	1	1	1	4	7	3	2	–	–	–	–	34
–	1	–	–	1	1	–	1	3	1	3	2	–	1	1	2	1	3	1	1	7	5	1	1	–	1	–	35
–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	2	1	–	1	2	3	2	5	2	–	–	–	36
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	7	1	1	–	–	37
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	39
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	40
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	41
83	**59**	**68**	**38**	**48**	**46**	**34**	**31**	**41**	**28**	**28**	**21**	**15**	**17**	**14**	**19**	**9**	**8**	**9**	**10**	**24**	**16**	**16**	**7**	**1**	**1**	–	

TABLE 37—Marriages—Ages of bridegrooms and brides, 1927—*con.*

No.	Age of bridegroom — Âge de l'époux	Total grooms — Total des époux	Age of bride: Under 16 — Moins de 16	16	17	18	19	20	21	22	23	24	25	26	27	28	29
	ALBERTA																
1	Under 18—Moins de 18	5	–	–	–	2	2	1	–	–	–	–	–	–	–	–	–
2	18	12	–	1	3	5	–	2	–	1	–	–	–	–	–	–	–
3	19	50	2	6	5	11	13	6	3	–	–	–	1	2	–	–	–
4	20	88	–	3	18	18	21	10	9	1	4	1	–	2	–	1	–
5	21	309	1	11	24	58	55	39	62	27	13	10	2	1	4	–	–
6	22	340	–	8	28	58	47	56	71	35	15	7	6	2	1	4	1
7	23	366	2	14	29	46	52	34	77	48	35	11	7	3	4	–	–
8	24	396	1	9	24	54	50	46	72	39	30	32	13	12	2	3	2
9	25	325	–	2	25	29	43	33	52	35	31	28	19	11	7	3	–
10	26	355	–	10	17	38	33	41	56	31	32	30	24	13	10	4	4
11	27	304	–	7	19	35	29	27	52	28	29	17	21	5	16	8	4
12	28	271	–	8	10	28	21	17	42	34	23	24	10	20	9	7	5
13	29	197	–	5	4	11	23	16	19	16	17	17	19	16	8	8	6
14	30	183	–	4	5	15	17	11	15	21	18	11	16	8	10	6	2
15	31	153	–	3	6	13	11	10	25	8	12	14	8	10	8	4	5
16	32	152	–	2	5	13	8	10	17	22	15	10	9	4	6	5	2
17	33	133	–	2	3	7	12	13	9	10	8	11	7	7	9	4	5
18	34	103	–	–	2	7	5	7	6	4	13	10	8	4	4	3	4
19	35	112	–	1	1	4	4	6	9	9	6	11	9	5	9	6	5
20	36	100	–	–	4	5	5	8	5	14	10	7	4	8	2	3	2
21	37	84	–	–	1	2	1	3	7	8	5	6	8	6	11	3	3
22	38	67	–	–	1	2	1	5	2	1	7	4	7	4	3	4	2
23	39	74	–	1	1	1	1	1	3	–	2	6	7	1	3	5	6
24	40	64	1	–	2	–	–	2	1	–	2	5	2	2	7	3	7
25	41	45	–	–	–	–	1	–	2	1	2	1	3	4	4	–	4
26	42	52	–	–	–	2	1	3	2	2	1	–	1	2	7	2	2
27	43	34	–	–	–	–	–	1	2	–	1	1	2	1	–	–	2
28	44	25	–	–	–	–	2	–	1	–	–	–	–	1	1	1	1
29	45	37	–	–	–	1	–	–	–	1	2	–	1	2	2	1	1
30	46	31	–	–	–	–	1	–	1	3	3	–	1	–	1	1	1
31	47	24	–	–	–	1	–	–	–	1	1	–	–	1	–	–	–
32	48	26	–	–	–	–	–	–	1	1	1	–	2	–	–	1	–
33	49	22	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–
34	50–54	76	–	–	1	2	–	1	–	1	2	3	1	1	3	1	2
35	55–59	51	–	–	–	–	1	–	–	1	1	–	–	–	–	1	–
36	60–64	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37	65–69	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38	70–74	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39	75–79	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40	80 and over—et plus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
41	Not stated—Non donné	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Total brides—Total des épouses	**4,707**	**7**	**97**	**238**	**468**	**460**	**409**	**623**	**404**	**342**	**277**	**218**	**158**	**151**	**93**	**78**
	BRITISH COLUMBIA																
1	Under 18—Moins de 18	9	1	4	1	2	1	–	–	–	–	–	–	–	–	–	–
2	18	16	–	2	1	5	2	3	–	1	–	–	2	–	–	–	–
3	19	32	–	4	6	7	4	4	4	2	–	1	–	–	–	–	–
4	20	77	2	3	15	15	14	8	14	3	1	1	–	–	–	–	–
5	21	251	1	8	17	41	36	39	61	21	11	12	1	1	1	–	–
6	22	270	–	5	11	31	31	37	70	40	18	12	5	1	5	1	–
7	23	326	1	5	18	27	33	28	71	53	35	23	16	9	4	1	–
8	24	348	–	5	6	36	30	29	51	58	45	38	22	10	5	6	1
9	25	313	–	1	10	20	21	21	62	34	32	33	33	24	10	3	2
10	26	326	–	3	6	23	27	24	40	39	38	27	30	28	14	11	6
11	27	319	–	1	10	24	24	25	36	31	23	24	25	22	36	17	3
12	28	231	–	1	7	11	13	14	30	30	15	21	22	15	15	9	9
13	29	214	1	1	5	6	12	13	25	31	22	20	16	11	13	10	12
14	30	158	–	–	1	6	12	7	17	11	16	13	11	15	12	10	7
15	31	142	–	1	1	3	8	9	18	15	12	4	11	7	7	11	6
16	32	150	–	1	4	3	2	7	16	10	10	17	6	16	14	10	4
17	33	131	–	–	1	–	5	4	8	10	15	8	12	13	13	6	5
18	34	124	–	–	3	3	2	2	6	9	6	9	8	10	11	16	6
19	35	103	–	–	1	2	7	2	8	7	9	10	7	4	4	3	6
20	36	98	–	–	2	3	1	1	11	3	7	4	8	7	7	4	5
21	37	97	–	–	1	2	3	3	3	3	4	4	9	5	7	7	2
22	38	113	–	–	–	1	1	1	2	5	5	9	7	7	7	7	7
23	39	82	–	–	–	–	3	1	–	1	5	2	3	7	2	10	6
24	40	84	–	–	–	1	1	2	2	1	2	4	5	2	4	5	2
25	41	56	–	–	–	1	1	1	2	1	–	3	1	1	3	2	2
26	42	70	–	–	–	1	–	–	2	3	1	2	2	4	1	4	2
27	43	59	–	–	–	–	–	2	4	–	3	3	4	3	–	2	–
28	44	43	–	–	–	–	1	1	–	1	1	2	–	–	2	2	–
29	45	47	–	–	–	–	1	1	–	–	–	–	1	1	1	2	1
30	46	36	–	–	–	1	1	2	–	–	1	1	–	1	2	–	1
31	47	45	–	–	–	–	–	1	–	1	–	–	1	1	2	1	–
32	48	45	–	–	–	–	–	–	–	1	–	–	1	1	1	3	1
33	49	29	–	–	–	–	–	–	1	–	–	–	–	3	–	1	–
34	50–54	111	–	–	–	–	2	1	–	–	–	–	2	–	–	4	3
35	55–59	63	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–
36	60–64	52	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
37	65–69	28	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
38	70–74	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39	75–79	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40	80 and over—et plus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
41	Not stated—Non donné	5	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Total brides—Total des épouses	**4,720**	**6**	**45**	**127**	**276**	**299**	**294**	**564**	**425**	**337**	**307**	**272**	**231**	**203**	**169**	**99**

TABLEAU 37—Mariages—Âges des mariés, 1927—*fin*

Âge de l'épouse																											
30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74	75 and over — 75 et plus	Not stated — Non donné	No.
ALBERTA																											
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	7
2	1	–	1	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	8
5	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
4	3	1	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
2	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11
6	3	1	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12
4	1	–	2	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13
10	2	4	2	5	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14
2	3	2	4	1	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15
5	2	8	4	2	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
4	3	4	3	3	1	3	–	2	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	17
6	1	3	3	4	3	–	–	–	1	1	1	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	18
6	2	1	3	3	1	1	9	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
2	3	3	1	1	2	1	5	1	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	20
2	3	2	–	2	1	–	–	3	–	1	1	1	–	1	1	–	–	2	–	–	–	–	–	–	–	–	21
2	3	3	6	–	1	1	1	1	1	–	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	22
8	1	8	3	4	1	2	1	1	2	2	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	23
2	3	1	2	5	2	3	2	1	2	1	1	–	–	–	1	1	1	–	–	1	1	–	–	–	–	–	24
4	–	3	2	4	2	1	2	–	2	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	25
1	1	2	3	2	1	1	2	–	1	1	3	4	1	1	–	–	1	1	–	1	–	–	–	–	–	–	26
2	2	2	1	1	1	3	1	1	–	1	2	3	–	–	–	–	1	2	–	1	–	–	–	–	–	–	27
–	1	1	1	–	–	3	2	4	2	1	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	28
2	–	3	2	2	–	1	2	3	–	2	1	3	2	1	–	–	1	–	1	–	–	–	–	–	–	–	29
–	1	–	1	2	1	1	–	1	2	1	1	1	–	1	2	1	–	–	–	2	–	–	1	–	–	–	30
–	–	1	1	–	1	–	1	1	1	–	2	1	1	–	1	2	1	1	1	1	2	1	–	–	–	–	31
–	–	2	–	1	3	1	1	1	–	2	–	–	1	1	–	1	–	3	–	1	2	–	–	–	–	–	32
–	1	1	1	2	–	1	1	–	–	–	–	1	2	2	–	–	2	1	1	3	–	–	–	–	–	–	33
2	–	2	1	–	3	2	1	5	1	6	4	6	3	2	1	1	–	4	1	10	3	–	–	–	–	–	34
–	–	–	1	–	3	–	–	2	1	2	1	4	–	5	2	4	2	2	3	8	7	–	–	–	–	–	35
1	–	–	–	–	2	–	1	–	–	–	–	–	–	1	1	–	–	2	1	6	2	2	–	–	–	–	36
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	3	1	5	1	–	–	–	37
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	1	2	3	–	–	–	38
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	39
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	40
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	41
86	**43**	**62**	**50**	**51**	**34**	**30**	**33**	**32**	**21**	**23**	**21**	**31**	**13**	**16**	**13**	**12**	**9**	**18**	**8**	**42**	**19**	**11**	**5**	**1**	–	–	
COLOMBIE BRITANNIQUE																											
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
–	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	2	1	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	2	3	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
2	3	1	–	1	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
5	5	1	2	3	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	11
5	1	3	1	4	–	2	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	12
6	3	2	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13
4	4	2	4	2	2	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	14
6	9	2	1	3	–	1	1	1	1	1	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	15
3	7	13	–	2	2	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
5	4	7	3	3	4	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
7	1	3	1	5	2	3	3	2	2	–	–	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	18
8	5	2	3	5	5	–	–	1	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	19
5	3	1	1	5	1	7	1	3	1	6	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20
7	4	3	9	2	3	3	6	2	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21
4	5	8	5	8	2	3	3	3	–	5	–	3	–	1	–	–	–	2	–	2	–	–	–	–	–	–	22
2	4	8	2	5	2	4	3	2	2	2	1	2	1	–	–	2	–	–	–	–	–	–	–	–	–	–	23
5	–	3	4	2	6	1	3	6	6	8	–	1	2	1	1	–	–	–	–	3	–	–	–	–	–	–	24
3	5	4	3	2	3	4	2	4	–	1	1	1	2	–	1	–	1	–	–	–	–	–	–	–	–	–	25
3	1	6	3	1	4	5	2	3	–	4	1	4	3	–	–	1	3	–	1	2	1	–	–	–	–	–	26
2	1	3	4	1	3	5	–	1	1	1	2	5	5	–	1	–	1	–	–	2	–	–	–	–	–	–	27
3	3	5	1	1	–	–	2	2	2	4	1	4	–	1	–	1	1	–	–	2	–	–	–	–	–	–	28
2	1	2	3	1	2	–	4	3	4	1	1	–	2	2	2	2	1	–	–	4	2	–	–	–	–	–	29
–	–	4	2	–	6	1	–	1	3	–	–	3	2	–	1	1	–	1	–	1	–	–	–	–	–	–	30
–	4	1	1	1	3	2	4	–	3	2	1	2	1	2	4	1	3	–	1	1	1	–	–	–	–	–	31
2	–	1	1	2	2	1	2	5	3	–	2	5	–	4	3	–	2	1	–	1	–	–	–	–	–	–	32
–	1	2	1	1	–	4	1	1	–	1	3	–	2	2	1	1	–	–	–	1	1	1	–	–	–	–	33
3	2	4	5	–	4	3	2	3	4	7	4	4	5	2	9	3	3	7	3	17	3	2	–	–	–	–	34
1	–	2	1	–	4	–	1	–	1	3	3	1	3	1	3	3	6	2	4	14	7	–	–	–	–	–	35
1	–	–	–	–	–	–	1	1	–	2	1	1	1	–	5	1	2	3	2	7	11	12	–	–	–	–	36
–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	3	2	1	1	6	4	6	1	–	–	–	37
–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	3	3	2	–	–	1	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	1	1	39
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	40
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	41
94	**82**	**97**	**65**	**64**	**63**	**55**	**44**	**47**	**41**	**51**	**23**	**42**	**32**	**20**	**34**	**21**	**26**	**17**	**12**	**66**	**35**	**23**	**2**	–	**2**	**8**	

TABLE 38—Marriages—Birthplace of bridegrooms and brides, 1927

No.	Birthplace of bridegroom — Lieu de naissance de l'époux	Total grooms — Total des époux	Birthplace of bride														
			Canada											British Isles — Îles britanniques			
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Province not specified — Province non spécifiée	England—Angleterre	Ireland—Irlande	Scotland—Écosse	Wales Galles, pays de	Other—Autres
	CANADA (1)																
1	**Canada**	**45,987**	**535**	**2,564**	**2,191**	**15,286**	**14,036**	**1,994**	**1,270**	**756**	**650**	**443**	**2,340**	**272**	**902**	**58**	**7**
2	Prince Edward Island	619	447	23	21	15	19	9	11	5	10	–	13	1	7	2	–
3	Nova Scotia	2,967	29	2,240	96	45	120	28	24	16	23	1	84	13	49	2	1
4	New Brunswick	2,510	29	136	1,856	113	72	22	15	13	19	–	59	5	20	3	–
5	Quebec	16,446	4	44	121	14,341	748	80	57	38	30	13	256	33	104	3	–
6	Ontario	17,462	11	75	66	683	12,598	386	272	171	97	27	1,428	162	523	34	2
7	Manitoba	2,423	3	16	9	31	196	1,282	216	45	46	1	172	26	78	6	1
8	Saskatchewan	1,211	4	9	4	20	110	116	612	25	22	–	55	8	24	–	–
9	Alberta	865	5	3	7	16	65	28	27	406	38	–	69	6	23	3	1
10	British Columbia	891	2	16	11	14	75	43	36	35	365	1	134	14	37	5	2
11	Province not specified	593	1	2	–	8	33	–	–	2	–	400	70	4	37	–	–
12	**British Isles**	**11,029**	**17**	**184**	**98**	**428**	**2,294**	**546**	**318**	**207**	**316**	**136**	**3,292**	**531**	**1,787**	**93**	**7**
13	England	6,939	11	123	67	272	1,620	324	219	139	199	92	2,530	177	594	51	4
14	Ireland	1,007	–	9	7	40	198	40	20	20	14	7	178	273	131	–	–
15	Scotland	2,819	6	50	19	98	435	166	71	38	97	34	511	75	1,035	15	1
16	Wales	231	–	2	5	7	37	15	8	10	6	3	61	6	26	27	–
17	Other	33	–	–	–	11	4	1	–	–	–	–	12	–	1	–	2
18	**British Possessions**	**594**	**4**	**81**	**15**	**33**	**63**	**11**	**6**	**9**	**20**	**1**	**72**	**11**	**25**	**4**	–
19	Newfoundland	292	4	71	13	21	32	6	–	2	5	–	23	5	10	–	–
20	Other	212	–	10	2	12	31	5	6	7	15	1	49	6	15	4	–
21	**Europe**	**6,682**	**2**	**39**	**20**	**289**	**491**	**410**	**392**	**198**	**74**	**39**	**181**	**22**	**70**	**11**	–
22	Austria	390	–	–	–	14	21	41	50	10	4	5	8	–	2	1	–
23	Belgium	140	–	2	–	23	7	15	7	2	–	–	2	1	2	–	–
24	Denmark	226	–	1	5	13	14	3	2	7	3	–	14	6	12	1	–
25	Finland	306	–	1	1	–	18	1	3	1	6	–	–	–	–	1	–
26	France	151	–	7	1	32	19	13	6	2	3	–	4	2	1	–	–
27	Germany	273	–	5	2	7	34	9	13	8	2	–	8	1	8	–	–
28	Holland	137	2	2	–	5	17	7	4	5	4	–	16	2	3	1	–
29	Hungary	176	–	–	–	–	4	4	30	1	–	–	1	–	–	–	–
30	Italy	585	–	4	2	73	69	4	2	7	19	4	19	1	4	1	–
31	Norway	312	–	7	3	5	20	11	15	10	8	1	24	2	9	2	–
32	Poland (2)	1,493	–	2	2	21	46	156	99	66	3	7	13	–	6	–	–
33	Rumania (3)	363	–	2	2	23	11	15	39	20	1	2	5	1	1	1	–
34	Russia (4)	1,334	–	2	–	50	57	84	96	37	4	7	31	1	3	1	–
35	Sweden	345	–	4	–	2	34	26	15	16	13	1	17	1	8	2	–
36	Other	451	–	–	2	21	30	21	11	6	4	3	19	4	11	–	–
37	**Asia**	**174**	–	**2**	**1**	**8**	**18**	**2**	**4**	**1**	**23**	**2**	**14**	**1**	**3**	**1**	–
38	China	51	–	1	–	–	5	1	–	–	13	1	7	–	1	1	–
39	Japan	31	–	–	–	–	3	–	–	–	8	–	3	–	–	–	–
40	Other	92	–	1	1	8	10	1	4	1	2	1	4	1	2	–	–
41	United States	5,083	20	136	175	601	877	267	330	270	111	34	352	40	129	12	–
42	Various	36	–	1	1	5	3	1	3	1	3	–	3	2	3	–	–
43	Not specified	20	–	3	–	2	4	3	–	–	1	–	1	–	–	–	–
	Total brides—Total des épouses	**69,515**	**578**	**3,010**	**2,501**	**16,652**	**17,696**	**3,234**	**2,323**	**1,442**	**1,198**	**646**	**6,255**	**879**	**2,919**	**179**	**14**

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction.—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.
(2) Including Galicia—Y compris la Galicie.
(3) Including Bukovina—Y compris la Bukovine.
(4) Including the Ukraine—Y compris l'Ukraine.

PRINCE EDWARD ISLAND

44	**Canada**	**464**	**442**	**5**	**2**	–	–	–	–	–	–	–	**1**	–	**2**	–	–
45	PrinceEdward Island	447	427	3	2	–	–	–	–	–	–	–	1	–	2	–	–
46	Nova Scotia	9	8	1	–	–	–	–	–	–	–	–	–	–	–	–	–
47	New Brunswick	7	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–
48	Quebec	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
49	Ontario	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLEAU 38—Mariages—Lieu de naissance des mariés, 1927

Lieu de naissance de l'épouse

British Possessions — Possessions britanniques		Europe																	Asia — Asie			United States — États-Unis	Various—Divers	Not specified—Non spécifié	No.
Newfoundland Terre-Neuve	Other—Autres	Austria—Autriche	Belgium—Belgique	Denmark—Danemark	Finland—Finlande	France	Germany—Allemagne	Holland—Hollande	Hungary—Hongrie	Italy—Italie	Norway-Norvège	Poland(2)—Pologne(2)	Rumania (3) Roumanie (3)	Russia (4)—Russie (4)	Sweden—Suède	Other—Autres	China—Chine	Japan—Japon	Other—Autres						

CANADA (1)

127	**49**	**38**	**42**	**13**	**29**	**47**	**61**	**10**	**15**	**17**	**31**	**108**	**30**	**143**	**32**	**30**	**1**	**3**	**3**	**1,833**	**8**	**13**	1
2	1	–	–	1	–	–	1	–	–	–	–	–	–	1	2	–	–	–	–	27	–	1	2
66	2	–	1	1	–	4	3	–	–	–	4	1	1	1	–	3	–	–	–	104	2	3	3
9	2	–	1	3	1	2	–	–	–	–	2	1	–	1	2	–	–	–	1	123	–	–	4
17	7	2	19	2	3	29	3	2	1	8	4	1	3	17	3	4	–	–	1	447	–	1	5
29	18	9	9	2	15	8	37	5	6	6	6	24	4	28	14	7	1	2	1	686	4	6	6
2	4	8	9	4	–	2	6	2	1	–	2	37	9	47	5	10	–	–	–	147	–	–	7
–	3	13	1	–	1	–	5	–	7	–	3	19	5	32	1	4	–	–	–	106	2	–	8
–	2	6	1	–	–	1	5	–	–	–	5	23	7	15	4	2	–	–	–	96	–	1	9
1	9	–	1	–	9	1	1	1	–	3	4	–	–	1	1	–	–	–	1	68	–	–	10
1	1	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	29	–	1	11
36	**62**	**7**	**12**	**9**	**11**	**12**	**29**	**17**	**3**	**–**	**12**	**13**	**2**	**34**	**20**	**14**	**5**	**–**	**3**	**463**	**8**	**4**	12
27	42	3	8	6	9	8	18	12	1	–	8	11	2	25	11	10	3	–	2	303	5	3	13
2	6	–	–	1	1	–	3	1	1	–	1	1	–	2	2	2	1	–	–	46	–	–	14
6	12	4	4	2	1	4	7	3	–	–	2	1	–	5	7	2	1	–	1	102	3	1	15
1	2	–	–	–	–	–	1	1	–	–	1	–	–	2	–	–	–	–	–	10	–	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	17
91	**28**	**–**	**1**	**1**	**–**	**1**	**–**	**1**	**–**	**–**	**–**	**–**	**–**	**1**	**–**	**–**	**–**	**–**	**–**	**25**	**–**	**–**	18
30	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9	–	–	19
1	27	–	1	1	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–	16	–	–	20
4	**8**	**245**	**82**	**119**	**296**	**54**	**166**	**50**	**132**	**336**	**139**	**1,140**	**193**	**800**	**135**	**278**	**4**	**–**	**8**	**345**	**6**	**3**	21
–	–	162	–	–	–	2	7	1	5	1	–	24	2	19	–	1	–	–	–	10	–	–	22
–	–	–	65	–	–	4	1	–	–	–	1	–	1	–	–	2	–	–	–	4	1	–	23
–	–	–	1	113	4	–	4	1	–	–	3	–	1	1	4	1	–	–	–	12	–	–	24
–	–	–	–	–	261	–	–	–	–	–	–	–	–	–	5	–	–	–	–	8	–	–	25
1	–	–	6	–	1	33	1	1	–	2	–	2	–	–	–	4	–	–	–	10	–	–	26
–	1	8	1	–	1	2	108	2	1	1	1	8	3	13	–	6	–	–	–	20	–	–	27
–	–	1	4	–	1	–	5	44	–	–	–	–	–	1	1	1	–	–	1	10	–	–	28
–	–	2	–	–	–	–	2	–	112	–	–	2	3	1	–	4	–	–	–	10	–	–	29
2	2	–	–	–	2	5	2	–	–	331	–	–	–	–	1	2	–	–	–	26	2	1	30
–	–	–	–	1	1	–	1	–	–	–	119	–	–	2	14	1	–	–	–	55	1	–	31
–	–	9	–	–	1	–	7	–	2	–	–	923	25	65	–	7	–	–	1	30	1	1	32
–	–	8	–	–	–	–	1	–	6	–	–	47	124	34	–	6	–	–	–	14	–	–	33
–	3	52	1	–	–	1	15	1	3	–	–	121	28	655	–	12	4	–	–	65	–	–	34
1	1	1	1	4	23	1	1	–	2	–	14	–	1	–	110	–	–	–	–	46	–	–	35
–	1	2	3	1	1	6	11	–	1	1	1	13	5	9	–	231	–	–	6	25	1	1	36
1	**–**	**–**	**–**	**–**	**–**	**3**	**–**	**–**	**–**	**–**	**1**	**1**	**2**	**–**	**1**	**5**	**12**	**17**	**45**	**6**	**–**	**–**	37
–	–	–	–	–	–	1	–	–	–	–	1	1	1	–	1	–	12	–	–	4	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17	–	–	–	–	39
1	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	5	–	–	45	2	–	–	40
9	15	18	5	7	12	9	30	6	4	2	27	17	10	60	21	13	1	–	3	1,457	1	2	41
–	–	–	–	–	–	–	1	–	–	1	–	–	–	2	–	–	–	–	–	5	1	–	42
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	5	43
268	**162**	**308**	**142**	**149**	**348**	**126**	**287**	**84**	**153**	**356**	**210**	**1,279**	**237**	**1,040**	**209**	**340**	**23**	**20**	**62**	**4,135**	**24**	**27**	

ÎLE DU PRINCE-ÉDOUARD

–	**1**	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	**10**	–	**1**	44
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10	–	1	45
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	46
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	47
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	48
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	49

TABLE 38—Marriages—Birthplace of bridegrooms and brides, 1927—*con.*

No.	Birthplace of bridegroom — Lieu de naissance de l'époux	Total grooms — Total des époux	Birthplace of bride														
			Canada											British Isles — Îles britanniques			
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Province not specified — Province non spécifiée		England—Angleterre	Ireland—Irlande	Scotland—Écosse	Wales — Galles, pays de	Other—Autres
	PRINCE EDWARD ISLAND—con.																	
	Canada-con-fin.																	
1	Manitoba	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Saskatchewan	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Alberta	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	British Columbia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5	Province not specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6	**British Isles**	**3**	**1**	–	–	–	–	–	–	–	–	–	–	–	–	**2**	–	–
7	England	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Ireland	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Scotland	3	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
10	Wales	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12	**British Possessions**	**2**	**2**	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Newfoundland	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
14	Other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	**Europe**	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
16	Austria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
17	Belgium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Denmark	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
19	Finland	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20	France	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
21	Germany	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Holland	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Hungary	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Italy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25	Norway	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
26	Poland (1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
27	Rumania (2)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
28	Russia (3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
29	Sweden	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30	Other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
31	**Asia**	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32	China	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
33	Japan	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
35	United States	13	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
36	Various	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37	Not specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Total brides—Total des épouses	**482**	**457**	**5**	**2**	–	–	–	–	–	–	–	–	**1**	–	**4**	–	–

(1) Including Galicia—Y compris la Galicie.
(2) Including Bukovina—Y compris la Bukovine.
(3) Including the Ukraine—Y compris l'Ukraine.

NOVA SCOTIA

38	**Canada**	**2,555**	**23**	**2,270**	**42**	**13**	**10**	**2**	–	**1**	–	**3**	**31**	**6**	**17**	**1**	–
39	Prince Edward Island	22	3	15	1	1	–	–	–	–	–	–	–	–	–	–	–
40	Nova Scotia	2,415	19	2,167	30	7	9	2	–	–	–	1	29	5	16	1	–
41	New Brunswick	73	–	56	9	1	–	–	–	1	–	–	2	1	1	–	–
42	Quebec	24	1	14	1	4	1	–	–	–	–	–	–	–	–	–	–
43	Ontario	13	–	12	1	–	–	–	–	–	–	–	–	–	–	–	–
44	Manitoba	4	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–
45	Saskatchewan	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
46	Alberta	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
47	British Columbia	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
48	Province not specified	3	–	1	–	–	–	–	–	–	–	2	–	–	–	–	–
49	**British Isles**	**150**	**3**	**109**	**4**	**1**	–	–	–	–	–	–	**16**	**1**	**11**	–	–
50	England	103	2	75	3	1	–	–	–	–	–	–	14	–	4	–	–
51	Ireland	6	–	5	–	–	–	–	–	–	–	–	1	–	–	–	–
52	Scotland	39	1	28	1	–	–	–	–	–	–	–	1	1	6	–	–
53	Wales	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
54	Other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLEAU 38—Mariages—Lieu de naissance des mariés, 1927—*suite*

Lieu de naissance de l'épouse

British Possessions — Possessions britanniques		Europe																Asia — Asie			United States — États-Unis			
Newfoundland Terre-Neuve	Other—Autres	Austria—Autriche	Belgium—Belgique	Denmark—Danemark	Finland—Finlande	France	Germany—Allemagne	Holland—Hollande	Hungary—Hongrie	Italy—Italie	Norway-Norvège	Poland(1)—Pologne(1)	Rumania (2) Roumanie (2)	Russia (3)—Russie (3)	Sweden—Suède	Other—Autres	China—Chine	Japan—Japon	Other—Autres		Various—Divers	Not specified—Non spécifié	No.
ÎLE DU PRINCE-ÉDOUARD—fin																							
																							1
																							2
																							3
																							4
																							5
																							6
																							7
																							8
																							9
																							10
																							11
																							12
																							13
																							14
																							15
																							16
																							17
																							18
																							19
																							20
																							21
																							22
																							23
																							24
																							25
																							26
																							27
																							28
																							29
																							30
																							31
																							32
																							33
																							34
																					1		35
																							36
																							37
	1																				11		1	
NOUVELLE-ÉCOSSE																								
65	3					3	2						1	1		2					56		3	38
2																								39
62	2					3	2						1			2					54		3	40
1																					1			41
	1													1							1			42
																								43
																								44
																								45
																								46
																								47
																								48
2																					2		1	49
2																					1		1	50
																								51
																					1			52
																								53
																								54

TABLE 38—Marriages—Birthplace of bridegrooms and brides, 1927—*con.*

No.	Birthplace of bridegroom — Lieu de naissance de l'époux	Total grooms — Total des époux	Birthplace of bride															
			Canada											British Isles — Îles britanniques				
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Province not specified — Province non spécifiée		England—Angleterre	Ireland—Irlande	Scotland—Écosse	Wales Galles, pays de	Other—Autres
	NOVA SCOTIA—con.																	
1	**British Possessions**	135	1	70	–	1	–	–	–	–	–	–		3	–	3	–	–
2	Newfoundland	122	1	63	–	1	–	–	–	–	–	–		3	–	1	–	–
3	Other	13	–	7	–	–	–	–	–	–	–	–		–	–	2	–	–
4	**Europe**	92	–	26	2	–	–	–	–	–	–	–		1	–	1	–	–
5	Austria	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–
6	Belgium	5	–	2	–	–	–	–	–	–	–	–		–	–	–	–	–
7	Denmark	3	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–
8	Finland	4	–	1	–	–	–	–	–	–	–	–		–	–	–	–	–
9	France	8	–	4	–	–	–	–	–	–	–	–		–	–	–	–	–
10	Germany	3	–	3	–	–	–	–	–	–	–	–		–	–	–	–	–
11	Holland	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–
12	Hungary	2	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–
13	Italy	20	–	4	1	–	–	–	–	–	–	–		–	–	–	–	–
14	Norway	11	–	5	1	–	–	–	–	–	–	–		–	–	–	–	–
15	Poland (1)	10	–	1	–	–	–	–	–	–	–	–		–	–	–	–	–
16	Rumania (2)	2	–	2	–	–	–	–	–	–	–	–		–	–	–	–	–
17	Russia (3)	9	–	2	–	–	–	–	–	–	–	–		1	–	–	–	–
18	Sweden	5	–	2	–	–	–	–	–	–	–	–		–	–	–	–	–
19	Other	10	–	–	–	–	–	–	–	–	–	–		–	–	1	–	–
20	**Asia**	2	–	1	–	–	–	–	–	–	–	–		–	–	–	–	–
21	China	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–
22	Japan	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–
23	Other	2	–	1	–	–	–	–	–	–	–	–		–	–	–	–	–
24	United States	104	1	88	2	1	1	1	–	–	–	–		2	–	2	–	–
25	Various	1	–	1	–	–	–	–	–	–	–	–		–	–	–	–	–
26	Not specified	3	–	3	–	–	–	–	–	–	–	–		–	–	–	–	–
	Total brides—Total des épouses	3,042	28	2,568	50	16	11	3	–	1	–	3		53	7	31	1	–

(1) Including Galicia—Y compris la Galicie.
(2) Including Bukovina—Y compris la Bukovine.
(3) Including the Ukraine—Y compris l'Ukraine.

	NEW BRUNSWICK																	
27	**Canada**	2,331	34	96	1,958	72	7	–	1	1	2	–		31	2	7	2	–
28	Prince Edward Island	31	10	2	16	2	–	–	–	–	–	–		1	–	–	–	–
29	Nova Scotia	93	–	19	58	2	–	–	–	–	–	–		5	1	–	–	–
30	New Brunswick	2,087	20	72	1,814	29	6	–	–	1	2	–		24	1	7	2	–
31	Quebec	97	1	1	55	38	–	–	1	–	–	–		–	–	–	–	–
32	Ontario	17	2	1	13	–	1	–	–	–	–	–		–	–	–	–	–
33	Manitoba	2	–	–	1	–	–	–	–	–	–	–		1	–	–	–	–
34	Saskatchewan	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–
35	Alberta	1	–	–	1	–	–	–	–	–	–	–		–	–	–	–	–
36	British Columbia	2	–	1	–	1	–	–	–	–	–	–		–	–	–	–	–
37	Province not specified	1	1	–	–	–	–	–	–	–	–	–		–	–	–	–	–
38	**British Isles**	84	1	6	47	1	2	–	–	–	–	–		11	–	6	–	–
39	England	59	–	6	35	1	2	–	–	–	–	–		6	–	2	–	–
40	Ireland	3	–	–	2	–	–	–	–	–	–	–		–	–	1	–	–
41	Scotland	18	1	–	8	–	–	–	–	–	–	–		4	–	3	–	–
42	Wales	4	–	–	2	–	–	–	–	–	–	–		1	–	–	–	–
43	Other	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–
44	**British Possessions**	16	–	–	13	–	–	–	–	–	–	–		–	–	–	–	–
45	Newfoundland	14	–	–	12	–	–	–	–	–	–	–		–	–	–	–	–
46	Other	2	–	–	1	–	–	–	–	–	–	–		–	–	–	–	–
47	**Europe**	37	–	1	14	–	–	–	–	–	–	–		–	–	–	–	–
48	Austria	1	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–
49	Belgium	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–
50	Denmark	11	–	–	5	–	–	–	–	–	–	–		–	–	–	–	–
51	Finland	2	–	–	1	–	–	–	–	–	–	–		–	–	–	–	–
52	France	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–
53	Germany	2	–	–	2	–	–	–	–	–	–	–		–	–	–	–	–
54	Holland	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–

TABLEAU 38—Mariages—Lieu de naissance des mariés, 1927—*suite*

Lieu de naissance de l'épouse

British Possessions — Possessions britanniques		Europe																Asia — Asie			United States — États-Unis				
Newfoundland Terre-Neuve	Other—Autres	Austria—Autriche	Belgium—Belgique	Denmark—Danemark	Finland—Finlande	France	Germany—Allemagne	Holland—Hollande	Hungary—Hongrie	Italy—Italie	Norway-Norvège	Poland (1)—Pologne (1)	Rumania (2) Roumanie (2)	Russia (3)—Russie (3)	Sweden—Suède	Other—Autres	China—Chine	Japan—Japon	Other—Autres		Various—Divers	Not specified—Non spécifié	No.
NOUVELLE-ÉCOSSE—fin																									
51	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1
51	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2
–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
2	–	–	2	3	3	3	1	–	1	13	4	11	–	4	4	9	–	–	–	2	–	–	4
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	6
–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	8
1	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	11
1	–	–	–	–	–	1	–	–	–	13	–	–	–	–	–	–	–	–	–	1	–	–	12
–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	1	–	–	–	–	–	–	–	13
–	–	–	–	–	–	–	–	–	–	–	–	8	–	–	–	–	–	–	–	1	–	–	14
–	–	–	–	–	1	–	–	–	–	–	–	2	–	4	–	–	–	–	–	–	–	–	15
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8	–	–	–	–	–	–	17
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	5	–	–	20
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	23
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	26
121	**6**	–	**3**	**3**	**3**	**6**	**3**	–	**1**	**13**	**4**	**11**	**1**	**5**	**4**	**11**	–	–	**1**	**67**	–	**4**	
NOUVEAU-BRUNSWICK																									
11	–	–	–	2	–	1	–	–	–	–	3	–	–	–	–	–	–	–	–	101	–	–	27
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	28
3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	4	–	–	29
8	–	–	–	2	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	96	–	–	30
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	31
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	33
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	35
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	37
1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	6	–	–	38
1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	4	–	–	39
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	40
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	41
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	42
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	43
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	44
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	45
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	46
–	–	–	–	5	1	2	1	–	–	2	–	–	1	2	–	2	–	–	–	5	1	–	47
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	48
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	49
–	–	–	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	50
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	51
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	52
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	53
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	54

TABLE 38—Marriages—Birthplace of bridegrooms and brides, 1927—*con.*

No.	Birthplace of bridegroom — Lieu de naissance de l'époux	Total grooms	Total des époux	Birthplace of bride																
				Canada											British Isles — Îles britanniques					
				Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Province not specified	Province non spécifiée	England—Angleterre	Ireland—Irlande	Scotland—Écosse	Wales Galles, pays de	Other—Autres
	NEW BRUNSWICK—con.																			
	Europe—con.—fin																			
1	Hungary	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Italy	5	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Norway	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	Poland (1)	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5	Rumania (2)	3	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6	Russia (3)	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7	Sweden	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Other	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	**Asia**	3	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
10	China	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Japan	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12	Other	3	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
13	United States	416	1	6	148	5	–	–	–	–	–	–	–	–	2	–	–	–	–	–
14	Various	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Not specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Total brides—Total des épouses	**2,887**	**36**	**109**	**2,181**	**78**	**9**	**–**	**1**	**1**	**2**	**–**			**45**	**2**	**13**	**2**	**–**	
16	**Canada**	**15,820**	**3**	**40**	**78**	**14,506**	**344**	**8**	**2**	**1**	**4**	**19**			**204**	**21**	**96**	**2**	**–**	
17	Prince Edward Island	14	1	–	–	11	1	–	–	–	–	–			1	–	–	–	–	
18	Nova Scotia	69	–	14	3	31	3	–	–	–	–	–			4	1	5	1	–	
19	New Brunswick	97	1	1	17	67	2	1	–	–	–	–			2	–	3	–	–	
20	Quebec	15,050	1	22	50	14,030	228	3	2	–	2	7			167	19	73	1	–	
21	Ontario	539	–	2	7	344	107	1	–	1	2	–			29	1	13	–	–	
22	Manitoba	12	–	–	1	5	1	3	–	–	–	–			–	–	–	–	–	
23	Saskatchewan	7	–	1	–	5	–	–	–	–	–	–			–	–	–	–	–	
24	Alberta	5	–	–	–	4	1	–	–	–	–	–			–	–	–	–	–	
25	British Columbia	6	–	–	–	3	1	–	–	–	–	–			1	–	1	–	–	
26	Province not specified	21	–	–	–	6	–	–	–	–	–	12			–	–	1	–	–	
27	**British Isles**	**1,034**	**3**	**8**	**10**	**320**	**30**	**1**	**1**	**1**	**1**	**2**			**327**	**52**	**205**	**5**	**5**	
28	England	612	2	5	4	197	18	–	1	–	–	1			251	18	58	2	4	
29	Ireland	88	–	–	3	30	4	–	–	–	–	1			10	25	12	–	–	
30	Scotland	308	1	3	3	77	8	1	–	1	1	–			62	9	131	2	1	
31	Wales	13	–	–	–	5	–	–	–	–	–	–			3	–	4	1	–	
32	Other	13	–	–	–	11	–	–	–	–	–	–			1	–	–	–	–	
33	**British Possessions**	**79**	**–**	**3**	**–**	**29**	**4**	**–**	**–**	**–**	**–**	**–**			**11**	**3**	**2**	**1**	**–**	
34	Newfoundland	51	–	2	–	20	4	–	–	–	–	–			3	3	1	–	–	
35	Other	28	–	1	–	9	–	–	–	–	–	–			8	–	1	1	–	
36	**Europe**	**866**	**–**	**2**	**1**	**246**	**9**	**1**	**–**	**–**	**1**	**4**			**32**	**4**	**4**	**1**	**–**	
37	Austria	32	–	–	–	12	–	–	–	–	–	–			2	–	–	–	–	
38	Belgium	25	–	–	–	18	–	–	–	–	–	–			–	–	–	–	–	
39	Denmark	24	–	–	–	10	–	–	–	–	–	–			1	–	–	–	–	
40	Finland	20	–	–	–	–	–	–	–	–	–	–			–	–	–	–	–	
41	France	49	–	1	–	26	2	–	–	–	1	–			3	1	–	–	–	
42	Germany	22	–	–	–	7	–	–	–	–	–	–			1	–	1	–	–	
43	Holland	7	–	1	–	2	1	–	–	–	–	–			2	1	–	–	–	
44	Hungary	11	–	–	–	–	–	–	–	–	–	–			1	–	–	–	–	
45	Italy	139	–	–	–	71	2	–	–	–	–	–			2	–	–	–	–	
46	Norway	18	–	–	–	4	1	1	–	–	–	–			2	–	–	–	–	
47	Poland (1)	113	–	–	–	13	–	–	–	–	–	1			3	–	–	–	–	
48	Rumania (2)	74	–	–	–	19	1	–	–	–	–	2			–	–	–	1	–	
49	Russia (3)	232	–	–	–	45	1	–	–	–	–	1			10	–	–	–	–	
50	Sweden	12	–	–	–	1	–	–	–	–	–	–			2	1	1	–	–	
51	Other	88	–	–	1	18	1	–	–	–	–	–			3	1	2	–	–	

(1) Including Galicia—Y compris la Galicie.
(2) Including Bukovina—Y compris la Bukovine.
(3) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 38—Mariages—Lieu de naissance des mariés, 1927—*suite*

Lieu de naissance de l'épouse

British Possessions — Possessions britanniques		Europe																Asia — Asie			United States — États-Unis	Various—Divers	Not specified—Non spécifié	No.
Newfoundland Terre-Neuve	Other—Autres	Austria—Autriche	Belgium—Belgique	Denmark—Danemark	Finland—Finlande	France	Germany—Allemagne	Holland—Hollande	Hungary—Hongrie	Italy—Italie	Norway-Norvège	Poland(1)—Pologne(1)	Rumania (2) Roumanie (2)	Russia (3)—Russie (3)	Sweden—Suède	Other—Autres	China—Chine	Japan—Japon	Other—Autres				
NOUVEAU-BRUNSWICK—fin																								
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	2	–	–	–	6
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	8
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	12
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	252	–	–	–	13
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15
16	**1**	–	–	**7**	**1**	**3**	**1**	–	–	**2**	**4**	–	**1**	**2**	–	**2**	**1**	–	**1**	**365**	**1**	–		
QUÉBEC																								
18	7	2	12	–	2	20	2	1	–	4	1	2	2	11	2	3	–	–	1	491	–	1		16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		17
–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–		19
16	5	2	11	–	2	18	2	1	–	4	1	1	1	9	2	3	–	–	1	365	–	1		20
2	2	–	1	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	24	–	–		21
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–		22
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–		23
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		25
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–		26
9	**5**	–	–	**2**	**1**	**3**	**2**	**1**	–	–	**1**	**1**	**1**	**3**	–	**2**	–	–	**1**	**28**	**3**	–		27
8	4	–	–	2	–	3	1	1	–	–	1	1	1	3	–	1	–	–	1	22	2	–		28
–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–		29
1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	5	1	–		30
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		31
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–		32
16	**5**	–	–	**1**	–	–	–	–	–	–	–	–	–	**1**	–	–	–	–	–	**3**	–	–		33
16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–		34
–	5	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–		35
2	**2**	**18**	**9**	**11**	**24**	**14**	**9**	**2**	**10**	**53**	**8**	**85**	**55**	**162**	**6**	**56**	–	–	**1**	**31**	**2**	**1**		36
–	–	7	–	–	–	1	–	1	–	–	–	2	1	4	–	–	–	–	–	2	–	–		37
–	–	–	4	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–		38
–	–	1	1	10	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–		39
–	–	–	–	–	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		40
–	–	1	1	–	–	7	–	1	–	–	–	–	–	–	–	3	–	–	–	3	–	–		41
–	1	1	–	–	1	–	7	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–		42
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		43
–	–	–	–	–	–	–	–	–	7	–	–	–	2	1	–	–	–	–	–	–	–	–		44
1	1	–	–	–	–	2	–	–	–	53	–	–	–	–	1	–	–	–	–	5	1	–		45
–	–	–	–	–	–	–	–	–	–	–	8	–	–	–	1	–	–	–	–	1	–	–		46
–	–	–	–	–	–	–	1	–	–	–	–	63	6	18	–	3	–	–	–	2	1	–		47
–	2	–	–	–	–	–	–	–	1	–	–	4	29	13	–	1	–	–	–	1	–	–		48
–	1	8	1	–	–	–	–	–	–	–	–	16	15	122	–	4	–	–	–	8	–	–		49
1	–	–	–	1	2	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–		50
–	–	–	1	–	–	3	1	–	–	–	–	–	1	4	–	43	–	–	1	7	–	1		51

TABLE 38—Marriages—Birthplace of bridegrooms and brides, 1927—*con.*

No.	Birthplace of bridegroom — Lieu de naissance de l'époux	Total grooms — Total des époux	Birthplace of bride															
			Canada											British Isles — Îles britanniques				
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Province not specified — Province non spécifiée	England—Angleterre	Ireland—Irlande	Scotland—Écosse	Wales Galles, pays de	Other—Autres
	QUEBEC—con.																
1	**Asia**	33	–	–	–	7	1	1	–	–	1	–	2	–	1	–	–
2	China	5	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
3	Japan	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	Other	28	–	–	–	7	1	1	–	–	–	–	1	–	1	–	–
5	United States	710	–	5	9	520	18	2	1	–	–	1	20	4	12	1	–
6	Various	8	–	–	–	4	–	–	–	–	–	–	–	–	2	–	–
7	Not specified	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Total brides—Total des épouses	18,551	6	58	98	15,633	406	13	4	2	7	26	596	84	322	10	5
	ONTARIO																
8	**Canada**	16,415	5	58	44	503	12,799	31	43	22	14	416	1,275	142	440	26	2
9	Prince Edward Island	7	2	–	–	–	2	–	–	–	–	–	3	–	–	–	–
10	Nova Scotia	132	–	21	2	3	80	–	–	–	1	–	13	1	6	–	–
11	New Brunswick	92	–	2	10	12	48	1	–	–	–	–	11	–	2	–	–
12	Quebec	784	–	3	10	184	480	–	2	1	1	5	40	9	14	1	–
13	Ontario	14,708	3	32	20	300	12,075	21	40	21	8	25	1,126	126	377	25	2
14	Manitoba	52	–	–	1	1	31	6	–	–	–	–	4	1	3	–	–
15	Saskatchewan	38	–	–	–	–	24	2	1	–	–	–	4	–	–	–	–
16	Alberta	26	–	–	–	1	16	1	–	–	1	–	5	–	2	–	–
17	British Columbia	19	–	–	1	–	11	–	–	–	3	1	2	1	–	–	–
18	Province not specified	557	–	–	–	2	32	–	–	–	–	385	67	4	36	–	–
19	**British Isles**	5,126	–	14	7	52	1,851	8	9	1	7	128	1,594	290	955	29	–
20	England	3,302	–	10	5	36	1,338	6	6	–	4	86	1,272	88	309	12	–
21	Ireland	508	–	1	–	6	155	–	–	–	–	5	87	165	78	–	–
22	Scotland	1,225	–	3	2	8	329	2	3	1	2	34	206	35	559	5	–
23	Wales	87	–	–	–	2	27	–	–	–	1	3	27	2	9	12	–
24	Other	4	–	–	–	–	2	–	–	–	–	–	2	–	–	–	–
25	**British Possessions**	132	1	7	2	1	44	–	–	–	–	–	27	6	7	1	–
26	Newfoundland	66	1	6	1	–	22	–	–	–	–	–	13	1	4	–	–
27	Other	66	–	1	1	1	22	–	–	–	–	–	14	5	3	1	–
28	**Europe**	1,936	–	2	1	24	338	7	9	–	–	18	56	12	17	3	–
29	Austria	106	–	–	–	1	21	2	–	–	–	4	4	–	1	1	–
30	Belgium	46	–	–	–	1	5	–	–	–	–	–	1	1	1	–	–
31	Denmark	35	–	–	–	–	7	–	–	–	–	–	4	4	1	–	–
32	Finland	207	–	–	–	–	17	–	–	–	–	–	–	–	–	1	–
33	France	20	–	–	–	3	12	–	–	–	–	–	–	–	–	–	–
34	Germany	84	–	1	–	–	31	–	–	–	–	–	3	1	3	–	–
35	Holland	46	–	–	–	–	13	–	–	–	–	–	5	–	–	1	–
36	Hungary	72	–	–	–	–	4	–	3	–	–	–	–	–	–	–	–
37	Italy	284	–	–	–	2	65	–	2	–	–	3	11	1	2	–	–
38	Norway	23	–	–	–	–	12	–	–	–	–	–	1	–	–	–	–
39	Poland (1)	445	–	1	–	6	46	1	3	–	–	5	3	–	2	–	–
40	Rumania (2)	66	–	–	–	4	8	1	–	–	–	–	4	1	1	–	–
41	Russia (3)	297	–	–	–	4	51	2	1	–	–	3	10	1	1	–	–
42	Sweden	60	–	–	–	1	20	1	–	–	–	–	3	–	1	–	–
43	Other	145	–	–	1	2	26	–	–	–	–	3	7	3	4	–	–
44	**Asia**	53	–	–	–	1	15	–	–	1	–	2	5	1	1	–	–
45	China	17	–	–	–	–	5	–	–	–	–	1	5	–	1	–	–
46	Japan	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
47	Other	34	–	–	–	1	8	–	–	1	–	1	–	1	–	–	–
48	United States	997	–	6	4	32	613	3	4	2	–	28	88	11	36	–	–
49	Various	10	–	–	–	–	3	–	–	–	–	–	2	2	1	–	–
50	Not specified	8	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–
	Total brides—Total des épouses	24,677	6	87	58	614	15,666	49	65	26	21	592	3,047	464	1,457	59	2

(1) Including Galicia—Y compris la Galicie.
(2) Including Bukovina—Y compris la Bukovine.
(3) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 38—Mariages—Lieu de naissance des mariés, 1927—*suite*

Lieu de naissance de l'épouse

British Possessions — Possessions britanniques		Europe																Asia — Asie			United States — États-Unis	Various—Divers	Not specified—Non spécifié	No.
Newfoundland Terre-Neuve	Other—Autres	Austria—Autriche	Belgium—Belgique	Denmark—Danemark	Finland—Finlande	France	Germany—Allemagne	Holland—Hollande	Hungary—Hongrie	Italy—Italie	Norway-Norvège	Poland(1)—Pologne(1)	Rumania (2) Roumanie (2)	Russia (3)—Russie (3)	Sweden—Suède	Other—Autres	China—Chine	Japan—Japon	Other—Autres				
QUÉBEC—fin																								
–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	2	–	–	14	2	–	–	1
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2	–	–	14	–	–	–	4
5	2	1	1	–	–	2	2	–	–	1	–	–	4	1	–	–	–	–	–	98	–	–	5
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	6
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
50	**21**	**21**	**22**	**14**	**27**	**40**	**16**	**4**	**10**	**58**	**11**	**88**	**62**	**178**	**8**	**63**	–	–	**17**	**563**	**6**	**2**	
ONTARIO																								
28	13	3	5	1	16	7	27	3	5	6	3	17	2	19	5	5	1	2	1	416	3	7	8
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	10
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	11
–	–	–	–	1	–	4	–	–	–	1	1	–	–	3	1	–	–	–	–	23	–	–	12
26	12	2	5	–	15	3	27	3	4	5	2	16	–	15	4	4	1	2	1	351	3	6	13
–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	3	–	–	14
–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	4	–	–	15
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	26	–	1	18
17	16	–	5	–	6	2	8	4	–	–	1	5	1	8	4	2	–	–	1	97	3	1	19
11	13	–	5	–	5	2	6	3	–	–	–	5	1	7	2	1	–	–	–	67	1	1	20
2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	7	–	–	21
4	3	–	–	–	1	–	1	–	–	–	1	–	–	–	2	–	–	–	1	21	2	–	22
–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	2	–	–	23
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24
19	12	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	4	–	–	25
18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	26
1	12	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	4	–	–	27
–	3	81	38	16	206	5	44	22	57	182	12	401	33	178	13	91	–	–	3	60	–	1	28
–	–	55	–	–	–	–	1	–	–	1	–	7	–	5	–	1	–	–	–	2	–	–	29
–	–	–	36	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	30
–	–	–	–	15	2	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	31
–	–	–	–	–	185	–	–	–	–	–	–	–	–	–	1	–	–	–	–	3	–	–	32
–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	33
1	1	1	–	–	–	–	33	1	–	–	–	3	–	2	–	3	–	–	–	1	–	–	34
–	–	–	2	–	1	–	2	21	–	–	–	–	–	–	–	–	–	–	1	–	–	–	35
–	–	–	–	–	–	–	1	–	55	–	–	2	–	–	–	–	–	–	–	7	–	–	36
–	–	–	–	–	2	1	–	–	–	181	–	–	–	–	–	1	–	–	–	12	–	1	37
–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	1	–	–	–	–	3	–	–	38
–	5	–	–	–	1	–	2	–	–	–	–	324	6	25	–	1	–	–	1	13	–	–	39
–	1	–	–	–	–	–	1	–	1	–	–	12	21	6	–	2	–	–	–	3	–	–	40
1	19	–	–	–	–	–	1	–	1	–	–	48	5	139	–	2	–	–	–	8	–	–	41
–	–	–	–	–	13	–	1	–	–	–	5	–	–	–	11	–	–	–	–	4	–	–	42
1	–	–	–	1	1	1	1	–	–	–	–	8	1	1	–	80	–	–	1	3	–	–	43
–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	2	–	22	1	–	–	44
–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	2	–	–	1	–	–	45
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	46
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22	–	–	–	47
1	1	2	1	–	5	1	–	1	1	1	–	8	–	6	2	2	–	–	1	136	–	1	48
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	49
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	50
65	**45**	**86**	**49**	**17**	**233**	**16**	**79**	**31**	**63**	**190**	**16**	**435**	**36**	**211**	**24**	**100**	**3**	**2**	**28**	**715**	**6**	**14**	

TABLE 38—Marriages—Birthplace of bridegrooms and brides, 1927—*con.*

No.	Birthplace of bridegroom — Lieu de naissance de l'époux	Total grooms — Total des époux	Birthplace of bride														
			Canada										British Isles — Îles britanniques				
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Province not specified — Province non spécifiée	England—Angleterre	Ireland—Irlande	Scotland—Écosse	Wales Galles, pays de	Other—Autres
	MANITOBA																
1	**Canada**	2,274	5	9	8	29	165	1,472	68	7	5	2	169	28	82	6	1
2	Prince Edward Island	9	1	–	1	–	1	5	–	–	–	–	1	–	–	–	–
3	Nova Scotia	29	–	1	–	–	4	12	1	–	–	–	3	1	3	–	–
4	New Brunswick	16	–	–	1	–	2	7	2	1	–	–	–	–	2	–	–
5	Quebec	87	–	–	–	8	4	49	4	–	–	–	5	1	4	–	–
6	Ontario	414	1	3	2	6	71	207	14	2	1	1	43	5	20	–	–
7	Manitoba	1,633	2	3	4	14	75	1,152	41	4	3	–	107	18	50	5	1
8	Saskatchewan	69	–	1	–	1	6	38	6	–	–	–	4	3	3	–	–
9	Alberta	9	1	1	–	–	2	2	–	–	1	–	1	–	–	1	–
10	British Columbia	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
11	Province not specified	6	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–
12	**British Isles**	1,056	–	7	2	9	79	355	21	1	2	1	283	61	155	8	1
13	England	605	–	5	2	7	48	205	12	–	–	–	201	20	55	7	–
14	Ireland	111	–	1	–	–	9	27	1	–	1	1	19	32	11	–	–
15	Scotland	313	–	1	–	2	19	113	7	1	–	–	57	9	86	–	–
16	Wales	21	–	–	–	–	2	10	1	–	1	–	3	–	3	1	–
17	Other	6	–	–	–	–	1	–	–	–	–	–	3	–	–	–	1
18	**British Possessions**	22	–	1	–	1	1	6	–	–	–	1	4	–	4	–	–
19	Newfoundland	7	–	–	–	–	–	4	–	–	–	–	–	–	2	–	–
20	Other	15	–	1	–	1	1	2	–	–	–	1	4	–	2	–	–
21	**Europe**	1,063	1	–	–	5	10	324	20	3	–	7	16	–	9	1	–
22	Austria	81	–	–	–	1	–	29	1	–	–	1	–	–	–	–	–
23	Belgium	26	–	–	–	1	1	11	1	–	–	–	–	–	–	–	–
24	Denmark	34	–	–	–	–	1	1	–	–	–	–	–	–	–	1	–
25	Finland	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
26	France	18	–	–	–	–	–	10	–	–	–	–	–	–	1	–	–
27	Germany	28	–	–	–	–	–	6	1	1	–	–	–	–	1	–	–
28	Holland	23	1	–	–	2	1	5	1	–	–	–	2	–	–	–	–
29	Hungary	15	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–
30	Italy	8	–	–	–	–	–	3	–	–	–	1	1	–	–	–	–
31	Norway	23	–	–	–	–	1	6	1	–	–	–	2	–	1	–	–
32	Poland (1)	394	–	–	–	1	–	140	6	1	–	1	2	–	1	–	–
33	Rumania (2)	45	–	–	–	–	–	10	1	–	–	–	–	–	–	–	–
34	Russia (3)	255	–	–	–	–	–	63	4	–	–	3	6	–	2	–	–
35	Sweden	58	–	–	–	–	4	18	2	1	–	1	1	–	2	–	–
36	Other	48	–	–	–	–	2	19	2	–	–	–	2	–	1	–	–
37	**Asia**	4	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
38	China	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
39	Japan	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40	Other	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
41	United States	290	1	–	1	4	15	133	7	2	1	3	21	5	7	–	–
42	Various	3	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
43	Not specified	4	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–
	Total brides—Total des épouses	4,716	7	17	12	49	270	2,295	117	13	8	14	493	94	257	15	2
	SASKATCHEWAN																
44	**Canada**	2,560	12	28	15	79	342	275	1,021	21	12	–	176	31	80	3	–
45	Prince Edward Island	38	2	–	–	–	9	3	10	–	–	–	2	1	3	–	–
46	Nova Scotia	70	1	7	1	1	9	5	16	–	–	–	11	1	3	–	–
47	New Brunswick	37	1	1	–	1	4	5	11	–	1	–	4	1	–	–	–
48	Quebec	161	–	2	1	40	13	9	41	1	1	–	11	2	6	–	–
49	Ontario	819	2	13	11	16	188	96	182	6	3	–	89	18	41	2	–
50	Manitoba	411	–	2	–	8	44	85	156	3	2	–	22	3	12	–	–
51	Saskatchewan	976	4	3	2	12	67	68	590	8	4	–	34	4	15	–	–
52	Alberta	32	1	–	–	–	5	2	9	3	–	–	2	1	–	1	–
53	British Columbia	16	1	–	–	1	3	2	6	–	1	–	1	–	–	–	–
54	Province not specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

(1) Including Galicia—Y compris la Galicie.
(2) Including Bukovina—Y compris la Bukovine.
(3) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 38—Mariages—Lieu de naissance des mariés, 1927—*suite*

Lieu de naissance de l'épouse

Newfoundland — Terre-Neuve	British Possessions — Possessions britanniques: Other—Autres	Europe: Austria—Autriche	Belgium—Belgique	Denmark—Danemark	Finland—Finlande	France	Germany—Allemagne	Holland—Hollande	Hungary—Hongrie	Italy—Italie	Norway-Norvège	Poland(1)—Pologne(1)	Rumania (2) Roumanie (2)	Russia (3)—Russie (3)	Sweden—Suède	Other—Autres	Asia — Asie: China—Chine	Japan—Japon	Other—Autres	United States — États-Unis	Various—Divers	Not specified—Non spécifié	No.

MANITOBA

1	1	8	11	1	1	2	5	1	1	–	3	32	6	31	7	9	–	–	–	98	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	3	–	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	4
–	–	–	1	–	1	–	1	–	–	–	–	–	1	2	–	–	–	–	–	6	–	–	5
–	–	–	1	–	–	1	1	–	–	–	1	4	–	2	3	1	–	–	–	24	–	–	6
1	1	7	9	1	–	1	3	1	1	–	–	27	5	26	4	8	–	–	–	59	–	–	7
–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	5	–	–	8
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	11
1	7	3	1	–	1	2	4	2	1	–	2	1	–	2	6	2	–	–	–	36	–	–	12
1	4	1	–	–	1	1	2	1	1	–	1	–	–	2	4	1	–	–	–	23	–	–	13
	2	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	5	–	–	14
	1	2	1	–	–	1	1	1	–	–	1	–	–	–	2	1	–	–	–	7	–	–	15
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	17
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	18
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	19
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	20
–	–	50	15	28	6	8	20	10	14	3	12	248	26	164	23	20	–	–	1	18	–	1	21
–	–	39	–	–	–	–	2	–	2	–	–	1	1	4	–	–	–	–	–	–	–	–	22
–	–	–	11	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	23
–	–	–	–	27	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	24
–	–	–	–	–	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	25
–	–	–	2	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	26
–	–	2	–	–	–	1	9	1	–	–	–	1	1	3	–	–	–	–	–	1	–	–	27
–	–	–	–	–	–	–	1	8	–	–	–	–	–	1	1	–	–	–	–	–	–	–	28
–	–	–	–	–	–	–	1	–	10	–	–	–	–	–	–	1	–	–	–	–	–	–	29
–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	30
–	–	–	–	–	–	–	–	–	–	–	9	–	–	–	2	–	–	–	–	1	–	–	31
–	–	1	–	–	–	–	1	–	–	–	–	219	8	8	–	2	–	–	–	2	–	1	32
–	–	–	–	–	–	–	–	–	1	–	–	11	12	8	–	1	–	–	–	1	–	–	33
–	–	8	–	–	–	–	4	–	–	–	–	15	3	139	–	3	–	–	–	5	–	–	34
–	–	–	–	1	–	–	–	–	1	–	1	–	1	–	20	–	–	–	–	5	–	–	35
–	–	–	2	–	–	2	1	–	–	–	–	1	–	1	–	13	–	–	1	1	–	–	36
–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	37
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	39
–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	40
–	–	1	–	1	–	–	3	–	1	–	1	4	–	4	1	3	–	–	–	70	–	1	41
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	42
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	43
2	8	62	27	30	8	13	32	13	17	3	18	285	33	201	37	34	–	–	1	226	–	3	

SASKATCHEWAN

1	4	14	5	3	1	7	12	2	8	1	6	28	9	55	6	8	–	–	–	294	1	–	44
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	6	–	–	45
–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	11	–	–	46
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	7	–	–	47
1	–	–	3	1	–	3	–	–	1	–	–	–	–	1	–	1	–	–	–	23	–	–	48
–	1	3	1	–	–	2	3	1	1	1	1	2	2	7	2	1	–	–	–	124	–	–	49
–	–	1	–	–	–	1	3	1	–	–	1	7	2	17	–	2	–	–	–	39	–	–	50
–	3	9	1	–	1	–	5	–	6	–	3	19	5	30	1	3	–	–	–	78	1	–	51
–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	5	–	–	52
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	53
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	54

TABLE 38—Marriages—Birthplace of bridegrooms and brides, 1927—*con.*

No.	Birthplace of bridegroom — Lieu de naissance de l'époux	Total grooms	Total des époux	Birthplace of bride														
				Canada										British Isles — Îles britanniques				
				Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Province not specified — Province non spécifiée	England—Angleterre	Ireland—Irlande	Scotland—Écosse	Wales Galles, pays de	Other—Autres
	SASKATCHEWAN—con.																	
1	**British Isles**	**958**	**3**	**9**	**3**	**14**	**116**	**74**	**216**	**12**	**7**	–	**242**	**34**	**81**	**13**	–	
2	England	640	3	2	2	10	78	53	152	5	3	–	199	15	26	7	–	
3	Ireland	80	–	1	–	3	7	6	14	3	–	–	11	13	8	–	–	
4	Scotland	213	–	5	1	1	27	13	50	3	4	–	27	4	45	2	–	
5	Wales	24	–	1	–	–	4	2	–	1	–	–	4	2	2	4	–	
6	Other	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
7	**British Possessions**	**14**	–	–	–	–	**2**	**1**	**3**	–	–	–	**4**	–	**1**	–	–	
8	Newfoundland	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
9	Other	12	–	–	–	–	1	1	3	–	–	–	4	–	1	–	–	
10	**Europe**	**1,243**	**1**	**4**	**1**	**8**	**16**	**52**	**350**	**7**	**1**	–	**21**	**1**	**5**	**1**	–	
11	Austria	114	–	–	–	–	–	5	49	–	–	–	1	–	1	–	–	
12	Belgium	22	–	–	–	2	–	4	6	–	–	–	1	–	–	–	–	
13	Denmark	37	–	–	–	2	5	1	2	1	–	–	4	1	1	–	–	
14	Finland	8	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	
15	France	27	–	–	–	1	3	1	5	–	–	–	1	–	–	–	–	
16	Germany	63	–	1	–	–	1	2	12	1	–	–	3	–	–	–	–	
17	Holland	16	1	1	–	–	–	–	3	–	–	–	3	–	–	–	–	
18	Hungary	66	–	–	–	–	–	–	27	1	–	–	–	–	–	–	–	
19	Italy	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
20	Norway	79	–	2	–	–	3	2	11	–	–	–	2	–	1	1	–	
21	Poland (1)	260	–	–	1	1	–	12	89	1	–	–	1	–	1	–	–	
22	Rumania (2)	102	–	–	–	–	1	4	37	1	–	–	–	–	–	–	–	
23	Russia (3)	330	–	–	–	1	2	13	87	–	1	–	–	–	–	–	–	
24	Sweden	68	–	–	–	–	1	6	11	2	–	–	4	–	–	–	–	
25	Other	45	–	–	–	1	–	2	8	–	–	–	1	–	1	–	–	
26	**Asia**	**9**	–	**1**	–	–	**2**	–	**2**	–	–	–	–	–	–	**1**	–	
27	China	3	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	
28	Japan	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
29	Other	5	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	
30	United States	946	1	8	3	16	109	69	268	8	2	–	48	10	19	1	–	
31	Various	3	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	
32	Not specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Total brides—Total des épouses	**5,733**	**17**	**50**	**22**	**117**	**587**	**471**	**1,863**	**48**	**22**	–	**491**	**76**	**186**	**19**	–	
	ALBERTA																	
33	**Canada**	**1,813**	**7**	**29**	**21**	**55**	**200**	**76**	**54**	**636**	**37**	–	**165**	**14**	**76**	**8**	**1**	
34	Prince Edward Island	26	–	1	1	–	5	1	–	3	–	–	–	–	1	2	–	
35	Nova Scotia	72	1	7	1	–	7	3	4	11	4	–	9	1	7	–	–	
36	New Brunswick	39	1	2	3	1	2	1	2	8	2	–	4	1	2	–	–	
37	Quebec	151	–	–	4	33	11	10	4	29	3	–	15	1	3	1	–	
38	Ontario	569	2	10	6	8	97	30	16	127	7	–	72	5	38	4	–	
39	Manitoba	139	1	4	–	2	28	8	7	33	3	–	10	2	5	1	–	
40	Saskatchewan	50	–	2	2	–	8	3	4	14	3	–	1	–	3	–	–	
41	Alberta	715	2	2	4	10	37	18	16	397	12	–	45	2	17	–	1	
42	British Columbia	49	–	1	–	1	5	2	1	12	3	–	9	2	–	–	–	
43	Province not specified	3	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	
44	**British Isles**	**1,007**	**2**	**18**	**10**	**17**	**98**	**48**	**28**	**142**	**12**	**1**	**296**	**32**	**122**	**13**	**1**	
45	England	623	2	9	5	12	59	31	20	99	8	1	211	6	48	6	–	
46	Ireland	80	–	–	1	1	12	1	1	13	–	–	14	17	6	–	–	
47	Scotland	260	–	9	2	4	24	15	5	25	4	–	57	7	63	2	–	
48	Wales	40	–	–	2	–	2	1	2	5	–	–	12	2	5	5	–	
49	Other	4	–	–	–	–	1	–	–	–	–	–	2	–	–	–	1	

(1) Including Galicia—Y compris la Galicie.
(2) Including Bukovina—Y compris la Bukovine.
(3) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 38—Mariages—Lieu de naissance des mariés, 1927—*suite*

Lieu de naissance de l'épouse

British Possessions — Possessions britanniques		Europe																	Asia — Asie			United States — États-Unis	Various—Divers	Not specified—Non spécifié	No.
Newfoundland Terre-Neuve	Other—Autres	Austria—Autriche	Belgium—Belgique	Denmark—Danemark	Finland—Finlande	France	Germany—Allemagne	Holland—Hollande	Hungary—Hongrie	Italy—Italie	Norway-Norvège	Poland(1)—Pologne(1)	Rumania (2) Roumanie (2)	Russia (3)—Russie (3)	Sweden—Suède	Other—Autres	China—Chine	Japan—Japon	Other—Autres					
SASKATCHEWAN—fin																									
1	2	–	1	2	1	1	7	4	–	–	3	2	–	9	2	2	1	–	–		95	–	1	1
–	1	–	–	–	1	1	4	3	–	–	3	1	–	5	1	2	1	–	–		61	–	1	2
–	–	–	–	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–		11	–	–	3
1	–	–	1	1	–	–	2	1	–	–	–	1	–	1	1	–	–	–	–		22	–	–	4
–	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–		1	–	–	5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	6
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		2	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		1	–	–	8
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		1	–	–	9
–	–	61	9	14	4	11	36	2	37	5	36	174	48	178	24	28	–	–	–		107	1	–	10
–	–	37	–	–	–	–	2	–	1	–	–	8	–	5	–	–	–	–	–		5	–	–	11
–	–	–	7	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–		1	–	–	12
–	–	–	–	14	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–		3	–	–	13
–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–		1	–	–	14
–	–	–	1	–	–	10	–	–	–	–	–	–	–	–	–	1	–	–	–		4	–	–	15
–	–	4	–	–	–	–	22	–	1	1	1	2	1	5	–	–	–	–	–		6	–	–	16
–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–		5	–	–	17
–	–	1	–	–	–	–	–	–	32	–	–	–	1	–	–	2	–	–	–		2	–	–	18
–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–		2	–	–	19
–	–	–	–	–	–	–	–	–	–	–	31	–	–	–	3	–	–	–	–		22	1	–	20
–	–	2	–	–	–	–	2	–	–	–	–	133	3	8	–	–	–	–	–		6	–	–	21
–	–	4	–	–	–	–	–	–	2	–	–	8	38	3	–	–	–	–	–		4	–	–	22
–	–	10	–	–	–	–	7	1	1	–	–	23	1	156	–	1	–	–	–		26	–	–	23
–	–	1	–	–	–	1	–	–	–	–	4	–	–	–	21	–	–	–	–		17	–	–	24
–	–	1	–	–	–	–	1	–	–	–	–	–	2	1	–	24	–	–	–		3	–	–	25
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2		–	–	–	26
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–		–	–	–	27
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	28
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2		–	–	–	29
–	1	6	1	1	2	3	10	2	1	–	10	4	2	32	11	4	–	–	1		293	–	–	30
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	31
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	32
2	8	81	16	20	8	22	65	10	46	6	55	208	59	274	43	42	2	–	3		791	2	1	
ALBERTA																									
–	1	9	9	3	–	5	9	1	1	2	11	27	10	24	3	3	–	–	–		315	–	1	33
–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–		9	–	–	34
–	–	–	1	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–		13	–	–	35
–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		8	–	–	36
–	–	–	4	–	–	3	–	–	–	2	2	–	1	1	–	1	–	–	–		24	–	–	37
–	1	4	1	1	–	1	4	1	1	–	2	–	1	3	1	1	–	–	–		125	–	–	38
–	–	–	–	1	–	–	–	–	–	–	1	3	1	2	–	–	–	–	–		27	–	–	39
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		10	–	–	40
–	–	5	1	–	–	1	4	–	–	–	5	23	7	15	1	2	–	–	–		87	–	1	41
–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–		11	–	–	42
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		1	–	–	43
3	5	4	4	2	–	3	5	4	–	–	1	3	–	10	4	3	–	–	–		115	–	1	44
3	2	2	2	1	–	1	4	3	–	–	1	3	–	7	2	2	–	–	–		73	–	–	45
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–		12	–	–	46
–	2	2	2	1	–	2	1	1	–	–	–	–	–	3	–	1	–	–	–		27	–	1	47
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		3	–	–	48
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	49

TABLE 38—Marriages—Birthplace of bridegrooms and brides, 1927—*con.*

No.	Birthplace of bridegroom — Lieu de naissance de l'époux	Total grooms	Total des époux	Birthplace of bride														
				Canada											British Isles — Îles britanniques			
				Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Province not specified — Province non spécifiée		England—Angleterre	Ireland—Irlande	Scotland—Écosse	Wales Galles, pays de Other—Autres
	ALBERTA—con.																	
1	**British Possessions**	**21**		–	–	–	–	**1**	**1**	**3**	**7**	–	–		**2**	**1**	**1**	–
2	Newfoundland	6		–	–	–	–	–	–	–	1	–	–		–	1	1	–
3	Other	15		–	–	–	–	1	1	3	6	–	–		2	–	–	–
4	**Europe**	**990**		–	**3**	**1**	**6**	**16**	**12**	**5**	**181**	**6**	–		**28**	**2**	**15**	**3**
5	Austria	37		–	–	–	–	–	4	–	10	1	–		1	–	–	–
6	Belgium	9		–	–	–	1	–	–	–	2	–	–		–	–	–	–
7	Denmark	64		–	1	–	1	–	–	–	6	–	–		4	1	7	–
8	Finland	11		–	–	–	–	1	–	–	–	1	–		–	–	–	–
9	France	21		–	2	1	2	2	–	–	2	–	–		–	1	–	–
10	Germany	48		–	–	–	–	1	–	–	5	–	–		1	–	–	–
11	Holland	28		–	–	–	1	1	2	–	5	–	–		2	–	2	–
12	Hungary	7		–	–	–	–	–	–	–	–	–	–		–	–	–	–
13	Italy	43		–	–	–	–	1	–	–	6	3	–		1	–	1	–
14	Norway	74		–	–	–	1	2	–	–	10	–	–		9	–	4	1
15	Poland (1)	240		–	–	–	–	–	2	1	64	–	–		3	–	–	–
16	Rumania (2)	63		–	–	–	–	1	–	–	19	–	–		1	–	–	–
17	Russia (3)	164		–	–	–	–	3	4	3	35	1	–		1	–	–	–
18	Sweden	47		–	–	–	–	4	–	1	12	–	–		3	–	–	2
19	Other	44		–	–	–	–	–	–	–	5	–	–		2	–	1	–
20	**Asia**	**6**		–	–	–	–	–	–	**1**	–	–	–		**1**	–	–	–
21	China	1		–	–	–	–	–	–	–	–	–	–		–	–	–	–
22	Japan	–		–	–	–	–	–	–	–	–	–	–		–	–	–	–
23	Other	5		–	–	–	–	–	–	1	–	–	–		1	–	–	–
24	United States	959		4	14	4	16	92	37	34	231	12	1		88	7	27	9
25	Various	1		–	–	–	–	–	–	–	–	–	–		–	–	–	–
26	Not specified	–		–	–	–	–	–	–	–	–	–	–		–	–	–	–
	Total brides—Total des épouses	**4,707**		**13**	**64**	**36**	**94**	**407**	**174**	**125**	**1,197**	**67**	**2**		**589**	**56**	**241**	**33**
	BRITISH COLUMBIA																	
27	**Canada**	**1,755**		**4**	**29**	**23**	**29**	**169**	**130**	**81**	**67**	**576**	**3**		**288**	**28**	**102**	**10**
28	Prince Edward Island	25	1	2	–	1	1	–	1	2	10	–			4	–	1	–
29	Nova Scotia	78	–	3	1	1	8	6	3	5	18	–			10	2	9	–
30	New Brunswick	62	–	1	2	2	8	7	–	2	14	–			12	1	3	1
31	Quebec	91	–	2	–	4	11	9	3	7	23	1			18	1	4	–
32	Ontario	383	1	2	6	9	59	31	20	14	76	1			69	7	34	3
33	Manitoba	170	–	3	2	1	17	28	12	5	38	1			28	2	8	–
34	Saskatchewan	71	–	2	–	2	5	5	11	3	15	–			12	1	3	–
35	Alberta	77	1	–	2	1	4	5	2	6	24	–			16	3	4	1
36	British Columbia	796	1	13	10	8	55	39	29	23	358	–			119	11	36	5
37	Province not specified	2	–	1	–	–	1	–	–	–	–	–			–	–	–	–
38	**British Isles**	**1,611**	**4**	**13**	**15**	**14**	**118**	**60**	**43**	**50**	**287**	**4**			**523**	**61**	**250**	**25**
39	England	995	2	11	11	8	77	29	28	35	184	4			376	30	92	17
40	Ireland	131	–	1	1	–	11	6	4	4	13	–			36	21	15	–
41	Scotland	440	2	1	2	6	28	22	6	7	86	–			97	10	140	4
42	Wales	40	–	–	1	–	2	2	5	4	4	–			11	–	2	4
43	Other	5	–	–	–	–	–	1	–	–	–	–			3	–	1	–
44	**British Possessions**	**83**	–	–	–	**1**	**11**	**3**	–	**2**	**20**	–			**21**	**1**	**7**	**2**
45	Newfoundland	22	–	–	–	–	5	2	–	1	5	–			4	–	1	–
46	Other	61	–	–	–	1	6	1	–	1	15	–			17	1	6	2
47	**Europe**	**545**	–	**1**	–	–	**12**	**14**	**8**	**7**	**66**	**1**			**27**	**3**	**19**	**2**
48	Austria	19	–	–	–	–	–	1	–	–	3	–			–	–	–	–
49	Belgium	7	–	–	–	–	1	–	–	–	–	–			–	–	1	–

(1) Including Galicia—Y compris la Galicie.
(2) Including Bukovina—Y compris la Bukovine.
(3) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 38—Mariages—Lieu de naissance des mariés, 1927—*suite*

Lieu de naissance de l'épouse

Newfoundland Terre-Neuve	Other—Autres	Austria—Autriche	Belgium—Belgique	Denmark—Danemark	Finland—Finlande	France	Germany—Allemagne	Holland—Hollande	Hungary—Hongrie	Italy—Italie	Norway-Norvège	Poland(1)—Pologne(1)	Rumania (2) Roumanie (2)	Russia (3)—Russie (3)	Sweden—Suède	Other—Autres	China—Chine	Japan—Japon	Other—Autres	United States — États-Unis	Various—Divers	Not specified—Non spécifié	No.
British Possessions — Possessions britanniques		Europe															Asia — Asie						
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	1
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	3
–	3	19	6	32	7	10	39	10	10	25	21	189	27	95	21	26	1	–	1	80	–	–	4
–	–	13	–	–	–	–	2	–	1	–	–	3	–	1	–	–	–	–	–	1	–	–	5
–	–	–	3	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	6
–	–	–	–	32	–	–	1	–	–	–	–	–	–	1	3	–	–	–	–	7	–	–	7
–	–	–	–	–	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	8
–	–	–	1	–	–	7	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	9
–	–	–	–	–	–	1	26	–	–	–	–	2	–	3	–	2	–	–	–	7	–	–	10
–	–	–	1	–	–	–	2	10	–	–	–	–	–	–	–	–	–	–	–	2	–	–	11
–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	–	1	–	–	–	–	–	–	12
1	–	–	–	–	–	–	1	–	–	24	–	–	–	–	–	1	–	–	–	4	–	–	13
–	–	–	–	–	–	–	1	–	–	–	20	–	–	2	4	–	–	–	–	20	–	–	14
–	1	–	–	–	–	–	–	–	–	–	–	157	2	6	–	1	–	–	–	3	–	–	15
–	1	–	–	–	–	–	–	–	1	–	–	10	21	4	–	1	–	–	–	4	–	–	16
1	3	–	1	–	–	1	3	–	1	–	–	13	3	76	–	1	1	–	–	14	–	–	17
1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	14	–	–	–	–	9	–	–	18
–	1	–	–	–	–	–	2	–	1	–	–	3	1	2	–	19	–	–	1	6	–	–	19
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	3	–	–	–	20
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	21
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	23
–	2	7	2	5	2	2	13	3	–	–	13	1	4	15	4	1	–	–	–	308	1	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	25
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	26
5	11	39	21	42	9	20	66	18	11	27	46	220	42	145	32	33	1	–	4	821	1	2	

ALBERTA—fin

COLOMBIE BRITANNIQUE

3	19	2	–	3	9	2	4	2	–	4	4	2	–	2	9	–	–	1	1	142	4	–	27
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	28
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	8	2	–	29
2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	4	–	–	30
1	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	4	–	–	31
2	–	–	–	1	–	–	2	–	–	–	–	1	–	1	4	–	–	–	–	38	1	–	32
3	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	17	–	–	33
–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9	1	–	34
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	4	–	–	35
9	–	–	–	–	9	1	1	1	–	3	4	–	–	–	1	–	–	1	–	56	–	–	36
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	37
26	–	1	3	2	1	3	2	1	–	3	1	–	2	4	3	3	–	1	84	2	–	38
18	–	1	3	2	–	1	1	–	–	1	1	–	1	2	3	1	–	1	52	2	–	39
3	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	1	–	–	11	–	–	40
5	–	–	–	–	–	1	1	–	–	–	–	–	1	2	–	1	–	–	18	–	–	41
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	3	–	–	42
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	43
7	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	44
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	45
6	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	46
16	3	10	45	1	16	4	3	53	46	29	3	17	44	46	3	–	2	42	2	–	47
11	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	–	–	–	48
–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	49

TABLE 38—Marriages—Birthplace of bridegrooms and brides, 1927—*con.*

No.	Birthplace of bridegroom — Lieu de naissance de l'époux	Total grooms — Total des époux	Birthplace of bride														
			Canada										British Isles — Îles britanniques				
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Province not specified — Province non spécifiée	England—Angleterre	Ireland—Irlande	Scotland—Écosse	Wales — Galles, pays de	Other—Autres
	BRITISH COLUMBIA—con.																
	Europe—con.—fin																
1	Denmark	18	–	–	–	–	1	1	–	–	3	–	1	–	3	–	–
2	Finland	47	–	–	–	–	–	1	–	1	5	–	–	–	–	–	–
3	France	8	–	–	–	–	–	2	1	–	2	–	–	–	–	–	–
4	Germany	23	–	–	–	–	1	1	–	1	2	–	–	–	3	–	–
5	Holland	17	–	–	–	–	1	–	–	–	4	–	2	1	1	–	–
6	Hungary	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
7	Italy	80	–	–	–	–	1	1	–	1	16	–	4	–	1	1	–
8	Norway	82	–	–	–	–	1	2	3	–	8	1	8	2	3	–	–
9	Poland (1)	30	–	–	–	–	–	1	–	–	3	–	1	–	2	–	–
10	Rumania (2)	8	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
11	Russia (3)	43	–	–	–	–	–	2	1	2	2	–	3	–	–	1	–
12	Sweden	93	–	1	–	–	5	1	1	1	13	–	4	–	4	–	–
13	Other	67	–	–	–	–	1	–	1	1	4	–	4	–	1	–	–
14	**Asia**	64	–	–	–	–	–	–	–	–	22	–	5	–	1	–	–
15	China	24	–	–	–	–	–	–	–	–	12	–	1	–	–	–	–
16	Japan	28	–	–	–	–	–	–	–	–	8	–	3	–	–	–	–
17	Other	12	–	–	–	–	–	–	–	–	2	–	1	–	1	–	–
18	United States	648	–	9	4	7	29	22	16	27	96	1	83	3	26	1	–
19	Various	10	–	–	–	–	–	–	–	1	3	–	1	–	–	–	–
20	Not specified	4	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–
	Total brides—Total des épouses	4,720	8	52	42	51	340	229	148	154	1,071	9	949	96	405	40	3

(1) Including Galicia—Y compris la Galicie.
(2) Including Bukovina—Y compris la Bukovine.
(3) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 38—Mariages—Lieu de naissance des mariés, 1927—*fin*

Lieu de naissance de l'épouse

British Possessions — Possessions britanniques		Europe																Asia — Asie			United States — États-Unis	Various—Divers	Not specified—Non spécifié	No.
Newfoundland Terre-Neuve	Other—Autres	Austria—Autriche	Belgium—Belgique	Denmark—Danemark	Finland—Finlande	France	Germany—Allemagne	Holland—Hollande	Hungary—Hongrie	Italy—Italie	Norway-Norvège	Poland(1)—Pologne(1)	Rumania (2) Roumanie (2)	Russia (2)—Russie (2)	Sweden—Suède	Other—Autres	China—Chine	Japan—Japon	Other—Autres				
COLOMBIE BRITANNIQUE—fin																								
-	-	-	-	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
-	-	-	-	-	36	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	-	2
-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	1	-	-	-	-	11	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	4
-	-	-	-	-	-	-	-	4	1	-	-	-	-	-	-	1	-	-	-	3	-	-	5
-	-	-	-	1	1	-	1	-	-	51	-	-	-	-	2	-	-	-	-	2	1	-	7
-	-	4	-	-	-	-	1	-	-	-	41	19	-	-	-	1	-	-	-	8	-	-	8
-	-	-	-	2	7	-	3	-	1	1	4	2	2	-	39	1	3	-	-	1	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	4	1	17	-	1	-	-	-	2	-	-	11
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	42	-	-	2	5	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	9	17	3	3	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	-	-	1	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	3	2	-	-	17
1	9	1	-	-	3	1	2	-	1	-	3	-	-	2	3	3	1	-	-	294	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	4	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	20
7	61	19	4	16	59	6	25	8	5	57	56	32	3	24	61	55	16	18	7	576	8	-	

TABLE 39—Marriages—Denominations of contracting parties, 1927

No.	Denomination of groom — Religion de l'époux	Total grooms — Total des époux	Denomination of bride											
			Adventists — Adventistes	Anglicans	Baptists — Baptistes	Brethren — Frères	Christians — Chrétiens	Christian Science — Scientistes	Church of Christ — Église du Christ	Congregationalists — Congrégationalistes	Disciples	Evangelicals — Évangéliques
	CANADA[1]											
1	Adventists	77	57	4	6	–	–	–	1	–	–	1
2	Anglicans	10,849	9	6,333	497	13	22	18	11	–	6	6
3	Baptists	3,435	9	432	1,775	2	11	5	6	–	8	6
4	Brethren	93	–	8	–	60	–	–	1	–	–	1
5	Christians	140	1	14	6	–	62	–	–	–	–	–
6	Christian Science	75	–	15	2	–	2	31	–	–	–	–
7	Church of Christ	62	–	5	4	–	–	–	26	–	–	1
8	Congregationalists	14	–	2	–	–	–	–	–	2	–	–
9	Disciples	57	–	3	7	–	–	–	–	–	26	–
10	Evangelicals	151	1	4	8	–	–	–	–	–	–	76
11	Friends	21	–	5	2	–	–	–	–	–	–	–
12	Greek Catholics	924	1	11	3	–	–	–	–	–	–	–
13	Greek Orthodox	750	–	15	2	–	–	–	–	–	–	–
14	Holiness Movement	24	–	3	–	–	–	–	–	–	–	–
15	Jews	1,180	–	16	2	–	–	–	–	–	–	2
16	Lutherans	2,831	5	187	85	1	3	2	6	–	2	19
17	Mennonites	551	1	4	2	–	–	–	1	–	–	2
18	Methodists	27	–	4	2	–	–	–	–	–	–	–
19	Mormons	147	–	10	5	–	–	–	–	–	–	–
20	Pentecostal	90	–	2	3	–	–	–	–	–	–	1
21	Presbyterians	7,562	5	1,410	337	4	11	16	6	–	8	6
22	Protestants	955	1	65	17	1	4	2	–	–	–	–
23	Roman Catholics	25,267	3	519	105	3	6	3	2	–	1	10
24	Salvation Army	187	1	16	4	–	–	–	–	–	–	–
25	Unitarians	36	–	10	2	–	–	–	–	–	–	–
26	United Brethren	8	–	1	–	–	–	–	–	–	–	–
27	United Church	13,395	13	1,715	675	11	20	21	17	4	16	18
28	Oriental religions—(Buddhists, Confucians, Mohammedans, Shintos, Sikhs, Hindus)	34	–	1	–	–	1	–	–	–	–	–
29	No religion	124	–	19	4	1	1	–	–	–	–	–
30	Other sects	406	–	31	22	2	1	1	–	–	–	2
31	Not stated	43	–	11	3	–	–	–	1	–	–	–
	Total brides—Total des épouses	**69,515**	**107**	**10,875**	**3,580**	**98**	**144**	**99**	**78**	**6**	**67**	**151**
	PRINCE EDWARD ISLAND											
1	Adventists	–	–	–	–	–	–	–	–	–	–	–
2	Anglicans	33	–	10	2	–	–	–	–	–	–	–
3	Baptists	40	–	2	11	–	1	–	1	–	–	–
4	Brethren	–	–	–	–	–	–	–	–	–	–	–
5	Christians	6	–	–	–	–	2	–	–	–	–	–
6	Christian Science	–	–	–	–	–	–	–	–	–	–	–
7	Church of Christ	1	–	–	–	–	–	–	1	–	–	–
8	Congregationalists	–	–	–	–	–	–	–	–	–	–	–
9	Disciples	1	–	–	–	–	–	–	–	–	–	–
10	Evangelicals	–	–	–	–	–	–	–	–	–	–	–
11	Friends	–	–	–	–	–	–	–	–	–	–	–
12	Greek Catholics	–	–	–	–	–	–	–	–	–	–	–
13	Greek Orthodox	–	–	–	–	–	–	–	–	–	–	–
14	Holiness Movement	–	–	–	–	–	–	–	–	–	–	–
15	Jews	–	–	–	–	–	–	–	–	–	–	–
16	Lutherans	–	–	–	–	–	–	–	–	–	–	–
17	Mennonites	–	–	–	–	–	–	–	–	–	–	–
18	Methodists	–	–	–	–	–	–	–	–	–	–	–
19	Mormons	–	–	–	–	–	–	–	–	–	–	–
20	Pentecostal	–	–	–	–	–	–	–	–	–	–	–
21	Presbyterians	88	1	5	8	–	1	–	–	–	1	–
22	Protestants	4	–	–	–	–	–	–	–	–	–	–
23	Roman Catholics	181	–	1	2	–	–	–	–	–	–	–
24	Salvation Army	2	–	–	–	–	–	–	–	–	–	–
25	Unitarians	–	–	–	–	–	–	–	–	–	–	–
26	United Brethren	–	–	–	–	–	–	–	–	–	–	–
27	United Church	125	–	9	14	–	2	–	–	–	–	–
28	Oriental religions—(Buddhists, Confucians, Mohammedans, Shintos, Sikhs, Hindus)	–	–	–	–	–	–	–	–	–	–	–
29	No religion	–	–	–	–	–	–	–	–	–	–	–
30	Other sects	1	–	–	–	–	–	–	–	–	–	–
31	Not stated	–	–	–	–	–	–	–	–	–	–	–
	Total brides—Total des épouses	**482**	**1**	**27**	**37**	**–**	**6**	**–**	**2**	**–**	**1**	**–**

[1]Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne

TABLEAU 39—Mariages—Religion des conjoints, 1927

Religion de l'épouse

Friends—Amis	Greek Catholics	Grecs catholiques	Greek Orthodox	Grecs orthodoxes	Holiness Movement	Mouvement vers la sainteté	Jews	Israélites	Lutherans	Luthériens	Mennonites	Methodists	Méthodistes	Mormons	Pentecostal	Pentecostaires	Presbyterians	Presbytériens	Protestants	Roman Catholics	Catholiques romains	Salvation Army	Armée du Salut	Unitarians	Unitariens	United Brethren	Frères unis	United Church	Église unie	Oriental religions	Religions orientales	No religion	Aucune religion	Other sects	Autres sectes	Not stated	Non donnée	No.
CANADA[1]																																						
–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	2	1	–	–	1	–	1	–	–	1
1	7	7	–	–	–	2	161	6	1	21	7	1,125	30	652	23	1	–	1,851	–	6	30	3	2
–	4	3	–	–	–	2	50	6	–	3	11	296	11	155	10	1	–	609	–	–	18	2	3
–	–	–	–	–	–	–	1	–	–	–	–	10	–	2	–	–	–	8	–	2	–	–	4
–	–	–	–	–	–	–	3	–	–	2	–	12	2	4	1	–	1	31	–	–	1	–	5
–	–	–	–	–	–	–	–	–	–	–	1	8	–	4	1	–	–	10	–	–	1	–	6
–	–	–	–	–	–	–	2	–	–	1	–	8	–	2	1	–	–	11	–	–	1	–	7
–	–	–	–	–	–	–	2	–	–	–	–	4	–	1	–	–	–	3	–	–	–	–	8
–	1	–	–	–	–	–	–	–	–	–	–	8	–	1	–	–	–	11	–	–	–	–	9
–	–	–	–	–	–	–	24	1	–	–	–	9	–	8	1	–	–	17	–	–	1	–	10
3	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	7	–	–	–	–	11
–	804	18	–	–	–	–	5	–	–	–	–	5	–	69	–	–	–	6	–	–	1	1	12
–	36	613	–	–	–	–	3	–	1	–	–	10	3	60	–	–	–	5	–	–	1	1	13
–	–	1	11	–	–	–	–	–	–	–	–	–	–	1	2	–	–	6	–	–	–	–	14
–	1	–	–	1,124	5	–	1	–	–	–	–	2	4	13	–	–	–	10	–	–	–	–	15
–	10	2	–	1	1,936	15	–	5	2	143	5	150	3	2	1	226	–	2	18	–	16
–	1	–	–	–	12	505	–	–	1	6	3	4	–	–	–	7	–	–	2	–	17
–	–	–	–	1	–	–	5	–	–	2	2	6	–	–	–	5	–	–	–	–	18
1	–	–	–	–	2	–	–	98	–	9	–	5	–	–	–	13	–	1	2	1	19
–	–	–	1	–	4	1	–	–	73	2	–	–	–	–	–	3	–	–	–	–	20
–	6	4	–	2	135	5	3	14	7	3,963	28	439	19	5	–	1,105	–	5	17	2	21
–	4	2	–	–	21	–	–	2	1	45	601	110	1	–	–	74	–	1	1	2	22
–	100	18	1	4	122	4	1	5	1	305	80	23,599	4	2	–	345	–	4	17	3	23
–	–	–	1	–	1	–	–	–	–	8	–	–	4	135	–	14	–	–	3	–	24
–	–	–	–	–	5	–	–	–	–	2	–	5	–	–	6	6	–	–	–	–	25
–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	2	2	–	–	–	–	26
4	10	8	9	2	202	9	2	16	8	898	19	424	27	5	3	9,191	2	3	40	3	27
–	–	–	–	–	–	–	–	–	–	5	1	3	–	–	–	2	21	–	–	–	28
–	4	1	–	–	8	1	–	8	–	8	–	14	–	–	–	8	–	47	–	–	29
–	4	1	–	–	16	1	–	3	–	20	1	27	–	–	–	36	–	1	237	–	30
–	–	–	–	–	–	1	–	–	1	5	–	5	–	–	–	7	–	–	–	9	31
9	**992**	**678**	**23**	**1,138**	**2,721**	**557**	**14**	**178**	**114**	**6,922**	**790**	**25,772**	**229**	**22**	**7**	**13,630**	**23**	**73**	**391**	**27**	
ÎLE DU PRINCE-ÉDOUARD																																					
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	7	–	2	–	–	–	12	–	–	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	12	–	1	–	–	–	12	–	–	–	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	2	–	–	–	–	5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20
–	–	–	–	–	–	–	–	–	–	57	–	3	–	–	–	12	–	–	–	–	21
–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–	22
–	–	–	–	–	–	–	–	–	–	1	1	175	–	–	–	1	–	–	–	–	23
–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	26
–	–	–	–	–	–	–	–	–	–	15	–	3	–	–	–	82	–	–	–	–	27
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	28
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	30
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	31
–	–	–	–	–	–	–	–	–	–	**97**	**2**	**187**	**1**	–	–	**121**	–	–	–	–	

comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

TABLE 39—Marriages—Denominations of contracting parties, 1927—*con.*

No.	Denomination of groom — Religion de l'époux	Total grooms — Total des époux	Denomination of bride: Adventists	Adventistes	Anglicans	Baptists — Baptistes	Brethren — Frères	Christians — Chrétiens	Christian Science — Scientistes	Church of Christ — Église du Christ	Congregationalists — Congrégationalistes	Disciples	Evangelicals — Évangéliques
	NOVA SCOTIA												
1	Adventists	5	1	2	2	–	–	–	–	–	–	–	–
2	Anglicans	581	–	335	61	–	–	1	–	–	–	–	–
3	Baptists	531	2	65	341	–	–	3	–	1	–	2	–
4	Brethren	1	–	–	–	1	–	–	–	–	–	–	–
5	Christians	9	–	2	–	–	–	4	–	–	–	–	–
6	Christian Science	–	–	–	–	–	–	–	–	–	–	–	–
7	Church of Christ	3	–	–	1	–	–	–	–	2	–	–	–
8	Congregationalists	–	–	–	–	–	–	–	–	–	–	–	–
9	Disciples	3	–	–	1	–	–	–	–	–	–	2	–
10	Evangelicals	1	–	–	–	–	–	–	–	–	–	–	1
11	Friends	–	–	–	–	–	–	–	–	–	–	–	–
12	Greek Catholics	5	–	–	–	–	–	–	–	–	–	–	–
13	Greek Orthodox	–	–	–	–	–	–	–	–	–	–	–	–
14	Holiness Movement	–	–	–	–	–	–	–	–	–	–	–	–
15	Jews	11	–	1	–	–	–	–	–	–	–	–	–
16	Lutherans	74	–	9	10	–	–	–	–	–	–	–	–
17	Mennonites	–	–	–	–	–	–	–	–	–	–	–	–
18	Methodists	–	–	–	–	–	–	–	–	–	–	–	–
19	Mormons	–	–	–	–	–	–	–	–	–	–	–	–
20	Pentecostal	1	–	–	–	–	–	–	–	–	–	–	–
21	Presbyterians	320	–	47	27	–	–	–	–	–	–	1	–
22	Protestants	27	–	1	1	–	–	–	–	–	–	–	–
23	Roman Catholics	783	–	44	14	–	–	1	–	1	–	–	1
24	Salvation Army	15	–	1	–	–	–	–	–	–	–	–	–
25	Unitarians	3	–	2	–	–	–	–	–	–	–	–	–
26	United Brethren	–	–	–	–	–	–	–	–	–	–	–	–
27	United Church	655	1	78	90	–	2	–	–	–	–	–	–
28	Oriental religions—(Buddhists, Confucians, Mohammedans, Shintos, Sikhs, Hindus)	–	–	–	–	–	–	–	–	–	–	–	–
29	No religion	3	–	2	–	–	–	–	–	–	–	–	–
30	Other sects	7	–	–	1	–	–	–	–	–	–	–	–
31	Not stated	4	–	–	–	–	–	–	–	–	–	–	–
	Total brides—Total des épouses	**3,042**	**4**	**589**	**549**	**1**	**11**	**–**	**4**	**–**	**5**	**2**	
	NEW BRUNSWICK												
1	Adventists	7	3	–	4	–	–	–	–	–	–	–	–
2	Anglicans	314	1	161	64	–	2	–	–	–	–	–	–
3	Baptists	774	4	78	523	–	–	–	2	–	–	3	–
4	Brethren	1	–	–	–	1	–	–	–	–	–	–	–
5	Christians	8	–	1	1	–	4	–	–	–	–	–	–
6	Christian Science	–	–	–	–	–	–	–	–	–	–	–	–
7	Church of Christ	2	–	–	–	–	–	–	–	1	–	–	–
8	Congregationalists	2	–	1	–	–	–	–	–	–	–	–	–
9	Disciples	6	–	–	1	–	–	–	–	–	–	4	–
10	Evangelicals	1	–	–	1	–	–	–	–	–	–	–	–
11	Friends	–	–	–	–	–	–	–	–	–	–	–	–
12	Greek Catholics	–	–	–	–	–	–	–	–	–	–	–	–
13	Greek Orthodox	5	–	2	–	–	–	–	–	–	–	–	–
14	Holiness Movement	–	–	–	–	–	–	–	–	–	–	–	–
15	Jews	5	–	–	–	–	–	–	–	–	–	–	–
16	Lutherans	20	–	1	5	–	–	–	–	–	–	–	–
17	Mennonites	–	–	–	–	–	–	–	–	–	–	–	–
18	Methodists	3	–	–	1	–	–	–	–	–	–	–	–
19	Mormons	–	–	–	–	–	–	–	–	–	–	–	–
20	Pentecostal	5	–	–	1	–	–	–	–	–	–	–	–
21	Presbyterians	152	–	29	34	–	1	–	–	–	–	–	–
22	Protestants	6	–	–	2	–	–	–	–	–	–	–	–
23	Roman Catholics	1,039	–	12	18	–	–	–	–	–	–	–	–
24	Salvation Army	4	–	–	1	–	–	–	–	–	–	–	–
25	Unitarians	5	–	–	1	–	–	–	–	–	–	–	–
26	United Brethren	–	–	–	–	–	–	–	–	–	–	–	–
27	United Church	508	1	45	127	–	2	–	2	1	–	–	–
28	Oriental religions—(Buddhists, Confucians, Mohammedans, Shintos, Sikhs, Hindus)	–	–	–	–	–	–	–	–	–	–	–	–
29	No religion	5	–	1	–	–	–	–	–	–	–	–	–
30	Other sects	11	–	1	1	–	–	–	–	–	–	–	–
31	Not stated	4	–	–	–	–	–	–	–	–	–	–	–
	Total brides—Total des épouses	**2,887**	**9**	**332**	**785**	**1**	**9**	**–**	**5**	**1**	**7**	**–**	

TABLEAU 39—Mariages—Religion des conjoints, 1927—*suite*

Religion de l'épouse

Friends—Amis	Greek Catholics	Greeks catholiques	Greek Orthodox	Greeks orthodoxes	Holiness Movement	Mouvement vers la sainteté	Jews	Israélites	Lutherans	Luthériens	Mennonites	Methodists	Méthodistes	Mormons	Pentecostal	Pentecostaires	Presbyterians	Presbytériens	Protestants	Roman Catholics	Catholiques romains	Salvation Army	Armée du Salut	Unitarians	Unitariens	United Brethren	Frères unis	United Church	Église unie	Oriental religions	Religions orientales	No religion	Aucune religion	Other sects	Autres sectes	Not stated	Non donnée	No.
NOUVELLE-ÉCOSSE																																						
–	–	–	–	–	–	–	–	–	–	7	–	–	–	–	–	–	28	1	51	1	–	–	–	–	–	95	–	–	–	1	–	–	1
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	21	–	17	1	–	–	–	–	–	76	–	–	–	1	–	–	2
–	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
–	–	–	–	–	–	–	–	9	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
–	–	–	–	–	–	–	–	–	–	42	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	9	–	–	–	1	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	176	2	24	26	1	2	–	–	–	–	37	–	–	–	–	–	–	–	10
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	15	4	686	–	–	1	–	–	–	15	–	–	–	–	–	–	–	11
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10	–	–	–	–	–	4	–	–	–	–	–	–	–	12
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13
–	–	–	–	–	–	–	–	–	–	12	–	–	–	1	–	–	25	–	32	6	–	–	–	–	406	–	–	–	2	–	–	–	–	14
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	2	–	–	–	4	–	–	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	17
5	–	–	–	–	–	–	**9**	**66**	–	–	–	–	**1**	**1**	**268**	**31**	**819**	**20**	**1**	–	**647**	–	–	–	**9**	–	18
NOUVEAU-BRUNSWICK																																				
–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	1	11	–	–	23	–	–	–	–	–	–	47	–	1	–	–	–	–	1	1
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	6	25	1	28	1	1	–	–	–	–	100	–	–	–	–	–	–	1	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	4
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	5
–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	7
–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	–	–	–	–	–	–	–	–	–	11	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	10
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	11
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	60	–	2	6	–	–	–	–	–	–	22	–	–	–	–	–	–	–	12
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	990	–	2	–	–	–	–	14	–	–	–	–	–	–	–	14
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	15
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	1	–	–	–	–	–	–	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	14	–	–	23	–	–	–	1	–	289	–	–	–	1	1	–	–	–	17
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	19
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	8	–	–	–	20
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	21
–	–	**3**	–	**6**	**14**	–	–	–	**12**	**118**	**4**	**1,077**	**3**	**2**	**1**	**483**	–	**3**	**10**	**2**	22

TABLE 39—Marriages—Denominations of contracting parties, 1927—*con.*

No.	Denomination of groom — Religion de l'époux	Total grooms — Total des époux	Denomination of bride: Adventists — Adventistes	Anglicans	Baptists — Baptistes	Brethren — Frères	Christians — Chrétiens	Christian Science — Scientistes	Church of Christ — Église du Christ	Congregationalists — Congrégationalistes	Disciples	Evangelicals — Évangéliques
	QUEBEC											
1	Adventists	2	2	–	–	–	–	–	–	–	–	–
2	Anglicans	912	–	576	18	–	–	1	–	–	–	–
3	Baptists	100	1	22	41	–	–	–	–	–	–	–
4	Brethren	–	–	–	–	–	–	–	–	–	–	–
5	Christians	2	–	–	–	–	–	–	–	–	–	–
6	Christian Science	4	–	–	–	–	1	2	–	–	–	–
7	Church of Christ	–	–	–	–	–	–	–	–	–	–	–
8	Congregationalists	11	–	1	–	–	–	–	–	2	–	–
9	Disciples	–	–	–	–	–	–	–	–	–	–	–
10	Evangelicals	–	–	–	–	–	–	–	–	–	–	–
11	Friends	2	–	1	–	–	–	–	–	–	–	–
12	Greek Catholics	20	–	4	–	–	–	–	–	–	–	–
13	Greek Orthodox	68	–	1	–	–	–	–	–	–	–	–
14	Holiness Movement	3	–	–	–	–	–	–	–	–	–	–
15	Jews	454	–	5	–	–	–	–	–	–	–	1
16	Lutherans	97	–	7	–	–	–	–	–	–	–	–
17	Mennonites	–	–	–	–	–	–	–	–	–	–	–
18	Methodists	24	–	4	1	–	–	–	–	–	–	–
19	Mormons	1	–	–	–	–	–	–	–	–	–	–
20	Pentecostal	7	–	–	–	–	–	–	–	–	–	–
21	Presbyterians	465	–	107	7	–	–	–	–	–	–	–
22	Protestants	182	–	7	–	–	–	–	–	–	–	–
23	Roman Catholics	15,565	2	76	7	–	–	–	–	–	–	–
24	Salvation Army	6	–	–	–	–	–	–	–	–	–	–
25	Unitarians	7	–	3	–	–	–	–	–	–	–	–
26	United Brethren	–	–	–	–	–	–	–	–	–	–	–
27	United Church	587	1	110	15	–	–	–	–	3	–	–
28	Oriental religions—(Buddhists, Confucians, Mohammedans, Shintos, Sikhs, Hindus)	2	–	–	–	–	–	–	–	–	–	–
29	No religion	7	–	1	–	–	–	–	–	–	–	–
30	Other sects	21	–	4	1	–	–	–	–	–	–	–
31	Not stated	2	–	–	–	–	–	–	–	–	–	–
	Total brides—Total des épouses	**18,551**	**6**	**929**	**90**	**–**	**1**	**3**	**–**	**5**	**–**	**1**
	ONTARIO											
1	Adventists	10	8	–	–	–	–	–	–	–	–	–
2	Anglicans	5,400	2	3,223	231	8	9	12	8	–	5	3
3	Baptists	1,320	–	178	613	2	3	1	1	–	3	4
4	Brethren	63	–	6	–	44	–	–	–	–	–	–
5	Christians	49	–	3	1	–	29	–	–	–	–	–
6	Christian Science	27	–	8	–	–	1	7	–	–	–	–
7	Church of Christ	19	–	–	1	–	–	–	9	–	–	–
8	Congregationalists	–	–	–	–	–	–	–	–	–	–	–
9	Disciples	40	–	3	5	–	–	–	–	–	19	–
10	Evangelicals	105	1	4	3	–	–	–	–	–	–	49
11	Friends	16	–	1	2	–	–	–	–	–	–	–
12	Greek Catholics	123	–	4	–	–	–	–	–	–	–	–
13	Greek Orthodox	154	–	8	–	–	–	–	–	–	–	–
14	Holiness Movement	16	–	3	–	–	–	–	–	–	–	–
15	Jews	523	–	7	2	–	–	–	–	–	–	–
16	Lutherans	765	1	48	15	1	–	–	–	–	–	1
17	Mennonites	105	–	1	2	–	–	–	–	–	–	13
18	Methodists	–	–	–	–	–	–	–	–	–	–	1
19	Mormons	45	–	5	3	–	–	–	–	–	–	–
20	Pentecostal	25	–	1	–	–	–	–	–	–	–	–
21	Presbyterians	3,977	–	684	171	4	6	7	2	–	6	6
22	Protestants	246	–	13	4	–	–	–	–	–	–	–
23	Roman Catholics	4,684	–	242	38	2	1	1	–	–	1	6
24	Salvation Army	94	–	9	3	–	–	–	–	–	–	–
25	Unitarians	5	–	2	–	–	–	–	–	–	–	–
26	United Brethren	4	–	–	–	–	–	–	–	–	–	–
27	United Church	6,724	4	906	282	7	7	7	5	–	14	14
28	Oriental religions—(Buddhists, Confucians, Mohammedans, Shintos, Sikhs, Hindus)	3	–	–	–	–	–	–	–	–	–	–
29	No religon	2	–	–	–	–	–	–	–	–	–	–
30	Other sects	113	–	9	6	–	–	–	–	–	–	–
31	Not stated	20	–	7	2	–	–	–	1	–	–	–
	Total brides—Total des épouses	**24,677**	**16**	**5,375**	**1,384**	**68**	**56**	**35**	**26**	**–**	**48**	**97**

TABLEAU 39—Mariages—Religion des conjoints, 1927—*suite*

Religion de l'épouse

Friends—Amis	Greek Catholics	Greek catholiques	Greek Orthodox	Greek orthodoxes	Holiness Movement	Mouvement vers la sainteté	Jews	Israélites	Lutherans	Luthériens	Mennonites	Methodists	Méthodistes	Mormons	Pentecostal	Pentecostaires	Presbyterians	Presbytériens	Protestants	Roman Catholics	Catholiques romains	Salvation Army	Armée du Salut	Unitarians	Unitariens	United Brethren	Frères unis	United Church	Église unie	Oriental religions	Religions orientales	No religion	Aucune religion	Other sects	Autres sectes	Not stated	Non donnée	No.
QUÉBEC																																						
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	74	5	111	–	–	1	–	–	–	–	118	–	–	1	4	–	–	1	2
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	11	2	12	–	–	–	–	–	–	–	10	–	–	–	–	–	–	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	6
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	3	–	1	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
–	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	10
–	1	49	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11
–	–	–	–	–	1	–	–	439	1	–	–	–	–	–	–	–	–	2	4	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	12
–	–	–	–	–	–	–	–	–	72	–	–	–	–	–	–	–	4	2	10	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	13
–	–	–	–	–	–	–	–	1	–	–	–	5	–	–	–	–	1	2	6	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	14
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15
–	–	–	–	–	–	–	–	–	2	–	3	1	–	–	–	255	–	46	1	–	–	–	–	–	–	42	–	–	–	1	–	–	–	–	16
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	5	122	40	–	–	–	–	–	–	–	7	–	–	–	–	–	–	–	–	17
–	–	3	–	–	–	–	–	2	4	–	–	1	1	–	–	30	26	15,383	–	–	–	–	–	–	–	23	–	1	4	2	–	–	–	–	18
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	4	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	19
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	20
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21
–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	39	8	25	–	2	–	376	–	–	5	–	27
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	23
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	6	–	–	–	2	–	–	–	–	7	–	–	–	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	26
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	27
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	28
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	29
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	6	–	–	–	–	–	–	–	2	–	–	–	–	–	7	–	–	30
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	31
–	14	54	1	442	84	–	13	2	7	426	171	15,670	5	3	–	594	1	5	22	2	
ONTARIO																																					
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	1	1	–	2	40	3	–	8	1	633	5	258	13	–	–	926	–	–	6	2	2
–	1	1	–	–	7	2	–	3	1	151	1	58	4	–	–	279	–	–	6	1	3
–	–	–	–	–	–	–	–	–	–	–	–	7	–	1	–	–	5	–	–	–	–	4
–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	1	–	–	11	–	–	–	–	–	5
–	–	–	–	–	–	–	–	–	–	–	–	3	–	2	1	–	–	4	–	–	–	–	–	6
–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	5	–	–	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	–	–	–	–	17	1	–	–	–	1	–	5	–	1	–	–	7	–	–	–	–	–	–	9
3	–	–	–	–	–	–	–	–	–	–	–	8	–	5	–	–	15	–	–	1	–	–	–	10
–	102	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	7	–	–	–	–	–	–	11
–	8	112	–	–	–	–	–	–	–	–	–	–	–	12	–	–	4	–	–	–	–	–	–	12
–	–	1	7	–	–	–	–	–	–	–	–	6	–	17	–	–	2	–	–	1	–	–	–	13
–	–	–	–	499	3	–	–	–	–	–	1	1	4	–	2	–	3	–	–	–	–	–	–	14
–	1	–	–	1	548	2	–	–	–	45	–	32	1	1	–	55	–	–	1	–	–	5	–	15
–	–	–	–	–	4	84	–	–	1	4	–	1	–	–	–	5	–	–	2	–	–	–	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
–	–	–	–	–	1	–	–	22	–	3	–	3	–	–	–	7	–	–	–	1	–	–	–	18
–	–	–	1	–	–	1	–	–	21	1	–	–	–	–	–	–	–	–	–	–	1	–	–	19
–	–	–	–	1	45	4	–	8	1	2,158	2	177	6	2	–	683	–	–	3	1	–	–	–	20
–	–	–	–	–	–	–	–	–	–	12	183	20	1	–	–	13	–	–	–	–	–	–	–	21
–	6	3	1	1	30	3	–	–	–	130	18	4,034	3	–	–	161	–	–	1	1	–	–	–	22
–	–	–	–	–	1	–	–	–	–	2	–	3	67	–	–	7	–	–	2	–	–	–	–	23
–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	25
2	2	1	8	1	30	6	–	5	–	568	–	172	12	–	–	4,651	–	–	19	1	–	–	–	26
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	27
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	28
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
–	1	–	–	–	2	–	–	2	–	6	–	6	–	–	–	13	–	–	68	–	–	–	–	30
–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	3	–	–	–	5	–	–	–	31
5	122	120	17	505	728	107	–	49	28	3,754	210	4,812	112	3	2	6,873	2	1	110	12	

TABLE 39—Marriages—Denominations of contracting parties, 1927—*con.*

No.	Denomination of groom — Religion de l'époux	Total grooms — Total des époux	Denomination of bride												
			Adventists — Adventistes	Anglicans	Baptists — Baptistes	Brethren — Frères	Christians — Chrétiens	Christian Science — Scientistes	Church of Christ — Église du Christ	Congregationalists — Congrégationalistes	Disciples	Evangelicals — Évangéliques	
	MANITOBA												
1	Adventists	4	3	1	–	–	–	–	–	–	–	–	
2	Anglicans	829	1	472	14	1	–	2	–	–	–	–	
3	Baptists	117	–	16	45	–	–	–	–	–	–	–	1
4	Brethren	5	–	1	–	3	–	–	1	–	–	–	
5	Christians	3	–	1	–	–	–	–	–	–	–	–	
6	Christian Science	11	–	3	–	–	–	4	–	–	–	–	
7	Church of Christ	6	–	2	–	–	–	–	4	–	–	–	
8	Congregationalists	–	–	–	–	–	–	–	–	–	–	–	
9	Disciples	3	–	–	–	–	–	–	–	–	–	–	
10	Evangelicals	6	–	–	1	–	–	–	–	–	–	–	4
11	Friends	–	–	–	–	–	–	–	–	–	–	–	
12	Greek Catholics	337	–	2	1	–	–	–	–	–	–	–	
13	Greek Orthodox	96	–	1	–	–	–	–	–	–	–	–	
14	Holiness Movement	3	–	–	–	–	–	–	–	–	–	–	
15	Jews	120	–	1	–	–	–	–	–	–	–	–	
16	Lutherans	387	–	18	9	–	–	1	–	–	–	–	3
17	Mennonites	192	1	–	–	–	–	–	–	–	–	–	
18	Methodists	–	–	–	–	–	–	–	–	–	–	–	
19	Mormons	3	–	1	–	–	–	–	–	–	–	–	
20	Pentecostal	16	–	–	–	–	–	–	–	–	–	–	
21	Presbyterians	610	–	121	12	–	–	–	1	–	–	–	
22	Protestants	110	–	6	2	–	–	–	–	–	–	–	
23	Roman Catholics	726	–	30	4	–	–	1	–	–	–	–	1
24	Salvation Army	15	–	1	–	–	–	–	–	–	–	–	
25	Unitarians	9	–	–	–	–	–	–	–	–	–	–	
26	United Brethren	–	–	–	–	–	–	–	–	–	–	–	
27	United Church	1,055	2	120	20	–	–	3	3	–	1	–	
28	Oriental religions—(Buddhists, Confucians, Mohammedans, Shintos, Sikhs, Hindus)	–	–	–	–	–	–	–	–	–	–	–	
29	No religion	10	–	–	–	–	–	–	–	–	–	–	
30	Other sects	42	–	4	1	–	–	–	–	–	–	–	
31	Not stated	1	–	1	–	–	–	–	–	–	–	–	
	Total brides—Total des épouses	**4,716**	**7**	**802**	**169**	**4**	**–**	**11**	**9**	**–**	**1**	**9**	
	SASKATCHEWAN												
1	Adventists	16	13	–	–	–	–	–	–	–	–	–	
2	Anglicans	796	2	413	26	3	1	–	1	–	1	2	
3	Baptists	153	1	24	46	–	–	1	–	–	–	1	
4	Brethren	6	–	–	–	4	–	–	–	–	–	1	
5	Christians	10	–	1	1	–	4	–	–	–	–	–	
6	Christian Science	4	–	–	–	–	–	3	–	–	–	–	
7	Church of Christ	13	–	–	1	–	–	–	4	–	–	–	
8	Congregationalists	1	–	–	–	–	–	–	–	–	–	–	
9	Disciples	1	–	–	–	–	–	–	–	–	–	–	
10	Evangelicals	19	–	–	–	–	–	–	–	–	–	11	
11	Friends	1	–	1	–	–	–	–	–	–	–	–	
12	Greek Catholics	213	1	1	2	–	–	–	–	–	–	–	
13	Greek Orthodox	229	–	–	–	–	–	–	–	–	–	–	
14	Holiness Movement	1	–	–	–	–	–	–	–	–	–	–	
15	Jews	19	–	–	–	–	–	–	–	–	–	–	
16	Lutherans	711	–	41	18	–	2	–	1	–	–	2	
17	Mennonites	223	–	3	–	–	–	–	1	–	–	–	
18	Methodists	–	–	–	–	–	–	–	–	–	–	–	
19	Mormons	7	–	–	–	–	–	–	–	–	–	–	
20	Pentecostal	21	–	1	1	–	–	–	–	–	–	1	
21	Presbyterians	481	1	90	16	–	–	2	–	–	–	–	
22	Protestants	6	–	–	1	–	–	–	–	–	–	–	
23	Roman Catholics	1,036	1	23	6	1	–	–	–	–	–	–	
24	Salvation Army	19	–	1	–	–	–	–	–	–	–	–	
25	Unitarians	1	–	–	–	–	–	–	–	–	–	–	
26	United Brethren	1	–	–	–	–	–	–	–	–	–	–	
27	United Church	1,640	–	183	43	1	2	2	3	–	–	4	
28	Oriental religions—(Buddhists, Confucians, Mohammedans, Shintos, Sikhs, Hindus)	4	–	–	–	–	–	–	–	–	–	–	
29	No religion	18	–	1	1	–	–	–	–	–	–	–	
30	Other sects	81	–	4	5	1	–	1	–	–	–	–	
31	Not stated	2	–	–	–	–	–	–	–	–	–	–	
	Total brides—Total des épouses	**5,733**	**19**	**787**	**167**	**10**	**9**	**9**	**10**	**–**	**1**	**22**	

TABLEAU 39—Mariages—Religion des conjoints, 1927—*suite*

Religion de l'épouse

Religion du conjoint	Friends—Amis	Greek Catholics	Grecs catholiques	Greek Orthodox	Grecs orthodoxes	Holiness Movement	Mouvement vers la sainteté	Jews	Israélites	Lutherans	Luthériens	Mennonites	Methodists	Méthodistes	Mormons	Pentecostal	Pentecostaires	Presbyterians	Presbytériens	Protestants	Roman Catholics	Catholiques romains	Salvation Army	Armée du Salut	Unitarians	Unitariens	United Brethren	Frères unis	United Church	Église unie	Oriental religions	Religions orientales	No religion	Aucune religion	Other sects	Autres sectes	Not stated	Non donnée	No.
MANITOBA																																						
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	4	1	–	–	–	–	–	–	–	33	–	–	–	–	1	3	–	86	6	42	2	–	–	–	–	158	–	–	–	2	1	2
	–	–	–	–	–	–	–	–	–	9	3	–	–	–	–	–	–	13	–	5	1	–	–	–	–	24	–	–	–	–	–	3
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	4
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	1	–	–	–	–	–	5
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	7
	300	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	23	–	–	–	–	–	1	–	–	–	–	–	8
	7	79	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	2	–	7	–	–	–	–	–	1	–	–	–	–	–	9
	–	–	–	–	–	–	–	–	115	1	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	10
	4	–	–	–	–	–	–	1	–	286	5	–	–	–	–	1	–	14	–	28	–	–	–	–	–	16	–	–	2	–	–	11
	–	–	–	–	–	–	–	–	–	1	190	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	13	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	14
	2	–	–	–	–	–	–	–	–	19	1	–	–	–	–	–	2	353	7	27	4	2	–	–	–	59	–	–	–	–	–	15
	2	–	–	–	–	–	–	–	–	6	–	–	–	–	–	–	–	6	63	15	–	–	–	–	–	10	–	–	–	–	–	16
	47	4	–	–	–	–	–	1	–	19	1	–	–	–	–	–	–	25	6	571	–	1	–	–	–	14	–	–	1	–	–	17
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14	–	–	–	–	–	–	–	–	–	–	18
	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	1	–	–	–	–	–	19
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20
	3	2	–	–	–	–	–	–	–	13	–	–	–	–	–	2	–	38	2	32	2	–	–	–	–	808	–	–	4	–	–	21
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	23
	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	24
	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	3	–	2	–	–	–	–	–	4	–	–	25	–	–	25
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	26
	372	94	2	116	396	201	1	3	21	546	85	754	23	7	–	1,103	–	5	34	1												27
SASKATCHEWAN																																					
	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1
	1	3	–	–	36	2	–	1	1	69	–	48	2	–	–	–	–	–	–	–	–	–	–	–	–	177	–	–	7	–	–	2
	1	1	–	–	13	1	–	–	1	13	–	8	2	–	–	–	–	–	–	–	–	–	–	–	–	37	–	–	3	–	–	3
	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
	–	–	–	–	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	5
	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	1	–	2	–	–	–	–	–	3	–	–	1	–	–	6
	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	8
	–	–	–	–	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	9
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
	177	4	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24	–	–	–	–	–	–	–	–	–	–	1	11
	12	205	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10	–	–	–	–	–	1	–	–	–	–	–	12
	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13
	1	–	–	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	14
	1	1	–	–	488	7	–	1	–	31	–	35	–	–	1	75	–	1	6	–	15
	1	–	–	–	3	210	–	–	–	–	1	2	–	–	–	2	–	–	–	–	16
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
	–	–	–	–	1	–	–	3	–	1	–	–	–	–	–	1	–	1	–	–	18
	–	–	–	–	2	–	–	–	16	–	–	–	–	–	–	–	–	–	–	–	19
	–	2	–	–	31	–	–	2	–	208	–	56	2	–	–	67	–	1	3	–	20
	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	3	–	–	–	–	21
	28	4	1	–	30	–	–	–	–	30	2	865	–	–	–	43	–	1	3	–	22
	–	–	–	–	–	–	–	–	–	2	–	–	14	–	–	1	–	–	–	–	23
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	24
	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25
	5	2	1	–	89	2	–	5	3	67	–	49	4	–	–	1,173	–	–	2	–	26
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	–	–	27
	1	–	–	–	1	1	–	1	–	–	–	3	–	–	–	2	–	7	–	–	28
	1	1	–	–	3	–	–	–	–	1	–	5	–	–	–	7	–	–	52	–	29
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	30
	229	223	3	17	710	225	–	14	21	430	3	1,109	25	–	1	1,597	2	10	78	2	31

TABLE 39—Marriages—Denominations of contracting parties, 1927—*con.*

No.	Denomination of groom — Religion de l'époux	Total grooms — Total des époux	Denomination of bride											
			Adventists	Adventistes	Anglicans	Baptists — Baptistes	Brethren — Frères	Christians — Chrétiens	Christian Science — Scientistes	Church of Christ — Église du Christ	Congregationalists	Congrégationalistes	Disciples	Evangelicals — Évangéliques
	ALBERTA													
1	Adventists	29	23	1	–	–	–	–	1	–	–	–	1
2	Anglicans	715	1	357	45	1	3	1	1	–	–	–	1
3	Baptists	193	1	14	76	–	4	2	–	–	–	–	–
4	Brethren	9	–	1	–	3	–	–	–	–	–	–	–
5	Christians	30	1	5	1	–	11	–	–	–	–	–	–
6	Christian Science	4	–	1	–	–	–	2	–	–	–	–	–
7	Church of Christ	16	–	2	1	–	–	–	5	–	–	–	1
8	Congregationalists	–	–	–	–	–	–	–	–	–	–	–	–
9	Disciples	3	–	–	–	–	–	–	–	–	–	1	–
10	Evangelicals	18	–	–	3	–	–	–	–	–	–	–	11
11	Friends	–	–	–	–	–	–	–	–	–	–	–	–
12	Greek Catholics	216	–	–	–	–	–	–	–	–	–	–	–
13	Greek Orthodox	148	–	1	2	–	–	–	–	–	–	–	–
14	Holiness Movement	–	–	–	–	–	–	–	–	–	–	–	–
15	Jews	30	–	1	–	–	–	–	–	–	–	–	–
16	Lutherans	495	4	37	22	–	1	1	5	–	–	2	1
17	Mennonites	28	–	–	–	–	–	–	–	–	–	–	1
18	Methodists	–	–	–	–	–	–	–	–	–	–	–	–
19	Mormons	83	–	3	1	–	–	–	–	–	–	–	–
20	Pentecostal	6	–	–	1	–	–	–	–	–	–	–	–
21	Presbyterians	627	1	122	25	–	–	2	2	–	–	–	–
22	Protestants	120	–	14	4	1	1	–	–	–	–	–	–
23	Roman Catholics	739	–	26	6	–	2	–	1	–	–	–	1
24	Salvation Army	14	1	2	–	–	–	–	–	–	–	–	–
25	Unitarians	3	–	1	1	–	–	–	–	–	–	–	–
26	United Brethren	2	–	–	–	–	–	–	–	–	–	–	–
27	United Church	1,048	–	99	46	2	4	2	3	–	1	–	–
28	Oriental religions—(Buddhists, Confucians, Mohammedans, Shintos, Sikhs, Hindus)	4	–	–	–	–	–	–	–	–	–	–	–
29	No religion	40	–	7	2	1	–	–	–	–	–	–	–
30	Other sects	87	–	6	6	1	1	–	–	–	–	–	2
31	Not stated	–	–	–	–	–	–	–	–	–	–	–	–
	Total brides—Total des épouses	**4,707**	**32**	**710**	**242**	**9**	**27**	**10**	**18**	**–**	**4**	**19**	
	BRITISH COLUMBIA													
1	Adventists	4	4	–	–	–	–	–	–	–	–	–	–
2	Anglicans	1,269	2	786	36	–	6	2	1	–	–	–	–
3	Baptists	207	–	33	79	–	–	1	1	–	–	–	–
4	Brethren	8	–	–	–	4	–	–	–	–	–	–	–
5	Christians	23	–	1	2	–	8	–	–	–	–	–	–
6	Christian Science	25	–	3	2	–	–	13	–	–	–	–	–
7	Church of Christ	2	–	1	–	–	–	–	–	–	–	–	–
8	Congregationalists	–	–	–	–	–	–	–	–	–	–	–	–
9	Disciples	–	–	–	–	–	–	–	–	–	–	–	–
10	Evangelicals	1	–	–	–	–	–	–	–	–	–	–	–
11	Friends	2	–	2	–	–	–	–	–	–	–	–	–
12	Greek Catholics	10	–	–	–	–	–	–	–	–	–	–	–
13	Greek Orthodox	50	–	2	–	–	–	–	–	–	–	–	–
14	Holiness Movement	1	–	–	–	–	–	–	–	–	–	–	–
15	Jews	18	–	1	–	–	–	–	–	–	–	–	–
16	Lutherans	282	–	26	6	–	–	–	–	–	–	–	–
17	Mennonites	3	–	–	–	–	–	–	–	–	–	–	–
18	Methodists	–	–	–	–	–	–	–	–	–	–	–	–
19	Mormons	8	–	1	1	–	–	–	–	–	–	–	–
20	Pentecostal	9	–	–	–	–	–	–	–	–	–	–	–
21	Presbyterians	842	2	205	37	–	3	5	1	–	–	–	–
22	Protestants	254	1	24	3	–	3	2	–	–	–	–	–
23	Roman Catholics	514	–	55	10	–	2	1	–	–	–	–	1
24	Salvation Army	18	–	2	–	–	–	–	–	–	–	–	–
25	Unitarians	3	–	2	–	–	–	–	–	–	–	–	–
26	United Brethren	1	–	1	–	–	–	–	–	–	–	–	–
27	United Church	1,053	4	165	38	1	1	7	1	–	–	–	–
28	Oriental religions—(Buddhists, Confucians, Mohammedans, Shintos, Sikhs, Hindus)	21	–	1	–	–	1	–	–	–	–	–	–
29	No religion	39	–	7	1	–	1	–	–	–	–	–	–
30	Other sects	43	–	3	1	–	–	–	–	–	–	–	–
31	Not stated	10	–	3	1	–	–	–	–	–	–	–	–
	Total brides—Total des épouses	**4,720**	**13**	**1,324**	**217**	**5**	**25**	**31**	**4**	**–**	**–**	**1**	

TABLEAU 39—Mariages—Religion des conjoints, 1927—*fin*

Religion de l'épouse

Friends—Amis	Greek Catholics	Grecs catholiques	Greek Orthodox	Grecs orthodoxes	Holiness Movement / Mouvement vers la sainteté	Jews	Israélites	Lutherans	Luthériens	Mennonites	Methodists	Méthodistes	Mormons	Pentecostal	Pentecostaires	Presbyterians	Presbytériens	Protestants	Roman Catholics	Catholiques romains	Salvation Army	Armée du Salut	Unitarians	Unitariens	United Brethren	Frères unis	United Church	Église unie	Oriental religions	Religions orientales	No religion	Aucune religion	Other sects	Autres sectes	Not stated	Non donnée	No.
ALBERTA																																				
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1
–	–	1	–	–	–	–	–	22	1	–	–	–	8	1	66	4	49	2	–	–	–	–	–	–	–	146	–	–	2	3	–	–	2
–	2	–	–	–	–	–	–	15	–	–	–	–	–	2	22	3	13	–	–	–	–	–	–	–	–	37	–	–	–	2	–	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	4
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	1	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	–	5
–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	6
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	8
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	9
–	199	5	–	–	–	–	–	2	–	–	–	–	–	–	2	–	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
–	8	124	–	–	–	–	–	2	–	–	–	–	–	–	–	1	7	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	11
–	–	–	–	–	–	–	27	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	12
–	3	–	–	–	–	–	–	303	1	–	–	–	4	1	29	2	27	1	–	–	–	–	–	–	–	43	–	–	1	7	–	–	13
–	–	–	–	–	–	–	–	2	21	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14
1	–	–	–	–	–	–	–	–	–	–	–	–	68	–	4	–	1	–	–	–	–	–	–	–	–	3	–	–	1	1	–	–	15
–	–	–	–	–	–	–	–	1	–	–	–	–	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
–	3	2	–	–	–	–	–	27	–	–	–	–	1	1	290	7	51	2	–	–	–	–	–	–	–	82	–	–	1	8	–	–	17
–	2	1	–	–	–	–	–	11	–	–	–	–	–	1	11	49	11	–	–	–	–	–	–	–	–	13	–	–	–	1	–	–	18
–	17	3	–	–	–	–	–	28	–	–	–	–	3	–	35	7	562	–	–	–	–	–	–	–	–	33	–	–	–	5	–	–	19
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	9	–	–	–	–	–	–	–	–	–	–	–	1	–	–	20
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	21
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	22
–	–	2	–	–	–	–	–	38	1	–	–	–	4	–	66	2	41	1	–	2	733	–	–	–	1	–	23
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	25
–	1	1	–	–	–	–	–	4	–	–	–	–	6	–	3	–	2	–	–	–	1	–	–	–	12	–	–	–	–	–	–	–	26
–	2	–	–	–	–	–	–	7	–	–	–	–	1	–	4	–	5	–	–	–	7	–	–	–	–	45	–	–	–	–	–	–	27
1	237	139	–	27	466	24	–	96	9	546	77	783	16	–	2	1,118	2	18	74	1	28
COLOMBIE BRITANNIQUE																																				
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
1	1	–	–	–	–	–	–	19	–	–	–	–	3	–	151	9	68	3	–	–	–	–	–	–	–	172	–	–	2	7	–	–	2
–	–	1	–	–	1	–	–	4	–	–	–	–	–	1	28	4	13	1	–	–	–	–	–	–	–	34	–	–	–	6	–	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	4
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	1	–	7	–	–	–	–	–	–	5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	6
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
–	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11
–	–	41	–	–	–	–	–	–	–	–	–	–	–	–	1	1	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	12
–	–	–	–	–	–	–	13	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13
–	1	1	–	–	–	–	–	186	–	–	–	–	–	–	18	1	15	1	1	–	–	–	–	–	–	25	–	–	–	1	–	–	14
–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15
–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	16
–	1	–	–	1	–	–	–	9	–	–	–	–	2	3	406	10	47	2	1	–	–	–	–	–	–	101	–	–	3	2	–	1	17
–	–	–	–	–	–	–	–	4	–	–	–	–	2	–	9	157	18	–	–	–	–	–	–	–	–	28	–	–	1	–	–	2	18
–	2	1	–	–	–	–	–	10	–	–	–	–	1	–	35	15	333	1	–	–	–	–	–	–	–	41	–	–	3	3	–	–	19
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	21
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
2	–	1	–	1	–	–	–	19	–	–	–	–	1	2	66	7	47	2	3	–	673	2	3	6	1	23
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	–	–	1	14	–	–	–	24
–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	4	–	4	–	–	–	3	–	17	–	–	25
–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	3	1	2	–	–	–	2	–	1	28	–	26
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	3	27
3	13	45	–	16	257	–	–	13	15	737	207	561	24	6	1	1,094	16	31	54	7	28

TABLE 40—Marriages—Literacy of bridegrooms and brides in Canada (1), classified by birthplace, 1927

TABLEAU 40—Mariages—Instruction des mariés dans le Canada(1), selon le lieu de naissance, 1927

Birthplace — Lieu de naissance	Bridegrooms — Époux			Brides — Épouses		
	Total	Illiterate — Illettrés	Per cent illiterate — Pour cent d'illettrés	Total	Illiterate — Illettrées	Per cent illiterate — Pour cent d'illettrées
Total	**69,515**	**1,239**	**1·8**	**69,515**	**807**	**1·2**
Canada	**45,987**	**999**	**2·2**	**49,280**	**585**	**1·2**
Prince Edward Island	619	12	1·9	578	3	0·5
Nova Scotia	2,967	92	3·1	3,010	54	1·8
New Brunswick	2,510	185	7·4	2,501	82	3·3
Quebec	16,446	479	2·9	16,652	213	1·3
Ontario	17,462	80	0·5	17,696	45	0·3
Manitoba	2,423	32	1·3	3,234	47	1·5
Saskatchewan	1,211	38	3·1	2,323	46	2·0
Alberta	865	43	5·0	1,442	57	4·0
British Columbia	891	38	4·3	1,198	36	3·0
Province not specified—Province non spécifiée	593	–	–	646	2	0·3
British Isles—Îles Britanniques	**11,029**	**2**	(5)	**10,246**	**2**	(5)
England—Angleterre	6,939	2	(5)	6,255	2	(5)
Ireland—Irlande	1,007	–	–	879	–	–
Scotland—Écosse	2,819	–	–	2,919	–	–
Wales—Galles, Pays de	231	–	–	179	–	–
Other—Autres	33	–	–	14	–	–
British Possessions—Possessions britanniques	**504**	**13**	**2·6**	**430**	**4**	**0·9**
Newfoundland—Terre-Neuve	292	12	4·1	268	4	1·5
Other—Autres	212	1	0·5	162	–	–
Europe	**6,682**	**186**	**2·8**	**5,268**	**192**	**3·6**
Austria—Autriche	390	18	4·6	308	24	7·8
Belgium—Belgique	140	–	–	142	2	1·4
Denmark—Danemark	226	–	–	149	–	–
Finland—Finlande	306	5	1·6	348	5	1·4
France	151	1	0·7	126	–	–
Germany—Allemagne	273	–	–	287	1	0·3
Holland—Hollande	137	–	–	84	–	–
Hungary—Hongrie	176	1	0·6	153	1	0·7
Italy—Italie	585	16	2·7	356	8	2·2
Norway—Norvège	312	1	0·3	210	2	1·0
Poland(2)—Pologne(2)	1,493	63	4·2	1,279	76	5·9
Rumania(3)—Roumanie(3)	363	32	8·8	237	25	10·5
Russia(4)—Russie(4)	1,334	40	3·0	1,040	41	3·9
Sweden—Suède	345	–	–	209	2	1·0
Other—Autres	451	9	2·0	340	5	1·5
Asia—Asie	**174**	**7**	**4·0**	**105**	**12**	**11·4**
China—Chine	51	1	2·0	23	4	17·4
Japan—Japon	31	–	–	20	–	–
Other—Autres	92	6	6·5	62	8	12·9
United States—États-Unis	5,083	29	0·6	4,135	9	0·2
Various—Divers	36	1	2·8	24	1	4·2
Not specified—Non spécifié	20	2	10·0	27	2	7·4

(1)Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction.—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.
(2) Including Galicia—Comprend la Galicie.
(3) Including Bukovina—Comprend la Bukovine.
(4) Including the Ukraine—Comprend l'Ukraine.
(5) Less than one-tenth of one per cent—Moins d'un dixième d'un pour cent.

APPENDIX I

BIRTHS AND DEATHS AMONGST THE INDIAN POPULATION

APPENDICE I

NAISSANCES ET DÉCÈS DE LA POPULATION INDIENNE

APPENDIX I

BIRTHS AND DEATHS AMONGST THE INDIAN POPULATION

The totals of births, deaths and marriages presented in the general tables of the present report include returns for Indians, resembling in this respect the corresponding tables of previous reports. The births and deaths of Indians in Canada form only an inconsiderable portion of the whole but this is not so true of certain provinces considered individually. Moreover, in particular aspects of Vital Statistics, e.g. deaths from tuberculosis, the figures for Indians assume an importance beyond the numerical proportion of this class in the population. In the present volume, therefore, as in the Sixth Annual Report, it has been thought well to supplement the general tables with an appendix containing the salient features of births and deaths of Indians. Not only will these tabulations enable a special study of the vital statistics of the Indian population, but they will also place the reader in a position to eliminate from the general tables the influence of Indian births or deaths. Indian marriages cannot be separately tabulated since the racial origin of bride and groom is not given on the marriage certificate. In any case such figures would have little significance in so far as the pagan Indians are concerned, as the marriages of these people according to their own customs are not included in the figures recorded.

The term "Indian" as used in these tables includes half-breeds.

The statistics for Indians cannot be considered as having the same degree of completeness as those for the white population. With regard to the accuracy of particular phases of the statistics, such as ages, it is probable that in many cases the knowledge of the informants is vague. As to reported causes of death, a large proportion of these are from others than physicians. Statistics of legitimacy of children born have doubtful significance for the Indian population, owing to the informal method of marriage amongst pagan Indians. It is probable that the number of illegitimate children is exaggerated for this reason.

APPENDICE I

NAISSANCES ET DÉCÈS DE LA POPULATION INDIENNE

Les totaux des naissances, décès et mariages dans les tableaux d'ensemble du présent rapport comprennent ceux des Indiens, comme dans les tableaux correspondants des rapports antérieurs. Les naissances et décès d'Indiens au Canada ne forment qu'une portion minime du total, mais il n'en est pas ainsi quand chaque province est considérée séparément. De plus, sous certains aspects des statistiques vitales, comme dans les décès causés par la tuberculose, les chiffres des Indiens prennent une importance dépassant leur proportion numérique de la population. Dans le présent volume, il a été jugé opportun comme dans le Sixième Rapport Annuel d'ajouter aux tableaux d'ensemble de ce volume un appendice contenant les données principales sur les naissances et les décès d'Indiens. Non seulement ces tableaux permettent de faire une étude spéciale des statistiques vitales de la population indienne, mais ils mettent aussi le lecteur en état de les éliminer des tableaux d'ensemble, pour l'influence que peuvent y avoir les naissances et décès d'Indiens.

Il est impossible de computer séparément les mariages d'Indiens, parce que l'origine raciale de l'époux et de l'épouse n'est pas donnée sur le certificat de mariage. Dans tous les cas ces chiffres n'auraient que très peu d'importance, en autant que sont concernés les Sauvages encore païens, parce que les mariages contractés selon leur coutume ne sont pas inclus dans les chiffres relevés.

Le terme "Indien", dans ces tableaux, comprend aussi les métis.

Les statistiques des Indiens ne peuvent pas être considérées comme aussi complètes que celles de la population blanche. Pour ce qui est de l'exactitude de certaines phases particulières des statistiques, comme les âges, il est probable que, dans plusieurs cas, la connaissance de ceux fournissant l'information était plutôt vague. Pour ce qui est des causes de décès, telles que données, il faut aussi se rappeler que la plupart de ces causes ne sont pas celles données par les médecins. Les statistiques de la légitimité des naissances ont une signification douteuse pour la population indienne, parce que le mariage est un contrat plutôt simple chez les Indiens païens. Il est probable que le nombre d'enfants illégitimes se trouve exagéré pour cette raison.

TABLE A—Births of Indians (exclusive of stillbirths) by months and provinces, 1927

TABLEAU A—Naissances d'Indiens (mort-nés exclus) par mois et provinces, 1927

Provinces	Total	Months—Mois											
		January — Janvier	February — Février	March — Mars	April — Avril	May — Mai	June — Juin	July — Juillet	August — Août	September — Septembre	October — Octobre	November — Novembre	December — Décembre
Canada(1)	**2,757**	**255**	**227**	**266**	**250**	**223**	**251**	**217**	**244**	**184**	**220**	**196**	**224**
Prince Edward Island	7	1	1	–	2	–	–	1	2	–	–	–	–
Nova Scotia	35	–	4	5	2	7	4	–	2	2	2	3	4
New Brunswick	50	7	1	7	6	3	3	1	4	6	6	3	3
Quebec	203	12	13	24	19	19	13	17	20	15	17	15	19
Ontario	677	55	58	74	84	57	70	61	45	40	53	38	42
Manitoba	238	21	22	19	19	19	21	17	22	17	23	23	15
Saskatchewan	483	49	37	39	34	27	44	32	49	41	43	34	54
Alberta	559	52	58	50	44	52	54	50	60	35	38	29	37
British Columbia	505	58	33	48	40	39	42	38	40	28	38	51	50

(1) Exclusive of Yukon and the Northwest Territories—Ne comprend pas le Yukon et les Territoires du Nord-Ouest.

TABLE B—Births of Indians (exclusive of stillbirths) classified as legitimate or illegitimate, by provinces, 1927

TABLEAU B—Naissances d'Indiens (mort-nés exclus) réparties en légitimes et illégitimes, 1927

Provinces	Total births — Total des naissances			Legitimate — Légitimes			Illegitimate — Illégitimes		
	M.	F.	Total	M.	F.	Total	M.	F.	Total
Canada(1)	**1,458**	**1,299**	**2,757**	**1,306**	**1,160**	**2,466**	**152**	**139**	**291**
Prince Edward Island	4	3	7	4	3	7	–	–	–
Nova Scotia	20	15	35	15	13	28	5	2	7
New Brunswick	22	23	50	19	23	42	3	5	8
Quebec	105	98	203	100	93	193	5	5	10
Ontario	362	315	677	307	266	573	55	49	104
Manitoba	126	112	238	110	105	215	16	7	23
Saskatchewan	271	212	483	250	190	440	21	22	43
Alberta	288	271	559	256	237	493	32	34	66
British Columbia	260	245	505	245	230	475	15	15	30

(1) Exclusive of Yukon and the Northwest Territories—Ne comprend pas le Yukon et les Territoires du Nord-Ouest.

TABLE C—Births of Indians (exclusive of stillbirths) classified according to ages of parents, Canada (1), 1927

No.	Age of father — Âge du père	Total	Age of mother															
			12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
1	Under 16 years—Moins de 16 ans..	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	16 years—ans.....	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	17 " "	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
4	18 " "	2	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–
5	19 " "	26	–	–	–	–	2	5	4	6	1	1	1	2	3	–	–	–
6	20 " "	30	–	–	–	1	–	5	7	6	3	4	2	–	–	1	–	–
7	21 " "	53	–	–	–	–	–	5	11	9	13	5	1	1	3	–	–	–
8	22 " "	71	–	–	–	1	1	6	10	16	9	10	7	3	2	3	1	1
9	23 " "	95	–	–	–	–	3	6	5	13	17	11	17	11	3	1	4	2
10	24 " "	107	–	–	–	–	2	4	12	14	12	21	15	9	7	2	4	1
11	25 " "	109	–	–	–	–	2	2	8	11	10	16	10	12	11	9	2	4
12	26 " "	116	–	–	–	–	1	3	4	12	9	8	14	16	14	13	6	8
13	27 " "	112	–	–	–	–	1	–	2	8	10	5	17	13	12	13	8	5
14	28 " "	123	–	–	–	2	1	2	2	9	5	9	11	15	18	13	13	
15	29 " "	92	–	–	–	–	–	–	2	8	7	6	2	7	7	8	8	9
16	30 " "	149	–	–	–	–	–	2	2	3	6	5	10	11	10	13	16	14
17	31 " "	60	–	–	–	–	–	1	–	–	4	1	3	5	4	2	7	2
18	32 " "	98	–	–	–	1	–	1	1	1	4	2	4	2	6	3	13	10
19	33 " "	79	–	–	–	–	–	–	2	5	1	–	3	6	1	7	5	3
20	34 " "	81	–	–	–	–	–	–	–	2	3	2	4	1	2	5	6	6
21	35 " "	106	–	–	–	–	–	–	–	2	2	–	4	4	5	9	2	9
22	36 " "	83	–	–	–	–	–	–	–	–	1	2	4	3	4	6	8	3
23	37 " "	76	–	–	–	–	–	1	–	1	1	–	3	1	2	3	1	4
24	38 " "	73	–	–	–	–	–	–	1	–	–	1	3	1	2	3	3	4
25	39 " "	58	–	–	–	–	–	–	–	2	–	4	1	1	3	2	1	6
26	40 " "	108	–	–	–	1	–	–	2	–	–	1	1	2	4	7	3	8
27	41 " "	41	–	–	–	–	–	2	–	1	–	2	1	–	–	1	2	3
28	42 " "	76	–	–	–	–	–	–	–	–	1	1	1	1	3	1	3	4
29	43 " "	37	–	–	–	–	–	–	–	1	1	–	1	2	3	–	2	–
30	44 " "	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
31	45 " "	63	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–
32	46 " "	32	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1
33	47 " "	23	–	–	–	–	–	–	1	–	1	–	2	1	1	1	–	1
34	48 " "	29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
35	49 " "	18	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
36	50 " "	33	–	–	–	–	–	–	–	–	–	1	–	1	2	–	1	–
37	51 " "	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
38	52 " "	13	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
39	53 " "	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2
40	54 " "	7	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1
41	55 " "	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
42	56 " "	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
43	57 " "	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
44	58 " "	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
45	59 " "	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
46	60 " "	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
47	61 " "	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
48	62 " "	5	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1
49	63 " "	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
50	64 " "	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
51	65 and over—et plus.....	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
52	Not stated—Non donné.....	95	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1
	Children born to married mothers—Enfants légitimes.....	**2,466**	–	–	–	**4**	**15**	**47**	**77**	**125**	**126**	**115**	**141**	**130**	**132**	**132**	**122**	**131**
	Children born to unmarried mothers—Enfants illégitimes.	**291**	–	–	**3**	**5**	**15**	**22**	**25**	**30**	**20**	**26**	**16**	**15**	**11**	**6**	**7**	**12**
	Children born to all mothers—Légitimes et illégitimes.....	**2,757**	–	–	**3**	**9**	**30**	**69**	**102**	**155**	**146**	**141**	**157**	**145**	**143**	**128**	**129**	**143**

(1) Exclusive of Yukon and the Northwest Territories—Ne comprend pas le Yukon et les Territoires du Nord-Ouest.

TABLEAU C—Naissances d'Indiens (mort-nés exclus) classifiées selon l'âge des parents, Canada (1), 1927

Âge de la mère																							
28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50 and over — 50 et plus	Not stated — Non donné	No.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
1	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	8
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	9
2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	10
6	1	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	11
4	1	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12
3	5	3	1	–	–	–	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	13
6	1	4	1	8	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	14
8	12	3	–	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	15
9	18	13	3	4	1	2	4	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	16
6	6	9	3	1	3	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	17
10	9	8	9	8	–	1	–	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	18
9	5	10	7	2	5	1	4	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	19
7	6	8	5	11	5	4	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	20
7	6	13	3	14	8	5	3	1	5	2	–	1	–	–	–	–	–	1	–	–	–	–	–	21
3	8	7	2	5	6	8	4	5	1	1	–	–	1	1	–	–	–	–	–	–	–	–	–	22
7	4	8	4	9	1	9	4	2	4	6	–	–	–	1	–	–	–	–	–	–	–	–	–	23
6	2	6	3	4	6	4	9	7	1	3	2	1	–	–	–	–	–	–	–	–	–	–	1	24
4	4	4	2	2	2	3	2	5	1	2	3	2	1	–	–	1	–	–	–	–	–	–	–	25
2	2	7	1	3	5	4	13	9	8	15	2	6	1	–	–	–	1	–	–	–	–	–	–	26
1	5	–	3	3	1	–	5	2	3	3	2	–	1	–	–	–	–	–	–	–	–	–	–	27
–	3	–	1	6	1	4	7	9	1	6	6	9	4	2	1	–	–	–	–	–	–	–	1	28
1	–	1	1	1	–	1	2	2	2	1	1	7	3	1	2	–	1	–	–	–	–	–	–	29
–	1	2	2	1	–	1	1	1	3	1	1	5	1	1	1	–	–	–	–	–	–	–	–	30
3	3	3	1	2	1	4	6	5	1	11	4	6	–	2	2	3	3	–	–	–	–	–	–	31
2	1	2	3	–	1	1	2	1	2	1	1	3	2	4	1	1	–	–	–	–	–	–	–	32
1	1	–	3	1	–	–	–	–	–	4	–	–	3	2	–	–	–	–	–	–	–	–	–	33
2	1	–	1	2	1	–	2	1	1	4	1	2	–	2	1	–	2	3	–	2	–	–	1	34
–	1	1	1	–	–	–	2	–	2	2	1	–	1	1	1	1	2	–	1	–	–	–	–	35
2	–	1	1	–	1	3	1	–	2	1	1	3	2	–	1	1	6	1	1	–	–	–	–	36
–	–	–	–	1	–	–	1	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–	37
1	–	–	–	2	–	1	–	–	–	–	–	1	1	–	4	–	–	1	–	–	–	1	–	38
–	2	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–	39
–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	40
–	2	–	–	1	–	1	2	1	–	2	1	2	–	–	–	1	2	–	1	–	–	–	–	41
–	–	1	1	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	42
–	–	–	–	–	–	1	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	43
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	44
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	45
–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	46
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	47
–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	48
–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	49
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	50
–	–	–	–	–	–	–	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	51
–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	90	52
113	**112**	**117**	**64**	**97**	**52**	**62**	**81**	**63**	**43**	**71**	**31**	**56**	**24**	**20**	**16**	**9**	**18**	**3**	**3**	**4**	–	**2**	**102**	
9	**6**	**9**	**5**	**8**	**5**	**4**	**5**	**5**	**2**	**3**	**2**	**3**	**1**	**1**	**1**	–	–	–	–	–	–	–	**9**	
122	**118**	**126**	**69**	**105**	**57**	**66**	**86**	**68**	**45**	**74**	**33**	**59**	**25**	**21**	**17**	**9**	**18**	**3**	**3**	**4**	–	**2**	**111**	

TABLE D—Stillbirths for Indians by age of mother and legitimacy of child, 1927

TABLEAU D—Indiens mort-nés, selon l'âge de la mère, et distinction entre naissances légitimes et illégitimes, 1927

Age of mother — Âge de la mère	Unmarried mothers — Mères non-mariées	Married mothers — Mères mariées									Total
		P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	
Under 15 years—Moins de 15 ans	–	–	–	–	–	–	–	–	–	–	–
15 years—ans	–	–	–	–	–	–	–	–	–	–	–
16 " "	–	–	–	–	–	–	–	–	–	–	–
17 " "	–	–	–	–	–	–	–	–	–	–	–
18 " "	1	–	–	–	–	–	–	–	–	1	2
19 " "	2	–	–	–	–	–	–	–	–	1	3
20 " "	2	–	–	–	–	1	–	–	–	–	3
21 " "	–	–	–	–	–	1	1	2	1	–	5
22 " "	–	–	–	–	–	1	–	–	1	1	3
23 " "	–	–	–	–	–	1	–	–	1	–	2
24 " "	–	–	–	–	–	1	–	–	1	1	3
25 " "	–	–	–	–	–	–	–	–	1	–	1
26 " "	1	–	–	–	–	–	–	–	1	–	2
27 " "	–	–	–	–	–	2	–	–	–	–	2
28 " "	–	–	–	–	–	–	–	–	1	–	1
29 " "	1	–	–	–	–	–	–	–	–	–	1
30 " "	1	–	–	–	–	–	2	–	–	–	3
31 " "	–	–	–	–	–	1	–	–	–	–	1
32 " "	–	–	–	–	1	2	–	–	–	–	3
33 " "	–	–	–	–	–	1	–	–	–	–	1
34 " "	–	–	–	–	–	1	–	–	–	–	1
35 " "	–	–	–	–	–	–	–	–	–	1	1
36 " "	–	–	1	–	–	2	–	–	–	–	3
37 " "	–	–	–	–	–	1	–	–	–	1	2
38 " "	–	–	–	–	–	1	–	1	–	–	2
39 " "	–	–	–	–	–	–	–	1	1	–	2
40 " "	1	–	–	–	–	–	–	–	–	1	2
41 " "	–	–	–	–	–	–	1	1	–	–	2
42 " "	–	–	–	–	–	–	–	–	–	–	–
43 " "	–	–	–	–	–	–	–	–	–	–	–
44 " "	–	–	–	–	–	–	–	–	–	–	–
45 " "	–	–	–	–	–	1	–	–	–	–	1
46 " "	–	–	–	–	–	–	–	–	–	–	–
47 " "	–	–	–	–	–	–	–	–	–	–	–
48 " "	–	–	–	–	–	–	–	–	–	–	–
49 " "	–	–	–	–	–	–	–	–	–	–	–
50 years and over—ans et plus	–	–	–	–	–	–	–	–	–	–	–
Not stated—Non donné	–	–	–	–	–	2	–	–	–	–	2
Total	**9**	**–**	**1**	**–**	**1**	**19**	**4**	**5**	**8**	**7**	**54**

TABLE E—Deaths of Indian children under 1 year (exclusive of stillbirths) by months and provinces, 1927

TABLEAU E—Enfants indiens décédés dans leur première année (mort-nés exclus) par mois et provinces, 1927

Provinces	Total	Months—Mois															
		January — Janvier	February — Février	March — Mars	April — Avril	May — Mai	June — Juin	July — Juillet	August — Août	September — Septembre	October — Octobre	November — Novembre	December — Décembre
Canada[1]	**426**	**65**	**50**	**32**	**36**	**33**	**28**	**32**	**25**	**37**	**25**	**35**	**28**
Prince Edward Island	2	–	–	–	–	2	–	–	–	–	–	–	–
Nova Scotia	4	1	1	–	–	–	1	–	–	1	–	–	–
New Brunswick	2	–	–	1	–	–	–	–	–	–	–	1	–
Quebec	18	2	1	3	2	2	2	–	–	4	1	1	–
Ontario	73	3	8	3	11	11	4	7	5	7	6	5	3
Manitoba	39	7	6	6	3	1	2	4	3	1	–	1	5
Saskatchewan	96	21	13	4	7	5	2	8	5	7	6	9	9
Alberta	88	20	10	9	7	8	6	4	4	5	3	8	4
British Columbia	104	11	11	6	6	4	11	9	8	12	9	10	7

[1] Exclusive of Yukon and the Northwest Territories.—Ne comprend pas le Yukon et les Territoires du Nord-Ouest

TABLE F—Deaths of Indian children under 1 year (exclusive of stillbirths) by age at death, 1927
TABLEAU F—Enfants indiens décédés dans leur première année (mort-nés exclus) par âge au décès, 1927

Ages—Âges		Canada(1)	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
All infants—Tous enfants	**Total.**	**426**	**2**	**4**	**2**	**18**	**73**	**39**	**96**	**88**	**104**
	M.	**250**	**1**	**5**	**–**	**8**	**49**	**21**	**59**	**46**	**63**
	F.	**176**	**1**	**1**	**2**	**10**	**24**	**18**	**37**	**42**	**41**
Under 1 day—Moins d'un jour	Total	34	–	1	–	1	6	6	6	8	6
	M.	20	–	1	–	1	5	3	4	3	3
	F.	14	–	–	–	–	1	3	2	5	3
1 day—1 jour	Total	14	–	–	–	–	3	–	5	4	2
	M.	8	–	–	–	–	1	–	3	2	2
	F.	6	–	–	–	–	2	–	2	2	–
2 days—2 jours	Total	15	–	–	–	1	9	–	2	1	2
	M.	7	–	–	–	1	4	–	1	–	1
	F.	8	–	–	–	–	5	–	1	1	1
3 days—3 jours	Total	8	–	1	–	2	2	–	2	–	1
	M.	4	–	1	–	–	2	–	–	–	1
	F.	4	–	–	–	2	–	–	2	–	–
4 days—4 jours	Total	9	–	–	1	–	3	–	2	1	2
	M.	7	–	–	–	–	2	–	2	1	2
	F.	2	–	–	1	–	1	–	–	–	–
5 days—5 jours	Total	7	–	–	–	–	2	–	2	–	3
	M.	4	–	–	–	–	2	–	2	–	–
	F.	3	–	–	–	–	–	–	–	–	3
6 days—6 jours	Total	3	–	–	–	–	2	–	1	–	–
	M.	2	–	–	–	–	1	–	1	–	–
	F.	1	–	–	–	–	1	–	–	–	–
Under 1 week—Moins d'une semaine	*Total*	*90*	–	*2*	*1*	*4*	*27*	*6*	*20*	*14*	*16*
	M.	*52*	–	*2*	–	*2*	*17*	*3*	*13*	*6*	*9*
	F.	*38*	–	–	*1*	*2*	*10*	*3*	*7*	*8*	*7*
1 week and under 2 weeks—1 semaine et moins de 2 semaines	Total	28	–	–	–	1	3	3	6	8	7
	M.	15	–	–	–	1	1	1	3	5	4
	F.	13	–	–	–	–	2	2	3	3	3
2 weeks and under 3 weeks—2 semaines et moins de 3 semaines	Total	29	–	–	–	1	5	3	5	7	8
	M.	16	–	–	–	–	3	1	2	5	5
	F.	13	–	–	–	1	2	2	3	2	3
3 weeks and under 1 month—3 semaines et moins de 1 mois	Total	11	–	1	–	2	3	1	–	2	2
	M.	5	–	–	–	–	2	1	–	1	1
	F.	6	–	1	–	2	1	–	–	1	1
Under 1 month—Moins d'un mois	*Total*	*158*	–	*3*	*1*	*8*	*38*	*13*	*31*	*31*	*33*
	M.	*88*	–	*2*	–	*3*	*23*	*6*	*18*	*17*	*19*
	F.	*70*	–	*1*	*1*	*5*	*15*	*7*	*13*	*14*	*14*
1 month and under 2 months—1 mois et moins de 2 mois	Total	42	–	–	–	2	8	3	14	8	7
	M.	26	–	–	–	–	8	3	6	5	4
	F.	16	–	–	–	2	–	–	8	3	3
2 months and under 3 months—2 mois et moins de 3 mois	Total	29	–	–	–	1	3	3	4	6	12
	M.	19	–	–	–	–	2	3	4	3	7
	F.	10	–	–	–	1	1	–	–	3	5
3 months and under 4 months—3 mois et moins de 4 mois	Total	37	–	–	–	2	3	2	16	10	4
	M.	23	–	–	–	1	1	–	11	7	3
	F.	14	–	–	–	1	2	2	5	3	1
4 months and under 5 months—4 mois et moins de 5 mois	Total	31	1	–	–	1	3	4	8	5	9
	M.	22	1	–	–	–	2	2	7	4	6
	F.	9	–	–	–	1	1	2	1	1	3
5 months and under 6 months—5 mois et moins de 6 mois	Total	16	–	–	–	2	3	3	2	3	3
	M.	9	–	–	–	2	2	3	1	1	–
	F.	7	–	–	–	–	1	–	1	2	3
6 months and under 7 months—6 mois et moins de 7 mois	Total	26	–	–	–	2	4	2	4	5	9
	M.	15	–	–	–	2	3	2	3	–	5
	F.	11	–	–	–	–	1	–	1	5	4
7 months and under 8 months—7 mois et moins de 8 mois	Total	22	–	–	1	–	4	1	6	5	5
	M.	14	–	–	–	–	3	–	3	4	4
	F.	8	–	–	1	–	1	1	3	1	1
8 months and under 9 months—8 mois et moins de 9 mois	Total	20	–	1	–	–	3	3	4	3	6
	M.	11	–	1	–	–	2	1	2	2	3
	F.	9	–	–	–	–	1	2	2	1	3
9 months and under 10 months—9 mois et moins de 10 mois	Total	14	1	–	–	–	–	2	3	3	5
	M.	8	–	–	–	–	–	–	3	1	4
	F.	6	1	–	–	–	–	2	–	2	1
10 months and under 11 months—10 mois et moins de 11 mois	Total	16	–	–	–	–	–	2	3	5	6
	M.	6	–	–	–	–	–	–	1	1	4
	F.	10	–	–	–	–	–	2	2	4	2
11 months and under 12 months—11 mois et moins de 12 mois	Total	15	–	–	–	–	4	1	1	4	5
	M.	9	–	–	–	–	3	1	–	1	4
	F.	6	–	–	–	–	1	–	1	3	1

(1) Exclusive of Yukon and the Northwest Territories.—Ne comprend pas le Yukon et les Territoires du Nord-Ouest.

TABLE G—Deaths of Indian children (exclusive of stillbirths) from certain specified causes in first year of life, for each sex by provinces, 1927

Int. list No.	Causes of death — Causes de décès	Canada[1]			P.E.I.			N.S.		
		Total	M.	F.	Total	M.	F.	Total	M.	F.
	All Causes—Toutes causes	**426**	**250**	**176**	**2**	**1**	**1**	**4**	**3**	**1**
7	Measles—Rougeole	4	3	1	–	–	–	–	–	–
8	Scarlet fever—Scarlatine	–	–	–	–	–	–	–	–	–
9	Whooping-cough—Coqueluche	22	16	6	–	–	–	–	–	–
10	Diphtheria—Diphtérie	–	–	–	–	–	–	–	–	–
11	Influenza—Grippe	40	22	18	–	–	–	–	–	–
16	Dysentery—Dysenterie	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	2	2	–	–	–	–	–	–	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë	2	–	2	–	–	–	–	–	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique	–	–	–	–	–	–	–	–	–
29	Tetanus—Tétanos	–	–	–	–	–	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	17	10	7	–	–	–	–	–	–
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	5	2	3	–	–	–	–	–	–
33–37	Tuberculosis, other forms—Tuberculose, autres formes	3	1	2	–	–	–	–	–	–
38	Syphilis	5	4	1	–	–	–	–	–	–
41	Purulent infection, septicaemia—Infection purulente, septicémie	–	–	–	–	–	–	–	–	–
56	Rickets—Rachitisme	–	–	–	–	–	–	–	–	–
62	Diseases of the thymus—Affections du thymus	–	–	–	–	–	–	–	–	–
70	Encephalitis—Encéphalite	–	–	–	–	–	–	–	–	–
71a	Simple meningitis—Méningite simple	1	1	–	–	–	–	–	–	–
71b	Non-epidemic, cerebrospinal meningitis—Méningite cérébro-spinale non épidémique	–	–	–	–	–	–	–	–	–
80	Convulsions	15	13	2	2	1	1	1	1	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	4	2	2	–	–	–	–	–	–
87–90	Diseases of the heart—Affections du cœur	–	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite	9	6	3	–	–	–	–	–	–
100	Bronchopneumonia—Broncho-pneumonie	19	10	9	–	–	–	–	–	–
101	Pneumonia—Pneumonie	60	31	29	–	–	–	1	1	–
110–112	Diseases of the stomach—Affections de l'estomac	1	–	1	–	–	–	–	–	–
113	Diarrhoea and enteritis—Diarrhée et entérite	29	18	11	–	–	–	–	–	–
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	–	–	–	–	–	–	–	–	–
128	Nephritis—Néphrite	–	–	–	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	2	1	1	–	–	–	–	–	–
159	Malformations—Vices de conformation	13	7	6	–	–	–	–	–	–
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	1	1	–	–	–	–	–	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur	7	4	3	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre	5	2	3	–	–	–	–	–	–
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	66	38	28	–	–	–	–	–	–
161a	Premature birth—Naissance prématurée	29	19	10	–	–	–	1	1	–
161b	Injury at birth—Conséquence de l'accouchement	6	5	1	–	–	–	..	–	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	37	19	18	–	–	–	–	–	–
175–203	External causes—Causes extérieures	7	4	3	–	–	–	1	–	1
	Other specified causes—Autres causes spécifiées	10	5	5	–	–	–	–	–	–
204, 205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	18	11	7	–	–	–	–	–	–

[1] Exclusive of Yukon and the Northwest Territories.

TABLEAU G—Décès d'enfants indiens dans leur première année d'existence (mort-nés exclus), par sexe et par certaines causes spécifiées, dans chaque province, 1927

N.B.			Que.			Ont.			Man.			Sask.			Alta.			B.C.			No. liste int.
Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	
2	–	**2**	**18**	**8**	**10**	**73**	**49**	**24**	**39**	**21**	**18**	**96**	**59**	**37**	**88**	**46**	**42**	**104**	**63**	**41**	
–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	3	2	1	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	–	–	–	–	–	3	2	1	1	–	1	4	3	1	1	1	–	13	10	3	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
–	–	–	–	–	–	–	–	–	7	4	3	15	10	5	8	3	5	10	5	5	11
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	21
–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–	–	22
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
–	–	–	–	–	–	2	2	–	2	–	2	1	1	–	9	5	4	3	2	1	31
–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	2	–	2	1	–	1	32
–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	2	–	2	–	–	–	33–37
–	–	–	–	–	–	3	3	–	–	–	–	1	–	1	–	–	–	1	1	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	41
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	56
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70
–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
–	–	–	–	–	–	1	1	–	–	–	–	4	4	–	2	2	–	5	4	1	80
–	–	–	2	–	2	–	–	–	–	–	–	1	1	–	–	–	–	1	1	–	86
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	87–90
–	–	–	1	1	–	1	1	–	1	1	–	2	–	2	1	1	–	3	2	1	99
–	–	–	–	–	–	3	1	2	2	1	1	8	4	4	2	2	–	4	2	2	100
1	–	1	–	–	–	10	5	5	2	1	1	12	7	5	27	15	12	7	2	5	101
–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	110–112
1	–	1	8	5	3	9	8	1	2	1	1	4	1	3	3	1	2	2	2	–	113
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	118
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	128
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	153
–	–	–	–	–	–	3	2	1	1	1	–	5	2	3	3	2	1	1	–	1	159
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	159a
–	–	–	–	–	–	3	2	1	1	1	–	1	1	–	1	–	1	1	–	1	159b
–	–	–	–	–	–	–	–	–	–	–	–	4	1	3	1	1	–	–	–	–	159c
–	–	–	3	1	2	16	9	7	3	2	1	19	12	7	11	4	7	14	10	4	160
–	–	–	1	1	–	8	5	3	4	2	2	3	2	1	5	3	2	7	5	2	161a
–	–	–	–	–	–	4	4	–	–	–	–	1	1	–	1	–	1	–	–	–	161b
–	–	–	2	–	2	2	1	1	6	3	3	5	3	2	7	4	3	15	8	7	162
–	–	–	–	–	–	2	1	1	–	–	–	1	1	–	1	1	–	2	1	1	175–203
–	–	–	1	–	1	3	1	2	–	–	–	3	2	1	–	–	–	3	2	1	
–	–	–	–	–	–	3	3	–	7	4	3	1	1	–	–	–	–	7	3	4	204, 205

(1) Ne comprend pas le Yukon et les Territoires du Nord-Ouest.

TABLE H—Total deaths of Indians (exclusive of stillbirths) by months and provinces, 1927
TABLEAU H—Total des décès d'Indiens (mort-nés exclus) par mois et provinces, 1927

Provinces	Total	Months—Mois											
		January — Janvier	February — Février	March — Mars	April — Avril	May — Mai	June — Juin	July — Juillet	August — Août	September — Septembre	October — Octobre	November — Novembre	December — Décembre
Canada(1)	**2,000**	**247**	**193**	**188**	**184**	**174**	**144**	**169**	**142**	**144**	**148**	**144**	**123**
Prince Edward Island	9	1	–	1	2	2	–	–	–	–	1	1	1
Nova Scotia	22	2	3	1	1	2	4	1	1	2	1	3	1
New Brunswick	22	2	3	4	1	1	3	1	1	2	1	2	1
Quebec	105	13	6	12	6	11	9	8	9	10	7	11	3
Ontario	412	31	35	50	55	45	23	38	21	36	40	17	21
Manitoba	190	19	20	27	14	18	11	21	13	8	14	12	13
Saskatchewan	305	52	39	18	33	18	20	17	27	19	19	19	24
Alberta	349	46	30	33	34	24	31	35	25	23	19	24	25
British Columbia	586	81	57	42	38	53	43	48	45	44	46	55	34

(1) Exclusive of Yukon and the Northwest Territories.—Ne comprend pas le Yukon et les Territoires du Nord-Ouest.

TABLE I—Deaths of Indians (exclusive of stillbirths) by age at death, 1927
TABLEAU I—Décès d'Indiens (mort-nés exclus) par âge au décès, 1927

Ages—Âges		Canada[1]	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
All ages—Tous âges	**Total**	**2,000**	**9**	**22**	**22**	**105**	**412**	**190**	**305**	**349**	**586**
	M.	**1,037**	**4**	**11**	**7**	**60**	**214**	**85**	**162**	**183**	**311**
	F.	**963**	**5**	**11**	**15**	**45**	**198**	**105**	**143**	**166**	**275**
Under 1 year—Moins d'un an	Total	426	2	4	2	18	73	39	96	88	104
	M.	250	1	3	–	8	49	21	59	46	63
	F.	176	1	1	2	10	24	18	37	42	41
1 year—an	Total	131	–	1	1	10	15	17	22	16	49
	M.	62	–	–	1	6	4	7	11	5	28
	F.	69	–	1	–	4	11	10	11	11	21
2 years—ans	Total	74	–	1	–	2	5	5	12	13	36
	M.	35	–	1	–	1	1	2	5	6	19
	F.	39	–	–	–	1	4	3	7	7	17
3 years—ans	Total	44	–	1	–	1	7	2	5	11	17
	M.	23	–	–	–	1	4	–	4	6	8
	F.	21	–	1	–	–	3	2	1	5	9
4 years—ans	Total	33	–	–	1	2	4	1	5	8	12
	M.	18	–	–	–	1	2	1	3	6	5
	F.	15	–	–	1	1	2	–	2	2	7
Under 5 years—Moins de 5 ans	*Total*	*708*	*2*	*7*	*4*	*33*	*104*	*64*	*140*	*136*	*218*
	M.	*388*	*1*	*4*	*1*	*17*	*60*	*31*	*82*	*69*	*123*
	F.	*320*	*1*	*3*	*3*	*16*	*44*	*33*	*58*	*67*	*95*
5- 9 years—ans	Total	113	1	–	1	4	18	9	23	23	34
	M.	60	–	–	1	1	10	6	12	13	17
	F.	53	1	–	–	3	8	3	11	10	17
10-14 years—ans	Total	119	1	–	4	2	27	9	16	17	43
	M.	52	1	–	–	1	13	4	5	9	19
	F.	67	–	–	4	1	14	5	11	8	24
15-19 years—ans	Total	147	–	2	1	3	36	17	20	24	44
	M.	66	–	1	–	2	14	5	10	7	27
	F.	81	–	1	1	1	22	12	10	17	17
20-24 years—ans	Total	105	2	4	1	9	16	11	13	20	29
	M.	43	–	–	1	3	9	4	8	9	9
	F.	62	2	4	–	6	7	7	5	11	20
25-29 years—ans	Total	74	1	2	2	1	15	6	7	16	24
	M.	29	–	1	–	–	7	4	1	6	10
	F.	45	1	1	2	1	8	2	6	10	14
30-34 years—ans	Total	59	–	–	–	2	14	6	9	11	17
	M.	32	–	–	–	2	6	2	4	6	12
	F.	27	–	–	–	–	8	4	5	5	5
35-39 years—ans	Total	64	–	–	2	6	17	5	7	16	11
	M.	29	–	–	–	4	6	–	4	12	3
	F.	35	–	–	2	2	11	5	3	4	8
40-44 years—ans	Total	41	–	–	1	3	13	3	7	7	7
	M.	19	–	–	1	2	5	2	4	5	–
	F.	22	–	–	–	1	8	1	3	2	7
45-49 years—ans	Total	48	–	1	–	2	13	4	8	10	10
	M.	22	–	–	–	–	6	1	5	5	5
	F.	26	–	1	–	2	7	3	3	5	5
50-54 years—ans	Total	52	–	1	2	4	17	5	5	9	9
	M.	23	–	–	–	2	7	3	2	4	5
	F.	29	–	1	2	2	10	2	3	5	4
55-59 years—ans	Total	33	–	–	–	4	8	4	2	5	10
	M.	19	–	–	–	3	5	1	–	3	7
	F.	14	–	–	–	1	3	3	2	2	3
60-64 years—ans	Total	58	1	1	1	7	10	3	8	11	16
	M.	35	1	1	1	6	7	1	2	8	8
	F.	23	–	–	–	1	3	2	6	3	8
65-69 years—ans	Total	70	–	2	2	4	21	6	5	12	18
	M.	54	–	2	2	4	16	5	2	9	14
	F.	16	–	–	–	–	5	1	3	3	4
70-74 years—ans	Total	69	–	1	1	8	17	7	11	8	16
	M.	40	–	1	–	4	10	5	7	5	8
	F.	29	–	–	1	4	7	2	4	3	8
75-79 years—ars	Total	56	–	–	–	6	12	11	4	5	18
	M.	30	–	–	–	5	5	3	3	4	10
	F.	26	–	–	–	1	7	8	1	1	8
80-84 years—ans	Total	68	1	–	–	2	15	10	4	12	24
	M.	36	1	–	–	2	8	6	2	5	12
	F.	32	–	–	–	–	7	4	2	7	12
85-89 years—ans	Total	43	–	–	–	3	11	3	6	6	14
	M.	24	–	–	–	1	6	–	3	4	10
	F.	19	–	–	–	2	5	3	3	2	4
90-94 years—ans	Total	24	–	–	–	1	6	4	5	–	8
	M.	9	–	–	–	1	3	1	2	–	2
	F.	15	–	–	–	–	3	3	3	–	6
95-99 years—ans	Total	10	–	1	–	1	3	1	3	–	1
	M.	6	–	1	–	–	2	–	2	–	1
	F.	4	–	–	–	1	1	1	1	–	–
100 years and over—Ans et plus	Total	20	–	–	–	–	4	1	2	1	12
	M.	10	–	–	–	–	1	–	2	–	7
	F.	10	–	–	–	–	3	1	–	1	5
Age not stated—Âge non donné	Total	19	–	–	–	–	15	1	–	–	3
	M.	11	–	–	–	–	8	1	–	–	2
	F.	8	–	–	–	–	7	–	–	–	1

[1] Exclusive of Yukon and the Northwest Territories.—Ne comprend pas le Yukon et les Territoires du Nord-Ouest.

TABLE J—Causes of deaths of Indians by sex in each province, 1927

Int. list No.	Causes of death — Causes de décès		Canada (1)	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
	DEATHS—ALL CAUSES—DÉCÈS—TOUTES CAUSES.	Total	2,000	9	22	22	105	412	190	305	349	586
		M.	1,037	4	11	7	60	214	85	162	183	311
		F.	963	5	11	15	45	198	105	143	166	275
	CLASS I—EPIDEMIC, ENDEMIC AND INFECTIOUS DISEASES—CLASSE I—AFFECTIONS ÉPIDÉMIQUES, ENDÉMIQUES ET INFECTIEUSES.	Total	890	3	7	8	34	159	87	146	178	268
		M.	440	–	2	3	18	76	41	74	87	139
		F.	450	3	5	5	16	83	46	72	91	129
1	Typhoid and paratyphoid fever—Fièvre typhoïde et paratyphoïde.	M.	6	–	–	–	1	3	–	–	2	–
		F.	3	–	–	–	3	–	–	–	–	–
	(a) Typhoid fever—Fièvre typhoïde.	M.	6	–	–	–	1	3	–	–	2	–
		F.	3	–	–	–	3	–	–	–	–	–
	(b) Paratyphoid fever—Fièvre paratyphoïde.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
6	Small-pox—Variole	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1
7	Measles—Rougeole	M.	11	–	–	–	1	1	1	1	–	7
		F.	7	–	–	–	–	1	3	–	–	3
8	Scarlet fever—Scarlatine	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–
9	Whooping-cough—Coqueluche	M.	24	–	–	–	1	3	–	3	2	15
		F.	19	–	–	–	–	2	3	1	2	11
10	Diphtheria—Diphtérie	M.	1	–	–	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
11	Influenza—Grippe	M.	92	–	–	–	–	10	13	23	5	41
		F.	84	–	–	–	2	5	10	24	8	35
	(a) Sole cause—Cause unique.	M.	50	–	–	–	–	2	9	9	3	27
		F.	43	–	–	–	–	2	5	12	6	18
	(b) With phthisis—Avec phtisie.	M.	8	–	–	–	–	1	2	–	–	5
		F.	12	–	–	–	1	1	2	3	1	4
	(c) With bronchitis—Avec bronchite.	M.	2	–	–	–	–	1	–	1	–	–
		F.	1	–	–	–	–	–	–	1	–	–
	(d) With pneumonia—Avec pneumonie.	M.	21	–	–	–	–	4	2	7	1	7
		F.	18	–	–	–	–	1	3	5	–	9
	(e) With other respiratory diseases—Avec autres affections de l'appareil respiratoire.	M.	2	–	–	–	–	–	–	–	–	2
		F.	2	–	–	–	–	–	–	1	–	1
	(f) With diseases and accidents of pregnancy and parturition—Avec affections et accidents de la grossesse.	F.	2	–	–	–	–	–	–	1	–	1
	(g) With other causes—Avec autres causes.	M.	9	–	–	–	–	2	–	6	1	–
		F.	6	–	–	–	1	1	–	1	1	2
16	Dysentery—Dysenterie	M.	2	–	–	–	–	1	–	–	–	1
		F.	2	–	–	–	–	2	–	–	–	–
21	Erysipelas—Érysipèle	M.	3	–	–	–	–	–	–	–	3	–
		F.	3	–	–	–	–	–	–	1	1	1
22	Acute anterior poliomyelitis—Poliomyélite aiguë.	M.	–	–	–	–	–	–	–	–	–	–
		F.	6	–	–	–	–	–	1	2	2	1
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique.	M.	1	–	–	–	–	–	–	–	1	–
		F.	2	–	–	–	–	1	1	–	–	–
25	Other epidemic and endemic diseases—Autres affections épidémiques et endémiques.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	1	–	–	–	–	–
	(a) Chicken-pox—Varicelle.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	1	–	–	–	–	–
	(b) German measles—Rubéole.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
31-37	**Tuberculosis—Tuberculose.**	M.	287	–	2	3	15	55	23	45	71	73
		F.	317	3	5	5	10	70	28	43	78	75
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire.	M.	245	–	2	3	12	51	19	35	54	69
		F.	278	3	5	5	9	63	28	36	66	63
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central.	M.	15	–	–	–	1	–	1	3	8	2
		F.	12	–	–	–	–	–	–	–	6	6
33	Tuberculosis of the intestines and peritoneum—Tuberculose des intestins et du peritoine.	M.	8	–	–	–	1	–	2	2	3	–
		F.	13	–	–	–	–	4	–	4	3	2

(1) Exclusive of Yukon and the Northwest Territories—Ne comprend pas le Yukon et les Territoires du Nord-Ouest.

TABLEAU J—Causes de décès d'Indiens, par sexe, dans chaque province, 1927

Int. list No.	Causes of death — Causes de décès		Canada	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
	CLASS I—con.—CLASSE I—fin											
34	Tuberculosis of the vertebral column—Tuberculose de la colonne vertébrale.	M.	2	-	-	-	-	-	-	2	-	-
		F.	2	-	-	-	-	1	-	1	-	-
35	Tuberculosis of the joints—Tuberculose articulaire.	M.	2	-	-	-	-	1	-	-	1	-
		F.	1	-	-	-	-	-	-	-	1	-
36	Tuberculosis of other organs—Tuberculose d'autres organes.	M.	5	-	-	-	-	-	-	2	2	1
		F.	4	-	-	-	-	1	-	-	2	1
	(a) Skin and sub-cutaneous cellular tissue—De la peau et du tissu cellulaire sous-cutané.	M.	1	-	-	-	-	-	-	-	-	1
		F.	-	-	-	-	-	-	-	-	-	-
	(b) Bones (vertebral column excepted)—Des os (excepté la colonne vertébrale.)	M.	-	-	-	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-
	(c) Lymphatic system (mesenteric and retroperitoneal glands excepted)—Du système lymphatique (excepté les ganglions mésentériques et les ganglions rétropéritonéaux).	M.	3	-	-	-	-	-	-	2	1	-
		F.	3	-	-	-	-	1	-	-	2	-
	(d) Genito-urinary system—Des organes génito-urinaires.	M.	1	-	-	-	-	-	-	-	1	-
		F.	-	-	-	-	-	-	-	-	-	-
	(e) Organs other than above—Autres organes que ceux déjà mentionnés.	M.	-	-	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-	-	1
37	Disseminated tuberculosis—Tuberculose disséminée.	M.	10	-	-	-	1	3	1	1	3	1
		F.	7	-	-	-	1	1	-	2	-	3
	(a) Acute—Aiguë	M.	7	-	-	-	1	3	1	-	1	1
		F.	4	-	-	-	1	1	-	1	-	1
	(b) Chronic or unstated—Chronique ou non spécifiée.	M.	3	-	-	-	-	-	-	1	2	-
		F.	3	-	-	-	-	-	-	1	-	2
38	Syphilis	M.	7	-	-	-	-	3	1	-	2	1
		F.	3	-	-	-	-	-	-	1	-	2
41	Purulent infection, septicaemia—Infection purulente, septicémie.	M.	6	-	-	-	-	-	3	1	1	1
		F.	1	-	-	-	-	1	-	-	-	-
	CLASS II—GENERAL DISEASES NOT INCLUDED IN CLASS I—CLASSE II—MALADIES GÉNÉRALES NON MENTIONNÉES DANS LA CLASSE I.	**Total**	**69**	**1**	**2**	**-**	**4**	**32**	**9**	**4**	**7**	**10**
		M.	**33**	**1**	**1**	**-**	**3**	**9**	**5**	**3**	**5**	**6**
		F.	**36**	**-**	**1**	**-**	**1**	**23**	**4**	**1**	**2**	**4**
43–49	**Cancer**	**M.**	**20**	**1**	**1**	**-**	**2**	**5**	**2**	**2**	**4**	**3**
		F.	**22**	**-**	**-**	**-**	**1**	**13**	**3**	**1**	**2**	**2**
43	Cancer of the buccal cavity—Cancer de la cavité buccale.	M.	3	-	-	-	-	1	-	-	1	1
		F.	-	-	-	-	-	-	-	-	-	-
44	Cancer of the stomach and liver—Cancer de l'estomac et du foie.	M.	8	1	1	-	1	-	1	-	3	1
		F.	9	-	-	-	-	4	1	1	2	1
45	Cancer of the peritoneum, intestines and rectum—Cancer du péritoine, des intestins et du rectum.	M.	1	-	-	-	-	1	-	-	-	-
		F.	1	-	-	-	-	1	-	-	-	-
46	Cancer of the female genital organs—Cancer des organes génitaux de la femme.	F.	8	-	-	-	1	5	1	-	-	1
47	Cancer of the breast—Cancer du sein.	M.	-	-	-	-	-	-	-	-	-	-
		F.	2	-	-	-	-	1	1	-	-	-
48	Cancer of the skin—Cancer de la peau.	M.	-	-	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	1	-	-	-	-
49	Cancer of other or unspecified organs—Cancer d'autres organes ou d'organes non spécifiés.	M.	8	-	-	-	1	3	1	2	-	1
		F.	1	-	-	-	-	1	-	-	-	-
	(a) Other—Autres	M.	7	-	-	-	1	2	1	2	-	1
		F.	1	-	-	-	-	1	-	-	-	-
	(b) Unspecified—Non spécifiés.	M.	1	-	-	-	-	1	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-
50	Benign tumours and tumours not returned as malignant (tumours of female genital organs excepted)—Tumeurs bénignes et tumeurs non données comme malignes (tumeurs des organes génitaux de la femme exceptées).	M.	1	-	-	-	-	1	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-

TABLE J—Causes of deaths of Indians by sex in each province, 1927—*con.*

Int. list No.	Causes of death — Causes de décès		Canada	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
	CLASS II—con.—CLASSE II—fin											
51	Acute rheumatic fever—Rhumatisme articulaire aigu fébrile.	M.	2	–	–	–	–	–	1	1	–	–
		F.	3	–	–	–	–	1	–	–	–	2
52	Chronic rheumatism, osteo-arthritis, gout—Rhumatisme chronique ou goutte.	M.	1	–	–	–	–	–	–	–	1	–
		F.	1	–	1	–	–	–	–	–	–	–
56	Rickets—Rachitisme.....	M.	1	–	–	–	–	–	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
57	Diabetes mellitus—Diabète..	M.	4	–	–	–	–	3	1	–	–	–
		F.	3	–	–	–	–	3	–	–	–	–
58	Anaemia, chlorosis — Anémie, chlorose.	M.	2	–	–	–	1	–	–	–	–	1
		F.	5	–	–	–	–	4	1	–	–	–
	(a) Pernicious anaemia — Anémie pernicieuse.	M.	1	–	–	–	1	–	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–
	(b) Other anaemias and chlorosis—Autres anémies et chloroses.	M.	1	–	–	–	–	–	–	–	–	1
		F.	4	–	–	–	–	3	1	–	–	–
60	Diseases of the thyroid gland —Affections de la glande thyroïde.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–
	(a) Exophthalmic goiter— Goître exophtalmique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other diseases of the thyroid gland—Autres affections de la glande thyroïde.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–
61	Diseases of the parathyroid glands—Affections des glandes parathyroïdes.	M.	1	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
66	Alcoholism—Alcoolisme.....	M.	1	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Delirium tremens.....	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Acute alcoholism — Alcoolisme aigu.....	M.	1	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Chronic alcoholism — Alcoolisme chronique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
69	Other general diseases—Autres maladies générales.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–
	(a) Diabetes insipidus—Diabète insipide.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Haemophilia—Hémophilie.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–
	(c) Purpura haemorrhagica —Purpura hémorragique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Others under this title— Autres sous ce titre.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS III—DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE—CLASSE III—AFFECTIONS DU SYSTÈME NERVEUX ET DES ORGANES DES SENS.	**Total**	**90**	**2**	**3**	**1**	**5**	**18**	**5**	**17**	**14**	**25**
		M.	**48**	**1**	**2**	**1**	**1**	**9**	**2**	**11**	**7**	**14**
		F.	**42**	**1**	**1**	–	**4**	**9**	**3**	**6**	**7**	**11**
70	Encephalitis—Encéphalite....	M.	2	–	–	–	–	1	–	–	1	–
		F.	1	–	–	–	–	–	–	–	1	–
	(a) Abscess of brain—Abcès du cerveau.	M.	1	–	–	–	–	–	–	–	1	–
		F.	1	–	–	–	–	–	–	–	1	–
	(b) Encephalitis — Encéphalite.	M.	1	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
71	Meningitis—Méningite.....	M.	2	–	–	–	–	–	–	1	–	1
		F.	9	–	–	–	1	1	–	2	3	2
	(a) Simple meningitis—Méningite simple.	M.	2	–	–	–	–	–	–	1	–	1
		F.	9	–	–	–	1	1	–	2	3	2
	(b) Non-epidemic, cerebrospinal meningitis — Méningite cérébro-spinale non épidémique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
73	Other diseases of the spinal cord—Autres affections de la moelle épinière.	M.	2	–	–	–	–	1	1	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1
74	Cerebral haemorrhage, apoplexy—Hémorragie cérébrale, apoplexie.	M.	12	–	1	–	–	5	1	2	1	2
		F.	10	–	–	–	–	6	1	2	–	1
	(a) Apoplexy—Apoplexie....	M.	6	–	–	–	–	2	–	2	1	1
		F.	6	–	–	–	–	3	–	2	–	1

TABLEAU J—Causes de décès d'Indiens, par sexe, dans chaque province, 1927—*suite*

Int. list No.	Causes of death — Causes de décès		Canada	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
	CLASS III—con.—CLASSE III —fin											
74	(b) Cerebral haemorrhage —Hémorragie cérébrale	M.	6	–	1	–	–	3	1	–	–	1
		F.	4	–	–	–	–	3	1	–	–	–
	(c) Cerebral thrombosis and embolism — Thrombose et embolie cérébrales.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
75	Paralysis without specified cause—Paralysie sans cause indiquée.	M.	5	–	–	–	1	–	–	–	–	4
		F.	8	–	–	–	1	2	–	–	3	2
	(a) Hemiplegia — Hémiplégie.	M.	1	–	–	–	–	–	–	–	–	1
		F.	2	–	–	–	–	2	–	–	–	–
	(b) Others under this title— Autres sous ce titre.	M.	4	–	–	–	1	–	–	–	–	3
		F.	6	–	–	–	1	–	–	–	3	2
76	General paralysis of the insane—Paralysie générale des aliénés.	M.	2	–	–	–	–	1	–	1	–	–
		F.	1	–	–	–	–	–	1	–	–	–
77	Other forms of mental alienation—Autres formes de l'aliénation mentale.	M.	–	–	–	–	–	–	–	–	–	–
		F.	3	–	1	–	–	–	–	–	–	2
78	Epilepsy—Epilepsie.....	M.	2	–	–	–	–	–	–	–	1	1
		F.	1	–	–	–	–	–	–	1	–	–
80	Infantile convulsions (under 5 years of age)—Convulsions des enfants (moins de cinq ans).	M.	17	1	1	1	–	1	–	6	2	5
		F.	5	1	–	–	–	–	–	1	–	3
84	Other diseases of the nervous system—Autres affections du système nerveux.	M.	2	–	–	–	–	–	–	–	2	–
		F.	–	–	–	–	–	–	–	–	–	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien.	M.	2	–	–	–	–	–	–	1	–	1
		F.	3	–	–	–	2	–	1	–	–	–
	(a) Diseases of the ear—Affections de l'oreille.	M.	1	–	–	–	–	–	–	–	–	1
		F.	1	–	–	–	1	–	–	–	–	–
	(b) Diseases of the mastoid process—Affections du sinus mastoïdien.	M.	1	–	–	–	–	–	–	1	–	–
		F.	2	–	–	–	1	–	1	–	–	–
	CLASS IV—DISEASES OF THE CIRCULATORY SYSTEM—CLASSE IV—AFFECTIONS DE L'APPAREIL CIRCULATOIRE.	Total	94	–	1	5	2	38	6	6	10	19
		M.	49	–	1	1	6	23	2	1	4	11
		F.	45	–	–	4	3	15	4	5	6	8
87-90	**Diseases of the heart—Affections du cœur.**	M.	29	–	1	–	5	10	1	1	3	8
		F.	42	–	–	4	3	13	4	5	5	8
89	Angina pectoris—Angine de poitrine.	M.	2	–	–	–	–	2	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–
90	Other diseases of the heart— Autres affections du cœur	M.	27	–	1	–	5	8	1	1	3	8
		F.	41	–	–	4	3	12	4	5	5	8
	(a) Valvular disease—Affection valvulaire.	M.	6	–	–	–	1	1	–	–	–	4
		F.	4	–	–	–	1	1	–	2	–	–
	(b) Fatty degeneration of the heart—Dégénérescence ou stéanose du cœur.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Aortic insufficiency—Insuffisance aortique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Chronic endocarditis— Endocardite chronique.	M.	2	–	–	–	–	1	–	–	–	1
		F.	10	–	–	2	–	3	2	1	1	1
	(e) Chronic myocarditis— Myocardite chronique.	M.	12	–	–	–	1	6	1	1	–	3
		F.	11	–	–	1	–	5	–	1	1	3
	(f) Others under this title— Artres sous ce titre.	M.	7	–	1	–	3	–	–	–	3	–
		F.	16	–	–	1	2	3	2	1	3	4
91	Diseases of the arteries—Affections des artères.	M.	16	–	–	1	1	12	–	–	–	2
		F.	3	–	–	–	–	2	–	–	1	–
	(a) Aneurysm—Anévrisme.	M.	2	–	–	–	–	2	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Arteriosclerosis— Artério-sclérose.	M.	14	–	–	1	1	10	–	–	–	2
		F.	3	–	–	–	–	2	–	–	1	–
	(c) Other diseases of the arteries—Autres affections des artères.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
92	Embolism and thrombosis (not cerebral)—Embolie et thrombose (non cérébrales).	M.	1	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
94	Diseases of the lymphatic system (lymphangitis, etc.)— Affections du système lymphatique (lymphangite, ecc.)	M.	1	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
95	Haemorrhage without specified cause—Hémorragie sans cause déterminée.	M.	2	–	–	–	–	–	1	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLE J—Causes of deaths of Indians by sex in each province, 1927—*con.*

Int. list No.	Causes of death — Causes de décès		Canada	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
	CLASS V—DISEASES OF THE RESPIRATORY SYSTEM—CLASSE V—AFFECTIONS DE L'APPAREIL RESPIRATOIRE.	Total	260	2	3	2	11	42	17	51	67	65
		M.	138	1	2	–	8	20	10	26	39	32
		F.	122	1	1	2	3	22	7	25	28	33
97	Diseases of the nasal fossae and their annexa—Affections des fosses nasales et de leurs annexes.	M.	4	–	–	–	–	–	–	1	2	1
		F.	2	–	–	–	–	–	–	–	–	2
98	Diseases of the larynx—Affections du larynx.	M.	1	–	–	–	–	–	–	1	–	–
		F.	1	–	–	–	–	1	–	–	–	–
	(a) Laryngismus stridulus—Laryngite stridulеuse...	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Laryngitis—Laryngite...	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Croup.....	M.	1	–	–	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Other diseases of the larynx—Autres affections du larynx.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–
99	Bronchitis—Bronchite.....	M.	13	–	–	–	1	3	2	–	3	4
		F.	8	–	–	–	–	1	–	2	2	3
	(a) Acute—Aiguë.....	M.	5	–	–	–	1	1	1	–	1	1
		F.	4	–	–	–	–	1	–	–	1	2
	(b) Chronic—Chronique....	M.	3	–	–	–	–	2	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Not otherwise defined, under 5 years of age—Sans épithète, au-dessous de cinq ans.	M.	3	–	–	–	–	–	1	–	–	2
		F.	4	–	–	–	–	–	–	2	1	1
	(d) Not otherwise defined, 5 years or over—Sans épithète, cinq ans ou au-dessus.	M.	2	–	–	–	–	–	–	–	1	1
		F.	–	–	–	–	–	–	–	–	–	–
100	Bronchopneumonia (including capillary bronchitis) — Broncho-pneumonie (y compris bronchite capillaire).	M.	33	–	–	–	1	6	4	6	6	10
		F.	33	–	1	1	1	3	6	9	4	8
	(a) Bronchopneumonia — Broncho-pneumonie.	M.	33	–	–	–	1	6	4	6	6	10
		F.	33	–	1	1	1	3	6	9	4	8
	(b) Capillary bronchitis — Bronchite capillaire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
101	Pneumonia—Pneumonie.....	M.	82	1	2	–	5	10	4	17	27	16
		F.	73	–	–	1	1	17	1	13	22	18
	(a) Lobar—Lobaire.....	M.	21	–	1	–	1	3	3	3	4	6
		F.	10	–	–	–	–	3	–	2	1	4
	(b) Not otherwise defined—Sans épithète.	M.	61	1	1	–	4	7	1	14	23	10
		F.	63	–	–	1	1	14	1	11	21	14
102	Pleurisy—Pleurésie.....	M.	3	–	–	–	1	1	–	1	–	–
		F.	1	1	–	–	–	–	–	–	–	–
105	Asthma—Asthme.....	M.	2	–	–	–	–	–	–	–	1	1
		F.	2	–	–	–	1	–	–	1	–	–
107	Other diseases of the respiratory system (tuberculosis excepted)—Autres affections de l'appareil respiratoire (tuberculose exceptée).	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	2
	(a) Chronic interstitial pneumonia including occupational diseases of the lungs—Pneumonie interstitielle chronique comprenant les affections professionnelles de l'appareil pulmonaire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Diseases of the mediastinum—Affections du médiastin.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	2
	CLASS VI—DISEASES OF THE DIGESTIVE SYSTEM—CLASSE VI—AFFECTIONS DE L'APPAREIL DIGESTIF.	Total	102	–	1	2	19	32	9	10	12	17
		M.	55	–	–	1	9	20	3	4	6	12
		F.	47	–	1	1	10	12	6	6	6	5
109	Diseases of the pharynx and tonsils (including adenoid vegetations)—Affections du pharynx et des amygdales (y compris les végétations adénoïdiennes.)	M.	4	–	–	–	–	1	–	–	1	2
		F.	1	–	–	–	–	1	–	–	–	–

TABLEAU J—Causes de décès d'Indiens, par sexe, dans chaque province, 1927—*suite*

Int. list No.	Causes of death — Causes de décès		Canada	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
	CLASS VI—con.—CLASSE VI—fin											
109	(a) Adenoid vegetations— Végétations adénoïdiennes.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Pharynx and tonsils— Pharynx et amygdales.	M.	4	–	–	–	–	1	–	–	1	2
		F.	1	–	–	–	–	1	–	–	–	–
111	Ulcer of the stomach and duodenum—Ulcère de l'estomac et du duodénum.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	1	–	–	–	–	–
	(a) Ulcer of the stomach— Ulcère de l'estomac.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	1	–	–	–	–	–
	(b) Ulcer of the duodenum —Ulcère du duodénum.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
112	Other diseases of the stomach (cancer excepted) — Autres affections de l'estomac (cancer excepté).	M.	9	–	–	–	1	2	–	2	1	3
		F.	4	–	–	–	–	2	–	1	1	–
113	Diarrhoea and enteritis (under 2 years of age)—Diarrhée et entérite (au-dessous de 2 ans).	M.	23	–	–	–	7	9	2	1	1	3
		F.	15	–	1	1	5	1	2	3	2	–
114	Diarrhoea and enteritis (2 years or over)—Diarrhée et entérite (deux ans ou au-dessus).	M.	6	–	–	–	–	1	–	–	2	3
		F.	11	–	–	–	3	4	–	2	2	–
117	Appendicitis and typhlitis— Appendicite et typhlite.	M.	5	–	–	1	–	2	1	–	1	–
		F.	3	–	–	–	1	–	1	–	–	1
118	Hernia, intestinal obstruction —Hernie, obstruction intestinale.	M.	2	–	–	–	–	–	–	1	–	1
		F.	3	–	–	–	–	1	1	–	1	–
	(a) Hernia—Hernie.....	M.	2	–	–	–	–	–	–	1	–	1
		F.	1	–	–	–	–	–	–	–	1	–
	(b) Intestinal obstruction— Obstruction intestinale.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	1	1	–	–	–
119	Other diseases of the intestines —Autres affections des intestins.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–
120	Acute yellow atrophy of the liver—Atrophie jaune aiguë du foie.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–
122	Cirrhosis of the liver—Cirrhose du foie.	M.	4	–	–	–	1	3	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1
	(a) Specified as alcoholic— Spécifiée comme alcoolique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Not specified as alcoholic — Non spécifiée comme alcoclique.	M.	4	–	–	–	1	3	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1
123	Biliary calculi—Calculs biliaires.	M.	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	3
124	Other diseases of the liver— Autres affections du foie.	M.	1	–	–	–	–	1	–	–	–	–
		F.	3	–	–	–	–	2	1	–	–	–
126	Peritonitis without specified cause—Péritonite sans cause indiquée.	M.	1	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS VII—NON-VENEREAL DISEASES OF THE GENITO-URINARY SYSTEM AND ANNEXA—CLASSE VII—AFFECTIONS NON VÉNÉRIENNES DE L'APPAREIL GÉNITO-URINAIRE ET DE SES ANNEXES.	Total	35	–	1	1	9	10	2	2	4	6
		M.	27	–	1	1	6	8	1	2	4	4
		F.	8	–	–	–	3	2	1	–	–	2
128	Acute nephritis (including unspecified, under 10 years of age)—Néphrite aiguë (y compris non spécifiée au-dessous de dix ans).	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	1	–	–	–	1
129	Chronic nephritis (including unspecified, 10 years of age or over)—Néphrite chronique (y compris non spécifiée, dix ans ou au-dessus).	M.	22	–	1	1	5	7	–	2	4	2
		F.	5	–	–	–	3	1	1	–	–	–
131	Other diseases of the kidneys and annexa—Autres affections des reins et de leurs annexes.	M.	1	–	–	–	1	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1

TABLE J—Causes of deaths of Indians by sex in each province, 1927—*con.*

Int. list No.	Causes of death — Causes de décès		Canada	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
	CLASS VII—con.—CLASSE VII—fin											
132	Calculi of the urinary passages —Calculs des voies urinaires.	M.	1	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
134	Diseases of the urethra, urinary abscess, etc.—Affections de l'urètre, abcès urineux, etc.	M.	1	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Stricture of the urethra—Rétrécissement de l'urètre.	M.	1	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other diseases of the urethra—Autres affections de l'urètre.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
135	Diseases of the prostate—Affections de la prostate.	M.	2	–	–	–	–	1	1	–	–	–
	CLASS VIII—THE PUERPERAL STATE—CLASSE VIII—ÉTAT PUERPÉRAL.	Total	**21**	–	–	**1**	–	**5**	**1**	**4**	**5**	**5**
143	Accidents of pregnancy—Accidents de la grossesse.	F.	3	–	–	–	–	–	1	1	1	–
	(a) Abortion—Avortement.	F.	2	–	–	–	–	–	1	1	–	–
	(b) Ectopic gestation—Gestation ectopique.	F.	1	–	–	–	–	–	–	–	1	–
	(c) Others under this title—Autres sous ce titre.	F.	–	–	–	–	–	–	–	–	–	–
	(d) Abortion, self-induced —Avortement provoqué par soi-même.	F.	–	–	–	–	–	–	–	–	–	–
144	Puerperal haemorrhage—Hémorragie puerpérale.	F.	3	–	–	–	–	–	–	1	1	1
145	Other accidents of labour—Autres accidents de l'accouchement.	F.	4	–	–	–	–	2	–	–	–	2
	(a) Cæsarean section—Opération césarienne.	F.	–	–	–	–	–	–	–	–	–	–
	(b) Difficult labour—Accouchement laborieux.	F.	1	–	–	–	–	1	–	–	–	–
	(c) Other surgical operations and instrumental delivery—Autres opérations chirurgicales et applications d'instruments.	F.	3	–	–	–	–	1	–	–	–	2
	(d) Uncontrollable vomiting—Vomissements incontrôlables.	F.	–	–	–	–	–	–	–	–	–	–
	(e) Rupture of uterus in labour, etc.—Rupture de l'utérus durant l'accouchement, etc.	F.	–	–	–	–	–	–	–	–	–	–
146	Puerperal septicaemia—Septicémie puerpérale.	F.	7	–	–	1	–	1	–	2	2	1
148	Puerperal albuminuria and convulsions—Albuminurie et éclampsie puerpérales.	F.	4	–	–	–	–	2	–	–	1	1
	CLASS IX—DISEASES OF THE SKIN AND OF THE CELLULAR TISSUE—CLASSE IX—AFFECTIONS DE LA PEAU ET DU TISSU CELLULAIRE.	Total	**6**	–	**1**	–	–	**1**	**1**	–	**1**	**2**
		M.	3	–	–	–	–	–	1	–	1	1
		F.	3	–	1	–	–	1	–	–	–	1
151	Gangrene—Gangrène	M.	2	–	–	–	–	–	1	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
152	Furuncle—Furoncle	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–
153	Acute abscess — Phlegmon, abcès chaud.	M.	1	–	–	–	–	–	–	–	–	1
		F.	2	–	1	–	–	–	–	–	–	1

TABLEAU J—Causes de décès d'Indiens, par sexe, dans chaque province, 1927—*suite*

Int. list No.	Causes of death — Causes de décès		Canada	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
	CLASS X — DISEASES OF THE BONES AND OF THE ORGANS OF LOCOMOTION—CLASSE X—AFFECTIONS DES OS ET DES ORGANES DE LA LOCOMOTION.	Total	2	–	–	–	–	1	–	–	–	1
		M.	1	–	–	–	–	–	–	–	–	1
		F.	1	–	–	–	–	1	–	–	–	–
155	Diseases of the bones (mastoid and tuberculosis excepted)—Affections des os (sinus mastoïdien et tuberculose exceptés).	M.	1	–	–	–	–	–	–	–	–	1
		F.	1	–	–	–	–	1	–	–	–	–
	CLASS XI—MALFORMATIONS—CLASSE XI—VICES DE CONFORMATION.	Total	14	–	–	–	–	3	1	5	3	2
		M.	7	–	–	–	–	2	1	2	2	–
		F.	7	–	–	–	–	1	–	3	1	2
159	Congenital malformations (stillbirths not included)—Vices de conformation congénitaux (mort-nés non compris).	M.	7	–	–	–	–	2	1	2	2	–
		F.	7	–	–	–	–	1	–	3	1	2
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale.	M.	1	–	–	–	–	–	–	–	1	–
		F.	1	–	–	–	–	–	–	–	–	1
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur.	M.	4	–	–	–	–	2	1	1	–	–
		F.	3	–	–	–	–	1	–	–	1	1
	(c) Others under this title—Autres sous ce titre.	M.	2	–	–	–	–	–	–	1	1	–
		F.	3	–	–	–	–	–	–	3	–	–
	CLASS XII—DISEASES OF EARLY INFANCY—CLASSE XII—AFFECTIONS DU PREMIER ÂGE.	Total	140	–	1	–	6	30	13	29	24	37
		M.	82	–	1	–	2	19	7	18	11	24
		F.	58	–	–	–	4	11	6	11	13	13
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème.	M.	38	–	–	–	1	9	2	12	4	10
		F.	28	–	–	–	2	7	1	7	7	4
161	Premature birth, injury at birth—Naissance prématurée, conséquence de l'accouchement.	M.	24	–	1	–	1	9	2	3	3	5
		F.	11	–	–	–	–	3	2	1	3	2
	(a) Premature birth—Naissance prématurée.	M.	19	–	1	–	1	5	2	2	3	5
		F.	10	–	–	–	–	3	2	1	2	2
	(b) Injury at birth—Conséquence de l'accouchement.	M.	5	–	–	–	–	4	–	1	–	–
		F.	1	–	–	–	–	–	–	–	1	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge.	M.	19	–	–	–	–	1	3	3	4	8
		F.	18	–	–	–	2	1	3	2	3	7
163	Lack of care—Défaut de soins.	M.	1	–	–	–	–	–	–	–	–	1
		F.	1	–	–	–	–	–	–	1	–	–
	CLASS XIII—OLD AGE—CLASSE XIII—VIEILLESSE.	Total	97	–	1	–	1	13	12	14	7	49
		M.	48	–	1	–	1	7	4	9	4	22
		F.	49	–	–	–	–	6	8	5	3	27
164	Senility—Sénilité	M.	48	–	1	–	1	7	4	9	4	22
		F.	49	–	–	–	–	6	8	5	3	27
	CLASS XIV—EXTERNAL CAUSES—CLASSE XIV—CAUSES EXTÉRIEURES.	Total	82	–	1	–	7	19	4	10	10	31
		M.	59	–	–	–	6	14	2	8	10	19
		F.	23	–	1	–	1	5	2	2	–	12
165-174	**Suicides**	M.	3	–	–	–	–	–	1	1	–	1
		F.	–	–	–	–	–	–	–	–	–	–

TABLE J—Causes of deaths of Indians by sex in each province, 1927—*con.*

Int. list No.	Causes of death — Causes de décès		Canada	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
	CLASS XIV-con.—**CLASSE XIV**-fin											
170	Suicide by firearms—Suicide par armes à feu.	M.	3	–	–	–	–	–	1	1	–	1
		F.	–	–	–	–	–	–	–	–	–	–
175	Poisoning by food—Empoisonnement par aliments.	M.	3	–	–	–	–	–	–	–	–	3
		F.	4	–	–	–	–	–	1	–	–	3
177	Other acute accidental poisonings (gas excepted)—Autres empoisonnements accidentels, aigus (par gaz exceptés).	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1
178	Conflagration—Incendie.....	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1
179	Accidental burns and scalds (conflagration excepted)—Brûlures accidentelles (autres que par l'incendie).	M.	4	–	–	–	–	1	–	1	–	2
		F.	4	–	1	–	1	1	–	–	–	1
180	Accidental mechanical suffocation—Suffocation mécanique accidentelle.	M.	1	–	–	–	–	–	–	1	–	–
		F.	1	–	–	–	–	1	–	–	–	–
	(a) Overlaying — Étouffé pendant le sommeil.	M.	1	–	–	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Asphyxia—Asphyxie....	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–
181	Accidental absorption of irrespirable or poisonous gas —Absorption accidentelle de gaz irrespirables ou toxiques.	M.	1	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
182	Accidental drowning—Submersion accidentelle.	M.	12	–	–	–	–	4	1	2	2	3
		F.	2	–	–	–	–	1	–	–	–	1
183	Accidental traumatism by fire-arms—Traumatismes accidentels par armes à feu.	M.	3	–	–	–	–	–	–	1	1	1
		F.	–	–	–	–	–	–	–	–	–	–
185	Accidental traumatism by fall —Traumatismes accidentels par chute.	M.	10	–	–	–	5	1	–	–	1	3
		F.	4	–	–	–	–	–	–	1	–	3
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.)—Traumatismes accidentels par autres écrasements (voitures, railways, éboulements, etc.).	M.	10	–	–	–	–	4	–	–	2	4
		F.	3	–	–	–	–	1	1	–	–	1
	(a) Railroad accidents — Accidents par chemins de fer.	M.	5	–	–	–	–	1	–	–	1	3
		F.	1	–	–	–	–	–	1	–	–	–
	(b) Street car accidents— Accidents par tramways.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Automobile accidents— Accidents par automobiles.	M.	2	–	–	–	–	2	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–
	(d) Aeroplane and balloon accidents — Accidents par aéroplanes et ballons.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Injuries by other vehicles—Blessures par autres voitures.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(f) Other crushing—Autres écrasements.	M.	3	–	–	–	–	1	–	–	1	1
		F.	1	–	–	–	–	–	–	–	–	1
192	Starvation (deprivation of food or water)—Faim ou soif.	M.	1	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
193	Excessive cold—Froid excessif.	M.	6	–	–	–	–	1	–	1	2	2
		F.	–	–	–	–	–	–	–	–	–	–
194	Excessive heat—Chaleur excessive.	M.	1	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
197-199	**Homicides**.....	**M.**	**2**	–	–	–	–	**1**	–	**1**	–	–
		F.	**2**	–	–	–	–	–	–	**1**	–	**1**
197	Homicide by firearms—Homicide par armes à feu.	M.	2	–	–	–	–	1	–	1	–	–
		F.	2	–	–	–	–	–	–	1	–	1
201	Fracture (cause not specified) —Fracture (cause non spécifiée).	M.	1	–	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
202	Other external violence (cause specified)—Autres violences extérieures (cause spécifiée).	M.	1	–	–	–	–	1	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–

TABLEAU J—Causes de décès d'Indiens, par sexe, dans chaque province, 1927—*fin*

Int. list No.	Causes of death — Causes de décès		Canada	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
	CLASS XV—ILL-DEF-INED DISEASES— CLASSE XV — MALADIES MAL DÉFINIES.	**Total**	**98**	**1**	**–**	**2**	**–**	**9**	**23**	**7**	**7**	**49**
		M.	**47**	**1**	**–**	**–**	**–**	**7**	**6**	**4**	**3**	**26**
		F.	**51**	**–**	**–**	**2**	**–**	**2**	**17**	**3**	**4**	**23**
204	Sudden death—Mort subite...	M.	2	–	–	–	–	1	–	–	–	1
		F.	1	–	–	–	–	1	–	–	–	–
205	Cause of death not specified or ill-defined — Cause de décès non spécifiée ou mal définie.	M.	45	1	–	–	–	6	6	4	3	25
		F.	50	–	–	2	–	1	17	3	4	23
	(a) Ill-defined — Mal définie.	M.	7	–	–	–	–	1	–	1	1	4
		F.	3	–	–	1	–	–	–	1	1	–
	(b) Not specified or unknown—Non spécifiée ou inconnue.	M.	33	1	–	–	–	4	6	2	1	19
		F.	45	–	–	1	–	1	17	2	3	21
	(c) Heart failure—Paralysie du cœur.	M.	5	–	–	–	–	1	–	1	1	2
		F.	2	–	–	–	–	–	–	–	–	2
	(d) Syncope.....	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLE K—Causes of deaths of Indians by sex and age, Canada[1], 1927

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	DEATHS—ALL CAUSES—DÉCÈS—TOUTES CAUSES	**Total**	**2,000**	**426**	**131**	**74**	**44**	**33**	**113**	**119**	**147**	**105**
		M.	**1,037**	**250**	**62**	**35**	**23**	**18**	**60**	**52**	**66**	**43**
		F.	**963**	**176**	**69**	**39**	**21**	**15**	**53**	**67**	**81**	**62**
	CLASS I—EPIDEMIC, ENDEMIC AND INFECTIOUS DISEASES—CLASSE I—AFFECTIONS ÉPIDÉMIQUES, ENDÉMIQUES ET INFECTIEUSES.	**Total**	**890**	**100**	**61**	**40**	**29**	**20**	**81**	**88**	**123**	**71**
		M.	**440**	**60**	**27**	**18**	**14**	**15**	**42**	**42**	**51**	**31**
		F.	**450**	**40**	**34**	**22**	**15**	**5**	**39**	**46**	**72**	**40**
1	Typhoid and paratyphoid fever—Fièvre typhoïde et paratyphoïde.	M.	6	–	–	–	–	2	–	1	–	1
		F.	3	–	–	–	–	–	1	–	–	–
	(a) Typhoid fever—Fièvre typhoïde....	M.	6	–	–	–	–	2	–	1	–	1
		F.	3	–	–	–	–	–	1	–	–	–
	(b) Paratyphoid fever—Fièvre paratyphoïde.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
6	Small-pox—Variole.....	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
7	Measles—Rougeole.....	M.	11	3	–	1	1	1	4	1	–	–
		F.	7	1	–	1	1	–	2	–	1	–
8	Scarlet fever—Scarlatine.....	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	1	–	–	–	–	–
9	Whooping-cough—Coqueluche.....	M.	24	16	3	1	1	–	2	1	–	–
		F.	19	6	7	4	2	–	–	–	–	–
10	Diphtheria—Diphtérie.....	M.	1	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
11	Influenza—Grippe.....	M.	92	22	14	7	3	4	5	3	3	–
		F.	84	18	9	8	5	–	6	4	3	–
	(a) Sole cause—Cause urique.....	M.	50	12	8	4	1	3	2	–	–	–
		F.	43	14	5	5	3	–	3	1	–	–
	(b) With phthisis—Avec phtisie.....	M.	8	2	1	2	–	–	–	1	–	–
		F.	12	–	–	1	–	–	2	2	3	–
	(c) With bronchitis—Avec bronchite....	M.	2	1	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(d) With pneumonia—Avec pneumonie.	M.	21	5	4	–	–	–	1	2	3	–
		F.	18	3	2	2	1	–	1	–	–	–
	(e) With other respiratory diseases—Avec autres affections de l'appareil respiratoire.	M.	2	1	–	–	1	–	–	–	–	–
		F.	2	–	2	–	–	–	–	–	–	–
	(f) With diseases and accidents of pregnancy and parturition—Avec affections et accidents de la grossesse.	F.	2	–	–	–	–	–	–	–	–	–
	(g) With other causes—Avec autres causes.	M.	9	1	1	1	1	1	2	–	–	–
		F.	6	–	–	–	1	–	–	1	–	–
16	Dysentery—Dysenterie.....	M.	2	–	2	–	–	–	–	–	–	–
		F.	2	–	2	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle.....	M.	3	2	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë.	M.	–	–	–	–	–	–	–	–	–	–
		F.	6	2	3	–	–	–	–	1	–	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique.	M.	1	–	–	–	–	–	–	–	–	–
		F.	2	–	1	–	–	–	1	–	–	–
25	Other epidemic and endemic diseases—Autres affections épidémiques et endémiques.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	1	–	–	–	–	–	–	–
	(a) Chicken-pox—Varicelle.....	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	1	–	–	–	–	–	–	–
	(b) German measles—Rubéole.....	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
31-37	**Tuberculosis—Tuberculose**.....	**M.**	**287**	**13**	**7**	**8**	**9**	**7**	**30**	**35**	**48**	**30**
		F.	**317**	**12**	**11**	**9**	**6**	**5**	**29**	**41**	**68**	**39**
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire.	M.	245	10	4	5	5	5	22	29	45	28
		F.	278	7	10	5	5	3	22	36	63	37
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central.	M.	15	2	1	3	4	–	4	1	–	–
		F.	12	3	–	2	1	–	5	–	–	1
33	Tuberculosis of the intestines and peritoneum—Tuberculose des intestins et du péritoine.	M.	8	–	–	–	–	2	2	2	–	1
		F.	13	–	–	1	–	1	1	4	3	–
34	Tuberculosis of the vertebral column—Tuberculose de la colonne vertébrale.	M.	2	–	–	–	–	–	2	–	–	–
		F.	2	–	1	–	–	1	–	–	–	–
35	Tuberculosis of the joints—Tuberculose articulaire.	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–

[1] Exclusive of Yukon and the Northwest Territories.—Ne comprend pas le Yukon et les Territoires du Nord-Ouest.

TABLEAU K—Causes de décès d'Indiens selon le sexe et l'âge, Canada[1], 1927

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
74	**59**	**64**	**41**	**48**	**52**	**33**	**58**	**70**	**69**	**56**	**68**	**43**	**24**	**10**	**20**	**19**	
29	**32**	**29**	**19**	**22**	**23**	**19**	**35**	**54**	**40**	**30**	**36**	**24**	**9**	**6**	**10**	**11**	
45	**27**	**35**	**22**	**26**	**29**	**14**	**23**	**16**	**29**	**26**	**32**	**19**	**15**	**4**	**10**	**8**	
50	**31**	**34**	**16**	**16**	**22**	**12**	**19**	**16**	**16**	**14**	**9**	**6**	**2**	**1**	**1**	**12**	
18	**16**	**16**	**8**	**5**	**10**	**5**	**14**	**12**	**11**	**8**	**3**	**4**	**1**	**1**	**1**	**7**	
32	**15**	**18**	**8**	**11**	**12**	**7**	**5**	**4**	**5**	**6**	**6**	**2**	**1**	–	–	**5**	
–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1a
–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	2	1	1	–	–	2	4	4	4	5	–	4	1	1	–	–	11
1	–	6	4	2	2	–	2	2	2	5	2	2	1	–	–	–	
–	1	1	1	–	–	2	2	3	3	3	–	3	–	1	–	–	11a
1	–	1	1	–	1	–	1	1	2	2	1	–	1	–	–	–	
–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	11b
–	–	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	11c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	–	–	–	–	–	2	–	–	1	–	1	–	–	–	–	11d
–	–	2	3	1	–	–	1	–	–	1	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	11f
–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	11g
–	–	–	–	–	1	–	–	–	–	2	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	21
–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
16	**14**	**12**	**7**	**4**	**9**	**3**	**7**	**8**	**6**	**3**	**3**	–	–	–	**1**	**7**	31-37
31	**15**	**10**	**4**	**9**	**7**	**5**	**3**	**2**	**2**	**1**	**3**	–	–	–	–	**3**	
15	14	10	7	2	8	2	7	8	5	3	3	–	–	–	1	7	31
28	15	9	4	7	7	4	3	2	2	1	3	–	–	–	–	5	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	33
2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	35
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	

TABLE K—Causes of deaths of Indians by sex and age, Canada, 1927—*con.*

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS I-con.—**CLASSE I**-fin											
36	Tuberculosis of other organs—Tuberculose d'autres organes.	M.	5	–	–	–	–	–	–	2	2	–
		F.	4	2	–	–	–	–	–	–	–	1
	(a) Skin and sub-cutaneous cellular tissue—De la peau et du tissu cellulaire sous-cutané.	M.	1	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Bones (vertebral column excepted)—Des os (excepté la colonne vertébrale).	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Lymphatic system (mesenteric, and retroperitoneal glands excepted)—Du système lymphatique (excepté les ganglions mésentériques et les ganglions rétropéritonéaux.)	M.	3	–	–	–	–	–	–	2	1	–
		F.	3	2	–	–	–	–	–	–	–	–
	(d) Genito-urinary system—Des organes gérito-urinaires.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Organs other than above—Autres organes que ceux déjà mentionnés.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1
37	Disseminated tuberculosis—Tuberculose disséminée.	M.	10	1	2	–	–	–	–	1	1	1
		F.	7	–	–	1	–	–	1	1	2	–
	(a) Acute—Aiguë	M.	7	1	2	–	–	–	–	–	1	1
		F.	4	–	–	1	–	–	–	–	2	–
	(b) Chronic or unstated—Chronique ou non spécifiée.	M.	3	–	–	–	–	–	–	1	–	–
		F.	3	–	–	–	–	–	1	1	–	–
38	Syphilis	M.	7	4	1	–	–	1	1	–	–	–
		F.	3	1	–	–	–	–	–	–	–	1
41	Purulent infection, septicaemia—Infection purulente, septicémie.	M.	6	–	–	–	–	–	–	1	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	CLASS II—GENERAL DISEASES NOT INCLUDED IN CLASS I— CLASSE II—MALADIES GÉNÉRALES NON MENTIONNÉES DANS LA CLASSE I.	Total	69	3	3	–	–	–	1	1	1	2
		M.	33	2	2	–	–	–	1	1	1	2
		F.	36	1	1	–	–	–	–	–	–	–
43-49	Cancer	M.	20	–	–	–	–	–	–	–	1	1
		F.	22	–	–	–	–	–	–	–	–	–
43	Cancer of the buccal cavity—Cancer de la cavité buccale.	M.	3	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
44	Cancer of the stomach and liver—Cancer de l'estomac et du foie.	M.	8	–	–	–	–	–	–	–	–	–
		F.	9	–	–	–	–	–	–	–	–	–
45	Cancer of the peritoneum, intestines and rectum—Cancer du péritoine, des intestins et du rectum.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
46	Cancer of the female genital organs—Cancer des organes génitaux de la femme.	F.	8	–	–	–	–	–	–	–	–	–
47	Cancer of the breast—Cancer du sein	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
48	Cancer of the skin—Cancer de la peau	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
49	Cancer of other or unspecified organs—Cancer d'autres organes ou d'organes non spécifiés.	M.	8	–	–	–	–	–	–	–	1	1
		F.	1	–	–	–	–	–	–	–	–	–
	(a) Other—Autres	M.	7	–	–	–	–	–	–	–	1	1
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Unspecified—Non spécifiés	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
50	Benign tumours and tumours not returned as malignant (tumours of the female genital organs excepted) — Tumeurs bénignes et tumeurs non données comme malignes (tumeurs des organes génitaux de la femme exceptées).	M.	1	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
51	Acute rheumatic fever—Rhumatisme articulaire aigu fébrile.	M.	2	–	–	–	–	–	1	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
52	Chronic rheumatism, ostec-arthritis, gout —Rhumatisme chronique ou goutte.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
56	Rickets—Rachitisme	M.	1	–	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
57	Diabetes mellitus—Diabète	M.	4	–	–	–	–	–	–	1	–	–
		F.	3	–	–	–	–	–	–	–	–	–
58	Anaemia, chlorosis—Anémie, chlorose	M.	2	–	1	–	–	–	–	–	–	–
		F.	5	–	1	–	–	–	–	–	–	–
	(a) Pernicious anaemia—Anémie pernicieuse.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–

TABLEAU K—Causes de décès d'Indiens selon le sexe et l'âge, Canada, 1927—*suite*

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	36
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36c
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	36d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36e
–	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	37
1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	37a
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	37b
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	38
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	1	–	2	–	1	–	–	–	–	–	–	–	41
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	**2**	**4**	**5**	**7**	**5**	**2**	**6**	**13**	**5**	**3**	**2**	**2**	**1**	–	–	**1**	
–	**1**	**1**	–	**3**	–	**1**	**3**	**9**	**3**	–	**2**	**1**	–	–	–	–	
–	**1**	**3**	**5**	**4**	**5**	**1**	**3**	**4**	**2**	**3**	–	**1**	**1**	–	–	**1**	
–	**1**	**1**	–	**2**	–	**1**	**3**	**6**	**1**	–	**2**	**1**	–	–	–	–	43-49
–	**1**	**1**	**3**	**2**	**4**	–	**3**	**2**	**1**	**3**	–	**1**	**1**	–	–	–	
–	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	43
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	2	4	1	–	1	–	–	–	–	–	44
–	–	–	–	–	2	–	1	1	–	3	–	1	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	45
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	1	1	2	2	1	–	1	–	–	–	–	–	–	–	–	–	46
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	47
–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	48
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	1	–	2	–	1	1	1	–	–	–	–	–	–	–	–	49
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	2	–	1	1	1	–	–	–	–	–	–	–	–	49a
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	49b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	50
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–	51
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	52
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	56
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	57
–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	58
–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	1	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	58a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	

TABLE K—Causes of deaths of Indians by sex and age, Canada, 1927—*con.*

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS II-con.—**CLASSE II**-fin											
58	(b) Other anaemias and chlorosis—Autres anémies et chloroses.	M.	1	–	1	–	–	–	–	–	–	–
		F.	4	–	1	–	–	–	–	–	–	–
60	Diseases of the thyroid gland—Affections de la glande thyroïde.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(a) Exophthalmic goiter—Goître exophtalmique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other diseases of the thyroid gland—Autres affections de la glande thyroïde.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
61	Diseases of the parathyroid glands—Affections des glandes parathyroïdes.	M.	1	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
66	Alcoholism—Alcoolisme	M.	1	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Delirium tremens	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Acute acoholism—Alcoolisme aigu.	M.	1	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Chronic alcoholism — Alcoolisme chronique	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
69	Other general diseases—Autres maladies générales.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(a) Diabete insipidus—Diabète insipide	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Haemophilia—Hémophilie	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(c) Purpura haemorrhagica—Purpura hémorragique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Others under this title—Autres sous ce titre.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS III—DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE—CLASSE III—AFFECTIONS DU SYSTÈME NERVEUX ET DES ORGANES DES SENS.	Total	90	20	6	3	–	3	2	3	2	2
		M.	48	16	3	1	–	–	–	–	1	1
		F.	42	4	3	2	–	3	2	3	1	1
70	Encephalitis—Encéphalite	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(a) Abscess of brain—Abcès du cerveau.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Encephalitis—Encéphalite	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
71	Meningitis—Méningite	M.	2	1	–	–	–	–	–	–	1	–
		F.	9	–	1	2	–	2	1	2	–	–
	(a) Simple meningitis—Méningite simple	M.	2	1	–	–	–	–	–	–	1	–
		F.	9	–	1	2	–	2	1	2	–	–
	(b) Non-epidemic, cerebrospinal meningitis—Méningite cérébro-spinale non épidémique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
73	Other diseases of the spinal cord—Autres affections de la moelle épinière.	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–
74	Cerebral haemorrhage, apoplexy—Hémorragie cérébrale, apoplexie.	M.	12	–	–	–	–	–	–	–	–	–
		F.	10	–	–	–	–	–	–	–	–	–
	(a) Apoplexy—Apoplexie	M.	6	–	–	–	–	–	–	–	–	–
		F.	6	–	–	–	–	–	–	–	–	–
	(b) Cerebral haemorrhage—Hémorragie cérébrale.	M.	6	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
	(c) Cerebral thrombosis and embolism—Thrombose et embolie cérébrales.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
75	Paralysis without specified cause—Paralysie sans cause indiquée.	M.	5	–	–	–	–	–	–	–	–	–
		F.	8	–	–	–	–	–	–	–	1	–
	(a) Hemiplegia—Hémiplégie	M.	1	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(b) Others under this title—Autres sous ce titre.	M.	4	–	–	–	–	–	–	–	–	–
		F.	6	–	–	–	–	–	–	–	1	–
76	General paralysis of the insane—Paralysie générale des aliénés.	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
77	Other forms of mental alienation—Autres formes de l'aliénation mentale.	M.	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	1
78	Epilepsy—Épilepsie	M.	2	–	–	–	–	–	–	–	–	1
		F.	1	–	–	–	–	–	–	–	–	–
80	Infantile convulsions (under 5 years of age)—Convulsions des enfants (moins de cinq ans).	M.	17	13	3	1	–	–	–	–	–	–
		F.	5	2	2	–	–	1	–	–	–	–

TABLEAU K—Causes de décès d'Indiens selon le sexe et l'âge, Canada, 1927—*suite*

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	58b
–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	60
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	60a
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	60b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	61
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	66
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	66a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	66b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	66c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69d
2	**2**	**4**	**3**	**1**	**3**	**6**	**3**	**4**	**8**	**4**	**3**	**3**	–	–	**1**	**2**	
1	**2**	**2**	**1**	–	**1**	**5**	**3**	**3**	**5**	–	**1**	**2**	–	–	–	–	
1	–	**2**	**2**	**1**	**2**	**1**	–	**1**	**3**	**4**	**2**	**1**	–	–	**1**	**2**	
1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	70a
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70b
1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	71
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71a
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	73
–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	74
–	–	–	1	–	–	2	1	2	4	–	1	1	–	–	–	–	74a
–	–	–	1	–	2	1	–	–	2	1	–	–	–	–	1	2	74b
–	–	–	1	–	–	1	1	1	1	–	–	1	–	–	–	–	74c
–	–	–	–	–	1	–	–	–	2	1	–	–	–	–	1	1	75
–	–	–	1	–	1	1	–	1	3	–	1	–	–	–	–	–	75a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	75b
–	–	1	–	1	–	–	1	–	1	3	1	–	–	–	–	–	76
–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	77
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	78
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80
–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE K—Causes of deaths of Indians by sex and age, Canada, 1927—*con.*

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS III-con.—**CLASSE III**-fin											
84	Other diseases of the nervous system— Autres affections du système nerveux.	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien.	M.	2	2	–	–	–	–	–	–	–	–
		F.	3	2	–	–	–	–	–	1	–	–
	(a) Diseases of the ear—Affections de l'oreille.	M.	1	1	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(b) Diseases of the mastoid process — Affections du sinus mastoïdien.	M.	1	1	–	–	–	–	–	–	–	–
		F.	2	1	–	–	–	–	–	1	–	–
	CLASS IV—DISEASES OF THE CIRCULATORY SYSTEM — CLASSE IV—AFFECTIONS DE L'APPAREIL CIRCULATOIRE.	Total	94	–	–	–	–	–	–	1	–	2
		M.	49	–	–	–	–	–	–	–	–	1
		F.	45	–	–	–	–	–	–	1	–	1
87-90	**Diseases of the heart—Affections du cœur.**	M.	29	–	–	–	–	–	–	–	–	1
		F.	42	–	–	–	–	–	–	1	–	1
89	Angina pectoris—Angine de poitrine.....	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
90	Other diseases of the heart—Autres affections du cœur.	M.	27	–	–	–	–	–	–	–	–	1
		F.	41	–	–	–	–	–	–	1	–	1
	(a) Valvular disease—Affection valvulaire.	M.	6	–	–	–	–	–	–	–	–	1
		F.	4	–	–	–	–	–	–	–	–	–
	(b) Fatty degeneration of the heart— Dégénérescence ou stéanose du cœur.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Aortic insufficiency—Insuffisance aortique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Chronic endocarditis—Endocardite chronique.	M.	2	–	–	–	–	–	–	–	–	–
		F.	10	–	–	–	–	–	–	1	–	–
	(e) Chronic myocarditis—Myocardite chronique.	M.	12	–	–	–	–	–	–	–	–	–
		F.	11	–	–	–	–	–	–	–	–	–
	(f) Others under this title—Autres sous ce titre.	M.	7	–	–	–	–	–	–	–	–	–
		F.	16	–	–	–	–	–	–	–	–	1
91	Diseases of the arteries—Affections des artères.	M.	16	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
	(a) Aneurysm—Anévrisme.....	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Arteriosclerosis—Artério-sclérose....	M.	14	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
	(c) Other diseases of the arteries—Autres affections des artères.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
92	Embolism and thrombosis (not cerebral) —Embolie et thrombose (non cérébrales)	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
94	Diseases of the lymphatic system (lymphangitis, etc.)—Affections du système lymphatique (lymphangite, etc.).	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
95	Haemorrhage without specified cause— Hémorragie sans cause déterminée.	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS V—DISFASES OF THE RESPIRATORY SYSTEM—CLASSE V —AFFECTIONS DE L'APPAREIL RESPIRATOIRE.	Total	260	91	27	12	7	5	14	12	4	4
		M.	138	49	12	8	3	–	9	4	2	–
		F.	122	42	15	4	4	5	5	8	2	4
97	Diseases of the nasal fossae and their annexa—Affections des fosses nasales et de leurs annexes.	M.	4	1	–	1	–	–	–	–	–	–
		F.	2	1	–	–	–	–	–	–	–	–
98	Diseases of the larynx—Affections du larynx.	M.	1	1	–	–	–	–	–	–	–	–
		F.	1	–	–	1	–	–	–	–	–	–
	(a) Laryngismus stridulus—Laryngite striduleuse.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Laryngitis—Laryngite	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Croup.....	M.	1	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Other diseases of the larynx—Autres affections du larynx.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	1	–	–	–	–	–	–
99	Bronchitis—Bronchite.....	M.	13	6	2	–	–	–	1	–	–	–
		F.	8	3	1	–	1	–	–	1	–	–
	(a) Acute—Aiguë.....	M.	5	3	1	–	–	–	–	–	–	–
		F.	4	–	–	–	1	–	–	1	–	–
	(b) Chronic—Chronique.....	M.	3	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Not otherwise defined, under 5 years of age—Sans épithète, au dessous de cinq ans.	M.	3	2	1	–	–	–	–	–	–	–
		F.	4	3	1	–	–	–	–	–	–	–

TABLEAU K—Causes de décès d'Indiens selon le sexe et l'âge, Canada, 1927—*suite*

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	84
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	86
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	86a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	86b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	**1**	**4**	**2**	**8**	**8**	**2**	**6**	**12**	**6**	**10**	**11**	**9**	**5**	**1**	**3**	–	
2	–	**1**	**1**	**5**	**2**	**1**	**4**	**9**	**3**	**7**	**6**	**3**	**3**	–	**1**	–	
1	**1**	**3**	**1**	**3**	**6**	**1**	**2**	**3**	**3**	**3**	**5**	**6**	**2**	**1**	**2**	–	
1	–	–	**1**	**3**	**1**	–	**2**	**5**	**2**	**6**	**5**	**2**	–	–	–	–	**87-90**
1	**1**	**3**	**1**	**3**	**6**	**1**	**2**	**3**	**2**	**2**	**5**	**5**	**2**	**1**	**2**	–	
–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	89
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
1	–	–	1	2	1	–	2	5	2	5	5	2	–	–	–	–	90
1	1	3	1	3	6	1	2	3	1	2	5	5	2	1	2	–	
–	–	–	–	2	–	–	1	–	–	1	1	–	–	–	–	–	90a
–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	90b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	90c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	90d
–	–	1	–	1	3	–	–	–	–	–	–	1	1	1	1	–	
–	–	–	–	–	1	–	1	2	2	3	1	2	–	–	–	–	90e
–	–	1	–	1	–	–	–	2	1	2	2	1	1	–	–	–	
–	–	–	1	–	–	–	–	3	–	1	2	–	–	–	–	–	90f
1	1	1	1	1	3	1	2	1	–	–	2	–	–	–	1	–	
–	–	–	–	2	1	–	2	4	–	1	1	1	3	–	1	–	91
–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	
–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	91a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	1	–	1	4	–	1	1	1	3	–	1	–	91b
–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	91c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	92
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	94
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	95
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	**5**	**5**	**4**	**4**	**6**	**6**	**10**	**9**	**9**	**5**	**7**	**4**	**3**	**2**	**2**	–	
–	**2**	**2**	**3**	**3**	**4**	**4**	**5**	**7**	**7**	**4**	**5**	**2**	**1**	**1**	**1**	–	
3	**3**	**3**	**1**	**1**	**2**	**2**	**5**	**2**	**2**	**1**	**2**	**2**	**2**	**1**	**1**	–	
–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	97
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	2	–	–	1	–	–	99
–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	99a
–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	99b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	99c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE K—Causes of deaths of Indians by sex and age, Canada, 1927—*con.*

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS V-con.—CLASSE V-fin											
99	(d) Not otherwise defined, 5 years or over—Sans épithète, cinq ans ou au dessus.	M.	2	1	–	–	–	–	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
100	Bronchopneumonia (including capillary bronchitis)—Broncho-pneumonie (y compris bronchite capillaire).	M.	33	10	3	4	–	–	2	–	2	–
		F.	33	9	5	2	1	2	–	3	–	–
	(a) Bronchopneumonia—Broncho-pneumonie.	M.	33	10	3	4	–	–	2	–	2	–
		F.	33	9	5	2	1	2	–	3	–	–
	(b) Capillary bronchitis—Bronchite capillaire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
101	Pneumonia—Pneumonie	M.	82	31	7	2	3	–	6	3	–	–
		F.	73	29	9	1	2	2	5	4	1	4
	(a) Lobar—Lobaire	M.	21	4	4	–	–	–	2	–	–	–
		F.	10	1	1	–	–	–	–	–	–	2
	(b) Not otherwise defined—Sans épithète.	M.	61	27	3	2	3	–	4	3	–	–
		F.	63	28	8	1	2	2	5	4	1	2
102	Pleurisy—Pleurésie	M.	3	–	–	1	–	–	–	1	–	–
		F.	1	–	–	–	–	–	–	–	–	–
105	Asthma—Asthme	M.	2	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
107	Other diseases of the respiratory system (tuberculosis excepted)—Autres affections de l'appareil respiratoire (tuberculose exceptée).	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	1	–	–	1	–
	(a) Chronic interstitial pneumonia including occupational diseases of the lungs—Pneumonie interstitielle chronique comprenant les affections professionnelles de l'appareil pulmonaire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Diseases of the mediastinum—Affections du médiastin.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	1	–	–	1	–
	CLASS VI—DISEASES OF THE DIGESTIVE SYSTEM—CLASSE VI—AFFECTIONS DE L'APPAREIL DIGESTIF.	Total	102	31	13	6	1	–	6	4	2	5
		M.	55	18	8	2	1	–	5	3	2	3
		F.	47	13	5	4	–	–	1	1	–	2
109	Diseases of the pharynx and tonsils (including adenoid vegetations)—Affections du pharynx et des amygdales (y compris les végétations adénoïdiennes).	M.	4	–	1	–	–	–	–	–	–	1
		F.	1	–	1	–	–	–	–	–	–	–
	(a) Adenoid vegetations—Végétations adénoïdiennes.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Pharynx and tonsils—Pharynx et amygdales.	M.	4	–	1	–	–	–	–	–	–	1
		F.	1	–	1	–	–	–	–	–	–	–
111	Ulcer of the stomach and duodenum—Ulcère de l'estomac et du duodénum.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(a) Ulcer of the stomach—Ulcère de l'estomac.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Ulcer of the duodenum—Ulcère du duodénum.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
112	Other diseases of the stomach (cancer excepted)—Autres affections de l'estomac (cancer excepté).	M.	9	–	2	–	1	–	1	–	2	–
		F.	4	1	–	–	–	–	–	–	–	–
113	Diarrhœa and enteritis (under 2 years of age)—Diarrhée et entérite (au-dessous de 2 ans).	M.	23	18	5	–	–	–	–	–	–	–
		F.	15	11	4	–	–	–	–	–	–	–
114	Diarrhœa and enteritis (2 years or over)—Diarrhée et entérite (deux ans ou au-dessus).	M.	6	–	–	2	–	–	2	–	–	1
		F.	11	–	–	4	–	–	1	–	–	2
117	Appendicitis and typhlitis—Appendicite et typhlite.	M.	5	–	–	–	–	–	2	2	–	1
		F.	3	1	–	–	–	–	–	1	–	–
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale.	M.	2	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
	(a) Hernia—Hernie	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Intestinal obstruction—Obstruction intestinale.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
119	Other diseases of the intestines—Autres affections des intestins.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
120	Acute yellow atrophy of the liver—Atrophie jaune aiguë du foie.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
122	Cirrhosis of the liver—Cirrhose du foie	M.	4	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–

TABLEAU K—Causes de décès d'Indiens selon le sexe et l'âge, Canada, 1927—*suite*

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	99d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	1	–	2	3	1	–	1	1	–	2	–	–	–	–	–	100
1	1	2	–	–	1	–	1	–	–	1	–	1	1	1	1	–	
–	1	1	–	2	3	1	–	1	1	–	2	–	–	–	–	–	100a
1	1	2	–	–	1	–	1	–	–	1	–	1	1	1	1	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	100b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	3	1	1	2	3	5	6	4	1	1	1	–	1	–	101
1	2	1	1	1	1	2	3	2	1	–	–	–	1	–	–	–	
–	–	–	3	1	1	–	–	2	1	2	1	–	–	–	–	–	101a
1	2	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	
–	1	–	–	–	–	2	3	3	5	2	–	1	1	–	1	–	101b
–	–	1	1	1	1	2	1	2	–	–	–	–	1	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	102
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	105
–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	3	3	3	1	1	5	3	4	3	1	2	2	1	–	–	
–	1	1	2	1	1	–	2	3	–	2	–	–	–	–	–	–	
1	–	2	1	2	–	1	3	–	4	1	1	2	2	1	–	–	
–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	109
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	109a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	109b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	111
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	111a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	111b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	112
1	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	113
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	114
–	–	–	–	1	–	–	1	–	–	–	–	1	–	1	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	117
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	118
–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	118a
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	118b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	119
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	120
–	–	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–	122
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE K—Causes of deaths of Indians by sex and age, Canada, 1927—*con.*

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VI-con.—CLASSE VI-fin											
122	(a) Specified as alcoholic—Spécifiée comme alcoolique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Not specified as alcoholic—Non spécifiée comme alcoolique.	M.	4	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
123	Biliary calculi—Calculs biliaires.....	M.	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
124	Other diseases of the liver—Autres affections du foie.	M.	1	–	–	–	–	–	–	1	–	–
		F.	3	–	–	–	–	–	–	–	–	–
126	Peritonitis without specified cause—Péritonite sans cause indiquée.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS VII—NON-VENEREAL DISEASES OF THE GENITO-URINARY SYSTEM AND ANNEXA—CLASSE VII—AFFECTIONS NON VÉNÉRIENNES DE L'APPAREIL GÉNITO-URINAIRE ET DE SES ANNEXES.	Total	35	–	–	1	–	–	–	–	–	2
		M.	27	–	–	–	–	–	–	–	–	–
		F.	8	–	–	1	–	–	–	–	–	2
128	Acute nephritis (including unspecified, under 10 years of age)—Néphrite aiguë (y compris non spécifiée au-dessous de dix ans).	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	1	–	–	–	–	–	1
129	Chronic nephritis (including unspecified, 10 years of age or over)—Néphrite chronique (y compris non spécifiée, dix ans ou au-dessus).	M.	22	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	1
131	Other diseases of the kidneys and annexa—Autres affections des reins et de leurs annexes.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
132	Calculi of the urinary passages—Calculs des voies urinaires.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
134	Diseases of the urethra, urinary abscess, etc.—Affections de l'urètre, abcès urineux, etc.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Stricture of the urethra—Rétrécissement de l'urètre.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other diseases of the urethra—Autres affections de l'urètre.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
135	Diseases of the prostate—Affections de la prostate.	M.	2	–	–	–	–	–	–	–	–	–
	CLASS VIII—THE PUERPERAL STATE—CLASSE VIII—ÉTAT PUERPÉRAL.	Total	21	–	–	–	–	–	–	–	1	4
143	Accidents of pregnancy—Accidents de la grossesse.	F.	3	–	–	–	–	–	–	–	–	–
	(a) Abortion—Avortement.....	F.	2	–	–	–	–	–	–	–	–	–
	(b) Ectopic gestation—Gestation ectopique.	F.	1	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	F.	–	–	–	–	–	–	–	–	–	–
	(d) Abortion, self-induced—Avortement provoqué par soi-même.	F.	–	–	–	–	–	–	–	–	–	–
144	Puerperal haemorrhage—Hémorragie puerpérale.	F.	3	–	–	–	–	–	–	–	–	2
145	Other accidents of labour—Autres accidents de l'accouchement.	F.	4	–	–	–	–	–	–	–	1	–
	(a) Caesarean section—Opération césarienne.	F.	–	–	–	–	–	–	–	–	–	–
	(b) Difficult labour—Accouchement laborieux.	F.	1	–	–	–	–	–	–	–	–	–
	(c) Other surgical operations and instrumental delivery—Autres opérations chirurgicales et application d'instruments.	F.	3	–	–	–	–	–	–	–	1	–
	(d) Uncontrollable vomiting—Vomissements incontrôlables.	F.	–	–	–	–	–	–	–	–	–	–
	(e) Rupture of uterus in labour, etc.—Rupture de l'utérus durant l'accouchement, etc.	F.	–	–	–	–	–	–	–	–	–	–
146	Puerperal septicaemia—Septicémie puerpérale.	F.	7	–	–	–	–	–	–	–	–	–
148	Puerperal albuminuria and convulsions—Albuminurie et éclampsie puerpérales.	F.	4	–	–	–	–	–	–	–	–	2

TABLEAU K—Causes de décès d'Indiens selon le sexe et l'âge, Canada, 1927—*suite*

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	122a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–	122b
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	123
–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	124
–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	126
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	1	–	1	1	–	1	5	6	5	5	2	–	–	1	2	
–	1	1	–	1	1	–	–	5	4	5	5	2	–	–	–	2	
–	1	–	–	–	–	–	1	–	2	–	–	–	–	–	1	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	128
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	1	–	1	1	–	–	4	3	4	3	2	–	–	–	2	129
–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	1	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	131
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	132
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	134
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	134a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	134b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	135
4	4	4	3	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	143
–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143a
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	143b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143d
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	144
2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	145
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145a
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	145b
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145e
2	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	146
–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	148

TABLE K—Causes of deaths of Indians by sex and age, Canada, 1927—*con.*

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an.	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS IX—DISEASES OF THE SKIN AND OF THE CELLULAR TISSUE — CLASSE IX — AFFECTIONS DE LA PEAU ET DU TISSU CELLULAIRE.	Total	6	2	–	–	–	–	–	–	–	1
		M.	3	1	–	–	–	–	–	–	–	–
		F.	3	1	–	–	–	–	–	–	–	1
151	Gangrene—Gangrène	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
152	Furuncle—Furoncle	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	M.	1	1	–	–	–	–	–	–	–	–
		F.	2	1	–	–	–	–	–	–	–	1
	CLASS X—DISEASES OF THE BONES AND OF THE ORGANS OF LOCOMOTION—CLASSE X —AFFECTIONS DES OS ET DES ORGANES DE LA LOCOMOTION.	Total	2	1	–	–	–	–	–	–	–	–
		M.	1	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
155	Diseases of the bones (mastoid and tuberculosis excepted)—Affections des os (sinus mastoïdien et tuberculose exceptés).	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	CLASS XI—MALFORMATIONS— CLASSE XI—VICES DE CONFORMATION.	Total	14	13	1	–	–	–	–	–	–	–
		M.	7	7	–	–	–	–	–	–	–	–
		F.	7	6	1	–	–	–	–	–	–	–
159	Congenital malformations (stillbirths not included)—Vices de conformation congénitaux (mort-nés non compris).	M.	7	7	–	–	–	–	–	–	–	–
		F.	7	6	1	–	–	–	–	–	–	–
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale.	M.	1	1	–	–	–	–	–	–	–	–
		F.	1	–	1	–	–	–	–	–	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur.	M.	4	4	–	–	–	–	–	–	–	–
		F.	3	3	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	2	2	–	–	–	–	–	–	–	–
		F.	3	3	–	–	–	–	–	–	–	–
	CLASS XII—DISEASES OF EARLY INFANCY—CLASSE XII—AFFECTIONS DU PREMIER ÂGE.	Total	140	140	–	–	–	–	–	–	–	–
		M.	82	82	–	–	–	–	–	–	–	–
		F.	58	58	–	–	–	–	–	–	–	–
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème.	M.	38	38	–	–	–	–	–	–	–	–
		F.	28	28	–	–	–	–	–	–	–	–
161	Premature birth, injury at birth—Naissance prématurée, conséquence de l'accouchement.	M.	24	24	–	–	–	–	–	–	–	–
		F.	11	11	–	–	–	–	–	–	–	–
	(a) Premature birth—Naissance prématurée.	M.	19	19	–	–	–	–	–	–	–	–
		F.	10	10	–	–	–	–	–	–	–	–
	(b) Injury at birth—Conséquence de l'accouchement.	M.	5	5	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge.	M.	19	19	–	–	–	–	–	–	–	–
		F.	18	18	–	–	–	–	–	–	–	–
163	Lack of care—Défaut de soins	M.	1	1	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	CLASS XIII—OLD AGE—CLASSE XIII—VIEILLESSE.	Total	97	–	–	–	–	–	–	–	–	–
		M.	48	–	–	–	–	–	–	–	–	–
		F.	49	–	–	–	–	–	–	–	–	–
164	Senility—Sénilité	M.	48	–	–	–	–	–	–	–	–	–
		F.	49	–	–	–	–	–	–	–	–	–
	CLASS XIV—EXTERNAL CAUSES —CLASSE XIV—CAUSES EXTÉRIEURES.	Total	82	7	2	4	1	1	4	4	9	7
		M.	59	4	1	1	1	1	2	1	7	5
		F.	23	3	1	3	–	–	2	3	2	2
165-174	Suicides	M.	3	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
170	Suicide by firearms—Suicide par armes à feu.	M.	3	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
175	Poisoning by food—Empoisonnement par aliments.	M.	3	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	2
177	Other acute accidental poisonings (gas excepted)—Autres empoisonnements accidentels aigus (par gaz exceptés).	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–

TABLEAU K—Causes de décès d'Indiens selon le sexe et l'âge, Canada, 1927—*suite*

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	151
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	152
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	153
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	155
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	160
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	163
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	3	–	13	9	27	15	11	5	12	2	
–	–	–	–	–	–	–	2	–	5	2	12	10	4	4	7	2	
–	–	–	–	–	–	–	1	–	8	7	15	5	7	1	5	–	
–	–	–	–	–	–	–	2	–	5	2	12	10	4	4	7	2	164
–	–	–	–	–	–	–	1	–	8	7	15	5	7	1	5	–	
8	8	3	4	5	4	2	2	5	–	2	–	–	–	–	–	–	
7	7	3	3	4	4	2	–	5	–	1	–	–	–	–	–	–	
1	1	–	1	1	–	–	2	–	–	1	–	–	–	–	–	–	
–	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	165–174
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	170
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	175
–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	177
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE K—Causes of deaths of Indians by sex and age, Canada, 1927—*con.*

Int. list No.	Causes of death — Causes de décès		Total	Ages									
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XIV-con.—**CLASSE XIV**-fin											
178	Conflagration—Incendie	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	1	–	–	–	–	–	–
179	Accidental burns and scalds (conflagration excepted)—Brûlures accidentelles (autres que par l'incendie).	M.	4	–	–	1	–	–	–	–	–	1
		F.	4	1	1	1	–	–	–	–	1	–
180	Accidental mechanical suffocation—Suffocation mécanique accidentelle.	M.	1	1	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(a) Overlaying—Étouffé pendant le sommeil.	M.	1	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Asphyxia—Asphyxie	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
181	Accidental absorption of irrespirable or poisonous gas—Absorption accidentelle de gaz irrespirables ou toxiques.	M.	1	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
182	Accidental drowning—Submersion accidentelle.	M.	12	–	–	–	–	–	1	1	2	3
		F.	2	–	–	–	–	–	–	2	–	–
183	Accidental traumatism by firearms—Traumatismes accidentels par armes à feu.	M.	3	–	–	–	–	–	–	–	2	–
		F.	–	–	–	–	–	–	–	–	–	–
185	Accidental traumatism by fall—Traumatismes accidentels par chute.	M.	10	1	–	–	–	–	1	–	2	1
		F.	4	1	–	1	–	–	–	1	–	–
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.)—Traumatismes accidentels par autres écrasements (voitures, railways, éboulements, etc.)	M.	10	–	1	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
	(a) Railroad accidents—Accidents par chemins de fer.	M.	5	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Street car accidents—Accidents par tramways.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Automobile accidents—Accidents par automobiles.	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(d) Aeroplane and balloon accidents—Accidents par aéroplanes et ballons.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Injuries by other vehicles—Blessures par autres voitures.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(f) Other crushing—Autres écrasements.	M.	3	–	1	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
192	Starvation (deprivation of food or water)—Faim ou soif.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
193	Excessive cold—Froid excessif	M.	6	2	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
194	Excessive heat—Chaleur excessive	M.	1	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
197-199	**Homicides**	**M.**	**2**	–	–	–	–	–	–	–	–	–
		F.	**2**	–	–	–	–	–	–	–	**1**	–
197	Homicide by firearms—Homicide par armes à feu.	M.	2	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	1	–
201	Fracture (cause not specified)—Fracture (cause non spécifiée).	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
202	Other external violence (cause specified)—Autres violences extérieures (cause spécifiée).	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–
	CLASS XV — ILL-DEFINED DISEASES — CLASSE XV—MALADIES MAL DÉFINIES.	**Total**	**98**	**18**	**18**	**8**	**6**	**4**	**5**	**6**	**5**	**5**
		M.	**47**	**11**	**9**	**5**	**4**	**2**	**1**	**1**	**2**	–
		F.	**51**	**7**	**9**	**3**	**2**	**2**	**4**	**5**	**3**	**5**
204	Sudden death—Mort subite	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
205	Cause of death not specified or ill-defined—Cause de décès non spécifiée ou mal définie.	M.	45	11	9	5	4	2	1	1	2	–
		F.	50	7	9	3	2	2	4	5	3	5
	(a) Ill-defined—Mal définie	M.	7	1	4	–	–	–	–	–	–	–
		F.	3	–	–	1	1	–	–	1	–	–
	(b) Not specified or unknown—Non spécifiée ou inconnue.	M.	33	10	5	5	3	2	1	1	2	–
		F.	45	7	9	2	1	2	4	4	3	5
	(c) Heart failure—Paralysie du cœur	M.	5	–	–	–	1	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(d) Syncope	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU K—Causes de décès d'Indiens selon le sexe et l'âge, Canada, 1927—*fin*

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	178
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	179
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	181
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	182
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	183
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	185
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	3	1	1	1	–	–	–	2	–	–	–	–	–	–	–	–	188
1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	
–	3	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	188a
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	188b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	188c
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	188d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	188e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	188f
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	192
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	193
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	194
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	197–199
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	197
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	201
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	202
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	**3**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**2**	–	**2**	–	–	–	–	–	
1	**2**	**1**	**1**	–	–	**1**	**2**	**1**	**2**	–	**1**	–	–	–	–	–	
2	**1**	–	–	**1**	**2**	**1**	**1**	**2**	–	–	**1**	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	204
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
1	2	1	1	–	–	1	2	1	1	–	–	–	–	–	–	–	205
2	1	–	–	1	1	1	1	2	–	–	1	–	–	–	–	–	
–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	205a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	205b
2	1	–	–	1	1	1	–	2	–	–	–	–	–	–	–	–	
–	1	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	205c
–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	205d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

APPENDIX II

ORDER OF BIRTH

APPENDICE II

ORDRE DE PRIORITÉ DE NAISSANCE

Order of birth of legitimate children born in 1927, (including still-born children), by age of mother and by provinces

Ordre de priorité de naissance des enfants légitimes nés en 1927, (mort-nés compris) répartis selon l'âge de la mère et selon la province

Age group of mother and order of birth of child — Groupes d'âges des mères et ordre de naissance des enfants	Canada(1)	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
All ages—Tous âges	**234,507**	**1,701**	**10,910**	**10,457**	**82,779**	**68,357**	**14,121**	**21,105**	**14,921**	**10,156**
1st child— 1er enfant	49,612	316	2,173	1,794	13,568	17,740	3,152	4,294	3,502	3,073
2nd " — 2ième enfant	40,927	301	1,797	1,652	11,423	14,179	2,613	3,659	2,918	2,385
3rd " — 3ième "	32,694	219	1,507	1,340	9,853	10,659	2,127	3,051	2,286	1,652
4th " — 4ième "	26,135	184	1,301	1,157	8,679	7,751	1,707	2,498	1,777	1,081
5th " — 5ième "	20,898	155	1,030	1,089	7,875	5,505	1,246	1,963	1,318	717
6th " — 6ième "	15,951	135	814	821	6,556	3,822	859	1,555	922	467
7th " — 7ième "	12,316	96	640	665	5,380	2,703	703	1,181	633	315
8th " — 8ième "	9,721	84	507	546	4,549	1,932	506	898	520	179
9th " — 9ième "	7,460	65	379	444	3,740	1,295	414	633	370	120
10th " —10ième "	5,760	36	268	299	3,054	990	286	501	248	78
11th " —11ième "	4,188	32	198	222	2,433	589	186	319	171	38
12th " —12ième "	2,994	11	119	175	1,757	414	150	235	105	28
13th " —13ième "	2,058	9	67	91	1,340	248	66	155	73	9
14th " —14ième "	1,358	7	53	64	944	130	42	82	28	8
15th " —15ième "	895	5	21	35	671	79	25	34	22	3
16th " —16ième "	534	5	13	25	407	37	15	22	9	1
17th " —17ième "	329	1	11	12	255	29	6	8	6	1
18th " —18ième "	175	–	9	7	125	18	6	5	5	–
19th " —19ième "	87	–	1	–	74	4	4	3	1	–
20th " —20ième "	46	–	1	5	37	1	–	1	1	–
21st " —21ième "	34	–	–	1	26	3	1	3	–	–
22nd " —22ième "	12	–	–	–	10	1	–	1	–	–
23rd " —23ième "	4	–	–	–	3	1	–	–	–	–
24th " —24ième "	2	–	–	–	2	–	–	–	–	–
25th " —25ième "	3	–	–	1	2	–	–	–	–	–
Not stated—Non donné	314	40	1	12	16	227	7	4	6	1
Under 15 years—Moins de 15 ans	*14*	–	*2*	*2*	*3*	*7*	–	–	–	–
1st child—1er enfant	14	–	2	2	3	7	–	–	–	–
15 to 19 years—15 à 19 ans	**11,460**	**82**	**669**	**674**	**2,659**	**3,940**	**697**	**1,240**	**911**	**588**
1st child—1er enfant	8,512	57	509	443	1,866	2,999	532	941	689	476
2nd " —2ième enfant	2,460	22	135	195	622	807	139	249	189	102
3rd " —3ième "	408	2	20	26	145	113	22	44	27	9
4th " —4ième "	61	1	2	9	22	14	4	5	4	–
5th " —5ième "	14	–	3	1	4	2	–	1	2	1
6th " —6ième "	2	–	–	–	–	2	–	–	–	–
Not stated—Non donné	3	–	–	–	–	3	–	–	–	–
15 years—15 ans	*91*	–	*8*	*8*	*13*	*46*	*3*	*6*	*6*	*1*
1st child—1er enfant	87	–	8	8	11	45	3	5	6	1
2nd " —2ième enfant	4	–	–	–	2	1	–	1	–	–
16 years—16 ans	*449*	*2*	*35*	*41*	*98*	*181*	*7*	*34*	*25*	*26*
1st child—1er enfant	405	1	34	35	84	164	6	32	24	25
2nd " —2ième enfant	43	1	1	6	13	17	1	2	1	1
3rd " —3ième "	1	–	–	–	1	–	–	–	–	–
17 years—17 ans	*1,473*	*18*	*102*	*103*	*342*	*512*	*67*	*140*	*105*	*84*
1st child—1er enfant	1,259	13	86	84	288	447	58	119	89	75
2nd " —2ième enfant	200	5	15	17	49	60	9	20	16	9
3rd " —3ième "	13	–	1	2	5	4	–	1	–	–
Not stated—Non donné	1	–	–	–	–	1	–	–	–	–
18 years—18 ans	*3,585*	*18*	*217*	*202*	*790*	*1,267*	*236*	*390*	*270*	*195*
1st child—1er enfant	2,774	15	172	133	566	993	197	320	220	158
2nd " —2ième enfant	683	2	38	59	185	229	35	59	43	33
3rd " —3ième "	112	1	5	7	34	40	4	10	7	4
4th " —4ième "	12	–	–	3	5	3	–	1	–	–
5th " —5ième "	2	–	2	–	–	–	–	–	–	–
Not stated—Non donné	2	–	–	–	–	2	–	–	–	–
19 years—19 ans	*5,862*	*44*	*307*	*320*	*1,416*	*1,934*	*384*	*670*	*505*	*282*
1st child—1er enfant	3,987	28	209	183	917	1,350	268	465	350	217
2nd " —2ième enfant	1,530	14	81	113	373	500	94	167	128	59
3rd " —3ième "	282	1	14	17	105	69	18	33	20	5
4th " —4ième "	49	1	2	6	17	11	4	4	4	–
5th " —5ième "	12	–	1	1	4	2	–	1	2	1
6th " —6ième "	2	–	–	–	–	2	–	–	–	–

(1) Exclusive of Yukon and the Northwest Territories—Ne comprend pas le Yukon et les Territoires du Nord-Ouest.

Order of birth of legitimate children born in 1927, (including still-born children), by age of mother and by provinces—*con.*

Age group of mother and order of birth of child — Groupes d'âges des mères et ordre de naissance des enfants	Canada	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
20 to 24 years—20 à 24 ans	**55,112**	**298**	**2,567**	**2,471**	**18,068**	**16,378**	**3,393**	**5,386**	**4,016**	**2,535**
1st child—1er enfant	22,400	110	942	804	6,815	7,359	1,454	2,018	1,645	1,253
2nd " — 2ième enfant	16,394	109	772	745	5,166	4,892	1,015	1,638	1,254	803
3rd " — 3ième "	9,256	47	483	501	3,141	2,557	532	1,010	650	335
4th " — 4ième "	4,472	23	255	239	1,745	1,049	255	480	319	107
5th " — 5ième "	1,755	6	85	108	771	365	101	172	117	30
6th " — 6ième "	567	1	26	53	282	108	27	47	19	4
7th " — 7ième "	165	-	2	8	105	25	3	11	9	2
8th " — 8ième "	46	-	2	9	23	6	-	6	-	-
9th " — 9ième "	27	1	-	2	14	3	2	3	1	1
10th " —10ième "	10	-	-	-	6	2	1	1	-	-
Not stated—Non donné	20	1	-	2	-	12	3	-	2	-
25 to 29 years—25 à 29 ans	**63,517**	**437**	**2,806**	**2,621**	**23,266**	**18,693**	**3,715**	**5,312**	**3,859**	**2,808**
1st child—1er enfant	11,966	78	460	319	3,287	4,679	741	850	739	813
2nd " — 2ième enfant	12,680	92	506	400	3,760	4,520	812	1,011	815	764
3rd " — 3ième "	11,823	88	530	461	3,999	3,664	750	981	803	547
4th " — 4ième "	10,036	73	525	486	3,786	2,660	622	914	627	343
5th " — 5ième "	7,637	54	375	428	3,436	1,643	376	689	430	206
6th " — 6ième "	4,797	32	216	258	2,451	865	219	434	240	82
7th " — 7ième "	2,552	11	108	154	1,367	401	125	235	115	36
8th " — 8ième "	1,156	3	60	59	649	157	41	124	53	10
9th " — 9ième "	534	4	18	40	331	55	16	41	25	4
10th " —10ième "	196	1	6	12	116	18	10	23	7	3
11th " —11ième "	72	1	2	-	51	9	1	4	4	-
12th " —12ième "	39	-	-	2	25	6	2	4	-	-
13th " —13ième "	12	-	-	1	8	1	-	2	-	-
Not stated—Non donné	17	-	-	1	-	15	-	-	1	-
30 to 34 years—30 à 34 ans	**51,121**	**384**	**2,351**	**2,202**	**18,445**	**15,079**	**3,101**	**4,437**	**3,000**	**2,122**
1st child— 1er enfant	4,531	45	175	141	1,099	1,852	280	319	281	339
2nd " — 2ième enfant	6,297	51	258	221	1,268	2,686	432	510	428	443
3rd " — 3ième "	7,190	47	306	210	1,753	2,751	520	660	501	442
4th " — 4ième "	6,854	49	308	253	2,084	2,248	491	627	465	329
5th " — 5ième "	6,578	54	334	328	2,391	1,850	408	600	399	214
6th " — 6ième "	5,679	50	312	297	2,291	1,352	306	590	313	168
7th " — 7ième "	4,836	38	259	238	2,265	1,013	271	436	223	93
8th " — 8ième "	3,727	26	180	205	1,964	634	169	303	189	57
9th " — 9ième "	2,446	16	125	163	1,371	341	116	192	99	23
10th " —10ième "	1,486	4	47	70	923	191	60	119	62	10
11th " —11ième "	788	4	28	43	530	83	29	47	22	2
12th " —12ième "	380	-	12	20	267	36	10	18	15	2
13th " —13ième "	181	-	3	5	138	19	5	9	2	-
14th " —14ième "	80	-	2	7	61	5	1	4	-	-
15th " —15ième "	33	-	1	-	25	3	2	1	1	-
16th " —16ième "	9	-	1	-	7	1	-	-	-	-
17th " —17ième "	6	-	-	-	5	1	-	-	-	-
Not stated—Non donné	20	-	-	1	3	13	1	2	-	-
35 to 39 years—35 à 39 ans	**36,570**	**292**	**1,743**	**1,620**	**13,886**	**9,814**	**2,291**	**3,273**	**2,177**	**1,474**
1st child— 1er enfant	1,652	15	69	53	373	637	112	132	116	145
2nd " — 2ième enfant	2,432	22	104	65	494	983	169	202	189	204
3rd " — 3ième "	3,175	27	135	99	657	1,241	258	272	234	252
4th " — 4ième "	3,707	27	176	127	850	1,377	267	374	280	229
5th " — 5ième "	3,723	32	182	160	1,015	1,196	298	375	278	187
6th " — 6ième "	3,665	36	191	163	1,245	1,067	220	349	248	146
7th " — 7ième "	3,528	35	202	192	1,291	888	223	378	202	117
8th " — 8ième "	3,439	37	179	190	1,464	765	206	335	188	75
9th " — 9ième "	3,176	27	174	171	1,548	582	195	269	159	51
10th " —10ième "	2,629	14	128	125	1,408	455	127	224	113	35
11th " —11ième "	1,973	9	76	97	1,219	249	86	145	78	14
12th " —12ième "	1,390	3	62	80	833	182	70	113	37	10
13th " —13ième "	922	3	25	50	618	96	33	58	36	3
14th " —14ième "	515	3	26	21	368	47	17	23	6	4
15th " —15ième "	298	-	7	16	229	16	7	15	6	2
16th " —16ième "	167	1	3	9	133	13	1	3	4	-
17th " —17ième "	90	1	2	2	72	10	1	-	2	-
18th " —18ième "	39	-	-	-	34	1	-	4	-	-
19th " —19ième "	20	-	1	-	15	2	1	1	-	-
20th " —20ième "	10	-	-	-	9	-	-	-	1	-
21st " —21ième "	7	-	-	-	6	-	-	1	-	-
22nd " —22ième "	3	-	-	-	2	1	-	-	-	-
Not stated—Non donné	10	-	1	-	3	6	-	-	-	-
40 to 44 years—40 à 44 ans	**14,435**	**137**	**702**	**692**	**5,782**	**3,661**	**818**	**1,286**	**814**	**543**
1st child— 1er enfant	391	2	14	19	99	140	28	31	29	29
2nd " — 2ième enfant	569	4	19	19	100	239	44	46	34	64
3rd " — 3ième "	726	6	28	28	146	283	39	77	60	59
4th " — 4ième "	902	8	34	34	180	347	64	87	78	70
5th " — 5ième "	1,067	8	47	54	240	388	61	114	80	75
6th " — 6ième "	1,119	14	62	40	264	382	78	126	93	60
7th " — 7ième "	1,103	12	67	55	323	333	73	108	73	59
8th " — 8ième "	1,210	18	79	70	416	325	80	117	76	29

Ordre de priorité de naissance des enfants légitimes nés en 1927 (mort-nés compris) répartis selon l'âge de la mère et selon la province—*fin.*

Age group of mother and order of birth of child — Groupes d'âges des mères et ordre de naissance des enfants	Canada	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
40 to 44 years—con.—40 à 44 ans—fin										
9th child— 9ième "	1,141	13	61	59	436	273	73	120	71	35
10th " —10ième "	1,296	16	81	77	553	284	81	119	57	28
11th " —11ième "	1,194	16	80	65	589	209	60	107	53	15
12th " —12ième "	1,033	6	43	64	564	165	58	76	45	12
13th " —13ième "	825	6	33	31	514	117	23	72	26	3
14th " —14ième "	661	3	22	32	458	68	15	45	15	3
15th " —15ième "	484	5	9	16	362	52	16	13	11	–
16th " —16ième "	289	–	7	13	217	18	12	16	5	1
17th " —17ième "	195	–	9	6	152	13	5	6	3	1
18th " —18ième "	114	–	6	5	77	14	6	1	5	–
19th " —19ième "	50	–	–	–	47	1	1	1	–	–
20th " —20ième "	26	–	1	5	18	1	–	1	–	–
21st " —21ième "	22	–	–	–	17	2	1	2	–	–
22nd " —22ième "	7	–	–	–	6	–	–	1	–	–
23rd " —23ième "	4	–	–	–	3	1	–	–	–	–
Not stated—Non donné.....	7	–	–	–	1	6	–	–	–	–
45 years and over—45 ans et plus.....	**1,597**	**16**	**65**	**58**	**632**	**384**	**94**	**166**	**123**	**59**
1st child— 1er enfant.....	40	–	1	1	14	14	1	2	2	5
2nd " — 2ième enfant....	33	–	2	–	9	11	1	3	5	2
3rd " — 3ième "	50	–	3	3	11	12	4	6	7	4
4th " — 4ième "	60	2	1	2	11	27	4	10	2	1
5th " — 5ième "	88	–	4	–	16	40	2	11	11	4
6th " — 6ième "	90	1	6	1	23	30	9	9	6	5
7th " — 7ième "	103	–	2	2	28	33	8	13	11	6
8th " — 8ième "	120	–	7	6	30	34	9	13	14	7
9th " — 9ième "	127	3	1	4	39	39	12	8	15	6
10th " —10ième "	133	1	6	8	47	39	7	15	8	2
11th " —11ième "	145	2	12	8	43	35	9	16	13	7
12th " —12ième "	148	2	2	7	66	25	10	24	8	4
13th " —13ième "	115	–	6	3	62	14	5	14	8	3
14th " —14ième "	99	1	3	2	57	9	9	10	7	1
15th " —15ième "	79	–	4	2	55	8	–	5	4	1
16th " —16ième "	68	4	2	2	50	5	2	3	–	–
17th " —17ième "	37	–	–	3	26	5	–	2	1	–
18th " —18ième "	21	–	3	2	14	2	–	–	–	–
19th " —19ième "	17	–	–	–	12	1	2	1	1	–
20th " —20ième "	10	–	–	–	10	–	–	–	–	–
21st " —21ième "	5	–	–	1	3	1	–	–	–	–
22nd " —22ième "	2	–	–	–	2	–	–	–	–	–
23rd " —23ième "	–	–	–	–	–	–	–	–	–	–
24th " —24ième "	2	–	–	–	2	–	–	–	–	–
25th " —25ième "	3	–	–	1	2	–	–	–	–	–
Not stated—Non donné.....	2	–	–	–	–	–	–	1	–	1
Age not stated — Âge non donné.....	**681**	**55**	**5**	**117**	**38**	**401**	**12**	**5**	**21**	**27**
1st child— 1er enfant.....	106	9	1	12	12	53	4	1	1	13
2nd " — 2ième enfant....	62	1	1	7	4	41	1	–	4	3
3rd " — 3ième "	66	2	2	12	1	38	2	1	4	4
4th " — 4ième "	43	1	–	7	1	29	–	1	2	2
5th " — 5ième "	36	1	–	10	2	21	–	1	1	–
6th " — 6ième "	32	1	1	9	–	16	–	–	3	2
7th " — 7ième "	29	–	–	16	1	10	–	–	–	2
8th " — 8ième "	23	–	–	7	3	11	1	–	–	1
9th " — 9ième "	9	1	–	5	1	2	–	–	–	–
10th " —10ième "	10	–	–	7	1	1	–	–	1	–
11th " —11ième "	16	–	–	9	1	4	1	–	1	–
12th " —12ième "	4	–	–	2	2	–	–	–	–	–
13th " —13ième "	3	–	–	1	–	1	–	–	1	–
14th " —14ième "	3	–	–	2	–	1	–	–	–	–
15th " —15ième "	1	–	–	1	–	–	–	–	–	–
16th " —16ième "	1	–	–	1	–	–	–	–	–	–
17th " —17ième "	1	–	–	1	–	–	–	–	–	–
18th " —18ième "	1	–	–	–	–	1	–	–	–	–
Not stated—Non donné.....	235	39	–	8	9	172	3	1	3	–

APPENDIX III

SCHEDULE OF CENSUS DIVISIONS IN PRAIRIE PROVINCES

APPENDICE III

DIVISIONS DE RECENSEMENT DANS LES PROVINCES DES PRAIRIES

SCHEDULE OF CENSUS DIVISIONS IN PRAIRIE PROVINCES

There being no fixed political divisions in Manitoba, Saskatchewan and Alberta corresponding to counties in Eastern Canada, it was deemed advisable, in compiling and publishing the results of the Census of 1921, to divide these provinces for statistical purposes into "Census Divisions," each containing a certain number of rural municipalities, "local improvement districts," cities, towns and incorporated villages. The object of this demarcation was to obtain permanent units smaller than the provinces for comparisons extending over a number of years. The same "Divisions" have been adopted in the present Report.

Maps are inserted, showing the boundaries of the "Divisions" by red lines; the municipalities contained within "Divisions" by heavy black lines and the townships within municipalities by faint black lines. The numbers enclosed in red circles on the maps refer to the numbers assigned to the "Divisions"; the black figures refer to municipalities or local improvement districts (L.I.D.).

The following schedule gives the rural municipalities by name and number (the latter in parenthesis) together with the cities, towns and villages comprised within each "Census Division," according to the Census of 1921. Local Improvement Districts and Unorganized Territorial Units in Saskatchewan and Alberta are given by number only.

MANITOBA

Division No. 1 comprises the municipalities of Birch River (1), Hanover (2), La Broquerie (3), Piney (4), Ste. Anne (5), Sprague (6), Stuartburn (7), Taché (8); Unorganized parts East of the Principal Meridian between townships 3 and 10 (9).

Division No. 2 comprises the municipalities of De Salaberry (1), Franklin (2), Montcalm (3), Morris (4), Rhineland (5), Roland (6), Stanley (7), Thompson (8); Indian Reserves—Roseau Band; Towns—Emerson, Morden, Morris; Villages—Gretna, Plum Coulee, Winkler.

Division No. 3 comprises the municipalities of Argyle (1), Lorne (2), Louise (3), Pembina (4), Riverside (5), Roblin (6), Strathcona (7), Turtle Mountain (8); Indian Reserves—Swan Lake; Town—Killarney; Villages—Manitou, Pilot Mound.

Division No. 4 comprises the municipalities of Albert (1), Arthur (2), Brenda (3), Cameron (4), Edward (5), Morton (6), Whitewater (7), Winchester (8); Towns—Boissevain, Deloraine, Hartney, Melita; Village—Napinka.

Division No. 5 comprises the municipalities of Brokenhead (1), Fort Alexander (2), Kildonan East (3), Lac du Bonnet (4), St. Clements (5), St. Paul East (6), Springfield (7), Victoria Beach (8), Whitemouth (9); Unorganized parts East of the Principal Meridian between townships 9 and 21 (10); Indian Reserves—Fort Alexander, Brokenhead; Towns—Beauséjour, Transcona; Village—Lyall.

Division No. 6 comprises the municipalities of Cartier (1), Charleswood (2), Dufferin (3), Fort Garry (4), Grey (5), Macdonald (6), Portage la Prairie (7), Ritchot (8), St. Vital (9); Indian Reserves—Long Plain, Sioux Village; Cities—Portage la Prairie, St. Boniface, Winnipeg; Towns—Carman, Tuxedo.

Division No. 7 comprises the municipalities of Cornwallis (1), Cypress North (2), Cypress South (3), Elton (4), Norfolk North (5), Norfolk South (6), Oakland (7), Victoria (8); Indian Reserves—Indian Gardens; City—Brandon; Town—Carberry; Village—Wawanesa.

Division No. 8 comprises the municipalities of Daly (1), Glenwood (2), Pipestone (3), Sifton (4), Wallace (5), Whitehead (6), Woodworth (7); Indian Reserves—Oak Lake, Oak River; Towns—Oak Lake, Rivers, Souris, Virden; Village—Elkhorn.

Division No. 9 comprises the municipalities of Assiniboia (1), Kildonan West (2), Rockwood (3), Rosser (4), St. Andrews (5), St. François Xavier (6), St. James (7), St. Paul West (8), Woodlands (9); Towns—Selkirk, Stonewall, Winnipeg Beach.

Division No. 10 comprises the municipalities of Glenella (1), Lakeview (2), Langford (3), Lansdowne (4), McCreary (5), Rosedale (6), Westbourne (7); Indian Reserves—Lake View; Towns—Gladstone, Neepawa.

Division No. 11 comprises the municipalities of Archie (1), Birtle (2), Blanshard (3), Clanwilliam (4), Ellice (5), Hamiota (6), Harrison (7), Miniota (8), Minto (9), Odanah (10), Saskatchewan (11), Shoal Lake (12), Strathclair (13); Indian Reserves—Bird Tail, Rolling River, Keeseekoowenins; Towns—Birtle, Minnedosa, Rapid City; Villages—Foxwarren, Hamiota, Shoal Lake.

Division No. 12 comprises the municipalities of Armstrong (1), Bifrost (2), Chatfield (3), Coldwell (4), Ericksdale (5), Fisher Branch (6), Gimli (7), Kreuzburg (8), St. Laurent (9), Siglunes (10), Woodlea (11); Indian Reserves—Dog Creek; Village—Gimli.

Division No. 13 comprises the municipalities of Dauphin (1), Ethelbert (2), Lawrence (3), Mossy River (4), Ochre River (5), Ste. Rose (6); Unorganized parts north of township 20 and lying between the eastern boundaries of the municipalities of Ste. Rose and Lawrence, and Lake Manitoba (7); Indian Reserves—Ebb & Flow, Crane River; Town—Dauphin; Village—Winnipegosis.

Division No. 14 comprises the municipalities of Boulton (1), Gilbert Plains (2), Grandview (3), Hillsburg (4), Rossburn (5), Russell (6), Shellmouth (7), Shell River (8), Silver Creek (9); Unorganized territory between townships 18 and 23 and between ranges 16 and 26 West Principal Meridian (10); Indian Reserves—Valley River, Gamblers, Lizard Point; Towns—Grandview, Russell; Villages—Binscarth, Gilbert Plains, Roblin, Rossburn.

Division No. 15 comprises the municipalities of Minitonas (1), Swan River (2); Unorganized parts between townships 27 and 35 and between the western provincial boundary and range 23 West Principal Meridian (3); Town—Swan River.

Division No. 16 comprises unorganized northern parts; Indian Reserves—Norway House Agency, Fisher River Agency, Pas Agency, Black River, Hollow Water, Fairford, Lake St. Martin, Little Saskatchewan, Pine Creek, Shoal River, Waterhen; Town—The Pas.

SASKATCHEWAN

Division No. 1 comprises the municipalities of Argyle (1), Mount Pleasant (2), Enniskillen (3), Coal fields (4), Estevan (5), Storthoaks (31), Reciprocity (32), Moose Creek (33), Browning (34), Benson (35), Antler (61), Moose Mountain (63), Brock (64), Tecumseh (65), Maryfield (91), Walpole (92), Wawken (93), Hazelwood (94), Golden West (95); Indian Reserve—Moose Mountain; Towns—Alameda, Arcola, Carly le,Carnduff, Estevan, Oxbow; Villages—Antler, Bienfait, Carrievale, Fairlight, Forget, Frobisher, Gainsborough, Glen Ewen, Heward, Kennedy, Kisbey, Lampman, Manor, Maryfield, North Portal, Redvers, Roche Percée, Stoughton, Wauchope, Wawota.

Division No. 2 comprises the municipalities of Cambria (6), Souris Valley (7), Lake Alma, (8), Surprise Valley (9), Happy Valley (10), Cymri (36), Lomond (37), Laurier (38), The Gap (39), Bengough (40), Griffin (66), Weyburn (67), Brokenshell (68), Norton (69), Key West (70), Fillmore (96), Wellington (97), Scott (98), Caledonia (99), Elmsthorpe (100); City—Weyburn; Towns—Milestone, Ogema, Radville, Yellowgrass; Villages—Amulet, Avonlea, Bengough, Bromhead, Ceylon, Colgate, Creelman, Fillmore, Forward, Goodwater, Griffin, Halbrite, Horizon, Khedive, Lang, Macoun, McTaggart, Midale, Osage, Pangman, Tribune, Truax, Tyvan.

Division No. 3 comprises the municipalities of Hart Butte (11), Poplar Valley (12), Willow Bunch (42), Waverley (44), Mankota (45), Glen McPherson (46), Excel (71), Lake of the Rivers (72), Stonchenge (73), Wood River (74), Pinto Creek (75), Auvergne (76), Terrell (101), Lake Johnston (102), Sutton (103), Gravelbourg (104), Glen Bain (105), Whiska Creek (106); Unorganized Territorial Units 13, 14, 15, 16, 43; Indian Reserve—Wood Mountain; Towns—Assiniboia, Gravelbourg; Villages—Aneroid, Ardill, Congress, Ettington, Expanse, Hazenmore, Kincaid, Lafleche, Limerick, Mazenod, Meyronne, Mitchellton, Mossbank, Neville, Palmir, Ponteix, Readlyn, Spring Valley, Vanguard, Vantage, Verwood, Viceroy, Woodrow.

Division No. 4 comprises the municipalities of Lone Tree (18), Frontier (19), White Valley (49), Reno (51), Wise Creek (77), Grassy Creek (78), Arlington (79), Lac Pelletier (107), Bone Creek (108), Carmichael (109), Piapot (110), Maple Creek (111); Unorganized Territorial Units 17, 20, 21, 22, 47, 48, 50, 52, 80, 81, 82, 112; Towns—Eastend, Maple Creek, Shaunavon; Villages—Admiral, Cadillac, Carmichael, Consul, Dollard, Hatton, Piapot, Robsart, Scotsguard, Vidora.

Division No. 5 comprises the municipalities of Mcosomin (121), Martin (122), Silverwood (123), Kingsley (124), Chester (125), Rocanville (151), Spy Hill (152), Willowdale (153), Elcapo (154), Wolseley (155), Langenburg (181), Fertile Belt (183), Grayson (184), McLeod (185), Churchbridge (211), Saltcoats (213), Cana (214), Stanley (215); Indian Reserve—Crooked Lake Agency; Towns—Bredenbury, Broadview, Fleming, Grenfell, Lemberg, Melville, Moosomin, Saltcoats, Wapella, Whitewood, Wolseley; Villages—Atwater, Bangor, Birmingham, Churchbridge, Dubuc, Duff, Esterhazy, Fenwood, Glenavon, Goodeve, Grayson, Killaly, Kipling, Langenburg, MacNutt, Neudorf, Otthon, Rocanville, Spy Hill, Stockholm, Summerberry, Tantallon, Waldron, Welwyn, Windthorst.

Division No. 6 comprises the municipalities of Montmartre (126), Francis (127), Lajord (128), Bratt's Lake (129), Redburn (130), Indian Head (156), South Qu'Appelle (157), Edenwold (158), Sherwood (159), Pense (160), Abernethy (186), North Qu'Appelle (187), Lumsden (189), Dufferin (190), Tullymet (216), Lipton (217), Cupar (218), Longlaketon (219), McKillop (220), Sarnia (221); Indian Reserves—Qu'Appelle Agency, Assiniboine Agency, File Hill Agency; City—Regina; Towns—Balgonie, Francis, Indian Head, Lumsden, Qu'Appelle, Rouleau, Sintaluta, Strasbourg; Villages—Abernethy, Balcarres, Belle Plaine, Bethune, Briercrest, B-Say-Tah, Balyea, Chamberlain, Craven, Cupar, Dilke, Disley, Drinkwater, Dysart, Earl Grey, Edenwold, Findlater, Fort Qu'Appelle, Grand Coulee, Holdfast, Kendal, Kronau, Lebret, Lipton, Markinch, McLean, Montmartre, North Regina, Odessa, Pense, Penzance, Pilot Butte, Regina Beach, Sedley, Silton, Southey, Vibank, Wilcox.

Division No. 7 comprises the municipalities of Baildon (131), Hillsborough (132), Rodgers (133), Shamrock (134), Lawtonia (135), Coulee (136), Moose Jaw (161), Caron (162), Wheatlands (163), Chaplin (164), Morse (165), Excelsior (166), Marquis (191), Eyebrow (193), Enfield (194), Vermilion Hills (195), Craik (222), Huron (223), Maple Bush (224), Canaan (225), Victory (226), Coteau (255), King George (256); City—Moose Jaw; Towns—Caron, Craik, Herbert, Morse, Mortlach; Villages—Aylesbury, Birsay, Bridgeford, Brownlee, Central Butte, Chaplin, Dunblane, Ernfold, Eyebrow, Hodgeville, Keeler, Lawson, Lucky Lake, Marquis, Mawer, Parkbeg, Riverhurst, Rush Lake, Tugaske, Tuxford, Waldeck.

Division No. 8 comprises the municipalities of Swift Current (137), Webb (138), Gull Lake (139), Big Stick (141), Bitter Lake (142), Saskatchewan Landing (167), Riverside (168), Pittville (169), Keebleville (171), Enterprise (172), Lacadena (228), Miry Creek (229), Clinworth (230), Happyland (231), Deer Forks (232), Monet (257), Fairview (258), Snipe Lake (259), Newcombe (260), Royal Canadian (261), Mantario (262); Unorganized Territorial Units 140, 170, 227; City—Swift Current; Towns—Cabri, Gull Lake, Leader; Villages—Abbey, Burstall, Eatonia, Elrose, Eston, Estuary, Glidden, Hughton, Lancer, Lemsford, Pennant, Plato, Portreeve, Prelate, Richlea, Sceptre, Shackleton, Success, Tompkins, Webb.

Division No. 9 comprises the municipalities of Calder (241), Wallace (243), Orkney (244), Garry (245), Coté (271), Sliding Hills (273), Good Lake (274), Insinger (275), St. Philips (301), Keys (303), Buchanan (304), Invermay (305), Livingston (331), Clayton (333), Preeceville (334), Hazel Dell (335); Indian Reserves—Pelly Agency; Towns—Canora, Kamsack, Yorkton; Villages—Arran, Buchanan, Calder, Hyas, Insinger, Invermay, Norquay, Pelley, Preeceville, Rama, Rhein, Sheho, Springside, Stenen, Stornoway, Sturgis, Theodore, Togo, Veregin, Willowbrook, Wroxton.

Division No. 10 comprises the municipalities of Ituna Bon Accord (246), Kellross (247), Touchwood (248), Midlington (249), Beaver (276), Emerald (277), Kutawa (278), Mount Hope (279), Foam Lake (306), Elfros (307), Big Quill (308), Prairie Rose (309), Sasman (336), Lakeview (337), Lakeside (338), Ayr (339); Indian Reserves—Muscowequans, Gordon, Day Star, Poorman, Fishing Lake; Towns—Wadena, Watson, Wynyard; Villages—Dafoe, Elfros, Foam Lake, Hubbard, Ituna, Jansen, Jasmin, Kandahar, Kelliher, Kuroki, Leross, Leslie, Lestock, Margo, Punnichy, Quill Lake, Quinton, Raymore, Semans, Tate.

Division No. 11 comprises the municipalities of Last Mountain Valley (250), Big Arm (251), Arm River (252), Willner (253), Loreburn (254), Wreford (280), Wood Creek (281), McCraney (282), Rosedale (283), Rudy (284), Usborne (310), Morris (312), Lost River (313), Dundurn (314), Wolverine (340), Viscount (341), Colonsay (342), Blucher (345), Cory (344); Indian Reserves—Moose Woods; City—Saskatoon; Towns—Davidson, Govan, Hanley, Lanigan, Nokomis, Outlook, Sutherland, Watrous; Villages—Allan,

Bladworth, Bradwell, Broderick, Clavet, Colonsay, Drake, Dundurn, Duval, Elbow, Elstow, Girvin, Glenside, Guernsey, Hawarden, Imperial, Kenaston, Liberty, Lockwood, Loreburn, Meacham, Simpson, Strongfield, Venn, Viscount, Young, Zelma.

Division No. 12 comprises the municipalities of Fertile Valley (285), Milden (286), St. Andrews (287), Pleasant Valley (288), Montrose (315), Harris (316), Marriott (317), Mountain View (318), Loganton (345), Perdue (346), Biggar (347), Bushville (348), Park (375), Eagle Creek (376), Glenside (377), Rosemount (378), Prairie (408), Battle River (438); Indian Reserves—Mosquito, Sweet Grass, Red Pheasant; Towns—Asquith, Battleford, Biggar, Delisle, Langham, Rosetown, Zealandia; Villages—Ardath, Bounty, Conquest, Delmas, Dinsmore, Harris, Herschel, Kinley, Laura, Leney, Macrorie, McGee, Milden, Perdue, Sovereign, Spring Water, Stranraer, Swanson, Tessier, Vanscoy, Wiseton.

Division No. 13 comprises the municipalities of Hillsburgh (289), Kindersley (290), Elma (291), Milton (292), Winslow (319), Oakdale (320), Prairiedale (321), Antelope Park (322), Grandview (349), Mariposa (350), Progress (351), Heart's Hill (352), Reford (379), Tramping Lake (380), Grass Lake (381), Eye Hill (382), Buffalo (409), Round Valley (410), Senlac (411), Cut Knife (439), Hillsdale (440), Manitou Lake (442); Indian Reserves—Poundmaker, Little Pine, Lucky Man; Towns—Alsask, Kerrobert, Kindersley, Macklin, Scott, Unity, Wilkie; Villages—Adanac, Brock, Cavell, Cut Knife, Denzil, Dodsland, Druid, Evesham, Flaxcombe, Handel, Kelfield, Landis, Leipzig, Loverna, Luseland, Major, Marengo, Netherhill, Plenty, Rockhaven, Salvador, Senlac, Smiley, Tramping Lake.

Division No. 14 comprises the municipalities of Kelvington (366), Ponass Lake (367), Spalding (368), Barrier Valley (397), Pleasantdale (398), Bjorkdale (426), Tisdale (427), Star City (428), Arborfield (456), Connaught (457), Willow Creek (458), Moose Range (486), Nipawin (487); Unorganized Territorial Units 361, 363, 364, 365, 391, 393, 394, 395, 396, 421, 423, 424, 425, 451, 453, 454, 455, 481, 483, 484, 485, 488, 511, 513, 514, 515, 516, 517, 518; Indian Reserves—Kinistino, Nut Lake, Shoal Lake, Red Earth; Towns—Melfort, Tisdale; Villages—Hudson Bay Jct., Naicam, Star City.

Division No. 15 comprises the municipalities of St. Peter (369), Humboldt (370), Bayne (371), Grant (372), Aberdeen (373), Warman (374), Lake Lenore (399), Three Lakes (400), Hoodoo (401), Fish Creek (402), Rosthern (403), Laird (404), Carrot River (429), Invergordon (430), St. Louis (431), Weldon (459), Birch Hills (460), Prince Albert (461), Duck Lake (463), Russia (490), Buckland (491); Unorganized Territorial Units 489, 519, 520, 521; Indian Reserves—Duck Lake Boarding School, One Arrow Band, Okemassis Band, John Smith Band, James Smith Band, Wahpaton Band; City—Prince Albert; Towns—Duck Lake, Humboldt, Rosthern, Vonda; Villages—Aberdeen, Beatty, Birch Hills, Bruno, Cudworth, Dalmeny, Dana, Domremy, Englefeld, Hague, Hepburn, Howell, Kinistino, Laird, Lake Lenore, Muenster, Osler, St. Brieux, St. Gregor, Wakaw, Waldheim, Warman, Weldon.

Division No. 16 comprises the municipalities of Great Bend (405), Mayfield, (406) Blaine Lake (434), Redberry (435), Douglas (436), North Battleford (437), Leask (464), Royal (465), Meeting Lake (466), Round Hill (467), Rozilee (493), Canwood (494), Shell River (495), Medstead (497), Unorganized Territorial Units 496, 523, 524, 525, 526, 527, 553, 554, 555, 556, 557, 587; Indian Reserves—Carleton Agency, Thunder Child, Sturgeon Lake; City—North Battleford; Town—Radisson; Villages—Blaine Lake, Borden, Canwood, Denholm, Fielding, Hafford, Krydor, Leask, Marcelin, Maymont, Parkside, Richard, Ruddell, Shellbrook, Speers.

Division No. 17 comprises the municipalities of Meota (468), Turtle River (469), Paynton (470), Eldon (471), Wilton (472), Parkdale (498), Mervin (499), Paradise Hill (501), Britannia (502), Bright Sand (529), North Star (531); Unorganized Territorial Units 528, 532, 558, 559, 561, 562, 588, 589, 591, 592; Indian Reserves—Moosomin, Saultans, Meadow Lake, Waterhen, Onion Lake Agency; Town—Lloydminster (part); Villages—Edam, Lashburn, Maidstone, Marshall, Meota, Mervin, Paynton, Turtleford, Vawn, Waseca.

Division No. 18 comprises northern unorganized parts; Indian Reserves—Fond du Lac Band, William Charles Band, Cumberland Band, Pine Bluff Band, Lac la Ronge, Lac Stanley, South End, Pelican Narrows, English River, Clear Lake, Canoe Lake.

ALBERTA

Division No. 1 comprises the municipalities of Flowery Plain (33), Burlington (34), Warner (36), Forty Mile (64), Eureka (65), Excelsior (92), Bow Island (94); Local Improvement Districts 1, 2, 3, 4, 5, 6, 31, 32, 35, 61, 62, 63, 66, 91, 93; City—Medicine Hat; Towns—Bow Island, Irvine, Taber; Villages—Burdett, Grassy Lake, Milk River, Walsh, Warner.

Division No. 2 comprises the municipalities of Cochrane (10), Kerr (39), Castle River (40), Bright (69), Livingstone (70), Argyle (99); Local Improvement Districts 7, 8, 9, 37, 38, 67, 68, 71, 100, 101; Indian Reserves—Peigan Reserve, Blood Agency; City—Lethbridge; Towns—Blairmore, Cardston, Claresholm, Coleman, Diamond City, Granum, Macleod, Magrath, Pincher Creek, Raymond; Villages—Coaldale, Coalhurst, Commerce, Cowley, Frank, Monarch, Pincher City, Stirling.

Division No. 3 comprises the municipalities of McLean (96), Sunny South (123), King (153), Britannia (183); Local Improvement Districts—121, 122, 124, 125, 126, 151, 152, 154, 155, 156, 181, 182, 184, 185, 186, 211; Towns—Bassano, Brooks, Redcliffe; Villages—Alderson, Duchess, Empress, Enchant, Jenner, Retlaw, Suffield.

Division No. 4 comprises the municipalities of Little Bow (98), Clifton (127), Harmony (128), Clear Lake (129), Marquis (157), Royal (158), Riley (159), Dinton (189), Sheep Creek (190), Stockland (191); Local Improvement Districts—97, 130, 131, 160, 161, 192; Unorganized parts between townships 17 and 22 west to the provincial boundary; Towns—Carmangay, High River, Nanton, Okotoks, Stavely, Vulcan; Villages—Barons, Blackie, Cayley, Champion, Lomond, Nobleford.

Division No. 5 comprises the municipalities of Berry Creek (214), Bulyea (215), Acadia (241), Cereal (242), Collholme (243), Flowerdale (244), Lonebutte (245), Bertawan (271), Golden Centre (272), Sounding Creek (273), Richdale (274), Hand Hills (275), Michichi (277), Canmer (301), Stewart (302), Wiste (303), Hiram (304), Dowling Lake (305), Lambton (306), Starland (307); Local Improvement Districts—212, 213, 246; Towns—Drumheller, Hanna, Youngstown; Villages—Cereal, Chinook, Craigmyle, Delia, Morrin, Munson, Oyen, Richdale, Rumsey.

Division No. 6 comprises the municipalities of Blackfoot (218), Bow Valley (219), Shepard (220), Springbank (221), Grasswold (248), Keoma (249), Beddington (250), Carbon (278), Norquay (279), Rosebud (280), Beaver Dam (281), Ghost Pine (308), Stauffer (309), Mountain View (310), Westerdale (311), Local Improvement Districts 216, 217, 222, 247, 251, 252, 282; Unorganized parts between townships 21 and 31 west to the provincial boundary; Indian Reserves—Stony Reserve, Sarcee Reserve, Blackfoot Agency; Cities—Calgary, Banff (not incorporated); Towns—Didsbury, Gleichen, Olds, Strathmore; Villages—Acme, Airdrie, Beiseker, Carbon, Carstairs, Cochrane, Crossfield, Irricana, Langdon, Rockyford, Rosebud, Three Hills, Trochu.

Division No. 7 comprises the municipalities of Coronation (334), Sullivan Lake (335), Rosenheim (361), Hillcrest (362), Stocks (363), Flagstaff (364), Progress (365), Sifton (391), Vale (392), Huamha (393), Asquith (394), Wheatland (395), Ribstone (421), Gilt Edge (422), Battle River (423), Kinsella (424), Stirling (425), Iron Creek (455), Local Improvement Districts 331, 332, 333; Towns—Castor, Coronation, Hardisty, Wainwright; Villages—Alliance, Cadogan, Chauvin, Consort, Czar, Edgerton, Forestburg, Galahad, Hughenden, Irma, Killam, Lougheed, Monitor, Provost, Sedgewick, Strome, Veteran, Viking.

Division No. 8 comprises the municipalities of Success (336), Vimy (337), Hayes (338), Pine Lake (339), Arthur (340), Dublin (366), Waverley (367), Haig (396), Lakeside (397), Lamerton (398), Crown (399), Melrose (426), Evergreen (427), Waterglen (428), Fertile Valley (429), Parkland (456), Lloyd George (457), Montgomery (458), Bigstone (459), Indian Reserve—Hobbema Agency; Cities—Red Deer, Wetaskiwin; Towns—Big Valley, Camrose, Daysland, Innisfail, Lacombe, Ponoka, Stettler; Villages—Alix, Bashaw, Bawlf, Bittern Lake, Blackfalds, Botha, Clive, Delburne, Donalda, Erskine, Ferintosh, Gadsby, Halkirk, Heisler, Millett, Mirror, New Norway, Ohaton, Penhold.

Division No. 9 comprises the municipalities of Waterloo (312), Poplar Grove (341), Raven (342), Prairie Creek (343), Golden West (371), Lorne (400), Locheran (401), Blindman (430), Last West (431), Columbia (460); Local Improvement Districts 344, 374, 403, 432, 434, 461, 462; Unorganized Territorial Units 433, 463, 464; Unorganized parts between townships 30 and 47 west to the provincial boundary; Villages—Bentley, Bowden, North Red Deer, Rimbey, Rocky Mountain House, Sylvan Lake.

Division No. 10 comprises the municipalities of Merton (451), Grizzly Bear (452), Buffalo Coulee (453), Lakeview (454), Wellington (481), Vermilion Valley (482), Melberta (483), Birch Lake (484), Patricia (485), Beaver Lake (486), Streamstown (511), Ethelwyn (512), Ukrainia (513), Sobor (514.), Norma (515), The Pines (516), Eagle (545), Wostok (546), Leslie (547); Towns—Lloydminster (Part), Vegreville, Vermilion; Villages—Bruderheim, Chipman, Holden, Innisfree, Islay, Kitscoty, Lamont, Lavoy, Mannville, Minburn, Mundare, Ryley.

Division No. 11 comprises the municipalities of Cornhill (487), Black Mud (488), Liberty (489), Pioneer (490), Clover Bar (517), Strathcona (518), Spruce Grove (519), Inga (520), Tomahawk (521), Sturgeon (548), Ray (549), Woodford (550), Morthen (551); Local Improvement District 491; Indian Reserves—Edmonton Agency: City—Edmonton; Towns—Beverley, Fort Saskatchewan, Leduc, Morinville, St. Albert, Stony Plain, Tofield; Villages—Alberta Beach, Seba Beach, Wabamun.

Division No. 12 comprises the municipalities of Rocky Rapids (522), Pembina (552), Kitchener (582); Local Improvement Districts 496, 523, 525, 526, 527, 553, 554, 555, 556, 557, 558, 583, 584, 585, 588, 612, 615, 616; Unorganized Territorial Units 493, 494, 495, 524, 586, 587; Unorganized parts between townships 46 and 57 west to the provincial boundary; Town—Edson; Village—Entwistle.

Division No. 13 comprises the municipalities of Lincoln (542), Laurier (543), Champlain (544), Boucher (572), St. Vincent (573), St. Lina (574), Wasel (575), Ashmont (605); Local Improvement Districts 541, 571, 601, 602, 603, 604, 631, 632, 633, 634, 635, 661, 663, 664, 666, 695; Unorganized Territorial Unit 662; Indian Reserves—Saddle Lake Agency, Frog Lake Reserve, White Fish Lake; Village—St. Paul de Metis.

Division No. 14 comprises the municipalities of Smoky Lake (576), Unity (577), Opal (578), Hazelwood (579), Lockerbie (580), Pershing (581), Tawatinaw (608), Pibroch (609), Cartier (637), Nelson (638), Grosmont (668); Local Improvement Districts 606, 607, 610, 611, 636, 639, 640, 665, 667, 669, 696, 697, 698, 699, 726, 727, 729; Unorganized Territorial Unit 728; Town—Athabaska; Villages—Clyde, Lac La Biche, Legal, Westlock.

Division No. 15 comprises Local Improvement Districts 613, 614, 641, 642, 643, 647, 670, 702, 705, 706, 707, 708, 709, 730, 731, 732, 733, 734, 735, 736, 737, 738, 764, 765, 766, 767, 794, 795, 796, 825, 826, 854, 855; Unorganized Territorial Units 617, 618, 619, 620, 621, 622, 644, 645, 646, 648, 671, 672, 673, 674, 675, 676, 677, 678, 679, 700, 701, 703, 704, 710, 824; Unorganized parts between townships 56 and 69 west of the provincial boundary, and the part of T. 69, R. 10 and 11, W. 5th Meridian south of the Wapiti River; Indian Reserves—Grouard, Sturgeon Lake, Sawridge, Swan River, Drift Pile, Sucker Creek; Towns—Grouard, Peace River.

Division No. 16 comprises the municipalities of Grande Prairie (739), Bear Lake (740), Spirit River (829), Peace (857), Fairview (858), Local Improvement Districts 741, 742, 769, 770, 771, 772, 797, 800, 801, 827, 828, 830, 831, 859, 860, 861, 886, 887, 888, 889, 916, 917; Unorganized Territorial Units 890, 891, 918, 919; Unorganized parts between townships 86 and 90 and between U.T.U. 919 and the western provincial boundary; Indian Reserves—Saskatoon Lake, Moberly Lake, Hudson Hope, St. John, Dunvegan, Peace River; Town—Grande Prairie; Villages—Clairmont, Spirit River.

Division No. 17 comprises the remainder of the province consisting of northern parts; Indian Reserves—Long Lake, Chipewayan, Little Red River, Boyer River, Upper Hay River, Wabaska, Fort Vermilion.

DIVISIONS DE RECENSEMENT DANS LES PROVINCES DES PRAIRIES

Le Manitoba, la Saskatchewan et l'Alberta ne possédant pas de divisions politiques correspondant aux comtés de l'est du Canada, on a cru devoir, aux fins de la compilation et de la publication des résultats du recensement de 1921, diviser ces provinces, pour les besoins de la statistique, en "division de recensement", chacune de celles-ci contenant un certain nombre de municipalités rurales, de "districts d'améliorations locales", de cités, de villes et de villages incorporés. En établissant ces lignes de démarcation on a créé des unités territoriales permanentes, plus petites que les provinces et facilitant les comparaisons, pendant un certain nombre d'années. Ce sont ces unités territoriales que l'on trouvera dans le présent rapport.

Sur les cartes ci-jointes, les limites des divisions sont figurées par des lignes rouges, celle des municipalités qui sont contenues dans les divisions par d'épaisses lignes noires et celles des cantons par de minces lignes noires.

Les nombres entourés d'un cercle rouge sont les numéros donnés aux divisions; les chiffres en noir sont les numéros des municipalités ou des districts d'améliorations locales (D.A.L.).

On trouvera dans la liste qui suit l'énumération des municipalités rurales, par nom et numéro (ce dernier entre parenthèses) ainsi que les cités, villes et villages composant chacune des "divisions de recensement", selon le recensement de 1921. Les districts d'améliorations locales et les unités des territoires inorganisés de la Saskatchewan et de l'Alberta sont indiqués simplement par un numéro.

MANITOBA

Division N° 1.—Elle comprend les municipalités de: Birch-River (1)Hanover (2), La Broquerie (3), Piney (4), Ste-Anne (5), Sprague (6), Stuartburn (7), Taché (8); Parties inorganisées à l'est du méridien principal, entre les cantons 3 et 10 (9).

Division N° 2.—Elle comprend les municipalités de: DeSalaberry (1), Franklin (2), Montcalm (3), Morris (4), Rhineland (5), Roland (6), Stanley (7), Thompson (8); Réserve indienne—Bande Roseau; Villes—Emerson, Morden, Morris; Villages—Gretna, Plum Coulée, Winkler.

Division N° 3.—Elle comprend les municipalités de: Argyle (1), Lorne (2), Louise (3), Pembina (4), Riverside (5), Roblin (6), Strathcona (7), Turtle Mountain (8); Réserve indienne—Swan Lake; Ville—Killarney; Villages—Manitou, Pilot Mound.

Division N° 4.—Elle comprend les municipalités de: Albert (1), Arthur (2), Brenda (3), Cameron (4), Edward (5), Morton (6), Whitewater (7), Winchester (8); Villes—Boissevain, Deloraine, Hartney, Melita; Village—Napinka.

Division N° 5.—Elle comprend les municipalités de: Brokenhead (1), Fort Alexander (2), Kildonan East (3), Lac du Bonnet (4), St-Clements (5), St-Paul East (6), Springfield (7), Victoria Beach (8), Whitemouth (9); Parties inorganisées à l'est du méridien principal, entre les cantons 9 et 21 (10); Réserves indiennes—Fort Alexander, Brokenhead; Villes—Beauséjour, Transcona; Village—Lyall.

Division N° 6.—Elle comprend les municipalités de: Cartier (1), Charleswood (2), Dufferin (3), Fort Garry (4), Grey (5), Macdonald (6), Portage la Prairie (7), Richot (8), St-Vital (9); Réserves indiennes—Long Plain, Sioux Village; Cités—Portage la Prairie, St-Boniface, Winnipeg; Villes—Carman, Tuxedo.

Division N° 7.—Elle comprend les municipalités de: Cornwallis (1), Cypress North (2), Cypress South (3), Elton (4), Norfolk North (5), Norfolk South (6), Oakland (7), Victoria (8); Réserve indienne—Indian Gardens; Cité—Brandon; Ville—Carberry; Village—Wawanesa.

Division N° 8.—Elle comprend les municipalités de: Daly (1), Glenwood (2), Pipestone (3), Sifton (4), Wallace (5), Whitehead (6), Woodworth (7); Réserves indiennes—Oak Lake, Oak River; Villes—Oak Lake, Rivers, Souris, Virden; Village—Elkhorn.

Division N° 9.—Elle comprend les municipalités de: Assiniboia (1), Kildonan West (2), Rockwood (3), Rosser (4), St-Andrews (5), St-François Xavier (6), St-James (7), St-Paul West (8), Woodlands (9); Villes—Selkirk, Stonewall, Winnipeg Beach.

Division N° 10.—Elle comprend les municipalités de: Glenella (1), Lakeview (2), Langford (3), Lansdowne (4), McCreary (5), Rosedale (6), Westbourne (7); Réserve indienne—Lake View; Villes—Gladstone, Neepawa.

Division N° 11.—Elle comprend les municipalités de: Archie (1), Birtle (2), Blanchard (3), Clanwilliam (4), Ellice (5), Hamiota (6), Harrison (7), Miniota (8), Minto (9), Odanah (10), Saskatchewan (11), Shoal Lake (12), Strathclair (13); Réserves indiennes—Bird Tail, Rolling River, Keesecekoowenins; Villes—Birtle, Minnedosa, Rapid City; Villages—Foxwarren, Hamiota, Shoal Lake.

Division N° 12.—Elle comprend les municipalités de: Armstrong (1), Bifrost (2), Chatfield (3), Coldwell (4), Ericksdale (5), Fisher Branch (6), Gimli (7), Kreuzburg (8), St-Laurent (9), Siglunes (10), Woodlea (11); Réserve indienne—Dog Creek; Village—Gimli.

Division N° 13.—Elle comprend les municipalités de: Dauphin (1), Ethelbert (2), Lawrence (3), Mossy River (4), Ochre River (5), Ste-Rose (6); Parties inorganisées au nord du canton 20 entre les frontières orientales des municipalités de Ste-Rose et Lawrence et Lac Manitoba (7); Réserve indiennes—Ebb & Flow, Crane River; Ville—Dauphin; Village—Winnipegosis.

Division N° 14.—Elle comprend les municipalités de: Boulton (1), Gilbert Plains (2), Grandview (3), Hillsburg (4), Rossburn (5), Russell (6), Shellmouth (7), Shell River (8), Silver Creek (9); Territoire inorganisé entre les cantons 18 et 23 et entre les rangs 16 et 26 à l'ouest du méridien principal (10); Réserves indiennes—Valley River, Gamblers, Lizard Point; Villes—Grandview, Russell; Villages—Binscarth, Gilbert Plains, Roblin, Rossburn.

Division N° 15.—Elle comprend les municipalités de: Minitonas (1), Swan River (2); Parties inorganisées entre les cantons 27 et 35 et entre la frontière occidentale provinciale et le rang 23 à l'ouest du méridien principal (3); Ville—Swan River.

Division N° 16.—Elle comprend les parties inorganisées du nord; Réserves indiennes—Agence Norway House, Agence Fisher River, Agence Pas, Black River, Hollow Water, Fairford, Lake St-Martin, Little Saskatchewan, Pine Creek, Shoal River, Waterhen; Ville—The Pas.

SASKATCHEWAN

Division N° 1.—Elle comprend les municipalités de: Argyle (1), Mount Pleasant (2), Enniskillen (3), Coalfields (4), Estevan (5), Storthoaks (31), Reciprocity (32), Moose Creek (33), Browning (34), Benson (35), Antler (61), Moose Mountain (63), Brock (64), Tecumseh (65), Maryfield (91), Walpole (92), Wawken (93), Hazelwood (94), Golden West (95); Réserve indienne—Moose Mountain; Villes—Alameda, Arcola, Carlyle, Carnduff, Estevan, Oxbow; Villages—Antler, Bienfait, Carievale, Fairlight, Forget, Frobisher, Gainsborough, Glen Ewen, Heward, Kennedy, Kisbey, Lampman, Manor, Maryfield, North Portal, Redvers, Roche Percée, Stoughton, Wauchope, Wawota.

Division N° 2.—Elle comprend les municipalités de: Cambria (6), Souris Valley (7), Lake Alma (8), Surprise Valley (9), Happy Valley (10), Cymri (36), Lomond (37), Laurier (38), The Gap (39), Bengough (40), Griffin (66), Weyburn (67), Brokenshell (68), Norton (69), Key West (70), Fillmore (96), Wellington (97), Scott (98), Caledonia (99), Elmsthorpe (100); Cité—Weyburn; Villes—Milestone, Ogema, Radville, Yellowgrass; Villages—Amulet, Avonlea, Bengough, Bromhead, Ceylon, Colgate, Creelman, Fillmore, Forward, Goodwater, Griffin, Halbrite, Horizon, Khedive, Lang, Macoun, McTaggart, Midale, Osage, Pangman, Tribune, Truax, Tyvan.

Division N° 3.—Elle comprend les municipalités de: Hart Butte (11), Poplar Valley (12), Willow Bunch (42), Waverley (44), Mankota (45), Glen McPherson (46), Excel (71), Lake of the Rivers (72), Stonehenge (73), Wood River (74), Pinto Creek (75), Auvergne (76), Terrell (101), Lake Johnston (102), Sutton (103), Gravelbourg (104), Glen Bain (105), Whiska Creek (106); Territoires inorganisés par unités 13, 14, 15, 16, 43; Réserve indienne—Wood Mountain; Villes—Assiniboia, Gravelbourg; Villages—Aneroid, Ardill, Congress, Ettington, Expanse, Hazenmore, Kincaid, Laflèche, Limerick, Mazenod, Meyronne, Mitchellton, Mossbank, Neville, Palmer, Ponteix, Readlyn, Spring Valley, Vanguard, Vantage, Verwood, Viceroy, Woodrow.

Division N° 4.—Elle comprend les municipalités de: Lone Tree (18), Frontier (19), White Valley (49), Reno (51), Wise Creek (77), Grassy Creek (78), Arlington (79), Lac Pelletier (107), Bone Creek (108), Carmichael (109), Piapot (110), Maple Creek (111), Territoires inorganisés par unités 17, 20, 21, 22, 47, 48, 50, 52, 80, 81, 82, 112; Villes—Eastend, Maple Creek, Shaunavon; Villages—Admiral, Cadillac, Carmichael, Consul, Dollard, Hatton, Piapot, Robsart, Scotsguard, Vidora.

Division N° 5.—Elle comprend les municipalités de: Moosomin (121), Martin (122), Silverwood (123), Kingsley (124), Chester (125), Rocanville (151), Spy Hill (152), Willowdale (153), Elcapo (154), Wolseley (155), Langenburg (181), Fertile Belt (183), Grayson (184), McLeod (185), Churchbridge (211), Saltcoats (213), Cana (214), Stanley (215); Réserve indienne—Agence Crooked Lake; Villes—Bredenbury, Broadview, Fleming, Grenfell, Lemberg, Melville, Moosomin, Saltcoats, Wapella, Whitewood, Wolseley; Villages—Atwater, Bangor, Birmingham, Churchbridge, Dubuc, Duff, Esterhazy, Fenwood, Glenavon, Goodeve, Grayson, Killaly, Kipling, Langenburg, MacNutt, Neudorf, Otthon, Rocanville, Spy Hill, Stockholm, Summerberry, Tantallon, Waldron, Welwyn, Windthorst.

Division N° 6.—Elle comprend les municipalités de: Montmartre (126), Francis (127), Lajord (128), Bratt's Lake (129), Redburn (130), Indian Head (156), South Qu'Appelle (157), Edenwold (158), Sherwood (159), Pense (160), Abernethy (186), North Qu'Appelle (187), Lumsden (189), Dufferin (190), Tullymet (216), Lipton (217), Cupar (218), Longlaketon (219), McKillop (220), Sarnia (221); Réserves indiennes—Agence Qu'Appelle, Agence Assiniboine, Agence File Hill; Cité—Regina; Villes—Balgonie, Francis, Indian Head, Lumsden, Qu'Appelle, Rouleau, Sintaluta, Strasbourg; Villages—Abernethy, Balcarres, Belle Plaine, Bethune, Briercrest, B-Say-Tah, Bulyea, Chamberlain, Craven, Cupar, Dilke, Disley, Drinkwater, Dysart, Earl Grey, Edenwold, Findlater, Fort Qu'Appelle, Grand Coulée, Holdfast, Kendal, Kronau, Lebret, Lipton, Markinch, McLean, Montmartre, North Regina, Odessa, Pense, Penzance, Pilot Butte, Regina Beach, Sedley, Silton, Southey, Vibank, Wilcox.

Division N° 7.—Elle comprend les municipalités de: Baildon (131), Hillsborough (132), Rodgers (133), Shamrock (134), Lawtonia (135), Coulée (136), Moose Jaw (161), Caron (162), Wheatlands (163), Chaplin (164), Morse (165), Excelsior (166), Marquis (191), Eyebrow (193), Enfield (194), Vermilion Hills (195), Craik (222), Huron (223), Maple Bush (224), Canaan (225), Victory (226), Coteau (255), King George (256); Cité—Moose Jaw; Villes—Caron, Craik, Herbert, Morse, Mortlach; Villages—Aylesbury, Birsay, Bridgeford, Brownlee, Central Butte, Chaplin, Dunblane, Ernfold, Eyebrow, Hodgeville, Keeler, Lawson, Lucky Lake, Marquis, Mawer, Parkbeg, Riverhurst, Rush Lake, Tugaske, Tuxford, Waldeck.

Division N° 8.—Elle comprend les municipalités de: Swift Current (137), Webb (138), Gull Lake (139), Big Stick (141), Bitter Lake (142), Saskatchewan Landing (167), Riverside (168), Pittville (169), Keebleville (171), Enterprise (172), Lacadena (228), Miry Creek (229), Clinworth (230), Happyland (231), Deer Forks (232), Monet (257), Fairview (258), Snipe Lake (259), Newcombe (260), Royal Canadian (261), Mantario (262); Territoires inorganisés par unités—140, 270, 227; Cité—Swift Current; Villes—Cabri, Gull Lake, Leader; Villages—Abbey, Burstall, Eatonia, Elrose, Eston, Estuary, Glidden, Hughton, Lancer, Lemsford, Pennant, Plato, Portreeve, Prelate, Richlea, Sceptre, Shackleton, Success, Tomkins, Webb.

Division N° 9.—Elle comprend les municipalités de: Calder (241), Wallace (243), Orkney (244), Garry (245), Coté (271), Sliding Hills (273), Good Lake (274), Insinger (275), St-Philips (301), Keys (303), Buchanan (304), Invermay (305), Livingston (331), Clayton (333), Preeceville (334), Hazel Dell (335); Réserve indienne—Agence Pelly; Villes—Canora, Kamsack, Yorkton; Villages—Arran, Buchanan, Calder, Hyas, Insinger, Invermay, Norquay, Pelley, Preeceville, Rama, Rhein, Sheho, Springside, Stenen, Stornoway, Sturgis, Theodore, Togo, Veregin, Willowbrook, Wroxton.

Division N° 10.—Elle comprend les municipalités de: Ituna Bon Accord (246), Kellross (247), Touchwood (248), Millington (249), Beaver (276), Emerald (277), Kutawa (278), Mount Hope (279), Foam Lake (306) Elfros (307), Big Quill (308), Prairie Rose (309), Sasman (336), Lakeview, (337), Lakeside (338), Ayr (339); Réserves indiennes—Muscowequans, Gordon, Day Star, Poorman, Fishing Lake; Villes—Wadena, Watson, Wynyard; Villages—Dafoe, Elfros, Foam Lake, Hubbard, Ituna, Jansen, Jasmin, Kandahar, Kelliher, Kuroki, Leross, Leslie, Lestock, Margo, Punnichy, Quill Lake, Quinton, Raymore, Semans, Tate.

Division N° 11.—Elle comprend les municipalités de: Last Mountain Valley (250), Big Arm (251), Arm River (252), Willner (253), Loreburn (254), Wreford (280), Wood Creek (281), McCrancy (282), Rosedale (283), Rudy (284), Usborne (310), Morris (312), Lost River (313), Dundurn (314), Wolverine (340), Viscount (341), Colonsay (342), Blucher (343), Cory (344); Réserve indienne—Moose Woods; Cité—Saskatoon; Villes—Davidson, Govan, Hanley, Lanigan, Nokomis, Outlook, Sutherland, Watrous; Villages—Allan, Bladworth, Bradwell, Broderick, Clavet, Colonsay, Drake, Dundurn, Duval, Elbow, Elstow, Girvin, Glenside, Guernsey, Hawarden, Imperial, Kenaston, Liberty, Lockwood, Loreburn, Meacham, Simpson, Strongfield, Venn, Viscount, Young, Zelma.

Division N° 12.—Elle comprend les municipalités de: Fertile Valley (285), Milden (286), St-Andrews (287), Pleasant Valley (288), Montrose (315), Harris (?16), Marriott (317), Mountain View (318), Loganton (345), Perdue (346), Biggar (347), Bushville (348), Park (375), Eagle Creek (376), Glenside (377), Rosemount (378), Prairie (408), Battle River (438), Réserves indiennes—Mosquito, Sweet Grass, Red Pheasant; Villes—Asquith, Battleford, Delisle, Langham, Rosetown, Zealandia; Villages—Ardath, Bounty, Conquest, Delmas, Dinsmore, Harris, Herschel, Kinley, Laura, Leney, Macrorie, McGee, Milden, Perdue, Sovereign, Spring Water, Stranraer, Swanson, Tessier, Vanscoy, Wiseton.

Division N° 13.—Elle comprend les municipalités de: Hillsburgh (289), Kindersley (290), Elma (291), Milton (292), Winslow (319), Oakdale (320), Prairiedale (321), Antelope Park (322), Grandview (349), Mariposa (350), Progress (351), Heart's Hill (352), Reford (379), Tramping Lake (380), Grass Lake (381), Eye Hill (382), Buffalo (409), Round Valley (410), Senlac (411), Cut Knife (439), Hillsdale (440), Manitou Lake (442); Réserves indiennes—Poundmaker, Little Pine, Lucky Man; Villes—Alsask, Kerrobert, Kindersley, Macklin, Scott, Unity, Wilkie; Villages—Adanac, Brock, Cavell, Cut Knife, Denzil, Dodsland, Druid, Evesham, Flaxcombe, Handel, Kelfield, Landis, Leipsig, Loverna, Luseland, Major, Marengo, Netherhill, Plenty, Rockhaven, Salvador, Senlac, Smiley, Tramping Lake.

Division N° 14.—Elle comprend les municipalités de: Kelvington (366), Ponass Lake (367), Spalding (368), Barrier Valley (397), Pleasantdale (398), Bjorkdale (426), Tisdale (427), Star City (428), Arborfield (456), Connaught (457), Willow Creek (458), Moose Range (486), Nipawin (487); Territoires inorganisés par unités 361, 363, 364, 365, 391, 393, 394, 395, 396, 421, 423, 424, 425, 451, 453, 454, 455, 481, 483, 484, 485, 488, 511, 513, 514, 515, 516, 517, 518; Réserves indiennes—Kinistino, Nut Lake, Shoal Lake, Red Earth; Villes—Melfort, Tisdale; Villages—Hudson Bay Jct., Naicam, Star City.

Division N° 15.—Elle comprend les municipalités de: St-Peter (369), Humboldt (370), Bayne (371), Grant (372), Aberdeen (373), Warman (374), Lake Lenore (399), Three Lakes (400), Hoodoo (401), Fish Creek (402), Rosthern (403), Laird (404), Carrot River (429), Invergordon (430), St-Louis (431), Weldon (459), Birch Hills (460), Prince Albert (461), Duck Lake (463), Russia (490), Buckland (491), Territoires inorganisés par unités—489, 519, 520, 521; Réserves indiennes—Pensionnat de Duck Lake, Bande One Arrow, Bande Okemassis, Bande John Smith, Bande James Smith, Bande Wahpaton; Cité—Prince Albert; Villes—Duck Lake, Humboldt, Rosthern, Vonda; Villages—Aberdeen, Beatty, Birch Hills, Bruno, Cudworth, Dalmeny, Dana, Domremy, Englefeld, Hague, Hepburn, Howell, Kinistino, Laird, Lake Lenore, Muenster, Osler, St-Brieux, St-Gregor, Wakaw, Waldheim, Warman, Weldon.

Division N° 16.—Elle comprend les municipalités de: Great Bend (405), Mayfield (406), Blaine Lake (434), Redberry (435), Douglas (436), North Battleford (437), Leask (464), Royal (465), Meeting Lake (466), Round Hill (467), Rozilee (493), Canwood (494), Shell River (495), Medstead (497), Territoires inorganisés par unités 496, 523, 524, 525, 526, 527, 553, 554, 555, 556, 557, 587; Réserves indiennes—Agence Carleton, Thunder Child, Sturgeon Lake; Cité—North Battleford; Ville—Radisson; Villages—Blaine Lake, Borden, Canwood, Denholm, Fielding, Hafford, Krydor, Leask, Marcelin, Maymont, Parkside, Richard, Ruddell, Shellbrook, Speers.

Division N° 17.—Elle comprend les municipalités de: Meota (468), Turtle River (469), Paynton (470), Eldon (471), Wilton (472), Parkdale (498), Mervin (499), Paradise Hill (501), Britannia (502), Bright Sand (529), North Star (531), Territoires inorganisés par unités 528, 532, 558, 559, 561, 562, 588, 589, 591, 592; Réserves indiennes—Moosomin, Saultans, Meadow Lake, Waterhen, Agence Onion Lake; Ville—Lloydminster (Partie); Villages—Edam, Lashburn, Maidstone, Marshall, Meota, Mervin, Paynton, Turtleford, Vawn, Waseca.

Division N° 18.—Elle comprend les parties septentrionales inorganisées; Réserves indiennes—Bande Fond du Lac, Bande William Charles, Bande Cumberland, Bande Pine Bluff, Lac la Ronge, Lac Stanley, South End, Pelican Narrows, English River, Clear Lake, Canoe Lake.

ALBERTA

Division N° 1.—Elle comprend les municipalités de: Flowery Plain (33), Burlington (34), Warner (36), Forty Mile (64), Eureka (65), Excelsior (92), Bow Island (94); Districts d'améliorations locales—1, 2, 3, 4, 5, 6, 31, 32, 35, 61, 62, 63, 66, 91, 93; Cité—Medicine Hat; Villes—Bow Island, Irvine, Taber; Villages—Burdett, Grassy Lake, Milk River, Walsh, Warner.

Division N° 2.—Elle comprend les municipalités de: Cochrane (10), Kerr (39), Castle River (40), Bright (69), Livingstone (70), Argyle (99); Districts d'améliorations locales—7, 8, 9, 37, 38, 67, 68, 71, 100, 101; Réserves indiennes—Réserve Peigan, Agence Blood; Cité—Lethbridge; Villes—Blairmore, Gardston, Claresholm, Coleman, Diamond City, Granum, Macleod, Magrath, Pincher Creek, Raymond; Villages—Coaldale, Coalhurst, Commerce, Cowley, Frank, Monarch, Pincher City, Stirling.

Division N° 3.—Elle comprend les municipalités de: McLean (96), Sunny South (123), King (153), Britannia (183); Districts d'améliorations locales—121, 122, 124, 125, 126, 151, 152, 154, 155, 156, 181, 182, 184, 185, 186, 211; Villes—Bassano, Brooks, Redcliffe; Villages—Alderson, Duchess, Empress, Enchant, Jenner, Retlaw, Suffield.

Division N° 4.—Elle comprend les municipalités de: Little Bow (98), Clifton (127), Harmony (128), Clear Lake (129), Marquis (157), Royal (158), Riley (159), Dinton (189), Sheep Creek (190), Stockland (191); Districts d'améliorations locales—97, 130, 131, 160, 161, 192; Parties inorganisées entre les cantons 17 et 22 ouest à la frontière provinciale; Villes—Carmangay, High River, Nanton, Okotoks, Staveley, Vulcan; Villages—Barons, Blackie, Cayley, Champion, Lomond, Nobleford.

Division N° 5.—Elle comprend les municipalités de: Berry Creek (214), Bulyea (215), Acadia (241), Cereal (242), Collholme (243), Flowerdale (244), Lonebutte (245), Bertawan (271), Golden Centre (272), Sounding Creek (273), Richdale (274), Hand Hills (275), Michichi (277), Canmer (301), Stewart (302),

Wiste (303), Hiram (304), Dowling Lake (305), Lambton (306), Starland (307); Districts d'améliorations locales—212, 213, 246; Villes—Drumheller, Hanna, Youngstown; Villages—Cereal, Chinook, Craigmyle, Delia, Morrin, Munson, Oyen, Richdale, Rumsey.

Division N° 6.—Elle comprend les municipalités de: Blackfoot (218), Bow Valley (219), Shepard (220), Springbank (221), Grasswood (248), Keoma (249), Beddington (250), Carbon (278), Norquay (279), Rosebud (280), Beaver Dam (281), Ghost Pine (308), Stauffer (309), Mountain View (310), Westerdale (311); Districts d'améliorations locales—216, 217, 222, 247, 251, 252, 282; Parties inorganisées entre les cantons 21 et 31 ouest à la frontière provinciale; Réserves indiennes—Réserve Stony, Réserve Sarcee, Agence Blackfoot; Cités—Calgary, Banff (non-incorporée); Villes—Didsbury, Gleichen, Olds, Strathmore; Villages—Acme, Airdrie, Beiseker, Carbon, Carstairs, Cochrane, Crossfield, Irricana, Langdon, Rockyford, Rosebud, Three Hills, Trochu.

Division N° 7.—Elle comprend les municipalités de: Coronation (334), Sullivan Lake (335), Rosenheim (361), Hillcrest (362), Stocks (363), Flagstaff (364), Progress (365), Sifton (391), Vale (392), Huamha (393), Asquith (394), Wheatland (395), Ribstone (421), Gilt Edge (422), Battle River (423), Kinsella (424), Stirling (425), Iron Creek (455), Districts d'améliorations locales—331, 332, 333; Villes—Castor, Coronation, Hardisty, Wainwright; Villages—Alliance, Cadogan, Chauvin, Consort, Czar, Edgerton, Forestburg, Galahad, Hughenden, Irma, Killam, Lougheed, Monitor, Provost, Sedgewick, Strome, Veteran, Viking.

Division N° 8.—Elle comprend les municipalités de: Success (336), Vimy (337), Hayes (338), Pine Lake (339), Arthur (340), Dublin (366), Waverley (367), Haig (396), Lakeside (397), Lamerton (398), Crown (399), Melrose (426), Evergreen (427), Waterglen (428), Fertile Valley (429), Parkland (456), Lloyd George (457), Montgomery (458), Bigstone (459), Réserve indienne—Agence Hobbema; Cités—Red Deer, Wetaskiwin; Villes—Big Valley, Camrose, Daysland, Innisfail, Lacombe, Ponoka, Stettler; Villages—Alix, Bashaw, Bawlf, Bittern Lake, Blackfalds, Botha, Clive, Delburne, Donalda, Erskine, Ferintosh, Gadsby, Halkirk, Heisler, Millett, Mirror, New Norway, Ohaton, Penhold.

Division N° 9.—Elle comprend les municipalités de: Waterloo (312), Poplar Grove (341), Raven (342), Prairie Creek (343), Golden West (371), Lorne (400), Lochearn (401), Blindman (430), Last West (431), Columbia (460); Districts d'améliorations locales—344, 374, 403, 432, 434, 461, 462; Territoires inorganisés par unités—433, 463, 464; Parties inorganisées entre les cantons 30 et 47 ouest à la frontière provinciale; Villages—Bentley, Bowden, North Red Deer, Rimbey, Rocky Mountain House, Sylvan Lake.

Division N° 10.—Elle comprend les municipalités de: Merton (451), Grizzly Bear (452), Buffalo Coulée (453), Lakeview (454), Wellington (481), Vermilion Valley (482), Melberta (483), Birch Lake (484), Patricia (485), Beaver Lake (486), Streamstown (511), Ethelwyn (512), Ukrainia (513), Sobor (514), Norma (515), The Pines (516), Eagle (545), Wostok (546), Leslie (547); Villes—Lloydminster (partie), Vegreville, Vermilion; Villages—Bruderheim, Chipman, Holden, Innisfree, Islay, Kitscoty, Lamont, Lavoy, Mannville, Minburn, Mundare, Ryley.

Division N° 11.—Elle comprend les municipalités de: Cornhill (487), Black Mud (488), Liberty, (489), Pioneer (490), Clover Bar (517), Strathcona (518), Spruce Grove (519), Inga (520), Tomahawk (521), Sturgeon (548), Ray (549), Woodford (550), Morthen (551); District d'amélioration locale 491; Réserve indienne—Agence Edmonton; Cité—Edmonton; Villes—Beverley, Fort Saskatchewan, Leduc, Morinville, St-Albert, Stony Plain, Tofield; Villages—Alberta Beach, Seba Beach, Wabamun.

Division N° 12.—Elle comprend les municipalités de: Rocky Rapids (522), Pembina (552), Kitchener (582); Districts d'améliorations locales—496, 523, 525, 526, 527, 553, 554, 555, 556, 557, 558, 583, 584, 585, 588, 612, 615, 616; Territoires inorganisés par unités—493, 494, 495, 524, 586, 587; Parties inorganisées entre les cantons 46 et 57 ouest à la frontière provinciale; Ville—Edson; Village—Entwistle.

Division N° 13.—Elle comprend les municipalités de: Lincoln (542), Laurier (543), Champlain (544), Boucher (572), St-Vincent (573), St-Lima (574), Wasel (575), Ashmont (605); Districts d'améliorations locales—541, 571, 601, 602, 603, 604, 631, 632, 633, 634, 635, 661, 663, 664, 666, 695; Territoire inorganisé par unité—662; Réserves indiennes—Agence Saddle Lake, Réserve Frog Lake, White Fish Lake; Village—St-Paul de Métis.

Division N° 14.—Elle comprend les municipalités de: Smoky Lake (576), Unity (577), Opal (578), Hazelwood (579), Lockerbie (580), Pershing (581), Tawatinaw (608), Pibroch (609), Cartier (637), Nelson (638), Grosmont (668), Districts d'améliorations locales—606, 607, 610, 611, 636, 639, 640, 665, 667, 669, 696, 697, 698, 699, 726, 727, 729; Territoire inorganisé par unité—728; Ville—Athabaska; Villages—Clyde, Lac La Biche, Legal, Westlock.

Division N° 15.—Elle comprend les districts d'améliorations locales—613, 614, 641, 642, 643, 647, 670, 702, 705, 706, 707, 708, 709, 730, 731, 732, 733, 734, 735, 736, 737, 738, 764, 765, 766, 767, 794, 795, 796, 825, 826, 854, 855; Territoires inorganisés par unités—617, 618, 619, 620, 621, 622, 644, 645, 646, 648, 671, 672, 673, 674, 675, 676, 677, 678, 679, 700, 701, 703, 704, 710, 824; Parties inorganisées entre les cantons 56 et 69 ouest à la frontière provinciale et la partie de C. 69 R. 10 et 11 W. 5ième méridien sud de la rivière Wapiti; Réserves indiennes—Grouard, Sturgeon Lake, Sawridge, Swan River, Drift Pile, Sucker Creek; Villes—Grouard, Peace River.

Division N° 16.—Elle comprend les municipalités de: Grande Prairie (739), Bear Lake (740), Spirit River (829), Peace (857), Fairview (858), Districts d'améliorations locales—741, 742, 769, 770, 771, 772, 797, 800, 801, 827, 828, 830, 831, 859, 860, 861, 886, 887, 888, 889, 916, 917; Territoires inorganisés par unités—890, 891, 918, 919; Parties inorganisées entre les cantons 86 et 90 et entre T.J.U. 919, et la frontière occidentale provinciale; Réserves indiennes—Saskatoon Lake, Moberley Lake, Hudson Hope, St-John, Dunvegan, Peace River; Ville—Grande Prairie; Villages—Clairmont, Spirit River.


Division N° 17.—Elle comprend le reste de la province au nord; Réserves indiennes—Long Lake, Chipewayan, Little Red River, Boyer River, Upper Hay River, Wabaska, Fort Vermilion.


MANITOBA
1922

Census Divisions are outlined in red lines

Rural Municipalities within Divisions by heavy black lines:

NOTE:—The province for Census publication purposes is divided into 16 Divisions. Each Division comprises the Rural and Urban Municipalities within its boundaries. See schedule for complete details.







SASKATCHEWAN
1922

Census Divisions are outlined in red lines: ——

Rural Municipalities within Divisions by heavy black lines: ——

NOTE.—The province for Census publication purposes is divided into 18 Divisions. Each Division comprises the Rural and Urban Municipalities within its boundaries. See schedule for complete details.




SIXTH MERIDIAN
FIFTH MERIDIAN
FOURTH MERIDIAN
PEACE RIVER
LESSER SLAVE LAKE
ATHABASCA RIVER
BEAVER RIVER
CHRISTINA RIVER
CLEARWATER RIVER
ATHABASCA
EDMONTON
CALGARY
LETHBRIDGE
MEDICINE HAT
WAINWRIGHT
VERMILION
WETASKIWIN
CAMROSE
STETTLER
DRUMHELLER
HANNA
WESTLOCK
ST. PAUL
BONNYVILLE
ST. ALBERT
LEDUC
RED DEER
OLDS
CROSSFIELD
HIGH RIVER
CARDSTON
TABER
COALDALE
BROOKS
STRATHMORE
CROSSFIELD
CANMORE
BANFF
LAKE LOUISE
JASPER
MOUNTAIN PARK
GRANDE PRAIRIE
SPIRIT RIVER
DEBOLT
GRIMSHAW
MANNING
FAIRVIEW
BERWYN
ROCKFORT
CLYDE
THORSBY
CHIPMAN
DEVON
BEAUMONT
LAMOUREUX
ANDREW
MUNDARE
TOFIELD
CLIVE
GADSBY
DELBURNE
INNISFAIL
BOWDEN
CARSTAIRS
CROSSFIELD
BLACKFALDS
LACOMBE
CASTOR
PROVOST
ALLIANCE
CHAUVIN
CONSORT
CORONATION
HUSSAR
STRATHMORE
GLEICHEN
BASSANO
BROOKS
ROSEMARY
DUCHESS
JENNER
SEDALIA
MILO
VULCAN
CHAMPION
NOBLEFORD
BARONS
CARMANGAY
CLARESHOLM
STAVELY
MACLEOD
PINCHER CREEK
COLEMAN
BLAIRMORE
CROWSNEST
MACKLIN
ALSASK
ALTARIO
ALTARIO
ALTARIO



Canada

DOMINION BUREAU OF STATISTICS

VITAL STATISTICS

1928

Eighth Annual Report

Published by Authority of
The Honourable H. H. Stevens, M.P.,
MINISTER OF TRADE AND COMMERCE



OTTAWA
F. A. ACLAND
PRINTER TO THE KING'S MOST EXCELLENT MAJESTY
1931

PREFACE

The present is the Eighth Annual Report on Vital Statistics to be issued by the Dominion Bureau of Statistics on data obtained under arrangement with provincial Registration Departments. Like the Sixth and Seventh Annual Reports, the present volume covers all provinces of the Dominion.

The First, Second and Third Annual Reports contain a full account of the origin and purpose of the agreement between the Dominion and the provinces for the production of vital statistics, together with a sketch of the earlier development of these statistics in Canada. Registration of births, deaths and marriages is carried out by the provincial authorities, each province having passed an act making registration compulsory and prescribing that certain items of information be obtained on a uniform basis. Transcripts of the certificates are forwarded to the Dominion Bureau of Statistics and from these the Annual Reports for Canada are compiled. For the year 1928, in addition to the preparation of tables for the present volume, the Bureau of Statistics issued monthly reports and a preliminary annual report, and supplied all provinces with the compilations required for their respective reports.

As in past years, the statistics of births, deaths and marriages among the Indian population are included in the general tables. They are also given separately in Appendix I. Attention is directed to the summary of the vital statistics of Yukon and the Northwest Territories at the end of the Introduction.

The collection of the data and the preparation of the Report were under the direction of Mr. E. S. Macphail, Chief of the Demography Branch of the Bureau, assisted by Mr. W. R. Tracey.

R. H. COATS,
Dominion Statistician.

Dominion Bureau of Statistics, January, 1930.

130—A½

TABLE OF CONTENTS

	Page
Preface	iii

INTRODUCTION

Population by provinces, 1921-28	ix
Births, Deaths and Marriages by provinces, 1928	ix
Natural Increase—	
Natural increase by provinces and sex, 1921-28	x
Natural increase in other countries	xii
Births—	
Birth rates and masculinity of births by provinces, 1921-28	xii
Birth rates in other countries	xv
Births by months	xv
Births by ages of parents	xvii
Births by nativity of parents	xviii
Births by racial origin of parents	xix
Illegitimate births	xx
Stillbirths—	
Stillbirths by age of mother and legitimacy, 1928	xxiii
Proportion of stillbirths to total births by age of mother and order of birth, 1928	xxiv
Stillbirths by sex and month of birth, 1928	xxiv
Order of birth	xxiv
Infant Mortality (under one year)—	
Infant mortality by provinces and sex, 1921-28	xxvii
Infant mortality in other countries	xxix
Year of birth and age at death of infants dying in 1928	xxx
Infant mortality by months	xxx
Infant mortality by quarters	xxxii
Mortality of children born in calendar year 1927	xxxiii
Infant mortality by causes, 1926-28	xxxiv
Proportion of infant mortality rates for each sex from certain causes	xxxvi
Causes of infant mortality by age-periods	xxxvii
Infant mortality in cities of 40,000 population and over	xxxvii
Infant mortality rates for rural parts and urban communities classified by size	xxxix
Maternal mortality—	
Maternal mortality by age groups and provinces, 1928	xl
Maternal mortality in other countries	xli
Maternal mortality in the Registration Area as of 1921 during the years 1921-28	xli
Maternal mortality according to attendance and outcome of pregnancy	xlii
Maternal mortality by causes of death	xlii
Deaths from various causes associated with pregnancy and childbirth	xliv
General mortality—	
Total deaths and death rates by provinces, 1921-28	xlv
Death rates in other countries	xlvi
Age distribution of decedents	xlvi
Deaths of centenarians in 1928	xlviii
Death rates by months, 1921-28	xlviii
Adjusted or standardized death rates	l
Causes of death—	
Deaths and death rates from certain causes	li
Deaths and death rates of Indians from certain causes	liv
Deaths and death rates of population exclusive of Indians from certain causes	lvi
Deaths and death rates from certain causes in the Registration Area as of 1921, during the years 1921-28	lviii
Communicable diseases	lx
Typhoid fever	lxi

PAGE

Causes of death—Concluded
Small-pox ... lxi
Measles ... lxi
Scarlet fever ... lxii
Whooping-cough ... lxii
Diphtheria ... lxii
Influenza ... lxii
Acute poliomyelitis ... lxiii
Lethargic encephalitis ... lxiii
Tuberculosis ... lxiii
Syphilis ... lxiv
Cancer ... lxv
Diabetes mellitus ... lxvii
Anaemia ... lxviii
Alcoholism, cirrhosis of the liver ... lxviii
Cerebral haemorrhage, apoplexy ... lxix
Diseases of the heart ... lxix
Diseases of the arteries ... lxx
Bronchitis ... lxx
Pneumonia ... lxx
Diarrhoea and enteritis ... lxx
Nephritis ... lxxi
Violent deaths ... lxxi
Suicides ... lxxi
Homicides ... lxxii
Automobile accidents ... lxxii
Drownings ... lxxiv
Proportion of deaths from certain causes ... lxxiv
Proportionate distribution of deaths in each sex and age group by causes ... lxxv
Proportionate distribution by age groups of deaths from certain causes ... lxxvi
Deaths by certain causes classified according to medical attendance ... lxxvii

Marriages—
Number of marriages and marriage rates by provinces, 1921-28 ... lxxviii
Marriage rates in other countries ... lxxix
Marriage rates by months ... lxxix
Conjugal condition of contracting parties ... lxxxi
Age at marriage ... lxxxii
Marriages at early ages ... lxxxv
Birthplace of bridegrooms and brides ... lxxxvi

Vital Statistics of Yukon and the Northwest Territories ... lxxxvi

GENERAL TABLES

General Summary—
TABLE 1.—General summary of births, deaths and marriages in Canada by provinces and counties or census divisions, 1928 ... 3
TABLE 2.—General summary of births, deaths and marriages in cities and towns of 1,000 population and over, 1928 ... 6

Births—
TABLE 3.—Births (exclusive of stillbirths) by months, classified as rural and urban for each province, 1928 ... 13
TABLE 4.—Total births (exclusive of stillbirths) and births in public institutions, showing the number of mothers non-resident in the province, 1928 ... 14
TABLE 5.—Plural births classified to show number of children born alive and stillborn by sex, for provinces, 1928 ... 15
TABLE 6.—Births (exclusive of stillbirths) to resident and non-resident mothers and births in public institutions, in cities and towns of 5,000 population and over, 1928 ... 16
TABLE 7.—Births (exclusive of stillbirths) classified as legitimate or illegitimate, for provinces, cities and towns of 5,000 population and over, 1928 ... 20
TABLE 8.—Births (exclusive of stillbirths) classified according to ages of parents, 1928 ... 22
TABLE 9.—Births (exclusive of stillbirths) classified according to racial origin of parents, 1928 ... 42
TABLE 10.—Births (exclusive of stillbirths) classified according to age and racial origin of married mothers, 1928 ... 56

Births—Concluded PAGE

TABLE 11.—Births (exclusive of stillbirths) classified according to birthplaces of parents, 1928 58

TABLE 12.—Births (exclusive of stillbirths) classified according to age and birthplace of married mothers, 1928 78

TABLE 13.—Order of birth of legitimate children born in 1928 (including stillborn children) by age of mother and by provinces 80

Infant Mortality—

TABLE 14.—Deaths of children under one year (exclusive of stillbirths) in Canada, by months, classified as rural and urban for each province, 1928 85

TABLE 15.—Total deaths (exclusive of stillbirths) and deaths in public institutions, of children under one year of age, showing the number non-resident in the province, 1928 85

TABLE 16.—Total deaths (exclusive of stillbirths) and deaths in public institutions, of children under one year of age, classified according to residence of decedents, in cities and towns of 5,000 population and over, 1928 86

TABLE 17.—Deaths of children under one year (exclusive of stillbirths) by age at death, 1928 90

TABLE 18.—Deaths of children under one year of age (exclusive of stillbirths) classified according to racial origin of decedents, 1928 91

TABLE 19.—Deaths of children under one year of age (exclusive of stillbirths) classified according to birthplace of parents, 1928 92

TABLE 20.—Deaths of children (exclusive of stillbirths) from certain specified causes in first year of life, by months, 1928 94

TABLE 21.—Deaths of children (exclusive of stillbirths) from certain specified causes in first year of life, by ages, 1928 110

General Mortality—

TABLE 22.—Total deaths (exclusive of stillbirths) in Canada by months, 1928. 133

TABLE 23.—Total deaths (exclusive of stillbirths) and deaths in public institutions showing the number non-resident in the province, 1928. 133

TABLE 24.—Total deaths (exclusive of stillbirths) and deaths in public institutions, classified according to residence of decedents in cities and towns of 5,000 population and over, 1928 134

TABLE 25.—Deaths (exclusive of stillbirths) by single years of age and by age groups, 1928 138

TABLE 26.—Deaths (exclusive of stillbirths) classified according to racial origin of decedents, by provinces, 1928 142

TABLE 27.—Deaths (exclusive of stillbirths) classified according to birthplace of decedents, by provinces, cities and towns of 10,000 population and over, 1928 144

TABLE 28.—Deaths (exclusive of stillbirths) classified according to birthplace of parents of decedents for Canada, 1928 152

Causes of Death—

TABLE 29.—Causes of death for each sex, by provinces, 1928 154

TABLE 30.—Causes of death for each sex, by conjugal condition, nativity and month of death, for Canada, 1928 164

TABLE 31.—Causes of death by sex and age, in Canada and in each province, 1928 188

TABLE 32.—Causes of death by sex in cities of 40,000 and over, 1928 394

TABLE 33.—Deaths of males in Canada, classified according to occupations, 1928 405

Marriages—

TABLE 34.—Marriages in Canada, by months, 1928 432

TABLE 35.—Marriages—Conjugal condition of contracting parties, by provinces, 1928 432

TABLE 36.—Marriages reported in rural and urban parts of counties or census divisions, 1928 433

TABLE 37.—Marriages classified according to age and occupation of bridegrooms in Canada, 1928 435

TABLE 38.—Marriages—Ages of bridegrooms and brides, 1928 438

TABLE 39.—Marriages—Birthplace of bridegrooms and brides, 1928 448

TABLE 40.—Marriages—Denominations of contracting parties, 1928 464

TABLE 41.—Marriages—Literacy of bridegrooms and brides in Canada, classified by birthplace, 1928 474

APPENDICES

PAGE

Appendix I.—Births and Deaths amongst the Indian Population 475

TABLE A.—Births of Indians (exclusive of stillbirths) by months and provinces, 1928 477

TABLE B.—Births of Indians (exclusive of stillbirths) classified as legitimate or illegitimate, by provinces, 1928 477

TABLE C.—Births of Indians (exclusive of stillbirths) classified according to ages of parents, Canada, 1928 478

TABLE D.—Stillbirths for Indians by age of mother and legitimacy of child, 1928 480

TABLE E.—Deaths of Indian children under 1 year (exclusive of stillbirths) by months and provinces, 1928 480

TABLE F.—Deaths of Indian children under 1 year (exclusive of stillbirths) by age at death, 1928 481

TABLE G.—Deaths of Indian children (exclusive of stillbirths) from certain specified causes in first year of life, for each sex by provinces, 1928 482

TABLE H.—Total deaths of Indians (exclusive of stillbirths) by months and provinces, 1928 484

TABLE I.—Deaths of Indians (exclusive of stillbirths) by age at death, 1928 ... 485

TABLE J.—Causes of deaths of Indians by sex in each province, 1928 486

TABLE K.—Causes of deaths of Indians by sex and age, Canada, 1928 496

Appendix II.—Schedule of Census Divisions in Prairie Provinces 513

Maps showing Census Divisions in Prairie Provinces.

VITAL STATISTICS, CANADA, 1928

INTRODUCTION

The present report contains statistics of births, deaths and marriages during the calendar year 1928 in the nine provinces of Canada, all of which co-operate with the Dominion Bureau of Statistics in producing a national vital statistic. Comparisons in time presented herein are limited to the period during which vital statistics have been obtained according to the present system, and thus for the Province of Quebec embrace the years 1926-28 and for the remaining provinces, which are here collectively designated "The Registration Area as of 1921", the years 1921-28.

While the Yukon Territory and the Northwest Territories are not included with the provinces in the figures presented, the births, deaths and marriages registered in these territories for the year 1928 are given separately at the end of this introduction. Owing to the small population of the territories, their vital statistics have in any case very small influence on the total for the Dominion.

The population of Canada by provinces for the years 1921-28 is shown in Table I. To facilitate the computation of rates for the Registration Area as of 1921, a separate total has been made for the eight provinces included in this area.

TABLE I.—POPULATION BY PROVINCES, 1921-28

Year	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	**Canada** (1)	Registration Area as of 1921 (2)
1921	88,615	523,837	(3) 387,876	2,361,199	2,933,662	610,118	757,510	588,454	524,582	**8,775,853**	(3) 6,414,654
1922	88,000	528,000	392,000	2,400,000	2,981,000	616,000	771,000	592,000	539,000	**8,907,000**	6,507,000
1923	88,000	530,000	396,000	2,439,000	3,019,000	621,000	783,000	596,000	544,000	**9,016,000**	6,577,000
1924	88,000	534,000	399,000	2,480,000	3,062,000	627,000	797,000	599,000	553,000	**9,139,000**	6,659,000
1925	87,000	537,000	403,000	2,520,000	3,103,000	633,000	810,000	603,000	561,000	**9,257,000**	6,737,000
1926	87,000	540,000	407,000	2,562,000	3,146,000	639,000	821,000	608,000	568,000	**9,378,000**	6,816,000
1927	87,000	543,000	411,000	2,604,000	3,187,000	647,000	836,000	617,000	575,000	**9,507,000**	6,903,000
1928	86,000	547,000	415,000	2,647,000	3,229,000	655,000	851,000	632,000	583,000	**9,645,000**	6,998,000

(1) Yukon and the Northwest Territories, with a population of 12,145 in 1921, are not included. Tables of birth s, deaths and marriages for these territories are, however, given at the end of this Introduction.

(2) Comprising the provinces of Prince Edward Island, Nova Scotia, New Brunswick, Ontario, Manitoba, Saskatchewan, Alberta and British Columbia.

(3) Vital Statistics of Kent Co., New Brunswick, were not collected until May 1, 1921. Therefore in computing rates for that year one-third of the population of this county has been excluded, reducing the figure for New Brunswick to 379,904 and that for the Registration Area to 6,406,682.

NOTE.—Population for 1921 and that of Manitoba, Saskatchewan and Alberta for 1926 are census figures (in the latter case to the nearest thousand). Remaining figures are estimates.

The number of births, deaths and marriages during the calendar year 1928 is given by provinces in Table II. The figures are divided into rural and urban, the urban comprising all incorporated cities and towns of 1,000 population and over, and the rural the remainder.

TABLE II.—BIRTHS, DEATHS AND MARRIAGES BY PROVINCES, 1928

Province	Births (2)	Deaths (2)	Marriages	Province	Births (2)	Deaths (2)	Marriages
Canada (1)	**236,757**	**109,057**	**74,311**	Ontario	68,510	37,128	25,728
Rural	**115,371**	**46,435**	**24,243**	Rural	25,144	13,658	5,960
Urban	**121,386**	**62,622**	**50,068**	Urban	43,366	23,470	19,768
Prince Edward Island	1,806	952	466	Manitoba	14,504	5,396	5,170
Rural	1,405	616	254	Rural	7,579	2,343	1,630
Urban	401	336	212	Urban	6,925	3,053	3,540
Nova Scotia	10,931	6,202	3,256	Saskatchewan	21,261	6,166	6,701
Rural	5,487	3,155	1,074	Rural	15,885	3,947	3,339
Urban	5,444	3,047	2,182	Urban	5,376	2,219	3,362
New Brunswick	10,047	4,972	3,146	Alberta	15,692	5,699	5,776
Rural	6,779	3,056	1,524	Rural	8,820	2,941	1,871
Urban	3,268	1,916	1,622	Urban	6,872	2,758	3,905
Quebec	83,621	36,632	19,126	British Columbia	10,385	5,910	4,942
Rural	41,089	14,789	7,446	Rural	3,183	1,930	1,145
Urban	42,532	21,843	11,680	Urban	7,202	3,980	3,797

(1) See note 1, table I. (2) Exclusive of stillbirths. NOTE.—"Urban" includes cities and towns of 1,000 population and over according to the Census of 1926 in Manitoba, Saskatchewan and Alberta and the Census of 1921 in the remaining provinces. "Rural" comprises the remaining parts.

Natural Increase.—The natural increase to the population of the provinces of Canada by the excess of births over deaths in 1928 was 127,700. During the year there were 121,505 male births and 115,252 female births, making a total of 236,757 for both sexes, and in the same period the total number of deaths reported was 109,057, of which 58,480 were of males as against 50,577 females. There were, therefore, 63,025 males and 64,675 females added by natural increase to the population of Canada in 1928, a difference of 1,650 in favour of the female sex. The rate of natural increase per 1,000 population for both sexes combined was 13·2.

For the Registration Area as of 1921 the natural increase during the year 1928 was 80,711, or 11·6 per 1,000 population, as compared with 82,007 or 11·9 per 1,000 in 1927. In this area comparison of the natural increase of the two sexes shows a difference of 2,687 in favour of the female sex.

TABLE III.—EXCESS OF BIRTHS OVER DEATHS, BY PROVINCES FOR EACH SEX, 1921-28

Province		Male			Female			Both sexes	
		Births (2)	Deaths (2)	Excess of births over deaths	Births (2)	Deaths (2)	Excess of births over deaths	Excess of births over deaths	Rate of natural increase per 1,000 population
Canada (1)	**1926**	**119,863**	**56,979**	**62,884**	**112,887**	**50,475**	**62,412**	**125,296**	**13·3**
	1927	**120,655**	**56,265**	**64,390**	**113,533**	**49,027**	**64,506**	**128,896**	**13·5**
	1928	**121,505**	**58,480**	**63,025**	**115,252**	**50,577**	**64,675**	**127,700**	**13·2**
Prince Edward Island	1921	1,073	619	454	1,083	590	493	947	10·7
	1922	1,104	588	516	1,056	525	531	1,047	11·9
	1923	981	552	429	996	598	398	827	9·4
	1924	928	490	438	930	466	464	902	10·2
	1925	877	513	364	798	484	314	678	7·8
	1926	887	452	435	865	446	419	854	9·8
	1927	890	451	439	807	462	345	784	9·0
	1928	947	495	452	859	457	402	854	9·9
Nova Scotia	1921	6,695	3,372	3,323	6,326	3,048	3,278	6,601	12·6
	1922	6,630	3,515	3,115	6,063	3,164	2,899	6,014	11·4
	1923	5,973	3,587	2,386	5,707	3,281	2,426	4,812	9·0
	1924	6,189	3,456	2,733	5,612	3,127	2,485	5,218	9·8
	1925	5,886	3,076	2,810	5,514	2,969	2,545	5,355	9·9
	1926	5,638	3,374	2,264	5,342	2,992	2,350	4,614	8·5
	1927	5,704	3,300	2,404	5,430	3,078	2,352	4,756	8·8
	1928	5,533	3,339	2,194	5,398	2,863	2,535	4,729	8·7
New Brunswick	1921	5,942	2,858	3,084	5,523	2,552	2,971	6,055	16·0
	1922	5,955	2,689	3,266	5,609	2,469	3,140	6,406	16·3
	1923	5,457	2,618	2,839	5,247	2,395	2,852	5,691	14·3
	1924	5,523	2,629	2,894	5,194	2,294	2,900	5,794	14·6
	1925	5,664	2,620	3,044	5,285	2,340	2,945	5,989	14·9
	1926	5,294	2,608	2,686	5,046	2,394	2,652	5,338	13·1
	1927	5,391	2,537	2,854	5,088	2,365	2,723	5,577	13·6
	1928	5,152	2,654	2,498	4,895	2,318	2,577	5,075	12·2
Quebec	1926	42,475	19,232	23,243	39,690	18,019	21,671	44,914	17·6
	1927	42,813	18,827	23,986	40,251	17,348	22,903	46,889	18·0
	1928	43,049	19,036	24,013	40,572	17,596	22,976	46,989	17·8
Ontario	1921	38,307	18,062	20,245	35,845	16,489	19,356	39,601	13·5
	1922	36,495	17,726	18,769	34,935	16,308	18,627	37,396	12·6
	1923	36,141	18,452	17,689	33,915	17,184	16,731	34,420	11·4
	1924	36,582	17,153	19,429	34,928	15,925	19,003	38,432	12·6
	1925	36,098	17,583	18,515	34,024	16,377	17,647	36,162	11·7
	1926	34,742	18,721	16,021	32,875	17,188	15,687	31,708	10·1
	1927	34,755	18,305	16,450	32,916	16,470	16,446	32,896	10·3
	1928	35,299	19,457	15,842	33,211	17,671	15,540	31,382	9·7
Manitoba	1921	9,455	2,964	6,491	9,023	2,424	6,599	13,090	21·5
	1922	8,926	3,079	5,847	8,753	2,675	6,078	11,925	19·4
	1923	8,397	2,935	5,462	8,075	2,395	5,680	11,142	17·9
	1924	7,804	2,713	5,091	7,650	2,310	5,340	10,431	16·6
	1925	7,634	2,911	4,723	7,233	2,334	4,899	9,622	15·2
	1926	7,598	2,936	4,662	7,063	2,399	4,664	9,326	14·6
	1927	7,434	2,968	4,466	6,713	2,341	4,372	8,838	13·7
	1928	7,282	3,029	4,253	7,222	2,367	4,855	9,108	13·9
Saskatchewan	1921	11,620	3,078	8,542	10,873	2,518	8,355	16,897	22·3
	1922	11,435	3,411	8,024	10,904	2,708	8,196	16,220	21·1
	1923	10,765	3,442	7,323	10,182	2,740	7,442	14,765	18·9
	1924	11,157	3,176	7,981	10,382	2,596	7,786	15,767	19·8
	1925	10,620	3,228	7,392	9,962	2,400	7,562	14,954	18·5
	1926	10,651	3,393	7,258	10,065	2,667	7,398	14,656	17·8
	1927	10,852	3,395	7,457	10,163	2,636	7,527	14,984	17·9
	1928	10,983	3,485	7,498	10,278	2,681	7,597	15,095	17·8

TABLE III.—EXCESS OF BIRTHS OVER DEATHS, BY PROVINCES FOR EACH SEX, 1921-28—*Concluded*

Province		Male			Female			Both sexes	
		Births (2)	Deaths (2)	Excess of births over deaths	Births (2)	Deaths (2)	Excess of births over deaths	Excess of births over deaths	Rate of natural increase per 1,000 population
Alberta	1921	8,493	2,858	5,635	8,068	2,082	5,986	11,621	19·7
	1922	8,219	2,984	5,235	7,944	2,280	5,664	10,899	18·4
	1923	7,676	2,861	4,815	7,384	2,145	5,239	10,054	16·9
	1924	7,422	2,718	4,704	7,175	2,140	5,035	9,739	16·3
	1925	7,626	2,703	4,923	7,298	1,994	5,304	10,227	16·9
	1926	7,410	2,931	4,479	7,046	2,228	4,818	9,297	15·3
	1927	7,682	2,932	4,750	7,215	2,127	5,088	9,838	15·9
	1928	8,091	3,322	4,769	7,601	2,377	5,224	9,993	15·8
British Columbia	1921	5,549	2,600	2,949	5,104	1,608	3,496	6,445	12·3
	1922	5,293	3,052	2,241	4,873	1,855	3,018	5,259	9·8
	1923	5,176	3,070	2,106	4,825	1,927	2,898	5,004	9·2
	1924	5,203	3,080	2,123	4,916	1,924	2,992	5,115	9·3
	1925	5,329	3,047	2,282	5,013	1,898	3,115	5,397	9·6
	1926	5,168	3,332	1,836	4,895	2,142	2,753	4,589	8·1
	1927	5,134	3,550	1,584	4,950	2,200	2,750	4,334	7·5
	1928	5,169	3,663	1,506	5,216	2,247	2,969	4,475	7·7
Registration Area as of 1921	**1921**	**87,134**	**36,411**	**50,723**	**81,845**	**31,311**	**50,534**	**101,257**	**15·8**
	1922	**84,057**	**37,044**	**47,013**	**80,137**	**31,984**	**48,153**	**95,166**	**14·6**
	1923	**80,566**	**37,517**	**43,049**	**76,331**	**32,665**	**43,666**	**86,715**	**13·2**
	1924	**80,808**	**35,415**	**45,393**	**76,787**	**30,782**	**46,005**	**91,398**	**13·8**
	1925	**79,734**	**35,681**	**44,053**	**75,12 7**	**30,796**	**44,331**	**88,384**	**13·1**
	1926	**77,388**	**37,747**	**39,641**	**73,197**	**32,456**	**40,741**	**80,382**	**11·8**
	1927	**77,842**	**37,438**	**40,404**	**73,282**	**31,679**	**41,603**	**82,007**	**11·9**
	1928	**78,456**	**39,444**	**39,012**	**74,680**	**32,981**	**41,699**	**80,711**	**11·6**

(1) See note 1, table I. (2) Exclusive of stillbirths.




Table IV presents for comparison with the Canadian figures, the rates of natural increase of a number of other countries. In some cases the figures are provisional.

TABLE IV.—RATES OF NATURAL INCREASE IN CANADA AND CERTAIN OTHER COUNTRIES

(Rates per 1,000 population)

Country	Year	Rate of natural increase	Country	Year	Rate of natural increase
Canada (1)	**1928**	**13·2**	Netherlands	1928	13·7
Australia	1928	11·8	New Zealand	1928	11·1
Austria	1928	3·1	Northern Ireland	1928	6·4
Belgium	1928	5·1	Norway	1928	7·4
British Isles	1928	5·2	Roumania	1927	11·9
Ceylon	1928	15·2	Salvador	1926	13·9
Chile	1928	28·5	Sao Paulo	1925	15·9
Denmark	1928	8·6	Scotland	1928	6·5
England and Wales	1928	5·0	Spain	1928	11·3
Finland	1928	8·0	Sweden	1928	4·2
France	1928	1·8	Switzerland	1928	5·3
Germany	1928	6·9	Union of South Africa (Whites)	1927	16·3
Hungary	1928	9·1	United States (Reg. Area)	1928	7·7
India (British)	1927	10·4	Uruguay	1928	14·3
Irish Free State	1928	5·9			
Italy	1927	11·2			
Japan	1928	14·5			

(1) See note 1, table I.

BIRTHS

There were in all 241,301 confinements in Canada in the year 1928. Of the total number 238,302 were single confinements, 2,965 twin confinements and 34 triple confinements.

There resulted from these confinements 236,757 living births and 7,577 stillbirths. Table 5 (General Tables) shows in full detail the manner in which single and multiple confinements contributed to the living births and stillbirths, males and females.

Birth Rates—The crude birth rate (living births) for Canada in the year 1928 was 24·5 per 1,000 population as compared with 24·6 in the preceding year. The highest rates amongst the provinces in 1928 were 31·6 for Quebec, 25·0 for Saskatchewan and 24·8 for Alberta; the lowest were 17·8 for British Columbia and 20·0 for Nova Scotia.

The birth rate for the Registration Area as of 1921 was 21·9 per 1,000 population in the year 1928, a figure identical with that of the preceding year. The absolute number of births in 1928 was 2,012 greater than in 1927. It may be noted that from 1921 to 1927 the rate for this area showed a decline year by year.


Masculinity—There was an excess of male births over female births in 1928 in every province except British Columbia, where the proportion of male births was only 991 per 1,000 female. The highest ratio for the year was in the province of Prince Edward Island. The figure for this province stood at 1,102 male births per 1,000 female. Over the period 1921-28 Prince Edward Island, as might be expected from the smallness of its population, shows the widest fluctuation in the masculinity ratio. The province of Manitoba, which had a proportion of 1,107 male births to 1,000 female births in 1927, registered a decline in the proportion from this figure to 1,008 in 1928, a surprising change in the course of one year.

For the whole of Canada there were 1,054 male births per 1,000 female births as compared with the proportion of 1,063 in 1927 and 1,062 in 1926.

The proportion for the Registration Area as of 1921 in the year under review was 1,051 male births per 1,000 female. During the eight years listed in Table V this proportion varied between 1,049 in 1922 and 1,065 in 1921.

For comparative purposes it may be noted that in the Registration Area of the United States, in the years 1921 to 1927, the yearly proportion of male births varied between 1,056 and 1,060 per 1,000 female births.

In England and Wales in the fifty years from 1871 to 1921 the masculinity rate for births ranged from 1,032 in 1898 to 1,060 in 1919, while the highest ratio prior to the Great War was



1,042 in 1878. The proportion of male to female births in England and Wales has fluctuated as follows since 1921.

ENGLAND AND WALES

1921	1,051	1925	1,045
1922	1,049	1926	1,041
1923	1,044	1927	1,042
1924	1,047	1928	1,044

In Germany the masculinity rate for births, which was 1,056 in 1914 and 1,055 in 1915, mounted rapidly during and after the war, reaching its highest level, 1,080, in 1919. From this point the rate commenced to decline. In the year 1926 the proportion of males was 1,062 per 1,000 females, in 1927, 1,060 and in 1928, 1,062.

TABLE V.—BIRTHS (EXCLUSIVE OF STILLBIRTHS), RATE PER 1,000 POPULATION AND RATIO OF MALE TO FEMALE BIRTHS, 1921-28

Province		Number of living births	Rate per 1,000 population	Male births		Female births		Male births to 1,000 female births
				Number	Per cent of total	Number	Per cent of total	
Canada [1]	**1926**	**232,750**	**24·8**	**119,863**	**51·5**	**112,887**	**48·5**	**1,062**
	1927	**234,188**	**24·6**	**120,655**	**51·5**	**113,533**	**48·5**	**1,063**
	1928	**236,757**	**24·5**	**121,505**	**51·3**	**115,252**	**48·7**	**1,054**
Prince Edward Island	1921	2,156	24·3	1,073	49·8	1,083	50·2	991
	1922	2,160	24·5	1,104	51·1	1,056	48·9	1,045
	1923	1,977	22·5	981	49·6	996	50·4	985
	1924	1,858	21·1	928	49·9	930	50·1	998
	1925	1,675	19·3	877	52·4	798	47·6	1,099
	1926	1,752	20·1	887	50·6	865	49·4	1,025
	1927	1,697	19·5	890	52·4	807	47·6	1,103
	1928	1,806	21·0	947	52·4	859	47·6	1,102
Nova Scotia	1921	13,021	24·9	6,695	51·4	6,326	48·6	1,058
	1922	12,693	24·0	6,630	52·2	6,063	47·8	1,094
	1923	11,680	22·0	5,973	51·1	5,707	48·9	1,047
	1924	11,801	22·1	6,189	52·4	5,612	47·6	1,103
	1925	11,400	21·2	5,886	51·6	5,514	48·4	1,067
	1926	10,980	20·3	5,638	51·3	5,342	48·7	1,055
	1927	11,134	20·5	5,704	51·2	5,430	48·8	1,050
	1928	10,931	20·0	5,533	50·6	5,398	49·4	1,025
New Brunswick	1921	11,465	30·2	5,942	51·8	5,523	48·2	1,076
	1922	11,564	29·5	5,955	51·5	5,609	48·5	1,062
	1923	10,704	27·0	5,457	51·0	5,247	49·0	1,040
	1924	10,717	26·9	5,523	51·5	5,194	48·5	1,063
	1925	10,949	27·2	5,664	51·7	5,285	48·3	1,072
	1926	10,340	25·4	5,294	51·2	5,046	48·8	1,049
	1927	10,479	25·5	5,391	51·4	5,088	48·6	1,060
	1928	10,047	24·2	5,152	51·3	4,895	48·7	1,053
Quebec	1926	82,165	32·1	42,475	51·7	39,690	48·3	1,070
	1927	83,064	31·9	42,813	51·5	40,251	48·5	1,064
	1928	83,621	31·6	43,049	51·5	40,572	48·5	1,061
Ontario	1921	74,152	25·3	38,307	51·7	35,845	48·3	1,069
	1922	71,430	24·0	36,495	51·1	34,935	48·9	1,045
	1923	70,056	23·2	36,141	51·6	33,915	48·4	1,066
	1924	71,510	23·4	36,582	51·2	34,928	48·8	1,047
	1925	70,122	22·6	36,098	51·5	34,024	48·5	1,061
	1926	67,617	21·5	34,742	51·4	32,875	48·6	1,057
	1927	67,671	21·2	34,755	51·4	32,916	48·6	1,056
	1928	68,510	21·2	35,299	51·5	33,211	48·5	1,063
Manitoba	1921	18,478	30·3	9,455	51·2	9,023	48·8	1,048
	1922	17,679	28·7	8,926	50·5	8,753	49·5	1,020
	1923	16,472	26·5	8,397	51·0	8,075	49·0	1,040
	1924	15,454	24·6	7,804	50·5	7,650	49·5	1,020
	1925	14,867	23·5	7,634	51·3	7,233	48·7	1,055
	1926	14,661	22·9	7,598	51·8	7,063	48·2	1,076
	1927	14,147	21·9	7,434	52·5	6,713	47·5	1,107
	1928	14,504	22·1	7,282	50·2	7,222	49·8	1,008
Saskatchewan	1921	22,493	29·7	11,620	51·7	10,873	48·3	1,069
	1922	22,339	29·0	11,435	51·2	10,904	48·8	1,049
	1923	20,947	26·8	10,765	51·4	10,182	48·6	1,057
	1924	21,539	27·0	11,157	51·8	10,382	48·2	1,075
	1925	20,582	25·4	10,620	51·6	9,962	48·4	1,066
	1926	20,716	25·2	10,651	51·4	10,065	48·6	1,058
	1927	21,615	25·1	10,852	51·6	10,163	48·4	1,068
	1928	21,261	25·0	10,983	51·7	10,278	48·3	1,069
Alberta	1921	16,561	28·1	8,493	51·3	8,068	48·7	1,053
	1922	16,163	27·3	8,219	50·9	7,944	49·1	1,035
	1923	15,060	25·3	7,676	51·0	7,384	49·0	1,040
	1924	14,597	24·4	7,422	50·8	7,175	49·2	1,034
	1925	14,924	24·7	7,626	51·1	7,298	48·9	1,045
	1926	14,456	23·8	7,410	51·3	7,046	48·7	1,052
	1927	14,897	24·1	7,682	51·6	7,215	48·4	1,065
	1928	15,692	24·8	8,091	51·6	7,601	48·4	1,064

TABLE V.—BIRTHS (EXCLUSIVE OF STILLBIRTHS), RATE PER 1,000 POPULATION AND RATIO OF MALE TO FEMALE BIRTHS, 1921-28—*Concluded*

Province		Number of living births	Rate per 1,000 population	Male births		Female births		Male births to 1,000 female births
				Number	Per cent of total	Number	Per cent of total	
British Columbia	1921	10,653	20·3	5,549	52·1	5,104	47·9	1,087
	1922	10,166	18·9	5,293	52·0	4,873	47·9	1,086
	1923	10,001	18·4	5,176	51·8	4,825	48·2	1,073
	1924	10,119	18·3	5,203	51·4	4,916	48·6	1,058
	1925	10,342	18·4	5,329	51·5	5,013	48·5	1,063
	1926	10,063	17·7	5,168	51·4	4,895	48·6	1,056
	1927	10,084	17·5	5,134	50·9	4,950	49·1	1,037
	1928	10,385	17·8	5,169	49·8	5,216	50·2	991
Registration Area as of 1921	**1921**	**168,979**	**26·4**	**87,134**	**51·6**	**81,845**	**48·4**	**1,065**
	1922	**164,194**	**25·2**	**84,057**	**51·2**	**80,137**	**48·8**	**1,049**
	1923	**156,897**	**23·9**	**80,566**	**51·3**	**76,331**	**48·7**	**1,055**
	1924	**157,595**	**23·7**	**80,808**	**51·3**	**76,787**	**48·7**	**1,052**
	1925	**154,861**	**23·0**	**79,734**	**51·5**	**75,127**	**48·5**	**1,061**
	1926	**150,585**	**22·1**	**77,388**	**51·4**	**73,197**	**48·6**	**1,057**
	1927	**151,124**	**21·9**	**77,842**	**51·5**	**73,282**	**48·5**	**1,062**
	1928	**153,136**	**21·9**	**78,456**	**51·2**	**74,680**	**48·8**	**1,051**

(1) See note 1, table I.

Birth Rates in Other Countries.—The number of births and the rate in proportion to population is presented for Canada and for certain other countries in Table VI. In some cases the figures are provisional.

TABLE VI.—BIRTH RATE IN CANADA AND CERTAIN OTHER COUNTRIES

Country	Year	Population	Living births	Rate per 1,000 population	Country	Year	Population	Living births	Rate per 1,000 population
Canada (1)	**1928**	**9,645,000**	**236,757**	**24·5**	Netherlands	1928	7,667,261	179,023	23·3
Australia	1928	6,286,094	134,078	21·3	New Zealand	1928	1,390,684	27,200	19·6
Austria	1928	6,686,575	116,783	17·5	Northern Ireland	1928	1,250,000	25,963	20·8
Belgium	1928	7,995,558	148,071	18·5	Norway	1928	2,810,592	50,487	18·0
British Isles	1928	48,574,182	842,228	17·3	Roumania	1927	17,694,189	603,284	34·1
Ceylon	1928	5,334,370	213,308	40·0	Salvador	1926	1,657,196	59,763	36·1
Chile	1928	4,283,897	223,686	52·2	Sao Paulo	1925	5,636,357	181,977	32·3
Denmark	1928	3,497,000	68,500	19·6	Scotland	1928	4,893,182	96,822	19·8
England and Wales	1928	39,482,000	660,267	16·7	Spain	1928	22,444,000	666,000	29·7
Finland	1928	3,611,791	77,523	21·5	Sweden	1928	6,096,557	98,451	16·2
France	1928	41,020,000	745,315	18·2	Switzerland	1928	4,018,500	69,594	17·3
Germany	1928	63,811,000	1,182,815	18·5	Union of South Africa (Whites)	1927	1,708,955	44,347	26·0
Hungary	1928	8,564,823	224,693	26·2	United States (Reg. Area)	1928	113,348,000	2,233,149	19·7
India (British)	1927	241,471,383	8,516,706	35·3	Uruguay	1928	1,785,368	44,632	25·0
Irish Free State	1928	2,949,000	59,176	20·1					
Italy	1927	40,581,000	1,093,772	27·0					
Japan	1928	62,122,200	2,135,852	34·4					

(1) See note 1, table I.

Births by Months.—The number of births in each month is given in Table 3 of the general tables, classified as rural and urban in each province.

Table VII shows by provinces the equivalent annual birth rates for each month of 1926, 1927 and 1928. To obtain each rate, the number of births in a given month has been multiplied by 365 and divided by the number of days in the month before being reduced to a proportion per 1,000 inhabitants.

The rates shown by provinces in Table VII are fairly characteristic in reaching a peak in March or April, with usually slight fluctuations throughout the summer months and almost always a sharp drop in October, leading to the lowest rates of the year in November or December. Birth rates by months are, of course, correlated with marriage rates by months, but the obvious correlation extends only to first births and the fluctuations in the birth rate are proportionately of much smaller extent.

TABLE VII.—BIRTH RATES (EXCLUSIVE OF STILLBIRTHS), PER 1,000 POPULATION FOR EACH MONTH BY PROVINCES, 1926–28

Province		Annual rates	Equivalent annual birth rates											
			Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Canada [1]	**1926**	**24·8**	**24·3**	**25·4**	**26·8**	**27·3**	**26·0**	**25·3**	**25·0**	**24·7**	**24·8**	**23·2**	**22·6**	**22·5**
	1927	**24·6**	**22·3**	**24·1**	**26·5**	**26·8**	**26·0**	**26·1**	**25·6**	**24·7**	**24·8**	**22·9**	**22·7**	**23·0**
	1928	**24·5**	**23·7**	**24·6**	**26·2**	**25·9**	**25·8**	**25·4**	**24·5**	**24·4**	**24·8**	**23·1**	**22·8**	**23·4**
Prince Edward Island	1926	20·1	20·6	18·9	22·6	21·0	18·7	19·6	25·7	23·4	19·6	20·0	15·9	15·4
	1927	19·5	17·3	18·0	20·8	20·8	18·5	21·4	17·5	20·3	17·8	20·6	19·7	21·2
	1928	21·0	19·1	21·7	17·9	20·1	21·3	20·3	21·4	20·9	23·4	20·6	23·7	21·8
Nova Scotia	1926	20·3	18·8	21·6	21·3	21·5	20·9	20·7	20·4	19·9	21·3	20·0	19·5	18·3
	1927	20·5	17·2	19·0	21·2	21·9	21·4	20·5	22·1	22·1	21·1	19·7	19·4	20·2
	1928	20·0	19·7	18·9	20·0	20·8	19·1	19·8	20·4	21·8	21·5	19·8	18·8	19·2
New Brunswick	1926	25·4	23·6	27·6	30·1	29·5	27·7	26·7	26·2	25·6	23·8	21·0	21·1	22·0
	1927	25·5	21·2	23·9	28·4	29·9	28·0	29·0	25·3	24·0	26·8	22·0	23·3	24·2
	1928	24·2	23·3	24·7	28·9	27·0	26·8	26·2	24·4	22·8	22·3	20·3	21·4	22·6
Quebec	1926	32·1	31·7	32·9	35·7	36·8	33·6	32·6	32·0	31·0	32·0	29·1	28·7	28·9
	1927	31·9	28·3	30·8	34·4	35·7	35·2	34·6	33·4	31·2	31·8	29·0	28·9	29·5
	1928	31·6	30·5	31·8	34·3	33·8	33·6	33·2	32·2	30·3	31·7	29·0	28·6	30·1
Ontario	1926	21·5	20·8	21·7	22·7	23·2	23·4	22·4	21·9	21·5	21·7	20·7	19·1	18·9
	1927	21·2	18·9	20·8	22·6	23·0	21·9	22·5	22·6	21·3	21·6	20·1	19·6	19·8
	1928	21·2	20·5	21·5	22·2	21·7	22·5	22·6	21·7	21·7	21·3	20·1	19·3	19·6
Manitoba	1926	22·9	21·9	24·4	24·2	24·3	23·0	22·4	23·0	22·6	24·1	20·9	22·7	21·8
	1927	21·9	20·6	22·6	23·0	23·3	21·5	22·3	21·4	22·1	22·1	21·8	21·3	20·4
	1928	22·1	21·8	21·5	23·9	25·3	21·4	20·7	20·8	22·3	23·1	21·9	21·5	21·8
Saskatchewan	1926	25·2	24·9	25·6	26·5	26·7	24·8	24·8	25·1	25·9	25·3	24·5	24·0	24·8
	1927	25·1	24·7	25·7	27·5	26·0	25·4	26·5	25·4	26·0	25·6	23·2	22·7	23·0
	1928	25·0	23·5	23·8	26·1	27·2	25·8	24·4	24·0	25·3	25·0	24·9	25·3	24·5
Alberta	1926	23·8	24·3	23·5	23·8	25·8	25·0	23·4	23·7	24·8	22·6	23·2	23·3	21·9
	1927	24·1	23·3	23·6	26·3	25·6	25·7	24·3	24·0	24·1	24·7	22·5	22·5	23·1
	1928	24·8	24·3	25·1	26·0	25·9	26·8	23·9	22·1	24·8	25·2	24·2	24·7	24·9
British Columbia	1926	17·7	17·9	18·2	19·6	18·3	17·2	17·7	17·5	18·8	17·5	16·8	16·2	16·8
	1927	17·5	18·3	18·5	19·2	17·1	17·7	17·3	17·8	18·7	16·1	16·6	17·5	15·8
	1928	17·8	17·6	18·2	19·2	17·5	18·3	19·3	17·3	17·8	19·4	16·3	16·3	16·7

[1] See note 1, table I.

Table VIII contains the equivalent annual birth rates in the Registration Area as of 1921 for each month during the period 1921-28. The series exhibits the characteristics of which mention has been made in connection with the preceding table: a peak in March or April, usually the former, with a gradual decline through late spring and the summer months, varied in some years by a recovery in August or September, then a sharp fall in October leading to the lowest rates of the year in November and December.

TABLE VIII.—BIRTH RATES (EXCLUSIVE OF STILLBIRTHS), PER 1,000 POPULATION FOR EACH MONTH IN THE REGISTRATION AREA AS OF 1921, 1921–28

Year	Annual rates	Equivalent annual birth rates											
		Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1921	26·4	25·3	26·3	28·0	28·0	27·5	26·5	26·4	26·4	27·1	25·3	24·5	25·2
1922	25·2	25·8	26·4	27·4	26·2	25·8	25·8	25·5	25·8	25·5	23·6	23·2	22·1
1923	23·9	23·2	25·4	25·5	25·2	24·7	24·6	24·2	24·5	24·4	22·4	21·3	21·0
1924	23·7	22·8	24·2	25·5	25·2	24·6	24·4	23·5	23·4	23·8	22·6	22·1	22·0
1925	23·0	22·1	23·4	24·7	24·6	24·3	23·6	23·5	23·4	22·8	21·5	21·1	20·8
1926	22·1	21·5	22·6	23·5	23·8	23·1	22·5	22·4	22·3	22·2	21·0	20·3	20·1
1927	21·9	20·1	21·6	23·5	23·4	22·6	22·9	22·6	22·2	22·2	20·6	20·4	20·5
1928	21·9	21·2	21·8	23·1	22·9	22·8	22·5	21·6	22·2	22·2	20·9	20·6	20·8

Births by Ages of Parents.—The numerical and percentage distribution of legitimate living births by ages of parents is given for the years 1926-28 in Table IX. In the year 1928 there were 14 married mothers under 15 years of age. Nearly 30 per cent of the births were to mothers under 25 years of age while less than 7 per cent were to mothers who had passed their 40th birthday. Of the fathers 11·1 per cent were under 25 years and 21·3 per cent were 40 years or over. The percentage of both fathers and mothers under 25 years shows a slight increase during the period of three years.

TABLE IX.—LEGITIMATE BIRTHS (EXCLUSIVE OF STILLBIRTHS), IN CANADA(1), CLASSIFIED BY AGES OF PARENTS, 1926-28

Mothers and fathers	Age groups								Total stated ages	Age not stated	Total
	Under 15 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45 years and over			
No. of mothers.....1926	11	10,826	52,584	62,190	49,939	34,929	13,780	1,397	225,656	973	226,629
1927	14	11,147	53,792	61,878	49,639	35,206	13,708	1,501	226,885	588	227,473
1928	14	11,760	55,338	62,265	49,525	34,774	13,749	1,444	228,869	608	229,477
Per cent of mothers..1926	(2)	4·8	23·3	27·6	22·1	15·5	6·1	0·6	100·0	–	–
1927	(2)	4·9	23·7	27·3	21·9	15·5	6·0	0·7	100·0	–	–
1928	(2)	5·1	24·2	27·2	21·6	15·2	6·0	0·6	100·0	–	–
No. of fathers.....1926	–	806	22,414	51,784	55,402	46,922	29,032	19,284	225,644	985	226,629
1927	–	875	23,314	52,257	55,306	46,364	29,428	19,353	226,897	576	227,473
1928	–	891	24,383	54,198	54,770	45,834	29,306	19,527	228,909	568	229,477
Per cent of fathers..1926	–	0·4	9·9	22·9	24·6	20·8	12·9	8·5	100·0	–	–
1927	–	0·4	10·3	23·0	24·4	20·4	13·0	8·5	100·0	–	–
1928	–	0·4	10·7	23·7	23·9	20·0	12·8	8·5	100·0	–	–

(1) See note 1, table I. (2) Less than one-tenth of one per cent.

Table X gives another view of the age distribution of married fathers and mothers in the years 1926-28. The fathers and mothers of each of these years are arranged according to age and then divided into four equal groups. Each point of age at which a separation comes is called a quartile. To obtain these points of age it is assumed that those in the same year of age are evenly distributed from its lower to its upper limit. In similar manner the deciles divide fathers or mothers of each year into ten equal groups.

In the year 1928, one-quarter of the married fathers were under 28·15 years of age, one-half under 33·13 years and three-quarters under 38·98 years. One-quarter of the married mothers were under 24·25 years of age, one-half under 28·71 years and three-quarters under 34·16 years. Nine-tenths of the fathers were under 44·21 years and nine-tenths of the mothers under 38·65 years. It will be noted that the general tendency of the quartile and decile points over the three years, while not very marked, is in a downward direction. The movement is clear for the lower age-points and more doubtful for the higher.

TABLE X.—QUARTILE AND DECILE AGES OF MARRIED FATHERS AND MOTHERS, 1926-28

Position in array by age	Fathers			Mothers		
	1926	1927	1928	1926	1927	1928
First quartile.....years of age	28·35	28·24	28·15	24·43	24·35	24·25
Second quartile..... "	33·31	33·26	33·13	28·89	28·85	28·71
Third quartile..... "	39·01	39·04	38·98	34·26	34·26	34·16
First decile..... "	24·91	24·81	24·72	21·41	21·39	21·30
Second decile..... "	27·28	27·24	27·12	23·50	23·44	23·35
Third decile..... "	29·35	29·25	29·04	25·34	25·25	25·12
Fourth decile..... "	31·28	31·21	31·02	27·79	27·06	26·92
Fifth decile..... "	33·31	33·26	33·13	28·89	28·85	28·71
Sixth decile..... "	35·48	35·44	35·31	30·82	30·78	30·69
Seventh decile..... "	37·81	37·83	37·78	33·41	33·03	32·94
Eighth decile..... "	40·40	40·43	40·38	35·61	35·61	35·51
Ninth decile..... "	44·19	44·20	44·21	38·69	38·69	38·65

Nativity of Parents.—Table XI shows for each province the percentage distribution of legitimate births in 1928 by the nativity of the mother.

TABLE XI.—PERCENTAGE OF LEGITIMATE CHILDREN BORN ALIVE HAVING CANADIAN-BORN, BRITISH-BORN OR FOREIGN-BORN MOTHERS, BY PROVINCES, 1928

Province	Per cent distribution of children born, by nativity of mother			
	Total	Canadian-born	British-born	Foreign-born
Canada (1)	**100·0**	**72·5**	**12·5**	**15·0**
Prince Edward Island	100·0	95·9	2·3	1·8
Nova Scotia	100·0	86·0	10·1	3·9
New Brunswick	100·0	92·1	3·5	4·5
Quebec	100·0	92·6	2·5	4·9
Ontario	100·0	68·5	20·6	10·9
Manitoba	100·0	52·0	18·0	30·0
Saskatchewan	100·0	43·9	13·9	42·2
Alberta	100·0	38·0	18·0	44·1
British Columbia	100·0	39·8	33·7	26·5

(1) See note 1, table I.

The high proportion of Canadian-born mothers to those of other nativities in the Maritime Provinces and Quebec contrasts with the position in the four Western Provinces. The lowest proportion of Canadian-born mothers is found in Alberta, which had only 38 per cent of the mothers of the year belonging to that category. It may be noted, however, that the proportion of Canadian-born mothers in the four Western Provinces has shown a well defined upward trend since 1921, as indicated by the following statement.

PER CENT OF LEGITIMATE CHILDREN BORN ALIVE HAVING CANADIAN-BORN MOTHERS

	1921 (1)	1922	1923	1924	1925	1926	1927	1928
Manitoba	42·3	43·5	44·9	47·4	49·0	49·2	51·8	52·0
Saskatchewan	36·1	36·4	37·9	39·4	40·8	41·5	43·2	43·9
Alberta	30·0	30·9	32·3	33·1	34·5	36·3	37·1	38·0
British Columbia	29·7	33·7	34·7	36·1	37·1	38·2	38·9	39·8

(1) Including illegitimate.

Table XII, which classifies all children born in Canada in 1927 and 1928 according to the country of birth of their parents, furnishes some idea of the extent to which the coming generation will be the product of Canadian-born, British-born or foreign-born parents, and amongst the latter differentiates the countries from which Canadian immigrants generally come. The title "Country not specified" under "Country of birth" includes for the father illegitimate births and births of incomplete record, while for the mother it includes births of incomplete record only. Of the children born in 1928, 68·2 per cent had Canadian-born fathers, 72·2 per cent had mothers born in Canada and in 61·1 per cent of the cases both parents were Canadian-born. It thus follows that 79·3 per cent of the children born in 1928 had at least one parent born in Canada. But for the inclusion of "Country not specified" in the total, the percentage of parents born in Canada would be slightly higher.

TABLE XII.—NUMBER AND PER CENT PROPORTION OF BIRTHS (EXCLUSIVE OF STILLBIRTHS), HAVING FATHERS AND MOTHERS BORN IN SPECIFIED COUNTRIES, 1927-28

Country of birth of parent	Number of births with father, mother or both parents born in specified country						Per cent of births with father, mother or both parents born in specified country					
	1927			1928			1927			1928		
	Father	Mother	Both parents	Father	Mother	Both parents	Father	Mother	Both parents	Father	Mother	Both parents
Canada(1)	160,586	169,178	144,146	161,560	171,027	144,694	68·6	72·2	61·6	68·2	72·2	61·1
England	17,975	18,201	9,194	17,730	17,824	8,624	7·7	7·8	3·9	7·5	7·5	3·6
Ireland	2,610	2,284	972	2,813	2,425	1,083	1·1	1·0	0·4	1·2	1·0	0·5
Scotland	6,580	6,994	3,167	6,614	7,129	3,106	2·8	3·0	1·4	2·8	3·0	1·3
Wales	571	506	120	620	502	135	0·2	0·2	0·1	0·3	0·2	0·1
Other British Isles	96	81	26	70	64	10	(4)	(4)	(4)	(4)	(4)	(4)
Newfoundland	1,062	1,081	528	1,005	1,022	496	0·5	0·5	0·2	0·4	0·4	0·2
Other British possessions	515	420	144	517	401	132	0·2	0·2	0·1	0·2	0·2	0·1
Austria	3,241	2,672	2,153	3,291	2,701	2,133	1·4	1·1	0·9	1·4	1·1	0·9
Belgium	542	521	337	582	541	359	0·2	0·2	0·1	0·2	0·2	0·2
Finland	497	535	414	550	564	441	0·2	0·2	0·2	0·2	0·2	0·2
France	518	461	185	471	392	140	0·2	0·2	0·1	0·2	0·2	0·1
Germany	749	668	279	821	764	333	0·3	0·3	0·1	0·3	0·3	0·1
Hungary	582	561	434	704	659	541	0·2	0·2	0·2	0·3	0·3	0·2
Italy	2,674	1,966	1,894	2,626	1,948	1,862	1·1	0·8	0·8	1·1	0·8	0·8
Norway	859	678	378	879	653	388	0·4	0·3	0·2	0·4	0·3	0·2
Poland (2)	4,214	3,736	3,057	4,532	3,996	3,277	1·8	1·6	1·3	1·9	1·7	1·4
Russia (3)	5,794	4,729	3,809	5,627	4,788	3,758	2·5	2·0	1·6	2·4	2·0	1·6
Sweden	858	603	344	884	617	358	0·4	0·3	0·1	0·4	0·3	0·2
Other European	3,368	2,519	1,856	3,752	2,877	2,151	1·4	1·1	0·8	1·6	1·2	0·9
China and Japan	1,105	1,050	1,019	1,128	1,053	1,018	0·5	0·4	0·4	0·5	0·4	0·4
Other Asiatic	333	257	228	370	264	246	0·1	0·1	0·1	0·2	0·1	0·1
United States	11,815	13,074	3,835	11,944	13,036	3,908	5·0	5·6	1·6	5·0	5·5	1·7
Country not specified	7,044	1,413	162	7,667	1,510	199	3·0	0·6	0·1	3·2	0·6	0·1
Total	234,188	234,188	178,681	236,757	236,757	179,392	100·0	100·0	(8) 76·3	100·0	100·0	(6) 75·8

(1) See note 1, table I.
(2) Including Galicia. (3) Including the Ukraine. (4) Less than one-tenth of one per cent. (5) Represents for 1928 the number of births where both parents were in the same category as regards birthplace. The difference between this figure (179,392) and the total births (236,757) equals the number of births (57,365), where both parents were not in the same category as regards birthplace. (6) This excludes the percentage (24·2) of "mixed parentage", i.e., where both parents were not in the same category by birthplace. (7) As explained in note (5) but with 1927 figures. (8) As explained in note (6) but with 1927 figures.

Racial Origin of Parents.—Table XIII gives the number and per cent proportion of births in 1927 and 1928 contributed by the principal racial groups. In addition to indicating the part played by each racial group in the production of the births of each year, the table presents a comparison of the figures for father and mother with those in which both parents were of the same racial origin, and thus gives some indication of the tendency to marriage outside of the racial group. It must, however, be remembered that according to Table XII, at least 28·6 per cent of the fathers and 27·2 per cent of the mothers of 1928 were born outside of Canada. In an unknown number of these cases the marriage took place before coming to Canada, when the opportunity of meeting with persons of other racial origin may have been much more limited.

The cases in which the racial origin of the mother was not stated in 1928 comprise only seven-tenths of one per cent of the total. The cases in which the origin of the father was not stated (3·5 per cent) include illegitimate births.

TABLE XIII.—NUMBER AND PER CENT PROPORTION OF BIRTHS (EXCLUSIVE OF STILLBIRTHS), HAVING FATHERS AND MOTHERS OF SPECIFIED RACIAL ORIGIN, 1927-28

Racial origin of parents	Number of births with father, mother or both parents of specified origin						Per cent of births with father, mother or both parents of specified origin					
	1927			1928			1927			1928		
	Father	Mother	Both parents	Father	Mother	Both parents	Father	Mother	Both parents	Father	Mother	Both parents
English	51,713	54,787	37,260	51,531	54,527	36,762	22·1	23·4	15·9	21·8	23·0	15·5
Irish	21,290	20,214	9,413	21,472	20,277	9,471	9·1	8·6	4·0	9·1	8·6	4·0
Scotch	23,202	23,099	10,895	23,339	23,511	10,944	9·9	9·9	4·7	9·9	9·9	4·6
Welsh	838	706	135	876	736	168	0·4	0·3	0·1	0·4	0·3	0·1
French	90,167	94,180	86,307	90,256	94,056	86,182	38·5	40·2	36·9	38·1	39·7	36·4
German	9,777	10,270	7,048	10,133	10,757	7,293	4·2	4·4	3·0	4·3	4·5	3·1
Armenian	84	76	75	67	58	58	(2)	(2)	(2)	(2)	(2)	(2)
Austrian	1,443	1,547	1,204	1,344	1,424	1,098	0·6	0·7	0·5	0·6	0·6	0·5
Belgian	595	585	371	621	622	399	0·3	0·2	0·2	0·3	0·3	0·2
Bulgarian	63	30	25	58	27	25	(2)	(2)	(2)	(2)	(2)	(2)
Chinese	304	288	283	264	230	229	0·1	0·1	0·1	0·1	0·1	0·1
Czech and Slovak	314	353	231	409	446	295	0·1	0·2	0·1	0·2	0·2	0·1
Danish	552	450	191	614	520	254	0·2	0·2	0·1	0·3	0·2	0·1
Dutch	2,061	1,977	1,028	2,254	2,248	1,205	0·9	0·8	0·4	1·0	0·9	0·5
Finnish	537	654	486	608	733	555	0·2	0·3	0·2	0·3	0·3	0·2
Greek	283	178	169	306	167	160	0·1	0·1	0·1	0·1	0·1	0·1
Jewish	1,958	1,943	1,894	2,142	2,126	2,077	0·8	0·8	0·8	0·9	0·9	0·9
Hindu	27	27	25	38	38	36	(2)	(2)	(2)	(2)	(2)	(2)
Hungarian	579	626	501	691	763	628	0·2	0·3	0·2	0·3	0·3	0·3
Icelandic	369	439	273	408	471	295	0·2	0·2	0·1	0·2	0·2	0·1
Indian	2,234	2,643	2,120	2,231	2,618	2,102	1·0	1·1	0·9	0·9	1·1	0·9
Italian	2,900	2,405	2,278	2,851	2,463	2,303	1·2	1·0	1·0	1·2	1·0	1·0
Japanese	819	815	813	872	867	866	0·3	0·3	0·3	0·4	0·4	0·4
Negro	382	432	348	379	425	333	0·2	0·2	0·1	0·2	0·2	0·1
Norwegian	1,722	1,846	907	1,790	1,886	931	0·7	0·8	0·4	0·8	0·8	0·4
Polish	2,085	2,275	1,594	2,268	2,514	1,717	0·9	1·0	0·7	1·0	1·1	0·7
Roumanian	649	529	432	625	550	435	0·3	0·2	0·2	0·3	0·2	0·2
Russian	2,500	2,314	1,895	2,293	2,110	1,698	1·1	1·0	0·8	1·0	0·9	0·7
Serb and Croat	222	203	180	248	249	200	0·1	0·1	0·1	0·1	0·1	0·1
Swedish	1,394	1,336	606	1,422	1,391	606	0·6	0·6	0·3	0·6	0·6	0·3
Swiss	274	217	82	280	235	89	0·1	0·1	(2)	0·1	0·1	(2)
Syrian	253	202	185	307	242	227	0·1	0·1	0·1	0·1	0·1	0·1
Ukrainian (1)	4,926	5,130	4,561	5,325	5,603	4,894	2·1	2·2	1·9	2·2	2·4	2·1
Other	252	202	130	259	236	143	0·1	0·1	0·1	0·1	0·1	0·1
Racial origin not specified	7,420	1,210	455	8,176	1,631	599	3·2	0·5	0·2	3·5	0·7	0·3
Total	**234,188**	**234,188**	[5]**174,400**	**236,757**	**236,757**	[3]**175,277**	**100·0**	**100·0**	(6) **74·5**	**100·0**	**100·0**	(4) **74·0**

(1) Including "Galician" and "Bukovinian". (2) Less than one-tenth of one per cent. (3) Represents for 1928 the number of births where both parents were in the same category as regards racial origin. The difference between this figure (175,277) and the total births (236,757) equals the number of births (61,480) where both parents were not in the same category as regards racial origin. (4) This excludes the percentage (26·0) of mixed parentage, i.e., where both parents were not in the same category by racial origin. (5) As explained in note (3), but with 1927 figures. (6) As explained in note (4), but with 1927 figures.

Illegitimate Births.—Table XIV gives the number of illegitimate births in 1928, classified by age groups of the mothers for each province. In 1,099 cases or 15 per cent of the total, the age of the mother was not stated. Of the 1,099 cases 1,018 occurred in the province of Quebec, these being mainly returns from the crèches in Montreal and Quebec cities.

The table also presents by provinces the number and the rates of illegitimate births for 1926 and 1927 in comparison with the year under review. An upward trend in both absolute figures and rates is shown for every province.

The masculinity of living births of illegitimate children in 1928 was as follows:—

MALES PER 1,000 FEMALES

Canada	**1,061**	Ontario	1,045
Prince Edward Island	1,115	Manitoba	1,052
Nova Scotia	914	Saskatchewan	1,076
New Brunswick	1,076	Alberta	1,193
Quebec	1,107	British Columbia	907

TABLE XIV.—ILLEGITIMATE BIRTHS (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED BY AGE OF MOTHER, BY PROVINCES, 1928

Age of mother		Canada (1)	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
Under 15 years		64	–	8	3	8	20	9	7	7	2
15–19 years		2,419	21	253	137	523	838	184	191	173	99
20–24 "		2,382	20	244	105	580	768	209	170	189	97
25–29 "		734	5	62	30	185	270	49	45	57	31
30–34 "		318	1	34	11	62	116	26	22	25	21
35–39 "		197	3	10	7	33	78	20	17	19	10
40–44 "		63	1	9	4	9	16	2	9	7	6
45–49 "		3	–	–	–	1	1	1	–	–	–
50 years and over		1	–	–	1	–	–	–	–	–	–
Not stated		1,099	4	–	1	1,018	63	9	2	1	1
Total illegitimate births	1928	7,280	55	620	299	2,419	2,170	509	463	478	267
	1927	6,715	35	578	298	2,319	1,958	473	432	418	204
	1926	6,121	41	481	267	2,055	1,823	466	390	404	194
Per cent of total living births—											
	1928	3·07	3·0	5·7	3·0	2·9	3·2	3·5	2·2	3·0	2·6
	1927	2·87	2·1	5·2	2·8	2·8	2·9	3·3	2·1	2·8	2·0
	1926	2·63	2·3	4·4	2·6	2·5	2·7	3·2	1·9	2·8	1·9
Male illegitimate births	1928	3,748	29	296	155	1,271	1,109	261	240	260	127
	1927	3,470	22	285	158	1,180	996	253	232	225	119
	1926	3,180	21	262	143	1,071	922	241	204	210	106
Female illegitimate births	1928	3,532	26	324	144	1,148	1,061	248	223	218	140
	1927	3,245	13	293	140	1,139	962	220	200	193	85
	1926	2,941	20	219	124	984	901	225	186	194	88

(1) See note 1, table I.

Table XV classifies illegitimate births by age of mother in the eight provinces comprising the Registration Area as of 1921 during the period 1921-28. During this period the total number of illegitimate births recorded increased from 3,334 in 1921 to 4,861 in 1928 and the rate, based on the total of living births, advanced from 1·97 per cent in 1921 to 3·17 per cent in 1928. The proportionate increase throughout the period is greatest in the age-groups under 25 years of age.

TABLE XV.—ILLEGITIMATE BIRTHS (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED BY AGE OF MOTHER IN THE REGISTRATION AREA AS OF 1921, DURING THE PERIOD 1921-28

Age of mother	1921	1922	1923	1924	1925	1926	1927	1928
Under 15 years	25	39	45	36	49	39	47	56
15–19 years	1,080	1,245	1,325	1,463	1,652	1,574	1,784	1,896
20–24 "	1,063	1,113	1,167	1,304	1,360	1,428	1,562	1,802
25–29 "	384	424	403	459	503	513	488	549
30–34 "	212	230	215	215	229	241	256	256
35–39 "	111	133	114	146	149	155	152	164
40–44 "	39	37	42	36	61	51	48	54
45–49 "	6	3	4	3	6	11	5	2
50 years and over	–	–	–	–	–	–	–	1
Not stated	414	147	93	53	43	54	54	81
Total illegitimate births	3,334	3,371	3,408	3,715	4,052	4,066	4,396	4,861
Per cent of total living births	1·97	2·05	2·17	2·36	2·62	2·70	2·91	3·17
Male illegitimate births	1,682	1,781	1,766	1,929	2,050	2,109	2,290	2,477
Female illegitimate births	1,652	1,590	1,642	1,786	2,002	1,957	2,106	2,384

In order that the upward trend shown in Table XV may be analyzed by provinces, Table XVI presents the yearly number of illegitimate births in each province of the Registration Area as of 1921 during the period 1921-28 and the percentage they form of all living births.

TABLE XVI.—NUMBER OF ILLEGITIMATE BIRTHS AND PER CENT OF TOTAL LIVING BIRTHS, BY PROVINCES IN THE REGISTRATION AREA AS OF 1921, DURING THE YEARS 1921-28

	Year	Total	P.E.I.	N.S.	N.B.	Ont.	Man.	Sask.	Alta.	B.C.
Number	1921	3,334	49	396	198	1,592	420	252	299	128
	1922	3,371	57	460	222	1,519	410	258	314	131
	1923	3,408	43	443	258	1,579	381	274	306	124
	1924	3,715	42	483	251	1,717	423	330	299	170
	1925	4,052	38	501	296	1,881	400	341	388	207
	1926	4,066	41	481	267	1,823	466	390	404	194
	1927	4,396	35	578	298	1,958	473	432	418	204
	1928	4,861	55	620	299	2,170	509	463	478	267
Per cent of total living births	**1921**	**2·0**	**2·3**	**3·0**	**1·7**	**2·1**	**2·3**	**1·1**	**1·8**	**1·2**
	1922	**2·1**	**2·6**	**3·6**	**1·9**	**2·1**	**2·3**	**1·2**	**1·9**	**1·3**
	1923	**2·2**	**2·2**	**3·8**	**2·4**	**2·3**	**2·3**	**1·3**	**2·0**	**1·2**
	1924	**2·4**	**2·3**	**4·1**	**2·3**	**2·4**	**2·7**	**1·5**	**2·0**	**1·7**
	1925	**2·6**	**2·3**	**4·4**	**2·7**	**2·7**	**2·7**	**1·7**	**2·6**	**2·0**
	1926	**2·7**	**2·3**	**4·4**	**2·6**	**2·7**	**3·2**	**1·9**	**2·8**	**1·9**
	1927	**2·9**	**2·1**	**5·2**	**2·8**	**2·9**	**3·3**	**2·1**	**2·8**	**2·0**
	1928	**3·2**	**3·0**	**5·7**	**3·0**	**3·2**	**3·5**	**2·2**	**3·0**	**2·6**

Table XVII classifies, for the nine provinces of Canada as a whole, the illegitimate births of 1928 by age and birthplace of the mother.

TABLE XVII.—ILLEGITIMATE BIRTHS (EXCLUSIVE OF STILLBIRTHS) IN CANADA[1] CLASSIFIED BY AGE AND BIRTHPLACE OF MOTHER, 1928

Birthplace of mother	Total	Age of mother									
		Under 15 years	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 years and over	Not stated
Canada	**4,834**	**57**	**2,042**	**1,802**	**480**	**183**	**122**	**33**	**3**	**1**	**111**
Prince Edward Island	62	–	24	21	9	1	2	1	–	–	4
Nova Scotia	609	6	251	236	60	35	11	10	–	–	–
New Brunswick	286	3	129	103	29	10	7	3	–	1	1
Quebec	1,341	10	512	518	146	51	24	5	1	–	74
Ontario	1,490	14	659	527	140	58	56	9	–	–	27
Manitoba	329	8	139	135	28	7	8	1	2	–	1
Saskatchewan	294	10	142	115	16	6	4	1	–	–	–
Alberta	220	5	97	80	24	6	6	2	–	–	–
British Columbia	109	–	55	33	13	4	2	1	–	–	1
Province not specified	94	1	34	34	15	5	2	–	–	–	3
British Isles	**723**	**1**	**163**	**294**	**136**	**70**	**37**	**16**	–	–	**6**
England	400	–	99	139	72	45	25	15	–	–	5
Ireland	76	1	9	41	15	8	1	–	–	–	1
Scotland	233	–	51	106	49	15	11	1	–	–	–
Wales	13	–	4	7	–	2	–	–	–	–	–
Other	1	–	–	1	–	–	–	–	–	–	–
British Possessions	**51**	**1**	**16**	**23**	**6**	**4**	**1**	–	–	–	–
Newfoundland	39	1	15	14	4	4	1	–	–	–	–
Other	12	–	1	9	2	–	–	–	–	–	–
Europe	**302**	**3**	**61**	**112**	**60**	**31**	**22**	**9**	–	–	**4**
Austria	31	1	7	10	7	3	1	2	–	–	–
Belgium	7	–	4	–	1	1	1	–	–	–	–
Denmark	5	–	–	3	1	1	–	–	–	–	–
Finland	19	–	3	6	5	2	1	1	–	–	1
France	11	–	2	4	2	1	1	1	–	–	–
Germany	21	–	2	12	5	–	2	–	–	–	–
Holland	4	–	–	–	1	1	2	–	–	–	–
Hungary	17	–	4	4	4	3	2	–	–	–	–
Italy	9	1	4	2	1	–	–	–	–	–	1
Norway	20	–	4	12	–	2	1	1	–	–	–
Poland [2]	62	–	14	28	9	4	4	1	–	–	1
Roumania [3]	9	–	1	3	–	3	2	–	–	–	–
Russia [4]	49	1	11	15	16	3	1	2	–	–	–
Sweden	14	–	2	6	2	3	1	–	–	–	–
Other	24	–	3	7	6	4	3	1	–	–	–
Asia	**3**	–	**2**	**1**	–	–	–	–	–	–	–
China	1	–	1	–	–	–	–	–	–	–	–
Japan	1	–	1	–	–	–	–	–	–	–	–
Other	1	–	–	1	–	–	–	–	–	–	–
United States	241	1	87	93	27	21	9	3	–	–	–
Various	2	–	–	1	1	–	–	–	–	–	–
Not specified	1,124	1	48	56	24	9	6	2	–	–	978
Total	**7,280**	**64**	**2,419**	**2,382**	**734**	**318**	**197**	**63**	**3**	**1**	**1,099**

[1] See note 1, table I. [2] Including Galicia. [3] Including Bukovina. [4] Including the Ukraine.

STILLBIRTHS

The statistics of children born dead during the year 1928 are shown in Table XVIII, classified by the age of the mother. The table also contains the totals of stillbirths and the proportion to all births for the years 1926-28.

The number of stillbirths registered for 1928 was 7,577 as compared with 7,336 in the preceding year and 7,105 in 1926. The increase was thus 241 over 1927 and 472 over 1926. To the latter increase stillbirths to married mothers in the province of Quebec contributed 358.

TABLE XVIII.—STILLBIRTHS IN CANADA(1) BY AGE OF MOTHER AND LEGITIMACY OF CHILD, 1928

Age of mother	Unmarried mothers	Married mothers									Total
		P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	
Under 15 years	3	–	–	–	–	–	–	–	–	–	3
15 years	14	–	–	–	1	4	–	1	–	–	20
16 "	16	–	2	1	–	8	3	–	–	1	31
17 "	19	–	3	1	13	18	–	2	4	–	60
18 "	27	–	4	5	24	46	8	6	9	6	135
19 "	27	–	9	7	32	83	15	14	14	10	211
20 "	18	3	16	12	62	68	13	19	15	9	235
21 "	21	2	9	12	73	84	13	22	16	13	265
22 "	16	2	13	11	106	100	20	24	24	15	331
23 "	13	–	12	17	86	126	18	25	15	15	327
24 "	13	2	10	6	111	108	20	36	22	20	348
25 "	15	2	17	17	90	110	23	20	22	13	329
26 "	8	–	10	6	102	113	19	21	16	12	307
27 "	3	4	13	8	99	102	18	18	16	10	291
28 "	6	–	21	16	121	128	18	21	21	20	372
29 "	5	1	12	10	101	144	24	19	22	18	356
30 "	5	1	12	10	105	141	13	24	12	11	334
31 "	4	2	16	9	85	108	16	15	16	16	287
32 "	5	–	16	8	100	114	16	27	18	14	318
33 "	3	–	19	12	94	99	14	22	18	8	289
34 "	1	3	6	6	92	95	28	30	11	14	286
35 "	2	2	14	6	86	116	27	16	22	13	304
36 "	5	6	9	9	87	111	18	19	15	9	288
37 "	2	–	9	4	62	120	17	24	11	12	261
38 "	3	2	19	9	87	106	21	35	18	10	310
39 "	1	–	11	8	80	81	13	19	13	7	233
40 "	3	1	4	6	85	73	11	21	15	8	227
41 "	2	1	4	10	53	48	14	10	17	6	165
42 "	3	2	2	8	55	45	12	12	8	9	156
43 "	–	–	5	6	40	29	7	10	9	5	111
44 "	2	1	3	3	34	22	2	7	9	4	87
45 "	–	–	3	2	24	12	2	8	2	2	55
46 "	–	–	1	2	9	7	4	–	2	–	25
47 "	–	–	–	1	5	7	–	1	–	1	15
48 "	–	–	–	–	4	3	1	–	1	–	9
49 "	–	–	–	–	2	–	–	1	–	–	3
50 years and over	–	–	–	–	–	1	1	–	–	–	2
Not stated	67	6	1	2	5	98	2	2	3	5	191
Total 1928	332	43	305	250	2,215	2,678	451	551	436	316	7,577
1927	302	39	354	276	2,034	2,644	447	522	442	276	7,336
1926	311	34	327	228	1,857	2,693	416	539	402	298	7,105
Per cent of total births 1928	4·4	2·4	2·9	2·5	2·7	3·9	3·1	2·6	2·8	3·0	3·1
1927	4·3	2·3	3·2	2·6	2·5	3·9	3·2	2·5	3·0	2·7	3·0
1926	4·8	1·9	3·0	2·2	2·3	3·9	2·8	2·6	2·8	2·9	3·0

(1) See note 1, table I.

The proportion of stillbirths to total births for certain age-groups of married mothers classified by the order of the present birth is shown in the statement hereunder. In each group by order of birth the rate shows a general tendency to increase with age of mother, except for those cases, such as the second or third child born to mothers under 20 years of age and the fourth, fifth or sixth child to mothers in the group 20 to 24 years, where the youth of the mothers contrasted with the number of children indicates that they are not a typical group.

The proportion of stillbirths in first births is higher than in any other column for every age-group. Figures on which the rates are based are affected by classifications not brought out in the table—differences in economic and social position, race, rural or urban environment, etc. A footnote to the table indicates those cases in which the number of stillbirths was less than 20. No rates have been computed for these.

PER CENT PROPORTION OF STILLBIRTHS TO TOTAL BIRTHS IN CANADA,[1] 1928

Age of mother	Total	1st child	2nd and 3rd child	4th, 5th and 6th child	Higher order than the 6th child
15-19 years	2·9	3·1	2·3	[2]	–
20-24 "	2·5	3·3	1·9	2·1	[2]
25-29 "	2·5	4·3	2·1	1·9	2·7
30-34 "	2·9	5·4	2·6	2·6	2·9
35-39 "	3·8	8·5	4·3	3·7	3·3
40-44 "	5·1	11·1	4·7	5·3	4·8
45 years and over	7·0	[2]	[2]	[2]	6·6

[1] See note 1, table I. [2] Rates not computed for fewer than 20 stillbirths.

Table XIX shows for each province the distribution of stillbirths in 1928 by sex and month of birth. The proportion of males to females, it will be noted, is much greater amongst stillbirths than amongst living births.

TABLE XIX.—STILLBIRTHS IN EACH PROVINCE BY SEX AND MONTH OF BIRTH, 1928

Month	Canada[1]	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
January	645	5	29	27	207	234	37	43	33	30
February	669	3	37	19	199	259	47	40	39	26
March	655	5	18	27	205	231	37	53	40	39
April	670	5	27	17	224	244	39	44	36	34
May	639	2	21	29	212	231	35	44	39	26
June	670	4	27	14	215	266	34	55	35	20
July	651	8	23	17	211	226	48	51	38	29
August	596	2	30	21	162	226	45	38	46	26
September	588	2	26	28	181	211	30	51	37	22
October	616	4	38	22	160	229	58	52	28	25
November	563	3	31	18	170	204	31	39	39	28
December	615	2	24	22	177	232	32	53	48	25
Total	**7,577**	**45**	**331**	**261**	**2,323**	**2,793**	**473**	**563**	**458**	**330**
Male	4,417	28	188	144	1,437	1,562	256	343	270	189
Female	3,160	17	143	117	886	1,231	217	220	188	141
Males to 1,000 females	1,398	1,647	1,315	1,231	1,622	1,269	1,180	1,559	1,436	1,340

[1] See note 1, table I.

ORDER OF BIRTH

Table 13 of the General Tables lists the order of birth of children born in 1928 by provinces and by ages of the mothers. Stillborn children as well as children born alive enter into the table, both as regards the birth in the year under review and previous births. It may be remarked that stillbirths in Canada form about 3 per cent of all births according to the registration records. The tabulation is really of children, not of mothers, therefore it is affected twice by each mother who gave birth to twins in 1928 and three times by each who gave birth to triplets. As the proportion of twin confinements was only 1 in 81 and only 34 triplet confinements took place during the year, this point is not a matter of great importance, and for convenience of expression will be ignored in the present brief analysis.

Table XX shows for Canada as a whole and for each province the percentage distribution of the married women who became mothers in 1928, according to the order of birth of their children. The proportion of mothers giving birth to the first child varied from 17 per cent in Quebec to nearly 32 per cent in British Columbia.

TABLE XX.—PER CENT DISTRIBUTION OF MARRIED MOTHERS OF 1928 ACCORDING TO THE NUMBER OF THEIR CHILDREN, BY PROVINCES

Order of birth of child	Canada(1)	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
Total	**100·00**	**100·00**	**100·00**	**100·00**	**100·00**	**100·00**	**100·00**	**100·00**	**100·00**	**100·00**
1st child	22·05	23·06	20·60	17·53	17·00	26·74	23·67	21·83	24·32	31·89
2nd "	17·71	13·61	16·84	15·26	14·11	21·05	19·06	17·35	20·04	23·74
3rd "	13·81	13·89	13·72	12·93	11·84	15·67	14·20	14·03	15·08	15·42
4th "	10·71	11·19	11·48	11·10	10·22	10·82	11·05	11·15	11·20	10·46
5th "	8·64	9·73	9·69	9·55	9·05	7·86	8·70	9·56	8·28	6·89
6th "	6·81	8·77	7·20	7·86	7·96	5·59	6·45	7·20	6·29	4·33
7th "	5·25	5·68	5·51	6·93	6·62	3·88	4·85	5·37	4·49	2·76
8th "	4·09	4·33	4·68	5·14	5·46	2·79	3·56	4·37	3·23	1·57
9th "	3·12	3·54	3·22	3·95	4·43	1·94	2·83	2·94	2·54	1·09
10th "	2·40	2·59	2·39	3·11	3·61	1·31	2·01	2·38	1·78	0·81
11th "	1·75	1·18	1·58	2·25	2·86	0·91	1·35	1·41	1·06	0·44
12th "	1·35	1·24	1·33	1·51	2·33	0·63	1·02	0·97	0·72	0·26
13th "	0·88	0·51	0·84	1·27	1·55	0·36	0·69	0·64	0·43	0·12
14th "	0·55	0·22	0·44	0·56	1·08	0·20	0·26	0·33	0·22	0·06
15th "	0·37	0·34	0·18	0·40	0·75	0·10	0·14	0·22	0·15	0·10
More than 15th	0·52	0·11	0·30	0·64	1·11	0·15	0·14	0·26	0·14	0·05

(1) See note 1, table I.

Table XXI is based on Table XX and gives the percentage of mothers who, including the present birth, have borne more than one child, more than two children, etc., the highest class listed in the table being mothers who have borne more than fifteen children.

This table throws a great deal of light on the relative fertility of married women in the various provinces. Mothers of the year having more than two children comprised 69 per cent of the total in the province of Quebec, 67 per cent in New Brunswick and more than 60 per cent in Prince Edward Island, Nova Scotia and Saskatchewan. In British Columbia only 44 per cent of the mothers came in this category. In the last named province the proportion of mothers is reduced below 10 per cent when we go above the sixth child, in Ontario above the seventh, in Prince Edward Island, Manitoba, Saskatchewan and Alberta when above the eighth, in New Brunswick above the ninth and in Quebec above the tenth.

TABLE XXI.—PER CENT OF MARRIED MOTHERS OF 1928 HAVING MORE THAN A GIVEN NUMBER OF CHILDREN, BY PROVINCES

No. of children born	Canada(1)	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
One child or more	**100·00**	**100·00**	**100·00**	**100·00**	**100·00**	**100·00**	**100·00**	**100·00**	**100·00**	**100·00**
More than 1 child	77·95	76·94	79·40	82·47	83·00	73·26	76·33	78·17	75·68	68·11
" 2 children	60·24	63·33	62·56	67·21	68·89	52·21	57·27	60·82	55·64	44·37
" 3 "	46·43	49·44	48·84	54·28	57·05	36·54	43·07	46·79	40·56	28·95
" 4 "	35·72	38·25	37·36	43·18	46·83	25·72	32·02	35·64	29·36	18·49
" 5 "	27·08	28·52	27·67	33·63	37·78	17·86	23·32	26·08	21·08	11·60
" 6 "	20·27	19·75	20·47	25·77	29·82	12·27	16·87	18·88	14·79	7·27
" 7 "	15·02	14·07	14·96	18·84	23·20	8·39	12·02	13·51	10·30	4·51
" 8 "	10·93	9·74	10·28	13·70	17·74	5·60	8·46	9·14	7·07	2·94
" 9 "	7·81	6·20	7·06	9·75	13·31	3·66	5·63	6·20	4·53	1·85
" 10 "	5·41	3·61	4·67	6·64	9·70	2·35	3·62	3·82	2·75	1·04
" 11 "	3·66	2·43	3·09	4·39	6·84	1·44	2·27	2·41	1·69	0·60
" 12 "	2·31	1·19	1·76	2·88	4·51	0·81	1·25	1·44	0·97	0·34
" 13 "	1·43	0·68	0·92	1·61	2·96	0·45	0·56	0·80	0·54	0·22
" 14 "	0·88	0·46	0·48	1·05	1·88	0·25	0·30	0·47	0·32	0·16
" 15 "	0·51	0·12	0·30	0·65	1·13	0·15	0·16	0·25	0·17	0·06

(1) See note 1, table I.

Table XXII gives by provinces and age-groups the average number of children born in the experience of the mothers of the year, including both children born alive and stillborn. It may be noted that in the first three age-groups New Brunswick exceeds Quebec, a fact partly explained by a lower average age at marriage in the former province, but that the other three age-groups show a progressively increasing advantage for Quebec. In every age-group British Columbia shows the smallest number of children.

In the total column two sets of figures are shown, the actual average obtained by dividing the number of children born to mothers of stated ages under 45 years and a standardized or adjusted figure obtained by applying the averages for age-groups shown in the table to the proportion of mothers in each age-group in the total for Canada. In other words, the age-distribution of all mothers of the year in Canada has been made the standard for the computation of this rate. Those provinces whose mothers were favourably distributed for large families, i.e. better represented in the older age-groups, show an adjusted rate which is lower than the crude, while on the other hand those which had mothers more concentrated in the lower age-groups gain by the adjustment. Prince Edward Island and Quebec are examples of the former class, Alberta, British Columbia and Ontario of the latter.

TABLE XXII.—AVERAGE NUMBER OF CHILDREN BORN TO MARRIED MOTHERS OF 1928, BY PROVINCES AND AGE-GROUPS OF MOTHERS


Province	All ages under 45 years		Age of mother					
	Crude	Adjusted	Under 20 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Canada (1)	**4·13**	**4·13**	**1·29**	**2·05**	**3·36**	**4·92**	**6·73**	**8·73**
Prince Edward Island	4·11	3·84	1·34	1·87	3·23	4·57	6·23	7·88
Nova Scotia	4·17	4·19	1·31	2·17	3·50	4·98	6·65	8·60
New Brunswick	4·61	4·62	1·39	2·38	3·88	5·46	7·45	9·33
Quebec	5·01	4·83	1·35	2·21	3·82	5·89	8·14	10·41
Ontario	3·39	3·47	1·26	1·92	2·86	4·03	5·48	7·14
Manitoba	3·80	3·80	1·25	1·95	3·14	4·48	6·15	7·80
Saskatchewan	4·01	4·07	1·27	2·03	3·52	4·92	6·34	8·21
Alberta	3·62	3·75	1·25	1·95	3·22	4·49	5·83	7·51
British Columbia	2·88	2·98	1·21	1·72	2·54	3·47	4·52	5·75

(1) See note 1, table I.

INFANT MORTALITY

Annual mortality rates for children under one year of age are usually based on a comparison of the number of deaths of infants during the year under review with the number of living births reported for the same year. The number of deaths under one year of age in the nine provinces of Canada in 1928 totalled 21,195, giving a rate of 89·5 per 1,000 living births; these figures compare with 22,010 deaths and a rate of 94·0 in 1927 and with 23,692 deaths and a rate of 101·8 in 1926. (See Table XXIII). The infant mortality rate for the year 1928 was lower than in the preceding year in every province except Ontario and Alberta. In the former province the rates for the two years were practically identical. The lowest rate in 1928 was recorded in British Columbia, where the figures stood at 50·5 per 1,000 births, while Prince Edward Island followed closely with a rate of 50·9 per 1,000. Quebec, at the other end of the scale, showed a rate of 123·6 per 1,000, but this rate marked a reduction of 5·7 per 1,000 from the preceding year and 18·4 per 1,000 from 1926.

For the eight provinces comprising the Registration Area as of 1921, the infant mortality rate for 1928 was 70·9 per 1,000 births. This figure compared with 74·6 in the preceding year and was the lowest recorded over the period 1921-28. (See Table XXIII).



Infant Mortality by Sex.—The figures by sex in Table XXIII show for the year 1928 a rate of infant mortality for males in the nine provinces of Canada amounting to 99·0 per 1,000, while the rate for females was only 79·6 per 1,000.

Male births for the year 1928 numbered 121,505, while female births amounted to only 115,252, the excess of males being thus 6,253; but if the infant deaths of the same year are deducted from the births of each sex to represent with reasonable accuracy the position at the end of the first year of life, the net advantage of males is reduced to 3,396.

TABLE XXIII.—NUMBER OF DEATHS UNDER ONE YEAR AND RATIO TO LIVING BIRTHS, BY SEX IN EACH PROVINCE, 1921-28

Province	Both sexes			Male			Female		
	Living births	Deaths under one year		Living births	Deaths under one year		Living births	Deaths under one year	
		Number	Per 1,000 births		Number	Per 1,000 births		Number	Per 1,000 births
Canada [1]..... 1926	232,750	23,692	101·8	119,863	13,537	112·9	112,887	10,155	90·0
1927	234,188	22,010	94·0	120,655	12,548	104·0	113,533	9,462	83·3
1928	236,757	21,195	89·5	121,505	12,026	99·0	115,252	9,169	79·6
Prince Edward Is... 1921	2,156	180	83·5	1,073	95	88·5	1,083	85	78·5
1922	2,160	153	70·8	1,104	96	87·0	1,056	57	54·0
1923	1,977	176	89·0	981	94	95·8	996	82	82·3
1924	1,858	133	71·6	928	68	73·3	930	65	69·9
1925	1,675	116	69·3	877	74	84·4	798	42	52·6
1926	1,752	123	70·2	887	65	73·3	865	58	67·1
1927	1,697	113	66·6	890	70	78·7	807	43	53·3
1928	1,806	92	50·9	947	50	52·8	859	42	48·9

TABLE XXIII.—NUMBER OF DEATHS UNDER ONE YEAR AND RATIO TO LIVING BIRTHS, BY SEX IN EACH PROVINCE, 1921-28—*Concluded*

Province		Both sexes			Male			Female		
		Living births	Deaths under one year		Living births	Deaths under one year		Living births	Deaths under one year	
			Number	Per 1,000 births		Number	Per 1,000 births		Number	Per 1,000 births
Nova Scotia	1921	13,021	1,311	100·7	6,695	738	110·2	6,326	573	90·6
	1922	12,693	1,239	97·6	6,630	724	109·2	6,063	515	84·9
	1923	11,680	1,139	97·5	5,973	662	110·8	5,707	477	83·6
	1924	11,801	1,118	94·7	6,189	642	103·7	5,612	476	84·8
	1925	11,400	887	77·8	5,886	499	84·8	5,514	388	70·4
	1926	10,980	882	80·3	5,638	523	92·8	5,342	359	67·2
	1927	11,134	1,028	92·3	5,704	579	101·5	5,430	449	82·7
	1928	10,931	865	79·1	5,533	480	86·8	5,398	385	71·3
New Brunswick	1921	11,465	1,299	113·3	5,942	740	124·5	5,523	559	101·2
	1922	11,564	1,194	103·3	5,955	672	112·9	5,609	522	93·1
	1923	10,704	1,135	106·0	5,457	682	125·0	5,247	453	86·3
	1924	10,717	1,098	102·5	5,523	612	110·8	5,194	486	93·6
	1925	10,949	1,096	100·1	5,664	632	111·6	5,285	464	87·8
	1926	10,340	1,095	105·9	5,294	625	118·1	5,046	470	93·1
	1927	10,479	1,006	96·0	5,391	542	100·5	5,088	464	91·2
	1928	10,047	960	95·6	5,152	556	107·9	4,895	404	82·5
Quebec	1926	82,165	11,666	142·0	42,475	6,676	157·2	39,690	4,990	125·7
	1927	83,064	10,739	129·3	42,813	6,149	143·6	40,251	4,590	114·0
	1928	83,621	10,332	123·6	43,049	5,899	137·0	40,572	4,433	109·3
Ontario	1921	74,152	6,763	91·2	38,307	3,918	102·3	35,845	2,845	79·4
	1922	71,430	5,921	82·9	36,495	3,414	93·5	34,935	2,507	71·8
	1923	70,056	5,950	84·9	36,141	3,415	94·5	33,915	2,535	74·7
	1924	71,510	5,418	75·8	36,582	3,055	83·5	34,928	2,363	67·6
	1925	70,122	5,530	78·9	36,098	3,100	85·9	34,024	2,430	71·4
	1926	67,617	5,302	78·4	34,742	3,032	87·3	32,875	2,270	69·0
	1927	67,671	4,812	71·1	34,755	2,733	78·6	32,916	2,079	63·2
	1928	68,510	4,880	71·2	35,299	2,735	77·5	33,211	2,145	64·6
Manitoba	1921	18,478	1,533	83·0	9,455	868	91·8	9,023	665	73·7
	1922	17,679	1,669	94·4	8,926	937	105·0	8,753	732	83·6
	1923	16,472	1,411	85·7	8,397	791	94·2	8,075	620	76·8
	1924	15,454	1,173	75·9	7,804	635	81·4	7,650	538	70·3
	1925	14,867	1,184	79·6	7,634	672	88·0	7,233	512	70·8
	1926	14,661	1,122	76·5	7,598	636	83·7	7,063	486	68·8
	1927	14,147	1,021	72·2	7,434	601	80·8	6,713	420	62·6
	1928	14,504	972	67·0	7,282	533	73·2	7,222	439	60·8
Saskatchewan	1921	22,493	1,814	80·6	11,620	1,048	90·2	10,873	766	70·4
	1922	22,339	1,913	85·6	11,435	1,079	94·4	10,904	834	76·5
	1923	20,947	1,925	91·9	10,765	1,072	99·6	10,182	853	83·8
	1924	21,539	1,634	75·9	11,157	946	84·8	10,382	688	66·3
	1925	20,582	1,662	80·8	10,620	972	91·5	9,962	690	65·0
	1926	20,716	1,681	81·1	10,651	949	89·1	10,065	732	72·7
	1927	21,015	1,575	74·9	10,852	913	84·1	10,163	662	65·1
	1928	21,261	1,370	64·4	10,983	779	70·9	10,278	591	57·5
Alberta	1921	16,561	1,391	84·0	8,493	808	95·1	8,068	583	72·3
	1922	16,163	1,475	91·3	8,219	838	102·0	7,944	637	80·2
	1923	15,060	1,418	94·2	7,676	824	107·3	7,384	594	80·4
	1924	14,597	1,227	84·1	7,422	677	91·2	7,175	550	76·7
	1925	14,924	1,125	75·4	7,626	645	84·6	7,298	480	66·0
	1926	14,456	1,233	85·3	7,410	695	93·8	7,046	538	76·4
	1927	14,897	1,110	74·5	7,682	616	80·2	7,215	494	68·5
	1928	15,692	1,200	76·5	8,091	709	87·6	7,601	491	64·6
British Columbia	1921	10,653	602	56·5	5,549	343	61·8	5,104	259	50·7
	1922	10,166	692	68·1	5,293	415	78·4	4,873	277	56·8
	1923	10,001	668	66·8	5,176	374	72·3	4,825	294	60·9
	1924	10,119	574	56·7	5,203	325	62·5	4,916	249	50·7
	1925	10,342	569	55·0	5,329	318	60·0	5,013	251	50·1
	1926	10,063	588	58·4	5,168	336	65·0	4,895	252	51·5
	1927	10,084	606	60·1	5,134	345	67·2	4,950	261	52·7
	1928	10,385	524	50·5	5,169	285	55·1	5,216	239	45·8
Registration Area as of 1921.	**1921**	**168,979**	**14,893**	**88·1**	**87,134**	**8,558**	**98·2**	**81,845**	**6,335**	**77·4**
	1922	**164,194**	**14,256**	**86·8**	**84,057**	**8,175**	**97·3**	**80,137**	**6,081**	**75·9**
	1923	**156,897**	**13,822**	**88·1**	**80,566**	**7,914**	**98·2**	**76,331**	**5,908**	**77·4**
	1924	**157,595**	**12,375**	**78·5**	**80,808**	**6,960**	**86·1**	**76,787**	**5,415**	**70·5**
	1925	**154,861**	**12,169**	**78·6**	**79,734**	**6,912**	**86·7**	**75,127**	**5,257**	**70·0**
	1926	**150,585**	**12,026**	**79·9**	**77,388**	**6,861**	**88·7**	**73,197**	**5,165**	**70·6**
	1927	**151,124**	**11,271**	**74·6**	**77,842**	**6,399**	**82·2**	**73,282**	**4,872**	**66·5**
	1928	**153,136**	**10,863**	**70·9**	**78,456**	**6,127**	**78·1**	**74,680**	**4,736**	**63·4**

(1) See note 1, table I.

Infant Mortality in Other Countries.—Table XXIV presents a statement of the number of births and deaths of infants under one year of age for Canada and for certain other countries. In some cases the figures are preliminary. Every country for which the sexes are listed separately shows a higher rate of infant mortality among males than among females.

TABLE XXIV.—INFANT MORTALITY IN CANADA AND IN CERTAIN OTHER COUNTRIES

Country	Year	Living births	Infant mortality	
			Deaths under 1 year	Rate per 1,000 living births
Canada[1]	**1928**			
Males		**121,505**	**12,026**	**99·0**
Females		**115,252**	**9,169**	**79·6**
Total		**236,757**	**21,195**	**89·5**
Australia	1928			
Males		69,152	4,003	57·9
Females		64,926	3,098	47·7
Total		134,078	7,101	53·0
Austria	1928			
Total		116,783	13,964	119·6
Belgium	1927			
Males		74,872	8,225	109·9
Females		71,424	6,164	86·3
Total		146,296	14,389	98.4
British Isles	1928			
Males		430,534	33,016	76·7
Females		411,694	24,281	59·0
Total		842,228	57,297	68·0
Ceylon	1928			
Males		108,840	20,118	184·8
Females		104,468	17,690	169·3
Total		213,308	37,808	177·2
Chile	1928			
Males		116,858	20,183	172·7
Females		106,828	17,820	166·8
Total		223,686	38,003	169·9
Denmark	1928			
Males		35,266	3,156	89·5
Females		33,250	2,381	71·6
Total		68,516	5,537	80·8
England and Wales	1928			
Males		337,182	24,856	73·7
Females		323,085	18,104	56·0
Total		660,267	42,960	65·1
Finland	1928			
Males		39,915	3,628	90·9
Females		37,608	2,887	76·8
Total		77,523	6,515	84·0
France	1928			
Males		–	38,786	–
Females		–	29,806	–
Total		745,315	68,592	92·0
Germany	1928			
Total		1,182,815	105,205	89·0
Hungary	1928			
Total		224,693	39,749	176·9
India (British)	1927			
Total		8,516,706	1,421,725	166·9
Irish Free State	1928			
Males		30,327	2,241	73·9
Females		28,849	1,775	61·6
Total		59,176	4,016	67·9
Italy	1928			
Males		552,103	70,023	126·8
Females		520,097	58,928	113·3
Total		1,072,200	128,951	120·3
Japan	1928			
Males		1,090,702	158,849	145·6
Females		1,045,150	135,032	129·2
Total		2,135,852	293,881	137·6
Netherlands	1928			
Males		91,877	5,463	59·5
Females		87,146	3,904	44·8
Total		179,023	9,367	52·3
New Zealand	1928			
Males		14,082	609	43·2
Females		13,118	375	28·6
Total		27,200	984	36·2
Northern Ireland	1928			
Males		13,441	1,164	86·6
Females		12,522	858	68·5
Total		25,963	2,022	77·9
Norway	1926			
Males		27,573	1,468	53·2
Females		26,130	1,125	43·1
Total		53,703	2,593	48·3
Roumania	1927			
Total		603,284	126,074	209·0
Salvador	1926			
Males		30,274	4,943	163·3
Females		29,489	4,319	146·5
Total		59,763	9,262	155·0
Sao Paulo	1925			
Total		181,977	30,570	168·0
Scotland	1928			
Males		49,584	4,755	95·9
Females		47,238	3,544	75·0
Total		96,822	8,299	85·7
Spain	1928			
Total		666,000	83,947	126·0
Sweden	1928			
Total		98,451	6,092	61·9
Switzerland	1928			
Males		35,589	2,163	60·8
Females		34,005	1,568	46·1
Total		69,594	3,731	53·6
Union of South Africa	1928			
Males (Whites)		23,244	1,749	75·2
Females (Whites)		21,569	1,410	65·4
Total (Whites)		44,813	3,159	70·5
United States (Birth Reg. Area)	1928			
Males		1,147,625	87,676	76·4
Females		1,085,524	65,816	60·6
Total		2,233,149	153,492	68·7
Uruguay	1928			
Males		23,052	2,407	104·4
Females		21,580	2,035	94·3
Total		44,632	4,442	99·5

(1) See note 1, table I.

Year of Birth and Age at Death.—Although the infant death rates in Table XXIII are based on the number of births and infant deaths occurring in 1928, it is evident that a number of the infants who died in that year were born in 1927, but had not attained their first birthday at the time of death. The actual number of such cases was 4,348 or 20·5 per cent of the total infant mortality reported for the year, leaving 16,847, or 79·5 per cent of the total number as deaths of infants who were born in 1928 (Table XXVII). The small proportion of deaths from the births of the preceding year explains why the infant mortality rate based on the relation of the deaths in each year to the births in the same year affords a satisfactory measure of infant mortality except where a very considerable change in the number of births takes place between successive years. Table XXV, which presents by provinces the proportion of infant deaths in 1928 at particular age periods under one year shows that nearly one-half of the infants who died during the year failed to live for one month and more than 35 per cent lived for less than one week. The heavy mortality amongst the newly born explains why such a large proportion of the infant mortality of a calendar year is contributed by the births of the same year.

TABLE XXV.—PROPORTION PER 1,000 DEATHS UNDER ONE YEAR OF AGE OCCURRING AT EACH AGE PERIOD, BY PROVINCES, 1928

Age at death	Canada (1)	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
Under 1 month	488·3	456·5	493·6	459·4	432·3	554·3	546·3	575·2	538·3	576·3
Under 1 day	*190·3*	*141·3*	*169·9*	*141·7*	*169·4*	*229·1*	*188·3*	*231·4*	*215·8*	*209·9*
1 day and under 1 wk.	*162·7*	*195·7*	*188·4*	*182·3*	*130·2*	*197·3*	*202·7*	*178·1*	*186·8*	*242·4*
1 wk. and under 2 wks.	*57·0*	*65·2*	*53·2*	*72·9*	*52·1*	*51·4*	*75·1*	*73·0*	*70·8*	*76·3*
2 wks. and under 3 wks.	*40·2*	*32·6*	*56·6*	*35·4*	*40·6*	*38·1*	*37·0*	*48·9*	*39·2*	*21·0*
3 wks. and under 1 mo.	*38·0*	*21·7*	*25·4*	*27·1*	*40·2*	*38·3*	*43·2*	*43·8*	*31·7*	*26·7*
1 mo. and under 2 mo.	94·8	119·6	102·9	100·0	104·8	76·8	91·6	93·4	83·3	74·4
2 " " 3 "	82·0	108·7	87·9	90·6	94·9	66·0	75·1	59·1	66·7	53·4
3 " " 4 "	65·3	54·3	78·6	78·1	73·3	52·5	46·3	56·9	60·8	53·4
4 " " 5 "	50·1	–	46·2	39·6	55·7	46·3	55·6	43·8	43·3	32·4
5 " " 6 "	43·0	87·0	30·1	44·8	47·0	40·4	41·2	32·8	40·0	36·3
6 " " 7 "	39·2	21·7	37·0	51·0	42·2	40·0	26·7	24·1	34·2	32·4
7 " " 8 "	32·0	32·6	28·9	28·1	34·8	30·9	21·6	27·7	30·0	32·4
8 " " 9 "	31·8	–	23·1	33·3	35·1	29·7	23·7	29·2	29·2	30·5
9 " " 10 "	27·2	43·5	31·2	29·2	29·8	23·0	25·7	18·2	27·5	26·7
10 " " 11 "	25·2	43·5	19·7	22·9	26·0	21·9	34·0	26·3	24·2	34·4
11 " " 1 yr.	21·0	32·6	20·8	22·9	23·9	18·2	12·3	13·1	22·5	17·2
Total	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**

(1) See note 1, table I.

Infant Mortality by Months.—Table XXVI shows the number of infant deaths by months in Canada in the years 1926-28, and the rate of infant mortality for each month calculated on the living births of the same month.

TABLE XXVI.—INFANT MORTALITY BY MONTH OF DEATH, CANADA (1), 1926-28

—		Total	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Number of living births	1926	232,750	19,317	18,284	21,356	21,064	20,706	19,464	19,907	19,682	19,145	18,512	17,402	17,911
	1927	234,188	18,039	17,601	21,387	20,931	21,012	20,405	20,646	19,931	19,386	18,521	17,773	18,556
	1928	236,757	19,387	18,783	21,377	20,497	21,046	20,091	20,033	19,948	19,615	18,879	18,017	19,084
Number of deaths under one year.	1926	23,692	1,860	1,885	2,236	2,411	2,184	1,743	1,671	2,143	2,265	1,900	1,599	1,795
	1927	22,010	2,115	1,934	2,038	1,936	1,832	1,547	1,553	1,856	2,247	1,836	1,548	1,568
	1928	21,195	1,729	1,700	2,049	1,890	1,855	1,592	1,398	1,731	2,112	1,712	1,473	1,954
Rate per 1,000 living births.	1926	101·8	96·3	103·1	104·7	114·5	105·5	89·5	83·9	108·9	118·3	102·6	91·9	100·2
	1927	94·0	117·2	109·9	95·3	92·5	87·2	75·8	75·2	93·1	115·9	99·1	87·1	84·5
	1928	89·5	89·2	90·5	95·9	92·2	88·1	79·2	69·8	86·8	107·7	90·7	81·8	102·4

(1) See note 1, table I.

In Table XXVII the deaths of infants under one year of age in Canada during the year 1928 are classified according to the month of birth and the month of death. The month of birth may have been either in 1927 or 1928. Vertically the figures give the distribution by months of the births of children who died under one year of age in a specified month of 1928; horizontally they give the distribution by months in 1928 of the deaths of children under one year of age born in a specified month of 1927 or 1928. For example, 243 of the children born in May 1927 died in 1928 before they had attained their first birthday; of these deaths 47 occurred in January 1928, 51 in February, 72 in March, 55 in April and 18 in May. If the figures of Table XXVII are read diagonally (omitting sub-totals) from upper left to lower right, the lowest row gives the number of children who died in 1928 in the month of birth, the second gives the number who died in the month succeeding that of birth, etc. Thus the diagonal addition of the lowest set from 724 to 744 shows that for the year 1928, the actual number of infants dying in the month of their birth was 8,490 or 40·1 per cent of the total infant mortality during the year. Diagonal addition of the set of items immediately above that last taken (from 262 to 243) shows that the number of children who died in 1928 in the month succeeding that of their birth was 3,018 or 14·2 per cent of the infant deaths during the year. The remainder who died in a late month than that succeeding the month of their birth, numbered 9,687 or 45·7 per cent of the total infant mortality during 1928.

TABLE XXVII.—DEATHS OF CHILDREN UNDER ONE YEAR OF AGE (EXCLUSIVE OF STILLBIRTHS) IN CANADA(1), 1928, CLASSIFIED BY MONTH OF BIRTH AND MONTH OF DEATH

Month of birth	Total	Month of death, 1928											
		Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Born in past year	**4,348**	**1,005**	**732**	**736**	**533**	**409**	**283**	**179**	**187**	**169**	**69**	**35**	**11**
January	10	10	–	–	–	–	–	–	–	–	–	–	–
February	37	24	13	–	–	–	–	–	–	–	–	–	–
March	97	38	38	21	–	–	–	–	–	–	–	–	–
April	180	53	56	52	19	–	–	–	–	–	–	–	–
May	243	47	51	72	55	18	–	–	–	–	–	–	–
June	306	67	38	64	50	71	16	–	–	–	–	–	–
July	387	65	52	75	71	69	42	13	–	–	–	–	–
August	415	72	73	67	71	54	38	31	9	–	–	–	–
September	531	121	77	89	77	42	51	31	34	9	–	–	–
October	542	124	85	69	53	54	32	32	36	45	12	–	–
November	624	122	113	81	62	44	48	30	44	52	22	6	–
December	976	262	136	146	75	57	56	42	64	63	35	29	11
Born in current year	**16,847**	**724**	**968**	**1,313**	**1,357**	**1,446**	**1,309**	**1,219**	**1,544**	**1,943**	**1,643**	**1,438**	**1,943**
January	1,738	724	260	165	126	73	58	46	82	74	41	40	49
February	1,680	–	708	272	161	123	62	40	113	87	48	21	45
March	1,878	–	–	876	280	169	101	62	107	123	65	33	62
April	1,798	–	–	–	790	297	141	89	131	143	74	47	86
May	1,695	–	–	–	–	784	264	122	131	177	94	57	66
June	1,538	–	–	–	–	–	683	211	159	196	130	72	87
July	1,428	–	–	–	–	–	–	649	228	225	130	85	111
August	1,255	–	–	–	–	–	–	–	593	264	160	126	112
September	1,193	–	–	–	–	–	–	–	–	654	244	136	159
October	1,029	–	–	–	–	–	–	–	–	–	657	193	179
November	871	–	–	–	–	–	–	–	–	–	–	628	243
December	744	–	–	–	–	–	–	–	–	–	–	–	744
Total infant deaths	**21,195**	**1,729**	**1,700**	**2,049**	**1,890**	**1,855**	**1,592**	**1,398**	**1,731**	**2,112**	**1,712**	**1,473**	**1,954**

(1) See note 1, table I.

In Table XXVIII, the infant mortality of each month is divided into three parts and a rate for each part is calculated on the births which form an appropriate denominator for that part. The table permits a comparison between the various months of 1928 in regard to (a) the mortality of infants born during the month; (b) the mortality of infants born during the preceding month; (c) the mortality of infants born prior to the preceding month.

In the rate of mortality for infants born prior to the preceding month, adjustment has been made on a simple pro rata basis for the varying lengths of months, with 30·4 days as the standard. No such adjustment has been made for the other two sets of rates, since in these, owing to the concentration of deaths at the earliest ages, the variation in length of the month makes little difference and adjustment would be a matter of considerable difficulty.

The highest rate of mortality for infants born during the month was in March and the lowest in August. The highest rates for infants born during the preceding month were in March and May, which showed the same figure; the lowest was in November. For infants born prior to the preceding month, mortality was highest in September and lowest in July. The position of September in regard to the mortality of this class of infants may be attributed to the importance of gastro-intestinal diseases as a cause of death amongst infants who have survived the perils of the earlier ages.

To obtain a unified monthly rate of infant mortality the three rates have been combined on the assumption of an equal number of births in each month of the year. September showed the highest unified rate, 108·2 per 1,000 living births, while July, with 69·7 was the lowest month. These unified rates may be regarded as adjustments of the crude monthly rates in Table XXVI. It will be noted that the adjusted rate tends to be higher than the crude for those months which have a number of births above the average, e.g. March, whereas it shows a reduction from the crude rate for those months, such as November, with a smaller than average number of births.

TABLE XXVIII.—ADJUSTMENT OF INFANT MORTALITY RATES IN CANADA[1], BY MONTHS, 1928

Month	Mortality of infants born during specified month			Mortality of infants born during preceding month			Mortality of infants born prior to preceding month				[2] Unified adjusted rates per 1,000 births
	No. of births	No. of deaths	Rate per 1,000 births	No. of births	No. of deaths	Rate per 1,000 births	No. of births	No. of deaths	Rate per 1,000 births	Rate adjusted for length of month	
	(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)
January	19,387	724	37·3	18,556	262	14·1	215,632	743	3·45	3·38	88·6
February	18,783	708	37·7	19,387	260	13·4	216,149	732	3·39	3·55	90·2
March	21,377	876	41·0	18,783	272	14·5	217,935	901	4·13	4·05	100·1
April	20,497	790	38·5	21,377	280	13·1	215,331	820	3·81	3·86	94·1
May	21,046	784	37·3	20,497	297	14·5	215,777	774	3·59	3·52	90·5
June	20,091	683	34·0	21,046	264	12·5	215,262	645	3·00	3·04	79·9
July	20,033	649	32·4	20,091	211	10·5	215,903	538	2·49	2·44	69·7
August	19,948	593	29·7	20,033	228	11·4	215,348	910	4·23	4·15	86·8
September	19,615	654	33·3	19,948	264	13·2	215,450	1,194	5·54	5·61	108·2
October	18,879	657	34·8	19,615	244	12·4	216,012	811	3·75	3·68	87·7
November	18,017	628	34·9	18,879	192	10·2	217,106	653	3·01	3·05	78·7
December	19,084	744	39·0	18,017	243	13·5	218,212	967	4·43	4·34	100·2

[1] See note 1, table I. [2] Obtained by adding c + f + (11 x j).

Infant Mortality by Quarters.—Table XXIX presents the number of births, the number of infant deaths and crude and adjusted rates of infant mortality for the four quarters of 1927 and 1928. The crude rates are obtained from a comparison of the deaths during a given quarter with the number of births during the same period; the adjusted rates are calculated in a manner similar to the monthly adjusted rates, of which a description is given above.

It will be noted that the effect of adjustment in both years is greatest in the second and fourth quarters, and that it raises the rates in the former and lowers them in the latter.

TABLE XXIX.—INFANT MORTALITY IN CANADA(1) FOR THE FOUR QUARTERS, 1927-28

—		First quarter	Second quarter	Third quarter	Fourth quarter
Number of births	1927	57,027	62,348	59,963	54,850
	1928	59,547	61,634	59,596	55,980
Deaths under one year	1927	6,087	5,315	5,656	4,952
	1928	5,478	5,337	5,241	5,139
Rate per 1,000 births, crude	1927	106·7	85·2	94·3	90·3
	1928	92·0	86·6	87·9	91·8
Rate per 1,000 births, adjusted	1927	106·8	88·6	95·0	86·6
	1928	93·2	88·5	87·6	88·9

(1) See note 1, table I.

Mortality of Children Born in the Calendar Year 1927.—A combination of births of Table XXVII for two successive years allows us to follow children born in a certain calendar year or calendar month through the first year of their lives. Table XXX illustrates this for the children born in the calendar year 1927. The mortality of such children during the first year of their lives was 92·1 per 1,000 births. The deaths of these children occurred during the two calendar years 1927 and 1928. The mortality of children born during the year 1926, which is also shown in the table was 100·1 per 1,000 births. The table affords some interesting comparisons regarding the mortality of children born in the various months of the year. The possibility of compensations in the mortality of the second year of life requires consideration.

TABLE XXX.—MORTALITY UNDER ONE YEAR OF AGE OF CHILDREN BORN IN CANADA(1) IN THE CALENDAR YEAR 1927


Month of death	Total	Month of birth in 1927											
		Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1927													
January	798	798	–	–	–	–	–	–	–	–	–	–	–
February	1,066	308	758	–	–	–	–	–	–	–	–	–	–
March	1,338	143	352	843	–	–	–	–	–	–	–	–	–
April	1,400	127	137	335	801	–	–	–	–	–	–	–	–
May	1,465	82	93	162	297	831	–	–	–	–	–	–	–
June	1,310	57	59	86	171	225	712	–	–	–	–	–	–
July	1,360	46	60	93	123	147	233	658	–	–	–	–	–
August	1,637	85	87	126	157	155	193	227	607	–	–	–	–
September	2,028	88	96	129	187	194	214	243	240	637	–	–	–
October	1,749	41	58	74	98	127	138	161	202	266	584	–	–
November	1,508	25	37	42	52	65	75	85	124	149	220	634	–
December	1,555	17	34	33	53	51	62	68	83	110	160	218	666
1928													
January	1,005	10	24	38	53	47	67	65	72	121	124	122	262
February	732	–	13	38	56	51	38	52	73	77	85	113	136
March	736	–	–	21	52	72	64	75	67	89	69	81	146
April	533	–	–	–	19	55	50	71	71	77	53	62	75
May	409	–	–	–	–	18	71	69	54	42	54	44	57
June	283	–	–	–	–	–	16	42	38	51	32	48	56
July	179	–	–	–	–	–	–	13	31	31	32	30	42
August	187	–	–	–	–	–	–	–	9	34	36	44	64
September	169	–	–	–	–	–	–	–	–	9	45	52	63
October	69	–	–	–	–	–	–	–	–	–	12	22	35
November	35	–	–	–	–	–	–	–	–	–	–	6	29
December	11	–	–	–	–	–	–	–	–	–	–	–	11
Total deaths under 1 year	21,562	1,827	1,808	2,020	2,119	2,038	1,933	1,829	1,671	1,693	1,506	1,476	1,642
Total living births	234,188	18,039	17,601	21,387	20,931	21,012	20,405	20,646	19,931	19,386	18,521	17,773	18,556
Infant mortality rate per 1,000 children born alive in 1927	92·1	101·3	102·7	94·4	101·2	97·0	94·7	88·6	83·8	87·3	81·3	83·0	88·5
Infant mortality rate per 1,000 children born alive in 1926	100·1	101·5	100·6	106·9	110·9	109·7	106·7	97·9	92·3	91·5	90·3	92·7	96·4

(1) See note 1, table I.

Infant Mortality by Causes.—Of the total infant mortality reported for the nine provinces of Canada in 1928, 92·5 per cent was due to the causes of death listed by name in Table XXXI. This figure compared with 92·0 per cent in 1927 and 92·6 per cent in 1926.

Premature birth was assigned as the cause in 21·6 per cent of the deaths of 1928, diarrhoea and enteritis in 18·4 per cent and congenital debility in 11·0 per cent, while pneumonia accounted for 10·4 per cent of the total number. Over 61 per cent of the total infant mortality, therefore, was attributed to these four leading causes in 1928. The corresponding proportion for 1927 was very slightly less.

Considering together the groups of diseases of early infancy (Numbers 160-162), and congenital malformations (Number 159), it is seen that these causes accounted for about 50 per cent of all infant deaths in the year 1928. The proportion in that year was slightly higher than in 1927. It may be noted that deaths of infants under 3 months without medical attendance and with unspecified or ill-defined cause, are included under Number 162, "Other diseases peculiar to early infancy".



The fall in infant mortality from 1927 to 1928 amounted to a saving of 446 infant lives per 100,000 living births. To this saving the difference in deaths from diarrhoea and enteritis contributed 167 per 100,000, or more than one-third of the total. The reduction in deaths from whooping-cough contributed a saving of 75 per 100,000, in deaths assigned to convulsions 41 and in Number 162, "Other diseases peculiar to early infancy", 82. The reduction in this class and in deaths from convulsions may be due in some degree to better certification. None of the causes listed showed a large increase in the rate over the preceding year, the greatest increase from the standpoint of effect on total infant mortality being in deaths assigned to premature births, which numbered 54 more per 100,000 births than in 1927.

It may be noted that acute anterior poliomyelitis (infantile paralysis), which is not separately shown in Table XXXI, was certified as the cause of 21 infant deaths in 1928 as against 24 in the preceding year and 9 in 1926.

TABLE XXXI.—INFANT MORTALITY IN CANADA[1] BY SEX AND SPECIFIED CAUSES OF DEATH, 1926-28

Int. list No.	Causes of death	Year	Both sexes			Male		Female	
			Number	Per cent distribution by cause of death	Rate per 100,000 living births	Number	Rate per 100,000 living births	Number	Rate per 100,000 living births
7	Measles	1926	263	1·1	113	141	118	122	108
		1927	187	0·8	80	113	94	74	65
		1928	89	0·4	38	50	41	39	34
8	Scarlet fever	1926	25	0·1	11	13	11	12	11
		1927	35	0·2	15	23	19	12	11
		1928	25	0·1	11	12	10	13	11
9	Whooping-cough	1926	773	3·3	332	358	299	415	368
		1927	640	2·9	273	336	278	304	268
		1928	469	2·2	198	230	189	239	207
10	Diphtheria	1926	47	0·2	20	24	20	23	20
		1927	48	0·2	20	24	20	24	21
		1928	48	0·2	20	22	18	26	23
11	Influenza	1926	950	4·0	408	576	481	374	331
		1927	719	3·3	307	411	341	308	271
		1928	831	3·9	351	500	412	331	287
21	Erysipelas	1926	101	0·4	43	51	43	50	44
		1927	95	0·4	41	48	40	47	41
		1928	91	0·4	38	45	37	46	40
31-37	Tuberculosis	1926	233	1·0	100	131	109	102	90
		1927	188	0·9	80	100	83	88	78
		1928	194	0·9	82	105	86	89	77
38	Syphilis	1926	128	0·5	55	68	57	60	53
		1927	131	0·6	56	70	58	61	54
		1928	129	0·6	54	81	67	48	42
71a	Meningitis (simple)	1926	327	1·4	140	201	168	126	112
		1927	325	1·5	139	186	154	139	122
		1928	300	1·4	127	149	123	151	131
80	Convulsions	1926	440	1·9	189	263	219	177	157
		1927	441	2·0	188	265	220	176	155
		1928	348	1·6	147	208	171	140	121
99	Bronchitis	1926	150	0·6	64	90	75	60	53
		1927	134	0·6	57	74	61	60	53
		1928	127	0·6	54	71	58	56	49
100-101	Pneumonia	1926	2,487	10·5	1,069	1,410	1,176	1,077	954
		1927	2,150	9·8	918	1,210	1,003	940	828
		1928	2,209	10·4	933	1,251	1,030	958	831
110-112	Diseases of the stomach	1926	282	1·2	121	156	130	126	112
		1927	302	1·4	129	170	141	132	116
		1928	243	1·1	103	132	109	111	96
113	Diarrhoea and enteritis	1926	4,318	18·2	1,855	2,451	2,045	1,867	1,654
		1927	4,249	19·3	1,814	2,430	2,014	1,819	1,602
		1928	3,899	18·4	1,647	2,228	1,834	1,671	1,450
118	Hernia, intestinal obstruction	1926	107	0·5	46	68	57	39	35
		1927	105	0·5	45	73	61	32	28
		1928	88	0·4	37	64	53	24	21
159	Congenital malformations	1926	1,412	6·0	607	777	648	635	563
		1927	1,256	5·7	536	661	548	595	524
		1928	1,299	6·1	549	702	578	597	518
160	Congenital debility	1926	2,353	9·9	1,011	1,353	1,129	1,000	886
		1927	2,368	10·8	1,011	1,355	1,123	1,013	892
		1928	2,338	11·0	988	1,372	1,129	966	838
161a	Premature birth	1926	5,083	21·5	2,184	2,936	2,449	2,147	1,902
		1927	4,402	20·0	1,880	2,550	2,113	1,852	1,631
		1928	4,579	21·6	1,934	2,500	2,058	2,079	1,804
161b	Injury at birth	1926	949	4·0	408	563	470	386	342
		1927	1,009	4·6	431	601	498	408	359
		1928	1,017	4·8	430	644	530	373	324
162	Other diseases peculiar to early infancy	1926	1,507	6·4	647	885	738	622	551
		1927	1,454	6·6	621	848	703	606	534
		1928	1,276	6·0	539	734	604	542	470

TABLE XXXI.—INFANT MORTALITY IN CANADA(1) BY SEX AND SPECIFIED CAUSES OF DEATH, 1926-28—*Concluded*

Int. list No.	Causes of death	Year	Both sexes			Male		Female	
			Number	Per cent distribution by cause of death	Rate per 100,000 living births	Number	Rate per 100,000 living births	Number	Rate per 100,000 living births
	Other specified causes.....	1926	1,599	6·7	687	919	767	680	602
		1927	1,634	7·4	698	921	763	713	628
		1928	1,444	6·8	610	841	692	603	523
204-205	Unspecified or ill-defined causes.	1926	158	0·7	68	103	86	55	49
		1927	138	0·6	59	79	65	59	52
		1928	152	0·7	64	85	70	67	58
	All causes.....	**1926**	**23,692**	**100·0**	**10,179**	**13,537**	**11,294**	**10,155**	**8,996**
		1927	**22,010**	**100·0**	**9,398**	**12,548**	**10,400**	**9,462**	**8,334**
		1928	**21,195**	**100·0**	**8,952**	**12,026**	**9,898**	**9,169**	**7,956**

(1) See note 1, table I.

Proportion of Infant Mortality Rates for each Sex from Certain Causes.—Table XXXII shows for the same list of causes as that given in Table XXXI the per cent proportion which the death rates of male infants bore to those of female infants in 1926, 1927 and 1928 and on the average throughout the three years. The latter set of rates is, of course, more typical than the others. Male rates for the average of the three years exceeded female rates for all of the causes listed excepting whooping-cough, diphtheria and erysipelas. The highest proportion of the male rates was for hernia, intestinal obstruction, the average ratio to the female rates in this case being 211 per cent. Injury at birth showed a proportion of 147 per cent and convulsions 141 per cent. Unspecified or ill-defined causes gave male rates which on the average stood at 141 per cent of the female rates.

TABLE XXXII.—PER CENT PROPORTION OF INFANT MORTALITY RATES OF MALES TO THOSE OF FEMALES IN CANADA(1), 1926-28

(Mortality rate of females taken as 100)

Int. list No.	Causes of death	1926	1927	1928	Average 1926-28
7	Measles	109	144	122	125
8	Scarlet fever	102	180	87	123
9	Whooping-cough	81	104	91	92
10	Diphtheria	98	94	80	91
11	Influenza	145	126	143	138
21	Erysipelas	96	96	93	95
31-37	Tuberculosis	121	107	112	113
38	Syphilis	107	108	160	125
71a	Meningitis (simple)	150	126	94	123
80	Convulsions	140	142	141	141
99	Bronchitis	141	116	120	126
100-101	Pneumonia	123	121	124	123
110-112	Diseases of the stomach	117	121	113	117
113	Diarrhoea and enteritis	124	126	126	125
118	Hernia, intestinal obstruction	164	215	253	211
159	Congenital malformations	115	105	112	111
160	Congenital debility	127	126	135	129
161a	Premature birth	129	130	114	124
161b	Injury at birth	137	139	164	147
162	Other diseases peculiar to early infancy	134	132	128	131
	Other specified causes	127	122	132	127
204-205	Unspecified or ill-defined causes	176	126	120	141
	All causes	**126**	**125**	**124**	**125**

(1) See note 1, table I.

Causes of Infant Mortality by Age-Periods.—Table XXXIII presents infant mortality rates by age-groups for the same list of causes as in previous tables, for the nine provinces of Canada in 1928. The first three months of life are divided into monthly periods and in the first month the first week of life is separated from the remaining part. The remainder of the year is given by age periods of three months. In order to establish a fair comparison between periods of different lengths equivalent weekly rates are used. To obtain these, the crude rates for the period "one week and under one month" have been multiplied by 7/23·4, those for the full monthly periods by 7/30·4 and those for the three months' periods by 7/91·2. As thus reduced the rates represent a mortality per 100,000 living births over an average week of the longer periods. It should be remembered, however, that the mortality of the first week of life is by no means evenly distributed. In 1928 the number of deaths in the first 24 hours of life was well in excess of that during the remainder of the first week. For certain causes the proportion of deaths on the first day was naturally still greater. Of the 3,516 infants who died under one week of age in consequence of premature birth, 2,198 or roughly three-fifths of the number succumbed in the first 24 hours. A similar, though much less pronounced inequality of distribution characterized the deaths which took place at ages between one week and one month.

The most striking feature of the table is the heavy concentration of deaths from Nos. 159 to 162 during the first week of life. The rate for convulsions, an unsatisfactory rubric, is also much higher during the first week than in later periods. The rate from pneumonia shows a tendency to decline gradually from the earlier to the later periods. The peak of mortality from diarrhoea and enteritis was reached in the third month of life, and fell progressively through the later periods.

TABLE XXXIII.—MORTALITY RATES (EQUIVALENT WEEKLY) PER 100,000 LIVING BIRTHS FOR CERTAIN SPECIFIED CAUSES BY AGE PERIODS OF THE FIRST YEAR OF LIFE, CANADA(1), 1928

Int. list No.	Causes of death	Total under 1 year	Under 1 week	1 week and under 1 month	1 month and under 2 months	2 months and under 3 months	3 months and under 6 months	6 months and under 9 months	9 months and under 12 months
7	Measles	0·7	–	0·4	0·4	0·5	0·6	0·9	1·0
8	Scarlet fever	0·2	–	–	0·3	0·1	0·1	0·3	0·3
9	Whooping-cough	3·8	–	3·4	7·2	5·3	4·9	3·4	1·8
10	Diphtheria	0·4	0·4	0·3	0·2	0·2	0·1	0·4	0·8
11	Influenza	6·7	5·9	11·5	9·1	11·0	6·9	5·2	4·7
21	Erysipelas	0·7	–	3·0	1·8	1·2	0·6	0·4	0·2
31–37	Tuberculosis	1·6	0·8	0·6	1·6	1·2	1·6	1·6	1·9
38	Syphilis	1·0	3·8	2·8	3·1	1·8	1·1	0·3	0·2
71a	Meningitis (simple)	2·4	7·6	5·3	1·8	2·7	2·6	2·4	1·3
80	Convulsions	2·8	34·6	5·9	3·6	3·0	2·1	1·5	1·4
99	Bronchitis	1·0	1·7	2·8	1·6	1·5	1·2	0·6	0·4
100–101	Pneumonia	17·9	32·9	24·3	23·0	26·7	18·0	15·8	12·5
110–112	Diseases of the stomach	2·0	3·4	4·8	3·7	3·9	1·9	1·2	0·7
113	Diarrhoea and enteritis	31·7	21·5	46·9	54·5	57·6	40·1	23·1	12·2
118	Hernia, intestinal obstruction	0·7	4·2	1·0	0·9	0·1	0·9	0·7	0·4
159	Congenital malformations	10·6	285·1	33·7	10·5	5·3	3·4	1·8	1·2
160	Congenital debility	19·0	406·7	65·2	31·1	20·0	7·7	2·2	0·9
161	Premature birth, injury at birth	45·5	1,872·4	104·9	19·7	6·6	1·4	0·4	0·2
162	Other diseases peculiar to early infancy	10·4	406·7	21·5	6·5	4·3	0·8	0·2	0·1
	Other specified causes	11·7	65·9	23·5	14·3	15·1	10·7	7·6	7·6
204–205	Unspecified or ill-defined causes	1·2	6·3	0·5	0·6	1·1	2·0	1·0	0·7
	All causes	**172·2**	**3,160·2**	**362·2**	**195·5**	**169·0**	**108·9**	**70·8**	**50·4**

(1) See note 1, table I.

Infant Mortality in Cities.—Table XXXIV shows the number of living births, the number of deaths under one year and the infantile death rates for cities of 40,000 and over during the years 1921-28. For the two cities of Montreal and Quebec, however, the figures are limited to the years 1926-1928, as these cities were not included in the Registration Area in previous years. The lowest rate for 1928 was in the city of Vancouver, the highest in the city of Quebec, which showed a marked increase over the preceding year though lower than in 1926. As compared with 1927 the rates for 1928 were lower in Halifax, Hamilton, London and Vancouver and higher in the remaining cities.

TABLE XXXIV.—INFANT MORTALITY IN CITIES OF 40,000 AND OVER, 1921-28

—		Calgary	Edmonton	Halifax	Hamilton	London	Montreal	Ottawa	Quebec	Saint John	Toronto	Vancouver (2)	Winnipeg
Living births	1921	2,086	2,136	1,836	3,498	1,458	(1)	3,250	(1)	1,225	13,378	3,893	6,323
	1922	1,884	2,143	1,743	3,146	1,448	(1)	3,273	(1)	1,259	12,745	3,469	5,840
	1923	1,683	1,951	1,519	3,033	1,380	(1)	3,055	(1)	1,304	12,680	3,533	5,246
	1924	1,612	1,852	1,458	3,140	1,452	(1)	3,044	(1)	1,238	12,424	3,555	4,786
	1925	1,634	1,943	1,463	2,938	1,352	(1)	3,026	(1)	1,246	11,976	3,662	4,660
	1926	1,568	1,858	1,359	2,774	1,331	19,650	2,869	4,164	1,097	11,185	3,543	4,495
	1927	1,641	1,940	1,494	2,866	1,286	19,458	3,003	4,349	1,166	11,448	3,651	4,506
	1928	1,752	2,149	1,425	3,007	1,438	20,252	3,003	4,473	1,083	12,342	3,812	4,552
Deaths under one year	1921	168	190	247	307	134	(1)	422	(1)	180	1,210	219	490
	1922	146	237	218	252	98	(1)	418	(1)	140	993	238	519
	1923	153	173	210	238	103	(1)	401	(1)	149	972	224	421
	1924	96	147	141	226	87	(1)	341	(1)	131	912	177	324
	1925	108	136	140	241	93	(1)	348	(1)	152	871	160	322
	1926	131	155	127	199	91	2,827	342	773	118	843	195	313
	1927	85	113	124	187	102	2,569	286	643	103	810	193	273
	1928	108	137	102	190	76	2,925	320	776	103	895	164	278
Rate per 1,000 living births	1921	80·5	89·0	134·5	87·8	91·9	(1)	129·8	(1)	146·9	90·4	56·3	77·5
	1922	77·5	110·6	125·1	80·1	67·7	(1)	127·7	(1)	111·2	77·9	68·6	88·9
	1923	90·9	88·7	138·2	78·5	74·6	(1)	131·3	(1)	114·3	76·7	63·4	80·3
	1924	59·6	79·4	96·7	72·0	59·9	(1)	112·0	(1)	105·8	73·4	49·8	67·7
	1925	66·1	70·0	95·7	82·0	68·8	(1)	115·0	(1)	122·0	72·7	43·7	69·1
	1926	83·5	83·4	93·5	71·7	68·4	143·9	119·2	185·6	107·6	75·4	55·0	69·6
	1927	51·8	58·2	83·0	65·2	79·3	132·0	95·2	147·9	88·3	70·8	52·9	60·6
	1928	61·6	63·8	71·6	63·2	52·9	144·4	106·6	173·5	95·1	72·5	43·0	61·1

(1) Not in Registration Area. (2) Including Point Grey and South Vancouver. NOTE.—The classification of cities in Manitoba, Saskatchewan and Alberta is according to the Census of 1926, in the remaining provinces according to the Census of 1921.

In considering the statistics of births and of infantile mortality in cities, the fact that many non-residents avail themselves of the advantages of urban institutions should not be overlooked. In order to eliminate the results of births to non-resident mothers and the deaths of their infants from comparisons of infant mortality between cities, the most satisfactory method would be to transfer all births and deaths from the place where they occur to the place of residence. In default of such transfer, however, the elimination from a city total of the institutional births to non-resident mothers and the deaths of children born to such mothers should result in a rate of infant mortality very close to the correct one. Non-institutional births in a city to non-resident mothers are few in number and may without serious error be allowed to balance the births occurring elsewhere to mothers resident in the city. Table XXXV shows the computation of infant mortality in 1928 for cities of 40,000 and over on the corrected basis. The absolute figures for this table have been based on Tables 6 and 16 of the general tables. It is interesting to compare the corrected infant mortality of the cities with that given in Table XXXIV.

TABLE XXXV.—CORRECTED INFANT MORTALITY RATES IN CITIES OF 40,000 POPULATION AND OVER, 1928

Cities	Living births excluding those in institutions to non-resident mothers	Deaths under one year excluding those of non-residents in institutions	Corrected infant mortality rate per 1,000 living births
Calgary, Alta	1,437	101	70·3
Edmonton, Alta	1,566	101	64·5
Halifax, N.S.	1,410	98	69·5
Hamilton, Ont.	2,777	175	63·0
London, Ont.	1,245	64	51·4
Montreal, Que.	19,883	2,892	145·5
Ottawa, Ont.	2,510	285	113·5
Quebec, Que.	4,406	766	173·9
Saint John, N.B.	974	101	103·7
Toronto, Ont.	11,646	837	71·9
Vancouver, B.C. (1)	3,418	140	41·0
Winnipeg, Man.	3,474	224	64·5

(1) Including Point Grey and South Vancouver.

Table XXXVJ contains statistics of infant mortality for totals of rural and urban communities for the nine provinces of Canada, the urban being subdivided into cities of 40,000 and over, cities of 10,000 to 40,000 and cities and towns of 1,000 to 10,000. In each case the births and deaths are those which took place in the class of community, regardless of the residence of the parents. While cities of 40,000 and over showed a higher rate in 1928 than in the preceding year, this rate was nevertheless lower than that of 1926. The other three classes of communities showed a decline from 1926 to 1927 and from 1927 to 1928. In each year the lowest rate was found for the cities of 10,000 to 40,000, the highest for cities of 40,000 and over. The rates of 1928 for cities of 10,000 to 40,000, cities and towns of 1,000 to 10,000 and rural parts were very close.

TABLE XXXVI.—INFANT MORTALITY RATES FOR RURAL PARTS AND FOR URBAN COMMUNITIES CLASSIFIED BY SIZE, CANADA(1), 1926-28

—		Cities of 40,000 population and over	Cities of 10,000-40,000 population and over	Cities and towns of 1,000-10,000 population and over	Rural
Living births	1926	55,452	24,194	34,179	118,925
	1927	56,301	24,945	35,813	117,129
	1928	59,288	25,592	36,506	115,371
Deaths under one year	1926	6,091	2,249	3,369	11,983
	1927	5,459	2,202	3,372	10,977
	1928	6,074	2,149	3,111	9,861
Rate per 1,000 births	1926	109·8	93·0	98·6	100·8
	1927	97·0	88·3	94·2	93·7
	1928	102·4	84·0	85·2	85·5

(1) See note 1, table I. NOTE.—The classification of cities and towns in Manitoba, Saskatchewan and Alberta is according to the Census of 1926, in the remaining provinces according to the Census of 1921.

Table XXXVII contains infant death rates for the same four classes of communities, but limited to the eight provinces comprising the Registration Area as of 1921 and extending over the years 1921-28. The lowest average rate for the eight years was in the cities of 40,000 and over, the highest in cities and towns of 1,000 to 10,000. The range between the average is, however, not great. While all classes of communities showed a pronounced downward trend in the rates over the period, the decline was most marked in the cities of 10,000 to 40,000 population and least marked in rural parts.

TABLE XXXVII.—INFANT MORTALITY RATES FOR RURAL PARTS AND FOR URBAN COMMUNITIES CLASSIFIED BY SIZE, REGISTRATION AREA AS OF 1921, DURING THE YEARS 1921-28

Year	Death rates under 1 year per 1,000 births			
	Cities of 40,000 population and over	Cities of 10,000-40,000 population	Cities and towns of 1,000-10,000 population	Rural
1921	92·0	94·6	94·6	83·3
1922	88·3	89·4	90·9	84·5
1923	86·4	89·7	91·1	87·7
1924	74·9	77·9	83·4	78·7
1925	76·4	78·2	80·2	79·1
1926	78·7	77·4	81·0	80·6
1927	69·2	75·3	77·7	75·7
1928	68·7	67·7	74·7	71·6
Average for eight years	**79·3**	**81·3**	**84·2**	**80·2**
Per cent decrease 1921-28	**25·3**	**28·4**	**21·0**	**14·0**

MATERNAL MORTALITY

Table XXXVIII classifies maternal deaths in 1928 by the age of decedents for each of the provinces of Canada. The deaths of women from puerperal causes in the nine provinces numbered 1,331, giving a rate of 5·6 per 1,000 living births, this rate being identical with the

rate for the preceding year. The highest provincial rates were 6·8 in Alberta and 6·1 in Prince Edward Island, the lowest were 5·1 in Manitoba and 5·2 in Nova Scotia. On account of the smallness of the number of deaths involved, rates of maternal mortality naturally show wider proportionate fluctuations than rates of infant mortality from year to year. These fluctuations are particularly noticeable in the province of Prince Edward Island, which has a much smaller population than any other province. It will be noted that in this province the rate declined from 4·6 in 1926 to 2·4 in 1927 and increased to 6·1 in 1928.

TABLE XXXVIII.—MATERNAL MORTALITY BY AGE GROUPS FOR PROVINCES, 1928

Age groups	Canada(1)	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
Under 20 years	77	1	6	2	14	30	6	5	4	9
20-24 years	251	2	11	8	91	71	17	22	23	6
25-29 "	260	3	12	11	95	80	12	20	15	12
30-34 "	289	1	9	13	85	103	12	31	20	15
35-39 "	290	2	9	17	104	72	14	28	33	11
40-44 "	138	2	6	7	48	34	8	15	11	7
45-49 "	25	–	4	–	7	6	4	3	–	1
50 years and over	1	–	–	–	–	–	1	–	–	–
Total	**1,331**	**11**	**57**	**58**	**444**	**396**	**74**	**124**	**106**	**61**
Rate per 1,000 living births—										
1928	**5·6**	**6·1**	**5·2**	**5·8**	**5·3**	**5·8**	**5·1**	**5·8**	**6·8**	**5·9**
1927	**5·6**	**2·4**	**6·8**	**6·2**	**4·9**	**6·0**	**5·1**	**5·4**	**6·4**	**6·7**
1926	**5·7**	**4·6**	**4·6**	**6·4**	**5·2**	**5·6**	**5·9**	**7·1**	**5·9**	**6·5**

(1) See note 1, table I.

Classifying children born alive in the nine provinces of Canada in 1927 and 1928 according to the age of the mother, and making a proportionate distribution of those for whom the age was not stated (considerably less than one per cent in either year), we are enabled to make the comparison of maternal mortality by ages shown in the following statement. In 1927 the lowest rate was for mothers between the 20th and 25th birthdays, in 1928 for ages 25-29. In both years succeeding age groups showed progressively higher rates, with the exception of the group 45-49 years which in 1927 had a lower rate than the group 40-44 years, though in the next year the position was very emphatically reversed. This wider fluctuation of the rates for the 45-49 year group is explained by the smaller number of mothers in the group.

MATERNAL MORTALITY RATES FOR CANADA(1), BY AGE GROUPS, 1927-28

Age groups	1927			1928		
	Living births	Maternal deaths	Rate per 1,000 living births	Living births	Maternal deaths	Rate per 1,000 living births
Under 20 years	13,669	59	4·3	14,361	77	5·4
20-24 years	56,317	222	3·9	58,139	251	4·3
25-29 "	62,957	277	4·4	63,457	260	4·1
30-34 "	50,264	280	5·6	50,205	289	5·8
35-39 "	35,613	288	8·1	35,225	290	8·2
40-44 "	13,852	161	11·6	13,912	138	9·9
45-49 "	1,477	12	8·1	1,426	25	17·5
50 years and over	39	1	(2)	32	1	(2)

(1) See note 1, table I. (2) Not calculated.

Maternal Mortality Rates in Other Countries.—Table XXXIX presents the maternal mortality rates of a number of countries, calculated in every case from the proportion of deaths from puerperal causes to the number of living births. In some cases the absolute figures on which these rates are based are provisional. Wherever the required figures appeared to be available, the rate from puerperal septicaemia has been calculated separately from other puerperal causes.

TABLE XXXIX.—MATERNAL MORTALITY RATE IN CANADA AND IN CERTAIN OTHER COUNTRIES

(Per 1,000 living births)

Country	Year	All puerperal causes	Puerperal septi-caemia	Other puerperal causes	Country	Year	All puerperal causes	Puerperal septi-caemia	Other puerperal causes
Canada (1)	**1928**	**5·6**	**1·9**	**3·7**	Netherlands	1928	3·4	–	–
Australia	1928	6·0	2·1	3·9	New Zealand	1928	4·9	2·1	2·8
Austria	1928	–	2·5	–	Northern Ireland	1928	5·2	1·5	3·7
Belgium	1927	5·7	3·1	2·6	Norway	1928	3·0	–	–
British Isles	1928	4·8	1·9	2·9	Salvador	1926	5·6	–	–
Ceylon	1928	19·2	6·6	12·6	Sao Paulo	1925	3·7	–	–
Denmark	1927	3·1	–	–	Scotland	1928	7·0	2·4	4·6
England and Wales	1928	4·4	1·8	2·6	Spain	1928	4·0	2·3	1·7
France	1928	2·9	1·1	1·8	Sweden	1928	2·6	1·4	1·2
Germany	1926	4·9	2·5	2·4	Switzerland	1928	4·9	–	–
Hungary	1928	3·4	1·8	1·6	Union of South Africa (Whites)	1928	5·0	2·3	2·7
Irish Free State	1928	4·9	1·7	3·2	United States (Reg. Area. White pop'n.)	1928	6·3	1·5	4·8
Italy	1927	2·6	0·9	1·7	Uruguay	1928	2·4	1·5	0·9
Japan	1928	2·8	0·9	1·9					

(1) See note 1, table I.

In Table XL the maternal deaths in each province of the Registration Area as of 1921 and the rates calculated therefrom are presented for the eight years 1921-28. For the eight provinces as a whole the trend in the earlier years is upward, while in the later years no definite trend is evident. The upward trend of the years 1921-24 may be affected by improvement in reporting, due to persistent efforts to secure specific information regarding deaths of women of child-bearing age where the cause assigned suggests the possibility of a puerperal condition.

TABLE XL.—MATERNAL MORTALITY IN THE REGISTRATION AREA AS OF 1921 DURING THE YEARS 1921-28

—		Reg. Area as of 1921	P.E.I.	N.S.	N.B.	Ont.	Man.	Sask.	Alta.	B.C.
Total	1921	868	7	56	47	387	81	128	111	51
	1922	907	8	70	59	370	99	127	111	63
	1923	849	5	84	49	369	76	118	85	63
	1924	945	9	78	49	418	86	145	91	6 9
	1925	873	14	62	51	388	95	117	86	60
	1926	890	8	51	66	381	87	147	85	65
	1927	897	4	76	65	403	72	114	95	68
	1928	887	11	57	58	396	74	124	106	61
Rate per 1,000 living births	**1921**	**5·1**	**3·2**	**4·3**	**4·1**	**5·2**	**4·4**	**5·7**	**6·7**	**4·8**
	1922	**5·5**	**3·7**	**5·5**	**5·1**	**5·2**	**5·6**	**5·7**	**6·9**	**6·2**
	1923	**5·4**	**2·5**	**7·2**	**4·6**	**5·3**	**4·6**	**5·6**	**5·6**	**6·3**
	1924	**6·0**	**4·8**	**6·6**	**4·6**	**5·8**	**5·6**	**6·7**	**6·2**	**6·8**
	1925	**5·6**	**8·4**	**5·4**	**4·7**	**5·5**	**6·4**	**5·7**	**5·8**	**5·8**
	1926	**5·9**	**4·6**	**4·6**	**6·4**	**5·6**	**5·9**	**7·1**	**5·9**	**6·5**
	1927	**5·9**	**2·4**	**6·8**	**6·2**	**6·0**	**5·1**	**5·4**	**6·4**	**6·7**
	1928	**5·8**	**6·1**	**5·2**	**5·8**	**5·8**	**5·1**	**5·8**	**6·8**	**5·9**

Although the rate of maternal mortality has been calculated on living births, it is clear that many deaths from puerperal causes are associated with stillbirths and miscarriages. Table XLI shows the result of an investigation into this matter for the deaths in 1928 from puerperal causes. As the information regarding the kind of birth is not on the death certificate, matching of birth and death certificates was necessitated. The rubric "no birth" includes those cases in which miscarriage, abortion or ectopic gestation was mentioned on the death certificate, and other cases for which no corresponding birth certificate was found, unless the medical certificate of cause of death indicated that a birth had probably taken place. In the latter case further enquiry was made.

The total number of living births in 1928 was 236,757. The maternal deaths associated with these totalled 661, giving a rate of 2·8 per 1,000 births. The total number of stillbirths was 7,577; the maternal deaths associated with these numbered 258, giving a rate of 34·1 per 1,000.

In the same table the puerperal deaths have been classified according to the nature of the attendance received.

TABLE XLI.—DEATHS FROM PUERPERAL CAUSES IN 1928, CLASSIFIED ACCORDING TO THE ATTENDANCE RECEIVED AND THE ASSOCIATION OF THE DEATH WITH A LIVING BIRTH, A STILLBIRTH OR NO BIRTH

Province	Total	Attendance received		Death associated with		
		Medical attendance	No medical attendance	Living birth	Stillbirth	No birth
Prince Edward Island	11	11	–	8	1	2
Nova Scotia	60	58	2	35	7	18
New Brunswick	60	58	2	35	9	16
Quebec	453	446	7	206	95	152
Ontario	410	409	1	(2) 192	84	134
Manitoba	74	74	–	37	10	27
Saskatchewan	128	124	4	69	20	39
Alberta	109	107	2	(3) 53	22	34
British Columbia	61	60	1	26	10	25
Canada(1)	**1,366**	**1,347**	**19**	**661**	**258**	**447**

(1) See note 1, table I. (2) Including 3 mothers to whom twins were born; 1 living and 1 dead. (3) Including 1 mother to whom twins were born; 1 living and 1 dead.

In Table XLII deaths in the years 1926-28 attributed to the puerperal state, which includes pregnancy, parturition and lactation, are distributed by provinces according to the cause of death.

TABLE XLII.—MATERNAL MORTALITY BY CAUSES OF DEATH FOR PROVINCES, 1926-28

Int. List No.	Causes of death		Canada(1)	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
143	Accidents of pregnancy	1926	116	–	2	1	35	40	8	13	13	4
		1927	102	1	3	1	29	30	9	13	10	6
		1928	101	–	3	4	28	36	6	7	8	9
	(a) Abortion	1926	43	–	–	–	20	11	2	4	6	–
		1927	40	1	1	1	15	8	5	2	4	3
		1928	30	–	1	2	12	10	2	3	–	–
	(b) Ectopic gestation	1926	36	–	1	–	8	10	4	6	5	2
		1927	35	–	1	–	9	13	1	7	4	–
		1928	41	–	–	–	9	15	4	2	6	5
	(c) Others under this title	1926	26	–	1	–	5	12	1	3	2	2
		1927	23	–	1	–	4	7	3	4	2	2
		1928	26	–	2	2	6	9	–	2	1	4
	(d) Abortion self-induced	1926	11	–	–	1	2	7	1	–	–	–
		1927	4	–	–	–	1	2	–	–	–	1
		1928	4	–	–	–	1	2	–	–	1	–
144	Puerperal haemorrhage	1926	159	1	5	9	53	40	9	16	17	9
		1927	183	–	6	10	66	49	11	18	12	11
		1928	173	3	4	5	67	45	9	22	14	4
145	Other accidents of childbirth	1926	154	–	5	9	49	51	12	12	9	7
		1927	133	–	17	12	33	38	8	8	12	5
		1928	142	1	7	6	37	51	10	11	10	9
	(a) Caesarean section	1926	25	–	1	3	3	11	1	–	1	5
		1927	34	–	4	4	2	12	2	1	6	3
		1928	33	–	1	–	5	19	–	2	5	1
	(b) Difficult labour	1926	24	–	1	2	15	3	1	–	2	–
		1927	24	–	2	1	10	4	1	5	1	–
		1928	23	–	–	1	7	5	2	4	1	3
	(c) Other surgical operations and instrumental delivery	1926	58	–	2	4	7	25	6	9	3	2
		1927	38	–	7	4	6	12	3	1	3	2
		1928	41	–	5	5	6	12	2	3	3	5
	(d) Uncontrollable vomiting	1926	39	–	1	–	21	10	3	2	2	–
		1927	34	–	4	2	14	10	2	1	1	–
		1928	43	1	1	–	17	15	6	2	1	–
	(e) Rupture of uterus in labour	1926	8	–	–	–	3	2	1	1	1	–
		1927	3	–	–	1	1	–	–	–	1	–
		1928	2	–	–	–	2	–	–	–	–	–

TABLE XLII.—MATERNAL MORTALITY BY CAUSES OF DEATH FOR PROVINCES, 1926-28—*Concluded*

Int. List No.	Causes of death		Canada (1)	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
146	Puerperal septicaemia	1926	432	2	20	19	146	118	40	54	18	15
		1927	448	1	15	12	151	143	23	49	30	24
		1928	439	–	11	22	146	120	21	54	42	23
147	Phlegmasia alba dolens, puerperal embolism, or sudden death in puerperium	1926	83	–	2	5	9	32	4	19	5	7
		1927	81	–	4	2	15	33	7	14	3	3
		1928	90	2	5	3	22	34	9	7	6	2
148	Puerperal albuminuria and convulsions	1926	307	3	16	18	93	95	13	29	21	19
		1927	310	2	24	23	91	106	12	10	25	17
		1928	330	5	25	17	117	97	18	20	19	12
149	Following childbirth (not otherwise defined)	1926	65	2	1	5	42	5	1	4	2	3
		1927	42	–	7	5	17	4	2	2	3	2
		1928	55	–	2	1	26	13	1	3	7	2
150	Puerperal diseases of the breast	1926	1	–	–	–	–	–	–	–	–	1
		1927	1	–	–	–	1	–	–	–	–	–
		1928	1	–	–	–	1	–	–	–	–	–
	Total	**1926**	**1,317**	**8**	**51**	**66**	**427**	**381**	**87**	**147**	**85**	**65**
		1927	**1,300**	**4**	**76**	**65**	**403**	**403**	**72**	**114**	**95**	**68**
		1928	**1,331**	**11**	**57**	**58**	**444**	**396**	**74**	**124**	**106**	**61**

(1) See note 1, table I.

Table XLIII gives, for the eight provinces comprising the Registration Area as of 1921, the number of puerperal deaths assigned to puerperal septicaemia and those assigned to all other puerperal causes during the period 1923-28. Figures for 1921 and 1922 are omitted from this table for the reason that the practice of giving the preference to puerperal septicaemia over all other puerperal causes, such as accidents of pregnancy, was not followed until the year 1923.

TABLE XLIII.—DEATHS FROM PUERPERAL SEPTICAEMIA AND FROM OTHER PUERPERAL CAUSES, REGISTRATION AREA AS OF 1921, DURING THE YEARS 1923-28

Year	All puerperal causes (143-150)	Puerperal septicaemia (146)	Other puerperal causes (143-145) (147-150)
1923	849	276	573
1924	945	271	674
1925	873	260	613
1926	890	286	604
1927	897	297	600
1928	887	293	594

Table XLIV presents by provinces for the year 1928 those causes of death other than maternal, which, were stated on the death certificate to have been complicated by the existence of the puerperal state. The most prominent causes in this table are influenza, tuberculosis and pneumonia. The total number of deaths listed in the table comprises 231, which added to the 1,331 deaths classified directly to puerperal causes makes a total of 1,562 or a rate of 6·6 per 1,000 births for all deaths associated with the puerperal state, whether the death was certified as due to this state or to some other cause.

TABLE XLIV.—DEATHS OF WOMEN NOT CLASSIFIED TO PREGNANCY OR CHILD BEARING BUT RETURNED AS ASSOCIATED THEREWITH, 1928

Int. List No.	Causes of death	Canada (1)	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
1a	Typhoid fever	3	–	–	–	3	–	–	–	–	–
8	Scarlet fever	8	–	–	–	–	3	–	2	2	1
10	Diphtheria	1	–	1	–	–	–	–	–	–	–
11	Influenza	71	–	3	3	22	23	1	8	9	2
13	Mumps	1	–	–	–	–	1	–	–	–	–
21	Erysipelas	2	–	–	–	–	2	–	–	–	–
23	Lethargic encephalitis	1	–	–	–	–	–	1	–	–	–
31	Tuberculosis of the respiratory system	32	1	2	4	11	6	1	2	2	3
33	Tuberculosis of the intestines and peritoneum	3	–	1	–	–	1	1	–	–	–
36c	Tuberculosis of the lymphatic system	1	–	–	–	–	–	–	1	–	–
37a	Acute disseminated tuberculosis	2	–	–	1	–	–	1	–	–	–
38	Syphilis	1	–	–	–	–	–	–	–	1	–
46	Cancer of female genital organs	2	–	–	–	–	–	–	1	1	–
49b	Cancer of circulatory system	1	–	–	–	–	1	–	–	–	–
57	Diabetes mellitus	3	–	2	–	–	–	–	–	1	–
58a	Pernicious anaemia	4	–	–	–	–	4	–	–	–	–
60a	Exophthalmic goiter	3	–	–	–	–	2	1	–	–	–
60b	Other diseases of the thyroid gland	1	–	–	–	–	1	–	–	–	–
88b	Acute myocarditis	1	–	–	–	–	1	–	–	–	–
90a	Valvular disease	8	–	1	–	2	4	1	–	–	–
90b	Fatty degeneration of the heart	1	–	–	–	–	–	–	–	1	–
90d	Chronic endocarditis	4	–	–	–	–	2	–	1	–	1
90e	Chronic myocarditis	2	–	–	1	–	–	–	–	1	–
90f	Other diseases of the heart	1	–	–	–	–	1	–	–	–	–
100a	Bronchopneumonia	4	–	–	–	–	–	–	1	3	–
101a	Lobar pneumonia	25	–	2	3	4	11	–	3	–	2
101b	Pneumonia—not otherwise defined	8	–	–	1	1	3	1	1	1	–
102	Pleurisy	4	–	1	–	2	1	–	–	–	–
107c	Other diseases of the respiratory system (tuberculosis excepted)	2	–	–	–	–	1	–	–	1	–
108	Diseases of the mouth and annexa	1	–	–	–	1	–	–	–	–	–
111a	Ulcer of the stomach	1	–	–	–	–	1	–	–	–	–
112	Other diseases of the stomach (cancer excepted)	1	–	–	–	–	–	–	–	1	–
117	Appendicitis and typhlitis	2	–	–	–	1	–	–	–	1	–
118a	Hernia	1	–	–	–	–	1	–	–	–	–
118b	Intestinal obstruction	4	–	–	–	–	2	1	–	1	–
120	Acute yellow atrophy of the liver	7	1	1	–	–	3	1	–	1	–
123	Biliary calculi	1	–	–	–	–	–	–	1	–	–
129	Chronic nephritis (including unspecified, 10 years of age or over)	3	–	1	–	–	1	–	–	1	–
139	Benign tumours of the uterus	1	–	–	–	–	–	–	–	1	–
185	Accidental traumatism by fall	1	–	–	–	–	–	1	–	–	–
199	Homicides	8	–	–	–	1	6	1	–	–	–
	All causes	**231**	**2**	**15**	**13**	**48**	**82**	**12**	**21**	**29**	**9**

(1) See note 1, table I.

MORTALITY (ALL CAUSES)

The total number of deaths reported in the nine provinces of Canada for the year 1928 was 109,057 in an estimated population of 9,645,000, giving a crude death rate of 11·3 per 1,000 population. These figures compared with 105,292 deaths and a rate of 11·1 per 1,000 in 1927 and 107,454 deaths and a rate of 11·5 in 1926. The rates for provinces in 1928 show a range between 7·2 for Saskatchewan and 13·8 for Quebec. The differences between provinces in this respect are influenced to a great extent by the age composition of the respective populations.

Table XLV presents the number of deaths and the death rates by provinces for the years 1921-28. Comparisons for years previous to 1926, however, are made only for the eight provinces comprising the Registration Area as of 1921, and for the total of that Area. For these eight provinces the death rate for 1928 (10·3) was slightly higher than for the preceding year and identical with the rate for 1926. The lowest rates recorded for this area were in 1924 and 1925 when the figures stood at 9·9 per 1,000.




TABLE XLV.—TOTAL DEATHS (EXCLUSIVE OF STILLBIRTHS) AND CRUDE DEATH RATES PER 1,000 POPULATION BY PROVINCES, 1921-28

Year	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Canada [1]	Registration Area as of 1921 [2]
NUMBER OF DEATHS											
1921	1,209	6,420	5,410	[3]	34,551	5,388	5,596	4,940	4,208	[4]	67,722
1922	1,113	6,679	5,158	[3]	34,034	5,754	6,119	5,264	4,907	[4]	69,028
1923	1,150	6,868	5,013	[3]	35,636	5,330	6,182	5,006	4,997	[4]	70,182
1924	956	6,583	4,923	[3]	33,078	5,023	5,772	4,858	5,004	[4]	66,197
1925	997	6,045	4,960	[3]	33,960	5,245	5,628	4,697	4,945	[4]	66,477
1926	898	6,366	5,002	37,251	35,909	5,335	6,060	5,159	5,474	**107,454**	70,203
1927	913	6,378	4,902	36,175	34,775	5,309	6,031	5,059	5,750	**105,292**	69,117
1928	952	6,202	4,972	36,632	37,128	5,396	6,166	5,699	5,910	**109,057**	72,425
DEATH RATES PER 1,000 POPULATION											
1921	13·6	12·3	14·2	[3]	11·8	8·8	7·4	8·4	8·0	[4]	10·6
1922	12·6	12·6	13·2	[3]	11·4	9·3	7·9	8·9	9·1	[4]	10·6
1923	13·1	13·0	12·7	[3]	11·8	8·6	7·9	8·4	9·2	[4]	10·7
1924	10·9	12·3	12·3	[3]	10·8	8·0	7·2	8·1	9·0	[4]	9·9
1925	11·5	11·3	12·3	[3]	10·9	8·3	6·9	7·8	8·8	[4]	9·9
1926	10·3	11·8	12·3	14·5	11·4	8·3	7·4	8·5	9·6	**11·5**	10·3
1927	10·5	11·7	11·9	13·9	10·9	8·2	7·2	8·2	10·0	**11·1**	10·0
1928	11·1	11·3	12·0	13·8	11·5	8·2	7·2	9·0	10·1	**11·3**	10·3

[1] See note 1, table I. [2] See note 2, table I. [3] Not included in Registration Area. [4] See note 3.

Crude Death Rates for Other Countries.—Table XLVI presents the crude death rate for Canada in comparison with those for a number of other countries. In some cases the figures are provisional.

TABLE XLVI.—ANNUAL CRUDE DEATH RATES IN CANADA AND IN CERTAIN OTHER COUNTRIES

Country	Year	Death rate	Country	Year	Death rate
Canada (1)	**1928**	**11·3**	Japan	1928	19·9
Australia	1928	9·5	Netherlands	1928	9·6
Austria	1928	14·4	New Zealand	1928	8·5
Belgium	1928	13·4	Northern Ireland	1928	14·4
British Isles	1928	12·1	Norway	1928	10·6
Ceylon	1928	24·8	Roumania	192	22·2
Chile	1928	23·7	Salvador	1926	22·2
Denmark	1928	11·0	Sao Paulo	1925	16·4
England and Wales	1928	11·7	Scotland	1928	13·3
Finland	1928	13·5	Spain	1928	18·4
France	1928	16·4	Sweden	1928	12·0
Germany	1928	11·6	Switzerland	1928	12·0
Hungary	1928	17·0	Union of S. Africa (Whites)	1927	9·7
India (British)	1927	24·9	United States (Birth Reg. Area)	1928	12·0
Irish Free State	1928	14·2	Uruguay	1928	10·7
Italy	1927	15·8			

(1) See note 1, table I.

Age Distribution of Decedents.—The quartile (1) and decile (1) ages of decedents in the years 1926-28 are given for each sex and for the two sexes combined in Table XLVII. Quartiles and deciles of 1928 for both males and females are in every case at higher points of age than in either of the two other years listed.

TABLE XLVII.—QUARTILE AND DECILE AGES OF DECEDENTS BY SEX, 1926-28

Position in array by age	Both sexes			Male			Female		
	1926	1927	1928	1926	1927	1928	1926	1927	1928
First quartile..... Years of age	1·83	2·58	4·67	1·34	1·80	3·34	2·85	3·96	6·82
Second quartile..... "	45·50	45·94	49·01	45·16	46·04	48·92	45·89	45·83	49·12
Third quartile..... "	70·70	70·32	71·32	70·05	69·69	70·52	71·51	71·07	72·29
First decile..... Months of age	0·88	0·99	1·27	0·60	0·71	0·94	1·43	1·49	1·77
Second decile..... "	8·56	10·09	14·28	6·60	7·87	10·64	11·74	14·64	19·92
Third decile..... Years of age	6·95	9·78	16·07	4·30	6·76	13·31	12·15	13·70	18·45
Fourth decile..... "	28·77	29·37	34·30	26·47	28·16	33·80	30·61	30·56	34·75
Fifth decile..... "	45·50	45·94	49·01	45·16	46·04	48·92	45·89	45·83	49·12
Sixth decile..... "	58·40	58·28	60·13	57·73	57·89	59·60	59·13	58·74	60·70
Seventh decile..... "	67·15	66·89	68·06	66·44	66·25	67·31	68·00	67·59	68·90
Eighth decile..... "	74·05	73·73	74·48	73·28	72·97	73·64	74·00	74·67	75·44
Ninth decile..... "	80·82	80·56	81·00	79·89	79·65	80·00	81·85	81·60	82·20

Table XLVIII shows the absolute and proportional distribution of deaths by age groups in 1927 and 1928 for males, females and both sexes together. The table shows in general lower proportions of deaths at the younger ages and correspondingly increased percentages at the older ages in 1928. The reduction in the proportion of deaths under five years of age is particularly striking.

(1) For an explanation of these terms the reader is referred to page xvii in connection with the age distribution of parents of children born alive.

TABLE XLVIII.—NUMERICAL AND PER CENT DISTRIBUTION OF DEATHS IN CANADA(1), BY CERTAIN AGE GROUPS, 1927 AND 1928

Age groups	Number						Per cent of total of all stated ages					
	Both sexes		Male		Female		Both sexes		Male		Female	
	1927	1928	1927	1928	1927	1928	1927	1928	1927	1928	1927	1928
Under 1 year	22,010	21,195	12,548	12,026	9,462	9,169	20·9	19·5	22·4	20·6	19·3	18·1
1 year	3,401	3,031	1,863	1,600	1,538	1,431	3·2	2·8	3·3	2·7	3·1	2·8
2 years	1,517	1,440	775	779	742	661	1·4	1·3	1·4	1·3	1·5	1·3
3 "	1,101	1,045	572	556	529	489	1·1	1·0	1·0	1·0	1·1	1·0
4 "	841	774	443	422	398	352	0·8	0·7	0·8	0·7	0·8	0·7
Under 5 years	*28,870*	*27,485*	*16,201*	*15,383*	*12,669*	*12,102*	*27·5*	*25·2*	*28·9*	*26·4*	*25·9*	*23·9*
5– 9 years	2,766	2,647	1,476	1,424	1,290	1,223	2·6	2·4	2·7	2·4	2·6	2·4
10–14 "	2,137	2,036	1,119	1,079	1,018	957	2·0	1·9	2·0	1·8	2·1	1·9
15–19 "	2,671	2,721	1,306	1,422	1,365	1,299	2·5	2·5	2·3	2·4	2·8	2·6
20–24 "	3,042	3,195	1,442	1,551	1,600	1,644	2·9	2·9	2·6	2·7	3·3	3·3
25–29 "	2,891	2,994	1,398	1,461	1,493	1,533	2·7	2·7	2·5	2·5	3·0	3·0
30–34 "	2,735	2,906	1,292	1,366	1,443	1,540	2·6	2·7	2·3	2·3	2·9	3·0
35–39 "	3,266	3,381	1,582	1,667	1,684	1,714	3·1	3·1	2·8	2·9	3·4	3·4
40–44 "	3,429	3,750	1,795	2,006	1,634	1,744	3·3	3·4	3·2	3·4	3·3	3·4
45–49 "	3,914	4,199	2,111	2,352	1,803	1,847	3·7	3·9	3·8	4·0	3·7	3·7
50–54 "	4,243	4,591	2,379	2,572	1,864	2,019	4·0	4·2	4·2	4·4	3·8	4·0
55–59 "	4,940	5,294	2,825	2,991	2,115	2,303	4·7	4·9	5·0	5·1	4·3	4·6
60–64 "	6,056	6,416	3,372	3,614	2,684	2,802	5·8	5·9	6·0	6·2	5·5	5·5
65–69 "	7,350	7,761	4,057	4,404	3,293	3,357	7·0	7·1	7·2	7·5	6·7	6·6
70–74 "	7,825	8,684	4,339	4,699	3,486	3,985	7·4	8·0	7·7	8·0	7·1	7·9
75–79 "	7,735	8,469	4,089	4,550	3,646	3,919	7·4	7·8	7·3	7·8	7·4	7·8
80–89 "	9,468	10,354	4,577	4,962	4,891	5,392	9·0	9·5	8·2	8·5	10·0	10·7
90 years and over	1,810	2,049	782	876	1,028	1,173	1·7	1·9	1·4	1·5	2·1	2·3
Stated ages	**105,148**	**108,932**	**56,142**	**58,379**	**49,006**	**50,553**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**
Age not stated	**144**	**125**	**123**	**101**	**21**	**24**						
Total	**105,292**	**109,057**	**56,265**	**58,480**	**49,027**	**50,577**						

(1) See note 1, table I.

Table XLIX shows in broad age groups for the Registration Area as of 1921 the percentage distribution of deaths by ages from 1921 to 1928. The proportion of deaths under one year to the total mortality has decreased year by year since 1921. This is partly due to a declining birth rate for this area for the period, although the rate for 1928 equalled that for 1927. Another important factor is the substantial downward trend in infant mortality during the period. This trend was maintained between 1927 and 1928.

The proportion of deaths between the first and fifth birthdays also shows a pronounced downward tendency during the period under review. The decline in the birth rate has also its effect, though delayed, in this age group, but there has evidently been throughout a substantial reduction in the mortality of children between these age limits as compared with the mortality at higher ages.

The table shows in general a pronounced shifting in the age incidence of deaths to older age groups. Even when mortality under five years of age is omitted from consideration, this tendency is evident over the greater part of the period. The percentages which deaths at ages 40 and over formed of deaths at ages 5 to 39 years were as follows:—

Year	p.c.	Year	p.c.
1921	258	1925	330
1922	281	1926	350
1923	303	1927	337
1924	311	1928	343

It will be noted that after 1926 the upward trend of this proportion was brought to a halt and that 1927 and 1928 actually showed a somewhat lower figure than 1926. The changes in this proportion might evidently be the result of either or both of two factors (a) a change in the age composition of the population, and (b) a disturbance of the proportion between the death rates for the two groups.

TABLE XLIX.—PER CENT DISTRIBUTION OF DEATHS BY BROAD AGE GROUPS IN THE REGISTRATION AREA AS OF 1921, DURING THE YEARS 1921-28

Age groups	1921	1922	1923	1924	1925	1926	1927	1928
Under 1 year	22·0	20·7	19·7	18·7	18·3	17·2	16·3	15·0
1– 4 years	6·3	5·8	5·6	5·6	5·1	5·3	4·9	4·4
5–19 "	7·5	7·0	6·7	6·7	6·4	6·3	6·6	6·5
20–39 "	12·6	12·3	11·8	11·7	11·4	10·9	11·4	11·7
40–59 "	15·6	16·0	16·1	16·5	16·6	17·0	17·5	18·0
60 years and over	36·2	38·2	40·0	40·8	42·2	43·2	43·2	44·4

Deaths of Centenarians.—There were 79 deaths of reputed centenarians during the year 1928, 35 of males and 44 of females. In Table L these deaths are presented by provinces and by single years of age. The authenticity of the ages reported cannot be guaranteed.

TABLE L.—DEATHS OF REPUTED CENTENARIANS BY PROVINCES, 1928

Age at death		Canada(1)	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
Total centenarians	**M.**	**79**	**3**	**13**	**3**	**18**	**28**	**2**	**6**	**2**	**4**
	F.	**35**	–	**6**	**2**	**8**	**16**	**2**	–	–	**1**
		44	**3**	**7**	**1**	**10**	**12**	–	**6**	**2**	**3**
100 years	M.	10	–	1	–	5	4	–	–	–	–
	F.	22	3	4	1	6	3	–	2	1	2
101 "	M.	6	–	2	–	1	2	1	–	–	–
	F.	1	–	–	–	1	–	–	–	–	–
102 "	M.	3	–	–	–	–	3	–	–	–	–
	F.	3	–	–	–	1	1	–	1	–	–
103 "	M.	4	–	–	1	1	1	1	–	–	–
	F.	5	–	1	–	–	2	–	2	–	–
104 "	M.	5	–	1	1	1	2	–	–	–	–
	F.	6	–	2	–	2	2	–	–	–	–
105 "	M.	1	–	1	–	–	–	–	–	–	–
	F.	5	–	–	–	–	3	–	–	1	1
106 "	M.	3	–	1	–	–	2	–	–	–	–
	F.	–	–	–	–	–	–	–	–	–	–
107 "	M.	1	–	–	–	–	1	–	–	–	–
	F.	2	–	–	–	–	1	–	1	–	–
108 "	M.	2	–	–	–	–	1	–	–	–	1
	F.	–	–	–	–	–	–	–	–	–	–

(1) See note 1, table I.

Death Rates by Months.—Table LI presents monthly death rates by provinces for the years 1926-28.

The equivalent annual death rates have been obtained by multiplying the number of deaths in a given month by 365 (366 in a leap year) and dividing by the number of days in the month before computing the rates.

In the year 1928, the month of December with a rate of 14·4 showed by a substantial margin the heaviest mortality. This rate is a reflection of the influenza epidemic of that month and the next. The highest rate for 1927 was 12·3 in April and for 1926, 15·1 in the same month. In the latter case again the high rate marks the peak month of a severe epidemic of influenza.

The lowest rate for 1928 was 9·7 in July. This month had also the lowest mortality in 1927, though in 1926 the most favourable figure was shown for August.

TABLE LI.—DEATH RATES (CRUDE) PER 1,000 POPULATION IN EACH PROVINCE BY MONTHS, 1926–28

Province		Annual rates	Equivalent annual death rates											
			Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Canada (1)	**1926**	**11·5**	**11·4**	**11·8**	**13·0**	**15·1**	**12·8**	**10·9**	**10·1**	**9·9**	**10·6**	**10·4**	**10·2**	**11·3**
	1927	**11·1**	**12·1**	**12·2**	**11·8**	**12·3**	**11·5**	**10·8**	**9·8**	**10·2**	**10·9**	**10·5**	**10·2**	**10·8**
	1928	**11·3**	**11·3**	**11·8**	**12·0**	**11·9**	**11·8**	**10·7**	**9·7**	**10·0**	**10·9**	**10·7**	**10·5**	**14·4**
Prince Edward Island	1926	10·3	12·5	13·6	10·7	10·9	11·0	8·0	9·3	8·1	7·3	11·4	10·6	10·7
	1927	10·5	13·3	13·2	12·0	14·1	9·3	8·7	6·6	9·2	7·6	11·0	9·9	11·2
	1928	11·1	12·4	15·4	13·0	11·6	10·3	9·2	9·6	8·4	8·7	8·8	11·8	13·9
Nova Scotia	1926	11·8	12·0	13·5	12·9	16·9	13·8	11·3	9·5	8·9	10·4	9·8	10·4	12·3
	1927	11·7	11·6	13·9	12·5	12·4	11·8	11·5	9·8	11·7	12·2	10·7	11·2	11·9
	1928	11·3	11·6	13·4	13·3	12·0	11·7	10·2	9·4	9·0	10·0	10·2	11·2	14·1
New Brunswick	1926	12·3	11·8	12·9	13·7	17·2	14·8	11·5	10·1	9·3	11·9	12·2	10·7	11·6
	1927	11·9	12·1	12·7	12·2	14·3	12·7	11·7	9·6	10·9	11·9	11·3	11·2	12·7
	1928	12·0	12·9	13·1	13·3	12·1	12·4	11·5	8·7	10·0	11·3	12·5	11·2	14·7
Quebec	1926	14·5	14·0	14·3	16·2	20·4	16·6	13·8	12·6	13·6	14·2	13·0	12·5	13·4
	1927	13·9	14·5	14·0	14·2	15·5	15·2	14·3	12·8	13·5	14·5	12·8	12·7	12·9
	1928	13·8	13·5	13·9	14·7	14·6	14·4	12·8	11·8	13·0	14·3	12·7	12·2	18·1
Ontario	1926	11·4	11·8	12·1	13·6	14·5	12·6	11·0	10·3	9·2	10·2	10·4	10·1	11·2
	1927	10·9	11·7	12·0	11·7	12·2	11·3	10·8	9·7	9·6	10·4	10·6	10·3	10·7
	1928	11·5	11·5	12·1	12·2	11·9	12·3	11·5	10·1	9·7	10·4	11·0	10·8	14·5
Manitoba	1926	8·3	8·3	8·8	10·0	10·9	9·3	7·8	7·1	7·7	7·3	7·2	8·1	7·8
	1927	8·2	9·1	12·1	9·7	8·3	7·7	6·9	7·0	6·7	8·2	8·2	7·2	7·7
	1928	8·2	8·3	8·3	8·1	9·0	8·7	8·1	7·2	7·6	8·4	8·0	7·1	10·1
Saskatchewan	1926	7·4	6·9	7·4	8·1	9·2	8·1	6·9	6·6	6·4	7·4	6·9	6·7	8·0
	1927	7·2	8·8	8·9	8·1	7·6	7·1	6·3	5·9	6·8	6·9	6·5	6·7	7·1
	1928	7·2	7·2	7·6	7·1	7·7	7·3	6·6	6·0	6·2	7·3	7·1	7·2	9·8
Alberta	1926	8·5	8·6	8·5	9·1	11·3	8·8	7·4	7·9	7·7	7·9	7·6	7·8	9·3
	1927	8·2	10·0	9·2	8·9	9·5	8·2	7·3	6·8	7·1	7·9	8·1	7·1	8·2
	1928	9·0	8·8	9·3	9·0	9·4	9·7	7·4	8·0	7·9	9·0	8·6	9·1	12·1
British Columbia	1926	9·6	9·9	9·9	9·7	9·9	10·1	9·1	9·0	8·0	8·4	9·3	9·9	12·6
	1927	10·0	13·9	10·8	10·5	10·1	9·9	8·8	9·3	9·6	8·4	9·0	9·6	10·1
	1928	10·1	10·4	10·7	10·9	11·3	9·6	9·8	9·6	9·4	9·0	9·2	10·3	11·5

(1) See note 1, table I.

Table LII shows monthly rates for the Registration Area as of 1921, extending over the period 1921-28, and gives a good indication of what is typical for this area. In the first five months of the year there is not, throughout the period, a single instance in which the death rate fell below 10 per 1,000. In the six months June-November, on the contrary, there are only five instances in which the death rate rose above 10 per 1,000, four of these instances being in the same year, 1921. Abnormally high death rates are associated with severe influenza epidemics in February, 1923, April, 1926, and December, 1928. The low rates of July and August are particularly striking throughout.

TABLE LII.—DEATH RATES (CRUDE) PER 1,000 POPULATION IN THE REGISTRATION AREA AS OF 1921, BY MONTHS, 1921–28

Year	Annual rates	Equivalent annual death rates											
		Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1921	10·6	11·7	12·2	11·8	11·4	10·4	9·1	9·3	10·1	10·5	10·2	10·0	10·2
1922	10·6	11·3	11·9	13·0	12·4	10·7	9·4	8·8	9·2	9·8	10·3	9·9	10·6
1923	10·7	11·7	15·3	14·0	12·3	10·7	9·4	8·6	8·8	9·1	9·6	9·6	9·3
1924	9·9	10·7	10·6	11·2	11·3	10·4	9·6	8·9	8·6	9·3	9·4	9·4	9·9
1925	9·9	10·3	10·4	11·1	11·0	10·2	9·2	8·5	8·8	9·7	9·9	9·4	10·0
1926	10·3	10·5	10·9	11·8	13·1	11·4	9·8	9·2	8·5	9·3	9·4	9·3	10·6
1927	10·0	11·2	11·5	10·8	11·0	10·2	9·5	8·7	9·0	9·6	9·6	9·3	10·0
1928	10·3	10·4	11·0	11·0	10·9	10·8	9·9	9·0	8·8	9·6	9·9	9·9	13·0

Adjusted or Standardized Death Rates.—Crude death rates are affected to some extent by the sex and to a very great extent by the age distribution of the population. To eliminate the influences of these factors "adjusted" or "standardized" death rates have been obtained as in previous years for the whole of Canada and for each province. The standard population chosen for the purpose is the "Standard Million of England and Wales", 1901, and these rates purport to show what the mortality would be if Canada and each of its provinces had a population composed as to age and sex like that of England and Wales at the Census of 1901. In the present instance the adjusted rates have all been computed on the assumption that they should bear the same proportion to the crude rates as in 1926. As most of the rates for 1926 were calculated by means of a similar assumption with regard to 1921, no high degree of accuracy can be claimed for the adjusted rates for 1928, with the exception of those for the Prairie Provinces, in which rates for 1926 were computed directly from the results of the census of that year; nevertheless the rates for the other provinces serve a valuable purpose in correcting, even if somewhat roughly, the inequalities in the crude rates due to differences in sex and age composition of the population. Adjusted rates for the years 1921-26 were computed for each sex as well as for the total population. The rates for the years 1921-25 (exclusive of the Province of Quebec) will be found in the Fifth Annual Report while those for 1926, including all provinces, are contained in the Sixth Annual Report. Commencing with the year 1927, for which adjusted rates are given in the Seventh Annual Report, it was thought better, on account of the lapse of time since the Census of 1921, to omit adjusted rates for the sexes separately.

TABLE LIII.—CRUDE AND ADJUSTED DEATH RATES BY PROVINCES, 1928

Province	Both sexes	
	Crude	Adjusted
Canada (1)	**11·3**	**11·0**
Prince Edward Island	11·1	8·4
Nova Scotia	11·3	9·5
New Brunswick	12·0	10·4
Quebec	13·8	13·3
Ontario	11·5	10·6
Manitoba	8·2	8·9
Saskatchewan	7·2	8·1
Alberta	9·0	10·1
British Columbia	10·1	10·6

(1) See note 1, table I.

The differences between crude and adjusted rates in Table LIII are dependent on the age and sex composition of the various populations. For provinces whose populations viewed from the standpoint of mortality were more favourably constituted at the last Census than that of England and Wales in 1901, the adjusted rates are higher than the crude, while the reverse is true for provinces with an unfavourable age and sex composition as compared with the standard.

It will be noted that upon adjustment the rate for the whole of Canada for 1928 fell from 11·3 to 11·0 per 1,000 inhabitants.

The following statement shows a comparison of the adjusted or standardized death rates of Canada with those of England and Wales, the Registration Area of the United States and the Union of South Africa. The Canadian rates are for the whole population, inclusive of Indians.

ADJUSTED DEATH RATES, 1926–28

(On age and sex distribution of population of England and Wales, Census of 1901)

Country	1926	1927	1928
Canada (1)	**11·1**	**10·8**	**11·0**
Registration Area of United States (white population)	11·3	10·4	–
England and Wales	10·1	10·6	9·9
Union of South Africa (white population)	10·3	10·3	–

(1) See note 1, table I.

CAUSES OF DEATH

Over 86 per cent of all deaths from specified causes recorded in the nine provinces of Canada for the year 1928 were due to the thirty causes of death listed by name in Table LIV, which gives the number of deaths by provinces from each of these causes during the year under review.

TABLE LIV.—NUMBER OF DEATHS FROM CERTAIN CAUSES BY PROVINCES, 1928

Int. list No.	Causes of death	Canada(1)	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
1	Typhoid fever	467	5	27	19	260	78	21	21	26	10
7	Measles	337	4	23	30	162	62	9	21	19	7
8	Scarlet fever	346	2	21	17	174	67	13	22	25	5
9	Whooping-cough	727	2	80	32	306	175	27	47	45	13
10	Diphtheria	916	6	25	31	413	213	56	82	50	40
11	Influenza	4,703	18	175	206	1,628	1,711	148	356	315	146
31	Tuberculosis, respiratory system	6,490	82	478	333	2,686	1,529	303	301	255	523
32–37	Tuberculosis, other organs	1,370	18	93	70	520	303	96	77	83	110
43–49	Cancer	8,514	98	571	383	2,044	3,441	516	470	415	576
57	Diabetes mellitus	1,097	12	65	49	277	439	56	59	65	75
58	Anaemia, chlorosis	732	8	24	33	195	341	38	29	29	35
71	Meningitis	768	5	38	31	475	115	32	27	21	24
74	Cerebral haemorrhage, apoplexy	3,094	40	265	160	604	1,395	164	150	123	193
75	Paralysis without specified cause	1,011	16	85	71	519	240	18	25	24	13
80	Infantile convulsions (under 5 years)	440	7	82	15	125	104	23	39	36	9
87–90	Diseases of the heart	12,630	118	757	521	3,159	5,609	638	571	549	708
91	Diseases of the arteries	5,644	34	261	188	956	3,111	241	195	257	401
99	Bronchitis	522	5	39	21	183	149	40	34	27	24
100–101	Pneumonia	8,425	100	476	441	2,887	2,736	425	535	471	354
113–114	Diarrhoea and enteritis	5,032	7	94	130	3,439	802	151	180	165	64
117	Appendicitis	1,405	10	63	65	406	433	80	143	126	79
118	Hernia, intestinal obstruction	856	9	38	32	226	313	66	73	62	37
128–129	Nephritis	5,715	63	323	194	2,277	1,889	203	238	229	299
135	Diseases of the prostate	785	6	36	30	224	324	38	36	39	52
143–150	Puerperal causes	1,331	11	57	58	444	396	74	124	106	61
159	Congenital malformations	1,441	8	70	47	484	485	78	106	98	65
160–163	Diseases of early infancy	9,215	41	396	460	4,040	2,323	446	673	573	263
164	Senility (old age)	2,408	57	470	312	604	636	71	116	65	77
165–174	Suicides	751	4	21	26	97	285	52	78	88	100
175–203	Violent deaths (suicides excepted)	6,174	32	314	233	1,398	2,353	345	447	460	592
	Other specified causes	14,560	98	681	554	4,918	4,890	890	829	816	884
	Total, specified causes	**107,906**	**926**	**6,148**	**4,792**	**36,130**	**36,947**	**5,358**	**6,104**	**5,662**	**5,839**
204–205	Unspecified or ill-defined causes	1,151	26	54	180	502	181	38	62	37	71
	Total deaths	**109,057**	**952**	**6,202**	**4,972**	**36,632**	**37,128**	**5,396**	**6,166**	**5,699**	**5,910**

(1) See note 1, table I.

Leading Causes of Death.—Table LV presents the death rates per 100,000 population for the same causes which are listed in Table LIV. A wide range is observed between the various provinces in certain important causes, but for certain diseases the influence of age distribution of the population must not be forgotten in connection with this range.


While the rate for typhoid fever for the whole country was 5 per 100,000, the rate for Quebec was double this figure. Measles showed the highest mortality in New Brunswick, with 7 per 100,000, while Quebec stood second with a rate of 6. In Manitoba and British Columbia the rate was only 1 per 100,000. The measles death rate for the whole of Canada was 3. In scarlet fever, for which the Canada rate was 4 per 100,000, Quebec again took the lead with a rate of 7, but in mortality from whooping-cough, for which its rate was 12 per 100,000, it was exceeded by Nova Scotia, with a rate of 15. In diphtheria the Quebec rate of 16 per 100,000 was highest, with the Saskatchewan rate of 10 in second place.

The influenza rate for the whole country, 49 per 100,000, was exceeded by Quebec with 62, Ontario with 53 and New Brunswick and Alberta with 50 per 100,000.

In tuberculosis of the respiratory system, for which the Canadian average rate was 67, the provinces ranged from 101 for Quebec, followed by 95 for Prince Edward Island to the lowest rates of 35 for Saskatchewan and 40 for Alberta. In tuberculosis of other organs Prince Edward Island showed the highest mortality with Quebec second, while Ontario and Saskatchewan stood equal at the lowest figure.

GENERAL MORTALITY

DEATH RATES FROM CERTAIN CAUSES IN CANADA DURING YEAR 1928



In cancer rates, Saskatchewan and Alberta with comparatively small proportions of aged persons, had the lowest rates, 55 and 66 per 100,000 respectively. In respect of this disease Quebec showed a rate of only 77 per 100,000, which is well below the figure for Canada, 88 per 100,000. Prince Edward Island had the highest cancer rate, 114 per 100,000, and was followed by Ontario with 107 and Nova Scotia with a rate of 104.

In diseases of the heart, the Ontario rate, 174 per 100,000, far exceeded that of any other province and stood high above the country-wide average, which was 131 per 100,000. The lowest rate was that of Saskatchewan, 67 per 100,000. For diseases of the arteries Ontario likewise had much the highest rate, 96 per 100,000, and Saskatchewan the lowest, only 23 per 100,000.

Pneumonia produced the greatest mortality in Prince Edward Island, Quebec and New Brunswick; the lowest in British Columbia, Saskatchewan and Manitoba.

In diarrhoea and enteritis, the province of Quebec showed the very high rate of 130 per 100,000, as compared with 52 for the country as a whole and only 8 for Prince Edward Island, 11 for British Columbia and 17 for Nova Scotia. This enormous disparity is explained largely by the high birth rate of Quebec and the heavy mortality amongst infants in that province from the causes mentioned.

The high rates of Quebec and New Brunswick from diseases of early infancy (numbers 160-163) are partly due to the inclusion under these numbers of children under three months dying without medical attendance and for whose death a cause was not given.

The excess of the Maritime Provinces over the remaining provinces in the death rate from senility is accounted for by the age-composition of their population though on this basis the highest rate of the three Maritime Provinces might be expected in Prince Edward Island.

Suicide rates were abnormally high in British Columbia and Alberta as compared with the other provinces. Other violent deaths, which were mainly composed of accidental deaths, showed highest mortality in British Columbia, with 102 per 100,000 and Ontario and Alberta with 73 per 100,000. The lowest rate for such deaths was in Prince Edward Island which showed only 37 deaths per 100,000 from these causes. The rate for Canada was 64 per 100,000.

TABLE LV.—DEATH RATES PER 100,000 POPULATION FROM CERTAIN CAUSES BY PROVINCES, 1928

Int. list No.	Causes of death	Canada(1)	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
1	Typhoid fever	5	6	5	5	10	2	3	2	4	2
7	Measles	3	5	4	7	6	2	1	2	3	1
8	Scarlet fever	4	2	4	4	7	2	2	3	4	1
9	Whooping-cough	8	2	15	8	12	5	4	6	7	2
10	Diphtheria	9	7	5	7	16	7	9	10	8	7
11	Influenza	49	21	32	50	62	53	23	42	50	25
31	Tuberculosis, respiratory system	67	95	87	80	101	47	46	35	40	90
32–37	Tuberculosis, other organs	14	21	17	17	20	9	15	9	13	19
43–49	Cancer	88	114	104	92	77	107	79	55	66	99
57	Diabetes mellitus	11	14	12	12	10	14	9	7	10	13
58	Anaemia, chlorosis	8	9	4	8	7	11	6	3	5	6
71	Meningitis	8	6	7	7	18	4	5	3	3	4
74	Cerebral haemorrhage, apoplexy	32	47	48	39	23	43	25	18	19	33
75	Paralysis without specified cause	10	19	16	17	20	7	3	3	4	2
80	Infantile convulsions (under 5 yrs.)	5	8	15	4	5	3	4	5	6	2
87–90	Diseases of the heart	131	137	138	126	119	174	97	67	87	121
91	Diseases of the arteries	59	40	48	45	36	96	37	23	41	69
99	Bronchitis	5	6	7	5	7	5	6	4	4	4
100–101	Pneumonia	87	116	87	106	109	85	65	63	75	61
113–114	Diarrhoea and enteritis	52	8	17	31	130	25	23	21	26	11
117	Appendicitis	15	12	12	16	15	13	12	17	20	14
118	Hernia, intestinal obstruction	9	10	7	8	9	10	10	9	10	6
128–129	Nephritis	59	73	59	47	86	59	31	28	36	51
135	Diseases of the prostate	8	7	7	7	8	10	6	4	6	9
143–150	Puerperal causes	14	13	10	14	17	12	11	15	17	10
159	Congenital malformations	15	9	13	11	18	15	12	12	16	11
160–163	Diseases of early infancy	96	48	72	111	153	72	68	79	91	45
164	Senility (old age)	25	66	86	75	23	20	11	14	10	13
165–174	Suicides	8	5	4	6	4	9	8	9	14	17
175–203	Violent deaths (suicides excepted)	64	37	57	56	53	73	53	53	73	102
	Other specified causes	151	114	124	133	186	151	136	97	129	152
	Total, specified causes	**1,119**	**1,077**	**1,124**	**1,155**	**1,365**	**1,144**	**818**	**717**	**896**	**1,002**
204–205	Unspecified or ill-defined causes	12	30	10	43	19	6	6	7	6	12
	Total deaths	**1,131**	**1,107**	**1,134**	**1,198**	**1,384**	**1,150**	**824**	**725**	**902**	**1,014**

(1) See note 1, table I.

Table LVI shows the number of deaths and the death rates in Canada from the causes listed in Tables LIV and LV over the years 1926-28.

In communicable diseases, the rate for typhoid fever, 5 per 100,000, compared favourably with that of the preceding year and was equal to the rate for 1926. Measles showed a substantial decrease from 6 in 1927 to a rate of only 3 per 100,000. As compared with 1926 the decline was much greater. Scarlet fever had a constant rate of 4 per 100,000 for the three years. The mortality rate from whooping-cough in 1928, 8 per 100,000, compared with 11 in 1927 and 13 in 1926. The diphtheria death rate, which showed a slight advance in 1927 from 10 to 11, dropped to 9 per 100,000 in 1928.

The death rate from influenza in 1928, 49 per 100,000, was higher than for the preceding year but below the figure of 55 for the year 1926.

Tuberculosis showed a slight decline in the death rate during the years 1926-28. On the other hand, the cancer rate increased from 81 in 1926 to 83 in 1927 and 88 in 1928. The diabetes rate remained stationary at 11. The death rate from pneumonia in 1928, 87 per 100,000, marked an advance over the rate of 80 for the preceding year but was slightly below the figure for 1926, 90 per 100,000. The reduction in infant mortality from diarrhoea and enteritis in 1928 is reflected by a fall in the general death rate from these causes, which stood at 58 in 1927 and 52 in 1928. The death rate from nephritis, which stood at 55 in 1926 and 1927, advanced to 59 for 1928. The rate for diseases of early infancy (numbers 160-163), which was 106 for 1926 and 97 for 1927 showed a further slight fall to 96 for 1928, but changes in the rate from this cause are more logically considered under the heading of infant mortality. (See p. xxxv).

The suicide rate stood at 7 per 100,000 in 1926 and 8 per 100,000 in 1927 and 1928. The death rate from violent deaths other than suicides, which advanced from 55 in 1926 to 58 in 1927 showed a further rise to 64 during 1928. This is almost wholly attributable to accidental deaths, in which automobile accidents play an important part.

TABLE LVI.—NUMBER OF DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CERTAIN CAUSES, CANADA[1], 1926-28

Int. list No.	Causes of death	Number of deaths			Death rates per 100,000 population		
		1926	1927	1928	1926	1927	1928
1	Typhoid fever	465	1,112	467	5	12	5
7	Measles	892	616	337	10	6	3
8	Scarlet fever	363	411	346	4	4	4
9	Whooping-cough	1,242	1,030	727	13	11	8
10	Diphtheria	913	1,012	916	10	11	9
11	Influenza	5,174	3,451	4,703	55	36	49
31	Tuberculosis, respiratory system	6,485	6,444	6,490	69	68	67
32-37	Tuberculosis, other organs	1,444	1,338	1,370	15	14	14
43-49	Cancer	7,614	7,919	8,514	81	83	88
57	Diabetes mellitus	1,046	1,083	1,097	11	11	11
58	Anaemia, chlorosis	1,040	793	732	11	8	8
71	Meningitis	797	812	768	8	9	8
74	Cerebral haemorrhage, apoplexy	3,033	2,938	3,094	32	31	32
75	Paralysis without specified cause	1,124	1,108	1,011	12	12	10
80	Infantile convulsions (under 5 years)	571	553	440	6	6	5
7-90	Diseases of the heart	11,415	11,775	12,630	122	124	131
91	Diseases of the arteries	4,981	5,110	5,644	53	54	59
99	Bronchitis	587	505	522	6	5	5
.00-101	Pneumonia	8,427	7,562	8,425	90	80	87
113-114	Diarrhoea and enteritis	5,445	5,534	5,032	58	58	52
117	Appendicitis	1,321	1,382	1,405	14	15	15
118	Hernia, intestinal obstruction	889	910	856	9	10	9
128-129	Nephritis	5,138	5,235	5,715	55	55	59
135	Diseases of the prostate	734	638	785	8	7	8
143-150	Puerperal causes	1,317	1,300	1,331	14	14	14
159	Congenital malformations	1,550	1,347	1,441	17	14	15
160-163	Diseases of early infancy	9,902	9,246	9,215	106	97	96
164	Senility (old age)	2,764	2,470	2,408	29	26	25
165-174	Suicides	680	759	751	7	8	8
175-203	Violent deaths (suicides excepted)	5,189	5,509	6,174	55	58	64
	Other specified causes	13,655	14,319	14,560	146	151	151
	Total, specified causes	**106,197**	**104,221**	**107,906**	**1,132**	**1,096**	**1,119**
204-205	Unspecified or ill-defined causes	1,257	1,071	1,151	13	11	12
	Total deaths	**107,454**	**105,292**	**109,057**	**1,146**	**1,108**	**1,131**

[1] See note 1, table I.

Causes of Death for Indians.—Table LVII gives by provinces the number of deaths of Indians in 1928 from the selected list of causes. For purposes of comparison the total for the nine provinces is also given for the preceding year. The figures for 1928 have been abstracted from table "J" of Appendix I. Comparisons for the two years must be made with caution, owing to the features of Indian statistics pointed out in Appendix I, page 476.

TABLE LVII.—NUMBER OF DEATHS OF INDIANS FROM CERTAIN CAUSES BY PROVINCES, 1928

Int. list No.	Causes of death	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Canada[1] 1928	Canada[1] 1927
1	Typhoid fever	–	–	–	2	1	1	–	–	1	5	9
7	Measles	–	–	–	3	5	1	–	1	3	13	18
8	Scarlet fever	–	–	–	–	1	–	–	–	–	1	1
9	Whooping-cough	–	1	–	–	5	4	24	10	6	50	43
10	Diphtheria	–	–	–	–	–	1	–	1	1	3	1
11	Influenza	–	–	–	7	35	9	17	33	28	129	176
31	Tuberculosis, respiratory system	–	7	7	20	118	63	68	74	150	507	523
32–37	Tuberculosis, other organs	–	1	1	2	12	9	17	27	22	91	81
43–49	Cancer	–	2	2	5	8	6	6	5	8	42	42
57	Diabetes mellitus	–	–	–	1	–	–	1	1	–	3	7
58	Anaemia, chlorosis	–	–	–	1	2	–	–	1	–	4	7
71	Meningitis	–	–	–	4	5	–	–	2	3	14	11
74	Cerebral haemorrhage, apoplexy	–	–	–	3	4	–	3	1	3	14	22
75	Paralysis without specified cause	–	–	–	–	2	–	–	–	2	4	13
80	Infantile convulsions (under 5 years)	–	–	–	–	4	–	3	3	3	13	22
87–90	Diseases of the heart	–	5	2	9	36	5	8	2	17	84	71
91	Diseases of the arteries	–	–	–	4	13	1	1	–	1	20	19
99	Bronchitis	–	1	–	–	1	6	7	2	8	25	21
100–101	Pneumonia	–	4	14	8	41	29	41	53	59	249	221
113–114	Diarrhoea and enteritis	1	1	1	2	7	11	10	6	6	45	55
117	Appendicitis	–	1	–	–	4	1	–	1	1	8	8
118	Hernia, intestinal obstruction	–	–	–	–	3	1	1	–	1	6	5
128–129	Nephritis	–	1	–	7	12	–	–	3	6	29	29
135	Diseases of the prostate	–	–	–	1	2	–	–	–	–	3	2
143–150	Puerperal causes	1	1	–	3	5	4	4	8	13	39	21
159	Congenital malformations	–	–	–	–	4	–	1	1	–	6	14
160–163	Diseases of early infancy	–	3	3	13	20	10	30	32	26	137	140
164	Senility (old age)	–	–	–	3	13	6	15	3	31	71	97
165–174	Suicides	–	–	–	–	–	–	–	2	1	3	3
175–203	Violent deaths (suicides excepted)	–	–	–	8	15	7	5	5	27	67	79
	Other specified causes	–	1	2	14	50	15	13	19	46	160	141
	Total, specified causes	**2**	**29**	**32**	**120**	**428**	**190**	**275**	**296**	**473**	**1,845**	**1,902**
204–205	Unspecified or ill-defined causes	–	–	4	2	13	15	7	7	30	78	98
	Total deaths	**2**	**29**	**36**	**122**	**441**	**205**	**282**	**303**	**503**	**1,923**	**2,000**

[1] See note 1, table I.

Table LVIII shows death rates of the Indian population calculated from the number of deaths given by causes in Table LVII. The method of obtaining the Indian population in 1926 is explained in the Sixth Annual Report of Vital Statistics (Page xlii). The estimates for the years 1927 and 1928 have been obtained from the 1926 figures by adding on the natural increase for these years.

The estimates of Indian population for 1928 by provinces, are as follows:—

CANADA (exclusive of Territories)	**106,679**
Prince Edward Island	232
Nova Scotia	2,173
New Brunswick	1,420
Quebec	12,136
Ontario	28,031
Manitoba	13,396
Saskatchewan	13,316
Alberta	13,652
British Columbia	22,323

As explained in Appendix I, the term "Indian" in this report is taken to include half-breeds.

It will be noted that in both years tuberculosis of the respiratory system was given as the cause of more than 25 per cent of the deaths of Indians, while other forms of tuberculosis also play an important part in Indian mortality. Of other causes the most fatal are pneumonia, influenza and diseases of early infancy. The cancer death rate amongst Indians is very light

as compared with the remaining population but it is to be presumed that with better certification the death rate from this cause amongst Indians would be greater than at present.

Comparison of the figures in Table LVIII for 1927 and 1928, which, as already enjoined should be made with caution, show a rate of 47 per 100,000 from whooping-cough in 1928 as compared with 41 in the preceding year. The mortality rate from influenza underwent a considerable decrease, from 166 in 1927 to 121 in 1928. Tuberculosis of the respiratory system also showed a reduction from 494 to 475, but other forms of tuberculosis had a rate of 85 in 1928 as against 76 in the preceding year. The death rate amongst Indians from pneumonia underwent a rise in 1928, the figure being 233 as compared with 209 in the preceding year. The reduction in the rate attributed to senility, from 92 per 100,000 to 67 per 100,000, may be largely a matter of certification. Contrary to the experience of the population as a whole, deaths due to violence other than suicides showed a reduction amongst Indians, from 75 in 1927 to 63 in 1928.

TABLE LVIII.—DEATH RATES OF INDIANS FROM CERTAIN CAUSES PER 100,000 OF INDIAN POPULATION, BY PROVINCES, 1928

Int. list No.	Causes of death	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Canada (1)	
											1928	1927
1	Typhoid fever	–	–	–	16	4	7	–	–	4	5	9
7	Measles	–	–	–	25	18	7	–	7	13	12	17
8	Scarlet fever	–	–	–	–	4	–	–	–	–	1	1
9	Whooping-cough	–	46	–	–	18	30	180	73	27	47	41
10	Diphtheria	–	–	–	–	–	7	–	7	4	3	1
11	Influenza	–	–	–	58	125	67	128	242	125	121	166
31	Tuberculosis, respiratory system	–	322	493	165	421	470	511	542	672	475	494
32–37	Tuberculosis, other organs	–	46	70	16	43	67	128	198	99	85	76
43–49	Cancer	–	92	141	41	29	45	45	37	36	39	40
57	Diabetes mellitus	–	–	–	8	–	–	8	7	–	3	7
58	Anaemia, chlorosis	–	–	–	8	7	–	–	7	–	4	7
71	Meningitis	–	–	–	33	18	–	–	15	13	13	10
74	Cerebral haemorrhage, apoplexy	–	–	–	25	14	–	23	7	13	13	21
75	Paralysis without specified cause	–	–	–	–	7	–	–	–	9	4	12
80	Infantile convulsions (under 5 years)	–	–	–	–	14	–	23	22	13	12	21
87–90	Diseases of the heart	–	230	141	74	128	37	60	15	76	79	67
91	Diseases of the arteries	–	–	–	33	46	7	8	–	4	19	18
99	Bronchitis	–	46	–	–	4	45	53	15	36	23	20
100–101	Pneumonia	–	184	986	66	146	216	308	388	264	233	209
113–114	Diarrhoea and enteritis	431	46	70	16	25	82	75	44	27	42	52
117	Appendicitis	–	46	–	–	14	7	–	7	4	7	8
118	Hernia, intestinal obstruction	–	–	–	–	11	7	8	–	4	6	5
128–129	Nephritis	–	46	–	58	43	–	–	22	27	27	27
135	Diseases of the prostate	–	–	–	8	7	–	–	–	–	3	2
143–150	Puerperal causes	431	46	–	25	18	30	30	59	58	37	20
159	Congenital malformations	–	–	–	–	14	–	8	7	–	6	13
160–163	Diseases of early infancy	–	138	211	107	71	75	225	234	116	128	132
164	Senility (old age)	–	–	–	25	46	45	113	22	139	67	92
165–174	Suicides	–	–	–	–	–	–	–	15	4	3	3
175–203	Violent deaths (suicides excepted)	–	–	–	66	54	52	38	37	121	63	75
	Other specified causes	–	46	141	115	178	112	98	139	206	150	133
	Total, specified causes	**862**	**1,335**	**2,254**	**989**	**1,527**	**1,418**	**2,065**	**2,168**	**2,119**	**1,729**	**1,797**
204–205	Unspecified or ill-defined causes	–	–	282	16	46	112	53	51	134	73	93
	Total deaths	**862**	**1,335**	**2,535**	**1,005**	**1,573**	**1,530**	**2,118**	**2,219**	**2,253**	**1,803**	**1,889**

(1) See note 1, table I.

Causes of Death for Population Exclusive of Indians.—Table LIX shows the number of deaths from the selected list of causes in the population exclusive of Indians, and Table LX the rates per 100,000 calculated on the estimates of population exclusive of Indians. These estimates have been obtained by subtracting from the population figures given in Table I, the estimates of Indian population used for the rates of Table LVIII. The figures for 1928 are by provinces but those for the preceding year are given only for the country as a whole.

Comparison of the figures of Table LX with those of Table LV show that the exclusion of Indians has but slight effect on the rates for Canada as a whole, with the exception of the rate for tuberculosis of the respiratory system, which was lowered by such exclusion from 67 to 63 in 1928. The change in the corresponding rate for 1927 effected by the exclusion of Indians was from 68 to 63. The rate for tuberculosis of other organs was reduced in both years from 14 to 13 by the exclusion of Indians.

Similarity between the rates for main causes of death given in Tables LX and LV is due to the small proportion of Indians in the general population, forming as they do little more than one per cent of the total number of inhabitants of the nine provinces. When the figures for individual provinces in 1928 are considered, however, it is noted that in three provinces, Saskatchewan, Alberta and British Columbia, the exclusion of Indians not only makes a very marked difference in the tuberculosis rate but also reduces materially, though in lesser degree, the pneumonia rates, while those for influenza, which undergo a slight lowering in Saskatchewan by the exclusion of Indians, are reduced by 4 per 100,000 in Alberta and British Columbia (Tables LV and LX). Amongst other communicable diseases the effect of the exclusion of Indians seems to be greatest for whooping-cough. Out of 47 deaths in Saskatchewan from this disease, 24 were of Indians, in Alberta they contributed 10 out of 45 and in British Columbia 6 out of 13; in the whole of Canada in 1928, 50 deaths attributed to whooping-cough out of a total of 727 from this cause were amongst the Indian population. The reduction of the death rate from senility in British Columbia from 13 inclusive of Indians to 8 exclusive of Indians may be partly attributable to the better certification of deaths of non-Indians as well as to the difference in age composition between the white and Indian population.

TABLE LIX.—NUMBER OF DEATHS, EXCLUSIVE OF INDIANS, FROM CERTAIN CAUSES, BY PROVINCES, 1928

Int. list No.	Causes of death	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Canada(1)	
											1928	1927
1	Typhoid fever	5	27	19	258	77	20	21	26	9	462	1,103
7	Measles	4	23	30	159	57	8	21	18	4	324	598
8	Scarlet fever	2	21	17	174	66	13	22	25	5	345	410
9	Whooping-cough	2	79	32	306	170	23	23	35	7	677	987
10	Diphtheria	6	25	31	413	213	55	82	49	39	913	1,011
11	Influenza	18	175	206	1,621	1,676	139	339	282	118	4,574	3,275
31	Tuberculosis, respiratory system	82	471	326	2,666	1,411	240	233	181	373	5,983	5,921
32–37	Tuberculosis, other organs	18	92	69	518	291	87	60	56	88	1,279	1,257
43–49	Cancer	98	569	381	2,039	3,433	510	464	410	568	8,472	7,877
57	Diabetes mellitus	12	65	49	276	439	56	58	64	75	1,094	1,076
58	Anaemia, chlorosis	8	24	33	194	339	38	29	28	35	728	786
71	Meningitis	5	38	31	471	110	32	27	19	21	754	801
74	Cerebral haemorrhage, apoplexy	40	265	160	601	1,391	164	147	122	190	3,080	2,916
75	Paralysis without specified cause	16	85	71	519	238	18	25	24	11	1,007	1,095
80	Infantile convulsions (under 5 years)	7	82	15	125	100	23	36	33	6	427	531
87–90	Diseases of the heart	118	752	519	3,150	5,573	633	563	547	691	12,546	11,704
91	Diseases of the arteries	34	261	188	952	3,098	240	194	257	400	5,624	5,091
99	Bronchitis	5	38	21	183	148	34	27	25	16	497	484
100–101	Pneumonia	100	472	427	2,879	2,695	396	494	418	295	8,176	7,341
113–114	Diarrhoea and enteritis	6	93	129	3,437	795	140	170	159	58	4,987	5,479
117	Appendicitis	10	62	65	406	429	79	143	125	78	1,397	1,374
118	Hernia, intestinal obstruction	9	38	32	226	310	65	72	62	36	850	905
128–129	Nephritis	63	322	194	2,270	1,877	203	238	226	293	5,686	5,206
135	Diseases of the prostate	6	36	30	223	322	38	36	39	52	782	636
143–150	Puerperal causes	10	56	58	441	391	70	120	98	48	1,292	1,279
159	Congenital malformations	8	70	47	484	481	78	105	97	65	1,435	1,333
160–163	Diseases of early infancy	41	393	457	4,027	2,303	436	643	541	237	9,078	9,106
164	Senility (old age)	57	470	312	601	623	65	101	62	46	2,337	2,373
165–174	Suicides	4	21	26	97	285	52	78	86	99	748	756
175–203	Violent deaths (suicides excepted)	32	314	233	1,390	2,338	338	442	455	565	6,107	5,430
	Other specified causes	98	680	552	4,904	4,840	875	816	797	838	14,400	14,178
	Total, specified causes	**924**	**6,119**	**4,760**	**36,010**	**36,519**	**5,168**	**5,829**	**5,366**	**5,366**	**106,061**	**102,319**
204–205	Unspecified or ill-defined causes	26	54	176	500	168	23	55	30	41	1,073	973
	Total deaths	**950**	**6,173**	**4,936**	**36,510**	**36,687**	**5,191**	**5,884**	**5,396**	**5,407**	**107,134**	**103,292**

(1) See note 1, table I.

TABLE LX.—DEATH RATES PER 100,000 POPULATION FROM CERTAIN CAUSES, EXCLUSIVE OF INDIANS, BY PROVINCES, 1928

Int. list No.	Causes of death	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Canada(1) 1928	Canada(1) 1927
1	Typhoid fever	6	5	5	10	2	3	3	4	2	5	12
7	Measles	5	4	7	6	2	1	3	3	1	3	6
8	Scarlet fever	2	4	4	7	2	2	3	4	1	4	4
9	Whooping-cough	2	14	8	12	5	4	3	6	1	7	10
10	Diphtheria	7	5	7	16	7	9	10	8	7	10	11
11	Influenza	21	32	50	62	52	22	40	46	21	48	35
31	Tuberculosis, respiratory system	96	86	79	101	44	37	28	29	67	63	63
32-37	Tuberculosis, other organs	21	17	17	20	9	14	7	9	16	13	13
43-49	Cancer	114	104	92	77	107	79	55	66	101	89	84
57	Diabetes mellitus	14	12	12	10	14	9	7	10	13	11	11
58	Anaemia, chlorosis	9	4	8	7	11	6	3	5	6	8	8
71	Meningitis	6	7	7	18	3	5	3	3	4	8	9
74	Cerebral haemorrhage, apoplexy	47	49	39	23	43	26	18	20	34	32	31
75	Paralysis without specified cause	19	16	17	20	7	3	3	4	2	11	12
80	Infantile convulsions (under 5 years)	8	15	4	5	3	4	4	5	1	4	6
87-90	Diseases of the heart	138	138	125	120	174	99	67	88	123	132	124
91	Diseases of the arteries	40	48	45	36	97	37	23	42	71	59	54
99	Bronchitis	6	7	5	7	5	5	3	4	3	5	5
100-101	Pneumonia	117	87	103	109	84	62	59	68	53	86	78
113-114	Diarrhoea and enteritis	7	17	31	130	25	22	20	26	10	52	58
117	Appendicitis	12	11	16	15	13	12	17	20	14	15	15
118	Hernia, intestinal obstruction	10	7	8	9	10	10	9	10	6	9	10
128-129	Nephritis	73	59	47	86	59	32	28	37	52	60	55
135	Diseases of the prostate	7	7	7	8	10	6	4	6	9	8	7
143-150	Puerperal causes	12	10	14	17	12	11	14	16	9	14	14
159	Congenital malformations	9	13	11	18	15	12	13	16	12	15	14
160-163	Diseases of early infancy	48	72	110	153	72	68	77	87	42	95	97
164	Senility (old age)	66	86	75	23	19	10	12	10	8	25	25
165-174	Suicides	5	4	6	4	9	8	9	14	18	8	8
175-203	Violent deaths (suicides excepted)	37	58	56	53	73	53	53	74	101	64	58
	Other specified causes	114	125	133	186	151	136	97	129	149	151	151
	Total, specified causes	**1,077**	**1,123**	**1,151**	**1,367**	**1,141**	**805**	**696**	**868**	**957**	**1,112**	**1,088**
204-205	Unspecified or ill-defined causes	30	10	43	19	5	4	7	5	7	11	10
	Total deaths	**1,108**	**1,133**	**1,193**	**1,386**	**1,146**	**809**	**702**	**873**	**964**	**1,123**	**1,099**


(1) See note 1, table I.

Causes of Death in the Registration Area as of 1921.—In Table LXI the number of deaths from each cause in 1928 for the eight provinces forming the Registration Area as of 1921 is compared with the corresponding figures for the years 1921-27.

TABLE LXI.—NUMBER OF DEATHS FROM CERTAIN CAUSES FOR THE REGISTRATION AREA AS OF 1921, DURING THE YEARS 1921-28

Int. list No.	Causes of death	Registration Area as of 1921							
		1921	1922	1923	1924	1925	1926	1927	1928
1	Typhoid fever	499	419	480	287	311	209	243	207
7	Measles	297	211	350	483	171	510	253	175
8	Scarlet fever	410	335	322	329	258	205	216	172
9	Whooping-cough	626	469	747	536	558	639	476	421
10	Diphtheria	1,297	1,024	851	848	615	546	543	503
11	Influenza	940	2,400	3,578	1,306	2,182	3,089	2,414	3,075
31	Tuberculosis, respiratory system	3,903	3,870	3,959	3,821	3,779	3,786	3,837	3,804
32-37	Tuberculosis, other organs	886	871	859	829	753	866	800	850
43-49	Cancer	4,826	5,118	5,157	5,528	5,526	5,774	6,010	6,470
57	Diabetes mellitus	611	707	722	637	634	763	794	820
58	Anaemia, chlorosis	735	780	756	811	814	856	618	537
71	Meningitis	592	328	287	322	274	272	298	293
74	Cerebral haemorrhage, apoplexy	2,600	2,598	2,467	2,348	2,284	2,480	2,369	2,490
75	Paralysis without specified cause	724	625	538	563	525	523	542	492
80	Infantile convulsions (under 5 years)	614	599	477	451	431	413	385	315
87-90	Diseases of the heart	6,021	6,622	7,491	7,180	7,587	8,538	8,902	9,471
91	Diseases of the arteries	2,555	2,889	3,164	3,690	3,805	3,994	4,151	4,688
99	Bronchitis	905	851	751	444	395	413	313	339
100-101	Pneumonia	5,966	6,399	6,237	5,007	5,149	5,785	5,152	5,538
113-114	Diarrhoea and enteritis	3,218	2,843	2,061	1,891	2,198	1,679	1,714	1,593
117	Appendicitis	816	840	843	924	941	925	961	999
118	Hernia, intestinal obstruction	568	634	615	725	669	656	639	630
128-129	Nephritis	2,041	2,113	2,472	2,667	2,880	3,122	3,163	3,438
135	Diseases of the prostate	304	319	375	428	493	556	471	561
143-150	Puerperal causes	868	907	849	945	873	890	897	887
159	Congenital malformations	862	908	990	1,061	1,101	984	925	957
160-163	Diseases of early infancy	6,090	6,169	5,729	5,363	5,047	5,446	5,248	5,175
164	Senility (old age)	2,914	2,759	2,918	2,566	2,097	2,046	1,850	1,804
165-174	Suicides	431	487	538	535	586	596	674	654
175-203	Violent deaths (suicides excepted)	3,666	3,647	3,833	3,670	3,873	3,870	4,097	4,776
	Other specified causes	8,869	8,605	8,543	8,738	8,548	9,028	9,482	9,642
	Total, specified causes	**65,654**	**67,346**	**68,959**	**64,933**	**65,357**	**69,459**	**68,437**	**71,776**
204-205	Unspecified or ill-defined causes	2,068	1,682	1,223	1,264	1,120	744	680	649
	Total deaths	**67,722**	**69,028**	**70,182**	**66,197**	**66,477**	**70,203**	**69,117**	**72,425**

Table LXII shows death rates from each cause, based on the absolute figures of Table LXI, in the Registration Area as of 1921 during the years 1921-28. The table shows a marked upward trend for cancer, diseases of the heart, diseases of the arteries and nephritis. On the other hand the rates from diarrhoea and enteritis and from diseases of early infancy have a strong downward tendency over the period. Amongst epidemic diseases, the reduction in the rates from typhoid fever, scarlet fever and diphtheria is well defined. The decline in deaths from infantile convulsions is probably due to steady improvement in certification. This improvement is even more strikingly shown in the downward movement of the rate for senility, while



death rates from unspecified or ill-defined causes exhibit the most marked reduction of all throughout the period, though allowance must be made, beginning with 1926, for the transfer to number 162 of deaths of infants under three months without medical attendance and from an unspecified or ill-defined cause. This transfer, presumably, accounts for the increase in the rate from diseases of early infancy from 75 in 1925 to 80 in 1926.

The death rate from suicide, which had been displaying a significant upward trend from 1921 to 1927, showed a decline from the previous year in 1928 both in the absolute figures and in the rate based on population. The rate for other violent deaths, which displayed a variable movement of no great magnitude between 1921 and 1926, and which advanced from 57 in the latter year to 59 in 1927 showed a further very pronounced rise in 1928, the rate for that year being 68 per 100,000.

TABLE LXII.—DEATH RATES PER 100,000 POPULATION FROM CERTAIN CAUSES IN THE REGISTRATION AREA AS OF 1921, DURING THE YEARS 1921–28

Int. list No.	Causes of death	Registration Area as of 1921							
		1921	1922	1923	1924	1925	1926	1927	1928
1	Typhoid fever	8	6	7	4	5	3	4	3
7	Measles	5	3	5	7	3	7	4	3
8	Scarlet fever	6	5	5	5	4	3	3	2
9	Whooping-cough	10	7	11	8	8	9	7	6
10	Diphtheria	20	16	13	13	9	8	8	7
11	Influenza	15	37	54	20	32	45	35	44
31	Tuberculosis, respiratory system	61	59	60	57	56	56	56	54
32–37	Tuberculosis, other organs	14	13	13	12	11	13	12	12
43–49	Cancer	75	79	78	83	82	85	87	92
57	Diabetes mellitus	10	11	11	10	9	11	12	12
58	Anaemia, chlorosis	11	12	11	12	12	13	9	8
71	Meningitis	9	5	4	5	4	4	4	4
74	Cerebral haemorrhage, apoplexy	41	40	38	35	34	36	34	36
75	Paralysis without specified cause	11	10	8	8	8	8	8	7
80	Infantile convulsions (under 5 years)	10	9	7	7	6	6	6	5
87–90	Diseases of the heart	94	102	114	108	113	125	129	135
91	Diseases of the arteries	40	44	48	55	56	59	60	67
99	Bronchitis	14	13	11	7	6	6	5	5
100–101	Pneumonia	93	98	95	75	76	85	75	79
113–114	Diarrhoea and enteritis	50	44	31	28	33	25	25	23
117	Appendicitis	13	13	13	14	14	14	14	14
118	Hernia, intestinal obstruction	9	10	9	11	10	10	9	9
128–129	Nephritis	32	32	38	40	43	46	46	49
135	Diseases of the prostate	5	5	6	6	7	8	7	8
143–150	Puerperal causes	14	14	13	14	13	13	13	13
159	Congenital malformations	13	14	15	16	16	14	13	14
160–163	Diseases of early infancy	95	95	87	81	75	80	76	74
164	Senility (old age)	45	42	44	39	31	30	27	26
165–174	Suicides	7	7	8	8	9	9	10	9
175–203	Violent deaths (suicides excepted)	57	56	58	55	57	57	59	68
	Other specified causes	138	132	130	131	127	132	137	138
	Total, specified causes	**1,025**	**1,035**	**1,048**	**975**	**970**	**1,019**	**991**	**1,026**
204–205	Unspecified or ill-defined causes	32	26	19	19	17	11	10	9
	Total deaths	**1,057**	**1,061**	**1,067**	**994**	**987**	**1,030**	**1,001**	**1,035**

Cases and Deaths for certain Communicable Diseases.—In Table LXIII the number of cases reported and the number of deaths assigned to certain communicable diseases are given for the years 1926-28. The number of cases is taken from the reports of notifiable diseases forwarded weekly by Provincial Health Departments to the Dominion Bureau of Statistics. These reports were not furnished by the province of Prince Edward Island until the middle of 1929, therefore this province does not figure in the number of cases, though the deaths occurring in Prince Edward Island are included in the total. Aside from this omission, which has small effect, the figures for the number of cases can not be regarded as possessing the same degree of accuracy as those for deaths. The incompleteness of the reporting of cases for some diseases will at once be suggested by the fact that in each year the deaths attributed to meningococcus meningitis exceed the number of cases.


TABLE LXIII.—CASES OF CERTAIN COMMUNICABLE DISEASES REPORTED AND DEATHS ATTRIBUTED TO THESE DISEASES, 1926–28

Disease	1926		1927		1928	
	Cases reported(1)	Deaths	Cases reported(1)	Deaths	Cases reported(1)	Deaths
Typhoid fever	1,832	465	8,108	1,112	2,247	467
Small-pox	1,535	33	2,845	11	3,337	7
Measles	44,388	892	28,151	616	27,733	337
Scarlet fever	14,240	363	15,593	411	14,552	346
Whooping-cough	6,969	1,242	6,791	1,030	6,644	727
Diphtheria	7,234	913	8,501	1,012	8,790	916
Infantile paralysis	113	93	610	193	788	182
Meningococcus meningitis	112	207	129	219	159	235

(1) Exclusive of Prince Edward Island.

Typhoid fever.—Typhoid fever was certified as the cause of 467 deaths in 1928 as against 1,112 in the preceding year. The rate declined from 12 per 100,000 in 1927 to 5 in 1928. The decline is almost completely accounted for by the reduction in the province of Quebec from the mortality of the epidemic year 1927.

Small-pox.—The number of small-pox deaths in 1928 was small, being only 7 as compared with 11 in 1927 and 33 in 1926. As will be seen from Table LXIII, the increasingly large number of cases reported, with a proportion of deaths diminishing from more than 2 per cent in 1926 to little more than one-fifth of one per cent in 1928, indicates the spread of a very mild type of the disease. In 1926 and 1927 the cases reported were chiefly from Ontario westward, but in 1928 the province of Quebec reported the largest number of cases, though British Columbia stood highest in proportion to population.



Deaths from small-pox in the Registration Area as of 1921 were as follows during the period 1921-28:—

Year	Small-pox deaths	Year	Small-pox deaths
1921	41	1925	14
1922	7	1926	31
1923	15	1927	9
1924	61	1928	3

Measles.—Deaths attributed to measles in 1928 numbered only 337 as against 616 in the preceding year and the rate was 3 per 100,000 as compared with 6 in 1927. The reduction in measles mortality was general throughout the country except in Prince Edward Island, Saskatchewan and Alberta.

Scarlet fever.—Scarlet fever was the cause assigned for 346 deaths or a rate of 4 per 100,000 in 1928, as against 411 deaths, or the same rate in 1927. All provinces from New Brunswick west with the exception of Alberta, showed reductions, however slight, in the number of deaths. It may be noted, however, that deaths in 1927 had shown an advance from 1926. The trend of deaths from this disease in the Registration Area as of 1921 over the period 1921-28 is shown in the chart on page lix.

Whooping-cough.—Deaths from whooping-cough in 1928 numbered 727 and gave a rate of 8 per 100,000. This mortality showed a marked reduction from 1927, when the number of deaths was 1,030 and the rate 11, and from 1926, when the number of deaths was 1,242 and the rate 13. Important reductions in the death rate from whooping-cough between 1927 and 1928 took place in New Brunswick, Quebec and British Columbia.

Diphtheria.—Diphtheria accounted for 916 deaths in 1928, giving a rate of 9 per 100,000. The corresponding figures for 1927 were 1,012 deaths and a rate of 11. Nova Scotia, Quebec, Ontario and Manitoba showed a decrease in the number of diphtheria deaths while the remaining provinces registered larger numbers in 1928 than in the preceding year. The trend of deaths from diphtheria in the Registration Area as of 1921 over the period 1921-28 is charted on page lxi.

Influenza.—Deaths attributed to influenza in the nine provinces of Canada numbered 4,703 in 1928, giving a rate of 49 per 100,000. These figures compared with 3,451 deaths or a rate of 36 in the preceding year and 5,174 deaths or a rate of 55 in 1926. The highest provincial rates in 1928 were 62 in Quebec, 53 in Ontario and 50 in New Brunswick and Alberta; the lowest 21 in Prince Edward Island and 23 in Manitoba.

The recorded deaths from influenza amongst Indians numbered 129 in 1928 as against 176 in 1927.

Although the number of deaths in Canada from influenza in 1928 was below that of the year 1926, the month of December, 1928, showed 1,860 deaths, the greatest number of any month during the three years 1926-28. The nearest approach to this figure in any previous month was in April, 1926, when 1,668 deaths were recorded. For the eight provinces comprising the Registration Area as of 1921, a comparison over the period 1921-28 shows the highest months to be February, 1923, with 1,144 deaths, March, 1923, with 1,049 deaths, April, 1926, with 927 deaths and December, 1928, with 1,149 deaths. While the deaths in the last-named month are out of a population estimated as about 8 per cent larger than in February, 1923, when only 5 fewer deaths were recorded, it must be remembered that the epidemic of 1928 did not reach its peak of mortality until January, 1929, which recorded a number of deaths nearly double that of the preceding month.

The monthly deaths from influenza are shown in the following statement, for Canada, covering the years 1926-28 and for the Registration Area as of 1921, covering the years 1921-28:—

DEATHS FROM INFLUENZA (No. 11) BY MONTHS

(Absolute figures)

Month	Registration Area as of 1921								Canada[1]		
	1921	1922	1923	1924	1925	1926	1927	1928	1926	1927	1928
January	85	193	298	107	192	210	503	196	332	664	292
February	154	291	1,144	152	271	243	471	221	374	639	358
March	154	640	1,049	191	426	423	385	251	671	539	403
April	143	583	517	210	381	927	285	252	1,668	400	383
May	84	235	203	162	258	472	204	262	826	312	348
June	47	91	78	80	116	170	92	224	279	151	281
July	27	49	58	33	56	100	59	100	143	100	125
August	27	43	35	31	54	57	41	77	83	67	102
September	38	33	29	40	81	58	51	89	100	76	112
October	54	54	54	77	106	102	87	106	164	132	183
November	64	83	50	85	104	114	102	148	193	160	256
December	63	105	63	138	137	213	134	1,149	341	211	1,860
Total	**940**	**2,400**	**3,578**	**1,306**	**2,182**	**3,089**	**2,414**	**3,075**	**5,174**	**3,451**	**4,703**

[1] See note 1, table I.

Acute poliomyelitis.—Infantile paralysis (acute anterior poliomyelitis, Int. List No. 22) assumed epidemic proportions in the province of Manitoba during the year 1928, 434 cases and 43 deaths being reported from that province. Thirteen of the deaths occurred in the city of Winnipeg. In this province there were 99 cases and 12 deaths in August, 264 cases and 19 deaths in September and 53 cases and 3 deaths in October. With only 90 cases reported during the year, the province of Alberta, which had an epidemic of infantile paralysis in 1927, reported 35 deaths from this cause in 1928, giving a rate of 5·5 per 100,000 population as compared with 6·6 in Manitoba. In Alberta the concentration in the months August-October was much less marked than in Manitoba, particularly for deaths. The number of deaths and the death rates by provinces from poliomyelitis in 1928 were as follows:—

MORTALITY FROM ACUTE ANTERIOR POLIOMYELITIS, 1928

Province	Deaths	Rate	Province	Deaths	Rate
Canada [1]	182	1·9	Ontario	34	1·1
Prince Edward Island	–	–	Manitoba	43	6·6
Nova Scotia	2	0·4	Saskatchewan	11	1·3
New Brunswick	4	1·0	Alberta	35	5·5
Quebec	34	1·3	British Columbia	19	3·3

[1]) See note 1, table I.

Lethargic encephalitis.—There were 120 deaths from this disease in 1928. This was the same figure exactly as for the preceding year, but an increase of 21 over the year 1926, when such deaths numbered only 99.

In the Registration Area as of 1921 deaths assigned to lethargic encephalitis show some wide fluctuations from year to year over the period 1921-28, but without definite trend. The figures are as follows:—

Year	Deaths	Year	Deaths
1921	102	1925	118
1922	48	1926	93
1923	146	1927	101
1924	82	1928	116

Tuberculosis.—Deaths from tuberculosis of the respiratory system in 1928 numbered 6,490 or a rate of 67 per 100,000 inhabitants. These figures compared with 6,444 deaths or a rate of 68 in the preceding year and 6,485 or a rate of 69 in 1926.

Deaths from other forms of tuberculosis in 1928 numbered 1,370, giving a rate of 14 per 100,000. The corresponding figures for 1927 were 1,338 deaths and a rate of 14 and for 1926, 1,444 deaths and a rate of 15.

Adding together the deaths from all forms of tuberculosis, we find 7,860 or a rate of 81 in 1928, as against 7,782 deaths or a rate of 82 in 1927 and 7,929 deaths and a rate of 85 in 1926.

The rates by provinces show a wide range. Saskatchewan had the lowest rate, only 44 per 100,000 in 1928, while Alberta, Ontario and Manitoba were also comparatively low. There is a wide gap between the rates for these provinces and those for the remaining five. Quebec showed the highest rate of all provinces, 121 per 100,000, while Prince Edward Island, British Columbia and Nova Scotia were all over 100. Differences in age-distribution between the provinces appear to have little influence in accounting for this wide range of rates.

As mentioned above (p. lvii), the rates of the western provinces, and particularly Alberta and British Columbia, are raised considerably by the high tuberculosis mortality of the Indian population in these provinces; the exclusion of Indians lowers the rate in Manitoba from 61 to 51, in Saskatchewan from 44 to 35, in Alberta from 53 to 38 and in British Columbia from 109 to 83.

For the eight provinces forming the Registration Area as of 1921 the tuberculosis death rate in 1928 was 67 per 100,000, a figure identical with the rate of the preceding year and of 1925. From 1921 to 1925 the rate for this area showed a downward trend, from 1925 a tendency to stabilization.

TUBERCULOSIS (Nos. 31-37)

(Death rates per 100,000 population)

Province	1921	1922	1923	1924	1925	1926	1927	1928
Prince Edward Island	144	127	106	114	99	103	83	116
Nova Scotia	134	132	123	125	108	119	118	104
New Brunswick	109	107	111	105	100	102	100	97
Quebec						128	121	121
Ontario	71	66	66	60	59	58	57	57
Manitoba	69	61	65	62	61	61	57	61
Saskatchewan	43	44	45	46	42	47	47	44
Alberta	53	53	61	61	59	60	64	53
British Columbia	78	95	97	95	96	94	96	109
Canada (1)						85	82	81
Registration Area as of 1921	75	73	73	70	67	68	67	67

(1) See note 1, table I.

The number of deaths in each sex from the various forms of tuberculosis in the years 1926-28 is listed hereunder.

DEATHS FROM VARIOUS FORMS OF TUBERCULOSIS IN CANADA (1)

(Absolute figures)

Forms of tuberculosis	Male			Female		
	1926	1927	1928	1926	1927	1928
All forms	**3,728**	**3,593**	**3,730**	**4,201**	**4,189**	**4,130**
Respiratory system	3,016	2,914	3,052	3,469	3,530	3,438
Meninges and central nervous system	280	259	245	263	266	251
Intestines and peritoneum	135	156	133	199	184	203
Vertebral column	41	36	56	56	30	40
Joints	24	22	27	11	15	20
Other organs	126	115	125	111	81	78
Disseminated	106	91	92	92	83	100

(1) See note 1, table I.

The following figures show the effect on the death rates from tuberculosis for Canada as a whole, of the exclusion of Indians from the mortality due to this cause in the years 1926-28. As already stated, the term Indian includes half-breeds.

TUBERCULOSIS

(Death rates per 100,000 population)

—		All forms	Respiratory system	Other organs
Total population	1926	84	69	15
	1927	82	68	14
	1928	81	67	14
Indian population	1926	542	473	69
	1927	570	494	76
	1928	561	475	85
Population exclusive of Indians	1926	80	65	15
	1927	76	63	13
	1928	76	63	13

Syphilis.—The deaths assigned to syphilis, tabes dorsalis and general paralysis of the insane, together with the death rate for the three causes combined are shown in the statement which follows. This statement covers the total of the nine provinces for the years 1926-28 and the Registration Area as of 1921 for the years 1921-28.

DEATHS AND DEATH RATES FROM SYPHILIS, TABES DORSALIS AND GENERAL PARALYSIS OF THE INSANE

—		Number of deaths				Rate per 100,000 population for causes combined
		Syphilis	Tabes dorsalis	General paralysis of the insane	The three causes combined	
Canada [1]	**1926**	**330**	**62**	**198**	**590**	**6**
	1927	**362**	**73**	**165**	**600**	**6**
	1928	**370**	**74**	**146**	**590**	**6**
Registration Area as of 1921	1921	196	37	85	318	5
	1922	215	45	114	374	6
	1923	225	57	160	442	7
	1924	216	51	141	408	6
	1925	197	53	158	408	6
	1926	190	47	170	407	6
	1927	226	52	143	421	6
	1928	257	58	121	436	6

[1] See note 1, table I.

Cancer.—In the nine provinces of Canada cancer was given as the cause of 8,514 deaths in 1928, a rate of 88 per 100,000 inhabitants. In the preceding year the deaths numbered 7,919 and the rate 83 per 100,000, while the figures for 1926 were 7,614 deaths and a rate of 81.

The rates for the various provinces in 1928 ranged from 55 in Saskatchewan to 114 in Prince Edward Island. The age distribution of the populations has a very important influence on the provincial rates. In the following statement the cancer rates of the various provinces are given in conjunction with the proportions of the respective population over 40 years of age and over 60 years of age according to the Census of 1921.

CANCER

Province	Cancer rate per 100,000 population 1928	Per cent of pop'n 40 years of age and over	Per cent of pop'n 60 years of age and over
Prince Edward Island	114	31·5	13·3
Ontario	107	29·7	9·2
Nova Scotia	104	28·3	10·4
British Columbia	99	30·4	6·3
New Brunswick	92	26·3	9·2
Manitoba	79	22·4	5·3
Quebec	77	22·9	7·1
Alberta	66	22·0	4·3
Saskatchewan	55	19·6	4·0

The cancer rate for the Registration Area as of 1921 shows a pronounced upward trend over the period 1921-28, rising from 75 per 100,000 in the initial year to 92 in the final. Two considerations tend to mitigate the alarming conclusions to which the figures might lead. The first is the probable constant improvement in the diagnosis of cancer. The second is the probable aging of the Canadian population during the period covered. On the extent of this second influence the Census of 1931 will throw definite light.

CANCER (Nos. 43-49)

(Death rates per 100,000 population)

Province	1921	1922	1923	1924	1925	1926	1927	1928
Prince Edward Island	87	97	94	101	100	83	77	114
Nova Scotia	92	102	100	107	101	96	102	104
New Brunswick	73	82	76	76	83	82	81	92
Quebec	...	...	...	...	...	72	73	77
Ontario	88	88	90	96	95	99	100	107
Manitoba	70	72	67	74	71	73	77	79
Saskatchewan	41	45	46	44	44	47	53	55
Alberta	48	54	49	58	57	59	68	66
British Columbia	74	83	83	83	84	93	90	99
Canada [1]	...	...	...	...	...	**81**	**83**	**88**
Registration Area as of 1921	75	79	78	83	82	85	87	92

[1] See note 1, table I.

Cancer death rates by sites for each sex are given in the statement which follows, covering the nine provinces of Canada for the period 1926-28. For the computation of these rates, in addition to taking the estimates of population given in Table I, the assumption has been made that the two sexes maintained the same proportion to each other as at the Census of 1921.

CANCER DEATH RATES BY SITES IN CANADA[1]

(Per 100,000 population)

Site of cancer	1926	1927	1928
MALE			
All sites	**75**	**78**	**82**
Buccal cavity	6	6	6
Stomach and liver	36	37	38
Peritoneum, intestines and rectum	12	13	14
Skin	2	2	2
Other or unspecified organs	19	20	22
FEMALE			
All sites	**88**	**89**	**95**
Buccal cavity	1	1	1
Stomach and liver	28	28	29
Peritoneum, intestines and rectum	14	14	16
Genital organs	18	18	18
Breast	14	16	17
Skin	1	1	1
Other or unspecified organs	11	11	12

[1] See note 1, table I.

The statement which follows is constructed similarly to that which precedes, but applies only to the eight provinces forming the Registration Area as of 1921 and covers the years 1921-28. The rates are in general somewhat higher than those for the nine provinces, a fact which may be largely accounted for by the greater percentage of children in the population of the province of Quebec. Total female rates are substantially heavier than male rates for every year listed. The decline in cancer of "other or unspecified organs" over the period 1921-25 is unquestionably to a large extent the result of constantly improved certification, owing to the practice of returning defective certificates. It is probable that by 1925 the number of certificates showing cancer of organs not specified was reduced to a minimum. In 1927 when they were separately tabulated for the first time, they numbered only 12 in the eight provinces.

CANCER DEATH RATES BY SITES IN THE REGISTRATION AREA AS OF 1921

(Per 100,000 population)

Site of cancer	1921	1922	1923	1924	1925	1926	1927	1928
MALE								
All sites	**69**	**71**	**70**	**75**	**75**	**77**	**81**	**86**
Buccal cavity	4	5	6	7	6	6	6	5
Stomach and liver	32	31	32	34	36	36	37	38
Peritoneum, intestines and rectum	10	11	11	12	12	12	14	15
Skin	2	3	3	3	3	3	2	3
Other or unspecified organs	21	21	19	19	18	21	22	25
FEMALE								
All sites	**82**	**86**	**87**	**91**	**90**	**93**	**93**	**100**
Buccal cavity	1	1	1	1	1	1	1	1
Stomach and liver	24	27	28	27	27	28	29	30
Peritoneum, intestines and rectum	12	13	13	13	14	15	14	16
Genital organs	14	15	16	18	18	19	19	19
Breast	12	13	14	17	18	15	16	18
Skin	1	1	1	1	1	2	2	2
Other or unspecified organs	18	16	14	13	11	12	13	14

Owing to the wide interest attaching to the subject of cancer an extension of No. 49, "Cancer of other or unspecified organs", has been made in all the general tables of Cause of Death, the specified forms under this heading being subdivided into eight groups and the cancer of unspecified sites being shown separately. The detailed list of sites combined under this number is given for the years 1927 and 1928 in the statement hereunder. The list is alphabetical under each of the groupings which were listed in the general tables; it contains some synonymous names of sites, owing to the desire to retain the term used in the certificate or its most exact translation, and no attempt has been made at scientific arrangement.

DETAILED EXTENSION OF DEATHS FROM INT. LIST No. 49 "CANCER OF OTHER OR UNSPECIFIED ORGANS," 1927-28

Site of cancer	1927	1928	Site of cancer	1927	1928
Eye and ear	23	28	Bones and joints—*Con.*		
Eye	16	18	Innominatum	1	–
Optic nerve	–	3	Knee	2	2
Orbit	6	5	Mala	1	–
Internal ear	1	–	Mastoid	3	2
Middle ear	–	2	Mandible	1	–
Circulatory system	106	142	Nasal bones	–	1
Axilla	7	8	Occipital bone	1	–
Circulatory system (n. f. d.)	1	2	Bone not specified	19	8
Glands	90	122	Pelvis	9	3
Heart	8	10	Pubis	–	2
Respiratory system	228	241	Ribs	3	2
Antrum	3	6	Sacrum	2	6
Bronchi	3	2	Scapula	6	–
Larynx	51	69	Shoulder	–	8
Lungs	114	120	Skull	3	6
Mediastinum	37	33	Sternum	2	3
Nasal cavity	1	–	Temporal bone	1	–
Naso-pharynx	2	8	Tibia	4	6
Pleura	2	1	Ulna	1	–
Thorax	10	1	Other specified organs	148	199
Trachea	5	1	Ankle	1	–
Digestive system	206	275	Arm	7	7
Abdomen	63	85	Back	–	4
Digestive tract (n. f. d.)	1	–	Brain	13	27
Pancreas	116	161	Body	1	–
Parotid gland	16	14	Buttocks	3	–
Spleen	10	15	Chest	11	13
Genito-urinary system	547	611	Finger	–	1
Bladder	195	207	Foot	7	1
Kidney	74	100	Hand	7	7
Penis	6	15	Head	4	3
Prostate	257	258	Leg	9	20
Scrotum	2	2	Muscles	2	1
Testicles	11	24	Neck	34	48
Urethra	1	4	Nerves	1	1
Verge	1	1	Pelvis (pelvic viscera)	27	23
Bones and joints	110	88	Side	1	3
Clavicle	1	6	Spine (vertebrae excepted)	15	30
Ethmoid	2	–	Thigh	4	10
Femur	21	14	Toe	1	–
Fibula	2	1	Generalized cancer	60	66
Frontal	1	–	Location unstated	18	21
Hip bone and joint	13	12			
Humerus	8	2	**Total**	**1,446**	**1,671**
Ilium	3	4			

NOTE.—n. f. d. = Not further defined.

Diabetes mellitus.—There were 1,097 deaths in Canada from diabetes mellitus in 1928. This figure compared with 1,083 in 1927 and 1,046 in 1926. The rate was 11 per 100,000 in each year.

In the Registration Area as of 1921 the death rate from this cause, which was 10 per 100,000 in 1921, showed the lowest rate, 9 per 100,000, in 1925. From this point it rose to 11 in 1926 and 12 in 1927 and 1928. While the trend thus appears somewhat doubtful for the population as a whole, the statement which follows and which gives the absolute figures by certain age-groups, indicates, though somewhat irregularly, a tendency towards lighter mortality at the lower ages and heavier mortality at the higher. The figures for 1928, however, do not follow these trends.

DEATHS FROM DIABETES MELLITUS (No. 57) IN THE REGISTRATION AREA AS OF 1921, DURING THE YEARS 1921-28

Year	All ages	Under 15 years	15–29 years	30–49 years	50 years and over	Not stated
1921	611	68	67	118	357	1
1922	707	71	64	129	441	2
1923	722	52	54	98	517	1
1924	637	42	40	83	472	–
1925	634	42	58	67	466	1
1926	763	50	51	87	575	–
1927	794	39	36	89	628	2
1928	820	58	47	107	608	–

Anaemia.—Deaths assigned to anaemia, numbered 732 in 1928, giving a rate of 8 per 100,000, as against 793 and the same rate in 1927 and 1,040 and a rate of 11 in 1926. The reduction in the number of deaths which took place in 1927 and was carried further, though at a slower rate, in 1928, appears more striking if viewed in the light of figures for earlier years. Deaths from anaemia during the years 1921-28 in the Registration Area as of 1921 were as follows:—

DEATHS FROM ANAEMIA IN THE REGISTRATION AREA AS OF 1921

(Absolute figures)

Year	Deaths	Year	Deaths
1921	735	1925	814
1922	780	1926	856
1923	756	1927	618
1924	811	1928	537

There seems good reason for relating the fall in the number of deaths in 1927 to the adoption of the special diet for anaemia which attained considerable use at that time.

Alcoholism and Cirrhosis of the Liver.—There were 221 deaths attributed to alcoholism during the year 1928. This figure compared with 229 deaths in 1927 and 208 in 1926. The rate was 2 per 100,000 in each year.

Deaths from cirrhosis of the liver numbered 363 in 1928, giving a rate of 4 per 100,000, as against 347 deaths and the same rate in the preceding year and 283 deaths and a rate of 3 per 100,000 in 1926.

The deaths and death rates by provinces in 1928 are shown in the following statement:—

DEATHS AND DEATH RATES BY PROVINCES FROM ALCOHOLISM AND CIRRHOSIS OF THE LIVER, 1928

Province	Alcoholism		Cirrhosis of the liver	
	Number of deaths	Rate per 100,000 population	Number of deaths	Rate per 100,000 population
Canada [1]	**221**	**2·3**	**363**	**3·8**
Prince Edward Island	–	–	–	–
Nova Scotia	18	3	9	2
New Brunswick	2	[2]	9	2
Quebec	47	2	168	6
Ontario	73	2	104	3
Manitoba	19	3	17	3
Saskatchewan	14	2	14	2
Alberta	21	3	14	2
British Columbia	27	5	28	5

[1] See note 1, table I.
[2] Less than one per 100,000.

Cerebral haemorrhage, apoplexy.—Deaths assigned to cerebral haemorrhage, apoplexy, cerebral thrombosis and cerebral embolism numbered 3,094 in 1928, giving a rate of 32 per 100,000. In the preceding year the number of deaths was 2,938 and the rate 31, while in 1926 there were 3,033 deaths, giving the same rate as in 1928.

In the Registration Area as of 1921 the rate shows a downward trend between 1921 and 1925 (Table LXII), and a tendency to fluctuate around the same level since the latter year. The rate would be much higher if all deaths certified to these causes were thus classified, but where a heart or arterial condition antecedent to the immediate cause is mentioned, it obtains the preference. In 1928 the number of deaths from cerebral haemorrhage, apoplexy, etc. thus assigned to diseases of the arteries was 2,083, to diseases of the heart 487 and to nephritis 295. Further, in a number of cases the cerebral haemorrhage or apoplexy was not coded at all, in order to give room for two other causes.

It is quite possible that a growing tendency on the part of physicians to make fuller mention of antecedent causes on the certificate may have contributed to the downward trend already noted in the rate from cerebral haemorrhage and apoplexy.

Diseases of the Heart.—Deaths in the nine provinces of Canada from diseases of the heart (Int. List Nos. 87-90) numbered 12,630 in 1928, giving a rate of 131 per 100,000. These figures compared with 11,775 deaths and a rate of 124 in 1927, and 11,415 deaths and a rate of 122 in 1926.

The rates by provinces in 1928 varied from 67 in Saskatchewan to 174 in Ontario, as shown in Table LV. In addition to the effect of differences in age-composition of the population, which would be very considerable in the case of the two provinces named, the provincial rates are undoubtedly affected by the degree of exactitude in certifying cause of death, particularly for elderly persons. Some part at least of the difference between the Ontario rate for diseases of the heart, and those of the Maritime Provinces, which contain an older population, is due to the much lower rates in Ontario for senility and, as compared with Prince Edward Island and New Brunswick, in the rate from unspecified or ill-defined causes. (See Table LV).

The statement given hereunder contains death rates in each province from diseases of the heart during the period 1921-28. For Quebec province and the Dominion as a whole, the rates are carried back only to 1926. The figures for the Registration Area as of 1921 show a pronounced upward trend over the period covered by the table, the rate rising from 94 in 1921 to 135 in 1928. Table LXII reveals, however, that during the same period and for the same area the rate for deaths assigned to senility fell from 45 in 1921 to 26 in 1928 while deaths from unspecified or ill-defined causes gave a rate of 32 in the former year and only 9 in the latter. This improvement in certification cannot have failed to react in a marked degree on the rates from specified degenerative diseases.

DISEASES OF THE HEART (Nos. 87-90)

(Death rates per 100,000 population)

Province	1921	1922	1923	1924	1925	1926	1927	1928
Prince Edward Island	108	131	142	142	122	110	140	137
Nova Scotia	107	111	130	113	120	123	128	138
New Brunswick	111	125	120	112	125	120	128	126
Quebec	.....	.....	.....	.....	.....	112	110	119
Ontario	116	126	145	137	142	163	166	174
Manitoba	70	72	79	79	74	80	89	97
Saskatchewan	45	48	48	47	50	61	68	67
Alberta	52	54	62	67	77	80	77	87
British Columbia	90	101	108	99	104	117	112	121
Canada (1)	.....	.....	.....	.....	.....	**122**	**124**	**131**
Registration Area as of 1921	94	102	114	108	113	125	129	135

(1) See note 1, table I.

While no general tabulation of contributory causes of death was made for the year 1928, it may be of interest to note that diseases of the heart were taken as contributory to nephritis in 1,791 cases and contributory to diseases of the arteries in 1,411 cases. The form of heart disease which figured chiefly amongst these contributory causes was chronic myocarditis.

Diseases of the Arteries.—There were 5,644 deaths in Canada from diseases of the arteries (Int. List No. 91) in the year 1928 and the rate was 59 per 100,000. The corresponding figures for 1927 were 5,110 deaths and a rate of 54; for 1926, 4,981 deaths and a rate of 53.

Rates by provinces in 1928 ranged from 23 per 100,000 in Saskatchewan to 96 in Ontario.

Over the period 1921-28 the rate for the Registration Area as of 1921 has climbed steadily from 40 to 67 per 100,000. Part of the increase in the rate from this cause, as in the case of diseases of the heart, is doubtless related to the decreasing rates for deaths from senility and for those for which the cause was unspecified or ill-defined.

Bronchitis.—There were 522 deaths from bronchitis in Canada during the year 1928, as compared with 505 in the preceding year and 587 in 1926. The death rate for 1928, 5 per 100,000 was the same as that of 1927, both being slightly lower than the 1926 rate of 6 per 100,000.

Rates by provinces in 1928 ranged from 4 in Saskatchewan, Alberta and British Columbia to 7 in Nova Scotia and Quebec.

In the Registration Area as of 1921 mortality assigned to bronchitis showed a marked downward trend during the period 1921-28, the rate being 14 in the earliest and only 5 in the latest year.

Pneumonia.—Deaths in Canada from pneumonia (Int. List Nos. 100-101), which includes broncho-pneumonia and capillary bronchitis, numbered 8,425 in 1928, giving a rate of 87 per 100,000. These figures compared with 7,562 deaths and a rate of 80 in 1927, and 8,427 deaths and a rate of 90 in 1926.

The rates by provinces in 1928 ranged from 61 in British Columbia to 116 in Prince Edward Island.

The deaths assigned to pneumonia as the main cause do not include those in which the pneumonia was merely a terminal condition resulting from some other cause. In 1928, for instance, 2,096 deaths occurred from pneumonia as a complication of influenza. These deaths are assigned to influenza (Int. List No. 11) in the tables, though a subdivision of this cause in the general tables allows their number to be observed.

The death rate from pneumonia in the Registration Area as of 1921 was 79 per 100,000 for 1928. This rate was somewhat above that of 1927, which was 75 per 100,000, but well below the average for the period 1921-28.

PNEUMONIA (Nos. 100-101)

(Death rates per 100,000 population)

Province	1921	1922	1923	1924	1925	1926	1927	1928
Prince Edward Island	109	121	155	93	80	87	103	116
Nova Scotia	96	126	127	96	96	99	92	87
New Brunswick	132	123	114	89	112	106	100	106
Quebec	.....	.....	.....	.....	.....	103	93	109
Ontario	102	105	102	76	80	91	77	85
Manitoba	92	91	85	82	79	80	74	65
Saskatchewan	66	71	81	70	62	70	60	63
Alberta	76	77	74	67	62	73	58	75
British Columbia	67	82	53	46	47	60	63	61
Canada (1)	.....	.....	.....	.....	.....	**90**	**80**	**87**
Registration Area as of 1921	93	98	95	75	76	85	75	79

(1) See note 1, table I.

Diarrhoea and Enteritis.—Deaths from these causes numbered 5,032 in 1928 and the death rate was 52 per 100,000 population. In 1927 the number of deaths was 5,534 and the rate 58 per 100,000, while in 1926 there were 5,445 deaths with the same rate of 58.

The incidence of mortality caused by diarrhoea and enteritis is particularly heavy on young children and some 86 per cent of the deaths from these causes in 1928 were of children under two years of age. For this reason, the rate based on total population reflects not only the extent of the real mortality amongst young children from this cause, but also the proportion of young children in the population, a figure very largely dependent on the birth rate. There was a very wide gap between the rate for Quebec province, 130 per 100,000, and the New Brunswick rate

of 31 which stood next in order. On the low side, Prince Edward Island had a rate of only 8, and British Columbia of only 11. Important reductions took place between 1927 and 1928 in the rates of all Eastern provinces. The Quebec rate fell from 147 in the former year to 130 in the latter.

DIARRHŒA AND ENTERITIS (Nos. 113-114)

—		Under two years	Two years and over	Total	Rate per 100,000 population
		Number	Number	Number	
Registration Area as of 1921	1921	2,695	523	3,218	50
	1922	2,440	403	2,843	44
	1923	1,696	365	2,061	31
	1924	1,555	336	1,891	28
	1925	1,787	411	2,198	33
	1926	1,399	280	1,679	25
	1927	1,347	367	1,714	25
	1928	1,243	350	1,593	23
Canada [1]	**1926**	**4,821**	**624**	**5,445**	**58**
	1927	**4,818**	**716**	**5,534**	**58**
	1928	**4,334**	**698**	**5,032**	**52**

[1] See note 1, table I.

Nephritis.—There were 5,715 deaths attributed to nephritis in Canada during the year 1928 as compared with 5,235 in 1927 and 5,138 in 1926. The rate was 59 per 100,000 in 1928 as against 55 in each of the other two years.

Provincial rates in 1928 ranged from 28 in Saskatchewan to 86 in Quebec. All three Prairie Provinces had very low rates, a fact to which the small proportion of persons past middle life inhabiting these provinces undoubtedly contributed. The excess, however, of the Quebec rate over those of the Maritime Provinces and Ontario is not explainable on this basis.

The nephritis death rate for the Registration Area as of 1921 shows a fairly steady increase over the period 1921-28, from 32 per 100,000 in the initial year of the period to 49 per 100,000 in the final. As mentioned in connection with heart and arterial diseases, the improvement in certification marked by the reduction in mortality from unspecified or ill-defined causes and in that assigned to senility has undoubtedly tended to increase the apparent rates from degenerative diseases.

The general preference given to nephritis over arteriosclerosis in the choice of causes of death for the main tabulations is indicated by the fact that while arteriosclerosis was coded as contributory to nephritis in 723 cases, the latter disease was coded as contributory to diseases of the arteries in only 42 cases. To some extent this preference may tend to exaggerate the real increase in the nephritis rate, since any improvement in certification which consists in mention of nephritis as well as arteriosclerosis or an apoplexy resulting from arteriosclerosis will enable this preference to be exercised. The increase already noted in the rate for arterial diseases does not leave much scope for this explanation as far as those diseases are concerned, but it may be noted that over the period now being considered, 1921-28, the apoplexy rate for the Registration Area as of 1921 diminished somewhat, being 41 in 1921 and only 36 in 1928.

Violent deaths.—The number of deaths in Canada from violence, including suicides, homicides and accidents, was 6,925 in 1928, as compared with 6,268 in 1927 and 5,869 in 1926. The rate for 1928 was 72 per 100,000, as against 66 in the preceding year and 63 in 1926.

Violent deaths formed 6·3 per cent of the total mortality of the nine provinces in 1928. Of the total number of deaths from violence, homicides contributed only 2·2 per cent, suicides 10·8 per cent and accidents 87·0 per cent.

Suicides.—Suicides numbered 751 in 1928, giving a death rate of 8 per 100,000. In 1927 the number of suicides was 759 and the rate similarly 8 per 100,000; in 1926 the number was 680 and the rate 7. Provincial rates show a wide range. In 1928, British Columbia had a suicide rate of 17, and was followed by Alberta with 14. At the other end of the scale, Nova Scotia and Quebec had rates of only 4 per 100,000.

In the Registration Area as of 1921, the increase in the number of suicides, which had been shown each year during the period 1921-27, was not maintained in 1928. Taking the period 1921-28 as a whole, however, the increase in seven years amounted to about fifty per cent for each sex, and is therefore accounted for only to small extent by the estimated increase in population.

SUICIDES (Nos. 165–174)

(Absolute figures)

Year	Canada (1)		Registration Area as of 1921	
	Male	Female	Male	Female
1921	–	–	342	89
1922	–	–	376	111
1923	–	–	404	134
1924	–	–	399	136
1925	–	–	466	120
1926	543	137	478	118
1927	612	147	547	127
1928	593	158	514	140

(1) See note 1, table I.

Homicides.—There were 150 deaths attributed to homicide in 1928, giving a rate of 1·6 per 100,000. Prince Edward Island had no homicides in 1928. In the other provinces the rate ranged from 0·9 per 100,000 in Nova Scotia to 2·8 in Alberta. Homicides numbered 124 in 1927 and 126 in 1926.

The number of homicides and the rate per 100,000 inhabitants in the Registration Area as of 1921 is shown for the years 1921-28 in the statement which follows.

HOMICIDES IN REGISTRATION AREA AS OF 1921

Year	Number	Rate per 100,000 population
1921	50	·78
1922	82	1·26
1923	76	1·16
1924	98	1·47
1925	98	1·45
1926	105	1·54
1927	99	1·43
1928	123	1·76

Automobile accidents.—There were 1,082 deaths in Canada from automobile accidents in 1928, giving a rate of 11 per 100,000 population. In the preceding year there were 865 deaths, giving a rate of 9, and in 1926, 606 deaths or a rate of 6. In the system of classification followed, deaths from collision of an automobile with a train, street car or other vehicle are assigned to the automobile. Deaths from motor-cycle accidents also come under this category.

The number of deaths from automobile accidents is given by provinces in the next statement. For the eight provinces comprising the Registration Area as of 1921 the figures go back to that year. For the province of Quebec and the total of the nine provinces comparisons are limited to the years 1926-28.

The figures for the Registration Area as of 1921 reveal an increase from 197 deaths in 1921 to 803 in 1928. The only two years showing fewer deaths for this area than the preceding year are 1924 and 1926. In all other cases the increase was substantial.

DEATHS FROM AUTOMOBILE ACCIDENTS (No. 188c) BY PROVINCES

(Absolute figures)

Province	1921	1922	1923	1924	1925	1926	1927	1928
Prince Edward Island	–	1	2	1	2	1	2	2
Nova Scotia	11	16	24	13	26	28	31	40
New Brunswick	8	11	20	16	20	11	25	31
Quebec	.....	.....	.....	.....	.....	183	252	279
Ontario	108	103	208	205	256	242	387	437
Manitoba	9	25	18	17	32	27	32	53
Saskatchewan	9	20	19	16	18	21	24	74
Alberta	18	22	22	16	26	33	35	75
British Columbia	34	39	42	56	45	60	77	91
Canada (1)	.....	.....	.....	.....	.....	**606**	**865**	**1,082**
Registration Area as of 1921	197	237	355	340	425	423	613	803

(1) See note 1, table I.

The mortality from automobile accidents in a given province includes the deaths of a number of non-residents of the province. This is true of deaths from any cause, but in general, the proportion of deaths of non-residents to the total in a province is very small and may be assumed to balance fairly well with the deaths of residents of the province which occur elsewhere. In the case of automobile accidents, however, the proportion of deaths of non-residents is in general much larger and as there are admittedly many more United States tourists in Canada than Canadian tourists in United States, the latter cannot be counted on to balance the former. It follows that the death rate from automobile accidents based on the population of a province is somewhat exaggerated.

In the statement which follows the number of deaths from automobile accidents in 1928 is given by provinces, the number and per cent of non-resident deaths is shown for each province, and the rate is calculated first including, then omitting these deaths. The first rate may be in general too high as a measure of the risk to the inhabitants of a province; the second in general too low.

MORTALITY FROM AUTOMOBILE ACCIDENTS, DISTINGUISHING NON-RESIDENTS, 1928

Province	Number of deaths			Per cent of deaths non-resident in province	Rate per 100,000 population	
	Total	Resident in province	Non-resident in province		Including non-residents	Excluding non-residents
Prince Edward Island	2	2	–	–	2·3	2·3
Nova Scotia	40	38	2	5·0	7·3	7·0
New Brunswick	31	28	3	9·7	7·5	6·8
Quebec	279	270	9	3·2	10·5	10·2
Ontario	437	411	26	5·9	13·5	12·7
Manitoba	53	52	1	1·9	8·1	7·9
Saskatchewan	74	63	11	14·9	8·7	7·4
Alberta	75	66	9	12·0	11·9	10·4
British Columbia	91	85	6	6·6	15·6	14·6

The next statement contains the deaths assigned to automobile accidents in cities of 40,000 or over (according to the last census) during the years 1921-28. Figures for the cities of Montreal and Quebec are given only for the years 1926-28.

It must be noted that the figures are for deaths occurring in the cities, whether the decedents were resident or non-resident and whether the accident took place within the city limits or outside. Since persons fatally injured in a motor accident on a country road are often rushed to a city hospital, the statement cannot be interpreted as a record of fatal accidents occurring in the cities.

DEATHS IN CERTAIN CITIES FROM AUTOMOBILE ACCIDENTS

Cities	1921	1922	1923	1924	1925	1926	1927	1928
Montreal	(1)	(1)	(1)	(1)	(1)	81	126	109
Toronto	25	37	50	56	50	45	87	81
Winnipeg	6	15	8	6	13	18	18	24
Vancouver (2)	17	16	13	25	23	26	35	42
Hamilton	9	3	15	5	21	20	23	29
Ottawa	6	5	10	5	11	12	17	17
Quebec	(1)	(1)	(1)	(1)	(1)	10	14	10
Calgary	2	9	8	3	8	6	8	13
London	–	1	4	7	11	6	9	13
Edmonton	2	3	7	4	6	5	7	8
Halifax	1	4	3	1	3	5	5	10
Saint John	2	1	8	2	6	–	4	2

(1) Not in Registration Area.

(2) Figures for Vancouver include Point Grey and South Vancouver for the years 1925-28.

Drownings.—There were 1,025 drownings in Canada in 1928, giving a rate of 11 per 100,000 population. These figures compared with 934 deaths and a rate of 10 in 1927, and 863 deaths and a rate of 9 in 1926. The number of deaths in each of the three years classified by sex and by certain age-divisions is shown in the following statement:—

DEATHS FROM DROWNING (No. 182)

(Absolute figures)

Age groups	Canada (1)					
	1926		1927		1928	
	M.	F.	M.	F.	M.	F.
Under 5 years	65	24	53	27	62	19
5–14 years	152	17	176	32	212	39
15–19 "	134	22	133	20	152	15
20 years and over	397	41	429	34	470	35
Not stated	10	1	30	–	19	2
Total	**758**	**105**	**821**	**113**	**915**	**110**

(1) See note 1, table I.

Proportionate Distribution of Deaths by Causes.—Table LXIV shows by provinces the proportion which deaths due to each of the causes listed formed of all deaths in 1928.

TABLE LXIV.—PROPORTION OF DEATHS FROM CERTAIN CAUSES BY PROVINCES, 1928

Int. list No.	Causes of death	Per 1,000 deaths from all specified causes									
		Canada (1)	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
1	Typhoid fever	4·3	5·4	4·4	4·0	7·2	2·1	3·9	3·4	4·6	1·7
7	Measles	3·1	4·3	3·7	6·3	4·5	1·7	1·7	3·4	3·4	1·2
8	Scarlet fever	3·2	2·2	3·4	3·5	4·8	1·8	2·4	3·6	4·4	0·9
9	Whooping-cough	6·7	2·2	13·0	6·7	8·5	4·7	5·0	7·7	7·9	2·2
10	Diphtheria	8·5	6·5	4·1	6·5	11·4	5·8	10·5	13·4	8·8	6·9
11	Influenza	43·6	19·4	28·5	43·0	45·1	46·3	27·6	58·3	55·6	25·0
31	Tuberculosis, respiratory system	60·1	88·6	77·7	69·5	74·3	41·4	56·6	49·3	45·0	89·6
32–37	Tuberculosis, other organs	12·7	19·4	15·1	14·6	14·4	8·2	17·9	12·6	14·7	18·8
43–49	Cancer	78·9	105·8	92·9	79·9	56·6	93·1	96·3	77·0	73·3	98·6
57	Diabetes mellitus	10·2	13·0	10·6	10·2	7·7	11·9	10·5	9·7	11·5	12·8
58	Anaemia, chlorosis	6·8	8·6	3·9	6·9	5·4	9·2	7·1	4·8	5·1	6·0
71	Meningitis	7·1	5·4	6·2	6·5	13·1	3·1	6·0	4·4	3·7	4·1
74	Cerebral haemorrhage, apoplexy	28·7	43·2	43·1	33·4	16·7	37·8	30·6	24·6	21·7	33·1
75	Paralysis without specified cause	9·4	17·3	13·8	14·8	14·4	6·5	3·4	4·1	4·2	2·2
80	Infantile convulsions (under 5 years)	4·1	7·6	13·3	3·1	3·5	2·8	4·3	6·4	6·4	1·5
87–90	Diseases of the heart	117·0	127·4	123·1	108·7	87·4	151·8	119·1	93·5	97·0	121·3
91	Diseases of the arteries	52·3	36·7	42·5	39·2	26·5	84·2	45·0	31·9	45·4	68·7
99	Bronchitis	4·8	5·4	6·3	4·4	5·1	4·0	7·5	5·6	4·8	4·1
100–101	Pneumonia	78·1	108·0	77·4	92·0	79·9	74·1	79·3	87·6	83·2	60·6
113–114	Diarrhoea and enteritis	46·6	7·6	15·3	27·1	95·2	21·7	28·2	29·5	29·1	11·0
117	Appendicitis	13·0	10·8	10·2	13·6	11·2	11·7	14·9	23·4	22·3	13·5
118	Hernia, intestinal obstruction	7·9	9·7	6·2	6·7	6·3	8·5	12·3	12·0	11·0	6·3
128–129	Nephritis	53·0	68·0	52·5	40·5	63·0	51·1	37·9	39·0	40·4	51·2
135	Diseases of the prostate	7·3	6·5	5·9	6·3	6·2	8·8	7·1	5·9	6·9	8·9
143–150	Puerperal causes	12·3	11·9	9·3	12·1	12·3	10·7	13·8	20·3	18·7	10·4
159	Congenital malformations	13·4	8·6	11·4	9·8	13·4	13·1	14·6	17·4	17·3	11·1
160–163	Diseases of early infancy	85·4	44·3	64·4	96·0	111·8	62·9	83·2	110·3	101·2	45·0
164	Senility (old age)	22·3	61·6	76·4	65·1	16·7	17·2	13·3	19·0	11·5	13·2
165–174	Suicides	7·0	4·3	3·4	5·4	2·7	7·7	9·7	12·8	15·5	17·1
175–203	Violent deaths (suicides excepted)	57·2	34·6	51·1	48·6	38·7	63·7	64·4	73·2	81·2	101·4
	Other specified causes	134·9	105·8	110·8	115·6	136·1	132·4	166·1	135·8	144·1	151·4
	All specified causes	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**

(1) See note 1, table I.

Table LXV shows for Canada as a whole the proportion which deaths from each cause formed of all deaths from specified causes during the years 1926-28.

TABLE LXV.—PROPORTION OF DEATHS FROM CERTAIN CAUSES IN CANADA[1] DURING THE YEARS 1926-28

Int. list No.	Causes of death	Per 1,000 deaths from all specified causes		
		1926	1927	1928
1	Typhoid fever	4·4	10·7	4·3
7	Measles	8·4	5·9	3·1
8	Scarlet fever	3·4	3·9	3·2
9	Whooping-cough	11·7	9·9	6·7
10	Diphtheria	8·6	9·7	8·5
11	Influenza	48·7	33·1	43·6
31	Tuberculosis, respiratory system	61·1	61·8	60·1
32–37	Tuberculosis, other organs	13·6	12·8	12·7
43–49	Cancer	71·7	76·0	78·9
57	Diabetes mellitus	9·8	10·4	10·2
58	Anaemia, chlorosis	9·8	7·6	6·8
71	Meningitis	7·5	7·8	7·1
74	Cerebral haemorrhage, apoplexy	28·6	28·2	28·7
75	Paralysis without specified cause	12·4	10·6	9·4
80	Infantile convulsions (under 5 years)	5·4	5·3	4·1
87–90	Diseases of the heart	107·5	113·0	117·0
91	Diseases of the arteries	46·9	49·0	52·3
99	Bronchitis	5·5	4·8	4·8
100–101	Pneumonia	79·4	72·6	78·1
113–114	Diarrhoea and enteritis	51·3	53·1	46·6
117	Appendicitis	12·4	13·3	13·0
118	Hernia, intestinal obstruction	8·4	8·7	7·9
128–129	Nephritis	48·4	50·2	53·0
135	Diseases of the prostate	6·9	6·1	7·3
143–150	Puerperal causes	12·4	12·5	12·3
159	Congenital malformations	14·6	12·9	13·4
160–163	Diseases of early infancy	93·2	88·7	85·4
164	Senility (old age)	26·0	23·7	22·3
165–174	Suicides	6·4	7·3	7·0
175–203	Violent deaths (suicides excepted)	48·9	52·9	57·2
	Other specified causes	126·7	137·4	134·9
	All specified causes	**1,000·0**	**1,000·0**	**1,000·0**

[1] See note 1, table I.

Proportionate Distribution of Deaths in each Sex and Age Group by Causes.—Table LXVI gives the proportion which deaths due to each of the causes listed, bore to the total mortality from specified causes in each sex and age group in 1928. The table furnishes some interesting data as to the causes which mainly contribute to the mortality of each sex at the different periods of life.

About one-third of the deaths of each sex under 5 years of age were classed to diseases of early infancy, the proportion being slightly higher for males than for females. Diarrhoea and enteritis and pneumonia also contributed heavily to the total mortality of each sex at this period of life.

In the age-group 5-14 years, deaths as a result of accidents amounted to more than one-fifth of all male deaths from specified causes. The proportion of accidental deaths amongst females at this age-group was only about 8 per cent. Tuberculosis stood next to accidents as a cause of death for males in this group, accounting for more than 10 per cent of the deaths. For females it was the chief cause, contributing nearly 17 per cent of the total of deaths from specified causes. The table brings out clearly the much greater relative importance of tuberculosis elsewhere than in the respiratory system during the years of infancy than at later ages. Communicable diseases play a larger part in the mortality of this period of life than at any other period, but it must be remembered that the death rate from all causes is very light at the age of 5-14 years.

In the age-group 15-29 years, tuberculosis was the leading cause of death for both sexes. It contributed over 25 per cent of the male deaths and over 40 per cent of the female deaths within these age-limits. Violent deaths were also a very important factor in the male mortality, accounting for about 30 per cent of all deaths from specified causes. This proportion is high as compared with previous years. For females, violent deaths were relatively of much less importance. Puerperal causes were responsible for over 13 per cent of female deaths at this period.

In the age-group 30-49 years, deaths of males from violence formed nearly 20 per cent o the total, with suicides contributing a larger proportion than in the preceding age-group. Tuberculosis accounted for some 17 per cent of male deaths in this period, diseases of the heart 10 per cent, cancer nearly 8 per cent and pneumonia 7 per cent. Tuberculosis was again the leading cause for females, the proportion being about the same as for males (17 per cent). Cancer was assigned as the cause in 12½ per cent of female deaths in this period, puerperal causes in 11 per cent, diseases of the heart 9 per cent, nephritis nearly 6 per cent and pneumonia 5½ per cent. A division of this age-group shows that between the 30th and 40th birthday puerperal causes accounted for 18 per cent and cancer for only 6½ per cent of all deaths of women from specified causes; between the fortieth and fiftieth birthdays the proportion for puerperal causes was only 4½ per cent while that of cancer rose to 18 per cent.

Diseases of the heart formed the most important cause of death for both sexes after the 50th birthday, contributing nearly 20 per cent of the total for each sex. Cancer was assigned as the cause in 12 per cent of the male deaths and 14 per cent of the female, diseases of the arteries in 10½ per cent of male deaths and nearly 10 per cent of female, nephritis in nearly 9 per cent of male deaths and over 8 per cent of female. Other important causes at ages above 50 years were pneumonia, cerebral haemorrhage or apoplexy, influenza and external violence.

TABLE LXVI.—PROPORTION OF DEATHS FROM CERTAIN CAUSES PER 1,000 DEATHS FROM ALL SPECIFIED CAUSES BY SEX AND AGE GROUPS, CANADA(1), 1928

Int. list No.	Causes of death	Under 5 years		5–14 years		15–29 years		30–49 years		50 years and over	
		Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
1	Typhoid fever	1·4	1·0	12·1	24·0	28·8	14·4	9·7	5·4	1·4	0·6
7	Measles	8·9	11·4	8·5	10·2	1·8	0·4	0·1	1·0	(2)	0·1
8	Scarlet fever	5·8	6·5	22·1	29·1	2·3	4·5	1·6	2·4	(2)	(2)
9	Whooping-cough	22·4	29·7	3·2	8·3	0·2	–	–	–	(2)	–
10	Diphtheria	15·4	19·7	82·1	85·0	2·5	3·8	1·1	1·8	0·1	0·2
11	Influenza	52·1	47·6	51·5	59·6	33·8	46·5	39·7	48·6	33·9	46·4
31	Tuberculosis, respiratory system	7·2	9·9	52·3	98·0	217·3	356·5	150·1	153·9	26·7	19·0
32–37	Tuberculosis, other organs	11·2	12·8	52·3	70·2	37·5	46·2	18·4	16·5	2·7	2·8
43–49	Cancer	0·7	1·3	4·8	10·2	13·2	17·1	76·1	125·2	122·0	140·3
57	Diabetes mellitus	0·9	0·2	9·7	11·6	7·9	4·5	10·4	11·8	12·3	19·2
58	Anaemia, chlorosis	1·4	1·7	5·6	2·8	4·5	5·2	5·8	10·6	9·4	10·0
71	Meningitis	16·5	20·7	26·6	23·6	7·0	7·6	3·6	2·5	0·7	0·8
74	Cerebral haemorrhage, apoplexy	0·9	0·5	0·4	0·5	3·2	1·8	10·8	16·8	48·1	60·6
75	Paralysis without specified cause	0·1	0·6	0·4	0·5	0·9	1·3	2·7	4·9	15·1	20·7
80	Infantile convulsions (under 5 years)	16·5	15·8	–	–	–	–	–	–	–	–
87–90	Diseases of the heart	1·6	1·8	45·1	61·0	51·1	55·7	99·3	93·7	197·0	199·7
91	Diseases of the arteries	–	0·1	0·4	0·5	0·5	0·4	16·2	14·6	106·6	97·4
99	Bronchitis	5·8	6·8	2·0	0·9	0·7	0·2	1·8	0·3	4·7	7·8
100–101	Pneumonia	125·7	127·3	68·0	74·9	54·5	40·4	69·0	55·2	62·0	64·5
113–114	Diarrhoea and enteritis	170·3	167·1	14·1	15·7	3·2	4·7	4·0	6·6	3·9	5·9
117	Appendicitis	4·4	3·7	87·4	81·3	53·8	31·4	23·0	16·5	5·3	3·8
118	Hernia, intestinal obstruction	5·4	3·0	12·1	6·9	6·1	5·2	9·9	11·0	10·0	8·7
128–129	Nephritis	4·1	2·5	17·7	29·1	23·4	24·5	55·2	58·1	87·5	82·2
135	Diseases of the prostate	–	–	0·4	–	0·7	–	1·0	–	27·4	–
143–150	Puerperal causes	–	–	–	–	–	132·0	–	109·2	–	(2)
159	Congenital malformations	48·2	53·1	7·2	6·5	3·4	3·4	0·1	0·4	(2)	0·1
160–163	Diseases of early infancy	344·6	330·5	–	–	–	–	–	–	–	–
164	Senility (old age)	–	–	–	–	–	–	–	–	37·8	54·2
165–174	Suicides	–	–	0·4	0·9	22·7	10·8	33·8	9·7	8·4	1·7
175–203	Violent deaths (suicide excepted)	28·0	25·2	210·5	80·4	276·8	39·7	164·1	25·3	44·3	27·7
	Other specified causes	100·7	99·6	202·9	208·4	142·1	141·9	192·5	198·2	132·8	125·7
	All specified causes	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**

(1) See note 1, table I. (2) Less than 0·1 per 1,000 deaths.

Proportionate Distribution by Age Groups of Deaths from Certain Causes.—Table LXVII shows the proportions in which male and female deaths from certain specified causes were distributed amongst certain age groups in 1928. The age groups in this table are

the same as those in Table LXVI. Those diseases included in the preceding tables whose titles indicate the class by age which they affect have been omitted from the list of causes in Table LXVII.

TABLE LXVII.—PROPORTION OF MALE AND FEMALE DEATHS IN EACH AGE GROUP PER 1,000 DEATHS AT ALL AGES FROM CERTAIN CAUSES, CANADA,(1) 1928

Int. list No.	Causes of death	Male						Female					
		All ages	Under 5 years	5-14 years	15-29 years	30-49 years	50 years and over	All ages	Under 5 years	5-14 years	15-29 years	30-49 years	50 years and over
1	Typhoid fever	1,000·0	72·9	104·2	441·0	246·5	135·4	1,000·0	67·0	290·5	357·5	206·7	78·2
7	Measles	1,000·0	814·4	125·7	47·9	6·0	6·0	1,000·0	805·9	129·4	11·8	41·2	11·8
8	Scarlet fever	1,000·0	532·9	329·3	59·9	71·9	6·0	1,000·0	438·2	353·9	112·4	89·9	5·6
9	Whooping-cough	1,000·0	971·6	22·7	2·8	–	2·8	1,000·0	951·9	48·1	–	–	–
10	Diphtheria	1,000·0	510·9	443·5	23·9	17·4	4·3	1,000·0	518·7	404·4	37·4	26·4	13·2
11	Influenza	1,000·0	342·8	55·2	64·3	125·1	412·7	1,000·0	239·5	54·1	86·8	138·4	481·1
31	Tuberculosis, respiratory system	1,000·0	36·1	42·7	314·1	359·7	247·5	1,000·0	34·7	61·7	462·4	304·6	136·6
32–37	Tuberculosis, other organs	1,000·0	253·0	192·3	244·1	198·2	112·4	1,000·0	221·4	220·0	298·1	162·1	98·4
43–49	Cancer	1,000·0	2·5	2·9	14·2	136·3	844·1	1,000·0	3·4	5·0	17·1	192·0	782·5
57	Diabetes mellitus	1,000·0	26·3	48·5	70·7	153·5	701·0	1,000·0	3·3	41·5	33·2	132·9	789·0
58	Anaemia, chlorosis	1,000·0	58·2	38·8	55·4	116·3	731·3	1,000·0	54·2	16·3	62·3	195·1	672·1
71	Meningitis	1,000·0	638·0	167·1	78·5	65·8	50·6	1,000·0	668·5	137·5	91·6	45·8	56·6
74	Cerebral haemorrhage, apoplexy	1,000·0	9·5	0·7	9·5	53·9	926·3	1,000·0	3·7	0·6	4·9	70·1	920·7
75	Paralysis without specified cause	1,000·0	2·2	2·2	8·8	44·2	942·5	1,000·0	12·5	1·8	10·7	59·0	915·9
87–90	Diseases of the heart	1,000·0	3·6	16·8	33·8	109·1	836·6	1,000·0	3·5	22·1	41·5	106·6	826·2
91	Diseases of the arteries	1,000·0	–	0·3	0·6	37·7	961·3	1,000·0	0·4	0·4	0·8	39·4	959·0
99	Bronchitis	1,000·0	366·3	20·6	12·3	53·5	547·3	1,000·0	293·9	7·2	3·6	7·2	688·2
100–101	Pneumonia	1,000·0	418·4	36·9	52·4	110·1	382·3	1,000·0	397·6	42·2	46·9	97·7	415·6
113–114	Diarrhoea and enteritis	1,000·0	932·8	12·6	5·0	10·4	39·2	1,000·0	890·6	15·1	9·3	20·0	64·9
117	Appendicitis	1,000·0	80·0	258·9	282·8	200·5	177·8	1,000·0	77·6	310·4	246·9	197·5	167·5
118	Hernia, intestinal obstruction	1,000·0	166·3	60·9	54·8	146·0	572·0	1,000·0	99·2	41·3	63·4	206·6	589·5
128–129	Nephritis	1,000·0	20·1	14·3	33·4	130·8	801·4	1,000·0	11·4	24·0	41·5	150·2	772·9
135	Diseases of the prostate	1,000·0	–	1·3	3·8	8·9	986·0	–	–	–	–	–	–
143–150	Puerperal causes	–	–	–	–	–	–	1,000·0	–	–	441·8	557·5	0·8
159	Congenital malformations	1,000·0	954·5	23·4	19·5	1·3	1·3	1,000·0	949·3	20·9	22·4	4·5	3·0
165–174	Suicides	1,000·0	–	1·7	170·9	422·2	405·1	1,000·0	–	12·7	303·8	417·7	265·8
175–203	Violent deaths (suicides excepted)	1,000·0	92·5	113·3	264·1	259·5	270·6	1,000·0	200·1	115·3	117·3	114·0	453·3
	Other specified causes	1,000·0	489·2	35·0	43·5	97·7	334·6	1,000·0	437·2	36·9	51·7	110·2	363·9
	All specified causes	**1,000·0**	**264·4**	**43·1**	**76·4**	**126·6**	**489·5**	**1,000·0**	**239·1**	**43·2**	**88·9**	**135·6**	**493·2**

(1) See note 1, table I.

Medical attendance.—As the question of medical certification must assume great importance in any consideration of causes of death, the deaths from all causes and from certain important causes during the year 1928 are classified in Table LXVIII according to whether the deceased had medical attendance or not. The percentages of decedents in Canada and the individual provinces who had medical attendance were as follows:—

	p.c.		p.c.
Canada	**90**	Ontario	94
Prince Edward Island	89	Manitoba	94
Nova Scotia	89	Saskatchewan	87
New Brunswick	77	Alberta	87
Quebec	90	British Columbia	85

Of the total of 10,914 deaths in Canada without medical attendance, 3,017 or 27·6 per cent were the result of accident or other violence.

TABLE LXVIII.—DEATHS FROM SPECIFIED CAUSES CLASSIFIED ACCORDING TO MEDICAL ATTENDANCE RECEIVED, 1928

—	Canada (1)	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
All causes	**109,057**	**952**	**6,202**	**4,972**	**36,632**	**37,128**	**5,396**	**6,166**	**5,699**	**5,910**
Medical attendance	**98,143**	**852**	**5,491**	**3,810**	**32,818**	**34,741**	**5,095**	**5,390**	**4,947**	**4,999**
No medical attendance	**10,914**	**100**	**711**	**1,162**	**3,814**	**2,387**	**301**	**776**	**752**	**911**
Cancer	8,514	98	571	383	2,044	3,441	516	470	415	576
Medical attendance	8,320	95	542	353	1,967	3,430	510	454	404	565
No medical attendance	194	3	29	30	77	11	6	16	11	11
Tuberculosis	7,860	100	571	403	3,206	1,832	399	378	338	633
Medical attendance	7,249	98	520	336	2,988	1,771	378	321	284	553
No medical attendance	611	2	51	67	218	61	21	57	54	80
Maternal mortality	1,331	11	57	58	444	396	74	124	106	61
Medical attendance	1,259	11	55	54	411	387	69	117	98	57
No medical attendance	72	–	2	4	33	9	5	7	8	4
Senility	2,408	57	470	312	604	636	71	116	65	77
Medical attendance	1,650	24	286	135	410	596	63	71	26	39
No medical attendance	758	33	184	177	194	40	8	45	39	38
Diseases of early infancy	9,215	41	396	460	4,040	2,323	446	673	573	263
Medical attendance	7,920	28	350	266	3,325	2,260	433	571	449	238
No medical attendance	1,295	13	46	194	715	63	13	102	124	25
Violent deaths	6,925	36	335	259	1,495	2,638	397	525	548	692
Medical attendance	3,908	26	231	153	887	1,426	244	315	334	292
No medical attendance	3,017	10	104	106	608	1,212	153	210	214	400
Unspecified or ill-defined	1,151	26	54	180	502	181	38	62	37	71
Medical attendance	462	12	31	15	234	94	25	24	11	16
No medical attendance	689	14	23	165	268	87	13	38	26	55

(1) See note 1, table I.

MARRIAGES

The total number of marriages reported for the nine provinces of Canada in 1928 was 74,311, giving a rate of 7·7 per 1,000 inhabitants. This figure compared with 69,515 marriages and a rate of 7·3 in 1927 and 66,658 marriages and a rate of 7·1 in 1926.

As between provinces, Alberta showed the highest rate, 9·1 per 1,000 in 1928 and Prince Edward Island the lowest, with 5·4 per 1,000.

In the eight provinces comprising the Registration Area as of 1921, the number of marriages in 1928, 55,185, was the greatest in any year of the period 1921-28. The marriage rate for 1928, however, 7·9 per 1,000, was slightly below the rate for 1921.

The number of marriages and the marriage rates by provinces are listed in Table LXIX for the years 1921-28. The figures for the province of Quebec and for Canada are given only for the three years 1926-28.

TABLE LXIX.—TOTAL MARRIAGES AND CRUDE MARRIAGE RATES PER 1,000 POPULATION BY PROVINCES, 1921-28

Year	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	**Canada** (1)	Registration Area as of 1921(2)
	Number of marriages										
1921	518	3,550	3,173	(3)	24,871	5,310	5,101	4,661	3,889	(4)	51,073
1922	579	3,169	2,799	(3)	23,360	4,808	5,061	4,272	3,763	(4)	47,811
1923	454	3,246	2,911	(3)	24,842	4,544	5,045	4,117	3,943	(4)	49,102
1924	408	2,999	2,972	(3)	24,038	4,132	4,792	4,159	4,038	(4)	47,538
1925	407	2,964	2,908	(3)	23,074	4,377	4,909	4,355	4,223	(4)	47,217
1926	459	2,861	2,938	17,827	23,632	4,537	5,483	4,503	4,418	**66,658**	48,831
1927	482	3,042	2,887	18,551	24,677	4,716	5,733	4,707	4,720	**69,515**	50,964
1928	466	3,256	3,146	19,126	25,728	5,170	6,701	5,776	4,942	**74,311**	55,185
	Rate per 1,000 population										
1921	5·8	6·8	8·4	(3)	8·5	8·7	6·7	7·9	7·4	(4)	8·0
1922	6·6	6·0	7·1	(3)	7·8	7·8	6·6	7·2	7·0	(4)	7·3
1923	5·2	6·1	7·4	(3)	8·2	7·3	6·4	6·9	7·2	(4)	7·5
1924	4·6	5·6	7·4	(3)	7·9	6·6	6·0	6·9	7·3	(4)	7·1
1925	4·7	5·5	7·2	(3)	7·4	6·9	6·1	7·2	7·5	(4)	7·0
1926	5·3	5·3	7·2	7·0	7·5	7·1	6·7	7·4	7·8	**7·1**	7·2
1927	5·5	5·6	7·0	7·1	7·7	7·3	6·9	7·6	8·2	**7·3**	7·4
1928	5·4	6·0	7·6	7·2	8·0	7·9	7·9	9·1	8·5	**7·7**	7·9

(1) See note 1, table I. (2) See note 2, table I. (3) Not included in Registration Area. (4) See note 3.


Marriage Rates in Other Countries.—Table LXX presents the marriage rate for Canada in comparison with those for a number of other countries. In some cases the figures are provisional.

TABLE LXX.—MARRIAGE RATE IN CANADA AND IN CERTAIN OTHER COUNTRIES

Country	Year	Marriage rate per 1,000 population	Country	Year	Marriage rate per 1,000 population
Canada(1)	**1928**	**7·7**	Japan	1928	8·0
Australia	1928	7·7	Netherlands	1928	7·7
Austria	1928	7·4	New Zealand	1928	7·6
Belgium	1928	8·9	Northern Ireland	1928	5·8
British Isles	1928	7·4	Norway	1928	6·0
Chile	1928	11·1	Roumania	1927	9·7
Denmark	1928	7·8	Salvador	1926	3·9
England and Wales	1928	7·7	Sao Paulo	1925	6·8
Finland	1928	7·1	Scotland	1928	6·7
France	1928	8·3	Spain	1928	7·6
Germany	1928	9·2	Sweden	1928	6·7
Hungary	1928	9·3	Switzerland	1928	7·5
Irish Free State	1928	4·7	Union of South Africa (Whites)	1927	9·1
Italy	1928	7·0	United States	1928	9·9
			Uruguay	1928	6·2

(1) See note 1, table I.

Marriage Rates by Months.—The marriage rates by months for the years 1926-28 are shown by provinces in Table LXXI. The figures are equivalent annual rates: that is to say, the number of marriages in a given month is multiplied by 365 and divided by the number of days in the month before the rate is computed.



For the nine provinces as a whole, June was easily the favorite month in all three years and September occupied second place throughout. The month of March had by far the lowest marriage rate in each year.

Individual provinces show considerable variation in their preference for certain marriage months. In Saskatchewan and Alberta, with a large proportion of the population engaged in grain farming, the month of May is the lowest throughout, owing presumably to the necessity of conducting seeding operations in that month. In these provinces, and in Manitoba as well, the month of November takes on particular importance as a month of numerous marriages. The marriage rate for March in the province of Quebec is conspicuously lower than in any other province. This is explained by the fact that the large majority of the population of Quebec are Roman Catholic and as such refrain almost completely from marrying during Lent.

TABLE LXXI.—MARRIAGE RATES PER 1,000 POPULATION IN EACH PROVINCE BY MONTHS, 1926–28

Province		Annual rates	Equivalent annual marriage rates											
			Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Canada[1]	**1926**	**7·1**	**5·4**	**5·6**	**3·8**	**6·4**	**5·3**	**11·4**	**7·8**	**7·3**	**9·9**	**8·1**	**7·9**	**6·5**
	1927	**7·3**	**5·4**	**6·0**	**4·1**	**6·1**	**5·4**	**12·0**	**7·9**	**8·1**	**9·4**	**8·1**	**8·2**	**7·1**
	1928	**7·7**	**5·7**	**6·1**	**3·9**	**7·0**	**5·6**	**11·9**	**8·8**	**7·9**	**10·5**	**9·2**	**8·9**	**7·1**
Prince Edward Island	1926	5·3	3·4	4·5	4·7	4·1	2·3	6·0	4·3	6·1	8·7	5·8	8·7	4·9
	1927	5·5	3·7	4·9	3·0	2·8	3·1	7·3	5·3	6·5	8·1	6·1	11·9	4·1
	1928	5·4	4·9	5·6	1·9	2·6	3·3	6·7	8·0	7·1	7·7	7·0	7·2	3·2
Nova Scotia	1926	5·3	4·2	4·3	3·1	3·2	3·8	7·6	5·2	5·7	8·3	6·8	7·3	4·2
	1927	5·6	3·9	4·6	3·4	3·9	4·2	8·3	5·4	6·1	7·8	6·8	7·4	5·5
	1928	6·0	4·4	5·1	3·5	4·8	4·7	7·3	5·9	6·2	9·1	7·5	7·5	5·5
New Brunswick	1926	7·2	3·9	4·3	3·2	6·1	4·6	10·9	8·0	8·7	13·0	9·5	8·1	6·3
	1927	7·0	3·7	4·7	3·6	5·3	5·2	10·8	7·2	8·0	11·3	9·6	9·0	5·9
	1928	7·6	4·0	5·1	3·6	5·8	5·6	10·0	8·8	8·3	11·6	12·0	10·2	6·2
Quebec	1926	7·0	5·3	5·0	1·6	7·1	6·1	12·1	9·2	7·9	10·8	8·7	5·0	4·7
	1927	7·1	5·4	5·7	1·9	6·4	6·6	12·9	9·4	8·7	10·2	8·8	4·8	4·7
	1928	7·2	5·7	5·2	1·8	6·8	6·3	12·2	10·4	8·1	10·7	9·1	5·1	5·3
Ontario	1926	7·5	5·1	5·4	4·5	6·9	5·6	13·4	7·2	7·6	12·1	8·5	7·5	6·5
	1927	7·7	5·2	5·6	4·7	6·6	5·6	14·1	7·0	8·2	11·5	8·9	8·2	7·4
	1928	8·0	5·1	5·7	4·7	7·3	5·8	13·9	7·7	7·7	13·0	9·1	8·4	7·5
Manitoba	1926	7·1	6·4	6·8	4·7	5·0	5·0	10·3	7·5	6·7	6·8	7·3	11·0	7·8
	1927	7·3	6·6	7·4	5·3	5·2	4·6	9·7	8·1	7·8	6·7	7·8	11·6	6·9
	1928	7·9	6·6	7·8	4·7	6·1	4·9	10·1	8·5	8·0	8·0	9·1	13·4	7·8
Saskatchewan	1926	6·7	6·8	6·6	5·1	5·6	3·4	7·4	7·2	5·6	3·7	7·6	12·6	8·6
	1927	6·9	6·4	7·2	5·3	4·7	3·3	8·2	7·8	6·7	4·0	5·2	13·0	10·7
	1928	7·9	7·7	7·2	5·1	7·2	3·9	8·8	8·7	6·6	4·6	9·4	15·9	9·6
Alberta	1926	7·4	5·8	7·4	6·2	6·6	4·1	9·1	8·5	7·1	6·2	6·0	12·0	9·9
	1927	7·6	5·9	7·8	6·5	6·5	4·2	9·8	8·2	7·9	5·8	5·1	11·8	12·3
	1928	9·1	8·2	9·5	6·0	8·2	5·7	11·2	10·7	9·9	7·4	9·8	13·8	9·5
British Columbia	1926	7·8	6·0	6·3	5·2	7·0	6·3	11·3	8·7	8·0	10·0	8·2	8·1	8·4
	1927	8·2	5·9	6·8	6·3	8·0	5·7	11·8	8·5	9·9	9·7	8·7	7·9	9·2
	1928	8·5	5·2	6·5	5·4	8·7	6·1	12·8	9·7	9·6	10·8	9·1	9·1	8·9

[1] See note 1, table I.

Table LXXII shows equivalent annual marriage rates by months for the eight provinces comprising the Registration Area as of 1921 over the period 1921-28. Much the same tendencies are shown as in the previous table for the whole of Canada but the rate for March is naturally less depressed, owing to the exclusion of Quebec.

TABLE LXXII.—MARRIAGE RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AS OF 1921 BY MONTHS, 1921–28

Year	Annual rates	Equivalent annual marriage rates											
		Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1921	8·0	7·0	6·7	6·9	7·6	5·9	13·1	7·0	7·5	9·7	8·1	8·9	7·4
1922	7·3	5·8	6·5	4·7	6·4	5·2	11·2	6·9	7·0	9·4	8·3	9·3	7·7
1923	7·5	6·1	5·4	4·7	6·9	5·3	11·4	7·1	7·4	9·9	8·5	8·9	8·1
1924	7·1	5·7	5·5	5·1	6·6	5·2	11·2	7·1	7·1	8·9	7·3	8·8	7·2
1925	7·0	5·6	6·3	4·2	6·3	5·0	10·3	6·7	7·0	9·1	7·8	8·6	7·5
1926	7·2	5·4	5·8	4·6	6·2	5·0	11·1	7·3	7·2	9·6	7·9	8·9	7·1
1927	7·4	5·4	6·1	4·9	6·0	5·0	11·7	7·3	7·9	9·1	7·8	9·4	8·1
1928	7·9	5·7	6·4	4·7	7·0	5·4	11·7	8·2	7·9	10·4	9·2	10·3	7·8

Conjugal Condition of Contracting Parties.—Of each 1,000 bridegrooms in 1928 there were 904 bachelors, 86 widowers and 10 divorced men, while of each 1,000 brides there were 930 spinsters, 60 widows and 10 divorced women.

The proportional distribution of marriages in 1928 according to the conjugal condition of each contracting party, is presented by provinces in Table LXXIII. For comparative purposes the figures for the whole country in 1926 and 1927 are also given. The year 1928 shows a well-marked increase over the preceding year in the proportion of divorced persons of both sexes amongst those marrying.

TABLE LXXIII.—PROPORTIONAL DISTRIBUTION OF MARRIAGES ACCORDING TO CONJUGAL CONDITION OF CONTRACTING PARTIES BY PROVINCES, 1928

Province	Total	Bachelors and			Widowers and			Divorced men and		
		Spinsters	Widows	Divorced women	Spinsters	Widows	Divorced women	Spinsters	Widows	Divorced women
Prince Edward Island	1,000·0	873·4	10·7	–	77·3	38·6	–	–	–	–
Nova Scotia	1,000·0	871·0	28·3	3·1	53·1	35·3	1·8	5·5	0·9	0·9
New Brunswick	1,000·0	840·8	29·9	7·6	60·7	36·6	5·4	10·8	3·5	4·8
Quebec	1,000·0	879·6	17·3	1·5	59·2	39·1	1·0	1·9	0·3	0·1
Ontario	1,000·0	884·3	23·9	4·1	47·8	31·2	1·2	5·9	1·1	0·5
Manitoba	1,000·0	872·3	24·8	7·2	50·7	30·4	2·7	9·9	1·0	1·2
Saskatchewan	1,000·0	885·8	28·8	6·3	43·6	28·4	0·9	4·0	1·0	1·2
Alberta	1,000·0	855·3	34·8	16·1	42·1	27·5	3·1	15·1	4·0	2·1
British Columbia	1,000·0	796·8	45·7	29·5	45·3	36·2	5·7	22·5	7·3	10·9
Canada (1) **1928**	**1,000·0**	**871·8**	**25·4**	**6·6**	**50·9**	**33·4**	**1·9**	**7·0**	**1·6**	**1·5**
1927	**1,000·0**	**871·5**	**26·3**	**5·0**	**53·0**	**34·5**	**1·3**	**5·9**	**1·4**	**1·2**
1926	**1,000·0**	**870·8**	**27·9**	**5·4**	**53·1**	**34·2**	**1·2**	**5·0**	**1·2**	**1·1**

(1) See note 1, table I.

Table LXXIV is similarly constructed to Table LXXIII but covers only the total of the eight provinces forming the Registration Area as of 1921, and extends over the period 1921-28. There is a definite upward trend over the period in the proportion of divorced men and women amongst bridegrooms and brides, the increase in 1928 being particularly noticeable.

TABLE LXXIV.—PROPORTIONAL DISTRIBUTION OF MARRIAGES ACCORDING TO CONJUGAL CONDITION OF CONTRACTING PARTIES IN THE REGISTRATION AREA AS OF 1921, DURING THE YEARS 1921-28

Year	Total	Bachelors and			Widowers and			Divorced men and		
		Spinsters	Widows	Divorced	Spinsters	Widows	Divorced	Spinsters	Widows	Divorced
1921	1,000·0	830·5	47·9	5·5	63·6	42·9	1·5	5·3	1·7	1·2
1922	1,000·0	844·8	42·1	5·2	58·9	39·2	1·6	5·5	1·4	1·3
1923	1,000·0	856·7	38·6	5·2	54·6	36·3	1·5	5·2	1·0	0·9
1924	1,000·0	858·4	36·1	6·2	53·2	35·8	1·5	6·3	1·5	1·2
1925	1,000·0	855·3	34·7	6·3	55·6	37·2	1·6	6·4	1·6	1·2
1926	1,000·0	869·4	31·5	7·0	50·0	31·5	1·5	6·4	1·5	1·3
1927	1,000·0	870·5	28·4	6·5	50·2	32·1	1·6	7·4	1·7	1·6
1928	1,000·0	869·1	28·2	8·3	48·0	31·4	2·2	8·7	2·1	2·0

The statement which follows, is based on Table LXXIV and shows the proportion of widowers amongst 1,000 bridegrooms and of widows amongst 1,000 brides in the Registration Area as of 1921, over the period 1921-28. The table shows a downward trend in the proportion of widowed persons amongst both grooms and brides, though this trend is more pronounced for the female sex. It is, no doubt, largely connected with the effect of deaths of males in the war and the influenza epidemic of 1918, and deaths of females in this epidemic. Comparison of the figures of the last three years would seem to indicate that the influence of these causes is now largely exhausted.

PROPORTIONS OF WIDOWERS AND WIDOWS AMONGST BRIDEGROOMS AND BRIDES, REGISTRATION AREA AS OF 1921

Year	Proportion of widowers amongst 1,000 bridegrooms	Proportion of widows amongst 1,000 brides
1921	108·0	92·5
1922	99·7	82·7
1923	92·4	75·9
1924	90·5	73·4
1925	94·4	73·5
1926	83·0	64·5
1927	83·9	62·2
1928	81·6	61·7

Age at Marriage.—The average ages of bridegrooms and brides in 1928 are listed by provinces in Table LXXV, and comparison is shown with 1927 and 1926 for Canada as a whole. It will be noted that these averages for the whole country have remained practically constant for the three years.

Considering the individual provinces in 1928, the highest average ages of both bridegrooms and brides are found in British Columbia, while Prince Edward Island stands second in respect of both sexes. The lowest average age of bridegrooms, 28·8 years, is found in the province of Quebec, but the lowest average age of brides, 23·8 years, is in Saskatchewan.

TABLE LXXV.—AVERAGE AGE OF CONTRACTING PARTIES BY PROVINCES, 1928

Province	Average age of bridegroom	Average age of bride	Average excess of bridegroom's age over bride's
Prince Edward Island	30·4	25·5	4·9
Nova Scotia	29·4	24·8	4·6
New Brunswick	28·9	24·5	4·4
Quebec	28·8	25·2	3·6
Ontario	28·9	25·1	3·8
Manitoba	29·9	24·7	5·2
Saskatchewan	29·2	23·8	5·4
Alberta	29·8	24·4	5·4
British Columbia	31·5	26·5	5·0
Canada(1) **1928**	**29·3**	**25·0**	**4·3**
1927	**29·3**	**25·1**	**4·2**
1926	**29·3**	**25·1**	**4·2**

(1) See note 1, table I.

Table LXXVI gives the average age of marriage for the Registration Area as of 1921 over the period 1921-28. A slight downward trend is evidenced throughout the period in the ages of both bridegrooms and brides.

TABLE LXXVI.—AVERAGE AGE OF CONTRACTING PARTIES IN THE REGISTRATION AREA AS OF 1921 DURING THE PERIOD 1921-28

Year	Average age of grooms	Average age of brides	Average excess of groom's age over bride's
1921	29·9	25·5	4·4
1922	29·9	25·4	4·5
1923	29·7	25·3	4·4
1924	29·7	25·2	4·5
1925	29·8	25·3	4·5
1926	29·6	25·1	4·5
1927	29·5	25·0	4·5
1928	29·4	24·9	4·5

Table LXXVII shows the quartile [1] and decile [1] ages of bridegrooms and brides in the nine provinces of Canada for the years 1926-28. In calculating these points it has been assumed that the ages of bridegrooms or brides falling in a certain year of age are evenly distributed throughout that year from the lower to the upper limit.

TABLE LXXVII.—QUARTILE AND DECILE AGES OF BRIDEGROOMS AND BRIDES, 1926-28

Position in array by age		Bridegrooms			Brides		
		1926	1927	1928	1926	1927	1928
First quartile	years of age	23·53	23·54	23·50	20·30	20·26	20·23
Second quartile	"	26·73	26·71	26·65	22·88	22·87	22·81
Third quartile	"	31·94	31·94	31·78	26·99	26·95	26·82
First decile	"	21·60	21·59	21·58	18·56	18·53	18·53
Second decile	"	22·95	22·94	22·89	19·74	19·70	19·68
Third decile	"	24·12	24·13	24·10	20·85	20·82	20·77
Fourth decile	"	25·36	25·37	25·31	21·81	21·80	21·74
Fifth decile	"	26·73	26·71	26·65	22·88	22·87	22·81
Sixth decile	"	28·37	28·26	28·22	24·18	24·17	24·08
Seventh decile	"	30·48	30·42	30·28	25·89	25·86	25·74
Eighth decile	"	33·89	33·87	33·73	28·50	28·37	28·25
Ninth decile	"	40·40	40·48	40·29	34·18	34·13	33·85

Table LXXVIII shows the percentage distribution of brides for each age group of bridegrooms in 1928.

TABLE LXXVIII.—PER CENT DISTRIBUTION OF AGES OF BRIDES FOR EACH AGE GROUP OF BRIDEGROOMS, 1928

Age group of bridegroom	Age group of bride								
	All stated ages	Under 20 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50 years and over
Under 20 years	100·0	69·1	28·1	2·0	0·4	0·2	0·1	–	–
20–24 years	100·0	37·1	54·6	7·5	0·6	0·1	(1)	(1)	–
25–29 "	100·0	19·1	50·0	26·0	3·9	0·8	0·1	(1)	(1)
30–34 "	100·0	10·9	37·1	31·8	15·7	3·6	0·8	0·2	(1)
35–39 "	100·0	6·2	24·2	28·9	21·7	13·8	3·8	1·1	0·2
40–44 "	100·0	3·3	15·4	20·4	22·7	19·5	12·8	4·3	1·6
45–49 "	100·0	1·6	7·2	12·1	17·7	21·2	20·0	13·3	6·8
50 years and over	100·0	0·5	2·2	3·6	6·4	10·4	14·0	18·0	44·9

(1) Less than one-tenth of one per cent.

Table LXXIX is the converse of Table LXXVIII and shows the percentage distribution of ages of bridegrooms for each age group of brides in 1928.

TABLE LXXIX.—PER CENT DISTRIBUTION OF AGES OF BRIDGEROOMS FOR EACH AGE GROUP OF BRIDES, 1928

Age group of bride	Age group of bridegroom								
	All stated ages	Under 20 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50 years and over
Under 20 years	100·0	7·6	57·0	26·2	6·5	1·9	0·6	0·2	0·1
20–24 years	100·0	1·6	44·3	36·4	11·7	4·0	1·4	0·4	0·2
25–29 "	100·0	0·3	14·3	44·3	23·5	11·1	4·2	1·5	0·8
30–34 "	100·0	0·2	3·2	18·5	32·1	23·0	13·0	6·0	4·1
35–39 "	100·0	0·2	1·4	7·2	14·3	28·4	21·8	14·0	12·7
40–44 "	100·0	0·1	0·5	1·7	5·3	13·6	25·2	23·3	30·3
45–49 "	100·0	–	0·2	0·7	1·8	5·9	12·3	22·5	56·6
50 years and over	100·0	–	–	0·3	0·3	0·8	2·8	7·2	88·6

(1) The reader desiring an explanation of these terms will find it on page xvii in conjunction with a similar table for fathers and mothers of children born during the years 1926-28.

In Table LXXX marriages have been grouped, first by age of bridegroom and secondly by age of bride, and the average excess of the bridegroom's age computed for each group. The increasing average excess of the bridegroom's age for the older groups of bridegrooms is characteristic. The explanation lies, of course, in the fact that bridegrooms are usually older than their brides and, therefore, the range of probable selection increases with increasing age of groom. On the other hand, in the grouping by age of bride, while the greatest average excess of bridegrooms' age is for brides under 20 years, there is by no means a regular tendency for this excess to decrease with increasing age of bride, and in fact in the table the average excess of bridegrooms' age for brides between the ages of 40 and 50 years is higher than for brides between the 30th and 40th birthdays.

TABLE LXXX.—RELATION BETWEEN AGES OF BRIDEGROOMS AND OF BRIDES, 1928

Average age o fbride by age group of bridegroom				Average age of of bridegroom by age group of bride			
Age group of bridegroom	Average age of bride-groom	Average age of bride	Average excess of bride-groom's age	Age group of bride	Average age of bride	Average age of bride-groom	Average excess of bride-groom's age
Under 20 years	19·2	19·5	−0·3	Under 20 years	18·5	24·5	6·0
20–24 years	22·8	21·2	1·6	20–24 years	22·3	26·5	4·2
25–29 "	27·2	23·4	3·8	25–29 "	27·1	30·2	3·1
30–34 "	32·2	25·9	6·3	30–34 "	32·2	35·5	3·3
35–39 "	37·3	29·0	8·3	35–39 "	37·3	40·7	3·4
40–44 "	42·2	32·7	9·5	40–44 "	42·3	46·4	4·1
45–49 "	47·3	37·4	9·9	45–49 "	47·3	51·4	4·1
50 years and over	59·3	48·6	10·7	50 years and over	58·5	60·8	2·3

The percentage distribution of bridegrooms and brides of 1928 into six age-groups is shown by provinces in Table LXXXI. For purposes of comparison in time the corresponding figures for the whole of Canada are also given for the years 1926 and 1927. The proportions in the three years are quite consistent, with some evidence of a tendency to increase in the percentages of bridegrooms under thirty years of age and brides under twenty-five years of age, and decrease in the proportions of bridegrooms and brides over thirty years of age. The period is, however, too short to draw any definite conclusion.

The largest percentage of bridegrooms is found in the age-group 20-24 years in all provinces except Manitoba, Alberta and British Columbia, where it is exceeded by the proportion in the age-group 25-29 years. The highest proportion of brides under twenty years of age is in the province of New Brunswick, with Saskatchewan and Alberta following in the order named. The province of Quebec shows the lowest proportion of any province except British Columbia in the group under twenty years, and the highest proportion of all provinces in the group 20-24 years. Saskatchewan has approximately 75 per cent of its brides under the age of 25 years, this proportion being the largest for any province.

British Columbia and Prince Edward Island have the highest proportion of bridegrooms and brides 40 years of age and over.

While the figures of Table LXXXI have considerable significance as they stand, it must be remembered that for their really accurate interpretation the corresponding populations of the respective provinces would require to be considered. To take British Columbia, for example the adult population, both male and female, by the Census of 1921 averaged older than in any of the remaining provinces; it is, therefore, natural that the age distribution of bridegrooms and brides in this province should show comparatively small proportions in the lower age-groups and high proportions in the older.

TABLE LXXXI.—PER CENT DISTRIBUTION OF MARRIAGES BY AGES OF BRIDEGROOMS AND OF BRIDES, BY PROVINCES, 1928

Province	Age of bridegroom							Age of bride						
	All stated ages	Under 20 years	20-24 years	25-29 years	30-34 years	35-39 years	40 years and over	All stated ages	Under 20 years	20-24 years	25-29 years	30-34 years	35-39 years	40 years and over
Prince Edward Island	100·0	4·1	32·9	28·6	12·3	8·0	14·2	100·0	24·9	37·2	18·1	8·8	3·2	7·7
Nova Scotia	100·0	2·9	37·3	27·9	13·6	7·6	10·7	100·0	23·3	45·2	16·1	6·7	3·6	5·1
New Brunswick	100·0	5·1	38·4	26·6	11·4	7·9	10·6	100·0	31·1	39·0	15·3	5·3	3·5	5·8
Quebec	100·0	2·1	38·2	31·9	13·1	5·7	9·0	100·0	18·8	46·2	19·9	6·6	3·0	5·5
Ontario	100·0	3·4	35·7	31·5	13·3	6·4	9·7	100·0	23·0	41·4	19·4	7·4	3·5	5·4
Manitoba	100·0	1·2	29·7	33·3	16·1	8·6	11·0	100·0	23·1	43·8	18·9	6·3	3·3	4·5
Saskatchewan	100·0	1·6	33·5	32·3	15·0	8·2	9·3	100·0	29·4	44·9	14·1	4·5	2·9	4·1
Alberta	100·0	1·4	31·9	32·2	14·4	8·5	11·7	100·0	28·4	41·9	15·5	5·7	3·3	5·3
British Columbia	100·0	1·3	27·6	30·2	14·0	10·3	16·6	100·0	16·4	40·9	20·7	8·4	5·4	8·2
Canada(1) **1928**	**100·0**	**2·5**	**35·1**	**31·4**	**13·7**	**7·1**	**10·3**	**100·0**	**22·8**	**43·2**	**18·5**	**6·7**	**3·4**	**5·4**
1927	**100·0**	**2·5**	**34·7**	**31·2**	**13·9**	**7·3**	**10·5**	**100·0**	**22·7**	**42·8**	**18·5**	**6·8**	**3·6**	**5·6**
1926	**100·0**	**2·4**	**34·8**	**30·7**	**14·2**	**7·4**	**10·4**	**100·0**	**22·3**	**43·0**	**18·5**	**7·0**	**3·6**	**5·6**

(1) See note 1, table I.

Table LXXXII shows for the eight provinces comprising the Registration Area as of 1921 the proportionate age distribution of bridegrooms and brides for each year of the period 1921-28. For bridegrooms the table indicates a well-marked upward trend in the proportion under 25 years of age, a practically stationary level between 25 and 30 years of age and a downward trend between 30 and 40 years of age. For brides the movement is very similar, though here, while the upward trend covers the same group, that is to say those under 25 years of age, the proportions show a definite tendency to decline between the ages of 25 and 40 years.

TABLE LXXXII.—PER CENT DISTRIBUTION OF MARRIAGES BY AGES OF BRIDEGROOMS AND OF BRIDES IN THE REGISTRATION AREA AS OF 1921, DURING THE YEARS 1921-28

Year	Age of bridegroom							Age of bride						
	All stated ages	Under 20 years	20-24 years	25-29 years	30-34 years	35-39 years	40 years and over	All stated ages	Under 20 years	20-24 years	25-29 years	30-34 years	35-39 years	40 years and over
1921	100·0	1·9	30·4	31·3	16·3	8·9	11·2	100·0	21·9	39·0	20·0	8·7	4·6	5·8
1922	100·0	2·0	31·1	31·0	16·3	8·5	11·1	100·0	22·6	39·4	19·6	8·2	4·4	5·8
1923	100·0	2·0	32·0	31·5	15·7	8·0	10·8	100·0	22·5	40·7	19·2	7·8	4·1	5·6
1924	100·0	2·2	33·1	30·3	15·1	8·0	11·3	100·0	24·0	40·3	18·5	7·3	4·0	5·8
1925	100·0	2·4	32·4	30·6	14·9	8·2	11·4	100·0	23·4	40·5	18·5	7·6	4·1	5·9
1926	100·0	2·5	33·3	30·4	14·9	8·0	10·9	100·0	23·2	41·7	18·6	7·1	3·8	5·5
1927	100·0	2·7	33·4	30·8	14·3	7·8	11·0	100·0	24·0	41·5	18·3	6·9	3·7	5·6
1928	100·0	2·6	34·0	31·2	13·9	7·5	10·8	100·0	24·2	42·1	18·0	6·7	3·6	5·4

Marriages at Early Ages.—All of the provinces of Canada have enacted legislation fixing a minimum age for marriage, at least without the consent of parents. The provisions of the laws governing this question in the various provinces were summarized in the Third Annual Report (page xliv of Introduction).

Marriages in which the bride was under 16 years of age numbered 327 in the nine provinces of Canada for the year 1928, thus amounting to only slightly more than 4 per 1,000 of all marriages; 1,147 of the brides gave their age as 16 years and 2,629 as 17 years. (See Table 38, General Tables, page 438). In Table LXXXIII the ages of brides under 16 years are shown by provinces in relation to the ages of their bridegrooms. It is, of course, possible that there was some exaggeration of age in the case of very youthful brides, nevertheless the figures in Table LXXXIII indicate that marriages of very young brides are infrequent throughout Canada.

TABLE LXXXIII.—BRIDES UNDER 16 YEARS OF AGE, 1928

Age of bridegroom	Age of bride by province																																	
	Canada(1)				P.E.I.			N.S.			N.B.			Que.			Ont.			Man.			Sask.			Alta.			B.C.		
	Total	13 years	14 years	15 years	13 years	14 years	15 years	13 years	14 years	15 years	13 years	14 years	15 years	13 years	14 years	15 years	13 years	14 years	15 years	13 years	14 years	15 years	13 years	14 years	15 years	13 years	14 years	15 years	13 years	14 years	15 years	13 years	14 years	15 years
15 years	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
16 "	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
17 "	7	1	1	5	–	–	–	–	–	–	1	–	1	–	–	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18 "	20	–	2	18	–	–	–	–	–	–	1	–	1	–	1	6	–	1	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
19 "	25	1	6	18	–	–	–	–	–	–	3	–	2	1	2	4	–	2	7	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1
20 "	30	–	4	26	–	–	–	–	–	–	1	–	2	–	1	12	–	3	7	–	–	1	–	–	2	–	–	–	–	–	–	–	–	1
21 "	50	–	11	39	–	–	–	–	–	–	–	1	1	–	3	15	–	5	17	–	1	2	–	1	4	–	–	–	–	–	–	–	–	–
22 "	39	–	8	31	–	–	1	–	–	–	–	3	1	–	2	11	–	3	15	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–
23 "	30	1	2	27	–	–	1	–	–	–	–	–	2	–	1	11	1	1	10	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–
24 "	29	–	4	25	–	–	2	–	–	–	2	–	1	–	1	7	–	3	8	–	–	2	–	–	–	–	–	2	–	–	1	–	–	1
25 "	15	–	3	12	–	–	–	–	–	–	1	–	–	–	1	5	–	1	5	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
26 "	15	–	2	13	–	–	–	–	–	–	–	–	2	–	1	6	–	–	3	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–
27 "	14	–	3	11	–	–	–	–	–	–	–	–	2	–	3	2	–	–	3	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1
28 "	16	–	1	15	–	–	–	–	–	–	1	–	–	–	–	7	–	1	5	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
29 "	8	–	2	6	–	–	–	–	–	–	–	–	2	–	2	1	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
30 "	11	–	1	10	–	–	–	–	–	–	–	–	–	–	1	6	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
31 "	3	1	–	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
32 "	5	–	1	4	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
33 "	2	–	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34 "	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
35 "	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
36 "	3	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
37 "	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38 "	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39 "	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40 "	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
41 "	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
42 "	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
43 "	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
44 "	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
45 "	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
46 "	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
47 "	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
48 "	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
49 "	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
50 "	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Age not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Total	327	4	54	269	–	–	4	–	–	10	–	8	16	3	21	100	1	21	100	–	1	9	–	1	20	–	1	6	–	1	4	–	1	4

(1) See note 1, page I.

There were 17 bridegrooms aged 16 years and 68 aged 17 years in 1928. These together comprised the 85 grooms under 18 years of age shown in Table 38, general tables.

Birthplace of Bridegrooms and Brides.—Table LXXXIV contains the percentage distribution of bridegrooms by nativity in 1928, while Table LXXXV presents the corresponding distribution of brides. The proportion of bridegrooms born in Canada varied from 95 per cent in Prince Edward Island to 39 per cent in Alberta, while the range for Canadian-born brides was between 97 per cent in Prince Edward Island and 47 per cent in Alberta. The highest percentage of British-born bridegrooms and brides was in British Columbia, the highest percentage of foreign-born bridegrooms and brides in Alberta.

TABLE LXXXIV.—PER CENT DISTRIBUTION OF BRIDEGROOMS BY NATIVITY, 1928

Nativity	Canada(1)	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
Canadian-born	**64·7**	**94·6**	**83·6**	**78·6**	**84·9**	**64·3**	**47·8**	**44·2**	**39·0**	**39·8**
Province of residence	54·1	91·0	79·0	69·4	80·8	57·0	34·8	17·8	16·6	18·3
Other provinces	10·6	3·6	4·6	9·2	4·1	7·2	13·0	26·4	22·4	21·5
British-born	**16·6**	**1·1**	**9·8**	**3·9**	**5·7**	**22·2**	**22·9**	**16·2**	**20·2**	**33·6**
England	9·8	0·2	2·8	2·3	3·1	13·5	12·6	10·5	12·0	20·4
Scotland	4·1	0·2	1·3	0·7	1·6	5·3	6·9	3·8	5·0	8·6
Ireland	1·6	0·2	0·2	0·2	0·5	2·5	2·7	1·4	2·0	2·2
Other British possessions	1·0	0·4	5·5	0·7	0·5	0·9	0·7	0·6	1·2	2·4
Foreign-born	**18·7**	**4·3**	**6·6**	**17·5**	**9·3**	**13·5**	**29·3**	**39·6**	**40·8**	**26·6**
United States	7·4	4·1	3·1	16·1	3·8	4·3	6·0	15·7	18·0	13·1
Europe	11·0	0·2	3·2	1·3	5·3	9·0	23·1	23·7	22·7	11·9
Asia	0·3	–	0·3	0·1	0·2	0·2	0·2	0·1	0·2	1·4
Other foreign-born	(2)	–	(2)	–	(2)	(2)	(2)	(2)	0·1	0·1
Total	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**

(1) See note 1, table I. (2) Less than one-tenth of one per cent.

TABLE LXXXV.—PER CENT DISTRIBUTION OF BRIDES BY NATIVITY, 1928

Nativity	(1) Canada	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
Canadian-born	**69·8**	**96·8**	**87·0**	**82·2**	**87·3**	**68·1**	**58·5**	**54·9**	**47·1**	**47·5**
Province of residence	60·6	94·2	83·9	74·8	83·8	61·3	48·0	34·8	28·3	25·8
Other province	9·1	2·6	3·0	7·3	3·5	6·7	10·5	20·1	18·7	21·7
British-born	**15·2**	**0·9**	**8·2**	**2·1**	**5·5**	**21·0**	**18·5**	**13·5**	**18·1**	**31·7**
England	8·7	0·2	2·8	1·3	2·9	12·0	10·7	8·4	10·4	19·9
Scotland	4·3	0·2	1·0	0·4	1·7	6·2	5·3	3·5	4·8	8·4
Ireland	1·3	0·2	0·2	0·1	0·5	2·0	1·8	1·1	1·7	1·7
Other British possessions	0·9	0·2	4·3	0·3	0·4	0·8	0·6	0·5	1·2	1·7
Foreign-born	**15·1**	**2·4**	**4·8**	**15·7**	**7·2**	**11·0**	**23·0**	**31·7**	**34·8**	**20·8**
United States	6·2	2·1	2·0	14·7	3·0	3·4	4·6	13·6	16·4	11·5
Europe	8·6	0·2	2·7	1·0	4·0	7·5	18·3	18·0	18·3	8·3
Asia	0·1	–	0·1	(2)	0·1	0·1	(2)	(2)	0·1	0·9
Other foreign-born	(2)	–	–	(2)	(2)	(2)	0·1	0·1	0·1	0·1
Total	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**

(1) See note 1, table I. (2) Less than one tenth of one per cent.

VITAL STATISTICS OF YUKON AND THE NORTHWEST TERRITORIES

The births, deaths and marriages reported for Yukon Territory and the Northwest Territories of Canada for the year 1928 are listed in the following tables. The statistics of these territories are presented separately from those of the provinces because the figures are not regarded as complete and the population for the year under review is not known with sufficient accuracy to warrant the calculation of rates. Moreover, the population of the territories is so small that the omission of their births, deaths and marriages makes no material difference to the total for Canada. The inclusion of the territories with the remainder of Canada in the more detailed tables would also increase out of all proportion to the importance of the territories, the number of cases for which information under a given rubric was not available.

In the statistics of births and deaths for the Northwest Territories figures for Indians and Eskimos have been separated from those for whites; this division cannot yet be made for Yukon.

TABLE LXXXVI.—BIRTHS, DEATHS AND MARRIAGES IN YUKON TERRITORY BY MONTHS, 1928

Month of year	Births	Deaths	Marriages
January	3	5	–
February	3	4	–
March	3	5	–
April	2	1	–
May	5	5	2
June	4	2	2
July	–	4	2
August	4	3	–
September	2	6	5
October	1	3	–
November	1	5	2
December	2	3	–
Total	**30**	**46**	**13**

TABLE LXXXVII.—BIRTHS, DEATHS AND MARRIAGES IN THE NORTHWEST TERRITORIES BY MONTHS, 1928

Month of year	Births				Deaths				Marriages
	Total	Whites	Indians	Eskimos	Total	Whites	Indians	Eskimos	
January	18	1	10	7	10	–	7	3	2
February	19	4	9	6	7	–	3	4	–
March	23	3	6	14	20	1	15	4	6
April	13	2	6	5	18	–	3	15	–
May	18	2	10	6	9	1	4	4	1
June	19	3	14	2	13	2	4	7	2
July	29	6	16	7	169	8	145	16	5
August	5	1	1	3	55	–	45	10	1
September	15	1	9	5	18	–	10	8	5
October	12	2	6	4	12	–	8	4	1
November	24	3	13	8	25	1	10	14	3
December	27	2	17	8	11	–	6	5	4
Total	**222**	**30**	**117**	**75**	**367**	**13**	**260**	**94**	**30**

TABLE LXXXVIII.—DEATHS IN YUKON AND THE NORTHWEST TERRITORIES BY SEX AND AGE-GROUPS, 1928

Age-groups	Yukon		Northwest Territories							
	All races		All races		Whites		Indians		Eskimos	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year	2	–	24	9	1	–	17	6	6	3
1– 4 years	2	1	18	8	1	–	11	4	6	4
5– 9 "	1	2	9	8	–	–	6	5	3	3
10–14 "	1	–	11	4	–	–	4	2	7	2
15–19 "	1	1	6	7	1	–	1	7	4	–
20–29 "	1	2	21	18	1	–	11	16	9	2
30–39 "	–	1	12	19	–	–	6	15	6	4
40–49 "	3	–	16	19	–	–	10	18	6	1
50–59 "	6	2	22	17	–	1	20	14	2	2
60–69 "	9	2	34	27	3	1	25	20	6	6
70–79 "	6	–	16	20	–	1	13	15	3	4
80 years and over	2	–	5	5	1	–	3	4	1	1
Not stated	1	–	6	6	2	–	3	4	1	2
Total	**35**	**11**	**200**	**167**	**10**	**3**	**130**	**130**	**60**	**34**

TABLE LXXXIX.—CAUSES OF DEATH IN YUKON AND NORTHWEST TERRITORIES, 1928

Int. List No.	Causes of death	Yukon	Northwest Territories			
			All races	Whites	Indians	Eskimos
1	Typhoid fever	–	–	–	–	–
7	Measles	–	–	–	–	–
8	Scarlet fever	–	–	–	–	–
9	Whooping-cough	–	–	–	–	–
10	Diphtheria	–	1	–	1	–
11	Influenza	–	193	7	175	11
31	Tuberculosis, respiratory system	6	30	–	25	5
32–37	Tuberculosis, other organs	–	18	–	16	2
43–49	Cancer	3	–	–	–	–
57	Diabetes mellitus	–	–	–	–	–
58	Anaemia, chlorosis	–	–	–	–	–
71	Meningitis	–	1	1	–	–
74	Cerebral haemorrhage, apoplexy	4	–	–	–	–
75–76	Paralysis without specified cause	–	2	–	–	2
80	Infantile convulsions (under 5 years)	–	2	–	2	–
87–90	Diseases of the heart	1	3	1	1	1
91	Diseases of the arteries	3	–	–	–	–
99	Bronchitis	1	–	–	–	–
100–101	Pneumonia	1	3	–	3	–
113–114	Diarrhoea and enteritis	–	6	1	4	1
117	Appendicitis	–	–	–	–	–
118	Hernia, intestinal obstruction	–	–	–	–	–
128–129	Nephritis	–	–	–	–	–
135	Diseases of the prostate	–	–	–	–	–
143–150	Puerperal causes	–	3	–	2	1
159	Congenital malformations	–	–	–	–	–
160–163	Diseases of early infancy	1	14	–	10	4
164	Senility (old age)	3	13	–	5	8
165–174	Suicides	3	1	1	–	–
197–199	Homicides	–	–	–	–	–
175–196, 200–203	Violent deaths	3	6	2	–	4
	Other specified causes	3	4	–	2	2
204–205	Unspecified or ill-defined causes	14	67	–	14	53
	Total (exclusive of stillbirths)	**46**	**367**	**13**	**260**	**94**
	Stillbirths	–	6	1	2	3
	Total	**46**	**373**	**14**	**262**	**97**

Canada

BUREAU FEDERAL DE LA STATISTIQUE

STATISTIQUES VITALES

1928

Huitieme Rapport Annuel

Publié par ordre de
L'Honorable H. H. Stevens, M.P.,
MINISTRE DU COMMERCE

OTTAWA
F. A. ACLAND
IMPRIMEUR DE SA TRES EXCELLENTE MAJESTE LE ROI
1931

PRÉFACE

Le présent rapport annuel sur les Statistiques Vitales du Canada est le huitième de la série que publie le Bureau Fédéral de la Statistique sur des données obtenues en vertu d'ententes avec les départements provinciaux. Comme les deux rapports précédents, celui-ci couvre toutes les provinces du Canada.

Le premier, le deuxième et le troisième rapports annuels donnent un aperçu complet de l'origine et du but de cette entente entre le Dominion et les provinces pour la compilation des statistiques vitales et décrivent les progrès de ces statistiques au Canada. L'enregistrement des naissances, décès et mariages est fait par les autorités provinciales, chaque province ayant décrété l'enregistrement obligatoire suivant des formules tendant à établir certaines informations sur des bases uniformes. Des copies de ces actes sont envoyées au Bureau Fédéral de la Statistique et leur compilation sert de base au rapport annuel. En 1928, le Bureau Fédéral de la Statistique, outre la préparation de ces tableaux, a publié des bulletins mensuels et un rapport annuel préliminaire. Il a de plus fourni aux provinces, les compilations dont elles avaient besoin pour leurs rapports respectifs.

Comme par le passé, on a fait entrer dans les tableaux d'ensemble les naissances, décès et mariages de la population indienne. Ils sont aussi donnés séparément dans l'Appendice I. La note sur les statistiques vitales des Territoires du Nord-Ouest et du Yukon, à la fin de l'introduction, est digne d'attention.

Le dépouillement des données et la préparation du rapport ont été faits sous la direction de M. E. S. Macphail, chef de la section de Démographie du Bureau, aidé par M. W. R. Tracey.

R. H. COATS,
Statisticien du Dominion.

Bureau Fédéral de la Statistique, janvier 1930.

TABLE DES MATIÈRES

PAGE

Préface xci

INTRODUCTION

Population par provinces, 1921-28 xcvii

Naissances, décès et mariages, par provinces, 1928 xcvii

Accroissement naturel—
Accroissement naturel par provinces et par sexes, 1921-28 xcviii
Accroissement naturel dans d'autres pays c

Naissances—
Taux des naissances et de la masculinité, 1921-28 c
Taux de la natalité dans d'autres pays ciii
Naissances par mois ciii
Ages des pères et mères civ
Lieu de naissance des parents cvi
Origine raciale des pères et mères cvii
Enfants illégitimes cviii

Mort-nés—
Mort-nés selon l'âge de la mère et légitimité, 1928 cxi
Proportion de mort-nés à la totalité des naissances, 1928 cxii
Mort-nés par sexes et mois de naissance, 1928 cxii

Ordre de naissance cxii

Mortalité infantile (au-dessous d'un an)—
Mortalité infantile par provinces et par sexe, 1921-28 cxv
Mortalité infantile en d'autres pays cxvii
Année de naissance et âge au décès cxvii
Mortalité infantile par mois cxviii
Mortalité infantile par trimestres cxx
Mortalité infantile pour l'année civile, 1927 cxxi
Mortalité infantile, par causes, 1926-28 cxxii
Proportion de certaines causes, par sexes cxxiv
Causes de mortalité infantile, par période d'âges cxxiv
Mortalité infantile par villes cxxv
Taux de la mortalité infantile pour les régions rurales et pour les centres urbains classifiés d'après la population cxxvi

Mortalité puerpérale—
Mortalité puerpérale par groupes d'âges et par provinces, 1928 cxxvii
Taux de la mortalité puerpérale en d'autres pays cxxviii
Mortalité puerpérale dans le territoire d'enregistrement de 1921 au cours des années 1921-28 cxxix
Décès de causes puerpérales classifiés selon les soins médicaux reçus et le fruit de l'accouchement cxxix
Mortalité puerpérale par causes de décès cxxx
Décès non attribués directement à la grossesse ni à l'accouchement cxxxi

Mortalité (toutes causes)—
Nombres absolus et taux bruts des décès par provinces, 1921-28 cxxxii
Taux brut de la mortalité dans d'autres pays cxxxii
Répartition des décès selon les âges cxxxiii
Décès de centenaires, 1928 cxxxv
Mortalité par mois, 1921-28 cxxxv
Taux ajustés et standardisés de la mortalité cxxxvii

Causes de décès—
Décès et taux de mortalité par certaines causes cxxxviii
Décès de certaines causes chez les Indiens cxli
Décès de certaines causes de la population, sans compter les Indiens cxliii
Décès de certaines causes dans le territoire d'enregistrement de 1921 cxlv

PAGE

Causes de décès—fin.
Maladies contagieuses ... cxlviii
Fièvre typhoïde ... cxlviii
Variole ... cxlviii
Rougeole ... cxlviii
Scarlatine ... cxlviii
Coqueluche ... cxlix
Diphtérie ... cxlix
Grippe ... cxlix
Poliomyélite aiguë ... cxlix
Encéphalite léthargique ... cl
Tuberculose ... cl
Syphilis ... cli
Cancer ... clii
Diabète mellitus ... cliv
Anémie ... clv
Alcoolisme, cirrhose du foie ... clv
Hémorragie cérébrale, apoplexie ... clvi
Affections du cœur ... clvi
Affections des artères ... clvii
Bronchite ... clvii
Pneumonie ... clvii
Diarrhée et entérite ... clviii
Néphrite ... clviii
Morts violentes ... clix
Suicides ... clix
Homicides ... clix
Accidents d'automobile ... clix
Noyades ... clxi
Répartition proportionnelle, par causes ... clxi
Répartition proportionnelle des décès, par sexes et par groupes d'âges selon leur causes ... clxii
Répartition par groupes d'âges des décès dus à certaines causes ... clxiii
Décès dus à certaines causes classifiées d'après les soins médicaux ... clxiv

Mariages—
Nuptialité et taux des mariages par provinces, 1921-28 ... clxv
Taux de la nuptialité en d'autres pays ... clxvi
Taux des mariages par mois ... clxvii
Etat civil des conjoints ... clxviii
Age des conjoints ... clxix
Mariages précoces ... clxxii
Lieu de naissance des conjoints ... clxxiii

Statistiques vitales du Yukon et des Territoires du Nord-Ouest ... clxxiv

TABLEAUX D'ENSEMBLE

Résumé général—
TABLEAU 1.—Résumé général des naissances, décès et mariages dans le Canada par provinces et comtés ou divisions de recensement, 1928 .. 3
TABLEAU 2.—Résumé général des naissances, décès et mariages dans les cités et villes de 1,000 habitants et au-dessus, 1928 ... 6

Naissances—
TABLEAU 3.—Naissances (mort-nés exclus) dans chaque mois, classifiées en rurales et urbaines, par provinces, 1928 ... 13
TABLEAU 4.—Total des naissances (mort-nés exclus) et naissances dans les institutions publiques, attribuées aux mères non domiciliées dans la province, 1928 ... 14
TABLEAU 5.—Naissances multiples classifiées selon les enfants vivants et les mort-nés, par sexe et par provinces, 1928 ... 15
TABLEAU 6.—Naissances (mort-nés exclus) classifiées selon le domicile des mères, et naissances dans les institutions publiques, dans les cités et villes de 5,000 âmes et plus, 1928 ... 16
TABLEAU 7.—Naissances (mort-nés exclus) classifiées comme légitimes ou illégitimes, par provinces, cités et villes de 5,000 habitants et plus, 1928 ... 20
TABLEAU 8.—Naissances (mort-nés exclus) classifiées selon l'âge des parents, 1928 ... 22

PAGE

Naissances—fin.

TABLEAU 9.—Naissances (mort-nés exclus) classifiées selon l'origine raciale des parents, 1928 42
TABLEAU 10.—Naissances (mort-nés exclus) classifiées selon l'âge et l'origine raciale des mères mariées, 1928 56
TABLEAU 11.—Naissances (mort-nés exclus) classifiées selon le lieu de naissance des parents, 1928 58
TABLEAU 12.—Naissances (mort-nés exclus) classifiées selon l'âge et le lieu de naissance des mères mariées, 1928 78
TABLEAU 13.—Ordre de priorité de naissance des enfants légitimes nés en 1928 (mort-nés compris) répartis selon l'âge de la mère et selon la province 80

Mortalité infantile—

TABLEAU 14.—Décès des enfants de moins d'un an (mort-nés exclus) dans le Canada durant chaque mois, classifiés en ruraux et urbains, par provinces, 1928 85
TABLEAU 15.—Total des décès (mort-nés exclus) et décès dans les institutions publiques d'enfants de moins d'un an non domiciliés dans la province, 1928 85
TABLEAU 16.—Total des décès (mort-nés exclus) et décès dans les institutions publiques, des enfants de moins d'un an, classifiés selon le domicile, dans les cités et villes de 5,000 âmes et plus, 1928 .. 86
TABLEAU 17.—Décès des enfants de moins d'un an (mort-nés exclus) selon l'âge au moment du décès, 1928 90
TABLEAU 18.—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus) classifiés selon l'origine raciale des décédés, 1928 91
TABLEAU 19.—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus) classifiés selon le lieu de naissance des parents, 1928 92
TABLEAU 20.—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus), par certaines causes spécifiques et par mois, 1928 94
TABLEAU 21.—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus), par âge et par certaines causes spécifiques, 1928 110

Mortalité générale—

TABLEAU 22.—Total des décès (mort-nés exclus) dans le Canada par mois, 1928. 133
TABLEAU 23.—Total des décès (mort-nés exclus) et décès dans les institutions publiques de non-domiciliés dans la province, 1928 133
TABLEAU 24.—Total des décès (mort-nés exclus) et décès dans les institutions publiques classifiés selon le domicile des défunts, dans les cités et villes de 5,000 âmes et plus, 1928 134
TABLEAU 25.—Décès (mort-nés exclus) par âges individuels et par groupes d'âges, 1928 138
TABLEAU 26.—Décès (mort-nés exclus) classifiés selon l'origine raciale des décédés, par provinces, 1928 142
TABLEAU 27.—Décès (mort-nés exclus) classifiés selon le lieu de naissance des décédés, par provinces, cités et villes de 10,000 habitants et plus, 1928 144
TABLEAU 28.—Décès (mort-nés exclus) classifiés selon le lieu de naissance des parents des décédés, pour le Canada, 1928 152

Mortalité générale par causes de décès—

TABLEAU 29.—Causes de décès pour chaque sexe, par provinces, 1928 154
TABLEAU 30.—Causes de décès de chaque sexe selon l'état civil, le lieu de naissance et le mois de décès pour le Canada, 1928 164
TABLEAU 31.—Causes de décès selon le sexe et l'âge dans le Canada et dans chaque province, en 1928 188
TABLEAU 32.—Causes de décès selon le sexe dans les cités de 40,000 habitants et plus, 1928 394
TABLEAU 33.—Décès masculins dans le Canada, classifiés selon l'occupation des décédés, 1928 405

Mariages—

TABLEAU 34.—Mariages dans le Canada, par mois, 1928 432
TABLEAU 35.—Mariages—Etat civil des conjoints dans chaque province, 1928. 432
TABLEAU 36.—Mariages constatés dans les parties rurales et urbaines des comtés ou divisions de recensement, 1928 433

PAGE

Mariages—fin.
TABLEAU 37.—Mariages classifiés selon l'âge et l'occupation des époux dans le Canada, 1928 435
TABLEAU 38.—Mariages—Ages des mariés, 1928 438
TABLEAU 39.—Mariages—Lieu de naissance des mariés, 1928 448
TABLEAU 40.—Mariages—Religion des conjoints, 1928 464
TABLEAU 41.—Mariages—Instruction des mariés dans le Canada, selon le lieu de naissance, 1928 474

APPENDICES

Appendice I.—Naissances et décès de la population indienne 475
TABLEAU A.—Naissances d'Indiens (mort-nés exclus) par mois et provinces, 1928 477
TABLEAU B.—Naissances d'Indiens (mort-nés exclus) réparties en légitimes et illégitimes, 1928 477
TABLEAU C.—Naissances d'Indiens (mort-nés exclus) classifiés selon l'âge des parents, Canada, 1928 478
TABLEAU D.—Indiens mort-nés, selon l'âge de la mère, et distinction entre naissances légitimes et illégitimes, 1928 480
TABLEAU E.—Enfants indiens décédés dans leur première année (mort-nés exclus) par mois et provinces, 1928 480
TABLEAU F.—Enfants indiens décédés dans leur première année (mort-nés exclus), par âge au décès, 1928 481
TABLEAU G.—Décès d'enfants indiens dans leur première année d'existence (mort-nés exclus), par sexe et par certaines causes spécifiées, dans chaque province, 1928 482
TABLEAU H.—Total des décès d'Indiens (mort-nés exclus) par mois et provinces, 1928 484
TABLEAU I.—Décès d'Indiens (mort-nés exclus) par âge au décès, 1928 485
TABLEAU J.—Causes de décès d'Indiens, par sexe, dans chaque province, 1928. 486
TABLEAU K.—Causes de décès d'Indiens selon le sexe et l'âge, Canada, 1928.. 496

Appendice II.—Cédule des divisions de recensement dans les provinces des prairies 513

Cartes montrant les divisions de recensement dans les provinces des prairies.

STATISTIQUES VITALES DU CANADA, 1928

INTRODUCTION

Ce rapport présente les statistiques des naissances, des décès et des mariages de l'année civile 1928, dans les neuf provinces du Canada, toutes coopérant avec le Bureau Fédéral de la Statistique à cet égard. Comme la province de Québec n'est comprise dans le système actuel que depuis le commencement de 1926, les statistiques de cette province figurant dans le présent rapport sont limitées à cette période, et les comparaisons rétroactives à 1921 n'embrassent que les autres provinces désignées sous le nom collectif de "territoire d'enregistrement de 1921."

Les chiffres du territoire du Yukon et des territoires du Nord-Ouest ne sont pas compris avec ceux des provinces; les naissances, les décès et les mariages inscrits dans ces territoires au cours de 1928 sont donnés séparément à la fin de cette introduction. Vu le chiffre minime de la population de ces territoires, leurs statistiques vitales n'affectent guère les totaux pour l'ensemble du Canada.

La population du Canada, par provinces, pour les années 1921–28, est donnée dans le tableau I. Afin de faciliter la computation des taux du territoire d'enregistrement de 1921, un total distinct a été fait pour les huit provinces comprises dans ce territoire.

TABLEAU I.—POPULATION PAR PROVINCES, 1921-28

Année	I.P.-E.	N.-E.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.	**Canada** (1)	Territoire d'enregistrement de 1921 (2)
1921.....	88,615	523,837	(3)387,876	2,361,199	2,933,662	610,118	757,510	588,454	524,582	**8,775,853**	(3) 6,414,654
1922.....	88,000	528,000	392,000	2,400,000	2,981,000	616,000	771,000	592,000	539,000	**8,907,000**	6,507,000
1923.....	88,000	530,000	396,000	2,439,000	3,019,000	621,000	783,000	596,000	544,000	**9,016,000**	6,577,000
1924.....	88,000	534,000	399,000	2,480,000	3,062,000	627,000	797,000	599,000	553,000	**9,139,000**	6,659,000
1925.....	87,000	537,000	403,000	2,520,000	3,103,000	633,000	810,000	603,000	561,000	**9,257,000**	6,737,000
1926.....	87,000	540,000	407,000	2,562,000	3,146,000	639,000	821,000	608,000	568,000	**9,378,000**	6,816,000
1927.....	87,000	543,000	411,000	2,604,000	3,187,000	647,000	836,000	617,000	575,000	**9,507,000**	6,903,000
1928.....	86,000	547,000	415,000	2,647,000	3,229,000	655,000	851,000	632,000	583,000	**9,645,000**	6,998,000

(1) Le Yukon et les Territoires du Nord-Ouest, dont la population s'élevait à 12,145 en 1921, sont exclus de ce tableau. Les tableaux des naissances, des décès et des mariages pour ces territoires sont donnés à la fin de l'introduction.

(2) Comprenant les provinces de l'Île du Prince-Edouard, de la Nouvelle-Ecosse, du Nouveau-Brunswick, de l'Ontario, du Manitoba, de la Saskatchewan, de l'Alberta et de la Colombie Britannique.

(3) Les statistiques du comté de Kent, Nouveau-Brunswick n'existent que depuis le 1er mai 1921. On a donc dû exclure pour cette année-là un tiers de la population de ce comté, réduisant ainsi la population du Nouveau-Brunswick à 379,904 et celle du territoire d'enregistrement à 6,406,682.

NOTE.—La population de 1921 et celle de 1926 pour le Manitoba, la Saskatchewan et l'Alberta (dans ce dernier cas à un millier près) sont celles des recensements, les chiffres des autres années sont estimatifs.

Le tableau II indique le nombre de naissances, de décès et de mariages enregistrés dans chaque province en l'année 1928. Il est établi une distinction entre la population rurale et la population urbaine, la population urbaine étant celle des cités et des villes d'au moins 1,000 âmes; partout ailleurs, la population est considérée comme rurale.

TABLEAU II.—NAISSANCES, DECES ET MARIAGES, PAR PROVINCES, 1928

Province	Naissances (2)	Décès (2)	Mariages	Province	Naissances (2)	Décès (2)	Mariages
Canada (1).....	**236,757**	**109,057**	**74,311**	Ontario.....	68,510	37,128	25,728
Ruraux.....	**115,371**	**46,435**	**24,243**	Ruraux.....	25,144	13,658	5,960
Urbains.....	**121,386**	**62,622**	**50,068**	Urbains.....	43,366	23,470	19,768
Ile du Prince-Edouard.....	1,806	952	466	Manitoba.....	14,504	5,396	5,170
Ruraux.....	1,405	616	254	Ruraux.....	7,579	2,343	1,630
Urbains.....	401	336	212	Urbains.....	6,925	3,053	3,540
Nouvelle-Ecosse.....	10,931	6,202	3,256	Saskatchewan.....	21,261	6,166	6,701
Ruraux.....	5,487	3,155	1,074	Ruraux.....	15,885	3,947	3,339
Urbains.....	5,444	3,047	2,182	Urbains.....	5,376	2,219	3,362
Nouveau-Brunswick.....	10,047	4,972	3,146	Alberta.....	15,692	5,699	5,776
Ruraux.....	6,779	3,056	1,524	Ruraux.....	8,820	2,941	1,871
Urbains.....	3,268	1,916	1,622	Urbains.....	6,872	2,758	3,905
Québec.....	83,621	36,632	19,126	Colombie Britannique.....	10,385	5,910	4,942
Ruraux.....	41,089	14,789	7,446	Ruraux.....	3,183	1,930	1,145
Urbains.....	42,532	21,843	11,680	Urbains.....	7,202	3,980	3,797

(1) Voir la note 1, au bas du tableau I. (2) Sans compter les mort-nés.

NOTE.—"Urbains", villes et cités de 1,000 âmes ou plus, au recensement de 1926, dans le Manitoba, la Saskatchewan et l'Alberta, et au recensement de 1921 dans toutes les autres provinces. "Ruraux", population de moins de 1,000 âmes.

Accroissement naturel.—L'accroissement naturel de la population des provinces par l'excédent des naissances sur les décès, en 1928, est de 127,700 âmes. Au cours de l'année, on a constaté la naissance de 121,505 garçons et 115,252 filles, formant un total de 236,757 naissances pour les deux sexes. Durant la même période, les décès se sont élevés à 109,057, dont 58,480 chez les garçons et 50,577 chez les filles. Par conséquent, la population masculine du Canada s'est accrue de 63,025 âmes et la population féminine de 64,675 âmes, par accroissement naturel en 1928, soit une différence de 1,650 en faveur de la population féminine. L'accroissement naturel par 1,000 âmes, pour les deux sexes, est donc de 13·2.

Pour le territoire d'enregistrement de 1921, l'accroissement naturel en l'année 1928 est de 80,711, ou 11·6 par 1,000 âmes, comparativement à 82,007 ou 11·9 par 1,000 en 1927. Dans ce territoire, la comparaison de l'accroissement naturel des deux sexes présente une différence de 2,687 en faveur des filles.


TABLEAU III.—EXCEDENT DES NAISSANCES SUR LES DECES, PAR PROVINCES, POUR CHAQUE SEXE, 1921-28

Province		Population masculine			Population féminine			Deux sexes	
		Naissances (2)	Décès (2)	Excédent des naissances sur les décès	Naissances (2)	Décès (2)	Excédent des naissances sur les décès	Excédent des naissances sur les décès	Taux de l'accroissement naturel par 1,000 âmes
Canada (1)	**1926**	**119,863**	**56,979**	**62,884**	**112,887**	**50,475**	**62,412**	**125,296**	**13·3**
	1927	**120,655**	**56,265**	**64,390**	**113,533**	**49,027**	**64,506**	**128,896**	**13·5**
	1928	**121,505**	**58,480**	**63,025**	**115,252**	**50,577**	**64,675**	**127,700**	**13·2**
Ile du Prince-Edouard	1921	1,073	619	454	1,083	590	493	947	10·7
	1922	1,104	588	516	1,056	525	531	1,047	11·9
	1923	981	552	429	996	598	398	827	9·4
	1924	928	490	438	930	466	464	902	10·2
	1925	877	513	364	798	484	314	678	7·8
	1926	887	452	435	865	446	419	854	9·8
	1927	890	451	439	807	462	345	784	9·0
	1928	947	495	452	859	457	402	854	9·9
Nouvelle-Ecosse	1921	6,695	3,372	3,323	6,326	3,048	3,278	6,601	12·6
	1922	6,630	3,515	3,115	6,063	3,164	2,899	6,014	11·4
	1923	5,973	3,587	2,386	5,707	3,281	2,426	4,812	9·0
	1924	6,189	3,456	2,733	5,612	3,127	2,485	5,218	9·8
	1925	5,886	3,076	2,810	5,514	2,969	2,545	5,355	9·9
	1926	5,638	3,374	2,264	5,342	2,992	2,350	4,614	8·5
	1927	5,704	3,300	2,404	5,430	3,078	2,352	4,756	8·8
	1928	5,533	3,339	2,194	5,398	2,863	2,535	4,729	8·7
Nouveau-Brunswick	1921	5,942	2,858	3,084	5,523	2,552	2,971	6,055	16·0
	1922	5,955	2,689	3,266	5,609	2,469	3,140	6,406	16·3
	1923	5,457	2,618	2,839	5,247	2,395	2,852	5,691	14·3
	1924	5,523	2,629	2,894	5,194	2,294	2,900	5,794	14·6
	1925	5,664	2,620	3,044	5,285	2,340	2,945	5,989	14·9
	1926	5,294	2,608	2,686	5,046	2,394	2,652	5,338	13·1
	1927	5,391	2,537	2,854	5,088	2,365	2,723	5,577	13·6
	1928	5,152	2,654	2,498	4,895	2,318	2,577	5,075	12·2
Québec	1926	42,475	19,232	23,243	39,690	18,019	21,671	44,914	17·6
	1927	42,813	18,827	23,986	40,251	17,348	22,903	46,889	18·0
	1928	43,049	19,036	24,013	40,572	17,596	22,976	46,989	17·8
Ontario	1921	38,307	18,062	20,245	35,845	16,489	19,356	39,601	13·5
	1922	36,495	17,726	18,769	34,935	16,308	18,627	37,396	12·6
	1923	36,141	18,452	17,689	33,915	17,184	16,731	34,420	11·4
	1924	36,582	17,153	19,429	34,928	15,925	19,003	38,432	12·6
	1925	36,098	17,583	18,515	34,024	16,377	17,647	36,162	11·7
	1926	34,742	18,721	16,021	32,875	17,188	15,687	31,708	10·1
	1927	34,755	18,305	16,450	32,916	16,470	16,446	32,896	10·3
	1928	35,299	19,457	15,842	33,211	17,671	15,540	31,382	9·7
Manitoba	1921	9,455	2,964	6,491	9,023	2,424	6,599	13,090	21·5
	1922	8,926	3,079	5,847	8,753	2,675	6,078	11,925	19·4
	1923	8,397	2,935	5,462	8,075	2,395	5,680	11,142	17·9
	1924	7,804	2,713	5,091	7,650	2,310	5,340	10,431	16·6
	1925	7,634	2,911	4,723	7,233	2,334	4,899	9,622	15·2
	1926	7,598	2,936	4,662	7,063	2,399	4,664	9,326	14·6
	1927	7,434	2,968	4,466	6,713	2,341	4,372	8,838	13·7
	1928	7,282	3,029	4,253	7,222	2,367	4,855	9,108	13·9
Saskatchewan	1921	11,620	3,078	8,542	10,873	2,518	8,355	16,897	22·3
	1922	11,435	3,411	8,024	10,904	2,708	8,196	16,220	21·1
	1923	10,765	3,442	7,323	10,182	2,740	7,442	14,765	18·9
	1924	11,157	3,176	7,981	10,382	2,596	7,786	15,767	19·8
	1925	10,620	3,228	7,392	9,962	2,400	7,562	14,954	18·5
	1926	10,651	3,393	7,258	10,065	2,667	7,398	14,656	17·8
	1927	10,852	3,395	7,457	10,163	2,636	7,527	14,984	17·9
	1928	10,983	3,485	7,498	10,278	2,681	7,597	15,095	17·8

TABLEAU III.—EXCEDENT DES NAISSANCES SUR LES DECES, PAR PROVINCES, POUR CHAQUE SEXE, 1921-28—*fin*

Province		Population masculine			Population féminine			Deux sexes	
		Naissances (2)	Décès (2)	Excédent des naissances sur les décès	Naissances (2)	Décès (2)	Excédent des naissances sur les décès	Excédent des naissances sur les décès	Taux de l'accroissement naturel par 1,000 âmes
Alberta	1921	8,493	2,858	5,635	8,068	2,082	5,986	11,621	19·7
	1922	8,219	2,984	5,235	7,944	2,280	5,664	10,899	18·4
	1923	7,676	2,861	4,815	7,384	2,145	5,239	10,054	16·9
	1924	7,422	2,718	4,704	7,175	2,140	5,035	9,739	16·3
	1925	7,626	2,703	4,923	7,298	1,994	5,304	10,227	16·9
	1926	7,410	2,931	4,479	7,046	2,228	4,818	9,297	15·3
	1927	7,682	2,932	4,750	7,215	2,127	5,088	9,838	15·9
	1928	8,091	3,322	4,769	7,601	2,377	5,224	9,993	15·8
Colombie Britannique	1921	5,549	2,600	2,949	5,104	1,608	3,496	6,445	12·3
	1922	5,293	3,052	2,241	4,873	1,855	3,018	5,259	9·8
	1923	5,176	3,070	2,106	4,825	1,927	2,898	5,004	9·2
	1924	5,203	3,080	2,123	4,916	1,924	2,992	5,115	9·3
	1925	5,329	3,047	2,282	5,013	1,898	3,115	5,397	9·6
	1926	5,168	3,332	1,836	4,895	2,142	2,753	4,589	8·1
	1927	5,134	3,550	1,584	4,950	2,200	2,750	4,334	7·5
	1928	5,169	3,663	1,506	5,216	2,247	2,969	4,475	7·7
Territoire d'enregistrement de 1921	**1921**	**87,134**	**36,411**	**50,723**	**81,845**	**31,311**	**50,534**	**101,257**	**15·8**
	1922	**84,057**	**37,044**	**47,013**	**80,137**	**31,984**	**48,153**	**95,166**	**14·6**
	1923	**89,566**	**37,517**	**43,049**	**76,331**	**32,665**	**43,666**	**86,715**	**13·2**
	1924	**80,808**	**35,415**	**45,393**	**76,787**	**30,782**	**46,005**	**91,398**	**13·8**
	1925	**79,734**	**35,681**	**44,053**	**75,127**	**30,796**	**44,331**	**88,384**	**13·1**
	1926	**77,388**	**37,747**	**39,641**	**73,197**	**32,456**	**40,741**	**80,382**	**11·8**
	1927	**77,842**	**37,438**	**40,404**	**73,282**	**31,679**	**41,603**	**82,007**	**11·9**
	1928	**78,456**	**39,444**	**39,012**	**74,680**	**32,981**	**41,699**	**80,711**	**11·6**

(1) Voir la note 1, au bas du tableau I. (2) Sans compter les mort-nés.



Le tableau IV relève, pour comparaison avec les chiffres du Canada, les taux de l'accroissement naturel d'un certain nombre d'autres pays; en certains cas, ces chiffres ne sont que provisoires.

TABLEAU IV.—TAUX DE L'ACCROISSEMENT NATUREL AU CANADA ET EN CERTAINS AUTRES PAYS

(Taux par 1,000 âmes)

Pays	Année	Taux de l'accroissement naturel	Pays	Année	Taux de l'accroissement naturel
Canada (1)	**1928**	**13·2**	Hongrie	1928	9·1
Allemagne	1928	6·9	Iles Britanniques	1928	5·2
Angleterre et pays de Galles	1928	5·0	Inde (Britannique)	1927	10·4
Australie	1928	11·8	Irlande du Nord	1928	6·4
Autriche	1928	3·1	Italie	1927	11·2
Belgique	1928	5·1	Japon	1928	14·5
Ceylan	1928	15·2	Norvège	1928	7·4
Chili	1928	28·5	Nouvelle-Zélande	1928	11·1
Danemark	1928	8·6	Pays-Bas	1928	13·7
Ecosse	1928	6·5	Roumanie	1927	11·9
Espagne	1928	11·3	Salvador	1926	13·9
Etat libre d'Irlande	1928	5·9	Sao Paulo	1925	15·9
Etats-Unis (territoire d'enregistrement)	1928	7·7	Suède	1928	4·2
Finlande	1928	8·0	Suisse	1928	5·3
France	1928	1·8	Union Sud-Africaine (2)	1927	16·3
			Uruguay	1928	14·3

(1) Voir la note 1, au bas du tableau I.
(2) Population blanche.

NAISSANCES

En 1928, on a constaté 241,301 accouchements au Canada, dont 238,302 d'un seul enfant, 2,965 de deux enfants et 34 de trois enfants.

En somme, il y a eu 236,757 naissances d'enfants vivants et 7,577 mort-nés. Le tableau 5 (tableaux d'ensemble) relève tous ces détails, et indique la contribution des accouchements simples et multiples aux naissances d'enfants vivants ou mort-nés des deux sexes.


Taux de natalité.—Le taux brut des naissances vivantes au Canada en 1928 est de 24·5 par 1,000 âmes, comparativement à 24·6 l'année précédente. Le taux le plus élevé parmi les provinces est de 31·6 pour Québec, 25·0 pour la Saskatchewan et 24·8 pour l'Alberta; le plus bas revient à la Colombie Britannique 17·8 et à la Nouvelle-Ecosse 20·0.

Le taux de la natalité pour le territoire d'enregistrement de 1921 est de 21·9 par 1,000 âmes en 1928, chiffre identique à celui de l'année précédente. Le nombre absolu des naissances en la même année est 2,012 plus élevé qu'en 1927. Il est bon de remarquer que de 1921 à 1927, le taux de ce territoire a toujours décliné d'année en année.

Masculinité.—On remarque un excédent de naissances masculines sur les naissances féminines en 1928, dans chaque province sauf en Colombie Britannique où la proportion des naissances masculines est seulement de 991 par 1,000 naissances féminines. Le taux le plus élevé se trouve dans l'Ile du Prince-Edouard, où on compte 1,102 naissances de garçons pour 1,000 filles. En la période 1921–28, l'Ile du Prince-Edouard, comme on peut le prévoir en raison de la minimité de sa population, présente la plus forte marge de fluctuation. La province du Manitoba, qui avait une proportion de 1,107 naissances masculines pour 1,000 naissances féminines en 1927, a vu sa proportion baisser à 1,008 en 1928, changement surprenant dans le cours d'une année.

Pour l'ensemble du Canada, on compte 1,054 naissances de garçons pour 1,000 filles, comparativement à une proportion de 1,063 en 1927 et 1,062 en 1926.

La proportion pour le territoire d'enregistrement de 1921 en l'année qui nous occupe est de 1,051 naissances masculines pour 1,000 naissances féminines. Durant les huit années relatées dans le tableau V, cette proportion varie entre 1,049 en 1922 et 1,065 en 1921.



Il peut être intéressant de remarquer qu'aux Etats-Unis, en les années 1921 à 1927, dans les Etats soumis aux statistiques vitales, la proportion annuelle de naissances masculines varie entre 1,056 et 1,060 par 1,000 naissances féminines.

En Angleterre et au pays de Galles, durant les cinquante années de 1871 à 1921, la proportion des naissances masculines par rapport aux naissances féminines oscilla entre 1,032 en 1898 à 1,060 en 1919; avant la Grande Guerre, la proportion la plus élevée avait été de 1,042 en 1878. La proportion des naissances masculines comparativement aux naissances féminines en Angleterre et au pays de Galles a fluctué comme suit depuis 1921:

ANGLETERRE ET PAYS DE GALLES

1921	1,051	1925	1,045
1922	1,049	1926	1,041
1923	1,044	1927	1,042
1924	1,047	1928	1,044

En Allemagne, le taux de masculinité des naissances, qui était de 1,056 en 1914 et de 1,055 en 1915, monta rapidement durant et après la guerre, atteignant son point culminant 1,080 en 1919, pour s'affaisser peu à peu ensuite. En 1926, la proportion des garçons par rapport aux filles était de 1,062 par 1,000, en 1927, 1,060, et en 1928, 1,062.

TABLEAU V.—TAUX DES NAISSANCES (A L'EXCLUSION DES MORT-NES) PAR 1,000 DE POPULATION ET PROPORTION DES GARÇONS COMPARATIVEMENT AUX FILLES, 1921–28

Province		Nombre de naissances vivantes	Taux par 1,000 âmes	Garçons		Filles		Garçons par 1,000 filles
				Nombre	Pourcentage du total	Nombre	Pourcentage du total	
Canada (1)	**1926**	**232,750**	**24·8**	**119,863**	**51·5**	**112,887**	**48·5**	**1,062**
	1927	**234,188**	**24·6**	**120,655**	**51·5**	**113,533**	**48·5**	**1,063**
	1928	**236,757**	**24·5**	**121,505**	**51·3**	**115,252**	**48·7**	**1,054**
Ile du Prince-Edouard	1921	2,156	24·3	1,073	49·8	1,083	50·2	991
	1922	2,160	24·5	1,104	51·1	1,056	48·9	1,045
	1923	1,977	22·5	981	49·6	996	50·4	985
	1924	1,858	21·1	928	49·9	930	50·1	998
	1925	1,675	19·3	877	52·4	798	47·6	1,099
	1926	1,752	20·1	887	50·6	865	49·4	1,025
	1927	1,697	19·5	890	52·4	807	47·6	1,103
	1928	1,806	21·0	947	52·4	859	47·6	1,102
Nouvelle-Ecosse	1921	13,021	24·9	6,695	51·4	6,326	48·6	1,058
	1922	12,693	24·0	6,630	52·2	6,063	47·8	1,094
	1923	11,680	22·0	5,973	51·1	5,707	48·9	1,047
	1924	11,801	22·1	6,189	52·4	5,612	47·6	1,103
	1925	11,400	21·2	5,886	51·6	5,514	48·4	1,067
	1926	10,980	20·3	5,638	51·3	5,342	48·7	1,055
	1927	11,134	20·5	5,704	51·2	5,430	48·8	1,050
	1928	10,931	20·0	5,533	50·6	5,398	49·4	1,025
Nouveau-Brunswick	1921	11,465	30·2	5,942	51·8	5,523	48·2	1,076
	1922	11,564	29·5	5,955	51·5	5,609	48·5	1,062
	1923	10,704	27·0	5,457	51·0	5,247	49·0	1,040
	1924	10,717	26·9	5,523	51·5	5,194	48·5	1,063
	1925	10,949	27·2	5,664	51·7	5,285	48·3	1,072
	1926	10,340	25·4	5,294	51·2	5,046	48·8	1,049
	1927	10,479	25·5	5,391	51·4	5,088	48·6	1,060
	1928	10,047	24·2	5,152	51·3	4,895	48·7	1,053
Québec	1926	82,165	32·1	42,475	51·7	39,690	48·3	1,070
	1927	83,064	31·9	42,813	51·5	40,251	48·5	1,064
	1928	83,621	31·6	43,049	51·5	40,572	48·5	1,061
Ontario	1921	74,152	25·3	38,307	51·7	35,845	48·3	1,069
	1922	71,430	24·0	36,495	51·1	34,935	48·9	1,045
	1923	70,056	23·2	36,141	51·6	33,915	48·4	1,066
	1924	71,510	23·4	36,582	51·2	34,928	48·8	1,047
	1925	70,122	22·6	36,098	51·5	34,024	48·5	1,061
	1926	67,617	21·5	34,742	51·4	32,875	48·6	1,057
	1927	67,671	21·2	34,755	51·4	32,916	48·6	1,056
	1928	68,510	21·2	35,299	51·5	33,211	48·5	1,063
Manitoba	1921	18,478	30·3	9,455	51·2	9,023	48·8	1,048
	1922	17,679	28·7	8,926	50·5	8,753	49·5	1,020
	1923	16,472	26·5	8,397	51·0	8,075	49·0	1,040
	1924	15,454	24·6	7,804	50·5	7,650	49·5	1,020
	1925	14,867	23·5	7,634	51·3	7,233	48·7	1,055
	1926	14,661	22·9	7,598	51·8	7,063	48·2	1,076
	1927	14,147	21·9	7,434	52·5	6,713	47·5	1,107
	1928	14,504	22·1	7,282	50·2	7,222	49·8	1,008
Saskatchewan	1921	22,493	29·7	11,620	51·7	10,873	48·3	1,069
	1922	22,339	29·0	11,435	51·2	10,904	48·8	1,049
	1923	20,947	26·8	10,765	51·4	10,182	48·6	1,057
	1924	21,539	27·0	11,157	51·8	10,382	48·2	1,075
	1925	20,582	25·4	10,620	51·6	9,962	48·4	1,066
	1926	20,716	25·2	10,651	51·4	10,065	48·6	1,058
	1927	21,015	25·1	10,852	51·6	10,163	48·4	1,068
	1928	21,261	25·0	10,983	51·7	10,278	48·3	1,069
Alberta	1921	16,561	28·1	8,493	51·3	8,068	48·7	1,053
	1922	16,163	27·3	8,219	50·9	7,944	49·1	1,035
	1923	15,060	25·3	7,676	51·0	7,384	49·0	1,040
	1924	14,597	24·4	7,422	50·8	7,175	49·2	1,034
	1925	14,924	24·7	7,626	51·1	7,298	48·9	1,045
	1926	14,456	23·8	7,410	51·3	7,046	48·7	1,052
	1927	14,897	24·1	7,682	51·6	7,215	48·4	1,065
	1928	15,692	24·8	8,091	51·6	7,601	48·4	1,064
Colombie Britannique	1921	10,653	20·3	5,549	52·1	5,104	47·9	1,087
	1922	10,166	18·9	5,293	52·0	4,873	47·9	1,086
	1923	10,001	18·4	5,176	51·8	4,825	48·2	1,073
	1924	10,119	18·3	5,203	51·4	4,916	48·6	1,058
	1925	10,342	18·4	5,329	51·5	5,013	48·5	1,063
	1926	10,063	17·7	5,168	51·4	4,895	48·6	1,056
	1927	10,084	17·5	5,134	50·9	4,950	49·1	1,037
	1928	10,385	17·8	5,169	49·8	5,216	50·2	991
Territoire d'enregistrement de 1921.	**1921**	**168,979**	**26·4**	**87,134**	**51·6**	**81,845**	**48·4**	**1,065**
	1922	**161,194**	**25·2**	**84,057**	**51·2**	**80,137**	**48·8**	**1,049**
	1923	**156,897**	**23·9**	**80,566**	**51·3**	**76,331**	**48·7**	**1,055**
	1924	**157,595**	**23·7**	**80,808**	**51·3**	**76,787**	**48·7**	**1,052**
	1925	**154,861**	**23·0**	**79,734**	**51·5**	**75,127**	**48·5**	**1,061**
	1926	**151,585**	**22·1**	**77,388**	**51·4**	**73,197**	**48·6**	**1,057**
	1927	**151,124**	**21·9**	**77,842**	**51·5**	**73,282**	**48·5**	**1,062**
	1928	**153,136**	**21·9**	**78,456**	**51·2**	**74,680**	**48·8**	**1,051**

(1) Voir la note 1, au bas du tableau I.

Taux de la natalité en d'autres pays.—Le nombre des naissances et le taux proportionnément à la population est présenté pour le Canada et certains autres pays dans le tableau VI. En certains cas, les chiffres ne sont que provisoires.

TABLEAU VI.—TAUX DE LA NATALITE AU CANADA ET DANS CERTAINS AUTRES PAYS

Pays	Année	Population	Naissances vivantes	Taux par 1,000 âmes	Pays	Année	Population	Naissances vivantes	Taux par 1,000 âmes
Canada(1)	**1928**	**9,645,000**	**236,757**	**24·5**	Hongrie	1928	8,564,823	224,693	26·2
Allemagne	1928	63,811,000	1,182,815	18·5	Iles Britanniques	1928	48,574,182	842,228	17·3
Angleterre et pays de Galles	1928	39,482,000	660,267	16·7	Inde (Britannique)	1927	241,471,383	8,516,706	35·3
Australie	1928	6,286,094	134,078	21·3	Irlande du Nord	1928	1,250,000	25,963	20·8
Autriche	1928	6,686,575	116,783	17·5	Italie	1927	40,581,000	1,093,772	27·0
Belgique	1928	7,995,558	148,071	18·5	Japon	1928	62,122,200	2,135,852	34·4
Ceylan	1928	5,334,370	213,308	40·0	Norvège	1928	2,810,592	50,487	18·0
Chili	1928	4,283,897	223,686	52·2	Nouvelle-Zélande	1928	1,390,684	27,200	19·6
Danemark	1928	3,497,000	68,500	19·6	Pays-Bas	1928	7,667,261	179,023	23·3
Ecosse	1928	4,893,182	96,822	19·8	Roumanie	1927	17,694,189	603,284	34·1
Espagne	1928	22,444,000	666,000	29·7	Salvador	1926	1,657,196	59,763	36·1
Etat libre d'Irlande	1928	2,949,000	59,176	20·1	Sao Paulo	1925	5,636,357	181,977	32·3
Etats-Unis (territ're d'enregistrement)	1928	113,348,000	2,233,149	19·7	Suède	1928	6,096,557	98,451	16·2
Finlande	1928	3,611,791	77,523	21·5	Suisse	1928	4,018,500	69,594	17·3
France	1928	41,020,000	745,315	18·2	Union S. Africaine (2)	1927	1,708,955	44,347	26·0
					Uruguay	1928	1,785,368	44,632	25·0

(1) Voir la note 1, au bas du tableau I. (2) Population blanche.

Naissances par mois.—Le tableau 3 des tableaux d'ensemble donne le nombre des naissances déclarées dans chacun des mois de l'année et classifiées dans chaque province, comme rurales ou urbaines.

Le tableau VII donne par provinces l'équivalent annuel de la proportion des naissances par mois de 1926, 1927 et 1928. Pour obtenir chacun de ces résultats, le nombre des naissances du mois indiqué a été multiplié par 365 et divisé par le nombre de jours contenus dans ce mois, avant d'être réduit à une proportion par 1,000 de population.

Les taux relevés par provinces dans le tableau VII sont assez caractéristiques en atteignant leur sommet en mars et avril avec ordinairement de légères fluctuations dans les mois d'été, suivie d'une baisse prononcée en octobre, conduisant aux taux les plus bas de l'année en novembre ou décembre. Les taux de naissances par mois sont corrélatifs aux taux de mariage par mois, mais cette évidente corrélation s'étend seulement aux premières naissances et les fluctuations dans le taux de naissance sont proportionnellement de peu d'étendue.

Le tableau VIII contient l'équivalent des taux de naissances annuels dans le territoire d'enregistrement de 1921, pour chaque mois durant la période 1921–28. Ce relevé contient les mêmes caractéristiques que celles du tableau précédent, soit le maximum atteint en mars ou avril, le plus souvent au cours du premier mois, avec une baisse graduelle vers la fin du printemps et durant les mois d'été, variant en certaines années par un relèvement en août ou septembre, puis s'abaissant notablement en octobre pour atteindre les plus faibles taux en novembre et décembre.

TABLEAU VII.—TAUX DES NAISSANCES (MORT-NES EXCLUS) PAR 1,000 DE POPULATION, EN CHAQUE MOIS PAR PROVINCES, 1926-28

Province		Taux annuel	Equivalent du taux annuel des naissances											
			Jan.	Fév.	Mars	Avril	Mai	Juin	Juil.	Août	Sept.	Oct.	Nov.	Déc.
Canada [1]	**1926**	**24·8**	**24·3**	**25·4**	**26·8**	**27·3**	**26·0**	**25·3**	**25·0**	**24·7**	**24·8**	**23·2**	**22·6**	**22·5**
	1927	**24·6**	**22·3**	**24·1**	**26·5**	**26·8**	**26·0**	**26·1**	**25·6**	**24·7**	**24·8**	**22·9**	**22·7**	**23·0**
	1928	**24·5**	**23·7**	**24·6**	**26·2**	**25·9**	**25·8**	**25·4**	**24·5**	**24·4**	**24·8**	**23·1**	**22·8**	**23·4**
Ile du Prince-Edouard	1926	20·1	20·6	18·9	22·6	21·0	18·7	19·6	25·7	23·4	19·6	20·0	15·9	15·4
	1927	19·5	17·3	18·0	20·8	20·8	18·5	21·4	17·5	20·3	17·8	20·6	19·7	21·2
	1928	21·0	19·1	21·7	17·9	20·1	21·3	20·3	21·4	20·9	23·4	20·6	23·7	21·8
Nouvelle-Ecosse	1926	20·3	18·8	21·6	21·3	21·5	20·9	20·7	20·4	19·9	21·3	20·0	19·5	18·3
	1927	20·5	17·2	19·0	21·2	21·9	21·4	20·5	22·1	22·1	21·1	19·7	19·4	20·2
	1928	20·0	19·7	18·9	20·0	20·8	19·1	19·8	20·4	21·8	21·5	19·8	18·8	19·2
Nouveau-Brunswick	1926	25·4	23·6	27·6	30·1	29·5	27·7	26·7	26·2	25·6	23·8	21·0	21·1	22·0
	1927	25·5	21·2	23·9	28·4	29·9	28·0	29·0	25·3	24·0	26·8	22·0	23·3	24·2
	1928	24·2	23·3	24·7	28·9	27·0	26·8	26·2	24·4	22·8	22·3	20·3	21·4	22·6
Québec	1926	32·1	31·7	32·9	35·7	36·8	33·6	32·6	32·0	31·0	32·0	29·1	28·7	28·9
	1927	31·9	28·3	30·8	34·4	35·7	35·2	34·6	33·4	31·2	31·8	29·0	28·9	29·5
	1928	31·6	30·5	31·8	34·3	33·8	33·6	33·2	32·2	30·3	31·7	29·0	28·6	30·1
Ontario	1926	21·5	20·8	21·7	22·7	23·2	23·4	22·4	21·9	21·5	21·7	20·7	19·1	18·9
	1927	21·2	18·9	20·8	22·6	23·0	21·9	22·5	22·6	21·3	21·6	20·1	19·6	19·8
	1928	21·2	20·5	21·5	22·2	21·7	22·5	22·6	21·7	21·7	21·3	20·1	19·3	19·6
Manitoba	1926	22·9	21·9	24·4	24·2	24·3	23·0	22·4	23·0	22·6	24·1	20·9	22·7	21·8
	1927	21·9	20·6	22·6	23·0	23·3	21·5	22·3	21·4	22·1	22·1	21·8	21·3	20·4
	1928	22·1	21·8	21·5	23·9	25·3	21·4	20·7	20·8	22·3	23·1	21·9	21·5	21·8
Saskatchewan	1926	25·2	24·9	25·6	26·5	26·7	24·8	24·8	25·1	25·9	25·3	24·5	24·0	24·8
	1927	25·1	24·7	25·7	27·5	26·0	25·4	26·5	25·4	26·0	25·6	23·2	22·7	23·0
	1928	25·0	23·5	23·8	26·1	27·2	25·8	24·4	24·0	25·3	25·0	24·9	25·3	24·5
Alberta	1926	23·8	24·3	23·5	23·8	25·8	25·0	23·4	23·7	24·8	22·6	23·2	23·3	21·9
	1927	24·1	23·3	23·6	26·3	25·6	25·7	24·3	24·0	24·1	24·7	22·5	22·5	23·1
	1928	24·8	24·3	25·1	26·0	25·9	26·8	23·9	22·1	24·8	25·2	24·2	24·7	24·9
Colombie Britannique	1926	17·7	17·9	18·2	19·6	18·3	17·2	17·7	17·5	18·8	17·5	16·8	16·2	16·8
	1927	17·5	18·3	18·5	19·2	17·1	17·7	17·3	17·8	18·7	16·1	16·6	17·5	15·8
	1928	17·8	17·6	18·2	19·2	17·5	18·3	19·3	17·3	17·8	19·4	16·3	16·3	16·7

[1] Voir la note 1, au bas du tableau I.

TABLEAU VIII.—TAUX DES NAISSANCES (MORT-NES EXCLUS) PAR 1,000 DE POPULATION, EN CHAQUE MOIS DANS LE TERRITOIRE D'ENREGISTREMENT DE 1921, 1921-28

Année	Taux annuel	Equivalent du taux annuel des naissances											
		Jan.	Fév.	Mars	Avril	Mai	Juin	Juil.	Août	Sept.	Oct.	Nov.	Déc.
1921	26·4	25·3	26·3	28·0	28·0	27·5	26·5	26·4	26·4	27·1	25·3	24·5	25·2
1922	25·2	25·8	26·4	27·4	26·2	25·8	25·8	25·5	25·8	25·5	23·6	23·2	22·1
1923	23·9	23·2	25·4	25·5	25·2	24·7	24·6	24·2	24·5	24·4	22·4	21·3	21·0
1924	23·7	22·8	24·2	25·5	25·2	24·6	24·4	23·5	23·4	23·8	22·6	22·1	22·0
1925	23·0	22·1	23·4	24·7	24·6	24·3	23·6	23·5	23·4	22·8	21·5	21·1	20·8
1926	22·1	21·5	22·6	23·5	23·8	23·1	22·5	22·4	22·3	22·2	21·0	20·3	20·1
1927	21·9	20·1	21·6	23·5	23·4	22·6	22·9	22·6	22·2	22·2	20·6	20·4	20·5
1928	21·9	21·2	21·8	23·1	22·9	22·8	22·5	21·6	22·2	22·2	20·9	20·6	20·8

Naissances selon l'âge des parents.—Le tableau IX est un relevé numérique et proportionnel des naissances d'enfants vivants et légitimes selon l'âge de leurs père et mère, en 1926-28. Dans 14 cas, en 1928, la mère n'avait pas encore 15 ans. Près de 30 pour cent des naissances étaient attribuables aux mères au-dessous de 25 ans, tandis que moins de 7 pour cent restaient aux mères qui avaient dépassé la quarantaine. Seulement, 11·1 pour cent des pères étaient au-dessous de 25 ans et 21·3 pour cent avaient 40 ans et plus. On remarquera que le pourcentage des pères et mères au-dessous de 25 ans a augmenté légèrement, au cours de cette période de trois ans.

TABLEAU IX.—NAISSANCES D'ENFANTS LEGITIMES (A L'EXCLUSION DES MORTS-NES) AU CANADA (1), CLASSIFIEES SELON L'AGE DES PERES ET MERES, 1926-28

Pères et mères		Groupes d'âges								Total, âges connus	Ages inconnus	Total
		Moins de 15 ans	15 à 19 ans	20 à 24 ans	25 à 29 ans	30 à 34 ans	35 à 39 ans	40 à 44 ans	45 ans et plus			
Nombre des mères	1926	11	10,826	52,584	62,190	49,939	34,929	13,780	1,397	225,656	973	226,629
	1927	14	11,147	53,792	61,878	49,639	35,206	13,708	1,501	226,885	588	227,473
	1928	14	11,760	55,338	62,265	49,525	34,774	13,749	1,444	228,869	608	229,477
Pourcentage des mères.	1926	(2)	4·8	23·3	27·6	22·1	15·5	6·1	0·6	100·0	–	–
	1927	(2)	4·9	23·7	27·3	21·9	15·5	6·0	0·7	100·0	–	–
	1928	(2)	5·1	24·2	27·2	21·6	15·2	6·0	0·6	100·0	–	–
Nombre des pères	1926	–	806	22,414	51,784	55,402	46,922	29,032	19,284	225,644	985	226,629
	1927	–	875	23,314	52,257	55,306	46,364	29,428	19,353	226,897	576	227,473
	1928	–	891	24,383	54,198	54,770	45,834	29,306	19,527	228,909	568	229,477
Pourcentage des pères	1926	–	0·4	9·9	22·9	24·6	20·8	12·9	8·5	100·0	–	–
	1927	–	0·4	10·3	23·0	24·4	20·4	13·0	8·5	100·0	–	–
	1928	–	0·4	10·7	23·7	23·9	20·0	12·8	8·5	100·0	–	–

(1) Voir la note 1, au bas du tableau I. (2) Moins d'un dixième d'un pour cent.

Le tableau X donne un autre groupement des pères et mères relativement à leur âge pour les années 1926-28. Les pères et les mères pour chacune de ces années sont groupés quant à leur âge et divisés en quatre groupes égaux. Chaque point d'âge où se fait une séparation se nomme quartile. Pour obtenir ces points d'âge, on suppose que ceux du même âge sont distribués également sur toute l'année. De la même manière, les déciles classent les pères et les mères en dix groupes égaux.

En 1928, le quart des pères mariés étaient au-dessous de 28·15 ans, la moitié au-dessous de 33·13 ans et les trois quarts au-dessous de 38·98 ans. Le quart des mères mariées étaient au-dessous de 24·25 ans, la moitié au-dessous de 28·71 ans et les trois quarts au-dessous de 34·16 ans. Les neuf-dixièmes des pères étaient au-dessous de 44·21 ans et les neuf-dixièmes des mères au-dessous de 38·65 ans. Il est bon de remarquer que la tendance générale des quartiles et des déciles en ces trois années, bien que peu accentuée, est dans une direction descendante. Le mouvement est clair dans les premiers âges et plus douteux dans les âges plus avancés.

TABLEAU X.—AGES DES PERES ET MERES MARIES GROUPES PAR QUARTILES ET DECILES, 1926-28

Groupement fractionnaire		Pères			Mères		
		1926	1927	1928	1926	1927	1928
Premier quartile	années	28·35	28·24	28·15	24·43	24·35	24·25
Second quartile	"	33·31	33·26	33·13	28·89	28·85	28·71
Troisième quartile	"	39·01	39·04	38·98	34·26	34·26	34·16
Premier décile	"	24·91	24·81	24·72	21·41	21·39	21·30
Second décile	"	27·28	27·24	27·12	23·50	23·44	23·35
Troisième décile	"	29·35	29·25	29·04	25·34	25·25	25·12
Quatrième décile	"	31·28	31·21	31·02	27·79	27·06	26·92
Cinquième décile	"	33·31	33·26	33·13	28·89	28·85	28·71
Sixième décile	"	35·48	35·44	35·31	30·82	30·78	30·69
Septième décile	"	37·81	37·83	37·78	33·41	33·03	32·94
Huitième décile	"	40·40	40·43	40·38	35·61	35·61	35·51
Neuvième décile	"	44·19	44·20	44·21	38·69	38·69	38·65

Lieu de naissance des parents.—Le tableau XI établit pour chacune des provinces, la répartition proportionnelle des naissances légitimes en 1928, selon le lieu de naissance de la mère.

TABLEAU XI.—POURCENTAGE DES ENFANTS LEGITIMES, NES VIVANTS, DONT LES MERES SONT NEES AU CANADA, DANS LES AUTRES PARTIES DE L'EMPIRE BRITANNIQUE OU A L'ETRANGER, PAR PROVINCES, 1928.

Province	Pourcentage des naissances, par pays d'origine de la mère			
	Total	Née au Canada	Née dans l'empire britannique	Née à l'étranger
Canada (1)	**100·0**	**72·5**	**12·5**	**15·0**
Ile du Prince-Edouard	100·0	95·9	2·3	1·8
Nouvelle-Ecosse	100·0	86·0	10·1	3·9
Nouveau-Brunswick	100·0	92·1	3·5	4·5
Québec	100·0	92·6	2·5	4·9
Ontario	100·0	68·5	20·6	10·9
Manitoba	100·0	52·0	18·0	30·0
Saskatchewan	100·0	43·9	13·9	42·2
Alberta	100·0	38·0	18·0	44·1
Colombie Britannique	100·0	39·8	33·7	26·5

(1) Voir la note 1, au bas du tableau I.

La forte proportion de mères nées au Canada que l'on remarque dans les Provinces Maritimes et en Québec contraste avec l'attitude des quatre provinces de l'Ouest, particulièrement en Alberta où les mères nées au pays ne constituent que 38 pour cent de la masse. Il faut toutefois remarquer que la proportion de mères nées au Canada dans ces provinces tend sensiblement à s'accroître depuis 1921, comme l'indique le relevé suivant.

POURCENTAGE DES ENFANTS LEGITIMES, NES VIVANTS, DONT LES MERES SONT NEES AU CANADA (1)

—	1921 (2)	1922	1923	1924	1925	1926	1927	1928
Manitoba	42·3	43·5	44·9	47·4	49·0	49·2	51·8	52·0
Saskatchewan	36·1	36·4	37·9	39·4	40·8	41·5	43·2	43·9
Alberta	30·0	30·9	32·3	33·1	34·5	36·3	37·1	38·0
Colombie Britannique	29·7	33·7	34·7	36·1	37·1	38·2	38·9	39·8

(1) Voir la note 1, au bas du tableau I.
(2) Comprend les illégitimes.

Le tableau XII qui classifie tous les enfants nés vivants au Canada en 1927 et 1928, selon le lieu de naissance de leurs parents, nous fait connaître dans quelle mesure la génération qui pousse sera le produit de parents nés au Canada, ou dans l'Empire Britannique ou à l'étranger; il énumère également les pays d'où les immigrants généralement nous arrivent. Le mot "inconnu" dans le colonne indiquant le pays d'origine, quand il s'agit du père, s'applique aussi bien aux naissances illégitimes qu'au manque de renseignements, mais quand il s'agit de la mère, il ne faut accuser que le manque d'information. Des enfants nés en 1928, 68·2 pour cent descendaient d'un père né au Canada, 72·2 pour cent avaient une mère née également au Canada, et 61·1 pour cent étaient le fruit de mariages entre père et mère canadiens. Il s'ensuit que 79·3 pour cent des enfants nés en 1928 descendaient soit d'un père, soit d'une mère du Canada. Quant à l'inclusion dans le total de "pays inconnu", le pourcentage de parents nés au Canada seraient légèrement plus élevé.

TABLEAU XII.—NOMBRE ET PROPORTION DE NAISSANCES (MORT-NES EXCLUS) SELON LE PAYS DE NAISSANCE DES PERE ET MERE, 1927-28

Pays d'origine	Nombre des enfants dont le père ou la mère ou l'un et l'autre sont nés dans les pays ci-après						Pourcentage des enfants dont le père ou la mère ou l'un et l'autre sont nés dans les pays ci-après					
	1927			1928			1927			1928		
	Père	Mère	Père et mère	Père	Mère	Père et mère	Père	Mère	Père et mère	Père	Mère	Père et mère
Canada (1)	160,586	169,178	144,146	161,560	171,027	144,694	68·6	72·2	61·6	68·2	72·2	61·1
Angleterre	17,975	18,201	9,194	17,730	17,824	8,624	7·7	7·8	3·9	7·5	7·5	3·6
Irlande	2,610	2,284	972	2,813	2,425	1,083	1·1	1·0	0·4	1·2	1·0	0·5
Ecosse	6,580	6,994	3,167	6,614	7,129	3,106	2·8	3·0	1·4	2·8	3·0	1·3
Pays de Galles	571	506	120	620	502	135	0·2	0·2	0·1	0·3	0·2	0·1
Autres îles britanniques	96	81	26	70	64	10	(4)	(4)	(4)	(4)	(4)	(4)
Terre-Neuve	1,062	1,081	528	1,005	1,022	496	0·5	0·5	0·2	0·4	0·4	0·2
Autres possessions britanniques	515	420	144	517	401	132	0·2	0·2	0·1	0·2	0·2	0·1
Autriche	3,241	2,672	2,153	3,291	2,701	2,133	1·4	1·1	0·9	1·4	1·1	0·9
Belgique	542	521	337	582	541	359	0·2	0·2	0·1	0·2	0·2	0·2
Finlande	497	535	414	550	564	441	0·2	0·2	0·2	0·2	0·2	0·2
France	518	461	185	471	392	140	0·2	0·2	0·1	0·2	0·2	0·1
Allemange	749	668	279	821	764	333	0·3	0·3	0·1	0·3	0·3	0·1
Hongrie	582	561	434	704	659	541	0·2	0·2	0·2	0·3	0·3	0·2
Italie	2,674	1,966	1,894	2,626	1,948	1,862	1·1	0·8	0·8	1·1	0·8	0·8
Norvège	859	678	378	879	653	388	0·4	0·3	0·2	0·4	0·3	0·2
Pologne (2)	4,214	3,736	3,057	4,532	3,996	3,277	1·8	1·6	1·3	1·9	1·7	1·4
Russie (3)	5,794	4,729	3,809	5,627	4,788	3,758	2·5	2·0	1·6	2·4	2·0	1·6
Suède	858	603	344	884	617	358	0·4	0·3	0·1	0·4	0·3	0·2
Autres pays européens	3,368	2,519	1,856	3,752	2,877	2,151	1·4	1·1	0·8	1·6	1·2	0·9
Chine et Japon	1,105	1,050	1,019	1,128	1,053	1,018	0·5	0·4	0·4	0·5	0·4	0·4
Autres pays asiatiques	333	257	228	370	264	246	0·1	0·1	0·1	0·2	0·1	0·1
Etats-Unis	11,815	13,074	3,835	11,944	13,036	3,908	5·0	5·6	1·6	5·0	5·5	1·7
Pays inconnus	7,044	1,413	162	7,667	1.510	199	3·0	0·6	0·1	3·2	0·6	0·1
Total	**234,188**	**234,188**	[7] **178,681**	**236,757**	**236,757**	[5] **179,392**	**100·0**	**100·0**	[8] **76·3**	**100·0**	**100·0**	[6] **75·8**

(1) Voir la note 1, au bas du tableau I
(2) Comprend la Galicie.
(3) Comprend l'Ukraine.
(4) Moins d'un dixième d'un pour cent.
(5) Ce chiffre représente pour 1928 le nombre des enfants dont le père et la mère sont nés dans le même pays. La différence entre ce chiffre (179,392) et le total des naissances (236,757) égale le nombre d'enfants (57,365) dont le père et la mère sont dans des catégories différentes.
(6) A l'exclusion du pourcentage (24·2) représenté par les enfants dont le père et la mère sont dans des catégories différentes.
(7) Même explication que dans la note (5) mais se rapportant aux chiffres de 1927.
(8) Même explication que dans la note (6) mais se rapportant aux chiffres de 1927.

Origine raciale des pères et mères.—On verra par le tableau XIII le nombre et la proportion de naissances appartenant aux principaux groupes de races en 1927 et 1928. Il est utile évidemment de savoir dans quelle mesure chaque race contribue au peuplement du Canada; d'autre part, il est intéressant de constater dans quelle mesure les gens de même souche ethnique se mélangent aux autres souches. Il faut toutefois tenir compte que selon le tableau précédent,

au moins 28·6 pour cent des pères et 27·2 pour cent des mères de 1928 étaient nés en dehors du Canada. Dans un certain nombre de ces cas, le mariage eut lieu avant de venir au Canada, quand l'occasion de s'allier à des personnes d'autre origine raciale était beaucoup plus limitée.

En 1928, l'origine de la mère n'est restée inconnue que dans sept-dixièmes d'un pour cent des naissances. A remarquer que les naissances d'enfants naturels s'ajoutent aux cas où l'origine du père est inconnue (3·5 pour cent).

TABLEAU XIII.—NOMBRE ET PROPORTION DES NAISSANCES (MORT-NES EXCLUS) SELON L'ORIGINE RACIALE DES PERE ET MERE, 1927-28

Origine raciale des père et mère	Nombre de nouveau-nés dont le père ou la mère ou l'un et l'autre appartiennent aux origines ci-après						Pourcentage de nouveau-nés dont le père ou la mère ou l'un et l'autre appartiennent aux origines ci-après					
	1927			1928			1927			1928		
	Père	Mère	Père et mère	Père	Mère	Père et mère	Père	Mère	Père et mère	Père	Mère	Père et mère
Anglaise	51,713	54,787	37,260	51,531	54,527	36,762	22·1	23·4	15·9	21·8	23·0	15·5
Irlandaise	21,290	20,214	9,413	21,472	20,277	9,471	9·1	8·6	4·0	9·1	8·6	4·0
Ecossaise	23,202	23,099	10,895	23,339	23,511	10,944	9·9	9·9	4·7	9·9	9·9	4·6
Galloise	838	706	135	876	736	168	0·4	0·3	0·1	0·4	0·3	0·1
Française	90,167	94,180	36,307	90,256	94,056	86,182	38·5	40·2	36·9	38·1	39·7	36·4
Allemande	9,777	10,270	7,048	10,133	10,757	7,293	4·2	4·4	3·0	4·3	4·5	3·1
Arménienne	84	76	75	67	58	58	(2)	(2)	(2)	(2)	(2)	(2)
Autrichienne	1,443	1,547	1,204	1,344	1,424	1,098	0·6	0·7	0·5	0·6	0·6	0·5
Belge	595	585	371	621	622	399	0·3	0·2	0·2	0·3	0·3	0·2
Bulgare	63	30	25	58	27	25	(2)	(2)	(2)	(2)	(2)	(2)
Chinoise	304	288	283	264	230	229	0·1	0·1	0·1	0·1	0·1	0·1
Tchèque et Slovaque	314	353	231	409	446	295	0·1	0·2	0·1	0·2	0·2	0·1
Danoise	552	450	191	614	520	254	0·2	0·2	0·1	0·3	0·2	0·1
Hollandaise	2,061	1,977	1,028	2,254	2,248	1,205	0·9	0·8	0·4	1·0	0·9	0·5
Finlandaise	537	654	486	608	733	555	0·2	0·3	0·2	0·3	0·3	0·2
Hellénique	283	178	169	306	167	160	0·1	0·1	0·1	0·1	0·1	0·1
Hébraïque	1,958	1,943	1,894	2,142	2,126	2,077	0·8	0·8	0·8	0·9	0·9	0·9
Hindoue	27	27	25	38	38	36	(2)	(2)	(2)	(2)	(2)	(2)
Hongroise	579	626	501	691	763	628	0·2	0·3	0·2	0·3	0·3	0·3
Islandaise	369	439	273	408	471	295	0·2	0·2	0·1	0·2	0·2	0·1
Indienne	2,234	2,643	2,120	2,231	2,618	2,102	1·0	1·1	0·9	0·9	1·1	0·9
Italienne	2,900	2,405	2,278	2,851	2,463	2,303	1·2	1·0	1·0	1·2	1·0	1·0
Japonaise	819	815	813	872	867	866	0·3	0·3	0·3	0·4	0·4	0·4
Nègre	382	432	348	379	425	333	0·2	0·2	0·1	0·2	0·2	0·1
Norvégienne	1,722	1,846	907	1,790	1,886	931	0·7	0·8	0·4	0·8	0·8	0·4
Polonaise	2,085	2,275	1,594	2,268	2,514	1,717	0·9	1·0	0·7	1·0	1·1	0·7
Roumaine	649	529	432	625	550	435	0·3	0·2	0·2	0·3	0·2	0·2
Russe	2,500	2,314	1,895	2,293	2,110	1,698	1·1	1·0	0·8	1·0	0·9	0·7
Serbe et Croate	222	203	180	248	249	200	0·1	0·1	0·1	0·1	0·1	0·1
Suédoise	1,394	1,336	606	1,422	1,391	606	0·6	0·6	0·3	0·6	0·6	0·3
Helvétique	274	217	82	280	235	89	0·1	0·1	(2)	0·1	0·1	(2)
Syrienne	253	202	185	307	242	227	0·1	0·1	0·1	0·1	0·1	0·1
Ukrainienne (1)	4,926	5,130	4,561	5,325	5,603	4,894	2·1	2·2	1·9	2·2	2·4	2·1
Autre	252	202	130	259	236	143	0·1	0·1	0·1	0·1	0·1	0·1
Origine raciale non spécifiée	7,420	1,210	455	8,176	1,631	599	3·2	0·5	0·2	3·5	0·7	0·3
Total	**234,188**	**234,188**	[5]**174,400**	**236,757**	**236,757**	[3]**175,277**	**100·0**	**100·0**	[6]**74·5**	**100·0**	**100·0**	**74·0**

(1) Comprend "Galicienne et Bukovine."
(2) Moins d'un dixième d'un pour cent.
(3) Ce chiffre représente pour 1928 le nombre des enfants dont le père et la mère ont la même origine raciale. La différence entre ce chiffre (175,277) et le total des naissances (236,757) égale le nombre d'enfants (61,480) dont le père et la mère sont dans des catégories différentes.
(4) A l'exclusion du pourcentage (26·0) représenté par les enfants dont le père et la mère sont dans des catégories différentes.
(5) Même explication que dans la note (3) mais se rapportant aux chiffres de 1927.
(6) Même explication que dans la note (4) mais se rapportant aux chiffres de 1927.

Naissances illégitimes.—Le tableau XIV est consacré aux enfants illégitimes nés en 1928, classifiés selon l'âge de leur mère, dans chaque province. Dans 1,099 cas ou 15 pour cent du total, l'âge de la mère est resté inconnu. Sur ces 1,099 cas, 1,018 appartenaient à la province de Québec et provenaient en plus grand nombre des constatations des crèches de Québec et de Montréal.

Le tableau présente également par provinces le nombre et la proportion des naissances illégitimes en 1926 et 1927, comparativement à l'année sous revue. Une tendance à la hausse, tant dans les chiffres absolus que dans la proportion, est apparente dans chaque province.

La masculinité des naissances vivantes des enfants illégitimes en 1928 est reproduite ci-dessous:

GARÇONS PAR 1,000 FILLES

Canada	**1,061**	Ontario	1,045
Ile du Prince-Edouard	1,115	Manitoba	1,052
Nouvelle-Ecosse	914	Saskatchewan	1,076
Nouveau-Brunswick	1,076	Alberta	1,193
Québec	1,107	Colombie Britannique	907

TABLEAU XIV.—NAISSANCES ILLEGITIMES (MORT-NES EXCLUS) CLASSIFIEES SELON L'AGE DE LA MERE, PAR PROVINCES, 1928

Age de la mère		Canada(1)	I. P.-E.	N.-E.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.
Moins de 15 ans		64	–	8	3	8	20	9	7	7	2
15 à 19 ans		2,419	21	253	137	523	838	184	191	173	99
20 à 24 "		2,382	20	244	105	580	768	209	170	189	97
25 à 29 "		734	5	62	30	185	270	49	45	57	31
30 à 34 "		318	1	34	11	62	116	26	22	25	21
35 à 39 "		197	3	10	7	33	78	20	17	19	10
40 à 44 "		63	1	9	4	9	16	2	9	7	6
45 à 49 "		3	–	–	–	1	1	1	–	–	–
50 ans et plus		1	–	–	1	–	–	–	–	–	–
Age inconnu		1,099	4	–	1	1,018	63	9	2	1	1
Total des naissances illégitimes.	**1928**	**7,280**	**55**	**620**	**299**	**2,419**	**2,170**	**509**	**463**	**478**	**267**
	1927	**6,715**	**35**	**578**	**298**	**2,319**	**1,958**	**473**	**432**	**418**	**204**
	1926	**6,121**	**41**	**481**	**267**	**2,055**	**1,823**	**466**	**390**	**404**	**194**
Pourcentage du total des naissances vivantes.	**1928**	**3·07**	**3·0**	**5·7**	**3·0**	**2·9**	**3·2**	**3·5**	**2·2**	**3·0**	**2·6**
	1927	**2·87**	**2·1**	**5·2**	**2·8**	**2·8**	**2·9**	**3·3**	**2·1**	**2·8**	**2·0**
	1926	**2·63**	**2·3**	**4·4**	**2·6**	**2·5**	**2·7**	**3·2**	**1·9**	**2·8**	**1·9**
Garçons illégitimes	**1928**	**3,748**	**29**	**296**	**155**	**1,271**	**1,109**	**261**	**240**	**260**	**127**
	1927	**3,470**	**22**	**285**	**158**	**1,180**	**996**	**253**	**232**	**225**	**119**
	1926	**3,180**	**21**	**262**	**143**	**1,071**	**922**	**241**	**204**	**210**	**106**
Filles illégitimes	**1928**	**3,532**	**26**	**324**	**144**	**1,148**	**1,061**	**248**	**223**	**218**	**140**
	1927	**3,245**	**13**	**293**	**140**	**1,139**	**962**	**220**	**200**	**193**	**85**
	1926	**2,941**	**20**	**219**	**124**	**984**	**901**	**225**	**186**	**194**	**88**

(1) Voir la note 1, au bas du tableau I.

Dans le tableau XV on trouve une classification similaire au tableau précédent des enfants illégitimes nés dans le territoire d'enregistrement de 1921, selon l'âge de la mère pour la période 1921-28. Durant cette période, le nombre des naissances illégitimes s'est accru de 3,334 en 1921 à 4,861 en 1928 et le taux, basé sur le total des naissances vivantes, avançait de 1·97 pour cent en 1921 à 3·17 pour cent en 1928. L'augmentation proportionnelle au cours de cette période est plus élevée dans le groupe d'âge de 25 ans.

TABLEAU XV.—NAISSANCES ILLEGITIMES (MORT-NES EXCLUS) CLASSIFIEES SELON L'AGE DE LA MERE DANS LE TERRITOIRE D'ENREGISTREMENT DE 1921, PENDANT LA PERIODE 1921-28

Age de la mère	1921	1922	1923	1924	1925	1926	1927	1928
Moins de 15 ans	25	39	45	36	49	39	47	56
15–19 ans	1,080	1,245	1,325	1,463	1,652	1,574	1,784	1,896
20–24 "	1,063	1,113	1,167	1,304	1,360	1,428	1,562	1,802
25–29 "	384	424	403	459	503	513	488	549
30–34 "	212	230	215	215	229	241	256	256
35–39 "	111	133	114	146	149	155	152	164
40–44 "	39	37	42	36	61	51	48	54
45–49 "	6	3	4	3	6	11	5	2
50 ans et plus	–	–	–	–	–	–	–	1
Age inconnu	414	147	93	53	43	54	54	81
Total des naissances illégitimes	**3,334**	**3,371**	**3,408**	**3,715**	**4,052**	**4,066**	**4,396**	**4,861**
Pourcentage du total des naissances vivantes	**1·97**	**2·05**	**2·17**	**2·36**	**2·62**	**2·70**	**2·91**	**3·17**
Garçons illégitimes	**1,682**	**1,781**	**1,766**	**1,929**	**2,050**	**2,109**	**2,290**	**2,477**
Filles illégitimes	**1,652**	**1,590**	**1,642**	**1,786**	**2,002**	**1,957**	**2,106**	**2,384**

Pour permettre d'analyser par provinces l'augmentation indiquée dans le tableau XV, le tableau XVI donne le nombre annuel des naissances illégitimes dans chaque province du territoire d'enregistrement de 1921, dans la période 1921–28, et leur pourcentage par rapport à l'ensemble des naissances.

TABLEAU XVI.—NOMBRE DE NAISSANCES ILLEGITIMES ET POURCENTAGE DE LA TOTALITE DES NAISSANCES VIVANTES DANS LE TERRITOIRE D'ENREGISTREMENT DE 1921, AU COURS DES ANNEES 1921-28

Année	Total	I. P.-E.	N.-E.	N.-B.	Ont.	Man.	Sask.	Alta.	C.B.
Nombre..... 1921	3,334	49	396	198	1,592	420	252	299	128
1922	3,371	57	460	222	1,519	410	258	314	131
1923	3,408	43	443	258	1,579	381	274	306	124
1924	3,715	42	483	251	1,717	423	330	299	170
1925	4,052	38	501	296	1,881	400	341	388	207
1926	4,066	41	481	267	1,823	466	390	404	194
1927	4,396	35	578	298	1,958	473	432	418	204
1928	4,861	55	620	299	2,170	509	463	478	267
Pourcentage du total des naissances vivantes..... 1921	**2·0**	**2·3**	**3·0**	**1·7**	**2·1**	**2·3**	**1·1**	**1·8**	**1·2**
1922	**2·1**	**2·6**	**3·6**	**1·9**	**2·1**	**2·3**	**1·2**	**1·9**	**1·3**
1923	**2·2**	**2·2**	**3·8**	**2·4**	**2·3**	**2·3**	**1·3**	**2·0**	**1·2**
1924	**2·4**	**2·3**	**4·1**	**2·3**	**2·4**	**2·7**	**1·5**	**2·0**	**1·7**
1925	**2·6**	**2·3**	**4·4**	**2·7**	**2·7**	**2·7**	**1·7**	**2·6**	**2·0**
1926	**2·7**	**2·3**	**4·4**	**2·6**	**2·7**	**3·2**	**1·9**	**2·8**	**1·9**
1927	**2·9**	**2·1**	**5·2**	**2·8**	**2·9**	**3·3**	**2·1**	**2·8**	**2·0**
1928	**3·2**	**3·0**	**5·7**	**3·0**	**3·2**	**3·5**	**2·2**	**3·0**	**2·6**

Le tableau XVII classifie pour l'ensemble des neuf provinces du Canada, les naissances illégitimes, selon l'âge et le lieu de naissance de la mère en 1928.

TABLEAU XVII.—ENFANTS ILLEGITIMES (A L'EXCLUSION DES MORT-NES) CLASSIFIES SELON L'AGE ET LE PAYS DE NAISSANCE DE LA MERE AU CANADA,(1) 1928

Lieu de naissance de la mère	Total	Age de la mère									
		Moins de 15 ans	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 ans et plus	Age inconnu
Canada.....	**4,834**	**57**	**2,042**	**1,802**	**480**	**183**	**122**	**33**	**3**	**1**	**111**
Ile du Prince-Edouard.	62	–	24	21	9	1	2	1	–	–	4
Nouvelle-Ecosse.....	609	6	251	236	60	35	11	10	–	–	–
Nouveau-Brunswick...	286	3	129	103	29	10	7	3	–	1	1
Québec.....	1,341	10	512	518	146	51	24	5	1	–	74
Ontario.....	1,490	14	659	527	140	58	56	9	–	–	27
Manitoba.....	329	8	139	135	28	7	8	1	2	–	1
Saskatchewan.....	294	10	142	115	16	6	4	1	–	–	–
Alberta.....	220	5	97	80	24	6	6	2	–	–	–
Colombie Britannique.	109	–	55	33	13	4	2	1	–	–	1
Province non spécifiée..	94	1	34	34	15	5	2	–	–	–	3
Iles-Britanniques.....	**723**	**1**	**163**	**294**	**136**	**70**	**37**	**16**	–	–	**6**
Angleterre.....	400	–	99	139	72	45	25	15	–	–	5
Irlande.....	76	1	9	41	15	8	1	–	–	–	1
Ecosse.....	233	–	51	106	49	15	11	1	–	–	–
Pays de Galles.....	13	–	4	7	–	2	–	–	–	–	–
Autres.....	1	–	–	1	–	–	–	–	–	–	–
Possessions britanniques.....	**51**	**1**	**16**	**23**	**6**	**4**	**1**	–	–	–	–
Terre-Neuve.....	39	1	15	14	4	4	1	–	–	–	–
Autres.....	12	–	1	9	2	–	–	–	–	–	–
Europe.....	**302**	**3**	**61**	**112**	**60**	**31**	**22**	**9**	–	–	**4**
Autriche.....	31	1	7	10	7	3	1	2	–	–	–
Belgique.....	7	–	4	–	1	1	1	–	–	–	–
Danemark.....	5	–	–	3	1	1	–	–	–	–	–
Finlande.....	19	–	3	6	5	2	1	1	–	–	1
France.....	11	–	2	4	2	1	1	1	–	–	–
Allemagne.....	21	–	2	12	5	–	2	–	–	–	–
Hollande.....	4	–	–	–	1	1	2	–	–	–	–
Hongrie.....	17	–	4	4	4	3	2	–	–	–	–
Italie.....	9	1	4	2	1	–	–	–	–	–	1
Norvège.....	20	–	4	12	–	2	1	1	–	–	–
Pologne (2).....	62	–	14	28	9	4	4	1	–	–	2
Roumanie (3).....	9	–	1	3	–	3	2	–	–	–	–
Russie (4).....	49	1	11	15	16	3	1	2	–	–	–
Suède.....	14	–	2	6	2	3	1	–	–	–	–
Autres.....	24	–	3	7	6	4	3	1	–	–	–
Asie.....	**3**	–	**2**	**1**	–	–	–	–	–	–	–
Chine.....	1	–	1	–	–	–	–	–	–	–	–
Japon.....	1	–	1	–	–	–	–	–	–	–	–
Autres.....	1	–	–	1	–	–	–	–	–	–	–
Etats-Unis.....	241	1	87	93	27	21	9	3	–	–	–
Divers.....	2	–	–	1	1	–	–	–	–	–	–
Non spécifié.....	1,124	1	48	56	24	9	6	2	–	–	978
Total.....	**7,280**	**64**	**2,419**	**2,382**	**734**	**318**	**197**	**63**	**3**	**1**	**1,099**

(1) Voir la note 1, au bas du tableau I. (2) Comprend la Galicie. (3) Comprend la Bukovine. (4) Comprend l'Ukraine.

MORT-NÉS

Le tableau XVIII présente les statistiques des enfants morts-nés en 1928 classifiés selon l'âge de la mère. Ce tableau contient aussi le total des mort-nés et leur proportion par rapport à l'ensemble des naissances pour les années 1926–28.

Le nombre des mort-nés déclarés en 1928 est de 7,577, comparativement à 7,336 l'année précédente et 7,105 en 1926. L'augmentation est donc de 241 sur 1927 et 472 sur 1926. Dans cette dernière augmentation, les mères mariées de la province de Québec sont au nombre de 358.

TABLEAU XVIII.—MORT-NES SELON L'AGE DE LA MERE ET DISTINCTION ENTRE LES LEGITIMES ET LES ILLEGITIMES, AU CANADA,[1] 1928

Age de la mère	Mères non mariées	Mères mariées									Total
		I.P.-E.	N.-E.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.	
Moins de 15 ans	3	–	–	–	–	–	–	–	–	–	3
15 ans	14	–	–	–	1	4	–	1	–	–	20
16 "	16	–	2	1	–	8	3	–	–	1	31
17 "	19	–	3	1	13	18	–	2	4	–	60
18 "	27	–	4	5	24	46	8	6	9	6	135
19 "	27	–	9	7	32	83	15	14	14	10	211
20 "	18	3	16	12	62	68	13	19	15	9	235
21 "	21	2	9	12	73	84	13	22	16	13	265
22 "	16	2	13	11	106	100	20	24	24	15	331
23 "	13	–	12	17	86	126	18	25	15	15	327
24 "	13	2	10	6	111	108	20	36	22	20	348
25 "	15	2	17	17	90	110	23	20	22	13	329
26 "	8	–	10	6	102	113	19	21	16	12	307
27 "	3	4	13	8	99	102	18	18	16	10	291
28 "	6	–	21	16	121	128	18	21	21	20	372
29 "	5	1	12	10	101	144	24	19	22	18	356
30 "	5	1	12	10	105	141	13	24	12	11	334
31 "	4	2	16	9	85	108	16	15	16	16	287
32 "	5	–	16	8	100	114	16	27	18	14	318
33 "	3	–	19	12	94	99	14	22	18	8	289
34 "	1	3	6	6	92	95	28	30	11	14	286
35 "	2	2	14	6	86	116	27	16	22	13	304
36 "	5	6	9	9	87	111	18	19	15	9	288
37 "	2	–	9	4	62	120	17	24	11	12	261
38 "	3	2	19	9	87	106	21	35	18	10	310
39 "	1	–	11	8	80	81	13	19	13	7	233
40 "	3	1	4	6	85	73	11	21	15	8	227
41 "	2	1	4	10	53	48	14	10	17	6	165
42 "	3	2	2	8	55	45	12	12	8	9	156
43 "	–	–	5	6	40	29	7	10	9	5	111
44 "	2	1	3	3	34	22	2	7	9	4	87
45 "	–	–	3	2	24	12	2	8	2	2	55
46 "	–	–	1	2	9	7	4	–	2	–	25
47 "	–	–	–	1	5	7	–	1	–	1	15
48 "	–	–	–	–	4	3	1	–	1	–	9
49 "	–	–	–	–	2	–	–	1	–	–	3
50 et plus	–	–	–	–	–	1	1	–	–	–	2
Non donné	67	6	1	2	5	98	2	2	3	5	191
Total.....1928	**332**	**43**	**305**	**250**	**2,215**	**2,678**	**451**	**551**	**436**	**316**	**7,577**
1927	**302**	**39**	**354**	**276**	**2,034**	**2,644**	**447**	**522**	**442**	**276**	**7,336**
1926	**311**	**34**	**327**	**228**	**1,857**	**2,693**	**416**	**539**	**402**	**298**	**7,105**
Pourcentage du total des naissances..1928	**4·4**	**2·4**	**2·9**	**2·5**	**2·7**	**3·9**	**3·1**	**2·6**	**2·8**	**3·0**	**3·1**
1927	**4·3**	**2·3**	**3·2**	**2·6**	**2·5**	**3·9**	**3·2**	**2·5**	**3·0**	**2·7**	**3·0**
1926	**4·8**	**1·9**	**3·0**	**2·2**	**2·3**	**3·9**	**2·8**	**2·6**	**2·8**	**2·9**	**3·0**

[1] Voir la note 1, au bas du tableau 1.

La proportion des mort-nés à la totalité des naissances pour certains groupes d'âges de mères mariées classifiées suivant le numéro d'ordre de la dernière naissance, est donnée dans le relevé qui suit. Dans chaque groupe, par ordre de priorité, le taux a une tendance à avancer avec l'âge de la mère, excepté dans le cas du deuxième ou troisième enfant des mères au-dessous de 20 ans et le quatrième, cinquième ou sixième enfant des mères de 20 à 24 ans, quand la jeunesse des mères, contrastant avec le nombre d'enfants, indique que ce n'est pas là un groupe caractéristique.

La proportion des mort-nés chez les premier-nés est plus élevée dans tous les groupes d'âges. Les chiffres d'après lesquels ces taux sont computés sont affectés par des classifications non indiquées dans le tableau—différences de position économique et sociale, race, vie à la campagne ou à la ville, etc. Une note au bas du tableau indique les cas où les décès furent au-dessous de 20, et sur lesquels les taux n'ont pas été calculés.

PROPORTION POUR CENT DE MORT-NES A LA TOTALITE DES NAISSANCES AU CANADA (1), 1928

Age de la mère	Total	1er enfant	2ième et 3ième enfant	4ième 5ième et 6ième enfant	Plus de six enfants
15-19 ans	2·9	3·1	2·3	(2)	–
20-24 "	2·5	3·3	1·9	2·1	(2)
25-29 "	2·5	4·3	2·1	1·9	2·7
30-34 "	2·9	5·4	2·6	2·6	2·9
35-39 "	3·8	8·5	4·3	3·7	3·3
40-44 "	5·1	11·1	4·7	5·3	4·8
45 ans et plus	7·0	(2)	(2)	(2)	6·6

(1) Voir la note 1, au bas du tableau I.
(2) Taux basés sur moins de 20 mort-nés.

Le tableau XIX est consacré à la répartition des mort-nés dans chaque province, par sexe et par mois de naissance, en 1928. On y remarque que la proportion de garçons par rapport aux filles est beaucoup plus élevée que dans les naissances d'enfants vivants.

TABLEAU XIX.—MORT-NES, PAR MOIS, PROVINCES ET SEXES, 1928

Mois	Canada (1)	I.P.-E.	N.-E.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.
Janvier	645	5	29	27	207	234	37	43	33	30
Février	669	3	37	19	199	259	47	40	39	26
Mars	655	5	18	27	205	231	37	53	40	39
Avril	670	5	27	17	224	244	39	44	36	34
Mai	639	2	21	29	212	231	35	44	39	26
Juin	670	4	27	14	215	266	34	55	35	20
Juillet	651	8	23	17	211	226	48	51	38	29
Août	596	2	30	21	162	226	45	38	46	26
Septembre	588	2	26	28	181	211	30	51	37	22
Octobre	616	4	38	22	160	229	58	52	28	25
Novembre	563	3	31	18	170	204	31	39	39	28
Décembre	615	2	24	22	177	232	32	53	48	25
Total	**7,577**	**45**	**331**	**261**	**2,323**	**2,793**	**473**	**563**	**458**	**330**
Garçons	4,417	28	188	144	1,437	1,562	256	343	270	189
Filles	3,160	17	143	117	886	1,231	217	220	188	141
Garçons par 1,000 filles	1,398	1,647	1,315	1,231	1,622	1,269	1,180	1,559	1,436	1,340

(1) Voir la note 1, au bas du tableau I.

ORDRE DE NAISSANCE

Le tableau 13 des tableaux d'ensemble classifie les enfants nés en 1928 par ordre de naissance, par province et selon l'âge des mères. Les enfants mort-nés et les naissances vivantes entrent dans ce tableau, tant pour les naissances en l'année sous revue que les naissances en les années précédentes. On remarquera que les mort-nés au Canada forment environ 3 pour cent de toutes les naissances selon l'affirmation des registres. Le tableau est en réalité pour les enfants, non pour les mères, toutefois, il se trouve influencé doublement chaque fois qu'une mère donne naissance à deux jumeaux et triplement chaque fois qu'une mère donne naissance à trois jumeaux. Comme la proportion des accouchements de jumeaux est seulement 1 sur 81 et que seulement 34 naissances triples se produisirent durant l'année, cet écart n'est pas de grande importance et pour la facilité de l'expression il n'en est pas tenu compte dans cette brève analyse.

Le tableau XX donne pour l'ensemble du Canada et pour chaque province, la répartition proportionnelle des femmes mariées devenues mères en 1928, selon l'ordre de naissance de leurs enfants. La proportion des mères ayant donné naissance à leur premier enfant varie de 17 pour cent en Québec à près de 32 pour cent en Colombie Britannique.

TABLEAU XX.—REPARTITION PROPORTIONNELLE DES MERES MARIEES DE 1928, SELON LEUR NOMBRE D'ENFANTS, PAR PROVINCES

Ordre de naissance des enfants	Canada(1)	I.P.-E.	N.-E.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.
Total	**100·00**	**100·00**	**100·00**	**100·00**	**100·00**	**100·00**	**100·00**	**100·00**	**100·00**	**100·00**
1er enfant	22·05	23·06	20·60	17·53	17·00	26·74	23·67	21·83	24·32	31·89
2ième enfant	17·71	13·61	16·84	15·26	14·11	21·05	19·06	17·35	20·04	23·74
3ième "	13·81	13·89	13·72	12·93	11·84	15·67	14·20	14·03	15·08	15·42
4ième "	10·71	11·19	11·48	11·10	10·22	10·82	11·05	11·15	11·20	10·46
5ième "	8·64	9·73	9·69	9·55	9·05	7·86	8·70	9·56	8·28	6·89
6ième "	6·81	8·77	7·20	7·86	7·96	5·59	6·45	7·20	6·29	4·33
7ième "	5·25	5·68	5·51	6·93	6·62	3·88	4·85	5·37	4·49	2·76
8ième "	4·09	4·33	4·68	5·14	5·46	2·79	3·56	4·37	3·23	1·57
9ième "	3·12	3·54	3·22	3·95	4·43	1·94	2·83	2·94	2·54	1·09
10ième "	2·40	2·59	2·39	3·11	3·61	1·31	2·01	2·38	1·78	0·81
11ième "	1·75	1·18	1·58	2·25	2·86	0·91	1·35	1·41	1·06	0·44
12ième "	1·35	1·24	1·33	1·51	2·33	0·63	1·02	0·97	0·72	0·26
13ième "	0·88	0·51	0·84	1·27	1·55	0·36	0·69	0·64	0·43	0·12
14ième "	0·55	0·22	0·44	0·56	1·08	0·20	0·26	0·33	0·22	0·06
15ième "	0·37	0·34	0·18	0·40	0·75	0·10	0·14	0·22	0·15	0·10
Plus de 15 enfants	0·52	0·11	0·30	0·64	1·11	0·15	0·14	0·26	0·14	0·05

(1) Voir la note 1, au bas du tableau I.

Le tableau XXI basé sur le tableau XX donne le pourcentage de mères de l'année et qui ont déjà donné naissance à plus de deux enfants, etc.; dans ce tableau on tient compte des mères qui ont donné naissance à plus de quinze enfants.

Ce relevé jette beaucoup de clarté sur la fertilité relative des femmes mariées des diverses provinces. Les mères de l'année ayant plus de deux enfants représentent 69 pour cent du total dans la province de Québec, 67 p.c. au Nouveau-Brunswick et plus de 60 p.c. dans l'Ile du Prince-Edouard, la Nouvelle-Ecosse et la Saskatchewan; en Colombie Britannique, seulement 44 p.c. des mères entrent dans cette catégorie. Dans cette dernière province, la proportion de mères n'atteint pas 10 p.c. après le sixième enfant, en Ontario après le septième, dans l'Ile du Prince-Edouard, le Manitoba, la Saskatchewan et l'Alberta après le huitième, au Nouveau-Brunswick après le neuvième et en Québec après le dixième.

TABLEAU XXI.—POURCENTAGE DE MERES MARIEES DE 1928, AYANT PLUS D'UN CERTAIN NOMBRE D'ENFANTS, PAR PROVINCES

Nombre d'enfants	Canada(1)	I.P.-E.	N.-E.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.
Un enfant ou plus	**100·00**	**100·00**	**100·00**	**100·00**	**100·00**	**100·00**	**100·00**	**100·00**	**100·00**	**100·00**
Plus de 1 enfant	77·95	76·94	79·40	82·47	83·00	73·26	76·33	78·17	75·68	68·11
" 2 enfants	60·24	63·33	62·56	67·21	68·89	52·21	57·27	60·82	55·64	44·37
" 3 "	46·43	49·44	48·84	54·28	57·05	36·54	43·07	46·79	40·56	28·95
" 4 "	35·72	38·25	37·36	43·18	46·83	25·72	32·02	35·64	29·36	18·49
" 5 "	27·08	28·52	27·67	33·63	37·78	17·86	23·32	26·08	21·08	11·60
" 6 "	20·27	19·75	20·47	25·77	29·82	12·27	16·87	18·88	14·79	7·27
" 7 "	15·02	14·07	14·96	18·84	23·20	8·39	12·02	13·51	10·30	4·51
" 8 "	10·93	9·74	10·28	13·70	17·74	5·60	8·46	9·14	7·07	2·94
" 9 "	7·81	6·20	7·06	9·75	13·31	3·66	5·63	6·20	4·53	1·85
" 10 "	5·41	3·61	4·67	6·64	9·70	2·35	3·62	3·82	2·75	1·04
" 11 "	3·66	2·43	3·09	4·39	6·84	1·44	2·27	2·41	1·69	0·60
" 12 "	2·31	1·19	1·76	2·88	4·51	0·81	1·25	1·44	0·97	0·34
" 13 "	1·43	0·68	0·92	1·61	2·96	0·45	0·56	0·80	0·54	0·22
" 14 "	0·88	0·46	0·48	1·05	1·88	0·25	0·30	0·47	0·32	0·16
" 15 "	0·51	0·12	0·30	0·65	1·13	0·15	0·16	0·25	0·17	0·06

(1) Voir la note 1, au bas du tableau 1.

Le tableau XXII donne, par provinces et groupes d'âges, la moyenne du nombre d'enfants des mères de l'année, en autant qu'elles l'ont fait connaître, y compris les enfants nés vivants et les mort-nés. On remarquera que dans les trois premiers groupes d'âges, le Nouveau-Brunswick dépasse le Québec, fait qui s'explique en partie par le plus jeune âge au mariage dans cette première province, mais dans les trois autres groupes d'âges Québec prend l'avantage progressivement. Dans tous les groupes d'âges, la Colombie Britannique présente le plus petit nombre d'enfants.

Dans la colonne du total, figurent deux séries de chiffres, la moyenne réelle obtenue en divisant le nombre d'enfants nés de mères des âges indiqués au-dessous de 45 ans et un chiffre standardisé ou ajusté obtenu en appliquant les moyennes des groupes d'âges du tableau à la proportion des mères dans chaque groupe d'âges du total pour le Canada. En d'autres termes, la répartition de l'âge de toutes les mères de l'année au Canada a servi de base à la computation de cette proportion. Il en résulte que les provinces où les mères aux nombreuses familles étaient le plus favorablement réparties, c'est-à-dire mieux représentées dans les groupes d'âges plus avancés, montrent un taux ajusté plus bas que le taux brut; tandis que d'autre part, celles où les mères semblaient plus concentrées dans les groupes d'âges plus jeunes, gagnent par l'ajustement. L'Ile du Prince-Edouard et le Québec sont des exemples de la première catégorie; l'Alberta, la Colombie Britannique et l'Ontario appartiennent à la seconde.

TABLEAU XXII.—MOYENNE DU NOMBRE D'ENFANTS NES DE MERES MARIEES DE 1928, PAR PROVINCES ET GROUPES D'AGES DES MERES

Province	Age de la mère							
	Tous âges moins de 45 ans		Moins de 20 ans	20–24 ans	25–29 ans	30–34 ans	35–39 ans	40–44 ans
	Brut	Ajusté						
Canada[1]	**4·13**	**4·13**	**1·29**	**2·05**	**3·36**	**4·92**	**6·73**	**8·73**
Ile du Prince-Edouard	4·11	3·84	1·34	1·87	3·23	4·57	6·23	7·88
Nouvelle-Ecosse	4·17	4·19	1·31	2·17	3·50	4·98	6·65	8·60
Nouveau-Brunswick	4·61	4·62	1·39	2·38	3·88	5·46	7·45	9·33
Québec	5·01	4·83	1·35	2·21	3·82	5·89	8·14	10·41
Ontario	3·39	3·47	1·26	1·92	2·86	4·03	5·48	7·14
Manitoba	3·80	3·80	1·25	1·95	3·14	4·48	6·15	7·80
Saskatchewan	4·01	4·07	1·27	2·03	3·52	4·92	6·34	8·21
Alberta	3·62	3·75	1·25	1·95	3·22	4·49	5·83	7·51
Colombie Britannique	2·88	2·98	1·21	1·72	2·54	3·47	4·52	5·75

[1] Voir la note 1, au bas du tableau I.

MORTALITE INFANTILE

Le taux de la mortalité chez les enfants de moins d'un an est obtenu, en général, en comparant le nombre de décès survenus durant l'année qui nous occupe aux naissances déclarées au cours de la même année. Le nombre de décès chez les enfants de moins d'un an, dans les neuf provinces du Canada en 1928, représente un total de 21,195, soit 89·5 par 1,000 naissances vivantes; ces chiffres se comparent à 22,010 décès et un taux de 94·0 en 1927 et à 23,692 et un taux de 101·8 en 1926. (Voir tableau XXIII). Le taux de mortalité infantile pour 1928 était plus bas que celui de l'année précédente dans chaque province sauf l'Ontario et l'Alberta. En Ontario, les taux pour les deux années sont pratiquement identiques. Le plus bas taux en 1928 a été enregistré en Colombie Britannique où les chiffres sont fixés à 50·5 par 1,000 naissances; l'Ile du Prince-Edouard suit de près avec un taux de 50·9 par 1,000. A l'autre extrémité de l'échelle, Québec donne un taux de 123·6 par 1,000, bien que ce taux représente une diminution de 5·7 par 1,000 sur les chiffres de l'année précédente et de 18·4 par 1,000 sur ceux de 1926.

Dans les huit provinces comprises dans le territoire d'enregistrement de 1921, le taux de la mortalité infantile pour 1928 a été de 70·9 par 1,000 naissances, comparativement à 74·6 l'année précédente, c'est-à-dire le plus bas enregistré au cours de la période 1921–28. (Voir tableau XXIII).

Mortalité infantile, par sexe.—Les chiffres par sexe du tableau XXIII pour l'année 1928 font connaître que la proportion de la mortalité infantile chez les garçons dans les neuf provinces du Canada s'élevait à 99·0 par 1,000 naissances, et que celle des filles n'était que de 79·6 par 1,000.

Le nombre de naissances masculines en 1928 était de 121,505 et celui de naissances féminines de 115,252 seulement; l'excédent de garçons était donc de 6,253, mais si, en tenant compte des sexes, nous déduisons les décès survenus dans cette première année d'existence, l'avantage des garçons est réduit à 3,396.




TABLEAU XXIII.—NOMBRE DE DECES CHEZ LES ENFANTS DE MOINS D'UN AN ET PROPORTION PAR RAPPORT AUX NAISSANCES D'ENFANTS VIVANTS, PAR SEXE ET PAR PROVINCES, 1921–28

Province		Deux sexes			Garçons			Filles		
		Nés vivants	Décédés dans leur première année		Nés vivants	Décédés dans leur première année		Nés vivants	Décédés dans leur première année	
			Nombre absolu	Par 1,000 naissances		Nombre absolu	Par 1,000 naissances		Nombre absolu	Par 1,000 naissances
Canada (1)...	**1926**	**232,750**	**23,692**	**101·8**	**119,863**	**13,537**	**112·9**	**112,887**	**10,155**	**90·0**
	1927	**234,188**	**22,010**	**94·0**	**120,655**	**12,548**	**104·0**	**113,533**	**9,462**	**83·3**
	1928	**236,757**	**21,195**	**89·5**	**121,505**	**12,026**	**99·0**	**115,252**	**9,169**	**79·6**
Ile du Prince-Edouard.	1921	2,156	180	83·5	1,073	95	88·5	1,083	85	78·5
	1922	2,160	153	70·8	1,104	96	87·0	1,056	57	54·
	1923	1,977	176	89·0	981	94	95·8	996	82	82·
	1924	1,858	133	71·6	928	68	73·3	930	65	69·
	1925	1,675	116	69·3	877	74	84·4	798	42	52·
	1926	1,752	123	70·2	887	65	73·3	865	58	67·
	1927	1,697	113	66·6	890	70	78·7	807	43	53·3
	1928	1,806	92	50·9	947	50	52·8	859	42	48·9

TABLEAU XXIII.—NOMBRE DE DECES CHEZ LES ENFANTS DE MOINS D'UN AN ET PROPORTION PAR RAPPORT AUX NAISSANCES D'ENFANTS VIVANTS, PAR SEXE ET PAR PROVINCES, 1921–28–*fin*

Province		Deux sexes			Garçons			Filles		
		Nés vivants	Décédés dans leur première année		Nés vivants	Décédés dans leur première année		Nés vivants	Décédés dans leur première année	
			Nombre absolu	Par 1,000 naissances		Nombre absolu	Par 1,000 naissances		Nombre absolu	Par 1,000 naissances
Nouvelle-Ecosse	1921	13,021	1,311	100·7	6,695	738	110·2	6,326	573	90·6
	1922	12,693	1,239	97·6	6,630	724	109·2	6,063	515	84·9
	1923	11,680	1,139	97·5	5,973	662	110·8	5,707	477	83·6
	1924	11,801	1,118	94·7	6,189	642	103·7	5,612	476	84·8
	1925	11,400	887	77·8	5,886	499	84·8	5,514	388	70·4
	1926	10,980	882	80·3	5,638	523	92·8	5,342	359	67·2
	1927	11,134	1,028	92·3	5,704	579	101·5	5,430	449	82·7
	1928	10,931	865	79·1	5,533	480	86·8	5,398	385	71·3
Nouveau-Brunswick.	1921	11,465	1,299	113·3	5,942	740	124·5	5,523	559	101·2
	1922	11,564	1,194	103·3	5,955	672	112·9	5,609	522	93·1
	1923	10,704	1,135	106·0	5,457	682	125·0	5,247	453	86·3
	1924	10,717	1,098	102·5	5,523	612	110·8	5,194	486	93·6
	1925	10,949	1,096	100·1	5,664	632	111·6	5,285	464	87·8
	1926	10,340	1,095	105·9	5,294	625	118·1	5,046	470	93·1
	1927	10,479	1,006	96·0	5,391	542	100·5	5,088	464	91·2
	1928	10,047	960	95·6	5,152	556	107·9	4,895	404	82·5
Québec	1926	82,165	11,666	142·0	42,475	6,676	157·2	39,690	4,990	125·7
	1927	83,064	10,739	129·3	42,813	6,149	143·6	40,251	4,590	114·0
	1928	83,621	10,332	123·6	43,049	5,899	137·0	40,572	4,433	109·3
Ontario	1921	74,152	6,763	91·2	38,307	3,918	102·3	35,845	2,845	79·4
	1922	71,430	5,921	82·9	36,495	3,414	93·5	34,935	2,507	71·8
	1923	70,056	5,950	84·9	36,141	3,415	94·5	33,915	2,535	74·7
	1924	71,510	5,418	75·8	36,582	3,055	83·5	34,928	2,363	67·6
	1925	70,122	5,530	78·9	36,098	3,100	85·9	34,024	2,430	71·4
	1926	67,617	5,362	78·4	34,742	3,032	87·3	32,875	2,270	69·0
	1927	67,671	4,812	71·1	34,755	2,733	78·6	32,916	2,079	63·2
	1928	68,510	4,880	71·2	35,299	2,735	77·5	33,211	2,145	64·6
Manitoba	1921	18,478	1,533	83·0	9,455	868	91·8	9,023	665	73·7
	1922	17,679	1,669	94·4	8,926	937	105·0	8,753	732	83·6
	1923	16,472	1,411	85·7	8,397	791	94·2	8,075	620	76·8
	1924	15,454	1,173	75·9	7,804	635	81·4	7,650	538	70·3
	1925	14,867	1,184	79·6	7,634	672	88·0	7,233	512	70·8
	1926	14,661	1,122	76·5	7,598	636	83·7	7,063	486	68·8
	1927	14,147	1,021	72·2	7,434	601	80·8	6,713	420	62·6
	1928	14,504	972	67·0	7,282	533	73·2	7,222	439	60·8
Saskatchewan	1921	22,493	1,814	80·6	11,620	1,048	90·2	10,873	766	70·4
	1922	22,339	1,913	85·6	11,435	1,079	94·4	10,904	834	76·5
	1923	20,947	1,925	91·9	10,765	1,072	99·6	10,182	853	83·8
	1924	21,539	1,634	75·9	11,157	946	84·8	10,382	688	66·3
	1925	20,582	1,662	80·8	10,620	972	91·5	9,962	690	65·0
	1926	20,716	1,681	81·1	10,651	949	89·1	10,065	732	72·7
	1927	21,015	1,575	74·9	10,852	913	84·1	10,163	662	65·1
	1928	21,261	1,370	64·4	10,983	779	70·9	10,278	591	57·5
Alberta	1921	16,561	1,391	84·0	8,493	808	95·1	8,068	583	72·3
	1922	16,163	1,475	91·3	8,219	838	102·0	7,944	637	80·2
	1923	15,060	1,418	94·2	7,676	824	107·3	7,384	594	80·4
	1924	14,597	1,227	84·1	7,422	677	91·2	7,175	550	76·7
	1925	14,924	1,125	75·4	7,626	645	84·6	7,298	480	66·0
	1926	14,456	1,233	85·3	7,410	695	93·8	7,046	538	76·4
	1927	14,897	1,110	74·5	7,682	616	80·2	7,215	494	68·5
	1928	15,692	1,200	76·5	8,091	709	87·6	7,601	491	64·6
Colombie Britannique.	1921	10,653	602	56·5	5,549	343	61·8	5,104	259	50·7
	1922	10,166	692	68·1	5,293	415	78·4	4,873	277	56·8
	1923	10,001	668	66·8	5,176	374	72·3	4,825	294	60·9
	1924	10,119	574	56·7	5,203	325	62·5	4,916	249	50·7
	1925	10,342	569	55·0	5,329	318	60·0	5,013	251	50·1
	1926	10,063	588	58·4	5,168	336	65·0	4,895	252	51·5
	1927	10,084	606	60·1	5,134	345	67·2	4,950	261	52·7
	1928	10,385	524	50·5	5,169	285	55·1	5,216	239	45·8
Territoire d'enregistrement de 1921.	**1921**	**168,979**	**14,893**	**88·1**	**87,134**	**8,558**	**98·2**	**81,845**	**6,335**	**77·4**
	1922	**164,194**	**14,256**	**86·8**	**84,057**	**8,175**	**97·3**	**80,137**	**6,081**	**75·9**
	1923	**156,897**	**13,822**	**88·1**	**80,566**	**7,914**	**98·2**	**76,331**	**5,908**	**77·4**
	1924	**157,595**	**12,375**	**78·5**	**80,808**	**6,960**	**86·1**	**76,787**	**5,415**	**70·5**
	1925	**154,861**	**12,169**	**78·6**	**79,734**	**6,912**	**86·7**	**75,127**	**5,257**	**70·0**
	1926	**150,585**	**12,026**	**79·9**	**77,388**	**6,861**	**88·7**	**73,197**	**5,165**	**70·6**
	1927	**151,124**	**11,271**	**74·6**	**77,842**	**6,399**	**82·2**	**73,282**	**4,872**	**66·5**
	1928	**153,136**	**10,863**	**70·9**	**78,456**	**6,127**	**78·1**	**74,689**	**4,736**	**63·4**

(1) Voir la note 1, au bas du tableau I.

Mortalité infantile en d'autres pays.—Le tableau XXIV établit un parallèle entre le Canada et certains autres pays, par rapport aux décès et aux naissances d'enfants de moins d'un an. Dans certains cas, toutefois, les chiffres ne sont que provisoires. Dans chaque pays établissant une distinction entre les sexes, on y voit que la mortalité infantile est plus forte chez les garçons que chez les filles.

TABLEAU XXIV.—MORTALITÉ INFANTILE AU CANADA ET EN CERTAINS AUTRES PAYS

Pays	Année	Naissances vivantes	Mortalité infantile		Pays	Année	Naissances vivantes	Mortalité infantile	
			Décès dans la première année	Taux par 1,000 naissances vivantes				Décès dans la première année	Taux par 1,000 naissances vivantes
Canada (1)	**1928**				Hongrie—	1928			
Garçons		**121,505**	**12,026**	**99·0**	Total		224,693	39,749	176·9
Filles		**115,252**	**9,169**	**79·6**	Iles Britanniques—	1928			
Total		**236,757**	**21,195**	**89·5**	Garçons		430,534	33,016	76·7
Allemagne—	1928				Filles		411,694	24,281	59·0
Total		1,182,815	105,205	89·0	Total		842,228	57,297	68·0
Angleterre et pays de Galles—	1928				Inde (Britannique)—	1927			
Garçons		337,182	24,856	73·7	Total		8,516,706	1,421,725	166·9
Filles		323,085	18,104	56·0	Irlande du Nord—	1928			
Total		660,267	42,960	65·1	Garçons		13,441	1,164	86·6
Australie—	1928				Filles		12,522	858	68·5
Garçons		69,152	4,003	57·9	Total		25,963	2,022	77·9
Filles		64,926	3,098	47·7	Italie—	1928			
Total		134,078	7,101	53·0	Garçons		552,103	70,023	126·8
Autriche—	1928				Filles		520,097	58,928	113·3
Total		116,783	13,964	119·6	Total		1,072,200	128,951	120·3
Belgique—	1927				Japon—	1928			
Garçons		74,872	8,225	109·9	Garçons		1,090,702	158,849	145·6
Filles		71,424	6,164	86·3	Filles		1,045,150	135,032	129·2
Total		146,296	14,389	98·4	Total		2,135,852	293,881	137·6
Ceylan—	1928				Norvège—	1926			
Garçons		108,840	20,118	184·8	Garçons		27,573	1,468	53·2
Filles		104,468	17,690	169·3	Filles		26,130	1,125	43·1
Total		213,308	37,808	177·2	Total		53,703	2,593	48·3
Chili—	1928				Nouvelle-Zélande	1928			
Garçons		116,858	20,183	172·7	Garçons		14,082	609	43·2
Filles		106,828	17,820	166·8	Filles		13,118	375	28·6
Total		223,686	38,003	169·9	Total		27,200	984	36·2
Danemark—	1928				Pays-Bas—	1928			
Garçons		35,266	3,156	89·5	Garçons		91,877	5,463	59·5
Filles		32,250	2,381	71·6	Filles		87,146	3,904	44·8
Total		68,516	5,537	80·8	Total		179,023	9,367	52·3
Ecosse—	1928				Roumanie—	1927			
Garçons		49,584	4,755	95·9	Total		603,284	126,074	209·0
Filles		47,238	3,544	75·0	Salvador—	1926			
Total		96,822	8,299	85·7	Garçons		30,274	4,943	163·3
Espagne—	1928				Filles		29,489	4,319	146·5
Total		666,000	83,947	126·0	Total		59,763	9,262	155·0
Etat libre d'Irlande—	1928				Sao Paulo—	1925			
Garçons		30,327	2,241	73·9	Total		181,977	30,570	168·0
Filles		28,849	1,775	61·6	Suède—	1928			
Total		59,176	4,016	67·9	Total		98,451	6,092	61·9
Etats-Unis (terr. d'enr. des naissances)—	1928				Suisse—	1928			
Garçons		1,147,625	87,676	76·4	Garçons		35,589	2,163	60·8
Filles		1,085,524	65,816	60·6	Filles		34,005	1,568	46·1
Total		2,233,149	153,492	68·7	Total		69,594	3,731	53·6
Finlande—	1928				Union S.-Africaine (2)				
Garçons		39,915	3,628	90·9	Garçons	1928	23,244	1,749	75·2
Filles		37,608	2,887	76·8	Filles		21,569	1,410	65·4
Total		77,523	6,515	84·0	Total		44,813	3,159	70·5
France—	1928				Uruguay—	1928			
Garçons		–	38,786	–	Garçons		23,052	2,407	104·4
Filles		–	29,806	–	Filles		21,580	2,035	94·3
Total		745,315	68,592	92·0	Total		44,632	4,442	99·5

(1) Voir la note 1, au bas du tableau I.

(2) Population blanche.

Année de naissance et âge au décès.—Quoique les chiffres de la mortalité infantile relevés dans le tableau XXIII soient basés sur le nombre des naissances et des décès infantiles enregistrés en 1928, il est évident qu'un certain nombre de ces décès s'appliquent à des enfants nés en 1927, bien qu'ayant vécu moins d'un an. On constate en effet que les cas de cette nature étaient au

nombre de 4,348 ou 20·5 pour cent du total des décès d'enfants durant l'année, laissant 16,847 ou 79·5 pour cent du total de ces enfants nés en 1928 (tableau XXVII). Le petit nombre de décès d'enfants nés l'année précédente explique de quelle façon le taux de mortalité infantile, basé sur les relations entre les décès de chaque année et les naissances de la même année, offre une mesure satisfaisante de mortalité infantile, sauf dans les cas où il se produit un changement considérable dans le nombre de naissances entre ces années consécutives. Le tableau XXV qui donne par provinces la proportion de décès d'enfants en 1928, selon la durée de leur brève existence, nous montre aussi que près de la moitié d'entre eux n'avaient pas encore un mois et que plus de 35 pour cent sont morts dans leur première semaine. Cette lourde mortalité parmi les nouveau-nés explique la grande prépondérance des décès d'enfants dont la naissance et la mort se sont produites durant la même année.

TABLEAU XXV.—PROPORTION PAR 1,000 DECES DES ENFANTS DE MOINS D'UN AN GROUPES SELON LA DUREE DE LEUR EXISTENCE, 1928

Age au décès	Canada (1)	I.P.-E.	N.-E.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.
Moins de 1 mois	488·3	456·5	493·6	459·4	432·3	554·3	546·3	575·2	538·3	576·3
Moins de 1 jour	*190·3*	*141·3*	*169·9*	*141·7*	*169·4*	*229·1*	*188·3*	*231·4*	*215·8*	*209·9*
1 jour et moins de 1 semaine	*162·7*	*195·7*	*188·4*	*182·3*	*130·2*	*197·3*	*202·7*	*178·1*	*180·8*	*242·4*
1 semaine et moins de 2 sem	*57·0*	*65·2*	*53·2*	*72·9*	*52·1*	*51·4*	*75·1*	*73·0*	*70·8*	*76·3*
2 semaines et moins de 3 sem	*40·2*	*32·6*	*56·6*	*35·4*	*40·6*	*38·1*	*37·0*	*48·9*	*39·2*	*21·0*
3 semaines et moins d'un mois	*38·0*	*21·7*	*25·4*	*27·1*	*40·2*	*38·3*	*43·2*	*43·8*	*31·7*	*26·7*
1 mois et moins de 2 mois	94·8	119·6	102·9	100·0	104·8	76·8	91·6	93·4	83·3	74·4
2 " " 3 "	82·0	108·7	87·9	90·6	94·9	66·0	75·1	59·1	66·7	53·4
3 " " 4 "	65·3	54·3	78·6	78·1	73·3	52·5	46·3	56·9	60·8	53·4
4 " " 5 "	50·1	–	46·2	39·6	55·7	46·3	55·6	43·8	43·3	32·4
5 " " 6 "	43·0	87·0	30·1	44·8	47·0	40·4	41·2	32·8	40·0	36·3
6 " " 7 "	39·2	21·7	37·0	51·0	42·2	40·0	26·7	24·1	34·2	32·4
7 " " 8 "	32·0	32·6	28·9	28·1	34·8	30·9	21·6	27·7	30·0	32·4
8 " " 9 "	31·8	–	23·1	33·3	35·1	29·7	23·7	29·2	29·2	30·5
9 " " 10 "	27·2	43·5	31·2	29·2	29·8	23·0	25·7	18·2	27·5	26·7
10 " " 11 "	25·2	43·5	19·7	22·9	26·0	21·9	34·0	26·3	24·2	34·4
11 " " 1 an	21·0	32·6	20·8	22·9	23·9	18·2	12·3	13·1	22·5	17·2
Total	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**

(1) Voir la note 1, au bas du tableau I.

Mortalité infantile par mois.—Le tableau XXVI présente le nombre de décès d'enfants et le taux de la mortalité infantile dans chaque mois des années 1926 à 1928, basé sur les naissances d'enfants vivants du même mois.

TABLEAU XXVI.—MORTALITE INFANTILE PAR MOIS, CANADA (1), 1926-28

—	Total	Janv.	Fév.	Mars	Avril	Mai	Juin	Juil.	Août	Sept.	Oct.	Nov.	Déc.
Nombre de naissances vivantes....1926	232,750	19,317	18,284	21,356	21,064	20,706	19,464	19,907	19,682	19,145	18,512	17,402	17,911
1927	234,188	18,039	17,601	21,387	20,931	21,012	20,405	20,646	19,931	19,386	18,521	17,773	18,556
1928	236,757	19,387	18,783	21,377	20,497	21,046	20,091	20,033	19,948	19,615	18,879	18,017	19,084
Nombre de décès dans la première année....1926	23,692	1,860	1,885	2,236	2,411	2,184	1,743	1,671	2,143	2,265	1,900	1,599	1,795
1927	22,010	2,115	1,934	2,038	1,936	1,832	1,547	1,553	1,856	2,247	1,836	1,548	1,568
1928	21,195	1,729	1,700	2,049	1,890	1,855	1,592	1,398	1,731	2,112	1,712	1,473	1,954
Taux par 1,000 naissances vivantes....1926	101·8	96·3	103·1	104·7	114·5	105·5	89·5	83·9	108·9	118·3	102·6	91·9	100·2
1927	94·0	117·2	109·9	95·3	92·5	87·2	75·8	75·2	93·1	115·9	99·1	87·1	84·5
1928	89·5	89·2	90·5	95·9	92·2	88·1	79·2	69·8	86·8	107·7	90·7	81·8	102·4

(1) Voir la note 1, au bas du tableau I.

Le tableau XXVII classifie les décès d'enfants de moins d'un an survenus au Canada au cours de l'année 1928, selon le mois de naissance et le mois du décès, que ces mois appartiennent à 1927 ou 1928. Verticalement les chiffres indiquent la répartition par mois de naissance d'enfants qui sont morts avant d'avoir atteint une année dans les mois spécifiés de 1928; horizontalement, ils donnent le nombre d'enfants décédés qui étaient nés en un certain mois de 1927 ou de 1928. Par exemple, 243 des enfants nés en mai 1927 sont morts en 1928 avant d'avoir

atteint leur premier anniversaire; soit 47 en janvier 1928, 51 en février, 72 en mars, 55 en avril et 18 en mai. En lisant les chiffres diagonalement (les totaux exceptés), de l'angle supérieur gauche à l'angle inférieur droit, la rangée inférieure donne le nombre d'enfants décédés en 1928, dans le mois de leur naissance; la deuxième rangée donne le nombre d'enfants décédés au cours du mois suivant celui de leur naissance, etc. Ainsi, l'addition diagonale de la dernière série, de 724 à 744, nous indique qu'en 1928 les enfants morts dans le mois de leur naissance étaient au nombre de 8,490, soit 40·1 pour cent du total de la mortalité infantile durant l'année. On obtient le nombre d'enfants décédés dans leur second mois en additionnant diagonalement la série de chiffres placés immédiatement au-dessus de ceux dont nous venons de parler (depuis 262 à 243), c'est-à-dire 3,018 ou 14·2 pour cent de tous les décès de l'année. Quant à ceux décédés durant un mois qui n'était ni celui de leur naissance ni le mois suivant, ils étaient au nombre de 9,687 ou 45·7 pour cent de tous les décès d'enfants déclarés en 1928.

TABLEAU XXVII.—DECES D'ENFANTS DE MOINS D'UN AN (MORT-NES EXCLUS) CLASSIFIES PAR MOIS DE NAISSANCE ET MOIS DU DECES AU CANADA (1) EN 1928

Mois de la naissance	Total	Mois du décès, 1928											
		Janv.	Fév.	Mars	Avril	Mai	Juin	Juil.	Août	Sept.	Oct.	Nov.	Déc.
Nés l'année précédente	**4,348**	**1,005**	**732**	**736**	**533**	**409**	**283**	**179**	**187**	**169**	**69**	**35**	**11**
Janvier	10	10	–	–	–	–	–	–	–	–	–	–	–
Février	37	24	13	–	–	–	–	–	–	–	–	–	–
Mars	97	38	38	21	–	–	–	–	–	–	–	–	–
Avril	180	53	56	52	19	–	–	–	–	–	–	–	–
Mai	243	47	51	72	55	18	–	–	–	–	–	–	–
Juin	306	67	38	64	50	71	16	–	–	–	–	–	–
Juillet	387	65	52	75	71	69	42	13	–	–	–	–	–
Août	415	72	73	67	71	54	38	31	9	–	–	–	–
Septembre	531	121	77	89	77	42	51	31	34	9	–	–	–
Octobre	542	124	85	69	53	54	32	32	36	45	12	–	–
Novembre	624	122	113	81	62	44	48	30	44	52	22	6	–
Décembre	976	262	136	146	75	57	56	42	64	63	35	29	11
Nés l'année courante	**16,847**	**724**	**968**	**1,313**	**1,357**	**1,446**	**1,309**	**1,219**	**1,544**	**1,943**	**1,643**	**1,438**	**1,943**
Janvier	1,738	724	260	165	126	73	58	46	82	74	41	40	49
Février	1,680	–	708	272	161	123	62	40	113	87	48	21	45
Mars	1,878	–	–	876	280	169	101	62	107	123	65	33	62
Avril	1,798	–	–	–	790	297	141	89	131	143	74	47	86
Mai	1,695	–	–	–	–	784	264	122	131	177	94	57	66
Juin	1,538	–	–	–	–	–	683	211	159	196	130	72	87
Juillet	1,428	–	–	–	–	–	–	649	228	225	130	85	111
Août	1,255	–	–	–	–	–	–	–	593	264	160	126	112
Septembre	1,193	–	–	–	–	–	–	–	–	654	244	136	159
Octobre	1,029	–	–	–	–	–	–	–	–	–	657	193	179
Novembre	871	–	–	–	–	–	–	–	–	–	–	628	243
Décembre	744	–	–	–	–	–	–	–	–	–	–	–	744
Total des décès des nouveau-nés	**21,195**	**1,729**	**1,700**	**2,049**	**1,890**	**1,855**	**1,592**	**1,398**	**1,731**	**2,112**	**1,712**	**1,473**	**1,954**

(1) Voir la note 1, au bas du tableau I.

Le tableau XXVIII divise la mortalité infantile de chaque mois entre ces trois catégories, chacune d'elles étant computée sur un dénominateur approprié. Il permet la comparaison des divers mois de 1928 sur (a) la mortalité des enfants nés durant le mois; (b) la mortalité des enfants nés durant le mois précédent et (c) la mortalité des enfants de moins d'un an nés antérieurement au mois précédent.

Dans le taux de mortalité des enfants nés antérieurement au mois précédent, la longueur de chaque mois a été uniformisée à 30·4 jours. On n'a pas procédé à cet ajustement en calculant les taux des autres catégories, parce que dans ces cas, étant donné la concentration des décès pendant la première semaine de l'existence, la variation de la longueur des mois ne constitue qu'une différence insignifiante.

Le plus haut taux de mortalité des enfants nés durant le mois se rencontre en mars et le plus bas en août; le plus haut coefficient de mortalité des enfants nés durant le mois précédent se trouve en mars et en mai qui donnent les mêmes chiffres; le plus bas était en novembre. Enfin, le plus fort coefficient de mortalité des enfants nés antérieurement au mois précédent se voit en septembre et le plus faible en juillet. L'indice de septembre, en ce qui a trait à la mortalité

chez les enfants de cette catégorie, peut être attribué à la fréquence des maladies gastro-intestinales comme cause de décès parmi les enfants qui ont survécu les dangers des premiers jours de leur existence.

En vue d'unifier le taux mensuel de la mortalité infantile, on a combiné ces trois coefficients en présumant un nombre égal de naissances en chaque mois de l'année. Sur cette base, septembre tenait la tête avec un taux unifié de 108·2 par 1,000 naissances vivantes, tandis que juillet était le dernier avec 69·7 par mille. Ces taux unifiés peuvent être considérés comme tendant à ajuster les taux mensuels bruts au tableau XXVI. On notera que le taux ajusté paraît plus élevé que ceux qui figurent pour ces mois qui portent un certain nombre de naissances au-dessus de la moyenne, pour mars par exemple, tandis qu'il y a diminution du taux brut pour ces mois, tel que novembre, qui portent un chiffre de naissances moins élevé que la moyenne.

TABLEAU XXVIII.—ANALYSE DE LA MORTALITE INFANTILE AU CANADA (1) PAR MOIS EN 1928

Mois	Mortalité des enfants nés durant le mois			Mortalité des enfants nés durant le mois précédent			Mortalité des enfants nés antérieurement au mois précédent				(2) Taux unifié par 1,000 naissances
	Nombre de naissances	Nombre de décès	Taux par 1,000 naissances	Nombre de naissances	Nombre de décès	Taux par 1,000 naissances	Nombre de naissances	Nombre de décès	Taux par 1,000 naissances	Taux d'après la durée du mois	
	(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)
Janvier	19,387	724	37·3	18,556	262	14·1	215,632	743	3·45	3·38	88·6
Février	18,783	708	37·7	19,387	260	13·4	216,149	732	3·39	3·55	90·2
Mars	21,377	876	41·0	18,783	272	14·5	217,935	901	4·13	4·05	100·1
Avril	20,497	790	38·5	21,377	280	13·1	215,331	820	3·81	3·86	94·1
Mai	21,046	784	37·3	20,497	297	14·5	215,777	774	3·59	3·52	90·5
Juin	20,091	683	34·0	21,046	264	12·5	215,262	645	3·00	3·04	79·9
Juillet	20,033	649	32·4	20,091	211	10·5	215,903	538	2·49	2·44	69·7
Août	19,948	593	29·7	20,033	228	11·4	215,348	910	4·23	4·15	86·8
Septembre	19,615	654	33·3	19,948	264	13·2	215,450	1,194	5·54	5·61	108·2
Octobre	18,879	657	34·8	19,615	244	12·4	216,012	811	3·75	3·68	87·7
Novembre	18,017	628	34·9	18,879	192	10·2	217,106	653	3·01	3·05	78·7
Décembre	19,084	744	39·0	18,017	243	13·5	218,212	967	4·43	4·34	100·2

(1) Voir la note 1, au bas du tableau I. (2) Obtenu en additionnant c + f + (11 x j).

Mortalité infantile par trimestres.—Le tableau XXIX relève le chiffre des naissances, le nombre de décès et les taux bruts et ajustés de mortalité infantile pour les quatre trimestres de 1927 et 1928. Le taux brut est obtenu en comparant le nombre de décès d'un trimestre avec le nombre de naissances du même trimestre, et le taux ajusté est obtenu de la même manière que les taux ajustés mensuels décrits plus haut.

On remarquera que l'effet de l'ajustement, tel qu'appliqué aux chiffres des deux années, est plus grand dans les deuxième et quatrième trimestres, majore les taux du deuxième et baisse ceux du quatrième.

TABLEAU XXIX.—MORTALITE INFANTILE AU CANADA (1) PAR TRIMESTRES, 1927-28

—		1er trimestre	2ième trimestre	3ième trimestre	4ième trimestre
Nombre de naissances	1927	57,027	62,348	59,963	54,850
	1928	59,547	61,634	59,596	55,980
Nombre de décès au-dessous d'un an	1927	6,087	5,315	5,656	4,952
	1928	5,478	5,337	5,241	5,139
Taux de la mortalité infantile par 1,000 naissances vivantes, brut	1927	106·7	85·2	94·3	90·3
	1928	92·0	86·6	87·9	91·8
Taux de la mortalité infantile par 1,000 naissances vivantes, ajusté	1927	106·8	88·6	95·0	86·6
	1928	93·2	88·5	87·6	88·9

(1) Voir la note 1, au bas du tableau I.

Mortalité chez les enfants nés durant l'année civile 1927.—Une combinaison du tableau XXVII pour deux années consécutives nous permet de suivre dans la première année de leur existence les enfants nés dans une certaine année civile ou dans un mois civil quelconque. Dans le tableau XXX, nous pouvons suivre les enfants nés dans l'année civile 1927. Le taux de mortalité de ces enfants pendant la première année de leur vie était de 92·1 par 1,000 naissances. Les décès de ces enfants ont été enregistrés pour les deux années civiles 1927 et 1928. Le taux de mortalité chez les enfants nés durant l'année 1926, chiffres qui se trouvent aussi au tableau, était de 100·1 par 1,000 naissances. Le tableau permet des comparaisons intéressantes quant à la mortalité des enfants nés dans les différents mois de l'année. La possibilité de compensations dans la mortalité de la seconde année d'existence demande considération.

TABLEAU XXX.—DECES DANS LA PREMIERE ANNEE DE LEUR EXISTENCE DES ENFANTS NES AU CANADA, (1) DURANT L'ANNEE SOLAIRE 1927


Mois du décès	Total	Mois de la naissance en 1927											
		Janv.	Fév.	Mars	Avril	Mai	Juin	Juil.	Août	Sept.	Oct.	Nov.	Déc.
1927													
Janvier	798	798	–	–	–	–	–	–	–	–	–	–	–
Février	1,066	308	758	–	–	–	–	–	–	–	–	–	–
Mars	1,338	143	352	843	–	–	–	–	–	–	–	–	–
Avril	1,400	127	137	335	801	–	–	–	–	–	–	–	–
Mai	1,465	82	93	162	297	831	–	–	–	–	–	–	–
Juin	1,310	57	59	86	171	225	712	–	–	–	–	–	–
Juillet	1,360	46	60	93	123	147	233	658	–	–	–	–	–
Août	1,637	85	87	126	157	155	193	227	607	–	–	–	–
Septembre	2,028	88	96	129	187	194	214	243	240	637	–	–	–
Octobre	1,749	41	58	74	98	127	138	161	202	266	584	–	–
Novembre	1,508	25	37	42	52	65	75	85	124	149	220	634	–
Décembre	1,555	17	34	33	53	51	62	68	83	110	160	218	666
1928													
Janvier	1,005	10	24	38	53	47	67	65	72	121	124	122	262
Février	732	–	13	38	56	51	38	52	73	77	85	113	136
Mars	736	–	–	21	52	72	64	75	67	89	69	81	146
Avril	533	–	–	–	19	55	50	71	71	77	53	62	75
Mai	409	–	–	–	–	18	71	69	54	42	54	44	57
Juin	283	–	–	–	–	–	16	42	38	51	32	48	56
Juillet	179	–	–	–	–	–	–	13	31	31	32	30	42
Août	187	–	–	–	–	–	–	–	9	34	36	44	64
Septembre	169	–	–	–	–	–	–	–	–	9	45	52	63
Octobre	69	–	–	–	–	–	–	–	–	–	12	22	35
Novembre	35	–	–	–	–	–	–	–	–	–	–	6	29
Décembre	11	–	–	–	–	–	–	–	–	–	–	–	11
Total des décès, moins d'un an	**21,562**	**1,827**	**1,808**	**2,020**	**2,119**	**2,038**	**1,933**	**1,829**	**1,671**	**1,693**	**1,506**	**1,476**	**1,642**
Total des naissances vivantes	**234,188**	**18,039**	**17,601**	**21,387**	**20,931**	**21,012**	**20,405**	**20,646**	**19,931**	**19,386**	**18,521**	**17,773**	**18,556**
Taux de la mortalité infantile par 1,000 naissances vivantes en 1927	**92·1**	**101·3**	**102·7**	**94·4**	**101·2**	**97·0**	**94·7**	**88·6**	**83·8**	**87·3**	**81·3**	**83·0**	**88·5**
Taux de la mortalité infantile par 1,000 naissances vivantes en 1926	**100·1**	**101·5**	**100·6**	**106·9**	**110·9**	**109·7**	**106·7**	**97·9**	**92·3**	**91·5**	**90·3**	**92·7**	**96·4**

(1) Voir la note 1, au bas du tableau I.

Mortalité infantile par causes.—Sur la totalité de la mortalité infantile dans les neuf provinces du Canada en 1928, 92·5 pour cent ont été victimes des maladies énumérées dans le tableau XXXI. Ces chiffres se comparent à 92·0 pour cent en 1927 et 92·6 pour cent en 1926.

La naissance prématurée est donnée comme la cause du décès dans 21·6 pour cent des cas en 1928, la diarrhée et l'entérite dans 18·4 pour cent, la débilité congénitale dans 11·0 et la pneumonie dans 10·4 pour cent des cas. Ces quatre maladies ont donc été la cause d'environ 61 pour cent de la mortalité infantile en 1928. Le taux correspondant pour 1927 était légèrement moins élevé.

Considérant ensemble les groupes de maladies de première enfance (N^{os} 160-162) et les conformations congénitales vicieuses (N° 159), on voit que ces causes sont responsables pour environ 50 pour cent de tous les cas de mortalité infantile en 1928. Le taux pour 1928 est un peu plus élevé que celui de 1927. On remarquera toutefois que les enfants d'au-dessous de trois mois, décédés sans soins médicaux et dont la cause de décès est non spécifiée ou mal définie, sont compris dans le N° 162: "Autres affections spéciales au premier âge."



Le déclin dans la mortalité infantile de 1927 et 1928 a épargné 446 enfants par 100,000 naissances vivantes. De cette diminution dans le nombre de décès, 167 par 100,000, soit plus d'un tiers du total, sont attribués à la diarrhée et à l'entérite. La diminution des décès attribués à la coqueluche a épargné 75 par 100,000, des décès attribués aux convulsions une épargne de 41 et dans le N° 162, "Autres affections spéciales au premier âge", 82. La diminution dans cette catégorie et dans les décès provenant des convulsions peut provenir en grande partie d'une meilleure attestation. Nulle des causes mentionnées ne donne une augmentation importante dans le taux de l'année précédente, la plus considérable en influence sur la totalité de la mortalité infantile étant notée dans les décès causés par naissance prématurée, chiffre qui s'élève à 54 de plus par 100,000 naissances qu'en 1927. On remarquera que la poliomyélite antérieure aiguë (paralysie infantile), maladie non indiquée au tableau XXXI, a été la cause de 21 décès d'enfants en 1928 comparativement à 24 l'année précédente et 9 en 1926.

TABLEAU XXXI.—MORTALITE INFANTILE AU CANADA [1] PAR SEXES ET CAUSES DE DECES, 1926-28

N° liste int.	Causes des décès	Année	Deux sexes			Garçons		Filles	
			Nombre absolu	Répartition proportionnelle par cause de décès	Taux par 100,000 naissances vivantes	Nombre absolu	Taux par 100,000 naissances vivantes	Nombre absolu	Taux par 100,000 naissances vivantes
7	Rougeole	1926	263	1·1	113	141	118	122	108
		1927	187	0·8	80	113	94	74	65
		1928	89	0·4	38	50	41	39	34
8	Scarlatine	1926	25	0·1	11	13	11	12	11
		1927	35	0·2	15	23	19	12	11
		1928	25	0·1	11	12	10	13	11
9	Coqueluche	1926	773	3·3	332	358	299	415	368
		1927	640	2·9	273	336	278	304	268
		1928	469	2·2	198	230	189	239	207
10	Diphtérie	1926	47	0·2	20	24	20	23	20
		1927	48	0·2	20	24	20	24	21
		1928	48	0·2	20	22	18	26	23
11	Grippe	1926	950	4·0	408	576	481	374	331
		1927	719	3·3	307	411	341	308	271
		1928	831	3·9	351	500	412	331	287
21	Erysipèle	1926	101	0·4	43	51	43	50	44
		1927	95	0·4	41	48	40	47	41
		1928	91	0·4	38	45	37	46	40
31-37	Tuberculose	1926	233	1·0	100	131	109	102	90
		1927	188	0·9	80	100	83	88	78
		1928	194	0·9	82	105	86	89	77
38	Syphilis	1926	128	0·5	55	68	57	60	53
		1927	131	0·6	56	70	58	61	54
		1928	129	0·6	54	81	67	48	42
71a	Méningite (simple)	1926	327	1·4	140	201	168	126	112
		1927	325	1·5	139	186	154	139	122
		1928	300	1·4	127	149	123	151	131
80	Convulsions	1926	440	1·9	189	263	219	177	157
		1927	441	2·0	188	265	220	176	155
		1928	348	1·6	147	208	171	140	121
99	Bronchite	1926	150	0·6	64	90	75	60	53
		1927	134	0·6	57	74	61	60	53
		1928	127	0·6	54	71	58	56	49
100-101	Pneumonie	1926	2,487	10·5	1,069	1,410	1,176	1,077	954
		1927	2,150	9·8	918	1,210	1,003	940	828
		1928	2,209	10·4	933	1,251	1,030	958	831
110-112	Affections de l'estomac	1926	282	1·2	121	156	130	126	112
		1927	302	1·4	129	170	141	132	116
		1928	243	1·1	103	132	109	111	96
113	Diarrhée et entérite	1926	4,318	18·2	1,855	2,451	2,045	1,867	1,654
		1927	4,249	19·3	1,814	2,430	2,014	1,819	1,602
		1928	3,899	18·4	1,647	2,228	1,834	1,671	1,450
118	Hernie, obstruction intestinale	1926	107	0·5	46	68	57	39	35
		1927	105	0·5	45	73	61	32	28
		1928	88	0·4	37	64	53	24	21
159	Vices de conformation congénitaux	1926	1,412	6·0	607	777	648	635	563
		1927	1,256	5·7	536	661	548	595	524
		1928	1,299	6·1	549	702	578	597	518
160	Débilité congénitale	1926	2,353	9·9	1,011	1,353	1,129	1,000	886
		1927	2,368	10·8	1,011	1,355	1,123	1,013	892
		1928	2,338	11·0	988	1,372	1,129	966	838
161a	Naissance prématurée	1926	5,083	21·5	2,184	2,936	2,449	2,147	1,902
		1927	4,402	20·0	1,880	2,550	2,113	1,852	1,631
		1928	4,579	21·6	1,934	2,500	2,058	2,079	1,804
161b	Conséquence de l'accouchement	1926	949	4·0	408	563	470	386	342
		1927	1,009	4·6	431	601	498	408	359
		1928	1,017	4·8	430	644	530	373	324
162	Autres affections spéciales au premier âge	1926	1,507	6·4	647	885	738	622	551
		1927	1,454	6·6	621	848	703	606	534
		1928	1,276	6·0	539	734	604	542	470
	Autres causes spécifiées	1926	1,599	6·7	687	919	767	680	602
		1927	1,634	7·4	698	921	763	713	628
		1928	1,444	6·8	610	841	692	603	523
204-205	Causes non spécifiées ou mal définies	1926	158	0·7	68	103	86	55	49
		1927	138	0·6	59	79	65	59	52
		1928	152	0·7	64	85	70	67	58
	Toutes causes	**1926**	**23,692**	**100·0**	**10,179**	**13,537**	**11,294**	**10,155**	**8,996**
		1927	**22,010**	**100·0**	**9,398**	**12,548**	**10,400**	**9,462**	**8,334**
		1928	**21,195**	**100·0**	**8,952**	**12,026**	**9,898**	**9,169**	**7,956**

[1] Voir la note 1, au bas du tableau I.

Proportion des taux de mortalité infantile, par sexes et par causes.—Le tableau XXXII nous montre pour les mêmes causes énumérées dans le tableau XXXI le pourcentage de garçons par rapport aux filles quant à la mortalité infantile pour les années 1926, 1927 et 1928 ainsi que la moyenne pour les trois années. Ces derniers taux, sans doute, sont plus typiques que les autres. La proportion de décès chez les garçons, dans presque tous les cas, est plus élevée que chez les filles, pour toutes causes, excepté dans les cas de diphtérie, d'érysipèle et de coqueluche. La plus haute proportion des taux pour les garçons est due à la hernie et à l'obstruction intestinale, la plus haute proportion dans ces cas, par rapport aux taux chez les filles, étant de 211 pour cent. Les blessures à la naissance donnent une proportion de 147 pour cent et les convulsions 141 pour cent. Les causes non spécifiées ou mal définies donnent les taux de mortalité chez les garçons qui sont calculés à 141 pour cent des taux chez les filles.

TABLEAU XXXII.—COEFFICIENT DE LA MORTALITE INFANTILE DES GARÇONS COMPARATIVEMENT AUX FILLES AU CANADA[1], 1926-1928

(Le coefficient de la mortalité infantile chez les filles est exprimé par 100)

N° liste int.	Causes des décès	1926	1927	1928	Moyenne 1926-28
7	Rougeole	109	144	122	125
8	Scarlatine	102	180	87	123
9	Coqueluche	81	104	91	92
10	Diphtérie	98	94	80	91
11	Grippe	145	126	143	138
21	Erysipèle	96	96	93	95
31-37	Tuberculose	121	107	112	113
38	Syphilis	107	108	160	125
71a	Méningite (simple)	150	126	94	123
80	Convulsions	140	142	141	141
99	Bronchite	141	116	120	126
100-101	Pneumonie	123	121	124	123
110-112	Affections de l'estomac	117	121	113	117
113	Diarrhée et entérite	124	126	126	125
118	Hernie, obstruction intestinale	164	215	253	211
159	Vices de conformation congénitaux	115	105	112	111
160	Débilité congénitale	127	126	135	129
161a	Naissance prématurée	129	130	114	124
161b	Conséquence de l'accouchement	137	139	164	147
162	Autres affections spéciales au premier âge	134	132	128	131
	Autres causes spécifiées	127	122	132	127
204-205	Causes non spécifiées ou mal définies	176	126	120	141
	Toutes causes	**126**	**125**	**124**	**125**

[1] Voir la note 1, au bas du tableau I.

Causes de mortalité infantile, par périodes d'âges.—Le tableau XXXIII présente les taux de mortalité infantile résultant de certaines causes, dans les neuf provinces du Canada en 1928. Les trois premiers mois de l'existence sont divisés en périodes mensuelles et la première semaine du premier mois est distinguée du reste du mois; le reste de l'année est divisé en trimestres. Dans le but de permettre une comparaison équitable entre les périodes de longueurs différentes, on a uniformisé les taux hebdomadaires; à cet effet, les taux bruts de la période "une semaine et moins d'un mois" ont été multipliés par 7/23·4, ceux des périodes mensuelles par 7/30·4 et ceux des trimestres par 7/91·2. Ainsi réduits ces taux représentent la mortalité par 100,000 naissances vivantes durant une semaine moyenne des périodes les plus longues. Il faut se rappeler, toutefois, que la mortalité durant la première semaine de l'existence est loin de s'égaliser. En 1928 les décès survenus pendant les premières vingt-quatre heures dépassèrent de beaucoup ceux du surplus de la première semaine. Pour certaines causes la proportion de décès survenus le premier jour fut encore plus forte. Sur 3,516 enfants décédés avant d'avoir vécu une semaine, pour cause de naissance prématurée, 2,198, ou environ les trois cinquièmes ont succombé dans les premières vingt-quatre heures. Une inégalité de distribution similaire, quoique beaucoup moins prononcée, caractérise les décès qui surviennent après la première semaine dans le cours du premier mois.

Le tableau fait ressortir la prédominance des décès résultant des causes N^{os} 159–162 durant la première semaine de l'existence. C'est aussi dans la première semaine que les convulsions (terme peu satisfaisant) ont fait le plus grand nombre de victimes, tandis que la pneumonie montre une tendance à diminuer graduellement des premières vers les dernières périodes. C'est dans le troisième mois que la diarrhée et l'entérite font le plus de ravages, bien que ces maladies tendent à décliner vers la catégorie des enfants plus âges.

TABLEAU XXXIII.—TAUX DE LA MORTALITE (EQUIVALENT HEBDOMADAIRE) PAR 100,000 NAISSANCES VIVANTES, CAUSEE PAR CERTAINES MALADIES, PAR PERIODES D'AGE DURANT LA PREMIERE ANNEE D'EXISTENCE AU CANADA(1) EN 1928

N° liste int.	Causes des décès	Total moins de 1 an	Moins d'une semaine	1 semaine et moins de 1 mois	1 mois et moins de 2 mois	2 mois et moins de 3 mois	3 mois et moins de 6 mois	6 mois et moins de 9 mois	9 mois et moins de 12 mois
7	Rougeole	0·7	–	0·4	0·4	0·5	0·6	0·9	1·0
8	Scarlatine	0·2	–	–	0·3	0·1	0·1	0·3	0·3
9	Coqueluche	3·8	–	3·4	7·2	5·3	4·9	3·4	1·8
10	Diphtérie	0·4	0·4	0·3	0·2	0·2	0·1	0·4	0·8
11	Grippe	6·7	5·9	11·5	9·1	11·0	6·9	5·2	4·7
21	Erysipèle	0·7	–	3·0	1·8	1·2	0·6	0·4	0·2
31–37	Tuberculose	1·6	0·8	0·6	1·6	1·2	1·6	1·6	1·9
38	Syphilis	1·0	3·8	2·8	3·1	1·8	1·1	0·3	0·2
71a	Méningite (simple)	2·4	7·6	5·3	1·8	2·7	2·6	2·4	1·3
80	Convulsions	2·8	34·6	5·9	3·6	3·0	2·1	1·5	1·4
99	Bronchite	1·0	1·7	2·8	1·6	1·5	1·2	0·6	0·4
100–101	Pneumonie	17·9	32·9	24·3	23·0	26·7	18·0	15·8	12·5
110–112	Affections de l'estomac	2·0	3·4	4·8	3·7	3·9	1·9	1·2	0·7
113	Diarrhée et entérite	31·7	21·5	46·9	54·5	57·6	40·1	23·1	12·2
118	Hernie, obstruction intestinale	0·7	4·2	1·0	0·9	0·1	0·9	0·7	0·4
159	Vices de conformation congénitaux	10·6	285·1	33·7	10·5	5·3	3·4	1·8	1·2
160	Débilité congénitale	19·0	406·7	65·2	31·1	20·0	7·7	2·2	0·9
161	Naissance prématurée, conséquence de l'accouchement	45·5	1,872·4	104·9	19·7	6·6	1·4	0·4	0·2
162	Autres affections spéciales au premier âge	10·4	406·7	21·5	6·5	4·3	0·8	0·2	0·1
	Autres causes spécifiées	11·7	65·9	23·5	14·3	15·1	10·7	7·6	7·6
204–205	Causes non spécifiées ou mal définies	1·2	6·3	0·5	0·6	1·1	2·0	1·0	0·7
	Toutes causes	**172·2**	**3,160·2**	**362·2**	**195·5**	**169·0**	**108·9**	**70·8**	**50·4**

(1) Voir la note 1, au bas du tableau I.

Mortalité infantile dans les villes.—Le tableau XXXIV nous renseigne sur les naissances vivantes, les décès d'enfants de moins d'un an et le taux de mortalité infantile dans les cités de 40,000 âmes et plus, au cours des années 1921–28. Pour les deux cités de Montréal et de Québec, les chiffres sont restreints à 1926–1928, ces deux cités n'ayant pas été comprises dans le territoire d'enregistrement dans les années précédentes. Le taux de la mortalité infantile le plus bas pour 1928 se trouve à Vancouver, le plus élevé à Québec, cette dernière ville ayant montré une augmentation marquée sur les chiffres de l'année précédente bien que plus bas qu'en 1926. Comparativement à 1927, les taux pour 1928 étaient plus bas à Halifax, Hamilton, London et Vancouver, et plus élevés dans les autres villes.

TABLEAU XXXIV.—MORTALITE INFANTILE DANS LES CITES DE 40,000 AMES ET PLUS, 1921-1928

		Calgary	Edmonton	Halifax	Hamilton	London	Montréal	Ottawa	Québec	Saint John	Toronto	Vancouver (2)	Winnipeg
Naissances d'enfants vivants	1921	2,086	2,136	1,836	3,498	1,458	(1)	3,250	(1)	1,225	13,378	3,893	6,323
	1922	1,884	2,143	1,743	3,146	1,448	(1)	3,273	(1)	1,259	12,745	3,469	5,840
	1923	1,683	1,951	1,519	3,033	1,380	(1)	3,055	(1)	1,304	12,680	3,533	5,246
	1924	1,612	1,852	1,458	3,140	1,452	(1)	3,044	(1)	1,238	12,424	3,555	4,786
	1925	1,634	1,943	1,463	2,938	1,352	(1)	3,026	(1)	1,246	11,976	3,662	4,660
	1926	1,568	1,858	1,359	2,774	1,331	19,650	2,869	4,164	1,097	11,185	3,543	4,495
	1927	1,641	1,940	1,494	2,866	1,286	19,458	3,003	4,349	1,166	11,448	3,651	4,506
	1928	1,752	2,149	1,425	3,007	1,438	20,252	3,003	4,473	1,083	12,342	3,812	4,552
Décès dans la première année	1921	168	190	247	307	134	(1)	422	(1)	180	1,210	219	490
	1922	146	237	218	252	98	(1)	418	(1)	140	993	238	519
	1923	153	173	210	238	103	(1)	401	(1)	149	972	224	421
	1924	96	147	141	226	87	(1)	341	(1)	131	912	177	324
	1925	108	136	140	241	93	(1)	348	(1)	152	871	160	322
	1926	131	155	127	199	91	2,827	342	773	118	843	195	313
	1927	85	113	124	187	102	2,569	286	643	103	810	193	273
	1928	108	137	102	190	76	2,925	320	776	103	895	164	278
Taux par 1,000 naissances d'enfants vivants	1921	80·5	89·0	134·5	87·8	91·9	(1)	129·8	(1)	146·9	90·4	56·3	77·5
	1922	77·5	110·6	125·1	80·1	67·7	(1)	127·7	(1)	111·2	77·9	68·6	88·9
	1923	90·9	88·7	138·2	78·5	74·6	(1)	131·3	(1)	114·3	76·7	63·4	80·3
	1924	59·6	79·4	96·7	72·0	59·9	(1)	112·0	(1)	105·8	73·4	49·8	67·7
	1925	66·1	70·0	95·7	82·0	68·8	(1)	115·0	(1)	122·0	72·7	43·7	69·1
	1926	83·5	83·4	93·5	71·7	68·4	143·9	119·2	185·6	107·6	75·4	55·0	69·6
	1927	51·8	58·2	83·0	65·2	79·3	132·0	95·2	147·9	88·3	70·8	52·9	60·6
	1928	61·6	63·8	71·6	63·2	52·9	144·4	106·6	173·5	95·1	72·5	43·0	61·1

(1) Non compris dans le territoire d'enregistrement. (2) Comprend Point Grey et South Vancouver.

NOTE.—La classification des cités dans le Manitoba, la Saskatchewan et l'Alberta est selon le recensement de 1926 et dans toutes les autres provinces selon le recensement de 1921.

En étudiant les statistiques des naissances et de la mortalité infantile, il ne faut pas perdre de vue qu'un grand nombre de personnes en dehors des villes ont l'avantage d'être admises dans les institutions urbaines. Afin de soustraire à la comparaison des villes entre elles les naissances survenues aux mères qui ne sont que de passage dans les institutions des villes et les décès d'enfants qui peuvent suivre, la méthode la plus satisfaisante serait de mettre au compte de l'endroit de résidence de la mère, la naissance de son enfant et le décès, s'il y a lieu. A défaut de cette formalité, toutefois, l'élimination du total d'une ville des naissances dans les institutions à des mères non résidantes, et des décès de ces enfants peut offrir un taux de mortalité infantile assez près de l'exactitude. Le nombre de naissances hors les institutions des villes à des mères non résidantes doit être assez restreint, mais peut en quelque sorte compenser sans erreur sérieuse pour les mères faisant leurs couches en dehors de leur ville d'habitation.

Le tableau XXXV fait connaître la mortalité infantile en 1928, dans les cités de 40,000 âmes et plus, sur une base précise. Les nombres absolus de ce tableau ont été puisés dans les tableaux 6 et 16 des tableaux d'ensemble. Il est intéressant de comparer la mortalité infantile corrigée des cités avec celle du tableau XXXIV.

TABLEAU XXXV.—TAUX CORRIGES DE LA MORTALITE INFANTILE DANS LES CITES DE 40,000 AMES ET PLUS, EN 1928

Cités	Naissances vivantes sans compter les naissances dans les institutions de non résidence de la mère	Décès d'enfants, de moins d'un an, sans compter les décès dans des institutions d'autre ville que la leur	Taux corrigé de la mortalité infantile par 1,000 naissances vivantes
Calgary, Alta	1,437	101	70·3
Edmonton, Alta	1,566	101	64·5
Halifax, N.-E	1,410	98	69·5
Hamilton, Ont	2,777	175	63·0
London, Ont	1,245	64	51·4
Montréal, Qué	19,883	2,892	145·5
Ottawa, Ont	2,510	285	113·5
Québec, Qué	4,406	766	173·9
Saint John, N.-B	974	101	103·7
Toronto, Ont	11,646	837	71·9
Vancouver, C.B.(1)	3,418	140	41·0
Winnipeg, Man	3,474	224	64·5

(1) Comprend Point Grey et South Vancouver.

Le tableau XXXVI présente les statistiques de la mortalité infantile pour les totaux des centres urbains et des régions rurales pour les neuf provinces du Canada, les centres urbains étant subdivisés en cités de 40,000 âmes et plus, en cités de 10,000 à 40,000 âmes et en cités et villes de 1,000 à 10,000 âmes de population. Dans chaque cas les naissances et les décès sont enregistrés d'après le centre où ils se sont produits, sans égard au lieu de résidence des parents. Bien que les villes de 40,000 âmes et plus donnent un taux plus élevé en 1928 que l'année précédente, ce taux était néanmoins plus bas que celui de 1926. Les autres trois classes de localités accusent un déclin de 1926 à 1927, comme aussi de 1927 à 1928. Dans les deux années, on trouve les taux les plus bas dans les villes de 10,000 à 40,000 âmes, et les plus élevés dans les cités de 40,000 âmes et plus de population. Il existe peu de différence entre les taux de 1928 pour les cités de 10,000 à 40,000 et celles dont le chiffre de population varie de 1,000 à 10,000 et ceux des centres ruraux.

TABLEAU XXXVI.—TAUX DE LA MORTALITE INFANTILE POUR LES REGIONS RURALES, ET POUR LES CENTRES URBAINS, CLASSIFIES D'APRES LA POPULATION, CANADA(1) 1926-28

		Cités de 40,000 âmes et plus	Cités de 10,000 à 40,000 âmes	Cités et villes de 1,000 à 10,000 âmes	Rurales
Naissances vivantes	1926	55,452	24,194	34,179	118,925
	1927	56,301	24,945	35,813	117,129
	1928	59,288	25,592	36,506	115,371
Décès dans la première année	1926	6,091	2,249	3,369	11,983
	1927	5,459	2,202	3,372	16,977
	1928	6,074	2,149	3,111	9,861
Le taux de la mortalité infantile	1926	109·8	93·0	98·6	100·8
	1927	97·0	88·3	94·2	93·7
	1928	102·4	84·0	85·2	85·5

(1) Voir la note 1, au bas du tableau I.

NOTE.—La classification des cités et villes dans le Manitoba, la Saskatchewan et l'Alberta est selon le recensement de 1926, et dans toutes les autres provinces selon le recensement de 1921.

Le tableau XXXVII nous présente les taux de mortalité infantile pour les quatre divisions mentionnées dans le paragraphe précédent, mais limités aux huit provinces comprises dans le territoire d'enregistrement de 1921 et couvrant la période d'années 1921-28. Dans ce territoire le taux moyen le plus bas pour les sept années se trouve dans les cités de 40,000 âmes et plus, et le plus élevé dans les cités et villes d'une population de 1,000 à 10,000 âmes. La marge entre la moyenne la plus élevée et la plus basse n'est pas forte. Bien que toutes les catégories de villes accusent une baisse de taux de mortalité infantile au cours de cette période, la baisse la plus prononcée s'est produite dans les cités de 10,000 à 40,000 âmes de population; la moins forte se trouve dans les centres ruraux.

TABLEAU XXXVII.—TAUX DE LA MORTALITE INFANTILE POUR LES REGIONS RURALES DU TERRITOIRE D'ENREGISTREMENT DE 1921 ET POUR LES CENTRES URBAINS CLASSIFIES D'APRES LA POPULATION, AU COURS DES ANNEES 1921–28

Année	Taux de mortalité chez les enfants de moins d'un an par 1,000 naissances			
	Cités de 40,000 âmes et plus	Cités de 10,000 à 40,000 âmes	Cités et villes de 1,000 à 10,000 âmes	Régions rurales
1921	92·0	94·6	94·6	83·3
1922	88·3	89·4	90·9	84·5
1923	86·4	89·7	91·1	87·7
1924	74·9	77·9	83·4	78·7
1925	76·4	78·2	80·2	79·1
1926	78·7	77·4	81·0	80·6
1927	69·2	75·3	77·7	75·7
1928	68·7	67·7	74·7	71·6
Moyenne pour 8 ans	**79·3**	**81·3**	**84·2**	**80·2**
P.c. de diminution entre 1921-28	**25·3**	**28·4**	**21·0**	**14·0**

MORTALITE PUERPERALE

Dans le tableau XXXVIII, les décès de nature puerpérale sont classifiés par âge des défuntes en 1928, pour chacune des provinces du Canada. Ces décès sont au nombre de 1,331 dans les neuf provinces, soit un taux de 5·6 par 1,000 naissances vivantes, c'est-à-dire le même que l'année précédente. Les proportions les plus élevées se trouvent en Alberta 6·8, et dans l'Ile du Prince-Edouard 6·1; les plus basses viennent du Manitoba 5·1, et de la Nouvelle-Ecosse 5·2. En raison du petit nombre de décès précités, les taux de mortalité puerpérale offrent des fluctuations proportionnelles plus vastes que les taux de mortalité infantile d'année en année. Ces fluctuations sont particulièrement apparentes dans la province de l'Ile du Prince-Edouard qui possède une population plus restreinte que toutes les autres provinces. On remarquera que dans cette province, le taux a baissé de 4·6 en 1926 à 2·4 en 1927 pour monter à 6·1 en 1928.

TABLEAU XXXVIII.—MORTALITE PUERPERALE PAR GROUPES D'AGES ET PAR PROVINCES, 1928

Groupes d'âges	Canada (1)	I.-P.E.	N.-E.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.
Moins de 20 ans	77	1	6	2	14	30	6	5	4	9
20–24 ans	251	2	11	8	91	71	17	22	23	6
25–29 "	260	3	12	11	95	80	12	20	15	12
30–34 "	289	1	9	13	85	103	12	31	20	15
35–39 "	290	2	9	17	104	72	14	28	33	11
40–44 "	138	2	6	7	48	34	8	15	11	7
45–49 "	25	–	4	–	7	6	4	3	–	1
50 ans et plus	1	–	–	–	–	–	1	–	–	–
Total	**1,331**	**11**	**57**	**58**	**444**	**396**	**74**	**124**	**106**	**61**
Taux par 1,000 naissances vivantes 1928	**5·6**	**6·1**	**5·2**	**5·8**	**5·3**	**5·8**	**5·1**	**5·8**	**6·8**	**5·9**
1927	**5·6**	**2·4**	**6·8**	**6·2**	**4·9**	**6·0**	**5·1**	**5·4**	**6·4**	**6·7**
1926	**5·7**	**4·6**	**4·6**	**6·4**	**5·2**	**5·6**	**5·9**	**7·1**	**5·9**	**6·5**

(1) Voir la note 1, au bas du tableau I.

En classifiant les enfants nés vivants dans les neuf provinces du Canada en 1927 et 1928, selon l'âge de la mère, et en opérant une répartition proportionnelle de ceux dont l'âge de la mère est resté inconnu (beaucoup moins d'un pour cent chaque année), nous avons pu établir un parallèle de la mortalité puerpérale par âges dans l'état qui suit. En 1927, le taux le plus faible se rencontrait chez les mères entre 20 et 25 ans d'âge, en 1928 entre les âges de 25 et 29 ans. Ces deux années, les groupes d'âge suivants ont vu leur taux augmenter, excepté dans le groupe de 45–49 ans qui en 1927 offrait un taux plus bas que le groupe 40–44 ans, bien que l'année suivante la position était entièrement renversée. Cette plus grande fluctuation des taux pour le groupe 45–49 ans est expliquée par le petit nombre de mères dans ce groupe.

TAUX DE LA MORTALITE PUERPERALE AU CANADA (1), PAR GROUPES D'AGES, 1927-28

Groupes d'âges	1927			1928		
	Naissances vivantes	Mortalité puerpérale	Taux par 1,000 naissances vivantes	Naissances vivantes	Mortalité puerpérale	Taux par 1,000 naissances vivantes
Moins de 20 ans	13,669	59	4·3	14,361	77	5·4
20–24 ans	56,317	222	3·9	58,139	251	4·3
25–29 "	62,957	277	4·4	63,457	260	4·1
30–34 "	50,264	280	5·6	50,205	289	5·8
35–39 "	35,613	288	8·1	35,225	290	8·2
40–44 "	13,852	161	11·6	13,912	138	9·9
45–49 "	1,477	12	8·1	1,426	25	17·5
50 ans et plus	39	1	(2)	32	1	(2)

(1) Voir la note 1, au bas du tableau I. (2) Non compté.

Taux de la mortalité puerpérale en d'autres pays.—Le tableau XXXIX donne les taux de la mortalité puerpérale d'un certain nombre de pays, obtenus dans chaque cas de la proportion des décès de nature puerpérale, par rapport au nombre de naissances vivantes. Dans quelques cas, les chiffres absolus qui ont servi de base à ces calculs ne sont que provisoires. Dans le cas de septicémie puerpérale, où les chiffres semblent revisés, le taux a été calculé séparément des autres causes puerpérales.

TABLEAU XXXIX.—TAUX DE LA MORTALITE PUERPERALE AU CANADA ET EN CERTAINS AUTRES PAYS

(Par 1,000 naissances vivantes)

Pays	Année	Toutes causes puerpérales	Septicémie puerpérale	Autres causes puerpérales	Pays	Année	Toutes causes puerpérales	Septicémie puerpérale	Autres causes puerpérales
Canada (1)	**1928**	**5·6**	**1·9**	**3·7**	Iles Britanniques	1928	4·8	1·9	2·9
Allemagne	1926	4·9	2·5	2·4	Irlande du Nord	1928	5·2	1·5	3·7
Angleterre et pays de Galles	1928	4·4	1·8	2·6	Italie	1927	2·6	0·9	1·7
Australie	1928	6·0	2·1	3·9	Japon	1928	2·8	0·9	1·9
Autriche	1928	–	2·5	–	Norvège	1928	3·0	–	–
Belgique	1927	5·7	3·1	2·6	Nouvelle-Zélande	1928	4·9	2·1	2·8
Ceylan	1928	19·2	6·6	12·6	Pays-Bas	1928	3·4	–	–
Danemark	1927	3·1	–	–	Salvador	1926	5·6	–	–
Ecosse	1928	7·0	2·4	4·6	Sao Paulo	1925	3·7	–	–
Espagne	1928	4·0	2·3	1·7	Suède	1928	2·6	1·4	1·2
Etat-Libre d'Irlande	1928	4·9	1·7	3·2	Suisse	1928	4·9	–	–
E.-U. (Terr. d'enreg. des naissances)	1928	6·3	1·5	4·8	UnionSud Africaine(2)	1928	5·0	2·3	2·7
France	1928	2·9	1·1	1·8	Uruguay	1928	2·4	1·5	0·9
Hongrie	1928	3·4	1·8	1·6					

(1) Voir la note 1, au bas du tableau I. (2) Population blanche.

Le tableau XL donne le nombre et la proportion de décès d'une nature puerpérale pour chacune des provinces du territoire d'enregistrement de 1921, pour les huit années 1921 à 1928. Pour l'ensemble des huit provinces, la tendance dans les premières années est ascendante, tandis que pour les dernières années aucun progrès défini n'est évident. La tendance ascendante de 1921-24 peut être affectée par l'amélioration des données résultant d'efforts persistants pour obtenir plus de précisions sur les décès de femmes d'âge fécond, quand la cause déclarée est suggestive de condition puerpérale.

TABLEAU XL.—MORTALITE PUERPERALE DANS LE TERRITOIRE D'ENREGISTREMENT DE 1921 AU COURS DES ANNEES 1921-1928

—	Territoire d'enregistrement de 1921	I.P.-E.	N.-E.	N.-B.	Ont.	Man.	Sask.	Alta.	C.B.
Total.....1921	868	7	56	47	387	81	128	111	51
1922	907	8	70	59	370	99	127	111	63
1923	849	5	84	49	369	76	118	85	63
1924	945	9	78	49	418	86	145	91	69
1925	873	14	62	51	388	95	117	86	60
1926	890	8	51	66	381	87	147	85	65
1927	897	4	76	65	403	72	114	95	68
1928	887	11	57	58	396	74	124	106	61
Taux par 1,000 naissances vivantes 1921	5·1	3·2	4·3	4·1	5·2	4·4	5·7	6·7	4·8
1922	5·5	3·7	5·5	5·1	5·2	5·6	5·7	6·9	6·2
1923	5·4	2·5	7·2	4·6	5·3	4·6	5·6	5·6	6·3
1924	6·0	4·8	6·6	4·6	5·8	5·6	6·7	6·2	6·8
1925	5·6	8·4	5·4	4·7	5·5	6·4	5·7	5·8	5·8
1926	5·9	4·6	4·6	6·4	5·6	5·9	7·1	5·9	6·5
1927	5·9	2·4	6·8	6·2	6·0	5·1	5·4	6·4	6·7
1928	5·8	6·1	5·2	5·8	5·8	5·1	5·8	6·8	5·9

Quoique le taux de mortalité puerpérale ait été computé sur les naissances vivantes, il est évident que de nombreux décès classés sous cette rubrique ont eu pour cause soit une fausse couche, soit la naissance d'un enfant mort-né. Le tableau XLI présente le résultat d'une investigation en la matière, pour l'année 1928. L'acte de décès de la mère ne spécifiant pas le résultat de l'accouchement, on a dû opérer des recherches parmi les documents consacrés aux mort-nés. Sous la rubrique "pas de naissance" sont compris les accidents de grossesse, les avortements, les gestations ectopiques et les autres cas où le fœtus est resté dans le corps de la mère après sa mort, à moins que le certificat médical n'affirme qu'une naissance a probablement eu lieu. Dans ce dernier cas, les recherches ont été poursuivies avec plus de soin.

Au total, il est né en 1928 236,757 enfants vivants, dont 661 ont coûté la vie à la mère, soit 2·8 par 1,000. Sur 7,577 mort-nés, 258 ont causé la mort de la mère, soit 34·1 par 1,000.

Dans le même tableau ont été classifiés les décès de causes puerpérales, selon la nature des soins reçus.

TABLEAU XLI.—DECES DE CAUSES PUERPERALES EN 1928, CLASSIFIES SELON LES SOINS MEDICAUX RECUS ET LE FRUIT DE L'ACCOUCHEMENT

Province	Total	Soins médicaux		Fruit de l'accouchement mortel		
		Médecin présent	Médecin absent	Enfant vivant	Mort-né	Pas de naissance
Ile du Prince-Edouard	11	11	–	8	1	2
Nouvelle-Ecosse	60	58	2	35	7	18
Nouveau-Brunswick	60	58	2	35	9	16
Québec	453	446	7	206	95	152
Ontario	410	409	1	(2) 192	84	134
Manitoba	74	74	–	37	10	27
Saskatchewan	128	124	4	69	20	39
Alberta	109	107	2	(3) 53	22	34
Colombie Britannique	61	60	1	26	10	25
Canada (1)	1,366	1,347	19	661	258	447

(1) Voir la note 1, au bas du tableau I.
(2) Comprend trois mères ayant mis au monde des jumeaux, 1 mort et 1 vivant.
(3) Comprend une mère ayant mis au monde des jumeaux, 1 mort et 1 vivant.

Le tableau XLII répartit entre les provinces les décès de nature puerpérale en 1926-28, avec indication des phases respectives: grossesse, accouchement et allaitement.

TABLEAU XLII.—MORTALITE PUERPERALE PAR CAUSES DE DECES ET PAR PROVINCES 1926-28

N° liste int.	Causes des décès		Canada (1)	I.P.-E.	N.-E.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.
143	Accidents de la grossesse	1926	116	–	2	1	35	40	8	13	13	4
		1927	102	1	3	1	29	30	9	13	10	6
		1928	101	–	3	4	28	36	6	7	8	9
	(a) Avortement	1926	43	–	–	–	20	11	2	4	6	–
		1927	40	1	1	1	15	8	5	2	4	3
		1928	30	–	1	2	12	10	2	3	–	–
	(b) Gestation ectopique	1926	36	–	1	–	8	10	4	6	5	2
		1927	35	–	1	–	9	13	1	7	4	–
		1928	41	–	–	–	9	15	4	2	6	5
	(c) Autres sous ce titre	1926	26	–	1	–	5	12	1	3	2	2
		1927	23	–	1	–	4	7	3	4	2	2
		1928	26	–	2	2	6	9	–	2	1	4
	(d) Avortement provoqué par soi-même	1926	11	–	–	1	2	7	1	–	–	–
		1927	4	–	–	–	1	2	–	–	–	1
		1928	4	–	–	–	1	2	–	–	1	–
144	Hémorragie puerpérale	1926	159	1	5	9	53	40	9	16	17	9
		1927	183	–	6	10	66	49	11	18	12	11
		1928	173	3	4	5	67	45	9	22	14	4
145	Autres accidents de l'accouchement	1926	154	–	5	9	49	51	12	12	9	7
		1927	132	–	17	12	33	38	8	8	12	5
		1928	142	1	7	6	37	51	10	11	10	9
	(a) Opération césarienne	1926	25	–	1	3	3	11	1	–	1	5
		1927	34	–	4	4	2	12	2	1	6	3
		1928	33	–	1	–	5	19	–	2	5	1
	(b) Accouchement laborieux	1926	24	–	1	2	15	3	1	–	2	–
		1927	24	–	2	1	10	4	1	5	1	–
		1928	23	–	–	1	7	5	2	4	1	3
	(c) Autres opérations chirurgicales et application d'instruments	1926	58	–	2	4	7	25	6	9	3	2
		1927	38	–	7	4	6	12	3	1	3	2
		1928	41	–	5	5	6	12	2	3	3	5
	(d) Vomissements incontrôlables	1926	39	–	1	–	21	10	3	2	2	–
		1927	34	–	4	2	14	10	2	1	1	–
		1928	43	1	1	–	17	15	6	2	1	–
	(e) Rupture de l'utérus durant l'accouchement, etc	1926	8	–	–	–	3	2	1	1	1	–
		1927	3	–	–	1	1	–	–	–	1	–
		1928	2	–	–	–	2	–	–	–	–	–
146	Septicémie puerpérale	1926	432	2	20	19	146	118	40	54	18	15
		1927	448	1	15	12	151	143	23	49	30	24
		1928	439	–	11	22	146	120	21	54	42	23
147	Phlegmasie alba dolens, embolie, mort subite puerpérales	1926	83	–	2	5	9	32	4	19	5	7
		1927	81	–	4	2	15	33	7	14	3	3
		1928	90	2	5	3	22	34	9	7	6	2
148	Albuminurie et éclampsie puerpérales	1926	307	3	16	18	93	95	13	29	21	19
		1927	310	2	24	23	91	106	12	10	25	17
		1928	330	5	25	17	117	97	18	20	19	12
149	Suites de couches (sans autres explications)	1926	65	2	1	5	42	5	1	4	2	3
		1927	42	–	7	5	17	4	2	2	3	2
		1928	55	–	2	1	26	13	1	3	7	2
150	Affections puerpérales de la mamelle	1926	1	–	–	–	–	–	–	–	–	1
		1927	1	–	–	–	1	–	–	–	–	–
		1928	1	–	–	–	1	–	–	–	–	–
	Total	**1926**	**1,317**	**8**	**51**	**66**	**427**	**381**	**87**	**147**	**85**	**65**
		1927	**1,300**	**4**	**76**	**65**	**403**	**403**	**72**	**114**	**95**	**68**
		1928	**1,331**	**11**	**57**	**58**	**444**	**396**	**74**	**124**	**106**	**61**

(1) Voir la note 1, au bas du tableau I.

Le tableau XLIII donne, pour les huit provinces comprises dans le territoire d'enregistrement de 1921, le nombre de décès de nature puerpérale attribués à la septicémie puerpérale et ceux attribués à toutes autres causes puerpérales, au cours de la période 1923–28. Leurs chiffres de 1921 et 1922 sont retranchés de ce tableau, en raison de la préférence donnée à la septicémie puerpérale sur toutes autres causes puerpérales, tels les accidents de grossesse depuis 1923.

TABLEAU XLIII.—DECES DUS A LA SEPTICEMIE PUERPERALE ET AUTRES CAUSES PUERPERALES, DANS LE TERRITOIRE D'ENREGISTREMENT DE 1921, EN 1923-28

Année	Toutes causes puerpérales (143-150)	Septicémie puerpérale (146)	Autres causes puerpérales (143-145) (147-150)
1923	849	276	573
1924	945	271	674
1925	873	260	613
1926	890	286	604
1927	897	297	600
1928	887	293	594

On trouvera dans le tableau XLIV l'énumération d'un certain nombre de maladies indiquées comme cause de décès, avec complication résultant de l'état puerpéral, et ce dans chacune des provinces en 1928. On y voit que les causes les plus fréquentes sont: la grippe, la tuberculose et la pneumonie. Les décès résultant de ces causes s'élèvent à 231, qui ajoutés à 1,331 décès attribués directement à des causes puerpérales forment un total de 1,562, soit 6·6 par 1,000 naissances pour tous décès associés à un état puerpéral, que le certificat de décès l'attribue à cette cause ou à quelque autre cause.

TABLEAU XLIV.—DECES NON ATTRIBUES DIRECTEMENT A LA GROSSESSE NI A L'ACCOUCHEMENT, MAIS QUI Y SONT ASSOCIES, 1928

N° liste int.	Causes des décès	Canada (1)	I.P.-E.	N.-E.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.
1a	Fièvre typhoïde	3	–	–	–	3	–	–	–	–	–
8	Scarlatine	8	–	–	–	–	3	–	2	2	1
10	Diphtérie	1	–	1	–	–	–	–	–	–	–
11	Grippe	71	–	3	3	22	23	1	8	9	2
13	Oreillons	1	–	–	–	–	1	–	–	–	–
21	Erysipèle	2	–	–	–	–	2	–	–	–	–
23	Encéphalite léthargique	1	–	–	–	–	–	1	–	–	–
31	Tuberculose de l'appareil respiratoire	32	1	2	4	11	6	1	2	2	3
33	Tuberculose des intestins et du péritoine	3	–	1	–	–	1	1	–	–	–
36c	Tuberculose du système lymphatique	1	–	–	–	–	–	–	1	–	–
37a	Tuberculose disséminée aiguë	2	–	–	1	–	–	1	–	–	–
38	Syphilis	1	–	–	–	–	–	–	–	1	–
46	Cancer des organes génitaux de la femme	2	–	–	–	–	–	–	1	1	–
49b	Cancer du système circulatoire	1	–	–	–	–	1	–	–	–	–
57	Diabète	3	–	2	–	–	–	–	–	1	–
58a	Anémie pernicieuse	4	–	–	–	–	4	–	–	–	–
60a	Goître exophthalmique	3	–	–	–	–	2	1	–	–	–
60b	Autres affections de la glande thyroïde	1	–	–	–	–	1	–	–	–	–
88b	Myocardite aiguë	1	–	–	–	–	1	–	–	–	–
90a	Affection valvulaire	8	–	1	–	2	4	1	–	–	–
90b	Dégénérescence ou stéanose du cœur	1	–	–	–	–	–	–	–	1	–
90d	Endocardite chronique	4	–	–	–	–	2	–	1	–	1
90e	Myocardite chronique	2	–	–	1	–	–	–	–	1	–
90f	Autres affections du cœur	1	–	–	–	–	1	–	–	–	–
100a	Broncho-pneumonie	4	–	–	–	–	–	–	1	3	–
101a	Pneumonie-lobaire	25	–	2	3	4	11	–	3	–	2
101b	Pneumonie, sans épithète	8	–	–	1	1	3	1	1	1	–
102	Pleurésie	4	–	1	–	2	1	–	–	–	–
107c	Autres affections du système respiratoire (tuberculose exceptée)	2	–	–	–	–	1	–	–	1	–
108	Affections de la bouche et de ses annexes	1	–	–	–	1	–	–	–	–	–
111a	Ulcère de l'estomac	1	–	–	–	–	1	–	–	–	–
112	Autres affections de l'estomac (cancer excepté)	1	–	–	–	–	–	–	–	1	–
117	Appendicite et typhlite	2	–	–	–	1	–	–	–	1	–
118a	Hernie	1	–	–	–	–	1	–	–	–	–
118b	Obstruction intestinale	4	–	–	–	–	2	1	–	1	–
120	Atrophie jaune aiguë du foie	7	1	1	–	–	3	1	–	1	–
123	Calculs biliaires	1	–	–	–	–	–	–	1	–	–
129	Néphrite chronique (y compris non spécifiée, dix ans et au-dessus)	3	–	1	–	–	1	–	–	1	–
139	Tumeurs bénignes de l'utérus	1	–	–	–	–	–	–	–	1	–
185	Traumatismes accidentels par chute	1	–	–	–	–	–	1	–	–	–
199	Homicides	8	–	–	–	1	6	1	–	–	–
	Toutes causes	231	2	15	13	48	82	12	21	29	9

(1) Voir la note 1, au bas du tableau I.

MORTALITE (TOUTES CAUSES)

En 1928, le chiffre total des décès pour les neuf provinces du Canada a été de 109,057 sur une population de 9,645,000, portant ainsi le taux brut de la mortalité à 11·3 par 1,000 personnes, comparativement à l'année 1927 qui donne 105,292 mortalités avec un taux de 11·1 par 1,000 personnes, et à l'année 1926 qui donne 107,454 mortalités avec un taux de 11·5 par 1,000 personnes. En 1928, le taux de la mortalité pour les provinces varie de 7·2 en Saskatchewan à 13·8 en Québec. La différence entre les provinces sous ce rapport est due en grande partie à la composition de leur population selon l'âge.

Le tableau XLV indique, par provinces, le chiffre des décès avec leur coefficient pour la période 1921-1928. Les comparaisons des années antérieures à 1926, toutefois, sont faites seulement pour les huit provinces comprises dans le territoire d'enregistrement de 1921, et pour le total de ce territoire. Pour ces huit provinces, le taux de la mortalité en 1928 (10·3) était légèrement plus élevé que l'année précédente et identique à celui de 1926. Ce fut en 1924 et en 1925 que l'on enregistra les plus bas taux de mortalité dans ce territoire, soit 9·9 par 1,000 personnes.

TABLEAU XLV.—NOMBRES ABSOLUS ET TAUX BRUTS DES DECES (MORT-NES EXCLUS) PAR 1,000 AMES ET PAR PROVINCES, 1921-28

Année	I.P.-E.	N.-E.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.	Canada (1)	Territ. d'enr. de 1921 (2)
	Nombre de décès										
1921	1,209	6,420	5,410	(3)	34,551	5,388	5,596	4,940	4,208	(4)	67,722
1922	1,113	6,679	5,158	(3)	34,034	5,754	6,119	5,264	4,907	(4)	69,028
1923	1,150	6,868	5,013	(3)	35,636	5,330	6,182	5,006	4,997	(4)	70,182
1924	956	6,583	4,923	(3)	33,078	5,023	5,772	4,858	5,004	(4)	66,197
1925	997	6,045	4,960	(3)	33,960	5,245	5,628	4,697	4,945	(4)	66,477
1926	898	6,366	5,002	37,251	35,909	5,335	6,060	5,159	5,474	**107,454**	70,203
1927	913	6,378	4,902	36,175	34,775	5,309	6,031	5,059	5,750	**105,292**	69,117
1928	952	6,202	4,972	36,632	37,128	5,396	6,166	5,699	5,910	**109,057**	72,425
	Taux de la mortalité par 1,000 âmes										
1921	13·6	12·3	14·2	(3)	11·8	8·8	7·4	8·4	8·0	(4)	10·6
1922	12·6	12·6	13·2	(3)	11·4	9·3	7·9	8·9	9·1	(4)	10·6
1923	13·1	13·0	12·7	(3)	11·8	8·6	7·9	8·4	9·2	(4)	10·7
1924	10·9	12·3	12·3	(3)	10·8	8·0	7·2	8·1	9·0	(4)	9·9
1925	11·5	11·3	12·3	(3)	10·9	8·3	6·9	7·8	8·8	(4)	9·9
1926	10·3	11·8	12·3	14·5	11·4	8·3	7·4	8·5	9·6	**11·5**	10·3
1927	10·5	11·7	11·9	13·9	10·9	8·2	7·2	8·2	10·0	**11·1**	10·0
1928	11·1	11·3	12·0	13·8	11·5	8·2	7·2	9·0	10·1	**11·3**	10·3


(1) Voir la note 1, au bas du tableau I. (2) Voir la note 2, au bas du tableau I.
(3) Non compris dans le territoire d'enregistrement. (4) Voir la note 3.

Taux brut de la mortalité pour autres pays.—Le tableau XLVI donne le taux brut de la mortalité au Canada comparativement à celui de quelques autres pays. Dans quelques cas les chiffres donnés sont provisoires.

TABLEAU XLVI.—TAUX BRUT ANNUEL DE LA MORTALITE AU CANADA ET DANS CERTAINS AUTRES PAYS

Pays	Année	Taux brut	Pays	Année	Taux brut
Canada(1)	**1928**	**11·3**	Iles Britanniques	1928	12·1
Allemagne	1928	11·6	Inde (Anglaise)	1927	24·9
Angleterre et pays de Galles	1928	11·7	Irlande du Nord	1928	14·4
Australie	1928	9·5	Italie	1927	15·8
Autriche	1928	14·4	Japon	1928	19·9
Belgique	1928	13·4	Norvège	1928	10·6
Ceylan	1928	24·8	Nouvelle-Zélande	1928	8·5
Chili	1928	23·7	Pays-Bas	1928	9·6
Danemark	1928	11·0	Roumanie	1927	22·2
Ecosse	1928	13·3	Salvador	1926	22·2
Espagne	1928	18·4	Sao Paulo	1925	16·4
Etat-Libre d'Irlande	1928	14·2	Suède	1928	12·0
E.-U., (Terr. d'enregist. des naissances)	1928	12·0	Suisse	1928	12·0
Finlande	1928	13·5	Union Sud-Africaine (2)	1927	9·7
France	1928	16·4	Uruguay	1928	10·7
Hongrie	1928	17·0			

(1) Voir la note 1, au bas du tableau I. (2) Population blanche.



Répartition des décès selon les âges.—Le tableau XLVII répartit les décès survenus durant la période 1926-1928, selon l'âge des défunts groupés par quartiles (1) et déciles (1), tant pour chaque sexe que pour les deux sexes réunis. Dans chaque cas, les quartiles et déciles masculins et féminins de 1928 sont à un degré d'âge supérieur aux deux années précédentes.

TABLEAU XLVII.—AGES DES DECEDES SELON LE SEXE, GROUPES PAR QUARTILES ET DECILES, 1926-28

Groupement fractionnaire	Les deux sexes			Masculin			Féminin		
	1926	1927	1928	1926	1927	1928	1926	1927	1928
Premier quartile.....années	1·83	2·58	4·67	1·34	1·80	3·34	2·85	3·96	6·82
Second quartile..... "	45·50	45·94	49·01	45·16	46·04	48·92	45·89	45·83	49·12
Troisième quartile..... "	70·70	70·32	71·32	70·05	69·69	70·52	71·51	71·07	72·29
Premier décile..... mois	0·88	0·99	1·27	0·60	0·71	0·94	1·43	1·49	1·77
Second décile..... "	8·56	10·09	14·28	6·60	7·87	10·64	11·74	14·64	19·92
Troisième décile.....années	6·95	9·78	16·07	4·30	6·76	13·31	12·15	13·70	18·45
Quatrième décile..... "	28·77	29·37	34·30	26·47	28·16	33·80	30·61	30·56	34·75
Cinquième décile..... "	45·50	45·94	49·01	45·16	46·04	48·92	45·89	45·83	49·12
Sixième décile..... "	58·40	58·28	60·13	57·73	57·89	59·60	59·13	58·74	60·70
Septième décile..... "	67·15	66·89	68·06	66·44	66·25	67·31	68·00	67·59	68·90
Huitième décile..... "	74·05	73·73	74·48	73·28	72·97	73·64	74·00	74·67	75·44
Neuvième décile..... "	80·82	80·56	81·00	79·89	79·65	80·00	81·85	81·60	82·20

Le tableau XLVIII donne la répartition numérique et proportionnelle des décès masculins et féminins, puis des deux réunis, dans certains groupes d'âges, en 1927 et 1928. En général, le tableau indique dans les âges moins avancés une proportion moins grande de décès, pendant que dans les âges plus avancés la proportion des décès est plus grande, ceci pour 1928. La réduction dans la proportion des décès en bas de cinq ans frappe tout particulièrement.

(1) Pour explication de ces termes, le lecteur est référé à la page cv traitant de la distribution d'âges des parents d'enfants nés vivants.

TABLEAU XLVIII.—REPARTITION NUMERIQUE ET PROPORTIONNELLE DES DECES AU CANADA(1) DANS CERTAINS GROUPES D'AGES, 1927-28

Groupes d'âges	Nombre						P.c. du total de tous âges connus					
	Les deux sexes		Masculin		Féminin		Les deux sexes		Masculin		Féminin	
	1927	1928	1927	1928	1927	1928	1927	1928	1927	1928	1927	1928
Moins d'un an...	22,010	21,195	12,548	12,026	9,462	9,169	20·9	19·5	22·4	20·6	19·3	18·1
1 an.....	3,401	3,031	1,863	1,600	1,538	1,431	3·2	2·8	3·3	2·7	3·1	2·8
2 ans.....	1,517	1,440	775	779	742	661	1·4	1·3	1·4	1·3	1·5	1·3
3 "	1,101	1,045	572	556	529	489	1·1	1·0	1·0	1·0	1·1	1·0
4 "	841	774	443	422	398	352	0·8	0·7	0·8	0·7	0·8	0·7
Moins de 5 ans...	*28,870*	*27,485*	*16,201*	*15,383*	*12,669*	*12,102*	*27·5*	*25·2*	*28·9*	*26·4*	*25·9*	*23·9*
5- 9 ans.....	2,766	2,647	1,476	1,424	1,290	1,223	2·6	2·4	2·7	2·4	2·6	2·4
10–14 "	2,137	2,036	1,119	1,079	1,018	957	2·0	1·9	2·0	1·8	2·1	1·9
15–19 "	2,671	2,721	1,306	1,422	1,365	1,299	2·5	2·5	2·3	2·4	2·8	2·6
20–24 "	3,042	3,195	1,442	1,551	1,600	1,644	2·9	2·9	2·6	2·7	3·3	3·3
25–29 "	2,891	2,994	1,398	1,461	1,493	1,533	2·7	2·7	2·5	2·5	3·0	3·0
30–34 "	2,735	2,906	1,292	1,366	1,443	1,540	2·6	2·7	2·3	2·3	2·9	3·0
35–39 "	3,266	3,381	1,582	1,667	1,684	1,714	3·1	3·1	2·8	2·9	3·4	3·4
40–44 "	3,429	3,750	1,795	2,006	1,634	1,744	3·3	3·4	3·2	3·4	3·3	3·4
45–49 "	3,914	4,199	2,111	2,352	1,803	1,847	3·7	3·9	3·8	4·0	3·7	3·7
50–54 "	4,243	4,591	2,379	2,572	1,864	2,019	4·0	4·2	4·2	4·4	3·8	4·0
55–59 "	4,940	5,294	2,825	2,991	2,115	2,303	4·7	4·9	5·0	5·1	4·3	4·6
60–64 "	6,056	6,416	3,372	3,614	2,684	2,802	5·8	5·9	6·0	6·2	5·5	5·5
65–69 "	7,350	7,761	4,057	4,404	3,293	3,357	7·0	7·1	7·2	7·5	6·7	6·6
70–74 "	7,825	8,684	4,339	4,699	3,486	3,985	7·4	8·0	7·7	8·0	7·1	7·9
75–79 "	7,735	8,469	4,089	4,550	3,646	3,919	7·4	7·8	7·3	7·8	7·4	7·8
80–89 "	9,468	10,354	4,577	4,962	4,891	5,392	9·0	9·5	8·2	8·5	10·0	10·7
90 ans et plus....	1,810	2,049	782	876	1,028	1,173	1·7	1·9	1·4	1·5	2·1	2·3
Ages connus...	**105,148**	**108,932**	**56,142**	**58,379**	**49,006**	**50,553**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**
Age inconnu...	**144**	**125**	**123**	**101**	**21**	**24**						
Total.....	**105,292**	**109,057**	**56,265**	**58,480**	**49,027**	**50,577**						

(1) Voir la note 1, au bas du tableau I.

Le tableau XLIX établit par groupes d'âges, pour le territoire d'enregistrement de 1921, la répartition proportionnelle des décès de 1921 à 1928. Ce bref exposé démontre que la proportion de décès au-dessous d'un an, par rapport à l'ensemble de la mortalité, a décru d'année en année depuis 1921. Ceci s'explique en partie par l'abaissement du taux des naissances dans ce territoire pour la période, bien que celui de 1928 fût le même que celui de 1927. Un autre facteur important, c'est l'abaissement substantiel de la mortalité infantile durant la période. Cette tendance s'est maintenue en 1927 et 1928.

La proportion des décès entre le premier et le cinquième jour après la naissance indique encore une tendance prononcée à baisser durant la période dont il est question. Naturellement, le taux de la natalité étant moindre, il se réflète, bien que plus tard, dans ce groupe d'âges, mais il y a eu évidemment une réduction substantielle de la mortalité des enfants entre ces âges comparativement à la mortalité pour les âges plus élevés.

Le tableau indique, qu'en général, il y a un accroissement prononcé dans les décès pour les groupes d'âges plus avancés. Même quand nous ne considérons pas les décès en bas de cinq ans, cette tendance n'en est pas moins évidente au cours de presque toute la période sous revue. Voici le pourcentage des décès pour les personnes âgées de 40 et plus comparativement à celles de 5 à 39 ans:

Année	p.c.	Année	p.c.
1921.....	258	1925.....	330
1922.....	281	1926.....	350
1923.....	303	1927.....	337
1924.....	311	1928.....	343

Il est à remarquer qu'après 1926, cette tendance à la hausse a cessé, et que 1927 et 1928 indiquent actuellement un pourcentage moins élevé que 1926. Ces changements sont évidemment dus à l'une ou à l'autre de ces deux causes, (a) un changement dans le facteur d'âge de la population, et (b) un changement de proportion dans le taux des décès pour les deux groupes.

TABLEAU XLIX.—REPARTITION PROPORTIONNELLE DES DECES, PAR LARGES GROUPES D'AGES DANS LE TERRITOIRE D'ENREGISTREMENT DE 1921 AU COURS DES ANNEES 1921-28

Groupes d'âges	1921	1922	1923	1924	1925	1926	1927	1928
Moins d'un an	22·0	20·7	19·7	18·7	18·3	17·2	16·3	15·0
1- 4 ans	6·3	5·8	5·6	5·6	5·1	5·3	4·9	4·4
5-19 "	7·5	7·0	6·7	6·7	6·4	6·3	6·6	6·5
20-39 "	12·6	12·3	11·8	11·7	11·4	10·9	11·4	11·7
40-59 "	15·6	16·0	16·1	16·5	16·6	17·0	17·5	18·0
60 ans et plus	36·2	38·2	40·0	40·8	42·2	43·2	43·2	44·4

Décès de centenaires.—En 1928, 79 centenaires sont décédés, dont 35 hommes et 44 femmes. Dans le tableau L, ces décès sont indiqués par provinces et par âge. Il nous est cependant impossible de certifier l'authencité de ces déclarations d'âges.

TABLEAU L.—DECES DE CENTENAIRES PAR PROVINCES, 1928

Age au décès		Canada (1)	I.P.-E.	N.-E.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.
Total des centenaires		**79**	**3**	**13**	**3**	**18**	**28**	**2**	**6**	**2**	**4**
	M.	**35**	**–**	**6**	**2**	**8**	**16**	**2**	**–**	**–**	**1**
	F.	**44**	**3**	**7**	**1**	**10**	**12**	**–**	**6**	**2**	**3**
100 ans	M.	10	–	1	–	5	4	–	–	–	–
	F.	22	3	4	1	6	3	–	2	1	2
101 ans	M.	6	–	2	–	1	2	1	–	–	–
	F.	1	–	–	–	1	–	–	–	–	–
102 ans	M.	3	–	–	–	–	3	–	–	–	–
	F.	3	–	–	–	1	1	–	1	–	–
103 ans	M.	4	–	–	1	1	1	1	–	–	–
	F.	5	–	1	–	–	2	–	2	–	–
104 ans	M.	5	–	1	1	1	2	–	–	–	–
	F.	6	–	2	–	2	2	–	–	–	–
105 ans	M.	1	–	1	–	–	–	–	–	–	–
	F.	5	–	–	–	–	3	–	–	1	1
106 ans	M.	3	–	1	–	–	2	–	–	–	–
	F.	–	–	–	–	–	–	–	–	–	–
107 ans	M.	1	–	–	–	–	1	–	–	–	–
	F.	2	–	–	–	–	1	–	1	–	–
108 ans	M.	2	–	–	–	–	1	–	–	–	1
	F.	–	–	–	–	–	–	–	–	–	–

(1) Voir la note 1, au bas du tableau I.

Mortalité par mois.—Le tableau LI donne le taux de la mortalité par provinces, pour chaque mois des années 1926 à 1928.

Les taux annuels équivalents ont été obtenus en multipliant les décès dans un mois donné par 365 (366 quand c'est l'année bisextile) et en le divisant par le nombre de jours de ce mois.

En 1928, décembre, avec un taux de 14·4, a été le mois le plus chargé de l'année, ceci à cause de l'épidémie d'influenza au cours de ce mois et du mois suivant. En 1927, le taux le plus élevé a été 12·3 pour avril, et 15·1 en 1926 pour le même mois. Dans le dernier cas, la hausse, qui est la plus élevée pour l'année, est due à une sérieuse épidémie d'influenza.

Le taux le plus bas pour 1928 a été 9·7 en juillet. En 1927, le taux de la mortalité le moins élevé est aussi au cours du même mois, alors qu'en 1926 le mois d'août était le plus favorable de ce côté.

TABLEAU LI.—TAUX BRUT DE LA MORTALITE PAR 1,000 PERSONNES ET PAR MOIS, DANS CHAQUE PROVINCE, 1926–28

Province		Taux annuel	Equivalent du taux annuel de la mortalité											
			Jan.	Fév.	Mars	Avril	Mai	Juin	Juil.	Août	Sept.	Oct.	Nov.	Déc.
Canada[1]	**1926**	**11·5**	**11·4**	**11·8**	**13·0**	**15·1**	**12·8**	**10·9**	**10·1**	**9·9**	**10·6**	**10·4**	**10·2**	**11·3**
	1927	**11·1**	**12·1**	**12·2**	**11·8**	**12·3**	**11·5**	**10·8**	**9·8**	**10·2**	**10·9**	**10·5**	**10·2**	**10·8**
	1928	**11·3**	**11·3**	**11·8**	**12·0**	**11·9**	**11·8**	**10·7**	**9·7**	**10·0**	**10·9**	**10·7**	**10·5**	**14·4**
Ile du Prince-Edouard	1926	10·3	12·5	13·6	10·7	10·9	11·0	8·0	9·3	8·1	7·3	11·4	10·6	10·7
	1927	10·5	13·3	13·2	12·0	14·1	9·3	8·7	6·6	9·2	7·6	11·0	9·9	11·2
	1928	11·1	12·4	15·4	13·0	11·6	10·3	9·2	9·6	8·4	8·7	8·8	11·8	13·9
Nouvelle-Ecosse	1926	11·8	12·0	13·5	12·9	16·9	13·8	11·3	9·5	8·9	10·4	9·8	10·4	12·3
	1927	11·7	11·6	13·9	12·5	12·4	11·8	11·5	9·8	11·7	12·2	10·7	11·2	11·9
	1928	11·3	11·6	13·4	13·3	12·0	11·7	10·2	9·4	9·0	10·0	10·2	11·2	14·1
Nouveau-Brunswick	1926	12·3	11·8	12·9	13·7	17·2	14·8	11·5	10·1	9·3	11·9	12·2	10·7	11·6
	1927	11·9	12·1	12·7	12·2	14·3	12·7	11·7	9·6	10·9	11·9	11·3	11·2	12·7
	1928	12·0	12·9	13·1	13·3	12·1	12·4	11·5	8·7	10·0	11·3	12·5	11·2	14·7
Québec	1926	14·5	14·0	14·3	16·2	20·4	16·6	13·8	12·6	13·6	14·2	13·0	12·5	13·4
	1927	13·9	14·5	14·0	14·2	15·5	15·2	14·3	12·8	13·5	14·5	12·8	12·7	12·9
	1928	13·8	13·5	13·9	14·7	14·6	14·4	12·8	11·8	13·0	14·3	12·7	12·2	18·1
Ontario	1926	11·4	11·8	12·1	13·6	14·5	12·6	11·0	10·3	9·2	10·2	10·4	10·1	11·2
	1927	10·9	11·7	12·0	11·7	12·2	11·3	10·8	9·7	9·6	10·4	10·6	10·3	10·7
	1928	11·5	11·5	12·1	12·2	11·9	12·3	11·5	10·1	9·7	10·4	11·0	10·8	14·5
Manitoba	1926	8·3	8·3	8·8	10·0	10·9	9·3	7·8	7·1	7·7	7·3	7·2	8·1	7·8
	1927	8·2	9·1	12·1	9·7	8·3	7·7	6·9	7·0	6·7	8·2	8·2	7·2	7·7
	1928	8·2	8·3	8·3	8·1	9·0	8·7	8·1	7·2	7·6	8·4	8·0	7·1	10·1
Saskatchewan	1926	7·4	6·9	7·4	8·1	9·2	8·1	6·9	6·6	6·4	7·4	6·9	6·7	8·0
	1927	7·2	8·8	8·9	8·1	7·6	7·1	6·3	5·9	6·8	6·9	6·5	6·7	7·1
	1928	7·2	7·2	7·6	7·1	7·7	7·3	6·6	6·0	6·2	7·3	7·1	7·2	9·8
Alberta	1926	8·5	8·6	8·5	9·1	11·3	8·8	7·4	7·9	7·7	7·9	7·6	7·8	9·3
	1927	8·2	10·0	9·2	8·9	9·5	8·2	7·3	6·8	7·1	7·9	8·1	7·1	8·2
	1928	9·0	8·8	9·3	9·0	9·4	9·7	7·4	8·0	7·9	9·0	8·6	9·1	12·1
Colombie Britannique	1926	9·6	9·9	9·9	9·7	9·9	10·1	9·1	9·0	8·0	8·4	9·3	9·9	12·6
	1927	10·0	13·9	10·8	10·5	10·1	9·9	8·8	9·3	9·6	8·4	9·0	9·6	10·1
	1928	10·1	10·4	10·7	10·9	11·3	9·6	9·8	9·6	9·4	9·0	9·2	10·3	11·5

(1) Voir la note 1, au bas du tableau I.

Le tableau LII donnant les taux mensuels du territoire d'enregistrement de 1921, période de 1921-28, est une bonne indication type des conditions de ce territoire. Dans les cinq premiers mois de l'année, pour cette période, il n'y a pas un seul cas où le taux des décès soit tombé en bas de 10 par 1,000. Au contraire, dans les six mois juin-novembre, on constate cinq cas où le taux des décès s'est élevé au-dessus de 10 par 1,000, quatre de ceux-ci survenant la même année, en 1921, Ceci est dû surtout à des causes fort anormales telle que l'épidémie d'influenza en février 1923, en avril 1926 et en décembre 1928. Les faibles taux de juillet et août sont particulièrement frappants pour toute cette période.

TABLEAU LII.—TAUX BRUT DE LA MORTALITE PAR 1,000 PERSONNES DANS LE TERRITOIRE D'ENREGISTREMENT DE 1921, 1921–28

Année	Taux annuel	Equivalent du taux annuel de la mortalité											
		Jan.	Fév.	Mars	Avril	Mai	Juin	Juil.	Août	Sept.	Oct.	Nov.	Déc.
1921	10·6	11·7	12·2	11·8	11·4	10·4	9·1	9·3	10·1	10·5	10·2	10·0	10·2
1922	10·6	11·3	11·9	13·0	12·4	10·7	9·4	8·8	9·2	9·8	10·3	9·9	10·6
1923	10·7	11·7	15·3	14·0	12·3	10·7	9·4	8·6	8·8	9·1	9·6	9·6	9·3
1924	9·9	10·7	10·6	11·2	11·3	10·4	9·6	8·9	8·6	9·3	9·4	9·4	9·9
1925	9·9	10·3	10·4	11·1	11·0	10·2	9·2	8·5	8·8	9·7	9·9	9·4	10·0
1926	10·3	10·5	10·9	11·8	13·1	11·4	9·8	9·2	8·5	9·3	9·4	9·3	10·6
1927	10·0	11·2	11·5	10·8	11·0	10·2	9·5	8·7	9·0	9·6	9·6	9·3	10·0
1928	10·3	10·4	11·0	11·0	10·9	10·8	9·9	9·0	8·8	9·6	9·9	9·9	13·0

Taux ajustés ou standardisés de la mortalité.—Les taux bruts de la mortalité sont quelque peu influencés par le sexe et beaucoup par les différences d'âge de la population. Afin d'éviter l'influence de ces deux facteurs, les taux de décès comme dans les années précédentes ont été calculés pour l'ensemble du Canada et pour chaque province. L'étalon de population choisi pour ces fins est "le million étalon d'Angleterre et du Pays de Galles", 1901, et ces taux laissent voir ce que serait la mortalité du Canada si chacune de ses provinces avait une population composée, quant à l'âge et au sexe, comme celle de l'Angleterre et du Pays de Galles au recensement de 1901. Dans le cas actuel, les taux ajustés ont tous été computés sur la présomption qu'ils devraient fournir la même proportion aux taux bruts qu'en 1926. Comme la plupart des taux de 1926 ont été calculés sur une présomption similaire par rapport à 1921, il s'ensuit qu'on ne peut réclamer l'exactitude des taux ajustés de 1928, sauf pour les Provinces des Prairies, où les taux ajustés en 1926 ont été directement obtenus des résultats du recensement de l'année; néanmoins, celui des autres provinces sert, bien qu'imparfaitement, à supprimer les inégalités dans les taux bruts, dues aux différences d'âge et de sexe parmi la population constituant une collectivité. Les taux ajustés de 1921-26 ont été calculés pour chaque sexe aussi bien que pour la population totale. Les taux de 1921-25 (sauf la province de Québec) sont indiqués dans le cinquième rapport annuel, et ceux de 1926, qui concernent toutes les provinces, apparaissent dans le Sixième Rapport annuel. En raison du laps de temps écoulé depuis le recensement de 1921, on a cru qu'il valait mieux omettre les taux ajustés pour les sexes séparément, et commencer en 1927, année où les taux ajustés apparaissent dans le Septième rapport annuel.

TABLEAU LIII.—TAUX BRUTS ET TAUX AJUSTES DE LA MORTALITE, PAR PROVINCES, 1928

Province	Les deux sexes	
	Bruts	Ajustés
Canada (1)	**11·3**	**11·0**
Ile du Prince-Edouard	11·1	8·4
Nouvelle-Ecosse	11·3	9·5
Nouveau-Brunswick	12·0	10·4
Québec	13·8	13·3
Ontario	11·5	10·6
Manitoba	8·2	8·9
Saskatchewan	7·2	8·1
Alberta	9·0	10·1
Colombie Britannique	10·1	10·6

(1) Voir la note 1, au bas du tableau I.

Les différences entre le taux brut et le taux ajusté que l'on constate dans le tableau LIII sont causées par les différences d'âge et de sexe des diverses populations. Pour les provinces dont la population, envisagée au point de vue de la mortalité, était mieux constituée au dernier recensement que celle de l'Angleterre et du pays de Galles en 1901, les taux ajustés sont plus élevés que les taux bruts, tandis que le contraire se produit dans les provinces moins favorablement composées selon l'âge et le sexe.

On remarque que le taux ajusté pour l'ensemble du Canada en 1928, est tombé de 11·3 à 11·0 par 1,000 âmes.

Le relevé ci-après établit une comparaison entre les taux ajustés et les taux standardisés du Canada et ceux de l'Angleterre et du pays de Galles, du territoire d'enregistrement des Etats-Unis et de l'Union Sud-Africaine. Les taux canadiens sont pour la population entière, les Indiens compris.

TAUX AJUSTES DE LA MORTALITE, 1926-28

(Au point de vue du sexe et de l'âge de la population de l'Angleterre et du pays de Galles, au recensement de 1901)

Pays	1926	1927	1928
Canada (1)	**11·1**	**10·8**	**11·0**
Territoire d'enregistrement des Etats-Unis (blancs)	11·3	10·4	–
Angleterre et pays de Galles	10·1	10·6	9·9
Union Sud-Africaine (blancs)	10·3	10·3	–

(1) Voir la note 1, au bas du tableau I.

CAUSES DE DECES

Plus de 86 p.c. de tous les décès dont la cause est constatée dans les neuf provinces du Canada en 1928, sont attribués aux trente causes énumérées dans le tableau LIV, lequel indique le nombre de décès par chacune de ces causes, par provinces, au cours de l'année sous revue.

TABLEAU LIV.—CAUSES SPECIFIEES DES DECES PAR PROVINCES, 1928

N° liste int.	Causes des décès	Canada(1)	I.P.-E.	N.-E.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.
1	Fièvre typhoïde	467	5	27	19	260	78	21	21	26	10
7	Rougeole	337	4	23	30	162	62	9	21	19	7
8	Scarlatine	346	2	21	17	174	67	13	22	25	5
9	Coqueluche	727	2	80	32	306	175	27	47	45	13
10	Diphtérie	916	6	25	31	413	213	56	82	50	40
11	Grippe	4,703	18	175	206	1,628	1,711	148	356	315	146
31	Tuberculose, appareil respiratoire	6,490	82	478	333	2,686	1,529	303	301	255	523
32–37	Tuberculose, autres organes	1,370	18	93	70	520	303	96	77	83	110
43–49	Cancer	8,514	98	571	383	2,044	3,441	516	470	415	576
57	Diabète	1,097	12	65	49	277	439	56	59	65	75
58	Anémie, chlorose	732	8	24	33	195	341	38	29	29	35
71	Méningite	768	5	38	31	475	115	32	27	21	24
74	Hémorragie cérébrale, apoplexie	3,094	40	265	160	604	1,395	164	150	123	193
75–76	Paralysie sans cause spécifiée	1,011	16	85	71	519	240	18	25	24	13
80	Convulsions des enfants (au-dessous de 5 ans)	440	7	82	15	125	104	23	39	36	9
87–90	Affections du cœur	12,630	118	757	521	3,159	5,609	638	571	549	708
91	Affections des artères	5,644	34	261	188	956	3,111	241	195	257	401
96	Bronchite	522	5	39	21	183	149	40	34	27	24
100-101	Pneumonie	8,425	100	476	441	2,887	2,736	425	535	471	354
113–114	Diarrhée et entérite	5,032	7	94	130	3,439	802	151	180	165	64
117	Appendicite	1,405	10	63	65	406	433	80	143	126	79
118	Hernie, obstruction intestinale	856	9	38	32	226	313	66	73	62	37
128–129	Néphrite	5,715	63	323	194	2,277	1,889	203	238	229	299
135	Affections de la prostate	785	6	36	30	224	324	38	36	39	52
143–150	Causes puerpérales	1,331	11	57	58	444	396	74	124	106	61
159	Vices de conformation congénitaux	1,441	8	70	47	484	485	78	106	98	65
160–163	Maladies du premier âge	9,215	41	396	460	4,040	2,323	446	673	573	263
164	Sénilité (vieillesse)	2,408	57	470	312	604	636	71	116	65	77
165–174	Suicides	751	4	21	26	97	285	52	78	88	100
175–203	Mort violente (suicides exceptés)	6,174	32	314	233	1,398	2,353	345	447	460	592
	Autres causes spécifiées	14,560	98	681	554	4,918	4,890	890	829	816	884
	Total, causes spécifiées	**107,906**	**926**	**6,148**	**4,792**	**36,130**	**36,947**	**5,358**	**6,104**	**5,662**	**5,839**
204–205	Causes non spécifiées ou mal définies	1,151	26	54	180	502	181	38	62	37	71
	Total des décès	**109,057**	**952**	**6,202**	**4,972**	**36,632**	**37,128**	**5,396**	**6,166**	**5,699**	**5,910**

(1) Voir la note 1, au bas du tableau I.

Principales causes de décès.—Le tableau LV donne le taux de la mortalité par 100,000 âmes par les mêmes causes que celles du tableau LIV. Dans ces certaines causes importantes, il y a une grande marge à observer entre les diverses provinces, mais d'un autre côté, on ne doit pas oublier l'influence exercée par la distribution d'âge de la population pour certaines maladies.

Alors que le taux de la fièvre typhoïde de tout le pays est de 5 par 100,000, celui du Québec en était le double. Au Nouveau-Brunswick, la rougeole a causé le plus de mortalités, soit 7 par 100,000, alors que le Québec figure au second rang avec un taux de 6. Au Manitoba et en Colombie britannique, le taux est seulement de 1 par 100,000. Pour tout le Canada, le taux est de 3 pour les mortalités causées par la rougeole. Quant à la fièvre scarlatine, le Canada figure avec un taux de 4 par 100,000, le Québec venant en premier avec un taux de 7, mais dans la mortalité causée par la coqueluche et dont le taux est de 12 par 100,000, la Nouvelle-Ecosse le devance avec un taux de 15. Avec un taux de 16 par 100,000 pour la diphtérie, le Québec occupe le premier rang, alors que la Saskatchewan vient après avec un taux de 10.


Pour tout le pays, le taux de mortalité par l'influenza est de 49 par 100,000, alors que dans le Québec, ce taux est de 62, dans l'Ontario 53, le Nouveau-Brunswick et l'Alberta 50 par 100,000.

Le taux moyen au Canada pour la mortalité causée par la tuberculose des voies respiratoires est de 67, le Québec figurant avec 101, suivi de l'Ile du Prince-Edouard avec 95, pendant que la Saskatchewan n'a qu'un taux de 35, et l'Alberta un taux de 40. Pour ce qui a trait à la tuberculose des autres organes, c'est l'Ile du Prince-Edouard qui figure en premier lieu, le Québec vient ensuite. La Saskatchewan et l'Ontario, pour leur part, ont le taux le plus bas de cette cause.

Quant au cancer, la Saskatchewan et l'Alberta ont les taux les plus bas, avec comparativement un petit nombre de personnes âgées, soit 55 pour la première et 66 par 100,000 pour la seconde. De ce côté, le Québec figure avec un taux de 77 par 100,000, soit passablement plus bas que le taux pour tout le Canada qui est de 88 par 100,000. C'est l'Ile du Prince-Edouard qui détient le taux le plus élevé pour cancer, à 114 par 100,000; l'Ontario vient après avec un taux de 107, et la Nouvelle-Ecosse avec un taux de 104.

MORTALITÉ GÉNÉRALE

DÉCÈS CAUSÉS PAR CERTAINES MALADIES AU CANADA DURANT L'ANNÉE 1928



Dans les affections du cœur, le taux de l'Ontario est de 174 par 100,000, excédant de beaucoup celui des autres provinces, et même la moyenne pour tout le pays, qui est de 131 par 100,000. C'est en Saskatchewan que le taux est le plus bas, 67 par 100,000. Pour les affections des artères, l'Ontario a également le taux le plus élevé, 96 par 100,000, et la Saskatchewan le plus bas, seulement 23 par 100,000.

La pneumonie cause le plus de ravages dans l'Ile du Prince-Edouard, le Québec et le Nouveau-Brunswick; dans la Colombie britannique, la Saskatchewan et le Manitoba, elle cause le moins de mortalités.

Pour la diarrhée et l'entérite, le Québec a un taux très élevé, soit 130 par 100,000, comparativement à la moyenne du pays dans son ensemble et qui est de 52, dont 8 seulement dans l'Ile du Prince-Edouard, 11 dans la Colombie britannique et 17 dans la Nouvelle-Ecosse. On peut expliquer cette différence énorme beaucoup par le fait de la haute natalité du Québec et sa grande mortalité chez les enfants de cette province, des causes déjà mentionnées.

Pour les maladies du premier âge (nos 160-163), les taux élevés des provinces de Québec et de Nouveau-Brunswick sont dus en partie au fait que l'on comprend dans ces numéros les enfants de moins de trois mois qui meurent sans soins médicaux et pour lesquels la cause de décès n'est pas donnée. Si les Provinces Maritimes figurent avant toutes les autres provinces pour mortalités dues à la sénilité, c'est dû à la composition d'âge de la population, quoique sur cette base le plus haut taux pour les trois Provinces devrait être dans l'Ile du Prince-Edouard.

En comparaison avec les autres provinces, la Colombie britannique et l'Alberta fournissent un contingent de suicidés démesurément élevé. Les causes de décès par mort violente, qui étaient surtout des morts accidentelles, donne le taux le plus élevé en Colombie britannique, soit 102 par 100,000, alors que les provinces d'Ontario et d'Alberta figurent avec un taux de 73 par 100,000. Le plus faible taux de tels décès revient à l'Ile du Prince-Edouard, avec 37 par 100,000. Pour le Canada, le taux est de 64 par 100,000.

TABLEAU LV.—TAUX DE LA MORTALITE PAR 100,000 AMES, PAR CAUSES SPECIFIEES DE DECES DANS CHAQUE PROVINCE, 1928

N° liste int.	Causes des décès	Canada(1)	I. P.-E.	N.-E.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.
1	Fièvre typhoïde	5	6	5	5	10	2	3	2	4	2
7	Rougeole	3	5	4	7	6	2	1	2	3	1
8	Scarlatine	4	2	4	4	7	2	2	3	4	1
9	Coqueluche	8	2	15	8	12	5	4	6	7	2
10	Diphtérie	9	7	5	7	16	7	9	10	8	7
11	Grippe	49	21	32	50	62	53	23	42	50	25
31	Tuberculose, appareil respiratoire	67	95	87	80	101	47	46	35	40	90
32–37	Tuberculose, autres organes	14	21	17	17	20	9	15	9	13	19
43–49	Cancer	88	114	104	92	77	107	79	55	66	99
57	Diabète	11	14	12	12	10	14	9	7	10	13
58	Anémie, chlorose	8	9	4	8	7	11	6	3	5	6
71	Méningite	8	6	7	7	18	4	5	3	3	4
74	Hémorragie cérébrale, apoplexie	32	47	48	39	23	43	25	18	19	33
75–76	Paralysie sans cause spécifiée	10	19	16	17	20	7	3	3	4	2
80	Convulsions des enfants (au-dessous de 5 ans)	5	8	15	4	5	3	4	5	6	2
87–90	Affections du cœur	131	137	138	126	119	174	97	67	87	121
91	Affections des artères	59	40	48	45	36	96	37	23	41	69
99	Bronchite	5	6	7	5	7	5	6	4	4	4
100–101	Pneumonie	87	116	87	106	109	85	65	63	75	61
113–114	Diarrhée et entérite	52	8	17	31	130	25	23	21	26	11
117	Appendicite	15	12	12	16	15	13	12	17	20	14
118	Hernie, obstruction intestinale	9	10	7	8	9	10	10	9	10	6
128–129	Néphrite	59	73	59	47	86	59	31	28	36	51
135	Affections de la prostate	8	7	7	7	8	10	6	4	6	9
143–150	Causes puerpérales	14	13	10	14	17	12	11	15	17	10
159	Vices de conformation congénitaux	15	9	13	11	18	15	12	12	16	11
160–163	Maladies du premier âge	96	48	72	111	153	72	68	79	91	45
164	Sénilité (vieillesse)	25	66	86	75	23	20	11	14	10	13
165–174	Suicides	8	5	4	6	4	9	8	9	14	17
175–203	Mort violente (suicides exceptés)	64	37	57	56	53	73	53	53	73	102
	Autres causes spécifiées	151	114	124	133	186	151	136	97	129	152
	Total, causes spécifiées	**1,119**	**1,077**	**1,124**	**1,155**	**1,365**	**1,144**	**818**	**717**	**896**	**1,002**
204–205	Causes non spécifiées ou mal définies	12	30	10	43	19	6	6	7	6	12
	Total des décès	**1,131**	**1,107**	**1,134**	**1,198**	**1,384**	**1,150**	**824**	**725**	**902**	**1,014**

(1) Voir la note 1, au bas du tableau I.

Le tableau LVI montre le nombre de décès et les taux de mortalité au Canada par les causes spécifiées dans les tableaux LIV et LV, période 1926-28.

Dans les maladies contagieuses, le taux de la fièvre typhoïde indique 5 par 100,000, et peut se comparer favorablement avec celui de l'année précédente, et il est égal à celui de 1926. Pour la rougeole il y a eu une baisse substantielle, alors que de 6 qu'elle était en 1927 elle a passé à 3 par 100,000. Si nous comparons avec 1926 la diminution est encore plus grande. Quant à la fièvre scarlatine, le taux a été identique pour les trois dernières années, soit 4 par 100,000. Comparativement à 11 en 1927 et 13 en 1926, le taux de la mortalité par la coqueluche en 1928 a été de 8 par 100,000. Le taux de la diphtérie qui avait passé de 10 à 11 en 1927, a tombé à 9 par 100,000 en 1928. Pour la même année le taux de la mortalité causée par l'influenza est de 49 par 100,000, par conséquent, plus élevé que l'année précédente mais plus bas qu'en 1926, le taux d'alors étant de 55.

De 1926 à 1928, le taux de la mortalité par la tuberculose a subi une diminution. D'un autre côté, le taux du cancer a augmenté, soit 81 en 1926, 83 en 1927 et 88 en 1928. Le taux du diabète est resté stationnaire, soit 11 par 100,000. En 1928, le taux de la pneumonie est de 87 par 100,000 indiquant une avance sur l'année précédente ou il était de 80, pendant qu'en 1926 il était de 90.

En 1928, le taux de la mortalité infantile causée par la diarrhée et l'entérite est de 52, soit une baisse sur 1927, alors qu'il était de 58. Pour la néphrite, le taux qui était de 55 en 1926 et en 1927, a passé à 59 en 1928. Le taux pour les maladies du premier âge (nos 160-163) qui était de 106 en 1926, et 97 en 1927, a diminué quelque peu, est 96 pour 1928, mais on peut mieux juger des changements de ce taux en se reportant au chapitre de la mortalité infantile. (Voir page cxxiii)

En 1926, le taux des suicides était de 7 par 100,000, et de 8 en 1927 et 1928. Le taux des décès causés par mort violente, suicides exceptés, qui était passé de 55 en 1926 à 58 en 1927, a subi une autre hausse en 1928, soit 64. Ceci est attribuable dans une forte mesure aux accidents, surtout les accidents d'automobiles.

TABLEAU LVI.—NOMBRE DE DECES ET TAUX DE MORTALITE PAR 100,000 AMES, PAR CAUSES SPECIFIEES, CANADA (1), 1926-28

N° liste int.	Causes des décès	Nombre de décès			Taux de mortalité par 100,000 âmes		
		1926	1927	1928	1926	1927	1928
1	Fièvre typhoïde	465	1,112	467	5	12	5
7	Rougeole	892	616	337	10	6	3
8	Scarlatine	363	411	346	4	4	4
9	Coqueluche	1,242	1,030	727	13	11	8
10	Diphtérie	913	1,012	916	10	11	9
11	Grippe	5,174	3,451	4,703	55	36	49
31	Tuberculose, appareil respiratoire	6,485	6,444	6,490	69	68	67
32-37	Tuberculose, autres organes	1,444	1,338	1,370	15	14	14
43-49	Cancer	7,614	7,919	8,514	81	83	88
57	Diabète	1,046	1,083	1,097	11	11	11
58	Anémie, chlorose	1,040	793	732	11	8	8
71	Méningite	797	812	768	8	9	8
74	Hémorragie cérébrale, apoplexie	3,033	2,938	3,094	32	31	32
75-76	Paralysie sans cause spécifiée	1,124	1,108	1,011	12	12	10
80	Convulsions des enfants (au-dessous de 5 ans)	571	553	440	6	6	5
87-90	Affections du cœur	11,415	11,775	12,630	122	124	131
91	Affections des artères	4,981	5,110	5,644	53	54	59
99	Bronchite	587	505	522	6	5	5
100-101	Pneumonie	8,427	7,562	8,425	90	80	87
113-114	Diarrhée et entérite	5,445	5,534	5,032	58	58	52
117	Appendicite	1,321	1,382	1,405	14	15	15
118	Hernie, obstruction intestinale	889	910	856	9	10	9
128-129	Néphrite	5,138	5,235	5,715	55	55	59
135	Affections de la prostate	734	638	785	8	7	8
143-150	Causes puerpérales	1,317	1,300	1,331	14	14	14
159	Vices de conformation congénitaux	1,550	1,347	1,441	17	14	15
160-163	Maladies du premier âge	9,902	9,246	9,215	106	97	96
164	Sénilité (vieillesse)	2,764	2,470	2,408	29	26	25
165-174	Suicides	680	759	751	7	8	8
175-203	Mort violente (suicides exceptés)	5,189	5,509	6,174	55	58	64
	Autres causes spécifiées	13,655	14,319	14,560	146	151	151
	Total, causes spécifiées	**106,197**	**104,221**	**107,906**	**1,132**	**1,096**	**1,119**
204-205	Causes non spécifiées ou mal définies	1,257	1,071	1,151	13	11	12
	Total des décès	**107,454**	**105,292**	**109,057**	**1,146**	**1,108**	**1,131**

(1) Voir la note 1, au bas du tableau I.

Causes de décès chez les Indiens.—Le tableau LVII donne, par provinces, les taux de décès chez les Indiens en 1928, attribués aux mêmes causes que celles énumérées dans les tableaux précédents. Afin de pouvoir comparer, nous donnons aussi le total pour les neuf provinces en 1927. Les chiffres de 1928 ont été tirés du tableau "J" de l'Appendice I. En raison du caractère de la statistique indienne, tel que signalé à l'Appendice I, page 476, ces comparaisons doivent être faites avec circonspection.

TABLEAU LVII.—DECES DUS A CERTAINES CAUSES, CHEZ LES INDIENS, PAR PROVINCES, 1928

N° liste int.	Causes des décès	I.P.-E.	N.-E.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.	Canada(1) 1928	Canada(1) 1927
1	Fièvre typhoïde	–	–	–	2	1	1	–	–	1	5	9
7	Rougeole	–	–	–	3	5	1	–	1	3	13	18
8	Scarlatine	–	–	–	–	1	–	–	–	–	1	1
9	Coqueluche	–	1	–	–	5	4	24	10	6	50	43
10	Diphtérie	–	–	–	–	–	1	–	1	1	3	1
11	Grippe	–	–	–	7	35	9	17	33	28	129	176
31	Tuberculose, appareil respiratoire	–	7	7	20	118	63	68	74	150	507	523
32–37	Tuberculose, autres organes	–	1	1	2	12	9	17	27	22	91	81
43–49	Cancer	–	2	2	5	8	6	6	5	8	42	42
57	Diabète	–	–	–	1	–	–	1	1	–	3	7
58	Anémie, chlorose	–	–	–	1	2	–	–	1	–	4	7
71	Méningite	–	–	–	4	5	–	–	2	3	14	11
74	Hémorragie cérébrale, apoplexie	–	–	–	3	4	–	3	1	3	14	22
75–76	Paralysie sans cause spécifiée	–	–	–	–	2	–	–	–	2	4	13
80	Convulsions des enfants (au-dessous de 5 ans)	–	–	–	–	4	–	3	3	3	13	22
87–90	Affections du cœur	–	5	2	9	36	5	8	2	17	84	71
91	Affections des artères	–	–	–	4	13	1	1	–	1	20	19
99	Bronchite	–	1	–	–	1	6	7	2	8	25	21
100–101	Pneumonie	–	4	14	8	41	29	41	53	59	249	221
113–114	Diarrhée et entérite	1	1	1	2	7	11	10	6	6	45	55
117	Appendicite	–	1	–	–	4	1	–	1	1	8	8
118	Hernie, obstruction intestinale	–	–	–	–	3	1	1	–	1	6	5
128–129	Néphrite	–	1	–	7	12	–	–	3	6	29	29
135	Affections de la prostate	–	–	–	1	2	–	–	–	–	3	2
143–150	Causes puerpérales	1	1	–	3	5	4	4	8	13	39	21
159	Vices de conformation congénitaux	–	–	–	–	4	–	1	1	–	6	14
160–163	Maladies du premier âge	–	3	3	13	20	10	30	32	26	137	140
164	Sénilité (vieillesse)	–	–	–	3	13	6	15	3	31	71	97
165–174	Suicides	–	–	–	–	–	–	–	2	1	3	3
175–203	Mort violente (suicides exceptés)	–	–	–	8	15	7	5	5	27	67	79
	Autres causes spécifiées	–	1	2	14	50	15	13	19	46	160	141
	Total, causes spécifiées	**2**	**29**	**32**	**120**	**428**	**190**	**275**	**296**	**473**	**1,845**	**1,902**
204–205	Causes non spécifiées ou mal définies	–	–	4	2	13	15	7	7	30	78	98
	Total des décès	**2**	**29**	**36**	**122**	**441**	**205**	**282**	**303**	**503**	**1,923**	**2,000**

(1) Voir la note 1, au bas du tableau I.

Le tableau LVIII montre les taux de décès de la population indienne calculés d'après le nombre de décès donnés au tableau LVII. Dans le Sixième rapport annuel des statistiques vitales (page cvi), il est expliqué comment fut obtenu le chiffre de la population indienne en 1926. On a tiré des chiffres de 1926, ceux de 1927 et 1928, en y ajoutant la croissance naturelle pour chacune de ces années.

Voici les chiffres, par provinces, de la population indienne, pour 1928:

Canada (à l'exclusion des territoires)	**106,679**
Ile du Prince-Edouard	232
Nouvelle-Ecosse	2,173
Nouveau-Brunswick	1,420
Québec	12,136
Ontario	28,031
Manitoba	13,396
Saskatchewan	13,316
Alberta	13,652
Colombie Britannique	22,323

Ainsi qu'on peut le voir dans l'Appendice 1 de ce rapport, le terme "Indien" comprend aussi les métis.

On remarquera qu'au cours de ces deux dernières années, la tuberculose des voies respiratoires est la cause de 25 p.c. des décès survenus chez les Indiens, quoique la tuberculose, sous d'autres formes, ait aussi joué un rôle important dans la mortalité des Indiens. Parmi les autres causes, les plus fatales sont la pneumonie, l'influenza et les maladies du premier âge. Le cancer n'a causé que peu de dégâts chez les Indiens, comparé au reste de la population, mais il est presque certain que si l'enregistrement de la cause des décès était plus exact, le taux de la mortalité par le cancer, chez les Indiens, serait supérieur à celui connu présentement.

On devra prendre un grand soin en comparant les chiffres du tableau LVIII pour les années de 1927 et 1928, et qui indique que le taux de la coqueluche est de 47 par 100,000 en 1928 comparativement à 41 en 1927. L'influenza a été cause d'un grand nombre de décès, et la différence des taux entre 1927 et 1928 est considérable, soit 166 pour la première et 121 pour 1928. La tuberculose des voies respiratoires indique aussi une diminution de 494 à 475, tandis que les autres formes de tuberculose ont eu un taux de 85 en 1928 contre 76 l'année précédente. La mortalité par la pneumonie en 1928, chez les Indiens, a été plus élevée, puisque 1928 laisse voir un taux de 233 en 1928 contre 209 pour l'année précédente. Pour décès causés par la sénilité, il y a eu réduction, soit 92 par 100,000 en 1927 et 67 en 1928. Naturellement, ceci peut être dû au défaut d'enregistrement de tous les cas. Contrairement au reste de la population, les décès dus à la violence, suicides exceptés, indiquent une diminution chez les Indiens, de 75 pour 1927 à 63 pour 1928.

TABLEAU LVIII.—TAUX DE LA MORTALITE CHEZ LES INDIENS, PAR CERTAINES CAUSES, PAR 100,000 AMES, PAR PROVINCES, 1928

N° liste int.	Causes des décès	I.P.-E.	N.-E.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.	Canada(1)	
											1928	1927
1	Fièvre typhoïde	–	–	–	16	4	7	–	–	4	5	9
7	Rougeole	–	–	–	25	18	7	–	7	13	12	17
8	Scarlatine	–	–	–	–	4	–	–	–	–	1	1
9	Coqueluche	–	46	–	–	18	30	180	73	27	47	41
10	Diphtérie	–	–	–	–	–	7	–	7	4	3	1
11	Grippe	–	–	–	58	125	67	128	242	125	121	166
31	Tuberculose, appareil respiratoire	–	322	493	165	421	470	511	542	672	475	494
32–37	Tuberculose, autres organes	–	46	70	16	43	67	128	198	99	85	76
43–49	Cancer	–	92	141	41	29	45	45	37	36	39	40
57	Diabète	–	–	–	8	–	–	8	7	–	3	7
58	Anémie, chlorose	–	–	–	8	7	–	–	7	–	4	7
71	Méningite	–	–	–	33	18	–	–	15	13	13	10
74	Hémorragie cérébrale, apoplexie	–	–	–	25	14	–	23	7	13	13	21
75–76	Paralysie sans cause spécifiée	–	–	–	–	7	–	–	–	9	4	12
80	Convulsions des enfants (au-dessous de 5 ans)	–	–	–	–	14	–	23	22	13	12	21
87–90	Affections du cœur	–	230	141	74	128	37	60	15	76	79	67
91	Affections des artères	–	–	–	33	46	7	8	–	4	19	18
99	Bronchite	–	46	–	–	4	45	53	15	36	23	20
100–101	Pneumonie	–	184	986	66	146	216	308	388	264	233	209
113–114	Diarrhée et entérite	431	46	70	16	25	82	75	44	27	42	52
117	Appendicite	–	46	–	–	14	7	–	7	4	7	8
118	Hernie, obstruction intestinale	–	–	–	–	11	7	8	–	4	6	5
128–129	Néphrite	–	46	–	58	43	–	–	22	27	27	27
135	Affections de la prostate	–	–	–	8	7	–	–	–	–	3	2
143–150	Causes puerpérales	431	46	–	25	18	30	30	59	58	37	20
159	Vices de conformation congénitaux	–	–	–	–	14	–	8	7	–	6	13
160–163	Maladies du premier âge	–	138	211	107	71	75	225	234	116	128	132
164	Sénilité (vieillesse)	–	–	–	25	46	45	113	22	139	67	92
165–174	Suicides	–	–	–	–	–	–	–	15	4	3	3
175–203	Mort violente (suicides exceptés)	–	–	–	66	54	52	38	37	121	63	75
	Autres causes spécifiées	–	46	141	115	178	112	98	139	206	150	133
	Total, causes spécifiées	**862**	**1,335**	**2,254**	**989**	**1,527**	**1,418**	**2,065**	**2,168**	**2,119**	**1,729**	**1,797**
204–205	Causes non spécifiées ou mal définies	–	–	282	16	46	112	53	51	134	73	93
	Total des décès	**862**	**1,335**	**2,535**	**1,005**	**1,573**	**1,530**	**2,118**	**2,219**	**2,253**	**1,803**	**1,889**

(1) Voir la note 1, au bas du tableau I.

Causes de décès de la population, sans compter les Indiens.—Le tableau LIX fait connaître le nombre des décès de la population, sans compter les Indiens, dus à certaines causes déjà énumérées, et le tableau LX, les proportions par 100,000 âmes, calculées sur la population estimative, à l'exclusion des Indiens. Ces résultats sont obtenus en soustrayant des chiffres de la population donnée dans le tableau I, la population estimative des Indiens qui a servi de base aux taux contenus dans le tableau LVIII. Les taux de 1928 sont donnés par provinces, mais ceux de l'année précédente sont seulement pour tout le pays.

La comparaison des chiffres du tableau LX avec ceux du tableau LV montre que l'élimination des Indiens n'a pas un effet bien sensible sur les taux de l'ensemble du Canada, si l'on excepte celui des décès causés par la tuberculose des voies respiratoires, qui, par l'exclusion de

ces derniers, est abaissé de 67 à 63 en 1928. Le changement dans le taux correspondant, pour 1927, affecté par l'exclusion des Indiens, était de 68 à 63 par 100,000. A l'exclusion des Indiens, le taux pour la tuberculose des autres organes a été réduit, dans les deux années, de 14 à 13. La similitude des taux pour les causes principales de décès données dans les tableaux LX et LV est due à la petite proportion d'Indiens comparativement à toute la population du Canada, puisqu'elle ne forme qu'un peu plus de 1 p.c. de la population des neuf provinces. Quand on considère les chiffres de 1928 de chaque province en particulier, on doit remarquer, cependant, que dans les trois provinces de Saskatchewan, d'Alberta et de Colombie Britannique, l'élimination des Indiens, non seulement abaisse sensiblement le taux de la tuberculose, mais encore, bien qu'à un moindre degré, celui de la pneumonie, alors que les proportions de l'influenza qui s'abaissent légèrement en Saskatchewan, par l'exclusion des Indiens, sont réduites de 4 par 100,000 en Alberta et en Colombie Britannique (tableaux LV et LX). Parmi les autres maladies contagieuses dont le taux est le plus affecté par l'exclusion des Indiens, c'est la coqueluche. Sur 47 décès par la coqueluche en Saskatchewan, 24 étaient des Indiens; en Alberta 10 sur 45 et en Colombie Britannique 6 sur 13; pour tout le Canada en 1928, 50 décès dus à la coqueluche sur un total de 727 étaient survenus chez les Indiens. Dans la Colombie Britannique, la réduction du taux des décès par sénilité est de 13, en y comprenant les Indiens, et de 8 en les excluant. Ceci peut être attribuable partiellement à un meilleur enregistrement des décès chez les Indiens, aussi bien qu'à la différence de la composition selon l'âge entre les populations blanche et indienne.

TABLEAU LIX.—NOMBRE DE DECES SELON LEURS CAUSES, PAR PROVINCES, A L'EXCLUSION DES INDIENS, 1928

N° liste int.	Causes des décès	I.P.-E.	N.-E.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.	Canada[1]	
											1928	1927
1	Fièvre typhoïde	5	27	19	258	77	20	21	26	9	462	1,103
7	Rougeole	4	23	30	159	57	8	21	18	4	324	598
8	Scarlatine	2	21	17	174	66	13	22	25	5	345	410
9	Coqueluche	2	79	32	306	170	23	23	35	7	677	987
10	Diphtérie	6	25	31	413	213	55	82	49	39	913	1,011
11	Grippe	18	175	206	1,621	1,676	139	339	282	118	4,574	3,275
31	Tuberculose, appareil respiratoire	82	471	326	2,666	1,411	240	233	181	373	5,983	5,921
32–37	Tuberculose, autres organes	18	92	69	518	291	87	60	56	88	1,279	1,257
43–49	Cancer	98	569	381	2,039	3,433	510	464	410	568	8,472	7,877
57	Diabète	12	65	49	276	439	56	58	64	75	1,094	1,076
58	Anémie, chlorose	8	24	33	194	339	38	29	28	35	728	786
71	Méningite	5	38	31	471	110	32	27	19	21	754	801
74	Hémorragie cérébrale, apoplexie	40	265	160	601	1,391	164	147	122	190	3,080	2,916
75–76	Paralysie sans cause spécifiée	16	85	71	519	238	18	25	24	11	1,007	1,095
80	Convulsions des enfants (au-dessous de 5 ans)	7	82	15	125	100	23	36	33	6	427	531
87–90	Affections du cœur	118	752	519	3,150	5,573	633	563	547	691	12,546	11,704
91	Affections des artères	34	261	188	952	3,098	240	194	257	400	5,624	5,091
99	Bronchite	5	38	21	183	148	34	27	25	16	497	484
100–101	Pneumonie	100	472	427	2,879	2,695	396	494	418	295	8,176	7,341
113–114	Diarrhée et entérite	6	93	129	3,437	795	140	170	159	58	4,987	5,479
117	Appendicite	10	62	65	406	429	79	143	125	78	1,397	1,374
118	Hernie, obstruction intestinale	9	38	32	226	310	65	72	62	36	850	905
128–129	Néphrite	63	322	194	2,270	1,877	203	238	228	293	5,686	5,206
135	Affections de la prostate	6	36	30	223	322	38	36	39	52	782	636
143–150	Causes puerpérales	10	56	58	441	391	70	120	98	48	1,292	1,279
159	Vices de conformation congénitaux	8	70	47	484	481	78	105	97	65	1,435	1,333
160–163	Maladies du premier âge	41	393	457	4,027	2,303	436	643	541	237	9,078	9,106
164	Sénilité (vieillesse)	57	470	312	601	623	65	101	62	46	2,337	2,373
165–174	Suicides	4	21	26	97	285	52	78	86	99	748	756
175–203	Mort violente (suicides exceptés)	32	314	233	1,390	2,338	338	442	455	565	6,107	5,430
	Autres causes spécifiées	98	680	552	4,904	4,840	875	816	797	838	14,400	14,178
	Total, causes spécifiées	**924**	**6,119**	**4,760**	**36,010**	**36,519**	**5,168**	**5,829**	**5,366**	**5,366**	**106,061**	**102,319**
204–205	Causes non spécifiées ou mal définies	26	54	176	500	168	23	55	30	41	1,073	973
	Total des décès	**950**	**6,173**	**4,936**	**36,510**	**36,687**	**5,191**	**5,884**	**5,396**	**5,407**	**107,134**	**103,292**

[1] Voir la note 1, au bas du tableau I.

TABLEAU LX.—TAUX DE LA MORTALITE PAR 100,000 AMES, SELON CERTAINES CAUSES, A L'EXCLUSION DES INDIENS, PAR PROVINCES, 1928

N° liste int.	Causes des décès	I.P.-E.	N.-E.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.	Canada(1)	
											1928	1927
1	Fièvre typhoïde	6	5	5	10	2	3	3	4	2	5	12
7	Rougeole	5	4	7	6	2	1	3	3	1	3	6
8	Scarlatine	2	4	4	7	2	2	3	4	1	4	4
9	Coqueluche	2	14	8	12	5	4	3	6	1	7	10
10	Diphtérie	7	5	7	16	7	9	10	8	7	10	11
11	Grippe	21	32	50	62	52	22	40	46	21	48	35
31	Tuberculose, appareil respiratoire	96	86	79	101	44	37	28	29	67	63	63
32-37	Tuberculose, autres organes	21	17	17	20	9	14	7	9	16	13	13
43-49	Cancer	114	104	92	77	107	79	55	66	101	89	84
57	Diabète	14	12	12	10	14	9	7	10	13	11	11
58	Anémie, chlorose	9	4	8	7	11	6	3	5	6	8	8
71	Méningite	6	7	7	18	3	5	3	3	4	8	9
74	Hémorragie cérébrale, apoplexie	47	49	39	23	43	26	18	20	34	32	31
75-76	Paralysie sans cause spécifiée	19	16	17	20	7	3	3	4	2	11	12
80	Convulsions des enfants (au-dessous de 5 ans)	8	15	4	5	3	4	4	5	1	4	6
87-90	Affections du cœur	138	138	125	120	174	99	67	88	123	132	124
91	Affections des artères	40	48	45	36	97	37	23	42	71	59	54
99	Bronchite	6	7	5	7	5	5	3	4	3	5	5
100-101	Pneumonie	117	87	103	109	84	62	59	68	53	86	78
113-114	Diarrhée et entérite	7	17	31	130	25	22	20	26	10	52	58
117	Appendicite	12	11	16	15	13	12	17	20	14	15	15
118	Hernie, obstruction intestinale	10	7	8	9	10	10	9	10	6	9	10
128-129	Néphrite	73	59	47	86	59	32	28	37	52	60	55
135	Affections de la prostate	7	7	7	8	10	6	4	6	9	8	7
143-150	Causes puerpérales	12	10	14	17	12	11	14	16	9	14	14
159	Vices de conformation congénitaux	9	13	11	18	15	12	13	16	12	15	14
160-163	Maladies du premier âge	48	72	110	153	72	68	77	87	42	95	97
164	Sénilité (vieillesse)	66	86	75	23	19	10	12	10	8	25	25
165-174	Suicides	5	4	6	4	9	8	9	14	18	8	8
175-203	Mort violente (suicides exceptés)	37	58	56	53	73	53	53	74	101	64	58
	Autres causes spécifiées	114	125	133	186	151	136	97	129	149	151	151
	Total, causes spécifiées	**1,077**	**1,123**	**1,151**	**1,367**	**1,141**	**805**	**696**	**868**	**957**	**1,112**	**1,088**
204-205	Causes non spécifiées ou mal définies	30	10	43	19	5	4	7	5	7	11	10
	Total des décès	**1,108**	**1,133**	**1,193**	**1,386**	**1,146**	**809**	**703**	**873**	**964**	**1,123**	**1,099**


(1) Voir la note 1, au bas du tableau I.

Causes de décès dans le territoire d'enregistrement de 1921.—Le tableau LXI donne le nombre de décès par chaque cause en 1928, dans les huit provinces du territoire d'enregistrement de 1921 et les chiffres correspondants pour les années 1921-1927.

TABLEAU LXI.—DECES PAR CAUSES SPECIFIEES DANS LE TERRITOIRE D'ENREGISTREMENT DE 1921, AU COURS DES ANNEES 1921-28

N° liste int.	Causes des décès	Territoire d'enregistrement de 1921							
		1921	1922	1923	1924	1925	1926	1927	1928
1	Fièvre typhoïde	499	419	480	287	311	209	243	207
7	Rougeole	297	211	350	483	171	510	253	175
8	Scarlatine	410	335	322	329	258	205	216	172
9	Coqueluche	626	469	747	536	558	639	476	421
10	Diphtérie	1,297	1,024	851	848	615	546	543	503
11	Grippe	940	2,400	3,578	1,306	2,182	3,089	2,414	3,075
31	Tuberculose, appareil respiratoire	3,903	3,870	3,959	3,821	3,779	3,786	3,837	3,804
32-37	Tuberculose, autres organes	886	871	859	829	753	866	800	850
43-49	Cancer	4,826	5,118	5,157	5,528	5,526	5,774	6,010	6,470
57	Diabète	611	707	722	637	634	763	794	820
58	Anémie, chlorose	735	780	756	811	814	856	618	537
71	Méningite	592	328	287	322	274	272	298	293
74	Hémorragie cérébrale, apoplexie	2,600	2,598	2,467	2,348	2,284	2,480	2,369	2,490
75-76	Paralysie sans cause spécifiée	724	625	538	563	525	523	542	492
80	Convulsions des enfants (au-dessous de 5 ans)	614	599	477	451	431	413	385	315
87-90	Affections du cœur	6,021	6,622	7,491	7,180	7,587	8,538	8,902	9,471
91	Affections des artères	2,555	2,889	3,164	3,690	3,805	3,994	4,151	4,688
99	Bronchite	905	851	751	444	395	413	313	339
100-101	Pneumonie	5,966	6,399	6,237	5,007	5,149	5,785	5,152	5,538
113-114	Diarrhée et entérite	3,218	2,843	2,061	1,891	2,198	1,679	1,714	1,593
117	Appendicite	816	840	843	924	941	925	961	999
118	Hernie, obstruction intestinale	568	634	615	725	669	656	639	630
128-129	Néphrite	2,041	2,113	2,472	2,667	2,880	3,122	3,163	3,438
135	Affections de la prostate	304	319	375	428	493	556	471	561
143-150	Causes puerpérales	868	907	849	945	873	890	897	887
159	Vices de conformation congénitaux	862	908	990	1,061	1,101	984	925	957
160-163	Maladies du premier âge	6,090	6,169	5,729	5,363	5,047	5,446	5,248	5,175
164	Sénilité (vieillesse)	2,914	2,759	2,918	2,566	2,097	2,046	1,850	1,804
165-174	Suicides	431	487	538	535	586	596	674	654
175-203	Mort violente (suicides exceptés)	3,666	3,647	3,833	3,670	3,873	3,870	4,097	4,776
	Autres causes spécifiées	8,869	8,605	8,543	8,738	8,548	9,028	9,482	9,642
	Total, causes spécifiées	**65,654**	**67,346**	**68,959**	**64,933**	**65,357**	**69,459**	**68,437**	**71,776**
204-205	Causes non spécifiées ou mal définies	2,068	1,682	1,223	1,264	1,120	744	680	649
	Total des décès	**67,722**	**69,028**	**70,182**	**66,197**	**66,477**	**70,203**	**69,117**	**72,425**

Le tableau LXII fait connaître la proportion de décès de chaque cause basée sur les nombres absolus du tableau LXI dans le territoire d'enregistrement de 1921, au cours des années 1921-1928. Il fait ressortir la tendance ascendante marquée du cancer, des affections du cœur et des artères, et de la néphrite. D'autre part, un mouvement descendant décisif est évident dans les taux de la diphtérie, de la diarrhée et entérite, et des maladies de la première enfance. Pour ce qui concerne les maladies contagieuses, la diminution dans le taux des mortalités par la fièvre typhoïde, la scarlatine et la diphtérie, est bien marquée. La baisse des décès dus aux convulsions des enfants est probablement attribuable à l'amélioration constante des certificats. Cette amélioration apparait encore de façon plus frappante dans le taux des maladies séniles,




tandis que les proportions de causes mal définies ou non spécifiées offrent la réduction la plus accentuée par toute la période, bien qu'il faille tenir compte, à partir de 1926, du transport des décès des enfants au-dessous de 3 mois n'ayant pas reçu de soins médicaux, de la catégorie des causes non spécifiées ou mal définies dans le n° 162. On présume que ce transport est la cause de l'augmentation du taux, de 75 en 1925 à 80 en 1926, des maladies du premier âge.

Le taux de la mortalité causée par le suicide et qui a augmenté graduellement de 1921 à 1927, est plus bas en 1928 que l'année précédente, tant en nombre absolu que proportionnel. Le taux des autres morts violentes a subi une fluctuation très peu prononcée de 1921 à 1926, et de 57 qu'il était en 1926 a passé à 59 en 1927, alors qu'en 1928 il s'éleva beaucoup plus haut, soit 68 par 100,000.

TABLEAU LXII.—TAUX DE LA MORTALITE PAR 100,000 AMES, PAR CAUSES SPECIFIEES DE DECES DANS LE TERRITOIRE D'ENREGISTREMENT DE 1921, AU COURS DES ANNEES 1921-28

N° liste int.	Causes des décès	Territoire d'enregistrement de 1921							
		1921	1922	1923	1924	1925	1926	1927	1928
1	Fièvre typhoïde	8	6	7	4	5	3	4	3
7	Rougeole	5	3	5	7	3	7	4	3
8	Scarlatine	6	5	5	5	4	3	3	2
9	Coqueluche	10	7	11	8	8	9	7	6
10	Diphtérie	20	16	13	13	9	8	8	7
11	Grippe	15	37	54	20	32	45	35	44
31	Tuberculose, appareil respiratoire	61	59	60	57	56	56	56	54
32–37	Tuberculose, autres organes	14	13	13	12	11	13	12	12
43–49	Cancer	75	79	78	83	82	85	87	92
57	Diabète	10	11	11	10	9	11	12	12
58	Anémie, chlorose	11	12	11	12	12	13	9	8
71	Méningite	9	5	4	5	4	4	4	4
74	Hémorragie cérébrale, apoplexie	41	40	38	35	34	36	34	36
75–76	Paralysie sans cause spécifiée	11	10	8	8	8	8	8	7
80	Convulsions des enfants (au-dessous de 5 ans)	10	9	7	7	6	6	6	5
87–90	Affections du cœur	94	102	114	108	113	125	129	135
91	Affections des artères	40	44	48	55	56	59	60	67
99	Bronchite	14	13	11	7	6	6	5	5
100–101	Pneumonie	93	98	95	75	76	85	75	79
113–114	Diarrhée et entérite	50	44	31	28	33	25	25	23
117	Appendicite	13	13	13	14	14	14	14	14
118	Hernie, obstruction intestinale	9	10	9	11	10	10	9	9
128–129	Néphrite	32	32	38	40	43	46	46	49
135	Affections de la prostate	5	5	6	6	7	8	7	8
143–150	Causes puerpérales	14	14	13	14	13	13	13	13
159	Vices de conformation congénitaux	13	14	15	16	16	14	13	14
160–163	Maladies du premier âge	95	95	87	81	75	80	76	74
164	Sénilité (vieillesse)	45	42	44	39	31	30	27	26
165–174	Suicides	7	7	8	8	9	9	10	9
175–203	Mort violente (suicides exceptés)	57	56	58	55	57	57	59	68
	Autres causes spécifiées	138	132	130	131	127	132	137	138
	Total, causes spécifiées	**1,025**	**1,035**	**1,048**	**975**	**970**	**1,019**	**991**	**1,026**
204–205	Causes non spécifiées ou mal définies	32	26	19	19	17	11	10	9
	Total des décès	**1,057**	**1,061**	**1,067**	**994**	**987**	**1,030**	**1,001**	**1,035**



Cas et décès de certaines maladies contagieuses.—Le tableau LXIII donne le nombre de cas déclarés et le nombre de décès constatés de certaines maladies contagieuses en 1926-28. Ces chiffres sont tirés des données que les départements provinciaux de la Santé adressent chaque semaine au Bureau de la Statistique. Jusqu'au milieu de l'année 1929, il n'y a pas eu de rapports fournis par l'Ile du Prince-Edouard; en conséquence celle-ci ne figure pas dans le nombre de cas déclarés, quoique les décès de cette province figurent au grand total. En ne considérant pas cette omission, pour certaines maladies, qui n'a d'ailleurs que peu d'effet, les chiffres des cas déclarés ne peuvent être considérés comme ayant le même degré d'exactitude que ceux des décès. Il est évident que les déclarations ne couvrent pas tous les cas, puisque chaque année le nombre de décès attribués à la méningite est plus grand que le nombre de cas déclarés.

TABLEAU LXIII.—MALADIES CONTAGIEUSES DECLAREES ET DECES QUI LEUR SONT ATTRIBUES, 1926-28

Maladie	1926		1927		1928	
	Cas déclarés(1)	Décès	Cas déclarés(1)	Décès	Cas déclarés(1)	Décès
Fièvre typhoïde	1,832	465	8,108	1,112	2,247	467
Variole	1,535	33	2,845	11	3,337	7
Rougeole	44,388	892	28,151	616	27,733	337
Scarlatine	14,240	363	15,593	411	14,552	346
Coqueluche	6,969	1,242	6,791	1,030	6,644	727
Diphtérie	7,234	913	8,501	1,012	8,790	916
Poliomyélite aiguë	113	93	610	193	788	182
Méningite cérébro-spinale épidémique	112	207	129	219	159	235

(1) Ile du Prince-Edouard non comprise.

Fièvre typhoïde.—La fièvre typhoïde selon les certificats de décès, a causé la mort de 467 personnes en 1928, au lieu de 1,112 l'année précédente. La proportion est tombée de 12 par 100,000 décès en 1927 à 5 en 1928. Le déclin est presque entièrement attribuable à la réduction que présente en cette année sous revue, la province de Québec qui avait été visitée par une épidémie de cette maladie en 1927.

Variole.—Le nombre de décès causés par cette maladie en 1928 est très minime, étant seulement de 7, comparativement à 11 en 1927 et 33 en 1926. Comme on le verra par le tableau LXIII, le nombre de cas déclarés augmentant largement avec une proportion de décès diminuant de 2 p.c. en 1926 à un peu plus d'un cinquième d'un p.c. en 1928, indique que cette maladie était d'un caractère très bénin. En 1926 et 1927, les cas déclarés étaient principalement fournis par l'Ontario ouest, mais en 1928, le Québec en a fourni le plus grand nombre, bien que la Colombie Britannique présente la plus forte proportion relativement à sa population.

Les décès de ce genre dans le territoire d'enregistrement de 1921 sont les suivants pour la période 1921-28:

Année	Décès	Année	Décès
1921	41	1925	14
1922	7	1926	31
1923	15	1927	9
1924	61	1928	3

Rougeole.—Les décès attribués à la rougeole en 1928 s'élèvent seulement à 337, au lieu de 616 l'année précédente et la proportion est de 3 par 100,000 âmes, comparativement à 6 en 1927. La réduction des décès causés par cette maladie a été générale par tout le pays, excepté en l'Ile du Prince-Edouard, en Saskatchewan et en Alberta.

Scarlatine.—La scarlatine a été la cause de 346 décès, soit un taux de 4 par 100,000 en 1928 au lieu de 411 décès, ou le même taux qu'en 1927. Toutes les provinces à l'ouest du Nouveau-Brunswick, à l'exception de l'Alberta, présentent des réductions, bien que légères, dans le nombre de décès. Il est bon de souligner toutefois, qu'en 1927 les décès avaient une avance sur 1926. La tendance des décès dus à cette maladie dans le territoire de 1921, pour la période 1921-28, est indiquée par le graphique de la page cxlvi.

Coqueluche.—Les décès causés par la coqueluche en 1928 s'élèvent à 727 et donnent une proportion de 8 par 100,000. La mortalité causée par cette maladie présente une réduction sensible sur 1927, quand le nombre de décès atteignait 1,030 et un taux de 11; et sur 1926 quand ce nombre était de 1,242 et le taux de 13. Une réduction importante du taux de décès par la coqueluche s'est produite entre 1927 et 1928 au Nouveau-Brunswick, en Québec et en Colombie Britannique.

Diphtérie.—La diphtérie a causé 916 décès en 1928, donnant un taux de 9 par 100,000. Les chiffres correspondants de 1927 sont 1,012 décès et un taux de 11. En Nouvelle-Ecosse, Québec, Ontario et Manitoba, le nombre de décès attribués à cette maladie a baissé, tandis que les autres provinces ont enregistré des nombres plus considérables en 1928 qu'en l'année précédente. Les variations des décès dus à la diphtérie dans le territoire d'enregistrement de 1921, pour la période 1921-28, sont contenues dans le graphique de la page cxlvii.

Grippe.—Cette maladie a causé dans les neuf provinces du Canada, en 1928, 4,703 décès, donnant un taux de 49 par 100,000. Ces chiffres se comparent à 3,451 décès ou un taux de 36, en l'année précédente et 5,174 décès et un taux de 55 en 1926. Les proportions les plus élevées en 1928 se trouvent en Québec 62, Ontario 53, et 50 au Nouveau-Brunswick et en Alberta; les plus basses sont fournies par l'Ile du Prince-Edouard 21, et le Manitoba 23.

Les décès causés par l'influenza chez les Indiens en 1928 sont au nombre de 129, au lieu de 176 en 1927.

Bien que le nombre de décès au Canada dus à l'influenza en 1928 soit inférieur à celui de 1926, le mois de décembre 1928, avec 1,860 décès, donne le nombre le plus considérable que tout autre mois des trois années 1926-28. Le mois qui le suit de plus près au cours des années précédentes est avril 1926, quand 1,668 décès furent déclarés. Pour les huit provinces comprises dans le territoire d'enregistrement de 1921, une comparaison sur la période 1921-28 prouve que les mois pendant lesquels cette maladie a sévi avec le plus de violence sont février 1923, 1,144 décès, mars de la même année, 1,049, avril 1926, 927 décès, et décembre 1928, 1,149 décès. Bien que les décès de ce dernier mois soient fournis par une population estimée à environ 8 p.c. plus forte qu'en février 1923, quand seulement 5 décès de moins étaient déclarés, il faut bien se rappeler que l'épidémie d'influenza de 1928 n'atteignit sa virulence qu'en janvier 1929, lequel mois a enregistré presque le double de décès du mois précédent.

Les décès par mois de cette maladie sont relevés dans le tableau qui suit, pour tout le Canada en 1926-28 et pour le territoire d'enregistrement de 1921 pour la période 1921-28.

DECES CAUSES PAR LA GRIPPE (N° 11) PAR MOIS

(Nombres absolus)

Mois	Territoire d'enregistrement de 1921								Canada(1)		
	1921	1922	1923	1924	1925	1926	1927	1928	1926	1927	1928
Janvier	85	193	298	107	192	210	503	196	332	664	292
Février	154	291	1,144	152	271	243	471	221	374	639	358
Mars	154	640	1,049	191	426	423	385	251	671	539	403
Avril	143	583	517	210	381	927	285	252	1,668	400	383
Mai	84	235	203	162	258	472	204	262	826	312	348
Juin	47	91	78	80	116	170	92	224	279	151	281
Juillet	27	49	58	33	56	100	59	100	143	100	125
Août	27	43	35	31	54	57	41	77	83	67	102
Septembre	38	33	29	40	81	58	51	89	100	76	112
Octobre	54	54	54	77	106	102	87	106	164	132	183
Novembre	64	83	50	85	104	114	102	148	193	160	256
Décembre	63	105	63	138	137	213	134	1,149	341	211	1,860
Total	**940**	**2,400**	**3,578**	**1,306**	**2,182**	**3,089**	**2,414**	**3,075**	**5,174**	**3,451**	**4,703**

(1) Voir la note 1, au bas du tableau I.

Poliomyélite aiguë.—La paralysie infantile (poliomyélite, aiguë, n° 22 de la liste int.) a pris des proportions épidémiques dans la province de Manitoba, durant l'année 1928, 434 cas ont été déclarés et 43 décès ont suivi. Dans la cité de Winnipeg, on en compte 13. Dans cette province, au cours d'août, 99 cas ont été déclarés et 12 décès enregistrés, 264 cas et 19 décès en

septembre et 53 cas et 3 décès en octobre. La province d'Alberta, qui avait souffert d'une épidémie de cette nature en 1927, a déclaré 90 cas, et 35 décès au cours de 1928, soit un taux de 5·5 par 100,000 âmes, comparativement à 6·6 au Manitoba. En Alberta, la densité dans les mois d'août-octobre a été beaucoup plus faible qu'au Manitoba, particulièrement pour les décès. Le nombre de décès, et leur proportion par provinces, sont comme suit:

MORTALITE RESULTANT DE POLIOMYELITE AIGUE EN 1928

Province	Décès	Taux	Province	Décès	Taux
Canada (1)	182	1·9	Ontario	34	1·1
Ile du Prince-Edouard	–	–	Manitoba	43	6·6
Nouvelle-Ecosse	2	0·4	Saskatchewan	11	1·3
Nouveau-Brunswick	4	1·0	Alberta	35	5·5
Québec	34	1·3	Colombie Britannique	19	3·3

(1) Voir la note 1, au bas du tableau I.

Encéphalite léthargique.—On compte 120 décès provenant de cette cause en 1928, soit absolument le même nombre qu'en l'année précédente, mais 21 de plus qu'en 1926, quand cette maladie en avait causé 99.

Dans le territoire d'enregistrement de 1921, les décès attribués à l'encéphalite léthargique présentent de grandes fluctuations d'année en année, en la période 1921-28, mais sans tendance définie. Les chiffres sont les suivants:

Année	Décès	Année	Décès
1921	102	1925	118
1922	48	1926	93
1923	146	1927	101
1924	82	1928	116

Tuberculose.—La tuberculose des voies respiratoires a fait 6,490 victimes, soit une proportion de 67 par 100,000, en 1928, comparativement à 6,444 ou un taux de 68 l'année précédente et 6,485 ou un taux de 69 en 1926.

La tuberculose sous d'autres formes a causé en 1928 1,370 décès, soit un taux de 14 par 100,000. Les chiffres correspondants de 1927 sont 1,338 décès et un taux de 14 et ceux de 1926, 1,444 décès et un taux de 15.

En réunissant tous les décès causés par la tuberculose, sous toutes ces formes, nous obtenons un total de 7,860, soit une proportion de 81 en 1928, au lieu de 7,782 décès ou un taux de 82 en 1927 et 7,929 décès et un taux de 85 en 1926.

Les taux par provinces varient dans une large marge. En 1928, la Saskatchewan a le taux le plus bas, seulement 44 par 100,000, tandis que l'Alberta, l'Ontario et le Manitoba présentent des proportions particulièrement basses. Il y a un espace remarquable entre ces provinces et les cinq autres. Le Québec présente le taux le plus élevé de toutes les provinces, 121 par 100,000, tandis que l'Ile du Prince-Edouard, la Colombie Britannique et la Nouvelle-Ecosse, toutes trois fournissent des proportions au-dessus de 100. Les différences de répartition d'âges semblent exercer peu d'influence dans cette vaste disproportion des taux.

Tels que mentionnés plus haut (p. cxliv), les taux des provinces de l'Ouest, particulièrement de l'Alberta et de la Colombie Britannique, sont considérablement augmentés par la mortalité élevée de la population indienne qui habite ces provinces; l'exclusion des Indiens fait tomber le taux de 61 à 51 au Manitoba, de 44 à 35 en Saskatchewan, de 53 à 38 en Alberta et de 109 à 83 en Colombie Britannique.

Dans les huit provinces qui composent le territoire d'enregistrement de 1921, le taux des décès en 1928 est de 67 par 100,000, chiffre identique à celui de l'année précédente et de 1925. De 1921 à 1925, le taux de ce territoire présente une tendance à la baisse; depuis 1925 il est resté stationnaire.

TUBERCULOSE (Nos 31-37)

(Mortalité par 100,000 âmes)

Province	1921	1922	1923	1924	1925	1926	1927	1928
Ile du Prince-Edouard	144	127	106	114	99	103	83	116
Nouvelle-Ecosse	134	132	123	125	108	119	118	104
Nouveau-Brunswick	109	107	111	105	100	102	100	97
Québec	.....	.....	.....	.....	.....	128	121	121
Ontario	71	66	66	60	59	58	57	57
Manitoba	69	61	65	62	61	61	57	61
Saskatchewan	43	44	45	46	42	47	47	44
Alberta	53	53	61	61	59	60	64	53
Colombie Britannique	78	95	97	95	96	94	96	109
Canada(1)	.....	.....	.....	.....	.....	85	82	81
Territoire d'enregistrement de 1921	75	73	73	70	67	68	67	67

(1) Voir la note 1, au bas du tableau I.

Le nombre de décès attribués aux diverses formes de tuberculose en 1926-28 est donné ci-dessous:

DECES CAUSES PAR LES DIFFERENTES FORMES DE TUBERCULOSE AU CANADA (1)

(Nombres absolus)

Formes de tuberculose	Sexe masculin			Sexe féminin		
	1926	1927	1928	1926	1927	1928
Toutes formes	**3,728**	**3,593**	**3,730**	**4,201**	**4,189**	**4,130**
Appareil respiratoire	3,016	2,914	3,052	3,469	3,530	3,438
Meninges et système nerveux central	280	259	245	263	266	251
Intestins et péritoine	135	156	133	199	184	203
Colonne vertébrale	41	36	56	56	30	40
Articulation	24	22	27	11	15	20
Autres organes	126	115	125	111	81	78
Disséminée	106	91	92	92	83	100

(1) Voir la note 1, au bas du tableau I.

Les chiffres suivants montrent l'effet qu'a sur les taux des décès causés par la tuberculose l'exclusion des Indiens morts de cette maladie en 1926-28. Comme mentionné précédemment, le terme Indien comprend les métis.

TUBERCULOSE

(Mortalité par 100,000 âmes)

—		Toutes formes	Appareil respiratoire	Autres organes
Population totale	1926	84	69	15
	1927	82	68	14
	1928	81	67	14
Population indienne	1926	542	473	69
	1927	570	494	76
	1928	561	475	85
Population à l'exclusion des Indiens	1926	80	65	15
	1927	76	63	13
	1928	76	63	13

Syphilis.—Les décès attribués à la syphilis, à la tabes dorsalis et à la paralysie générale des aliénés, en même temps que le taux des décès résultant de ces trois causes sont relevés dans le tableau qui suit. Ce relevé contient le total des neuf provinces pour les années 1926-28 et pour le territoire d'enregistrement de 1921 en 1921-28.

DECES ET TAUX ATTRIBUES A LA SYPHILIS, A L'ATAXIE LOCOMOTRICE (TABES DORSALIS) ET A LA PARALYSIE GENERALE DES ALIENES

		Décès				Taux par 100,000 âmes, pour les trois causes
		Syphilis	Tabes dorsalis	Paralysie générale des aliénés	Les trois causes	
Canada [1]	**1926**	**330**	**62**	**198**	**590**	**6**
	1927	**362**	**73**	**165**	**600**	**6**
	1928	**370**	**74**	**146**	**590**	**6**
Territoire d'enregistrement	1921	196	37	85	318	5
	1922	215	45	114	374	6
	1923	225	57	160	442	7
	1924	216	51	141	408	6
	1925	197	53	158	408	6
	1926	190	47	170	407	6
	1927	226	52	143	421	6
	1928	257	58	121	436	6

[1] Voir la note 1, au bas du tableau I.

Cancer.—Dans les neuf provinces du Canada, le cancer a causé en 1928 la mort à 8,514 personnes, soit un taux de 88 par 100,000 habitants. L'année précédente, les décès étaient au nombre de 7,919 et le taux 83 par 100,000, et en 1926 leur nombre s'élevait à 7,614, soit un taux de 81.

Les taux pour les diverses provinces en 1928 varient entre 55 en Saskatchewan à 114 en l'Ile du Prince-Edouard. La répartition d'âge des populations joue une influence très importante sur les taux provinciaux. Dans le relevé qui suit, les taux de cette maladie dans les différentes provinces sont donnés conjointement avec les proportions de la population respective au-dessus de 40 ans et au-dessus de 60 ans, selon le recensement de 1921.

CANCER

Province	Taux de décès dus au cancer par 100,000 de population 1928	P.c. de la population de 40 ans et plus	P.c. de la population de 60 ans et plus
Ile du Prince-Edouard	114	31·5	13·3
Nouvelle-Ecosse	107	29·7	9·2
Nouveau-Brunswick	104	28·3	10·4
Québec	99	30·4	6·3
Ontario	92	26·3	9·2
Manitoba	79	22·4	5·3
Saskatchewan	77	22·9	7·1
Alberta	66	22·0	4·3
Colombie Britannique	55	19·6	4·0

Le taux de ces décès dans le territoire d'enregistrement de 1921 indique clairement une augmentation prononcée sur la période 1921-28, s'élevant de 75 par 100,000 le première année, et à 92 la dernière année. Deux considérations semblent mitiger les conclusions alarmantes que peuvent faire naître ces chiffres. La première est l'amélioration constante dans la précision des diagnostics du cancer. La seconde est la probabilité d'une plus grande proportion de la population entrant dans l'âge du cancer. Au sujet de cette dernière influence, le recensement de 1931 est appelé à jeter une lumière plus définie.

CANCER (Nos 43–49)

(Mortalité par 100,000 âmes)

Province	1921	1922	1923	1924	1925	1926	1927	1928
Ile du Prince-Edouard	87	97	94	101	100	83	77	114
Nouvelle-Ecosse	92	102	100	107	101	96	102	104
Nouveau-Brunswick	73	82	76	76	83	82	81	92
Québec	.....	.....	.....	.....	.....	72	73	77
Ontario	88	88	90	96	95	99	100	107
Manitoba	70	72	67	74	71	73	77	79
Saskatchewan	41	45	46	44	44	47	53	55
Alberta	48	54	49	58	57	59	68	66
Colombie Britannique	74	83	83	83	84	93	90	99
Canada[1]	.....	.....	.....	.....	.....	**81**	**83**	**88**
Territoire d'enregistrement de 1921	75	79	78	83	82	85	87	92

[1] Voir la note 1, au bas du tableau I.

Le taux des décès, selon l'organe cancéré, pour l'un et l'autre sexes, est donné dans le tableau qui suit, pour les neuf provinces du Canada, en 1926-28. En plus de la population estimative donnée au tableau I, pour la computation de ces tableaux, il a été présumé que la proportion pour les deux sexes est la même qu'elle l'était au recensement de 1921.

MORTALITE CAUSEE PAR LE CANCER ET SES DIFFERENTS SIEGES AU CANADA(1)

(Par 100,000 âmes)

Siège du cancer	1926	1927	1928
SEXE MASCULIN			
Tous sièges	75	78	82
Cavité buccale	6	6	6
Estomac et foie	36	37	38
Péritoine, intestin et rectum	12	13	14
Peau	2	2	2
Autres organes ou organes non spécifiés	19	20	22
SEXE FEMININ			
Tous sièges	88	89	95
Cavité buccale	1	1	1
Estomac et foie	28	28	29
Péritoine, intestin et rectum	14	14	16
Organes génitaux	18	18	18
Sein	14	16	17
Peau	1	1	1
Autres organes ou organes non spécifiés	11	11	12

(1) Voir la note 1, au bas du tableau I.

Le relevé qui suit est analogue au précédent, mais s'applique seulement aux huit provinces comprises dans le territoire d'enregistrement de 1921 en 1921-28. Les taux sont en général quelque peu plus élevés que ceux des neuf provinces, un fait grandement influencé par le plus grand nombre d'enfants de la province de Québec. Les taux chez les femmes, pour tous sièges de cette maladie, sont substantiellement plus forts que chez les hommes, en chacune des années sous revue. Le déclin du cancer sous "autres organes", ou non spécifiés de 1921-25 est sans doute grandement le résultat de certificats plus précis, en raison de l'habitude de retourner les certificats défectueux. Il est permis de supposer qu'en 1925 le nombre de décès dus au cancer d'organes non spécifiés a été réduit à son minimum. En 1927, alors qu'ils sont enregistrés séparément pour la première fois, les décès s'élèvent seulement à 12 dans les huit provinces.

MORTALITE CAUSEE PAR LE CANCER ET SES DIFFERENTS SIEGES DANS LE TERRITOIRE D'ENREGISTREMENT DE 1921

(Par 100,000 âmes)

Siège du cancer	1921	1922	1923	1924	1925	1926	1927	1928
SEXE MASCULIN								
Tous sièges	69	71	70	75	75	77	81	86
Cavité buccale	4	5	6	7	6	6	6	5
Estomac et foie	32	31	32	34	36	36	37	38
Péritoine, intestin et rectum	10	11	11	12	12	12	14	15
Peau	2	3	3	3	3	3	2	3
Autres organes ou organes non spécifiés	21	21	19	19	18	21	22	25
SEXE FEMININ								
Tous sièges	82	86	87	91	90	93	93	100
Cavité buccale	1	1	1	1	1	1	1	1
Estomac et foie	24	27	28	27	27	28	29	30
Péritoine, intestin et rectum	12	13	13	13	14	15	14	16
Organes génitaux	14	15	16	18	18	19	19	19
Sein	12	13	14	17	18	15	16	18
Peau	1	1	1	1	1	2	2	2
Autres organes ou organes non spécifiés	18	16	14	13	11	12	13	14

En raison du grand intérêt attaché à la lutte contre le cancer, une extension du n° 49, "Cancer d'autres organes ou d'organes non spécifiés" a été ajoutée à tous les tableaux d'ensemble des causes de décès, les formes spécifiées sous cet en-tête étant subdivisées en huit groupes et les sièges non spécifiés étant donnés séparément. La liste détaillée des sièges, combinés sous tel nombre, est donnée pour les années 1927 et 1928 dans le relevé ci-après. La liste contient certains noms synonymes des sièges et ce afin de conserver le terme employé dans le certificat ou sa plus fidèle traduction; l'arrangement scientifique n'a pas été tenté.

DETAILS SUPPLEMENTAIRES DE DECES DE LA LISTE INTERNATIONALE N° 49 "CANCER D'AUTRES ORGANES OU D'ORGANES NON SPECIFIES", 1927-28

Siège du cancer	1927	1928	Siège du cancer	1927	1928
Œil et oreille	23	28	Os iliaque	3	4
Œil	16	18	Innomés	1	–
Nerf optique	–	3	Genou	2	2
Orbite	6	5	Joue	1	–
Oreille interne	1	–	Os temporal	3	2
Oreille moyenne	–	2	Mandibule	1	–
Système circulatoire	106	142	Os nasal	–	1
Axillaire	7	8	Os occipital	1	–
Système circulatoire (s.a.i.)	1	2	Os non spécifié	19	8
Ganglions	90	122	Pelvis	9	3
Cœur	8	10	Pubis	–	2
Système respiratoire	228	241	Côtes	3	2
Méat nasal	3	6	Sacrum	2	6
Bronches	3	2	Os scapulaire	6	–
Larynx	51	69	Epaule	–	8
Poumons	114	120	Crâne	3	6
Médiastin	37	33	Sternum	2	3
Cavité nasale	1	–	Os temporal	1	–
Nasopharynx	2	8	Tibia	4	6
Plèvre	2	1	Os ulnaire	1	–
Thorax	10	1	Autres organes spécifiés	148	199
Trachée	5	1	Cheville	1	–
Système digestif	206	275	Bras	7	7
Abdominal	63	85	Dos	–	4
Tube digestif (s.a.i.)	1	–	Cerveau	13	27
Pancréas	116	161	Corps	1	–
Parotide	16	14	Fesses	3	–
Rate	10	15	Poitrine	11	13
Système génito-urinaire	547	611	Doigt	–	1
Vessie	195	207	Pied	7	1
Rein	74	100	Main	7	7
Pénis	6	15	Tête	4	3
Prostate	257	258	Jambe	9	20
Scrotum	2	2	Muscles	2	1
Testicule	11	24	Cou	34	48
Urètre	1	4	Nerfs	1	1
Verge	1	1	Pelvis (organes pelviens)	27	23
Os et articulations	110	88	Côté	1	3
Clavicule	1	6	Epine dorsale (excepté les vertèbres)	15	30
Ethmoïde	2	–	Cuisse	4	10
Fémur	21	14	Orteil	1	–
Os fibulaire	2	1	Cancer généralisé	60	66
Os frontal	1	–	Siège non mentionné	18	21
Hanche et articulation coxofémorale	13	12			
Humérus	8	2	**Total**	**1,446**	**1,671**

Note.—Sans autre information.

Diabète.—Les décès dus au diabète sont au nombre de 1,097 en 1928, comparativement à 1,083 en 1927 et 1,046 en 1926. Le taux en ces trois années est de 11 par 100,000 âmes.

Dans le territoire d'enregistrement de 1921, le taux de décès résultant de cette cause qui était de 10 par 100,000 âmes en 1921, avait atteint sa plus basse proportion en 1925 avec 9 par 100,000. De ce chiffre, il s'éleva à 11 en 1926 et 12 en 1927 et 1928. Bien que l'interprétation de la tendance semble quelque peu douteuse pour la population considérée dans son ensemble, le relevé qui suit et qui contient les chiffres absolus de certains groupes d'âges, indique, bien qu'irrégulièrement, un changement en ces dernières années du taux de mortalité, plus faible chez les jeunes et plus fort dans les âges plus avancés. Les chiffres de 1928, toutefois, ne suivent pas ces tendances.

DECES DUS AU DIABETE (N° 57) DANS LE TERRITOIRE D'ENREGISTREMENT DE 1921 AU COURS DES ANNEES 1921-28

Année	Tous âges	Moins de 15 ans	15–29 ans	30–49 ans	50 ans et plus	Non données
1921	611	68	67	118	357	1
1922	707	71	64	129	441	2
1923	722	52	54	98	517	1
1924	637	42	40	83	472	–
1925	634	42	58	67	466	1
1926	763	50	51	87	575	–
1927	794	39	36	89	628	2
1928	820	58	47	107	608	–

Anémie.—Les décès attribués à l'anémie sont au nombre de 732 en 1928, donnant un taux de 8 par 100,000 âmes, au lieu de 793 et le même taux en 1927 et 1,040 et un taux de 11 en 1926. La réduction du nombre de décès en 1927 et qui s'est continuée, bien qu'à un taux plus lent en 1928, semble plus frappante si elle est envisagée à la lumière des chiffres des premières années. Les décès dus à l'anémie en 1921-28, dans le territoire d'enregistrement de 1921 sont les suivants:

DECES DUS A L'ANEMIE DANS LE TERRITOIRE D'ENREGISTREMENT DE 1921
(Chiffres absolus)

Année	Décès	Année	Décès
1921	735	1925	814
1922	780	1926	856
1923	756	1927	618
1924	811	1928	537

Il semble raisonnable de lier la chute du nombre de décès en 1927 à l'adoption d'une diète spéciale pour les anémiés qui prit une vogue considérable à cette époque.

Alcoolisme et cirrhose.—On compte 221 décès attribués à l'alcoolisme en 1928, comparativement à 229 décès en 1927 et 208 en 1926. Le taux est de 2 par 100,000 âmes en chaque année.

Les décès dus à la cirrhose du foie sont au nombre de 363 en 1928, donnant un taux de 4 par 100,000, au lieu de 347 décès et le même taux, l'année précédente et 283 décès et un taux de 3 par 100,000 en 1926.

Les décès et les proportions par provinces en 1928 sont donnés au tableau qui suit:

DECES ATTRIBUES A L'ALCOOLISME ET A LA CIRRHOSE ET TAUX, PAR PROVINCES, EN 1928

Province	Alcoolisme		Cirrhose	
	Nombre de décès	Taux par 100,000 âmes	Nombre de décès	Taux par 100,000 âmes
Canada[1]	**221**	**2·3**	**363**	**3·8**
Ile du Prince-Edouard	–	–	–	–
Nouvelle-Ecosse	18	3	9	2
Nouveau-Brunswick	2	[2]	9	2
Québec	47	2	168	6
Ontario	73	2	104	3
Manitoba	19	3	17	3
Saskatchewan	14	2	14	2
Alberta	21	3	14	2
Colombie Britannique	27	5	28	5

[1] Voir la note 1, au bas du tableau I.
[2] Moins d'un par 100,000.

Hémorragie cérébrale, apoplexie.—La mortalité résultant d'hémorragie cérébrale, d'apoplexie, de thrombose et d'embolie est au nombre de 3,094 en 1928, donnant un taux de 32 par 100,000 âmes. L'année précédente, le nombre de décès était de 2,938 et une proportion de 31, tandis qu'en 1926 les décès s'élevaient à 3,033, donnant le même taux qu'en 1928.

Dans le territoire d'enregistrement de 1921, le taux indique une tendance à la baisse entre 1921 et 1925 (tableau LXII), et une tendance à fluctuer autour du même niveau depuis cette dernière année. Le taux serait beaucoup plus élevé si tous les décès certifiés dus à ces causes étaient ainsi classifiés, mais quand une affection cardiaque ou artérielle a précédé la cause immédiate, elle obtient la préférence. En 1928, le nombre de décès résultant d'hémorragie cérébrale, d'apoplexie, etc. attribués à l'affection des artères est de 2,083, à l'affection du cœur, 487, et aux néphrites 295. Même plus, dans un certain nombre de cas l'hémorragie cérébrale ou l'apoplexie ne sont pas du tout mentionnées, afin de laisser la place aux deux autres causes.

Il est très possible qu'une tendance progressive de la part des médecins de faire pleine mention des causes antécédentes sur le certificat ait influencé cette inclination à la baisse déjà remarquée dans le taux des hémorragies cérébrales et d'apoplexie.

Affections du cœur.—Les décès résultant des affections de cet organe, dans les neuf provinces du Canada (Liste Int. nos 87-90) s'élèvent à 12,630 en 1928, soit un taux de 131 par 100,000 âmes, comparativement à 11,775 décès et un taux de 124 en 1927 et 11,415 et un taux de 122 en 1926.

Les proportions par provinces en 1928 varient de 67 en Saskatchewan à 174 en Ontario, comme l'indique le tableau LV. Outre l'effet que la différence d'âge de la population peut exercer et qui peut être considérable dans le cas des deux provinces citées, il est certain que les taux sont aussi affectés par le degré d'exactitude du certificat de mortalité, particulièrement pour les personnes âgées. Une partie au moins de la différence entre le taux de l'Ontario des affections du cœur et celui des Provinces Maritimes, qui ont une population plus âgée, est due à la proportion beaucoup plus faible de la sénilité en Ontario et, comparativement à l'Ile du Prince-Edouard et au Nouveau-Brunswick, au taux des causes non spécifiées ou mal définies. (Voir tableau LV).

Le relevé ci-après contient les taux de décès de chaque province dus aux affections du cœur, au cours de la période 1921-28. Pour la province de Québec et le Dominion dans son ensemble, les taux remontent seulement à 1926. Les chiffres du territoire d'enregistrement de 1921 indiquent une ascendance prononcée sur la période que relève le tableau, le taux gonflant de 94 en 1921 à 135 en 1928. Le tableau LXII révèle, toutefois, que durant la même période et pour le même territoire, le taux des décès attribués à la sénilité tomba de 45 en 1921 à 26 en 1928, tandis que la mortalité due à des causes non spécifiées ou imprécises donne un taux de 32 en la première année et seulement de 9 en la dernière. Ce perfectionnement des certificats ne peut avoir manqué de réagir, dans une large mesure, sur les taux des maladies dégénératrices dont la nature est spécifiée.

AFFECTIONS DU CŒUR (Nos 87-90)

(Mortalité par 100,000 âmes)

Province	1921	1922	1923	1924	1925	1926	1927	1928
Ile du Prince-Edouard	108	131	142	142	122	110	140	137
Nouvelle-Ecosse	107	111	130	113	120	123	128	138
Nouveau-Brunswick	111	125	120	112	125	120	128	126
Québec	–	–	–	–	–	112	110	119
Ontario	116	126	145	137	142	163	166	174
Manitoba	70	72	79	79	74	80	89	97
Saskatchewan	45	48	48	47	50	61	68	67
Alberta	52	54	62	67	77	80	77	87
Colombie Britannique	90	101	108	99	104	117	112	121
Canada(1)	–	–	–	–	–	**122**	**124**	**131**
Territoire d'enregistrement de 1921.	94	102	114	108	113	125	129	135

(1) Voir la note 1, au bas du tableau I.

Bien qu'aucun tableau d'ensemble ne traite des causes contributoires de décès en 1928, il peut être intéressant de faire remarquer que les affections du cœur ont été considérées comme conduisant à la néphrite dans 1,791 cas, et comme contributoires également dans 1,411 cas d'affection des artères. La forme d'affection du cœur spécialement mentionnée parmi les causes contributoires est la myocardite chronique.

Affection des artères.—En 1928, cette maladie a causé 5,644 décès au Canada (Liste Int. n° 91) et le taux est de 59 par 100,000 âmes. Les chiffres correspondants de 1927 sont 5,110 et un taux de 54; ceux de 1926 sont de 4,981 décès et un taux de 53.

Les proportions par provinces en 1928 varient entre 23 par 100,000 en Saskatchewan à 96 en Ontario.

En 1921-28 le taux du territoire d'enregistrement de 1921 a monté régulièrement de 40 à 67 par 100,000 personnes. Pour cette maladie comme pour les affections du cœur, une proportion de l'augmentation est sans doute due à la diminution dans le nombre de décès dont la sénilité est donnée comme cause ou pour lesquels aucune cause spécifiée n'est donnée.

Bronchite.—En 1928, la bronchite a fait 522 victimes, comparativement à 505 l'année précédente et 587 en 1926. Le taux de 5 par 100,000 personnes en 1928 est le même qu'en 1927, soit légèrement inférieur à celui de 1926 qui était de 6 par 100,000 âmes.

Les proportions par provinces varient de 4 en Saskatchewan, Alberta et Colombie Britannique à 7 en Nouvelle-Ecosse et Québec.

Dans le territoire d'enregistrement de 1921, la mortalité assignée à la bronchite a subi une baisse marquée au cours de la période 1921-28, le taux déclinant de 14 dans les premières années et de seulement 5 dans les dernières.

Pneumonie.—La pneumonie, qui embrasse la broncho-pneumonie et la bronchite capillaire (Liste Int. nos 100-101), a causé 8,425 décès en 1928, soit un taux de 87 par 100,000 âmes. Ces chiffres se comparent à 7,562 décès et un taux de 80 en 1927 et 8,427 décès et un taux de 90 en 1926.

Les taux par provinces, varient entre 61 en Colombie Britannique à 116 en l'Ile du Prince-Edouard en 1928.

Les décès attribués à la pneumonie comme cause principale ne comprennent pas ceux où cette maladie ne fut qu'une complication résultant de quelque autre cause. En 1928, par exemple, 2,096 décès survenus à la suite de pneumonie résultaient d'une grippe. Ces décès sont au compte de la grippe (Liste Int. n° 11) dans les tableaux d'ensemble, quoique une subdivision de la rubrique de cette maladie permette d'en observer le nombre.

La proportion qui revient à cette maladie dans le territoire d'enregistrement de 1921 est de 79 par 100,000 en 1928. Ce taux est quelque peu au-dessus de celui de 1927 qui était de 75 par 100,000, mais bien au-dessous de la moyenne de la période 1921-28.

PNEUMONIE (Nos 100 ET 101)

(Mortalité par 100,000 âmes)

Province	1921	1922	1923	1924	1925	1926	1927	1928
Ile du Prince-Edouard	109	121	155	93	80	87	103	116
Nouvelle-Ecosse	96	126	127	96	96	99	92	87
Nouveau-Brunswick	132	123	114	89	112	106	100	106
Québec	–	–	–	–	–	103	93	109
Ontario	102	105	102	76	80	91	77	85
Manitoba	92	91	85	82	79	80	74	65
Saskatchewan	66	71	81	70	62	70	60	63
Alberta	76	77	74	67	62	73	58	75
Colombie Britannique	67	82	53	46	47	60	63	61
Canada[1]	–	–	–	–	–	**90**	**80**	**87**
Territoire d'enregistrement de 1921.	93	98	95	75	76	85	75	79

[1] Voir la note 1, au bas du tableau I.

Diarrhée et entérite.—Les décès dus à ces causes sont au nombre de 5,032 en 1928 et la proportion 52 par 100,000 de population, comparativement à 5,534 et un taux de 58 par 100,000, en 1927 tandis qu'en 1926 le nombre était de 5,445 et le même taux 58.

La mortalité due à la diarrhée et à l'entérite est particulièrement remarquable chez les jeunes enfants et environ 86 p.c. des décès imputables à ces causes en 1928 sont chez les enfants au-dessous de deux ans. Pour cette raison le taux basé sur la population totale reflète non seulement l'étendue de la mortalité réelle de cette cause parmi les jeunes enfants, mais aussi la proportion d'enfants dans la population, chiffre largement influencé par le taux de la natalité. Il y a une très grande distance entre le taux que présente la province de Québec, 130 par 100,000 et celui du Nouveau-Brunswick, 31, qui suit immédiatement. Sur la même pente, l'Ile du Prince-Edouard présente un taux de 8 seulement et la Colombie Britannique, 11. Des réductions importantes se firent sentir entre 1927 et 1928 dans les taux de toutes les provinces de l'Est. En Québec, le taux tomba de 147 la première année à 130 la dernière année.

DIARRHEE ET ENTERITE (Nos 113-114)

—		Au-dessous de deux ans	Deux ans et au-dessus	Total	Taux par 100,000 âmes
		Nombre	Nombre	Nombre	
Territoire d'enregistrement de 1921	1921	2,695	523	3,218	50
	1922	2,440	403	2,843	44
	1923	1,696	365	2,061	31
	1924	1,555	336	1,891	28
	1925	1,787	411	2,198	33
	1926	1,399	280	1,679	25
	1927	1,347	367	1,714	25
	1928	1,243	350	1,593	23
Canada(1)	**1926**	**4,821**	**624**	**5,445**	**58**
	1927	**4,818**	**716**	**5,534**	**58**
	1928	**4,334**	**698**	**5,032**	**52**

(1) Voir la note 1, au bas du tableau I.

Néphrite.—Au Canada, 5,715 décès sont attribués à la néphrite en 1928, comparativement à 5,235 en 1927 et 5,138 en 1926. Le taux de 59 par 100,000 âmes en 1928 se compare à 55 en chacune des deux autres années.

Par province, les taux varient entre 28 en Saskatchewan à 86 en Québec. Dans les trois provinces des Prairies, les taux sont très faibles, en raison sans doute de la faible proportion de personnes ayant dépassé l'âge mûr. Toutefois, l'excédent de la province de Québec sur les Provinces Maritimes et l'Ontario ne peut s'expliquer de cette manière.

Le taux des décès attribuables à cette maladie dans le territoire d'enregistrement de 1921 présente un accroissement assez régulier sur la période 1921-28, de 32 par 100,000 âmes en la première année de cette période à 49 par 100,000 en la dernière année. Tout comme pour les affections du cœur et des artères, l'amélioration des certificats qui produit une réduction de la mortalité due aux causes non spécifiées ou mal définies et à celles attribuées à la sénilité, tend sans aucun doute à augmenter les taux apparents de mortalité due à la néphrite.

La préférence générale donnée aux néphrites sur l'artério-sclérose dans le choix des causes de décès pour les tableaux d'ensemble, est indiquée par le fait que si l'artério-sclérose est classifiée comme contributoire à la néphrite dans 723 cas, cette dernière maladie est classifiée comme contributoire aux affections des artères dans seulement 42 cas. Jusqu'à un certain point cette préférence peut tendre à exagérer le taux réel de la néphrite, attendu que tout perfectionnement du certificat consistant en la mention de la néphrite aussi bien que de l'artério-sclérose ou l'apoplexie résultant de l'artério-sclérose, permet d'exercer cette préférence. Les progrès déjà constatés dans le taux d'affection artérielle nous laissent peu de marge pour cette explication, en autant que ces maladies sont concernées, mais on peut ajouter qu'au cours de la période qui nous occupe, 1921-28, le taux de l'apoplexie pour le territoire d'enregistrement de 1921 a un peu diminué, étant de 41 en 1921 et seulement de 36 en 1928.

Morts violentes.—Le nombre de morts violentes au Canada, y compris les suicides, les homicides et les accidents est de 6,925 en 1928, comparativement à 6,268 en 1927 et 5,869 en 1926. Le taux en 1928 est de 72 par 100,000 âmes, au lieu de 66 l'année précédente et 63 en 1926.

Les morts violentes constituent 6·3 p.c. de la mortalité totale des neuf provinces. Du total des morts violentes, les homicides contribuent seulement 2·2 p.c., les suicides 10·8 p.c. et les accidents 87·0 p.c.

Suicides.—Les suicides au Canada en 1928 sont au nombre de 751, soit un taux de 8 par 100,000; en 1927 ce nombre était de 759, donnant le même taux de 8 par 100,000 âmes, et en 1926, 680 et un taux de 7. Considérés par provinces, les taux varient grandement. En 1928, la Colombie Britannique présente la proportion la plus élevée 17, suivie de l'Alberta avec 14. A l'autre extrémité de l'échelle, la Nouvelle-Ecosse et le Québec, le suicide présente une proportion de 4 par 100,000 seulement.

Dans le territoire d'enregistrement de 1921, l'accroissement dans le nombre de suicides qui s'est manifesté en chacune des années de la période 1921-27, s'est ralenti en 1928. En prenant la période 1921-28 dans l'ensemble, toutefois, l'accroissement en sept années s'élève à environ 50 p.c. pour les hommes comme pour les femmes, et représente seulement une faible proportion relativement à l'augmentation estimative de la population.

SUICIDES (Nos 165-174)
(Nombres absolus)

Année	Canada(1)		Territoire d'enregistrement de 1921	
	Masculin	Féminin	Masculin	Féminin
1921	–	–	342	89
1922	–	–	376	111
1923	–	–	404	134
1924	–	–	399	136
1925	–	–	466	120
1926	543	137	478	118
1927	612	147	547	127
1928	593	158	514	140

(1) Voir la note 1, au bas du tableau I.

Homicides.—Les homicides en 1928 sont au nombre de 150, donnant un taux de 1·6 par 100,000 âmes. L'Ile du Prince-Edouard n'a pas eu d'homicides en 1928. Dans les autres provinces le taux varie de 0·9 par 100,000, en Nouvelle-Ecosse, à 2·8 en Alberta. Il y a eu 124 homicides en 1927 et 126 en 1926.

Le nombre d'homicides et leur coefficient par 100,000 âmes dans le territoire d'enregistrement de 1921 sont donnés pour les années 1921-28 dans le relevé qui suit.

HOMICIDES DANS LE TERRITOIRE D'ENREGISTREMENT DE 1921

Année	Nombres absolus	Taux par 100,000 âmes
1921	50	·78
1922	82	1·26
1923	76	1·16
1924	98	1·47
1925	98	1·45
1926	105	1·54
1927	99	1·43
1928	123	1·76

Accidents d'automobile.—Les accidents d'automobile ont causé 1,082 décès au Canada en 1928, donnant un taux de 11 par 100,000 âmes. L'année précédente, on comptait 865 décès, soit un taux de 9 et en 1926, 606 décès ou un taux de 6. Dans le présent système de classification, les décès résultant de collision d'automobile avec d'autres véhicules, tramways et trains sont attribués à l'automobile. Les décès dus aux accidents de motocyclette tombent aussi dans cette catégorie.

Le nombre de décès dus aux accidents d'automobile est indiqué par provinces dans le tableau ci-dessous. Pour les huit provinces comprises dans le territoire d'enregistrement de 1921, les chiffres remontent à cette même année. Pour la province de Québec et le total des neuf provinces, les comparaisons sont limitées aux années 1926-28.

Les chiffres du territoire d'enregistrement de 1921 révèlent un accroissement de 197 décès en 1921 à 803 en 1928. Les deux seules années présentant moins de décès que l'année précédentei, dans ce territoire, sont 1924 et 1926. Dans toutes les autres années les augmentations sont substantielles.

DECES RESULTANT D'ACCIDENTS D'AUTOMOBILES (N° 188c) PAR PROVINCES
(Nombres absolus)

Province	1921	1922	1923	1924	1925	1926	1927	1928
Ile du Prince-Edouard	–	1	2	1	2	1	2	2
Nouvelle-Ecosse	11	16	24	13	26	28	31	40
Nouveau-Brunswick	8	11	20	16	20	11	25	31
Québec	–	–	–	–	–	183	252	279
Ontario	108	103	208	205	256	242	387	437
Manitoba	9	25	18	17	32	27	32	53
Saskatchewan	9	20	19	16	18	21	24	74
Alberta	18	22	22	16	26	33	35	75
Colombie Britannique	34	39	42	56	45	60	77	91
Canada(1)	–	–	–	–	–	**606**	**865**	**1,082**
Territoire d'enregistrement de 1921.	197	237	355	340	425	423	613	803

(1) Voir la note 1, au bas du tableau I.

La mortalité résultant des accidents d'automobile dans une province ou l'autre comprend des décès d'un certain nombre de non résidants da cette province. Cette assertion peut également s'appliquer aux autres causes de décès, mais en général, la proportion de décès des non résidants au total d'une province est très minime et peut compenser assez bien les décès des résidants de la province qui vont mourir ailleurs. Dans le cas des accidents d'automobile, toutefois, la proportion des décès des non résidants est en général beaucoup plus forte; il est suffisamment reconnu qu'un plus grand nombre de touristes des Etats-Unis viennent au Canada que de canadiens aux Etats-Unis, les derniers ne peuvent donc contrebalancer les premiers. Il s'ensuit que la proportion de décès due aux accidents d'automobile, basée sur la population de la province, est quelque peu exagérée.

Dans le tableau qui suit le nombre de décès dus aux accidents d'automobile en 1928 est donné par provinces, le nombre et le pourcentage de décès des non résidants est indiqué pour chaque province et le taux est calculé en comprenant ces derniers d'abord, puis en les omettant. Le premier calcul peut paraître trop élevé proportionnellement à la population de la province; le second est en général trop bas.

MORTALITE RESULTANT D'ACCIDENTS D'AUTOMOBILE AVEC DISTINCTION DE NON DOMICILIEES, 1928

Province	Nombre de décès			Pourcentage de décès de non domiciliées dans la province	Taux par 100,000 âmes	
	Total	Domiciliées dans la province	Non domiciliées dans la province		Y compris les non domiciliées	Les non domiciliées exclus
Ile du Prince-Edouard	2	2	–	–	2·3	2·3
Nouvelle-Ecosse	40	38	2	5·0	7·3	7·0
Nouveau-Brunswick	31	28	3	9·7	7·5	6·8
Québec	279	270	9	3·2	10·5	10·2
Ontario	437	411	26	5·9	13·5	12·7
Manitoba	53	52	1	1·9	8·1	7·9
Saskatchewan	74	63	11	14·9	8·7	7·4
Alberta	75	66	9	12·0	11·9	10·4
Colombie Britannique	91	85	6	6·6	15·6	14·6

Le relevé suivant contient les décès attribués aux accidents d'automobile dans les cités de 40,000 âmes ou plus (selon le dernier recensement) durant 1921-28. Les chiffres des cités de Montréal et de Québec sont seulement pour 1926-28.

Il faut remarquer que les chiffres représentent les décès survenus dans les cités, que les décédés aient été résidants ou non résidants et que l'accident se soit produit dans ou en dehors des limites de la cité. Puisque les personnes blessées mortellement dans un accident d'automobile sur un chemin de campagne sont souvent transportées en hâte à un hôpital de ville, le tableau ne peut être interprété comme un compte-rendu exact des accidents mortels ayant lieu dans les villes.

DECES DANS CERTAINES CITES RESULTANT D'ACCIDENTS D'AUTOMOBILE

Cités	1921	1922	1923	1924	1925	1926	1927	1928
Montréal	(1)	(1)	(1)	(1)	(1)	81	126	109
Toronto	25	37	50	56	50	45	87	81
Winnipeg	6	15	8	6	13	18	18	24
Vancouver(2)	17	16	13	25	23	26	35	42
Hamilton	9	3	15	5	21	20	23	29
Ottawa	6	5	10	5	11	12	17	17
Québec	(1)	(1)	(1)	(1)	(1)	10	14	17
Calgary	2	9	8	3	8	6	8	10
London	–	1	4	7	11	6	9	13
Edmonton	2	3	7	4	6	5	7	3
Halifax	1	4	3	1	3	5	5	18
Saint John	2	1	8	2	6	–	4	0
								2

(1) Non compris dans le territoire d'enregistrement.
(2) Chiffres pour Vancouver, y compris Point Grey et South Vancouver pour les années 1925-28.

Noyades.—Les noyades ont coûté la vie à 1,025 personnes en 1928, soit environ 11 par 100,000 âmes, comparativement à 934 décès et un taux de 10 en 1927 et 863 décès et un taux de 9 en 1926. Le nombre des noyades par sexe et par groupes d'âges, au cours de ces trois années, est indiqué dans le tableau suivant.

NOYADES (N° 182)
(Nombres absolus)

Groupes d'âges	Canada(1)					
	1926		1927		1928	
	M.	F.	M.	F.	M.	F.
Au-dessous de 5 ans	65	24	53	27	62	19
5-14 ans	152	17	176	32	212	39
15-19 "	134	22	133	20	152	15
20 ans et plus	397	41	429	34	470	35
Non spécifié	10	1	30	–	19	2
Total	**758**	**105**	**821**	**113**	**915**	**110**

(1) Voir la note 1, au bas du tableau I.

Répartition proportionnelle par causes.—Le tableau LXIV répartit le taux de la mortalité entre chacune des causes de décès énumérées et dans chaque province en 1928.

TABLEAU LXIV.—PROPORTIONS DE DECES DUS A CERTAINES CAUSES, PAR PROVINCES, 1928

N° liste int.	Causes des décès	Canada (1)	I.P.-E.	N.-E.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.
1	Fièvre typhoïde	4·3	5·4	4·4	4·0	7·2	2·1	3·9	3·4	4·6	1·7
7	Rougeole	3·1	4·3	3·7	6·3	4·5	1·7	1·7	3·4	3·4	1·2
8	Scarlatine	3·2	2·2	3·4	3·5	4·8	1·8	2·4	3·6	4·4	0·9
9	Coqueluche	6·7	2·2	13·0	6·7	8·5	4·7	5·0	7·7	7·9	2·2
10	Diphtérie	8·5	6·5	4·1	6·5	11·4	5·8	10·5	13·4	8·8	6·9
11	Grippe	43·6	19·4	28·5	43·0	45·1	46·3	27·6	58·3	55·6	25·0
31	Tuberculose, appareil respiratoire	60·1	88·6	77·7	69·5	74·3	41·4	56·6	49·3	45·0	89·6
32-37	Tuberculose, autres organes	12·7	19·4	15·1	14·6	14·4	8·2	17·9	12·6	14·7	18·8
43-49	Cancer	78·9	105·8	92·9	79·9	56·6	93·1	96·3	77·0	73·3	98·6
57	Diabète	10·2	13·0	10·6	10·2	7·7	11·9	10·5	9·7	11·5	12·8
58	Anémie, chlorose	6·8	8·6	3·9	6·9	5·4	9·2	7·1	4·8	5·1	6·0
71	Méningite	7·1	5·4	6·2	6·5	13·1	3·1	6·0	4·4	3·7	4·1
74	Hémorragie cérébrale, apoplexie	28·7	43·2	43·1	33·4	16·7	37·8	30·6	24·6	21·7	33·1
75-76	Paralysie sans cause spécifiée	9·4	17·3	13·8	14·8	14·4	6·5	3·4	4·1	4·2	2·2
80	Convulsions des enfants (au-dessous de 5 ans)	4·1	7·6	13·3	3·1	3·5	2·8	4·3	6·4	6·4	1·5
87-90	Affections du cœur	117·0	127·4	123·1	108·7	87·4	151·8	119·1	93·5	97·0	121·3
91	Affections des artères	52·3	36·7	42·5	39·2	26·5	84·2	45·0	31·9	45·4	68·7
99	Bronchite	4·8	5·4	6·3	4·4	5·1	4·0	7·5	5·6	4·8	4·1
100-101	Pneumonie	78·1	108·0	77·4	92·0	79·9	74·1	79·3	87·6	83·2	60·6
113-114	Diarrhée et entérite	46·6	7·6	15·3	27·1	95·2	21·7	28·2	29·5	29·1	11·0
117	Appendicite	13·0	10·8	10·2	13·6	11·2	11·7	14·9	23·4	22·3	13·5
118	Hernie, obstruction intestinale	7·9	9·7	6·2	6·7	6·3	8·5	12·3	12·0	11·0	6·3
128-129	Néphrite	53·0	68·0	52·5	40·5	63·0	51·1	37·9	39·0	40·4	51·2
135	Affections de la prostate	7·3	6·5	5·9	6·3	6·2	8·8	7·1	5·9	6·9	8·9
143-150	Causes puerpérales	12·3	11·9	9·3	12·1	12·3	10·7	13·8	20·3	18·7	10·4
159	Vices de conformation congénitaux	13·4	8·6	11·4	9·8	13·4	13·1	14·6	17·4	17·3	11·1
160-163	Maladies du premier âge	85·4	44·3	64·4	96·0	111·8	62·9	83·2	110·3	101·2	45·0
164	Sénilité (vieillesse)	22·3	61·6	76·4	65·1	16·7	17·2	13·3	19·0	11·5	13·2
165-174	Suicides	7·0	4·3	3·4	5·4	2·7	7·7	9·7	12·8	15·5	17·1
175-203	Mort violente (suicides exceptés)	57·2	34·6	51·1	48·6	38·7	63·7	64·4	73·2	81·2	101·4
	Autres causes spécifiées	134·9	105·8	110·8	115·6	136·1	132·4	166·1	135·8	144·1	151·4
	Toutes causes spécifiées	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**

(1) Voir la note 1, au bas du tableau I.

Le tableau LXV donne pour l'ensemble du Canada la proportion relative à chaque cause, par rapport à tous les décès de causes spécifiées, durant les années 1926-28.

TABLEAU LXV.—PROPORTIONS DE DECES DUS A CERTAINES CAUSES, AU CANADA(1) AU COURS DES ANNEES 1926-28

N° liste int.	Causes des décès	Par 1,000 décès de causes spécifiées		
		1926	1927	1928
1	Fièvre typhoïde	4·4	10·7	4·3
7	Rougeole	8·4	5·9	3·1
8	Scarlatine	3·4	3·9	3·2
9	Coqueluche	11·7	9·9	6·7
10	Diphtérie	8·6	9·7	8·5
11	Grippe	48·7	33·1	43·6
31	Tuberculose, appareil respiratoire	61·1	61·8	60·1
32-37	Tuberculose, autres organes	13·6	12·8	12·7
43-49	Cancer	71·7	76·0	78·9
57	Diabète	9·8	10·4	10·2
58	Anémie, chlorose	9·8	7·6	6·8
71	Méningite	7·5	7·8	7·1
74	Hémorragie cérébrale, apoplexie	28·6	28·2	28·7
75	Paralysie sans cause spécifiée	12·4	10·6	9·4
80	Convulsions des enfants (au-dessous de 5 ans)	5·4	5·3	4·1
87-90	Affections du cœur	107·5	113·0	117·0
91	Affections des artères	46·9	49·0	52·3
99	Bronchite	5·5	4·8	4·8
100-101	Pneumonie	79·4	72·6	78·1
113-114	Diarrhée et entérite	51·3	53·1	46·6
117	Appendicite	12·4	13·3	13·0
118	Hernie, obstruction intestinale	8·4	8·7	7·9
128-129	Néphrite	48·4	50·2	53·0
135	Affections de la prostate	6·9	6·1	7·3
143-150	Causes puerpérales	12·4	12·5	12·3
159	Vices de conformation congénitaux	14·6	12·9	13·4
160-163	Maladies du premier âge	93·2	88·7	85·4
164	Sénilité (vieillesse)	26·0	23·7	22·3
165-174	Suicides	6·4	7·3	7·0
175-203	Mort violente (suicides exceptés)	48·9	52·9	57·2
	Autres causes spécifiées	126·7	137·4	134·9
	Toutes causes spécifiées	**1,000·0**	**1,000·0**	**1,000·0**

(1) Voir la note 1, au bas du tableau I.

Répartition proportionnelle des décès, par sexes et groupes d'âges, selon leur causes.—Le tableau LXVI est consacré à la répartition proportionnelle des décès attribués à chacune des causes énumérées, par rapport à l'ensemble de la mortalité de chaque sexe et groupe d'âges en 1928. Le tableau fournit des données intéressantes relativement aux causes qui contribuent principalement à la mortalité de chaque sexe aux diverses périodes de la vie.

Environ un tiers des décès de chaque sexe au-dessous de 5 ans sont attribuables aux maladies de la première enfance, la proportion étant légèrement plus forte chez le sexe masculin que chez le sexe féminin. La diarrhée et l'entérite et la pneumonie contribuent aussi largement au total de la mortalité de chaque sexe à cette période de la vie.

Dans le groupe d'âges 5-14 ans, les décès résultant d'accidents s'élèvent à plus du cinquième de tous les décès de garçons de causes spécifiées. La proportion des décès dus aux accidents chez les filles de ce groupe d'âges est seulement d'environ 8 p.c. La tuberculose suit les accidents comme cause de décès dans ce groupe avec 10 p.c. pour les garçons; chez les filles, elle reste la cause principale formant environ 17 p.c. de la totalité des décès de causes spécifiées. Le tableau fait ressortir clairement la plus grande importance relative de la tuberculose, autre que de l'appareil respiratoire, dans la première enfance que dans les âges plus avancés. Les maladies contagieuses jouent un plus grand rôle dans la mortalité de cette période de la vie qu'en toute autre période, mais il ne faut pas perdre de vue que le cœfficient de décès de toutes causes est très faible entre les âges de 5 à 14 ans.

Dans le groupe d'âges 15-29 ans, la tuberculose est la cause principale de décès pour les deux sexes; elle a contribué pour plus de 25 p.c. des décès chez les hommes et plus de 40 p.c. chez les femmes dans ces limites d'âges. Les morts violentes sont aussi un important facteur de la mortalité chez les hommes, représentant environ 30 p.c. de tous les décès de toutes causes spécifiées. Cette proportion est élevée, comparativement aux premières années. Chez les femmes, les morts violentes ont relativement beaucoup moins d'importance. Les causes puerpérales sont responsables de plus de 13 p.c. de la mortalité féminine à cette période.

Dans le groupe d'âges 30-49 ans, la mortalité résultant de mort violente chez les hommes forme environ 20 p.c. du total et avec les suicides présente une plus forte proportion que dans le groupe précédent. La tuberculose compte environ 17 p.c. des victimes chez les hommes de ce groupe d'âges, les affections du cœur 10 p.c., le cancer près de 8 p.c. et la pneumonie 7 p.c. La tuberculose est encore ici chez les femmes la plus grande faucheuse, la proportion étant à peut près la même que chez les hommes (17 p.c.). Le cancer a causé 12½ p.c. des décès chez les femmes de ce groupe, les causes puerpérales 11 p.c., les affections du cœur 9 p.c., les néphrites près de 6 p.c. et la pneumonie 5½ p.c. Entre le 30ième et le 40ième anniversaire, les causes puerpérales accaparent 18 p.c. et le cancer seulement 6½ p.c. de tous les décès de femmes de causes spécifiées; entre le 40ième et le 50ième anniversaire, la proportion de causes puerpérales est seulement de 4½ p.c., tandis que celle du cancer s'élève à 18 p.c.

Après la cinquantième anniversaire, les affections du cœur pour les deux sexes constituent la cause la plus importante de mortalité, contribuant près de 20 p.c. du total pour chacun des sexes. Au cancer revient 12 p.c. des décès des hommes et 14 p.c. des femmes, aux affections des artères 10½ p.c. pour les hommes et près de 10 p.c. pour les femmes, les néphrites près de 9 p.c. chez les hommes et plus de 8 p.c. pour les femmes. Les autres causes importantes de mortalité, après la cinquantaine, sont la pneumonie, l'hémorragie cérébrale ou l'apoplexie, l'influenza et la violence.

TABLEAU LXVI.—PROPORTIONS DE CERTAINES CAUSES PAR 1,000 DECES DE CAUSES SPECIFIEES PAR SEXE ET PAR GROUPES D'AGES, CANADA(1) 1928

N° liste int.	Causes des décès	Moins de 5 ans		5-14 ans		15-29 ans		30-49 ans		50 ans et plus	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
1	Fièvre typhoïde	1·4	1·0	12·1	24·0	28·8	14·4	9·7	5·4	1·4	0·6
7	Rougeole	8·9	11·4	8·5	10·2	1·8	0·4	0·1	1·0	(2)	0·1
8	Scarlatine	5·8	6·5	22·1	29·1	2·3	4·5	1·6	2·4	(2)	(2)
9	Coqueluche	22·4	29·7	3·2	8·3	0·2	–	–	–	(2)	–
10	Diphtérie	15·4	19·7	82·1	85·0	2·5	3·8	1·1	1·8	0·1	0·2
11	Grippe	52·1	47·6	51·5	59·6	33·8	46·5	39·7	48·6	33·9	46·4
31	Tuberculose, appareil respiratoire	7·2	9·9	52·3	98·0	217·3	356·5	150·1	153·9	26·7	19·0
32-37	Tuberculose, autres organes	11·2	12·8	52·3	70·2	37·5	46·2	18·4	16·5	2·7	2·8
43-49	Cancer	0·7	1·3	4·8	10·2	13·2	17·1	76·1	125·2	122·0	140·3
57	Diabète	0·9	0·2	9·7	11·6	7·9	4·5	10·4	11·8	12·3	19·2
58	Anémie, chlorose	1·4	1·7	5·6	2·8	4·5	5·2	5·8	10·6	9·4	10·0
71	Méningite	16·5	20·7	26·6	23·6	7·0	7·6	3·6	2·5	0·7	0·8
74	Hémorragie cérébrale, apoplexie	0·9	0·5	0·4	0·5	3·2	1·8	10·8	16·8	48·1	60·6
75-76	Paralysie sans cause spécifiée	0·1	0·6	0·4	0·5	0·9	1·3	2·7	4·9	15·1	20·7
80	Convulsions des enfants (au-dessous de 5 ans)	16·5	15·8	–	–	–	–	–	–	–	–
87-90	Affections du cœur	1·6	1·8	45·1	61·0	51·1	55·7	99·3	93·7	197·0	199·7
91	Affections des artères	–	0·1	0·4	0·5	0·5	0·4	16·2	14·6	106·6	97·4
99	Bronchite	5·8	6·8	2·0	0·9	0·7	0·2	1·8	0·3	4·7	7·8
100-101	Pneumonie	125·7	127·3	68·0	74·9	54·5	40·4	69·0	55·2	62·0	64·5
113-114	Diarrhée et entérite	170·3	167·1	14·1	15·7	3·2	4·7	4·0	6·6	3·9	5·9
117	Appendicite	4·4	3·7	87·4	81·3	53·8	31·4	23·0	16·5	5·3	3·8
118	Hernie, obstruction intestinale	5·4	3·0	12·1	6·9	6·1	5·2	9·9	11·0	10·0	8·7
128-129	Néphrite	4·1	2·5	17·7	29·1	23·4	24·5	55·2	58·1	87·5	82·2
135	Affections de la prostate	–	–	0·4	–	0·7	–	1·0	–	27·4	–
143-150	Causes puerpérales	–	–	–	–	–	132·0	–	109·2	–	(2)
159	Vices de conformation congénitaux	48·2	53·1	7·2	6·5	3·4	3·4	0·1	0·4	(2)	0·1
160-163	Maladies du premier âge	344·6	330·5	–	–	–	–	–	–	–	–
164	Sénilité (vieillesse)	–	–	–	–	–	–	–	–	37·8	54·2
165-174	Suicides	–	–	0·4	0·9	22·7	10·8	33·8	9·7	8·4	1·7
175-203	Mort violente (suicides exceptés)	28·0	25·2	210·5	80·4	276·8	39·7	164·1	25·3	44·3	27·7
	Autres causes spécifiées	100·7	99·6	202·9	208·4	142·1	141·9	192·5	198·2	132·8	125·7
	Toutes causes spécifiées	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**	**1,000·0**

(1) Voir la note 1, au bas du tableau I. (2) Moins de 0·1 par 1,000 décès.

Répartition par groupes d'âges des décès dus à certaines causes.—Le tableau LXVII est consacré à la répartition proportionnelle par groupes d'âges des décès chez les hommes et chez les femmes, dus à certaines causes spécifiées en 1928. Les groupes d'âges de ce tableau sont les mêmes qu'au tableau LXVI. Les maladies dont le nom suffit à préciser le groupe d'âges des victimes sont omises de la liste dans le tableau LXVII.

TABLEAU LXVII—PROPORTIONS DE DECES, SELON LE SEXE, DANS CHAQUE GROUPE D'AGES PAR 1,000 DECES A TOUS LES AGES, PAR CERTAINES CAUSES, CANADA(1), 1928

N° liste int.	Causes des décès	Masculins						Féminins					
		Tous âges	Moins de 5 ans	5–14 ans	15–29 ans	30–49 ans	50 ans et plus	Tous âges	Moins de 5 ans	5–14 ans	15–29 ans	30–49 ans	50 ans et plus
1	Fièvre typhoïde	1,000·0	72·9	104·2	441·0	246·5	135·4	1,000·0	67·0	290·5	357·5	206·7	78·2
7	Rougeole	1,000·0	814·4	125·7	47·9	6·0	6·0	1,000·0	805·9	129·4	11·8	41·2	11·8
8	Scarlatine	1,000·0	532·9	329·3	59·9	71·9	6·0	1,000·0	438·2	353·9	112·4	89·9	5·6
9	Coqueluche	1,000·0	971·6	22·7	2·8	–	2·8	1,000·0	951·9	48·1	–	–	–
10	Diphtérie	1,000·0	510·9	443·5	23·9	17·4	4·3	1,000·0	518·7	404·4	37·4	26·4	13·2
11	Grippe	1,000·0	342·8	55·2	64·3	125·1	412·7	1,000·0	239·5	54·1	86·8	138·4	481·1
31	Tuberculose, appareil respiratoire	1,000·0	36·1	42·7	314·1	359·7	247·5	1,000·0	34·7	61·7	462·4	304·6	136·6
32–37	Tuberculose, autres organes	1,000·0	253·0	192·3	244·1	198·2	112·4	1,000·0	221·4	220·0	298·1	162·1	98·4
43–49	Cancer	1,000·0	2·5	2·9	14·2	136·3	844·1	1,000·0	3·4	5·0	17·1	192·0	782·5
57	Diabète	1,000·0	26·3	48·5	70·7	153·5	701·0	1,000·0	3·3	41·5	33·2	132·9	789·0
58	Anémie, chlorose	1,000·0	58·2	38·8	55·4	116·3	731·3	1,000·0	54·2	16·3	62·3	195·1	672·1
71	Méningite	1,000·0	638·0	167·1	78·5	65·8	50·6	1,000·0	668·5	137·5	91·6	45·8	56·6
74	Hémorragie cérébrale, apoplexie	1,000·0	9·5	0·7	9·5	53·9	926·3	1,000·0	3·7	0·6	4·9	70·1	920·7
75–76	Paralysie sans cause spécifiée	1,000·0	2·2	2·2	8·8	44·2	942·5	1,000·0	12·5	1·8	10·7	59·0	915·9
87–90	Affections du cœur	1,000·0	3·6	16·8	33·8	109·1	836·6	1,000·0	3·5	22·1	41·5	106·6	826·2
91	Affections des artères	1,000·0	–	0·3	0·6	37·7	961·3	1,000·0	0·4	0·4	0·8	39·4	959·0
99	Bronchite	1,000·0	366·3	20·6	12·3	53·5	547·3	1,000·0	293·9	7·2	3·6	7·2	688·2
100–101	Pneumonie	1,000·0	418·4	36·9	52·4	110·1	382·3	1,000·0	397·6	42·2	46·9	97·7	415·6
113–114	Diarrhée et entérite	1,000·0	932·8	12·6	5·0	10·4	39·2	1,000·0	890·6	15·1	9·3	20·0	64·9
117	Appendicite	1,000·0	80·0	258·9	282·8	200·5	177·8	1,000·0	77·6	310·4	246·9	197·5	167·5
118	Hernie, obstruction intestinale	1,000·0	166·3	60·9	54·8	146·0	572·0	1,000·0	99·2	41·3	63·4	206·6	589·5
128–129	Néphrite	1,000·0	20·1	14·3	33·4	130·8	801·4	1,000·0	11·4	24·0	41·5	150·2	772·9
135	Affections de la prostate	1,000·0	–	1·3	3·8	8·9	986·0	–	–	–	–	–	–
143–150	Causes puerpérales	–	–	–	–	–	–	1,000·0	–	–	441·8	557·5	0·8
159	Vices de conformation congénitaux	1,000·0	954·5	23·4	19·5	1·3	1·3	1,000·0	949·3	20·9	22·4	4·5	3·0
165–174	Suicides	1,000·0	–	1·7	170·9	422·2	405·1	1,000·0	–	12·7	303·8	417·7	265·8
175–203	Mort violente (suicides exceptés)	1,000·0	92·5	113·3	264·1	259·5	270·6	1,000·0	200·1	115·3	117·3	114·0	453·3
	Autres causes spécifiées	1,000·0	489·2	35·0	43·5	97·7	334·6	1,000·0	437·2	36·9	51·7	110·2	363·9
	Toutes causes spécifiées	**1,000·0**	**264·4**	**43·1**	**76·4**	**126·6**	**489·5**	**1,000·0**	**239·1**	**43·2**	**88·9**	**135·6**	**493·2**

(1) Voir la note 1, au bas du tableau I.

Soin médical.—Comme la question de l'attestation médicale doit assumer une grande importance en considérant les causes de la mortalité, les décès au compte de toutes causes et de certaines causes importantes, durant l'année 1928, sont classifiés dans le tableau LXVIII, que le décédé ait reçu les services du médecin ou non. Les pourcentages des décédés pour le Canada et pour chaque province séparément qui ont reçu les services médicaux sont comme suit:

	p.c.		p.c.
Canada	**90**	Ontario	94
Ile du Prince-Edouard	89	Manitoba	94
Nouvelle-Ecosse	89	Saskatchewan	87
Nouveau-Brunswick	77	Alberta	87
Québec	90	Colombie Britannique	85

Du total de 10,914 décès au Canada survenus sans avoir reçu les services du médecin, 3,017 ou 27·6 p.c. sont morts à la suite d'accident ou autre violence.

TABLEAU LXVIII.—DECES DE CERTAINES CAUSES CLASSIFIES SELON LES SOINS MEDICAUX REÇUS 1928

—	(1) Canada	I.P.-E.	N.-E.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.
Toutes causes	**109,057**	**952**	**6,202**	**4,972**	**36,632**	**37,128**	**5,396**	**6,166**	**5,699**	**5,910**
Soigné par médecin	**98,143**	**852**	**5,491**	**3,810**	**32,818**	**34,741**	**5,095**	**5,390**	**4,947**	**4,999**
Sans soins de médecin	**10,914**	**100**	**711**	**1,162**	**3,814**	**2,387**	**301**	**776**	**752**	**911**
Cancer	8,514	98	571	383	2,044	3,441	516	470	415	576
Soigné par médecin	8,320	95	542	353	1,967	3,430	510	454	404	565
Sans soins de médecin	194	3	29	30	77	11	6	16	11	11
Tuberculose	7,860	100	571	403	3,206	1,832	399	378	338	633
Soigné par médecin	7,249	98	520	336	2,988	1,771	378	321	284	553
Sans soins de médecin	611	2	51	67	218	61	21	57	54	80
Mortalité puerpérale	1,331	11	57	58	444	396	74	124	106	61
Soigné par médecin	1,259	11	55	54	411	387	69	117	98	57
Sans soins de médecin	72	–	2	4	33	9	5	7	8	4
Sénilité	2,408	57	470	312	604	636	71	116	65	77
Soigné par médecin	1,650	24	286	135	410	596	63	71	26	39
Sans soins de médecin	758	33	184	177	194	40	8	45	39	38
Affections du premier âge	9,215	41	396	460	4,040	2,323	446	673	573	263
Soigné par médecin	7,920	28	350	266	3,325	2,260	433	571	449	238
Sans soins de médecin	1,295	13	46	194	715	63	13	102	124	25
Morts violentes	6,925	36	335	259	1,495	2,638	397	525	548	692
Soigné par médecin	3,908	26	231	153	887	1,426	244	315	334	292
Sans soins de médecin	3,017	10	104	106	608	1,212	153	210	214	400
Non spécifiée ou mal définie	1,151	26	54	180	502	181	38	62	37	71
Soigné par médecin	462	12	31	15	234	94	25	24	11	16
Sans soins de médecin	689	14	23	165	268	87	13	38	26	55

(1) Voir la note 1, au bas du tableau I.

MARIAGES

La totalité des mariages déclarés dans les neuf provinces du Canada en 1928 est de 74,311, donnant une proportion de 7·7 par 1,000 âmes. Ce chiffre se compare avec 69,515 mariages et un taux de 7·3 en 1927 et 66,658 mariages et un taux de 7·1 en 1926.

Entre les provinces, l'Alberta présente le taux le plus élevé, 9·1 par 1,000 en 1928, et l'Ile du Prince-Edouard le plus bas, 5·4 par 1,000.


Dans les huit provinces du territoire d'enregistrement de 1921, le nombre de mariages en 1928, 55,185, est le plus élevé d'aucune année de la période 1921-28; mais le taux de cette même année, 7·9 par 1,000 est légèrement inférieur à celui de 1921.

Le nombre de mariages et le taux par provinces sont donnés pour les années 1921-28 au tableau LXIX. Les chiffres de la province de Québec et du Canada sont pour les trois années 1926-28 seulement.

TABLEAU LXIX.—NOMBRES ABSOLUS ET TAUX BRUTS DES MARIAGES, PAR 1,000 AMES ET PAR PROVINCES, 1921-28

Année	I. P.-E.	N.-E.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.	**Canada** (1)	Territoire d'enregistrement de 1921 (2)
						MARIAGES					
1921	518	3,550	3,173	(3)	24,871	5,310	5,101	4,661	3,889	(4)	51,073
1922	579	3,169	2,799	(3)	23,360	4,808	5,061	4,272	3,763	(4)	47,811
1923	454	3,246	2,911	(3)	24,842	4,544	5,045	4,117	3,943	(4)	49,102
1924	408	2,999	2,972	(3)	24,038	4,132	4,792	4,159	4,038	(4)	47,538
1925	407	2,964	2,908	(3)	23,074	4,377	4,909	4,355	4,223	(4)	47,217
1926	459	2,861	2,938	17,827	23,632	4,537	5,483	4,503	4,418	**66,658**	48,831
1927	482	3,042	2,887	18,551	24,677	4,716	5,733	4,707	4,720	**69,515**	50,964
1928	466	3,256	3,146	19,126	25,728	5,170	6,701	5,776	4,942	**74,311**	55,185
						TAUX PAR 1,000 AMES					
1921	5·8	6·8	8·4	(3)	8·5	8·7	6·7	7·9	7·4	(4)	8·0
1922	6·6	6·0	7·1	(3)	7·8	7·8	6·6	7·2	7·0	(4)	7·3
1923	5·2	6·1	7·4	(3)	8·2	7·3	6·4	6·9	7·2	(4)	7·5
1924	4·6	5·6	7·4	(3)	7·9	6·6	6·0	6·9	7·3	(4)	7·1
1925	4·7	5·5	7·2	(3)	7·4	6·9	6·1	7·2	7·5	(4)	7·0
1926	5·3	5·3	7·2	7·0	7·5	7·1	6·7	7·4	7·8	**7·1**	7·2
1927	5·5	5·6	7·0	7·1	7·7	7·3	6·9	7·6	8·2	**7·3**	7·4
1928	5·4	6·0	7·6	7·2	8·0	7·9	7·9	9·1	8·5	**7·7**	7·9

(1) Voir la note 1, au bas du tableau I. (2) Voir la note 2, au bas du tableau I. (3) Non compris dans le territoire d'enregistrement. (4) Voir la note 3.



Taux de la nuptialité dans d'autres pays.—Le tableau LXX présente le taux de la nuptialité au Canada comparativement à celui de certains autres pays. Dans bien des cas, les chiffres ne sont que provisoires.

TABLEAU LXX.—TAUX DE LA NUPTIALITE AU CANADA ET DANS CERTAINS AUTRES PAYS

Pays	Année	Taux par 1,000 âmes	Pays	Année	Taux par 1,000 âmes
Canada(1)	**1928**	**7·7**	Iles Britanniques	1928	7·4
Allemagne	1928	9·2	Irlande du Nord	1928	5·8
Angleterre et pays de Galles	1928	7·7	Italie	1928	7·0
Australie	1928	7·7	Japon	1928	8·0
Autriche	1928	7·4	Norvège	1928	6·0
Belgique	1928	8·9	Nouvelle-Zélande	1928	7·6
Chili	1928	11·1	Pays-Bas	1928	7·7
Danemark	1928	7·8	Roumanie	1927	9·7
Ecosse	1928	6·7	Salvador	1926	3·9
Espagne	1928	7·6	Sao Paulo	1925	6·8
Etat Libre d'Irlande	1928	4·7	Suède	1928	6·7
Etats-Unis	1928	9·9	Suisse	1928	7·5
Finlande	1928	7·1	Union Sud-Africaine(2)	1927	9·1
France	1928	8·3	Uruguay	1928	6·2
Hongrie	1928	9·3			

(1) Voir la note 1, au bas du tableau I. (2) Population blanche.

Taux des mariages par mois.—Les taux de mariage par mois, des années 1926-28, sont indiqués par provinces dans le tableau LXXI. Les chiffres sont équivalents aux taux annuels c'est-à-dire que le nombre de mariages d'un mois donné est multiplié par 365 et divisé par le nombre de jours dans ce mois avant d'en calculer le taux.

Pour l'ensemble des neuf provinces, juin est assurément le mois le plus favorisé des trois années, et septembre vient en second. Le mois de mars offre, et de loin, le taux le plus faible en chacune des années.

Une étude de la situation, par provinces, fait ressortir certaines divergences très prononcées dans le choix des mois de la nuptialité. Par exemple, la nécessité pour la Saskatchewan et l'Alberta de faire les semailles en mai, dans ces provinces où le gros de la population est occupé à la culture du grain, de même que pour le Manitoba, les taux les plus élevés apparaissent en novembre et les plus bas en mai. Mars, dans la province de Québec, présente le taux le plus bas de toutes les provinces et ceci s'explique par la majorité catholique de la population pour qui le mariage est interdit pendant le carême.

TABLEAU LXXI.—TAUX DE LA NUPTIALITE PAR 1,000 AMES, DANS CHAQUE PROVINCE ET PAR MOIS 1926–28

Province		Taux annuel	Equivalent du taux annuel des mariages											
			Jan.	Fév.	Mars	Avril	Mai	Juin	Juill.	Août	Sept.	Oct.	Nov.	Déc.
Canada[1]	**1926**	**7·1**	**5·4**	**5·6**	**3·8**	**6·4**	**5·3**	**11·4**	**7·8**	**7·3**	**9·9**	**8·1**	**7·9**	**6·5**
	1927	**7·3**	**5·4**	**6·0**	**4·1**	**6·1**	**5·4**	**12·0**	**7·9**	**8·1**	**9·4**	**8·1**	**8·2**	**7·1**
	1928	**7·7**	**5·7**	**6·1**	**3·9**	**7·0**	**5·6**	**11·9**	**8·8**	**7·9**	**10·5**	**9·2**	**8·9**	**7·1**
Ile du Prince-Edouard	1926	5·3	3·4	4·5	4·7	4·1	2·3	6·0	4·3	6·1	8·7	5·8	8·7	4·9
	1927	5·5	3·7	4·9	3·0	2·8	3·1	7·3	5·3	6·5	8·1	6·1	11·9	4·1
	1928	5·4	4·9	5·6	1·9	2·6	3·3	6·7	8·0	7·1	7·7	7·0	7·2	3·2
Nouvelle-Ecosse	1926	5·3	4·2	4·3	3·1	3·2	3·8	7·6	5·2	5·7	8·3	6·8	7·3	4·2
	1927	5·6	3·9	4·6	3·4	3·9	4·2	8·3	5·4	6·1	7·8	6·8	7·4	5·5
	1928	6·0	4·4	5·1	3·5	4·8	4·7	7·3	5·9	6·2	9·1	7·5	7·5	5·5
Nouveau-Brunswick	1926	7·2	3·9	4·3	3·2	6·1	4·6	10·9	8·0	8·7	13·0	9·5	8·1	6·3
	1927	7·0	3·7	4·7	3·6	5·3	5·2	10·8	7·2	8·0	11·3	9·6	9·0	5·9
	1928	7·6	4·0	5·1	3·6	5·8	5·6	10·0	8·8	8·3	11·6	12·0	10·2	6·2
Québec	1926	7·0	5·3	5·0	1·6	7·1	6·1	12·1	9·2	7·9	10·8	8·7	5·0	4·7
	1927	7·1	5·4	5·7	1·9	6·4	6·6	12·9	9·4	8·7	10·2	8·8	4·8	4·7
	1928	7·2	5·7	5·2	1·8	6·8	6·3	12·2	10·4	8·1	10·7	9·1	5·1	5·3
Ontario	1926	7·5	5·1	5·4	4·5	6·9	5·6	13·4	7·2	7·6	12·1	8·5	7·5	6·5
	1927	7·7	5·2	5·6	4·7	6·6	5·6	14·1	7·0	8·2	11·5	8·9	8·2	7·4
	1928	8·0	5·1	5·7	4·7	7·3	5·8	13·9	7·7	7·7	13·0	9·1	8·4	7·5
Manitoba	1926	7·1	6·4	6·8	4·7	5·0	5·0	10·3	7·5	6·7	6·8	7·3	11·0	7·8
	1927	7·3	6·6	7·4	5·3	5·2	4·6	9·7	8·1	7·8	6·7	7·8	11·6	6·9
	1928	7·9	6·6	7·8	4·7	6·1	4·9	10·1	8·5	8·0	8·0	9·1	13·4	7·8
Saskatchewan	1926	6·7	6·8	6·6	5·1	5·6	3·4	7·4	7·2	5·6	3·7	7·6	12·6	8·6
	1927	6·9	6·4	7·2	5·3	4·7	3·3	8·2	7·8	6·7	4·0	5·2	13·0	10·7
	1928	7·9	7·7	7·2	5·1	7·2	3·9	8·8	8·7	6·6	4·6	9·4	15·9	9·6
Alberta	1926	7·4	5·8	7·4	6·2	6·6	4·1	9·1	8·5	7·1	6·2	6·0	12·0	9·9
	1927	7·6	5·9	7·8	6·5	6·5	4·2	9·8	8·2	7·9	5·8	5·1	11·8	12·3
	1928	9·1	8·2	9·5	6·0	8·2	5·7	11·2	10·7	9·9	7·4	9·8	13·8	9·5
Colombie Britannique	1926	7·8	6·0	6·3	5·2	7·0	6·3	11·3	8·7	8·0	10·0	8·2	8·1	8·4
	1927	8·2	5·9	6·8	6·3	8·0	5·7	11·8	8·5	9·9	9·7	8·7	7·9	9·2
	1928	8·5	5·2	6·5	5·4	8·7	6·1	12·8	9·7	9·6	10·8	9·1	9·1	8·9

[1] Voir la note 1, au bas du tableau I.

Le tableau LXXII donne les taux annuels équivalents par mois pour les huit provinces comprises dans le territoire d'enregistrement de 1921, période 1921-28. On y remarque à peu près les mêmes tendances que dans les tableaux précédents pour l'ensemble du Canada, mais la proportion de mars est naturellement moins affaiblie, en raison de l'exclusion du Québec.

TABLEAU LXXII.—TAUX DE LA NUPTIALITE PAR 1,000 AMES, DANS LE TERRITOIRE D'ENREGISTREMENT DE 1921, PAR MOIS, 1921–28

Année	Taux annuel	Equivalent du taux annuel des mariages											
		Jan.	Fév.	Mars	Avril	Mai	Juin	Juil.	Août	Sept.	Oct.	Nov.	Déc.
1921	8·0	7·0	6·7	6·9	7·6	5·9	13·1	7·0	7·5	9·7	8·1	8·9	7·4
1922	7·3	5·8	6·5	4·7	6·4	5·2	11·2	6·9	7·0	9·4	8·3	9·3	7·7
1923	7·5	6·1	5·4	4·7	6·9	5·3	11·4	7·1	7·4	9·9	8·5	8·9	8·1
1924	7·1	5·7	5·5	5·1	6·6	5·2	11·2	7·1	7·1	8·9	7·3	8·8	7·2
1925	7·0	5·6	6·3	4·2	6·3	5·0	10·3	6·7	7·0	9·1	7·8	8·6	7·5
1926	7·2	5·4	5·8	4·6	6·2	5·0	11·1	7·3	7·2	9·6	7·9	8·9	7·1
1927	7·4	5·4	6·1	4·9	6·0	5·0	11·7	7·3	7·9	9·1	7·8	9·4	8·1
1928	7·9	5·7	6·4	4·7	7·0	5·4	11·7	8·2	7·9	10·4	9·2	10·3	7·8

Etat civil des conjoints.—Sur 1,000 hommes ayant contracté mariage en 1928, on compte 904 célibataires, 86 veufs et 10 divorcés, tandis que pour chaque 1,000 de leurs compagnes, il y avait 930 célibataires, 60 veuves et 10 divorcées.

La répartition proportionnelle des mariages en 1928, selon l'état civil des conjoints, fait l'objet du tableau LXXIII par provinces. Pour fins de comparaison, les chiffres de 1926 et 1927 sont donnés pour le pays entier. L'année 1928 présente une avance bien marquée sur la précédente dans la proportion des divorcés des deux sexes qui ont convolé.

TABLEAU LXXIII.—REPARTITION PROPORTIONNELLE DES MARIAGES SELON L'ETAT CIVIL DES PARTIES CONTRACTANTES, PAR PROVINCES, 1928

Province	Total	Célibataires et			Veufs et			Divorcés et		
		Filles	Veuves	Divorcées	Filles	Veuves	Divorcées	Filles	Veuves	Divorcées
Ile du Prince-Edouard	1,000·0	873·4	10·7	–	77·3	38·6	–	–	–	–
Nouvelle-Ecosse	1,000·0	871·0	28·3	3·1	53·1	35·3	1·8	5·5	0·9	0·9
Nouveau-Brunswick	1,000·0	840·8	29·9	7·6	60·7	36·6	5·4	10·8	3·5	4·8
Québec	1,000·0	879·6	17·3	1·5	59·2	39·1	1·0	1·9	0·3	0·1
Ontario	1,000·0	884·3	23·9	4·1	47·8	31·2	1·2	5·9	1·1	0·5
Manitoba	1,000·0	872·3	24·8	7·2	50·7	30·4	2·7	9·9	1·0	1·2
Saskatchewan	1,000·0	885·8	28·8	6·3	43·6	28·4	0·9	4·0	1·0	1·2
Alberta	1,000·0	855·3	34·8	16·1	42·1	27·5	3·1	15·1	4·0	2·1
Colombie Britannique	1,000·0	796·8	45·7	29·5	45·3	36·2	5·7	22·5	7·3	10·9
Canada (1) 1928	**1,000·0**	**871·8**	**25·4**	**6·6**	**50·9**	**33·4**	**1·9**	**7·0**	**1·6**	**1·5**
1927	**1,000·0**	**871·5**	**26·3**	**5·0**	**53·0**	**34·5**	**1·3**	**5·9**	**1·4**	**1·2**
1926	**1,000·0**	**870·8**	**27·9**	**5·4**	**53·1**	**34·2**	**1·2**	**5·0**	**1·2**	**1·1**

(1) Voir la note 1, au bas du tableau I.

Le tableau LXXIV est analogue au tableau LXXIII, mais s'occupe uniquement du total des huit provinces formant le territoire d'enregistrement de 1921 et s'étend à 1921-28. On y remarque une ascendance bien marquée de la proportion des divorcés, hommes et femmes, qui ont contracté un nouveau mariage, le progrès en 1928 est particulièrement frappant.

TABLEAU LXXIV.—REPARTITION PROPORTIONNELLE DES MARIAGES SELON L'ETAT CIVIL DES PARTIES CONTRACTANTES, POUR LE TERRITOIRE D'ENREGISTREMENT DE 1921, DURANT LES ANNEES 1921-28

Année	Total	Célibataires et			Veufs et			Divorcés et		
		Filles	Veuves	Divorcées	Filles	Veuves	Divorcées	Filles	Veuves	Divorcées
1921	1,000·0	830·5	47·9	5·5	63·6	42·9	1·5	5·3	1·7	1·2
1922	1,000·0	844·8	42·1	5·2	58·9	39·2	1·6	5·5	1·4	1·3
1923	1,000·0	856·7	38·6	5·2	54·6	36·3	1·5	5·2	1·0	0·9
1924	1,000·0	858·4	36·1	6·2	53·2	35·8	1·5	6·3	1·5	1·2
1925	1,000·0	855·3	34·7	6·3	55·6	37·2	1·6	6·4	1·6	1·2
1926	1,000·0	869·4	31·5	7·0	50·0	31·5	1·5	6·4	1·5	1·3
1927	1,000·0	870·5	28·4	6·5	50·2	32·1	1·6	7·4	1·7	1·6
1928	1,000·0	869·1	28·2	8·3	48·0	31·4	2·2	8·7	2·1	2·0

Le relevé qui suit est basé sur le tableau LXXIV et fait ressortir la proportion de veufs par 1,000 époux, et de veuves par 1,000 épouses, dans le territoire d'enregistrement de 1921, durant 1921-28. Le tableau indique une tendance descendante dans la proportion de veufs et veuves parmi les époux et les épouses; ce fléchissement est encore plus prononcé chez les femmes. Ceci s'explique, sans doute, par le grand nombre de décès survenus chez les hommes mariés durant la guerre et durant l'épidémie d'influenza de 1918 et chez les femmes durant la même épidémie. La comparaison des chiffres des trois dernières années semble indiquer que l'influence de ces causes est maintenant largement épuisée.

PROPORTIONS DES VEUFS ET DES VEUVES PARMI LES NOUVEAUX EPOUX DANS LE TERRITOIRE D'ENREGISTREMENT DE 1921

Année	Proportion des veufs par 1,000 nouveaux époux	Proportion des veuves par 1,000 nouvelles épouses
1921	108·0	92·5
1922	99·7	82·7
1923	92·4	75·9
1924	90·5	73·4
1925	94·4	73·5
1926	83·0	64·5
1927	83·9	62·2
1928	81·6	61·7

Ages des conjoints.—L'âge moyen des époux et épouses en 1928 est donné, par provinces, dans le tableau LXXV avec chiffres comparatifs des années précédentes 1927 et 1926 pour l'ensemble du Canada. On y remarquera que ces moyennes, dans le pays entier, sont restées à peu près stationnaires au cours des trois dernières années.

Si l'on considère les provinces individuellement en 1928, la plus haute moyenne d'âge tant des époux que des épouses se trouve en Colombie Britannique, l'Ile du Prince-Edouard vient en second pour les deux sexes également. La plus basse moyenne d'âge des époux, 28·8 ans, se trouve dans la province de Québec, tandis que la plus basse moyenne d'âge des épouses, 23·8 ans, est fournie par la Saskatchewan.

TABLEAU LXXV.—MOYENNE D'AGE DES CONJOINTS PAR PROVINCES, 1928

Province		Age moyen des époux	Age moyen des épouses	Moyenne de l'excédent d'âge des époux
Ile du Prince-Edouard		30·4	25·5	4·9
Nouvelle-Ecosse		29·4	24·8	4·6
Nouveau-Brunswick		28·9	24·5	4·4
Québec		28·8	25·2	3·6
Ontario		28·9	25·1	3·8
Manitoba		29·9	24·7	5·2
Saskatchewan		29·2	23·8	5·4
Alberta		29·8	24·4	5·4
Colombie Britannique		31·5	26·5	5·0
Canada[1]	**1928**	**29·3**	**25·0**	**4·3**
	1927	**29·3**	**25·1**	**4·2**
	1926	**29·3**	**25·1**	**4·2**

[1] Voir la note 1, au bas du tableau I.

Le tableau LXXVI donne la moyenne d'âge au mariage dans les huit provinces comprises dans le territoire d'enregistrement de 1921, pour 1921-28. Une tendance à la baisse est remarquée par toute la période, tant dans l'âge des époux que celui des épouses.

TABLEAU LXXVI.—MOYENNE D'AGE DES CONJOINTS DANS LE TERRITOIRE D'ENREGISTREMENT DE 1921, DURANT LA PERIODE 1921-28

Année	Age moyen des époux	Age moyen des épouses	Moyenne de l'excédent d'âge des époux
1921	29·9	25·5	4·4
1922	29·9	25·4	4·5
1923	29·7	25·3	4·4
1924	29·7	25·2	4·5
1925	29·8	25·3	4·5
1926	29·6	25·1	4·5
1927	29·5	25·0	4·5
1928	29·4	24·9	4·5

Le tableau LXXVII donne les âges quartiles[1] et déciles[1] des époux et des épouses dans les neuf provinces du Canada en 1926-28. En prenant ces points de départ, il a été présumé que l'âge des époux ou des épouses, coïncidant à une certaine année d'âge, est également réparti au cours de cette année de la limite inférieure à la limite supérieure.

TABLEAU LXXVII.—AGES DES EPOUX ET DES EPOUSES GROUPES PAR QUARTILES ET DECILES, 1926–28

Groupement fractionnaire	Epoux			Epouses		
	1926	1927	1928	1926	1927	1928
Premier quartile.....années	23·53	23·54	23·50	20·30	20·26	20·23
Second quartile..... "	26·73	26·71	26·65	22·88	22·87	22·81
Troisième quartile..... "	31·94	31·94	31·78	26·99	26·95	26·82
Premier décile..... "	21·60	21·59	21·58	18·56	18·53	18·53
Second décile..... "	22·95	22·94	22·89	19·74	19·70	19·68
Troisième décile..... "	24·12	24·13	24·10	20·85	20·82	20·77
Quatrième décile..... "	25·36	25·37	25·31	21·81	21·80	21·74
Cinquième décile..... "	26·73	26·71	26·65	22·88	22·87	22·81
Sixième décile..... "	28·37	28·26	28·22	24·18	24·17	24·08
Septième décile..... "	30·48	30·42	30·28	25·89	25·86	25·74
Huitième décile..... "	33·89	33·87	33·73	28·50	28·37	28·25
Neuvième décile..... "	40·40	40·48	40·29	34·18	34·13	33·85

Le tableau LXXVIII donne le pourcentage de répartition des épouses par rapport à chaque groupe d âges des époux en 1928.

TABLEAU LXXVIII.—REPARTITION PROPORTIONNELLE DE L'AGE DES EPOUSES POUR CHAQUE GROUPE D'AGES DES EPOUX EN 1928

Age des époux	Age des épouses								
	Tous âges connus	Moins de 20 ans	20–24 ans	25–29 ans	30–34 ans	35–39 ans	40–44 ans	45–49 ans	50 ans et plus
Moins de 20 ans.....	100·0	69·1	28·1	2·0	0·4	0·2	0·1	–	–
20–24 ans.....	100·0	37·1	54·6	7·5	0·6	0·1	(1)	(1)	–
25–29 "	100·0	19·1	50·0	26·0	3·9	0·8	0·1	(1)	(1)
30–34 "	100·0	10·9	37·1	31·8	15·7	3·6	0·8	0·2	(1)
35–39 "	100·0	6·2	24·2	28·9	21·7	13·8	3·8	1·1	0·2
40–44 "	100·0	3·3	15·4	20·4	22·7	19·5	12·8	4·3	1·6
45–49 "	100·0	1·6	7·2	12·1	17·7	21·2	20·0	13·3	6·8
50 ans et plus.....	100·0	0·5	2·2	3·6	6·4	10·4	14·0	18·0	44·9

(1) Moins d'un dixième d'un pour cent.

Le tableau LXXIX est l'inverse du tableau LXXVIII et donne le pourcentage de répartition des âges des époux par rapport à chaque groupe d'âges des épouses en 1928.

TABLEAU LXXIX.—POUR CENT DE LA DISTRIBUTION D'AGE DES EPOUX POUR CHAQUE GROUPE D'AGE DES EPOUSES, 1928

Groupes d'âges des épouses	Groupes d'âges des mariés								
	Tous âges connus	Moins de 20 ans	20–24 ans	25–29 ans	30–34 ans	35–39 ans	40–44 ans	45–49 ans	50 ans et plus
Moins de 20 ans.....	100·0	7·6	57·0	26·2	6·5	1·9	0·6	0·2	0·1
20–24 ans.....	100·0	1·6	44·3	36·4	11·7	4·0	1·4	0·4	0·2
25–29 "	100·0	0·3	14·3	44·3	23·5	11·1	4·2	1·5	0·8
30–34 "	100·0	0·2	3·2	18·5	32·1	23·0	13·0	6·0	4·1
35–39 "	100·0	0·2	1·4	7·2	14·3	28·4	21·8	14·0	12·7
40–44 "	100·0	0·1	0·5	1·7	5·3	13·6	25·2	23·3	30·3
45–49 "	100·0	–	0·2	0·7	1·8	5·9	12·3	22·5	56·6
50 ans et plus.....	100·0	–	–	0·3	0·3	0·8	2·8	7·2	88·6

(1) Pour plus de renseignements sur ces expressions, le lecteur est référé à la page cv où est analysé un tableau semblable sur les âges des parents d'enfants nés, au cours des années 1926–28.

Dans le tableau LXXX, les mariages ont été groupés premièrement selon l'âge des époux et deuxièmement selon l'âge des épouses et la moyenne de surplus d âge des époux computée dans chaque groupe. Le trait saillant de ce tableau est la moyenne de surplus croissante de l'âge des époux dans les groupes d'âges plus avancés. L'explication repose sans doute, sur le fait que les époux sont ordinairement plus vieux que leurs épouses et, par conséquent, l'écart d'un choix probable augmente avec l'âge plus avancé de l'époux. D'autres parts, en groupant les mariages par l'âge de l'épouse, tandis que la plus forte moyenne de surplus d'âge des époux se rencontre dans le groupe d'épouses de 20 ans, il ne s'ensuit pas qu'une tendance régulière pour ce surplus de décroître avec l'avancement d'âge de l'épouse et, en fait, dans le tableau, la moyenne de surplus d'âge des époux par rapport aux épouses entre les âges de 40 et 50 ans est plus marquée qu'entre 30 et 40 ans.

TABLEAU LXXX.—REPARTITION PROPORTIONNELLE DES AGES DES EPOUSES POUR CHAQUE GROUPE D'AGES DES EPOUX, 1928

Groupes d'âges des mariés	Moyenne d'âge des époux	Moyenne d'âge des épouses	Moyenne de l'excédent d'âge des époux	Groupes d'âges des épouses	Moyenne d'âge des épouses	Moyenne d'âge des époux	Moyenne de l'excédent d'âge des époux
Moins de 20 ans	19·2	19·5	−0·3	Moins de 20 ans	18·5	24·5	6·0
20–24 ans	22·8	21·2	1·6	20–24 ans	22·3	26·5	4·2
25–29 "	27·2	23·4	3·8	25–29 "	27·1	30·2	3·1
30–34 "	32·2	25·9	6·3	30–34 "	32·2	35·5	3·3
35–39 "	37·3	29·0	8·3	35–39 "	37·3	40·7	3·4
40–44 "	42·2	32·7	9·5	40–44 "	42·3	46·4	4·1
45–49 "	47·3	37·4	9·9	45–49 "	47·3	51·4	4·1
50 ans et plus	59·3	48·6	10·7	50 ans et plus	58·5	60·8	2·3

La répartition proportionnelle des époux et des épouses de 1928 en six groupes d'âges est donnée par provinces dans le tableau LXXXI. Pour fins de comparaison, les chiffres correspondants, pour l'ensemble du Canada, sont donnés pour 1926 et 1927. Les proportions en ces trois années ont peu varié, avec quelque apparence de s'accroître dans les proportions des époux du groupe d'âge au-dessous de trente ans et des épouses au-dessous de vingt-cinq ans, et une tendance à décroître dans les proportions des époux et des épouses au-dessus de trente ans. La période, toutefois, est trop courte pour en tirer une conclusion définitive.

Le plus fort pourcentage des époux se trouve dans le groupe 20-24 ans dans toutes les provinces, excepté au Manitoba, en Alberta et en Colombie Britannique, où il est dépassé par le groupe d'âges 25-29 ans. La plus fort pourcentage des épouses au-dessous de vingt ans, se trouve au Nouveau-Brunswick, suivi de la Saskatchewan et de l'Alberta dans l'ordre énuméré. La province de Québec présente la plus faible proportion, sauf la Colombie Britannique, dans le groupe au-dessous de vingt ans et la plus haute de toutes les provinces dans le groupe 20-24 ans. La Saskatchewan a approximativement 75 p.c. de ces nouvelles épouses dans le groupe au-dessous de 25 ans, cette proportion étant la plus élevée d'aucune autre province.

La Colombie Britannique et l'Ile du Prince-Edouard sont les deux provinces dont la plus forte proportion des époux et des épouses se rencontre dans le groupe d'âge de 40 ans et plus.

Bien que les chiffres du tableau LXXXI aient une signification considérable tels qu'ils nous apparaissent, il faut bien se rappeler que pour les interprêter avec une réelle exactitude, la population correspondante des provinces respectives devrait être considérée. La population adulte, par exemple, tant masculine que féminine, de la Colombie Britannique, offrait au recensement de 1921 une moyenne d'âge plus avancé que toutes les autres provinces; il est par conséquent naturel que la répartition d'âge des époux et des épouses dans cette province présente des proportions minimes dans les jeunes groupes et des proportions élevées dans les groupes d'âges plus avancés.

TABLEAU LXXXI—POURCENTAGES DE REPARTITION DES MARIAGES SELON L'AGE DES EPOUX, PAR PROVINCES, 1928

Province	Age des époux							Age des épouses						
	Tous âges connus	Moins de 20 ans	20–24 ans	25–29 ans	30–34 ans	35–39 ans	40 ans et plus	Tous âges connus	Moins de 20 ans	20–24 ans	25–29 ans	30–34 ans	35–39 ans	40 ans et plus
Ile du Prince-Edouard	100·0	4·1	32·9	28·6	12·3	8·0	14·2	100·0	24·9	37·2	18·1	8·8	3·2	7·7
Nouvelle-Ecosse	100·0	2·9	37·3	27·9	13·6	7·6	10·7	100·0	23·3	45·2	16·1	6·7	3·6	5·1
Nouveau-Brunswick	100·0	5·1	38·4	26·6	11·4	7·9	10·6	100·0	31·1	39·0	15·3	5·3	3·5	5·8
Québec	100·0	2·1	38·2	31·9	13·1	5·7	9·0	100·0	18·8	46·2	19·9	6·6	3·0	5·5
Ontario	100·0	3·4	35·7	31·5	13·3	6·4	9·7	100·0	23·0	41·4	19·4	7·4	3·5	5·4
Manitoba	100·0	1·2	29·7	33·3	16·1	8·6	11·0	100·0	23·1	43·8	18·9	6·3	3·3	4·5
Saskatchewan	100·0	1·6	33·5	32·3	15·0	8·2	9·3	100·0	29·4	44·9	14·1	4·5	2·9	4·1
Alberta	100·0	1·4	31·9	32·2	14·4	8·5	11·7	100·0	28·4	41·9	15·5	5·7	3·3	5·3
Colombie Britannique	100·0	1·3	27·6	30·2	14·0	10·3	16·6	100·0	16·4	40·9	20·7	8·4	5·4	8·2
Canada(1)....**1928**	**100·0**	**2·5**	**35·1**	**31·4**	**13·7**	**7·1**	**10·3**	**100·0**	**22·8**	**43·2**	**18·5**	**6·7**	**3·4**	**5·4**
1927	**100·0**	**2·5**	**34·7**	**31·2**	**13·9**	**7·3**	**10·5**	**100·0**	**22·7**	**42·8**	**18·5**	**6·8**	**3·6**	**5·6**
1926	**100·0**	**2·4**	**34·8**	**30·7**	**14·2**	**7·4**	**10·4**	**100·0**	**22·3**	**43·0**	**18·5**	**7·0**	**3·6**	**5·6**

(1) Voir la note 1, au bas du tableau I.

Le tableau LXXXII présente pour les huit provinces comprises dans le territoire d'enregistrement de 1921 les proportions de répartition d'âges des époux et des épouses en chacune des années de la période 1921-28. Le tableau fait ressortir une tendance ascendante bien marquée des époux dans les proportions au-dessous de 25 ans, un niveau à peu près stationnaire entre 25 et 30 ans et une tendance descendante entre 30 et 40 ans. Pour ce qui concerne les épouses, le mouvement est bien similaire, quoique ici, bien que la tendance ascendante s'applique au même groupe, c'est-à-dire à ceux au-dessous de 25 ans, les proportions établissent une tendance très évidente du déclin entre les âges de 25 et 40 ans.

TABLEAU LXXXII.—POURCENTAGE DE REPARTITION DES MARIAGES SELON L'AGE DES EPOUX DANS LE TERRITOIRE D'ENREGISTREMENT DE 1921, EN 1921–28

Année	Age des époux							Age des épouses						
	Tous âges connus	Moins de 20 ans	20–24 ans	25–29 ans	30–34 ans	35–39 ans	40 ans et plus	Tous âges connus	Moins de 20 ans	20–24 ans	25–29 ans	30–34 ans	35–39 ans	40 ans et plus
1921	100·0	1·9	30·4	31·3	16·3	8·9	11·2	100·0	21·9	39·0	20·0	8·7	4·6	5·8
1922	100·0	2·0	31·1	31·0	16·3	8·5	11·1	100·0	22·6	39·4	19·6	8·2	4·4	5·8
1923	100·0	2·0	32·0	31·5	15·7	8·0	10·8	100·0	22·5	40·7	19·2	7·8	4·1	5·6
1924	100·0	2·2	33·1	30·3	15·1	8·0	11·3	100·0	24·0	40·3	18·5	7·3	4·0	5·8
1925	100·0	2·4	32·4	30·6	14·9	8·2	11·4	100·0	23·4	40·5	18·5	7·6	4·1	5·9
1926	100·0	2·5	33·3	30·4	14·9	8·0	10·9	100·0	23·2	41·7	18·6	7·1	3·8	5·5
1927	100·0	2·7	33·4	30·8	14·3	7·8	11·0	100·0	24·0	41·5	18·3	6·9	3·7	5·6
1928	100·0	2·6	34·0	31·2	13·9	7·5	10·8	100·0	24·2	42·1	18·0	6·7	3·6	5·4

Mariages précoces.—Toutes les législations provinciales ont fixé l'âge minimum du mariage au moins pour ceux célébrés sans le consentement des parents. Les clauses des lois régissant cette question, dans les diverses provinces, sont résumées dans le troisième rapport annuel (p. lxxxix de l'Introduction).

Pour les neuf provinces du Canada, on compte 327 mariages en 1928 où la mariée était au-dessous de 16 ans, soit un peu plus de 4 par mille mariages; 1,147 avaient atteint leur 16ième année et 2,629 avaient 17 ans. (Voir tableau 38, tableaux d'ensemble, page 438). Le tableau LXXXIII donne l'âge des mariées au-dessous de 16 ans, par provinces, en relation avec l'âge des maris. Il est fort possible que quelque exagération se soit glissée dans le cas de très jeunes épouses, néanmoins les chiffres du tableau LXXXIII démontrent que ces mariages sont plutôt rares au Canada.

TABLEAU LXXXIII.—NOUVELLES EPOUSES AU-DESSUS DE 16 ANS, 1928

Age des nouveaux mariés	Age des nouvelles épouses, par provinces																																					
	Canada(1)				I. P.-E.				N.-E.				N.-B.				Qué.				Ont.				Man.				Sask.				Alta.				C.B.			
	Total	13 ans	14 ans	15 ans	13 ans	14 ans	15 ans		13 ans	14 ans	15 ans		13 ans	14 ans	15 ans		13 ans	14 ans	15 ans		13 ans	14 ans	15 ans		13 ans	14 ans	15 ans		13 ans	14 ans	15 ans		13 ans	14 ans	15 ans		13 ans	14 ans	15 ans
15 ans	–	–	–	–	–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–
16 “	1	–	–	1	–	–	–		–	–	–		–	–	–		–	–	–		–	–	1		–	–	–		–	–	–		–	–	–		–	–	–
17 “	7	1	1	5	–	–	–		–	–	1		–	1	–		1	–	3		–	–	1		–	–	–		–	–	–		–	–	–		–	–	–
18 “	20	–	2	18	–	–	–		–	–	1		–	1	–		1	6	–		1	10	–		–	–	–		–	–	–		–	–	–		–	–	–
19 “	25	1	6	18	–	–	–		–	–	3		–	2	1		1	2	4		–	2	7		–	–	1		–	–	1		–	–	–		–	–	1
20 “	30	–	4	26	–	–	–		–	–	1		–	–	2		–	1	12		–	3	7		–	1	–		–	2	–		–	–	–		–	–	1
21 “	50	–	11	39	–	–	–		–	–	–		–	1	1		–	3	15		–	5	17		–	1	2		–	1	4		–	–	–		–	–	–
22 “	39	–	8	31	–	–	1		–	–	–		–	3	1		–	2	11		–	3	15		–	–	1		–	–	2		–	–	–		–	–	–
23 “	30	1	2	27	–	–	1		–	–	–		–	–	2		–	1	11		1	1	10		–	–	–		–	–	3		–	–	–		–	–	–
24 “	29	–	4	25	–	–	2		–	–	2		–	–	1		–	1	7		–	3	8		–	–	2		–	–	–		2	–	–		–	–	1
25 “	15	–	3	12	–	–	–		–	–	1		–	–	–		–	1	5		–	1	5		–	–	1		–	–	–		1	–	–		–	–	–
26 “	15	–	2	13	–	–	–		–	–	–		–	–	2		–	1	6		–	–	3		–	–	–		–	–	2		–	–	1		–	–	–
27 “	14	–	3	11	–	–	–		–	–	–		–	–	2		–	3	2		–	–	3		–	–	–		–	–	3		–	–	–		–	–	1
28 “	16	–	1	15	–	–	–		–	–	1		–	–	–		–	–	7		–	1	5		–	–	1		–	–	–		1	–	–		–	–	–
29 “	8	–	2	6	–	–	–		–	–	–		–	–	2		–	2	1		–	–	2		–	–	–		–	–	1		–	–	–		–	–	–
30 “	11	–	1	10	–	–	–		–	–	–		–	–	–		–	1	6		–	–	4		–	–	–		–	–	–		–	–	–		–	–	–
31 “	3	1	–	2	–	–	–		–	–	–		–	–	–		1	–	–		–	–	1		–	–	–		–	–	1		–	–	–		–	–	–
32 “	5	–	1	4	–	–	–		–	–	–		–	–	–		–	1	2		–	–	1		–	–	–		–	–	1		–	–	–		–	–	–
33 “	2	–	1	1	–	–	–		–	–	–		–	–	–		–	1	1		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–
34 “	1	–	–	1	–	–	–		–	–	–		–	–	1		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–
35 “	1	–	–	1	–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		1	–	–		–	–	–
36 “	3	–	1	2	–	–	–		–	–	–		–	–	–		–	–	–		–	1	–		–	–	–		–	–	–		2	–	–		–	–	–
37 “	1	–	1	–	–	–	–		–	–	–		–	–	1		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–
38 “	–	–	–	–	–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–
39 “	–	–	–	–	–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–
40 “	–	–	–	–	–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–
41 “	–	–	–	–	–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–
42 “	–	–	–	–	–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–
43 “	1	–	–	1	–	–	–		–	–	–		–	–	–		–	–	1		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–
44 “	–	–	–	–	–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–
45 “	–	–	–	–	–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–
46 “	–	–	–	–	–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–
47 “	–	–	–	–	–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–
48 “	–	–	–	–	–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–
49 “	–	–	–	–	–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–
50 “	–	–	–	–	–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–
Age inconnu	–	–	–	–	–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–		–	–	–
Total	**327**	**4**	**54**	**269**	**–**	**–**	**4**		**–**	**–**	**10**		**–**	**8**	**16**		**3**	**21**	**100**		**1**	**21**	**100**		**–**	**1**	**9**		**–**	**1**	**20**		**–**	**1**	**6**		**–**	**1**	**4**

(1) Voir la note 1, au bas du tableau I.

Il y avait en 1928, 17 époux âgés de 16 ans et 68 âgés de 17 ans. Ces derniers figurent avec les 85 époux au-dessous de 18 ans du tableau 38, tableaux d'ensemble.

Lieu de naissance des conjoints.—Le tableau LXXXIV contient le pourcentage des époux, classifiés par lieu de naissance pour 1928, tandis que le tableau LXXXV montre la même classification pour les épouses. La proportion des époux nés au Canada varie de 95 p.c. dans l'Ile du Prince-Edouard à 39 dans l'Alberta, tandis que les épouses nées au Canada étaient entre 97 p.c. dans l'Ile du Prince-Edouard et 47 p.c. en Alberta. Les plus fortes proportions des conjoints nés en pays britanniques se rencontrent en Colombie Britannique et celles des nés en pays étrangers, en Alberta.

TABLEAU LXXXIV.—REPARTITION PROPORTIONNELLE DES EPOUX PAR LIEU DE NAISSANCE, 1928

Lieu de naissance	Canada(1)	I. P.-E.	N.-E.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.
Nés au Canada	**64·7**	**94·6**	**83·6**	**78·6**	**84·9**	**64·3**	**47·8**	**44·2**	**39·0**	**39·8**
Dans la province qu'ils habitent	54·1	91·0	79·0	69·4	80·8	57·0	34·8	17·8	16·6	18·3
Autres provinces	10·6	3·6	4·6	9·2	4·1	7·2	13·0	26·4	22·4	21·5
Nés en territoire britannique	**16·6**	**1·1**	**9·8**	**3·9**	**5·7**	**22·2**	**22·9**	**16·2**	**20·2**	**33·6**
Angleterre	9·8	0·2	2·8	2·3	3·1	13·5	12·6	10·5	12·0	20·4
Ecosse	4·1	0·2	1·3	0·7	1·6	5·3	6·9	3·8	5·0	8·6
Irlande	1·6	0·2	0·2	0·2	0·5	2·5	2·7	1·4	2·0	2·2
Autres possessions britanniques	1·0	0·4	5·5	0·7	0·5	0·9	0·7	0·6	1·2	2·4
Nés en pays étrangers	**18·7**	**4·3**	**6·6**	**17·5**	**9·3**	**13·5**	**29·3**	**39·6**	**40·8**	**26·6**
Etats-Unis	7·4	4·1	3·1	16·1	3·8	4·3	6·0	15·7	18·0	13·1
Europe	11·0	0·2	3·2	1·3	5·3	9·0	23·1	23·7	22·7	11·9
Asie	0·3	–	0·3	0·1	0·2	0·2	0·2	0·1	0·2	1·4
Autres pays étrangers	(2)	–	(2)	–	(2)	(2)	(2)	(2)	0·1	0·1
Total	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**

(1) Voir la note 1, au bas du tableau I. (2) Moins d'un dixième d'un pour cent.

TABLEAU LXXXV.—REPARTITION PROPORTIONNELLE DES EPOUSES PAR LIEU DE NAISSANCE. 1928

Lieu de naissance	Canada[1]	I. P.-E.	N.-E.	N.-B.	Qué.	Ont.	Man.	Sask.	Alta.	C.B.
Nées au Canada	**69·8**	**96·8**	**87·0**	**82·2**	**87·3**	**68·1**	**58·5**	**54·9**	**47·1**	**47·5**
Dans les provinces qu'elles habitent	60·6	94·2	83·9	74·8	83·8	61·3	48·0	34·8	28·3	25·8
Autres provinces	9·1	2·6	3·0	7·3	3·5	6·7	10·5	20·1	18·7	21·7
Nées en territoire britannique	**15·2**	**0·9**	**8·2**	**2·1**	**5·5**	**21·0**	**18·5**	**13·5**	**18·1**	**31·7**
Angleterre	8·7	0·2	2·8	1·3	2·9	12·0	10·7	8·4	10·4	19·9
Ecosse	4·3	0·2	1·0	0·4	1·7	6·2	5·3	3·5	4·8	8·4
Irlande	1·3	0·2	0·2	0·1	0·5	2·0	1·8	1·1	1·7	1·7
Autres possessions britanniques	0·9	0·2	4·3	0·3	0·4	0·8	0·6	0·5	1·2	1·7
Nées en pays étrangers	**15·1**	**2·4**	**4·8**	**15·7**	**7·2**	**11·0**	**23·0**	**31·7**	**34·8**	**20·8**
Etats-Unis	6·2	2·1	2·0	14·7	3·0	3·4	4·6	13·6	16·4	11·5
Europe	8·6	0·2	2·7	1·0	4·0	7·5	18·3	18·0	18·3	8·3
Asie	0·1	–	0·1	(2)	0·1	0·1	(2)	(2)	0·1	0·9
Autres pays étrangers	(2)	–	–	(2)	(2)	(2)	0·1	0·1	0·1	0·1
Total	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**	**100·0**

(1) Voir la note 1, au bas du tableau I. (2) Moins d'un dixième d'un pour cent.

STATISTIQUES VITALES DU YUKON ET DES TERRITOIRES DU NORD-OUEST

Les naissances, mariages et décès constatés au Yukon et dans les Territoires du Nord-Ouest en 1928 sont énumérés dans les tableaux suivants. Les statistiques de ces territoires sont séparées de celles des provinces parce que les données sont incomplètes et que la population de l'année sous revue n'est pas connue avec assez d'exactitude pour permettre la computation de cœfficients. De plus, la population des territoires est tellement infime que l'omission de leurs naissances, mariages et décès n'affecterait guère le total du Canada. L'inclusion de ces territoires avec les autres provinces du Canada dans les tableaux détaillés aurait comme conséquence, d'augmenter hors de toute proportion à leur importance le nombre de cas donnés sous une rubrique spécifique.

Dans les statistiques des naissances et des décès des Territoires du Nord-Ouest, les chiffres se rapportant aux Indiens et aux Esquimaux sont séparés de ceux des blancs; cette division ne peut être faite pour le Yukon.

TABLEAU LXXXVI.—NAISSANCES, DECES ET MARIAGES DANS LE TERRITOIRE DU YUKON, PAR MOIS, 1928

Mois	Naissances	Décès	Mariages
Janvier	3	5	–
Février	3	4	–
Mars	3	5	–
Avril	2	1	–
Mai	5	5	2
Juin	4	2	2
Juillet	–	4	2
Août	4	3	–
Septembre	2	6	5
Octobre	1	3	–
Novembre	1	5	2
Décembre	2	3	–
Total	**30**	**46**	**13**

TABLEAU LXXXVII.—NAISSANCES, DECES ET MARIAGES DANS LES TERRITOIRES DU NORD-OUEST, PAR MOIS, 1928

Mois	Naissances				Décès				Mariages
	Total	Blancs	Indiens	Esquimaux	Total	Blancs	Indiens	Esquimaux	
Janvier	18	1	10	7	10	–	7	3	2
Février	19	4	9	6	7	–	3	4	–
Mars	23	3	6	14	20	1	15	4	6
Avril	13	2	6	5	18	–	3	15	–
Mai	18	2	10	6	9	1	4	4	1
Juin	19	3	14	2	13	2	4	7	2
Juillet	29	6	16	7	169	8	145	16	5
Août	5	1	1	3	55	–	45	10	1
Septembre	15	1	9	5	18	–	10	8	5
Octobre	12	2	6	4	12	–	8	4	1
Novembre	24	3	13	8	25	1	10	14	3
Décembre	27	2	17	8	11	–	6	5	4
Total	**222**	**30**	**117**	**75**	**367**	**13**	**260**	**94**	**30**

TABLEAU LXXXVIII.—DECES DANS LE YUKON ET LES TERRITOIRES DU NORD-OUEST PAR SEXES ET GROUPES D'AGES, 1928

Groupes d'âges	Yukon		Territoires du Nord-Ouest							
	Toutes races		Toutes races		Blancs		Indiens		Esquimaux	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Moins de 1 an	2	–	24	9	1	–	17	6	6	
1– 4 ans	2	1	18	8	1	–	11	4	6	
5– 9 "	1	2	9	8	–	–	6	5	3	
10–14 "	1	–	11	4	–	–	4	2	7	
15–19 "	1	1	6	7	1	–	1	7	4	–
20–29 "	1	2	21	18	1	–	11	16	9	2
30–39 "	–	1	12	19	–	–	6	15	6	4
40–49 "	3	–	16	19	–	–	10	18	6	1
50–59 "	6	2	22	17	–	1	20	14	2	2
60–69 "	9	2	34	27	3	1	25	20	6	6
70–79 "	6	–	16	20	–	1	13	15	3	4
80 ans et plus	2	–	5	5	1	–	3	4	1	1
Non donné	1	–	6	6	2	–	3	4	1	2
Total	**35**	**11**	**200**	**167**	**10**	**3**	**130**	**130**	**60**	**34**

TABLEAU LXXXIX.—DECES SUIVANT LA CAUSE DANS LE YUKON ET LES TERRITOIRES DU NORD-OUEST, 1928

N° liste int.	Causes des décès	Yukon	Territoires du Nord-Ouest			
			Toutes races	Blancs	Indiens	Esquimaux
1	Fièvre typhoïde	–	–	–	–	–
7	Rougeole	–	–	–	–	–
8	Scarlatine	–	–	–	–	–
9	Coqueluche	–	–	–	–	–
10	Diphtérie	–	1	–	1	–
11	Grippe	–	193	7	175	11
31	Tuberculose, appareil respiratoire	6	30	–	25	5
32–37	Tuberculose, autres organes	–	18	–	16	2
43–49	Cancer	3	–	–	–	–
57	Diabète	–	–	–	–	–
58	Anémie, chlorose	–	–	–	–	–
71	Méningite	–	1	1	–	–
74	Hémorragie cérébrale, apoplexie	4	–	–	–	–
75–76	Paralysie sans cause spécifiée	–	2	–	–	2
80	Convulsions des enfants (au-dessous de 5 ans)	–	2	–	2	–
87–90	Affections du cœur	1	3	1	1	1
91	Affections des artères	3	–	–	–	–
99	Bronchite	1	–	–	–	–
100–101	Pneumonie	1	3	–	3	–
113–114	Diarrhée et entérite	–	6	1	4	1
117	Appendicite	–	–	–	–	–
118	Hernie, obstruction intestinale	–	–	–	–	–
128–129	Néphrite	–	–	–	–	–
135	Affections de la prostate	–	–	–	–	–
143–150	Causes puerpérales	–	3	–	2	1
159	Vices de conformation congénitaux	–	–	–	–	–
160–163	Maladies du premier âge	1	14	–	10	4
164	Sénilité (vieillesse)	3	13	–	5	8
165–174	Suicides	3	1	1	–	–
197–199	Homicides	–	–	–	–	–
{175–196 {200–203	Mort violente	3	6	2	–	4
	Autres causes spécifiées	3	4	–	2	2
204–205	Causes non spécifiées ou mal définies	14	67	–	14	53
	Total (mort-nés exclus)	**46**	**367**	**13**	**260**	**94**
	Mort-nés	–	6	1	2	3
	Total	**46**	**373**	**14**	**262**	**97**

GENERAL SUMMARY

RÉSUMÉ GÉNÉRAL

TABLE 1—General summary of births, deaths and marriages in Canada by provinces and counties or census divisions, 1928

TABLEAU 1—Résumé général des naissances, décès et mariages dans le Canada par provinces et comtés ou divisions de recensement, 1928

Provinces and counties or divisions — Provinces et comtés ou divisions	Births (*exclusive of stillbirths*) — Naissances (*mort-nés exclus*)			Deaths—Décès									Still-births — Mort-nés	Marriages — Mariages
				All ages — Tous âges			Under 1 year — Moins de 1 an		1-4 years — 1-4 ans		5 years and over — 5 ans et plus			
	Total	M.	F.	Total	M.	F.	M.	F.	M.	F.	M.	F.		
Canada (1)	**236,757**	**121,505**	**115,252**	**109,057**	**58,480**	**50,577**	**12,026**	**9,169**	**3,357**	**2,934**	**43,097**	**38,474**	**7,577**	**74,311**
Prince Edward Island	**1,806**	**947**	**859**	**952**	**495**	**457**	**50**	**42**	**12**	**16**	**433**	**399**	**45**	**466**
Kings	371	208	163	136	69	67	7	6	1	2	61	59	5	53
Prince	738	367	371	339	185	154	25	22	7	7	153	125	19	181
Queens	697	372	325	477	241	236	18	14	4	7	219	215	21	232
Nova Scotia	**10,931**	**5,533**	**5,398**	**6,202**	**3,339**	**2,863**	**480**	**385**	**159**	**132**	**2,700**	**2,346**	**331**	**3,256**
Annapolis	326	152	174	218	117	101	14	6	–	3	103	92	14	89
Antigonish	231	122	109	190	93	97	9	8	3	2	81	87	3	57
Cape Breton	2,212	1,100	1,112	1,009	545	464	131	101	35	37	379	326	71	618
Colchester	524	266	258	287	152	135	17	26	4	1	131	108	16	189
Cumberland	775	409	366	422	241	181	32	22	9	4	200	155	16	257
Digby	410	206	204	218	122	96	16	14	8	2	98	80	8	103
Guysborough	314	156	158	159	79	80	11	9	3	3	65	68	9	74
Halifax	2,206	1,122	1,084	1,269	673	596	84	63	36	35	553	498	72	801
Hants	449	216	233	256	135	121	18	12	8	5	109	104	18	132
Inverness	412	220	192	246	131	115	16	10	3	3	112	102	6	61
Kings	487	232	255	286	167	119	20	11	6	2	141	106	15	131
Lunenburg	608	315	293	395	225	170	26	19	10	7	189	144	23	210
Pictou	715	353	362	478	253	225	33	26	14	9	206	190	15	246
Queens	166	86	80	101	43	58	3	6	2	2	38	50	7	57
Richmond	208	120	88	137	82	55	8	11	9	2	65	42	2	25
Shelburne	275	138	137	159	91	68	13	8	2	5	76	55	11	65
Victoria	147	82	65	88	50	38	10	6	–	–	40	32	5	21
Yarmouth	466	238	228	284	140	144	19	27	7	10	114	107	20	120
New Brunswick	**10,047**	**5,152**	**4,895**	**4,972**	**2,654**	**2,318**	**556**	**404**	**158**	**127**	**1,940**	**1,787**	**261**	**3,146**
Albert	139	67	72	107	62	45	7	7	–	–	55	38	4	29
Carleton	413	228	185	232	125	107	17	11	5	2	103	94	9	296
Charlotte	456	218	238	284	149	135	14	11	5	2	130	122	9	312
Gloucester	1,426	714	712	492	268	224	95	66	27	17	146	141	27	244
Kent	625	325	300	287	154	133	38	35	11	8	105	90	7	120
Kings	334	171	163	231	115	116	17	13	2	2	96	101	16	92
Madawaska	905	451	454	287	164	123	63	46	21	9	80	68	31	182
Northumberland	958	483	475	405	222	183	45	34	16	10	161	139	21	240
Queens	179	91	88	110	60	50	6	5	3	1	51	44	5	56
Restigouche	883	442	441	296	154	142	44	49	13	16	97	77	27	183
St. John	1,238	645	593	981	510	471	78	42	18	21	414	408	56	516
Sunbury	159	82	77	76	48	28	10	3	1	1	37	24	3	26
Victoria	450	239	211	199	108	91	37	33	15	7	56	51	10	226
Westmorland	1,195	646	549	585	304	281	53	32	16	20	235	229	20	366
York	687	350	337	400	211	189	32	17	5	11	174	161	16	258
Quebec	**83,621**	**43,049**	**40,572**	**36,632**	**19,036**	**17,596**	**5,899**	**4,433**	**1,630**	**1,445**	**11,507**	**11,718**	**2,323**	**19,126**
Abitibi	1,032	526	506	230	130	100	59	47	16	14	55	39	21	147
Argenteuil	419	201	218	221	122	99	34	19	13	5	75	75	15	89
Arthabaska	816	441	375	314	104	150	49	36	13	7	102	107	21	177
Bagot	484	249	235	206	114	92	25	23	7	5	82	64	15	105
Beauce	1,623	834	789	514	255	259	95	76	17	27	143	156	43	301
Beauharnois	549	292	257	264	141	123	33	7	8	6	100	110	16	128
Bellechasse	713	374	339	259	143	116	44	23	12	5	87	88	9	112
Berthier	533	280	253	260	135	125	36	18	10	11	89	96	7	112
Bonaventure	1,019	522	497	397	204	193	60	39	10	18	134	136	19	152
Brome	209	112	97	149	71	78	14	8	2	3	55	67	8	72
Chambly	453	237	216	241	128	113	34	13	12	8	82	92	11	112
Champlain	2,201	1,182	1,019	670	369	301	144	104	34	32	191	165	49	355
Charlevoix	857	454	403	309	183	126	37	39	13	13	133	74	20	141
Châteauguay	320	170	150	152	68	84	23	12	1	5	44	67	7	81
Chicoutimi	2,673	1,302	1,371	724	399	325	176	129	43	34	180	162	60	391
Compton	508	242	266	217	115	102	26	17	4	7	85	78	23	114
Deux Montagnes	389	186	203	161	85	76	25	13	4	7	56	56	9	93
Dorchester	1,048	549	499	296	139	157	47	39	13	16	79	102	23	176
Drummond	781	406	375	284	161	123	65	40	10	11	86	72	25	167
Frontenac	995	512	483	263	152	111	73	39	8	12	71	60	30	152
Gaspé	1,387	742	645	433	218	215	80	57	23	21	115	137	30	230
Hull	2,038	1,014	1,024	714	374	340	136	110	34	33	204	197	62	461
Huntingdon	298	163	135	153	72	81	11	7	4	4	57	70	6	83
Iberville	241	129	112	107	56	51	7	12	7	6	42	33	3	54
Îles de la Madeleine	240	125	115	74	42	32	16	9	2	5	24	18	2	45
Joliette	901	467	434	378	212	166	69	44	15	10	128	112	33	196
Kamouraska	798	416	382	264	134	130	51	22	11	5	72	103	21	124
Labelle	800	394	406	227	125	102	59	40	7	9	59	53	18	118
Lac St. Jean	2,335	1,196	1,139	580	330	250	152	105	37	35	141	110	49	334
Laprairie	376	169	207	164	77	87	18	11	10	4	49	72	8	73
L'Assomption	487	253	234	240	135	105	47	25	11	5	77	75	9	83
Lévis	1,054	570	484	475	248	227	63	45	27	23	158	159	28	215
L'Islet	687	353	334	192	91	101	30	33	6	11	55	57	6	114
Lotbinière	774	385	389	300	160	140	47	31	13	14	100	95	22	106

NOTE—"Age not stated" included in 5 years and over—"Âge non donné" compris dans 5 ans et plus.

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

TABLE 1—General summary of births, deaths and marriages in Canada by provinces and counties or census divisions, 1928—*con.*

Provinces and counties or divisions — Provinces et comtés ou divisions	Births (*exclusive of stillbirths*) — Naissances (*mort-nés exclus*)			Deaths—Décès									Still-births — Mort-nés	Marriages — Mariages
				All ages — Tous âges			Under 1 year — Moins de 1 an		1-4 years — 1-4 ans		5 years and over — 5 ans et plus			
	Total	M.	F.	Total	M.	F.	M.	F.	M.	F.	M.	F.		
Quebec—con.—fin														
Maskinongé	562	277	285	202	94	108	36	35	5	2	53	71	14	111
Matane	884	459	425	271	161	110	62	43	21	11	78	56	20	119
Matapédia	1,051	561	490	244	120	124	50	59	13	9	57	56	22	160
Mégantic	1,254	630	624	471	240	231	71	59	17	22	152	150	31	227
Missisquoi	421	213	208	218	121	97	23	13	5	6	93	78	10	117
Montcalm	473	242	231	184	95	89	39	27	7	7	49	55	9	93
Montmagny	667	344	323	250	138	112	38	22	17	10	83	80	7	112
Montmorency	601	293	308	186	108	78	37	14	8	7	63	57	20	111
Montreal and Jesus Islands—Îles de	23,066	11,961	11,105	13,636	7,076	6,560	1,944	1,531	617	496	4,515	4,533	821	7,688
Montreal Island-Île de	*22,705*	*11,771*	*10,934*	*13,481*	*7,001*	*6,480*	*1,912*	*1,513*	*612*	*492*	*4,477*	*4,475*	*807*	*7,626*
Jesus Island-Île de	*361*	*190*	*171*	*155*	*75*	*80*	*32*	*18*	*5*	*4*	*38*	*58*	*14*	*62*
Napierville	195	97	98	77	38	39	11	5	4	2	23	32	3	52
Nicolet	914	459	455	420	199	221	65	56	12	12	122	153	19	178
Papineau	808	422	386	305	153	152	42	32	11	17	100	103	31	158
Pontiac	529	278	251	206	107	99	24	20	8	6	75	73	10	105
Portneuf	1,203	627	576	454	219	235	80	52	22	19	117	164	32	203
Quebec	5,463	2,721	2,742	2,935	1,438	1,497	471	410	133	137	834	950	155	1,154
Richelieu	585	283	302	306	154	152	53	35	12	12	89	105	22	122
Richmond	849	424	425	316	153	163	54	50	11	16	88	97	25	128
Rimouski	1,123	579	544	367	203	164	76	34	20	23	107	107	23	183
Rouville	359	184	175	151	77	74	18	12	3	3	56	59	15	76
Saguenay	761	376	385	191	99	92	41	32	10	10	48	50	7	114
Shefford	804	430	374	274	130	144	29	38	17	11	84	95	27	225
Sherbrooke	904	439	465	537	264	273	48	41	22	20	194	212	31	254
Soulanges	243	111	132	114	56	58	13	12	2	2	41	44	6	54
Stanstead	611	334	277	263	136	127	30	21	9	8	97	98	15	228
St. Hyacinthe	592	296	296	426	207	219	40	43	10	9	157	167	22	185
St. Jean	479	262	217	188	89	99	20	18	6	6	63	75	9	135
St. Maurice	2,744	1,461	1,283	1,005	546	459	252	185	48	50	246	224	73	438
Témiskamingue	683	363	320	180	101	79	45	33	10	9	46	37	15	114
Temiscouata	1,806	940	866	578	309	269	103	72	41	30	165	167	31	275
Terrebonne	1,194	619	575	524	266	258	77	65	25	16	164	177	39	255
Vaudreuil	273	135	138	144	77	67	18	7	7	9	52	51	2	52
Verchères	365	205	160	194	105	89	35	15	10	5	60	69	4	59
Wolfe	596	311	285	176	96	80	34	24	7	2	55	54	15	117
Yamaska	521	266	255	207	109	98	35	26	3	10	71	62	10	111
Ontario	**68,510**	**35,299**	**33,211**	**37,128**	**19,457**	**17,671**	**2,735**	**2,145**	**700**	**607**	**16,022**	**14,919**	**2,793**	**25,728**
Addington	143	81	62	80	40	40	7	3	1	1	32	36	5	41
Algoma	1,063	564	499	430	257	173	49	25	15	13	193	135	55	414
Brant	1,027	523	504	652	326	326	36	23	2	12	288	291	57	399
Bruce	810	418	392	532	281	251	23	20	5	7	253	224	27	252
Carleton	3,719	1,941	1,778	1,999	1,035	964	226	167	51	48	758	749	145	1,114
Cochrane	1,687	879	808	523	321	202	104	89	23	21	194	92	50	389
Dufferin	257	148	109	187	111	76	9	5	2	1	100	70	14	84
Dundas	306	143	163	191	98	93	11	7	3	1	84	85	11	84
Durham	440	225	215	309	160	149	19	18	–	1	141	130	17	135
Elgin	731	364	367	537	284	253	19	13	11	6	254	234	27	315
Essex	3,910	2,042	1,868	1,470	778	692	137	120	39	40	602	532	140	1,553
Frontenac	919	469	450	666	342	324	33	31	12	16	297	277	36	326
Glengarry	427	217	210	224	116	108	20	14	5	3	91	91	10	85
Grenville	229	102	127	187	95	92	5	8	4	1	86	83	8	97
Grey	1,159	560	599	660	357	303	37	33	3	5	317	265	51	420
Haldimand	371	180	191	283	146	137	16	13	5	3	125	121	9	141
Haliburton	173	84	89	66	47	19	8	4	4	1	35	14	9	34
Halton	344	160	184	247	118	129	13	17	5	2	100	110	18	163
Hastings	1,295	690	605	758	378	380	50	47	10	8	318	325	59	433
Huron	755	401	354	592	318	274	21	14	6	5	291	255	35	276
Kenora	508	271	237	203	113	90	13	15	8	12	92	63	17	100
Kent	1,399	722	677	746	396	350	46	47	13	14	337	289	55	444
Lambton	998	504	494	608	316	292	32	35	10	14	274	243	41	296
Lanark	607	318	289	399	200	199	24	20	4	4	172	175	29	194
Leeds	608	305	303	523	261	262	27	18	2	6	232	238	24	201
Lennox	174	88	86	129	65	64	5	5	1	–	59	59	6	68
Lincoln	967	515	452	616	315	301	38	27	11	8	266	266	28	374
Manitoulin	273	127	146	112	57	55	9	5	2	3	46	47	7	57
Middlesex	2,002	1,018	984	1,690	831	859	69	44	19	22	743	793	88	899
Muskoka	433	202	231	264	152	112	21	7	4	3	127	102	21	128
Nipissing	1,220	623	597	346	188	158	53	52	4	7	131	99	47	299
Norfolk	560	287	273	368	201	167	12	20	3	4	186	143	19	174
Northumberland	519	274	245	412	197	215	21	15	8	2	168	198	22	201
Ontario	1,260	639	621	676	350	326	52	35	8	9	290	282	46	446
Oxford	776	380	396	605	308	297	33	20	8	8	267	269	34	295
Parry Sound	593	285	308	230	137	93	21	14	8	5	108	74	24	142
Peel	418	228	190	269	139	130	16	12	5	4	118	114	17	162
Perth	972	511	461	534	279	255	21	14	9	1	249	240	47	327
Peterborough	811	413	398	492	254	238	29	18	4	4	221	216	51	330
Prescott	731	394	337	314	156	158	50	47	6	6	100	105	20	180
Prince Edward	270	135	135	231	124	107	9	3	1	2	114	102	17	97

TABLEAU 1—Résumé général des naissances, décès et mariages dans le Canada par provinces et comtés ou divisions de recensement, 1928—*fin*

Provinces and counties or divisions — Provinces et comtés ou divisions	Births (*exclusive of stillbirths*) — Naissances (*mort-nés exclus*)			Deaths—Décès									Still-births — Mort-nés	Marriages — Mariages
				All ages — Tous âges			Under 1 year — Moins de 1 an		1–4 years — 1–4 ans		5 years and over — 5 ans et plus			
	Total	M.	F.	Total	M.	F.	M.	F.	M.	F.	M.	F.		
Ontario—con.—fin														
Rainy River	420	218	202	155	101	54	17	9	4	1	80	44	11	73
Renfrew	1,243	647	596	586	306	280	51	49	13	12	242	219	60	335
Russell	596	302	294	209	97	112	27	30	6	6	64	76	20	107
Simcoe	1,637	855	782	1,054	557	497	53	50	15	13	489	434	96	476
Stormont	922	477	445	524	279	245	65	37	23	14	191	194	34	256
Sudbury	1,479	773	706	513	323	190	83	66	35	18	205	106	55	293
Thunder Bay	1,402	708	694	527	314	213	62	36	13	8	239	169	59	513
Timiskaming	896	422	474	283	165	118	34	32	14	13	117	73	33	256
Victoria	473	244	229	303	176	127	17	9	3	2	156	116	27	146
Waterloo	1,767	912	855	860	461	399	55	29	10	9	396	361	70	713
Welland	1,642	874	768	830	486	344	80	52	12	11	394	281	71	700
Wellington	1,098	551	547	741	390	351	27	34	12	4	351	313	38	406
Wentworth	3,436	1,809	1,627	1,914	1,000	914	125	92	28	27	847	795	148	1,495
York	15,635	8,077	7,558	8,269	4,155	4,114	595	476	168	136	3,392	3,502	628	7,790
Manitoba	**14,504**	**7,282**	**7,222**	**5,396**	**3,029**	**2,367**	**533**	**439**	**158**	**141**	**2,338**	**1,787**	**473**	**5,170**
Division No. 1	657	315	342	162	85	77	32	24	7	4	46	49	7	104
Division No. 2	1,171	621	550	297	176	121	47	22	16	11	113	88	33	232
Division No. 3	560	275	285	182	98	84	12	7	5	2	81	75	14	130
Division No. 4	345	175	170	94	47	47	8	10	3	3	36	34	10	99
Division No. 5	729	347	382	233	129	104	35	26	8	12	86	66	16	165
Division No. 6	6,235	3,148	3,087	2,598	1,454	1,144	207	190	63	61	1,184	893	233	3,140
Division No. 7	740	368	372	344	190	154	23	20	5	6	162	128	26	289
Division No. 8	352	195	157	126	71	55	11	14	3	5	57	36	17	119
Division No. 9	540	260	280	283	164	119	29	20	10	3	125	96	17	176
Division No. 10	371	185	186	139	75	64	17	12	2	6	56	46	17	78
Division No. 11	620	326	294	179	107	72	20	10	10	5	77	57	17	121
Division No. 12	528	244	284	175	102	73	19	19	4	4	79	50	22	62
Division No. 13	613	299	314	179	109	70	24	13	5	5	80	52	21	165
Division No. 14	542	266	276	154	86	68	23	11	6	3	57	54	11	158
Division No. 15	208	108	100	67	46	21	7	9	2	–	37	12	4	43
Division No. 16	293	150	143	184	90	94	19	32	9	11	62	51	8	89
Saskatchewan	**21,261**	**10,983**	**10,278**	**6,166**	**3,485**	**2,681**	**779**	**591**	**239**	**191**	**2,476**	**1,899**	**563**	**6,701**
Division No. 1	922	494	428	236	147	89	32	16	4	10	111	63	19	302
Division No. 2	1,035	547	488	284	164	120	25	18	7	10	132	92	28	224
Division No. 3	1,245	625	620	293	166	127	48	36	13	12	105	79	21	257
Division No. 4	540	260	280	182	97	85	18	16	11	8	68	61	22	149
Division No. 5	1,375	677	698	351	203	148	45	49	8	8	150	91	29	340
Division No. 6	2,556	1,342	1,214	857	475	382	79	76	40	21	356	285	65	1,110
Division No. 7	1,555	808	747	446	251	195	53	28	18	14	180	153	52	524
Division No. 8	1,021	540	481	281	162	119	32	37	8	9	122	73	22	353
Division No. 9	1,350	705	645	405	243	162	55	40	16	6	172	116	38	431
Division No. 10	1,029	501	528	256	137	119	33	35	11	8	93	76	34	202
Division No. 11	1,937	1,015	922	726	405	321	65	60	23	14	317	247	67	1,014
Division No. 12	757	384	373	230	143	87	39	19	6	6	98	62	15	188
Division No. 13	1,061	553	508	244	138	106	44	25	11	8	83	73	22	241
Division No. 14	930	472	458	254	147	107	40	19	10	7	97	81	28	234
Division No. 15	2,246	1,177	1,069	600	332	268	103	63	27	25	202	180	62	676
Division No. 16	1,036	547	489	329	187	142	39	30	6	12	142	100	29	295
Division No. 17	551	288	263	122	55	67	18	13	6	7	31	47	9	135
Division No. 18	115	48	67	70	33	37	11	11	5	6	17	20	1	26
Alberta	**15,692**	**8,091**	**7,601**	**5,699**	**3,322**	**2,377**	**709**	**491**	**180**	**173**	**2,433**	**1,713**	**458**	**5,776**
Division No. 1	621	334	287	267	139	128	33	25	5	11	101	92	16	237
Division No. 2	1,340	712	628	482	281	201	47	33	17	9	217	154	45	537
Division No. 3	278	152	126	102	63	39	19	10	2	4	42	25	5	42
Division No. 4	424	224	200	138	87	51	20	9	3	3	64	39	15	101
Division No. 5	724	359	365	244	153	88	37	25	10	7	109	56	24	190
Division No. 6	2,632	1,342	1,290	1,220	692	528	102	73	31	32	559	423	91	1,442
Division No. 7	944	489	455	251	164	87	38	21	11	11	115	55	33	223
Division No. 8	1,359	705	654	535	321	214	57	42	14	15	250	157	33	451
Division No. 9	347	177	170	121	71	50	17	11	1	4	53	35	12	66
Division No. 10	1,468	754	714	426	249	177	76	46	16	15	157	116	24	394
Division No. 11	2,992	1,547	1,445	1,126	652	474	120	87	33	26	499	361	99	1,555
Division No. 12	222	107	115	57	37	20	10	3	2	2	25	15	9	32
Division No. 13	612	304	308	214	103	111	36	35	7	14	60	62	8	145
Division No. 14	946	490	456	241	146	95	58	35	7	7	81	53	28	140
Division No. 15	241	117	124	99	57	42	17	15	6	3	34	24	7	69
Division No. 16	428	215	213	116	69	47	15	14	9	5	45	28	9	116
Division No. 17	114	63	51	60	35	25	7	2	6	5	22	18	–	30
British Columbia	**10,385**	**5,169**	**5,216**	**5,910**	**3,663**	**2,247**	**285**	**239**	**130**	**102**	**3,248**	**1,905**	**330**	**4,942**
Victoria Division	1,016	491	525	763	457	306	25	25	15	9	417	272	31	607
New Westminster Division	1,387	703	684	850	510	340	48	33	16	22	446	285	43	585
Nanaimo Division	667	329	338	333	208	125	20	15	8	7	180	103	23	211
Beaton Division	1,037	502	535	418	287	131	28	18	9	5	250	108	22	346
Alberni Division	797	397	400	460	286	174	32	27	23	12	231	135	27	222
Ashcroft Division	250	123	127	178	111	67	14	15	5	5	92	47	10	103
Grand Forks Division	997	505	492	540	359	181	26	19	9	13	324	149	38	393
Vancouver Division	4,234	2,119	2,115	2,368	1,445	923	92	87	45	29	1,308	807	136	2,475

NOTE—See appendix for explanatory schedule and maps of Census divisions in Prairie Provinces—Voir appendice pour cédule d'explication et cartes des divisions de recensement dans les provinces des prairies.

TABLE 2—General summary of births, deaths and marriages in cities and towns of 1,000 population and over, 1928

Cities and towns — Cités et villes	Births (*exclusive of stillbirths*) — Naissances (*mort-nés exclus*)			Deaths—Décès									Still-births — Mort-nés	Marriages — Mariages
				All ages — Tous âges			Under 1 year — Moins de 1 an		1-4 years — 1-4 ans		5 years and over — 5 ans et plus			
	Total	M.	F.	Total	M.	F.	M.	F.	M.	F.	M.	F.		
Cities—Cités	**92,422**	**47,499**	**44,923**	**48,755**	**25,738**	**23,017**	**4,920**	**3,890**	**1,513**	**1,304**	**19,305**	**17,823**	**3,507**	**40,042**
Belleville, Ont.	371	208	163	239	112	127	13	16	4	5	95	106	25	163
Brandon, Man.	419	214	205	242	141	101	15	14	3	6	123	81	11	217
Brantford, Ont.	711	366	345	403	188	215	25	20	2	7	161	188	36	309
Calgary, Alta.	1,752	893	859	814	460	354	62	46	21	15	377	293	72	1,239
Cap de la Madeleine, Que.	441	239	202	107	65	42	33	21	11	6	21	15	10	47
Charlottetown, P.E.I.	273	143	130	278	153	125	11	10	3	5	139	110	17	145
Chatham, Ont.	494	269	225	306	173	133	21	19	4	4	148	110	25	189
Chilliwack, B.C.	110	60	50	51	36	15	4	3	1	–	31	12	2	29
Cranbrook, B.C.	105	41	64	57	42	15	3	2	2	–	37	13	6	46
Cumberland, B.C.	53	21	32	28	17	11	3	1	–	1	14	9	2	14
Duncan, B.C.	92	46	46	32	24	8	2	2	1	2	21	4	1	17
Edmonton, Alta.	2,149	1,117	1,032	861	490	371	79	58	21	20	390	293	71	1,362
Fernie, B.C.	93	40	53	35	21	14	1	1	–	–	20	13	–	38
Fort William, Ont.	664	323	341	211	125	86	33	19	5	2	87	65	28	255
Fredericton, N.B.	200	105	95	153	81	72	7	6	1	–	73	66	6	160
Galt, Ont.	266	149	117	181	100	81	14	4	2	2	84	75	13	104
Glace Bay, N.S.	681	326	355	256	144	112	43	30	14	12	87	70	36	159
Granby, Que.	303	158	145	112	50	62	7	15	11	5	32	42	10	93
Grand Forks, B.C.	35	18	17	26	18	8	1	–	–	–	17	8	1	16
Grand'Mère, Que.	219	113	106	62	35	27	8	9	2	6	25	12	7	39
Guelph, Ont.	362	182	180	241	122	119	8	19	6	3	108	97	17	214
Halifax, N.S.	1,425	728	697	837	451	386	64	38	25	22	362	326	50	619
Hamilton, Ont.	3,007	1,584	1,423	1,471	765	706	112	78	28	23	625	605	128	1,327
Hull, Que.	999	497	502	369	186	183	79	63	21	21	86	99	35	254
Joliette, Que.	371	194	177	170	91	79	29	22	6	2	56	55	13	84
Kamloops, B.C.	163	82	81	117	86	31	6	2	2	1	78	28	10	84
Kelowna, B.C.	153	75	78	46	24	22	2	2	2	4	20	16	4	51
Kingston, Ont.	576	286	290	445	214	231	22	22	7	12	185	197	24	230
Kitchener, Ont.	751	393	358	293	146	147	22	13	5	2	119	132	30	319
Lachine, Que.	464	238	226	240	118	122	32	18	11	11	75	93	9	121
Ladysmith, B.C.	58	28	30	35	18	17	3	3	–	–	15	14	3	7
Lethbridge, Alta.	416	218	198	199	117	82	19	15	6	6	92	61	21	293
Lévis, Que.	313	175	138	227	117	110	26	18	12	10	79	82	9	62
London, Ont.	1,438	720	718	1,122	549	573	49	27	13	15	487	531	72	711
Longueuil, Que.	166	82	84	93	47	46	13	6	6	5	28	35	4	40
Medicine Hat, Alta.	377	208	169	170	85	85	16	17	2	6	67	62	12	187
Merritt, B.C.	50	28	22	24	15	9	–	1	–	1	15	7	1	13
Moncton, N.B.	482	255	227	276	139	137	21	16	10	14	108	107	8	207
Montreal, Que.	20,252	10,537	9,715	11,936	6,196	5,740	1,628	1,297	548	442	4,020	4,001	724	6,726
Moose Jaw, Sask.	617	336	281	235	134	101	32	10	7	6	95	85	24	336
Nanaimo, B.C.	188	98	90	78	42	36	6	3	2	2	34	31	4	107
Nelson, B.C.	139	78	61	70	50	20	1	1	1	3	48	16	2	90
New Westminster, B.C.	535	244	291	297	156	141	18	11	1	12	137	118	22	271
Niagara Falls, Ont.	445	231	214	220	125	95	18	16	2	2	105	77	26	247
North Battleford, Sask.	246	126	120	74	48	26	6	1	2	2	40	23	7	137
North Bay, Ont.	435	212	223	129	74	55	14	15	–	2	60	38	13	159
North Vancouver, B.C.	177	90	87	66	39	27	4	2	2	1	33	24	7	72
Oshawa, Ont.	703	357	346	227	117	110	31	17	5	4	81	89	26	267
Ottawa, Ont.	3,003	1,549	1,454	1,645	853	792	186	134	40	38	627	620	131	962
Outremont, Que.	109	49	60	84	23	61	2	6	–	1	21	54	8	85
Owen Sound, Ont.	368	169	199	172	96	76	8	10	2	–	86	66	15	122
Peterborough, Ont.	558	288	270	305	157	148	18	12	2	2	137	134	38	237
Portage la Prairie, Man.	205	99	106	116	73	43	4	15	6	–	63	28	7	78
Port Alberni, B.C.	55	31	24	32	21	11	3	3	–	1	18	7	5	8
Port Arthur, Ont.	558	295	263	222	132	90	25	10	4	3	103	77	29	240
Port Coquitlam, B.C.	39	20	19	2	2	–	–	–	–	–	2	–	–	8
Port Moody, B.C.	13	6	7	2	–	2	–	–	–	–	–	2	1	8
Prince Albert, Sask.	308	160	148	142	81	61	18	11	5	4	58	46	14	184
Prince George, B.C.	73	33	40	30	25	5	3	–	1	1	21	4	6	40
Prince Rupert, B.C.	123	63	60	62	42	20	4	3	3	–	35	17	4	56
Quebec, Que.	4,473	2,219	2,254	2,313	1,121	1,192	408	368	115	114	598	710	129	972
Red Deer, Alta.	106	58	48	53	36	17	4	3	2	1	30	13	5	88
Regina, Sask.	1,363	712	651	520	288	232	43	41	32	16	213	175	35	825
Revelstoke, B.C.	59	27	32	23	17	6	–	–	–	–	17	6	2	32
Rivière du Loup, Que.	260	138	122	115	64	51	10	15	8	4	46	32	7	45
Rossland, B.C.	57	28	29	20	10	10	–	1	–	–	10	9	1	11
St. Boniface, Man.	829	417	412	465	303	162	33	19	16	11	254	132	29	140
St. Catharines, Ont.	570	291	279	331	170	161	32	18	6	3	132	140	18	259
St. Hyacinthe, Que.	315	155	160	281	130	151	25	25	8	6	97	120	12	122
St. Jean, Que.	337	183	154	128	64	64	16	12	4	4	44	48	7	98
St. John, N.B.	1,083	557	526	710	359	351	64	39	17	20	278	292	45	448
St. Lambert, Que.	62	30	32	30	16	14	4	2	–	–	12	12	–	20
St. Thomas, Ont.	341	160	181	214	102	112	9	3	9	4	84	105	16	159
Sarnia, Ont.	426	200	226	216	110	106	9	21	7	6	94	79	21	134
Saskatoon, Sask.	1,045	533	512	498	278	220	45	38	12	10	221	172	52	823

NOTE—"Age not stated" included in 5 years and over. The classification of cities and towns in Manitoba, Saskatchewan and Alberta is according to the Census of 1926 and in the remaining provinces according to the Census of 1921—"Âge non donné" compris dans 5 ans et plus. La classification des cités et villes dans le Manitoba, la Saskatchewan et l'Alberta est selon le recensement de 1926 et dans toutes les autres provinces selon le recensement de 1921.

TABLEAU 2—Résumé général des naissances, décès et mariages dans les cités et villes de 1,000 habitants et au-dessus, 1928

Cities and towns — Cités et villes	Births (*exclusive of stillbirths*) — Naissances (*mort-nés exclus*)			Deaths—Décès									Still-births — Mort-nés	Mar-riages — Ma-riages
				All ages — Tous âges			Under 1 year — Moins de 1 an		1-4 years — 1-4 ans		5 years and over — 5 ans et plus			
	Total	M.	F.	Total	M.	F.	M.	F.	M.	F.	M.	F.		
Cities-con.—**Cités**-fin														
Sault Ste. Marie, Ont.	627	331	296	228	130	98	25	13	9	3	96	82	31	276
Shawinigan Falls, Que.	703	371	332	218	130	88	73	49	14	9	43	30	16	80
Sherbrooke, Que.	753	361	392	467	228	239	33	33	22	19	173	187	26	213
Sorel, Que	293	146	147	164	75	89	30	20	7	7	38	62	12	62
Stratford, Ont.	401	216	185	199	103	96	8	11	5	–	90	85	18	132
Swift Current, Sask.	150	75	75	67	43	24	4	3	1	3	38	18	8	142
Sydney, N.S.	484	258	226	245	130	115	18	17	5	7	107	91	13	198
Thetford Mines, Que.	492	258	234	163	94	69	25	19	7	11	62	39	13	58
Toronto, Ont.	12,342	6,394	5,948	6,962	3,497	3,465	498	397	148	116	2,851	2,952	504	7,058
Trail, B.C.	192	89	103	51	32	19	7	9	2	–	23	10	3	49
Trois Rivières, Que.	1,444	779	665	556	287	269	133	101	20	30	134	138	38	258
Valleyfield, Que.	322	167	155	178	94	84	17	6	6	3	71	75	14	74
Vancouver city, Point Grey and South Vancouver, B.C.	3,812	1,895	1,917	2,201	1,335	866	84	80	38	25	1,213	761	128	2,347
Verdun, Que.	1,058	533	525	441	229	212	65	50	20	13	144	149	37	325
Vernon, B.C.	105	55	50	37	23	14	2	2	1	1	20	11	6	53
Victoria, B.C.	723	346	377	558	322	236	18	17	4	5	300	214	28	330
Welland, Ont.	279	152	127	155	92	63	16	10	3	–	73	53	14	168
Westmount, Que.	42	26	16	128	63	65	3	3	–	–	60	62	1	193
Wetaskiwin, Alta.	105	50	55	45	28	17	4	3	3	–	21	14	1	64
Weyburn, Sask.	160	92	68	130	70	60	4	3	4	4	62	53	10	86
Windsor, Ont.	1,681	895	786	689	355	334	62	46	20	26	273	262	74	896
Winnipeg, Man.	4,552	2,296	2,256	1,808	973	835	142	136	34	39	797	660	179	2,795
Woodstock, Ont.	225	113	112	173	86	87	10	4	1	2	75	81	12	105
Towns—Villes	**28,964**	**14,776**	**14,188**	**13,867**	**7,459**	**6,408**	**1,451**	**1,073**	**382**	**320**	**5,626**	**5,015**	**1,014**	**10,026**
Acton Vale, Que.	77	39	38	35	21	14	6	2	2	1	13	11	5	12
Alexandria, Ont.	61	29	32	35	19	16	7	6	2	–	10	10	2	24
Alliston, Ont.	34	16	18	34	17	17	1	1	–	1	16	15	–	11
Almonte, Ont.	81	44	37	24	11	13	1	1	–	–	10	12	5	17
Amherst, N.S.	124	55	69	91	52	39	4	3	3	1	45	35	4	91
Amherstburg, Ont.	47	23	24	42	17	25	–	3	–	1	17	21	7	28
Amos, Que.	166	93	73	27	17	10	10	6	1	1	6	3	3	15
Antigonish, N.S.	121	65	56	89	50	39	6	1	3	1	41	37	2	32
Arnprior, Ont.	107	58	49	47	24	23	2	1	1	–	21	22	3	54
Arthabaska, Que.	63	34	29	54	31	23	2	1	–	1	29	21	4	12
Assiniboia, Sask.	79	37	42	27	18	9	3	2	1	1	14	6	5	42
Aurora, Ont.	29	15	14	31	15	16	–	1	–	–	15	15	1	29
Aylmer, Ont.	30	18	12	33	17	16	–	–	–	–	17	16	–	40
Aylmer, Que.	67	31	36	31	14	17	2	2	1	1	11	14	1	18
Bagotville, Que.	165	73	92	37	21	16	11	8	4	–	6	8	2	15
Baie St. Paul, Que.	145	75	70	109	74	35	8	7	2	–	64	28	–	23
Barrie, Ont.	169	92	77	120	57	63	5	5	2	1	50	57	13	66
Bathurst, N.B.	97	44	53	30	19	11	3	3	1	1	15	7	5	38
Battleford, Sask.	17	7	10	7	5	2	1	–	–	–	4	2	–	19
Beauceville, Que.	165	79	86	54	29	25	11	6	2	1	16	18	8	26
Beauharnois, Que.	89	48	41	46	23	23	8	–	2	2	13	21	–	19
Beauport, Que.	123	63	60	45	20	25	8	10	1	1	11	14	6	28
Bedford, Que.	57	29	28	21	15	6	2	1	1	–	12	5	2	23
Belœil, Que.	44	23	21	35	16	19	4	5	1	1	11	13	2	10
Berthier, Que.	88	46	42	49	21	28	6	4	1	2	14	22	1	25
Biggar, Sask.	107	40	67	18	9	9	1	4	1	–	7	5	1	49
Black Lake, Que.	113	50	63	44	22	22	8	9	1	4	13	9	2	23
Blairmore, Alta.	40	24	16	9	5	4	–	2	–	–	5	2	–	24
Blenheim, Ont.	35	18	17	25	10	15	1	1	–	2	9	12	1	29
Blind River, Ont	107	55	52	49	31	18	8	5	1	2	22	11	12	27
Bowmanville, Ont.	112	54	58	51	28	23	4	4	–	–	24	19	6	35
Bracebridge, Ont.	79	40	39	32	12	20	–	3	1	–	11	17	2	41
Brampton, Ont.	135	74	61	80	41	39	4	4	1	1	36	34	8	55
Bridgeburg, Ont.	65	37	28	25	16	9	4	–	–	–	12	9	6	47
Bridgetown, N.S.	20	8	12	11	7	4	1	–	–	–	6	4	1	19
Bridgewater, N.S.	64	30	34	58	32	26	3	–	1	3	28	23	3	50
Brockville, Ont.	217	109	108	171	89	82	11	6	1	3	77	73	10	81
Bromptonville, Que.	124	58	66	24	12	12	4	5	–	1	8	6	3	13
Buckingham, Que.	145	73	72	62	27	35	4	6	–	2	23	27	11	31
Burlington, Ont.	20	10	10	26	10	16	1	–	1	–	8	16	2	30
Campbellford, Ont.	50	20	30	43	26	17	2	1	1	–	23	16	1	20
Campbellton, N.B.	258	131	127	123	73	50	14	12	6	5	53	33	14	87
Camrose, Alta.	134	77	57	38	25	13	8	1	–	1	17	11	7	57
Canora, Sask.	93	49	44	30	23	7	4	3	2	1	17	3	5	43
Canso, N.S.	32	19	13	19	11	8	1	–	1	–	9	8	1	16
Capreol, Ont.	68	21	47	17	8	9	2	5	3	–	3	4	3	14
Carleton Place, Ont.	157	86	71	31	17	14	3	1	–	1	14	12	3	57
Cardston, Alta.	68	31	37	55	24	31	2	3	–	–	22	28	4	41
Carman, Man.	101	53	48	39	16	23	3	4	–	1	13	18	4	15
Chatham, N.B.	171	102	69	102	55	47	10	8	3	–	42	39	7	50
Chelmsford, Ont.	46	25	21	6	3	3	1	2	–	–	2	1	–	10
Chesley, Ont.	30	17	13	24	11	13	–	–	–	1	11	12	–	20
Chicoutimi, Que.	593	283	310	219	120	99	38	31	9	11	73	57	12	97

TABLE 2—General summary of births, deaths and marriages in cities and towns of 1,000 population and over, 1928—*con.*

Cities and towns — Cités et villes	Births (*exclusive of stillbirths*) — Naissances (*mort-nés exclus*)			Deaths—Décès									Still-births — Mort-nés	Marriages — Mariages
				All ages — Tous âges			Under 1 year — Moins de 1 an		1–4 years — 1–4 ans		5 years and over — 5 ans et plus			
	Total	M.	F.	Total	M.	F.	M.	F.	M.	F.	M.	F.		
Towns–con.—**Villes**–suite—														
Clinton, Ont.	46	28	18	45	26	19	–	–	–	–	26	19	3	17
Coaticook, Que.	133	70	63	60	32	28	10	8	2	3	20	17	2	49
Cobalt, Ont.	103	45	58	50	28	22	7	6	2	2	19	14	1	34
Cobourg, Ont.	121	70	51	113	47	66	5	2	3	1	39	63	4	59
Cochrane, Ont.	134	65	69	68	35	33	10	7	1	5	24	21	4	47
Coleman, Alta.	67	30	37	32	16	16	2	4	1	–	13	12	1	30
Collingwood, Ont.	95	52	43	77	42	35	3	2	1	1	38	32	3	52
Copper Cliff, Ont.	68	34	34	27	17	10	3	2	1	1	13	7	1	21
Cornwall, Ont.	488	262	226	272	145	127	38	19	9	7	98	101	20	200
Courville, Que.	30	17	13	15	6	9	2	1	–	–	4	8	1	1
Dalhousie, N.B.	43	30	13	21	14	7	5	2	1	–	8	5	1	10
Dartmouth, N.S.	190	86	104	90	42	48	3	6	3	1	36	41	7	63
Dauphin, Man.	134	62	72	57	35	22	7	4	1	1	27	17	4	64
Deseronto, Ont.	22	8	14	23	12	11	1	2	–	–	11	9	–	8
Devon, N.B.	47	26	21	23	9	14	1	–	–	2	8	12	–	20
Digby, N.S.	39	24	15	30	19	11	4	1	1	–	14	10	–	29
Dominion, N.S.	30	24	6	19	10	9	5	3	1	1	4	5	1	5
Donnacona, Que.	116	58	58	32	18	14	8	6	3	3	7	5	1	13
Dorval, Que.	25	14	11	12	6	6	–	2	–	–	6	4	2	8
Dresden, Ont.	24	10	14	13	8	5	2	1	–	1	6	3	–	22
Drumheller, Alta.	276	135	141	72	48	24	9	7	3	2	36	15	8	71
Drummondville, Que.	311	159	152	108	64	44	27	17	3	4	34	23	9	90
Dryden, Ont.	78	44	34	25	16	9	–	1	–	–	16	8	2	19
Dundas, Ont.	62	36	26	62	28	34	1	2	–	–	27	32	6	36
Dunnville, Ont.	102	47	55	63	31	32	3	7	1	–	27	25	4	39
Durham, Ont.	41	21	20	22	10	12	1	1	–	–	9	11	2	21
East Angus, Que.	126	65	61	46	22	24	9	5	2	3	11	16	8	16
Eastview, Ont.	185	101	84	75	41	34	18	15	5	5	18	14	7	33
Edmundston, N.B.	262	113	149	64	41	23	17	11	8	1	16	11	5	58
Edson, Alta.	49	26	23	16	10	6	3	1	1	–	6	5	2	16
Elmira, Ont.	33	14	19	16	6	10	–	1	–	1	6	8	–	19
Essex, Ont.	30	16	14	21	11	10	1	2	–	1	10	7	1	24
Estevan, Sask.	104	60	44	44	25	19	4	2	–	4	21	13	3	120
Farnham, Que.	111	59	52	61	34	27	9	5	1	1	24	21	2	30
Ford City, Ont.	347	183	164	67	33	34	11	14	7	2	15	18	6	117
Forest, Ont.	11	6	5	25	13	12	–	1	–	–	13	11	2	21
Fort Frances, Ont.	189	94	95	67	48	19	9	3	2	–	37	16	5	50
Gananoque, Ont.	71	33	38	39	22	17	5	2	–	–	17	15	1	40
Georgetown, Ont.	35	18	17	17	13	4	3	–	–	–	10	4	–	19
Goderich, Ont.	76	39	37	57	31	26	1	–	–	1	30	25	3	30
Grand Falls, N.B.	62	38	24	32	16	16	8	4	2	–	6	12	2	41
Gravelbourg, Sask.	61	34	27	20	12	8	4	–	2	1	6	7	2	22
Gravenhurst, Ont.	40	15	25	26	19	7	2	–	–	–	17	7	–	9
Greenfield Park, Que.	20	10	10	8	4	4	1	–	–	–	3	4	1	3
Grimsby, Ont.	45	27	18	25	14	11	1	1	–	–	13	10	–	18
Haileybury, Ont.	70	32	38	32	21	11	6	5	2	–	13	6	1	28
Hanna, Alta.	138	73	65	52	29	23	7	4	2	3	20	16	4	41
Hanover, Ont.	58	34	24	32	14	18	5	3	–	–	9	15	2	37
Harriston, Ont.	14	8	6	15	5	10	–	–	–	–	5	10	–	12
Hawkesbury, Ont.	194	103	91	77	45	32	14	8	1	3	30	21	2	34
Hespeler, Ont.	35	16	19	21	8	13	–	1	–	–	8	12	2	44
High River, Alta.	116	63	53	35	19	16	3	1	–	–	16	15	–	21
Humboldt, Sask.	110	63	47	44	22	22	3	2	3	4	16	16	3	27
Huntingdon, Que.	31	17	14	25	12	13	–	–	2	1	10	12	–	15
Huntsville, Ont.	79	35	44	30	16	14	4	1	–	–	12	13	4	35
Iberville, Que.	95	51	44	44	26	18	4	5	2	5	20	8	–	22
Indian Head, Sask.	65	36	29	26	14	12	1	–	1	1	12	11	1	17
Ingersoll, Ont.	101	47	54	89	33	56	6	3	1	1	26	52	7	50
Inverness, N.S.	75	40	35	42	19	23	5	3	–	1	14	19	1	14
Iroquois Falls, Ont.	61	30	31	14	12	2	3	1	–	–	9	1	–	29
Joggins, N.S.	18	9	9	7	4	3	1	–	–	–	3	3	–	13
Jonquière, Que.	544	265	279	115	58	57	27	30	11	4	20	23	12	76
Kamsack, Sask.	35	24	11	23	16	7	3	2	–	–	13	5	3	29
Keewatin, Ont.	20	10	10	4	3	1	–	–	1	–	2	1	–	5
Kenogami, Que.	275	141	134	53	34	19	22	7	5	2	7	10	9	51
Kenora, Ont.	216	119	97	72	40	32	7	6	1	4	32	22	9	45
Kentville, N.S.	38	20	18	64	40	24	4	–	–	1	36	23	–	49
Kincardine, Ont.	96	44	52	46	26	20	4	4	–	–	22	16	4	18
Kingsville, Ont.	50	25	25	33	19	14	1	2	2	–	16	12	1	30
Lachute, Que.	107	53	54	57	39	18	16	3	4	–	19	15	4	24
Lacombe, Alta.	98	41	57	44	24	20	1	4	3	3	20	13	6	35
Laprairie, Que.	109	47	62	60	27	33	7	2	3	1	17	30	2	16
L'Assomption, Que.	58	29	29	44	24	20	8	3	2	1	14	16	1	9
La Tuque, Que.	281	145	136	66	30	36	8	13	3	5	19	18	7	33
Laurentides, Que.	82	45	37	42	23	19	10	6	–	–	13	13	1	16
Lauzon, Que.	253	142	111	79	43	36	15	9	8	5	20	22	7	46
Laval des Rapides, Que.	28	18	10	22	12	10	7	–	1	–	4	10	–	7
Leamington, Ont.	93	46	47	54	31	23	2	1	–	–	29	22	4	69
Lennoxville, Que.	21	11	10	17	6	11	1	–	–	–	5	11	–	17

TABLEAU 2—Résumé général des naissances, décès et mariages dans les cités et villes de 1,000 habitants et au-dessus, 1928—*suite*

Cities and towns — Cités et villes	Births (*exclusive of stillbirths*) — Naissances (*mort-nés exclus*)			Deaths—Décès									Still-births — Mort-nés	Marriages — Mariages
				All ages — Tous âges			Under 1 year — Moins de 1 an		1-4 years — 1-4 ans		5 years and over — 5 ans et plus			
	Total	M.	F.	Total	M.	F.	M.	F.	M.	F.	M.	F.		
Towns–con.—**Villes**–suite														
Lindsay, Ont.	178	91	87	115	71	44	6	4	–	1	65	39	11	75
Listowell, Ont.	56	25	31	40	18	22	–	–	1	1	17	21	6	30
Liverpool, N.S.	44	15	29	26	11	15	–	1	–	–	11	14	1	22
Louisburg, N.S.	14	8	6	13	6	7	–	–	–	–	6	7	–	5
Louiseville, Que.	85	40	45	41	17	24	6	6	–	–	11	18	1	12
Lunenburg, N.S.	38	17	21	39	20	19	2	2	–	2	18	15	1	32
Macleod, Alta.	54	28	26	25	13	12	–	1	–	–	13	11	5	35
Magog, Que.	223	129	94	75	43	32	14	6	2	2	27	24	10	90
Magrath, Alta.	60	40	20	9	4	5	1	1	2	–	1	4	–	6
Mahone Bay, N.S.	10	5	5	13	1	12	–	–	–	–	1	12	–	21
Marieville, Que.	62	40	22	37	18	19	2	2	1	1	15	16	1	9
Marysville, N.B.	36	19	17	19	8	11	2	1	1	2	5	8	1	10
Mattawa, Ont.	71	36	35	28	16	12	2	3	1	1	13	8	4	19
Meaford, Ont.	43	20	23	41	18	23	3	–	–	–	15	23	1	33
Megantic, Que.	168	86	82	39	17	22	11	6	1	3	5	13	7	16
Melfort, Sask.	124	53	71	52	22	30	4	3	3	2	15	25	8	58
Melville, Sask.	124	57	67	36	20	16	8	6	–	1	12	9	4	57
Merritton, Ont.	37	23	14	9	3	6	–	–	–	–	3	6	–	6
Midland, Ont.	223	111	112	111	57	54	9	14	1	–	47	40	12	39
Milltown, N.B.	22	11	11	30	16	14	2	1	3	–	11	13	1	10
Milton, Ont.	19	10	9	24	9	15	1	1	–	–	8	14	1	21
Mimico, Ont.	129	69	60	66	27	39	2	4	–	2	25	33	4	50
Minnedosa, Man.	52	31	21	22	13	9	4	2	1	1	8	6	1	16
Mitchell, Ont.	24	10	14	29	13	16	1	–	–	–	12	16	1	20
Montmagny, Que.	187	101	86	77	41	36	7	4	5	4	29	28	1	37
Montreal E., Que.	34	20	14	12	6	6	2	3	–	–	4	3	2	6
Montreal S., Que.	11	6	5	9	4	5	1	–	–	–	3	5	–	3
Montreal N., Que.	93	45	48	33	17	16	4	3	–	–	13	13	3	15
Montreal W., Que.	2	2	–	9	6	3	1	–	–	–	5	3	–	11
Moosomin, Sask.	33	24	9	16	9	7	–	1	–	–	9	6	2	25
Morden, Man.	85	50	35	44	29	15	5	2	–	1	24	12	5	17
Mount Forest, Ont.	42	26	16	36	18	18	1	–	–	–	17	18	–	27
Napanee, Ont.	28	13	15	40	18	22	2	1	–	–	16	21	–	41
Neepawa, Man.	76	43	33	36	19	17	4	2	–	–	15	15	4	22
Newcastle, N.B.	109	53	56	53	31	22	7	2	1	1	23	19	5	29
New Glasgow, N.S.	277	138	139	125	68	57	6	3	4	6	58	48	5	96
New Liskeard, Ont.	136	62	74	25	11	14	5	3	–	–	6	11	1	38
Newmarket, Ont.	109	55	54	66	38	28	1	2	–	–	37	26	1	50
New Toronto, Ont.	105	54	51	27	13	14	4	5	–	–	9	9	8	29
New Waterford, N.S.	242	124	118	80	48	32	15	12	3	3	30	17	5	57
Niagara, Ont.	12	6	6	17	5	12	1	–	–	–	4	12	1	10
Nicolet, Que.	72	31	41	69	25	44	1	7	2	1	22	36	2	12
North Sydney, N.S.	165	84	81	79	43	36	13	8	–	3	30	25	7	40
Oakville, Ont.	42	18	24	34	14	20	1	3	1	–	12	17	1	28
Olds, Alta.	80	48	32	16	11	5	4	1	1	–	6	4	3	29
Orangeville, Ont.	58	30	28	52	26	26	3	3	1	1	22	22	4	23
Orillia, Ont.	244	130	114	135	73	62	3	4	–	1	70	57	15	90
Oxford, N.S.	18	4	14	20	11	9	1	1	–	–	10	8	–	13
Palmerston, Ont.	33	11	22	26	15	11	1	–	–	–	14	11	–	9
Paris, Ont.	89	47	42	56	32	24	3	–	–	–	29	24	1	23
Parkhill, Ont.	12	7	5	19	12	7	–	–	–	–	12	7	–	8
Parrsboro, N.S.	48	28	20	20	12	8	2	2	–	–	10	6	–	25
Parry Sound, Ont.	129	65	64	57	39	18	3	2	–	1	36	15	5	51
Pembroke, Ont.	292	150	142	182	92	90	11	17	5	3	76	70	25	89
Penetanguishene, Ont.	132	74	58	61	30	31	5	2	3	2	22	27	15	26
Perth, Ont.	81	42	39	54	28	26	3	4	1	–	24	22	5	28
Petrolia, Ont.	68	31	37	65	36	29	5	–	–	1	31	28	4	18
Picton, Ont.	87	42	45	76	43	33	3	–	–	–	40	33	4	36
Pictou, N.S.	46	24	22	56	35	21	1	4	–	–	34	17	–	29
Pincher Creek, Alta.	52	25	27	23	15	8	1	1	–	1	14	6	2	5
Pointe aux Trembles, Que.	76	42	34	43	27	16	12	4	1	2	14	10	1	16
Pointe Claire, Que.	65	27	38	29	15	14	3	1	–	1	12	12	–	17
Ponoka, Alta.	51	29	22	82	50	32	3	1	–	–	47	31	4	16
Port Alfred, Que.	168	89	79	32	21	11	14	6	2	2	5	3	1	12
Port Colborne, Ont.	137	74	63	52	26	26	8	5	–	–	18	21	1	46
Port Hope, Ont.	102	52	50	74	35	39	3	3	–	–	32	36	2	35
Prescott, Ont.	40	15	25	37	15	22	1	2	2	–	12	20	1	37
Preston, Ont.	113	58	55	53	31	22	6	2	–	1	25	19	7	64
Radville, Sask.	24	15	9	3	3	–	1	–	1	–	1	–	–	13
Rainy River, Ont.	47	23	24	12	9	3	1	–	–	–	8	3	1	12
Raymond, Alta.	74	34	40	9	3	6	1	1	–	–	2	5	1	4
Renfrew, Ont.	148	69	79	79	33	46	6	8	1	5	26	33	7	28
Richmond, Que.	79	39	40	29	13	16	4	3	–	1	9	12	2	23
Ridgetown, Ont.	36	14	22	36	22	14	2	–	1	1	19	13	1	22
Rimouski, Que.	241	116	125	110	57	53	14	7	7	6	36	40	7	30
Riverside, Ont.	91	46	45	14	7	7	1	3	1	2	5	2	4	13
Roberval, Que.	163	81	82	44	26	18	12	5	1	1	13	12	1	17
Rockland, Ont.	89	49	40	40	16	24	5	6	1	1	10	17	3	24
Rosetown, Sask.	102	60	42	30	22	8	3	1	1	–	18	7	4	24

TABLE 2—General summary of births, deaths and marriages in cities and towns of 1,000 population and over, 1928—*con.*

TABLEAU 2—Résumé général des naissances, décès et mariages dans les cités et villes de 1,000 habitants et au-dessus, 1928—*fin*

Cities and towns — Cités et villes	Births (*exclusive of stillbirths*) — Naissances (*mort-nés exclus*)			Deaths—Décès									Still-births — Mort-nés	Marriages — Mariages
				All ages — Tous âges			Under 1 year — Moins de 1 an		1-4 years — 1-4 ans		5 years and over — 5 ans et plus			
	Total	M.	F.	Total	M.	F.	M.	F.	M.	F.	M.	F.		
Towns-con.—**Villes**-fin														
Rosthern, Sask.	47	24	23	20	12	8	2	2	–	–	10	6	–	26
Ste. Agathe des Monts, Que.	93	54	39	68	41	27	6	4	2	1	33	22	1	21
St. Andrews, N.B.	15	5	10	16	7	9	–	–	–	–	7	9	1	13
St. Anne de Bellevue, Que.	73	32	41	45	32	13	1	5	3	1	28	7	2	14
St. George, N.B.	19	11	8	9	6	3	–	–	–	–	6	3	–	22
St. Jérôme, Que.	360	181	179	156	71	85	25	27	5	6	41	52	18	89
St. Laurent, Que.	126	59	67	68	38	30	10	6	5	2	23	22	7	26
St. Mary's, Ont.	67	36	31	40	20	20	3	–	1	–	16	20	6	30
St. Pierre aux Liens, Que.	93	46	47	31	15	16	1	5	2	3	12	8	4	27
Ste. Rose, Que.	67	38	29	26	12	14	3	–	1	–	8	14	3	16
St. Stephen, N.B.	159	71	88	81	39	42	5	4	1	1	33	37	6	200
Ste. Thérèse, Que.	175	87	88	76	32	44	12	8	3	2	17	34	8	20
St. Tite, Que.	125	64	61	37	18	19	4	4	1	3	13	12	6	17
Sackville, N.B.	49	30	19	22	15	7	2	–	–	–	13	7	1	19
Sandwich, Ont.	218	118	100	81	48	33	12	9	1	3	35	21	4	63
Seaforth, Ont.	33	19	14	21	14	7	–	–	–	–	14	7	4	10
Selkirk, Man.	119	62	57	85	57	28	9	4	2	1	46	23	3	38
Shaunavon, Sask.	144	68	76	65	31	34	6	6	5	4	20	24	6	52
Shediac, N.B.	30	20	10	36	19	17	5	1	1	1	13	15	–	11
Shelburne, N.S.	34	17	17	29	17	12	2	–	–	1	15	11	3	21
Simcoe, Ont.	187	97	90	80	42	38	4	7	–	1	38	30	7	58
Sioux Lookout, Ont.	63	31	32	32	19	13	2	6	1	1	16	6	3	21
Smith's Falls, Ont.	166	87	79	109	55	54	6	5	2	2	47	47	7	48
Souris, Man.	50	18	32	26	17	9	5	3	1	1	11	5	2	29
Souris, P.E.I.	23	16	7	14	5	9	2	2	–	1	3	6	–	8
Southampton, Ont.	34	20	14	18	9	9	3	–	–	–	6	9	1	14
Springhill, N.S.	185	93	92	70	46	24	14	4	3	1	29	19	5	56
Stellarton, N.S.	76	45	31	74	37	37	9	8	5	1	23	28	2	37
Stettler, Alta.	67	36	31	27	18	9	3	1	–	1	15	7	1	63
Stonewall, Man.	42	17	25	10	5	5	2	2	–	–	3	3	1	13
Strathroy, Ont.	83	33	50	76	39	37	2	1	–	1	37	35	6	24
Sturgeon Falls, Ont.	194	97	97	40	23	17	11	9	1	1	11	7	6	35
Sudbury, Ont.	453	249	204	200	139	61	34	19	17	3	88	39	23	154
Summerside, P.E.I.	105	56	49	44	21	23	3	4	3	–	15	19	2	59
Sunny Brae, N.B.	23	10	13	7	4	3	2	–	–	1	2	2	2	16
Sussex, N.B.	34	16	18	39	17	22	2	4	–	–	15	18	3	24
Sutherland, Sask.	8	3	5	2	1	1	–	1	–	–	1	–	–	19
Sydney Mines, N.S.	222	106	116	109	55	54	15	13	5	6	35	35	6	61
Taber, Alta.	59	30	29	21	14	7	4	1	–	1	10	5	1	24
Terrebonne, Que.	55	29	26	31	13	18	4	5	–	–	9	13	2	20
The Pas, Man.	103	54	49	59	44	15	11	4	–	1	33	10	5	45
Thessalon, Ont.	45	22	23	17	9	8	2	1	1	1	6	6	1	19
Thorold, Ont.	114	65	49	44	31	13	4	4	3	–	24	9	3	51
Tilbury, Ont.	40	16	24	26	10	16	1	1	2	–	7	15	3	40
Tillsonburg, Ont.	92	47	45	64	39	25	4	5	1	–	34	20	3	29
Timmins, Ont.	432	230	202	178	114	64	23	34	9	7	82	23	13	147
Transcona, Man.	85	38	47	23	12	11	2	4	3	1	7	6	4	22
Trenton, N.S.	53	27	26	27	14	13	4	5	2	–	8	8	1	6
Trenton, Ont.	113	55	58	73	36	37	7	3	2	1	27	33	6	56
Trois Pistoles, Que.	94	48	46	37	18	19	5	4	1	–	12	15	2	15
Truro, N.S.	191	94	97	84	42	42	3	7	2	1	37	34	7	118
Uxbridge, Ont.	23	10	13	16	6	10	1	1	–	–	5	9	2	13
Vankleek Hill, Ont.	49	27	22	30	12	18	3	2	1	–	8	16	1	23
Vegreville, Alta.	224	114	110	50	31	19	12	4	1	2	18	13	5	45
Vermilion, Alta.	97	43	54	19	12	7	2	1	–	2	10	4	1	63
Victoriaville, Que.	180	99	81	60	31	29	15	9	2	2	14	18	7	46
Virden, Man.	73	50	23	21	13	8	2	–	–	–	11	8	5	29
Wainwright, Alta.	74	44	30	6	4	2	1	–	–	–	3	2	1	30
Walkerton, Ont.	74	37	37	49	26	23	2	1	–	–	24	22	7	18
Walkerville, Ont.	425	205	220	146	79	67	12	13	3	1	64	53	15	156
Wallaceburg, Ont.	108	55	53	38	22	16	4	3	2	–	16	13	7	34
Waterloo, Ont.	116	58	58	48	27	21	3	–	–	1	24	20	2	63
Waterloo, Que.	69	38	31	28	13	15	4	8	2	1	7	6	3	17
Watrous, Sask.	35	21	14	12	7	5	–	–	1	–	6	5	–	16
Wedgeport, N.S.	31	19	12	13	7	6	3	4	–	–	4	2	2	6
Weston, Ont.	65	26	39	179	82	97	6	3	2	1	74	93	3	45
Westville, N.S.	91	37	54	46	20	26	6	3	1	1	13	22	1	35
Whitby, Ont.	53	30	23	131	67	64	1	–	–	1	66	63	3	31
Wiarton, Ont.	60	30	30	22	11	11	1	1	1	1	9	9	2	14
Wilkie, Sask.	21	11	10	3	–	3	–	1	–	–	–	2	2	17
Windsor, N.S.	90	44	46	65	38	27	8	3	2	1	28	23	3	68
Windsor, Que.	122	58	64	52	26	26	9	9	2	5	15	12	3	23
Wingham, Ont.	52	23	29	41	22	19	2	2	1	–	19	17	1	22
Wolfville, N.S.	45	24	21	46	27	19	2	1	1	–	24	18	1	19
Woodstock, N.B.	67	35	32	70	38	32	2	3	3	2	33	27	–	149
Yarmouth, N.S.	183	89	94	155	81	74	9	12	5	6	67	56	8	58
Yorkton, Sask.	154	83	71	75	41	34	9	5	3	2	29	27	9	154

BIRTHS

NAISSANCES

TABLE 3—Births (exclusive of stillbirths) by months, classified as rural and urban for each province, 1928

TABLEAU 3—Naissances (mort-nés exclus) dans chaque mois, classifiées en rurales et urbaines, par provinces, 1928

Province	Total	Months—Mois											
		January — Janvier	February — Février	March — Mars	April — Avril	May — Mai	June — Juin	July — Juillet	August — Août	September — Septembre	October — Octobre	November — Novembre	December — Décembre
Canada (1)	**236,757**	**19,387**	**18,783**	**21,377**	**20,497**	**21,046**	**20,091**	**20,033**	**19,948**	**19,615**	**18,879**	**18,017**	**19,084**
Rural—Rurales	**115,371**	**9,411**	**9,128**	**10,532**	**10,364**	**10,346**	**9,750**	**9,693**	**9,596**	**9,592**	**9,141**	**8,781**	**9,127**
Urban—Urbaines	**121,386**	**9,976**	**9,655**	**10,845**	**10,133**	**10,700**	**10,341**	**10,340**	**10,442**	**10,023**	**9,738**	**9,236**	**9,957**
Prince Edward Island	1,806	139	148	130	142	155	143	156	152	165	150	167	159
Rural—Rurales	1,405	107	101	101	118	122	113	122	120	132	122	124	123
Urban—Urbaines	401	32	47	29	24	33	30	34	32	33	28	43	36
Nova Scotia	10,931	913	819	928	934	885	886	944	1,009	962	915	845	891
Rural—Rurales	5,487	450	376	455	484	437	457	482	501	490	466	430	459
Urban—Urbaines	5,444	463	443	473	450	448	429	462	508	472	449	415	432
New Brunswick	10,047	820	812	1,014	918	940	891	858	800	757	714	729	794
Rural—Rurales	6,779	542	558	680	635	648	605	568	526	465	489	499	564
Urban—Urbaines	3,268	278	254	334	283	292	286	290	274	292	225	230	230
Quebec	83,621	6,836	6,670	7,694	7,335	7,539	7,212	7,221	6,799	6,872	6,499	6,199	6,745
Rural—Rurales	41,089	3,358	3,270	3,829	3,754	3,768	3,533	3,571	3,210	3,438	3,102	3,073	3,183
Urban—Urbaines	42,532	3,478	3,400	3,865	3,581	3,771	3,679	3,650	3,589	3,434	3,397	3,126	3,562
Ontario	68,510	5,608	5,508	6,070	5,734	6,144	5,989	5,936	5,921	5,644	5,495	5,101	5,360
Rural—Rurales	25,144	2,004	2,035	2,265	2,207	2,262	2,242	2,181	2,158	2,084	2,051	1,799	1,856
Urban—Urbaines	43,366	3,604	3,473	3,805	3,527	3,882	3,747	3,755	3,763	3,560	3,444	3,302	3,504
Manitoba	14,504	1,210	1,116	1,324	1,357	1,189	1,109	1,152	1,235	1,239	1,212	1,153	1,208
Rural—Rurales	7,579	636	587	699	722	623	589	590	656	659	650	586	582
Urban—Urbaines	6,925	574	529	625	635	566	520	562	579	580	562	567	626
Saskatchewan	21,261	1,694	1,608	1,880	1,897	1,857	1,702	1,726	1,826	1,743	1,794	1,767	1,767
Rural—Rurales	15,885	1,275	1,201	1,451	1,435	1,407	1,261	1,240	1,312	1,317	1,318	1,323	1,345
Urban—Urbaines	5,376	419	407	429	462	450	441	486	514	426	476	444	422
Alberta	15,692	1,298	1,259	1,390	1,342	1,435	1,239	1,185	1,329	1,305	1,297	1,279	1,334
Rural—Rurales	8,820	774	726	763	762	824	671	663	751	729	700	708	749
Urban—Urbaines	6,872	524	533	627	580	611	568	522	578	576	597	571	585
British Columbia	10,385	869	843	947	838	902	920	855	877	928	803	777	826
Rural—Rurales	3,183	265	274	289	247	255	279	276	272	278	243	239	266
Urban—Urbaines	7,202	604	569	658	591	647	641	579	605	650	560	538	560

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

NOTE—"Urban" includes cities and towns of 1,000 population and over, "Rural" the remaining parts. The classification of cities and towns in Manitoba, Saskatchewan and Alberta is according to the Census of 1926 and in the remaining provinces according to the Census of 1921—"Urbaines" comprend les cités et villes ayant une population de 1,000 habitants et au-dessus, le reste est inclus avec "Rurales." La classification des cités et villes dans le Manitoba, la Saskatchewan et l'Alberta est selon le recensement de 1926 et dans toutes les autres provinces selon le recensement de 1921.

TABLE 4—Total births (exclusive of stillbirths) and births in public institutions, showing the number of mothers non-resident in the province, 1928

TABLEAU 4—Total des naissances (mort-nés exclus) et naissances dans les institutions publiques, attribuées aux mères non domiciliées dans la province, 1928

Province	All births — Toutes naissances		In public institutions — Dans les institutions publiques	
	Total	Births to mothers non-resident in province — Naissances, mères non domiciliées dans la province	Total	Births to mothers non-resident in province — Naissances, mères non domiciliées dans la province
Canada(1)	**236,757**	.....	**50,979**	.....
Prince Edward Island	1,806	18	121	-
Nova Scotia	10,931	72	1,269	23
New Brunswick	10,047	105	1,018	65
Quebec	83,621	92	5,039	42
Ontario	68,510	698	20,768	467
Manitoba	14,504	244	5,311	194
Saskatchewan	21,261	116	5,681	57
Alberta	15,692	146	6,657	97
British Columbia	10,385	77	5,115	51

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction — Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

TABLE 5—Plural births classified to show number of children born alive and stillborn by sex, for provinces, 1928

TABLEAU 5—Naissances multiples classifiées selon les enfants vivants et les mort-nés, par sexe et par provinces, 1928

Classification of births — Classification des naissances		Canada(1)	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia
Cases of twins—Naissances doubles (jumeaux)		**2,965**	**14**	**131**	**138**	**1,044**	**819**	**202**	**284**	**212**	**121**
Two males (both living)—Deux garçons (tous deux vivants)		856	5	35	33	326	232	57	87	56	25
One male and one female (both living)—Un garçon et une fille (tous deux vivants)		966	3	41	47	340	264	60	103	69	39
Two females (both living)—Deux filles (toutes deux vivantes)		804	4	39	46	268	226	52	69	56	44
One male living and one male stillborn—Un garçon vivant et un garçon mort-né		77	1	2	1	21	32	5	7	4	4
One male living and one female stillborn—Un garçon vivant et une fille mort-née		31	–	4	3	8	6	3	–	4	3
One male stillborn and one female living—Un garçon mort-né et une fille vivante		44	–	1	3	11	12	8	4	5	–
One female living and one female stillborn—Une fille vivante et une fille mort-née		76	1	3	1	23	22	11	4	8	3
Two males (both stillborn)—Deux garçons (tous deux mort-nés)		51	–	5	2	20	11	3	3	6	1
One male and one female (both stillborn)—Un garçon et une fille (tous deux mort-nés)		31	–	–	1	13	6	3	6	2	–
Two females (both stillborn)—Deux filles (toutes deux mort-nées)		29	–	1	1	14	8	–	1	2	2
Cases of triplets—Naissances triples		**34**	–	**2**	**2**	**12**	**8**	**3**	**4**	**2**	**1**
Three males (all living)—Trois garçons (tous vivants)		6	–	–	1	2	–	1	1	1	–
Two males and one female (all living)—Deux garçons et une fille (tous vivants)		8	–	1	–	4	2	–	1	–	–
One male and two females (all living)—Un garçon et deux filles (tous vivants)		8	–	–	1	2	2	1	1	1	–
Three females (all living)—Trois filles (toutes vivantes)		5	–	1	–	1	3	–	–	–	–
One male living and two males stillborn—Un garçon vivant et deux garçons mort-nés		1	–	–	–	–	1	–	–	–	–
Two males living and one male stillborn—Deux garçons vivants et un garçon mort-né		1	–	–	–	–	–	–	1	–	–
One male stillborn and two females living—Un garçon mort-né et deux filles vivantes		1	–	–	–	1	–	–	–	–	–
One female living and two females stillborn—Une fille vivante et deux filles mort-nées		1	–	–	–	–	–	1	–	–	–
Two females living and one female stillborn—Deux filles vivantes et une fille mort-née		1	–	–	–	–	–	–	–	–	1
Three males (all stillborn)—Trois garçons (tous mort-nés)		1	–	–	–	1	–	–	–	–	–
Two males and one female (all stillborn)—Deux garçons et une fille (tous mort-nés)		1	–	–	–	1	–	–	–	–	–
Total multiple births—Total, naissances multiples.	**No.**	**2,999**	**14**	**133**	**140**	**1,056**	**827**	**205**	**288**	**214**	**122**
	M.	**3,094**	**15**	**132**	**139**	**1,128**	**847**	**208**	**316**	**216**	**102**
	F.	**2,938**	**13**	**136**	**152**	**996**	**815**	**205**	**264**	**214**	**143**
Total single stillbirths—Total, naissances simples, enfants mort-nés.	**No.**	**7,114**	**43**	**309**	**245**	**2,159**	**2,669**	**432**	**527**	**417**	**313**
	M.	**4,154**	**27**	**175**	**135**	**1,346**	**1,488**	**234**	**319**	**247**	**183**
	F.	**2,960**	**16**	**134**	**110**	**813**	**1,181**	**198**	**208**	**170**	**130**
Total single living births—Total, naissances simples, enfants vivants.	**No.**	**231,188**	**1,780**	**10,685**	**9,781**	**81,661**	**66,972**	**14,132**	**20,717**	**15,303**	**10,157**
	M.	**118,674**	**933**	**5,414**	**5,031**	**42,012**	**34,526**	**7,096**	**10,691**	**7,898**	**5,073**
	F.	**112,514**	**847**	**5,271**	**4,750**	**39,649**	**32,446**	**7,036**	**10,026**	**7,405**	**5,084**
Total confinements—Total des accouchements.		**241,301**	**1,837**	**11,127**	**10,166**	**84,876**	**70,468**	**14,769**	**21,532**	**15,934**	**10,592**

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

TABLE 6—Births (exclusive of stillbirths) to resident and non-resident mothers and births in public institutions, in cities and towns of 5,000 population and over, 1928

No.	Provinces, cities and towns — Provinces, cités et villes	All births—Toutes naissances			
		Total	To resident mothers — Mères domiciliées	To mothers non-resident in city or town where birth occurred and — Mères non domiciliées dans la cité ou ville de la naissance et	
				Resident in province — Domiciliées dans la province	Non-resident in province — Non domiciliées dans la province
	Prince Edward Island—				
	City—Cité				
1	Charlottetown	273	206	64	3
	Nova Scotia—				
	Cities—Cités				
2	Glace Bay	681	613	68	–
3	Halifax	1,425	1,279	125	21
4	Sydney	484	421	56	7
	Towns—Villes				
5	Amherst	124	116	5	3
6	Dartmouth	190	186	4	–
7	New Glasgow	277	162	110	5
8	New Waterford	242	239	3	–
9	North Sydney	165	164	–	1
10	Springhill	185	162	22	1
11	Stellarton	76	76	–	–
12	Sydney Mines	222	212	10	–
13	Truro	191	169	22	–
14	Yarmouth	183	142	39	2
	New Brunswick—				
	Cities—Cités				
15	Fredericton	200	169	29	2
16	Moncton	482	439	37	6
17	St. John	1,083	958	112	13
	Town—Ville				
18	Campbellton	258	187	56	15
	Quebec—				
	Cities—Cités				
19	Cap de la Madeleine	441	438	2	1
20	Granby	303	303	–	–
21	Grand'Mère	219	219	–	–
22	Hull	999	986	8	5
23	Joliette	371	370	1	–
24	Lachine	464	451	13	–
25	Lévis	313	302	11	–
26	Montreal	20,252	19,824	399	29
27	Outremont	109	102	7	–
28	Quebec	4,473	4,397	66	10
29	Rivière du Loup	260	255	4	1
30	St. Hyacinthe	315	310	5	–
31	St. Jean	337	323	13	1
32	Shawinigan Falls	703	699	4	–
33	Sherbrooke	753	694	56	3
34	Sorel	293	290	3	–
35	Thetford Mines	492	491	1	–
36	Trois Rivières	1,444	1,435	9	–
37	Valleyfield	322	318	3	1
38	Verdun	1,058	1,042	16	–
39	Westmount	42	38	4	–
	Towns—Villes				
40	Chicoutimi	593	592	1	–
41	La Tuque	281	275	6	–
42	Magog	223	222	1	–
43	St. Jérôme	360	354	5	1
	Ontario—				
	Cities—Cités				
44	Belleville	371	262	103	6
45	Brantford	711	607	95	9
46	Chatham	494	292	191	11
47	Fort William	664	584	79	1
48	Galt	266	212	52	2
49	Guelph	362	300	62	–
50	Hamilton	3,007	2,743	247	17
51	Kingston	576	401	159	16
52	Kitchener	751	662	87	2
53	London	1,438	1,227	195	16

NOTE—The classification of cities and towns in Manitoba, Saskatchewan and Alberta is according to the Census of 1926 and in the remaining provinces according to the Census of 1921—La classification des cités et villes dans le Manitoba, la Saskatchewan et l'Alberta est selon le recensement de 1926 et dans toutes les autres provinces selon le recensement de 1921.

TABLEAU 6—Naissances (mort-nés exclus) classifiées selon le domicile des mères, et naissances dans les institutions publiques, dans les cités et les villes de 5,000 âmes et plus, 1928

Births in public institutions — Naissances dans les institutions publiques				Births elsewhere than in public institutions — Naissances ailleurs que dans les institutions publiques				
Total	To resident mothers — Mères domiciliées	To mothers non-resident in city or town where birth occurred and — Mères non domiciliées dans la cité ou ville de la naissance et		Total	To resident mothers — Mères domiciliées	To mothers non-resident in city or town where birth occurred and — Mères non domiciliées dans la cité ou ville de la naissance et		No.
		Resident in province — Domiciliées dans la province	Non-resident in province — Non domiciliées dans la province			Resident in province — Domiciliées dans la province	Non-resident in province — Non domiciliées dans la province	
110	64	46	–	163	142	18	3	1
309	246	63	–	372	367	5	–	2
88	73	13	2	1,337	1,206	112	19	3
219	163	49	7	265	258	7	–	4
10	6	2	2	114	110	3	1	5
–	–	–	–	190	186	4	–	6
164	56	103	5	113	106	7	–	7
20	18	2	–	222	221	1	–	8
14	13	–	1	151	151	–	–	9
78	57	20	1	107	105	2	–	10
1	1	–	–	75	75	–	–	11
11	5	6	–	211	207	4	–	12
47	32	15	–	144	137	7	–	13
58	26	31	1	125	116	8	1	14
57	35	22	–	143	134	7	2	15
125	89	30	6	357	350	7	–	16
397	288	100	9	686	670	12	4	17
116	57	48	11	142	130	8	4	18
–	–	–	–	441	438	2	1	19
–	–	–	–	303	303	–	–	20
11	11	–	–	208	208	–	–	21
60	54	2	4	939	932	6	1	22
13	12	1	–	358	358	–	–	23
41	34	7	–	423	417	6	–	24
3	3	–	–	310	299	11	–	25
3,567	3,198	346	23	16,685	16,626	53	6	26
–	–	–	–	109	102	7	–	27
878	811	58	9	3,595	3,586	8	1	28
18	17	1	–	242	238	3	1	29
3	3	–	–	312	307	5	–	30
35	22	12	1	302	301	1	–	31
6	4	2	–	697	695	2	–	32
115	65	48	2	638	629	8	1	33
–	–	–	–	293	290	3	–	34
–	–	–	–	492	491	1	–	35
99	91	8	–	1,345	1,344	1	–	36
1	1	–	–	321	317	3	1	37
9	9	–	–	1,049	1,033	16	–	38
–	–	–	–	42	38	4	–	39
3	3	–	–	590	589	1	–	40
38	32	6	–	243	243	–	–	41
–	–	–	–	223	222	1	–	42
–	–	–	–	360	354	5	1	43
222	118	100	4	149	144	3	2	44
412	318	87	7	299	289	8	2	45
309	118	181	10	185	174	10	1	46
280	216	64	–	384	368	15	1	47
131	80	51	–	135	132	1	2	48
174	116	58	–	188	184	4	–	49
1,488	1,258	219	11	1,519	1,485	28	6	50
373	211	150	12	203	190	9	4	51
283	203	78	2	468	459	9	–	52
897	704	179	14	541	523	16	2	53

TABLE 6—Births (exclusive of stillbirths) to resident and non-resident mothers and births in public institutions, in cities and towns of 5,000 population and over, 1928—*con.*

No.	Provinces, cities and towns — Provinces, cités et villes	All births—Toutes naissances			
		Total	To resident mothers — Mères domiciliées	To mothers non-resident in city or town where birth occurred and — Mères non domiciliées dans la cité ou ville de la naissance et	
				Resident in province — Domiciliées dans la province	Non-resident in province — Non domiciliées dans la province
	Ontario—con.—fin				
	Cities-con.—*Cités*-fin				
54	Niagara Falls	445	399	35	11
55	North Bay	435	380	54	1
56	Oshawa	703	628	71	4
57	Ottawa	3,003	2,471	347	185
58	Owen Sound	368	268	98	2
59	Peterborough	558	437	120	1
60	Port Arthur	558	429	127	2
61	St. Catharines	570	496	70	4
62	St. Thomas	341	277	61	3
63	Sarnia	426	360	55	11
64	Sault Ste. Marie	627	561	60	6
65	Stratford	401	321	75	5
66	Toronto	12,342	11,562	690	90
67	Welland	279	238	39	2
68	Windsor	1,681	1,479	167	35
69	Woodstock	225	160	62	3
	Towns—Villes				
70	Barrie	169	107	62	-
71	Brockville	217	154	57	6
72	Cobourg	121	95	25	1
73	Collingwood	95	67	26	2
74	Cornwall	488	380	94	14
75	Eastview	185	182	1	2
76	Ford City	347	346	1	-
77	Hawkesbury	194	189	1	4
78	Ingersoll	101	75	26	-
79	Kenora	216	167	42	7
80	Lindsay	178	134	44	-
81	Midland	223	187	36	-
82	Orillia	244	159	83	2
83	Pembroke	292	197	84	11
84	Preston	113	106	7	-
85	Smith's Falls	166	110	54	2
86	Sudbury	453	370	75	8
87	Trenton	113	104	6	3
88	Walkerville	425	246	166	13
89	Waterloo	116	114	1	1
	Manitoba—				
	Cities—Cités				
90	Brandon	419	328	80	11
91	Portage la Prairie	205	148	56	1
92	St. Boniface	829	355	458	16
93	Winnipeg	4,552	3,427	965	160
	Town—Ville				
94	Transcona	85	84	1	-
	Saskatchewan—				
	Cities—Cités				
95	Moose Jaw	617	397	214	6
96	Prince Albert	308	178	128	2
97	Regina	1,363	1,012	343	8
98	Saskatoon	1,045	758	275	12
	Alberta—				
	Cities—Cités				
99	Calgary	1,752	1,407	323	22
100	Edmonton	2,149	1,514	607	28
101	Lethbridge	416	254	159	3
102	Medicine Hat	377	158	182	37
	British Columbia—				
	Cities—Cités				
103	Nanaimo	188	154	34	-
104	Nelson	139	89	48	2
105	New Westminster	535	330	203	2
106	North Vancouver	177	137	38	2
107	Prince Rupert	123	105	17	1
108	Vancouver City, Point Grey and South Vancouver	3,812	3,384	400	28
109	Victoria	723	590	119	14

TABLEAU 6—Naissances (mort-nés exclus) classifiées selon le domicile des mères, et naissances dans les institutions publiques, dans les cités et villes de 5,000 âmes et plus, 1928—*fin*

Births in public institutions — Naissances dans les institutions publiques				Births elsewhere than in public institutions — Naissances ailleurs que dans les institutions publiques				
Total	To resident mothers — Mères domiciliées	To mothers non-resident in city or town where birth occurred and — Mères non domiciliées dans la cité ou ville de la naissance et		Total	To resident mothers — Mères domiciliées	To mothers non-resident in city or town where birth occurred and — Mères non domiciliées dans la cité ou ville de la naissance et		No.
		Resident in province — Domiciliées dans la province	Non-resident in province — Non domiciliées dans la province			Resident in province — Domiciliées dans la province	Non-resident in province — Non domiciliées dans la province	
120	81	32	7	325	318	3	4	54
103	73	29	1	332	307	25	–	55
300	238	59	3	403	390	12	1	56
1,737	1,244	324	169	1,266	1,227	23	16	57
209	118	89	2	159	150	9	–	58
428	307	120	1	130	130	–	–	59
330	222	106	2	228	207	21	–	60
226	169	55	2	344	327	15	2	61
196	137	58	1	145	140	3	2	62
206	149	50	7	220	211	5	4	63
165	123	37	5	462	438	23	1	64
210	138	68	4	191	183	7	1	65
6,522	5,826	623	73	5,820	5,736	67	17	66
76	39	36	1	203	199	3	1	67
662	476	153	33	1,019	1,003	14	2	68
130	69	59	2	95	91	3	1	69
96	41	55	–	73	66	7	–	70
177	114	57	6	40	40	–	–	71
58	32	25	1	63	63	–	–	72
47	21	24	2	48	46	2	–	73
271	165	93	13	217	215	1	1	74
–	–	–	–	185	182	1	2	75
4	4	–	–	343	342	1	–	76
17	13	1	3	177	176	–	1	77
45	22	23	–	56	53	3	–	78
125	84	35	6	91	83	7	1	79
84	45	39	–	94	89	5	–	80
82	49	33	–	141	138	3	–	81
176	95	79	2	68	64	4	–	82
125	42	73	10	167	155	11	1	83
9	8	1	–	104	98	6	–	84
114	63	49	2	52	47	5	–	85
130	67	61	2	323	303	14	6	86
–	–	–	–	113	104	6	3	87
317	140	165	12	108	106	1	1	88
6	6	–	–	110	108	1	1	89
220	140	72	8	199	188	8	3	90
136	81	54	1	69	67	2	–	91
668	200	453	15	161	155	5	1	92
3,385	2,307	932	146	1,167	1,120	33	14	93
–	–	–	–	85	84	1	–	94
463	260	199	4	154	137	15	2	95
226	106	118	2	82	72	10	–	96
965	649	309	7	398	363	34	1	97
657	424	224	9	388	334	51	3	98
1,332	1,017	298	17	420	390	25	5	99
1,674	1,091	559	24	475	423	48	4	100
266	128	136	2	150	126	23	1	101
281	84	166	31	96	74	16	6	102
73	48	25	–	115	106	9	–	103
106	58	46	2	33	31	2	–	104
409	216	192	1	126	114	11	1	105
81	47	32	2	96	90	6	–	106
93	75	17	1	30	30	–	–	107
2,589	2,195	371	23	1,223	1,189	29	5	108
100	62	36	2	623	528	83	12	109

TABLE 7—Births (exclusive of stillbirths) classified as legitimate or illegitimate, for provinces, cities and towns of 5,000 population and over, 1928

Provinces, cities and towns — Provinces, cités et villes	Total births — Total des naissances			Legitimate — Légitimes			Illegitimate — Illégitimes		
	Total	M.	F.	Total	M.	F.	Total	M.	F.
Canada(1)	**236,757**	**121,505**	**115,252**	**229,477**	**117,757**	**111,720**	**7,280**	**3,748**	**3,532**
Prince Edward Island	1,806	947	859	1,751	918	833	55	29	26
Nova Scotia	10,931	5,533	5,398	10,311	5,237	5,074	620	296	324
New Brunswick	10,047	5,152	4,895	9,748	4,997	4,751	299	155	144
Quebec	83,621	43,049	40,572	81,202	41,778	39,424	2,419	1,271	1,148
Ontario	68,510	35,299	33,211	66,340	34,190	32,150	2,170	1,109	1,061
Manitoba	14,504	7,282	7,222	13,995	7,021	6,974	509	261	248
Saskatchewan	21,261	10,983	10,278	20,798	10,743	10,055	463	240	223
Alberta	15,692	8,091	7,601	15,214	7,831	7,383	478	260	218
British Columbia	10,385	5,169	5,216	10,118	5,042	5,076	267	127	140
Cities and towns 5,000 and over—Cités et villes de 5,000 et plus	**98,033**	**50,411**	**47,622**	**92,747**	**47,668**	**45,079**	**5,286**	**2,743**	**2,543**
Amherst, N.S.	124	55	69	115	50	65	9	5	4
Barrie, Ont.	169	92	77	161	87	74	8	5	3
Belleville, Ont.	371	208	163	361	202	159	10	6	4
Brandon, Man.	419	214	205	411	208	203	8	6	2
Brantford, Ont.	711	366	345	699	360	339	12	6	6
Brockville, Ont.	217	109	108	212	108	104	5	1	4
Calgary, Alta.	1,752	893	859	1,629	832	797	123	61	62
Campbellton, N.B.	258	131	127	254	129	125	4	2	2
Cap de la Madeleine, Que.	441	239	202	440	238	202	1	1	–
Charlottetown, P.E.I.	273	143	130	262	136	126	11	7	4
Chatham, Ont.	494	269	225	478	258	220	16	11	5
Chicoutimi, Que.	593	283	310	586	280	306	7	3	4
Cobourg, Ont.	121	70	51	115	66	49	6	4	2
Collingwood, Ont.	95	52	43	94	51	43	1	1	–
Cornwall, Ont.	488	262	226	475	257	218	13	5	8
Dartmouth, N.S.	190	86	104	183	82	101	7	4	3
Eastview, Ont.	185	101	84	184	101	83	1	–	1
Edmonton, Alta.	2,149	1,117	1,032	1,985	1,021	964	164	96	68
Ford City, Ont.	347	183	164	346	182	164	1	1	–
Fort William, Ont.	664	323	341	647	316	331	17	7	10
Fredericton, N.B.	200	105	95	192	100	92	8	5	3
Galt, Ont.	266	149	117	263	148	115	3	1	2
Glace Bay, N.S.	681	326	355	648	311	337	33	15	18
Granby, Que.	303	158	145	299	158	141	4	–	4
Grand'Mère, Que.	219	113	106	218	113	105	1	–	1
Guelph, Ont.	362	182	180	354	178	176	8	4	4
Halifax, N.S.	1,425	728	697	1,310	669	641	115	59	56
Hamilton, Ont.	3,007	1,584	1,423	2,866	1,511	1,355	141	73	68
Hawkesbury, Ont.	194	103	91	193	103	90	1	–	1
Hull, Que.	999	497	502	996	494	502	3	3	–
Ingersoll, Ont.	101	47	54	101	47	54	–	–	–
Joliette, Que.	371	194	177	368	192	176	3	2	1
Kenora, Ont.	216	119	97	213	118	95	3	1	2
Kingston, Ont.	576	286	290	548	274	274	28	12	16
Kitchener, Ont.	751	393	358	726	384	342	25	9	16
Lachine, Que.	464	238	226	463	238	225	1	–	1
La Tuque, Que.	281	145	136	279	145	134	2	–	2
Lethbridge, Alta.	416	218	198	409	212	197	7	6	1
Lévis, Que.	313	175	138	304	171	133	9	4	5
Lindsay, Ont.	178	91	87	175	90	85	3	1	2
London, Ont.	1,438	720	718	1,347	680	667	91	40	51
Magog, Que.	223	129	94	220	127	93	3	2	1
Medicine Hat, Alta.	377	208	169	371	206	165	6	2	4
Midland, Ont.	223	111	112	219	110	109	4	1	3
Moncton, N.B.	482	255	227	461	241	220	21	14	7
Montreal, Que.	20,252	10,537	9,715	18,817	9,783	9,034	1,435	754	681
Moose Jaw, Sask.	617	336	281	584	317	267	33	19	14
Nanaimo, B.C.	188	98	90	187	98	89	1	–	1
Nelson, B.C.	139	78	61	136	76	60	3	2	1
New Glasgow, N.S.	277	138	139	255	127	128	22	11	11
New Waterford, N.S.	242	124	118	229	118	111	13	6	7
New Westminster, B.C.	535	244	291	523	239	284	12	5	7
Niagara Falls, Ont.	445	231	214	435	224	211	10	7	3
North Bay, Ont.	435	212	223	417	205	212	18	7	11
North Sydney, N.S.	165	84	81	156	79	77	9	5	4
North Vancouver, B.C.	177	90	87	176	90	86	1	–	1
Orillia, Ont.	244	130	114	236	127	109	8	3	5
Oshawa, Ont.	703	357	346	684	345	339	19	12	7
Ottawa, Ont.	3,003	1,549	1,454	2,729	1,411	1,318	274	138	136
Outremont, Que.	109	49	60	108	49	59	1	–	1
Owen Sound, Ont.	368	169	199	355	160	195	13	9	4
Pembroke, Ont.	292	150	142	283	147	136	9	3	6
Peterborough, Ont.	558	288	270	541	282	259	17	6	11
Portage la Prairie, Man.	205	99	106	195	94	101	10	5	5
Port Arthur, Ont.	558	295	263	543	289	254	15	6	9

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

NOTE—The classification of cities and towns in Manitoba, Saskatchewan and Alberta is according to the Census of 1926 and in the remaining provinces according to the Census of 1921—La classification des cités et villes dans le Manitoba la Saskatchewan et l'Alberta est selon le recensement de 1926 et dans toutes les autres provinces selon le recensement de 1921.

TABLEAU 7—Naissances (mort-nés exclus) classifiées comme légitimes ou illégitimes, par provinces, cités et villes de 5,000 habitants et plus, 1928

Provinces, cities and towns — Provinces, cités et villes	Total births — Total des naissances			Legitimate — Légitimes			Illegitimate — Illégitimes		
	Total	M.	F.	Total	M.	F.	Total	M.	F.
Cities and towns 5,000 and over—con.— **Cités et villes de 5,000 et plus**—fin									
Preston, Ont.	113	58	55	111	56	55	2	2	-
Prince Albert, Sask.	308	160	148	295	151	144	13	9	4
Prince Rupert, B.C.	123	63	60	120	62	58	3	1	2
Quebec, Que.	4,473	2,219	2,254	3,897	1,921	1,976	576	298	278
Regina, Sask.	1,363	712	651	1,257	662	595	106	50	56
Rivière du Loup, Que.	260	138	122	254	133	121	6	5	1
St. Boniface, Man.	829	417	412	811	411	400	18	6	12
St. Catharines, Ont.	570	291	279	560	285	275	10	6	4
St. Hyacinthe, Que.	315	155	160	310	153	157	5	2	3
St. Jean, Que.	337	183	154	333	181	152	4	2	2
St. Jérôme, Que.	360	181	179	359	180	179	1	1	-
St. John, N.B.	1,083	557	526	981	498	483	102	59	43
St. Thomas, Ont.	341	160	181	337	159	178	4	1	3
Sarnia, Ont.	426	200	226	420	197	223	6	3	3
Saskatoon, Sask.	1,045	533	512	964	486	478	81	47	34
Sault Ste. Marie, Ont.	627	331	296	612	321	291	15	10	5
Shawinigan Falls, Que.	703	371	332	700	368	332	3	3	-
Sherbrooke, Que.	753	361	392	735	349	386	18	12	6
Smith's Falls, Ont.	166	87	79	159	83	76	7	4	3
Sorel, Que.	293	146	147	293	146	147	-	-	-
Springhill, N.S.	185	93	92	173	88	85	12	5	7
Stellarton, N.S.	76	45	31	70	42	28	6	3	3
Stratford, Ont.	401	216	185	389	207	182	12	9	3
Sudbury, Ont.	453	249	204	441	243	198	12	6	6
Sydney, N.S.	484	258	226	439	240	199	45	18	27
Sydney Mines, N.S.	222	106	116	211	98	113	11	8	3
Thetford Mines, Que.	492	258	234	490	256	234	2	2	-
Toronto, Ont.	12,342	6,394	5,948	11,714	6,061	5,653	628	333	295
Transcona, Man.	85	38	47	81	36	45	4	2	2
Trenton, Ont.	113	55	58	110	53	57	3	2	1
Trois Rivières, Que.	1,444	779	665	1,382	749	633	62	30	32
Truro, N.S.	191	94	97	171	85	86	20	9	11
Valleyfield, Que.	322	167	155	319	166	153	3	1	2
Vancouver City, Point Grey and South Vancouver, B.C.	3,812	1,895	1,917	3,660	1,822	1,838	152	73	79
Verdun, Que.	1,058	533	525	1,048	531	517	10	2	8
Victoria, B.C.	723	346	377	703	337	366	20	9	11
Walkerville, Ont.	425	205	220	416	201	215	9	4	5
Waterloo, Ont.	116	58	58	114	57	57	2	1	1
Welland, Ont.	279	152	127	271	149	122	8	3	5
Westmount, Que.	42	26	16	42	26	16	-	-	-
Windsor, Ont.	1,681	895	786	1,634	868	766	47	27	20
Winnipeg, Man.	4,552	2,296	2,256	4,203	2,116	2,087	349	180	169
Woodstock, Ont.	225	113	112	219	109	110	6	4	2
Yarmouth, N.S.	183	89	94	170	82	88	13	7	6

TABLE 8—Births (exclusive of stillbirths) classified according to ages of parents, 1928

CANADA [1]

No.	Age of father — Âge du père	Total	Age of mother																
			12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
1	Under 16 years—Moins de 16 ans.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	16 years—ans....	5	–	–	1	1	–	1	–	1	–	–	–	–	1	–	–	–	–
3	17 " "	28	–	1	–	1	7	6	4	3	2	1	–	–	1	–	1	–	–
4	18 " "	228	–	–	2	10	16	31	65	26	39	12	15	4	1	2	–	1	–
5	19 " "	630	–	–	2	7	24	77	149	154	94	54	27	18	8	7	1	1	2
6	20 " "	1,588	–	–	1	14	50	141	243	308	305	178	124	88	44	29	11	13	15
7	21 " "	3,065	–	–	2	9	65	165	387	521	548	545	318	201	125	59	39	29	20
8	22 " "	4,713	–	–	3	12	54	190	405	667	742	836	698	475	248	156	85	54	40
9	23 " "	6,622	–	–	1	6	53	188	398	753	909	1,036	1,000	927	542	311	179	116	71
10	24 " "	8,395	–	–	–	7	47	155	364	704	933	1,114	1,281	1,181	1,109	550	354	231	127
11	25 " "	9,183	–	–	–	7	30	128	339	546	806	984	1,213	1,297	1,183	1,079	605	340	251
12	26 " "	10,005	–	–	1	3	24	90	262	477	742	913	1,114	1,226	1,345	1,219	1,080	557	400
13	27 " "	10,827	–	–	–	4	34	83	237	373	602	858	1,101	1,179	1,290	1,255	1,174	1,028	671
14	28 " "	12,877	–	–	–	3	21	67	220	356	547	797	1,041	1,206	1,516	1,384	1,418	1,266	1,291
15	29 " "	11,306	–	–	–	3	9	47	104	262	371	535	754	837	1,054	1,187	1,134	1,254	1,249
16	30 " "	11,906	–	–	–	5	9	37	116	183	360	426	538	740	944	1,066	1,090	1,093	1,548
17	31 " "	10,332	–	–	–	–	8	22	60	133	203	332	403	551	641	761	935	947	1,034
18	32 " "	11,368	–	–	–	2	5	31	63	123	206	267	477	455	593	744	842	896	1,227
19	33 " "	11,000	–	–	–	1	5	15	53	84	156	214	320	491	487	566	681	811	1,059
20	34 " "	10,164	–	–	–	–	1	13	35	76	123	134	249	300	538	423	545	643	899
21	35 " "	9,940	–	–	–	–	5	13	29	42	111	135	168	250	313	516	422	498	697
22	36 " "	9,349	–	–	–	1	2	2	29	34	74	117	150	204	273	304	483	398	573
23	37 " "	8,618	–	–	–	1	2	6	17	30	52	80	124	146	189	246	284	448	448
24	38 " "	9,747	–	–	–	–	4	4	18	21	57	73	128	141	222	220	282	337	599
25	39 " "	8,180	–	–	–	–	–	5	9	20	35	51	92	122	131	184	192	233	380
26	40 " "	8,067	–	–	–	–	5	8	7	13	34	43	74	80	120	155	194	201	265
27	41 " "	5,622	–	–	–	–	–	3	6	8	18	26	28	50	59	73	93	125	166
28	42 " "	6,297	–	–	–	–	3	2	6	9	15	21	45	44	64	77	94	147	166
29	43 " "	5,088	–	–	–	–	–	4	4	3	16	24	31	55	44	61	65	81	123
30	44 " "	4,232	–	–	–	–	–	–	2	8	7	16	21	25	38	43	50	70	81
31	45 " "	3,974	–	–	–	1	–	2	4	6	7	21	22	20	31	49	39	57	104
32	46 " "	3,001	–	–	–	–	–	–	–	10	3	6	8	20	22	34	39	41	50
33	47 " "	2,461	–	–	–	–	1	1	2	2	5	9	14	14	18	19	19	28	49
34	48 " "	2,388	–	–	–	–	1	1	3	4	7	7	11	13	20	32	24	37	53
35	49 " "	1,712	–	–	–	–	1	1	1	2	–	4	6	7	10	8	15	19	20
36	50 " "	1,463	–	–	–	–	–	–	3	1	3	3	7	10	9	20	13	31	24
37	51 " "	850	–	–	–	1	–	–	1	–	3	2	5	3	5	6	8	12	17
38	52 " "	827	–	–	–	–	–	–	1	2	1	1	2	4	4	3	7	6	18
39	53 " "	612	–	–	–	–	–	1	–	1	1	–	4	2	5	6	7	9	11
40	54 " "	518	–	–	–	–	–	–	2	–	2	1	–	3	4	4	6	4	18
41	55 " "	362	–	–	–	–	–	–	–	–	–	1	–	1	2	5	–	4	9
42	56 " "	300	–	–	–	–	–	–	1	–	1	–	–	–	1	2	3	4	2
43	57 " "	228	–	–	–	–	–	–	–	1	–	1	–	–	3	3	1	3	4
44	58 " "	186	–	–	–	–	–	1	–	2	–	–	–	1	–	–	3	4	6
45	59 " "	136	–	–	–	–	–	–	–	–	2	1	–	–	1	–	–	–	2
46	60 " "	98	–	–	–	–	–	–	–	–	–	–	1	3	–	–	1	1	1
47	61 " "	60	–	–	–	–	–	–	–	–	–	–	2	1	–	1	1	2	–
48	62 " "	60	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	3	2
49	63 " "	51	–	–	–	–	–	–	–	–	–	–	1	2	–	2	2	1	1
50	64 " "	38	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	3
51	65 and over—et plus.....	202	–	–	–	–	–	–	–	1	–	3	4	1	–	1	4	7	7
52	Not stated—Non donné.....	568	–	–	–	1	2	5	3	2	7	9	9	5	5	6	2	3	7
	Children born to married mothers—Enfants légitimes	**229,477**	–	1	13	100	488	1,546	3,652	5,974	8,149	9,891	11,632	12,403	13,263	12,879	12,528	12,094	13,810
	Children born to unmarried mothers—Enfants illégitimes.....	**7,280**	1	15	48	148	319	554	702	696	689	551	476	389	277	212	184	111	110
	Children born to all mothers—Légitimes et illégitimes.....	**236,757**	1	16	61	248	807	2,100	4,354	6,670	8,838	10,442	12,108	12,792	13,540	13,091	12,712	12,205	13,950

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

TABLEAU 8—Naissances (mort-nés exclus) classifiées selon l'âge des parents, 1928

CANADA(1)

Âge de la mère

29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50 and over — 50 et plus	Not stated — Non donné	No.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
1	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	4
–	3	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	5
9	7	1	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	6
9	4	10	1	1	–	–	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–	3	7
12	11	7	5	1	1	–	–	4	3	–	–	2	–	–	–	–	–	–	–	–	–	2	8
29	34	17	18	12	5	3	4	2	2	–	2	–	–	–	–	–	–	1	–	–	–	3	9
87	52	32	14	11	18	6	2	4	2	3	–	–	1	–	–	–	–	–	–	–	–	6	10
120	105	49	32	23	10	12	7	4	2	–	2	1	–	–	–	–	–	–	–	–	–	8	11
197	119	74	52	21	25	21	14	9	4	4	3	1	3	–	–	–	–	–	–	–	–	5	12
338	215	110	102	52	34	24	13	18	8	5	4	6	–	1	2	–	–	–	–	–	–	6	13
642	403	223	199	95	56	25	33	17	17	9	3	5	2	3	–	–	–	1	–	–	–	11	14
999	608	306	215	134	92	50	27	25	15	15	12	3	1	–	–	–	–	–	–	–	–	4	15
1,123	1,055	567	351	218	158	90	62	34	41	22	8	4	2	4	3	1	–	–	–	–	–	8	16
1,026	1,025	882	548	287	190	120	89	39	35	25	8	14	3	1	–	–	1	–	1	–	–	8	17
939	1,159	1,021	944	529	337	180	125	68	61	29	12	5	13	3	–	1	2	–	–	–	1	8	18
924	1,020	921	1,011	910	496	325	164	101	74	49	25	9	8	5	2	1	–	1	2	–	2	7	19
795	926	717	939	889	800	457	253	155	104	70	34	15	16	3	3	–	1	–	–	–	1	7	20
667	900	718	909	950	839	787	392	222	179	91	35	19	14	6	2	1	–	1	–	–	1	8	21
595	710	660	830	800	845	752	693	332	216	115	75	32	19	11	6	5	3	–	–	–	1	5	22
447	596	605	688	730	721	768	634	613	355	174	108	45	28	18	8	5	–	–	–	–	–	2	23
444	566	539	756	759	797	810	859	720	686	297	187	89	68	36	10	8	1	–	2	–	1	6	24
472	400	360	538	569	644	682	686	666	660	517	270	109	73	40	18	8	5	1	–	2	1	5	25
246	512	376	442	496	530	686	674	616	877	569	436	212	99	53	20	13	4	–	2	–	1	4	26
168	223	311	303	310	350	400	477	466	526	477	398	282	159	64	27	10	5	4	3	–	2	2	27
138	189	232	465	338	356	425	532	483	652	486	497	359	291	91	33	16	11	1	1	1	2	5	28
104	138	153	214	403	289	295	354	383	515	374	401	342	316	195	58	22	12	2	2	2	1	2	29
90	128	130	177	203	299	244	266	292	421	351	343	256	287	206	117	42	8	4	3	1	2	1	30
77	104	108	148	178	190	345	253	246	347	300	371	234	253	212	140	70	21	8	4	–	–	2	31
46	68	64	116	99	100	152	302	189	252	220	274	218	222	185	121	67	44	17	5	2	1	4	32
26	63	57	62	77	102	128	164	259	192	186	229	141	201	147	103	66	46	18	6	2	1	4	33
40	55	48	57	90	75	97	126	128	296	169	195	161	205	153	116	75	51	21	14	3	–	–	34
42	28	29	53	49	70	71	101	94	172	192	124	109	154	109	86	72	28	18	11	3	–	3	35
17	46	31	42	47	59	55	59	76	130	113	166	89	114	103	74	49	36	19	7	4	2	1	36
19	17	31	28	16	17	53	50	29	80	46	68	85	65	67	46	29	28	9	3	–	1	–	37
15	13	18	29	26	29	27	57	49	70	55	80	51	88	54	36	42	19	10	3	4	2	1	38
9	12	13	23	24	19	20	33	25	39	49	54	51	56	52	29	22	18	8	5	3	–	1	39
6	11	8	12	18	33	18	21	32	54	32	36	34	38	27	46	18	12	7	8	2	1	–	40
9	16	5	14	10	13	28	25	17	23	23	27	17	25	33	19	18	4	6	6	1	1	–	41
5	8	10	12	10	12	13	23	24	19	21	23	18	27	16	15	11	9	8	–	–	1	1	42
5	3	7	8	10	6	8	9	22	18	19	20	17	13	15	9	5	9	5	2	1	1	–	43
4	6	2	9	4	4	6	17	9	15	13	13	10	13	12	12	8	1	4	4	2	1	–	44
1	7	1	5	4	4	7	6	10	13	16	8	9	5	11	9	2	3	4	3	1	1	–	45
–	1	–	2	1	4	6	5	6	6	7	14	8	7	7	10	3	1	–	3	–	–	–	46
2	2	4	1	3	1	5	2	3	5	7	3	2	3	2	4	2	–	1	–	1	–	–	47
–	1	–	1	4	4	4	3	8	4	1	3	2	5	–	4	3	1	1	1	–	2	–	48
1	2	2	–	3	1	2	1	1	3	5	4	3	7	–	1	3	1	–	1	1	–	–	49
–	1	4	–	3	1	1	–	–	5	4	2	2	4	–	3	–	1	1	–	–	–	–	50
6	7	2	10	7	9	13	14	13	19	14	17	5	12	11	5	9	1	–	–	–	–	–	51
3	6	4	3	5	2	2	1	3	5	1	1	3	–	–	–	–	–	–	–	–	–	463	52
10,951	11,585	9,469	10,390	9,431	8,650	8,223	7,634	6,517	7,224	5,176	4,596	3,079	2,920	1,957	1,197	707	387	181	102	36	31	608	
87	90	68	61	60	39	56	51	31	34	25	27	8	11	9	8	2	–	1	–	–	1	1,099	
11,041	11,675	9,537	10,451	9,491	8,689	8,279	7,685	6,548	7,258	5,201	1,623	3,087	2,931	1,966	1,205	709	387	182	102	36	32	1,707	

TABLE 8—Births (exclusive of stillbirths) classified according to ages of parents, 1928—*con.*

PRINCE EDWARD ISLAND

No.	Age of father — Âge du père	Total	Age of mother																
			12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
1	Under 16 years—Moins de 16 ans.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	16 years—ans.....	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	17 " "	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
4	18 " "	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
5	19 " "	9	–	–	–	–	–	2	4	2	–	–	–	–	1	–	–	–	–
6	20 " "	17	–	–	–	–	–	1	2	2	3	5	2	1	–	–	–	–	–
7	21 " "	21	–	–	–	1	–	1	3	4	4	2	1	1	1	–	–	–	1
8	22 " "	28	–	–	–	–	–	1	4	2	5	7	3	1	1	–	2	1	–
9	23 " "	39	–	–	–	–	–	–	4	4	1	7	5	8	4	1	2	1	1
10	24 " "	59	–	–	–	–	–	2	4	4	11	4	5	10	6	4	2	3	–
11	25 " "	61	–	–	–	–	–	2	3	5	6	9	3	8	6	6	5	3	2
12	26 " "	52	–	–	–	1	–	–	1	4	3	4	3	7	4	7	5	2	4
13	27 " "	60	–	–	–	–	2	–	1	2	2	5	5	6	5	2	8	10	8
14	28 " "	87	–	–	–	–	–	–	1	5	2	4	6	6	11	6	10	11	5
15	29 " "	72	–	–	–	–	–	–	1	2	2	5	6	4	1	6	7	8	8
16	30 " "	98	–	–	–	–	–	1	–	1	3	3	3	4	7	6	12	12	11
17	31 " "	64	–	–	–	–	–	–	–	1	–	1	3	4	2	8	6	8	4
18	32 " "	103	–	–	–	–	–	–	1	–	2	3	7	5	6	6	5	6	10
19	33 " "	72	–	–	–	–	–	–	–	–	–	1	1	2	3	8	8	4	6
20	34 " "	81	–	–	–	–	–	1	–	1	3	–	1	2	1	3	4	5	8
21	35 " "	87	–	–	–	–	–	–	1	–	–	1	–	4	2	2	4	4	5
22	36 " "	67	–	–	–	–	–	–	1	–	2	–	1	1	3	4	2	3	3
23	37 " "	56	–	–	–	–	–	–	–	–	–	1	1	1	–	4	2	3	2
24	38 " "	96	–	–	–	–	–	–	–	1	2	1	2	2	3	2	2	1	9
25	39 " "	57	–	–	–	–	–	–	–	–	–	1	–	1	–	2	1	2	1
26	40 " "	59	–	–	–	–	–	–	–	–	1	1	1	–	–	–	2	3	2
27	41 " "	32	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–
28	42 " "	58	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1
29	43 " "	28	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
30	44 " "	35	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1
31	45 " "	41	–	–	–	–	–	–	–	–	1	1	–	–	1	1	1	–	1
32	46 " "	38	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	1
33	47 " "	23	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
34	48 " "	28	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
35	49 " "	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
36	50 " "	23	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1
37	51 " "	11	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
38	52 " "	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39	53 " "	7	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
40	54 " "	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
41	55 " "	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
42	56 " "	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
43	57 " "	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
44	58 " "	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
45	59 " "	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
46	60 " "	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
47	61 " "	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
48	62 " "	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
49	63 " "	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
50	64 " "	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
51	65 and over—et plus.....	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
52	Not stated—Non donné.....	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Children born to married mothers—Enfants légitimes	**1,751**	–	–	–	**2**	**3**	**11**	**32**	**42**	**56**	**67**	**59**	**80**	**70**	**81**	**92**	**93**	**98**
	Children born to unmarried mothers—Enfants illégitimes.....	**55**	–	–	–	**2**	**5**	**4**	**4**	**6**	**5**	**3**	**7**	**3**	**2**	**1**	**2**	–	**2**
	Children born to all mothers—Légitimes et illégitimes.....	**1,806**	–	–	–	**4**	**8**	**15**	**36**	**48**	**61**	**70**	**66**	**83**	**72**	**82**	**91**	**93**	**100**

TABLEAU 8—Naissances (mort-nés exclus) classifiées selon l'âge des parents, 1928—*suite*

ÎLE DU PRINCE-ÉDOUARD

Âge de la mère

29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50 and over — 50 et plus	Not stated — Non donné	No.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
–	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11
2	1	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	12
1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13
3	8	4	2	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14
8	6	1	1	2	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	15
9	10	3	4	4	1	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	16
4	6	7	3	2	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
6	7	12	9	9	2	2	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	18
4	4	7	7	9	2	4	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	19
6	6	5	3	5	7	6	5	2	2	2	–	1	2	–	–	–	–	–	–	–	–	–	20
7	6	7	10	7	9	10	2	4	–	–	1	–	1	–	–	–	–	–	–	–	–	–	21
7	5	3	4	6	5	7	6	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	22
2	5	4	4	3	4	8	4	3	3	–	–	2	–	–	–	–	–	–	–	–	–	–	23
6	2	5	8	6	8	8	15	4	4	1	1	1	1	1	–	–	–	–	–	–	–	–	24
6	3	1	1	6	6	5	3	6	7	2	2	1	–	–	–	–	–	–	–	–	–	–	25
1	5	1	7	1	1	6	2	4	13	6	1	–	–	1	–	–	–	–	–	–	–	–	26
1	2	1	2	2	4	6	1	2	1	2	3	1	1	–	–	–	–	–	–	–	–	–	27
–	2	3	5	6	4	6	4	1	9	5	6	1	–	2	1	–	–	–	–	–	–	–	28
1	–	–	2	5	3	2	–	2	2	1	2	1	4	1	–	–	–	–	–	–	–	–	29
–	–	1	2	2	2	1	2	1	7	1	3	–	6	5	–	–	–	–	–	–	–	–	30
–	–	2	3	3	1	3	1	3	5	2	3	2	4	3	–	–	–	–	–	–	–	–	31
–	–	–	2	1	–	1	6	5	5	2	3	2	3	2	1	1	–	–	–	–	–	–	32
–	1	–	1	1	–	1	1	4	1	1	1	2	3	1	–	2	1	–	–	–	–	–	33
–	–	–	1	–	2	2	3	1	3	2	3	1	2	2	4	1	–	–	–	–	–	–	34
–	–	–	–	–	1	3	1	–	–	3	3	2	1	3	1	–	–	–	–	–	–	–	35
–	–	–	1	1	3	1	1	2	2	1	2	1	1	–	1	2	–	–	–	–	1	–	36
–	1	–	–	–	–	1	–	–	1	1	–	2	1	2	–	–	–	–	–	–	–	–	37
–	–	1	–	–	–	–	4	1	–	1	1	–	2	–	–	2	–	1	–	–	–	–	38
–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	1	1	–	–	–	–	–	39
–	–	–	–	–	1	–	–	1	–	1	–	–	2	2	–	–	–	–	–	–	–	–	40
–	–	–	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	41
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	42
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	43
–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	1	–	–	–	–	–	–	44
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	45
–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	46
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	47
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	48
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	49
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	50
–	1	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	51
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20	52
76	**83**	**73**	**85**	**87**	**70**	**87**	**72**	**53**	**71**	**37**	**40**	**21**	**36**	**27**	**8**	**11**	**4**	**2**	–	–	**1**	**21**	
–	–	–	–	–	**1**	**1**	**2**	–	–	–	–	–	**1**	–	–	–	–	–	–	–	–	**4**	
76	**83**	**73**	**85**	**87**	**71**	**88**	**74**	**53**	**71**	**37**	**40**	**21**	**37**	**27**	**8**	**11**	**4**	**2**	–	–	**1**	**25**	

TABLE 8—Births (exclusive of stillbirths) classified according to ages of parents, 1928—*con.*

NOVA SCOTIA

No.	Age of father — Âge du père	Total	Age of mother																
			12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
1	Under 16 years—Moins de 16 ans.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	16 years—ans....	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	17 " "	3	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–
4	18 " "	25	–	–	–	–	2	2	5	2	9	1	2	1	–	–	–	–	–
5	19 " "	37	–	–	–	1	2	4	9	6	6	1	5	1	1	–	–	–	–
6	20 " "	102	–	–	–	–	5	11	20	17	22	7	4	8	–	2	1	2	2
7	21 " "	192	–	–	–	–	3	12	28	42	34	35	12	10	10	–	1	–	1
8	22 " "	259	–	–	–	1	8	15	24	37	31	51	34	29	7	11	2	5	3
9	23 " "	332	–	–	–	–	8	8	30	50	32	54	44	39	26	12	13	5	4
10	24 " "	375	–	–	–	–	7	9	24	42	35	46	67	41	45	23	16	7	4
11	25 " "	376	–	–	–	–	3	6	22	41	35	36	49	56	41	35	16	13	10
12	26 " "	367	–	–	–	–	1	7	13	26	30	29	42	44	42	43	38	19	11
13	27 " "	436	–	–	–	–	2	3	17	19	28	33	60	47	44	46	38	40	31
14	28 " "	527	–	–	–	–	3	4	18	11	22	34	63	50	50	46	48	53	52
15	29 " "	441	–	–	–	–	1	5	5	13	18	19	32	27	44	37	54	48	40
16	30 " "	501	–	–	–	–	1	1	7	10	18	22	20	37	38	51	43	40	72
17	31 " "	414	–	–	–	–	1	2	4	4	15	8	19	30	36	39	33	35	41
18	32 " "	471	–	–	–	–	–	1	2	6	6	12	26	24	25	25	37	37	41
19	33 " "	445	–	–	–	–	–	–	2	6	5	9	9	16	21	31	33	26	35
20	34 " "	465	–	–	–	–	–	1	1	4	9	5	14	20	24	24	22	31	32
21	35 " "	476	–	–	–	–	–	3	1	4	4	8	10	11	18	25	21	36	28
22	36 " "	380	–	–	–	–	–	–	4	–	3	6	6	8	15	18	13	16	20
23	37 " "	355	–	–	–	–	–	–	–	3	2	6	13	7	5	12	15	14	15
24	38 " "	421	–	–	–	–	–	–	2	–	5	3	8	10	10	10	12	15	23
25	39 " "	371	–	–	–	–	–	1	–	–	3	1	3	1	8	15	6	11	13
26	40 " "	336	–	–	–	–	–	1	–	–	1	1	2	3	8	8	9	10	10
27	41 " "	249	–	–	–	–	–	1	–	–	–	1	1	1	2	4	3	4	4
28	42 " "	301	–	–	–	–	1	–	1	2	–	1	5	3	3	3	6	5	11
29	43 " "	262	–	–	–	–	–	1	–	–	2	1	4	3	3	3	4	6	11
30	44 " "	197	–	–	–	–	–	–	–	–	–	–	3	3	3	3	4	6	2
31	45 " "	209	–	–	–	–	–	–	–	1	1	4	1	1	2	2	3	2	6
32	46 " "	167	–	–	–	–	–	–	–	1	1	1	1	–	2	3	4	–	2
33	47 " "	133	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2
34	48 " "	152	–	–	–	–	–	–	–	–	–	1	2	1	1	2	2	2	10
35	49 " "	97	–	–	–	–	1	–	–	–	–	–	2	–	1	1	–	2	2
36	50 " "	87	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	5	3
37	51 " "	41	–	–	–	–	–	–	–	–	–	–	1	–	1	–	3	1	–
38	52 " "	54	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1
39	53 " "	49	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	3	1
40	54 " "	41	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
41	55 " "	32	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
42	56 " "	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
43	57 " "	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
44	58 " "	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
45	59 " "	12	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
46	60 " "	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
47	61 " "	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
48	62 " "	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
49	63 " "	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
50	64 " "	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
51	65 and over—et plus.....	26	–	–	–	–	–	–	–	–	–	1	2	–	–	1	1	–	1
52	Not stated—Non donné.....	8	–	–	–	–	–	1	–	–	–	2	1	–	1	–	–	–	1
	Children born to married mothers—Enfants légitimes	**10,311**	–	–	**1**	**2**	**51**	**100**	**239**	**347**	**378**	**439**	**569**	**534**	**540**	**539**	**504**	**502**	**547**
	Children born to unmarried mothers—Enfants illégitimes.....	**620**	–	**3**	**5**	**17**	**35**	**60**	**73**	**68**	**87**	**45**	**42**	**38**	**32**	**17**	**21**	**9**	**9**
	Children born to all mothers—Légitimes et illégitimes.....	**10,931**	–	**3**	**6**	**19**	**86**	**160**	**312**	**415**	**465**	**484**	**611**	**572**	**572**	**556**	**525**	**511**	**556**

TABLEAU 8—Naissances (mort-nés exclus) classifiées selon l'âge des parents, 1928—*suite*

NOUVELLE-ÉCOSSE

Âge de la mère																							No.
29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50 and over — 50 et plus	Not stated — Non donné	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	4
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	5
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	7
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	8
3	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
2	2	3	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
5	4	2	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	11
7	7	1	1	2	–	1	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	12
4	6	6	3	1	3	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	13
26	15	16	4	4	3	–	–	1	1	–	2	1	–	–	–	–	–	–	–	–	–	–	14
32	25	14	7	7	4	4	1	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	15
45	36	24	13	7	6	2	1	1	5	1	–	–	–	–	–	–	–	–	–	–	–	–	16
27	28	33	27	13	8	4	2	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	17
36	57	43	43	23	7	8	5	1	3	1	–	–	2	–	–	–	–	–	–	–	–	–	18
42	42	40	44	33	18	17	5	3	4	1	–	1	–	1	–	1	–	–	–	–	–	–	19
38	24	36	40	48	30	28	9	11	8	2	2	–	1	1	–	–	–	–	–	–	–	–	20
30	61	28	31	57	34	21	18	12	11	2	–	2	–	–	–	–	–	–	–	–	–	–	21
28	32	21	35	38	32	35	22	8	7	8	3	–	1	–	–	1	–	–	–	–	–	–	22
10	18	20	27	30	27	40	19	33	13	11	6	5	1	2	–	1	–	–	–	–	–	–	23
24	25	27	24	35	37	37	36	20	25	17	7	3	2	3	–	–	–	–	1	–	–	–	24
21	25	15	26	26	32	38	25	30	33	18	9	3	5	1	1	–	1	–	–	–	–	–	25
13	21	22	11	31	33	24	31	20	29	20	16	1	5	2	2	1	–	–	–	–	–	1	26
12	10	16	14	18	18	20	27	23	18	20	14	10	7	1	–	–	–	–	–	–	–	–	27
6	13	14	21	11	20	16	30	25	31	19	21	16	14	1	1	–	1	–	–	–	–	–	28
6	11	12	9	20	14	17	24	20	27	18	15	8	10	7	6	–	–	–	–	–	–	–	29
4	6	8	6	10	20	13	8	16	15	23	16	10	8	7	3	–	–	–	–	–	–	–	30
3	9	11	9	11	9	23	6	13	13	16	14	12	13	13	7	2	2	–	–	–	–	–	31
4	7	2	11	11	6	12	18	8	16	9	10	16	8	9	1	3	1	–	–	–	–	–	32
2	2	2	4	6	8	11	16	14	13	8	7	8	16	2	3	4	1	2	–	–	–	–	33
3	4	3	2	10	4	10	8	9	20	12	7	10	12	5	5	2	2	2	1	–	–	–	34
2	2	1	4	4	5	7	4	6	11	8	6	5	9	5	6	1	2	–	–	–	–	–	35
1	5	6	2	2	5	4	5	7	7	6	5	4	5	3	3	1	1	2	–	–	–	–	36
3	1	–	3	1	–	–	3	1	5	4	5	1	–	1	–	3	2	2	–	–	–	–	37
3	2	–	3	2	1	4	4	1	1	3	4	5	8	4	2	2	1	–	–	–	–	–	38
–	1	1	1	1	1	2	2	2	3	3	6	6	3	4	3	2	3	–	–	–	–	–	39
–	–	1	2	2	5	2	2	4	5	1	4	2	2	1	4	1	–	1	–	–	–	–	40
1	3	–	2	2	2	2	3	1	2	2	3	–	3	2	2	–	–	–	–	–	–	–	41
–	–	–	1	–	1	2	2	3	1	1	1	3	1	–	1	1	–	1	–	–	–	–	42
–	–	1	1	–	2	–	–	3	1	–	3	1	–	2	2	–	2	–	–	–	–	–	43
–	1	–	–	–	–	1	3	1	2	3	2	–	–	1	3	1	–	–	–	–	–	–	44
–	1	–	1	–	–	2	–	–	2	–	–	2	–	2	1	–	–	–	–	–	–	–	45
–	–	–	–	1	–	–	1	2	–	1	2	1	–	–	–	–	–	–	–	–	–	–	46
–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	47
–	1	–	–	–	–	1	1	1	1	–	–	–	–	–	1	1	–	–	–	–	–	–	48
1	–	2	–	1	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	49
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	50
1	–	–	–	1	4	1	1	1	3	1	2	1	1	–	3	–	–	–	–	–	–	–	51
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	52
446	**511**	**432**	**432**	**473**	**401**	**411**	**347**	**307**	**342**	**243**	**193**	**138**	**140**	**80**	**60**	**29**	**19**	**10**	**2**	–	–	**3**	
6	**11**	**7**	**6**	**6**	**4**	**1**	**3**	**5**	**1**	–	**4**	**1**	**1**	**1**	**2**	–	–	–	–	–	–	–	
452	**522**	**439**	**438**	**479**	**405**	**412**	**350**	**312**	**343**	**243**	**197**	**139**	**141**	**81**	**62**	**29**	**19**	**10**	**2**	–	–	**3**	

TABLE 8—Births (exclusive of stillbirths) classified according to ages of parents, 1928—*con.*

NEW BRUNSWICK

No.	Age of father — Âge du père	Total	Age of mother																	
			12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	
1	Under 16 years—Moins de 16 ans.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	16 years—ans....	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	17 " "	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
4	18 " "	20	–	–	1	3	1	2	3	5	2	1	1	1	–	–	–	–	–	–
5	19 " "	41	–	–	1	1	–	5	5	12	8	3	1	1	–	2	–	1	–	–
6	20 " "	98	–	–	–	2	2	9	12	22	23	10	7	5	2	3	–	1	–	–
7	21 " "	150	–	–	–	1	8	8	17	18	27	25	20	13	4	4	2	2	–	–
8	22 " "	215	–	–	–	–	5	16	31	25	35	26	32	23	9	3	4	3	1	–
9	23 " "	277	–	–	–	–	5	11	21	36	36	43	38	32	27	11	6	4	3	–
10	24 " "	336	–	–	–	1	3	10	16	36	48	40	52	34	37	16	15	8	4	–
11	25 " "	362	–	–	–	1	1	7	18	27	35	39	53	31	45	38	19	12	10	–
12	26 " "	383	–	–	–	1	1	9	11	21	28	34	45	56	55	42	29	17	16	–
13	27 " "	419	–	–	–	–	3	7	10	14	27	32	48	55	48	35	36	42	27	–
14	28 " "	479	–	–	–	1	1	7	12	14	39	22	45	53	51	35	45	38	49	–
15	29 " "	462	–	–	–	1	–	2	2	20	17	23	31	33	41	47	47	48	51	–
16	30 " "	499	–	–	–	–	2	6	8	10	10	26	27	39	45	39	44	45	48	–
17	31 " "	400	–	–	–	–	–	1	6	2	10	16	8	22	36	27	28	34	50	–
18	32 " "	463	–	–	–	–	–	2	4	4	4	15	22	17	31	40	50	37	51	–
19	33 " "	433	–	–	–	–	–	2	6	6	9	9	10	24	20	22	31	29	32	–
20	34 " "	429	–	–	–	–	–	1	–	4	5	4	16	14	27	17	27	26	31	–
21	35 " "	394	–	–	–	–	–	1	3	–	4	6	9	8	20	23	13	15	37	–
22	36 " "	379	–	–	–	–	–	–	1	2	3	3	4	5	15	12	23	17	26	–
23	37 " "	365	–	–	–	–	1	–	1	1	4	3	9	10	16	12	8	16	15	–
24	38 " "	406	–	–	–	–	–	1	–	3	6	3	10	7	8	14	18	14	26	–
25	39 " "	331	–	–	–	–	–	–	–	–	–	3	3	4	9	10	14	10	18	–
26	40 " "	356	–	–	–	–	1	–	–	–	2	3	2	5	6	8	12	6	6	–
27	41 " "	223	–	–	–	–	–	–	–	1	1	1	1	2	4	2	8	5	8	–
28	42 " "	285	–	–	–	–	–	1	1	–	–	2	2	2	5	3	4	9	7	–
29	43 " "	235	–	–	–	–	–	1	–	1	–	–	1	4	3	1	3	3	4	–
30	44 " "	208	–	–	–	–	–	–	–	–	–	1	2	2	3	2	2	3	4	–
31	45 " "	202	–	–	–	1	–	2	–	–	1	1	1	2	2	3	2	3	4	–
32	46 " "	152	–	–	–	–	–	–	–	–	–	–	2	1	1	3	3	3	3	–
33	47 " "	109	–	–	–	–	1	–	1	–	–	1	2	1	1	1	–	2	3	–
34	48 " "	135	–	–	–	–	–	–	–	2	–	–	–	1	1	1	1	3	4	–
35	49 " "	92	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	2	1	–
36	50 " "	87	–	–	–	–	–	–	–	–	1	–	2	–	–	1	–	–	2	–
37	51 " "	50	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–
38	52 " "	47	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	2	–
39	53 " "	40	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	–	–
40	54 " "	41	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–
41	55 " "	15	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
42	56 " "	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
43	57 " "	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
44	58 " "	9	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–
45	59 " "	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
46	60 " "	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
47	61 " "	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
48	62 " "	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
49	63 " "	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
50	64 " "	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
51	65 and over—et plus.....	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
52	Not stated—Non donné.....	41	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Children born to married mothers—Enfants légitimes	**9,748**	–	–	**2**	**13**	**35**	**114**	**191**	**288**	**386**	**395**	**508**	**512**	**574**	**479**	**498**	**464**	**547**	
	Children born to unmarried mothers—Enfants illégitimes.....	**299**	–	**1**	**2**	**7**	**16**	**34**	**40**	**40**	**29**	**26**	**24**	**13**	**13**	**9**	**6**	**7**	**5**	
	Children born to all mothers—Légitimes et illégitimes.....	**10,047**	–	**1**	**4**	**20**	**51**	**148**	**231**	**328**	**415**	**421**	**532**	**525**	**587**	**488**	**504**	**471**	**552**	

TABLEAU 8—Naissances (mort-nés exclus) classifiées selon l'âge des parents, 1928—*suite*

NOUVEAU-BRUNSWICK

Âge de la mère																							No.
29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50 and over — 50 et plus	Not stated — Non donné	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
8	2	1	–	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
7	7	5	3	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	11
7	3	1	2	2	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	12
8	7	2	3	3	4	1	–	3	1	1	1	–	–	–	–	–	–	–	–	–	–	1	13
23	20	8	4	5	1	–	3	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	14
43	19	12	9	3	3	3	1	3	1	1	–	1	–	–	–	–	–	–	–	–	–	–	15
45	39	27	10	6	7	4	2	4	1	2	–	–	–	1	–	1	–	–	–	–	–	1	16
42	28	31	26	11	8	6	4	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	17
32	40	27	28	17	18	12	6	2	2	–	–	1	1	–	–	–	–	–	–	–	–	–	18
34	43	28	41	40	18	16	6	3	3	1	–	–	–	–	–	–	–	–	–	–	–	–	19
37	38	29	33	34	37	17	11	8	4	4	2	3	–	–	–	–	–	–	–	–	–	–	20
28	46	28	36	24	34	26	17	4	7	3	–	–	2	–	–	–	–	–	–	–	–	–	21
32	32	24	36	27	23	32	27	13	11	6	3	1	–	–	1	–	–	–	–	–	–	–	22
15	26	31	24	33	24	18	31	33	13	7	7	3	1	1	–	2	–	–	–	–	–	–	23
15	27	22	37	34	37	23	24	30	24	9	7	3	3	1	–	–	–	–	–	–	–	–	24
17	19	15	27	22	28	23	21	19	27	21	13	2	4	1	1	–	–	–	–	–	–	–	25
12	28	14	13	23	19	32	31	29	43	15	23	13	8	–	–	2	–	–	–	–	–	–	26
10	11	18	7	15	17	13	12	17	19	23	11	11	6	–	–	–	–	–	–	–	–	–	27
5	6	10	24	10	16	26	26	20	22	17	29	16	11	3	5	2	1	–	–	–	–	–	28
4	6	9	12	20	16	22	14	18	22	15	12	17	11	12	2	–	2	–	–	–	–	–	29
3	2	9	12	7	17	11	6	15	25	18	25	11	16	9	3	–	–	–	–	–	–	–	30
5	2	6	6	8	14	19	16	13	11	16	17	13	14	6	8	1	3	1	1	–	–	–	31
1	2	2	5	4	7	7	10	11	12	19	13	8	11	10	4	3	5	1	–	1	–	–	32
–	4	2	–	5	7	6	5	16	4	9	6	8	7	5	3	7	2	–	–	–	–	–	33
1	1	8	4	7	4	5	5	7	15	13	7	8	12	7	8	4	3	1	2	–	–	–	34
5	2	1	3	4	2	4	4	4	11	8	10	4	8	7	6	1	1	–	1	–	–	–	35
1	–	2	1	6	6	5	1	2	5	11	10	5	4	12	3	5	1	1	–	–	–	–	36
1	–	4	2	–	1	2	2	3	4	3	2	5	6	3	1	5	2	–	–	–	–	–	37
2	2	2	4	1	3	–	1	3	4	5	4	1	6	–	1	1	2	–	–	–	–	–	38
–	–	2	1	2	1	1	1	4	–	2	4	5	7	1	3	–	2	–	–	–	–	–	39
1	2	–	1	–	5	–	–	3	7	1	4	2	4	3	3	1	1	–	–	–	–	–	40
–	–	–	–	1	1	1	–	–	1	1	1	1	–	4	1	1	–	–	–	1	–	–	41
–	–	1	1	–	–	–	–	1	–	1	3	1	–	1	1	–	4	–	–	–	–	–	42
–	–	–	–	–	1	–	–	1	1	1	2	–	–	1	1	–	–	1	–	–	–	–	43
–	1	–	–	1	–	–	–	–	1	–	1	–	1	–	–	1	–	–	–	–	–	–	44
–	1	–	–	–	1	–	–	2	–	2	–	1	1	1	–	–	1	2	–	–	–	–	45
–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	46
–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	47
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	48
–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	49
–	–	2	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	50
1	2	–	1	–	–	2	3	2	1	3	2	–	3	1	–	–	–	–	–	–	–	–	51
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	38	52
448	**471**	**385**	**417**	**380**	**382**	**339**	**290**	**294**	**306**	**241**	**222**	**145**	**152**	**92**	**58**	**37**	**30**	**7**	**5**	**1**	–	**40**	
3	**1**	**6**	**2**	**2**	–	**1**	**1**	**2**	**2**	**1**	**2**	**1**	–	–	**1**	–	–	–	–	–	**1**	**1**	
451	**472**	**391**	**419**	**382**	**382**	**340**	**291**	**296**	**308**	**242**	**224**	**146**	**152**	**92**	**59**	**37**	**30**	**7**	**5**	**1**	**1**	**41**	

TABLE 8—Births (exclusive of stillbirths) classified according to ages of parents, 1928—*con.*

QUEBEC

No.	Age of father — Âge du père	Total	Age of mother																	
			12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	
1	Under 16 years—Moins de 16 ans.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	16 years—ans....	2	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
3	17 " "	5	–	1	–	–	–	1	1	–	–	1	–	–	–	–	–	1	–	–
4	18 " "	46	–	–	1	2	4	5	12	5	7	2	4	–	–	1	–	1	–	–
5	19 " "	119	–	–	1	2	3	10	24	26	21	14	6	7	4	–	–	–	–	–
6	20 " "	401	–	–	1	2	13	34	52	62	60	58	31	37	19	8	4	5	3	
7	21 " "	868	–	–	1	–	18	28	79	120	135	158	118	75	49	31	20	13	12	
8	22 " "	1,539	–	–	2	2	13	45	97	175	239	290	244	171	101	61	39	23	17	
9	23 " "	2,340	–	–	1	1	12	56	113	201	293	329	396	369	212	128	77	58	38	
10	24 " "	3,025	–	–	–	2	9	32	99	194	284	403	448	496	427	233	149	90	62	
11	25 " "	3,365	–	–	–	–	3	41	84	149	253	350	431	483	473	432	264	147	102	
12	26 " "	3,829	–	–	–	–	4	31	83	138	224	317	428	479	542	522	442	239	147	
13	27 " "	4,015	–	–	–	2	11	17	56	101	194	271	365	423	492	525	507	398	268	
14	28 " "	4,964	–	–	–	1	4	12	50	88	157	270	354	449	618	569	604	552	531	
15	29 " "	4,257	–	–	–	1	1	7	27	58	101	172	245	284	391	464	417	525	525	
16	30 " "	4,591	–	–	–	2	–	8	28	33	89	101	153	259	306	409	432	426	717	
17	31 " "	3,771	–	–	–	–	4	4	7	21	51	82	118	176	203	244	353	376	390	
18	32 " "	4,247	–	–	–	1	2	5	7	27	49	68	105	119	191	245	307	349	535	
19	33 " "	4,169	–	–	–	1	1	2	9	14	28	51	83	144	135	194	229	324	432	
20	34 " "	3,546	–	–	–	–	–	2	8	6	23	28	54	69	132	122	152	206	322	
21	35 " "	3,551	–	–	–	–	2	3	2	5	18	23	39	63	81	133	114	151	228	
22	36 " "	3,289	–	–	–	1	1	–	7	5	12	16	28	49	68	72	129	96	196	
23	37 " "	3,041	–	–	–	–	–	2	5	3	10	18	17	26	43	42	74	119	141	
24	38 " "	3,402	–	–	–	–	1	1	1	3	8	22	29	31	42	60	76	88	162	
25	39 " "	2,803	–	–	–	–	–	1	1	4	5	10	17	29	28	39	45	66	107	
26	40 " "	2,789	–	–	–	–	–	–	–	3	4	9	15	14	24	39	46	49	58	
27	41 " "	1,947	–	–	–	–	–	–	2	1	2	1	4	7	12	9	25	29	37	
28	42 " "	2,130	–	–	–	–	1	–	–	1	4	2	10	7	8	18	18	33	43	
29	43 " "	1,731	–	–	–	–	–	–	1	–	4	2	5	11	6	11	16	14	25	
30	44 " "	1,401	–	–	–	–	–	–	1	2	2	2	6	4	5	10	12	14	25	
31	45 " "	1,304	–	–	–	–	–	–	1	–	–	2	2	1	1	7	4	9	18	
32	46 " "	970	–	–	–	–	–	–	–	1	–	2	1	2	3	6	8	5	12	
33	47 " "	798	–	–	–	–	–	1	–	–	1	–	2	3	2	3	4	6	13	
34	48 " "	746	–	–	–	–	–	–	1	1	1	1	1	3	4	3	6	3	13	
35	49 " "	556	–	–	–	–	–	–	–	1	–	–	1	–	1	1	3	5	4	
36	50 " "	450	–	–	–	–	–	–	1	–	–	–	1	2	1	5	–	6	6	
37	51 " "	238	–	–	–	–	–	–	1	–	2	1	2	–	–	2	1	1	4	
38	52 " "	240	–	–	–	–	–	–	–	1	–	–	2	1	–	1	1	1	2	
39	53 " "	168	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	3	
40	54 " "	131	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	3	
41	55 " "	91	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	
42	56 " "	70	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	
43	57 " "	51	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	
44	58 " "	45	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	
45	59 " "	38	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
46	60 " "	22	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	
47	61 " "	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	
48	62 " "	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	
49	63 " "	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	
50	64 " "	9	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
51	65 and over—et plus.....	38	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	
52	Not stated—Non donné.....	20	–	–	–	–	1	2	1	–	2	1	–	–	–	–	–	–	–	
	Children born to married mothers—Enfants légitimes	**81,202**	–	**1**	**7**	**21**	**108**	**350**	**861**	**1,449**	**2,285**	**3,077**	**3,767**	**4,294**	**4,627**	**4,652**	**4,583**	**4,435**	**5,208**	
	Children born to unmarried mothers—Enfants illégitimes.....	**2,419**	–	**2**	**6**	**26**	**62**	**129**	**144**	**162**	**164**	**129**	**117**	**103**	**67**	**66**	**44**	**23**	**28**	
	Children born to all mothers—Légitimes et illégitimes.....	**83,621**	–	**3**	**13**	**47**	**170**	**479**	**1,005**	**1,611**	**2,449**	**3,206**	**3,884**	**4,397**	**4,694**	**4,718**	**4,627**	**4,458**	**5,236**	

TABLEAU 8—Naissances (mort-nés exclus) classifiées selon l'âge des parents, 1928—*suite*

QUÉBEC

Âge de la mère

29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50 and over — 50 et plus	Not stated — Non donné	No.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	4
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
6	3	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
4	–	5	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
9	4	3	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	8
9	16	9	7	6	4	1	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	9
41	20	9	7	4	7	3	–	2	1	3	–	–	–	–	–	–	–	–	–	–	–	–	10
56	35	20	18	9	3	7	4	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	11
73	53	34	30	11	9	7	7	3	1	1	1	1	–	–	–	–	–	–	–	–	–	–	12
143	91	51	48	19	6	7	5	5	3	1	1	3	–	–	1	–	–	–	–	–	–	1	13
263	161	85	90	35	23	11	13	6	10	2	–	3	1	1	–	–	–	1	–	–	–	–	14
423	239	121	95	58	37	21	15	12	6	7	4	–	1	–	–	–	–	–	–	–	–	–	15
529	449	214	154	94	63	51	28	14	12	13	5	–	–	1	1	–	–	–	–	–	–	–	16
411	429	331	229	112	71	51	38	23	19	12	4	8	2	1	–	–	1	–	–	–	–	–	17
413	472	437	350	217	129	72	57	33	24	13	8	1	5	2	–	1	–	–	–	–	1	2	18
376	472	364	408	359	203	137	65	46	36	23	18	3	6	1	2	–	–	–	2	–	1	–	19
279	360	263	391	364	292	177	109	66	45	40	16	6	10	1	1	–	–	–	–	–	1	1	20
239	347	276	352	406	342	310	161	100	70	47	22	6	5	3	1	–	–	1	–	–	–	1	21
185	250	245	320	342	344	306	271	137	91	52	35	13	10	5	1	2	–	–	–	–	–	–	22
152	201	194	280	308	297	310	247	224	168	73	45	16	14	6	6	–	–	–	–	–	–	–	23
125	180	173	265	254	318	314	369	299	268	127	87	49	26	14	5	4	–	–	1	–	–	–	24
138	108	98	167	217	238	258	274	256	268	201	118	44	32	17	9	4	2	–	–	2	–	–	25
47	135	101	133	170	173	245	311	250	390	227	176	81	44	32	4	5	2	–	2	–	–	–	26
35	56	74	76	112	106	141	191	176	232	200	165	121	75	26	16	6	2	3	3	–	2	–	27
29	43	62	129	104	107	146	198	170	244	199	195	175	112	38	17	7	8	–	1	–	1	–	28
25	27	32	58	118	88	91	114	142	204	149	153	156	150	78	28	9	7	2	2	2	1	–	29
24	34	28	43	53	89	74	95	103	160	117	121	101	120	79	49	19	2	2	2	1	2	–	30
16	33	28	23	43	48	99	81	78	133	108	153	103	106	91	62	35	11	5	3	–	–	–	31
6	16	17	31	23	22	39	96	58	82	74	102	85	99	74	44	28	21	7	5	–	1	–	32
1	10	6	16	14	37	25	53	75	61	81	90	47	82	65	46	25	19	6	4	–	–	–	33
12	9	10	11	23	20	27	34	39	88	58	75	53	73	59	53	27	20	9	7	2	–	–	34
7	8	2	12	15	18	16	32	22	48	70	34	39	68	48	34	38	11	12	5	1	–	–	35
5	12	6	7	7	9	14	16	24	34	41	55	20	45	39	37	23	17	11	3	2	1	–	36
1	2	5	6	4	3	17	11	6	18	14	22	27	24	23	18	6	11	3	2	–	1	–	37
1	2	5	10	8	6	6	18	8	18	17	22	19	26	22	17	12	10	3	–	1	–	–	38
2	2	1	3	3	2	5	9	6	14	21	14	15	20	21	6	3	6	6	2	–	–	–	39
3	2	–	2	4	6	5	4	7	11	12	10	10	11	10	16	5	4	2	1	–	1	–	40
1	1	–	2	–	1	9	8	6	2	6	6	6	5	11	7	7	3	2	2	–	1	–	41
–	1	2	2	5	3	1	3	6	8	3	4	6	9	4	6	3	–	2	–	–	–	–	42
–	1	–	–	3	1	1	1	6	7	6	3	3	6	4	1	3	1	–	1	–	1	–	43
1	1	–	2	1	1	1	1	1	4	5	3	2	4	4	3	1	–	2	3	1	1	–	44
1	1	1	–	1	1	2	–	3	4	6	5	1	2	2	3	–	–	1	1	1	1	–	45
–	–	–	1	–	1	–	1	–	4	–	1	2	2	3	2	–	1	–	2	–	–	–	46
–	1	2	1	1	–	–	–	–	1	3	–	–	1	1	–	–	–	–	–	–	–	–	47
–	–	–	–	2	1	2	–	1	–	–	1	1	1	–	1	1	–	1	–	–	–	–	48
–	–	–	–	–	–	1	–	–	–	1	1	–	2	–	1	1	–	–	–	–	–	–	49
–	–	–	–	2	–	–	–	–	2	1	–	–	1	–	–	–	1	1	–	–	–	–	50
–	1	–	4	1	–	2	2	5	2	2	4	1	2	3	1	5	–	–	–	–	–	–	51
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13	52
4,092	4,290	3,315	3,788	3,533	3,130	3,012	2,944	2,419	2,795	2,036	1,780	1,229	1,202	789	499	280	160	82	54	13	17	18	
24	22	11	14	10	5	15	8	4	4	2	4	–	2	2	1	1	–	–	–	–	–	1,018	
4,116	4,312	3,326	3,802	3,543	3,135	3,027	2,952	2,423	2,799	2,038	1,784	1,229	1,204	791	500	281	160	82	54	13	17	1,036	

TABLE 8—Births (exclusive of stillbirths) classified according to ages of parents, 1928—*con.*

ONTARIO

No.	Age of father — Âge du père	Total	Age of mother																	
			12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	
1	Under 16 years— Moins de 16 ans.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	16 years—ans	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
3	17 " "	10	–	–	–	1	3	3	–	2	–	–	–	–	–	–	–	–	–	–
4	18 " "	107	–	–	–	4	7	15	35	13	17	6	7	1	1	–	–	–	–	–
5	19 " "	335	–	–	–	3	16	47	86	89	40	25	14	5	2	5	1	–	1	
6	20 " "	658	–	–	–	8	22	57	115	132	121	75	60	23	15	12	4	1	7	
7	21 " "	1,212	–	–	1	5	27	71	162	217	231	207	119	73	47	14	14	13	2	
8	22 " "	1,653	–	–	1	7	15	68	145	264	258	277	238	170	88	50	28	16	13	
9	23 " "	2,140	–	–	–	3	18	70	126	250	314	350	295	291	175	110	51	36	16	
10	24 " "	2,663	–	–	–	2	14	55	107	225	314	345	394	348	388	173	106	86	29	
11	25 " "	2,885	–	–	–	5	7	40	103	158	242	302	389	439	356	335	192	113	83	
12	26 " "	3,086	–	–	1	1	11	23	66	152	229	272	329	348	422	380	356	171	147	
13	27 " "	3,321	–	–	–	1	9	26	83	89	164	248	315	367	373	388	365	346	226	
14	28 " "	3,719	–	–	–	–	5	25	57	88	128	203	273	314	435	401	413	405	400	
15	29 " "	3,403	–	–	–	1	6	21	30	71	99	163	195	248	286	358	356	369	395	
16	30 " "	3,492	–	–	–	3	3	13	33	44	104	116	145	207	291	300	322	328	430	
17	31 " "	3,184	–	–	–	–	2	8	21	33	50	95	113	153	182	208	285	284	316	
18	32 " "	3,225	–	–	–	1	1	10	21	30	49	59	126	118	163	205	195	232	315	
19	33 " "	3,083	–	–	–	–	1	5	14	22	41	58	77	122	132	135	172	212	273	
20	34 " "	2,899	–	–	–	–	1	5	3	24	30	40	61	78	161	126	140	171	235	
21	35 " "	2,752	–	–	–	–	1	3	9	8	33	33	42	66	59	137	110	141	170	
22	36 " "	2,627	–	–	–	–	1	–	2	7	19	28	37	59	77	64	131	119	159	
23	37 " "	2,374	–	–	–	1	–	3	–	8	14	15	33	36	44	58	81	112	121	
24	38 " "	2,585	–	–	–	–	1	–	6	4	7	19	33	38	60	46	61	76	138	
25	39 " "	2,167	–	–	–	–	–	1	2	5	7	11	25	35	24	51	46	45	98	
26	40 " "	2,071	–	–	–	–	2	3	3	5	7	6	17	18	33	40	57	54	69	
27	41 " "	1,503	–	–	–	–	–	1	2	–	7	6	11	13	15	17	20	42	48	
28	42 " "	1,572	–	–	–	–	1	–	2	3	5	6	6	14	22	18	28	37	36	
29	43 " "	1,287	–	–	–	–	–	1	1	–	5	7	10	6	8	13	12	22	29	
30	44 " "	1,014	–	–	–	–	–	–	–	2	4	5	4	4	7	10	12	17	18	
31	45 " "	939	–	–	–	–	–	–	1	1	1	3	3	7	11	7	8	15	25	
32	46 " "	737	–	–	–	–	–	–	–	2	1	–	1	6	2	12	7	8	16	
33	47 " "	588	–	–	–	–	–	–	–	1	2	4	2	4	3	5	4	5	11	
34	48 " "	585	–	–	–	–	–	1	1	–	1	–	4	4	2	4	4	7	9	
35	49 " "	452	–	–	–	–	–	–	–	1	–	1	2	4	3	3	6	1	5	
36	50 " "	372	–	–	–	–	–	–	1	–	–	1	–	–	2	6	6	9	7	
37	51 " "	225	–	–	–	1	–	–	–	–	1	1	–	2	–	3	1	2	4	
38	52 " "	212	–	–	–	–	–	–	–	–	–	1	–	–	3	–	1	1	6	
39	53 " "	149	–	–	–	–	–	1	–	–	–	–	2	–	2	2	2	3	1	
40	54 " "	139	–	–	–	–	–	–	1	–	1	–	–	–	1	1	1	1	6	
41	55 " "	113	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	
42	56 " "	86	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	1	1	
43	57 " "	71	–	–	–	–	–	–	–	1	–	1	–	–	2	2	–	1	1	
44	58 " "	50	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	
45	59 " "	35	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	
46	60 " "	34	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	
47	61 " "	18	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
48	62 " "	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	
49	63 " "	17	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	
50	64 " "	10	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	
51	65 and over—et plus	63	–	–	–	–	–	–	–	1	–	–	1	1	–	–	1	4	2	
52	Not stated—Non donné	403	–	–	–	–	–	–	1	2	3	3	6	4	2	5	2	2	4	
	Children born to married mothers—Enfants légitimes	**66,340**	–	–	3	47	174	576	1,239	1,956	2,551	2,992	3,390	3,629	3,901	3,704	3,604	3,513	3,880	
	Children born to unmarried mothers—Enfants illégitimes	**2,170**	–	4	16	56	119	197	233	233	216	173	157	136	86	73	57	47	61	
	Children born to all mothers—Légitimes et illégitimes	**68,510**	–	4	19	103	293	773	1,472	2,189	2,767	3,165	3,547	3,765	3,987	3,777	3,661	3,560	3,941	

TABLEAU 8—Naissances (mort-nés exclus) classifiées selon l'âge des parents, 1928—*suite*

ONTARIO

Âge de la mère																							No.
29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50 and over — 50 et plus	Not stated — Non donné	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	4
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	5
2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	6
4	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	7
1	4	3	1	1	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	8
5	10	5	5	2	1	–	2	–	1	–	–	–	–	–	–	–	–	1	–	–	–	3	9
26	20	10	4	1	5	2	1	2	–	–	–	1	–	–	–	–	–	–	–	–	–	5	10
36	40	16	7	5	5	2	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	7	11
77	36	26	8	3	8	6	2	3	2	3	1	–	–	–	–	–	–	–	–	–	–	3	12
126	72	33	29	21	13	7	4	5	1	2	1	2	–	–	–	1	–	–	–	–	–	4	13
211	137	76	61	32	16	8	7	7	5	3	–	–	–	–	–	–	–	–	–	–	–	9	14
317	206	105	61	42	30	15	8	5	2	4	5	2	–	–	–	–	–	–	–	–	–	3	15
311	317	209	112	72	56	20	19	9	14	3	1	2	1	–	2	–	–	–	–	–	–	5	16
339	354	300	177	96	71	34	29	6	10	5	2	3	–	–	–	–	–	–	–	–	–	8	17
264	360	314	325	169	122	50	34	21	18	11	1	2	3	–	–	–	–	–	–	–	–	6	18
252	285	293	310	283	172	94	54	26	22	15	3	1	–	2	–	–	–	1	–	–	–	6	19
229	276	228	279	253	260	135	72	39	27	9	9	2	1	1	–	–	–	–	–	–	–	4	20
183	224	215	264	262	270	238	125	60	52	22	9	4	3	2	1	–	–	–	–	–	–	6	21
165	197	197	229	213	239	223	227	96	67	26	17	11	4	2	3	2	1	–	–	–	–	5	22
124	177	192	181	195	203	200	194	183	95	50	25	15	3	7	2	–	–	–	–	–	–	2	23
122	146	154	193	243	209	213	224	190	212	85	52	20	19	7	–	2	1	–	–	–	–	4	24
117	94	112	153	142	178	182	172	192	174	153	74	28	21	14	3	3	1	–	–	–	1	3	25
58	132	109	130	124	151	179	142	145	217	147	106	69	25	9	9	1	1	–	–	–	–	3	26
42	82	70	94	74	103	112	118	120	128	129	110	72	38	18	7	1	–	1	–	–	–	2	27
44	43	68	117	92	95	92	128	120	163	114	122	71	82	30	5	3	–	1	–	1	–	3	28
28	38	45	56	100	79	76	97	104	117	93	114	84	78	49	9	4	1	–	–	–	–	1	29
19	30	36	35	48	72	64	62	58	94	93	90	62	67	57	27	11	3	2	–	–	–	1	30
22	29	27	40	56	47	87	60	56	80	76	81	52	49	49	29	14	1	1	–	–	–	1	31
13	14	15	24	28	27	37	66	42	73	55	72	57	44	48	31	22	7	4	–	1	–	2	32
8	19	21	15	17	18	41	39	64	50	40	54	33	36	37	27	12	7	4	1	–	1	3	33
10	14	11	14	26	22	28	31	30	72	46	48	50	55	32	20	18	12	5	4	–	–	–	34
13	10	9	17	14	21	9	32	25	53	45	39	34	30	23	24	9	7	4	4	1	–	3	35
7	12	6	14	17	19	17	16	17	35	27	41	30	23	22	15	12	4	1	3	2	–	–	36
8	9	9	9	2	8	10	13	6	25	12	19	20	15	21	13	9	1	1	–	–	–	–	37
4	4	3	7	4	6	9	12	17	22	11	27	13	16	17	9	10	3	3	2	–	–	1	38
3	5	4	7	7	6	6	10	5	9	8	16	10	9	13	5	6	4	2	–	–	–	1	39
–	–	4	5	4	9	7	9	8	18	7	9	10	8	7	9	7	3	1	1	1	–	–	40
5	7	2	5	4	3	11	7	2	13	9	6	8	6	9	6	4	–	–	1	–	–	–	41
2	1	4	3	1	4	4	11	6	5	6	5	4	9	7	3	3	2	–	–	–	–	1	42
4	1	3	5	1	2	3	5	3	5	6	5	6	2	6	2	1	–	2	1	–	–	–	43
–	–	1	4	1	2	3	5	3	3	–	3	4	3	3	4	3	1	–	1	1	–	–	44
–	2	–	2	1	1	3	–	3	4	4	2	2	2	2	1	2	1	1	–	–	–	–	45
–	1	–	–	–	2	2	–	3	1	4	8	3	1	2	4	–	–	–	1	–	–	–	46
2	–	2	–	–	1	2	–	2	1	3	2	–	–	–	1	1	–	–	–	–	–	–	47
–	–	–	1	1	–	–	1	3	1	1	–	1	1	–	–	1	–	–	1	–	–	–	48
–	1	–	–	2	–	1	–	–	2	3	2	–	2	–	–	–	–	–	1	1	–	–	49
–	–	1	–	1	–	1	–	–	1	–	1	1	–	–	1	–	–	–	–	–	–	–	50
1	2	2	2	2	1	6	2	3	8	4	7	2	4	3	1	3	–	–	–	–	–	–	51
1	3	2	3	1	2	–	1	–	2	1	–	1	–	–	–	–	–	–	–	–	–	352	52
3,205	3,417	2,945	3,009	2,663	2,559	2,239	2,041	1,694	1,905	1,335	1,190	791	661	499	274	164	61	35	21	8	2	463	
32	32	26	22	18	18	18	22	12	17	9	9	3	3	1	–	1	–	–	–	–	–	63	
3,237	3,449	2,971	3,031	2,681	2,577	2,257	2,063	1,706	1,922	1,344	1,199	794	664	500	274	165	61	35	21	8	2	526	

TABLE 8—Births (exclusive of stillbirths) classified according to ages of parents, 1928—*con.*

MANITOBA

No.	Age of father — Âge du père	Total	Age of mother																	
			12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	
1	Under 16 years—Moins de 16 ans.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	16 years—ans....	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	17 " "	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	18 " "	5	–	–	–	–	–	1	–	–	1	1	1	1	–	–	–	–	–	–
5	19 " "	33	–	–	–	–	2	3	7	8	11	1	–	–	–	–	–	–	1	
6	20 " "	74	–	–	–	–	1	7	9	17	24	6	1	3	2	2	–	–	–	
7	21 " "	118	–	–	–	–	3	8	17	30	17	18	9	8	5	–	1	1	1	
8	22 " "	224	–	–	–	–	2	7	22	31	39	40	36	18	8	11	4	2	2	
9	23 " "	354	–	–	–	1	4	4	23	53	58	49	57	48	21	10	11	5	3	
10	24 " "	435	–	–	–	–	3	8	25	34	57	67	62	66	42	28	17	8	6	
11	25 " "	487	–	–	–	–	–	6	23	29	44	62	65	65	66	60	24	13	11	
12	26 " "	529	–	–	–	–	1	3	15	43	51	46	71	68	65	55	42	22	21	
13	27 " "	625	–	–	–	1	2	8	16	25	38	54	83	70	89	68	55	51	28	
14	28 " "	708	–	–	–	–	1	4	18	27	38	52	67	78	89	67	79	48	64	
15	29 " "	648	–	–	–	–	–	2	8	22	24	35	50	57	66	69	67	58	61	
16	30 " "	627	–	–	–	–	1	1	7	18	29	29	45	45	55	55	62	56	66	
17	31 " "	600	–	–	–	–	–	1	4	17	18	25	25	40	46	55	55	58	55	
18	32 " "	678	–	–	–	–	1	1	3	11	19	23	40	38	38	41	62	59	68	
19	33 " "	660	–	–	–	–	1	1	6	9	15	19	32	47	35	45	39	48	65	
20	34 " "	649	–	–	–	–	–	–	2	8	11	17	22	25	38	26	42	45	68	
21	35 " "	628	–	–	–	–	–	1	5	9	12	12	14	19	29	42	32	30	48	
22	36 " "	621	–	–	–	–	–	–	2	4	5	12	12	19	21	32	38	34	32	
23	37 " "	594	–	–	–	–	–	–	3	7	5	8	8	13	20	28	21	36	31	
24	38 " "	673	–	–	–	–	1	–	1	1	7	3	4	17	21	20	20	29	47	
25	39 " "	586	–	–	–	–	–	–	2	2	3	3	10	14	9	8	21	23	23	
26	40 " "	557	–	–	–	–	1	–	–	2	4	4	8	10	15	9	18	10	19	
27	41 " "	377	–	–	–	–	–	–	–	2	–	4	2	5	3	5	9	10	10	
28	42 " "	450	–	–	–	–	–	–	–	1	2	1	7	5	4	10	8	10	19	
29	43 " "	314	–	–	–	–	–	–	–	2	–	5	4	3	6	4	1	8	5	
30	44 " "	307	–	–	–	–	–	–	–	1	–	1	1	3	–	3	4	6	6	
31	45 " "	273	–	–	–	–	–	–	1	1	1	1	–	2	3	6	4	3	11	
32	46 " "	219	–	–	–	–	–	–	–	–	1	1	2	2	1	3	5	5	2	
33	47 " "	181	–	–	–	–	–	–	–	1	–	2	2	–	1	2	2	3	4	
34	48 " "	178	–	–	–	–	–	–	–	–	1	1	–	–	1	1	1	2	2	
35	49 " "	112	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	3	1	
36	50 " "	96	–	–	–	–	–	–	–	–	–	–	–	1	–	3	1	2	1	
37	51 " "	74	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	3	
38	52 " "	67	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	
39	53 " "	52	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	
40	54 " "	31	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	
41	55 " "	29	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	
42	56 " "	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
43	57 " "	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
44	58 " "	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
45	59 " "	9	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	
46	60 " "	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
47	61 " "	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
48	62 " "	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
49	63 " "	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	
50	64 " "	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
51	65 and over—et plus.....	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	
52	Not stated—Non donné.....	24	–	–	–	1	–	1	1	–	1	1	–	–	1	1	–	–	–	
	Children born to married mothers—Enfants légitimes	**13,995**	–	–	–	**3**	**24**	**67**	**220**	**415**	**536**	**606**	**741**	**792**	**803**	**772**	**751**	**690**	**793**	
	Children born to unmarried mothers—Enfants illégitimes.....	**509**	–	**1**	**8**	**18**	**16**	**45**	**54**	**51**	**57**	**51**	**44**	**37**	**20**	**12**	**15**	**3**	**11**	
	Children born to all mothers—Légitimes et illégitimes.....	**14,504**	–	**1**	**8**	**21**	**40**	**112**	**274**	**466**	**593**	**657**	**785**	**829**	**823**	**784**	**766**	**693**	**804**	

TABLEAU 8—Naissances (mort-nés exclus) classifiées selon l'âge des parents, 1928—*suite*

MANITOBA

Âge de la mère																							No.
29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50 and over — 50 et plus	Not stated — Non donné	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	8
2	–	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
5	2	1	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	10
5	6	1	1	1	1	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	11
10	3	3	3	–	5	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12
9	8	6	6	1	3	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	13
25	21	10	8	2	3	1	1	–	1	2	1	1	–	–	–	–	–	–	–	–	–	–	14
50	32	19	15	6	4	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	15
45	50	23	16	4	9	1	4	1	2	1	–	1	1	–	–	–	–	–	–	–	–	–	16
54	42	49	23	18	6	4	2	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	17
54	56	44	49	33	16	9	1	2	4	2	2	–	–	1	–	–	–	1	–	–	–	–	18
53	46	46	55	44	23	13	7	6	3	–	–	1	–	–	–	–	–	–	–	–	–	1	19
52	56	34	46	50	57	18	14	6	3	7	2	–	–	–	–	–	–	–	–	–	–	–	20
43	47	35	61	54	43	43	16	12	15	5	1	–	–	–	–	–	–	–	–	–	–	–	21
54	45	30	46	58	59	42	28	22	6	8	5	3	2	1	–	–	–	–	–	–	1	–	22
27	60	40	47	46	48	47	36	29	19	7	1	3	4	–	–	–	–	–	–	–	–	–	23
41	49	35	49	49	51	58	50	40	37	17	10	3	5	6	1	1	–	–	–	–	–	–	24
44	32	23	43	45	43	38	57	41	40	34	14	12	1	1	–	–	–	–	–	–	–	–	25
19	46	24	35	30	31	52	45	48	48	32	28	11	3	3	1	1	–	–	–	–	–	–	26
14	6	27	29	19	22	29	38	30	33	29	28	10	9	3	1	–	–	–	–	–	–	–	27
9	13	16	33	28	27	30	35	34	44	34	35	21	17	4	–	1	1	–	–	–	–	1	28
7	10	13	16	35	20	22	19	19	34	22	19	18	10	8	–	3	1	–	–	–	–	–	29
12	8	15	18	15	30	14	20	24	25	27	26	13	13	7	11	3	1	–	–	–	–	–	30
6	6	6	19	11	15	29	19	20	29	19	20	7	16	9	7	1	1	–	–	–	–	–	31
5	9	2	3	9	7	15	24	17	17	14	15	13	21	9	13	–	3	1	–	–	–	–	32
4	2	5	8	6	8	7	8	13	16	9	19	13	18	11	6	3	5	2	1	–	–	–	33
–	10	3	2	7	10	6	11	12	22	7	23	8	18	14	5	6	3	2	–	–	–	–	34
3	–	2	3	4	2	8	4	13	14	18	5	8	7	5	4	3	2	–	1	–	–	–	35
–	3	3	6	3	4	3	7	5	9	7	9	5	11	4	5	2	2	–	–	–	–	–	36
1	1	5	2	2	2	6	4	4	8	2	6	10	3	4	5	–	–	2	–	–	–	–	37
–	2	4	–	1	4	2	3	6	9	5	4	5	9	2	1	3	–	1	1	–	1	–	38
1	1	1	3	3	2	–	4	–	2	7	5	2	4	5	4	4	–	–	1	–	–	–	39
–	1	–	–	1	1	1	–	3	2	2	3	4	1	–	3	1	–	2	–	–	–	–	40
1	2	–	–	1	1	1	2	2	–	–	3	–	4	2	–	4	–	3	–	–	–	–	41
1	–	–	1	1	1	1	–	1	–	5	4	–	2	–	2	–	–	2	–	–	1	–	42
1	–	–	1	1	–	1	2	1	1	1	3	3	–	–	–	–	2	1	–	–	–	–	43
1	–	–	2	–	1	–	2	1	2	2	–	1	2	–	1	–	–	–	–	–	–	–	44
–	–	–	–	–	–	–	4	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	45
–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	2	–	–	–	–	–	–	–	46
–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	47
–	–	–	–	–	–	–	–	1	2	–	2	–	1	–	–	–	1	–	–	–	–	–	48
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	49
–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	50
2	–	–	1	–	2	–	–	–	1	1	1	–	1	1	–	–	–	–	–	–	–	–	51
1	2	2	–	2	–	1	–	1	2	–	1	1	–	–	–	–	–	–	–	–	–	4	52
662	**678**	**528**	**655**	**592**	**563**	**508**	**471**	**417**	**457**	**328**	**296**	**180**	**183**	**101**	**74**	**36**	**24**	**16**	**4**	–	**3**	**6**	
8	**5**	**5**	**4**	**10**	**2**	**5**	**6**	**2**	**3**	**4**	**1**	–	**1**	–	–	–	–	**1**	–	–	–	**9**	
670	**683**	**533**	**659**	**602**	**565**	**513**	**477**	**419**	**460**	**332**	**297**	**180**	**184**	**101**	**74**	**36**	**24**	**17**	**4**	–	**3**	**15**	

TABLE 8—Births (exclusive of stillbirths) classified according to ages of parents, 1928—*con.*

SASKATCHEWAN

No.	Age of father — Âge du père	Total	Age of mother																
			12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
1	Under 16 years—Moins de 16 ans.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	16 years—ans....	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	17 " "	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
4	18 " "	7	–	–	–	1	2	1	–	1	1	–	–	–	–	1	–	–	–
5	19 " "	22	–	–	–	1	2	4	4	4	4	1	1	–	–	–	–	–	–
6	20 " "	110	–	–	2	2	13	12	25	24	10	9	4	2	1	2	1	2	
7	21 " "	202	–	–	–	2	18	27	35	39	45	15	9	6	4	–	–	1	
8	22 " "	326	–	–	1	8	19	34	60	45	55	41	30	18	8	2	2	1	
9	23 " "	480	–	–	1	2	19	33	79	77	85	61	49	31	16	10	3	2	
10	24 " "	624	–	–	1	4	20	40	72	76	91	101	77	66	29	17	14	7	
11	25 " "	709	–	–	–	11	8	37	55	96	84	92	91	77	85	30	18	12	
12	26 " "	776	–	–	–	3	7	31	44	77	92	89	95	115	70	70	26	29	
13	27 " "	864	–	–	–	2	11	25	54	75	89	99	98	122	67	71	59	34	
14	28 " "	1,064	–	–	1	4	6	31	65	73	104	102	110	127	111	97	67	77	
15	29 " "	860	–	–	–	1	7	15	34	52	56	91	80	95	90	84	69	65	
16	30 " "	924	–	–	–	2	4	17	42	55	57	75	62	82	94	74	76	82	
17	31 " "	852	–	–	–	–	–	6	28	28	41	53	55	62	84	84	79	79	
18	32 " "	983	–	–	–	–	7	10	19	39	44	66	49	69	92	92	90	90	
19	33 " "	986	–	–	–	1	1	6	17	29	32	54	51	58	59	85	70	106	
20	34 " "	956	–	–	–	–	1	11	14	17	21	27	37	60	49	76	86	95	
21	35 " "	975	–	–	–	1	–	1	4	20	21	19	41	53	74	59	75	71	
22	36 " "	948	–	–	–	–	2	6	9	16	26	25	31	31	44	70	56	72	
23	37 " "	833	–	–	–	1	1	2	4	4	15	27	19	22	43	43	52	54	
24	38 " "	1,002	–	–	–	1	–	–	4	7	14	13	21	32	34	43	39	89	
25	39 " "	829	–	–	–	–	1	2	7	9	15	13	16	18	26	25	35	50	
26	40 " "	909	–	–	–	1	2	2	1	7	9	12	14	19	24	26	34	34	
27	41 " "	583	–	–	–	–	1	2	3	2	6	5	14	9	11	12	15	23	
28	42 " "	706	–	–	–	–	–	1	1	1	4	5	5	10	14	12	26	19	
29	43 " "	606	–	–	–	–	–	1	–	3	3	1	14	5	14	11	17	24	
30	44 " "	514	–	–	–	–	–	–	2	–	4	4	4	9	6	4	11	16	
31	45 " "	466	–	–	–	–	–	–	–	1	3	9	5	6	9	12	12	16	
32	46 " "	324	–	–	–	–	–	–	3	–	–	1	3	5	4	4	9	7	
33	47 " "	286	–	–	–	–	–	–	–	2	–	2	4	5	3	5	5	5	
34	48 " "	262	–	–	–	–	–	–	–	1	2	3	1	3	10	3	4	6	
35	49 " "	171	–	–	–	–	–	–	–	–	1	–	2	1	1	3	2	2	
36	50 " "	155	–	–	–	–	–	–	–	1	–	2	1	2	–	3	3	1	
37	51 " "	108	–	–	–	–	–	–	–	–	–	1	–	1	1	1	2	1	
38	52 " "	83	–	–	–	–	–	–	1	–	–	–	1	–	–	2	–	2	
39	53 " "	63	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	
40	54 " "	56	–	–	–	–	–	1	–	–	–	–	–	2	–	1	1	2	
41	55 " "	29	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	
42	56 " "	39	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	
43	57 " "	22	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
44	58 " "	18	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	
45	59 " "	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
46	60 " "	10	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
47	61 " "	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
48	62 " "	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	
49	63 " "	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
50	64 " "	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
51	65 and over—et plus.....	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
52	Not stated—Non donné.....	7	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	1
	Children born to married mothers—Enfants légitimes	**20,798**	–	–	–	**6**	**48**	**152**	**359**	**687**	**881**	**1,035**	**1,120**	**1,096**	**1,224**	**1,182**	**1,134**	**1,062**	**1,179**
	Children born to unmarried mothers—Enfants illégitimes.....	**463**	–	**3**	**4**	**7**	**29**	**34**	**72**	**49**	**46**	**47**	**36**	**23**	**18**	**19**	**11**	**8**	**6**
	Children born to all mothers—Légitimes et illégitimes.....	**21,261**	–	**3**	**4**	**13**	**77**	**186**	**431**	**736**	**927**	**1,082**	**1,156**	**1,119**	**1,242**	**1,201**	**1,145**	**1,070**	**1,185**

TABLEAU 8—Naissances (mort-nés exclus) classifiées selon l'âge des parents, 1928—*suite*

SASKATCHEWAN

Âge de la mère																							No.
29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50 and over — 50 et plus	Not stated — Non donné	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	7
–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
4	3	1	–	–	–	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	9
3	3	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
2	3	2	1	3	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11
7	6	2	4	2	2	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12
19	15	6	3	5	3	1	–	3	1	–	–	1	–	1	–	–	–	–	–	–	–	–	13
43	12	11	9	3	5	–	2	1	–	–	–	–	1	1	–	–	–	–	–	–	–	1	14
50	34	14	7	6	7	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	15
56	65	27	15	13	8	5	4	4	2	1	1	–	–	1	–	–	–	–	–	–	–	–	16
60	61	59	34	10	10	9	7	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	17
59	75	59	53	26	16	8	9	4	3	2	1	–	–	–	–	–	1	–	–	–	–	–	18
77	61	66	71	75	20	22	12	6	1	2	–	1	1	1	–	–	–	–	–	–	1	–	19
66	73	61	75	62	52	32	12	10	11	2	1	3	1	–	1	–	–	–	–	–	–	–	20
73	76	58	83	66	43	72	27	13	15	5	1	2	1	–	–	–	–	–	–	–	1	–	21
53	75	73	80	56	66	49	47	27	14	10	5	2	–	2	–	–	1	–	–	–	–	–	22
59	56	55	59	60	53	64	42	47	21	13	12	–	3	1	–	1	–	–	–	–	–	–	23
55	59	59	82	74	60	82	74	68	56	15	11	3	3	–	4	–	–	–	–	–	–	–	24
53	50	40	51	59	61	60	60	53	50	38	19	6	5	2	2	1	–	–	–	–	–	2	25
49	63	42	54	64	58	74	54	66	76	55	36	16	7	5	3	1	1	–	–	–	–	–	26
19	23	45	47	40	36	39	41	48	39	35	25	23	9	7	1	1	2	–	–	–	–	–	27
13	33	19	67	40	48	53	50	53	85	39	42	26	30	4	3	2	–	–	–	–	1	–	28
11	24	15	29	50	41	30	41	43	58	40	49	24	31	17	7	2	1	–	–	–	–	–	29
11	22	12	20	34	36	31	37	35	36	36	39	36	30	20	13	5	1	–	–	–	–	–	30
8	5	9	24	18	20	40	38	23	36	30	44	27	26	19	13	10	2	1	–	–	–	–	31
8	7	13	13	11	14	21	37	20	16	27	28	27	14	15	10	3	3	1	–	–	–	–	32
4	8	5	9	13	11	19	18	29	21	20	25	13	19	13	12	3	9	3	–	1	–	–	33
9	7	3	10	8	8	8	16	12	34	17	16	21	17	17	10	9	7	–	–	–	–	–	34
9	4	6	7	5	6	9	9	14	13	16	12	8	10	10	5	11	3	2	–	–	–	–	35
1	7	4	5	7	5	5	5	7	19	6	20	9	16	10	4	1	8	2	1	–	–	–	36
2	1	6	2	5	1	7	9	3	7	6	8	9	9	7	5	3	9	1	1	–	–	–	37
2	–	2	–	5	5	3	5	6	6	8	10	4	9	3	1	4	2	1	–	–	1	–	38
–	1	2	3	4	2	1	4	5	5	1	2	8	8	4	5	3	1	–	–	2	–	–	39
1	2	1	–	5	2	–	1	3	7	2	2	4	3	1	7	1	3	1	2	1	–	–	40
–	–	2	2	–	4	2	3	2	2	3	1	1	1	2	1	1	–	–	–	–	–	–	41
1	1	1	2	–	1	4	3	2	2	2	3	2	4	1	–	3	2	1	–	–	–	–	42
–	–	1	1	–	–	1	1	3	1	2	2	1	3	1	3	–	1	–	–	–	–	–	43
–	2	–	–	–	–	1	2	2	1	1	–	2	1	2	–	–	–	2	–	–	–	–	44
–	–	–	–	–	–	–	1	1	1	–	1	1	–	–	2	–	–	–	1	–	–	–	45
–	–	–	–	–	–	–	–	–	–	1	2	–	3	1	1	1	–	–	–	–	–	–	46
–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	1	–	–	1	–	–	–	–	47
–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	48
–	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	49
–	1	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	50
–	1	–	–	2	1	1	5	2	2	–	–	1	1	1	–	–	–	–	–	–	–	–	51
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	52
888	**942**	**782**	**922**	**833**	**707**	**760**	**680**	**623**	**642**	**438**	**420**	**282**	**269**	**170**	**116**	**67**	**57**	**16**	**5**	**4**	**5**	**5**	
1	**7**	**4**	**4**	**3**	**4**	**4**	**3**	**3**	**3**	**4**	**1**	**1**	**3**	**2**	**2**	–	–	–	–	–	–	**2**	
889	**949**	**786**	**926**	**836**	**711**	**764**	**683**	**626**	**645**	**442**	**421**	**283**	**272**	**172**	**118**	**67**	**57**	**16**	**5**	**4**	**5**	**7**	

TABLE 8—Births (exclusive of stillbirths) classified according to ages of parents, 1928—*con.*

ALBERTA

No.	Age of father — Âge du père	Total	Age of mother																	
			12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	
1	Under 16 years—Moins de 16 ans.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	16 years—ans....	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	17 " "	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	18 " "	7	–	–	–	–	1	2	4	–	–	–	–	–	–	–	–	–	–	–
5	19 " "	12	–	–	–	–	–	–	4	3	2	2	–	1	–	–	–	–	–	–
6	20 " "	71	–	–	–	–	4	3	9	16	17	5	5	5	4	–	–	2	1	
7	21 " "	165	–	–	–	2	2	5	30	32	33	30	15	8	–	4	–	–	1	
8	22 " "	255	–	–	–	–	2	15	20	40	55	45	44	14	7	6	1	2	3	
9	23 " "	392	–	–	–	–	1	10	28	55	57	69	70	53	23	16	2	2	1	
10	24 " "	512	–	–	–	–	4	9	29	60	61	84	83	68	60	18	18	3	9	
11	25 " "	552	–	–	–	–	1	12	33	51	65	61	78	76	66	48	27	6	14	
12	26 " "	566	–	–	–	–	3	10	22	33	67	74	67	80	58	50	44	26	11	
13	27 " "	619	–	–	–	–	2	7	22	45	38	84	75	65	65	70	43	43	20	
14	28 " "	799	–	–	–	–	1	7	21	46	51	66	86	90	93	91	62	48	66	
15	29 " "	700	–	–	–	–	–	3	10	27	37	40	64	61	85	74	59	72	51	
16	30 " "	714	–	–	–	–	–	2	11	17	33	36	50	55	85	66	63	58	72	
17	31 " "	635	–	–	–	–	–	4	9	16	20	40	41	44	43	72	54	42	56	
18	32 " "	747	–	–	–	–	1	4	13	18	28	21	59	60	45	60	65	51	71	
19	33 " "	751	–	–	–	–	1	3	7	7	22	22	32	57	59	52	51	64	78	
20	34 " "	700	–	–	–	–	–	1	3	11	18	17	31	37	58	33	48	46	65	
21	35 " "	658	–	–	–	–	1	1	4	7	12	17	25	23	32	49	37	27	65	
22	36 " "	650	–	–	–	–	–	–	2	6	8	19	24	20	28	37	45	31	41	
23	37 " "	616	–	–	–	–	–	–	1	1	8	9	13	26	26	31	23	55	44	
24	38 " "	728	–	–	–	–	–	2	7	4	11	8	17	10	23	18	34	42	66	
25	39 " "	634	–	–	–	–	–	1	1	1	6	5	15	12	22	18	19	19	46	
26	40 " "	601	–	–	–	–	–	2	2	2	5	3	12	10	9	17	19	20	35	
27	41 " "	406	–	–	–	–	–	–	–	1	–	3	2	5	12	15	9	10	19	
28	42 " "	500	–	–	–	–	–	1	–	1	3	4	6	4	8	7	13	21	19	
29	43 " "	406	–	–	–	–	–	1	–	–	–	4	3	10	8	13	12	6	14	
30	44 " "	299	–	–	–	–	–	–	1	–	1	1	1	4	3	5	3	7	2	
31	45 " "	341	–	–	–	–	–	–	1	–	1	4	5	2	3	10	2	10	15	
32	46 " "	220	–	–	–	–	–	–	–	–	–	–	–	4	2	2	4	7	4	
33	47 " "	205	–	–	–	–	–	–	1	–	–	–	3	–	4	1	2	4	7	
34	48 " "	183	–	–	–	–	–	–	1	1	2	–	1	2	6	6	4	9	5	
35	49 " "	125	–	–	–	–	–	–	–	–	–	–	1	–	2	2	2	1	2	
36	50 " "	112	–	–	–	–	–	–	1	1	–	1	–	1	2	2	1	2	2	
37	51 " "	48	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	
38	52 " "	63	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	
39	53 " "	55	–	–	–	–	–	–	–	1	–	–	–	1	–	1	1	1	5	
40	54 " "	34	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	
41	55 " "	29	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	
42	56 " "	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
43	57 " "	20	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	
44	58 " "	15	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	
45	59 " "	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
46	60 " "	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
47	61 " "	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	
48	62 " "	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	
49	63 " "	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
50	64 " "	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	
51	65 and over—et plus.....	10	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	
52	Not stated—Non donné.....	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
	Children born to married mothers—Enfants légitimes	**15,214**	–	–	–	**2**	**24**	**105**	**297**	**503**	**661**	**775**	**929**	**910**	**943**	**898**	**768**	**744**	**918**	
	Children born to unmarried mothers—Enfants illégitimes.....	**478**	–	**1**	**6**	**10**	**23**	**31**	**47**	**62**	**55**	**50**	**31**	**26**	**27**	**8**	**20**	**9**	**13**	
	Children born to all mothers—Légitimes et illégitimes.....	**15,692**	–	**1**	**6**	**12**	**47**	**136**	**344**	**565**	**716**	**825**	**960**	**936**	**970**	**906**	**788**	**753**	**931**	

TABLEAU 8—Naissances (mort-nés exclus) classifiées selon l'âge des parents, 1928—*suite*

ALBERTA

Âge de la mère																							No.
29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50 and over — 50 et plus	Not stated — Non donné	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
2	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
1	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	10
3	4	3	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	11
6	3	4	1	–	1	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	12
17	11	3	5	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	13
22	15	6	10	8	–	3	4	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	14
46	29	15	9	5	4	4	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	1	15
49	46	20	18	13	6	3	1	1	3	1	1	1	–	1	–	–	–	–	–	–	–	2	16
47	45	37	16	14	11	8	6	3	1	2	–	3	–	–	–	–	–	–	1	–	–	–	17
48	52	48	47	24	13	6	8	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	18
53	42	51	45	41	26	13	10	7	2	3	1	1	1	–	–	–	–	–	–	–	–	–	19
57	58	37	45	39	41	24	11	8	3	2	2	–	1	–	1	–	1	–	–	–	–	2	20
40	59	49	44	47	37	40	18	9	3	7	–	3	–	–	–	1	–	–	–	–	–	1	21
50	45	42	53	36	46	36	37	17	14	3	5	1	2	–	1	–	1	–	–	–	–	–	22
39	35	40	40	31	42	47	33	40	13	9	6	1	1	1	–	1	–	–	–	–	–	–	23
42	42	39	63	35	54	48	42	46	32	19	8	3	6	3	–	1	–	–	–	–	1	2	24
42	43	35	45	32	31	53	49	42	38	33	12	4	5	1	2	–	1	1	–	–	–	–	25
25	44	41	43	34	38	47	34	35	36	37	30	13	5	1	1	1	–	–	–	–	–	–	26
22	18	31	18	13	19	23	30	29	39	20	26	20	10	7	2	2	1	–	–	–	–	–	27
20	19	21	41	21	29	35	37	44	30	42	31	21	15	4	1	1	–	–	–	–	–	1	28
16	14	12	21	34	15	21	29	26	35	27	23	17	16	18	6	4	–	–	–	–	–	1	29
11	12	8	14	16	16	18	15	27	36	25	17	16	20	11	6	2	1	–	–	–	–	–	30
7	11	13	12	19	26	22	22	25	25	21	27	14	18	14	7	4	1	–	–	–	–	–	31
2	10	5	15	8	5	14	28	18	17	5	18	9	13	11	10	4	2	1	–	–	–	2	32
4	7	9	4	10	2	13	15	22	16	12	17	11	17	11	4	7	–	–	–	1	–	1	33
–	8	5	5	7	2	7	11	12	30	8	11	6	10	7	7	6	4	–	–	–	–	–	34
1	2	5	4	1	7	9	3	7	15	17	11	6	10	5	3	8	1	–	–	–	–	–	35
1	5	1	4	3	4	4	4	6	12	7	16	7	6	9	4	2	3	1	–	–	–	–	36
1	–	1	2	–	–	4	1	2	9	1	–	7	4	5	3	2	2	–	–	–	–	–	37
3	–	1	3	2	2	1	5	2	5	4	5	1	8	4	4	5	1	1	–	2	–	–	38
2	1	–	3	3	5	2	2	1	2	6	2	2	3	4	2	3	–	–	2	–	–	–	39
1	1	1	1	1	1	2	3	1	1	3	2	1	4	2	3	1	–	–	2	–	–	–	40
1	1	1	–	–	–	1	1	1	2	1	6	–	5	2	1	–	1	1	1	–	–	–	41
–	1	–	1	1	2	–	2	1	1	1	1	1	1	3	1	–	1	1	–	–	–	–	42
–	–	2	–	4	–	1	–	2	1	3	1	2	–	–	–	–	1	–	–	–	–	–	43
1	1	–	–	–	–	–	2	–	–	–	2	1	2	2	1	1	–	–	–	–	–	–	44
–	1	–	2	1	1	–	–	1	2	–	–	1	–	2	1	–	–	–	1	–	–	–	45
–	–	–	–	–	–	3	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	46
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	47
–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	48
–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	49
–	–	1	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	50
1	–	–	1	–	–	–	1	–	1	2	–	–	–	1	–	1	–	–	–	–	–	–	51
–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	52
683	**690**	**589**	**638**	**505**	**489**	**517**	**469**	**442**	**430**	**325**	**283**	**173**	**184**	**129**	**71**	**58**	**22**	**6**	**7**	**4**	**1**	**22**	
7	**5**	**6**	**5**	**7**	**2**	**5**	**5**	**2**	**3**	**4**	**4**	**2**	–	**1**	–	–	–	–	–	–	–	**1**	
690	**695**	**595**	**643**	**512**	**491**	**522**	**474**	**444**	**433**	**329**	**287**	**175**	**184**	**130**	**71**	**58**	**22**	**6**	**7**	**4**	**1**	**23**	

TABLE 8—Births (exclusive of stillbirths) classified according to ages of parents, 1928—*con.*

BRITISH COLUMBIA

No.	Age of father — Âge du père	Total	Age of mother																
			12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
1	Under 16 years—Moins de 16 ans.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	16 years—ans....	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
3	17 " "	5	–	–	–	–	2	–	1	–	1	–	–	–	1	–	–	–	–
4	18 " "	10	–	–	–	1	–	2	4	1	2	–	–	–	–	–	–	–	–
5	19 " "	22	–	–	–	–	–	4	6	4	2	4	–	2	–	–	–	–	–
6	20 " "	57	–	–	–	–	1	6	12	15	11	2	5	2	–	1	–	1	–
7	21 " "	137	–	–	–	–	2	14	24	23	28	25	9	4	3	2	1	–	1
8	22 " "	214	–	–	–	1	1	4	28	33	35	45	26	19	9	6	3	–	–
9	23 " "	268	–	–	–	–	3	10	20	25	41	50	34	38	23	7	7	2	3
10	24 " "	366	–	–	–	1	3	10	20	37	47	34	69	41	38	26	14	12	6
11	25 " "	386	–	–	–	1	4	6	16	31	30	41	53	48	53	40	28	15	7
12	26 " "	417	–	–	–	–	–	–	20	16	33	45	40	49	42	50	54	35	14
13	27 " "	468	–	–	–	–	1	4	7	24	36	42	51	48	52	54	51	39	29
14	28 " "	530	–	–	–	–	2	2	12	12	37	42	45	56	42	58	60	44	47
15	29 " "	463	–	–	–	–	–	–	6	15	21	22	40	43	45	42	43	57	53
16	30 " "	460	–	–	–	–	–	1	5	8	19	36	20	32	35	46	38	52	50
17	31 " "	412	–	–	–	–	1	2	3	11	11	24	23	27	31	24	37	31	43
18	32 " "	451	–	–	–	–	–	1	2	8	10	22	26	25	25	30	29	35	46
19	33 " "	401	–	–	–	–	–	1	3	3	7	13	22	28	24	20	33	34	32
20	34 " "	439	–	–	–	–	–	1	7	4	7	2	23	18	37	23	34	27	43
21	35 " "	419	–	–	–	–	–	1	3	5	8	14	10	15	19	31	32	19	45
22	36 " "	388	–	–	–	–	–	–	4	1	6	7	13	12	15	21	32	26	24
23	37 " "	384	–	–	–	–	–	–	5	3	5	5	3	8	13	16	17	41	25
24	38 " "	434	–	–	–	–	–	–	1	1	4	–	12	5	23	16	16	33	39
25	39 " "	402	–	–	–	–	–	–	1	1	2	2	6	10	13	15	15	22	24
26	40 " "	389	–	–	–	–	–	–	–	–	3	7	5	6	6	10	5	15	32
27	41 " "	302	–	–	–	–	–	–	–	–	4	4	2	3	2	10	7	9	17
28	42 " "	295	–	–	–	–	–	–	1	–	–	–	4	4	4	4	4	6	11
29	43 " "	219	–	–	–	–	–	–	1	–	2	2	3	4	5	2	6	5	9
30	44 " "	257	–	–	–	–	–	–	–	1	–	2	–	1	8	3	9	6	7
31	45 " "	199	–	–	–	–	–	–	–	3	–	2	1	–	2	4	3	3	8
32	46 " "	174	–	–	–	–	–	–	–	2	–	2	–	1	6	1	3	4	3
33	47 " "	138	–	–	–	–	–	–	–	–	–	2	1	2	2	1	2	2	4
34	48 " "	119	–	–	–	–	–	–	–	–	1	2	–	1	2	5	3	7	4
35	49 " "	89	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	3	3
36	50 " "	81	–	–	–	–	–	–	–	–	1	1	–	3	1	2	2	3	1
37	51 " "	55	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2
38	52 " "	48	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	2
39	53 " "	29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
40	54 " "	38	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	3
41	55 " "	21	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
42	56 " "	26	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
43	57 " "	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
44	58 " "	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
45	59 " "	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
46	60 " "	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
47	61 " "	7	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
48	62 " "	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
49	63 " "	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
50	64 " "	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
51	65 and over—et plus.....	9	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1
52	Not stated—Non donné.....	37	–	–	–	–	1	1	–	–	1	1	–	–	–	–	–	–	1
	Children born to married mothers—Enfants légitimes	**10,118**	–	–	–	**4**	**21**	**71**	**214**	**287**	**415**	**505**	**549**	**556**	**581**	**572**	**594**	**591**	**640**
	Children born to unmarried mothers—Enfants illégitimes.....	**267**	**1**	–	**1**	**5**	**14**	**20**	**35**	**25**	**30**	**27**	**18**	**10**	**12**	**7**	**8**	**5**	**5**
	Children born to all mothers—Légitimes et illégitimes.....	**10,385**	**1**	–	**1**	**9**	**35**	**91**	**249**	**312**	**445**	**532**	**567**	**566**	**593**	**579**	**602**	**596**	**645**

TABLEAU 8—Naissances (mort-nés exclus) classifiées selon l'âge des parents, 1928—*fin*

COLOMBIE BRITANNIQUE

Âge de la mère																						No.
29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50 and over — 50 et plus	Not stated — Non donné	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
1	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	8
1	1	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
1	2	4	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
5	5	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11
8	5	1	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12
11	4	3	3	1	2	3	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	13
26	14	7	11	5	4	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14
30	18	5	11	5	3	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	15
34	43	20	9	5	2	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	16
42	32	35	13	11	4	2	–	1	–	3	1	–	–	–	–	–	–	–	–	–	–	–	17
27	40	37	40	11	14	13	3	2	2	–	–	1	2	–	–	–	–	–	–	–	–	–	18
33	25	26	30	26	14	9	4	4	3	3	3	1	–	–	–	–	–	–	–	–	–	–	19
31	35	24	27	34	24	20	10	5	1	2	–	–	–	–	–	–	–	–	–	–	–	–	20
24	34	22	28	27	27	27	8	8	6	–	1	2	2	1	–	–	–	–	–	–	–	–	21
21	29	25	27	24	31	22	28	9	5	2	2	1	–	1	–	–	–	–	–	–	–	–	22
19	18	29	26	24	23	34	28	21	10	4	6	–	1	–	–	–	–	–	–	–	–	–	23
14	36	25	35	29	23	27	25	23	28	7	4	4	3	1	–	–	–	–	–	–	–	–	24
34	26	21	25	20	27	25	25	27	23	17	9	9	–	3	–	–	–	–	–	–	–	–	25
22	38	22	16	19	26	27	24	19	25	30	20	8	2	–	–	1	–	–	–	–	1	–	26
13	15	29	16	17	25	17	19	21	17	19	16	14	4	2	–	–	–	–	–	–	–	–	27
12	17	19	28	26	10	21	24	16	24	17	16	12	10	5	–	–	–	–	–	–	–	–	28
6	8	15	11	21	13	14	16	9	16	9	14	17	6	5	–	–	–	–	–	–	–	–	29
6	14	13	27	18	17	18	21	13	23	11	6	7	7	11	5	2	–	–	1	–	–	–	30
10	9	6	12	9	10	23	10	15	15	12	12	4	7	8	7	3	–	–	–	–	–	1	31
7	3	8	12	4	12	6	17	10	14	15	13	1	9	7	7	3	2	2	–	–	–	–	32
3	10	7	5	5	11	5	9	22	10	6	10	6	3	2	2	3	2	1	–	–	–	–	33
5	2	5	8	2	3	4	7	6	12	6	5	4	6	10	4	2	–	2	–	1	–	–	34
2	–	3	3	2	8	6	12	3	7	7	4	3	11	3	3	1	1	–	–	1	–	–	35
1	2	3	2	1	4	2	4	6	7	7	8	8	3	4	2	1	–	1	–	–	–	1	36
2	2	1	2	2	2	6	7	4	3	3	6	4	3	1	1	1	1	–	–	–	–	–	37
–	1	–	2	3	2	2	5	5	5	1	3	3	4	2	1	3	–	–	–	1	–	–	38
1	1	2	2	1	–	3	1	2	4	–	4	2	2	–	1	–	1	–	–	1	–	–	39
–	3	1	1	1	3	1	2	2	3	3	2	1	3	1	1	1	1	–	2	–	–	–	40
–	2	–	2	2	1	1	1	3	1	–	1	1	–	1	1	1	–	–	1	1	–	–	41
1	4	1	1	2	–	1	2	4	2	2	2	1	1	–	1	–	–	–	–	–	–	–	42
–	1	–	–	1	–	1	–	3	1	–	1	1	2	–	–	1	2	1	–	1	–	–	43
1	–	1	1	1	–	–	1	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	44
–	1	–	–	–	–	–	1	–	–	4	–	–	–	1	–	–	–	–	–	–	–	–	45
–	–	–	1	–	1	–	–	–	–	–	1	2	–	1	1	1	–	–	–	–	–	–	46
–	1	–	–	1	–	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	47
–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–	1	–	48
–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	49
–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	50
–	–	–	1	1	1	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	51
–	–	–	–	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	28	52
454	**503**	**420**	**444**	**365**	**349**	**350**	**320**	**268**	**276**	**193**	**172**	**120**	**93**	**70**	**37**	**25**	**10**	**7**	**4**	**6**	**2**	**30**	
6	**7**	**3**	**4**	**4**	**3**	**6**	**1**	**1**	**1**	**1**	**2**	–	–	**2**	**2**	–	–	–	–	–	–	**1**	
460	**510**	**423**	**448**	**369**	**352**	**356**	**321**	**269**	**277**	**194**	**174**	**120**	**93**	**72**	**39**	**25**	**10**	**7**	**4**	**6**	**2**	**31**	

TABLE 9—Births (exclusive of stillbirths) classified according to racial origin of parents, 1928

No.	Racial origin of father — Origine raciale du père	Total	Racial origin of mother																	
			English — Anglaise	Irish — Irlandaise	Scotch — Écossaise	Welsh—Galloise	French — Française	Armenian—Arménienne	Austrian — Autrichienne	Belgian—Belge	Bulgarian—Bulgare	Chinese—Chinoise	Czech and Slovak Tchèque et Slov.	Danish—Danoise	Dutch — Hollandaise	Finnish—Finlandaise	German — Allemande	Greek	Hindu	Hungarian
	CANADA[1]																			
1	English	51,531	36,762	4,255	5,932	236	1,834	–	20	41	–	–	24	84	336	41	978	–	–	21
2	Irish	21,472	5,019	9,471	3,557	96	1,828	–	16	16	–	–	12	40	220	11	696	–	–	14
3	Scotch	23,339	6,505	3,301	10,944	152	927	–	10	20	–	–	18	41	256	16	576	–	–	33
4	Welsh	876	331	98	186	168	21	–	2	1	–	–	2	4	7	–	30	–	–	1
5	French	90,256	1,369	1,241	695	15	86,182	–	11	102	–	–	3	4	49	9	259	–	–	3
6	Armenian	67	2	–	1	–	5	58	–	–	–	–	–	–	–	–	1	–	–	1
7	Austrian	1,344	35	11	10	–	18	–	1,098	–	1	–	7	–	–	–	33	–	–	1
8	Belgian	621	29	20	15	–	115	–	2	399	–	–	3	–	8	–	16	–	–	1
9	Bulgarian	58	12	2	1	–	4	–	4	–	25	–	–	–	–	–	1	–	–	1
10	Chinese	264	6	3	4	–	3	–	–	–	–	229	1	1	–	–	3	–	–	1
11	Czech and Slovak	409	16	9	6	–	10	–	2	2	–	–	295	1	–	–	14	–	–	1
12	Danish	614	114	43	74	1	23	–	–	1	–	–	–	254	4	3	33	–	–	1
13	Dutch	2,254	395	229	212	11	54	–	3	5	–	–	1	6	1,205	2	81	–	–	1
14	Finnish	608	11	6	5	–	10	–	–	–	–	–	–	–	–	555	4	–	–	1
15	German	10,133	942	512	524	11	259	–	47	5	1	–	24	26	65	4	7,293	–	–	1
16	Greek	306	44	16	12	–	27	–	2	–	–	–	3	1	1	1	9	–	–	1
17	Hindu	38	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
18	Hungarian	691	6	2	2	–	5	–	4	–	–	–	2	–	–	–	21	–	–	1
19	Icelandic	408	25	18	22	–	7	–	–	1	–	–	2	1	5	–	14	–	–	1
20	Indian	2,231	31	11	12	–	59	–	–	–	–	–	–	1	–	–	4	–	–	1
21	Italian	2,851	129	57	54	2	216	–	6	9	–	–	3	–	4	7	21	–	–	1
22	Japanese	872	2	–	1	–	1	–	–	–	–	–	–	–	2	–	–	–	–	1
23	Jewish	2,142	15	6	6	–	6	–	1	–	–	–	–	–	–	1	2	–	–	1
24	Negro	379	16	6	6	1	8	–	–	–	–	–	–	–	–	–	4	–	–	1
25	Norwegian	1,790	272	106	126	6	53	–	2	2	–	–	3	25	9	8	89	–	–	1
26	Polish	2,268	53	25	22	–	32	–	28	2	–	–	9	–	–	2	47	–	–	1
27	Roumanian	625	31	10	6	–	14	–	10	2	–	–	2	–	–	2	14	–	–	1
28	Russian	2,293	84	13	23	2	28	–	94	1	–	–	6	1	4	1	114	–	–	1
29	Serb and Croat	248	10	2	3	–	3	–	1	–	–	–	2	–	–	–	4	–	–	1
30	Swedish	1,422	249	100	112	8	59	–	1	1	–	–	3	19	10	31	60	–	–	1
31	Swiss	280	54	25	20	3	27	–	–	1	–	–	1	2	6	–	41	–	–	1
32	Syrian	307	18	6	10	–	34	–	1	–	–	–	1	–	1	–	2	–	–	1
33	Ukranian[2]	5,325	16	7	7	3	10	–	39	3	–	–	11	–	2	3	12	–	–	1
34	Other	259	35	14	13	1	27	–	–	1	–	–	1	–	2	3	4	–	–	1
35	Not specified	896	155	29	60	–	24	–	1	–	–	–	–	–	3	–	9	–	–	1
36	**Children born to married mothers— Enfants légitimes.**	T. 229,477	52,794	19,654	22,683	716	91,933	58	1,405	615	27	229	439	511	2,199	700	10,489	–	–	21
		M. 117,757	27,039	10,056	11,709	360	47,124	32	718	342	9	117	233	264	1,139	368	5,370	–	–	14
		F. 111,720	25,755	9,598	10,974	356	44,809	26	687	273	18	112	206	247	1,060	332	5,119	–	–	7
37	**Children born to unmarried mothers —Enfants illégitimes.**	T. 7,280	1,733	623	828	20	2,123	–	19	7	–	1	7	9	49	33	268	–	–	–
		M. 3,748	862	319	431	6	1,120	–	11	4	–	1	4	4	25	17	137	–	–	–
		F. 3,532	871	304	397	14	1,003	–	8	3	–	–	3	5	24	16	131	–	–	–
38	**Children born to all mothers—Légitimes et illégitimes.**	T. 236,757	54,527	20,277	23,511	736	94,056	58	1,424	622	27	230	446	520	2,248	733	10,757	–	–	21
		M. 121,505	27,901	10,375	12,140	366	48,244	32	729	346	9	118	237	268	1,164	385	5,507	–	–	14
		F. 115,252	26,626	9,902	11,371	370	45,812	26	695	276	18	112	209	252	1,084	348	5,250	–	–	7

(1)Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.
(2)Including "Galician" and "Bukovinian"—Y compris "Galicienne" et "Bukovine".

TABLEAU 9—Naissances (mort-nés exclus) classifiées selon l'origine raciale des parents, 1928

Origine raciale de la mère

Greek—Grecque	Hindu—Hindoue	Hungarian—Hongroise	Icelandic—Islandaise	Indian—Indienne	Italian—Italienne	Japanese—Japonaise	Jewish—Hébraïque	Negro—Nègre	Norwegian—Norvégienne	Polish—Polonaise	Roumanian—Roumaine	Russian—Russe	Serb and Croat—Serbe et Croate	Swedish—Suédoise	Swiss—Suisse	Syrian—Syrienne	Ukranian(2)—Ukranienne(2)	Other—Autres	Not specified—Non spécifiée	No.
CANADA (1)																				
–	–	15	54	67	38	–	8	3	233	72	9	57	5	199	47	5	27	22	127	1
–	–	8	21	30	23	–	4	1	153	40	3	19	1	114	16	–	10	5	42	2
–	–	10	52	36	18	–	3	2	167	27	3	23	4	131	26	1	10	14	46	3
–	–	2	1	–	1	–	–	–	9	1	–	–	–	3	2	–	2	–	5	4
1	–	4	6	71	39	–	–	3	41	46	2	10	4	29	15	1	17	11	17	5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
–	1	4	–	–	2	–	–	1	3	37	6	25	–	4	–	–	43	–	5	7
–	–	1	–	1	1	–	–	–	2	2	2	–	–	2	–	–	1	1	1	8
–	–	1	–	–	–	–	–	–	–	4	1	–	–	–	–	–	2	–	1	9
–	–	–	–	–	–	–	–	–	3	5	1	1	–	–	–	–	3	1	–	10
–	–	12	–	–	–	–	–	–	–	23	–	2	3	1	–	–	11	–	2	11
–	–	1	6	–	–	–	–	–	27	–	–	2	–	26	–	–	1	–	1	12
–	1	1	1	3	2	–	–	–	13	1	–	9	–	10	3	–	3	2	1	13
–	–	1	–	1	–	–	–	–	4	1	–	3	–	4	1	–	1	1	–	14
–	–	20	15	10	2	–	3	–	87	48	15	90	3	67	17	2	29	3	9	15
160	–	1	–	1	1	–	–	–	–	5	2	6	2	–	1	–	6	4	1	16
–	36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	17
–	–	628	–	–	–	–	–	–	–	6	1	8	2	2	–	–	1	1	–	18
1	–	–	295	2	–	–	–	–	7	1	–	1	–	4	–	–	2	–	–	19
–	–	–	–	2,102	1	–	–	2	1	–	–	1	–	–	–	–	–	–	6	20
1	–	4	–	1	2,303	–	1	1	5	6	1	1	1	3	4	1	5	2	3	21
–	–	–	–	–	–	866	–	–	–	–	–	–	–	–	–	–	–	–	–	22
–	–	–	–	–	2	–	2,077	–	–	8	1	15	1	–	–	–	1	–	–	23
–	–	–	–	3	–	–	–	333	–	1	–	–	–	–	–	–	–	1	–	24
–	–	2	5	5	1	–	1	–	931	5	1	3	1	125	1	1	4	1	2	25
–	–	5	2	2	3	–	4	–	3	1,717	9	37	5	3	–	–	255	1	2	26
–	–	4	–	1	1	–	–	–	–	28	435	25	2	2	–	–	34	1	1	27
–	–	4	–	3	–	–	12	1	4	79	28	1,698	2	1	2	1	82	2	3	28
–	–	3	–	–	–	–	–	–	1	7	2	2	200	–	–	–	6	1	1	29
–	–	2	6	4	1	–	–	–	127	5	1	7	3	606	1	–	1	1	4	30
–	–	2	1	–	–	–	–	–	3	–	1	1	–	2	89	–	1	–	–	31
–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	227	3	1	–	32
–	–	2	1	3	–	–	–	1	2	261	17	22	2	2	–	–	4,894	3	2	33
–	–	–	–	–	2	–	–	–	1	4	–	4	1	1	–	–	1	143	1	34
–	–	1	–	8	–	–	–	–	1	1	–	2	–	2	–	–	1	–	599	35
163	**38**	**738**	**466**	**2,354**	**2,441**	**866**	**2,113**	**348**	**1,828**	**2,442**	**543**	**2,074**	**242**	**1343**	**225**	**239**	**5,458**	**222**	**882**	36
86	**19**	**381**	**237**	**1,223**	**1,237**	**454**	**1,172**	**178**	**928**	**1,203**	**292**	**1,095**	**127**	**706**	**114**	**115**	**2,727**	**110**	**473**	
77	**19**	**357**	**229**	**1,131**	**1,204**	**412**	**941**	**170**	**900**	**1,239**	**251**	**979**	**115**	**637**	**111**	**124**	**2,731**	**112**	**409**	
4	–	**25**	**5**	**264**	**22**	**1**	**13**	**77**	**58**	**72**	**7**	**36**	**7**	**48**	**10**	**3**	**145**	**14**	**749**	37
2	–	**16**	**2**	**131**	**12**	**1**	**5**	**30**	**34**	**47**	**5**	**24**	**3**	**27**	**7**	**3**	**72**	**6**	**380**	
2	–	**9**	**3**	**133**	**10**	–	**8**	**47**	**24**	**25**	**2**	**12**	**4**	**21**	**3**	–	**73**	**8**	**369**	
167	**38**	**763**	**471**	**2,618**	**2,463**	**867**	**2,126**	**425**	**1,886**	**2,514**	**550**	**2,110**	**249**	**1391**	**235**	**242**	**5,603**	**236**	**1,631**	38
88	**19**	**397**	**239**	**1,354**	**1,249**	**455**	**1,177**	**208**	**962**	**1,250**	**297**	**1,119**	**130**	**733**	**121**	**118**	**2,799**	**116**	**853**	
79	**19**	**366**	**232**	**1,264**	**1,214**	**412**	**949**	**217**	**924**	**1,264**	**253**	**991**	**119**	**658**	**114**	**124**	**2,804**	**120**	**778**	

TABLE 9—Births (exclusive of stillbirths) classified according to racial origin of parents, 1928—*con.*

No.	Racial origin of father — Origine raciale du père	Total	Racial origin of mother																					
			English — Anglaise	Irish — Irlandaise	Scotch — Écossaise	Welsh—Galloise	French — Française	Armenian—Arménienne	Austrian — Autrichienne	Belgian—Belge	Bulgarian—Bulgare	Chinese—Chinoise	Czech and Slovak Tchèque et Slov.	Danish—Danoise	Dutch — Hollandaise	Finnish—Finlandaise	German — Allemande							
	PRINCE EDWARD ISLAND																							
1	English	529	352	29	120	–	27	–	–	–	–	–	–	–	–	1	–	1						
2	Irish	351	32	232	58	–	27	–	–	–	–	–	–	–	–	2	–	1						
3	Scotch	567	116	48	379	1	18	–	–	–	–	–	–	–	–	–	–	–						
4	Welsh	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–						
5	French	289	16	13	10	–	249	–	–	–	–	–	–	–	–	–	–	–						
6	Armenian	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–						
7	Austrian	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–						
8	Belgian	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–						
9	Bulgarian	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–						
10	Chinese	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–						
11	Czech and Slovak	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–						
12	Danish	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–						
13	Dutch	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–						
14	Finnish	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–						
15	German	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–						
16	Greek	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–						
17	Hindu	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–						
18	Hungarian	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–						
19	Icelandic	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–						
20	Indian	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–						
21	Italian	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–						
22	Japanese	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–						
23	Jewish	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–						
24	Negro	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–						
25	Norwegian	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–						
26	Polish	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–						
27	Roumanian	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–						
28	Russian	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–						
29	Serb and Croat	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–						
30	Swedish	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–						
31	Swiss	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–						
32	Syrian	4	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–						
33	Ukranian (1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–						
34	Other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–						
35	Not specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–						
36	**Children born to married mothers— Enfants légitimes.**	**T. 1,751**	**521**	**323**	**569**	**1**	**322**	–	–	–	–	–	–	–	**3**	–	**2**							
		M. 918	**283**	**171**	**296**	**1**	**162**	–	–	–	–	–	–	–	**1**	–	**1**							
		F. 833	**238**	**152**	**273**	–	**160**	–	–	–	–	–	–	–	**2**	–	**1**							
37	**Children born to unmarried mothers —Enfants illégitimes.**	**T. 55**	**16**	**10**	**20**	–	**9**	–	–	–	–	–	–	–	–	–	–							
		M. 29	**9**	**4**	**12**	–	**4**	–	–	–	–	–	–	–	–	–	–							
		F. 26	**7**	**6**	**8**	–	**5**	–	–	–	–	–	–	–	–	–	–							
38	**Children born to all mothers—Légitimes et illégitimes.**	**T. 1,806**	**537**	**333**	**589**	**1**	**331**	–	–	–	–	–	–	–	**3**	–	**2**							
		M. 947	**292**	**175**	**308**	**1**	**166**	–	–	–	–	–	–	–	**1**	–	**1**							
		F. 859	**245**	**158**	**281**	–	**165**	–	–	–	–	–	–	–	**2**	–	**1**							
	NOVA SCOTIA																							
39	English	5,126	4,360	159	371	9	145	–	–	–	–	–	–	3	30	1	36							
40	Irish	863	164	348	237	–	87	–	–	1	–	–	–	–	12	–	11							
41	Scotch	2,319	413	241	1,495	6	95	–	–	–	–	–	2	–	33	–	22							
42	Welsh	33	13	1	15	3	1	–	–	–	–	–	–	–	–	–	–							
43	French	1,216	122	58	69	–	939	–	–	3	–	–	–	–	7	–	16							
44	Armenian	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–							
45	Austrian	7	4	1	–	–	1	–	1	–	–	–	–	–	–	–	–							
46	Belgian	13	1	–	3	–	3	–	–	4	–	–	1	–	–	–	–							
47	Bulgarian	4	3	–	–	–	1	–	–	–	–	–	–	–	–	–	–							
48	Chinese	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–							
49	Czech and Slovak	3	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–							
50	Danish	7	4	–	2	–	–	–	–	–	–	–	–	1	–	–	–							
51	Dutch	131	41	19	17	1	5	–	–	–	–	–	–	–	46	–	1							
52	Finnish	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							
53	German	179	46	6	18	–	9	–	–	–	–	–	–	–	1	–	94							
54	Greek	5	2	–	2	–	1	–	–	–	–	–	–	–	–	–	–							
55	Hindu	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							
56	Hungarian	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							
57	Icelandic	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							
58	Indian	41	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–							
59	Italian	56	5	–	7	–	4	–	–	1	–	–	–	–	–	–	–							
60	Japanese	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							

(1) Including "Galician" and "Bukovinian"—Y compris "Galicienne" et "Bukovine".

TABLEAU 9—Naissances (mort-nés exclus) classifiées selon l'origine raciale des parents, 1928—*suite*

Origine raciale de la mère

Greek—Grecque	Hindu—Hindoue	Hungarian — Hongroise	Icelandic — Islandaise	Indian — Indienne	Italian — Italienne	Japanese — Japonaise	Jewish — Hébraïque	Negro—Nègre	Norwegian — Norvégienne	Polish — Polonaise	Roumanian — Roumaine	Russian — Russe	Serb and Croat — Serbe et Croate	Swedish — Suédoise	Swiss—Suisse	Syrian—Syrienne	Ukranian(1)	Ukrainienne(1)	Other — Autres	Not specified — Non spécifiée	No.
ÎLE DU PRINCE-ÉDOUARD																					
				1																	1
																					2
					1									1							3
				1																	4
																					5
																					6
																					7
																					8
																					9
																					10
																					11
																					12
																					13
																					14
																					15
																					16
																					17
																					18
																					19
				4																	20
																					21
																					22
																					23
																					24
																					25
																					26
																					27
																					28
																					29
																					30
																					31
																2					32
																					33
																					34
																					35
				6	**1**									**1**		**2**					36
				1												**2**					
				5	**1**									**1**							37
				6	**1**									**1**		**2**					38
				1												**2**					
				5	**1**									**1**							
NOUVELLE-ÉCOSSE																					
				1	2			2						2	4	1					39
					2									1							40
					1					1	1			1	4				3	1	41
																					42
								1											1		43
																					44
																					45
					1																46
																					47
		1																			48
																					49
																					50
															1						51
														1							52
				1	1		1					2									53
																					54
																					55
		2																			56
																					57
				38																	58
		1			38																59
																					60

TABLE 9—Births (exclusive of stillbirths) classified according to racial origin of parents, 1928—*con.*

No.	Racial origin of father — Origine raciale du père	Total	Racial origin of mother																	
			English — Anglaise	Irish — Irlandaise	Scotch — Écossaise	Welsh—Galloise	French — Française	Armenian—Arménienne	Austrian — Autrichienne	Belgian—Belge	Bulgarian—Bulgare	Chinese—Chinoise	Czech and Slovak Tchèque et Slov.	Danish—Danoise	Dutch — Hollandaise	Finnish—Finlandaise	German — Allemande			
	NOVA SCOTIA—con.																			
1	Jewish	29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
2	Negro	152	5	1	1	–	1	–	–	–	–	–	–	–	–	–	1			
3	Norwegian	7	6	–	1	–	–	–	–	–	–	–	–	–	–	–	–			
4	Polish	23	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–			
5	Roumanian	2	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–			
6	Russian	21	5	2	3	–	3	–	2	–	–	–	–	–	–	–	–			
7	Serb and Croat	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–			
8	Swedish	7	3	1	–	–	3	–	–	–	–	–	–	–	–	–	–			
9	Swiss	12	3	4	2	–	–	–	–	–	–	–	–	–	1	–	–			
10	Syrian	29	4	1	–	–	5	–	–	–	–	–	–	–	1	–	–			
11	Ukranian (1)	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–			
12	Other	6	2	–	1	–	–	–	–	–	–	–	1	–	–	–	–			
13	Not specified	9	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–			
14	**Children born to T. married mothers— M.**	**10,311**	**5,215**	**842**	**2,248**	**19**	**1,305**	–	**3**	**9**	–	**2**	**6**	**4**	**131**	**1**	**181**			
	Enfants légitimes. F.	**5,237**	**2,660**	**428**	**1,129**	**12**	**679**	–	**2**	**6**	–	**2**	**3**	**3**	**57**	**1**	**87**			
15	**Children born to T. unmarried mothers M.**	**5,074**	**2,555**	**414**	**1,119**	**7**	**626**	–	**1**	**3**	–	–	**3**	**1**	**74**	–	**94**			
	—Enfants illégiti- F.	**620**	**293**	**49**	**125**	**1**	**59**	–	–	–	–	–	–	–	**14**	–	**9**			
	mes.	**296**	**145**	**21**	**60**	**1**	**30**	–	–	–	–	–	–	–	**7**	–	**1**			
16	**Children born to T. all mothers—Légi- M.**	**324**	**148**	**28**	**65**	–	**29**	–	–	–	–	–	–	–	**7**	–	**8**			
	times et illégitimes. F.	**10,931**	**5,508**	**891**	**2,373**	**20**	**1,364**	–	**3**	**9**	–	**2**	**6**	**4**	**145**	**1**	**190**			
		5,533	**2,805**	**449**	**1,189**	**13**	**709**	–	**2**	**6**	–	**2**	**3**	**3**	**64**	**1**	**88**			
		5,398	**2,703**	**442**	**1,184**	**7**	**655**	–	**1**	**3**	–	–	**3**	**1**	**81**	–	**102**			
	NEW BRUNSWICK																			
17	English	2,937	2,384	155	234	9	123	–	–	–	–	–	–	2	16	–	8			
18	Irish	1,083	189	574	134	2	169	–	–	2	–	–	–	1	5	–	2			
19	Scotch	990	255	144	502	5	57	–	–	–	–	–	–	2	11	–	9			
20	Welsh	16	7	3	3	3	–	–	–	–	–	–	–	–	–	–	–			
21	French	4,469	65	73	21	1	4,294	–	–	1	–	–	–	1	2	–	4			
22	Armenian	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
23	Austrian	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
24	Belgian	4	1	–	–	–	–	–	–	3	–	–	–	–	–	–	–			
25	Bulgarian	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
26	Chinese	4	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–			
27	Czech and Slovak	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–			
28	Danish	37	6	4	2	–	2	–	–	–	–	–	–	22	–	–	–			
29	Dutch	36	15	11	3	–	1	–	–	–	–	–	–	–	5	–	–			
30	Finnish	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
31	German	16	4	5	4	–	3	–	–	–	–	–	–	–	–	–	–			
32	Greek	5	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–			
33	Hindu	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
34	Hungarian	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
35	Icelandic	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
36	Indian	44	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–			
37	Italian	17	2	–	3	–	8	–	–	–	–	–	–	–	1	–	–			
38	Japanese	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
39	Jewish	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
40	Negro	22	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
41	Norwegian	9	5	1	–	–	2	–	–	–	–	–	–	–	–	–	–			
42	Polish	4	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–			
43	Roumanian	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–			
44	Russian	8	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–			
45	Serb and Croat	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–			
46	Swedish	6	3	–	2	–	1	–	–	–	–	–	–	–	–	–	–			
47	Swiss	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
48	Syrian	15	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–			
49	Ukranian (1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
50	Other	4	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–			
51	Not specified	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–			
52	**Children born to T. married mothers— M.**	**9,748**	**2,953**	**974**	**910**	**20**	**4,654**	–	**1**	**6**	–	**4**	–	**28**	**40**	–	**23**			
	Enfants légitimes. F.	**4,997**	**1,521**	**497**	**466**	**11**	**2,385**	–	–	**3**	–	**1**	–	**17**	**19**	–	**15**			
53	**Children born to T. unmarried mothers M.**	**4,751**	**1,432**	**477**	**444**	**9**	**2,279**	–	**1**	**3**	–	**3**	–	**11**	**21**	–	**8**			
	—Enfants illégiti- F.	**299**	**127**	**31**	**30**	–	**91**	–	–	–	–	–	–	–	**1**	–	–			
	mes.	**155**	**72**	**20**	**13**	–	**41**	–	–	–	–	–	–	–	**1**	–	–			
54	**Children born to T. all mothers—Légi- M.**	**144**	**55**	**11**	**17**	–	**50**	–	–	–	–	–	–	–	–	–	–			
	times et illégitimes. F.	**10,047**	**3,080**	**1,005**	**940**	**20**	**4,755**	–	**1**	**6**	–	**4**	–	**28**	**41**	–	**23**			
		5,152	**1,593**	**517**	**479**	**11**	**2,426**	–	–	**3**	–	**1**	–	**17**	**20**	–	**15**			
		4,895	**1,487**	**488**	**461**	**9**	**2,329**	–	**1**	**3**	–	**3**	–	**11**	**21**	–	**8**			

(1) Including "Galician" and "Bukovinian"—Y compris "Galicienne" et "Bukovine".

TABLEAU 9—Naissances (mort-nés exclus) classifiées selon l'origine raciale des parents, 1928—*suite*

Origine raciale de la mère

Greek—Grecque	Hindu—Hindoue	Hungarian—Hongroise	Icelandic—Islandaise	Indian—Indienne	Italian—Italienne	Japanese—Japonaise	Jewish—Hébraïque	Negro—Nègre	Norwegian—Norvégienne	Polish—Polonaise	Roumanian—Roumaine	Russian—Russe	Serb and Croat—Serbe et Croate	Swedish—Suédoise	Swiss—Suisse	Syrian—Syrienne	Ukranian(1)—Ukranienne(1)	Other—Autres	Not specified—Non spécifiée	No.
NOUVELLE-ÉCOSSE—fin																				
–	–	–	–	–	–	–	26	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	1	–	–	–	142	–	–	–	–	–	–	–	–	–	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
–	–	–	–	–	–	–	–	–	–	19	–	–	–	–	–	–	–	1	–	4
–	–	–	–	–	–	–	–	–	–	5	–	1	–	–	–	–	–	–	–	5
–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	6
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18	–	–	–	8
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	10
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	11
–	–	4	–	41	45	–	30	145	–	26	1	3	2	5	11	19	–	7	6	12
–	–	1	–	17	24	–	14	75	–	13	–	1	1	2	4	9	–	4	3	13
–	–	3	–	24	21	–	16	70	–	13	1	2	1	3	7	10	–	3	3	14
–	–	–	–	8	2	–	–	53	–	–	–	–	–	1	1	2	1	–	2	15
–	–	–	–	4	2	–	–	20	–	–	–	–	–	1	–	2	–	–	2	16
–	–	–	–	4	–	–	–	32	–	–	–	–	–	–	1	–	1	–	–	17
–	–	4	–	49	47	–	30	198	–	26	1	3	2	6	12	21	1	7	8	18
–	–	1	–	21	26	–	14	95	–	13	–	1	1	3	4	11	–	4	5	19
–	–	3	–	28	21	–	16	103	–	13	1	2	1	3	8	10	1	3	3	20
NOUVEAU-BRUNSWICK																				
–	–	–	–	–	2	–	–	–	1	–	–	1	–	–	1	–	–	–	1	17
–	–	–	–	–	1	–	–	–	3	–	–	–	–	1	–	–	–	–	–	18
–	–	–	–	–	–	–	–	–	2	–	–	–	–	3	–	–	–	–	–	19
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20
–	–	–	–	1	2	–	–	–	3	–	–	–	–	–	–	–	1	–	–	21
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	23
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	26
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	27
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	28
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	29
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	30
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	31
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	33
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	35
–	–	–	–	42	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36
–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	37
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	38
–	–	–	–	–	–	–	10	–	–	–	–	–	–	–	–	–	–	–	–	39
–	–	–	–	–	–	–	–	21	–	–	–	–	–	–	–	–	–	–	–	40
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	41
–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	42
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	43
–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	44
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	45
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	46
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	47
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12	–	–	–	48
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	49
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	50
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	51
2	–	–	–	43	8	–	10	21	10	2	–	5	–	7	1	12	1	1	2	52
–	–	–	–	28	3	–	2	10	5	2	–	3	–	5	–	3	–	–	1	
2	–	–	–	15	5	–	8	11	5	–	–	2	–	2	1	9	1	1	1	
–	–	–	–	4	–	–	1	9	1	–	–	–	–	1	–	–	–	1	2	53
–	–	–	–	3	–	–	1	3	–	–	–	–	–	–	–	–	–	–	1	
–	–	–	–	1	–	–	–	6	1	–	–	–	–	1	–	–	–	1	1	
2	–	–	–	47	8	–	11	30	11	2	–	5	–	8	1	12	1	2	4	54
–	–	–	–	31	3	–	3	13	5	2	–	3	–	5	–	3	–	–	2	
2	–	–	–	16	5	–	8	17	6	–	–	2	–	3	1	9	1	2	2	

TABLE 9—Births (exclusive of stillbirths) classified according to racial origin of parents, 1928—*con.*

No.	Racial origin of father — Origine raciale du père	Total	Racial origin of mother																		
			English — Anglaise	Irish — Irlandaise	Scotch — Écossaise	Welsh—Galloise	French — Française	Armenian—Arménienne	Austrian — Autrichienne	Belgian—Belge	Bulgarian—Bulgare	Chinese—Chinoise	Czech and Slovak Tchèque et Slov.	Danish—Danoise	Dutch — Hollandaise	Finnish—Finlandaise	German — Allemande				
	QUEBEC																				
1	English	3,106	1,965	267	255	5	571	–	–	2	–	–	–	2	4	–	5				
2	Irish	2,174	269	1,091	163	4	621	–	–	2	–	–	–	1	3	–	10				
3	Scotch	1,132	243	134	529	–	210	–	–	–	–	–	–	1	3	–	3				
4	Welsh	8	2	2	3	–	1	–	–	–	–	–	–	–	–	–	–				
5	French	72,120	348	393	131	–	71,114	–	2	31	–	–	1	–	2	–	26				
6	Armenian	17	–	–	–	–	4	13	–	–	–	–	–	–	–	–	–				
7	Austrian	14	4	1	–	–	5	–	4	–	–	–	–	–	–	–	–				
8	Belgian	83	2	6	–	–	42	–	–	32	–	–	–	–	1	–	–				
9	Bulgarian	3	–	–	–	–	2	–	–	–	–	–	4	–	–	–	–				
10	Chinese	11	2	2	1	–	2	–	–	–	–	–	–	19	–	–	–				
11	Czech and Slovak	25	1	–	1	–	3	–	–	–	–	–	–	–	–	–	–				
12	Danish	14	3	–	–	–	4	–	–	–	–	–	–	–	6	–	1				
13	Dutch	31	11	4	3	–	5	–	–	–	–	–	–	–	–	8	–				
14	Finnish	18	–	–	–	–	3	–	–	–	–	–	–	–	–	–	15				
15	German	121	13	20	6	–	34	–	–	–	–	–	–	1	–	1	1	40			
16	Greek	48	4	2	–	–	15	–	1	–	–	–	–	–	–	–	–	1			
17	Hindu	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
18	Hungarian	38	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–			
19	Icelandic	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
20	Indian	174	3	–	2	–	27	–	–	–	–	–	–	–	–	–	–	–			
21	Italian	774	10	12	6	–	147	–	–	2	–	–	–	–	–	–	–	1			
22	Japanese	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–			
23	Jewish	751	1	–	3	–	5	–	–	–	–	–	–	–	–	–	–	–			
24	Negro	27	2	3	1	–	3	–	–	–	–	–	–	–	–	–	–	–			
25	Norwegian	17	2	1	–	–	7	–	–	–	–	–	–	–	–	–	–	–			
26	Polish	82	2	1	–	–	10	–	1	1	–	–	–	–	–	–	–	–			
27	Roumanian	41	2	2	–	–	11	–	1	–	–	–	–	–	–	–	–	–			
28	Russian	99	8	4	1	–	14	–	2	–	–	–	–	–	–	–	–	1			
29	Serb and Croat	4	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–			
30	Swedish	18	6	2	1	–	6	–	–	–	–	–	–	–	–	–	–	1			
31	Swiss	32	2	3	–	–	9	–	–	1	–	–	–	1	–	–	–				
32	Syrian	111	2	1	–	–	17	–	1	–	–	–	–	–	–	–	–	–				
33	Ukranian (1)	28	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–			
34	Other	66	5	3	2	–	15	–	–	–	–	–	–	–	–	–	–	–				
35	Not specified	14	–	–	2	–	3	–	–	–	–	–	–	–	–	–	–	–			
36	**Children born to T.**	**81,202**	**2,912**	**1,955**	**1,111**	**9**	**72,913**	**13**	**12**	**71**	**–**	**4**	**22**	**10**	**23**	**16**	**89**				
	married mothers— M.	**41,778**	**1,497**	**1,012**	**594**	**4**	**37,389**	**6**	**6**	**42**	**–**	**1**	**12**	**8**	**16**	**7**	**47**				
	Enfants légitimes. F.	**39,424**	**1,415**	**943**	**517**	**5**	**35,524**	**7**	**6**	**29**	**–**	**3**	**10**	**2**	**7**	**9**	**42**				
37	**Children born to T.**	**2,419**	**136**	**78**	**33**	**1**	**1,512**	**–**	**1**	**–**	**–**	**–**	**–**	**–**	**1**	**1**	**–**				
	unmarried mothers M.	**1,271**	**73**	**38**	**19**	**–**	**807**	**–**	**1**	**–**	**–**	**–**	**–**	**–**	**–**	**–**	**1**				
	—Enfants illégiti- F.	**1,148**	**63**	**40**	**14**	**1**	**705**	**–**	**–**	**–**	**–**	**–**	**–**	**–**	**1**	**1**	**–**				
	mes.																				
38	**Children born to T.**	**83,621**	**3,048**	**2,033**	**1,144**	**10**	**74,425**	**13**	**13**	**71**	**–**	**4**	**22**	**10**	**24**	**17**	**90**				
	all mothers—Légi- M.	**43,049**	**1,570**	**1,050**	**613**	**4**	**38,196**	**6**	**7**	**42**	**–**	**1**	**12**	**8**	**17**	**8**	**47**				
	times et illégitimes. F.	**40,572**	**1,478**	**983**	**531**	**6**	**36,229**	**7**	**6**	**29**	**–**	**3**	**10**	**2**	**7**	**9**	**43**				
	ONTARIO																				
39	English	25,229	18,534	2,318	2,725	98	648	–	3	8	–	–	3	9	166	19	443				
40	Irish	10,968	2,661	5,241	1,782	40	667	–	3	1	–	–	2	3	113	3	323				
41	Scotch	9,744	2,871	1,667	4,350	59	319	–	1	2	–	–	–	6	110	10	237				
42	Welsh	310	131	38	52	63	7	–	–	–	–	–	–	1	3	–	11				
43	French	8,520	521	522	283	5	6,976	–	1	8	–	–	–	1	18	8	103				
44	Armenian	48	1	–	1	–	1	45	–	–	–	–	–	–	–	–	–				
45	Austrian	192	11	4	3	–	7	–	141	–	–	–	–	–	–	–	4				
46	Belgian	205	9	3	3	–	12	–	–	172	–	–	1	–	4	–	1				
47	Bulgarian	40	6	2	1	–	1	–	3	–	22	–	–	–	–	–	–				
48	Chinese	34	2	1	2	–	1	–	–	–	–	25	–	1	–	–	1				
49	Czech and Slovak	134	2	1	1	–	3	–	2	1	–	–	115	–	–	–	2				
50	Danish	83	11	11	16	–	7	–	–	–	–	–	–	29	–	3	2				
51	Dutch	757	217	126	117	3	27	–	1	3	–	–	–	–	237	2	20				
52	Finnish	401	4	4	1	–	2	–	–	–	–	–	–	–	–	385	–				
53	German	3,011	484	271	232	3	104	–	1	–	–	–	5	5	25	1	1,840				
54	Greek	168	28	8	5	–	5	–	–	–	–	–	2	1	1	–	2				
55	Hindu	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				
56	Hungarian	179	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–				
57	Icelandic	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1				
58	Indian	501	22	7	7	–	11	–	–	–	–	–	–	–	–	–	1				
59	Italian	1,498	71	31	25	1	49	–	1	–	–	–	2	–	1	7	7				
60	Japanese	6	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–				
61	Jewish	890	11	2	2	–	1	–	1	–	–	–	–	–	–	1	–				
62	Negro	140	7	1	4	1	3	–	–	–	–	–	–	–	–	–	2				
63	Norwegian	80	19	5	13	–	2	–	–	–	–	–	–	1	–	3	1				

(1) Including "Galician" and "Bukovinian"—Y compris "Galicienne" et "Bukovine".

TABLEAU 9—Naissances (mort-nés exclus) classifiées selon l'origine raciale des parents, 1928—*suite*

| Origine raciale de la mère | | |

TABLE 9—Births (exclusive of stillbirths) classified according to racial origin of parents, 1928—*con.*

No.	Racial origin of father — Origine raciale du père	Total	Racial origin of mother																		
			English — Anglaise	Irish — Irlandaise	Scotch Écossaise	Welsh—Galloise	French — Française	Armenian—Arménienne	Austrian — Autrichienne	Belgian—Belge	Bulgarian—Bulgare	Chinese—Chinoise	Czech and Slovak Tchèque et Slov.	Danish—Danoise	Dutch — Hollandaise	Finnish—Finlandaise	German — Allemande				
	ONTARIO—con.																				
1	Polish	727	29	16	9	–	8	–	7	1	–	–	2	–	–	2	11				
2	Roumanian	171	17	2	2	–	2	–	2	–	–	–	–	–	–	–	3				
3	Russian	317	35	2	7	1	3	–	26	–	–	–	4	–	1	1	4				
4	Serb and Croat	120	6	1	1	–	–	–	–	–	–	–	–	–	–	–	–				
5	Swedish	218	34	15	14	–	14	–	–	–	–	–	–	3	1	16	3				
6	Swiss	79	17	10	7	1	4	–	–	–	–	–	–	1	2	–	19				
7	Syrian	92	4	1	4	–	9	–	–	–	–	–	–	–	–	–	1				
8	Ukranian (1)	586	5	3	2	–	2	–	8	–	–	–	3	–	–	2	3				
9	Other	107	16	8	6	1	7	–	–	–	–	–	–	–	–	1	1				
10	Not specified	780	123	21	41	–	20	–	–	–	–	–	–	–	1	–	6				
11	**Children born to married mothers— M.**	66,340	25,912	10,342	9,719	276	8,923	45	201	196	22	25	139	61	683	464	3,052				
	Enfants légitimes. F.	34,190	13,398	5,322	5,058	138	4,579	26	102	107	7	12	72	31	361	242	1,555				
12	**Children born to unmarried mothers —Enfants illégitimes.**	32,150	12,514	5,020	4,661	138	4,344	19	99	89	15	13	67	30	322	222	1,497				
		M. 2,170	781	324	338	6	302	–	2	1	–	–	2	–	14	20	103				
		F. 1,109	380	167	180	2	163	–	2	–	–	–	1	–	9	10	47				
		1,061	401	157	158	4	139	–	–	1	–	–	1	–	5	10	56				
13	**Children born to all mothers—Légitimes et illégitimes.**	68,510	26,693	10,666	10,057	282	9,225	45	203	197	22	25	141	61	697	484	3,155				
		M. 35,299	13,778	5,489	5,238	140	4,742	26	104	107	7	12	73	31	370	252	1,602				
		F. 33,211	12,915	5,177	4,819	142	4,483	19	99	90	15	13	68	30	327	232	1,553				
	MANITOBA																				
14	English	3,073	1,928	315	503	14	70	–	3	9	–	–	3	9	13	2	62				
15	Irish	1,396	384	505	332	6	53	–	4	5	–	–	1	2	10	–	48				
16	Scotch	1,945	570	248	919	13	53	–	1	4	–	–	–	3	11	–	36				
17	Welsh	74	26	9	15	12	2	–	–	–	–	–	–	–	1	–	6				
18	French	1,245	62	31	34	1	1,036	–	2	19	–	–	–	–	–	–	12				
19	Armenian	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				
20	Austrian	253	3	1	1	–	2	–	210	–	–	–	1	–	–	–	6				
21	Belgian	137	5	3	1	–	23	–	1	99	–	–	–	–	1	–	1				
22	Bulgarian	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				
23	Chinese	14	–	–	–	–	–	–	–	–	–	9	–	–	–	–	–				
24	Czech and Slovak	38	3	1	1	–	–	–	–	–	–	–	14	–	–	–	3				
25	Danish	61	8	3	6	–	2	–	–	1	–	–	–	31	1	–	4				
26	Dutch	369	13	12	13	1	4	–	–	–	–	–	–	1	311	–	6				
27	Finnish	15	–	–	1	–	–	–	–	–	–	–	–	–	–	14	–				
28	German	1,214	46	23	32	2	14	–	6	2	–	–	4	–	3	–	1,004				
29	Greek	16	2	1	–	–	1	–	1	–	–	–	1	–	–	–	–				
30	Hindu	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				
31	Hungarian	45	–	–	1	–	–	–	1	–	–	–	–	–	–	–	1				
32	Icelandic	282	11	8	11	–	5	–	–	1	–	–	1	–	3	–	7				
33	Indian	268	1	2	1	–	4	–	–	–	–	–	–	–	–	–	–				
34	Italian	57	1	2	1	–	3	–	2	1	–	–	1	–	–	–	1				
35	Japanese	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				
36	Jewish	294	–	2	–	–	–	–	–	–	–	–	–	–	–	–	1				
37	Negro	8	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–				
38	Norwegian	97	11	6	9	2	5	–	–	–	–	–	–	–	–	–	7				
39	Polish	602	4	3	4	–	2	–	5	–	–	–	2	–	–	–	10				
40	Roumanian	55	–	2	–	–	–	–	2	1	–	–	–	–	–	–	–				
41	Russian	558	1	1	2	–	2	–	15	–	–	–	1	–	–	–	13				
42	Serb and Croat	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				
43	Swedish	161	40	8	5	–	8	–	1	–	–	–	–	2	2	1	3				
44	Swiss	26	5	3	2	–	4	–	–	–	–	–	–	–	–	–	–				
45	Syrian	15	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–				
46	Ukranian (1)	1,617	4	3	3	2	3	–	9	3	–	–	3	–	1	1	2				
47	Other	27	–	2	1	–	3	–	–	–	–	–	–	–	1	–	–				
48	Not specified	29	12	4	4	–	–	–	–	–	–	–	–	–	1	–	–				
49	**Children born to married mothers— M.**	13,995	3,143	1,199	1,903	53	1,301	–	263	145	–	9	32	48	359	18	1,233				
	Enfants légitimes. F.	7,021	1,568	588	946	28	636	–	127	82	–	4	14	23	193	7	626				
50	**Children born to unmarried mothers —Enfants illégitimes.**	6,974	1,575	611	957	25	665	–	136	63	–	5	18	25	166	11	607				
		M. 509	107	41	86	6	65	–	3	3	–	–	–	1	2	–	41				
		F. 261	51	23	39	2	34	–	–	2	–	–	–	1	2	–	22				
		248	56	18	47	4	31	–	3	1	–	–	–	–	–	–	19				
51	**Children born to all mothers—Légitimes et illégitimes.**	14,504	3,250	1,240	1,989	59	1,366	–	266	148	–	9	32	49	361	18	1,274				
		M. 7,282	1,619	611	985	30	670	–	127	84	–	4	14	24	195	7	648				
		F. 7,222	1,631	629	1,004	29	696	–	139	64	–	5	18	25	166	11	626				

(1) Including "Galician" and "Bukovinian"—Y compris "Galicienne" et "Bukovine."

TABLEAU 9—Naissances (mort-nés exclus) classifiées selon l'origine raciale des parents, 1928—*suite*

Origine raciale de la mère

Greek—Grecque	Hindu—Hindoue	Hungarian — Hongroise	Icelandic — Islandaise	Indian — Indienne	Italian — Italienne	Japanese — Japonaise	Jewish — Hébraïque	Negro—Nègre	Norwegian — Norvégienne	Polish — Polonaise	Roumanian — Roumaine	Russian — Russe	Serb and Croat — Serbe et Croate	Swedish — Suédoise	Swiss—Suisse	Syrian—Syrienne	Ukranian(†) — Ukranienne(†)	Other — Autres	Not specified — Non spécifiée	No.
ONTARIO—fin																				
–	–	–	–	–	3	–	4	–	–	597	2	13	–	1	–	–	20	–	2	1
–	–	1	–	1	1	–	–	–	–	10	112	5	2	–	–	–	10	–	1	2
–	–	–	–	1	–	–	5	1	1	32	7	153	–	1	1	–	26	2	3	3
–	–	1	–	–	–	–	–	–	–	4	1	–	103	–	–	–	2	–	1	4
–	–	1	1	–	–	–	–	–	7	2	–	1	–	103	–	–	–	1	2	5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	17	–	–	–	–	6
–	–	1	–	–	–	–	–	1	–	39	1	8	1	–	–	73	–	–	–	7
–	–	–	–	–	2	–	–	–	–	1	–	1	1	1	–	–	505	–	2	8
–	–	–	–	8	–	–	–	–	–	1	–	–	–	1	–	–	1	59	1	9
106	–	**189**	**8**	**525**	**1,336**	**5**	**876**	**127**	**88**	**791**	**125**	**204**	**115**	**195**	**64**	**76**	**591**	**71**	**793**	11
55	–	**104**	**3**	**263**	**704**	**3**	**445**	**68**	**37**	**386**	**70**	**103**	**59**	**92**	**25**	**33**	**290**	**32**	**428**	
51	–	**85**	**5**	**262**	**632**	**2**	**431**	**59**	**46**	**425**	**55**	**101**	**56**	**103**	**39**	**43**	**301**	**39**	**365**	
2	–	**7**	–	**88**	**12**	–	**4**	**11**	**2**	**15**	–	**1**	**3**	**3**	**2**	**1**	**19**	**4**	**103**	12
1	–	**4**	–	**42**	**7**	–	**2**	**6**	**2**	**11**	–	**1**	**2**	**2**	**2**	**1**	**11**	**1**	**53**	
1	–	**3**	–	**46**	**5**	–	**2**	**5**	–	**4**	–	–	**1**	**1**	–	–	**8**	**3**	**56**	
108	–	**196**	**8**	**613**	**1,348**	**5**	**889**	**138**	**85**	**836**	**125**	**205**	**118**	**193**	**66**	**77**	**610**	**75**	**896**	13
56	–	**108**	**3**	**305**	**711**	**3**	**447**	**74**	**39**	**377**	**70**	**104**	**61**	**94**	**27**	**34**	**301**	**33**	**484**	
52	–	**88**	**5**	**308**	**637**	**2**	**433**	**64**	**46**	**429**	**55**	**101**	**57**	**104**	**39**	**43**	**309**	**42**	**415**	
MANITOBA																				
–	–	3	29	3	1	–	4	–	19	19	2	12	–	31	2	–	11	2	4	14
–	–	–	8	3	1	–	2	–	7	3	–	2	–	16	1	–	3	–	–	15
–	–	1	33	6	1	–	–	–	6	6	1	7	–	13	2	–	7	2	2	16
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	17
–	–	1	6	21	1	–	–	–	1	6	–	2	–	2	2	–	5	1	–	18
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
–	–	–	–	–	–	–	–	–	1	11	1	6	–	–	–	–	10	–	–	20
–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	21
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	1	1	–	23
–	–	–	1	–	–	–	–	–	–	11	–	–	–	–	–	–	5	–	–	24
–	–	–	1	1	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	25
–	–	–	–	–	–	–	–	–	1	–	–	3	–	1	–	–	1	–	–	26
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	27
6	–	2	5	1	–	–	–	–	11	19	–	21	–	8	1	–	10	–	–	28
–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	29
–	–	42	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	30
1	–	–	225	1	–	–	–	–	1	1	–	1	–	3	–	–	–	–	–	31
–	–	–	–	259	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	32
–	–	–	–	–	41	–	1	–	–	2	–	–	–	–	–	–	–	–	1	33
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	34
–	–	–	–	–	–	–	285	–	–	2	–	4	–	–	–	–	–	–	–	35
–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	–	–	–	1	–	36
–	–	–	1	1	–	–	1	–	39	1	–	1	–	12	–	–	1	–	–	37
–	–	–	1	–	–	–	–	–	–	443	1	5	1	–	–	–	121	–	–	38
–	–	–	–	–	–	–	–	–	–	5	38	–	–	–	–	–	7	–	–	39
–	–	2	–	–	–	–	2	–	–	12	–	497	–	–	–	–	10	–	–	40
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–	41
–	–	–	1	1	–	–	–	–	12	1	–	–	–	76	–	–	–	–	–	42
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	11	–	1	–	–	43
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9	1	–	–	44
–	–	–	1	1	–	–	–	–	–	120	2	2	–	1	–	–	1,455	1	–	45
–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	17	–	46
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8	47
7	–	**52**	**312**	**299**	**45**	–	**295**	**3**	**102**	**671**	**47**	**565**	**2**	**163**	**19**	**9**	**1,655**	**26**	**17**	48
5	–	**28**	**156**	**161**	**23**	–	**148**	**2**	**55**	**341**	**23**	**313**	–	**86**	**9**	**3**	**801**	**13**	**12**	49
2	–	**24**	**156**	**138**	**22**	–	**147**	**1**	**47**	**330**	**24**	**252**	**2**	**77**	**10**	**6**	**854**	**13**	**5**	
2	–	**2**	**4**	**29**	–	–	**3**	**1**	**4**	**32**	**2**	**8**	–	**13**	**1**	–	**41**	**4**	**8**	50
1	–	**1**	**1**	**17**	–	–	–	–	**2**	**19**	**2**	**6**	–	**5**	–	–	**22**	**4**	**5**	
1	–	**1**	**3**	**12**	–	–	**3**	**1**	**2**	**13**	–	**2**	–	**8**	**1**	–	**19**	–	**3**	
9	–	**54**	**316**	**328**	**45**	–	**298**	**4**	**106**	**703**	**49**	**573**	**2**	**176**	**20**	**9**	**1,696**	**39**	**25**	51
6	–	**29**	**157**	**178**	**23**	–	**148**	**2**	**57**	**360**	**25**	**319**	–	**91**	**9**	**3**	**823**	**17**	**17**	
3	–	**25**	**159**	**150**	**22**	–	**150**	**2**	**49**	**343**	**24**	**254**	**2**	**85**	**11**	**6**	**873**	**13**	**8**	

TABLE 9—Births (exclusive of stillbirths) classified according to racial origin of parents, 1928—*con.*

No.	Racial origin of father — Origine raciale du père	Total	Racial origin of mother																	
			English	Anglaise	Irish — Irlandaise	Scotch — Écossaise	Welsh—Galloise	French — Française	Armenian — Arménienne	Austrian	Autrichienne	Belgian—Belge	Bulgarian — Bulgare	Chinese — Chinoise	Czech and Slovak Tchèque et Slov.	Danish—Danoise	Dutch — Hollandaise	Finnish — Finlandaise	German — Allemande
	SASKATCHEWAN																			
1	English	4,164	2,480	437	593	22	95	–	8	5	–	–	7	13	61	2	210
2	Irish	2,198	582	728	412	14	92	–	2	2	–	–	5	16	35	3	161
3	Scotch	2,498	718	390	950	9	76	–	3	7	–	–	5	7	33	2	136
4	Welsh	117	36	17	30	18	3	–	–	1	–	–	–	–	–	–	6
5	French	1,297	78	55	54	2	950	–	2	27	–	–	2	–	9	–	53
6	Armenian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
7	Austrian	516	2	1	2	–	1	–	450	–	1	–	3	–	–	–	18
8	Belgian	107	1	3	3	–	27	–	1	57	–	–	1	–	2	–	8
9	Bulgarian	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
10	Chinese	17	–	–	–	–	–	–	–	–	–	9	1	–	–	–	2
11	Czech and Slovak	91	5	3	2	–	2	–	–	1	–	–	62	–	–	–	3
12	Danish	140	21	9	13	–	3	–	–	–	–	–	–	50	2	–	15
13	Dutch	613	39	32	29	2	6	–	1	2	–	–	–	3	459	–	23
14	Finnish	51	2	–	–	–	2	–	–	–	–	–	–	–	–	43	3
15	German	3,741	154	112	114	1	51	–	34	1	1	–	11	8	16	–	3,073
16	Greek	15	2	2	1	–	–	–	–	–	–	–	–	–	–	–	2
17	Hindu	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Hungarian	357	3	1	–	–	3	–	3	–	–	–	1	–	–	–	14
19	Icelandic	85	8	4	5	–	1	–	–	–	–	–	–	1	2	–	5
20	Indian	359	1	1	–	–	10	–	–	–	–	–	–	–	–	–	2
21	Italian	36	3	1	1	–	–	–	1	–	–	–	–	–	–	–	5
22	Japanese	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Jewish	73	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Negro	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
25	Norwegian	822	99	53	51	4	22	–	1	1	–	–	3	10	5	1	49
26	Polish	438	4	1	3	–	7	–	8	–	–	–	2	–	–	–	19
27	Roumanian	213	6	2	–	–	1	–	1	–	–	–	1	–	–	–	9
28	Russian	676	8	2	5	–	5	–	26	1	–	–	1	–	3	–	47
29	Serb and Croat	34	–	–	–	–	1	–	–	–	–	–	1	–	–	–	3
30	Swedish	457	64	30	33	3	8	–	–	–	–	–	1	7	4	2	31
31	Swiss	39	5	1	3	1	5	–	–	–	–	–	–	–	–	–	6
32	Syrian	24	3	–	–	–	1	–	–	–	–	–	1	–	–	–	1
33	Ukranian (1)	1,555	1	1	1	1	2	–	17	–	–	–	2	–	1	–	5
34	Other	14	3	–	–	–	–	–	–	1	–	–	–	–	–	–	1
35	Not specified	36	10	2	6	–	–	–	1	–	–	–	–	–	1	–	1
36	**Children born to T.**	20,798	4,338	1,888	2,311	77	1,374	–	559	106	3	9	110	115	633	53	3,913
	married mothers— M.	10,743	2,256	970	1,203	37	690	–	278	56	2	2	62	55	331	26	2,047
	Enfants légitimes. F.	10,055	2,082	918	1,108	40	684	–	281	50	1	7	48	60	302	27	1,866
37	**Children born to T.**	463	96	27	66	2	35	–	10	–	–	–	–	3	6	4	61
	unmarried mothers M.	240	45	13	33	1	17	–	6	–	–	–	–	–	4	3	34
	—Enfants illégiti- F.	223	45	14	33	1	18	–	4	–	–	–	–	3	2	1	27
	mes.																
38	**Children born to T.**	21,261	4,428	1,915	2,377	79	1,469	–	569	106	3	9	110	118	639	57	3,974
	all mothers—Légi- M.	10,983	2,301	983	1,236	38	707	–	284	56	2	2	62	55	335	29	2,081
	times et illégitimes. F.	10,278	2,127	932	1,141	41	702	–	285	50	1	7	48	63	304	28	1,893
	ALBERTA																			
39	English	3,562	2,079	325	551	48	94	–	3	8	–	–	7	29	29	8	179
40	Irish	1,543	395	488	274	18	86	–	5	2	–	–	1	15	28	1	119
41	Scotch	2,121	607	276	836	32	60	–	4	3	–	–	8	21	46	1	111
42	Welsh	196	68	18	35	48	5	–	2	–	–	–	2	3	2	–	4
43	French	847	78	66	64	6	535	–	3	12	–	–	–	–	8	1	41
44	Armenian	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
45	Austrian	310	4	2	3	–	1	–	257	–	–	–	3	–	–	–	4
46	Belgian	56	6	4	3	–	7	–	–	25	–	–	–	–	–	–	6
47	Bulgarian	3	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
48	Chinese	21	–	–	–	–	–	–	–	–	–	18	–	–	–	–	–
49	Czech and Slovak	103	3	4	1	–	1	–	–	–	–	–	71	1	–	–	6
50	Danish	215	52	11	25	1	4	–	–	–	–	–	–	93	1	–	10
51	Dutch	241	39	20	17	3	5	–	1	–	–	–	1	1	111	–	29
52	Finnish	48	–	1	1	–	1	–	–	–	–	–	–	–	–	42	1
53	German	1,661	150	65	98	5	35	–	2	2	–	–	3	13	14	2	1,163
54	Greek	22	1	–	3	–	4	–	–	–	–	–	–	–	–	–	2
55	Hindu	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
56	Hungarian	62	–	–	–	–	1	–	–	–	–	–	1	–	–	–	6
57	Icelandic	25	1	4	5	–	1	–	–	–	–	–	1	–	–	–	1
58	Indian	409	2	–	2	–	3	–	–	–	–	–	–	1	–	–	1
59	Italian	121	9	3	1	–	2	–	1	2	–	–	–	–	2	–	5
60	Japanese	27	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
61	Jewish	65	2	2	1	–	–	–	–	–	–	–	–	–	–	–	1
62	Negro	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

(1) Including "Galician" and "Bukovinian"—Y compris "Galicienne" et "Bukovine."

TABLEAU 9—Naissances (mort-nés exclus) classifiées selon l'origine raciale des parents, 1928—*suite*

Origine raciale de la mère

Greek—Grecque	Hindu—Hindoue	Hungarian—Hongroise	Icelandic—Islandaise	Indian—Indienne	Italian—Italienne	Japanese—Japonaise	Jewish—Hébraïque	Negro—Nègre	Norwegian—Norvégienne	Polish—Polonaise	Roumanian—Roumaine	Russian—Russe	Serb and Croat—Serbe et Croate	Swedish—Suédoise	Swiss—Suisse	Syrian—Syrienne	Ukranian[1]—Ukranienne[1]	Other—Autres	Not specified—Non spécifiée	No.
SASKATCHEWAN																				
–	–	4	14	6	2	–	–	–	98	18	4	17	1	48	6	–	5	2	6	1
–	–	2	5	2	–	–	–	1	78	7	–	6	–	38	1	–	2	–	4	2
–	–	8	7	5	–	–	–	–	78	5	1	5	1	40	4	–	2	1	5	3
–	–	1	–	–	–	–	–	–	3	–	–	–	–	1	–	–	–	–	1	4
–	–	3	–	6	–	–	–	–	26	9	1	3	1	7	3	–	4	1	1	5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
–	1	1	–	–	–	–	–	–	2	9	3	11	–	–	–	–	10	–	1	7
–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	1	–	–	8
–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	9
–	–	–	–	–	–	–	–	–	2	1	1	1	–	–	–	–	–	–	–	10
–	–	8	–	–	–	–	–	–	–	3	–	1	–	–	–	–	1	–	–	11
–	–	1	2	–	–	–	–	–	16	–	–	–	–	7	–	–	1	–	–	12
–	–	1	–	1	1	–	–	–	6	–	–	1	–	3	–	–	2	1	1	13
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14
–	–	15	6	1	1	–	–	–	38	11	8	35	2	27	5	1	12	2	1	15
5	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	16
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	17
–	–	321	–	–	–	–	–	–	–	1	1	5	1	2	–	–	1	–	–	18
–	–	–	56	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	19
–	–	–	–	345	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20
–	–	–	–	–	22	–	–	–	–	–	–	1	–	–	–	–	2	–	–	21
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
–	–	–	–	–	–	–	69	–	–	–	–	4	–	–	–	–	–	–	–	23
–	–	–	–	–	–	–	–	8	–	–	–	–	–	–	–	–	–	–	–	24
–	–	1	3	2	1	–	–	–	464	–	–	1	–	47	–	1	1	1	1	25
–	–	1	1	–	–	–	–	–	1	308	3	11	2	2	–	–	65	–	–	26
–	–	3	–	–	–	–	–	–	–	5	176	5	–	–	–	–	4	–	–	27
–	–	1	–	–	–	–	1	–	1	15	6	533	1	–	–	–	20	–	–	28
–	–	–	–	–	–	–	–	–	–	2	–	–	26	–	–	–	1	–	–	29
–	–	1	2	–	–	–	–	–	63	2	1	3	1	199	–	–	1	–	1	30
–	–	2	1	–	–	–	–	–	–	–	–	1	–	–	14	–	–	–	–	31
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	16	1	–	–	32
–	–	1	–	–	–	–	–	–	–	60	1	5	–	–	–	–	1,456	1	–	33
–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	7	–	34
–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–	–	–	11	35
5	**2**	**376**	**97**	**388**	**27**	–	**70**	**9**	**882**	**459**	**209**	**654**	**35**	**422**	**33**	**18**	**1,593**	**16**	**33**	36
3	**1**	**184**	**52**	**183**	**8**	–	**46**	**6**	**443**	**233**	**112**	**346**	**15**	**225**	**21**	**10**	**818**	**7**	**14**	
2	**1**	**192**	**45**	**185**	**19**	–	**24**	**3**	**439**	**226**	**97**	**308**	**20**	**197**	**12**	**8**	**775**	**9**	**19**	
–	–	**11**	–	**37**	–	–	–	**3**	**27**	**9**	**2**	**14**	–	**14**	**1**	–	**35**	–	**4**	37
–	–	**7**	–	**18**	–	–	–	**1**	**13**	**7**	**2**	**8**	**1**	**10**	**1**	–	**14**	–	**2**	
–	–	**4**	–	**19**	–	–	–	**2**	**14**	**2**	–	**6**	**1**	**4**	–	–	**21**	–	**2**	
5	**2**	**387**	**97**	**405**	**27**	–	**70**	**12**	**909**	**468**	**211**	**668**	**38**	**436**	**34**	**18**	**1,628**	**16**	**37**	38
3	**1**	**191**	**52**	**201**	**8**	–	**46**	**7**	**453**	**240**	**114**	**354**	**17**	**235**	**22**	**10**	**832**	**7**	**16**	
2	**1**	**196**	**45**	**204**	**19**	–	**24**	**5**	**453**	**228**	**97**	**314**	**21**	**201**	**12**	**8**	**796**	**9**	**21**	
ALBERTA																				
–	–	2	6	13	6	–	1	1	66	6	2	12	3	56	13	1	6	6	2	39
–	–	2	4	5	1	–	–	–	43	6	3	6	–	28	5	–	3	3	2	40
–	–	–	6	5	1	–	–	–	54	2	–	5	2	31	3	–	1	3	3	41
–	–	–	1	–	–	–	–	–	4	–	–	–	–	2	–	–	1	–	1	42
–	–	–	–	10	1	–	–	1	8	–	–	3	–	7	–	–	2	1	–	43
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	44
–	–	1	–	–	1	–	–	–	–	9	1	6	–	2	–	–	16	–	–	45
–	–	–	–	1	–	–	–	–	1	–	–	–	–	2	–	–	–	1	–	46
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	47
–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–	48
–	–	1	–	–	–	–	–	–	–	6	–	1	1	1	–	–	4	–	2	49
–	–	–	2	–	–	–	–	–	6	–	–	1	–	9	–	–	–	–	–	50
–	–	–	–	1	1	–	–	–	5	–	–	2	–	4	–	–	–	1	–	51
–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	52
–	–	3	2	5	–	–	–	–	29	8	5	25	–	22	2	–	5	1	2	53
6	–	–	–	1	–	–	–	–	–	1	–	–	1	–	1	–	2	–	–	54
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	55
–	–	51	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	56
–	–	–	9	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	57
–	–	–	–	398	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	58
–	–	–	–	–	92	–	–	–	2	–	–	–	–	–	1	–	1	–	–	59
–	–	–	–	–	–	25	–	–	–	–	–	–	–	–	–	–	–	–	–	60
–	–	–	–	–	–	–	58	–	–	1	–	–	–	–	–	–	–	–	–	61
–	–	–	–	–	–	–	–	15	–	–	–	–	–	–	–	–	–	–	–	62

TABLE 9—Births (exclusive of stillbirths) classified according to racial origin of parents, 1928—*con.*

No.	Racial origin of father — Origine raciale du père	Total	Racial origin of mother																	
			English — Anglaise	Irish — Irlandaise	Scotch — Écossaise	Welsh—Galloise	French — Française	Armenian—Arménienne	Austrian — Autrichienne	Belgian—Belge	Bulgarian—Bulgare	Chinese—Chinoise	Czech and Slovak Tchèque et Slov.	Danish—Danoise	Dutch — Hollandaise	Finnish—Finlandaise	German — Allemande			
	ALBERTA—con.																			
1	Norwegian	562	84	32	41	–	10	–	1	1	–	–	–	12	4	2	31			
2	Polish	336	8	4	2	–	4	–	7	–	–	–	2	–	–	–	6			
3	Roumanian	126	4	1	1	–	–	–	4	1	–	–	–	–	–	1	2			
4	Russian	541	11	1	3	–	–	–	19	–	–	–	–	1	–	–	47			
5	Serb and Croat	38	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–			
6	Swedish	342	57	29	31	2	14	–	–	1	–	–	2	5	2	6	18			
7	Swiss	64	12	4	4	–	4	–	–	–	–	–	–	1	2	–	12			
8	Syrian	14	–	1	4	–	–	–	–	–	–	–	–	–	–	–	–			
9	Ukranian (1)	1,469	4	–	1	–	1	–	5	–	–	–	2	–	–	–	2			
10	Other	23	2	–	2	–	1	–	–	–	–	–	–	–	–	2	2			
11	Not specified	26	7	1	6	–	1	–	–	–	–	–	–	–	–	–	2			
12	**Children born to T.**	15,214	3,689	1,362	2,015	162	880	–	315	57	–	18	105	196	251	66	1,811			
	married mothers— M.	7,831	1,831	697	1,077	80	466	–	175	34	–	10	60	94	132	38	906			
	Enfants légitimes. F.	7,383	1,858	665	938	83	414	–	140	23	–	8	45	102	119	28	905			
13	**Children born to T.**	478	92	47	66	2	42	–	3	2	–	–	3	5	6	4	40			
	unmarried mothers M.	260	47	27	36	–	24	–	2	2	–	–	2	3	1	2	26			
	—Enfants illégiti- F.	218	45	20	30	2	18	–	1	–	–	–	1	2	5	2	14			
	mes.																			
14	**Children born to T.**	15,692	3,781	1,409	2,081	165	922	–	318	59	–	18	108	201	257	70	1,851			
	all mothers—Légi- M.	8,091	1,878	724	1,113	80	490	–	177	36	–	10	62	97	133	40	932			
	times et illégitimes. F.	7,601	1,903	685	968	85	432	–	141	23	–	8	46	104	124	30	919			
	BRITISH COLUMBIA																			
15	English	3,805	2,680	250	580	31	61	–	3	9	–	–	4	17	17	9	35			
16	Irish	896	343	264	165	12	26	–	2	1	–	–	3	2	13	4	21			
17	Scotch	2,023	712	153	984	27	39	–	1	4	–	–	3	1	7	3	21			
18	Welsh	121	47	10	33	21	2	–	–	–	–	–	–	–	1	–	3			
19	French	253	79	30	29	–	89	–	1	1	–	–	–	2	3	–	4			
20	Armenian	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
21	Austrian	50	6	1	1	–	1	–	35	–	–	–	–	–	–	–	1			
22	Belgian	16	4	1	2	–	1	–	–	7	–	–	–	–	–	–	–			
23	Bulgarian	3	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1			
24	Chinese	161	2	–	1	–	–	–	–	–	–	158	–	–	–	–	–			
25	Czech and Slovak	14	1	–	–	–	–	–	–	–	–	–	13	–	–	–	–			
26	Danish	56	8	5	10	–	1	–	–	–	–	–	–	22	–	–	1			
27	Dutch	74	19	5	12	1	1	–	–	–	–	–	–	1	28	–	2			
28	Finnish	73	4	1	2	–	2	–	–	–	–	–	–	–	–	56	–			
29	German	188	43	10	20	–	9	–	4	–	–	–	–	–	5	–	79			
30	Greek	27	3	2	1	–	1	–	–	–	–	–	–	–	–	1	2			
31	Hindu	36	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
32	Hungarian	8	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
33	Icelandic	10	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–			
34	Indian	431	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–			
35	Italian	292	28	8	10	1	3	–	1	3	–	–	–	–	–	–	2			
36	Japanese	838	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
37	Jewish	30	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
38	Negro	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
39	Norwegian	196	46	8	11	–	5	–	–	–	–	–	–	2	–	2	1			
40	Polish	56	3	–	2	–	1	–	–	–	–	–	1	–	–	–	1			
41	Roumanian	14	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–			
42	Russian	73	13	1	2	1	1	–	3	–	–	–	–	–	–	–	3			
43	Serb and Croat	44	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–			
44	Swedish	213	42	15	26	3	5	–	–	–	–	–	–	2	1	6	5			
45	Swiss	28	10	–	2	1	1	–	–	–	–	–	–	–	1	–	3			
46	Syrian	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–			
47	Ukranian (1)	68	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–			
48	Other	12	5	1	1	–	–	–	–	–	–	–	–	–	–	–	–			
49	Not specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
50	**Children born to T.**	10,118	4,111	769	1,897	98	251	–	51	25	2	158	25	49	76	82	185			
	married mothers— M.	5,042	2,025	371	940	49	138	–	28	12	–	85	10	33	29	47	86			
	Enfants légitimes. F.	5,076	2,086	398	957	49	113	–	23	13	2	73	15	16	47	35	99			
51	**Children born to T.**	267	91	16	64	2	8	–	–	1	–	1	2	–	5	4	13			
	unmarried mothers M.	127	40	6	39	–	–	–	–	–	–	1	1	–	–	1	7			
	—Enfants illégiti- F.	140	51	10	25	2	8	–	–	1	–	–	1	–	5	3	6			
	mes.																			
52	**Children born to T.**	10,385	4,202	785	1,961	100	259	–	51	26	2	159	27	49	81	86	198			
	all mothers—Légi- M.	5,169	2,065	377	979	49	138	–	28	12	–	86	11	33	29	48	93			
	times et illégitimes. F.	5,216	2,137	408	982	51	121	–	23	14	2	73	16	16	52	38	105			

(1) Including "Galician" and "Bukovinian"—Y compris "Galicienne" et "Bukovine."

TABLEAU 9—Naissances (mort-nés exclus) classifiées selon l'origine raciale des parents, 1928—*fin*

Origine raciale de la mère																										
Greek—Grecque	Hindu—Hindoue	Hungarian—Hongroise	Icelandic—Islandaise	Indian—Indienne	Italian—Italienne	Japanese—Japonaise	Jewish—Hébraïque	Negro—Nègre	Norwegian—Norvégienne	Polish—Polonaise	Roumanian—Roumaine	Russian—Russe	Serb and Croat—Serbe et Croate	Swedish—Suédoise	Swiss—Suisse	Syrian—Syrienne	Ukranian(1)—Ukranienne(1)	Other—Autres	Not specified—Non spécifiée	No.
ALBERTA—fin																				
-	-	1	1	1	-	-	-	-	285	2	1	1	-	51	1	-	-	-	-	1
-	-	2	-	2	-	-	-	-	-	244	2	6	2	-	-	-	45	-	-	2
-	-	-	-	-	-	-	-	-	-	3	83	11	-	2	-	-	13	-	-	3
-	-	1	-	1	-	-	1	-	1	10	12	409	1	-	1	-	22	-	-	4
-	-	-	-	-	-	-	-	-	1	1	1	2	28	-	-	-	1	-	-	5
-	-	-	1	2	-	-	-	-	35	-	-	3	1	131	1	-	-	-	1	6
-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	22	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	7	1	-	-	8
-	-	-	-	-	-	-	-	-	2	34	12	6	1	1	-	-	1,398	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	13	-	10
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	11
6	-	**65**	**32**	**446**	**104**	**25**	**60**	**17**	**549**	**336**	**124**	**502**	**40**	**350**	**50**	**8**	**1,522**	**29**	**21**	12
5	-	**33**	**15**	**249**	**54**	**17**	**26**	**7**	**293**	**165**	**64**	**258**	**20**	**198**	**29**	**5**	**769**	**15**	**9**	
1	-	**32**	**17**	**197**	**50**	**8**	**34**	**10**	**256**	**171**	**60**	**244**	**20**	**152**	**21**	**3**	**753**	**14**	**12**	
-	-	**2**	-	**61**	-	-	**1**	-	**15**	**8**	**2**	**8**	**1**	**11**	**3**	-	**45**	**1**	**8**	13
-	-	**2**	-	**29**	-	-	-	-	**12**	**5**	**1**	**5**	-	**5**	**2**	-	**22**	-	**5**	
-	-	-	-	**32**	-	-	**1**	-	**3**	**3**	**1**	**3**	**1**	**6**	**1**	-	**23**	**1**	**3**	
6	-	**67**	**32**	**507**	**104**	**25**	**61**	**17**	**564**	**344**	**126**	**510**	**41**	**361**	**53**	**8**	**1,567**	**30**	**29**	14
5	-	**35**	**15**	**278**	**54**	**17**	**26**	**7**	**305**	**170**	**65**	**263**	**20**	**203**	**31**	**5**	**791**	**15**	**14**	
1	-	**32**	**17**	**229**	**50**	**8**	**35**	**10**	**259**	**174**	**61**	**247**	**21**	**158**	**22**	**3**	**776**	**15**	**15**	
COLOMBIE BRITANNIQUE																				
-	-	3	4	11	8	-	1	-	28	8	1	7	1	27	4	1	1	4	-	15
-	-	1	3	7	3	-	-	-	10	1	-	2	-	12	-	-	-	1	-	16
-	-	1	5	6	7	-	1	-	14	3	-	4	1	18	3	1	-	4	-	17
-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	18
-	-	-	-	2	2	-	-	-	-	2	-	1	1	4	3	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	1	-	-	21
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	1	-	-	1	-	7	-	-	-	-	-	26
-	1	-	-	-	-	-	-	-	1	-	-	2	-	-	1	-	-	-	-	27
-	-	-	-	-	-	-	-	-	3	-	-	1	-	2	1	-	1	-	-	28
-	-	-	1	-	-	-	-	-	1	1	1	5	-	5	2	1	1	-	-	29
13	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	30
-	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	32
-	-	-	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	427	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	34
-	-	2	-	-	229	-	-	-	1	-	-	-	1	2	1	-	-	-	-	35
-	-	-	-	-	-	836	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	1	-	28	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	1	-	-	-	-	107	1	-	-	1	9	-	-	2	-	-	39
-	-	1	-	-	-	-	-	-	2	41	1	1	-	-	-	-	2	-	-	40
-	-	-	-	-	-	-	-	-	-	2	7	1	-	-	-	-	-	1	-	41
-	-	-	-	-	-	-	-	-	1	3	2	40	-	-	-	-	3	-	-	42
-	-	2	-	-	-	-	-	-	-	-	-	-	38	-	-	-	-	-	-	43
-	-	-	1	1	1	-	-	-	10	-	-	-	1	94	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	8	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	46
-	-	-	-	2	-	-	-	-	-	3	-	1	-	-	-	-	58	1	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
13	**36**	**16**	**17**	**457**	**252**	**836**	**30**	**6**	**181**	**68**	**13**	**70**	**44**	**182**	**24**	**4**	**70**	**19**	**1**	50
8	**18**	**8**	**11**	**237**	**114**	**434**	**9**	**4**	**84**	**35**	**9**	**34**	**29**	**90**	**14**	**3**	**37**	**10**	**1**	
5	**18**	**8**	**6**	**220**	**138**	**402**	**21**	**2**	**97**	**33**	**4**	**36**	**15**	**92**	**10**	**1**	**33**	**9**	-	
-	-	-	**1**	**29**	**4**	**1**	-	-	**9**	**5**	-	**3**	**1**	**4**	**1**	-	**1**	**1**	-	51
-	-	-	**1**	**14**	**2**	**1**	-	-	**5**	**2**	-	**2**	-	**3**	**1**	-	**1**	-	-	
-	-	-	-	**15**	**2**	-	-	-	**4**	**3**	-	**1**	**1**	**1**	-	-	-	**1**	-	
13	**36**	**16**	**18**	**486**	**256**	**837**	**30**	**6**	**190**	**73**	**13**	**73**	**45**	**186**	**25**	**4**	**71**	**20**	**1**	52
8	**18**	**8**	**12**	**251**	**116**	**435**	**9**	**4**	**89**	**37**	**9**	**36**	**29**	**93**	**15**	**3**	**38**	**10**	**1**	
5	**18**	**8**	**6**	**235**	**140**	**402**	**21**	**2**	**101**	**36**	**4**	**37**	**16**	**93**	**10**	**1**	**33**	**10**	-	

TABLE 10—Births (exclusive of stillbirths) classified according to age and racial origin of married mothers, 1928

CANADA (1)

No.	Racial origin of mother — Origine raciale de la mère	Total	Age of mother															
			13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
1	English—Anglaise	52,794	–	2	36	153	431	1,013	1,685	2,142	2,478	2,793	2,891	3,067	2,928	2,859	2,856	3,082
2	Irish—Irlandaise	19,654	–	–	4	37	132	298	454	603	723	883	974	1,099	988	1,048	1,052	1,190
3	Scotch—Écossaise	22,683	–	2	4	36	126	315	518	722	923	1,026	1,121	1,265	1,264	1,197	1,187	1,388
4	Welsh—Galloise	716	–	–	–	1	6	13	11	22	20	33	30	36	43	37	34	53
5	French—Française	91,933	1	6	41	168	486	1,151	1,889	2,779	3,601	4,449	4,995	5,196	5,225	5,111	4,861	5,672
6	Armenian—Arménienne	58	–	–	–	–	–	1	1	2	4	7	2	3	11	3	4	1
7	Austrian—Autrichienne	1,405	–	–	–	2	9	24	49	76	84	83	80	81	88	64	71	75
8	Belgian—Belge	615	–	–	–	–	3	7	15	18	22	36	39	36	34	30	34	44
9	Bulgarian—Bulgare	27	–	–	–	–	–	–	–	1	1	5	1	2	–	–	3	–
10	Chinese—Chinoise	229	–	–	–	–	–	5	5	4	10	4	14	4	13	13	11	26
11	Czech and Slovak—Tchèque et Slovaque	439	–	–	–	2	2	13	13	11	21	19	27	45	30	37	25	28
12	Danish—Danoise	511	–	–	–	–	1	3	9	19	23	35	36	33	39	34	33	36
13	Dutch—Hollandaise	2,199	–	–	1	2	18	37	71	86	111	108	133	136	112	106	114	129
14	Finnish—Finlandaise	700	–	–	–	3	7	16	27	37	32	44	54	56	49	45	45	35
15	German—Allemande	10,489	–	1	2	22	76	171	294	459	523	606	628	683	614	605	534	590
16	Greek—Grecque	163	–	–	–	–	–	1	1	4	9	12	12	11	12	11	10	12
17	Hindu—Hindoue	38	–	–	–	–	–	1	1	3	6	4	–	2	2	1	1	4
18	Hungarian—Hongroise	738	–	–	–	1	10	18	22	30	32	48	47	58	60	45	39	48
19	Icelandic—Islandaise	466	–	–	–	1	–	5	8	13	14	18	21	25	19	31	29	24
20	Indian—Indienne	2,354	–	1	7	16	48	92	99	127	115	147	116	111	115	114	110	128
21	Italian—Italienne	2,441	–	1	2	12	27	69	82	93	116	122	120	158	123	110	127	143
22	Japanese—Japonaise	866	–	–	–	–	4	8	21	32	39	55	52	43	57	48	41	57
23	Jewish—Hébraïque	2,113	–	–	–	–	2	8	35	71	98	121	131	161	155	159	129	159
24	Negro—Nègre	348	–	–	–	1	10	11	14	16	18	29	25	14	19	16	19	9
25	Norwegian-Norvégienne	1,828	–	–	–	1	9	32	58	64	91	98	103	106	99	102	99	99
26	Polish—Polonaise	2,442	–	–	–	11	31	53	112	147	121	158	147	186	156	136	103	126
27	Roumanian—Roumaine	543	–	–	–	–	2	18	22	28	35	33	25	29	38	22	27	33
28	Russian—Russe	2,074	–	–	–	3	16	37	67	84	109	140	95	106	114	118	99	135
29	Serb and Croat—Serbe et Croate	242	–	–	–	–	2	5	4	10	20	15	16	16	21	19	17	10
30	Swedish—Suédoise	1,343	–	–	1	1	12	34	42	62	74	77	93	76	64	80	72	75
31	Swiss—Suisse	225	–	–	–	–	2	1	2	7	10	8	12	19	17	8	11	8
32	Syrian—Syrienne	239	–	–	–	–	1	3	8	10	11	13	12	15	17	6	15	13
33	Ukranian (2) — Ukranienne (2)	5,458	–	–	2	13	62	166	303	319	342	365	312	344	305	275	236	316
34	Other—Autres	222	–	–	–	–	1	9	6	16	15	12	5	14	14	3	14	11
35	Not specified—Non spécifiée	882	–	–	–	2	10	14	26	32	40	26	34	27	34	35	32	51
36	**Total**	229,477	1	13	100	488	1,546	3,652	5,974	8,149	9,891	11,632	12,403	13,263	12,879	12,528	12,094	13,810

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction —Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.
(2) Including "Galician" and "Bukovinian"—Y compris "Galicienne" et "Bukovine."

TABLEAU 10—Naissances (mort-nés exclus) classifiées selon l'âge et l'origine raciale des mères mariées, 1928

CANADA [1]

Âge de la mère																							No.
29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50 and over — 50 et plus	Not stated — Non donné	
2,538	2,735	2,329	2,337	2,111	1,993	1,857	1,553	1,459	1,454	1,058	887	607	584	361	211	123	70	31	15	8	2	55	1
970	1,087	898	987	836	861	784	719	620	640	465	418	286	230	152	99	50	18	5	6	3	–	35	2
1,129	1,148	1,052	1,145	1,030	934	862	790	659	776	574	459	290	269	208	111	70	35	14	1	4	2	27	3
40	47	38	32	24	33	30	27	22	22	14	11	12	11	7	1	2	2	–	–	–	–	2	4
4,503	4,659	3,711	4,178	3,971	3,508	3,321	3,235	2,720	3,121	2,270	2,013	1,406	1,377	917	598	324	192	92	63	13	18	92	5
1	4	1	3	1	–	3	–	1	3	–	1	–	–	–	–	–	–	–	–	–	–	1	6
41	55	63	68	43	48	47	52	36	52	16	40	11	14	6	9	9	2	1	2	–	2	2	7
34	39	26	19	16	19	16	27	19	24	8	13	8	8	7	8	2	–	1	1	1	–	1	8
–	4	1	2	1	1	1	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	9
12	7	9	8	4	8	16	11	7	7	5	8	7	2	3	3	–	–	1	–	–	–	2	10
23	22	19	16	18	14	15	7	7	7	4	7	1	4	–	1	–	–	–	–	–	–	1	11
28	17	31	27	14	19	7	11	7	14	9	8	5	3	5	1	1	2	–	1	–	–	–	12
110	105	95	108	72	73	77	73	59	52	46	47	36	31	21	14	4	4	1	1	–	–	6	13
35	26	23	28	14	11	27	11	10	18	8	10	10	3	4	6	2	3	1	–	–	–	–	14
453	467	365	461	413	331	332	348	252	322	227	206	149	130	89	51	42	19	6	5	3	1	9	15
6	7	9	4	6	3	6	4	5	2	–	7	–	2	–	1	1	–	–	–	–	–	5	16
1	4	1	–	1	1	1	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	1	17
29	27	32	28	37	17	20	18	14	16	9	10	6	8	3	2	2	–	1	–	–	–	1	18
29	33	15	22	30	24	14	17	18	16	10	8	8	7	3	1	2	–	1	–	–	–	–	19
88	119	53	74	59	70	75	64	49	62	44	61	26	26	18	6	12	5	3	1	2	–	91	20
117	118	105	86	83	96	96	90	68	71	50	44	29	21	27	5	6	4	3	1	–	1	15	21
38	48	42	46	31	36	24	33	24	23	21	18	5	6	8	2	1	–	1	–	–	–	2	22
110	131	79	108	76	63	75	38	37	51	46	24	7	10	7	4	3	2	2	–	–	–	11	23
16	16	10	18	8	10	9	9	12	11	5	7	5	6	2	–	1	–	–	–	–	–	2	24
76	68	78	84	80	69	60	75	57	50	40	37	20	27	16	12	9	5	–	–	–	1	3	25
91	110	62	91	86	72	76	69	47	76	47	36	17	22	17	7	4	3	3	2	1	–	16	26
21	27	23	18	20	16	13	28	10	14	12	4	5	8	5	1	2	1	2	–	–	–	1	27
85	82	75	87	85	70	82	57	72	63	48	41	32	22	15	10	11	3	1	–	1	1	8	28
12	12	4	8	6	8	4	4	10	7	6	1	2	–	–	–	–	–	1	–	–	–	2	29
70	62	44	39	39	57	47	38	31	35	31	17	24	20	7	5	6	5	1	–	–	2	–	30
13	12	12	7	11	5	11	6	9	7	7	11	2	1	3	1	1	–	1	–	–	–	–	31
16	16	3	7	7	9	8	11	3	13	7	7	3	3	1	1	–	–	–	–	–	–	–	32
173	239	125	202	162	136	173	181	142	172	78	115	45	57	34	21	14	12	7	3	–	1	6	33
12	9	6	13	12	7	9	4	5	7	2	1	2	4	1	2	2	–	1	–	–	–	3	34
34	23	30	29	24	28	25	24	24	13	9	17	13	4	10	3	1	–	–	–	–	–	208	35
10,954	**11,585**	**9,469**	**10,390**	**9,431**	**8,650**	**8,223**	**7,634**	**6,517**	**7,224**	**5,176**	**4,596**	**3,079**	**2,920**	**1,957**	**1,197**	**707**	**387**	**181**	**102**	**36**	**31**	**608**	36

TABLE 11—Births (exclusive of stillbirths) classified according to birthplaces of parents, 1928

No.	Birthplace of father — Lieu de naissance du père	Total	Birthplace of mother														
			Canada										British Isles — Îles britanniques				
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not specified Prov. non spécifiée	England — Angleterre	Ireland—Irlande	Scotland—Écosse	Wales Galles, pays de	Other—Autres
	CANADA (1)																
1	**Canada**	**161,560**	**1,903**	**8,691**	**8,621**	**74,295**	**38,927**	**5,759**	**2,716**	**1,667**	**1,431**	**684**	**5,779**	**584**	**1,851**	**117**	**19**
2	Prince Edward Island	2,240	1,648	122	85	39	69	34	27	10	16	1	55	5	18	–	–
3	Nova Scotia	9,881	90	7,888	277	108	264	69	50	45	41	1	314	26	125	13	1
4	New Brunswick	9,413	88	295	7,642	364	176	37	29	20	30	1	219	11	42	7	–
5	Quebec	78,203	21	84	400	71,297	2,478	309	121	104	44	5	501	59	175	8	2
6	Ontario	47,847	37	205	155	2,228	34,811	1,179	578	288	223	48	3,605	380	1,114	69	14
7	Manitoba	6,802	12	40	23	157	596	3,761	461	98	82	3	466	52	187	9	–
8	Saskatchewan	2,580	3	19	11	42	224	238	1,355	44	34	2	147	11	51	2	–
9	Alberta	1,820	1	11	15	22	96	51	50	999	52	2	94	10	38	2	–
10	British Columbia	1,850	3	26	13	24	141	78	41	55	908	1	258	13	76	7	2
11	Province not specified	924	–	1	–	14	72	3	4	4	1	620	120	17	25	–	–
12	**British Isles**	**27,847**	**64**	**433**	**241**	**827**	**4,857**	**1,185**	**546**	**316**	**525**	**300**	**10,251**	**1,633**	**4,637**	**335**	**40**
13	England	17,730	39	278	180	548	3,374	742	348	208	345	222	8,624	351	1,183	140	25
14	Ireland	2,813	7	27	17	115	460	117	46	33	37	33	385	1,083	290	22	–
15	Scotland	6,614	17	112	40	147	910	293	135	58	128	40	1,067	185	3,106	38	4
16	Wales	620	1	15	4	10	96	30	15	16	15	5	162	11	53	135	1
17	Other	70	–	1	–	7	17	3	2	1	–	–	13	3	5	–	10
18	**British Possessions**	**1,522**	**15**	**253**	**26**	**77**	**118**	**19**	**8**	**10**	**32**	**3**	**186**	**23**	**44**	**6**	**1**
19	Newfoundland	1,005	11	234	16	59	44	6	4	2	9	2	67	8	21	–	1
20	Other	517	4	19	10	18	74	13	4	8	23	1	119	15	23	6	–
21	**Europe**	**24,719**	**7**	**109**	**56**	**633**	**780**	**1,316**	**1,144**	**713**	**136**	**64**	**474**	**50**	**141**	**9**	**2**
22	Austria	3,291	1	9	1	18	28	285	347	146	7	2	8	1	3	–	–
23	Belgium	582	–	5	1	55	14	32	12	10	2	1	17	5	8	–	–
24	Denmark	424	–	4	4	12	30	14	7	7	–	–	36	4	19	–	–
25	Finland	550	–	–	3	5	30	2	4	3	5	2	5	–	1	1	–
26	France	471	–	4	5	102	25	47	20	7	5	–	17	4	9	–	2
27	Germany	821	1	10	1	10	81	35	33	29	2	3	24	2	7	–	–
28	Holland	378	1	2	3	2	30	12	6	5	3	2	29	1	7	1	–
29	Hungary	704	–	1	–	2	4	10	69	7	–	1	1	1	–	–	–
30	Italy	2,626	2	18	12	236	190	12	7	10	48	16	53	8	18	–	–
31	Norway	879	–	6	4	8	45	26	28	20	17	4	40	4	13	1	–
32	Poland (2)	4,532	–	5	–	34	72	366	156	180	5	8	29	4	4	–	–
33	Roumania (3)	1,520	–	5	3	34	25	53	108	110	2	3	22	1	3	–	–
34	Russia (4)	5,627	–	17	4	56	87	301	294	130	9	20	67	1	17	5	–
35	Sweden	884	1	9	6	6	54	46	32	25	19	2	63	3	18	1	–
36	Other	1,430	1	14	9	53	65	75	21	24	12	–	63	11	14	–	–
37	**Asia**	**1,498**	**1**	**11**	**9**	**35**	**29**	**7**	**8**	**–**	**49**	**3**	**16**	**1**	**8**	**–**	**–**
38	China	263	–	–	1	4	11	4	3	–	30	–	9	1	3	–	–
39	Japan	865	–	–	–	2	1	1	–	–	17	–	1	–	–	–	–
40	Other	370	1	11	8	29	17	2	5	–	2	3	6	–	5	–	–
41	United States	11,944	47	235	243	2,150	1,767	592	585	583	181	26	700	57	211	21	1
42	Various	97	–	1	1	14	10	8	5	1	4	1	8	–	–	1	–
43	Not specified	290	–	6	1	14	41	12	2	2	–	2	10	1	4	–	–
44	**Children born to married mothers—Enfants légitimes**	**229,477**	**2,037**	**9,739**	**9,198**	**78,045**	**46,529**	**8,898**	**5,014**	**3,292**	**2,358**	**1,083**	**17,424**	**2,349**	**6,896**	**489**	**63**
45	**Children born to unmarried mothers Enfants illégitimes**	**7,280**	**62**	**609**	**286**	**1,341**	**1,490**	**329**	**294**	**220**	**109**	**94**	**400**	**76**	**233**	**13**	**1**
46	**Children born to all mothers — Légitimes et illégitimes**	**236,757**	**2,099**	**10,348**	**9,484**	**79,386**	**48,019**	**9,227**	**5,308**	**3,512**	**2,467**	**1,177**	**17,824**	**2,425**	**7,129**	**502**	**64**

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.
(2) Including Galicia—Y compris la Galicie.
(3) Including Bukovina—Y compris la Bukovine.
(4) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 11—Naissances (mort-nés exclus) classifiées selon le lieu de naissance des parents, 1928

Lieu de naissance de la mère																								
British Possessions — Possessions britanniques		Europe															Asia — Asie			United States — États-Unis	Various—Divers	Not specified Non spécifié	No.
Newfoundland Terre-Neuve	Other—Autres	Austria—Autriche	Belgium Belgique	Denmark Danemark	Finland—Finlande	France	Germany Allemagne	Holland—Hollande	Hungary Hongrie	Italy—Italie	Norway Norvège	Poland (2) Pologne (2)	Roumania (3) Roumanie (3)	Russia (4) Russie (4)	Sweden—Suède	Other—Autres	China—Chine	Japan—Japon	Other—Autres				
CANADA(1)																								
358	111	144	88	22	38	122	123	44	30	41	66	134	42	315	86	95	18	7	3	6,525	21	83	1
15	4	2	1	–	–	2	–	1	1	–	1	–	–	1	3	–	–	–	–	79	1	–	2
202	8	1	3	1	–	5	6	1	2	2	1	3	1	2	2	1	–	–	–	322	4	2	3
25	10	–	2	2	–	5	3	1	1	–	4	1	–	–	2	1	–	1	–	392	–	2	4
49	9	6	38	2	2	69	10	6	1	15	7	10	4	21	3	10	1	–	3	2,314	3	12	5
49	57	27	18	11	24	18	78	22	9	20	27	31	5	49	46	23	2	1	–	2,328	7	61	6
4	5	42	18	3	3	17	14	7	5	–	8	40	10	138	19	48	–	–	–	468	1	5	7
2	3	39	2	2	1	3	10	3	9	–	8	15	14	57	5	4	–	–	–	217	3	–	8
1	5	25	4	1	1	2	1	2	1	2	3	31	8	38	3	7	–	–	–	241	1	–	9
9	9	1	1	–	6	1	1	1	1	1	6	–	–	5	3	1	15	5	–	137	1	–	10
2	1	1	1	–	1	–	–	–	–	1	1	3	–	4	–	–	–	–	–	27	–	1	11
93	111	18	25	8	6	36	48	21	5	7	23	26	8	55	24	33	7	–	5	1,066	22	10	12
79	80	13	19	6	4	28	26	16	4	4	16	19	7	41	14	25	6	–	3	695	11	7	13
1	8	2	1	2	1	4	5	–	1	–	1	3	1	2	2	1	1	–	–	102	1	2	14
11	17	3	5	–	1	4	16	5	–	3	6	4	–	11	6	5	–	–	1	229	6	1	15
2	5	–	–	–	–	–	1	–	–	–	–	–	–	1	1	2	–	–	–	35	4	–	16
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	5	–	–	17
500	134	1	–	–	–	2	–	–	–	2	1	1	–	3	–	1	–	–	–	51	2	3	18
496	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	19	–	3	19
4	132	1	–	–	–	1	–	–	–	2	1	1	–	3	–	1	–	–	–	32	2	–	20
13	21	2,469	408	231	490	197	481	234	593	1,868	451	3,740	1,071	4,208	424	937	1	–	8	1,207	22	11	21
–	3	2,133	–	–	1	2	17	1	12	1	1	85	24	93	–	7	–	–	–	54	–	1	22
–	1	1	359	–	–	18	2	4	–	1	1	1	1	1	–	3	–	–	–	25	2	–	23
–	–	–	–	217	4	1	8	–	1	–	7	–	–	2	9	1	–	–	–	37	–	–	24
–	–	–	–	–	441	–	–	–	–	–	3	–	–	3	7	1	–	–	–	34	–	–	25
3	1	4	24	–	1	140	1	1	–	1	–	1	–	3	–	7	–	–	–	35	2	–	26
–	–	34	1	1	1	4	333	7	5	2	1	15	3	55	3	7	–	–	1	110	–	–	27
–	–	1	7	–	1	2	12	219	–	–	2	1	–	7	2	1	–	–	–	19	–	–	28
–	1	7	–	–	–	–	4	–	541	–	–	3	6	7	1	4	–	–	–	32	1	1	29
3	1	5	7	–	4	16	4	–	–	1,862	2	4	3	1	1	8	–	–	1	63	10	1	30
1	1	1	–	7	4	2	5	–	–	–	388	1	–	3	38	1	–	–	1	209	1	–	31
–	1	63	2	–	2	1	16	1	8	–	1	3,277	59	163	1	20	–	–	1	50	2	1	32
1	1	34	1	–	2	–	4	–	4	–	1	97	870	87	–	12	–	–	–	37	–	–	33
2	6	166	3	–	3	2	50	–	11	–	2	219	95	3,758	3	18	1	–	2	272	3	3	34
1	3	2	1	5	24	–	3	–	1	–	40	–	–	2	358	2	–	–	–	157	–	–	35
2	2	18	3	1	2	9	22	1	10	1	2	36	10	23	1	845	–	–	2	73	1	4	36
1	1	4	–	–	–	2	1	2	–	–	2	6	3	4	–	3	178	840	246	26	2	–	37
–	–	1	–	–	–	1	1	–	–	–	1	5	1	1	–	1	178	–	–	7	–	–	38
–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	840	–	–	1	–	39
1	1	3	–	–	–	1	–	–	–	–	1	1	2	3	–	2	–	–	246	19	1	–	40
17	10	32	13	20	11	20	90	13	13	13	90	23	18	149	69	27	–	–	–	3,908	4	5	41
–	1	1	–	–	–	1	–	1	–	8	–	2	–	5	–	1	–	–	1	6	16	–	42
1	–	1	–	–	–	1	–	–	1	–	–	2	–	–	–	–	–	–	–	6	–	183	43
983	389	2,670	534	281	545	381	743	315	642	1,939	633	3,934	1,142	4,739	603	1,097	204	847	263	12,795	89	295	44
39	12	31	7	5	19	11	21	4	17	9	20	62	9	49	14	24	1	1	1	241	2	1,124	45
1,022	401	2,701	541	286	564	392	764	319	659	1,948	653	3,996	1,151	4,788	617	1,121	205	848	264	13,036	91	1,419	46

TABLE 11—Births (exclusive of stillbirths) classified according to birthplaces of parents, 1928—*con.*

No.	Birthplace of father — Lieu de naissance du père	Total	Birthplace of mother															
			Canada										British Isles — Îles britanniques					
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not specified Prov. non spécifiée	England — Angleterre	Ireland—Irlande	Scotland—Écosse	Wales Galles, pays de	Other—Autres	
	PRINCE EDWARD ISLAND																	
1	**Canada**	1,692	1,572	33	17	3	5	1	1	–	1	–	15	1	4	–	–	
2	Prince Edward Island	1,644	1,537	26	15	2	5	1	–	–	1	–	15	1	4	–	–	
3	Nova Scotia	27	19	6	–	–	–	–	1	–	–	–	–	–	–	–	–	
4	New Brunswick	10	8	–	2	–	–	–	–	–	–	–	–	–	–	–	–	
5	Quebec	3	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
6	Ontario	6	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
7	Manitoba	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
8	Saskatchewan	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
9	Alberta	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
10	British Columbia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
11	Province not specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
12	**British Isles**	20	10	–	–	–	–	–	–	–	–	–	4	2	4	–	–	
13	England	13	9	–	–	–	–	–	–	–	–	–	3	1	–	–	–	
14	Ireland	3	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	
15	Scotland	4	1	–	–	–	–	–	–	–	–	–	–	–	3	–	–	
16	Wales	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
17	Other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
18	**British Possessions**	6	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
19	Newfoundland	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
20	Other	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
21	**Europe**	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
22	Austria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
23	Belgium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
24	Denmark	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
25	Finland	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
26	France	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
27	Germany	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
28	Holland	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
29	Hungary	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
30	Italy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
31	Norway	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
32	Poland (1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
33	Roumania (2)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
34	Russia (3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
35	Sweden	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
36	Other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
37	**Asia**	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
38	China	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
39	Japan	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
40	Other	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
41	United States	29	26	1	–	–	–	1	–	–	–	–	1	–	–	–	–	
42	Various	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
43	Not specified	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
44	**Children born to married mothers — Enfants légitimes**	1,751	1,614	34	17	4	5	2	1	–	1	–	20	3	8	–	–	
45	**Children born to unmarried mothers–Enfants illégitimes**	55	52	–	–	–	–	–	–	–	–	–	–	–	1	–	–	
46	**Children born to all mothers — Légitimes et illégitimes**	1,806	1,666	34	17	4	5	2	1	–	1	–	20	3	9	–	–	

(1) Including Galicia—Y compris la Galicie.
(2) Including Bukovina—Y compris la Bukovine.
(3) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 11—Naissances (mort-nés exclus) classifiées selon le lieu de naissance des parents, 1928—*suite*

| Lieu de naissance de la mère | | |

TABLE 11—Births (exclusive of stillbirths) classified according to birthplaces of parents, 1928—*con.*

No.	Birthplace of father — Lieu de naissance du père	Total	Birthplace of mother															
			Canada										British Isles — Îles britanniques					
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not specified — Prov. non spécifiée	England — Angleterre	Ireland—Irlande	Scotland—Écosse	Wales — Galles, pays de	Other—Autres
	NOVA SCOTIA																	
1	**Canada**	**8,861**	**72**	**7,788**	**166**	**52**	**20**	**6**	**4**	**2**	**5**	**1**	**207**	**12**	**68**	**8**	–
2	Prince Edward Island	108	14	77	2	2	2	–	1	–	–	–	1	–	–	–	–
3	Nova Scotia	8,457	54	7,543	106	33	14	5	3	2	4	–	190	12	65	8	–
4	New Brunswick	189	2	112	52	–	–	–	–	–	–	–	10	–	1	–	–
5	Quebec	53	1	25	3	16	–	–	–	–	–	–	1	–	1	–	–
6	Ontario	33	1	17	3	1	4	–	–	–	–	–	5	–	–	–	–
7	Manitoba	7	–	6	–	–	–	1	–	–	–	–	–	–	–	–	–
8	Saskatchewan	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Alberta	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
10	British Columbia	9	–	5	–	–	–	–	–	–	1	–	–	–	1	–	–
11	Province not specified	3	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
12	**British Isles**	**450**	**4**	**237**	**9**	**3**	**3**	**1**	–	–	**3**	**1**	**88**	**9**	**52**	**7**	–
13	England	303	2	166	8	3	3	1	–	–	2	1	81	2	7	3	–
14	Ireland	18	–	8	–	–	–	–	–	–	–	–	1	5	2	–	–
15	Scotland	114	2	56	1	–	–	–	–	–	1	–	5	2	42	–	–
16	Wales	15	–	7	–	–	–	–	–	–	–	–	1	–	1	4	–
17	Other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	**British Possessions**	**575**	**4**	**231**	**1**	**5**	**2**	–	–	**1**	–	–	**12**	–	**6**	**1**	–
19	Newfoundland	542	4	216	1	4	1	–	–	1	–	–	11	–	5	–	–
20	Other	33	–	15	–	1	1	–	–	–	–	–	1	–	1	1	–
21	**Europe**	**211**	–	**66**	**1**	**1**	**1**	–	–	–	–	–	**4**	**1**	**2**	–	–
22	Austria	8	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Belgium	10	–	4	–	–	–	–	–	–	–	–	1	–	–	–	–
24	Denmark	4	–	2	–	–	–	–	–	–	–	–	1	–	–	–	–
25	Finland	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
26	France	21	–	4	–	1	–	–	–	–	–	–	–	–	–	–	–
27	Germany	16	–	7	–	–	–	–	–	–	–	–	–	–	–	–	–
28	Holland	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
29	Hungary	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30	Italy	53	–	13	1	–	–	–	–	–	–	–	–	–	–	–	–
31	Norway	4	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
32	Poland (1)	27	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–
33	Roumania (2)	4	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Russia (3)	38	–	11	–	–	–	–	–	–	–	–	–	–	1	–	–
35	Sweden	5	–	4	–	–	–	–	–	–	–	–	1	–	–	–	–
36	Other	19	–	10	–	–	–	–	–	–	–	–	–	1	1	–	–
37	**Asia**	**29**	–	**9**	**1**	**1**	–	–	–	–	–	**1**	–	–	–	–	–
38	China	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39	Japan	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40	Other	27	–	9	1	1	–	–	–	–	–	1	–	–	–	–	–
41	United States	177	3	150	2	1	2	–	–	–	–	–	6	–	2	–	–
42	Various	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
43	Not specified	6	–	4	–	–	–	–	–	–	–	–	–	–	1	–	–
44	**Children born to married mothers — Enfants légitimes**	**10,311**	**83**	**8,485**	**180**	**63**	**28**	**7**	**4**	**3**	**8**	**3**	**317**	**22**	**131**	**16**	–
45	**Children born to unmarried mothers-Enfants illégitimes**	**620**	**3**	**549**	**9**	**2**	**1**	–	–	–	**1**	**1**	**12**	–	**2**	–	–
46	**Children born to all mothers — Légitimes et illégitimes**	**10,931**	**86**	**9,034**	**189**	**65**	**29**	**7**	**4**	**3**	**9**	**4**	**329**	**22**	**133**	**16**	–

(1) Including Galicia. Y compris la Galicie.
(2) Including Bukovina Y compris la Bukovine.
(3) Including the Ukraine Y compris l'Ukraine.

TABLEAU 11—Naissances (mort-nés exclus) classifiées selon le lieu de naissance des parents, 1928—*suite*

Lieu de naissance de la mère																														
British Possessions — Possessions britanniques		Europe																			Asia — Asie									
Newfoundland Terre-Neuve	Other—Autres	Austria—Autriche	Belgium Belgique	Denmark Danemark	Finland—Finlande	France	Germany Allemagne	Holland—Hollande	Hungary Hongrie	Italy—Italie	Norway Norvège	Poland (1) Pologne (1)	Roumania (2) Roumanie (2)	Russia (3) Russie (3)	Sweden—Suède	Other—Autres	China—Chine	Japan—Japon	Other—Autres	United States États-Unis	Various—Divers	Not specified Non spécifié	No.
NOUVELLE-ÉCOSSE																														
205	**5**	–	**1**	–	–	**6**	**4**	–	**1**	**2**	–	**1**	**1**	**2**	**1**	–	–	–	–	**218**	**1**	**2**	1
5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	2
189	4	–	1	–	–	5	4	–	1	2	–	1	1	1	1	–	–	–	–	205	1	2	3
3	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	7	–	–	4
4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	5
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	6
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11
20	**2**	–	–	–	–	**2**	**2**	–	–	–	–	–	–	–	–	–	–	–	–	**7**	–	–	12
17	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	13
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	14
1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	15
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
297	**10**	–	–	–	–	**1**	–	–	–	–	–	–	–	–	–	–	–	–	–	**4**	–	–	18
295	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	19
2	9	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	20
9	–	**5**	**10**	**1**	–	**12**	**10**	–	**2**	**33**	–	**23**	–	**16**	**2**	**7**	–	–	–	**4**	**1**	–	21
–	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	22
–	–	–	3	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	23
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	25
2	–	–	4	–	–	8	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	26
–	–	–	–	–	–	–	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	27
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	28
2	–	–	2	–	–	2	–	–	–	31	–	–	–	–	–	–	–	–	–	2	–	–	29
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	30
–	–	–	–	–	–	–	–	–	–	–	–	21	–	–	–	3	–	–	–	–	–	–	31
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	32
2	–	2	1	–	–	1	1	–	–	–	–	2	–	16	1	–	–	–	–	–	–	–	33
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34
2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2	–	–	–	1	1	–	35
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	14	–	–	–	36
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	37
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	38
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14	–	–	–	39
3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7	–	–	40
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	41
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	42
536	**17**	**6**	**11**	**1**	–	**21**	**16**	–	**3**	**36**	–	**24**	**1**	**18**	**3**	**7**	**2**	–	**15**	**240**	**2**	**2**	43
31	–	**1**	–	–	–	**1**	–	–	–	–	–	–	–	–	–	–	–	–	–	**5**	**1**	**1**	44
567	**17**	**7**	**11**	**1**	–	**22**	**16**	–	**3**	**36**	–	**24**	**1**	**18**	**3**	**7**	**2**	–	**15**	**245**	**3**	**3**	45
																							46

TABLE 11—Births (exclusive of stillbirths) classified according to birthplaces of parents, 1928—*con.*

No.	Birthplace of father — Lieu de naissance du père	Total	Birthplace of mother															
			Canada											British Isles — Îles britanniques				
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not specified Prov. non spécifiée	England — Angleterre	Ireland—Irlande	Scotland—Écosse	Wales Galles, pays de	Other—Autres
	NEW BRUNSWICK																	
1	**Canada**	9,078	107	243	7,687	462	34	3	4	1	2	–	141	8	23	6	–
2	Prince Edward Island	110	30	7	55	4	–	1	–	–	–	–	3	–	–	–	–
3	Nova Scotia	248	4	77	136	4	4	–	–	–	–	–	7	1	2	1	–
4	New Brunswick	8,178	71	154	7,295	157	20	1	4	1	1	–	127	7	21	5	–
5	Quebec	505	1	3	180	295	4	–	–	–	–	–	1	–	–	–	–
6	Ontario	31	1	2	17	1	6	1	–	–	–	–	3	–	–	–	–
7	Manitoba	3	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–
8	Saskatchewan	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Alberta	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
10	British Columbia	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
11	Province not specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12	**British Isles**	238	1	9	122	5	2	2	1	–	–	–	58	8	20	4	–
13	England	178	–	8	95	4	1	1	1	–	–	–	53	–	6	3	–
14	Ireland	13	–	–	5	–	1	1	–	–	–	–	1	5	–	–	–
15	Scotland	42	1	–	19	1	–	–	–	–	–	–	4	3	14	–	–
16	Wales	4	–	–	3	–	–	–	–	–	–	–	–	–	–	1	–
17	Other	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
18	**British Possessions**	41	–	2	21	1	–	–	–	–	–	–	1	–	2	–	–
19	Newfoundland	31	–	2	12	1	–	–	–	–	–	–	1	–	1	–	–
20	Other	10	–	–	9	–	–	–	–	–	–	–	–	–	1	–	–
21	**Europe**	85	1	4	32	3	–	–	–	–	–	–	5	–	1	–	–
22	Austria	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Belgium	5	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
24	Denmark	17	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–
25	Finland	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
26	France	4	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–
27	Germany	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
28	Holland	3	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
29	Hungary	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
30	Italy	17	–	1	9	2	–	–	–	–	–	–	1	–	–	–	–
31	Norway	5	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–
32	Poland (1)	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
33	Roumania (2)	6	–	1	3	–	–	–	–	–	–	–	–	–	–	–	–
34	Russia (3)	10	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–
35	Sweden	3	–	–	2	–	–	–	–	–	–	–	2	–	–	–	–
36	Other	7	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–
37	**Asia**	18	–	1	5	–	–	–	–	–	–	–	–	–	–	–	–
38	China	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39	Japan	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40	Other	14	–	1	5	–	–	–	–	–	–	–	–	–	–	–	–
41	United States	284	1	9	191	15	2	–	–	–	–	–	8	–	2	–	–
42	Various	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
43	Not specified	3	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
44	**Children born to married mothers — Enfants légitimes**	9,748	110	269	8,060	486	38	5	5	1	2	–	213	16	48	10	–
45	**Children born to unmarried mothers-Enfants illégitimes**	299	4	26	243	2	1	–	–	–	–	–	7	–	1	–	–
46	**Children born to all mothers — Légitimes et illégitimes**	10,047	114	295	8,303	488	39	5	5	1	2	–	220	16	49	10	–

(1) Including Galicia—Y compris la Galicie.
(2) Including Bukovina—Y compris la Bukovine.
(3) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 11—Naissances (mort-nés exclus) classifiées selon le lieu de naissance des parents, 1928—*suite*

| Lieu de naissance de la mère | | |

TABLE 11—Births (exclusive of stillbirths) classified according to birthplaces of parents, 1928—*con.*

No.	Birthplace of father — Lieu de naissance du père	Total	Birthplace of mother														
			Canada										British Isles — Îles britanniques				
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not specified Prov. non spécifiée	England — Angleterre	Ireland—Irlande	Scotland—Écosse	Wales Galles, pays de	Other—Autres
	QUEBEC																
1	**Canada**	**74,638**	**21**	**78**	**331**	**70,091**	**1,355**	**26**	**13**	**10**	**7**	**21**	**334**	**44**	**127**	**8**	**2**
2	Prince Edward Island	33	5	2	3	19	–	–	–	–	–	1	2	–	–	–	–
3	Nova Scotia	106	–	34	3	41	8	–	–	–	–	–	4	2	4	–	–
4	New Brunswick	339	2	4	135	165	9	–	–	1	–	–	4	1	4	–	–
5	Quebec	72,689	12	35	181	68,943	953	23	10	8	7	5	279	35	103	5	2
6	Ontario	1,395	2	2	8	884	380	1	2	–	–	–	41	5	14	3	–
7	Manitoba	27	–	–	1	18	1	2	–	–	–	–	2	1	2	–	–
8	Saskatchewan	10	–	–	–	7	1	–	1	–	–	–	–	–	–	–	–
9	Alberta	10	–	–	–	8	1	–	–	1	–	–	–	–	–	–	
10	British Columbia	6	–	1	–	1	2	–	–	–	–	–	1	–	–	–	–
11	Province not specified	23	–	–	–	5	–	–	–	–	–	15	1	–	–	–	–
12	**British Isles**	**1,960**	**2**	**18**	**12**	**552**	**67**	**4**	**1**	**–**	**3**	**7**	**673**	**149**	**376**	**11**	**1**
13	England	1,220	1	12	10	377	42	2	1	–	2	6	577	29	85	6	1
14	Ireland	239	–	2	–	71	12	1	–	–	–	–	27	103	19	2	–
15	Scotland	474	1	4	1	90	12	1	–	–	1	1	63	16	270	1	–
16	Wales	16	–	–	1	7	–	–	–	–	–	–	5	–	1	2	–
17	Other	11	–	–	–	7	1	–	–	–	–	–	1	1	1	–	–
18	**British Possessions**	**213**	**–**	**6**	**1**	**61**	**7**	**–**	**–**	**–**	**–**	**–**	**23**	**6**	**8**	**1**	**–**
19	Newfoundland	151	–	5	1	48	4	–	–	–	–	–	15	4	5	–	–
20	Other	62	–	1	–	13	3	–	–	–	–	–	8	2	3	1	–
21	**Europe**	**2,025**	**1**	**7**	**8**	**494**	**24**	**3**	**–**	**–**	**–**	**–**	**31**	**8**	**6**	**–**	**–**
22	Austria	52	–	–	–	13	1	–	–	–	–	–	1	–	–	–	–
23	Belgium	82	–	–	–	37	1	–	–	–	–	–	1	4	–	–	–
24	Denmark	12	–	–	–	8	–	–	–	–	–	–	–	–	–	–	–
25	Finland	18	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
26	France	114	–	–	1	73	2	1	–	–	–	–	3	–	1	–	–
27	Germany	22	–	2	–	5	3	–	–	–	–	–	–	1	–	–	–
28	Holland	12	–	–	–	2	–	1	–	–	–	–	1	–	2	–	–
29	Hungary	41	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
30	Italy	705	–	2	2	215	6	–	–	–	–	–	5	1	2	–	–
31	Norway	11	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–
32	Poland (1)	209	–	–	–	18	1	–	–	–	–	–	5	–	–	–	–
33	Roumania (2)	129	–	–	–	27	–	–	–	–	–	–	2	–	–	–	–
34	Russia (3)	428	–	–	1	44	6	1	–	–	–	–	10	–	–	–	–
35	Sweden	9	–	–	–	5	1	–	–	–	–	–	–	1	–	–	–
36	Other	181	1	2	3	41	3	–	–	–	–	–	3	1	1	–	–
37	**Asia**	**137**	**–**	**–**	**1**	**26**	**5**	**–**	**–**	**–**	**–**	**–**	**2**	**–**	**1**	**–**	**–**
38	China	12	–	–	1	2	2	–	–	–	–	–	1	–	1	–	–
39	Japan	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
40	Other	124	–	–	–	23	3	–	–	–	–	–	1	–	–	–	–
41	United States	2,191	–	8	10	1,852	48	2	1	1	–	2	34	3	10	–	–
42	Various	15	–	–	–	11	–	–	–	–	–	–	–	–	–	–	–
43	Not specified	23	–	–	–	9	1	–	–	–	–	–	–	–	1	–	–
44	**Children born to married mothers — Enfants légitimes**	**81,202**	**24**	**117**	**363**	**73,096**	**1,507**	**35**	**15**	**11**	**10**	**30**	**1,097**	**210**	**529**	**20**	**3**
45	**Children born to unmarried mothers–Enfants illégitimes**	**2,419**	**–**	**4**	**19**	**1,186**	**43**	**1**	**1**	**–**	**–**	**2**	**27**	**9**	**11**	**1**	**–**
46	**Children born to all mothers — Légitimes et illégitimes**	**83,621**	**24**	**121**	**382**	**74,282**	**1,550**	**36**	**16**	**11**	**10**	**32**	**1,124**	**219**	**540**	**21**	**3**

(1) Including Galicia—Y compris la Galicie.
(2) Including Bukovina—Y compris la Bukovine.
(3) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 11—Naissances (mort-nés exclus) classifiées selon le lieu de naissance des parents, 1928—*suite*

Lieu de naissance de la mère																									
British Possessions — Possessions britanniques		Europe																	Asia — Asie						No.
Newfoundland Terre-Neuve	Other—Autres	Austria—Autriche	Belgium Belgique	Denmark Danemark	Finland—Finlande	France	Germany Allemagne	Holland—Hollande	Hungary Hongrie	Italy—Italie	Norway Norvège	Poland (1) Pologne (1)	Roumania (2) Roumanie (2)	Russia (3) Russie (3)	Sweden—Suède	Other—Autres	China—Chine	Japan—Japon	Other—Autres	United States — États-Unis	Various—Divers	Not specified Non spécifié			
QUÉBEC																									
43	7	2	26	–	1	45	7	4	1	13	2	5	5	10	1	5	1	–	2	1,983	2	5	1
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	7	–	–	3
–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	11	–	–	4
39	4	2	26	–	1	42	6	4	1	13	1	5	4	9	1	5	1	–	2	1,915	2	5	5
2	1	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	47	–	–	6
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	8
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	10
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	11
17	8	–	2	–	–	6	1	1	–	–	1	2	1	4	1	1	–	–	1	38	–	–	12
14	8	–	2	–	–	4	–	1	–	–	–	2	1	4	1	1	–	–	1	30	–	–	13
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	14
3	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	7	–	–	15
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
66	26	–	–	–	–	1	–	–	–	–	–	–	–	2	–	–	–	–	–	3	1	1	18
66	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	19
–	26	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	2	1	–	20
2	–	39	44	4	16	30	8	7	37	441	7	183	99	350	2	122	–	–	1	47	3	1	21
–	–	23	–	–	–	–	–	–	–	–	–	1	3	8	–	–	–	–	–	2	–	–	22
–	–	–	35	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	23
–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24
–	–	–	–	–	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25
1	–	–	4	–	–	20	–	–	–	–	–	–	–	–	–	2	–	–	–	6	–	–	26
–	–	–	–	–	1	–	6	–	–	–	–	1	–	–	–	1	–	–	–	2	–	–	27
–	–	–	–	–	–	–	–	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	28
–	–	–	2	–	–	–	–	–	36	–	–	1	1	–	–	–	–	–	–	1	–	–	29
–	–	–	–	–	–	7	1	–	–	440	–	1	1	–	–	3	–	–	–	14	3	–	30
–	–	–	–	–	–	–	–	–	–	–	7	–	–	–	–	–	–	–	–	1	–	–	31
–	–	2	1	–	–	–	–	–	1	–	–	149	1	24	–	3	–	–	1	3	–	–	32
1	–	2	–	–	–	–	–	–	–	–	–	5	75	12	–	1	–	–	–	4	–	–	33
–	–	10	1	–	–	–	–	–	–	–	–	21	16	304	–	3	–	–	–	10	–	1	34
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	35
–	–	2	1	–	–	1	1	–	–	1	–	4	2	2	–	109	–	–	–	3	–	–	36
–	–	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	4	–	93	2	–	–	37
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	1	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	39
–	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	93	1	–	–	40
3	–	–	2	1	–	1	–	–	–	4	–	–	1	2	–	2	–	–	–	204	–	–	41
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	42
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12	43
131	41	43	74	5	17	83	16	12	38	458	10	190	106	369	4	139	5	–	97	2,277	10	19	44
2	–	1	–	1	–	2	–	1	1	3	–	2	2	4	–	4	–	–	–	33	1	1,058	45
133	41	44	74	6	17	85	16	13	39	461	10	192	108	373	4	134	5	–	97	2,310	11	1,077	46

TABLE 11—Births (exclusive of stillbirths) classified according to birthplaces of parents, 1928—*con.*

No.	Birthplace of father — Lieu de naissance du père	Total	Birthplace of mother														
			Canada										British Isles — Îles britanniques				
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not specified Prov. non spécifiée	England — Angleterre	Ireland—Irlande	Scotland—Écosse	Wales Galles, pays de	Other—Autres
	ONTARIO																
1	**Canada**	**44,785**	**29**	**218**	**200**	**2,726**	**34,290**	**255**	**105**	**43**	**42**	**647**	**3,133**	**318**	**882**	**51**	**12**
2	Prince Edward Island	67	10	7	3	4	24	3	–	–	–	–	6	–	4	–	–
3	Nova Scotia	353	4	98	14	16	146	4	1	–	1	1	37	3	7	–	–
4	New Brunswick	273	3	8	88	27	94	2	–	–	1	1	36	–	4	1	–
5	Quebec	3,192	1	6	14	1,464	1,385	10	4	4	1	–	106	15	36	–	–
6	Ontario	39,615	10	95	76	1,197	32,351	183	94	36	36	41	2,793	275	796	50	12
7	Manitoba	265	1	1	2	6	136	46	4	–	1	2	19	5	4	–	–
8	Saskatchewan	59	–	1	–	1	36	3	2	–	–	–	7	1	2	–	–
9	Alberta	41	–	–	2	–	20	2	–	2	–	–	9	2	3	–	–
10	British Columbia	44	–	2	1	3	27	1	–	1	2	–	4	–	1	–	–
11	Province not specified	876	–	–	–	8	71	1	–	–	–	602	116	17	25	–	–
12	**British Isles**	**13,076**	**8**	**54**	**27**	**160**	**3,819**	**63**	**12**	**5**	**9**	**290**	**5,070**	**808**	**2,222**	**133**	**21**
13	England	8,552	4	33	17	100	2,721	41	8	2	3	215	4,338	171	552	58	11
14	Ireland	1,346	–	4	4	23	348	7	1	1	1	33	182	545	161	7	–
15	Scotland	2,920	4	15	6	36	675	13	2	2	5	38	469	87	1,486	18	4
16	Wales	227	–	2	–	1	64	2	1	–	–	4	73	4	19	50	–
17	Other	31	–	–	–	–	11	–	–	–	–	–	8	1	4	–	6
18	**British Possessions**	**390**	**4**	**8**	**2**	**8**	**81**	**–**	**–**	**–**	**1**	**3**	**73**	**14**	**15**	**1**	**1**
19	Newfoundland	201	4	7	1	5	29	–	–	–	–	2	30	3	8	–	1
20	Other	189	–	1	1	3	52	–	–	–	1	1	43	11	7	1	–
21	**Europe**	**5,865**	**2**	**10**	**3**	**71**	**605**	**61**	**29**	**8**	**4**	**51**	**177**	**19**	**46**	**3**	**–**
22	Austria	290	–	2	1	3	22	10	4	2	2	2	3	–	–	–	–
23	Belgium	196	–	–	–	3	11	–	–	–	–	–	7	–	3	–	–
24	Denmark	63	–	–	–	2	13	–	–	–	–	–	7	2	4	–	–
25	Finland	382	–	–	–	1	27	–	–	–	1	1	4	–	–	1	–
26	France	53	–	–	–	7	20	–	–	1	–	–	5	2	2	–	–
27	Germany	144	–	–	–	2	65	–	1	–	–	2	8	1	1	–	–
28	Holland	133	–	–	–	–	21	–	1	–	–	2	12	–	1	–	–
29	Hungary	189	–	–	–	–	4	1	6	1	–	–	–	–	–	–	–
30	Italy	1,393	2	2	–	19	177	1	2	–	–	16	34	5	12	–	–
31	Norway	61	–	–	1	2	16	1	–	–	–	2	4	–	1	–	–
32	Poland (1)	1,078	–	2	–	9	64	16	3	–	–	6	15	1	2	–	–
33	Roumania (2)	270	–	1	–	6	21	5	7	3	–	2	8	–	3	–	–
34	Russia (3)	931	–	2	1	8	66	19	5	1	–	16	32	1	8	2	–
35	Sweden	152	–	–	–	1	28	4	–	–	–	2	8	–	4	–	–
36	Other	530	–	1	–	8	50	4	–	–	1	–	30	7	5	–	–
37	**Asia**	**186**	**–**	**1**	**2**	**5**	**21**	**2**	**–**	**–**	**1**	**2**	**4**	**–**	**3**	**–**	**–**
38	China	37	–	–	–	–	6	1	–	–	1	–	2	–	2	–	–
39	Japan	8	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
40	Other	141	–	1	2	4	14	–	–	–	–	2	2	–	1	–	–
41	United States	1,794	–	10	9	110	1,041	18	3	3	3	23	173	12	42	2	–
42	Various	27	–	1	–	2	8	–	–	–	–	1	3	–	–	–	–
43	Not specified	217	–	1	–	5	38	–	–	–	–	2	5	1	2	–	–
44	**Children born to married mothers — Enfants légitimes**	**66,340**	**43**	**303**	**243**	**3,087**	**39,903**	**399**	**149**	**59**	**60**	**1,019**	**8,638**	**1,172**	**3,212**	**190**	**34**
45	**Children born to unmarried mothers–Enfants illégitimes**	**2,170**	**1**	**14**	**6**	**127**	**1,345**	**16**	**9**	**2**	**2**	**88**	**217**	**49**	**124**	**5**	**1**
46	**Children born to all mothers — Légitimes et illégitimes**	**68,510**	**44**	**317**	**249**	**3,214**	**41,248**	**415**	**158**	**61**	**62**	**1,107**	**8,855**	**1,221**	**3,336**	**195**	**35**

(1) Including Galicia—Y compris la Galicie.
(2) Including Bukovina—Y compris la Bukovine.
(3) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 11—Naissances (mort-nés exclus) classifiées selon le lieu de naissance des parents, 1928—*suite*

Lieu de naissance de la mère																								
British Possessions — Possessions britanniques		Europe															Asia — Asie							No.
Newfoundland Terre-Neuve	Other—Autres	Austria—Autriche	Belgium Belgique	Denmark Danemark	Finland—Finlande	France	Germany Allemagne	Holland-Hollande	Hungary Hongrie	Italy—Italie	Norway Norvège	Poland (1) Pologne (1)	Roumania (2) Roumanie (2)	Russia (3) Russie (3)	Sweden—Suède	Other—Autres	China—Chine	Japan—Japon	Other—Autres	United States — États-Unis	Various—Divers	Not specified Non spécifié		
ONTARIO																								
51	40	14	13	6	25	15	55	19	3	20	10	34	2	24	23	14	3	1	1	1,388	4	69	1
1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	2
4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16	–	–	3
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	1	4
4	1	1	2	1	–	3	2	–	–	–	1	1	–	1	2	1	–	–	1	118	–	7	5
40	36	6	10	5	23	11	50	19	3	19	9	25	1	18	20	13	2	1	–	1,196	4	59	6
–	1	3	–	–	1	1	2	–	–	–	–	4	1	2	1	–	–	–	–	21	–	1	7
–	–	2	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	2	–	–	8
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	10
1	1	1	1	–	1	–	–	–	–	1	–	3	–	3	–	–	–	–	–	23	–	1	11
45	41	2	3	3	4	8	10	8	–	3	3	7	1	9	4	8	–	–	1	203	7	8	12
39	30	1	3	3	2	7	7	7	–	2	2	5	1	5	2	7	–	–	–	144	4	7	13
1	4	1	–	–	1	1	–	–	–	–	–	1	–	1	–	–	–	–	–	18	–	1	14
5	5	–	–	–	1	–	3	1	–	1	1	1	–	3	2	1	–	–	1	33	2	–	15
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	1	–	16
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
107	54	1	–	–	–	–	–	–	–	2	–	1	–	1	–	1	–	–	–	9	1	2	18
105	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	2	19
2	54	1	–	–	–	–	–	–	–	2	–	1	–	1	–	1	–	–	–	5	1	–	20
1	7	262	171	39	361	16	75	87	180	1,071	35	988	190	682	74	390	–	–	3	141	4	8	21
–	–	198	–	–	–	–	3	–	2	–	–	12	1	12	–	2	–	–	–	8	–	1	22
–	–	–	162	–	–	2	1	3	–	–	–	–	–	–	–	–	–	–	–	4	–	–	23
–	–	–	–	28	2	–	–	–	–	–	–	–	–	–	2	1	–	–	–	2	–	–	24
–	–	–	–	–	330	–	–	–	–	–	1	–	–	–	1	1	–	–	–	14	–	–	25
–	–	1	3	–	1	8	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	26
–	–	1	–	–	–	1	54	–	–	2	–	–	1	2	–	1	–	–	–	2	–	–	27
–	–	–	5	–	1	–	–	84	–	–	–	1	–	1	–	–	–	–	–	4	–	–	28
–	–	1	–	–	–	–	–	–	169	–	–	1	1	–	–	–	–	–	–	4	–	1	29
1	1	1	–	–	4	4	1	–	–	1,069	2	1	1	–	–	–	–	–	1	33	3	1	30
–	–	–	–	1	1	–	1	–	–	–	27	–	–	–	2	–	–	–	–	2	–	–	31
–	1	10	–	–	2	–	1	–	3	–	–	844	11	62	–	9	–	–	–	16	1	–	32
–	1	7	–	–	–	–	3	–	–	–	–	28	148	19	–	5	–	–	–	3	–	–	33
–	2	36	–	–	3	1	5	–	1	–	1	91	25	578	1	5	–	–	1	19	–	1	34
–	–	–	–	–	16	–	–	–	–	–	4	–	–	–	68	1	–	–	–	16	–	–	35
–	2	7	1	1	1	–	6	–	5	–	–	10	2	8	–	365	–	–	1	11	–	4	36
–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	2	22	5	101	11	1	–	37
–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	22	–	–	1	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	39
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2	–	–	101	10	1	–	40
3	–	2	–	–	6	2	2	–	–	5	–	5	–	4	1	1	–	–	–	309	1	4	41
–	–	–	–	–	–	–	–	–	–	3	–	1	–	–	–	–	–	–	–	1	7	–	42
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	–	160	43
207	142	281	187	39	396	43	142	114	183	1104	48	1,038	193	720	102	416	25	6	106	2,061	25	251	44
3	7	2	1	–	14	1	6	1	6	6	1	16	–	8	1	9	–	–	1	38	–	43	45
210	149	283	188	39	410	44	148	115	189	1,110	49	1,054	193	728	103	425	25	6	107	2,099	25	294	46

TABLE 11—Births (exclusive of stillbirths) classified according to birthplaces of parents, 1928—*con.*

No.	Birthplace of father — Lieu de naissance du père	Total	Birthplace of mother															
			Canada											British Isles — Îles britanniques				
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not specified Prov. non spécifiée	England — Angleterre	Ireland—Irlande	Scotland—Écosse	Wales Galles, pays de	Other—Autres
	MANITOBA																	
1	**Canada**	6,288	12	32	20	183	562	3,904	169	19	16	3	464	60	215	10	–
2	Prince Edward Island	34	6	–	1	3	3	10	4	–	–	–	5	–	1	–	–
3	Nova Scotia	81	–	8	2	–	13	29	3	–	–	–	15	3	5	–	–
4	New Brunswick	40	–	–	3	2	7	15	1	–	–	–	3	1	2	–	–
5	Quebec	315	1	2	5	73	14	159	4	1	–	–	17	–	7	–	–
6	Ontario	1,199	–	9	3	20	282	506	30	4	2	2	133	23	65	3	–
7	Manitoba	4,451	5	12	5	82	228	3,110	107	10	12	–	279	32	125	6	–
8	Saskatchewan	132	–	1	–	2	14	59	19	1	1	1	8	1	10	1	–
9	Alberta	18	–	–	1	1	1	6	–	3	1	–	2	–	–	–	–
10	British Columbia	15	–	–	–	–	–	9	1	–	–	–	1	–	–	–	–
11	Province not specified	3	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
12	**British Isles**	2,696	5	13	8	21	168	682	38	4	5	–	891	197	482	25	5
13	England	1,593	2	8	3	12	113	423	22	3	3	–	729	43	121	9	4
14	Ireland	313	1	4	–	4	14	72	5	–	–	–	36	130	31	2	–
15	Scotland	729	2	1	5	5	37	167	10	1	2	–	109	22	328	4	–
16	Wales	55	–	–	–	–	4	18	1	–	–	–	15	2	2	10	–
17	Other	6	–	–	–	–	–	2	–	–	–	–	2	–	–	–	1
18	**British Possessions**	29	–	1	–	–	2	9	–	–	–	–	8	1	1	–	–
19	Newfoundland	9	–	–	–	–	–	1	–	–	–	–	2	1	–	–	–
20	Other	20	–	1	–	–	2	8	–	–	–	–	6	–	1	–	–
21	**Europe**	4,291	–	3	1	19	26	919	62	4	–	9	45	4	13	2	–
22	Austria	904	–	1	–	1	1	213	23	2	–	–	1	–	1	–	–
23	Belgium	124	–	–	–	4	–	26	–	–	–	1	3	1	–	–	–
24	Denmark	53	–	–	–	–	4	7	–	–	–	–	3	–	–	–	–
25	Finland	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
26	France	98	–	–	–	7	–	39	–	–	–	–	2	–	3	–	–
27	Germany	92	–	–	–	2	5	19	4	–	–	1	3	–	–	–	–
28	Holland	45	–	–	–	–	1	7	1	–	–	–	–	–	1	–	–
29	Hungary	57	–	–	–	–	–	4	–	–	–	1	–	–	–	–	–
30	Italy	50	–	–	–	–	3	9	–	–	–	–	1	–	–	–	–
31	Norway	48	–	–	–	–	–	12	2	–	–	1	4	–	2	–	–
32	Poland (1)	1,256	–	–	–	4	3	292	10	1	–	2	3	2	–	–	–
33	Roumania (2)	162	–	–	–	–	–	33	7	–	–	1	5	1	–	–	–
34	Russia (3)	1,097	–	1	–	1	1	164	13	1	–	2	8	–	2	2	–
35	Sweden	115	–	1	–	–	8	29	1	–	–	–	10	–	1	–	–
36	Other	176	–	–	1	–	–	65	1	–	–	–	3	–	3	–	–
37	**Asia**	28	–	–	–	–	–	4	–	–	1	–	1	–	–	–	–
38	China	14	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–
39	Japan	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40	Other	14	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–
41	United States	626	–	4	1	19	45	235	22	–	–	–	49	8	12	2	–
42	Various	16	–	–	–	–	1	6	–	–	–	–	1	–	–	–	–
43	Not specified	21	–	–	–	–	2	10	2	–	–	–	2	–	–	–	–
44	**Children born to married mothers — Enfants légitimes**	13,995	17	53	30	242	806	5,769	293	27	22	12	1,461	270	723	39	5
45	**Children born to unmarried mothers—Enfants illégitimes**	509	–	6	3	7	33	238	38	1	4	1	42	9	23	4	–
46	**Children born to all mothers — Légitimes et illégitimes**	14,504	17	59	33	249	839	6,007	331	28	26	13	1,503	279	746	43	5

(1) Including Galicia—Y compris la Galicie.
(2) Including Bukovina—Y compris la Bukovine.
(3) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 11—Naissances (mort-nés exclus) classifiées selon le lieu de naissance des parents, 1928—*suite*

Lieu de naissance de la mère																																
British Possessions — Possessions britanniques		Europe																			Asia — Asie			United States — États-Unis		Various—Divers		Not specified Non spécifié		No.
Newfoundland Terre-Neuve	Other—Autres	Austria—Autriche	Belgium Belgique	Denmark Danemark	Finland—Finlande	France	Germany Allemagne	Holland-Hollande	Hungary Hongrie	Italy—Italie	Norway Norvège	Poland (1) Pologne (1)	Roumania (2) Roumanie (2)	Russia (3) Russie (3)	Sweden—Suède	Other—Autres	China—Chine	Japan—Japon	Other—Autres													
MANITOBA																																
3	3	36	21	2	1	17	9	8	5	–	2	31	4	85	18	42	–	–	–	327	1	4	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	2	–	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	4
–	–	1	1	–	–	2	–	2	–	–	–	1	–	3	–	–	–	–	–	22	–	–	5
1	2	5	3	–	–	1	3	–	1	–	1	4	1	6	7	4	–	–	–	77	1	–	6
2	1	29	16	1	1	14	6	5	3	–	1	25	2	71	10	37	–	–	–	210	–	4	7
–	–	1	–	1	–	–	–	1	–	–	–	1	1	2	–	–	–	–	–	7	–	–	8
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	1	–	–	10
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	11
2	11	9	3	–	1	2	5	4	1	2	5	5	3	16	6	6	–	–	–	69	2	–	12
1	7	7	3	–	1	2	2	2	1	1	4	4	2	13	4	3	–	–	–	40	1	–	13
–	1	1	–	–	–	–	2	–	–	–	–	–	1	1	1	–	–	–	–	7	–	–	14
1	3	1	–	–	–	–	1	2	–	1	1	1	–	1	1	3	–	–	–	20	–	–	15
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	17
4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	18
4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	19
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	20
–	1	661	85	31	12	46	60	30	53	31	29	978	100	864	58	80	–	–	1	62	1	1	21
–	–	599	–	–	1	1	5	–	1	–	1	35	1	12	–	1	–	–	–	4	–	–	22
–	1	1	79	–	–	4	–	–	–	–	–	1	–	–	–	–	–	–	–	2	1	–	23
–	–	–	–	31	–	–	3	–	–	–	3	–	–	–	–	–	–	–	–	2	–	–	24
–	–	–	–	–	11	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	25
–	–	–	4	–	–	36	–	–	–	–	–	–	–	1	–	3	–	–	–	3	–	–	26
–	–	5	–	–	–	2	31	–	–	–	–	3	1	11	–	–	–	–	1	4	–	–	27
–	–	–	–	–	–	–	2	29	–	–	–	–	–	2	1	–	–	–	–	1	–	–	28
–	–	–	–	–	–	–	–	–	50	–	–	–	1	–	–	–	–	–	–	1	–	–	29
–	–	4	–	–	–	–	–	–	–	31	–	1	1	–	–	–	–	–	–	1	–	–	30
–	–	–	–	–	–	–	–	–	–	–	20	–	–	–	5	–	–	–	–	2	–	–	31
–	–	11	1	–	–	–	5	1	–	–	–	876	11	27	–	1	–	–	–	5	–	1	32
–	–	5	1	–	–	–	–	–	–	–	–	21	76	12	–	–	–	–	–	–	–	–	33
–	–	33	–	–	–	–	11	–	1	–	–	34	8	797	–	2	–	–	–	16	–	–	34
–	–	1	–	–	–	–	1	–	–	–	5	–	–	–	51	–	–	–	–	7	–	–	35
–	–	2	–	–	–	3	2	–	1	–	–	7	1	2	–	73	–	–	–	12	–	–	36
–	–	–	–	–	–	–	–	–	–	–	–	3	1	1		–	8	–	7	2	–	–	37
–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	8	–	–	1	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	39
–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	7	1	–	–	40
1	–	4	3	1	–	3	5	1	1	–	4	3	–	7	6	4	–	–	–	185	–	1	41
–	–	1	–	–	–	1	–	–	–	2	–	1	–	1	–	–	–	–	–	–	2	–	42
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	43
10	**16**	**711**	**112**	**34**	**14**	**70**	**79**	**43**	**60**	**35**	**40**	**1,021**	**108**	**974**	**88**	**132**	**8**	**–**	**8**	**647**	**6**	**10**	44
–	**1**	**8**	**3**	**1**	**–**	**2**	**5**	**–**	**1**	**–**	**3**	**22**	**1**	**10**	**6**	**4**	**–**	**–**	**–**	**22**	**–**	**11**	45
10	**17**	**719**	**115**	**35**	**14**	**72**	**84**	**43**	**61**	**35**	**43**	**1,043**	**109**	**984**	**94**	**136**	**8**	**–**	**8**	**669**	**6**	**21**	46

TABLE 11—Births (exclusive of stillbirths) classified according to birthplaces of parents, 1928—*con.*

No.	Birthplace of father — Lieu de naissance du père	Total	Birthplace of mother															
			Canada										British Isles — Îles britanniques					
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not specified Prov. non spécifiée	England — Angleterre	Ireland—Irlande	Scotland—Écosse	Wales Galles, pays de	Other—Autres	
	SASKATCHEWAN																	
1	**Canada**	**7,766**	**44**	**119**	**70**	**424**	**1,534**	**1,075**	**2,168**	**47**	**32**	**2**	**520**	**62**	**205**	**9**	–	
2	Prince Edward Island	114	24	1	2	1	21	14	17	–	2	–	6	2	2	–	–	
3	Nova Scotia	191	2	42	7	1	37	10	31	1	–	–	20	2	9	1	–	
4	New Brunswick	112	1	3	23	4	16	6	16	1	3	–	6	–	1	1	–	
5	Quebec	742	2	4	4	298	56	75	89	2	2	–	32	3	13	–	–	
6	Ontario	3,001	10	44	19	60	1,094	314	376	17	13	2	276	41	115	6	–	
7	Manitoba	1,371	2	13	6	30	146	490	316	9	4	–	68	5	34	–	–	
8	Saskatchewan	2,148	3	12	9	27	152	154	1,300	12	6	–	102	9	28	1	–	
9	Alberta	54	–	–	–	2	6	7	17	5	–	–	7	–	1	–	–	
10	British Columbia	2	–	–	–	–	5	4	3	–	2	–	3	–	2	–	–	
11	Province not specified	7	–	–	–	1	1	1	3	–	–	–	–	–	–	–	–	
12	**British Isles**	**3,162**	**14**	**33**	**24**	**34**	**353**	**220**	**367**	**15**	**5**	–	**1,166**	**148**	**392**	**30**	–	
13	England	2,023	8	13	20	22	209	142	237	8	4	–	979	28	105	14	–	
14	Ireland	303	4	1	2	6	40	19	28	2	–	–	49	99	21	1	–	
15	Scotland	747	1	16	2	4	88	55	92	3	1	–	123	17	258	2	–	
16	Wales	85	1	3	–	2	14	4	8	2	–	–	15	4	8	13	–	
17	Other	4	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	
18	**British Possessions**	**44**	–	**1**	–	–	**10**	**3**	**6**	–	**1**	–	**9**	–	**2**	–	–	
19	Newfoundland	17	–	1	–	–	6	1	3	–	–	–	1	–	1	–	–	
20	Other	27	–	–	–	–	4	2	3	–	1	–	8	–	1	–	–	
21	**Europe**	**6,669**	**3**	**5**	**1**	**28**	**56**	**248**	**999**	**31**	**5**	**2**	**66**	**5**	**15**	**2**	**2**	
22	Austria	1,388	–	–	–	1	3	52	312	5	1	–	–	–	–	–	–	
23	Belgium	97	–	–	–	10	–	6	11	–	–	–	1	–	1	–	–	
24	Denmark	94	–	–	–	1	7	3	7	1	–	–	6	2	1	–	–	
25	Finland	30	–	–	–	2	1	1	4	–	–	–	–	–	–	–	–	
26	France	113	–	–	–	9	2	4	17	2	2	–	3	–	1	–	2	
27	Germany	316	1	1	–	–	2	10	26	3	–	–	2	–	3	–	–	
28	Holland	52	1	1	–	–	4	2	3	–	–	–	7	–	–	1	–	
29	Hungary	346	–	–	–	1	–	4	63	2	–	–	1	1	–	–	–	
30	Italy	30	–	–	–	–	–	–	3	1	–	–	1	–	–	–	–	
31	Norway	336	–	2	–	–	16	6	22	–	1	–	9	1	2	1	–	
32	Poland (1)	918	–	–	–	1	2	41	139	3	1	–	2	–	–	–	–	
33	Roumania (2)	463	–	–	–	–	1	7	88	3	–	–	3	–	–	–	–	
34	Russia (3)	2,051	–	–	–	1	7	96	260	10	–	2	6	–	2	–	–	
35	Sweden	256	1	1	1	–	5	11	26	1	–	–	21	–	3	–	–	
36	Other	179	–	–	–	2	6	5	18	–	–	–	4	1	2	–	–	
37	**Asia**	**42**	–	–	–	**1**	–	**1**	**6**	–	**1**	–	**1**	–	–	–	–	
38	China	18	–	–	–	1	–	1	2	–	1	–	1	–	–	–	–	
39	Japan	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
40	Other	24	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	
41	United States	3,093	5	19	13	70	315	208	478	20	9	–	144	12	50	3	–	
42	Various	12	–	–	–	–	–	1	5	–	–	–	1	–	–	1	–	
43	Not specified	10	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	
44	**Children born to married mothers — Enfants légitimes**	**20,798**	**66**	**177**	**108**	**557**	**2,268**	**1,758**	**4,029**	**113**	**53**	**4**	**1,908**	**227**	**664**	**45**	**2**	
45	**Children born to unmarried mothers–Enfants illégitimes**	**463**	–	**2**	–	**3**	**30**	**44**	**204**	**8**	**1**	**1**	**27**	**1**	**19**	**1**	–	
46	**Children born to all mothers — Légitimes et illégitimes**	**21,261**	**66**	**179**	**108**	**560**	**2,298**	**1,802**	**4,233**	**121**	**54**	**5**	**1,935**	**228**	**683**	**46**	**2**	

(1) Including Galicia—Y compris la Galicie.
(2) Including Bukovina—Y compris la Bukovine.
(3) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 11—Naissances (mort-nés exclus) classifiées selon le lieu de naissance des parents, 1928—*suite*

Lieu de naissance de la mère																															
British Possessions — Possessions britanniques		Europe																					Asia — Asie			United States — États-Unis		Various—Divers	Not specified Non spécifié	No.
Newfoundland Terre-Neuve	Other—Autres	Austria—Autriche	Belgium Belgique	Denmark Danemark	Finland—Finlande	France	Germany Allemagne	Holland-Hollande	Hungary Hongrie	Italy—Italie	Norway Norvège	Poland (1) Pologne (1)	Roumania (2) Roumanie (2)	Russia (3) Russie (3)	Sweden—Suède	Other—Autres	China—Chine	Japan—Japon	Other—Autres										
SASKATCHEWAN																															
5	11	56	18	5	3	22	27	3	12	–	27	23	17	137	26	16	–	–	–	1,040	5	2	1
–	–	–	1	–	–	2	–	–	1	–	1	–	–	–	1	–	–	–	–	16	–	–	2
1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	1	1	–	–	–	22	1	–	3
–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	2	–	–	–	–	25	–	1	4
1	1	1	7	1	1	11	1	–	–	–	3	3	–	4	–	2	–	–	–	126	–	–	5
2	7	9	5	3	1	4	11	–	3	–	8	–	1	19	13	1	–	–	–	525	1	1	6
–	–	9	2	–	1	2	4	1	1	–	6	8	4	59	4	9	–	–	–	138	–	–	7
1	2	36	2	1	–	3	9	2	7	–	8	12	12	54	5	3	–	–	–	173	3	–	8
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	6	–	–	10
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	11
1	9	5	5	3	–	6	11	2	3	–	6	4	1	12	5	4	–	–	–	279	4	1	12
1	8	4	1	1	–	5	6	2	2	–	5	4	1	9	3	2	–	–	–	179	1	–	13
–	–	–	1	2	–	–	2	–	1	–	–	–	–	–	–	1	–	–	–	24	–	–	14
–	–	1	3	–	–	1	3	–	–	–	1	–	–	3	2	1	–	–	–	67	2	1	15
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9	1	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10	–	–	18
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	19
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8	–	–	20
1	5	1,003	57	45	15	61	185	24	260	23	157	713	337	1,528	108	119	–	–	2	553	5	–	21
–	2	879	–	–	–	1	6	1	7	–	–	20	14	48	–	3	–	–	–	33	–	–	22
–	–	–	47	–	–	8	1	–	–	–	–	–	1	–	–	1	–	–	–	10	–	–	23
–	–	–	–	40	–	–	2	–	1	–	2	–	–	1	2	–	–	–	–	18	–	–	24
–	–	–	–	–	13	–	–	–	–	–	–	–	–	1	1	–	–	–	–	7	–	–	25
–	–	3	5	–	–	47	–	–	–	–	–	1	–	2	–	–	–	–	–	12	1	–	26
–	–	21	1	1	–	–	133	2	3	–	–	6	1	25	2	3	–	–	–	70	–	–	27
–	–	1	2	–	–	1	2	21	–	–	–	–	–	2	–	–	–	–	–	4	–	–	28
–	–	6	–	–	–	–	3	–	232	–	–	1	3	4	1	2	–	–	–	21	1	–	29
–	–	–	–	–	–	–	–	–	–	23	–	–	–	1	–	–	–	–	–	1	–	–	30
–	–	1	–	3	–	2	3	–	–	–	138	1	–	–	12	–	–	–	1	114	1	–	31
–	–	27	–	–	–	1	8	–	1	–	–	633	16	25	1	1	–	–	–	16	–	–	32
–	–	14	–	–	–	–	1	–	4	–	1	14	275	28	–	3	–	–	–	21	–	–	33
–	2	48	1	–	–	–	23	–	7	–	–	31	25	1,385	–	3	–	–	–	140	2	–	34
1	1	1	–	1	2	–	1	–	1	–	16	–	–	1	89	–	–	–	–	72	–	–	35
–	–	2	1	–	–	1	2	–	4	–	–	6	2	5	–	103	–	–	1	14	–	–	36
–	–	1	–	–	–	–	1	–	–	–	–	–	2	1	–	1	7	–	15	4	–	–	37
–	–	1	–	–	–	–	1	–	–	–	–	–	1	–	–	1	7	–	–	1	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	39
–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	15	3	–	–	40
–	3	17	1	6	4	10	43	2	9	–	52	6	12	71	36	15	–	–	–	1,458	2	–	41
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	2	–	42
–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	2	–	3	43
9	28	1,082	81	59	22	99	267	31	285	23	242	747	369	1,750	175	156	7	–	17	3,346	18	6	44
–	–	14	–	2	–	2	4	–	7	–	8	7	3	19	4	1	–	–	–	48	–	3	45
9	28	1,096	81	61	22	101	271	31	292	23	250	754	372	1,769	179	157	7	–	17	3,394	18	9	46

TABLE 11—Births (exclusive of stillbirths) classified according to birthplaces of parents, 1928—*con.*

No.	Birthplace of father — Lieu de naissance du père	Total	Birthplace of mother															
			Canada											British Isles — Îles britanniques				
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not specified Prov. non spécifiée	England — Angleterre	Ireland—Irlande	Scotland—Écosse	Wales Galles, pays de	Other—Autres
	ALBERTA																	
1	**Canada**	**4,801**	**29**	**106**	**77**	**267**	**735**	**236**	**136**	**1,432**	**60**	**6**	**389**	**44**	**143**	**8**	–
2	Prince Edward Island	73	14	1	2	3	11	1	2	7	3	–	9	1	4	–	–
3	Nova Scotia	230	4	54	4	6	28	8	6	33	3	–	23	1	9	1	–
4	New Brunswick	137	1	6	29	5	14	7	5	14	3	–	13	2	1	–	–
5	Quebec	520	–	3	11	176	50	25	12	81	2	–	30	5	6	2	–
6	Ontario	1,732	6	26	20	49	504	98	46	216	18	1	197	25	80	3	–
7	Manitoba	340	3	5	1	12	45	58	18	64	2	1	33	3	8	–	–
8	Saskatchewan	123	–	2	2	2	12	9	17	28	5	1	13	–	6	–	–
9	Alberta	1,562	1	7	8	11	60	29	28	973	18	2	54	5	28	2	–
10	British Columbia	77	–	2	–	3	11	1	1	12	6	–	17	2	1	–	–
11	Province not specified	7	–	–	–	–	–	–	1	4	–	1	–	–	–	–	–
12	**British Isles**	**2,853**	**12**	**42**	**16**	**31**	**259**	**95**	**64**	**229**	**23**	–	**991**	**154**	**464**	**77**	**4**
13	England	1,731	7	22	12	15	163	65	39	150	15	–	818	31	128	23	3
14	Ireland	269	2	4	2	8	28	5	2	23	1	–	26	101	25	3	–
15	Scotland	717	3	13	2	8	58	23	22	43	6	–	115	21	300	10	–
16	Wales	127	–	3	–	–	8	2	1	12	1	–	31	1	11	41	–
17	Other	9	–	–	–	–	2	–	–	1	–	–	1	–	–	–	1
18	**British Possessions**	**45**	**1**	**2**	–	**1**	**6**	**3**	**1**	**7**	–	–	**12**	**1**	**2**	**1**	–
19	Newfoundland	13	1	1	–	1	1	1	1	1	–	–	1	–	–	–	–
20	Other	32	–	1	–	–	5	2	–	6	–	–	11	1	2	1	–
21	**Europe**	**4,366**	–	**8**	**4**	**16**	**43**	**54**	**30**	**643**	**16**	–	**85**	**9**	**32**	–	–
22	Austria	592	–	–	–	–	–	9	7	133	1	–	2	1	2	–	–
23	Belgium	53	–	1	–	1	2	–	–	8	–	–	2	–	1	–	–
24	Denmark	135	–	2	–	1	3	1	–	6	–	–	15	–	10	–	–
25	Finland	38	–	–	1	–	–	–	–	2	1	–	–	–	–	–	–
26	France	44	–	–	1	5	1	–	1	3	–	–	1	1	1	–	–
27	Germany	190	–	–	–	1	4	6	1	25	–	–	5	–	2	–	–
28	Holland	95	–	–	1	–	3	–	–	5	–	–	6	–	2	–	–
29	Hungary	63	–	–	–	–	–	1	–	4	–	–	–	–	–	–	–
30	Italy	115	–	–	–	–	1	–	2	7	3	–	3	1	–	–	–
31	Norway	265	–	–	–	2	8	3	1	20	2	–	15	3	4	–	–
32	Poland (1)	959	–	1	–	2	1	10	1	173	1	–	2	1	1	–	–
33	Roumania (2)	461	–	1	–	1	3	8	5	104	–	–	3	–	–	–	–
34	Russia (3)	953	–	1	1	2	6	15	10	113	2	–	7	–	4	–	–
35	Sweden	190	–	2	–	–	8	1	1	20	3	–	13	1	3	–	–
36	Other	213	–	–	–	1	3	–	1	20	3	–	11	1	2	–	–
37	**Asia**	**69**	–	–	–	–	–	–	**2**	–	**3**	–	**1**	–	**2**	–	–
38	China	24	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–
39	Japan	27	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40	Other	18	–	–	–	–	–	–	1	–	–	–	1	–	2	–	–
41	United States	3,062	7	24	11	71	257	90	56	530	30	–	181	17	63	9	1
42	Various	10	–	–	–	–	1	1	–	1	–	–	1	–	–	–	–
43	Not specified	8	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–
44	**Children born to married mothers — Enfants légitimes**	**15,214**	**49**	**182**	**108**	**386**	**1,301**	**479**	**289**	**2,844**	**132**	**6**	**1,661**	**225**	**706**	**95**	**5**
45	**Children born to unmarried mothers–Enfants illégitimes**	**478**	**2**	**6**	**4**	**11**	**23**	**20**	**21**	**194**	**10**	**1**	**30**	**3**	**27**	**1**	–
46	**Children born to all mothers — Légitimes et illégitimes**	**15,692**	**51**	**188**	**112**	**397**	**1,324**	**499**	**310**	**3,038**	**142**	**7**	**1,691**	**228**	**733**	**96**	**5**

(1) Including Galicia—Y compris la Galicie.
(2) Including Bukovina—Y compris la Bukovine.
(3) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 11—Naissances (mort-nés exclus) classifiées selon le lieu de naissance des parents, 1928—*suite*

Lieu de naissance de la mère																									
British Possessions — Possessions britanniques		Europe																	Asia — Asie			United States — États-Unis	Various—Divers	Not specified Non spécifié	No.
Newfoundland Terre-Neuve	Other—Autres	Austria—Autriche	Belgium Belgique	Denmark Danemark	Finland—Finlande	France	Germany Allemagne	Holland-Hollande	Hungary Hongrie	Italy—Italie	Norway Norvège	Poland (1) Pologne (1)	Roumania (2) Roumanie (2)	Russia (3) Russie (3)	Sweden—Suède	Other—Autres	China—Chine	Japan—Japon	Other—Autres						
ALBERTA																									
4	9	29	7	6	–	11	13	8	5	3	11	37	12	50	9	11	–	–	–	903	4	1	1
–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	13	–	–	2
1	–	1	1	1	–	–	–	1	–	–	1	1	–	1	–	–	–	–	–	42	–	–	3
–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	35	–	–	4
1	1	1	2	–	–	8	–	–	–	1	1	–	–	2	–	1	–	–	–	99	1	–	5
1	2	6	–	2	–	1	11	3	2	–	5	2	1	3	5	3	–	–	–	394	1	1	6
–	–	1	–	1	–	–	1	1	1	–	1	2	2	5	2	1	–	–	–	68	1	–	7
1	1	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–	–	20	–	–	8
1	4	20	3	1	–	2	1	2	1	2	3	31	8	36	2	6	–	–	–	212	1	–	9
–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	19	–	–	10
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	11
2	10	2	5	–	–	5	11	4	–	–	3	5	1	11	5	6	1	–	–	317	3	1	12
2	7	1	4	–	–	4	6	2	–	–	1	3	1	8	2	5	1	–	–	192	1	–	13
–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	1	–	–	–	–	34	–	1	14
–	2	1	1	–	–	–	5	2	–	–	2	–	–	3	1	–	–	–	–	75	1	–	15
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	13	1	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	3	–	–	17
4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	3	–	–	18
4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	19
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–	20
–	3	451	31	82	28	22	123	64	54	86	131	783	327	681	95	134	–	–	1	324	5	1	21
–	–	395	–	–	–	–	2	–	1	1	–	14	5	11	–	1	–	–	–	7	–	–	22
–	–	–	25	–	–	2	–	–	–	–	1	–	–	1	–	1	–	–	–	7	1	–	23
–	–	–	–	78	–	1	3	–	–	–	2	–	–	1	2	–	–	–	–	10	–	–	24
–	–	–	–	–	24	–	–	–	–	–	1	–	–	1	–	–	–	–	–	8	–	–	25
–	–	–	3	–	–	15	–	1	–	–	–	–	–	–	–	1	–	–	–	10	–	–	26
–	–	3	–	–	–	1	88	2	1	–	–	5	–	14	1	2	–	–	–	29	–	–	27
–	–	–	–	–	–	–	8	61	–	–	1	–	–	–	–	–	–	–	–	8	–	–	28
–	–	–	–	–	–	–	1	–	48	–	–	–	–	3	–	1	–	–	–	5	–	–	29
–	–	–	2	–	–	1	1	–	–	85	–	–	–	–	–	2	–	–	–	5	2	–	30
–	–	–	–	2	–	–	1	–	–	–	115	–	–	2	15	–	–	–	–	72	–	–	31
–	–	12	–	–	–	–	1	–	2	–	–	698	19	22	–	3	–	–	–	8	1	–	32
–	–	3	–	–	1	–	–	–	–	–	–	26	283	14	–	–	–	–	–	9	–	–	33
–	2	33	–	–	–	10	–	2	–	–	1	33	18	606	1	4	–	–	1	79	1	1	34
–	1	–	1	2	3	–	1	–	–	–	9	–	–	1	75	1	–	–	–	44	–	–	35
–	–	5	–	–	–	2	7	–	–	–	1	7	2	5	1	118	–	–	–	23	–	–	36
–	–	1	–	–	–	–	–	2	–	–	2	2	–	1	–	–	15	25	9	4	–	–	37
–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	15	–	–	1	–	–	38
–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	25	–	–	–	–	39
–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	9	3	–	–	40
2	5	8	5	12	1	1	38	9	3	2	30	7	5	64	24	4	–	–	–	1,494	1	–	41
–	1	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	2	–	–	42
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	43
12	28	492	48	100	29	39	185	87	62	92	178	834	345	809	133	155	16	25	10	3,049	13	5	44
1	2	5	2	1	–	2	5	2	2	–	5	13	3	6	2	4	–	–	–	66	–	4	45
13	30	497	50	101	29	41	190	89	64	92	183	847	348	815	135	159	16	25	10	3,115	13	9	46

TABLE 11—Births (exclusive of stillbirths) classified according to birthplaces of parents, 1928—*con.*

No.	Birthplace of father — Lieu de naissance du père	Total	Birthplace of mother															
			Canada											British Isles — Îles britanniques				
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not specified Prov. non spécifiée	England — Angleterre	Ireland—Irlande	Scotland—Écosse	Wales Galles, pays de	Other—Autres
	BRITISH COLUMBIA																	
1	**Canada**	**3,651**	**17**	**74**	**53**	**87**	**392**	**253**	**116**	**113**	**1,266**	**4**	**576**	**35**	**184**	**17**	**5**
2	Prince Edward Island	57	8	1	2	1	3	4	3	3	10	–	8	1	3	–	–
3	Nova Scotia	188	3	26	5	7	14	13	5	9	33	–	18	2	24	2	1
4	New Brunswick	135	–	8	15	4	16	6	3	3	22	–	20	–	8	–	–
5	Quebec	184	1	6	2	31	16	17	2	8	32	–	35	1	9	1	–
6	Ontario	835	2	9	9	16	190	76	30	15	154	2	157	11	44	4	2
7	Manitoba	337	–	3	7	8	40	54	16	15	62	–	65	6	14	3	–
8	Saskatchewan	108	–	3	–	3	9	13	16	3	22	–	17	–	5	–	–
9	Alberta	130	–	2	2	–	8	7	5	15	33	–	22	3	6	–	–
10	British Columbia	1,672	3	16	11	17	96	63	36	42	897	1	232	11	71	7	2
11	Province not specified	5	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–
12	**British Isles**	**3,392**	**8**	**27**	**23**	**21**	**186**	**118**	**63**	**63**	**477**	**2**	**1,310**	**158**	**625**	**48**	**9**
13	England	2,117	6	16	15	15	122	67	40	45	316	–	1,046	46	179	24	6
14	Ireland	309	–	4	4	3	17	12	10	7	35	–	62	94	30	7	–
15	Scotland	867	2	7	4	3	40	34	9	9	112	1	179	17	405	3	–
16	Wales	91	–	–	–	–	6	4	4	2	14	1	22	–	11	14	1
17	Other	8	–	–	–	–	1	1	–	–	–	–	1	1	–	–	2
18	**British Possessions**	**179**	**1**	**2**	**1**	**1**	**10**	**4**	**1**	**2**	**30**	–	**48**	**1**	**8**	**2**	–
19	Newfoundland	38	–	2	1	–	3	3	–	–	9	–	6	–	1	–	–
20	Other	141	1	–	–	1	7	1	1	2	21	–	42	1	7	2	–
21	**Europe**	**1,206**	–	**6**	**6**	**1**	**25**	**31**	**24**	**27**	**111**	**2**	**61**	**4**	**26**	**2**	–
22	Austria	55	–	–	–	–	1	1	1	4	3	–	1	–	–	–	–
23	Belgium	15	–	–	–	–	–	–	1	2	2	–	1	–	3	–	–
24	Denmark	46	–	–	1	–	3	3	–	–	–	–	4	–	4	–	–
25	Finland	66	–	–	–	–	2	1	–	1	3	1	1	–	1	–	–
26	France	24	–	–	–	–	–	3	2	1	3	–	3	1	1	–	–
27	Germany	40	–	–	–	–	2	–	1	1	2	–	6	–	1	–	–
28	Holland	38	–	1	–	–	1	2	1	–	3	–	3	1	1	–	–
29	Hungary	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30	Italy	263	–	–	–	–	3	2	–	2	45	–	10	1	3	–	–
31	Norway	148	–	1	1	–	5	4	3	–	14	1	7	–	4	–	–
32	Poland (1)	81	–	1	–	–	–	7	3	3	3	–	1	–	1	–	–
33	Roumania (2)	25	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–
34	Russia (3)	119	–	1	–	–	1	6	6	5	7	–	4	–	–	1	–
35	Sweden	154	–	1	3	–	4	1	4	4	16	–	9	1	7	1	–
36	Other	125	–	1	1	1	3	1	1	4	8	–	10	–	–	–	–
37	**Asia**	**987**	–	–	–	**1**	**3**	–	–	–	**43**	–	**7**	**1**	**2**	–	–
38	China	152	–	–	–	1	3	–	–	–	24	–	5	1	–	–	–
39	Japan	829	–	–	–	–	–	–	–	–	17	–	1	–	–	–	–
40	Other	6	–	–	–	–	–	–	–	–	2	–	1	–	2	–	–
41	United States	688	5	10	6	12	57	38	25	29	139	1	104	5	30	5	–
42	Various	14	–	–	–	1	–	–	–	–	4	–	2	–	–	–	–
43	Not specified	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
44	**Children born to married mothers — Enfants légitimes**	**10,118**	**31**	**119**	**89**	**124**	**673**	**444**	**229**	**234**	**2,070**	**9**	**2,109**	**204**	**875**	**74**	**14**
45	**Children born to unmarried mothers-Enfants illégitimes**	**267**	–	**2**	**2**	**3**	**14**	**10**	**21**	**15**	**91**	–	**38**	**5**	**25**	**1**	–
46	**Children born to all mothers — Légitimes et illégitimes**	**10,385**	**31**	**121**	**91**	**127**	**687**	**454**	**250**	**249**	**2,161**	**9**	**2,147**	**209**	**900**	**75**	**14**

(1) Including Galicia—Y compris la Galicie.
(2) Including Bukovina—Y compris la Bukovine.
(3) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 11—Naissances (mort-nés exclus) classifiées selon le lieu de naissance des parents, 1928—*fin*

| Lieu de naissance de la mère | | |

TABLE 12—Births (exclusive of stillbirths) classified according to age and birthplace of married mothers, 1928

CANADA [1]

No.	Birthplace of mother — Lieu de naissance de la mère	Total	Age of mother															
			13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
1	**Canada**	**166,193**	**1**	**13**	**97**	**449**	**1,313**	**3,045**	**4,752**	**6,341**	**7,624**	**8,811**	**9,284**	**9,729**	**9,287**	**9,113**	**8,589**	**9,722**
2	Prince Edward Island	2,037	–	–	1	2	12	34	44	65	71	72	88	84	90	107	107	119
3	Nova Scotia	9,739	–	–	3	54	97	228	330	362	432	543	496	524	500	477	486	493
4	New Brunswick	9,198	–	3	13	33	104	184	264	359	392	492	490	558	450	491	444	505
5	Quebec	78,045	1	7	23	117	359	901	1,422	2,249	2,982	3,667	4,165	4,348	4,445	4,364	4,219	4,924
6	Ontario	46,529	–	3	44	159	446	925	1,481	1,879	2,150	2,363	2,538	2,739	2,516	2,477	2,344	2,624
7	Manitoba	8,898	–	–	2	24	63	222	355	486	548	613	618	587	537	540	468	512
8	Saskatchewan	5,014	–	–	5	31	129	240	422	464	523	487	376	390	303	255	193	195
9	Alberta	3,292	–	–	2	17	60	165	270	280	320	357	296	284	225	194	141	145
10	British Columbia	2,358	–	–	4	11	35	113	117	158	155	151	159	146	156	141	142	147
11	Province not specified—Province non spécifiée	1,083	–	–	–	1	8	33	47	39	51	66	58	69	65	67	45	58
12	**British Isles—Îles britanniques**	**27,221**	–	–	–	**10**	**74**	**194**	**454**	**655**	**895**	**1,120**	**1,308**	**1,472**	**1,461**	**1,465**	**1,538**	**1,783**
13	England—Angleterre	17,424	–	–	–	9	51	132	303	428	592	723	818	910	906	896	994	1,111
14	Ireland—Irlande	2,349	–	–	–	–	2	9	25	50	57	94	125	137	110	146	124	175
15	Scotland—Écosse	6,896	–	–	–	1	18	49	115	163	230	282	341	394	414	397	394	465
16	Wales—Galles	489	–	–	–	–	3	3	9	14	15	18	19	25	27	23	23	29
17	Other—Autres	63	–	–	–	–	–	1	2	–	1	3	5	6	4	3	3	3
18	**British Possessions—Possessions britanniques**	**1,372**	–	–	–	–	**5**	**23**	**30**	**33**	**42**	**73**	**74**	**75**	**78**	**77**	**69**	**78**
19	Newfoundland—Terre-Neuve	983	–	–	–	–	4	17	19	21	28	54	57	52	53	57	48	53
20	Other—Autres	389	–	–	–	–	1	6	11	12	14	19	17	23	25	20	21	25
21	**Europe**	**20,198**	–	–	–	**13**	**78**	**200**	**384**	**601**	**722**	**927**	**965**	**1,165**	**1,166**	**1,098**	**1,059**	**1,334**
22	Austria—Autriche	2,670	–	–	–	1	11	18	50	85	94	118	112	124	136	124	126	166
23	Belgium—Belgique	534	–	–	–	–	1	5	12	16	18	27	27	30	30	25	29	42
24	Denmark—Danemark	281	–	–	–	–	–	1	2	6	7	20	16	21	25	23	16	21
25	Finland—Finlande	545	–	–	–	1	3	5	15	21	21	29	40	38	42	41	35	33
26	France	381	–	–	–	–	2	5	4	6	7	15	15	17	22	20	16	26
27	Germany—Allemagne	743	–	–	–	2	3	14	15	26	32	39	47	46	33	35	54	52
28	Holland—Hollande	315	–	–	–	–	1	2	5	7	14	14	13	16	20	11	18	25
29	Hungary—Hongrie	642	–	–	–	–	2	8	10	12	21	30	32	46	52	41	39	47
30	Italy—Italie	1,939	–	–	–	3	15	32	39	48	67	74	89	115	91	98	103	119
31	Norway—Norvège	633	–	–	–	–	2	3	6	16	15	28	34	30	28	38	44	31
32	Poland [2]—Pologne [2]	3,934	–	–	–	4	15	40	94	151	169	177	195	254	248	179	196	261
33	Roumania[3]—Roumanie[3]	1,142	–	–	–	1	4	18	22	34	33	47	46	49	72	48	56	76
34	Russia [4]—Russie [4]	4,739	–	–	–	1	15	37	86	128	154	219	215	261	265	292	232	329
35	Sweden—Suède	603	–	–	–	–	3	4	9	19	21	34	31	37	31	38	31	34
36	Other—Autres	1,097	–	–	–	–	1	8	15	26	49	56	53	81	71	85	64	72
37	**Asia—Asie**	**1,314**	–	–	–	–	**4**	**10**	**28**	**36**	**58**	**75**	**68**	**62**	**90**	**66**	**67**	**95**
38	China—Chine	204	–	–	–	–	–	1	4	1	6	3	8	4	12	13	12	25
39	Japan—Japon	847	–	–	–	–	4	5	19	28	38	55	49	42	55	47	41	57
40	Other—Autres	263	–	–	–	–	–	4	5	7	14	17	11	16	23	6	14	13
41	United States—États-Unis	12,795	–	–	3	14	68	177	324	472	538	616	690	746	784	702	758	785
42	Various—Divers	89	–	–	–	–	1	1	–	3	7	4	3	5	8	5	8	7
43	Not specified—Non spécifié	295	–	–	–	2	3	2	2	8	5	6	11	9	5	2	6	6
44	**Total**	**229,477**	**1**	**13**	**100**	**488**	**1,546**	**3,652**	**5,974**	**8,149**	**9,891**	**11,632**	**12,403**	**13,263**	**12,879**	**12,528**	**12,094**	**13,810**

[1] Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.
[2] Including Galicia—Y compris la Galicie.
[3] Including Bukovina—Y compris la Bukovine.
[4] Including the Ukraine—Y compris l'Ukraine.

TABLEAU 12—Naissances (mort-nés exclus) classifiées selon l'âge et le lieu de naissance des mères mariées, 1928

CANADA [1]

Âge de la mère																						No.
29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50 and over — 50 et plus	Not stated — Non donné	
7,796	**8,212**	**6,618**	**7,288**	**6,690**	**6,065**	**5,675**	**5,310**	**4,521**	**5,039**	**3,652**	**3,222**	**2,208**	**2,105**	**1,406**	**888**	**512**	**276**	**131**	**76**	**26**	**18**	**289**	1
89	109	84	107	102	81	107	85	61	75	51	47	27	37	29	11	12	4	3	–	–	1	19	2
431	478	401	413	456	388	388	315	284	309	238	175	123	130	75	52	27	15	9	2	–	–	5	3
426	444	366	391	347	352	310	276	290	286	214	201	147	146	82	55	35	28	6	3	1	–	10	4
3,900	4,076	3,170	3,599	3,418	2,974	2,886	2,791	2,327	2,683	1,969	1,745	1,197	1,176	779	507	284	161	81	53	15	15	46	5
2,173	2,369	2,033	2,155	1,795	1,802	1,558	1,469	1,257	1,364	957	858	591	502	359	217	123	53	23	15	7	1	160	6
399	377	302	346	312	265	246	211	183	183	132	108	66	69	51	35	15	9	7	1	1	1	4	7
146	124	85	110	111	85	60	59	50	49	29	34	20	16	10	6	3	1	–	–	–	–	3	8
102	87	54	61	42	37	22	25	26	25	12	11	8	5	6	1	3	2	1	–	–	–	6	9
93	100	77	63	61	52	63	41	27	33	27	24	11	13	4	1	5	1	1	1	2	–	23	10
37	48	46	43	46	29	35	38	16	32	23	19	18	11	11	3	5	2	–	1	–	–	13	11
1,430	**1,506**	**1,361**	**1,393**	**1,257**	**1,180**	**1,099**	**991**	**932**	**962**	**725**	**597**	**400**	**365**	**268**	**128**	**73**	**40**	**16**	**7**	**5**	**3**	**54**	12
948	996	894	878	780	764	709	617	607	609	447	400	257	243	175	95	47	29	12	6	4	2	32	13
113	143	100	127	112	125	102	93	75	86	74	46	34	27	15	5	6	2	1	1	–	–	8	14
338	333	339	366	340	260	253	263	230	250	192	143	101	82	71	27	19	8	3	–	1	1	13	15
30	33	24	21	23	25	30	15	15	15	11	7	8	13	7	1	1	1	–	–	–	–	1	16
1	1	4	1	2	6	5	3	5	2	1	1	–	–	–	–	–	–	–	–	–	–	–	17
68	**90**	**48**	**79**	**58**	**57**	**60**	**41**	**43**	**43**	**24**	**34**	**17**	**24**	**8**	**8**	**5**	**1**	**2**	**1**	–	–	**4**	18
49	59	25	59	44	40	49	35	33	30	17	25	12	20	7	8	4	1	1	1	–	–	1	19
19	31	23	20	14	17	11	6	10	13	7	9	5	4	1	–	1	–	1	–	–	–	3	20
941	**1,087**	**793**	**947**	**837**	**767**	**848**	**787**	**631**	**768**	**472**	**502**	**287**	**276**	**185**	**116**	**86**	**47**	**26**	**12**	**3**	**7**	**61**	21
99	156	115	159	118	94	113	133	105	118	50	94	30	41	22	23	13	7	3	5	–	2	5	22
27	36	23	17	15	16	17	23	17	25	8	11	9	8	7	8	2	–	1	–	1	–	1	23
18	11	16	9	6	10	7	6	6	9	6	8	4	2	3	–	1	–	–	1	–	–	–	24
34	24	17	21	10	13	25	10	8	14	7	9	9	3	4	6	2	4	1	–	–	–	–	25
23	25	21	28	20	14	17	15	15	9	11	7	6	8	2	4	–	–	–	1	–	–	–	26
36	28	32	32	29	32	22	27	12	20	17	12	12	11	5	4	10	–	1	2	–	–	1	27
16	16	12	16	10	11	14	18	9	10	10	8	7	3	3	3	–	–	–	–	–	–	3	28
32	29	32	28	36	24	21	22	13	19	9	13	8	9	3	1	2	–	–	–	–	–	1	29
98	104	99	72	75	92	86	85	64	71	48	42	29	20	25	7	6	4	3	1	–	1	14	30
29	29	24	29	31	35	21	27	25	18	15	26	10	15	7	7	5	4	–	–	–	–	1	31
160	236	119	194	164	144	159	148	108	170	87	89	39	43	34	14	8	12	8	2	1	–	12	32
53	55	55	65	54	47	50	53	36	43	25	30	18	19	13	7	6	2	3	–	–	1	1	33
221	244	172	222	201	169	230	173	156	187	142	117	75	69	47	27	20	11	4	–	1	1	16	34
36	26	18	18	19	31	28	18	14	23	18	12	18	14	6	4	3	3	–	–	–	2	–	35
59	68	38	37	49	35	38	29	43	32	19	24	13	11	4	1	8	–	2	–	–	–	6	36
65	**73**	**58**	**63**	**43**	**50**	**51**	**55**	**35**	**43**	**32**	**33**	**16**	**12**	**12**	**6**	**1**	–	**2**	–	–	–	5	37
11	7	10	8	4	7	15	10	7	5	5	8	7	2	3	3	–	–	1	–	–	–	2	38
38	48	42	46	32	35	24	33	24	22	20	18	5	6	8	2	1	–	1	–	–	–	2	39
16	18	6	9	7	8	12	12	4	16	7	7	4	4	1	1	–	–	–	–	–	–	1	40
645	610	583	608	541	520	484	442	352	359	266	205	150	135	78	49	30	23	4	6	2	3	23	41
4	3	2	5	2	2	3	3	2	6	1	1	–	2	–	1	–	–	–	–	–	–	–	42
5	4	6	7	3	9	3	5	1	4	4	2	1	1	–	1	–	–	–	–	–	–	172	43
10,954	**11,585**	**9,469**	**10,390**	**9,431**	**8,650**	**8,223**	**7,634**	**6,517**	**7,224**	**5,176**	**4,596**	**3,079**	**2,920**	**1,957**	**1,197**	**707**	**387**	**181**	**102**	**36**	**31**	**602**	44

TABLE 13—Order of birth of legitimate children born in 1928, (including still-born children), by age of mother and by provinces

Age group of mother and order of birth of child — Groupes d'âges des mères et ordre de naissance des enfants	Canada (1)	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
All ages— Tous âges	**236,722**	**1,794**	**10,616**	**9,998**	**83,417**	**69,018**	**14,446**	**21,349**	**15,650**	**10,434**
1st child— 1er enfant	52,107	410	2,187	1,752	14,181	18,368	3,418	4,659	3,805	3,327
2nd " — 2ième enfant	41,847	242	1,787	1,525	11,765	14,458	2,753	3,704	3,136	2,477
3rd " — 3ième "	32,649	247	1,456	1,292	9,878	10,762	2,051	2,994	2,360	1,609
4th " — 4ième "	25,302	199	1,219	1,109	8,524	7,431	1,596	2,380	1,753	1,091
5th " — 5ième "	20,417	173	1,028	955	7,549	5,401	1,257	2,040	1,295	719
6th " — 6ième "	16,093	156	764	786	6,642	3,841	932	1,536	984	452
7th " — 7ième "	12,407	101	585	693	5,523	2,666	701	1,147	703	288
8th " — 8ième "	9,678	77	497	514	4,556	1,917	514	933	506	164
9th " — 9ième "	7,379	63	342	395	3,695	1,336	408	628	398	114
10th " —10ième "	5,682	46	254	311	3,009	900	290	509	278	85
11th " —11ième "	4,132	21	168	225	2,384	626	195	301	166	46
12th " —12ième "	3,191	22	141	151	1,947	435	148	208	112	27
13th " —13ième "	2,075	9	89	127	1,289	245	99	137	68	12
14th " —14ième "	1,291	4	47	56	897	139	37	70	35	6
15th " —15ième "	864	6	19	40	629	71	20	46	23	10
16th " —16ième "	505	2	15	31	362	46	12	25	8	4
17th " —17ième "	312	–	7	17	243	23	3	12	7	–
18th " —18ième "	201	–	3	10	155	19	3	8	2	1
19th " —19ième "	96	–	4	1	76	5	2	5	3	–
20th and over—20ième et plus	119	–	2	5	93	10	2	4	3	–
Not stated—Non donné	375	16	2	3	20	319	5	3	5	2
Under 15 years—Moins de 15 ans	*14*	–	*1*	*2*	*8*	*3*	–	–	–	–
1st child—1er enfant	14	–	1	2	8	3	–	–	–	–
15-19 years—15 à 19 ans	**12,114**	**90**	**757**	**655**	**2,859**	**4,151**	**755**	**1,275**	**958**	**614**
1st child— 1er enfant	9,205	66	552	453	2,067	3,222	600	979	764	502
2nd " — 2ième enfant	2,381	18	178	159	614	783	125	249	157	98
3rd " — 3ième "	453	5	21	35	146	130	27	42	34	13
4th " — 4ième "	61	1	4	7	25	14	3	5	1	1
5th " — 5ième "	8	–	1	1	3	1	–	–	2	–
6th " — 6ième "	4	–	–	–	3	1	–	–	–	–
Not stated—Non donné	2	–	1	–	1	–	–	–	–	–
15 years—15 ans	*106*	*2*	*8*	*13*	*22*	*51*	*3*	*7*	*2*	*4*
1st child—1er enfant	105	2	2	13	22	50	3	7	2	4
2nd " —2ième enfant	1	–	–	–	–	1	–	–	–	–
16 years—16 ans	*503*	*3*	*53*	*36*	*108*	*182*	*27*	*48*	*24*	*22*
1st child—1er enfant	456	1	47	34	94	166	22	47	23	22
2nd " —2ième enfant	44	2	6	2	13	16	4	–	1	–
3rd " —3ième "	3	–	–	–	1	–	1	1	–	–
17 years—17 ans	*1,587*	*11*	*103*	*115*	*363*	*594*	*67*	*154*	*109*	*71*
1st child—1er enfant	1,364	10	87	95	302	513	64	132	97	64
2nd " —2ième enfant	200	1	15	16	52	75	2	21	11	7
3rd " —3ième "	18	–	–	3	6	6	1	1	1	–
4th " —4ième "	4	–	–	1	3	–	–	–	–	–
Not stated—Non donné	1	–	1	–	–	–	–	–	–	–
18 years—18 ans	*3,760*	*32*	*243*	*196*	*885*	*1,285*	*228*	*365*	*306*	*220*
1st child—1er enfant	2,949	22	172	136	657	1,026	201	289	259	187
2nd " —2ième enfant	699	7	64	50	188	225	24	70	39	32
3rd " —3ième "	94	3	5	8	28	34	3	5	7	1
4th " —4ième "	14	–	1	2	10	–	–	1	–	–
5th " —5ième "	3	–	1	–	1	–	–	–	1	–
Not stated—Non donné	1	–	–	–	1	–	–	–	–	–
19 years—19 ans	*6,158*	*42*	*356*	*295*	*1,481*	*2,039*	*430*	*701*	*517*	*297*
1st child—1er enfant	4,331	31	244	175	992	1,467	310	504	383	225
2nd " —2ième enfant	1,437	8	93	91	361	466	95	158	106	59
3rd " —3ième "	338	2	16	24	111	90	22	35	26	12
4th " —4ième "	43	1	3	4	12	14	3	4	1	1
5th " —5ième "	5	–	–	1	2	1	–	–	1	–
6th " —6ième "	4	–	–	–	3	1	–	–	–	–
20-24 years—20 à 24 ans	**56,763**	**341**	**2,520**	**2,433**	**18,488**	**16,949**	**3,562**	**5,482**	**4,310**	**2,678**
1st child— 1er enfant	23,798	174	920	763	7,088	7,720	1,575	2,312	1,856	1,390
2nd " — 2ième enfant	16,899	87	793	702	5,245	5,126	1,106	1,608	1,394	838
3rd " — 3ième "	9,297	52	448	519	3,277	2,587	526	937	646	305
4th " — 4ième "	4,257	14	236	280	1,672	1,001	239	419	290	106
5th " — 5ième "	1,703	10	77	113	780	377	80	150	85	31
6th " — 6ième "	554	2	32	32	283	100	27	44	27	7
7th " — 7ième "	153	2	8	18	87	19	5	8	5	1
8th " — 8ième "	56	–	5	3	30	8	2	2	6	–
9th " — 9ième "	19	–	1	1	11	3	–	2	1	–
10th " —10ième "	7	–	–	–	7	–	–	–	–	–
11th " —11ième "	11	–	–	2	7	2	–	–	–	–
Not stated—Non donné	9	–	–	–	1	6	2	–	–	–

(1) Exclusive of Yukon and the Northwest Territories—Ne comprend pas le Yukon et les Territoires du Nord-Ouest.

TABLEAU 13—Ordre de priorité de naissance des enfants légitimes nés en 1928 (mort-nés compris) répartis selon l'âge de la mère et selon la province

Age group of mother and order of birth of child — Groupes d'âges des mères et ordre de naissance des enfants	Canada	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
25-29 years—25 à 29 ans	**63,883**	**447**	**2,611**	**2,493**	**23,483**	**18,503**	**3,770**	**5,544**	**4,108**	**2,924**
1st child— 1er enfant	12,414	105	444	341	3,472	4,730	808	880	751	883
2nd " — 2ième enfant	13,144	69	466	387	3,953	4,558	856	1,099	926	830
3rd " — 3ième "	11,691	87	500	415	3,994	3,556	710	1,057	853	519
4th " — 4ième "	9,706	75	446	431	3,813	2,492	535	898	656	360
5th " — 5ième "	7,407	56	367	370	3,227	1,608	415	739	432	193
6th " — 6ième "	4,880	34	219	274	2,399	887	253	465	262	87
7th " — 7ième "	2,587	13	94	175	1,390	407	119	209	146	34
8th " — 8ième "	1,182	7	39	56	688	167	50	118	48	9
9th " — 9ième "	509	1	21	22	312	62	14	49	22	6
10th " —10ième "	212	–	8	12	139	17	6	19	8	3
11th " —11ième "	67	–	2	6	45	5	–	6	3	–
12th " —12ième "	49	–	5	2	34	–	2	5	1	–
13th " —13ième "	11	–	–	2	7	1	1	–	–	–
14th " —14ième "	5	–	–	–	4	1	–	–	–	–
15th " —15ième "	4	–	–	–	4	–	–	–	–	–
Not stated—Non donné	15	–	–	–	2	12	1	–	–	–
30-34 years—30 à 34 ans	**51,021**	**404**	**2,318**	**2,080**	**18,532**	**15,150**	**3,103**	**4,304**	**2,986**	**2,144**
1st child— 1er enfant	4,563	41	184	128	1,083	1,823	307	349	290	358
2nd " — 2ième enfant	6,402	39	241	193	1,376	2,701	463	502	437	450
3rd " — 3ième "	7,039	69	306	208	1,661	2,842	475	566	480	432
4th " — 4ième "	6,716	60	324	249	2,009	2,265	465	575	436	333
5th " — 5ième "	6,503	58	347	276	2,315	1,819	411	632	405	240
6th " — 6ième "	5,833	55	285	289	2,459	1,417	328	520	328	152
7th " — 7ième "	4,871	32	243	278	2,342	946	280	446	219	85
8th " — 8ième "	3,705	24	178	202	1,960	628	168	323	181	41
9th " — 9ième "	2,407	18	100	131	1,384	356	106	180	100	32
10th " —10ième "	1,452	6	60	71	893	184	47	124	57	10
11th " —11ième "	768	1	19	27	516	79	26	59	34	7
12th " —12ième "	413	1	14	17	280	50	15	21	12	3
13th " —13ième "	175	–	9	6	128	18	6	4	3	1
14th " —14ième "	90	–	5	1	70	6	5	2	1	–
15th " —15ième "	43	–	1	1	34	6	–	–	1	–
16th " —16ième "	9	–	–	3	6	–	–	–	–	–
17th " —17ième "	7	–	1	–	6	–	–	–	–	–
18th " —18ième "	4	–	–	–	3	–	–	1	–	–
19th " —19ième "	2	–	–	–	2	–	–	–	–	–
20th& over—20ième et plus	6	–	–	–	5	–	–	–	1	–
Not stated—Non donné	13	–	1	–	–	10	1	–	1	–
35-39 years—35 à 39 ans	**36,157**	**330**	**1,712**	**1,506**	**13,608**	**9,748**	**2,277**	**3,256**	**2,262**	**1,458**
1st child— 1er enfant	1,571	13	66	45	343	631	99	115	115	144
2nd " — 2ième enfant	2,415	19	95	70	463	1,024	164	196	175	209
3rd " — 3ième "	3,362	30	151	80	663	1,302	259	322	283	272
4th " — 4ième "	3,526	34	170	110	823	1,260	269	371	290	199
5th " — 5ième "	3,707	36	192	151	979	1,210	275	396	277	191
6th " — 6ième "	3,566	50	180	143	1,192	997	231	379	262	132
7th " — 7ième "	3,570	42	185	160	1,356	917	219	352	224	115
8th " — 8ième "	3,395	31	198	173	1,463	748	209	329	176	68
9th " — 9ième "	3,050	26	146	167	1,460	581	191	276	158	45
10th " —10ième "	2,575	28	116	136	1,331	410	148	218	142	46
11th " —11ième "	1,956	10	86	93	1,162	304	91	126	66	18
12th " —12ième "	1,486	7	53	70	967	191	58	89	45	6
13th " —13ième "	867	1	43	49	581	80	37	45	24	7
14th " —14ième "	496	–	20	27	348	42	16	24	17	2
15th " —15ième "	276	2	3	15	221	18	6	8	1	2
16th " —16ième "	150	–	5	5	115	14	1	6	3	1
17th " —17ième "	86	–	1	7	68	6	1	1	2	–
18th " —18ième "	50	–	1	4	36	3	1	2	2	1
19th " —19ième "	19	–	1	–	17	–	1	–	–	–
20th& over—20ième et plus	21	–	–	–	19	1	–	1	–	–
Not stated—Non donné	13	1	–	1	1	9	1	–	–	–
40-44 years—40 à 44 ans	**14,485**	**137**	**629**	**702**	**5,766**	**3,632**	**880**	**1,317**	**898**	**524**
1st child— 1er enfant	380	4	19	15	109	134	25	21	23	30
2nd " — 2ième enfant	515	7	12	11	106	210	36	48	41	44
3rd " — 3ième "	700	3	27	30	123	289	48	64	58	58
4th " — 4ième "	924	13	37	25	165	350	77	103	70	84
5th " — 5ième "	990	12	41	37	229	345	72	112	85	57
6th " — 6ième "	1,137	13	46	40	283	387	86	118	96	68
7th " — 7ième "	1,096	10	49	54	311	337	72	117	100	46
8th " — 8ième "	1,209	13	71	68	387	331	80	141	76	42
9th " — 9ième "	1,261	18	67	60	494	295	87	108	105	27
10th " —10ième "	1,282	10	60	85	579	261	77	127	62	21
11th " —11ième "	1,178	9	55	87	575	212	70	93	61	16
12th " —12ième "	1,122	11	63	51	608	180	67	83	43	16
13th " —13ième "	902	7	33	57	526	124	42	76	33	4
14th " —14ième "	612	3	19	26	420	75	15	38	13	3
15th " —15ième "	458	2	13	22	315	37	11	33	18	7

TABLE 13—Order of birth of legitimate children born in 1928, (including still-born children), by age of mother and by provinces—*con.*

TABLEAU 13—Ordre de priorité de naissance des enfants légitimes nés en 1928 (mort-nés compris) répartis selon l'âge de la mère et selon la province—*fin*

Age group of mother and order of birth of child — Groupes d'âges des mères et ordre de naissance des enfants	Canada	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
40-44 years—con. — **40 à 44 ans** —fin										
16th child—16ième enfant	284	2	8	18	196	27	11	16	5	1
17th " —17ième "	176	–	3	6	139	15	1	8	4	–
18th " —18ième "	118	–	2	4	98	9	1	4	–	–
19th " —19ième "	70	–	3	1	53	4	1	5	3	–
20th&over-20ième et plus	67	–	1	5	50	6	1	2	2	–
Not stated—Non donné	4	–	–	–	–	4	–	–	–	–
45 years and over—45 ans et plus	**1,553**	**18**	**64**	**85**	**650**	**321**	**91**	**164**	**103**	**57**
1st child— 1er enfant	22	1	1	1	7	8	–	1	1	2
2nd " — 2ième enfant	29	1	–	–	8	11	1	2	1	5
3rd " — 3ième "	55	–	2	2	14	16	6	5	4	6
4th " — 4ième "	75	1	2	1	16	22	8	9	10	6
5th " — 5ième "	66	–	3	3	16	16	4	11	7	6
6th " — 6ième "	96	1	2	5	23	36	6	10	7	6
7th " — 7ième "	112	2	6	4	36	29	6	15	8	6
8th " — 8ième "	111	2	5	7	27	25	5	20	18	2
9th " — 9ième "	121	–	7	10	34	33	10	13	11	3
10th " —10ième "	144	2	10	6	59	23	11	21	8	4
11th " —11ième "	151	1	6	10	79	24	8	17	1	5
12th " —12ième "	119	3	6	10	58	14	6	9	11	2
13th " —13ième "	120	1	4	13	47	22	13	12	8	–
14th " —14ième "	87	1	3	1	55	15	1	6	4	1
15th " —15ième "	82	2	2	1	55	10	3	5	3	1
16th " —16ième "	62	–	2	5	45	5	–	3	–	2
17th " —17ième "	43	–	2	4	30	2	1	3	1	–
18th " —18ième "	28	–	–	2	18	6	1	1	–	–
19th " —19ième "	5	–	–	–	4	1	–	–	–	–
20th&over-20ième et plus	25	–	1	–	19	3	1	1	–	–
Not stated—Non donné	–	–	–	–	–	–	–	–	–	–
Age not stated—Âge non donné	**732**	**27**	**4**	**42**	**23**	**561**	**8**	**7**	**25**	**35**
1st child— 1er enfant	140	6	–	4	4	97	4	2	5	18
2nd " — 2ième enfant	62	2	2	3	–	45	2	–	5	3
3rd " — 3ième "	52	1	1	3	–	40	–	1	2	4
4th " — 4ième "	37	1	–	6	1	27	–	–	–	2
5th " — 5ième "	33	1	–	4	–	25	–	–	2	1
6th " — 6ième "	23	1	–	3	–	16	1	–	2	–
7th " — 7ième "	18	–	–	4	1	11	–	–	1	1
8th " — 8ième "	20	–	1	5	1	10	–	–	1	2
9th " — 9ième "	12	–	–	4	–	6	–	–	1	1
10th " —10ième "	10	–	–	1	1	5	1	–	1	1
11th " —11ième "	1	–	–	–	–	–	–	–	1	–
12th " —12ième "	2	–	–	1	–	–	–	1	–	–
13th " —13ième "	–	–	–	–	–	–	–	–	–	–
14th " —14ième "	1	–	–	1	–	–	–	–	–	–
15th " —15ième "	1	–	–	1	–	–	–	–	–	–
16th " —16ième "	–	–	–	–	–	–	–	–	–	–
17th " —17ième "	–	–	–	–	–	–	–	–	–	–
18th " —18ième "	1	–	–	–	–	1	–	–	–	–
Not stated—Non donné	319	15	–	2	15	278	–	3	4	2

INFANT MORTALITY

MORTALITÉ INFANTILE

TABLE 14—Deaths of children under one year (exclusive of stillbirths) in Canada by months, classified as rural and urban for each province, 1928

TABLEAU 14—Décès des enfants de moins d'un an (mort-nés exclus) dans le Canada durant chaque mois, classifiés en ruraux et urbains, par province, 1928

Province	Total	Months—Mois											
		January — Janvier	February — Février	March — Mars	April — Avril	May — Mai	June — Juin	July — Juillet	August — Août	September — Septembre	October — Octobre	November — Novembre	December — Décembre
Canada[1]	**21,195**	**1,729**	**1,700**	**2,049**	**1,890**	**1,855**	**1,592**	**1,398**	**1,731**	**2,112**	**1,712**	**1,473**	**1,954**
Rural—Ruraux	**9,861**	**849**	**876**	**1,041**	**947**	**867**	**721**	**623**	**673**	**860**	**791**	**694**	**919**
Urban—Urbains	**11,334**	**880**	**824**	**1,008**	**943**	**988**	**871**	**775**	**1,058**	**1,252**	**921**	**779**	**1,035**
Prince Edward Island	92	13	9	6	6	8	2	5	5	9	8	11	10
Rural—Ruraux	60	12	5	3	5	4	1	2	2	5	5	8	8
Urban—Urbains	32	1	4	3	1	4	1	3	3	4	3	3	2
Nova Scotia	865	78	80	97	79	64	70	56	51	71	60	69	90
Rural—Ruraux	393	45	43	37	36	27	29	26	23	27	24	30	46
Urban—Urbains	472	33	37	60	43	37	41	30	28	44	36	39	44
New Brunswick	960	92	73	111	75	81	73	57	66	83	85	66	98
Rural—Ruraux	664	71	56	86	55	54	42	35	45	52	58	39	71
Urban—Urbains	296	21	17	25	20	27	31	22	21	31	27	27	27
Quebec	10,332	799	820	940	936	925	764	679	981	1,188	782	659	859
Rural—Ruraux	4,543	378	389	471	427	423	337	293	327	466	376	310	346
Urban—Urbains	5,789	421	431	469	509	502	427	386	654	722	406	349	513
Ontario	4,880	407	363	466	387	430	387	331	348	456	455	387	463
Rural—Ruraux	1,711	129	155	186	163	157	128	109	103	133	137	138	173
Urban—Urbains	3,169	278	208	280	224	273	259	222	245	323	318	249	290
Manitoba	972	79	81	102	88	81	84	58	69	83	81	60	106
Rural—Ruraux	509	45	45	50	51	42	51	29	33	37	41	32	53
Urban—Urbains	463	34	36	52	37	39	33	29	36	46	40	28	53
Saskatchewan	1,370	118	114	153	144	114	94	97	96	86	107	92	155
Rural—Ruraux	1,013	91	95	117	104	77	65	71	74	57	79	72	111
Urban—Urbains	357	27	19	36	40	37	29	26	22	29	28	20	44
Alberta	1,200	100	106	113	117	116	81	77	83	94	94	86	133
Rural—Ruraux	768	59	69	74	73	76	53	46	54	65	56	49	94
Urban—Urbains	432	41	37	39	44	40	28	31	29	29	38	37	39
British Columbia	524	43	54	61	58	36	37	38	32	42	40	43	40
Rural—Ruraux	200	19	19	17	33	7	15	12	12	18	15	16	17
Urban—Urbains	324	24	35	44	25	29	22	26	20	24	25	27	23

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

NOTE—"Urban" includes cities and towns of 1,000 population and over, "Rural" the remaining parts. The classification of cities and towns in Manitoba, Saskatchewan and Alberta is according to the Census of 1926 and in the remaining provinces according to the Census of 1921—"Urbains" comprend les cités et villes ayant une population de 1,000 habitants et au-dessus, le reste est inclus avec "Ruraux." La classification des cités et villes dans le Manitoba, la Saskatchewan et l'Alberta est selon le recensement de 1926 et dans toutes les autres provinces selon le recensement de 1921.

TABLE 15—Total deaths (exclusive of stillbirths) and deaths in public institutions, of children under one year of age, showing the number non-resident in the province, 1928

TABLEAU 15—Total des décès (mort-nés exclus) et décès dans les institutions publiques, d'enfants de moins d'un an non domiciliés dans la province, 1928

Province	All deaths under one year — Tous les décès au-dessous d'un an						In public institutions — Dans les institutions publiques					
	Total			Non-resident in province — Non domiciliés dans la province			Total			Non-resident in province — Non domiciliés dans la province		
	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.
Canada[1]	**21,195**	**12,026**	**9,169**	.....	.....	.....	**4,579**	**2,622**	**1,957**	.....	.....	.....
Prince Edward Island	92	50	42	–	–	–	4	2	2	–	–	–
Nova Scotia	865	480	385	1	1	–	103	62	41	–	–	–
New Brunswick	960	556	404	3	2	1	101	63	38	2	1	1
Quebec	10,332	5,899	4,433	9	4	5	1,549	893	656	4	2	2
Ontario	4,880	2,735	2,145	27	15	12	1,551	872	679	23	14	9
Manitoba	972	533	439	10	6	4	304	160	144	8	4	4
Saskatchewan	1,370	779	591	3	2	1	324	180	144	2	2	–
Alberta	1,200	709	491	8	5	3	378	243	135	6	4	2
British Columbia	524	285	239	–	–	–	265	147	118	–	–	–

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

TABLE 16—Total deaths (exclusive of stillbirths) and deaths in public institutions, of children under one year of age, classified according to residence of decedents, in cities and towns of 5,000 population and over, 1928

No.	Provinces, cities and towns — Provinces, cités et villes	All deaths under one year — Tous les décès au-dessous d'un an												Deaths in — Décès dans		
		Total			Residents — Domiciliés			Non-resident in city or town where death occurred — Non domiciliés dans la cité ou ville du décès						Total		
								Resident in province — Domiciliés dans la province			Non-resident in province — Non domiciliés dans la province					
		Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.
	Prince Edward Island—															
	City—Cité—															
1	Charlottetown	21	11	10	20	10	10	1	1	–	–	–	–	3	1	2
	Nova Scotia—															
	Cities—Cités—															
2	Glace Bay	73	43	30	71	41	30	2	2	–	–	–	–	19	13	6
3	Halifax	102	64	38	98	61	37	4	3	1	–	–	–	26	15	11
4	Sydney	35	18	17	31	16	15	4	2	2	–	–	–	11	6	5
	Towns—Villes—															
5	Amherst	7	4	3	7	4	3	–	–	–	–	–	–	–	–	–
6	Dartmouth	9	3	6	9	3	6	–	–	–	–	–	–	–	–	–
7	New Glasgow	9	6	3	7	5	2	1	–	1	1	1	–	3	2	1
8	New Waterford	27	15	12	27	15	12	–	–	–	–	–	–	3	1	2
9	North Sydney	21	13	8	21	13	8	–	–	–	–	–	–	1	–	1
10	Springhill	18	14	4	17	13	4	1	1	–	–	–	–	5	5	–
11	Stellarton	17	9	8	16	8	8	1	1	–	–	–	–	–	–	–
12	Sydney Mines	28	15	13	28	15	13	–	–	–	–	–	–	1	–	1
13	Truro	10	3	7	10	3	7	–	–	–	–	–	–	1	–	1
14	Yarmouth	21	9	12	15	7	8	6	2	4	–	–	–	9	3	6
	New Brunswick—															
	Cities—Cités—															
15	Fredericton	13	7	6	13	7	6	–	–	–	–	–	–	5	2	3
16	Moncton	37	21	16	31	18	13	6	3	3	–	–	–	11	7	4
17	St. John	103	64	39	101	63	38	2	1	1	–	–	–	47	32	15
	Town—Ville—															
18	Campbellton	26	14	12	23	13	10	3	1	2	–	–	–	9	4	5
	Quebec—															
	Cities—Cités—															
19	Cap de la Madeleine	54	33	21	53	32	21	1	1	–	–	–	–	–	–	–
20	Granby	22	7	15	22	7	15	–	–	–	–	–	–	–	–	–
21	Grand'Mère	17	8	9	17	8	9	–	–	–	–	–	–	–	–	–
22	Hull	142	79	63	140	77	63	1	1	–	1	1	–	2	1	1
23	Joliette	51	29	22	51	29	22	–	–	–	–	–	–	–	–	–
24	Lachine	50	32	18	48	31	17	2	1	1	–	–	–	3	2	1
25	Lévis	44	26	18	41	24	17	3	2	1	–	–	–	1	1	–
26	Montreal	2,925	1,628	1,297	2,887	1,607	1,280	35	20	15	3	1	2	824	487	337
27	Outremont	8	2	6	7	1	6	1	1	–	–	–	–	–	–	–
28	Quebec	776	408	368	765	402	363	10	5	5	1	1	–	417	234	183
29	Rivière du Loup	25	10	15	25	10	15	–	–	–	–	–	–	1	1	–
30	St. Hyacinthe	50	25	25	48	23	25	2	2	–	–	–	–	2	2	–
31	St. Jean	28	16	12	28	16	12	–	–	–	–	–	–	–	–	–
32	Shawinigan Falls	122	73	49	120	71	49	2	2	–	–	–	–	–	–	–
33	Sherbrooke	66	33	33	62	32	30	4	1	3	–	–	–	7	4	3
34	Sorel	50	30	20	50	30	20	–	–	–	–	–	–	–	–	–
35	Thetford Mines	44	25	19	44	25	19	–	–	–	–	–	–	–	–	–
36	Trois Rivières	234	133	101	232	131	101	2	2	–	–	–	–	38	19	19
37	Valleyfield	23	17	6	23	17	6	–	–	–	–	–	–	–	–	–
38	Verdun	115	65	50	114	64	50	1	1	–	–	–	–	1	–	1
39	Westmount	6	3	3	6	3	3	–	–	–	–	–	–	1	–	1
	Town—Ville—															
40	Chicoutimi	69	38	31	69	38	31	–	–	–	–	–	–	–	–	–
41	La Tuque	21	8	13	21	8	13	–	–	–	–	–	–	1	–	1
42	Magog	20	14	6	20	14	6	–	–	–	–	–	–	–	–	–
43	St. Jérôme	52	25	27	51	25	26	1	–	1	–	–	–	–	–	–
	Ontario—															
	Cities—Cités—															
44	Belleville	29	13	16	25	10	15	4	3	1	–	–	–	13	6	7
45	Brantford	45	25	20	41	24	17	4	1	3	–	–	–	35	17	18
46	Chatham	40	21	19	32	16	16	8	5	3	–	–	–	24	11	13
47	Fort William	52	33	19	44	28	16	7	5	2	1	–	1	24	17	7
48	Galt	18	14	4	17	13	4	1	1	–	–	–	–	12	9	3
49	Guelph	27	8	19	23	7	16	4	1	3	–	–	–	20	7	13
50	Hamilton	190	112	78	175	103	72	15	9	6	–	–	–	98	53	45
51	Kingston	44	22	22	32	16	16	12	6	6	–	–	–	28	15	13
52	Kitchener	35	22	13	32	20	12	3	2	1	–	–	–	18	12	6

NOTE—The classification of cities and towns in Manitoba, Saskatchewan and Alberta is according to the Census of 1926 and in the remaining provinces according to the Census of 1921—La classification des cités et villes dans le Manitoba, la Saskatchewan et l'Alberta est selon le recensement de 1926 et dans toutes les autres provinces selon le recensement de 1921.

TABLEAU 16—Total des décès (mort-nés exclus) et décès dans les institutions publiques, des enfants de moins d'un an, classifiés selon le domicile, dans les cités et villes de 5,000 âmes et plus, 1928.

public institutions — les institutions publiques									Deaths elsewhere than in public institutions — Décès ailleurs que dans les institutions publiques													No.
Residents — Domiciliés			Non-resident in city or town where death occurred — Non domiciliés dans la cité ou ville du décès						Total			Residents — Domiciliés			Non-resident in city or town where death occurred — Non domiciliés dans la cité ou ville du décès							
			Resident in province — Domiciliés dans la province			Non-resident in province — Non domiciliés dans la province									Resident in province — Domiciliés dans la province			Non-resident in province — Non domiciliés dans la province				
Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.		
3	1	2	–	–	–	–	–	–	18	10	8	17	9	8	1	1	–	–	–	–		1
18	12	6	1	1	–	–	–	–	54	30	24	53	29	24	1	1	–	–	–	–		2
22	12	10	4	3	1	–	–	–	76	49	27	76	49	27	–	–	–	–	–	–		3
8	4	4	3	2	1	–	–	–	24	12	12	23	12	11	1	–	1	–	–	–		4
–	–	–	–	–	–	–	–	–	7	4	3	7	4	3	–	–	–	–	–	–		5
–	–	–	–	–	–	–	–	–	9	3	6	9	3	6	–	–	–	–	–	–		6
2	2	–	1	–	1	–	–	–	6	4	2	5	3	2	–	–	–	1	1	–		7
3	1	2	–	–	–	–	–	–	24	14	10	24	14	10	–	–	–	–	–	–		8
1	–	1	–	–	–	–	–	–	20	13	7	20	13	7	–	–	–	–	–	–		9
4	4	–	1	1	–	–	–	–	13	9	4	13	9	4	–	–	–	–	–	–		10
–	–	–	–	–	–	–	–	–	17	9	8	16	8	8	1	1	–	–	–	–		11
1	–	1	–	–	–	–	–	–	27	15	12	27	15	12	–	–	–	–	–	–		12
1	–	1	–	–	–	–	–	–	9	3	6	9	3	6	–	–	–	–	–	–		13
4	1	3	5	2	3	–	–	–	12	6	6	11	6	5	1	–	1	–	–	–		14
5	2	3	–	–	–	–	–	–	8	5	3	8	5	3	–	–	–	–	–	–		15
6	5	1	5	2	3	–	–	–	26	14	12	25	13	12	1	1	–	–	–	–		16
45	31	14	2	1	1	–	–	–	56	32	24	56	32	24	–	–	–	–	–	–		17
6	3	3	3	1	2	–	–	–	17	10	7	17	10	7	–	–	–	–	–	–		18
–	–	–	–	–	–	–	–	–	54	33	21	53	32	21	1	1	–	–	–	–		19
–	–	–	–	–	–	–	–	–	22	7	15	22	7	15	–	–	–	–	–	–		20
–	–	–	–	–	–	–	–	–	17	8	9	17	8	9	–	–	–	–	–	–		21
2	1	1	–	–	–	–	–	–	140	78	62	138	76	62	1	1	–	1	1	–		22
–	–	–	–	–	–	–	–	–	51	29	22	51	29	22	–	–	–	–	–	–		23
1	1	–	2	1	1	–	–	–	47	30	17	47	30	17	–	–	–	–	–	–		24
1	1	–	–	–	–	–	–	–	43	25	18	40	23	17	3	2	1	–	–	–		25
791	470	321	30	16	14	3	1	2	2,101	1,141	960	2,096	1,137	959	5	4	1	–	–	–		26
–	–	–	–	–	–	–	–	–	8	2	6	7	1	6	1	1	–	–	–	–		27
407	228	179	9	5	4	1	1	–	359	174	185	358	174	184	1	–	1	–	–	–		28
1	1	–	–	–	–	–	–	–	24	9	15	24	9	15	–	–	–	–	–	–		29
–	–	–	2	2	–	–	–	–	48	23	25	48	23	25	–	–	–	–	–	–		30
–	–	–	–	–	–	–	–	–	28	16	12	28	16	12	–	–	–	–	–	–		31
–	–	–	–	–	–	–	–	–	122	73	49	120	71	49	2	2	–	–	–	–		32
6	4	2	1	–	1	–	–	–	59	29	30	56	28	28	3	1	2	–	–	–		33
–	–	–	–	–	–	–	–	–	50	30	20	50	30	20	–	–	–	–	–	–		34
–	–	–	–	–	–	–	–	–	44	25	19	44	25	19	–	–	–	–	–	–		35
36	17	19	2	2	–	–	–	–	196	114	82	196	114	82	–	–	–	–	–	–		36
–	–	–	–	–	–	–	–	–	23	17	6	23	17	6	–	–	–	–	–	–		37
1	–	1	–	–	–	–	–	–	114	65	49	113	64	49	1	1	–	–	–	–		38
1	–	1	–	–	–	–	–	–	5	3	2	5	3	2	–	–	–	–	–	–		39
–	–	–	–	–	–	–	–	–	69	38	31	69	38	31	–	–	–	–	–	–		40
1	–	1	–	–	–	–	–	–	20	8	12	20	8	12	–	–	–	–	–	–		41
–	–	–	–	–	–	–	–	–	20	14	6	20	14	6	–	–	–	–	–	–		42
–	–	–	–	–	–	–	–	–	52	25	27	51	25	26	1	–	1	–	–	–		43
9	3	6	4	3	1	–	–	–	16	7	9	16	7	9	–	–	–	–	–	–		44
31	16	15	4	1	3	–	–	–	10	8	2	10	8	2	–	–	–	–	–	–		45
16	6	10	8	5	3	–	–	–	16	10	6	16	10	6	–	–	–	–	–	–		46
20	15	5	4	2	2	–	–	–	28	16	12	24	13	11	3	3	–	1	–	1		47
11	8	3	1	1	–	–	–	–	6	5	1	6	5	1	–	–	–	–	–	–		48
16	6	10	4	1	3	–	–	–	7	1	6	7	1	6	–	–	–	–	–	–		49
83	44	39	15	9	6	–	–	–	92	59	33	92	59	33	–	–	–	–	–	–		50
20	10	10	8	5	3	–	–	–	16	7	9	12	6	6	4	1	3	–	–	–		51
15	10	5	3	2	1	–	–	–	17	10	7	17	10	7	–	–	–	–	–	–		52

TABLE 16—Total deaths (exclusive of stillbirths) and deaths in public institutions of children under one year of age, classified according to residence of decedents, in cities and towns of 5,000 population and over, 1928—*con.*

No.	Provinces, cities and towns — Provinces, cités et villes	All deaths under one year — Tous les décès au-dessous d'un an												Deaths in — Décès dans		
		Total			Residents — Domiciliés			Non-resident in city or town where death occurred — Non domiciliés dans la cité ou ville du décès						Total		
								Resident in province — Domiciliés dans la province			Non-resident in province — Non domiciliés dans la province					
		Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.
	Ontario-con.—fin.															
	Cities—Cités—															
1	London	76	49	27	64	42	22	12	7	5	–	–	–	46	29	17
2	Niagara Falls	34	18	16	32	17	15	2	1	1	–	–	–	9	4	5
3	North Bay	29	14	15	29	14	15	–	–	–	–	–	–	5	2	3
4	Oshawa	48	31	17	47	30	17	1	1	–	–	–	–	19	13	6
5	Ottawa	320	186	134	284	166	118	25	13	12	11	7	4	187	113	74
6	Owen Sound	18	8	10	14	8	6	4	–	4	–	–	–	7	1	6
7	Peterborough	30	18	12	27	17	10	3	1	2	–	–	–	17	11	6
8	Port Arthur	35	25	10	32	23	9	3	2	1	–	–	–	21	14	7
9	St. Catharines	50	32	18	41	25	16	9	7	2	–	–	–	33	22	11
10	St. Thomas	12	9	3	12	9	3	–	–	–	–	–	–	3	3	–
11	Sarnia	30	9	21	28	8	20	2	1	1	–	–	–	10	1	9
12	Sault Ste. Marie	38	25	13	38	25	13	–	–	–	–	–	–	3	1	2
13	Stratford	19	8	11	18	7	11	–	–	–	1	1	–	14	6	8
14	Toronto	895	498	397	833	462	371	59	35	24	3	1	2	571	315	256
15	Welland	26	16	10	22	15	7	3	1	2	1	–	1	9	6	3
16	Windsor	108	62	46	88	51	37	18	10	8	2	1	1	57	35	22
17	Woodstock	14	10	4	11	7	4	3	3	–	–	–	–	8	7	1
	Towns—Villes—															
18	Barrie	10	5	5	5	3	2	5	2	3	–	–	–	5	2	3
19	Brockville	17	11	6	12	7	5	4	3	1	1	1	–	16	10	6
20	Cobourg	7	5	2	6	4	2	1	1	–	–	–	–	2	2	–
21	Collingwood	5	3	2	4	2	2	1	1	–	–	–	–	4	3	1
22	Cornwall	57	38	19	50	34	16	7	4	3	–	–	–	22	13	9
23	Eastview	33	18	15	33	18	15	–	–	–	–	–	–	–	–	–
24	Ford City	25	11	14	25	11	14	–	–	–	–	–	–	–	–	–
25	Hawkesbury	22	14	8	21	13	8	–	–	–	1	1	–	2	1	1
26	Ingersoll	9	6	3	8	5	3	1	1	–	–	–	–	3	1	2
27	Kenora	13	7	6	9	3	6	3	3	–	1	1	–	8	4	4
28	Lindsay	10	6	4	9	5	4	1	1	–	–	–	–	2	1	1
29	Midland	23	9	14	18	7	11	5	2	3	–	–	–	9	2	7
30	Orillia	7	3	4	6	2	4	1	1	–	–	–	–	4	2	2
31	Pembroke	28	11	17	21	7	14	6	4	2	1	–	1	9	4	5
32	Preston	8	6	2	8	6	2	–	–	–	–	–	–	1	1	–
33	Smith's Falls	11	6	5	10	5	5	1	1	–	–	–	–	7	3	4
34	Sudbury	53	34	19	47	32	15	6	2	4	–	–	–	19	13	6
35	Trenton	10	7	3	10	7	3	–	–	–	–	–	–	–	–	–
36	Walkerville	25	12	13	17	10	7	8	2	6	–	–	–	21	10	11
37	Waterloo	3	3	–	3	3	–	–	–	–	–	–	–	–	–	–
	Manitoba—															
	Cities—Cités—															
38	Brandon	29	15	14	24	14	10	4	1	3	1	–	1	11	6	5
39	Portage la Prairie	19	4	15	17	2	15	2	2	–	–	–	–	11	3	8
40	St. Boniface	52	33	19	19	14	5	33	19	14	–	–	–	45	28	17
41	Winnipeg	278	142	136	224	113	111	48	25	23	6	4	2	177	88	89
	Town—Ville—															
42	Transcona	6	2	4	6	2	4	–	–	–	–	–	–	–	–	–
	Saskatchewan—															
	Cities—Cités—															
43	Moose Jaw	42	32	10	32	26	6	10	6	4	–	–	–	28	19	9
44	Prince Albert	29	18	11	15	11	4	14	7	7	–	–	–	23	14	9
45	Regina	84	43	41	54	27	27	29	16	13	1	–	1	52	26	26
46	Saskatoon	83	45	38	59	32	27	24	13	11	–	–	–	60	31	29
	Alberta—															
	Cities—Cités—															
47	Calgary	108	62	46	100	57	43	8	5	3	–	–	–	64	38	26
48	Edmonton	137	79	58	96	57	39	39	21	18	2	1	1	106	64	42
49	Lethbridge	34	19	15	20	10	10	13	8	5	1	1	–	15	9	6
50	Medicine Hat	33	16	17	20	10	10	10	5	5	3	1	2	22	11	11
	British Columbia—															
	Cities—Cités—															
51	Nanaimo	9	6	3	6	4	2	3	2	1	–	–	–	1	–	1
52	Nelson	2	1	1	2	1	1	–	–	–	–	–	–	2	1	1
53	New Westminster	29	18	11	18	11	7	11	7	4	–	–	–	24	15	9
54	North Vancouver	6	4	2	4	2	2	2	2	–	–	–	–	2	2	–
55	Prince Rupert	7	4	3	5	3	2	2	1	1	–	–	–	6	4	2
56	Vancouver City, Point Grey and South Vancouver	164	84	80	139	69	70	25	15	10	–	–	–	120	65	55
57	Victoria	35	18	17	29	15	14	6	3	3	–	–	–	30	15	15

TABLEAU 16—Total des décès (mort-nés exclus) et décès dans les institutions publiques, des enfants de moins d'un an, classifiés selon le domicile, dans les cités et villes de 5,000 âmes et plus, 1928—*fin*

public institutions — les institutions publiques									Deaths elsewhere than in public institutions — Décès ailleurs que dans les institutions publiques										No.
Residents — Domiciliés			Non-resident in city or town where death occurred — Non domiciliés dans la cité ou ville du décès						Total	Residents — Domiciliés			Non-resident in city or town where death occurred — Non domiciliés dans la cité ou ville du décès						
			Resident in province — Domiciliés dans la province			Non-resident in province — Non domiciliés dans la province							Resident in province — Domiciliés dans la province			Non-resident in province — Non domiciliés dans la province			
Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	
34	22	12	12	7	5	–	–	–	30	20	10	30	20	10	–	–	–	–	–	–	1
7	3	4	2	1	1	–	–	–	25	14	11	25	14	11	–	–	–	–	–	–	2
5	2	3	–	–	–	–	–	–	24	12	12	24	12	12	–	–	–	–	–	–	3
18	12	6	1	1	–	–	–	–	29	18	11	29	18	11	–	–	–	–	–	–	4
152	93	59	25	13	12	10	7	3	133	73	60	132	73	59	–	–	–	1	–	1	5
3	1	2	4	–	4	–	–	–	11	7	4	11	7	4	–	–	–	–	–	–	6
14	10	4	3	1	2	–	–	–	13	7	6	13	7	6	–	–	–	–	–	–	7
18	12	6	3	2	1	–	–	–	14	11	3	14	11	3	–	–	–	–	–	–	8
24	15	9	9	7	2	–	–	–	17	10	7	17	10	7	–	–	–	–	–	–	9
3	3	–	–	–	–	–	–	–	9	6	3	9	6	3	–	–	–	–	–	–	10
9	1	8	1	–	1	–	–	–	20	8	12	19	7	12	1	1	–	–	–	–	11
3	1	2	–	–	–	–	–	–	35	24	11	35	24	11	–	–	–	–	–	–	12
13	5	8	–	–	–	1	1	–	5	2	3	5	2	3	–	–	–	–	–	–	13
513	281	232	55	33	22	3	1	2	324	183	141	320	181	139	4	2	2	–	–	–	14
5	5	–	3	1	2	1	–	1	17	10	7	17	10	7	–	–	–	–	–	–	15
37	24	13	18	10	8	2	1	1	51	27	24	51	27	24	–	–	–	–	–	–	16
5	4	1	3	3	–	–	–	–	6	3	3	6	3	3	–	–	–	–	–	–	17
1	1	–	4	1	3	–	–	–	5	3	2	4	2	2	1	1	–	–	–	–	18
11	6	5	4	3	1	1	1	–	1	1	–	1	1	–	–	–	–	–	–	–	19
1	1	–	1	1	–	–	–	–	5	3	2	5	3	2	–	–	–	–	–	–	20
3	2	1	1	1	–	–	–	–	1	–	1	1	–	1	–	–	–	–	–	–	21
15	9	6	7	4	3	–	–	–	35	25	10	35	25	10	–	–	–	–	–	–	22
–	–	–	–	–	–	–	–	–	33	18	15	33	18	15	–	–	–	–	–	–	23
–	–	–	–	–	–	–	–	–	25	11	14	25	11	14	–	–	–	–	–	–	24
1	–	1	–	–	–	1	1	–	20	13	7	20	13	7	–	–	–	–	–	–	25
3	1	2	–	–	–	–	–	–	6	5	1	5	4	1	1	1	–	–	–	–	26
4	–	4	3	3	–	1	1	–	5	3	2	5	3	2	–	–	–	–	–	–	27
1	–	1	1	1	–	–	–	–	8	5	3	8	5	3	–	–	–	–	–	–	28
5	1	4	4	1	3	–	–	–	14	7	7	13	6	7	1	1	–	–	–	–	29
3	1	2	1	1	–	–	–	–	3	1	2	3	1	2	–	–	–	–	–	–	30
4	1	3	4	3	1	1	–	1	19	7	12	17	6	11	2	1	1	–	–	–	31
1	1	–	–	–	–	–	–	–	7	5	2	7	5	2	–	–	–	–	–	–	32
6	2	4	1	1	–	–	–	–	4	3	1	4	3	1	–	–	–	–	–	–	33
14	11	3	5	2	3	–	–	–	34	21	13	33	21	12	1	–	1	–	–	–	34
–	–	–	–	–	–	–	–	–	10	7	3	10	7	3	–	–	–	–	–	–	35
13	8	5	8	2	6	–	–	–	4	2	2	4	2	2	–	–	–	–	–	–	36
–	–	–	–	–	–	–	–	–	3	3	–	3	3	–	–	–	–	–	–	–	37
7	5	2	3	1	2	1	–	1	18	9	9	17	9	8	1	–	1	–	–	–	38
9	1	8	2	2	–	–	–	–	8	1	7	8	1	7	–	–	–	–	–	–	39
12	9	3	33	19	14	–	–	–	7	5	2	7	5	2	–	–	–	–	–	–	40
123	59	64	48	25	23	6	4	2	101	54	47	101	54	47	–	–	–	–	–	–	41
–	–	–	–	–	–	–	–	–	6	2	4	6	2	4	–	–	–	–	–	–	42
18	13	5	10	6	4	–	–	–	14	13	1	14	13	1	–	–	–	–	–	–	43
9	7	2	14	7	7	–	–	–	6	4	2	6	4	2	–	–	–	–	–	–	44
26	12	14	26	14	12	–	–	–	32	17	15	28	15	13	3	2	1	1	–	1	45
37	19	18	23	12	11	–	–	–	23	14	9	22	13	9	1	1	–	–	–	–	46
57	33	24	7	5	2	–	–	–	44	24	20	43	24	19	1	–	1	–	–	–	47
70	44	26	35	19	16	1	1	–	31	15	16	26	13	13	4	2	2	1	–	1	48
5	3	2	10	6	4	–	–	–	19	10	9	15	7	8	3	2	1	1	1	–	49
10	5	5	9	5	4	3	1	2	11	5	6	10	5	5	1	–	1	–	–	–	50
–	–	–	1	–	1	–	–	–	8	6	2	6	4	2	2	2	–	–	–	–	51
2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	52
14	9	5	10	6	4	–	–	–	5	3	2	4	2	2	1	1	–	–	–	–	53
–	–	–	2	2	–	–	–	–	4	2	2	4	2	2	–	–	–	–	–	–	54
4	3	1	2	1	1	–	–	–	1	–	1	1	–	1	–	–	–	–	–	–	55
96	50	46	24	15	9	–	–	–	44	19	25	43	19	24	1	–	1	–	–	–	56
24	12	12	6	3	3	–	–	–	5	3	2	5	3	2	–	–	–	–	–	–	57

TABLE 17—Deaths of children under one year (exclusive of stillbirths) by age at death, 1928
TABLEAU 17—Décès des enfants de moins d'un an (mort-nés exclus) selon l'âge au moment du décès, 1928

Ages—Âges		Canada (1)	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
All infants—Tous les enfants	**Total**	**21,195**	**92**	**865**	**960**	**10,332**	**4,880**	**972**	**1,370**	**1,200**	**524**
	M.	**12,026**	**50**	**480**	**556**	**5,899**	**2,735**	**533**	**779**	**709**	**285**
	F.	**9,169**	**42**	**385**	**404**	**4,433**	**2,145**	**439**	**591**	**491**	**239**
Under 1 day—Moins d'un jour	Total	4,033	13	147	136	1,750	1,118	183	317	259	110
	M.	2,298	3	78	82	1,019	634	99	187	143	53
	F.	1,735	10	69	54	731	484	84	130	116	57
1 day—1 jour	Total	1,027	3	32	36	429	313	49	63	65	37
	M.	604	2	21	24	263	182	25	28	42	17
	F.	423	1	11	12	166	131	24	35	23	20
2 days—2 jours	Total	885	4	52	46	332	250	51	62	54	34
	M.	507	3	26	22	186	151	26	36	36	21
	F.	378	1	26	24	146	99	25	26	18	13
3 days—3 jours	Total	626	6	37	44	228	176	37	45	32	21
	M.	348	2	19	23	127	98	19	24	23	13
	F.	278	4	18	21	101	78	18	21	9	8
4 days—4 jours	Total	398	2	21	16	150	105	28	34	27	15
	M.	232	1	16	8	95	53	17	20	12	10
	F.	166	1	5	8	55	52	11	14	15	5
5 days—5 jours	Total	273	3	10	20	113	60	18	19	21	9
	M.	136	2	4	10	57	26	11	8	12	6
	F.	137	1	6	10	56	34	7	11	9	3
6 days—6 jours	Total	240	–	11	13	93	59	14	21	18	11
	M.	137	–	6	8	60	30	8	11	9	5
	F.	103	–	5	5	33	29	6	10	9	6
Under 1 week—Moins d'une semaine	*Total*	*7,482*	*31*	*310*	*311*	*3,095*	*2,081*	*380*	*561*	*476*	*237*
	M.	*4,262*	*13*	*170*	*177*	*1,807*	*1,174*	*205*	*314*	*277*	*125*
	F.	*3,220*	*18*	*140*	*134*	*1,288*	*907*	*175*	*247*	*199*	*112*
1 week and under 2 weeks—1 semaine et moins de 2 semaines	Total	1,209	6	46	70	538	251	73	100	85	40
	M.	704	2	26	42	316	137	46	55	57	23
	F.	505	4	20	28	222	114	27	45	28	17
2 weeks and under 3 weeks—2 semaines et moins de 3 semaines	Total	852	3	49	34	419	186	36	67	47	11
	M.	504	1	31	24	254	95	22	41	29	7
	F.	348	2	18	10	165	91	14	26	18	4
3 weeks and under 1 month—3 semaines et moins de 1 mois	Total	806	2	22	26	415	187	42	60	38	14
	M.	461	1	14	12	230	106	28	35	25	10
	F.	345	1	8	14	185	81	14	25	13	4
Under 1 month—Moins d'un mois	*Total*	*10,349*	*42*	*427*	*441*	*4,467*	*2,705*	*531*	*788*	*648*	*302*
	M.	*5,931*	*17*	*241*	*255*	*2,607*	*1,512*	*301*	*445*	*388*	*165*
	F.	*4,418*	*25*	*186*	*186*	*1,860*	*1,193*	*230*	*343*	*258*	*137*
1 month and under 2 months—1 mois et moins de 2 mois	Total	2,010	11	89	96	1,083	375	89	128	100	39
	M.	1,180	6	51	52	644	219	49	76	60	23
	F.	830	5	38	44	439	156	40	52	40	16
2 months and under 3 months—2 mois et moins de 3 mois	Total	1,738	10	76	87	981	322	73	81	80	28
	M.	1,003	8	47	54	560	192	37	49	43	13
	F.	735	2	29	33	421	130	36	32	37	15
3 months and under 4 months—3 mois et moins de 4 mois	Total	1,385	5	68	75	757	256	45	78	73	28
	M.	754	3	38	43	397	139	24	39	51	20
	F.	631	2	30	32	360	117	21	39	22	8
4 months and under 5 months—4 mois et moins de 5 mois	Total	1,062	–	40	38	575	226	54	60	52	17
	M.	579	–	23	25	309	127	33	33	21	8
	F.	483	–	17	13	266	99	21	27	31	9
5 months and under 6 months—5 mois et moins de 6 mois	Total	912	8	26	43	486	197	40	45	48	19
	M.	493	5	12	22	262	107	21	22	33	9
	F.	419	3	14	21	224	90	19	23	15	10
6 months and under 7 months—6 mois et moins de 7 mois	Total	831	2	32	49	436	195	26	33	41	17
	M.	475	1	18	29	245	111	15	19	26	11
	F.	356	1	14	20	191	84	11	14	15	6
7 months and under 8 months—7 mois et moins de 8 mois	Total	678	3	25	27	360	151	21	38	36	17
	M.	387	1	11	18	219	79	7	24	22	6
	F.	291	2	14	9	141	72	14	14	14	11
8 months and under 9 months—8 mois et moins de 9 mois	Total	674	–	20	32	363	145	23	40	35	16
	M.	363	–	13	12	196	77	11	27	18	9
	F.	311	–	7	20	167	68	12	13	17	7
9 months and under 10 months—9 mois et moins de 10 mois	Total	576	4	27	28	308	112	25	25	33	14
	M.	320	2	15	20	166	65	13	13	18	8
	F.	256	2	12	8	142	47	12	12	15	6
10 months and under 11 months—10 mois et moins de 11 mois	Total	535	4	17	22	269	107	33	36	29	18
	M.	296	4	4	15	154	60	15	19	15	10
	F.	239	–	13	7	115	47	18	17	14	8
11 months and under 12 months—11 mois et moins de 12 mois	Total	445	3	18	22	247	89	12	18	27	9
	M.	245	3	7	11	140	47	7	13	14	3
	F.	200	–	11	11	107	42	5	5	13	6

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

TABLE 18—Deaths of children under 1 year of age (exclusive of stillbirths) classified according to racial origin of decedents, 1928

TABLEAU 18—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus) classifiés selon l'origine raciale des décédés, 1928

Racial origin — Origine raciale	Canada (1)	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
All origins—Toutes origines	**21,195**	**92**	**865**	**960**	**10,332**	**4,880**	**972**	**1,370**	**1,200**	**524**
English—Anglaise	3,639	32	423	234	357	1,699	210	244	257	183
Irish—Irlandaise	1,372	14	60	96	161	716	74	123	91	37
Scotch—Écossaise	1,381	24	169	68	105	558	104	122	138	93
Welsh—Galloise	49	–	1	–	–	13	5	6	17	7
French—Française	11,273	20	120	534	9,321	974	117	103	78	6
Armenian—Arménienne	8	–	–	–	5	3	–	–	–	–
Austrian—Autrichienne	141	–	1	1	3	24	29	52	25	6
Belgian—Belge	41	–	2	–	3	20	9	3	3	1
Bulgarian—Bulgare	6	–	1	–	–	5	–	–	–	–
Chinese—Chinoise	24	–	–	–	1	5	–	4	1	13
Czech and Slovak — Tchèque et Slovaque	28	–	3	–	2	9	1	6	7	–
Danish—Danoise	32	1	–	2	2	3	3	5	15	1
Dutch—Hollandaise	108	–	6	–	2	39	20	24	17	–
Finnish—Finlandaise	47	–	–	–	6	29	1	4	5	2
German—Allemande	641	–	19	–	13	146	78	252	125	8
Greek—Grecque	14	–	–	–	2	7	1	1	1	2
Hindu—Hindoue	1	–	–	–	–	–	–	–	–	1
Hungarian—Hongroise	86	–	–	–	8	30	5	35	8	–
Icelandic—Islandaise	19	–	–	–	–	–	16	1	1	1
Indian—Indienne	411	1	8	12	27	69	45	95	88	66
Italian—Italienne	248	–	3	1	85	123	3	2	13	18
Japanese—Japonaise	45	–	–	–	–	–	–	–	2	43
Jewish—Hébraïque	72	–	1	1	38	19	8	2	2	1
Negro—Nègre	77	–	39	6	–	29	1	1	1	–
Norwegian—Norvégienne	89	–	–	–	1	9	8	35	26	10
Polish—Polonaise	219	–	2	–	18	82	59	27	28	3
Roumanian—Roumaine	63	–	–	–	7	17	3	22	12	2
Russian—Russe	177	–	1	–	16	32	30	51	43	4
Serb and Croat—Serbe et Croate	12	–	–	–	1	4	3	1	1	2
Swedish—Suédoise	99	–	2	1	1	19	7	30	30	9
Swiss—Suisse	11	–	1	–	1	2	2	2	3	–
Syrian—Syrienne	18	–	–	3	11	3	–	1	–	–
Ukranian(2)—Ukranienne(2)	460	–	–	–	14	44	127	113	158	4
Other—Autres	35	–	1	–	12	15	–	2	4	1
Not specified—Non spécifiée	249	–	2	1	109	133	3	1	–	–

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

(2) Including "Galician" and "Bukovinian"—Y compris "Galicienne" et "Bukovine."

TABLE 19—Deaths of children under one year of age (exclusive of stillbirths) classified according to birthplace of parents for Canada (1), 1928

No.	Birthplace of father — Lieu de naissance du père	Total fathers—Total des pères	Birthplace of mother														
			Canada										British Isles — Îles britanniques				
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not specified Prov. non spécifiée	England—Angleterre	Ireland—Irlande	Scotland—Écosse	Wales Galles, pays de	Other—Autres
1	**Canada**	**15,128**	**118**	**695**	**806**	**8,855**	**2,661**	**356**	**227**	**134**	**116**	**172**	**313**	**35**	**118**	**6**	**2**
2	Prince Edward Island	120	100	6	5	1	1	1	–	1	–	1	1	–	1	–	–
3	Nova Scotia	750	7	639	13	9	12	3	4	1	2	–	18	3	6	2	–
4	New Brunswick	852	6	25	733	33	11	2	2	–	–	–	12	1	3	–	–
5	Quebec	9,134	3	3	47	8,614	217	18	7	3	–	1	27	2	15	–	–
6	Ontario	3,087	1	16	6	187	2,344	52	25	15	11	4	185	22	65	4	1
7	Manitoba	413	1	1	2	10	32	264	17	4	3	–	20	–	8	–	1
8	Saskatchewan	234	–	1	–	–	17	11	165	1	1	–	6	–	2	–	–
9	Alberta	150	–	1	–	–	5	2	2	106	1	–	6	–	2	–	–
10	British Columbia	146	–	3	–	–	7	3	4	3	98	–	14	1	7	–	–
11	Province not specified	242	–	–	–	1	15	–	1	–	–	166	24	6	9	–	–
12	**British Isles**	**1,712**	**6**	**28**	**18**	**72**	**284**	**53**	**25**	**14**	**26**	**51**	**655**	**94**	**276**	**16**	**2**
13	England	1,125	3	19	13	56	214	30	17	7	20	36	552	20	66	4	1
14	Ireland	167	1	3	2	5	20	7	3	1	2	3	39	60	17	–	–
15	Scotland	383	2	6	3	9	43	16	4	5	4	11	57	12	191	2	–
16	Wales	34	–	–	–	–	7	–	1	1	–	1	7	2	2	10	–
17	Other	3	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1
18	**British Possessions**	**109**	–	**28**	**3**	**5**	**5**	–	–	**2**	**2**	–	**13**	**6**	**1**	–	–
19	Newfoundland	75	–	26	3	5	1	–	–	–	–	–	5	–	1	–	–
20	Other	34	–	2	–	–	4	–	–	2	2	–	8	6	–	–	–
21	**Europe**	**1,910**	**1**	**11**	**4**	**53**	**58**	**74**	**80**	**50**	**10**	**29**	**30**	**3**	**10**	–	–
22	Austria	315	1	–	–	3	2	22	32	10	–	9	–	–	–	–	–
23	Belgium	45	–	1	–	3	–	–	3	2	–	–	2	1	–	–	–
24	Denmark	23	–	1	–	–	1	1	–	1	–	–	–	–	1	–	–
25	Finland	37	–	–	–	–	3	–	–	–	1	–	–	–	–	–	–
26	France	41	–	2	–	14	1	1	2	–	–	–	2	–	1	–	–
27	Germany	55	–	–	–	–	6	1	1	2	3	–	–	–	–	–	–
28	Holland	17	–	–	–	–	–	–	1	–	–	–	4	1	–	–	–
29	Hungary	74	–	–	–	–	–	1	7	–	–	–	–	–	–	–	–
30	Italy	233	–	–	3	23	18	–	1	1	3	3	7	–	2	–	–
31	Norway	41	–	1	–	1	4	2	2	–	1	2	1	–	–	–	–
32	Poland (2)	352	–	1	–	1	4	26	5	10	–	6	2	–	–	–	–
33	Roumania (3)	111	–	–	–	–	2	–	6	14	–	1	–	–	–	–	–
34	Russia (4)	418	–	1	–	3	9	15	17	7	1	7	1	–	1	–	–
35	Sweden	65	–	2	1	1	5	–	2	2	1	1	6	1	1	–	–
36	Other	83	–	2	–	4	3	5	1	1	–	–	5	–	4	–	–
37	**Asia**	**91**	**1**	–	**2**	**3**	**1**	**1**	**2**	–	**5**	–	**1**	–	–	–	–
38	China	25	–	–	–	–	1	–	2	–	4	–	–	–	–	–	–
39	Japan	44	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–
40	Other	22	–	–	2	3	–	1	–	–	–	–	–	–	–	–	–
41	United States	802	1	13	19	166	134	39	30	29	7	19	35	4	16	–	–
42	Various	7	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
43	Not specified	1,436	1	69	27	243	161	36	29	16	9	15	32	6	9	1	–
44	**Total mothers—Total des mères**	**21,195**	**128**	**844**	**879**	**9,398**	**3,304**	**559**	**393**	**245**	**175**	**286**	**1,079**	**148**	**430**	**23**	**4**

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.
(2) Including Galicia—Y compris la Galicie.
(3) Including Bukovina—Y compris la Bukovine.
(4) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 19—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus) classifiés selon le lieu de naissance des parents, pour le Canada[1], 1928

| Lieu de naissance de la mère | | |

TABLE 20—Deaths of children (exclusive of stillbirths) from certain specified causes in first year of life by months, 1928

Int. list No.	Causes of death — Causes de décès	Total under 1 year — Total moins de 1 an			Month of death					
					January — Janvier		February — Février		March — Mars	
		Total	M.	F.	M.	F.	M.	F.	M.	F.
	CANADA [1]									
	All causes—Toutes causes	**21,195**	**12,026**	**9,169**	**954**	**775**	**999**	**701**	**1,190**	**89**
7	Measles—Rougeole	89	50	39	4	4	8	6	12	6
8	Scarlet fever—Scarlatine	25	12	13	1	2	2	1	4	1
9	Whooping-cough—Coqueluche	469	230	239	24	36	28	18	23	29
10	Diphtheria—Diphtérie	48	22	26	3	2	1	2	4	4
11	Influenza—Grippe	831	500	331	30	27	49	26	53	37
16	Dysentery—Dysenterie	6	3	3	–	–	–	–	–	–
21	Erysipelas—Érysipèle	91	45	46	4	6	1	8	7	4
22	Acute anterior poliomyelitis—Poliomyélite aiguë	21	10	11	2	–	–	3	1	2
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique	51	29	22	4	4	2	1	4	1
29	Tetanus—Tétanos	1	1	–	–	–	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	83	44	39	4	4	2	4	2	4
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	79	41	38	6	5	5	3	5	4
33–37	Tuberculosis, other forms—Tuberculose, autres formes	32	20	12	1	2	2	–	1	1
38	Syphilis	129	81	48	10	4	9	3	8	4
41	Purulent infection, septicaemia—Infection purulente, septicémie	92	51	41	6	3	3	3	6	4
56	Rickets—Rachitisme	108	68	40	7	4	8	6	5	1
62	Diseases of the thymus—Affections du thymus	100	62	38	6	4	3	5	8	5
70	Encephalitis—Encéphalite	14	10	4	–	–	–	1	1	–
71a	Simple meningitis—Méningite simple	300	149	151	18	11	9	15	15	20
71b	Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non épidémique	1	1	–	–	–	–	–	–	–
80	Convulsions	348	208	140	22	15	14	4	32	13
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	176	105	71	10	10	12	12	12	9
99	Bronchitis—Bronchite	127	71	56	2	4	5	6	10	6
100	Bronchopneumonia—Broncho-pneumonie	1,416	801	615	76	61	82	61	97	70
101	Pneumonia—Pneumonie	793	450	343	47	29	56	26	60	47
110–112	Diseases of the stomach—Affections de l'estomac	243	132	111	11	8	7	7	13	10
113	Diarrhoea and enteritis—Diarrhée et entérite	3,899	2,228	1,671	101	80	110	68	123	85
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	88	64	24	5	3	5	2	5	4
128	Nephritis—Néphrite	34	27	7	1	–	2	–	4	1
153	Acute abscess—Phlegmon, abcès chaud	39	24	15	1	2	–	3	2	–
159	Malformations—Vices de conformation	1,299	702	597	58	61	66	45	70	61
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	90	43	47	5	2	1	3	4	9
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur	686	390	296	31	34	37	27	44	32
	(c) Others under this title—Autres sous ce titre	523	269	254	22	25	28	15	22	20
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	2,338	1,372	966	116	82	118	84	147	82
161a	Premature birth—Naissance prématurée	4,579	2,500	2,079	224	180	201	152	248	198
161b	Injury at birth—Conséquence de l'accouchement	1,017	644	373	51	31	72	34	67	40
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	1,276	734	542	49	46	65	54	86	69
	(a) Specified diseases—Affections spécifiées	990	570	420	37	30	45	32	50	52
	(b) Unspecified causes under 3 months—Causes non spécifiées au-dessous de 3 mois	286	164	122	12	16	20	22	36	17
175–203	External causes—Causes extérieures	192	112	80	7	7	14	6	11	7
	Other specified causes—Autres causes spécifiées	609	338	271	30	31	31	26	36	26
204,205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	152	85	67	13	7	7	6	8	4

[1] Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

NOTE—For fuller list of causes of infant deaths see table 31—Voir au tableau 31 pour une liste plus détaillée des causes de mortalité infantile.

	PRINCE EDWARD ISLAND									
	All causes—Toutes causes	**92**	**50**	**42**	**8**	**5**	**4**	**5**	**4**	**2**
7	Measles—Rougeole	1	–	1	–	–	–	–	–	–
8	Scarlet fever—Scarlatine	–	–	–	–	–	–	–	–	–
9	Whooping-cough—Coqueluche	1	1	–	–	–	–	–	–	–
10	Diphtheria—Diphtérie	–	–	–	–	–	–	–	–	–
11	Influenza—Grippe	3	2	1	–	–	1	–	–	–
16	Dysentery—Dysenterie	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	–	–	–	–	–	–	–	–	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë	–	–	–	–	–	–	–	–	–

TABLEAU 20—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus), par certaines causes spécifiques et par mois, 1928

Mois de décès																		No. liste int.
April — Avril		May — Mai		June — Juin		July — Juillet		August — Août		September — Septembre		October — Octobre		November — Novembre		December — Décembre		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
CANADA (1)																		
1,082	**808**	**1,049**	**806**	**915**	**677**	**796**	**602**	**930**	**801**	**1,189**	**923**	**968**	**744**	**838**	**635**	**1,116**	**838**	
6	5	7	9	3	–	1	–	1	–	1	2	2	–	–	3	5	4	7
3	–	–	2	–	–	1	1	–	1	–	–	1	3	–	1	–	1	8
16	20	23	19	15	23	9	11	16	12	24	15	21	25	17	9	14	22	9
–	1	2	2	1	2	2	1	–	1	1	1	2	1	4	2	2	7	10
47	30	32	20	36	14	6	13	6	4	7	6	31	20	44	24	159	110	11
–	1	–	–	–	–	–	–	–	–	2	1	–	1	–	–	1	–	16
5	3	7	7	7	5	1	2	1	2	6	2	1	4	2	3	3	–	21
–	2	–	–	2	1	–	–	–	1	–	–	1	1	3	–	1	1	22
4	2	2	3	3	1	–	2	1	2	2	2	1	2	1	1	5	1	24
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	29
7	2	2	5	5	4	5	3	1	1	7	1	5	4	–	2	4	5	31
4	4	7	1	3	4	1	1	3	2	1	4	5	2	–	4	1	4	32
5	4	2	1	2	–	1	–	–	1	2	1	1	2	3	–	–	–	33–37
7	4	12	6	8	7	3	1	6	2	5	1	4	3	6	9	3	4	38
2	4	4	3	9	2	6	5	2	3	5	3	4	5	2	2	2	4	41
5	2	5	–	7	4	4	1	8	3	4	6	6	4	4	3	5	6	56
7	2	7	2	4	4	5	1	3	3	2	1	4	3	3	1	10	7	62
3	1	2	–	3	2	–	–	–	–	–	–	1	–	–	–	–	–	70
16	15	12	13	14	7	10	12	10	14	18	15	10	3	9	13	8	13	71a
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
18	16	24	13	16	13	10	12	8	10	14	6	14	13	17	12	19	13	80
12	9	12	6	4	3	5	3	7	1	10	7	8	5	10	5	3	1	86
10	5	12	6	9	7	2	1	–	3	1	5	3	2	7	1	10	10	99
100	85	74	60	55	40	38	38	35	20	36	34	38	30	53	44	117	72	100
47	49	40	33	27	20	16	10	8	17	19	26	30	22	32	27	68	37	101
17	7	14	11	10	12	11	13	7	9	11	7	11	14	9	7	11	6	110–112
132	85	119	108	115	93	174	113	379	324	494	375	244	161	118	102	119	77	113
9	1	5	4	7	1	7	–	6	3	4	1	1	–	4	1	6	4	118
3	–	3	2	3	–	1	1	3	–	1	–	2	1	2	–	2	2	128
5	1	4	4	2	–	2	1	2	2	–	1	3	1	2	–	1	–	153
63	49	68	59	64	51	54	38	47	52	52	39	58	53	55	41	47	48	159
6	2	4	2	2	6	3	3	4	2	2	2	4	11	1	1	7	4	159a
36	25	38	29	40	27	23	22	24	22	30	19	32	19	27	14	28	26	159b
21	22	26	28	22	18	28	13	19	28	20	18	22	23	27	26	12	18	159c
128	98	134	86	120	74	89	60	70	76	125	87	111	83	101	65	113	89	160
223	183	213	194	214	189	218	179	171	164	186	159	208	155	189	149	205	177	161a
50	29	59	38	42	30	44	23	55	23	50	40	45	26	51	31	58	28	161b
78	54	87	53	71	24	39	32	41	29	61	39	48	54	51	40	58	48	162
63	46	66	45	54	22	32	26	33	24	55	32	44	43	46	36	45	32	162a
15	8	21	8	17	2	7	6	8	5	6	7	4	11	5	4	13	16	162b
7	6	5	4	11	8	10	13	10	2	7	4	10	6	10	8	10	9	175–203
39	27	45	24	20	23	18	11	17	9	23	25	24	26	23	19	32	24	
4	2	5	8	2	9	3	–	6	5	8	7	9	9	6	6	14	4	204,205
ÎLE DU PRINCE-ÉDOUARD																		
3	**3**	**5**	**3**	**1**	**1**	**1**	**4**	**2**	**3**	**5**	**4**	**6**	**2**	**7**	**4**	**4**	**6**	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	11
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22

TABLE 20—Deaths of children (exclusive of stillbirths) from certain specified causes in first year of life by months, 1928—*con.*

Int. list No.	Causes of death — Causes de décès	Total under 1 year — Total moins de 1 an			Month of death					
					January — Janvier		February — Février		March — Mars	
		Total	M.	F.	M.	F.	M.	F.	M.	F.
	PRINCE EDWARD ISLAND—con.									
24	Meningococcus meningitis—Méningite cérébro spinale épidémique	–	–	–	–	–	–	–	–	–
29	Tetanus—Tétanos	–	–	–	–	–	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	1	1	–	–	–	–	–	–	–
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	–	–	–	–	–	–	–	–	–
33–37	Tuberculosis, other forms—Tuberculose, autres formes	–	–	–	–	–	–	–	–	–
38	Syphilis	–	–	–	–	–	–	–	–	–
41	Purulent infection, septicaemia—Infection purulente, septicémie	–	–	–	–	–	–	–	–	–
56	Rickets—Rachitisme	1	–	1	–	–	–	1	–	–
62	Diseases of the thymus—Affections du thymus	–	–	–	–	–	–	–	–	–
70	Encephalitis—Encéphalite	–	–	–	–	–	–	–	–	–
71a	Simple meningitis—Méningite simple	2	2	–	2	–	–	–	–	–
71b	Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non épidémique	–	–	–	–	–	–	–	–	–
80	Convulsions	6	5	1	2	–	–	1	–	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	1	–	1	–	–	–	1	–	–
99	Bronchitis—Bronchite	–	–	–	–	–	–	–	–	–
100	Bronchopneumonia—Broncho-pneumonie	2	2	–	–	–	–	–	1	–
101	Pneumonia—Pneumonie	10	8	2	1	1	–	–	–	–
110–112	Diseases of the stomach—Affections de l'estomac	3	2	1	1	–	–	–	–	–
113	Diarrhoea and enteritis—Diarrhée et entérite	5	3	2	–	–	–	–	–	–
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	–	–	–	–	–	–	–	–	–
128	Nephritis—Néphrite	–	–	–	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	–	–	–	–	–	–	–	–	–
159	Malformations—Vices de conformation	8	3	5	–	–	–	1	–	–
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	–	–	–	–	–	–	–	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur	6	1	5	–	–	–	1	–	–
	(c) Others under this title—Autres sous ce titre	2	2	–	–	–	–	–	–	–
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	10	4	6	–	1	–	–	–	–
161a	Premature birth—Naissance prématurée	11	3	8	–	–	–	–	–	2
161b	Injury at birth—Conséquence de l'accouchement	5	3	2	–	–	–	–	–	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	15	5	10	1	2	2	2	–	–
	(a) Specified diseases—Affections spécifiées	6	3	3	–	–	2	–	–	–
	(b) Unspecified causes under 3 months—Causes non spécifiées au-dessous de 3 mois	9	2	7	1	2	–	2	–	–
175–203	External causes—Causes extérieures	1	1	–	–	–	–	–	1	–
	Other specified causes—Autres causes spécifiées	–	–	–	–	–	–	–	–	–
204, 205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	6	5	1	1	1	1	–	1	–
	NOVA SCOTIA									
	All causes—Toutes causes	**865**	**480**	**385**	**39**	**39**	**48**	**32**	**54**	**43**
7	Measles—Rougeole	8	3	5	–	–	1	3	1	1
8	Scarlet fever—Scarlatine	2	1	1	–	–	1	–	–	–
9	Whooping-cough—Coqueluche	49	22	27	3	4	3	2	1	3
10	Diphtheria—Diphtérie	–	–	–	–	–	–	–	–	–
11	Influenza—Grippe	16	12	4	2	–	–	–	1	–
16	Dysentery—Dysenterie	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	–	–	–	–	–	–	–	–	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë	–	–	–	–	–	–	–	–	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique	2	–	2	–	1	–	–	–	–
29	Tetanus—Tétanos	–	–	–	–	–	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	4	1	3	–	–	1	–	–	–
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	6	3	3	–	1	–	–	–	–
33–37	Tuberculosis, other forms—Tuberculose, autres formes	2	2	–	–	–	–	–	1	–
38	Syphilis	8	5	3	–	–	1	–	1	–
41	Purulent infection, septicaemia—Infection purulente, septicémie	–	–	–	–	–	–	–	–	–
56	Rickets—Rachitisme	–	–	–	–	–	–	–	–	–
62	Diseases of the thymus—Affections du thymus	2	1	1	–	–	1	–	–	1

TABLEAU 20—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus), par certaines causes spécifiques et par mois, 1928—*suite*

Mois de décès																		No. liste int.
April — Avril		May — Mai		June — Juin		July — Juillet		August — Août		September — Septembre		October — Octobre		November — Novembre		December — Décembre		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
ÎLE DU PRINCE-ÉDOUARD—fin																		
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	31
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	33–37
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	41
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	56
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71a
–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	71b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	86
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	99
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	100
–	–	1	–	–	–	–	–	–	1	1	–	2	–	2	–	1	–	101
–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	110–112
–	–	1	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	113
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	118
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	128
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	153
1	–	–	–	–	1	–	–	1	–	–	1	1	–	–	–	–	2	159
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159a
1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	2	159b
–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	159c
–	–	2	–	1	–	1	1	–	–	–	–	–	1	–	1	–	2	160
–	1	–	–	–	–	–	–	1	1	–	–	–	1	1	2	1	1	161a
1	–	1	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	161b
1	2	–	1	–	–	–	2	–	–	1	–	–	–	–	1	–	–	162
–	1	–	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	162a
1	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	162b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	175–203
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	204,205
NOUVELLE-ÉCOSSE																		
47	32	35	29	48	22	29	27	23	28	42	29	29	31	37	32	49	41	
–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	7
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	8
1	2	3	3	3	1	–	3	1	1	2	2	1	3	3	1	1	2	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
2	–	2	–	1	–	–	–	–	–	–	–	–	1	–	–	4	3	11
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	31
–	–	–	1	–	–	–	–	1	–	1	–	1	–	–	1	–	–	32
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	33–37
–	–	1	–	–	–	1	1	1	–	–	–	–	–	–	1	–	1	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	41
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	56
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	62

TABLE 20—Deaths of children (exclusive of stillbirths) from certain specified causes in first year of life by months, 1928—*con.*

Int. list No.	Causes of death — Causes de décès	Total under 1 year — Total moins de 1 an			Month of death					
					January — Janvier		February — Février		March — Mars	
		Total	M.	F.	M.	F.	M.	F.	M.	F.
	NOVA SCOTIA–con.									
70	Encephalitis—Encéphalite	–	–	–	–	–	–	–	–	–
71a	Simple meningitis—Méningite simple	4	3	1	–	–	–	–	–	–
71b	Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non épidémique	–	–	–	–	–	–	–	–	–
80	Convulsions	66	43	23	4	3	2	2	11	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	1	1	–	–	–	–	–	–	–
99	Bronchitis—Bronchite	2	–	2	–	–	–	1	–	–
100	Bronchopneumonia—Broncho-pneumonie	70	38	32	4	3	7	5	5	4
101	Pneumonia—Pneumonie	56	34	22	2	4	9	3	1	2
110–112	Diseases of the stomach—Affections de l'estomac	10	6	4	–	–	–	–	–	2
113	Diarrhoea and enteritis—Diarrhée et entérite	49	29	20	1	–	2	–	–	1
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	2	1	1	–	–	–	–	–	–
128	Nephritis—Néphrite	2	1	1	–	–	–	–	–	1
153	Acute abscess—Phlegmon, abcès chaud	1	1	–	–	–	–	–	–	–
159	Malformations—Vices de conformation	63	36	27	2	5	1	4	5	3
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	1	1	–	–	–	–	–	1	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur	35	22	13	2	2	1	2	2	2
	(c) Others under this title—Autres sous ce titre	27	13	14	–	3	–	2	2	1
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	144	87	57	10	5	8	6	6	6
161a	Premature birth—Naissance prématurée	187	87	100	9	9	5	5	11	12
161b	Injury at birth—Conséquence de l'accouchement	22	12	10	1	–	–	–	5	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	43	26	17	1	–	1	–	3	5
	(a) Specified diseases—Affections spécifiées	36	25	11	1	–	1	–	3	3
	(b) Unspecified causes under 3 months—Causes non spécifiées au-dessous de 3 mois	7	1	6	–	–	–	–	–	2
175–203	External causes—Causes extérieures	14	5	9	–	2	1	–	–	2
	Other specified causes—Autres causes spécifiées	21	15	6	–	1	3	1	–	–
204,205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	9	5	4	–	1	1	–	2	–
	NEW BRUNSWICK									
	All causes—Toutes causes	**960**	**556**	**404**	**52**	**40**	**35**	**38**	**63**	**48**
7	Measles—Rougeole	7	6	1	2	1	1	–	1	–
8	Scarlet fever—Scarlatine	–	–	–	–	–	–	–	–	–
9	Whooping-cough—Coqueluche	19	13	6	2	2	–	–	–	–
10	Diphtheria—Diphtérie	1	–	1	–	–	–	1	–	–
11	Influenza—Grippe	62	31	31	2	2	4	4	6	8
16	Dysentery—Dysenterie	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	3	1	2	–	1	–	–	–	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë	–	–	–	–	–	–	–	–	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique	3	2	1	–	–	–	–	–	–
29	Tetanus—Tétanos	–	–	–	–	–	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	3	3	–	–	–	–	–	–	–
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	3	1	2	–	–	–	1	–	–
33–37	Tuberculosis, other forms—Tuberculose, autres formes	–	–	–	–	–	–	–	–	–
38	Syphilis	4	3	1	–	–	–	–	1	–
41	Purulent infection, septicaemia—Infection purulente, septicémie	2	1	1	–	–	–	–	–	–
56	Rickets—Rachitisme	2	2	–	–	–	1	–	–	–
62	Diseases of the thymus—Affections du thymus	5	4	1	–	–	–	–	–	1
70	Encephalitis—Encéphalite	–	–	–	–	–	–	–	–	–
71a	Simple meningitis—Méningite simple	12	5	7	1	1	–	2	1	1
71b	Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non épidémique	–	–	–	–	–	–	–	–	–
80	Convulsions	13	7	6	–	–	1	–	–	1
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	–	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite	5	2	3	–	–	1	–	–	–
100	Bronchopneumonia—Broncho-pneumonie	62	33	29	3	2	3	1	5	2
101	Pneumonia—Pneumonie	40	25	15	2	–	–	–	2	1
110–112	Diseases of the stomach—Affections de l'estomac	10	5	5	–	1	–	1	2	1
113	Diarrhoea and enteritis—Diarrhée et entérite	86	61	25	1	1	1	–	2	1
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	7	5	2	1	1	–	–	1	–
128	Nephritis—Néphrite	3	3	–	–	–	1	–	1	–

TABLEAU 20—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus), par certaines causes spécifiques et par mois, 1928—*suite*

Mois de décès																		
April — Avril		May — Mai		June — Juin		July — Juillet		August — Août		September — Septembre		October — Octobre		November — Novembre		December — Décembre		No. liste int.
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
NOUVELLE-ÉCOSSE—fin																		
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70
–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	2	–	71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
2	2	3	2	5	1	1	2	1	3	4	–	1	2	5	1	4	5	80
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	86
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	99
6	2	–	2	–	2	–	1	2	1	2	2	1	–	3	4	8	6	100
3	4	1	1	3	–	2	–	–	1	3	–	–	2	3	2	7	3	101
1	–	1	–	–	1	1	–	–	–	–	–	1	1	1	–	1	–	110–112
6	1	1	1	1	–	1	1	–	1	10	10	3	4	2	1	2	–	113
–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	118
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	128
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	153
3	1	5	2	7	–	4	–	4	3	1	3	–	4	2	–	2	2	159
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159a
1	1	2	2	5	–	2	–	3	–	1	2	–	1	2	–	1	1	159b
2	–	3	–	2	–	2	–	1	3	–	1	–	3	–	–	1	1	159c
8	6	4	5	15	2	3	2	6	6	5	4	10	5	5	4	7	6	160
7	11	5	4	8	9	12	14	7	8	4	5	7	6	6	13	6	4	161a
2	1	–	2	–	1	–	1	–	1	2	2	–	–	2	1	–	1	161b
4	–	3	2	3	–	3	–	–	1	4	1	1	2	1	2	2	4	162
4	–	3	2	3	–	3	–	–	–	4	1	1	1	1	2	1	2	162a
–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	2	162b
–	–	–	–	2	1	–	1	–	1	–	–	–	1	1	–	1	1	175–203
1	–	4	–	–	1	1	–	–	–	2	–	2	–	2	1	–	2	
–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	2	–	204, 205
NOUVEAU-BRUNSWICK																		
42	33	54	27	44	29	30	27	36	30	55	28	44	41	41	25	60	38	
–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
1	–	1	–	1	–	–	–	1	–	2	–	3	1	1	–	1	3	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
3	8	–	–	1	–	1	1	1	–	–	2	5	1	3	–	5	5	11
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	21
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	31
–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	32
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	33–37
–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	38
–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	41
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	56
–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70
–	2	–	–	–	–	–	–	–	1	1	–	1	–	–	–	1	–	71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
2	1	–	–	–	–	1	–	–	1	1	2	1	–	–	–	1	1	80
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	86
–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	–	1	99
1	2	2	–	–	6	2	3	1	1	2	2	1	4	2	1	11	5	100
2	3	3	1	2	1	1	1	2	1	–	–	2	–	3	6	6	1	101
–	–	–	1	1	–	–	–	–	1	1	–	–	–	1	–	–	–	110–112
2	–	2	1	2	1	4	2	10	7	20	5	10	3	5	3	2	1	113
–	–	–	–	1	–	–	–	2	–	–	1	–	–	–	–	–	–	118
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	128

TABLE 20—Deaths of children (exclusive of stillbirths) from certain specified causes in first year of life by months, 1928—*con.*

Int. list No.	Causes of death — Causes de décès	Total under 1 year — Total moins de 1 an			Month of death					
					January — Janvier		February — Février		March — Mars	
		Total	M.	F.	M.	F.	M.	F.	M.	F.
	NEW BRUNSWICK—con.									
153	Acute abscess—Phlegmon, abcès chaud	2	–	2	–	–	–	1	–	–
159	Malformations—Vices de conformation	42	26	16	6	2	3	–	2	2
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	2	2	–	2	–	–	–	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur	20	15	5	3	–	–	–	2	–
	(c) Others under this title—Autres sous ce titre	20	9	11	1	2	3	–	–	2
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	89	54	35	3	3	4	5	1	7
161a	Premature birth—Naissance prématurée	164	89	75	12	9	4	6	12	9
161b	Injury at birth—Conséquence de l'accouchement	28	16	12	2	1	–	1	3	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	179	103	76	5	11	8	11	21	10
	(a) Specified diseases—Affections spécifiées	36	21	15	1	–	2	1	1	1
	(b) Unspecified causes under 3 months—Causes non spécifiées au-dessous de 3 mois	143	82	61	4	11	6	10	20	9
175–203	External causes—Causes extérieures	9	4	5	1	1	–	–	1	–
	Other specified causes—Autres causes spécifiées	25	11	14	–	1	–	2	–	1
204, 205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	70	40	30	9	–	3	2	1	3
	QUEBEC									
	All causes—Toutes causes	**10,332**	**5,899**	**4,433**	**435**	**364**	**476**	**344**	**548**	**392**
7	Measles—Rougeole	43	25	18	2	1	4	3	8	3
8	Scarlet fever—Scarlatine	15	9	6	–	1	1	1	4	1
9	Whooping-cough—Coqueluche	205	99	106	12	19	16	15	19	17
10	Diphtheria—Diphtérie	28	13	15	2	2	1	1	3	2
11	Influenza—Grippe	450	275	175	14	14	28	13	27	14
16	Dysentery—Dysenterie	3	1	2	–	–	–	–	–	–
21	Erysipelas—Erysipèle	41	18	23	3	4	–	5	3	3
22	Acute anterior poliomyelitis—Poliomyélite aiguë	10	3	7	1	–	–	2	–	1
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique	27	15	12	1	3	2	1	3	–
29	Tetanus—Tétanos	–	–	–	–	–	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	43	24	19	3	1	–	2	2	3
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	29	16	13	3	1	4	–	–	3
33–37	Tuberculosis, other forms—Tuberculose, autres formes	19	13	6	1	–	1	–	–	1
38	Syphilis	69	42	27	5	2	4	2	3	1
41	Purulent infection, septicaemia—Infection purulente, septicémie	58	36	22	6	2	2	3	5	3
56	Rickets—Rachitisme	44	30	14	3	–	4	3	1	–
62	Diseases of the thymus—Affections du thymus	10	5	5	–	–	–	1	1	1
70	Encephalitis—Encéphalite	5	5	–	–	–	–	–	1	–
71a	Simple meningitis—Méningite simple	218	105	113	12	9	6	9	6	13
71b	Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non épidémique	–	–	–	–	–	–	–	–	–
80	Convulsions	86	42	44	3	5	3	2	8	5
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	120	69	51	8	6	5	8	7	6
99	Bronchitis—Bronchite	54	37	17	2	2	2	2	5	2
100	Bronchopneumonia—Broncho-pneumonie	656	372	284	33	26	36	23	38	33
101	Pneumonia—Pneumonie	250	143	107	10	8	19	7	22	19
110–112	Diseases of the stomach—Affections de l'estomac	122	67	55	5	3	4	3	7	5
113	Diarrhoea and enteritis—Diarrhée et entérite	2,835	1,614	1,221	79	66	78	58	97	65
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	25	18	7	–	1	1	1	1	1
128	Nephritis—Néphrite	13	12	1	–	–	1	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	22	13	9	1	2	–	1	1	–
159	Malformations—Vices de conformation	439	238	201	20	22	28	11	21	16
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	37	17	20	1	–	1	–	2	4
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur	260	151	109	10	15	18	8	14	9
	(c) Others under this title—Autres sous ce titre	142	70	72	9	7	9	3	5	3
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	1,433	842	591	67	52	75	53	104	50
161a	Premature birth—Naissance prématurée	1,599	888	711	80	59	78	62	85	66
161b	Injury at birth—Conséquence de l'accouchement	481	307	174	19	13	32	19	24	18
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	526	318	208	21	19	24	20	28	23
	(a) Specified diseases—Affections spécifiées	475	284	191	18	18	19	17	21	22
	(b) Unspecified causes under 3 months—Causes non spécifiées au-dessous de 3 mois	51	34	17	3	1	5	3	7	1
175–203	External causes—Causes extérieures	50	30	20	2	2	7	2	1	2
	Other specified causes—Autres causes spécifiées	271	140	131	15	17	10	9	11	15
204, 205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	33	15	18	2	2	–	2	2	–

TABLEAU 20—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus), par certaines causes spécifiques et par mois, 1928—*suite*

Mois de décès																		No. liste int.
April — Avril		May — Mai		June — Juin		July — Juillet		August — Août		September — Septembre		October — Octobre		November — Novembre		December — Décembre		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
NOUVEAU-BRUNSWICK—fin																		
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	153
2	1	5	3	2	–	1	1	–	–	1	3	3	2	–	1	1	1	159
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159a
2	–	2	1	1	–	–	–	–	–	1	2	3	1	–	–	1	1	159b
–	1	3	2	1	–	1	1	–	–	–	1	–	1	–	1	–	–	159c
5	3	10	4	5	1	2	3	1	4	9	1	3	4	6	–	5	–	160
6	4	8	5	8	7	8	8	4	5	9	4	4	6	7	6	7	6	161a
1	1	1	1	2	1	2	1	1	1	–	–	–	3	3	1	1	1	161b
11	4	16	6	12	3	4	5	7	3	2	5	3	4	6	4	8	10	162
3	3	4	1	3	2	–	3	3	–	–	1	1	–	2	2	1	1	162a
8	1	12	5	9	1	4	2	4	3	2	4	2	4	4	2	7	9	162b
–	–	–	–	1	–	–	1	–	–	–	–	–	1	–	1	1	1	175–203
3	3	1	1	2	–	–	1	–	–	1	–	1	3	1	2	2	–	
3	1	3	4	–	5	2	–	4	4	4	2	5	7	1	–	5	2	204,205
QUÉBEC																		
545	**391**	**528**	**397**	**445**	**319**	**392**	**287**	**541**	**440**	**659**	**529**	**442**	**340**	**381**	**278**	**507**	**352**	
6	3	3	5	1	–	–	–	–	–	–	1	–	–	–	2	1	–	7
2	–	–	2	–	–	1	–	–	–	–	–	1	–	–	–	–	1	8
9	7	6	7	4	10	4	4	6	6	7	6	6	7	6	5	4	3	9
–	–	1	1	1	2	–	–	–	1	1	–	–	–	3	2	1	4	10
31	15	17	12	15	8	1	3	2	3	6	3	22	15	28	18	84	57	11
–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	16
3	2	1	2	1	1	1	–	–	2	4	1	1	1	1	2	–	–	21
–	1	–	–	1	1	–	–	–	1	–	–	–	1	1	–	–	–	22
1	–	1	2	2	1	–	1	1	1	2	1	–	1	–	–	2	1	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
4	–	1	3	3	2	3	1	1	1	4	1	2	2	–	1	1	2	31
1	2	3	–	2	2	–	–	1	1	–	1	1	–	–	1	1	2	32
4	4	1	–	1	–	1	–	–	–	1	1	–	–	3	–	–	–	33–37
3	2	7	4	2	5	2	–	3	2	5	1	3	1	3	4	2	3	38
1	1	3	1	6	–	4	4	1	3	3	3	3	–	1	1	1	1	41
2	–	2	–	5	1	1	1	3	2	2	2	3	3	2	1	2	1	56
1	1	–	–	–	–	1	–	1	–	–	–	–	1	1	–	–	1	62
1	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	70
15	9	9	9	11	5	7	10	7	11	15	15	6	2	7	10	4	11	71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
4	2	9	5	1	5	1	4	1	2	2	3	3	2	5	5	2	4	80
11	7	9	4	3	2	3	2	5	1	6	6	5	4	6	4	1	1	86
2	2	8	3	5	4	1	–	–	–	–	–	2	–	3	–	7	2	99
51	51	42	27	27	14	22	18	19	14	16	18	17	15	24	15	47	30	100
23	16	19	10	7	7	1	1	2	3	3	14	11	4	9	10	17	8	101
5	4	7	7	8	7	5	5	2	6	8	2	4	7	3	2	9	4	110–112
102	65	96	78	84	70	136	85	294	243	329	263	155	103	80	66	84	59	113
2	–	1	1	3	–	2	–	1	1	2	–	1	–	2	–	2	2	118
–	–	3	1	2	–	–	–	3	–	–	–	1	–	1	–	1	–	128
4	–	2	3	1	–	1	–	2	2	–	1	1	–	–	–	–	–	153
22	19	29	21	21	21	12	13	16	18	22	12	15	19	13	13	19	16	159
1	1	2	2	1	2	–	1	3	–	1	1	1	6	–	–	4	3	159a
17	9	19	10	12	12	7	7	7	11	14	8	13	5	8	7	12	8	159b
4	9	8	9	8	7	5	5	6	7	7	3	1	8	5	6	3	5	159c
82	58	83	56	70	53	57	43	44	39	78	61	56	46	57	37	69	43	160
86	67	79	76	82	66	72	60	61	53	65	58	63	60	64	33	73	51	161a
17	13	29	17	25	11	23	13	30	11	28	17	24	9	27	15	29	18	161b
29	22	37	24	37	8	20	12	21	10	32	19	24	22	22	16	23	13	162
26	18	33	23	32	7	18	11	21	10	30	18	22	20	22	15	22	12	162a
3	4	4	1	5	1	2	1	–	–	2	1	2	2	–	1	1	1	162b
3	3	1	2	2	–	4	3	5	–	2	1	–	2	1	2	2	1	175–203
18	13	18	14	9	12	6	4	7	3	13	12	10	12	6	8	17	12	
–	1	–	–	1	1	–	–	2	–	2	5	2	1	2	5	2	1	204,205

TABLE 20—Deaths of children (exclusive of stillbirths) from certain specified causes in first year of life by months, 1928—*con.*

Int. list No.	Causes of death — Causes de décès	Total under 1 year — Total moins de 1 an			Month of death					
					January — Janvier		February — Février		March — Mars	
		Total	M.	F.	M.	F.	M.	F.	M.	F.
	ONTARIO									
	All causes—Toutes causes	**4,880**	**2,735**	**2,145**	**235**	**172**	**218**	**145**	**272**	**194**
7	Measles—Rougeole	12	7	5	–	1	–	–	1	1
8	Scarlet fever—Scarlatine	4	–	4	–	–	–	–	–	–
9	Whooping-cough—Coqueluche	114	49	65	4	7	4	–	–	7
10	Diphtheria—Diphtérie	7	4	3	–	–	–	–	1	–
11	Influenza—Grippe	144	88	56	4	5	9	2	3	8
16	Dysentery—Dysenterie	2	1	1	–	–	–	–	–	–
21	Erysipelas—Érysipèle	24	13	11	1	–	–	2	1	1
22	Acute anterior poliomyelitis—Poliomyélite aiguë	3	1	2	–	–	–	1	1	1
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique	7	4	3	1	–	–	–	–	1
29	Tetanus—Tétanos	–	–	–	–	–	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	7	3	4	–	1	–	–	–	–
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	13	6	7	2	1	–	1	–	–
33–37	Tuberculosis, other forms—Tuberculose, autres formes	9	4	5	–	2	1	–	–	–
38	Syphilis	23	15	8	3	1	2	–	1	2
41	Purulent infection, septicaemia—Infection purulente, septicémie	21	9	12	–	1	1	–	–	1
56	Rickets—Rachitisme	35	19	16	3	2	3	1	1	1
62	Diseases of the thymus—Affections du thymus	55	35	20	4	2	1	2	4	2
70	Encephalitis—Encéphalite	6	4	2	–	–	–	1	–	–
71a	Simple meningitis—Méningite simple	35	17	18	3	1	–	3	4	3
71b	Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non épidémique	1	1	–	–	–	–	–	–	–
80	Convulsions	89	53	36	5	3	3	–	7	3
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	36	24	12	1	1	4	–	3	3
99	Bronchitis—Bronchite	29	14	15	–	1	1	1	1	2
100	Bronchopneumonia—Broncho-pneumonie	324	189	135	15	13	16	15	25	13
101	Pneumonia—Pneumonie	215	125	90	20	4	11	7	19	13
110–112	Diseases of the stomach—Affections de l'estomac	54	31	23	2	–	3	1	3	2
113	Diarrhoea and enteritis—Diarrhée et entérite	571	321	250	11	7	12	8	11	7
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	19	14	5	2	–	–	1	1	1
128	Nephritis—Néphrite	12	9	3	1	–	–	–	3	–
153	Acute abscess—Phlegmon, abcès chaud	9	5	4	–	–	–	1	1	–
159	Malformations—Vices de conformation	430	221	209	20	18	14	17	26	24
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	23	9	14	2	1	–	3	–	3
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur	205	115	90	11	9	8	8	16	11
	(c) Others under this title—Autres sous ce titre	202	97	105	7	8	6	6	10	10
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	341	198	143	16	11	17	12	24	10
161a	Premature birth—Naissance prématurée	1,477	811	666	74	63	69	42	81	59
161b	Injury at birth—Conséquence de l'accouchement	273	177	96	21	10	19	10	18	10
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	230	121	109	10	7	13	5	12	13
	(a) Specified diseases—Affections spécifiées	221	117	104	9	6	12	5	12	11
	(b) Unspecified causes under 3 months—Causes non spécifiées au-dessous de 3 mois	9	4	5	1	1	1	–	–	2
175–203	External causes—Causes extérieures	69	42	27	3	–	4	4	6	3
	Other specified causes—Autres causes spécifiées	166	91	75	8	9	9	8	13	3
204, 205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	14	9	5	1	1	2	–	1	–
	MANITOBA									
	All causes—Toutes causes	**972**	**533**	**439**	**43**	**36**	**53**	**28**	**54**	**48**
7	Measles—Rougeole	4	3	1	–	–	–	–	–	–
8	Scarlet fever—Scarlatine	–	–	–	–	–	–	–	–	–
9	Whooping-cough—Coqueluche	18	9	9	–	2	2	–	–	–
10	Diphtheria—Diphtérie	2	1	1	1	–	–	–	–	–
11	Influenza—Grippe	28	19	9	2	2	3	1	2	1
16	Dysentery—Dysenterie	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	5	4	1	–	–	–	1	1	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë	3	2	1	–	–	–	–	–	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique	3	2	1	–	–	–	–	–	–
29	Tetanus—Tétanos	–	–	–	–	–	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	7	2	5	–	–	–	1	–	–

TABLEAU 20—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus), par certaines causes spécifiques et par mois, 1928—*suite*

Mois de décès																		No. liste int.
April — Avril		May — Mai		June — Juin		July — Juillet		August — Août		September — Septembre		October — Octobre		November — Novembre		December — Décembre		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
ONTARIO																		
216	**171**	**240**	**190**	**217**	**170**	**187**	**144**	**171**	**177**	**258**	**198**	**263**	**192**	**208**	**179**	**250**	**213**	
–	1	1	1	–	–	–	–	1	–	–	–	1	–	–	1	3	–	7
–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	1	–	–	8
3	9	9	5	6	8	4	3	3	2	6	5	4	8	4	2	2	9	9
–	1	–	–	–	–	1	–	–	–	–	–	1	1	–	–	1	1	10
4	2	8	4	14	2	1	5	–	–	1	1	2	–	6	3	36	24	11
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	16
2	1	2	3	4	1	–	1	–	–	1	1	–	–	1	1	1	–	21
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
2	–	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
–	1	–	–	–	–	–	1	–	–	–	–	1	–	–	1	2	–	31
2	–	–	–	–	–	–	–	–	–	–	1	2	2	–	1	–	1	32
1	–	–	1	1	–	–	–	–	1	1	–	–	1	–	–	–	–	33–37
3	–	2	2	1	1	–	–	1	–	–	–	–	1	1	1	1	–	38
1	2	1	1	1	1	1	–	–	–	1	–	1	3	1	1	1	2	41
2	1	1	–	–	2	1	–	2	1	2	2	2	1	1	2	1	3	56
3	–	5	1	4	4	1	1	2	2	–	–	1	1	2	1	8	4	62
2	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	70
–	2	2	3	1	1	1	1	1	2	–	–	2	1	2	–	1	1	71a
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
5	5	7	3	5	5	6	3	3	2	–	1	3	5	3	5	6	1	80
1	2	1	2	1	1	–	1	2	–	3	–	3	1	3	1	2	–	86
4	1	4	2	1	2	–	–	–	2	–	–	–	1	2	1	1	2	99
19	12	17	17	22	11	7	8	7	2	9	9	12	8	18	10	22	17	100
8	13	10	10	10	8	7	2	3	5	7	5	8	10	3	5	19	8	101
4	2	3	1	1	1	4	6	3	1	–	4	4	2	3	3	1	–	110–112
9	9	7	9	11	10	17	11	49	51	101	72	55	39	22	25	16	2	113
1	–	3	1	–	–	2	–	1	1	1	–	–	–	1	–	2	1	118
2	–	–	–	1	–	1	1	–	–	–	–	–	1	–	–	1	1	128
1	1	2	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	153
19	16	16	16	17	19	19	16	15	19	13	12	27	16	22	18	13	18	159
3	1	–	–	–	2	2	1	–	–	1	–	1	2	–	1	–	–	159a
9	7	10	7	9	9	7	8	11	7	5	4	12	6	8	5	9	9	159b
7	8	6	9	8	8	10	7	4	12	7	8	14	8	14	12	4	9	159c
12	20	22	10	13	5	13	4	7	15	20	13	24	15	13	10	17	18	160
62	42	69	70	77	59	76	57	47	52	63	50	73	40	64	58	56	74	161a
16	8	18	7	7	8	9	3	13	5	10	9	15	10	10	11	21	5	161b
16	13	12	11	6	10	9	9	4	8	9	3	11	12	11	8	8	10	162
15	13	11	11	6	10	9	9	4	8	9	3	11	11	11	8	8	9	162a
1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	162b
3	1	4	–	3	4	1	2	2	1	3	2	5	2	5	4	3	4	175–203
8	5	12	8	8	6	5	6	5	4	5	8	5	8	9	4	4	6	
1	–	1	–	–	1	–	–	–	1	2	–	1	–	–	1	–	1	204, 205
MANITOBA																		
43	**45**	**41**	**40**	**43**	**41**	**39**	**19**	**36**	**33**	**42**	**41**	**47**	**34**	**29**	**31**	**63**	**43**	
–	1	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	–	–	3	–	1	1	–	–	1	2	–	2	1	1	–	1	1	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	10
1	1	2	–	3	1	–	–	–	1	–	–	–	2	2	–	4	–	11
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	21
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	22
–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
1	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	1	31

TABLE 20—Deaths of children (exclusive of stillbirths) from certain specified causes in first year of life by months, 1928—*con.*

Int. list No.	Causes of death — Causes de décès	Total under 1 year — Total moins de 1 an			Month of death — January — Janvier		February — Février		March — Mars	
		Total	M.	F.	M.	F.	M.	F.	M.	F.
	MANITOBA—con.									
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	10	6	4	–	–	1	–	2	1
33–37	Tuberculosis, other forms—Tuberculose, autres formes	–	–	–	–	–	–	–	–	–
38	Syphilis	7	4	3	1	–	–	1	1	–
41	Purulent infection, septicaemia—Infection purulente, septicémie	4	2	2	–	–	–	–	1	–
56	Rickets—Rachitisme	8	6	2	1	–	–	–	1	–
62	Diseases of the thymus—Affections du thymus	3	1	2	–	–	–	–	–	–
70	Encephalitis—Encéphalite	2	1	1	–	–	–	–	–	–
71a	Simple meningitis—Méningite simple	7	5	2	–	–	–	–	2	–
71b	Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non épidémique	–	–	–	–	–	–	–	–	–
80	Convulsions	16	12	4	3	1	1	–	1	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	7	3	4	–	3	–	–	1	–
99	Bronchitis—Bronchite	12	5	7	–	–	–	–	1	1
100	Bronchopneumonia—Broncho-pneumonie	87	48	39	6	4	4	2	5	8
101	Pneumonia—Pneumonie	48	24	24	3	1	4	2	2	5
110–112	Diseases of the stomach—Affections de l'estomac	11	6	5	1	–	–	–	–	–
113	Diarrhoea and enteritis—Diarrhée et entérite	105	48	57	1	2	8	–	2	3
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	8	4	4	–	–	1	–	1	2
128	Nephritis—Néphrite	1	–	1	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	2	2	–	–	–	–	–	–	–
159	Malformations—Vices de conformation	73	37	36	1	3	8	1	3	2
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	13	5	8	–	–	–	–	–	1
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur	31	15	16	–	2	5	–	3	1
	(c) Others under this title—Autres sous ce titre	29	17	12	1	1	3	1	–	–
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	71	42	29	6	4	3	3	–	3
161a	Premature birth—Naissance prématurée	258	143	115	11	8	9	10	16	12
161b	Injury at birth—Conséquence de l'accouchement	60	35	25	2	3	7	–	4	5
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	57	29	28	2	2	2	5	3	3
	(a) Specified diseases—Affections spécifiées	56	29	27	2	2	2	5	3	3
	(b) Unspecified causes under 3 months—Causes non spécifiées au-dessous de 3 mois	1	–	1	–	–	–	–	–	–
175–203	External causes—Causes extérieures	12	10	2	–	–	–	–	2	–
	Other specified causes—Autres causes spécifiées	27	15	12	2	–	–	1	3	2
204, 205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	6	3	3	–	1	–	–	–	–
	SASKATCHEWAN									
	All causes—Toutes causes	**1,370**	**779**	**591**	**67**	**51**	**68**	**46**	**89**	**64**
7	Measles—Rougeole	6	3	3	–	1	1	–	1	–
8	Scarlet fever—Scarlatine	1	1	–	–	–	–	–	–	–
9	Whooping-cough—Coqueluche	32	22	10	2	1	2	–	3	1
10	Diphtheria—Diphtérie	5	2	3	–	–	–	–	–	–
11	Influenza—Grippe	66	33	33	2	2	3	5	5	4
16	Dysentery—Dysenterie	–	–	–	–	–	–	–	–	–
21	Erysipelas—Erysipèle	7	2	5	–	1	1	–	1	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë	2	2	–	1	–	–	–	–	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique	2	1	1	–	–	–	–	–	–
29	Tetanus—Tétanos	1	1	–	–	–	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	4	2	2	1	2	1	–	–	–
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	5	3	2	–	–	–	–	1	–
33–37	Tuberculosis, other forms—Tuberculose, autres formes	1	1	–	–	–	–	–	–	–
38	Syphilis	8	5	3	1	1	1	–	–	–
41	Purulent infection, septicaemia—Infection purulente, septicémie	4	1	3	–	–	–	–	–	–
56	Rickets—Rachitisme	8	6	2	–	–	–	–	2	–
62	Diseases of the thymus—Affections du thymus	5	3	2	–	1	–	–	1	–
70	Encephalitis—Encéphalite	–	–	–	–	–	–	–	–	–
71a	Simple meningitis—Méningite simple	12	7	5	–	–	2	1	1	2
71b	Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non épidémique	–	–	–	–	–	–	–	–	–
80	Convulsions	36	24	12	3	–	2	–	4	2
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	–	–	–	–	–	–	–	–	–

TABLEAU 20—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus), par certaines causes spécifiques et par mois, 1928—*suite*

Mois de décès																							No. liste int.
April — Avril		May — Mai		June — Juin		July — Juillet		August — Août		September — Septembre		October — Octobre		November — Novembre		December — Décembre							
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.						
MANITOBA—fin																							
–	1	1	–	1	1	–	–	1	–	–	–	–	–	–	1	–	–						32
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–						33–37
1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–						38
–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–						41
–	–	1	–	–	1	–	–	2	–	–	–	1	–	–	–	–	1						56
–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1						62
–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–						70
–	–	–	1	1	–	1	–	–	–	–	–	1	–	–	1	–	–						71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–						71b
2	1	1	–	–	–	–	–	–	1	–	–	2	1	2	–	–	–						80
–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–						86
1	1	–	–	2	–	–	–	–	1	–	2	1	–	–	–	–	2						99
6	5	3	3	5	3	4	2	2	–	2	1	2	2	1	4	8	5						100
3	4	3	–	2	–	2	2	–	–	–	3	1	–	–	1	4	6						101
1	–	1	–	–	1	–	–	1	–	1	–	1	1	–	1	–	2						110–112
2	4	5	7	3	3	4	3	3	7	10	10	5	8	2	4	3	6						113
–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	1	–	–						118
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1						128
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–						153
3	3	1	4	4	3	5	5	2	6	2	1	3	5	3	3	2	–						159
1	–	1	–	–	1	1	1	–	2	–	1	–	2	1	–	1	–						159a
–	1	–	3	3	1	1	4	–	2	–	–	–	2	2	–	1	–						159b
2	2	–	1	1	1	3	–	2	2	2	–	3	1	–	3	–	–						159c
5	3	3	2	2	4	1	1	–	2	7	–	4	–	4	2	7	5						160
10	14	10	11	12	13	15	5	13	11	7	12	14	8	6	5	20	6						161a
2	2	2	3	2	4	2	–	7	–	4	3	–	2	2	1	1	2						161b
4	2	2	2	2	1	1	1	2	1	3	6	3	1	1	3	4	1						162
4	1	2	2	2	1	1	1	2	1	3	6	3	1	1	3	4	1						162a
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–						162b
–	1	–	–	1	–	–	–	1	–	1	–	4	–	–	–	1	1						175–203
1	1	1	–	–	2	1	–	1	1	–	2	1	1	1	2	4	–						
–	–	1	1	–	1	–	–	–	–	–	–	–	–	1	–	1	–						204, 205
SASKATCHEWAN																							
83	**61**	**63**	**51**	**52**	**42**	**55**	**42**	**50**	**46**	**50**	**36**	**55**	**52**	**60**	**32**	**87**	**68**						
–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1						7
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–						8
1	1	1	–	1	–	–	–	1	1	2	1	4	3	1	1	4	1						9
–	–	–	1	–	–	1	–	–	–	–	1	1	–	–	–	–	1						10
2	2	2	2	1	2	–	1	2	–	–	–	1	1	2	2	13	12						11
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–						16
–	–	–	1	–	–	–	1	–	–	–	–	–	2	–	–	–	–						21
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–						22
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–						24
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–						29
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–						31
–	1	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–						32
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–						33–37
–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	1	–	–						38
–	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	1						41
–	1	–	–	1	–	–	–	–	–	–	1	–	–	1	–	2	–						56
–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–						62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–						70
1	–	1	–	–	–	1	1	1	–	–	–	–	–	–	1	–	–						71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–						71b
–	2	3	1	1	1	–	2	2	–	3	–	1	3	2	–	3	1						80
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–						86

TABLE 20—Deaths of children (exclusive of stillbirths) from certain specified causes in first year of life by months, 1928—*con.*

Int. list No.	Causes of death — Causes de décès	Total under 1 year — Total moins de 1 an			Month of death					
					January — Janvier		February — Février		March — Mars	
		Total	M.	F.	M.	F.	M.	F.	M.	F.
	SASKATCHEWAN—con.									
99	Bronchitis—Bronchite	10	7	3	–	–	–	1	1	–
100	Bronchopneumonia—Broncho-pneumonie	109	65	44	10	3	9	10	9	4
101	Pneumonia—Pneumonie	68	33	35	5	6	3	2	7	3
110–112	Diseases of the stomach—Affections de l'estomac	18	6	12	–	3	–	2	–	–
113	Diarrhoea and enteritis—Diarrhée et entérite	128	77	51	6	2	4	1	6	3
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	7	6	1	–	–	1	–	–	–
128	Nephritis—Néphrite	–	–	–	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	2	2	–	–	–	–	–	–	–
159	Malformations—Vices de conformation	100	53	47	4	5	3	2	8	7
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	4	2	2	–	1	–	–	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur	53	28	25	1	3	3	2	4	3
	(c) Others under this title—Autres sous ce titre	43	23	20	3	1	–	–	4	4
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	135	75	60	6	2	6	3	6	4
161a	Premature birth—Naissance prématurée	379	208	171	16	17	17	8	17	19
161b	Injury at birth—Conséquence de l'accouchement	73	49	24	3	–	6	2	4	5
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	85	50	35	4	1	4	7	9	8
	(a) Specified diseases—Affections spécifiées	68	40	28	4	1	1	3	4	7
	(b) Unspecified causes under 3 months—Causes non spécifiées au-dessous de 3 mois	17	10	7	–	–	3	4	5	1
175–203	External causes—Causes extérieures	16	9	7	1	2	1	–	–	–
	Other specified causes—Autres causes spécifiées	30	18	12	2	1	1	1	3	1
204, 205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	5	2	3	–	–	–	1	–	1
	ALBERTA									
	All causes—Toutes causes	**1,200**	**709**	**491**	**51**	**49**	**66**	**40**	**67**	**46**
7	Measles—Rougeole	7	2	5	–	–	–	–	–	1
8	Scarlet fever—Scarlatine	3	1	2	1	1	–	–	–	–
9	Whooping-cough—Coqueluche	24	11	13	1	–	1	1	–	1
10	Diphtheria—Diphtérie	4	2	2	–	–	–	–	–	2
11	Influenza—Grippe	50	34	16	3	2	1	1	6	1
16	Dysentery—Dysenterie	1	1	–	–	–	–	–	–	–
21	Erysipelas—Erysipèle	10	6	4	–	–	–	–	1	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë	2	1	1	–	–	–	–	–	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique	5	3	2	2	–	–	–	–	–
29	Tetanus—Tétanos	–	–	–	–	–	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	8	5	3	–	–	–	–	–	–
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	8	4	4	1	2	–	1	1	–
33–37	Tuberculosis, other forms—Tuberculose, autres formes	–	–	–	–	–	–	–	–	–
38	Syphilis	5	5	–	–	–	1	–	–	–
41	Purulent infection, septicaemia—Infection purulente, septicémie	3	2	1	–	–	–	–	–	–
56	Rickets—Rachitisme	10	5	5	–	2	–	1	–	–
62	Diseases of the thymus—Affections du thymus	7	5	2	1	–	–	–	–	–
70	Encephalitis—Encéphalite	1	–	1	–	–	–	–	–	–
71a	Simple meningitis—Méningite simple	6	3	3	–	–	1	–	1	–
71b	Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non épidémique	–	–	–	–	–	–	–	–	–
80	Convulsions	30	17	13	1	3	2	–	–	2
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	3	3	–	–	–	2	–	–	–
99	Bronchitis—Bronchite	9	4	5	–	1	–	–	2	1
100	Bronchopneumonia—Broncho-pneumonie	82	44	38	4	8	4	4	8	4
101	Pneumonia—Pneumonie	72	41	31	2	5	7	3	6	2
110–112	Diseases of the stomach—Affections de l'estomac	7	3	4	2	1	–	–	–	–
113	Diarrhoea and enteritis—Diarrhée et entérite	99	63	36	2	1	5	1	3	5
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	17	15	2	2	–	2	–	1	–
128	Nephritis—Néphrite	3	2	1	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	1	1	–	–	–	–	–	–	–
159	Malformations—Vices de conformation	88	55	33	3	4	5	3	2	4
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	8	5	3	–	–	–	–	1	1
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur	44	28	16	2	2	–	2	1	3
	(c) Others under this title—Autres sous ce titre	36	22	14	1	2	5	1	–	–

TABLEAU 20—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus), par certaines causes spécifiques et par mois, 1928—*suite*

Mois de décès																								No. liste int.
April — Avril		May — Mai		June — Juin		July — Juillet		August — Août		September — Septembre		October — Octobre		November — Novembre		December — Décembre								
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.							
SASKATCHEWAN—fin																								
1	–	–	–	–	–	1	–	–	–	1	1	–	–	1	–	2	1							99
5	8	8	4	–	3	3	4	3	–	2	–	4	1	2	3	10	4							100
1	4	–	5	1	1	2	–	–	4	1	1	2	3	6	1	5	5							101
4	1	1	1	–	1	–	1	–	1	–	–	1	2	–	–	–	–							110–112
6	4	4	5	7	5	5	9	11	7	13	7	3	2	4	1	8	5							113
–	–	–	–	1	–	2	–	–	–	–	–	–	–	1	–	1	1							118
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							128
–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–							153
7	5	3	8	5	6	7	–	3	2	4	3	2	1	3	3	4	5							159
1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–							159a
4	3	2	4	5	3	2	–	2	1	2	1	1	1	–	–	2	4							159b
2	2	1	4	–	2	5	–	1	1	2	2	–	–	3	3	2	1							159c
11	6	8	6	6	5	5	3	5	6	2	5	9	6	5	6	6	8							160
28	19	17	12	14	16	16	14	18	19	13	6	15	19	20	9	17	13							161a
7	2	4	3	3	–	5	2	2	2	4	5	2	1	5	1	4	1							161b
5	2	6	1	4	–	–	1	1	3	4	1	3	4	4	2	6	5							162
5	2	5	–	4	–	–	1	1	3	4	1	3	3	4	2	5	5							162a
–	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–							162b
–	1	–	–	1	1	4	2	–	–	–	1	–	–	2	–	–	–							175–203
3	2	4	1	1	1	1	–	1	–	–	1	1	–	–	1	1	3							
–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–							204,205
ALBERTA																								
70	**47**	**64**	**52**	**51**	**30**	**44**	**33**	**55**	**28**	**58**	**36**	**57**	**37**	**52**	**34**	**74**	**59**							
–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	3							7
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–							8
1	1	2	–	–	2	–	1	3	1	2	1	–	2	–	–	1	3							9
–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–							10
3	1	1	2	1	–	3	3	1	–	–	–	1	–	2	1	12	5							11
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–							16
–	–	3	1	–	2	–	–	1	–	–	–	–	1	–	–	1	–							21
–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–							22
1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–							24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							29
1	1	1	–	1	–	–	–	–	–	1	–	–	1	–	–	1	1							31
1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–							32
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							33–37
–	–	1	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–							38
–	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–							41
1	–	1	–	1	–	2	–	–	–	–	1	–	–	–	–	–	1							56
1	–	1	1	–	–	1	–	–	1	–	–	–	–	–	–	1	–							62
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–							70
–	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1							71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							71b
2	3	1	1	3	–	1	1	1	1	2	–	2	–	–	1	2	1							80
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							86
1	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	1							99
8	1	2	5	1	–	–	2	–	2	3	2	1	–	3	5	10	5							100
3	4	3	4	1	1	1	2	–	1	4	1	2	3	5	2	7	3							101
–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	1	–	–							110–112
4	2	3	7	7	4	7	2	10	4	8	4	10	2	2	1	2	3							113
5	–	1	2	2	–	–	–	1	–	–	–	–	–	–	–	1	–							118
–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–							128
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–							153
2	3	6	4	7	–	4	1	4	3	5	3	5	4	7	1	5	3							159
–	–	1	–	–	–	–	–	1	–	–	–	–	1	–	–	2	1							159a
1	3	3	2	5	–	3	1	1	1	4	1	2	1	4	–	2	–							159b
1	–	2	2	2	–	1	–	2	2	1	2	3	2	3	1	1	2							159c

TABLE 20—Deaths of children (exclusive of stillbirths) from certain specified causes in first year of life by months, 1928—*con.*

Int. list No.	Causes of death — Causes de décès	Total under 1 year — Total moins de 1 an			Month of death					
					January — Janvier		February — Février		March — Mars	
		Total	M.	F.	M.	F.	M.	F.	M.	F.
	ALBERTA—con.									
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	80	50	30	4	2	3	2	5	1
161a	Premature birth—Naissance prématurée	352	193	159	15	12	15	14	16	13
161b	Injury at birth—Conséquence de l'accouchement	46	29	17	3	1	5	1	4	1
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	94	56	38	2	4	7	3	8	5
	(a) Specified diseases—Affections spécifiées	55	32	23	1	3	3	–	5	3
	(b) Unspecified causes under 3 months—Causes non spécifiées au-dessous de 3 mois	39	24	15	1	1	4	3	3	2
175-203	External causes—Causes extérieures	16	9	7	–	–	–	–	–	–
	Other specified causes—Autres causes spécifiées	44	33	11	2	–	5	4	3	3
204, 205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	3	1	2	–	–	–	1	–	–
	BRITISH COLUMBIA									
	All causes—Toutes causes	**524**	**285**	**239**	**24**	**19**	**31**	**23**	**39**	**22**
7	Measles—Rougeole	1	1	–	–	–	1	–	–	–
8	Scarlet fever—Scarlatine	–	–	–	–	–	–	–	–	–
9	Whooping-cough—Coqueluche	7	4	3	–	1	–	–	–	–
10	Diphtheria—Diphtérie	1	–	1	–	–	–	–	–	–
11	Influenza—Grippe	12	6	6	1	–	–	–	3	1
16	Dysentery—Dysenterie	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	1	1	–	–	–	–	–	–	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë	1	1	–	–	–	–	–	–	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique	2	2	–	–	–	–	–	1	–
29	Tetanus—Tétanos	–	–	–	–	–	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	6	3	3	–	–	–	1	–	1
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	5	2	3	–	–	–	–	1	–
33-37	Tuberculosis, other forms—Tuberculose, autres formes	1	–	1	–	–	–	–	–	–
38	Syphilis	5	2	3	–	–	–	–	1	1
41	Purulent infection, septicaemia—Infection purulente, septicémie	–	–	–	–	–	–	–	–	–
56	Rickets—Rachitisme	–	–	–	–	–	–	–	–	–
62	Diseases of the thymus—Affections du thymus	13	8	5	1	1	1	2	2	–
70	Encephalitis—Encéphalite	–	–	–	–	–	–	–	–	–
71a	Simple meningitis—Méningite simple	4	2	2	–	–	–	–	–	1
71b	Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non épidémique	–	–	–	–	–	–	–	–	–
80	Convulsions	6	5	1	1	–	–	–	–	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	8	5	3	1	–	1	3	1	–
99	Bronchitis—Bronchite	6	2	4	–	–	1	1	–	–
100	Bronchopneumonia—Broncho-pneumonie	24	10	14	1	2	3	1	1	2
101	Pneumonia—Pneumonie	34	17	17	2	–	3	2	1	2
110-112	Diseases of the stomach—Affections de l'estomac	8	6	2	–	–	–	–	1	–
113	Diarrhoea and enteritis—Diarrhée et entérite	21	12	9	–	1	–	–	2	–
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	3	1	2	–	1	–	–	–	–
128	Nephritis—Néphrite	–	–	–	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	–	–	–	–	–	–	–	–	–
159	Malformations—Vices de conformation	56	33	23	2	2	4	6	3	3
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	2	2	–	–	–	–	–	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur	32	15	17	2	1	2	4	2	3
	(c) Others under this title—Autres sous ce titre	22	16	6	–	1	2	2	1	–
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	35	20	15	4	2	2	–	1	1
161a	Premature birth—Naissance prématurée	152	78	74	7	3	4	5	10	6
161b	Injury at birth—Conséquence de l'accouchement	29	16	13	–	3	3	1	5	1
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	47	26	21	3	–	4	1	2	2
	(a) Specified diseases—Affections spécifiées	37	19	18	1	–	3	1	1	2
	(b) Unspecified causes under 3 months—Causes non spécifiées au-dessous de 3 mois	10	7	3	2	–	1	–	1	–
175-203	External causes—Causes extérieures	5	2	3	–	–	1	–	–	–
	Other specified causes—Autres causes spécifiées	25	15	10	1	2	3	–	3	1
204, 205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	6	5	1	–	1	–	–	1	–

TABLEAU 20—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus), par certaines causes spécifiques et par mois, 1928—*fin*

Mois de décès																		No. liste int.
April — Avril		May — Mai		June — Juin		July — Juillet		August — Août		September — Septembre		October — Octobre		November — Novembre		December — Décembre		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
ALBERTA—fin																		
5	1	2	3	5	1	5	2	6	2	4	2	3	5	6	3	2	6	160
19	15	20	12	11	13	12	13	15	9	15	15	25	11	15	14	15	18	161a
4	1	3	5	2	2	1	1	1	3	1	2	3	–	1	–	1	–	161b
5	6	6	–	5	1	1	1	6	1	5	3	1	7	3	3	7	4	162
3	5	4	–	4	1	–	–	2	–	3	2	1	5	2	2	4	2	162a
2	1	2	–	1	–	1	1	4	1	2	1	–	2	1	1	3	2	162b
1	–	–	1	1	2	1	2	2	–	1	–	1	–	1	1	1	1	175–203
2	3	4	–	–	–	4	–	3	–	2	–	1	–	4	1	3	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	204,205
COLOMBIE BRITANNIQUE																		
33	**25**	**19**	**17**	**14**	**23**	**19**	**19**	**16**	**16**	**20**	**22**	**25**	**15**	**23**	**20**	**22**	**18**	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	–	1	1	–	1	–	–	1	–	1	–	1	–	–	–	–	–	9
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	10
1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	3	11
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	21
–	–	–	–	–	–	–	–	–	–		–	1	–	–	–	–	–	22
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
1	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–	31
–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	1	32
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	33–37
–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	41
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	56
2	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70
–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
1	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	1	–	80
–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	86
1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	99
4	4	–	2	–	1	–	–	1	–	–	–	–	–	–	2	–	–	100
4	1	–	2	1	2	–	2	1	1	–	2	2	–	1	–	2	3	101
2	–	1	–	–	–	1	1	1	–	–	–	–	1	–	–	–	–	110–112
1	–	–	–	–	–	–	–	2	3	2	3	2	–	1	1	2	1	113
1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	118
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	128
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	153
4	1	3	1	1	1	2	2	2	1	4	1	2	2	5	2	1	1	159
–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	159a
1	1	–	–	–	1	1	2	–	–	3	–	1	2	3	2	–	1	159b
3	–	3	1	–	–	1	–	2	1	1	1	–	–	2	–	1	–	159c
–	1	–	–	3	3	2	1	1	2	–	1	2	1	5	2	–	1	160
5	10	5	4	2	6	7	8	5	6	10	9	7	4	6	9	10	4	161a
–	1	1	–	1	3	2	1	1	–	–	1	1	1	1	1	1	–	161b
3	3	5	6	2	1	1	1	–	2	1	1	2	2	3	1	–	1	162
3	3	4	5	–	1	1	1	–	2	1	–	2	2	3	1	–	–	162a
–	–	1	1	2	–	–	–	–	–	–	1	–	–	–	–	–	1	162b
–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	1	–	175–203
3	–	1	–	–	1	–	–	–	1	–	2	3	2	–	–	1	1	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	2	–	204,205

TABLE 21—Deaths of children (exclusive of stillbirths) from certain specified causes in first year of life, by ages, 1928

CANADA [1]

Int. list No.	Causes of death — Causes de décès	Total under 1 year — Total moins de 1 an			Age at death: Under 1 day — Moins d'un jour		1 day and under 1 week — Un jour et moins d'une semaine		1 week and under 2 weeks — 1 semaine et moins de 2		2 weeks and under 3 weeks — 2 semaines et moins de 3		3 weeks and under 1 month — 3 semaines et moins de 1 mois	
		Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	All causes—Toutes causes	**21,195**	**12,026**	**9,169**	**2,298**	**1,735**	**1,964**	**1,485**	**704**	**505**	**504**	**348**	**461**	**345**
7	Measles—Rougeole	89	50	39	–	–	–	–	2	–	–	–	–	1
8	Scarlet fever—Scarlatine	25	12	13	–	–	–	–	–	–	–	–	–	–
9	Whooping-cough—Coqueluche	469	230	239	–	–	–	–	1	–	4	7	7	8
10	Diphtheria—Diphtérie	48	22	26	–	–	1	–	–	1	1	–	–	–
11	Influenza—Grippe	831	500	331	–	–	8	6	13	14	19	12	18	15
16	Dysentery—Dysenterie	6	3	3	–	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	91	45	46	–	–	–	–	3	1	4	4	8	4
22	Acute anterior poliomyelitis—Poliomyélite aiguë	21	10	11	–	–	–	–	–	–	–	–	–	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique	51	29	22	–	–	–	–	–	–	1	–	–	–
29	Tetanus—Tétanos	1	1	–	–	–	–	–	–	–	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	83	44	39	–	–	2	–	1	1	–	–	–	–
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	79	41	38	–	–	–	–	–	–	1	–	1	–
33–37	Tuberculosis, other forms—Tuberculose, autres formes	32	20	12	–	–	–	–	–	–	–	–	1	–
38	Syphilis	129	81	48	1	1	6	1	3	4	3	2	6	4
41	Purulent infection, septicaemia—Infection purulente, septicémie	92	51	41	–	–	1	4	7	5	7	1	4	2
56	Rickets—Rachitisme	108	68	40	–	–	–	–	–	1	2	–	–	1
62	Diseases of the thymus—Affections du thymus	100	62	38	2	3	15	8	6	–	2	3	3	–
70	Encephalitis—Encéphalite	14	10	4	–	–	1	–	–	–	–	–	1	–
71a	Simple meningitis—Méningite simple	300	149	151	–	1	12	5	9	7	7	9	2	8
71b	Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non épidémique	1	1	–	–	–	–	–	–	–	–	–	–	–
80	Convulsions	348	208	140	5	3	45	29	13	4	9	10	5	6
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	176	105	71	–	–	1	–	3	1	2	1	7	1
99	Bronchitis—Bronchite	127	71	56	–	–	2	2	5	2	3	1	6	5
100	Bronchopneumonia—Broncho-pneumonie	1,416	801	615	–	–	20	17	27	10	22	16	27	19
101	Pneumonia—Pneumonie	793	450	343	1	2	19	19	16	11	11	6	17	10
110–112	Diseases of the stomach—Affections de l'estomac	243	132	111	–	–	4	4	9	8	5	2	8	6
113	Diarrhoea and enteritis—Diarrhée et entérite	3,899	2,228	1,671	1	2	32	16	52	36	71	52	95	65
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	88	64	24	–	–	7	3	2	–	2	1	2	1
128	Nephritis—Néphrite	34	27	7	–	–	1	–	1	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	39	24	15	–	–	–	1	2	1	5	2	3	2
159	Malformations—Vices de conformation	1,299	702	597	140	133	222	180	68	60	39	33	42	25
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	90	43	47	13	20	8	8	1	3	1	2	1	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur	686	390	296	92	62	148	107	32	30	21	12	20	8
	(c) Others under this title—Autres sous ce titre	523	269	254	35	51	66	65	35	27	17	19	21	17
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	2,338	1,372	966	241	173	321	228	147	102	91	50	76	50
161a	Premature birth—Naissance prématurée	4,579	2,500	2,079	1,236	962	690	628	197	158	133	91	86	81
161b	Injury at birth—Conséquence de l'accouchement	1,017	644	373	314	195	263	145	39	22	13	3	5	2
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	1,276	734	542	321	237	245	160	49	41	27	23	13	17
	(a) Specified diseases—Affections spécifiées	990	570	420	277	206	196	127	31	29	17	18	6	11
	(b) Unspecified causes under 3 months—Causes non spécifiées au-dessous de 3 mois	286	164	122	44	31	49	33	18	12	10	5	7	6
175–203	External causes—Causes extérieures	192	112	80	23	15	6	8	1	2	1	2	3	3
	Other causes specified—Autres causes spécifiées	609	338	271	10	6	33	18	26	13	18	16	15	9
204, 205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	152	85	67	3	2	7	3	2	–	2	–	–	–

[1] Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

NOTE—For fuller list of causes of infant deaths see Table 31. Voir au tableau 31 pour une liste plus détaillée des causes de mortalité infantile.

TABLEAU 21—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus), par âge et par certaines causes spécifiques, 1928

CANADA [1]

Âge au moment du décès																						No. liste int.
1 month and under 2 months — 1 mois et moins de 2		2 months and under 3 months — 2 mois et moins de 3		3 months and under 4 months — 3 mois et moins de 4		4 months and under 5 months — 4 mois et moins de 5		5 months and under 6 months — 5 mois et moins de 6		6 months and under 7 months — 6 mois et moins de 7		7 months and under 8 months — 7 mois et moins de 8		8 months and under 9 months — 8 mois et moins de 9		9 months and under 10 months — 9 mois et moins de 10		10 months and under 11 months — 10 mois et moins de 11		11 months and under 12 months — 11 mois et moins de 12		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
1,180	**830**	**1,003**	**735**	**754**	**631**	**579**	**483**	**493**	**419**	**475**	**356**	**387**	**291**	**363**	**311**	**320**	**256**	**296**	**239**	**245**	**200**	
2	2	2	3	1	1	4	4	3	5	3	–	8	6	6	5	8	2	6	5	5	5	7
2	1	–	1	–	1	–	1	1	1	1	–	1	2	3	2	1	1	3	1	–	2	8
39	35	27	28	34	32	22	17	19	27	20	17	17	14	17	20	7	11	4	12	12	11	9
–	2	1	1	–	–	1	1	1	1	2	2	–	3	1	5	2	2	7	3	5	5	10
66	28	60	53	58	28	39	30	37	22	37	22	29	17	30	25	33	13	29	27	24	19	11
–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	1	–	–	1	1	–	–	16
9	10	6	6	4	4	–	5	1	4	4	2	1	1	2	2	1	1	2	2	–	–	21
1	–	–	1	–	–	1	–	–	–	1	–	–	1	1	1	1	4	3	3	2	1	22
1	–	1	3	2	4	4	1	2	2	5	–	3	4	4	2	2	2	5	3	–	–	24
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
5	3	4	2	2	7	2	1	4	2	4	1	6	5	6	6	1	6	3	4	4	1	31
3	4	3	1	4	2	2	6	5	3	3	1	6	6	–	–	3	5	7	6	3	4	32
1	–	2	–	3	2	–	4	1	–	1	–	1	1	2	–	3	1	2	2	3	2	33–37
21	11	8	10	16	5	9	2	–	2	3	2	–	1	2	–	1	1	1	2	1	–	38
5	8	6	7	4	3	1	1	3	1	6	5	1	1	1	–	2	–	1	–	2	3	41
8	4	7	5	7	1	5	8	8	5	8	3	5	4	3	2	5	1	6	3	4	2	56
8	3	7	6	8	7	2	–	3	3	1	1	2	2	1	2	–	–	2	–	–	–	62
1	2	2	1	–	–	1	–	–	–	–	1	–	–	2	–	1	–	–	–	1	–	70
11	8	14	14	20	14	10	12	10	15	14	12	9	11	14	13	3	5	7	7	7	10	71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	71b
22	15	21	10	10	12	20	7	8	7	10	11	9	4	7	4	8	5	8	11	8	2	80
8	8	21	10	17	15	6	6	8	2	10	3	6	6	3	3	4	8	4	5	5	2	86
5	11	8	7	11	8	7	4	5	3	2	4	5	2	4	2	3	1	3	2	2	2	99
82	66	90	91	81	52	62	48	59	48	73	40	62	42	55	41	55	48	46	40	40	37	100
50	38	58	36	46	33	34	31	41	21	26	23	19	29	42	34	23	21	23	16	24	13	101
25	13	20	20	20	16	6	4	6	8	8	8	9	6	–	5	4	4	6	2	2	5	110–112
343	217	366	226	239	229	241	195	181	151	162	141	125	87	105	93	92	77	70	42	53	42	113
7	2	1	–	7	2	6	2	7	3	6	3	3	2	5	2	3	1	6	1	–	1	118
3	–	6	1	3	2	–	–	1	–	3	1	2	–	2	1	1	–	3	2	1	–	128
4	2	–	–	2	1	3	–	1	3	–	2	1	–	1	1	1	–	–	–	1	–	153
67	41	33	21	21	28	16	19	6	15	12	11	7	8	9	7	7	9	4	5	9	2	159
2	1	4	2	2	2	2	3	–	–	4	2	–	2	–	–	2	1	1	–	2	1	159a
29	16	19	10	7	11	5	7	1	9	3	6	4	5	4	2	2	6	1	4	2	1	159b
36	24	10	9	12	15	9	9	5	6	5	3	3	1	5	5	3	2	2	1	5	–	159c
203	117	125	81	66	60	30	31	27	25	13	12	11	11	7	13	9	5	4	5	1	3	160
98	92	33	34	13	12	4	10	3	1	3	5	2	1	1	1	1	3	–	–	–	–	161a
8	5	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	161b
35	32	25	19	7	7	3	2	5	–	2	2	–	1	–	–	1	1	1	–	–	–	162
19	11	8	6	6	6	2	2	5	–	2	2	–	1	–	–	1	1	–	–	–	–	162a
16	21	17	13	1	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	162b
5	11	10	8	7	8	7	4	6	1	2	5	12	–	4	1	11	3	6	5	8	4	175–203
30	35	29	24	20	22	23	23	21	28	20	11	21	8	20	11	18	10	18	17	16	20	
2	4	7	4	17	13	8	4	10	10	10	4	4	5	3	6	5	5	5	5	–	2	204,205

TABLE 21—Deaths of children (exclusive of stillbirths) from certain specified causes in first year of life, by ages, 1928—*con.*

PRINCE EDWARD ISLAND

Int. list No.	Causes of death — Causes de décès	Total under 1 year — Total moins de 1 an			Age at death									
					Under 1 day — Moins d'un jour		1 day and under 1 week — Un jour et moins d'une semaine		1 week and under 2 weeks — 1 semaine et moins de 2		2 weeks and under 3 weeks — 2 semaines et moins de 3		3 weeks and under 1 month — 3 semaines et moins de 1 mois	
		Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	All causes—Toutes causes	**92**	**50**	**42**	**3**	**10**	**10**	**8**	**2**	**4**	**1**	**2**	**1**	**1**
7	Measles—Rougeole	1	–	1	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever—Scarlatine	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping-cough—Coqueluche	1	1	–	–	–	–	–	–	–	–	–	–	–
10	Diphtheria—Diphtérie	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza—Grippe	3	2	1	–	–	–	–	–	–	–	–	–	–
16	Dysentery—Dysenterie	–	–	–	–	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique	–	–	–	–	–	–	–	–	–	–	–	–	–
29	Tetanus—Tétanos	–	–	–	–	–	–	–	–	–	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	1	1	–	–	–	–	–	–	–	–	–	–	–
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	–	–	–	–	–	–	–	–	–	–	–	–	–
33–37	Tuberculosis, other forms—Tuberculose, autres formes	–	–	–	–	–	–	–	–	–	–	–	–	–
38	Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
41	Purulent infection, septicaemia—Infection purulente, septicémie	–	–	–	–	–	–	–	–	–	–	–	–	–
56	Rickets—Rachitisme	1	–	1	–	–	–	–	–	1	–	–	–	–
62	Diseases of the thymus—Affections du thymus	–	–	–	–	–	–	–	–	–	–	–	–	–
70	Encephalitis—Encéphalite	–	–	–	–	–	–	–	–	–	–	–	–	–
71a	Simple meningitis—Méningite simple	2	2	–	–	–	–	–	1	–	–	–	–	–
71b	Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non épidémique	–	–	–	–	–	–	–	–	–	–	–	–	–
80	Convulsions	6	5	1	1	–	–	–	–	–	–	–	–	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	1	–	1	–	–	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite	–	–	–	–	–	–	–	–	–	–	–	–	–
100	Bronchopneumonia—Broncho-pneumonie	2	2	–	–	–	–	–	–	–	–	–	–	–
101	Pneumonia—Pneumonie	10	8	2	–	–	–	–	1	–	–	1	1	–
110–112	Diseases of the stomach—Affections de l'estomac	3	2	1	–	–	–	–	–	–	–	–	–	–
113	Diarrhoea and enteritis—Diarrhée et entérite	5	3	2	–	–	–	–	–	–	–	–	–	–
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	–	–	–	–	–	–	–	–	–	–	–	–	–
128	Nephritis—Néphrite	–	–	–	–	–	–	–	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Malformations—Vices de conformation	8	3	5	–	2	1	1	–	1	–	–	–	–
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	–	–	–	–	–	–	–	–	–	–	–	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur	6	1	5	–	2	1	1	–	1	–	–	–	–
	(c) Others under this title—Autres sous ce titre	2	2	–	–	–	–	–	–	–	–	–	–	–
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	10	4	6	1	–	1	3	–	1	–	–	–	–
161a	Premature birth—Naissance prématurée	11	3	8	–	5	3	2	–	1	–	–	–	–
161b	Injury at birth—Conséquence de l'accouchement	5	3	2	–	1	3	1	–	–	–	–	–	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	15	5	10	1	2	1	1	–	–	1	1	–	1
	(a) Specified diseases—Affections spécifiées	6	3	3	1	2	1	–	–	–	–	1	–	–
	(b) Unspecified causes under 3 months—Causes non spécifiées au-dessous de 3 mois	9	2	7	–	–	–	1	–	–	1	–	–	1
175–203	External causes—Causes extérieures	1	1	–	–	–	–	–	–	–	–	–	–	–
	Other specified causes—Autres causes spécifiées	–	–	–	–	–	–	–	–	–	–	–	–	–
204,205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	6	5	1	–	–	1	–	–	–	–	–	–	–

TABLEAU 21—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus), par âge et par certaines causes spécifiques, 1928—*suite*

ÎLE DU PRINCE-ÉDOUARD

Âge au moment du décès																						No. liste int.
1 month and under 2 months — 1 mois et moins de 2		2 months and under 3 months — 2 mois et moins de 3		3 months and under 4 months — 3 mois et moins de 4		4 months and under 5 months — 4 mois et moins de 5		5 months and under 6 months — 5 mois et moins de 6		6 months and under 7 months — 6 mois et moins de 7		7 months and under 8 months — 7 mois et moins de 8		8 months and under 9 months — 8 mois et moins de 9		9 months and under 10 months — 9 mois et moins de 10		10 months and under 11 months — 10 mois et moins de 11		11 months and under 12 months — 11 mois et moins de 12		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
6	5	8	2	3	2	–	–	5	3	1	1	1	2	–	–	2	2	4	–	3	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	11
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	31
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	33–37
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	41
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	56
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	80
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	86
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	99
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	100
2	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	101
–	–	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	110–112
–	–	1	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	113
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	118
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	128
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	153
1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	159
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159a
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	159b
1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	159c
–	–	2	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	160
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161b
1	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162a
–	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	175–203
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	2	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	204, 205

TABLE 21—Deaths of children (exclusive of stillbirths) from certain specified causes in first year of life, by ages, 1928—*con.*

NOVA SCOTIA

Int. list No.	Causes of death — Causes de décès	Total under 1 year — Total moins de 1 an			Age at death: Under 1 day — Moins d'un jour		1 day and under 1 week — Un jour et moins d'une semaine		1 week and under 2 weeks — 1 semaine et moins de 2		2 weeks and under 3 weeks — 2 semaines et moins de 3		3 weeks and under 1 month — 3 semaines et moins de 1 mois	
		Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	All causes—Toutes causes	**865**	**480**	**385**	**78**	**69**	**92**	**71**	**26**	**20**	**31**	**18**	**14**	**8**
7	Measles—Rougeole	8	3	5	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever—Scarlatine	2	1	1	–	–	–	–	–	–	–	–	–	–
9	Whooping-cough—Coqueluche	49	22	27	–	–	–	–	1	–	2	1	–	–
10	Diphtheria—Diphtérie	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza—Grippe	16	12	4	–	–	–	–	1	–	–	–	–	–
16	Dysentery—Dysenterie	–	–	–	–	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique	2	–	2	–	–	–	–	–	–	–	–	–	–
29	Tetanus—Tétanos	–	–	–	–	–	–	–	–	–	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	4	1	3	–	–	–	–	–	–	–	–	–	–
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	6	3	3	–	–	–	–	–	–	–	–	–	–
33–37	Tuberculosis, other forms—Tuberculose, autres formes	2	2	–	–	–	–	–	–	–	–	–	–	–
38	Syphilis	8	5	3	–	–	2	–	–	–	–	–	–	1
41	Purulent infection, septicaemia—Infection purulente, septicémie	–	–	–	–	–	–	–	–	–	–	–	–	–
56	Rickets—Rachitisme	–	–	–	–	–	–	–	–	–	–	–	–	–
62	Diseases of the thymus—Affections du thymus	2	1	1	–	–	–	–	–	–	–	–	–	–
70	Encephalitis—Encéphalite	–	–	–	–	–	–	–	–	–	–	–	–	–
71a	Simple meningitis—Méningite simple	4	3	1	–	–	–	–	–	–	–	–	–	–
71b	Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non épidémique	–	–	–	–	–	–	–	–	–	–	–	–	–
80	Convulsions	66	43	23	–	1	9	5	–	–	5	3	–	1
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	1	1	–	–	–	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite	2	–	2	–	–	–	–	–	–	–	–	–	–
100	Bronchopneumonia—Broncho-pneumonie	70	38	32	–	–	–	–	–	1	1	–	–	–
101	Pneumonia—Pneumonie	56	34	22	–	–	1	–	1	–	1	–	5	1
110–112	Diseases of the stomach—Affections de l'estomac	10	6	4	–	–	–	–	–	–	–	–	–	–
113	Diarrhoea and enteritis—Diarrhée et entérite	49	29	20	–	1	1	–	–	–	–	1	2	–
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	2	1	1	–	–	–	–	–	–	–	–	–	–
128	Nephritis—Néphrite	2	1	1	–	–	–	–	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	1	1	–	–	–	–	–	–	–	1	–	–	–
159	Malformations—Vices de conformation	63	36	27	8	2	10	6	2	3	3	2	–	1
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	1	1	–	–	–	–	–	–	–	–	–	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur	35	22	13	6	–	8	4	1	1	3	–	–	–
	(c) Others under this title—Autres sous ce titre	27	13	14	2	2	2	2	1	2	–	2	–	1
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	144	87	57	19	10	14	15	8	5	8	4	5	–
161a	Premature birth—Naissance prématurée	187	87	100	38	46	33	28	6	9	4	6	1	1
161b	Injury at birth—Conséquence de l'accouchement	22	12	10	2	5	8	4	–	1	2	–	–	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	43	26	17	10	3	11	9	3	1	2	1	–	2
	(a) Specified diseases—Affections spécifiées	36	25	11	10	1	11	7	3	–	1	1	–	2
	(b) Unspecified causes under 3 months—Causes non spécifiées au-dessous de 3 mois	7	1	6	–	2	–	2	–	1	1	–	–	–
175–203	External causes—Causes extérieures	14	5	9	–	1	1	2	1	–	–	–	–	–
	Other specified causes—Autres causes spécifiées	21	15	6	–	–	1	1	3	–	1	–	1	1
204, 205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	9	5	4	1	–	1	1	–	–	1	–	–	–

TABLEAU 21—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus), par âge et par certaines causes spécifiques, 1928—*suite*

NOUVELLE-ÉCOSSE

Âge au moment du décès																						No. liste int.
1 month and under 2 months — 1 mois et moins de 2		2 months and under 3 months — 2 mois et moins de 3		3 months and under 4 months — 3 mois et moins de 4		4 months and under 5 months — 4 mois et moins de 5		5 months and under 6 months — 5 mois et moins de 6		6 months and under 7 months — 6 mois et moins de 7		7 months and under 8 months — 7 mois et moins de 8		8 months and under 9 months — 8 mois et moins de 9		9 months and under 10 months — 9 mois et moins de 10		10 months and under 11 months — 10 mois et moins de 11		11 months and under 12 months — 11 mois et moins de 12		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
51	**38**	**47**	**29**	**38**	**30**	**23**	**17**	**12**	**14**	**18**	**14**	**11**	**14**	**13**	**7**	**15**	**12**	**4**	**13**	**7**	**11**	
–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	2	7
–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	8
6	4	2	4	4	3	2	1	1	2	1	3	1	2	1	4	–	–	–	1	1	2	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
3	1	1	1	2	–	–	–	1	–	1	–	1	1	1	1	1	–	–	–	–	–	11
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	31
–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	1	–	–	1	–	1	32
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	33–37
1	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	41
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	56
–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70
–	–	1	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
5	3	4	1	3	2	5	1	2	–	4	3	2	–	–	–	2	2	–	1	2	–	80
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	86
–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	99
5	4	8	6	7	4	3	3	2	4	4	1	1	2	2	–	3	3	–	3	2	1	100
4	6	5	3	3	2	2	4	2	1	3	1	2	2	2	–	2	1	1	–	–	1	101
1	–	1	1	3	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	1	110–112
4	4	10	2	3	2	4	3	–	–	2	1	–	–	3	–	–	3	–	1	–	2	113
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	118
–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	128
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	153
6	4	2	–	2	2	–	1	–	2	–	1	1	1	1	–	–	1	–	1	1	–	159
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159a
2	2	1	–	–	1	–	1	–	1	–	–	–	1	1	–	–	1	–	1	–	–	159b
4	2	–	–	2	1	–	–	–	1	–	1	1	–	–	–	–	–	–	–	1	–	159c
10	4	8	5	4	7	2	1	2	3	2	1	1	–	–	1	2	1	2	–	–	–	160
5	6	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161b
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162a
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162b
–	1	–	1	–	–	–	1	1	–	–	1	–	–	–	–	2	–	–	1	–	1	175–203
1	–	2	–	3	1	2	1	–	2	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	1	–	1	–	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	204,205

TABLE 21—Deaths of children (exclusive of stillbirths) from certain specified causes in first year of life, by ages, 1928—*con.*

NEW BRUNSWICK

Int. list No.	Causes of death — Causes de décès	Total under 1 year — Total moins de 1 an			Age at death: Under 1 day — Moins d'un jour		1 day and under 1 week — Un jour et moins d'une semaine		1 week and under 2 weeks — 1 semaine et moins de 2		2 weeks and under 3 weeks — 2 semaines et moins de 3		3 weeks and under 1 month — 3 semaines et moins de 1 mois	
		Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	All causes—Toutes causes	**960**	**556**	**404**	**82**	**54**	**95**	**80**	**42**	**28**	**24**	**10**	**12**	**14**
7	Measles—Rougeole	7	6	1	–	–	–	–	1	–	–	–	–	–
8	Scarlet fever—Scarlatine	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping-cough—Coqueluche	19	13	6	–	–	–	–	–	–	1	–	–	–
10	Diphtheria—Diphtérie	1	–	1	–	–	–	–	–	–	–	–	–	–
11	Influenza—Grippe	62	31	31	–	–	–	2	–	1	2	–	1	–
16	Dysentery—Dysenterie	–	–	–	–	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	3	1	2	–	–	–	–	1	–	–	1	–	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique	3	2	1	–	–	–	–	–	–	–	–	–	–
29	Tetanus—Tétanos	–	–	–	–	–	–	–	–	–	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	3	3	–	–	–	–	–	–	–	–	–	–	–
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	3	1	2	–	–	–	–	–	–	–	–	–	–
33–37	Tuberculosis, other forms—Tuberculose, autres formes	–	–	–	–	–	–	–	–	–	–	–	–	–
38	Syphilis	4	3	1	–	–	–	–	–	–	–	–	1	–
41	Purulent infection, septicaemia—Infection purulente, septicémie	2	1	1	–	–	–	–	1	–	–	–	–	–
56	Rickets—Rachitisme	2	2	–	–	–	–	–	–	–	–	–	–	–
62	Diseases of the thymus—Affections du thymus	5	4	1	–	–	3	–	–	–	–	–	–	–
70	Encephalitis—Encéphalite	–	–	–	–	–	–	–	–	–	–	–	–	–
71a	Simple meningitis—Méningite simple	12	5	7	–	–	–	–	–	1	–	–	–	–
71b	Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non épidémique	–	–	–	–	–	–	–	–	–	–	–	–	–
80	Convulsions	13	7	6	1	–	–	2	–	–	–	1	–	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	–	–	–	–	–	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite	5	2	3	–	–	–	–	–	–	–	–	1	–
100	Bronchopneumonia—Broncho-pneumonie	62	33	29	–	–	–	–	1	1	1	–	–	1
101	Pneumonia—Pneumonie	40	25	15	–	–	3	–	–	–	–	–	1	–
110–112	Diseases of the stomach—Affections de l'estomac	10	5	5	–	–	–	1	1	–	–	–	–	1
113	Diarrhoea and enteritis—Diarrhée et entérite	86	61	25	–	–	1	–	–	–	3	1	1	–
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	7	5	2	–	–	–	1	–	–	–	–	–	–
128	Nephritis—Néphrite	3	3	–	–	–	–	–	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	2	–	2	–	–	–	1	–	–	–	–	–	–
159	Malformations—Vices de conformation	42	26	16	5	3	8	6	4	1	1	2	1	2
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	2	2	–	–	–	1	–	–	–	–	–	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur	20	15	5	4	2	6	2	1	–	1	1	–	–
	(c) Others under this title—Autres sous ce titre	20	9	11	1	1	1	4	3	1	–	1	1	2
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	89	54	35	7	3	6	12	10	3	4	1	–	1
161a	Premature birth—Naissance prématurée	164	89	75	43	28	29	19	8	12	4	3	–	4
161b	Injury at birth—Conséquence de l'accouchement	28	16	12	3	3	11	9	2	–	–	–	–	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	179	103	76	23	16	34	26	11	7	7	1	4	4
	(a) Specified diseases—Affections spécifiées	36	21	15	6	5	8	5	1	2	3	–	–	–
	(b) Unspecified causes under 3 months—Causes non spécifiées au-dessous de 3 mois	143	82	61	17	11	26	21	10	5	4	1	4	4
175–203	External causes—Causes extérieures	9	4	5	–	1	–	1	–	–	–	–	1	–
	Other specified causes—Autres causes spécifiées	25	11	14	–	–	–	–	2	2	1	–	1	1
204, 205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	70	40	30	–	–	–	–	–	–	–	–	–	–

TABLEAU 21—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus), par âge et par certaines causes spécifiques, 1928—*suite*

NOUVEAU-BRUNSWICK

Âge au moment du décès																							No. liste int.
1 month and under 2 months — 1 mois et moins de 2		2 months and under 3 months — 2 mois et moins de 3		3 months and under 4 months — 3 mois et moins de 4		4 months and under 5 months — 4 mois et moins de 5		5 months and under 6 months — 5 mois et moins de 6		6 months and under 7 months — 6 mois et moins de 7		7 months and under 8 months — 7 mois et moins de 8		8 months and under 9 months — 8 mois et moins de 9		9 months and under 10 months — 9 mois et moins de 10		10 months and under 11 months — 10 mois et moins de 11		11 months and under 12 months — 11 mois et moins de 12		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
52	**44**	**54**	**33**	**43**	**32**	**25**	**13**	**22**	**21**	**29**	**20**	**18**	**9**	**12**	**20**	**20**	**8**	**15**	**7**	**11**	**11**	
1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	1	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
2	1	1	2	–	–	1	–	1	2	1	–	2	–	2	1	–	–	–	–	2	–	9
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
1	2	2	6	5	6	5	2	3	1	3	3	2	1	1	5	2	–	3	1	1	1	11
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	21
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	31
–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	32
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	33–37
1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	41
1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	56
1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70
–	–	1	1	2	3	–	–	–	–	–	1	–	–	1	1	–	–	–	–	1	–	71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
–	–	1	2	–	1	2	–	1	–	–	–	–	–	1	–	–	–	–	–	1	–	80
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	86
–	1	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	99
3	3	8	2	5	4	2	1	1	4	3	3	3	4	2	1	2	1	1	–	1	4	100
3	3	6	1	3	2	–	2	2	1	4	2	–	–	1	3	1	1	–	–	1	–	101
1	–	–	1	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	110–112
8	1	10	3	6	4	6	4	7	2	4	5	3	–	1	1	6	1	4	1	1	2	113
1	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	1	–	–	–	118
1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	128
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	153
3	1	2	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	159
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	159a
1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	159b
2	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	159c
11	5	7	3	4	4	1	–	2	1	1	–	–	–	1	2	–	–	–	–	–	–	160
1	4	–	3	2	1	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	161a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161b
11	13	11	6	1	–	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	162
1	–	–	–	1	–	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	162a
10	13	11	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162b
1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	175–203
–	4	1	1	–	–	1	–	–	2	1	1	–	–	–	1	3	1	1	–	–	1	
1	1	2	1	12	6	6	1	4	6	6	1	2	2	1	4	2	2	4	4	–	2	204,205

TABLE 21—Deaths of children (exclusive of stillbirths) from certain specified causes in first year of life, by ages, 1928—*con.*

QUEBEC

Int. list No.	Causes of death — Causes de décès	Total under 1 year — Total moins de 1 an			Age at death									
					Under 1 day — Moins d'un jour		1 day and under 1 week — Un jour et moins d'une semaine		1 week and under 2 weeks — 1 semaine et moins de 2		2 weeks and under 3 weeks — 2 semaines et moins de 3		3 weeks and under 1 month — 3 semaines et moins de 1 mois	
		Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	All causes—Toutes causes	**10,332**	**5,899**	**4,433**	**1,019**	**731**	**788**	**557**	**316**	**222**	**254**	**165**	**230**	**185**
7	Measles—Rougeole	43	25	18	–	–	–	–	1	–	–	–	–	1
8	Scarlet fever—Scarlatine	15	9	6	–	–	–	–	–	–	–	–	–	–
9	Whooping-cough—Coqueluche	205	99	106	–	–	–	–	–	–	1	3	5	5
10	Diphtheria—Diphtérie	28	13	15	–	–	–	–	–	1	–	–	–	–
11	Influenza—Grippe	450	275	175	–	–	3	2	4	8	12	7	15	12
16	Dysentery—Dysenterie	3	1	2	–	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	41	18	23	–	–	–	–	–	–	1	2	2	2
22	Acute anterior poliomyelitis—Poliomyélite aiguë	10	3	7	–	–	–	–	–	–	–	–	–	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique	27	15	12	–	–	–	–	–	–	–	1	–	–
29	Tetanus—Tétanos	–	–	–	–	–	–	–	–	–	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	43	24	19	–	–	–	–	1	–	–	–	–	–
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	29	16	13	–	–	–	–	–	–	1	–	1	–
33–37	Tuberculosis, other forms—Tuberculose, autres formes	19	13	6	–	–	–	–	–	–	–	–	1	–
38	Syphilis	69	42	27	–	1	2	–	–	1	2	1	2	3
41	Purulent infection, septicaemia—Infection purulente, septicémie	58	36	22	–	–	–	3	5	1	3	–	3	1
56	Rickets—Rachitisme	44	30	14	–	–	–	–	–	–	1	–	–	–
62	Diseases of the thymus—Affections du thymus	10	5	5	–	1	–	–	–	–	–	–	–	–
70	Encephalitis—Encéphalite	5	5	–	–	–	–	–	–	–	–	–	1	–
71a	Simple meningitis—Méningite simple	218	105	113	–	1	9	4	3	5	5	9	1	7
71b	Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non épidémique	–	–	–	–	–	–	–	–	–	–	–	–	–
80	Convulsions	86	42	44	2	–	6	5	6	–	1	–	–	3
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	120	69	51	–	–	1	–	2	1	2	1	5	1
99	Bronchitis—Bronchite	54	37	17	–	–	–	–	3	1	3	–	3	1
100	Bronchopneumonia—Broncho-pneumonie	656	372	284	–	–	8	6	12	3	12	13	12	11
101	Pneumonia—Pneumonie	250	143	107	–	–	3	3	3	4	5	1	4	5
110–112	Diseases of the stomach—Affections de l'estomac	122	67	55	–	–	2	1	4	7	2	1	4	2
113	Diarrhoea and enteritis—Diarrhée et entérite	2,835	1,614	1,221	1	1	21	6	41	26	57	32	68	50
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	25	18	7	–	–	2	1	2	–	–	–	–	–
128	Nephritis—Néphrite	13	12	1	–	–	–	–	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	22	13	9	–	–	–	–	–	1	2	–	3	2
159	Malformations—Vices de conformation	439	238	201	60	53	79	70	15	20	15	8	11	6
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	37	17	20	7	13	3	4	–	–	1	1	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur	260	151	109	37	28	58	44	9	12	10	4	6	1
	(c) Others under this title—Autres sous ce titre	142	70	72	16	12	18	22	6	8	4	3	5	5
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	1,433	842	591	176	125	231	136	83	64	53	27	42	27
161a	Premature birth—Naissance prématurée	1,599	888	711	367	276	249	238	95	57	66	44	38	36
161b	Injury at birth—Conséquence de l'accouchement	481	307	174	211	122	74	39	17	8	2	2	2	1
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	526	318	208	193	137	85	36	10	11	4	6	3	4
	(a) Specified diseases—Affections spécifiées	475	284	191	182	130	74	33	6	10	3	4	2	4
	(b) Unspecified causes under 3 months—Causes non spécifiées au-dessous de 3 mois	51	34	17	11	7	11	3	4	1	1	2	1	–
175–203	External causes—Causes extérieures	50	30	20	7	8	2	–	–	–	–	2	–	1
	Other specified causes—Autres causes spécifiées	271	140	131	1	5	9	7	8	3	4	5	4	4
204,205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	33	15	18	1	1	2	–	1	–	–	–	–	–

TABLEAU 21—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus), par âge et par certaines causes spécifiques, 1928—*suite*

QUÉBEC

Âge au moment du décès																				No. liste int.
1 month and under 2 months — 1 mois et moins de 2		2 months and under 3 months — 2 mois et moins de 3		3 months and under 4 months — 3 mois et moins de 4		4 months and under 5 months — 4 mois et moins de 5		5 months and under 6 months — 5 mois et moins de 6		6 months and under 7 months — 6 mois et moins de 7		7 months and under 8 months — 7 mois et moins de 8		8 months and under 9 months — 8 mois et moins de 9		9 months and under 10 months — 9 mois et moins de 10		10 months and under 11 months — 10 mois et moins de 11		11 months and under 12 months — 11 mois et moins de 12		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
644	**439**	**560**	**421**	**397**	**360**	**309**	**266**	**262**	**224**	**245**	**191**	**219**	**141**	**196**	**167**	**166**	**142**	**154**	**115**	**140**	**107**	
1	2	–	–	–	1	2	3	2	2	1	–	4	2	4	2	3	1	4	2	3	2	7
2	1	–	–	–	–	–	1	1	1	–	–	1	1	2	–	–	–	3	1	–	1	8
12	17	11	14	19	14	8	6	8	11	9	9	8	6	8	5	4	5	2	5	4	6	9
–	–	–	1	–	–	1	–	1	–	–	2	–	2	1	4	1	1	5	–	4	4	10
39	14	35	31	28	10	22	15	21	9	19	11	14	10	16	12	18	10	13	11	16	13	11
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	16
2	4	4	4	3	4	–	4	1	1	3	–	1	–	–	1	–	1	1	–	–	–	21
–	–	–	1	–	–	1	–	–	–	–	–	–	1	–	1	1	3	–	1	1	–	22
–	–	–	2	–	1	3	1	1	1	3	–	2	2	3	2	1	–	2	2	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
4	1	3	2	1	3	–	1	1	1	1	1	4	2	4	3	–	3	2	1	3	1	31
3	2	2	–	1	1	–	3	1	1	–	1	4	2	–	–	1	–	1	2	1	1	32
1	–	–	–	2	1	–	1	–	–	1	–	1	1	1	–	2	1	1	1	3	1	33–37
12	4	3	9	11	3	6	1	–	1	2	1	–	1	–	–	–	–	1	1	1	–	38
3	7	4	4	2	1	1	1	3	–	5	2	1	–	1	–	2	–	1	–	2	2	41
4	2	4	2	3	1	3	3	5	1	1	2	2	1	1	1	–	–	4	–	2	1	56
–	–	2	2	1	1	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	62
1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	70
9	7	9	11	14	8	7	10	10	9	12	8	5	8	8	9	3	4	5	6	5	7	71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
3	2	1	2	1	1	4	4	–	5	2	6	2	4	3	1	4	1	4	8	3	2	80
7	7	15	9	11	12	1	3	5	2	8	1	2	3	3	3	3	3	2	3	2	2	86
4	2	4	3	4	4	3	–	1	2	1	1	5	–	1	1	2	–	1	2	2	–	99
36	21	41	48	37	22	29	23	23	17	32	16	30	17	20	22	27	28	26	18	27	19	100
12	8	15	10	12	15	9	9	19	7	9	6	5	8	21	12	10	9	6	5	10	5	101
13	6	10	12	10	6	4	2	3	4	4	6	3	1	–	2	2	3	5	–	1	2	110–112
271	179	279	174	167	174	161	140	126	108	106	101	95	52	77	68	63	53	45	30	36	27	113
–	–	1	–	4	–	3	1	–	2	2	1	1	1	1	–	–	–	2	1	–	–	118
1	–	3	–	3	–	–	–	–	–	2	–	–	–	–	1	–	–	2	–	1	–	128
2	1	–	–	–	1	1	–	1	2	–	2	1	–	1	–	1	–	–	–	1	–	153
22	16	11	3	5	9	6	3	2	2	3	1	1	3	3	1	2	5	2	1	1	–	159
2	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	159a
13	6	7	2	3	3	3	–	–	2	1	1	1	3	–	–	1	3	1	–	1	–	159b
7	10	2	1	1	5	3	3	2	–	2	–	–	–	3	1	1	1	–	1	–	–	159c
106	75	63	43	36	35	15	18	14	15	7	7	7	8	3	4	4	2	1	3	1	2	160
46	38	17	13	4	5	3	2	–	–	2	1	–	1	1	–	–	–	–	–	–	–	161a
–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161b
11	4	4	4	3	6	2	–	2	–	–	–	–	–	–	–	–	–	1	–	–	–	162
9	3	3	2	2	5	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	162a
2	1	1	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	162b
2	1	3	2	–	3	2	–	1	–	–	–	6	–	1	–	2	1	2	1	2	1	175–203
15	14	13	13	12	14	10	10	9	17	9	5	13	3	10	8	8	7	8	8	7	8	
–	3	3	1	2	4	1	1	1	3	1	–	1	1	–	2	2	1	–	1	–	–	204,205

TABLE 21—Deaths of children (exclusive of stillbirths) from certain specified causes in first year of life, by ages, 1928—*con.*

ONTARIO

Int. list No.	Causes of death — Causes de décès	Total under 1 year — Total moins de 1 an			Age at death									
					Under 1 day — Moins d'un jour		1 day and under 1 week — Un jour et moins d'une semaine		1 week and under 2 weeks — 1 semaine et moins de 2		2 weeks and under 3 weeks — 2 semaines et moins de 3		3 weeks and under 1 month — 3 semaines et moins de 1 mois	
		Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	All causes—Toutes causes	**4,880**	**2,735**	**2,145**	**634**	**484**	**540**	**423**	**137**	**114**	**95**	**91**	**106**	**81**
7	Measles—Rougeole	12	7	5	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever—Scarlatine	4	–	4	–	–	–	–	–	–	–	–	–	–
9	Whooping-cough—Coqueluche	114	49	65	–	–	–	–	–	–	–	2	2	3
10	Diphtheria—Diphtérie	7	4	3	–	–	1	–	–	–	–	–	–	–
11	Influenza—Grippe	144	88	56	–	–	2	1	–	3	2	3	1	3
16	Dysentery—Dysenterie	2	1	1	–	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	24	13	11	–	–	–	–	1	–	2	1	2	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë	3	1	2	–	–	–	–	–	–	–	–	–	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique	7	4	3	–	–	–	–	–	–	–	–	–	–
29	Tetanus—Tétanos	–	–	–	–	–	–	–	–	–	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	7	3	4	–	–	–	–	–	–	–	–	–	–
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	13	6	7	–	–	–	–	–	–	–	–	–	–
33–37	Tuberculosis, other forms—Tuberculose, autres formes	9	4	5	–	–	–	–	–	–	–	–	–	–
38	Syphilis	23	15	8	–	–	1	1	2	1	–	1	–	–
41	Purulent infection, septicaemia—Infection purulente, septicémie	21	9	12	–	–	–	–	1	3	4	–	–	1
56	Rickets—Rachitisme	35	19	16	–	–	–	–	–	–	–	–	–	–
62	Diseases of the thymus—Affections du thymus	55	35	20	2	2	8	6	5	–	2	3	3	–
70	Encephalitis—Encéphalite	6	4	2	–	–	1	–	–	–	–	–	–	–
71a	Simple meningitis—Méningite simple	35	17	18	–	–	1	1	1	1	2	–	–	1
71b	Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non épidémique	1	1	–	–	–	–	–	–	–	–	–	–	–
80	Convulsions	89	53	36	–	2	21	9	3	2	1	3	2	1
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	36	24	12	–	–	–	–	1	–	–	–	2	–
99	Bronchitis—Bronchite	29	14	15	–	–	–	1	1	–	–	1	–	2
100	Bronchopneumonia—Broncho-pneumonie	324	189	135	–	–	5	4	4	2	2	1	8	3
101	Pneumonia—Pneumonie	215	125	90	–	1	7	6	4	2	3	3	4	3
110–112	Diseases of the stomach—Affections de l'estomac	54	31	23	–	–	2	1	3	–	1	–	2	2
113	Diarrhoea and enteritis—Diarrhée et entérite	571	321	250	–	–	1	3	2	2	2	5	13	7
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	19	14	5	–	–	2	1	–	–	–	1	1	–
128	Nephritis—Néphrite	12	9	3	–	–	1	–	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	9	5	4	–	–	–	–	1	–	2	2	–	–
159	Malformations—Vices de conformation	430	221	209	45	48	67	56	24	22	14	14	16	10
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	23	9	14	3	5	2	–	–	2	–	–	1	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur	205	115	90	29	21	45	30	11	10	3	5	6	4
	(c) Others under this title—Autres sous ce titre	202	97	105	13	22	20	26	13	10	11	9	9	6
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	341	198	143	24	20	35	28	15	13	12	11	16	13
161a	Premature birth—Naissance prématurée	1,477	811	666	439	323	222	204	47	43	31	25	26	26
161b	Injury at birth—Conséquence de l'accouchement	273	177	96	53	36	96	51	12	7	5	–	2	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	230	121	109	51	45	53	39	8	8	4	8	–	4
	(a) Specified diseases—Affections spécifiées	221	117	104	50	42	51	39	8	7	4	8	–	4
	(b) Unspecified causes under 3 months—Causes non spécifiées au-dessous de 3 mois	9	4	5	1	3	2	–	–	1	–	–	–	–
175–203	External causes—Causes extérieures	69	42	27	15	5	2	2	–	1	–	–	–	1
	Other specified causes—Autres causes spécifiées	166	91	75	4	1	10	7	2	4	6	7	6	1
204, 205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	14	9	5	1	1	2	2	–	–	–	–	–	–

TABLEAU 21—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus), par âge et par certaines causes spécifiques, 1928—*suite*

ONTARIO

Âge au moment du décès																						No. liste int.
1 month and under 2 months — 1 mois et moins de 2		2 months and under 3 months — 2 mois et moins de 3		3 months and under 4 months — 3 mois et moins de 4		4 months and under 5 months — 4 mois et moins de 5		5 months and under 6 months — 5 mois et moins de 6		6 months and under 7 months — 6 mois et moins de 7		7 months and under 8 months — 7 mois et moins de 8		8 months and under 9 months — 8 mois et moins de 9		9 months and under 10 months — 9 mois et moins de 10		10 months and under 11 months — 10 mois et moins de 11		11 months and under 12 months — 11 mois et moins de 12		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
219	**156**	**192**	**130**	**139**	**117**	**127**	**99**	**107**	**90**	**111**	**84**	**79**	**72**	**77**	**68**	**65**	**47**	**60**	**47**	**47**	**42**	
–	–	–	–	–	–	1	–	–	–	1	–	1	2	–	1	2	1	1	–	1	1	7
–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	8
10	9	6	5	5	8	7	4	6	10	3	2	4	5	2	6	2	6	1	2	1	3	9
–	–	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	1	–	1	10
9	3	11	7	8	7	8	4	7	7	8	2	7	3	6	4	10	2	5	5	4	2	11
–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	16
3	3	1	2	–	–	–	1	–	–	1	1	–	1	1	1	1	–	1	1	–	–	21
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	22
–	–	1	–	–	1	–	–	–	–	1	–	–	–	1	–	–	2	1	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
–	1	–	–	1	–	–	–	1	1	–	–	–	1	–	1	1	–	–	–	–	–	31
–	–	–	–	–	–	1	3	–	1	2	–	–	–	–	–	–	2	1	1	2	–	32
–	–	2	–	1	1	–	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	33–37
4	2	2	1	3	1	–	–	–	–	1	–	–	–	1	–	1	1	–	–	–	–	38
2	–	–	2	1	1	–	–	–	1	1	3	–	1	–	–	–	–	–	–	–	–	41
2	1	–	2	3	–	1	3	2	3	4	1	2	2	–	–	2	1	1	2	2	1	56
5	–	2	2	3	4	1	–	1	2	1	–	1	–	–	1	–	–	1	–	–	–	62
–	–	2	1	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	70
1	–	2	1	2	2	1	1	–	4	–	2	3	2	3	1	–	–	1	–	–	2	71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	71b
5	3	5	4	3	5	5	–	1	2	2	1	2	–	2	2	–	1	1	1	–	–	80
1	1	3	–	3	2	4	1	3	–	1	2	2	1	–	–	–	4	1	1	3	–	86
–	4	3	1	3	1	3	1	1	–	–	1	–	–	2	–	–	1	1	–	–	2	99
18	22	19	16	17	12	14	7	17	10	19	11	16	10	19	10	15	10	11	9	5	8	100
10	12	19	11	12	7	13	4	12	9	4	7	6	7	11	10	6	–	7	4	7	4	101
7	4	3	4	3	3	1	1	1	2	2	–	4	2	–	2	2	–	–	1	–	1	110–112
29	15	43	29	42	33	48	34	31	26	43	28	16	26	14	17	12	11	15	7	10	7	113
3	–	–	–	1	2	–	–	3	–	1	1	–	–	2	–	1	–	–	–	–	–	118
1	–	2	1	–	1	–	–	1	–	–	1	2	–	1	–	–	–	1	–	–	–	128
1	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	153
15	11	12	5	9	11	6	11	2	4	4	7	1	2	2	4	1	2	–	1	3	1	159
–	1	1	1	–	–	–	2	–	–	1	1	–	1	–	–	1	–	–	–	–	1	159a
9	2	4	–	3	4	1	4	–	2	1	4	1	–	1	2	–	1	–	1	1	–	159b
6	8	7	4	6	7	5	5	2	2	2	2	–	1	1	2	–	1	–	–	2	–	159c
40	16	33	17	9	7	3	6	5	3	2	1	2	1	1	4	1	1	–	2	–	–	160
32	28	9	9	2	1	–	3	3	–	–	4	–	–	–	–	–	–	–	–	–	–	161a
8	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	161b
4	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162
3	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162a
1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162b
2	4	2	3	4	2	2	2	–	–	2	3	6	–	1	1	2	–	3	2	1	1	175–203
7	10	8	6	2	4	7	9	9	4	5	4	3	3	8	2	4	2	4	4	6	7	
–	–	–	–	–	–	1	1	1	–	2	–	1	1	–	–	1	–	–	–	–	–	204,205

TABLE 21—Deaths of children (exclusive of stillbirths) from certain specified causes in first year of life, by ages, 1928—*con.*

MANITOBA

Int. list No.	Causes of death — Causes de décès	Total under 1 year — Total moins de 1 an			Age at death									
					Under 1 day — Moins d'un jour		1 day and under 1 week — Un jour et moins d'une semaine		1 week and under 2 weeks — 1 semaine et moins de 2		2 weeks and under 3 weeks — 2 semaines et moins de 3		3 weeks and under 1 month — 3 semaines et moins de 1 mois	
		Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	All causes—Toutes causes	**972**	**533**	**439**	**99**	**84**	**106**	**91**	**46**	**27**	**22**	**14**	**28**	**14**
7	Measles—Rougeole	4	3	1	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever—Scarlatine	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping-cough—Coqueluche	18	9	9	–	–	–	–	–	–	–	–	–	–
10	Diphtheria—Diphtérie	2	1	1	–	–	–	–	–	–	–	–	–	–
11	Influenza—Grippe	28	19	9	–	–	–	–	2	1	1	–	1	–
16	Dysentery—Dysenterie	–	–	–	–	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	5	4	1	–	–	–	–	–	–	–	–	–	1
22	Acute anterior poliomyelitis—Poliomyélite aiguë	3	2	1	–	–	–	–	–	–	–	–	–	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique	3	2	1	–	–	–	–	–	–	–	–	–	–
29	Tetanus—Tétanos	–	–	–	–	–	–	–	–	–	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	7	2	5	–	–	–	–	–	–	–	–	–	–
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	10	6	4	–	–	–	–	–	–	–	–	–	–
33–37	Tuberculosis, other forms—Tuberculose, autres formes	–	–	–	–	–	–	–	–	–	–	–	–	–
38	Syphilis	7	4	3	1	–	–	–	–	–	–	–	1	–
41	Purulent infection, septicaemia—Infection purulente, septicémie	4	2	2	–	–	1	–	–	–	–	1	–	–
56	Rickets—Rachitisme	8	6	2	–	–	–	–	–	–	1	–	–	–
62	Diseases of the thymus—Affections du thymus	3	1	2	–	–	1	–	–	–	–	–	–	–
70	Encephalitis—Encéphalite	2	1	1	–	–	–	–	–	–	–	–	–	–
71a	Simple meningitis—Méningite simple	7	5	2	–	–	1	–	1	–	–	–	–	–
71b	Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non épidémique	–	–	–	–	–	–	–	–	–	–	–	–	–
80	Convulsions	16	12	4	–	–	1	1	1	–	–	–	2	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	7	3	4	–	–	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite	12	5	7	–	–	2	1	–	–	–	–	–	1
100	Bronchopneumonia—Broncho-pneumonie	87	48	39	–	–	4	1	3	1	2	–	3	2
101	Pneumonia—Pneumonie	48	24	24	–	–	2	1	3	3	–	–	1	–
110–112	Diseases of the stomach—Affections de l'estomac	11	6	5	–	–	–	–	–	–	1	1	1	–
113	Diarrhoea and enteritis—Diarrhée et entérite	105	48	57	–	–	2	3	3	2	–	5	2	2
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	8	4	4	–	–	–	–	–	–	1	–	1	1
128	Nephritis—Néphrite	1	–	1	–	–	–	–	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	2	2	–	–	–	–	–	1	–	–	–	–	–
159	Malformations—Vices de conformation	73	37	36	6	8	7	7	4	4	1	4	7	1
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	13	5	8	2	2	1	2	–	1	–	1	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur	31	15	16	3	3	3	3	3	2	–	–	4	1
	(c) Others under this title—Autres sous ce titre	29	17	12	1	3	3	2	1	1	1	3	3	–
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	71	42	29	1	2	7	10	8	5	2	1	5	2
161a	Premature birth—Naissance prématurée	258	143	115	69	60	42	36	11	6	10	–	2	3
161b	Injury at birth—Conséquence de l'accouchement	60	35	25	10	8	19	13	4	4	1	–	1	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	57	29	28	10	6	14	17	2	1	1	–	–	–
	(a) Specified diseases—Affections spécifiées	56	29	27	10	6	14	17	2	1	1	–	–	–
	(b) Unspecified causes under 3 months—Causes non spécifiées au-dessous de 3 mois	1	–	1	–	–	–	–	–	–	–	–	–	–
175–203	External causes—Causes extérieures	12	10	2	–	–	1	–	–	–	–	–	1	–
	Other specified causes—Autres causes spécifiées	27	15	12	2	–	2	1	2	–	1	2	–	1
204, 205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	6	3	3	–	–	–	–	1	–	–	–	–	–

TABLEAU 21—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus), par âge et par certaines causes spécifiques, 1928—*suite*

MANITOBA

Âge au moment du décès																						
1 month and under 2 months — 1 mois et moins de 2		2 months and under 3 months — 2 mois et moins de 3		3 months and under 4 months — 3 mois et moins de 4		4 months and under 5 months — 4 mois et moins de 5		5 months and under 6 months — 5 mois et moins de 6		6 months and under 7 months — 6 mois et moins de 7		7 months and under 8 months — 7 mois et moins de 8		8 months and under 9 months — 8 mois et moins de 9		9 months and under 10 months — 9 mois et moins de 10		10 months and under 11 months — 10 mois et moins de 11		11 months and under 12 months — 11 mois et moins de 12		No. liste int.
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
49	**40**	**37**	**36**	**24**	**21**	**33**	**21**	**21**	**19**	**15**	**11**	**7**	**14**	**11**	**12**	**13**	**12**	**15**	**18**	**7**	**5**	
–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
3	1	1	–	1	1	1	2	2	–	–	1	–	1	–	1	–	–	–	2	1	–	9
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	10
1	–	3	1	4	–	1	2	1	1	–	1	1	1	1	–	–	–	2	1	1	1	11
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21
1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	22
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
–	–	–	–	–	1	–	–	1	–	1	–	–	1	–	1	–	2	–	–	–	–	31
–	–	1	–	2	–	–	–	2	1	1	–	–	–	–	–	–	2	–	1	–	–	32
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	33–37
–	1	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	38
–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	41
–	1	2	1	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	56
–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	62
–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70
–	–	–	1	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	1	–	71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
2	2	1	–	–	–	1	1	–	–	1	–	1	–	–	–	–	–	1	–	1	–	80
–	–	–	1	–	–	1	1	–	–	–	–	1	1	–	–	1	–	–	1	–	–	86
–	1	1	2	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	99
4	3	5	4	1	2	6	5	4	6	6	2	1	4	3	3	2	1	3	4	1	1	100
6	3	3	2	2	2	1	1	1	–	1	2	–	2	1	2	1	2	2	2	–	2	101
1	–	2	1	–	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	110–112
9	10	7	8	5	6	8	4	4	5	1	3	1	2	2	2	2	3	1	2	1	–	113
1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	1	118
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	128
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	153
4	1	1	5	1	1	2	1	1	–	1	1	–	–	–	–	1	1	1	2	–	–	159
–	–	–	–	–	1	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	159a
–	1	1	2	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	159b
4	–	–	3	–	–	1	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	159c
5	3	4	4	3	–	3	–	1	–	1	–	–	1	–	1	1	–	1	–	–	–	160
5	6	3	–	–	2	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	161a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161b
1	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162
1	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162a
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162b
–	–	–	1	1	–	–	–	2	–	–	–	–	–	1	–	3	–	1	1	–	–	175–203
3	3	1	1	–	1	2	1	–	1	1	–	–	–	–	–	–	–	–	1	1	–	
1	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	204, 205

TABLE 21—Deaths of children (exclusive of stillbirths) from certain specified causes in first year of life, by ages, 1928—*con.*

SASKATCHEWAN

Int. list No.	Causes of death — Causes de décès	Total under 1 year — Total moins de 1 an			Age at death									
					Under 1 day — Moins d'un jour		1 day and under 1 week — Un jour et moins d'une semaine		1 week and under 2 weeks — 1 semaine et moins de 2		2 weeks and under 3 weeks — 2 semaines et moins de 3		3 weeks and under 1 month — 3 semaines et moins de 1 mois	
		Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	All causes—Toutes causes	**1,370**	**779**	**591**	**187**	**130**	**127**	**117**	**55**	**45**	**41**	**26**	**35**	**25**
7	Measles—Rougeole	6	3	3	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever—Scarlatine	1	1	–	–	–	–	–	–	–	–	–	–	–
9	Whooping-cough—Coqueluche	32	22	10	–	–	–	–	–	–	–	–	–	–
10	Diphtheria—Diphtérie	5	2	3	–	–	–	–	–	–	1	–	–	–
11	Influenza—Grippe	66	33	33	–	–	1	–	3	1	–	2	–	–
16	Dysentery—Dysenterie	–	–	–	–	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	7	2	5	–	–	–	–	1	–	–	–	1	1
22	Acute anterior poliomyelitis—Poliomyélite aiguë	2	2	–	–	–	–	–	–	–	–	–	–	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique	2	1	1	–	–	–	–	–	–	–	–	–	–
29	Tetanus—Tétanos	1	1	–	–	–	–	–	–	–	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	4	2	2	–	–	–	–	–	–	–	–	–	–
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	5	3	2	–	–	–	–	–	–	–	–	–	–
33–37	Tuberculosis, other forms—Tuberculose, autres formes	1	1	–	–	–	–	–	–	–	–	–	–	–
38	Syphilis	8	5	3	–	–	–	–	1	1	–	–	1	–
41	Purulent infection, septicaemia—Infection purulente, septicémie	4	1	3	–	–	–	1	–	1	–	–	–	–
56	Rickets—Rachitisme	8	6	2	–	–	–	–	–	–	–	–	–	–
62	Diseases of the thymus—Affections du thymus	5	3	2	–	–	–	–	–	–	–	–	–	–
70	Encephalitis—Encéphalite	–	–	–	–	–	–	–	–	–	–	–	–	–
71a	Simple meningitis—Méningite simple	12	7	5	–	–	–	–	2	–	–	–	1	–
71b	Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non épidémique	–	–	–	–	–	–	–	–	–	–	–	–	–
80	Convulsions	36	24	12	–	–	3	5	2	–	1	2	1	1
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	–	–	–	–	–	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite	10	7	3	–	–	–	–	1	–	–	–	2	–
100	Bronchopneumonia—Broncho-pneumonie	109	65	44	–	–	2	3	4	2	2	1	3	1
101	Pneumonia—Pneumonie	68	33	35	–	1	–	8	1	1	1	–	1	–
110–112	Diseases of the stomach—Affections de l'estomac	18	6	12	–	–	–	1	–	1	1	–	–	1
113	Diarrhoea and enteritis—Diarrhée et entérite	128	77	51	–	–	2	3	4	4	5	6	8	3
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	7	6	1	–	–	1	–	–	–	–	–	–	–
128	Nephritis—Néphrite	–	–	–	–	–	–	–	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	2	2	–	–	–	–	–	–	–	–	–	–	–
159	Malformations—Vices de conformation	100	53	47	6	11	18	12	8	5	4	3	–	4
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	4	2	2	–	–	1	–	–	–	–	–	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur	53	28	25	5	3	10	10	4	3	3	2	–	1
	(c) Others under this title—Autres sous ce titre	43	23	20	1	8	7	2	4	2	1	1	–	3
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	135	75	60	7	8	16	13	8	6	9	2	4	5
161a	Premature birth—Naissance prématurée	379	208	171	136	93	37	43	11	15	8	7	9	6
161b	Injury at birth—Conséquence de l'accouchement	73	49	24	19	7	27	13	2	1	1	1	–	1
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	85	50	35	16	10	17	12	5	5	4	1	1	2
	(a) Specified diseases—Affections spécifiées	68	40	28	9	8	16	10	4	5	4	1	1	1
	(b) Unspecified causes under 3 months—Causes non spécifiées au-dessous de 3 mois	17	10	7	7	2	1	2	1	–	–	–	–	1
175–203	External causes—Causes extérieures	16	9	7	1	–	–	2	–	1	1	–	1	–
	Other specified causes—Autres causes spécifiées	30	18	12	2	–	3	1	2	1	2	1	2	–
204, 205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	5	2	3	–	–	–	–	–	–	1	–	–	–

TABLEAU 21—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus), par âge et par certaines causes spécifiques, 1928—*suite*

SASKATCHEWAN

Âge au moment du décès																						No. liste int.
1 month and under 2 months — 1 mois et moins de 2		2 months and under 3 months — 2 mois et moins de 3		3 months and under 4 months — 3 mois et moins de 4		4 months and under 5 months — 4 mois et moins de 5		5 months and under 6 months — 5 mois et moins de 6		6 months and under 7 months — 6 mois et moins de 7		7 months and under 8 months — 7 mois et moins de 8		8 months and under 9 months — 8 mois et moins de 9		9 months and under 10 months — 9 mois et moins de 10		10 months and under 11 months — 10 mois et moins de 11		11 months and under 12 months — 11 mois et moins de 12		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
76	**52**	**49**	**32**	**39**	**39**	**33**	**27**	**22**	**23**	**19**	**14**	**24**	**14**	**27**	**13**	**13**	**12**	**19**	**17**	**13**	**5**	
–	–	1	1	–	–	–	1	–	1	1	–	–	–	1	–	–	–	–	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	8
2	1	4	2	1	3	2	–	–	1	4	1	1	–	4	1	1	–	–	1	3	–	9
–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1	–	1	–	–	10
7	6	2	4	6	5	1	3	1	1	1	3	2	1	4	–	1	1	3	6	1	–	11
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
–	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	21
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	22
–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	24
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
1	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	31
–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	32
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	33–37
1	1	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	38
–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	41
1	–	1	–	–	–	1	1	–	–	1	–	–	–	–	–	1	–	1	1	–	–	56
–	1	1	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70
–	–	–	–	1	1	1	–	–	1	–	–	–	–	1	1	–	1	1	1	–	–	71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
3	2	6	–	–	1	1	–	2	–	–	–	1	–	1	–	1	–	2	1	–	–	80
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	86
–	2	–	–	1	–	–	–	1	1	1	–	–	–	1	–	–	–	–	–	–	–	99
8	6	6	6	5	4	4	4	7	3	3	3	6	2	4	4	5	1	5	2	1	2	100
5	1	4	1	5	2	6	4	2	1	2	3	2	5	2	3	–	3	1	2	1	–	101
–	2	2	1	2	2	–	1	–	1	–	1	–	–	–	1	–	–	1	–	–	–	110–112
13	5	9	2	10	6	6	5	4	4	3	1	6	4	3	1	1	3	–	1	3	3	113
–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	1	–	–	1	–	–	–	118
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	128
1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	153
9	2	1	3	1	2	–	2	–	3	1	–	1	–	1	–	–	–	1	–	2	–	159
–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	159a
3	1	1	2	–	1	–	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–	159b
6	1	–	–	1	1	–	–	–	2	–	–	–	–	–	–	–	–	1	–	2	–	159c
19	10	4	6	2	2	3	2	1	3	–	1	1	–	1	1	–	1	–	–	–	–	160
4	3	1	1	2	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	161a
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161b
2	2	3	3	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	162
1	1	3	2	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	162a
1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162b
–	2	2	–	–	2	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	175–203
–	2	1	1	–	2	–	1	–	1	–	–	2	1	–	–	1	–	2	1	1	–	
–	–	–	–	–	–	–	1	–	–	–	1	–	1	1	–	–	–	–	–	–	–	204,205

TABLE 21—Deaths of children (exclusive of stillbirths) from certain specified causes in first year of life, by ages, 1928—*con.*

ALBERTA

Int. list No.	Causes of death — Causes de décès	Total under 1 year — Total moins de 1 an			Age at death									
					Under 1 day — Moins d'un jour		1 day and under 1 week — Un jour et moins d'une semaine		1 week and under 2 weeks — 1 semaine et moins de 2		2 weeks and under 3 weeks — 2 semaines et moins de 3		3 weeks and under 1 month — 3 semaines et moins de 1 mois	
		Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	All causes—Toutes causes	**1,200**	**709**	**491**	**143**	**116**	**134**	**83**	**57**	**28**	**29**	**18**	**25**	**13**
7	Measles—Rougeole	7	2	5	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever—Scarlatine	3	1	2	–	–	–	–	–	–	–	–	–	–
9	Whooping-cough—Coqueluche	24	11	13	–	–	–	–	–	–	–	1	–	–
10	Diphtheria—Diphtérie	4	2	2	–	–	–	–	–	–	–	–	–	–
11	Influenza—Grippe	50	34	16	–	–	2	1	3	–	2	–	–	–
16	Dysentery—Dysenterie	1	1	–	–	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	10	6	4	–	–	–	–	–	1	1	–	3	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë	2	1	1	–	–	–	–	–	–	–	–	–	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique	5	3	2	–	–	–	–	–	–	–	–	–	–
29	Tetanus—Tétanos	–	–	–	–	–	–	–	–	–	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	8	5	3	–	–	2	–	–	1	–	–	–	–
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	8	4	4	–	–	–	–	–	–	–	–	–	–
33–37	Tuberculosis, other forms—Tuberculose, autres formes	–	–	–	–	–	–	–	–	–	–	–	–	–
38	Syphilis	5	5	–	–	–	1	–	–	–	1	–	1	–
41	Purulent infection, septicaemia—Infection purulente, septicémie	3	2	1	–	–	–	–	–	–	–	–	1	–
56	Rickets—Rachitisme	10	5	5	–	–	–	–	–	–	–	–	–	1
62	Diseases of the thymus—Affections du thymus	7	5	2	–	–	2	1	–	–	–	–	–	–
70	Encephalitis—Encéphalite	1	–	1	–	–	–	–	–	–	–	–	–	–
71a	Simple meningitis—Méningite simple	6	3	3	–	–	–	–	1	–	–	–	–	–
71b	Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non épidémique	–	–	–	–	–	–	–	–	–	–	–	–	–
80	Convulsions	30	17	13	1	–	3	2	1	2	1	1	–	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	3	3	–	–	–	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite	9	4	5	–	–	–	–	–	1	–	–	–	–
100	Bronchopneumonia—Broncho-pneumonie	82	44	38	–	–	1	1	1	–	2	1	1	1
101	Pneumonia—Pneumonie	72	41	31	1	–	1	1	2	1	1	1	–	1
110–112	Diseases of the stomach—Affections de l'estomac	7	3	4	–	–	–	–	–	–	–	–	1	–
113	Diarrhoea and enteritis—Diarrhée et entérite	99	63	36	–	–	4	1	2	2	4	1	1	3
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	17	15	2	–	–	2	–	–	–	1	–	–	–
128	Nephritis—Néphrite	3	2	1	–	–	–	–	1	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	1	1	–	–	–	–	–	–	–	–	–	–	–
159	Malformations—Vices de conformation	88	55	33	10	2	19	12	7	2	–	–	6	1
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	8	5	3	1	–	–	2	1	–	–	–	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur	44	28	16	8	1	11	5	2	–	–	–	3	1
	(c) Others under this title—Autres sous ce titre	36	22	14	1	1	8	5	4	2	–	–	3	–
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	80	50	30	2	4	6	9	11	1	2	3	2	2
161a	Premature birth—Naissance prématurée	352	193	159	105	91	48	37	16	10	8	4	6	2
161b	Injury at birth—Conséquence de l'accouchement	46	29	17	11	9	15	7	1	1	2	–	–	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	94	56	38	12	10	20	10	6	5	2	5	3	–
	(a) Specified diseases—Affections spécifiées	55	32	23	4	4	13	7	5	3	–	3	2	–
	(b) Unspecified causes under 3 months—Causes non spécifiées au-dessous de 3 mois	39	24	15	8	6	7	3	1	2	2	2	1	–
175–203	External causes—Causes extérieures	16	9	7	–	–	–	–	–	–	–	–	–	1
	Other specified causes—Autres causes spécifiées	44	33	11	1	–	8	1	5	1	2	1	–	1
204, 205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	3	1	2	–	–	–	–	–	–	–	–	–	–

TABLEAU 21—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus), par âge et par certaines causes spécifiques, 1928—*suite*

ALBERTA

Âge au moment du décès																						No. liste int.
1 month and under 2 months — 1 mois et moins de 2		2 months and under 3 months — 2 mois et moins de 3		3 months and under 4 months — 3 mois et moins de 4		4 months and under 5 months — 4 mois et moins de 5		5 months and under 6 months — 5 mois et moins de 6		6 months and under 7 months — 6 mois et moins de 7		7 months and under 8 months — 7 mois et moins de 8		8 months and under 9 months — 8 mois et moins de 9		9 months and under 10 months — 9 mois et moins de 10		10 months and under 11 months — 10 mois et moins de 11		11 months and under 12 months — 11 mois et moins de 12		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
60	**40**	**43**	**37**	**51**	**22**	**21**	**31**	**33**	**15**	**26**	**15**	**22**	**14**	**18**	**17**	**18**	**15**	**15**	**14**	**14**	**13**	
–	–	–	1	–	–	–	–	1	1	–	–	1	1	–	1	–	–	–	1	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	8
3	2	1	–	4	3	–	3	1	–	1	1	1	–	–	2	–	–	–	1	–	–	9
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	10
5	1	4	2	5	–	1	4	2	2	5	1	1	–	1	2	1	–	1	3	1	–	11
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
1	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	21
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	22
1	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
–	1	–	–	–	–	1	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	31
–	–	–	–	–	–	–	–	2	–	–	–	1	1	–	–	–	1	1	–	–	2	32
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	33–37
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	38
–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	41
–	–	–	–	1	–	–	1	–	1	1	–	–	1	2	1	1	–	–	–	–	–	56
–	1	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	62
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70
–	–	1	–	–	–	–	1	–	–	1	1	–	–	–	1	–	–	–	–	–	–	71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
3	3	2	–	1	2	2	1	1	–	1	1	1	–	–	1	–	–	–	–	–	–	80
–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	86
1	–	–	1	1	1	–	–	1	–	–	1	–	1	–	–	1	–	–	–	–	–	99
6	6	3	7	6	3	4	5	3	3	5	2	5	1	4	1	–	3	–	2	3	2	100
6	3	6	5	4	3	2	5	2	–	2	1	3	2	3	1	1	4	4	2	3	1	101
–	–	1	–	–	1	–	–	1	–	–	–	–	1	–	–	–	1	–	–	–	1	110–112
8	2	6	6	5	3	6	3	8	4	3	2	3	2	3	3	5	3	3	–	2	1	113
1	1	–	–	2	–	–	1	1	–	3	–	1	–	2	–	1	–	1	–	–	–	118
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	128
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	153
2	5	2	4	3	–	1	1	1	1	1	–	1	2	–	2	1	–	–	–	1	1	159
–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	159a
–	3	2	3	–	–	–	–	1	1	1	–	–	1	–	–	–	–	–	–	–	1	159b
2	2	–	1	2	–	–	1	–	–	–	–	1	–	–	2	1	–	–	–	–	–	159c
11	3	3	2	7	1	2	3	2	–	–	1	–	–	1	–	1	–	–	–	–	1	160
4	7	3	5	2	1	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	161a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161b
3	1	4	3	2	1	–	–	3	–	1	1	–	1	–	–	–	1	–	–	–	–	162
2	1	–	1	2	1	–	–	3	–	1	1	–	1	–	–	–	1	–	–	–	–	162a
1	–	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162b
–	1	2	1	2	1	–	1	1	–	–	1	–	–	–	–	1	–	–	–	3	1	175–203
3	–	2	–	2	–	1	1	1	–	2	1	2	1	–	–	2	–	2	2	–	2	
–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	204, 205

TABLE 21—Deaths of children (exclusive of stillbirths) from certain specified causes in first year of life, by ages, 1928—*con.*

BRITISH COLUMBIA

Int. list No.	Causes of death — Causes de décès	Total under 1 year — Total moins de 1 an			Age at death									
					Under 1 day — Moins d'un jour		1 day and under 1 week — Un jour et moins d'une semaine		1 week and under 2 weeks — 1 semaine et moins de 2		2 weeks and under 3 weeks — 2 semaines et moins de 3		3 weeks and under 1 month — 3 semaines et moins de 1 mois	
		Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	All causes—Toutes causes	**524**	**285**	**239**	**53**	**57**	**72**	**55**	**23**	**17**	**7**	**4**	**10**	**4**
7	Measles—Rougeole	1	1	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever—Scarlatine	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping-cough—Coqueluche	7	4	3	–	–	–	–	–	–	–	–	–	–
10	Diphtheria—Diphtérie	1	–	1	–	–	–	–	–	–	–	–	–	–
11	Influenza—Grippe	12	6	6	–	–	–	–	–	–	–	–	–	–
16	Dysentery—Dysenterie	–	–	–	–	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	1	1	–	–	–	–	–	–	–	–	–	–	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë	1	1	–	–	–	–	–	–	–	–	–	–	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique	2	2	–	–	–	–	–	–	–	–	–	–	–
29	Tetanus—Tétanos	–	–	–	–	–	–	–	–	–	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	6	3	3	–	–	–	–	–	–	–	–	–	–
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	5	2	3	–	–	–	–	–	–	–	–	–	–
33–37	Tuberculosis, other forms—Tuberculose, autres formes	1	–	1	–	–	–	–	–	–	–	–	–	–
38	Syphilis	5	2	3	–	–	–	–	–	1	–	–	–	–
41	Purulent infection, septicaemia—Infection purulente, septicémie	–	–	–	–	–	–	–	–	–	–	–	–	–
56	Rickets—Rachitisme	–	–	–	–	–	–	–	–	–	–	–	–	–
62	Diseases of the thymus—Affections du thymus	13	8	5	–	–	1	1	1	–	–	–	–	–
70	Encephalitis—Encéphalite	–	–	–	–	–	–	–	–	–	–	–	–	–
71a	Simple meningitis—Méningite simple	4	2	2	–	–	1	–	–	–	–	–	–	–
71b	Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non épidémique	–	–	–	–	–	–	–	–	–	–	–	–	–
80	Convulsions	6	5	1	–	–	2	–	–	–	–	–	–	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	8	5	3	–	–	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite	6	2	4	–	–	–	–	–	–	–	–	–	1
100	Bronchopneumonia—Broncho-pneumonie	24	10	14	–	–	–	2	2	–	–	–	–	–
101	Pneumonia—Pneumonie	34	17	17	–	–	2	–	1	–	–	–	–	–
110–112	Diseases of the stomach—Affections de l'estomac	8	6	2	–	–	–	–	1	–	–	–	–	–
113	Diarrhoea and enteritis—Diarrhée et entérite	21	12	9	–	–	–	–	–	–	–	1	–	–
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	3	1	2	–	–	–	–	–	–	–	–	–	–
128	Nephritis—Néphrite	–	–	–	–	–	–	–	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Malformations—Vices de conformation	56	33	23	–	4	13	10	4	2	1	–	1	–
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	2	2	–	–	–	–	–	–	–	–	–	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur	32	15	17	–	2	6	8	1	1	1	–	1	–
	(c) Others under this title—Autres sous ce titre	22	16	6	–	2	7	2	3	1	–	–	–	–
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	35	20	15	4	1	5	2	4	4	1	1	2	–
161a	Premature birth—Naissance prématurée	152	78	74	39	40	27	21	3	5	2	2	4	3
161b	Injury at birth—Conséquence de l'accouchement	29	16	13	5	4	10	8	1	–	–	–	–	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	47	26	21	5	8	10	10	4	3	2	–	2	–
	(a) Specified diseases—Affections spécifiées	37	19	18	5	8	8	9	2	1	1	–	1	–
	(b) Unspecified causes under 3 months—Causes non spécifiées au-dessous de 3 mois	10	7	3	–	–	2	1	2	2	1	–	1	–
175–203	External causes—Causes extérieures	5	2	3	–	–	–	1	–	–	–	–	–	–
	Other specified causes—Autres causes spécifiées	25	15	10	–	–	–	–	2	2	1	–	1	–
204, 205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	6	5	1	–	–	1	–	–	–	–	–	–	–

TABLEAU 21—Décès—Enfants décédés dans leur première année d'existence (mort-nés exclus), par âge et par certaines causes spécifiques, 1928—*fin*

COLOMBIE BRITANNIQUE

Âge au moment du décès																						No. liste int.
1 month and under 2 months — 1 mois et moins de 2		2 months and under 3 months — 2 mois et moins de 3		3 months and under 4 months — 3 mois et moins de 4		4 months and under 5 months — 4 mois et moins de 5		5 months and under 6 months — 5 mois et moins de 6		6 months and under 7 months — 6 mois et moins de 7		7 months and under 8 months — 7 mois et moins de 8		8 months and under 9 months — 8 mois et moins de 9		9 months and under 10 months — 9 mois et moins de 10		10 months and under 11 months — 10 mois et moins de 11		11 months and under 12 months — 11 mois et moins de 12		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
23	**16**	**13**	**15**	**20**	**8**	**8**	**9**	**9**	**10**	**11**	**6**	**6**	**11**	**9**	**7**	**8**	**6**	**10**	**8**	**3**	**6**	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	9
1	–	–	1	–	–	1	1	–	1	1	–	–	–	–	1	–	–	–	–	–	–	10
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11
1	1	2	–	–	–	1	–	–	1	–	1	1	–	–	1	–	–	1	–	–	2	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	22
–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	1	–	2	–	–	31
–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	1	–	–	32
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	33–37
–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	41
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	56
2	1	1	1	3	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70
–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
–	–	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	80
–	–	2	–	2	1	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	86
–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	99
2	1	–	2	3	1	–	–	1	1	1	2	–	2	1	–	–	1	–	2	–	–	100
2	1	–	3	3	–	1	2	1	2	1	1	1	3	1	3	2	1	1	1	1	–	101
2	1	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	110–112
1	1	1	2	1	–	2	2	1	1	–	–	–	1	2	1	3	–	1	–	–	–	113
1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	118
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	128
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	153
5	1	2	1	–	3	1	–	–	1	–	1	1	–	2	–	2	–	–	–	1	–	159
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	159a
1	1	2	1	–	2	1	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–	159b
4	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	159c
1	1	1	1	1	3	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	160
1	–	–	1	1	–	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	161a
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161b
2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162
1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162a
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162b
–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	1	1	–	–	–	–	175–203
1	2	1	2	1	–	–	–	2	1	2	–	1	–	1	–	–	–	1	1	1	2	
–	–	–	–	1	–	–	–	1	–	1	–	–	–	1	–	–	1	–	–	–	–	204, 205

GENERAL MORTALITY

MORTALITÉ GÉNÉRALE

TABLE 22—Total deaths (exclusive of stillbirths) in Canada by months, 1928
TABLEAU 22—Total des décès (mort-nés exclus) dans le Canada par mois, 1928

Provinces	Total	Months—Mois												
		January — Janvier	February — Février	March — Mars	April — Avril	May — Mai	June — Juin	July — Juillet	August — Août	September — Septembre	October — Octobre	November — Novembre	December — Décembre
Canada(1)	**109,057**	**9,211**	**9,016**	**9,801**	**9,387**	**9,638**	**8,476**	**7,943**	**8,163**	**8,589**	**8,713**	**8,339**	**11,781**
Prince Edward Island	952	90	105	95	82	75	65	70	61	61	64	83	101
Nova Scotia	6,202	539	580	618	537	543	459	437	417	447	473	501	651
New Brunswick	4,972	453	431	468	410	436	392	305	352	386	440	381	518
Quebec	36,632	3,032	2,906	3,294	3,163	3,233	2,775	2,634	2,924	3,098	2,852	2,656	4,065
Ontario	37,128	3,138	3,093	3,343	3,149	3,352	3,038	2,763	2,656	2,744	3,016	2,867	3,969
Manitoba	5,396	459	431	450	482	483	433	400	420	450	446	382	560
Saskatchewan	6,166	517	511	513	536	526	460	433	448	507	509	503	703
Alberta	5,699	471	464	483	487	517	384	426	423	464	461	472	647
British Columbia	5,910	512	495	537	541	473	470	475	462	432	452	494	567

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

TABLE 23—Total deaths (exclusive of stillbirths) and deaths in public institutions showing the number non-resident in the province, 1928
TABLEAU 23—Total des décès (mort-nés exclus) et décès dans les institutions publiques de non domiciliés dans la province, 1928

Provinces	All deaths — Tous les décès						In public institutions — Dans les institutions publiques					
	Total			Non-resident in province — Non domiciliés dans la province			Total			Non-resident in province — Non domiciliés dans la province		
	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.
Canada(1)	**109,057**	**58,480**	**50,577**	**1,228**	**786**	**442**	**29,469**	**16,705**	**12,764**	**735**	**473**	**262**
Prince Edward Island	952	495	457	1	1	–	95	48	47	1	1	–
Nova Scotia	6,202	3,339	2,863	56	39	17	1,149	705	444	29	23	6
New Brunswick	4,972	2,654	2,318	93	61	32	919	519	400	52	30	22
Quebec	36,632	19,036	17,596	216	141	75	6,967	3,725	3,242	112	80	32
Ontario	37,128	19,457	17,671	415	256	159	11,189	6,141	5,048	262	164	98
Manitoba	5,396	3,029	2,367	123	77	46	2,083	1,248	835	99	62	37
Saskatchewan	6,166	3,485	2,681	75	46	29	2,031	1,140	891	41	22	19
Alberta	5,699	3,322	2,377	125	71	54	2,229	1,348	881	70	40	30
British Columbia	5,910	3,663	2,247	124	94	30	2,807	1,831	976	69	51	18

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

TABLE 24—Total deaths (exclusive of stillbirths) and deaths in public institutions, classified according to residence of decedents in cities and towns of 5,000 population and over, 1928

No.	Provinces, cities and towns — Provinces, cités et villes	All deaths—Tous les décès												Deaths in Décès dans		
		Total			Residents — Domiciliés			Non-resident in city or town where death occurred — Non domiciliés dans la cité ou ville du décès						Total		
								Resident in province — Domiciliés dans la province			Non-resident in province — Non domiciliés dans la province					
		Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.
	Prince Edward Island—															
	City—Cité—															
1	Charlottetown	278	153	125	269	148	121	8	4	4	1	1	–	87	45	42
	Nova Scotia—															
	Cities—Cités—															
2	Glace Bay	256	144	112	241	135	106	14	9	5	1	–	1	87	53	34
3	Halifax	837	451	386	691	357	334	123	77	46	23	17	6	354	213	141
4	Sydney	245	130	115	217	111	106	27	18	9	1	1	–	85	52	33
	Towns—Villes—															
5	Amherst	91	52	39	85	47	38	5	4	1	1	1	–	8	6	2
6	Dartmouth	90	42	48	75	35	40	14	6	8	1	1	–	1	–	1
7	New Glasgow	125	68	57	97	52	45	27	15	12	1	1	–	44	25	19
8	New Waterford	80	48	32	79	48	31	1	–	1	–	–	–	25	19	6
9	North Sydney	79	43	36	72	38	34	3	2	1	4	3	1	10	5	5
10	Springhill	70	46	24	64	42	22	6	4	2	–	–	–	20	16	4
11	Stellarton	74	37	37	66	32	34	8	5	3	–	–	–	13	8	5
12	Sydney Mines	109	55	54	102	50	52	7	5	2	–	–	–	22	16	6
13	Truro	84	42	42	76	37	39	8	5	3	–	–	–	16	10	6
14	Yarmouth	155	81	74	101	48	53	54	33	21	–	–	–	53	27	26
	New Brunswick—															
	Cities—Cités—															
15	Fredericton	153	81	72	124	63	61	26	16	10	3	2	1	55	32	23
16	Moncton	276	139	137	209	96	113	63	40	23	4	3	1	106	60	46
17	St. John	710	359	351	664	332	332	31	16	15	15	11	4	279	162	117
	Town—Ville—															
1	Campbellton	123	73	50	71	40	31	35	20	15	17	13	4	67	35	32
	Quebec—															
	Cities—Cités—															
19	Cap de la Madeleine	107	65	42	105	63	42	2	2	–	–	–	–	–	–	–
20	Granby	112	50	62	109	48	61	3	2	1	–	–	–	–	–	–
21	Grand'Mère	62	35	27	59	32	27	3	3	–	–	–	–	2	2	–
22	Hull	369	186	183	359	177	182	6	5	1	4	4	–	26	10	16
23	Joliette	170	91	79	163	86	77	7	5	2	–	–	–	19	11	8
24	Lachine	240	118	122	215	110	105	23	6	17	2	2	–	43	20	23
25	Lévis	227	117	110	164	83	81	62	34	28	1	–	1	81	41	40
26	Montreal	11,936	6,196	5,740	11,274	5,808	5,466	539	300	239	123	88	35	4,369	2,384	1,985
27	Outremont	84	23	61	80	20	60	4	3	1	–	–	–	–	–	–
28	Quebec	2,313	1,121	1,192	2,108	1,023	1,085	188	88	100	17	10	7	969	482	487
29	Rivière du Loup	115	64	51	88	46	42	26	17	9	1	1	–	36	22	14
30	St. Hyacinthe	281	130	151	226	100	126	50	29	21	5	1	4	73	33	40
31	St. Jean	128	64	64	120	61	59	8	3	5	–	–	–	18	7	11
32	Shawinigan Falls	218	130	88	207	122	85	11	8	3	–	–	–	10	8	2
33	Sherbrooke	467	228	239	376	173	203	89	54	35	2	1	1	174	90	84
34	Sorel	164	75	89	162	74	88	2	1	1	–	–	–	7	4	3
35	Thetford Mines	163	94	69	157	89	68	5	4	1	1	1	–	6	5	1
36	Trois Rivières	556	287	269	509	258	251	43	26	17	4	3	1	116	59	57
37	Valleyfield	178	94	84	170	89	81	8	5	3	–	–	–	21	10	11
38	Verdun	441	229	212	398	209	189	43	20	23	–	–	–	78	37	41
39	Westmount	128	63	65	122	60	62	4	2	2	2	1	1	8	1	7
	Towns—Villes—															
40	Chicoutimi	219	120	99	196	104	92	20	13	7	3	3	–	31	21	10
41	La Tuque	66	30	36	58	25	33	6	4	2	2	1	1	11	6	5
42	Magog	75	43	32	74	42	32	1	1	–	–	–	–	–	–	–
43	St. Jérôme	156	71	85	150	68	82	6	3	3	–	–	–	–	–	–
	Ontario—															
	Cities—Cités—															
44	Belleville	239	112	127	179	77	102	58	34	24	2	1	1	123	57	66
45	Brantford	403	188	215	356	167	189	46	21	25	1	–	1	203	91	112
46	Chatham	306	173	133	222	118	104	77	53	24	7	2	5	169	107	62
47	Fort William	211	125	86	185	108	77	25	17	8	1	–	1	113	76	37
48	Galt	181	100	81	155	82	73	26	18	8	–	–	–	81	46	35
49	Guelph	241	122	119	188	92	96	47	27	20	6	3	3	115	57	58
50	Hamilton	1,471	765	706	1,330	691	639	132	69	63	9	5	4	699	373	326
51	Kingston	445	214	231	297	135	162	143	74	69	5	5	–	272	136	136
52	Kitchener	293	146	147	231	115	116	57	27	30	5	4	1	138	72	66
53	London	1,122	549	573	920	437	483	192	109	83	10	3	7	603	321	282
54	Niagara Falls	220	125	95	190	110	80	25	13	12	5	2	3	80	49	31

NOTE—The classification of cities and towns in Manitoba, Saskatchewan and Alberta is according to the Census of 1926 and in the remaining provinces according to the Census of 1921—La classification des cités et villes dans le Manitoba, la Saskatchewan et l'Alberta est selon le recensement de 1926 et dans toutes les autres provinces selon le recensement de 1921.

TABLEAU 24—Total des décès (mort-nés exclus) et décès dans les institutions publiques, classifiés selon le domicile des défunts, dans les cités et villes de 5,000 âmes et plus, 1928

public institutions — les institutions publiques									Deaths elsewhere than in public institutions — Décès ailleurs que dans les institutions publiques												No.
Residents — Domiciliés			Non-resident in city or town where death occurred — Non domiciliés dans la cité ou ville du décès						Total			Residents — Domiciliés			Non-resident in city or town where death occurred — Non domiciliés dans la cité ou ville du décès						
			Resident in province — Domiciliés dans la province			Non-resident in province — Non domiciliés dans la province									Resident in province — Domiciliés dans la province			Non-resident in province — Non domiciliés dans la province			
Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	
81	42	39	5	2	3	1	1	–	191	108	83	188	106	82	3	2	1	–	–	–	1
78	47	31	9	6	3	–	–	–	169	91	78	163	88	75	5	3	2	1	–	1	2
229	132	97	109	69	40	16	12	4	483	238	245	462	225	237	14	8	6	7	5	2	3
65	37	28	19	14	5	1	1	–	160	78	82	152	74	78	8	4	4	–	–	–	4
4	2	2	4	4	–	–	–	–	83	46	37	81	45	36	1	–	1	1	1	–	5
–	–	–	1	–	1	–	–	–	89	42	47	75	35	40	13	6	7	1	1	–	6
18	10	8	26	15	11	–	–	–	81	43	38	79	42	37	1	–	1	1	1	–	7
25	19	6	–	–	–	–	–	–	55	29	26	54	29	25	1	–	1	–	–	–	8
5	2	3	2	1	1	3	2	1	69	38	31	67	36	31	1	1	–	1	1	–	9
14	12	2	6	4	2	–	–	–	50	30	20	50	30	20	–	–	–	–	–	–	10
10	6	4	3	2	1	–	–	–	61	29	32	56	26	30	5	3	2	–	–	–	11
15	11	4	7	5	2	–	–	–	87	39	48	87	39	48	–	–	–	–	–	–	12
9	5	4	7	5	2	–	–	–	68	32	36	67	32	35	1	–	1	–	–	–	13
25	11	14	28	16	12	–	–	–	102	54	48	76	37	39	26	17	9	–	–	–	14
31	16	15	22	15	7	2	1	1	98	49	49	93	47	46	4	1	3	1	1	–	15
49	22	27	54	36	18	3	2	1	170	79	91	160	74	86	9	4	5	1	1	–	16
243	141	102	27	15	12	9	6	3	431	197	234	421	191	230	4	1	3	6	5	1	17
24	10	14	32	17	15	11	8	3	56	38	18	47	30	17	3	3	–	6	5	1	18
–	–	–	–	–	–	–	–	–	107	65	42	105	63	42	2	2	–	–	–	–	19
–	–	–	–	–	–	–	–	–	112	50	62	109	48	61	3	2	1	–	–	–	20
–	–	–	–	–	–	–	–	–	60	33	27	58	31	27	2	2	–	–	–	–	21
1	1	–	1	1	–	–	–	–	343	176	167	335	168	167	4	4	–	4	4	–	22
24	9	15	2	1	1	–	–	–	151	80	71	149	78	71	2	2	–	–	–	–	23
14	8	6	5	3	2	–	–	–	197	98	99	191	94	97	4	2	2	2	2	–	24
24	16	8	19	4	15	–	–	–	146	76	70	131	68	63	14	8	6	1	–	1	25
33	15	18	48	26	22	–	–	–	84	23	61	80	20	60	4	3	1	–	–	–	26
3,828	2,065	1,763	452	254	198	89	65	24	7,567	3,812	3,755	7,446	3,743	3,703	87	46	41	34	23	11	27
–	–	–	–	–	–	–	–	–	1,344	639	705	1,314	624	690	23	11	12	7	4	3	28
794	399	395	165	77	88	10	6	4	79	42	37	77	41	36	2	1	1	–	–	–	29
11	5	6	24	16	8	1	1	–	208	97	111	187	85	102	17	11	6	4	1	3	30
39	15	24	33	18	15	1	–	1	110	57	53	109	56	53	1	1	–	–	–	–	31
11	5	6	7	2	5	–	–	–	208	122	86	200	117	83	8	5	3	–	–	–	32
7	5	2	3	3	–	–	–	–	293	138	155	272	127	145	20	11	9	1	–	1	33
104	46	58	69	43	26	1	1	–	157	71	86	155	70	85	2	1	1	–	–	–	34
7	4	3	–	–	–	–	–	–	157	89	68	153	86	67	3	2	1	1	1	–	35
4	3	1	2	2	–	–	–	–	440	228	212	428	221	207	9	5	4	3	2	1	36
81	37	44	34	21	13	1	1	–	157	84	73	151	80	71	6	4	2	–	–	–	37
19	9	10	2	1	1	–	–	–	363	192	171	352	187	165	11	5	6	–	–	–	38
46	22	24	32	15	17	–	–	–	120	62	58	115	59	56	4	2	2	1	1	–	39
7	1	6	–	–	–	1	–	1	188	99	89	184	96	88	3	2	1	1	1	–	40
12	8	4	17	11	6	2	2	–	55	24	31	52	22	30	1	1	–	2	1	1	41
6	3	3	5	3	2	–	–	–	75	43	32	74	42	32	1	1	–	–	–	–	42
–	–	–	–	–	–	–	–	–	156	71	85	150	68	82	6	3	3	–	–	–	43
–	–	–	–	–	–	–	–	–													
66	22	44	56	34	22	1	1	–	116	55	61	113	55	58	2	–	2	1	–	1	44
161	74	87	41	17	24	1	–	1	200	97	103	195	93	102	5	4	1	–	–	–	45
88	54	34	75	51	24	6	2	4	137	66	71	134	64	70	2	2	–	1	–	1	46
91	62	29	22	14	8	–	–	–	98	49	49	94	46	48	3	3	–	1	–	1	47
57	29	28	24	17	7	–	–	–	100	54	46	98	53	45	2	1	1	–	–	–	48
64	28	36	45	26	19	6	3	3	126	65	61	124	64	60	2	1	1	–	–	–	49
572	303	269	122	67	55	5	3	2	772	392	380	758	388	370	10	2	8	4	2	2	50
138	65	73	130	67	63	4	4	–	173	78	95	159	70	89	13	7	6	1	1	–	51
91	49	42	46	22	24	1	1	–	155	74	81	140	66	74	11	5	6	4	3	1	52
420	214	206	175	104	71	8	3	5	519	228	291	500	223	277	17	5	12	2	–	2	53
54	37	17	21	10	11	5	2	3	140	76	64	136	73	63	4	3	1	–	–	–	54

TABLE 24—Total deaths (exclusive of stillbirths) and deaths in public institutions, classified according to residence of decedents in cities and towns of 5,000 population and over, 1928—*con.*

No.	Provinces, cities and towns — Provinces, cités et villes	All deaths—Tous les décès												Deaths in Décès dans		
		Total			Residents — Domiciliés			Non-resident in city or town where death occurred — Non domiciliés dans la cité ou ville du décès						Total		
								Resident in province — Domiciliés dans la province			Non-resident in province — Non domiciliés dans la province					
		Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.
	Ontario-con.—fin															
	Cities-con.—*Cités*-fin															
1	North Bay	129	74	55	108	61	47	21	13	8	–	–	–	37	22	15
2	Oshawa	227	117	110	207	105	102	20	12	8	–	–	–	99	50	49
3	Ottawa	1,645	853	792	1,394	710	684	153	86	67	98	57	41	866	468	398
4	Owen Sound	172	96	76	147	84	63	25	12	13	–	–	–	56	28	28
5	Peterborough	305	157	148	239	123	116	64	33	31	2	1	1	145	78	67
6	Port Arthur	222	132	90	172	100	72	42	25	17	8	7	1	113	69	44
7	St. Catharines	331	170	161	261	125	136	64	42	22	6	3	3	153	89	64
8	St. Thomas	214	102	112	186	90	96	23	10	13	5	2	3	84	41	43
9	Sarnia	216	110	106	188	95	93	26	13	13	2	2	–	75	38	37
10	Sault Ste. Marie	228	130	98	210	120	90	16	9	7	2	1	1	78	50	28
11	Stratford	199	103	96	177	91	86	20	10	10	2	2	–	92	49	43
12	Toronto	6,962	3,497	3,465	6,439	3,204	3,235	468	263	205	55	30	25	3,370	1,817	1,553
13	Welland	155	92	63	119	75	44	33	16	17	3	1	2	74	38	36
14	Windsor	689	355	334	565	278	287	114	71	43	10	6	4	327	188	139
15	Woodstock	173	86	87	149	73	76	24	13	11	–	–	–	80	45	35
	Towns—Villes—															
16	Barrie	120	57	63	82	41	41	38	16	22	–	–	–	52	27	25
17	Brockville	171	89	82	116	58	58	48	26	22	7	5	2	106	54	52
18	Cobourg	113	47	66	99	39	60	12	7	5	2	1	1	49	21	28
19	Collingwood	77	42	35	61	34	27	16	8	8	–	–	–	28	16	12
20	Cornwall	272	145	127	190	104	86	75	37	38	7	4	3	145	75	70
21	Eastview	75	41	34	75	41	34	–	–	–	–	–	–	–	–	–
22	Ford City	67	33	34	67	33	34	–	–	–	–	–	–	–	–	–
23	Hawkesbury	77	45	32	70	40	30	2	1	1	5	4	1	17	11	6
24	Ingersoll	89	33	56	79	29	50	9	4	5	1	–	1	24	8	16
25	Kenora	72	40	32	51	25	26	15	9	6	6	6	–	32	18	14
26	Lindsay	115	71	44	93	52	41	21	18	3	1	1	–	55	38	17
27	Midland	111	57	54	91	48	43	20	9	11	–	–	–	35	14	21
28	Orillia	135	73	62	106	54	52	29	19	10	–	–	–	62	36	26
29	Pembroke	182	92	90	117	59	58	48	23	25	17	10	7	98	49	49
30	Preston	53	31	22	43	28	15	9	3	6	1	–	1	2	1	1
31	Smith's Falls	109	55	54	86	43	43	22	11	11	1	1	–	47	26	21
32	Sudbury	200	139	61	135	90	45	61	46	15	4	3	1	114	85	29
33	Trenton	73	36	37	72	35	37	1	1	–	–	–	–	–	–	–
34	Walkerville	146	79	67	105	54	51	39	23	16	2	2	–	100	57	43
35	Waterloo	48	27	21	46	26	20	2	1	1	–	–	–	–	–	–
	Manitoba—															
	Cities—Cités—															
36	Brandon	242	141	101	160	88	72	62	43	19	20	10	10	160	98	62
37	Portage la Prairie	116	73	43	84	51	33	31	21	10	1	1	–	76	54	22
38	St. Boniface	465	303	162	162	99	63	286	195	91	17	9	8	408	279	129
39	Winnipeg	1,808	973	835	1,449	772	677	300	162	138	59	39	20	1,042	583	459
	Town—Ville—															
40	Transcona	23	12	11	23	12	11	–	–	–	–	–	–	–	–	–
	Saskatchewan—															
	Cities—Cités—															
41	Moose Jaw	235	134	101	155	82	73	77	49	28	3	3	–	159	93	66
42	Prince Albert	142	81	61	57	30	27	84	50	34	1	1	–	117	68	49
43	Regina	520	288	232	318	176	142	195	110	85	7	2	5	350	197	153
44	Saskatoon	498	278	220	246	127	119	241	147	94	11	4	7	387	218	169
	Alberta—															
	Cities—Cités—															
45	Calgary	814	460	354	629	343	286	159	102	57	26	15	11	466	281	185
46	Edmonton	861	490	371	585	322	263	262	161	101	14	7	7	582	347	235
47	Lethbridge	199	117	82	109	62	47	83	50	33	7	5	2	127	80	47
48	Medicine Hat	170	85	85	98	44	54	56	35	21	16	6	10	105	52	53
	British Columbia—															
	Cities—Cités—															
49	Nanaimo	78	42	36	62	33	29	16	9	7	–	–	–	8	5	3
50	Nelson	70	50	20	52	36	16	17	14	3	1	–	1	44	35	9
51	New Westminster	297	156	141	186	93	93	108	62	46	3	1	2	208	107	101
52	North Vancouver	66	39	27	56	30	26	10	9	1	–	–	–	25	19	6
53	Prince Rupert	62	42	20	41	25	16	21	17	4	–	–	–	44	30	14
54	Vancouver City, Point Grey and South Vancouver	2,201	1,335	866	1,857	1,095	762	295	207	88	49	33	16	1,253	802	451
55	Victoria	558	322	236	393	212	181	138	85	53	27	25	2	380	232	148

TABLEAU 24—Total des décès (mort-nés exclus) et décès dans les institutions publiques, classifiés selon le domicile des défunts, dans les cités et villes de 5,000 âmes et plus, 1928—*fin*

public institutions — les institutions publiques									Deaths elsewhere than in public institutions — Décès ailleurs que dans les institutions publiques											
Residents — Domiciliés			Non-resident in city or town where death occurred — Non domiciliés dans la cité ou ville du décès						Total			Residents — Domiciliés			Non-resident in city or town where death occurred — Non domiciliés dans la cité ou ville du décès						No.
			Resident in province — Domiciliés dans la province			Non-resident in province — Non domiciliés dans la province									Resident in province — Domiciliés dans la province			Non-resident in province — Non domiciliés dans la province			
Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	
22	13	9	15	9	6	–	–	–	92	52	40	86	48	38	6	4	2	–	–	–	1
80	38	42	19	12	7	–	–	–	128	67	61	127	67	60	1	–	1	–	–	–	2
639	334	305	141	80	61	86	54	32	779	385	394	755	376	379	12	6	6	12	3	9	3
35	17	18	21	11	10	–	–	–	116	68	48	112	67	45	4	1	3	–	–	–	4
89	50	39	56	28	28	–	–	–	160	79	81	150	73	77	8	5	3	2	1	1	5
79	47	32	29	17	12	5	5	–	109	63	46	93	53	40	13	8	5	3	2	1	6
94	51	43	56	36	20	3	2	1	178	81	97	167	74	93	8	6	2	3	1	2	7
61	31	30	21	10	11	2	–	2	130	61	69	125	59	66	2	–	2	3	2	1	8
55	26	29	19	11	8	1	1	–	141	72	69	133	69	64	7	2	5	1	1	–	9
64	42	22	13	8	5	1	–	1	150	80	70	146	78	68	3	1	2	1	1	–	10
73	38	35	17	9	8	2	2	–	107	54	53	104	53	51	3	1	2	–	–	–	11
2,902	1,549	1,353	429	246	183	39	22	17	3,592	1,680	1,912	3,537	1,655	1,882	39	17	22	16	8	8	12
40	23	17	31	14	17	3	1	2	81	54	27	79	52	27	2	2	–	–	–	–	13
218	120	98	101	64	37	8	4	4	362	167	195	347	158	189	13	7	6	2	2	–	14
58	32	26	22	13	9	–	–	–	93	41	52	91	41	50	2	–	2	–	–	–	15
21	14	7	31	13	18	–	–	–	68	30	38	61	27	34	7	3	4	–	–	–	16
57	28	29	43	21	22	6	5	1	65	35	30	59	30	29	5	5	–	1	–	1	17
38	14	24	10	6	4	1	1	–	64	26	38	61	25	36	2	1	1	1	–	1	18
13	8	5	15	8	7	–	–	–	49	26	23	48	26	22	1	–	1	–	–	–	19
68	35	33	72	37	35	5	3	2	127	70	57	122	69	53	3	–	3	2	1	1	20
–	–	–	–	–	–	–	–	–	75	41	34	75	41	34	–	–	–	–	–	–	21
–	–	–	–	–	–	–	–	–	67	33	34	67	33	34	–	–	–	–	–	–	22
10	6	4	2	1	1	5	4	1	60	34	26	60	34	26	–	–	–	–	–	–	23
16	5	11	8	3	5	–	–	–	65	25	40	63	24	39	1	1	–	1	–	1	24
18	9	9	12	7	5	2	2	–	40	22	18	33	16	17	3	2	1	4	4	–	25
33	19	14	21	18	3	1	1	–	60	33	27	60	33	27	–	–	–	–	–	–	26
19	8	11	16	6	10	–	–	–	76	43	33	72	40	32	4	3	1	–	–	–	27
33	17	16	29	19	10	–	–	–	73	37	36	73	37	36	–	–	–	–	–	–	28
38	19	19	44	21	23	16	9	7	84	43	41	79	40	39	4	2	2	1	1	–	29
1	1	–	1	–	1	–	–	–	51	30	21	42	27	15	8	3	5	1	–	1	30
29	15	14	18	11	7	–	–	–	62	29	33	57	28	29	4	–	4	1	1	–	31
53	38	15	58	44	14	3	3	–	86	54	32	82	52	30	3	2	1	1	–	1	32
–	–	–	–	–	–	–	–	–	73	36	37	72	35	37	1	1	–	–	–	–	33
59	32	27	39	23	16	2	2	–	46	22	24	46	22	24	–	–	–	–	–	–	34
–	–	–	–	–	–	–	–	–	48	27	21	46	26	20	2	1	1	–	–	–	35
82	46	36	59	42	17	19	10	9	82	43	39	78	42	36	3	1	2	1	–	1	36
50	35	15	25	18	7	1	1	–	40	19	21	34	16	18	6	3	3	–	–	–	37
107	77	30	284	193	91	17	9	8	57	24	33	55	22	33	2	2	–	–	–	–	38
698	391	307	292	156	136	52	36	16	766	390	376	751	381	370	8	6	2	7	3	4	39
–	–	–	–	–	–	–	–	–	23	12	11	23	12	11	–	–	–	–	–	–	40
80	41	39	76	49	27	3	3	–	76	41	35	75	41	34	1	–	1	–	–	–	41
34	17	17	82	50	32	1	1	–	25	13	12	23	13	10	2	–	2	–	–	–	42
159	89	70	186	106	80	5	2	3	170	91	79	159	87	72	9	4	5	2	–	2	43
143	73	70	234	141	93	10	4	6	111	60	51	103	54	49	7	6	1	1	–	1	44
315	189	126	136	84	52	15	8	7	348	179	169	314	154	160	23	18	5	11	7	4	45
331	192	139	239	149	90	12	6	6	279	143	136	254	130	124	23	12	11	2	1	1	46
46	30	16	76	46	30	5	4	1	72	37	35	63	32	31	7	4	3	2	1	1	47
41	16	25	50	31	19	14	5	9	65	33	32	57	28	29	6	4	2	2	1	1	48
3	2	1	5	3	2	–	–	–	70	37	33	59	31	28	11	6	5	–	–	–	49
29	23	6	15	12	3	–	–	–	26	15	11	23	13	10	2	2	–	1	–	1	50
104	48	56	103	59	44	1	–	1	89	49	40	82	45	37	5	3	2	2	1	1	51
15	10	5	10	9	1	–	–	–	41	20	21	41	20	21	–	–	–	–	–	–	52
27	17	10	17	13	4	–	–	–	18	12	6	14	8	6	4	4	–	–	–	–	53
955	595	360	266	186	80	32	21	11	948	533	415	902	500	402	29	21	8	17	12	5	54
233	135	98	131	82	49	16	15	1	178	90	88	160	77	83	7	3	4	11	10	1	55

TABLE 25—Deaths (exclusive of stillbirths) by single years of age and by age groups, 1928

No.	Ages — Âges	Canada (1)			P.E. Island			Nova Scotia			New Brunswick		
		Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.
1	**All ages—Tous âges**	**109,057**	**58,480**	**50,577**	**952**	**495**	**457**	**6,202**	**3,339**	**2,863**	**4,972**	**2,654**	**2,318**
2	**Under 1 year (2)—Moins de 1 an (2)**	**21,195**	**12,026**	**9,169**	**92**	**50**	**42**	**865**	**480**	**385**	**960**	**556**	**404**
3	1 year—1 an	3,031	1,600	1,431	12	7	5	163	89	74	145	77	68
4	2 years—2 ans	1,440	779	661	6	1	5	66	30	36	62	37	25
5	3 " 3 "	1,045	556	489	7	2	5	38	28	10	45	23	22
6	4 " 4 "	774	422	352	3	2	1	24	12	12	33	21	12
7	**Total under 5 years—Moins de 5 ans**	**27,485**	**15,383**	**12,102**	**120**	**62**	**58**	**1,156**	**639**	**517**	**1,245**	**714**	**531**
8	5 years—5 ans	657	375	282	3	2	1	29	21	8	32	19	13
9	6 " 6 "	627	317	310	8	4	4	20	11	9	23	13	10
10	7 " 7 "	504	258	246	1	–	1	20	8	12	25	11	14
11	8 " 8 "	484	263	221	6	1	5	31	12	19	16	11	5
12	9 " 9 "	375	211	164	–	–	–	18	12	6	9	5	4
13	**Total 5-9 years—ans**	**2,647**	**1,424**	**1,223**	**18**	**7**	**11**	**118**	**64**	**54**	**105**	**59**	**46**
14	10 years—10 ans	416	239	177	2	2	–	15	8	7	21	13	8
15	11 " 11 "	389	204	185	3	3	–	20	11	9	15	10	5
16	12 " 12 "	390	196	194	4	3	1	20	14	6	13	9	4
17	13 " 13 "	409	218	191	2	1	1	14	6	8	22	14	8
18	14 " 14 "	432	222	210	3	2	1	13	8	5	25	15	10
19	**Total 10-14 years—ans**	**2,036**	**1,079**	**957**	**14**	**11**	**3**	**82**	**47**	**35**	**96**	**61**	**35**
20	15 years—15 ans	477	244	233	4	2	2	33	18	15	30	12	18
21	16 " 16 "	518	267	251	4	4	–	36	17	19	21	13	8
22	17 " 17 "	574	289	285	5	4	1	42	21	21	28	13	15
23	18 " 18 "	570	319	251	6	3	3	41	23	18	30	15	15
24	19 " 19 "	582	303	279	7	5	2	38	25	13	31	14	17
25	**Total 15-19 years—ans**	**2,721**	**1,422**	**1,299**	**26**	**18**	**8**	**190**	**104**	**86**	**140**	**67**	**73**
26	20 years—20 ans	677	334	343	5	2	3	47	26	21	33	11	22
27	21 " 21 "	632	303	329	6	1	5	31	15	16	26	17	9
28	22 " 22 "	648	292	356	10	2	8	46	18	28	28	10	18
29	23 " 23 "	645	325	320	8	3	5	38	22	16	29	20	9
30	24 " 24 "	593	297	296	7	–	7	36	20	16	33	20	13
31	**Total 20-24 years—ans**	**3,195**	**1,551**	**1,644**	**36**	**8**	**28**	**198**	**101**	**97**	**149**	**78**	**71**
32	25 years—25 ans	573	298	275	5	2	3	26	12	14	26	11	15
33	26 " 26 "	599	290	309	2	–	2	36	20	16	25	13	12
34	27 " 27 "	633	303	330	4	1	3	31	16	15	23	8	15
35	28 " 28 "	618	285	333	5	5	–	36	13	23	22	5	17
36	29 " 29 "	571	285	286	9	5	4	22	7	15	23	9	14
37	**Total 25-29 years—ans**	**2,994**	**1,461**	**1,533**	**25**	**13**	**12**	**151**	**68**	**83**	**119**	**46**	**73**
38	30 years—30 ans	584	286	298	1	–	1	30	16	14	16	5	11
39	31 " 31 "	496	229	267	5	2	3	26	13	13	18	5	13
40	32 " 32 "	621	284	337	6	3	3	31	13	18	24	9	15
41	33 " 33 "	613	291	322	2	2	–	36	22	14	25	12	13
42	34 " 34 "	592	276	316	2	1	1	27	17	10	25	11	14
43	**Total 30-34 years—ans**	**2,906**	**1,366**	**1,540**	**16**	**8**	**8**	**150**	**81**	**69**	**108**	**42**	**66**
44	35 years—35 ans	672	347	325	3	2	1	46	25	21	25	15	10
45	36 " 36 "	656	316	340	3	1	2	26	13	13	25	10	15
46	37 " 37 "	638	308	330	4	1	3	33	17	16	35	15	20
47	38 " 38 "	737	370	367	9	4	5	37	19	18	29	13	16
48	39 " 39 "	678	326	352	2	1	1	32	18	14	29	8	21
49	**Total 35-39 years—ans**	**3,381**	**1,667**	**1,714**	**21**	**9**	**12**	**174**	**92**	**82**	**143**	**61**	**82**
50	40 years—40 ans	811	459	352	3	–	3	44	26	18	20	13	7
51	41 " 41 "	663	358	305	5	–	5	19	10	9	22	9	13
52	42 " 42 "	835	428	407	5	2	3	33	20	13	22	13	9
53	43 " 43 "	712	379	333	3	1	2	29	14	15	27	16	11
54	44 " 44 "	729	382	347	9	7	2	27	14	13	35	14	21
55	**Total 40-44 years—ans**	**3,750**	**2,006**	**1,744**	**25**	**10**	**15**	**152**	**84**	**68**	**126**	**65**	**61**
56	45 years—45 ans	839	496	343	7	2	5	33	17	16	37	16	21
57	46 " 46 "	799	462	337	5	2	3	39	24	15	35	24	11
58	47 " 47 "	835	450	385	9	5	4	37	23	14	32	19	13
59	48 " 48 "	872	461	411	9	6	3	34	17	17	33	16	17
60	49 " 49 "	854	483	371	5	3	2	53	31	22	30	14	16
61	**Total 45-49 years—ans**	**4,199**	**2,352**	**1,847**	**35**	**18**	**17**	**196**	**112**	**84**	**167**	**89**	**78**
62	50 years—50 ans	950	539	411	4	4	–	47	30	17	30	16	14
63	51 " 51 "	747	426	321	4	4	–	39	23	16	28	11	17
64	52 " 52 "	1,026	542	484	10	4	6	50	30	20	42	22	20
65	53 " 53 "	901	522	379	6	5	1	54	34	20	42	22	20
66	54 " 54 "	967	543	424	5	5	–	51	23	28	41	25	16
67	**Total 50-54 years—ans**	**4,591**	**2,572**	**2,019**	**29**	**22**	**7**	**241**	**140**	**101**	**183**	**96**	**87**

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.
(2) For age periods under 1 year, see Table 17, page 90—Pour moins d'un an voir tableau 17, page 90.

TABLEAU 25—Décès (mort-nés exclus) par âges individuels et par groupes d'âges, 1928

Quebec			Ontario			Manitoba			Saskatchewan			Alberta			British Columbia			No.
Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	
36,632	**19,036**	**17,596**	**37,128**	**19,457**	**17,671**	**5,396**	**3,029**	**2,367**	**6,166**	**3,485**	**2,681**	**5,699**	**3,322**	**2,377**	**5,910**	**3,663**	**2,247**	1
10,332	**5,899**	**4,433**	**4,880**	**2,735**	**2,145**	**972**	**533**	**439**	**1,370**	**779**	**591**	**1,200**	**709**	**491**	**524**	**285**	**239**	2
1,539	814	725	587	311	276	140	68	72	198	108	90	164	83	81	83	43	40	3
678	366	312	319	165	154	72	45	27	85	43	42	82	46	36	70	46	24	4
500	260	240	237	126	111	51	27	24	67	42	25	60	26	34	40	22	18	5
357	190	167	164	98	66	36	18	18	71	37	34	47	25	22	39	19	20	6
13,406	**7,529**	**5,877**	**6,187**	**3,435**	**2,752**	**1,271**	**691**	**580**	**1,791**	**1,009**	**782**	**1,553**	**889**	**664**	**756**	**415**	**341**	7
258	141	117	154	80	74	42	23	19	37	24	13	62	35	27	40	30	10	8
253	121	132	136	77	59	46	27	19	56	21	35	46	23	23	39	20	19	9
184	96	88	131	77	54	26	6	20	37	23	14	44	24	20	36	13	23	10
165	92	73	129	77	52	29	19	10	43	21	22	33	14	19	32	16	16	11
135	69	66	90	57	33	23	13	10	37	17	20	41	24	17	22	14	8	12
995	**519**	**476**	**640**	**368**	**272**	**166**	**88**	**78**	**210**	**106**	**104**	**226**	**120**	**106**	**169**	**93**	**76**	13
141	76	65	109	65	44	23	16	7	42	26	16	27	17	10	36	16	20	14
148	75	73	84	43	41	22	12	10	42	21	21	29	12	17	26	17	9	15
143	65	78	78	34	44	41	23	18	32	17	15	33	18	15	26	13	13	16
141	73	68	111	60	51	30	16	14	20	11	9	46	25	21	23	12	11	17
156	82	74	106	50	56	31	19	12	37	18	19	31	15	16	30	13	17	18
729	**371**	**358**	**488**	**252**	**236**	**147**	**86**	**61**	**173**	**93**	**80**	**166**	**87**	**79**	**141**	**71**	**70**	19
150	69	81	129	75	54	31	15	16	36	18	18	38	20	18	26	15	11	20
199	91	108	152	84	68	22	12	10	34	18	16	28	16	12	22	12	10	21
216	99	117	165	85	80	28	13	15	33	18	15	32	19	13	25	17	8	22
221	115	106	120	71	49	33	18	15	53	33	20	28	20	8	38	21	17	23
197	85	112	158	88	70	31	19	12	36	22	14	43	20	23	41	25	16	24
983	**459**	**524**	**724**	**403**	**321**	**145**	**77**	**68**	**192**	**109**	**83**	**169**	**95**	**74**	**152**	**90**	**62**	25
253	110	143	191	101	90	32	20	12	44	27	17	40	20	20	32	17	15	26
218	96	122	195	98	97	34	20	14	43	17	26	42	15	27	37	24	13	27
230	85	145	177	98	79	41	15	26	46	24	22	46	28	18	24	12	12	28
239	96	143	179	91	88	36	19	17	51	27	24	31	20	11	34	27	7	29
198	85	113	179	92	87	34	17	17	36	23	13	39	21	18	31	19	12	30
1,138	**472**	**666**	**921**	**480**	**441**	**177**	**91**	**86**	**220**	**118**	**102**	**198**	**104**	**94**	**158**	**99**	**59**	31
196	97	99	162	88	74	32	17	15	46	22	24	39	23	16	41	26	15	32
209	89	120	193	93	100	28	13	15	35	24	11	31	16	15	40	22	18	33
226	85	141	195	99	96	34	24	10	49	24	25	30	22	8	41	24	17	34
200	85	115	191	95	96	34	19	15	45	23	22	46	22	24	39	18	21	35
167	73	94	195	107	88	30	16	14	42	11	31	39	25	14	44	32	12	36
998	**429**	**569**	**936**	**482**	**454**	**158**	**89**	**69**	**217**	**104**	**113**	**185**	**108**	**77**	**205**	**122**	**83**	37
179	87	92	193	89	104	40	21	19	36	20	16	45	20	25	44	28	16	38
147	68	79	177	76	101	25	12	13	31	14	17	27	16	11	40	23	17	39
191	77	114	199	89	110	44	22	22	50	27	23	40	23	17	36	21	15	40
192	88	104	203	98	105	35	15	20	47	19	28	36	18	18	37	17	20	41
178	67	111	201	95	106	31	15	16	50	20	30	38	22	16	40	28	12	42
887	**387**	**500**	**973**	**447**	**526**	**175**	**85**	**90**	**214**	**100**	**114**	**186**	**99**	**87**	**197**	**117**	**80**	43
183	86	97	220	104	116	45	28	17	54	27	27	46	30	16	50	30	20	44
212	90	122	208	106	102	49	26	23	42	17	25	53	29	24	38	24	14	45
202	89	113	208	95	113	26	17	9	39	23	16	39	19	20	52	32	20	46
227	100	127	226	121	105	49	22	27	50	31	19	49	27	22	61	33	28	47
198	88	110	213	103	110	53	28	25	52	25	27	49	23	26	50	32	18	48
1,022	**453**	**569**	**1,075**	**529**	**546**	**222**	**121**	**101**	**237**	**123**	**114**	**236**	**128**	**108**	**251**	**151**	**100**	49
236	124	112	275	149	126	35	21	14	76	44	32	53	34	19	69	48	21	50
199	95	104	218	118	100	43	21	22	62	37	25	43	25	18	52	43	9	51
234	110	124	308	155	153	44	21	23	52	26	26	56	31	25	81	50	31	52
216	102	114	258	141	117	38	23	15	40	20	20	38	23	15	63	39	24	53
212	113	99	246	120	126	48	24	24	54	30	24	44	27	17	54	33	21	54
1,097	**544**	**553**	**1,305**	**683**	**622**	**208**	**110**	**98**	**284**	**157**	**127**	**234**	**140**	**94**	**319**	**213**	**106**	55
207	117	90	304	184	120	42	26	16	58	32	26	63	40	23	88	62	26	56
214	109	105	277	153	124	46	32	14	42	23	19	54	38	16	87	57	30	57
255	131	124	278	139	139	35	19	16	53	36	17	54	32	22	82	46	36	58
232	121	111	306	151	155	47	27	20	58	36	22	50	27	23	103	60	43	59
230	125	105	311	162	149	37	28	9	49	30	19	65	38	27	74	52	22	60
1,138	**603**	**535**	**1,476**	**789**	**687**	**207**	**132**	**75**	**260**	**157**	**103**	**286**	**175**	**111**	**434**	**277**	**157**	61
244	126	118	336	195	141	57	32	25	63	32	31	66	34	32	103	70	33	62
204	114	90	290	158	132	39	21	18	36	22	14	44	29	15	63	44	19	63
256	133	123	411	199	212	69	38	31	48	25	23	53	37	16	87	54	33	64
228	133	95	333	179	154	52	29	23	64	39	25	55	33	22	67	48	19	65
264	135	129	362	204	158	54	34	20	57	35	22	54	36	18	79	46	33	66
1,196	**641**	**555**	**1,732**	**935**	**797**	**271**	**154**	**117**	**268**	**153**	**115**	**272**	**169**	**103**	**399**	**262**	**137**	67

TABLE 25—Deaths (exclusive of stillbirths) by single years of age and by age groups, 1928—*con.*

No.	Ages — Âges	Canada			P.E. Island			Nova Scotia			New Brunswick		
		Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.
1	55 years—55 ans	1,038	591	447	7	4	3	57	37	20	41	17	24
2	56 " 56 "	1,024	549	475	8	1	7	59	31	28	38	23	15
3	57 " 57 "	978	547	431	4	–	4	55	29	26	40	22	18
4	58 " 58 "	1,205	692	513	16	11	5	50	29	21	51	25	26
5	59 " 59 "	1,049	612	437	13	6	7	51	29	22	41	20	21
6	**Total 55-59 years—ans**	**5,294**	**2,991**	**2,303**	**48**	**22**	**26**	**272**	**155**	**117**	**211**	**107**	**104**
7	60 years—60 ans	1,280	696	584	15	8	7	75	39	36	49	26	23
8	61 " 61 "	1,086	636	450	10	4	6	62	35	27	50	37	13
9	62 " 62 "	1,358	773	585	11	5	6	78	45	33	67	37	30
10	63 " 63 "	1,338	750	588	9	7	2	81	42	39	49	24	25
11	64 " 64 "	1,354	759	595	11	8	3	58	35	23	57	34	23
12	**Total 60-64 years—ans**	**6,416**	**3,614**	**2,802**	**56**	**32**	**24**	**354**	**196**	**158**	**272**	**158**	**114**
13	65 years—65 ans	1,640	942	698	12	5	7	72	46	26	71	39	32
14	66 " 66 "	1,432	785	647	20	15	5	81	46	35	74	43	31
15	67 " 67 "	1,459	809	650	14	5	9	88	61	27	73	44	29
16	68 " 68 "	1,695	953	742	16	9	7	98	61	37	68	39	29
17	69 " 69 "	1,535	915	620	11	10	1	91	61	30	71	41	30
18	**Total 65-69 years—ans**	**7,761**	**4,404**	**3,357**	**73**	**44**	**29**	**430**	**275**	**155**	**357**	**206**	**151**
19	70 years—70 ans	1,807	942	865	21	11	10	93	48	45	94	53	41
20	71 " 71 "	1,612	874	738	15	9	6	105	54	51	79	44	35
21	72 " 72 "	1,765	986	779	25	13	12	107	58	49	100	61	39
22	73 " 73 "	1,737	952	785	18	11	7	124	72	52	100	57	43
23	74 " 74 "	1,763	945	818	18	11	7	114	75	39	85	43	42
24	**Total 70-74 years—ans**	**8,684**	**4,699**	**3,985**	**97**	**55**	**42**	**543**	**307**	**236**	**458**	**258**	**200**
25	75 years—75 ans	1,777	926	851	18	10	8	120	54	66	82	44	38
26	76 " 76 "	1,791	948	843	17	9	8	115	71	44	89	47	42
27	77 " 77 "	1,661	862	799	22	10	12	119	68	51	81	48	33
28	78 " 78 "	1,797	1,021	776	25	15	10	123	67	56	83	47	36
29	79 " 79 "	1,443	793	650	17	10	7	112	62	50	78	41	37
30	**Total 75-79 years—ans**	**8,469**	**4,550**	**3,919**	**99**	**54**	**45**	**589**	**322**	**267**	**413**	**227**	**186**
31	80 years—80 ans	1,517	751	766	24	13	11	129	64	65	76	39	37
32	81 " 81 "	1,167	567	600	13	7	6	86	46	40	65	31	34
33	82 " 82 "	1,370	647	723	21	11	10	119	54	65	65	27	38
34	83 " 83 "	1,156	564	592	15	10	5	105	50	55	53	31	22
35	84 " 84 "	1,244	618	626	36	16	20	110	51	59	74	32	42
36	**Total 80-84 years—ans**	**6,454**	**3,147**	**3,307**	**109**	**57**	**52**	**549**	**265**	**284**	**333**	**160**	**173**
37	85 years—85 ans	971	459	512	13	7	6	85	47	38	49	21	28
38	86 " 86 "	937	441	496	11	7	4	107	44	63	71	29	42
39	87 " 87 "	842	406	436	15	8	7	71	38	33	62	32	30
40	88 " 88 "	667	297	370	8	3	5	64	19	45	25	15	10
41	89 " 89 "	483	212	271	9	4	5	58	27	31	24	10	14
42	**Total 85-89 years—ans**	**3,900**	**1,815**	**2,085**	**56**	**29**	**27**	**385**	**175**	**210**	**231**	**107**	**124**
43	90 years—90 ans	507	237	270	13	5	8	56	27	29	21	9	12
44	91 " 91 "	332	141	191	5	–	5	34	20	14	26	13	13
45	92 " 92 "	303	137	166	3	–	3	39	14	25	20	10	10
46	93 " 93 "	232	86	146	6	3	3	26	12	14	11	5	6
47	94 " 94 "	209	85	124	4	2	2	34	8	26	11	5	6
48	**Total 90-94 years—ans**	**1,583**	**686**	**897**	**31**	**10**	**21**	**189**	**81**	**108**	**89**	**42**	**47**
49	95 years—95 ans	155	68	87	6	3	3	31	10	21	8	3	5
50	96 " 96 "	73	22	51	1	–	1	12	4	8	8	4	4
51	97 " 97 "	82	36	46	5	2	3	9	3	6	5	1	4
52	98 " 98 "	50	17	33	–	–	–	10	3	7	1	–	1
53	99 " 99 "	27	12	15	3	1	2	2	–	2	2	1	1
54	**Total 95-99 years—ans**	**387**	**155**	**232**	**15**	**6**	**9**	**64**	**20**	**44**	**24**	**9**	**15**
55	100 years and over—100 ans et plus	79	35	44	3	–	3	13	6	7	3	2	1
56	Not stated—Non donné	125	101	24	–	–	–	6	5	1	–	–	–

TABLEAU 25—Décès (mort-nés exclus) par âges individuels et par groupes d'âges, 1928—*fin*

Quebec			Ontario			Manitoba			Saskatchewan			Alberta			British Columbia			No.
Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	
260	136	124	411	233	178	48	30	18	52	28	24	74	47	27	88	59	29	1
257	135	122	397	193	204	65	44	21	57	29	28	57	31	26	86	62	24	2
268	150	118	384	201	183	61	37	24	48	31	17	46	30	16	72	47	25	3
346	200	146	452	246	206	50	27	23	82	53	29	74	52	22	84	49	35	4
268	158	110	433	247	186	55	39	16	54	33	21	58	34	24	76	46	30	5
1,399	**779**	**620**	**2,077**	**1,120**	**957**	**279**	**177**	**102**	**293**	**174**	**119**	**309**	**194**	**115**	**406**	**263**	**143**	6
320	156	164	491	256	235	75	37	38	66	39	27	64	43	21	125	92	33	7
277	158	119	439	234	205	71	50	21	53	31	22	54	37	17	70	50	20	8
348	183	165	539	295	244	70	41	29	71	52	19	73	51	22	101	64	37	9
381	202	179	512	278	234	72	47	25	59	38	21	68	39	29	107	73	34	10
330	165	165	622	339	283	66	37	29	57	33	24	62	40	22	91	68	23	11
1,656	**864**	**792**	**2,603**	**1,402**	**1,201**	**354**	**212**	**142**	**306**	**193**	**113**	**321**	**210**	**111**	**494**	**347**	**147**	12
410	222	188	709	399	310	76	48	28	80	52	28	83	51	32	127	80	47	13
378	187	191	603	324	279	60	36	24	67	39	28	66	39	27	83	56	27	14
374	191	183	624	328	296	71	44	27	67	38	29	67	44	23	81	54	27	15
487	255	232	700	376	324	65	41	24	84	54	30	73	46	27	104	72	32	16
396	225	171	679	388	291	64	40	24	65	46	19	65	40	25	93	64	29	17
2,045	**1,080**	**965**	**3,315**	**1,815**	**1,500**	**336**	**209**	**127**	**363**	**229**	**134**	**354**	**220**	**134**	**488**	**326**	**162**	18
484	231	253	741	380	361	91	46	45	96	56	40	82	50	32	105	67	38	19
466	256	210	666	346	320	75	41	34	60	27	33	59	41	18	87	56	31	20
449	237	212	746	411	335	78	45	33	89	53	36	79	51	28	92	57	35	21
421	231	190	724	371	353	91	50	41	85	50	35	77	47	30	97	63	34	22
474	236	238	715	365	350	85	44	41	86	54	32	77	46	31	109	71	38	23
2,294	**1,191**	**1,103**	**3,592**	**1,873**	**1,719**	**420**	**226**	**194**	**416**	**240**	**176**	**374**	**235**	**139**	**490**	**314**	**176**	24
487	247	240	753	383	370	74	40	34	80	43	37	60	32	28	103	73	30	25
501	261	240	743	357	386	92	60	32	77	50	27	78	45	33	79	48	31	26
443	219	224	719	350	369	81	47	34	57	36	21	75	43	32	64	41	23	27
513	282	231	768	427	341	86	54	32	57	40	17	67	38	29	75	51	24	28
386	211	175	630	331	299	58	36	22	61	46	15	40	21	19	61	35	26	29
2,330	**1,220**	**1,110**	**3,613**	**1,848**	**1,765**	**391**	**237**	**154**	**332**	**215**	**117**	**320**	**179**	**141**	**382**	**248**	**134**	30
408	203	205	647	308	339	65	37	28	51	31	20	42	20	22	75	36	39	31
319	133	186	524	269	255	46	27	19	41	18	23	32	15	17	41	21	20	32
381	181	200	597	279	318	49	19	30	39	22	17	39	18	21	60	36	24	33
335	159	176	498	229	269	41	21	20	39	25	14	30	17	13	40	22	18	34
302	131	171	529	268	261	48	27	21	43	25	18	48	36	12	54	32	22	35
1,745	**807**	**938**	**2,795**	**1,353**	**1,442**	**249**	**131**	**118**	**213**	**121**	**92**	**191**	**106**	**85**	**270**	**147**	**123**	36
253	113	140	445	206	239	37	16	21	34	16	18	24	14	10	31	19	12	37
258	112	146	389	190	199	37	25	12	22	10	12	11	7	4	31	17	14	38
220	94	126	370	181	189	31	13	18	26	12	14	19	10	9	28	18	10	39
191	92	99	297	136	161	29	12	17	16	6	10	18	7	11	19	7	12	40
118	53	65	216	89	127	25	14	11	8	5	3	6	2	4	19	8	11	41
1,040	**464**	**576**	**1,717**	**802**	**915**	**159**	**80**	**79**	**106**	**49**	**57**	**78**	**40**	**38**	**128**	**69**	**59**	42
134	59	75	224	99	125	15	8	7	16	10	6	7	5	2	21	15	6	43
95	36	59	139	54	85	10	6	4	8	5	3	3	2	1	12	5	7	44
67	29	38	137	70	67	9	4	5	4	1	3	13	5	8	11	4	7	45
64	20	44	114	44	70	4	–	4	2	–	2	–	–	–	5	2	3	46
49	21	28	92	40	52	4	2	2	5	1	4	8	5	3	2	1	1	47
409	**165**	**244**	**706**	**307**	**399**	**42**	**20**	**22**	**35**	**17**	**18**	**31**	**17**	**14**	**51**	**27**	**24**	48
34	16	18	58	28	30	8	5	3	7	1	6	2	2	–	1	–	1	49
16	3	13	34	10	24	2	1	1	–	–	–	–	–	–	–	–	–	50
18	9	9	36	16	20	4	2	2	2	1	1	1	1	–	2	1	1	51
9	2	7	22	8	14	1	1	–	5	2	3	1	1	–	1	–	1	52
7	2	5	12	8	4	–	–	–	1	–	1	–	–	–	–	–	–	53
84	**32**	**52**	**162**	**70**	**92**	**15**	**9**	**6**	**15**	**4**	**11**	**4**	**4**	**–**	**4**	**1**	**3**	54
18	8	10	28	16	12	2	2	–	6	–	6	2	–	2	4	1	3	55
23	19	4	63	48	15	2	2	–	15	14	1	4	3	1	12	10	2	56

TABLE 26—Deaths (exclusive of stillbirths) classified according to racial origin of decedents, by provinces, 1928

No.	Racial origin — Origine raciale	Canada (1)			Prince Edward Island			Nova Scotia			New Brunswick		
		Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.
1	**All origins—Toutes origines**	**109,057**	**58,480**	**50,577**	**952**	**495**	**457**	**6,202**	**3,339**	**2,863**	**4,972**	**2,654**	**2,318**
2	English—Anglaise	26,835	14,438	12,397	294	181	113	2,885	1,589	1,296	1,623	846	777
3	Irish—Irlandaise	14,471	7,465	7,006	183	85	98	581	313	268	904	485	419
4	Scotch—Écossaise	13,505	7,229	6,276	333	158	175	1,575	811	764	643	336	307
5	Welsh—Galloise	359	222	137	–	–	–	7	5	2	14	8	6
6	French—Française	37,046	19,275	17,771	137	69	68	635	329	306	1,613	873	740
7	German—Allemande	3,704	2,016	1,688	–	–	–	191	116	75	16	9	7
8	Armenian—Arménienne	22	12	10	–	–	–	–	–	–	–	–	–
9	Austrian—Autrichienne	561	340	221	–	–	–	7	5	2	1	1	–
10	Belgian—Belge	174	106	68	–	–	–	5	2	3	1	1	–
11	Bulgarian—Bulgare	17	11	6	–	–	–	1	1	–	–	–	–
12	Chinese—Chinoise	372	346	26	–	–	–	2	2	–	2	2	–
13	Czech and Slovak—Tchèque et Slovaque	126	88	38	–	–	–	3	2	1	–	–	–
14	Danish—Danoise	173	112	61	1	–	1	3	2	1	9	7	2
15	Dutch—Hollandaise	949	545	404	–	–	–	32	17	15	26	14	12
16	Finnish—Finlandaise	326	230	96	–	–	–	2	2	–	–	–	–
17	Greek—Grecque	84	58	26	–	–	–	3	3	–	1	1	–
18	Hindu—Hindoue	13	11	2	–	–	–	–	–	–	–	–	–
19	Hungarian—Hongroise	240	159	81	–	–	–	4	4	–	1	1	–
20	Icelandic—Islandaise	175	84	91	–	–	–	1	1	–	1	1	–
21	Indian—Indienne	1,923	975	948	2	1	1	29	12	17	36	20	16
22	Italian—Italienne	760	452	308	1	1	–	10	8	2	6	2	4
23	Japanese—Japonaise	178	110	68	–	–	–	–	–	–	–	–	–
24	Jewish—Hébraïque	689	370	319	–	–	–	6	3	3	3	1	2
25	Negro—Nègre	386	198	188	–	–	–	156	67	89	33	24	9
26	Norwegian—Norvégienne	621	378	243	–	–	–	3	3	–	7	5	2
27	Polish—Polonaise	814	481	333	–	–	–	9	5	4	–	–	–
28	Roumanian—Roumaine	213	143	70	–	–	–	1	–	1	1	–	1
29	Russian—Russe	754	421	333	–	–	–	8	7	1	3	–	3
30	Serb and Croat—Serbe et Croate	94	68	26	–	–	–	–	–	–	–	–	–
31	Swedish—Suédoise	639	419	220	–	–	–	13	12	1	6	5	1
32	Swiss—Suisse	98	59	39	–	–	–	6	2	4	1	–	1
33	Syrian—Syrienne	86	49	37	–	–	–	7	4	3	11	4	7
34	Ukranian(2)—Ukranienne(2)	1,402	839	563	–	–	–	3	3	–	1	1	–
35	Other—Autres	105	65	40	–	–	–	4	3	1	1	1	–
36	Not specified—Non spécifiée	1,143	706	437	1	–	1	10	6	4	8	6	2

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.
(2) Including "Galician" and "Bukovinian"—Y compris "Galicienne" et "Bukovine".

TABLEAU 26—Décès (mort-nés exclus) classifiés selon l'origine raciale des décédés, par provinces, 1928

Quebec			Ontario			Manitoba			Saskatchewan			Alberta			British Columbia			No.
Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	
36,632	**19,036**	**17,596**	**37,128**	**19,457**	**17,671**	**5,396**	**3,029**	**2,367**	**6,166**	**3,485**	**2,681**	**5,699**	**3,322**	**2,377**	**5,910**	**3,663**	**2,247**	1
2,422	1,313	1,109	13,404	6,960	6,444	1,376	775	601	1,309	719	590	1,409	810	599	2,113	1,245	868	2
1,674	804	870	8,449	4,243	4,206	637	346	291	744	42	323	643	380	263	656	388	268	3
967	526	441	6,133	3,120	3,013	859	471	388	829	489	340	926	535	391	1,240	783	457	4
5	3	2	149	95	54	22	10	12	35	17	18	57	37	20	70	47	23	5
30,122	15,527	14,595	3,296	1,774	1,522	437	257	180	380	192	188	300	167	133	126	87	39	6
76	38	38	1,660	884	776	295	175	120	877	474	403	481	259	222	108	61	47	7
9	4	5	13	8	5	–	–	–	–	–	–	–	–	–	–	–	–	8
15	11	4	88	61	27	117	70	47	181	101	80	115	69	46	37	22	15	9
36	26	10	52	26	26	32	18	14	21	13	8	18	11	7	9	9	–	10
1	–	1	13	8	5	–	–	–	–	–	–	–	–	–	2	2	–	11
30	28	2	57	50	7	17	17	–	19	18	1	21	19	2	224	210	14	12
11	10	1	36	28	8	12	6	6	26	17	9	30	20	10	8	5	3	13
11	7	4	25	16	9	16	11	5	24	15	9	65	41	24	19	13	6	14
20	9	11	580	324	256	77	47	30	93	55	38	91	61	30	30	18	12	15
20	13	7	192	127	65	5	3	2	16	13	3	28	19	9	63	53	10	16
18	12	6	42	31	11	4	3	1	1	–	1	4	3	1	11	5	6	17
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13	11	2	18
14	8	6	79	57	22	15	9	6	104	64	40	21	15	6	2	1	1	19
–	–	–	4	–	4	134	66	68	24	10	14	3	2	1	8	4	4	20
122	68	54	441	210	231	205	90	115	282	159	123	303	164	139	503	251	252	21
265	155	110	336	201	135	18	12	6	4	2	2	35	22	13	85	49	36	22
–	–	–	–	–	–	–	–	–	2	–	2	6	4	2	170	106	64	23
328	186	142	204	109	95	97	44	53	16	9	7	19	9	10	16	9	7	24
13	9	4	150	80	70	5	3	2	7	5	2	8	1	7	14	9	5	25
8	6	2	51	31	20	46	25	21	228	131	97	177	109	68	101	68	33	26
73	47	26	316	186	130	195	107	88	93	49	44	106	69	37	22	18	4	27
36	24	12	60	43	17	12	7	5	63	43	20	32	21	11	8	5	3	28
56	32	24	166	103	63	130	60	70	208	120	88	139	71	68	44	28	16	29
5	3	2	29	21	8	4	1	3	15	13	2	18	13	5	23	17	6	30
7	3	4	88	52	36	71	43	28	155	94	61	157	101	56	142	109	33	31
8	6	2	36	18	18	12	9	3	11	7	4	18	12	6	6	5	1	32
36	18	18	26	18	8	1	1	–	3	2	1	1	1	–	1	1	–	33
38	24	14	128	83	45	475	300	175	340	197	143	403	221	182	14	10	4	34
37	28	9	34	16	18	2	–	2	3	2	1	13	12	1	11	3	8	35
149	88	61	791	474	317	68	43	25	53	34	19	52	44	8	11	11	–	36

TABLE 27—Deaths (exclusive of stillbirths) classified according to birthplace of decedents, by provinces, cities and towns of 10,000 population and over, 1928

No.	Provinces, cities and towns — Provinces, cités et villes	Total deaths by sex — Total des décès par sexe	Birthplace of decedents														
			Canada										British Isles — Îles britanniques				
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not specified Prov. non spécifiée	England Angleterre	Ireland—Irlande	Scotland—Écosse	Wales Galles, pays de	Other—Autres
1	**Canada**(1)..... **Total**	**109,057**	**1,143**	**6,045**	**4,784**	**35,617**	**29,026**	**2,411**	**2,560**	**2,226**	**1,532**	**187**	**7,557**	**2,194**	**3,108**	**195**	**41**
2	**M.**	**58,480**	**598**	**3,258**	**2,552**	**18,539**	**15,138**	**1,273**	**1,403**	**1,245**	**816**	**98**	**4,177**	**1,102**	**1,712**	**115**	**31**
3	**F.**	**50,577**	**545**	**2,787**	**2,232**	**17,078**	**13,888**	**1,138**	**1,157**	**981**	**716**	**89**	**3,380**	**1,092**	**1,396**	**80**	**10**
4	Prince Edward Island Total	952	897	14	6	4	–	–	–	–	–	–	1	3	10	–	–
5	M.	495	467	8	5	2	–	–	–	–	–	–	1	2	3	–	–
6	F.	457	430	6	1	2	–	–	–	–	–	–	–	1	7	–	–
7	Nova Scotia..... Total	6,202	61	5,471	118	19	22	–	–	–	–	–	119	27	55	4	1
8	M.	3,339	31	2,913	66	11	12	–	–	–	–	–	74	18	30	2	–
9	F.	2,863	30	2,558	52	8	10	–	–	–	–	–	45	9	25	2	1
10	New Brunswick..... Total	4,972	63	116	4,320	109	9	1	1	–	1	2	93	51	25	2	2
11	M.	2,654	33	66	2,295	61	5	–	1	–	1	2	61	23	14	2	2
12	F.	2,318	30	50	2,025	48	4	1	–	–	–	–	32	28	11	–	–
13	Quebec..... Total	36,632	15	57	90	33,372	474	5	7	6	5	2	662	267	287	9	6
14	M.	19,036	6	31	53	17,255	211	–	–	5	3	–	389	115	152	5	5
15	F.	17,596	9	26	37	16,117	263	5	7	1	2	2	273	152	135	4	1
16	Ontario..... Total	37,128	25	109	70	1,455	25,359	64	30	20	10	138	4,007	1,341	1,443	74	21
17	M.	19,457	11	67	32	781	13,047	32	21	14	4	69	2,119	655	748	44	15
18	F.	17,671	14	42	38	674	12,312	32	9	6	6	69	1,888	686	695	30	6
19	Manitoba..... Total	5,396	9	41	22	186	828	2,069	44	5	8	16	518	138	295	15	3
20	M.	3,029	4	25	11	129	445	1,090	24	3	6	13	313	67	168	7	3
21	F.	2,367	5	16	11	57	383	979	20	2	2	3	205	71	127	8	–
22	Saskatchewan..... Total	6,166	17	41	22	161	895	163	2,387	30	9	13	463	87	208	16	2
23	M.	3,485	13	25	7	96	529	85	1,315	16	4	7	239	56	119	6	2
24	F.	2,681	4	16	15	65	366	78	1,072	14	5	6	224	31	89	10	–
25	Alberta..... Total	5,699	22	67	36	167	692	60	53	2,107	29	14	543	94	287	26	3
26	M.	3,322	13	40	21	103	416	37	25	1,168	15	7	294	57	173	16	2
27	F.	2,377	9	27	15	64	276	23	28	939	14	7	249	37	114	10	1
28	British Columbia..... Total	5,910	34	129	100	144	747	49	38	58	1,470	2	1,151	186	498	49	3
29	M.	3,663	20	83	62	101	473	29	17	39	783	–	687	109	305	33	2
30	F.	2,247	14	46	38	43	274	20	21	19	687	2	464	77	193	16	1
31	**Cities and towns of Total**	**45,402**	**374**	**1,319**	**1,016**	**15,569**	**12,021**	**921**	**482**	**568**	**530**	**129**	**4,574**	**1,276**	**1,795**	**101**	**25**
32	**10,000 and over—Ci- M.**	**23,805**	**196**	**707**	**510**	**7,886**	**6,095**	**466**	**278**	**316**	**271**	**65**	**2,471**	**608**	**976**	**60**	**20**
33	**tés et villes de 10,000 F.** **et plus.**	**21,597**	**178**	**612**	**506**	**7,683**	**5,926**	**455**	**204**	**252**	**259**	**64**	**2,103**	**668**	**819**	**41**	**5**
34	Belleville, Ont..... Total	239	–	–	–	8	186	1	–	–	–	–	20	7	1	–	2
35	M.	112	–	–	–	3	79	–	–	–	–	–	16	4	–	–	–
36	F.	127	–	–	–	5	107	1	–	–	–	–	4	3	1	–	2
37	Brandon, Man..... Total	242	–	4	4	3	59	68	9	–	–	1	33	6	15	1	–
38	M.	141	–	3	3	3	36	31	4	–	–	–	27	2	12	–	–
39	F.	101	–	1	1	–	23	37	5	–	–	1	6	4	3	1	–
40	Brantford, Ont..... Total	403	–	–	1	4	291	–	–	–	–	–	66	10	18	3	–
41	M.	188	–	–	–	2	141	–	–	–	–	–	34	2	5	1	–
42	F.	215	–	–	1	2	150	–	–	–	–	–	32	8	13	2	–
43	Brockville, Ont..... Total	171	–	–	–	2	142	–	–	–	–	–	6	6	5	–	–
44	M.	89	–	–	–	1	75	–	–	–	–	–	3	2	1	–	–
45	F.	82	–	–	–	1	67	–	–	–	–	–	3	4	4	–	–
46	Calgary, Alta..... Total	814	4	15	7	24	151	8	2	208	4	1	147	22	75	6	–
47	M.	460	1	6	4	13	79	7	2	121	2	–	76	14	43	5	–
48	F.	354	3	9	3	11	72	1	–	87	2	1	71	8	32	1	–

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.
(2) Including Galicia—Y compris la Galicie.
(3) Including Bukovina—Y compris la Bukovine.
(4) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 27—Décès (mort-nés exclus) classifiés selon le lieu de naissance des décédés, pa provinces, cités et villes de 10,000 habitants et plus, 1928

Lieu de naissance des décédés																								
British Possessions — Possessions britanniques		Europe															Asia — Asie			United States—États-Unis	Various—Divers	Not specified—Non spécifié	No.
Newfoundland Terre-Neuve	Other—Autres	Austria—Autriche	Belgium Belgique	Denmark Danemark	Finland—Finlande	France	Germany Allemagne	Holland Hollande	Hungary Hongrie	Italy—Italie	Norway Norvège	Poland (1) Pologne (2)	Roumania (3) Roumanie (3)	Russia (4) Russie (4)	Sweden—Suède	Other—Autres	China—Chine	Japan—Japon	Other—Autres				
332	179	645	115	106	231	222	604	66	144	321	340	845	269	1,130	404	404	326	87	60	2,948	23	630	1
169	110	399	76	71	171	128	346	43	97	210	221	512	183	645	281	270	318	65	38	1,569	12	489	2
163	69	246	39	35	60	94	258	23	47	111	119	333	86	485	123	134	8	22	22	1,379	11	141	3
3	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11	–	2	4
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	1	5
3	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	1	6
135	11	7	2	1	1	7	10	1	3	4	3	6	1	8	7	4	2	–	2	60	–	30	7
64	8	6	1	1	1	5	8	1	3	4	3	4	–	7	6	4	2	–	1	31	–	22	8
71	3	1	1	–	–	2	2	–	–	–	–	2	1	1	1	–	–	–	1	29	–	8	9
11	2	2	1	5	–	3	3	–	1	1	6	1	–	5	1	3	3	–	5	108	1	15	10
6	1	1	1	4	–	1	1	–	1	1	5	–	–	1	1	3	2	–	3	45	1	10	11
5	1	1	–	1	–	2	2	–	–	–	1	1	–	4	–	–	1	–	2	63	–	5	12
70	26	26	33	8	12	94	21	5	6	102	5	91	62	185	5	48	27	–	23	472	5	42	13
36	13	17	24	5	9	52	11	3	3	69	4	59	38	115	2	36	27	–	12	230	3	38	14
34	13	9	9	3	3	42	10	2	3	33	1	32	24	70	3	12	–	–	11	242	2	4	15
71	57	71	25	16	130	34	327	16	43	137	26	215	60	212	46	95	49	1	22	955	7	347	16
37	33	49	13	11	89	20	180	12	34	85	17	134	47	129	31	67	48	1	15	493	4	249	17
34	24	22	12	5	41	14	147	4	9	52	9	81	13	83	15	28	1	–	7	462	3	98	18
1	10	161	19	8	5	30	37	7	10	12	26	258	29	235	45	114	16	–	1	120	–	55	19
1	7	97	11	5	4	18	22	6	6	9	16	159	18	123	27	61	16	–	1	73	–	41	20
–	3	64	8	3	1	12	15	1	4	3	10	99	11	112	18	53	–	–	–	47	–	14	21
5	11	230	12	14	13	22	102	8	68	1	103	115	54	302	95	45	13	1	2	401	2	33	22
3	8	130	9	10	10	13	62	4	42	1	68	61	36	164	59	31	13	–	2	211	1	28	23
2	3	100	3	4	3	9	40	4	26	–	35	54	18	138	36	14	–	1	–	190	1	5	24
8	10	124	14	40	17	17	71	16	10	10	97	135	56	138	90	53	19	3	4	515	1	51	25
7	6	79	8	25	12	10	40	8	6	6	57	76	38	76	63	36	19	2	3	311	1	46	26
1	4	45	6	15	5	7	31	8	4	4	40	59	18	62	27	17	–	1	1	204	–	5	27
28	52	24	9	13	53	15	33	13	3	54	74	24	7	45	115	42	197	82	1	306	7	55	28
15	34	20	9	10	46	9	22	9	2	35	51	19	6	30	92	32	191	62	1	169	2	54	29
13	18	4	–	3	7	6	11	4	1	19	23	5	1	15	23	10	6	20	–	137	5	1	30
241	122	209	61	30	87	114	192	30	50	227	78	396	137	561	102	185	233	54	38	1,287	11	257	31
118	75	146	43	23	59	67	111	19	33	142	52	234	93	326	72	122	228	37	26	647	6	201	32
123	47	63	18	7	28	47	81	11	17	85	26	162	44	235	30	63	5	17	12	640	5	56	33
1	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–	–	–	8	–	1	34
–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–	–	–	6	–	–	35
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	36
–	2	7	–	1	–	–	2	–	–	–	1	9	1	2	–	3	–	–	–	5	–	6	37
–	–	5	–	–	–	–	1	–	–	–	1	5	1	–	–	1	–	–	–	2	–	4	38
–	2	2	–	1	–	–	1	–	–	–	–	4	–	2	–	2	–	–	–	3	–	2	39
–	–	–	–	–	–	–	1	–	1	–	–	–	–	2	–	–	–	–	1	4	–	1	40
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	41
–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	4	–	–	42
1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	7	–	–	43
–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	5	–	–	44
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	45
2	2	6	–	4	1	–	5	–	2	3	8	4	3	14	8	2	2	1	–	68	–	5	46
2	2	5	–	4	1	–	4	–	2	1	4	4	2	10	5	–	2	1	–	33	–	5	47
–	–	1	–	–	–	–	1	–	–	2	4	–	1	4	3	2	–	–	–	35	–	–	48

TABLE 27—Deaths (exclusive of stillbirths) classified according to birthplace of decedents, by provinces, cities and towns of 10,000 population and over, 1928—*con.*

No.	Provinces, cities and towns — Provinces, cités et villes	Total deaths by sex — Total des décès par sexe	Birthplace of decedents														
			Canada										British Isles — Îles britanniques				
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not specified Prov. non spécifiée	England Angleterre	Ireland—Irlande	Scotland—Écosse	Wales Galles, pays de	Other—Autres
1	Charlottetown, P.E.I.	Total	278	260	7	3	2	–	–	–	–	–	1	2	1	–	–
2		M.	153	141	5	2	–	–	–	–	–	–	1	2	1	–	–
3		F.	125	119	2	1	2	–	–	–	–	–	–	–	–	–	–
4	Chatham, Ont.	Total	306	1	–	–	7	228	–	1	–	–	–	30	6	6	1	–
5		M.	173	–	–	–	4	128	–	1	–	–	–	17	5	2	–	–
6		F.	133	1	–	–	3	100	–	–	–	–	–	13	1	4	1	–
7	Edmonton, Alta.	Total	861	7	15	8	36	141	16	7	251	1	3	101	24	57	4	–
8		M.	490	5	9	5	18	83	7	2	134	1	–	50	13	28	2	–
9		F.	371	2	6	3	18	58	9	5	117	–	–	51	11	29	2	–
10	Fort William, Ont.	Total	211	–	1	2	10	109	3	1	–	1	–	26	2	6	1	–
11		M.	125	–	–	1	6	66	2	1	–	–	–	14	2	1	–	–
12		F.	86	–	1	1	4	43	1	–	–	1	–	12	–	5	1	–
13	Galt, Ont.	Total	181	–	–	–	2	127	–	–	–	–	–	22	7	10	1	–
14		M.	100	–	–	–	2	68	–	–	–	–	–	13	4	6	–	–
15		F.	81	–	–	–	–	59	–	–	–	–	–	9	3	4	1	–
16	Glace Bay, N.S.	Total	256	1	217	1	–	–	–	–	–	–	–	7	–	3	–	–
17		M.	144	1	118	1	–	–	–	–	–	–	–	6	–	1	–	–
18		F.	112	–	99	–	–	–	–	–	–	–	–	1	–	2	–	–
19	Guelph, Ont.	Total	241	–	2	1	2	182	–	–	–	–	1	25	6	11	–	1
20		M.	122	–	1	–	1	88	–	–	–	–	–	18	2	6	–	1
21		F.	119	–	1	1	1	94	–	–	–	–	1	7	4	5	–	–
22	Halifax, N.S.	Total	837	13	636	26	9	6	–	–	–	–	–	47	11	10	–	–
23		M.	451	7	337	13	5	3	–	–	–	–	–	29	7	8	–	–
24		F.	386	6	299	13	4	3	–	–	–	–	–	18	4	2	–	–
25	Hamilton, Ont.	Total	1,471	3	3	1	19	808	2	1	–	–	8	308	59	108	5	–
26		M.	765	1	1	–	11	416	–	1	–	–	5	150	22	65	5	–
27		F.	706	2	2	1	8	392	2	–	–	–	3	158	37	43	–	–
28	Hull, Que.	Total	369	–	–	–	330	29	–	–	–	–	–	–	1	1	–	–
29		M.	186	–	–	–	168	11	–	–	–	–	–	–	–	–	–	–
30		F.	183	–	–	–	162	18	–	–	–	–	–	–	1	1	–	–
31	Kingston, Ont.	Total	445	–	3	–	9	344	–	–	–	1	1	26	24	12	–	–
32		M.	214	–	2	–	6	152	–	–	–	1	1	16	14	6	–	–
33		F.	231	–	1	–	3	192	–	–	–	–	–	10	10	6	–	–
34	Kitchener, Ont.	Total	293	–	1	–	4	204	–	–	–	–	1	15	2	6	–	–
35		M.	146	–	1	–	2	104	–	–	–	–	1	9	1	3	–	–
36		F.	147	–	–	–	2	100	–	–	–	–	–	6	1	3	–	–
37	Lachine, Que.	Total	240	–	–	–	195	12	–	–	–	–	–	15	2	5	1	–
38		M.	118	–	–	–	91	7	–	–	–	–	–	10	1	4	–	–
39		F.	122	–	–	–	104	5	–	–	–	–	–	5	1	1	1	–
40	Lethbridge, Alta.	Total	199	–	–	3	3	19	2	1	60	3	–	27	5	17	1	–
41		M.	117	–	–	3	3	9	1	–	31	2	–	16	3	11	–	–
42		F.	82	–	–	–	–	10	1	1	29	1	–	11	2	6	1	–
43	Lévis, Que.	Total	227	–	–	–	226	–	–	–	–	–	–	1	–	–	–	–
44		M.	117	–	–	–	116	–	–	–	–	–	–	1	–	–	–	–
45		F.	110	–	–	–	110	–	–	–	–	–	–	–	–	–	–	–
46	London, Ont.	Total	1,122	1	1	1	16	721	–	3	–	1	–	207	36	52	4	1
47		M.	549	–	1	–	6	364	–	3	–	–	–	95	16	25	3	1
48		F.	573	1	–	1	10	357	–	–	–	1	–	112	20	27	1	–
49	Moncton, N.B.	Total	276	9	17	231	4	1	–	–	–	–	–	6	2	2	–	–
50		M.	139	4	10	116	2	1	–	–	–	–	–	2	–	2	–	–
51		F.	137	5	7	115	2	–	–	–	–	–	–	4	2	–	–	–

(1) Including Galicia—Y compris la Galicie.
(2) Including Bukovina—Y compris la Bukovine.
(4) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 27—Décès (mort-nés exclus) classifiés selon le lieu de naissance des décédés, par provinces, cités et villes de 10,000 habitants et plus, 1928—*suite*

| Lieu de naissance des décédés | | |

TABLE 27—Deaths (exclusive of stillbirths) classified according to birthplace of decedents, by provinces, cities and towns of 10,000 population and over, 1928—*con.*

No.	Provinces, cities and towns — Provinces, cités et villes	Total deaths by sex — Total des décès par sexe	Birthplace of decedents														
			Canada										British Isles — Îles britanniques				
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not specified Prov. non spécifiée	England Angleterre	Ireland—Irlande	Scotland—Écosse	Wales Galles, pays de	Other—Autres
1	Montreal, Que.....Total	11,936	11	38	39	9,773	274	3	2	2	3	3	464	176	191	5	2
2	M.	6,196	4	18	26	4,976	128	–	–	2	3	1	271	77	102	2	2
3	F.	5,740	7	20	13	4,797	146	3	2	–	–	2	193	99	89	3	–
4	Moose Jaw, Sask.....Total	235	1	3	2	3	62	2	69	–	2	–	42	3	15	–	–
5	M.	134	1	2	1	2	33	2	50	–	–	–	19	1	7	–	–
6	F.	101	–	1	1	1	29	–	19	–	2	–	23	2	8	–	–
7	New Westminster, B.C. Total	297	1	8	7	11	47	4	4	2	63	–	56	6	21	1	–
8	M.	156	1	3	4	8	31	1	1	1	31	–	24	–	12	–	–
9	F.	141	–	5	3	3	16	3	3	1	32	–	32	6	9	1	–
10	Niagara Falls, Ont.....Total	220	–	–	1	4	132	–	–	–	–	–	36	6	8	–	–
11	M.	125	–	–	–	2	69	–	–	–	–	–	23	2	7	–	–
12	F.	95	–	–	1	2	63	–	–	–	–	–	13	4	1	–	–
13	North Bay, Ont.....Total	129	1	–	–	23	79	–	–	–	–	–	12	–	5	–	–
14	M.	74	1	–	–	14	42	–	–	–	–	–	5	–	4	–	–
15	F.	55	–	–	–	9	37	–	–	–	–	–	7	–	1	–	–
16	Oshawa, Ont.....Total	227	–	–	–	1	165	–	–	–	–	–	32	8	10	–	1
17	M.	117	–	–	–	1	86	–	–	–	–	–	12	5	6	–	1
18	F.	110	–	–	–	–	79	–	–	–	–	–	20	3	4	–	–
19	Ottawa, Ont.....Total	1,645	1	10	7	340	1,001	3	1	–	–	6	91	48	39	1	1
20	M.	853	1	6	4	166	526	1	1	–	–	3	52	18	18	–	1
21	F.	792	–	4	3	174	475	2	–	–	–	3	39	30	21	1	–
22	Outremont, Que.....Total	84	–	–	1	67	3	–	–	–	–	–	5	3	–	–	–
23	M.	23	–	–	–	16	–	–	–	–	–	–	3	–	–	–	–
24	F.	61	–	–	1	51	3	–	–	–	–	–	2	3	–	–	–
25	Owen Sound, Ont..... Total	172	–	–	–	2	131	–	2	–	–	–	19	8	6	1	–
26	M.	96	–	–	–	–	73	–	1	–	–	–	10	5	5	1	–
27	F.	76	–	–	–	2	58	–	1	–	–	–	9	3	1	–	–
28	Peterborough, Ont.....Total	305	–	1	–	7	228	–	–	1	–	1	29	16	9	1	–
29	M.	157	–	1	–	4	114	–	–	–	–	1	19	6	6	1	–
30	F.	148	–	–	–	3	114	–	–	1	–	–	10	10	3	–	–
31	Port Arthur, Ont.....Total	222	3	2	1	14	91	–	–	–	–	–	35	2	13	1	–
32	M.	132	3	1	1	10	55	–	–	–	–	–	15	1	6	–	–
33	F.	90	–	1	–	4	36	–	–	–	–	–	20	1	7	1	–
34	Quebec, Que.....Total	2,313	–	–	6	2,226	13	–	1	–	1	1	15	12	3	–	–
35	M.	1,121	–	–	4	1,079	3	–	–	–	–	1	10	3	2	–	–
36	F.	1,192	–	–	2	1,147	10	–	1	–	1	–	5	9	1	–	–
37	Regina, Sask.....Total	520	1	5	2	12	99	21	184	1	1	–	51	9	26	2	1
38	M.	288	–	2	–	9	51	10	108	1	1	–	22	6	13	–	1
39	F.	232	1	3	2	3	48	11	76	–	–	–	29	3	13	2	–
40	St. Boniface, Man.....Total	465	1	5	3	47	41	165	4	–	–	2	46	11	28	–	1
41	M.	303	1	3	1	35	30	95	1	–	–	2	39	8	14	–	1
42	F.	162	–	2	2	12	11	70	3	–	–	–	7	3	14	–	–
43	St. Catharines, Ont....Total	331	–	1	–	9	214	2	–	–	–	4	36	12	18	–	–
44	M.	170	–	–	–	5	109	–	–	–	–	3	16	6	9	–	–
45	F.	161	–	1	–	4	105	2	–	–	–	1	20	6	9	–	–
46	St. Hyacinthe, Que.....Total	281	–	–	–	273	–	–	–	–	–	–	–	–	–	–	–
47	M.	130	–	–	–	125	–	–	–	–	–	–	–	–	–	–	–
48	F.	151	–	–	–	148	–	–	–	–	–	–	–	–	–	–	–
49	St. John, N.B.....Total	710	12	34	565	3	5	–	–	–	–	1	28	20	7	–	1
50	M.	359	4	19	282	2	2	–	–	–	–	1	19	12	2	–	1
51	F.	351	8	15	283	1	3	–	–	–	–	–	9	8	5	–	–

(1) Including Galicia—Y compris la Galicie.
(2) Including Bukovina—Y compris la Bukovine.
(3) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 27—Décès (mort-nés exclus) classifiés selon le lieu de naissance des décédés, par provinces, cités et villes de 10,000 habitants et plus, 1928—*suite*

| Lieu de naissance des décédés | | |

TABLE 27—Deaths (exclusive of stillbirths) classified according to birthplace of decedents, by provinces, cities and towns of 10,000 population and over, 1928—*con.*

No.	Provinces, cities and towns — Provinces, cités et villes	Total deaths by sex — Total des décès par sexe	Birthplace of decedents														
			Canada										British Isles — Îles britanniques				
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not specified Prov. non spécifiée	England Angleterre	Ireland—Irlande	Scotland—Écosse	Wales Galles, pays de	Other—Autres
1	St. Thomas, Ont.....Total	214	–	–	–	2	149	1	–	1	–	1	34	3	13	–	–
2	M.	102	–	–	–	1	74	–	–	–	–	–	17	1	4	–	–
3	F.	112	–	–	–	1	75	1	–	1	–	1	17	2	9	–	–
4	Sarnia, Ont.....Total	216	–	1	–	4	152	–	1	–	–	–	22	10	13	–	–
5	M.	110	–	1	–	2	72	–	–	–	–	–	14	5	9	–	–
6	F.	106	–	–	–	2	80	–	1	–	–	–	8	5	4	–	–
7	Saskatoon, Sask.....Total	498	2	5	3	18	93	18	154	2	–	2	56	8	17	1	–
8	M.	278	1	2	–	13	48	8	86	1	–	2	25	6	10	–	–
9	F.	220	1	3	3	5	45	10	68	1	–	–	31	2	7	1	–
10	Sault Ste. Marie, Ont.Total	228	–	1	–	15	141	–	–	–	–	1	21	4	5	2	–
11	M.	130	–	–	–	6	82	–	–	–	–	1	12	3	1	1	–
12	F.	98	–	1	–	9	59	–	–	–	–	–	9	1	4	1	–
13	Shawinigan Falls, Que..Total	218	–	–	–	208	–	–	–	1	–	–	1	1	1	–	–
14	M.	130	–	–	–	121	–	–	–	–	–	–	1	1	1	–	–
15	F.	88	–	–	–	87	–	–	–	1	–	–	–	–	–	–	–
16	Sherbrooke, Que.....Total	467	–	1	2	412	4	–	–	–	1	–	17	5	3	1	–
17	M.	228	–	–	1	200	2	–	–	–	–	–	6	3	3	1	–
18	F.	239	–	1	1	212	2	–	–	–	1	–	11	2	–	–	–
19	Stratford, Ont.....Total	199	–	–	–	1	143	1	–	–	1	–	24	10	9	–	–
20	M.	103	–	–	–	1	67	–	–	–	1	–	14	5	8	–	–
21	F.	96	–	–	–	–	76	1	–	–	–	–	10	5	1	–	–
22	Sydney, N.S.....Total	245	11	170	3	4	–	–	–	–	–	–	5	1	5	–	–
23	M.	130	7	84	1	2	–	–	–	–	–	–	3	1	5	–	–
24	F.	115	4	86	2	2	–	–	–	–	–	–	2	–	–	–	–
25	Toronto, Ont.....Total	6,962	1	25	17	104	3,838	11	6	6	1	80	1,286	427	421	23	10
26	M.	3,497	–	15	4	54	1,882	3	3	3	–	31	659	195	210	16	7
27	F.	3,465	1	10	13	50	1,956	8	3	3	1	49	627	232	211	7	3
28	Trois Rivières, Que....Total	556	–	1	4	535	1	–	1	–	–	–	2	–	1	–	–
29	M.	287	–	1	2	280	–	–	–	–	–	–	1	–	1	–	–
30	F.	269	–	–	2	255	1	–	1	–	–	–	1	–	–	–	–
31	Vancouver city, Point Total	2,201	19	49	43	59	329	31	12	26	348	–	450	91	251	18	1
32	Grey and South Van- M.	1,335	9	31	24	42	188	19	2	17	179	–	263	57	147	13	1
33	couver, B.C. F.	866	10	18	19	17	141	12	10	9	169	–	187	34	104	5	–
34	Verdun, Que.....Total	441	–	2	4	322	9	–	–	–	–	–	38	11	21	–	1
35	M.	229	–	2	–	163	5	–	–	–	–	–	24	6	11	–	1
36	F.	212	–	–	4	159	4	–	–	–	–	–	14	5	10	–	–
37	Victoria, B.C.....Total	558	3	13	8	8	63	1	5	1	97	–	184	26	36	8	–
38	M.	322	1	8	3	5	33	–	3	1	49	–	113	11	21	5	–
39	F.	236	2	5	5	3	30	1	2	–	48	–	71	15	15	3	–
40	Westmount, Que.....Total	128	–	2	–	78	9	–	–	–	–	–	14	6	8	–	–
41	M.	63	–	1	–	36	3	–	–	–	–	–	8	4	5	–	–
42	F.	65	–	1	–	42	6	–	–	–	–	–	6	2	3	–	–
43	Windsor, Ont.....Total	689	–	–	–	20	457	4	1	2	–	–	60	18	31	–	1
44	M.	355	–	–	–	14	226	2	1	1	–	–	32	9	19	–	1
45	F.	334	–	–	–	6	231	2	–	1	–	–	28	9	12	–	–
46	Winnipeg, Man.....Total	1,808	7	20	9	49	288	554	10	4	1	11	227	75	140	8	1
47	M.	973	2	13	4	29	151	277	7	3	1	9	117	35	78	4	1
48	F.	835	5	7	5	20	137	277	3	1	–	2	110	40	62	4	–

(1) Including Galicia—Y compris la Galicie.
(2) Including Bukovina—Y compris la Bukovine.
(3) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 27—Décès (mort-nés exclus) classifiés selon le lieu de naissance des décédés, par provinces, cités et villes de 10,000 habitants et plus, 1928—*fin*

| Lieu de naissance des décédés | | |

TABLE 28—Deaths (exclusive of stillbirths) classified according to birthplace of parents of decedents for Canada [1], 1928

No.	Birthplace of father — Lieu de naissance du père	Total fathers — Total des pères	Birthplace of mother														
			Canada										British Isles — Îles britanniques				
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not specified Prov. non spécifiée	England Angleterre	Ireland—Irlande	Scotland—Écosse	Wales—Galles, pays de	Other—Autres
1	**Canada**	**59,164**	**869**	**4,504**	**3,337**	**32,079**	**11,129**	**808**	**421**	**277**	**588**	**1,204**	**927**	**585**	**462**	**17**	**2**
2	Prince Edward Island	920	797	34	35	6	4	1	1	1	–	1	4	9	7	–	–
3	Nova Scotia	4,869	33	4,317	89	23	40	7	6	1	2	2	49	36	39	3	–
4	New Brunswick	3,602	22	91	3,089	86	33	3	2	–	2	2	34	41	24	1	–
5	Quebec	32,893	6	15	97	31,438	536	41	14	8	5	15	78	107	59	1	–
6	Ontario	13,186	10	41	20	491	10,350	121	38	18	23	61	626	333	280	12	1
7	Manitoba	885	1	1	4	23	62	603	30	11	5	1	33	2	14	–	1
8	Saskatchewan	450	–	1	1	3	25	26	321	3	2	1	10	1	4	–	–
9	Alberta	291	–	1	–	2	6	3	4	232	3	–	6	–	2	–	–
10	British Columbia	616	–	3	–	–	8	3	4	3	546	–	18	1	9	–	–
11	Province not specified	1,452	–	–	2	7	65	–	1	–	–	1,121	69	55	24	–	–
12	**British Isles**	**29,863**	**79**	**372**	**275**	**503**	**2,429**	**106**	**33**	**23**	**51**	**429**	**10,509**	**7,001**	**6,162**	**237**	**33**
13	England	13,330	34	124	85	201	1,036	61	21	11	38	193	9,829	459	361	40	8
14	Ireland	8,680	15	95	129	174	805	11	4	2	4	134	314	6,253	268	8	1
15	Scotland	7,485	30	149	59	117	564	34	7	9	9	96	301	278	5,524	11	1
16	Wales	314	–	3	1	–	23	–	1	1	–	5	57	9	9	178	–
17	Other	54	–	1	1	11	1	–	–	–	–	1	8	2	–	–	23
18	**British Possessions**	**605**	**7**	**60**	**10**	**20**	**25**	**1**	**–**	**2**	**2**	**3**	**35**	**19**	**8**	**1**	**–**
19	Newfoundland	435	7	49	7	15	7	–	–	–	–	3	12	5	4	–	–
20	Other	170	–	11	3	5	18	1	–	2	2	–	23	14	4	1	–
21	**Europe**	**10,003**	**3**	**23**	**14**	**158**	**219**	**102**	**100**	**59**	**18**	**57**	**88**	**35**	**30**	**2**	**1**
22	Austria	1,169	1	–	–	5	7	25	39	10	–	15	5	–	–	–	–
23	Belgium	190	–	3	–	11	2	–	5	2	–	–	2	1	–	–	–
24	Denmark	148	–	2	1	1	1	1	–	1	–	–	3	1	1	–	–
25	Finland	282	–	–	–	–	7	–	–	1	2	–	–	–	–	–	–
26	France	441	–	3	2	52	26	2	2	–	–	1	16	10	8	–	1
27	Germany	1,478	–	4	1	10	101	1	1	3	4	10	10	15	7	1	–
28	Holland	121	–	–	–	2	6	–	1	–	1	1	7	1	4	–	–
29	Hungary	233	–	–	–	–	1	1	9	–	–	–	1	–	–	–	–
30	Italy	731	–	1	4	53	21	1	1	2	4	5	12	1	2	–	–
31	Norway	487	1	1	2	1	4	3	4	–	2	3	5	1	1	–	–
32	Poland[2]	1,347	–	1	2	2	7	29	7	11	1	8	2	–	–	–	–
33	Roumania[3]	416	–	–	–	2	2	–	7	15	–	3	2	–	–	1	–
34	Russia[4]	1,834	–	2	–	6	12	29	21	9	1	9	3	–	1	–	–
35	Sweden	557	1	3	2	3	13	2	2	4	3	1	8	1	2	–	–
36	Other	569	–	3	–	10	9	8	1	1	–	1	12	4	4	–	–
37	**Asia**	**627**	**1**	**–**	**3**	**4**	**2**	**1**	**2**	**–**	**6**	**1**	**5**	**–**	**1**	**–**	**–**
38	China	348	–	–	–	–	2	–	2	–	5	1	2	–	1	–	–
39	Japan	178	1	–	–	–	–	–	–	–	1	–	3	–	–	–	–
40	Other	101	–	–	3	4	–	1	–	–	–	–	–	–	–	–	–
41	United States	3,344	6	37	67	360	494	57	41	41	19	63	112	70	62	1	–
42	Various	35	–	1	1	1	3	–	–	–	2	–	2	–	1	–	–
43	Not specified	5,416	9	129	56	287	274	49	38	22	11	25	63	35	34	2	1
	Total mothers—Total des mères	**109,057**	**974**	**5,126**	**3,763**	**33,412**	**14,575**	**1,124**	**635**	**424**	**697**	**1,782**	**11,741**	**7,745**	**6,760**	**260**	**37**

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.
(2) Including Galicia—Y compris la Galicie.
(3) Including Bukovina—Y compris la Bukovine.
(4) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 28—Décès (mort-nés exclus) classifiés selon le lieu de naissance des parents des décédés, pour le Canada (1), 1928

Lieu de naissance de la mère																										
British Possessions — Possessions britanniques		Europe																	Asia — Asie							
Newfoundland Terre-Neuve	Other—Autres	Austria—Autriche	Belgium—Belgique	Denmark Danemark	Finland—Finlande	France	Germany Allemagne	Holland—Hollande	Hungary—Hongrie	Italy—Italie	Norway—Norvège	Poland(2)	Pologne(2)	Roumania(3) Roumanie(3)	Russia(4) Russie(4)	Sweden—Suède	Other—Autres	China—Chine	Japan—Japon	Other—Autres	United States—États-Unis	Various—Divers	Not specified—Non spécifié	No.
58	17	10	5	–	3	24	57	7	5	4	9	11	5	24	9	9	1	1	1	1,012	3	680	1
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	16	2
35	2	1	1	–	–	2	–	–	–	–	1	1	–	–	2	1	1	–	–	46	–	129	3
5	2	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	80	–	82	4
8	3	–	1	–	–	11	5	–	–	2	1	3	–	1	2	3	–	–	1	322	–	110	5
6	9	3	–	–	–	7	44	6	2	2	6	3	–	4	1	–	–	–	–	395	3	270	6
–	–	1	2	–	1	1	2	–	–	–	–	1	3	12	1	4	–	–	–	46	–	20	7
–	–	4	1	–	–	–	1	–	–	–	1	2	1	5	1	1	–	–	–	24	–	11	8
1	1	–	–	–	1	–	1	–	1	–	–	1	1	2	–	–	–	–	1	24	–	2	9
3	–	1	–	–	1	2	1	1	1	–	–	–	–	–	1	–	–	–	–	13	–	3	10
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	60	–	37	11
47	45	3	3	1	–	28	34	16	1	4	2	2	–	5	2	11	3	–	–	351	3	1,060	12
36	24	2	3	–	–	13	24	6	–	2	1	1	–	5	2	8	3	–	–	152	1	546	13
8	11	–	–	1	–	5	5	6	–	1	–	–	–	–	–	3	–	–	–	122	1	300	14
3	10	1	–	–	–	10	5	3	1	1	1	1	–	–	–	–	–	–	–	65	–	195	15
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9	1	17	16
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	3	–	2	17
312	73	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	1	–	–	4	–	19	18
311	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	14	19
1	73	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	1	–	–	3	–	5	20
5	2	1,013	159	114	263	310	1,191	82	215	599	426	1,264	365	1,631	471	493	–	–	2	183	2	304	21
–	–	975	–	–	–	4	–	2	–	–	11	5	14	–	–	–	–	–	–	5	–	46	22
–	–	–	149	–	–	7	1	1	–	–	–	–	–	–	–	1	–	–	–	1	–	4	23
–	–	–	–	111	1	–	2	–	–	–	2	–	–	–	5	–	–	–	–	8	–	7	24
1	–	–	–	–	258	–	–	–	–	–	–	–	–	1	2	–	–	–	–	5	–	5	25
–	–	–	7	–	–	281	4	–	–	–	–	1	–	–	1	2	–	–	–	9	–	13	26
1	1	4	1	–	–	13	1,157	2	–	1	–	4	1	10	2	2	–	–	–	47	–	64	27
1	–	–	1	–	–	1	3	79	–	–	–	–	–	–	–	1	–	–	–	2	–	10	28
–	–	3	–	–	–	–	1	–	205	–	–	1	1	–	–	–	–	–	1	3	–	6	29
1	–	–	1	–	1	4	–	–	–	598	1	–	–	1	–	2	–	–	–	7	1	7	30
–	–	–	–	1	–	–	–	–	–	–	412	–	–	–	5	–	–	–	–	22	1	18	31
–	–	10	–	–	–	1	4	–	–	–	–	1,200	6	15	–	3	–	–	–	3	–	35	32
–	–	3	–	–	–	–	–	4	–	–	–	15	343	3	–	–	–	–	–	5	–	11	33
–	–	18	–	1	–	–	9	–	3	–	–	26	9	1,585	–	6	–	–	–	37	–	47	34
–	–	–	–	1	3	–	2	–	–	–	11	–	–	–	456	–	–	–	–	21	–	18	35
1	1	–	–	–	–	3	4	–	1	–	–	6	–	2	–	476	–	–	1	8	–	13	36
–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	327	172	90	1	–	9	37
–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	327	–	–	–	–	6	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	172	–	–	–	1	39
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	90	1	–	2	40
1	3	4	–	2	1	9	28	3	2	1	16	3	1	19	7	3	–	–	–	1,723	1	87	41
–	–	–	–	1	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	4	16	–	42
5	3	6	1	1	3	1	5	–	3	1	3	10	–	6	3	1	1	–	–	38	–	4,290	43
428	143	1,037	168	119	270	372	1,317	108	226	610	457	1,290	372	1,687	492	517	333	173	93	3,316	25	6,449	

TABLE 29—Causes of death for each sex, by provinces, 1928

Int. list No.	Causes of death — Causes de décès		Canada(1)	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia
	DEATHS—ALL CAUSES—DÉCÈS—TOUTES CAUSES.	**Total**	**109,057**	**952**	**6,202**	**4,972**	**36,632**	**37,128**	**5,396**	**6,166**	**5,699**	**5,910**
		M.	**58,480**	**495**	**3,339**	**2,654**	**19,036**	**19,457**	**3,029**	**3,485**	**3,322**	**3,663**
		F.	**50,577**	**457**	**2,863**	**2,318**	**17,596**	**17,671**	**2,367**	**2,681**	**2,377**	**2,247**
	CLASS I—EPIDEMIC, ENDEMIC AND INFECTIOUS DISEASES—CLASSE I—AFFECTIONS ÉPIDÉMIQUES, ENDÉMIQUES ET INFECTIEUSES.	**Total**	**17,248**	**149**	**987**	**803**	**6,716**	**4,738**	**830**	**1,048**	**999**	**978**
		M.	**8,594**	**71**	**524**	**393**	**3,177**	**2,351**	**438**	**542**	**538**	**560**
		F.	**8,654**	**78**	**463**	**410**	**3,539**	**2,387**	**392**	**506**	**461**	**418**
1	Typhoid and paratyphoid fever—Fièvre typhoïde et paratyphoïde.	M.	288	5	17	10	146	54	18	15	17	6
		F.	179	–	10	9	114	24	3	6	9	4
	(a) Typhoid fever—Fièvre typhoïde.....	M.	280	5	16	10	141	52	18	15	17	6
		F.	172	–	10	9	108	24	3	5	9	4
	(b) Paratyphoid fever—Fièvre paratyphoïde.	M.	8	–	1	–	5	2	–	–	–	–
		F.	7	–	–	–	6	–	–	1	–	–
4	Undulant fever—Fièvre ondulante.....	M.	1	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
5	Malaria—Fièvre et cachexie paludéennes..	M.	3	–	–	–	–	3	–	–	–	–
		F.	2	–	–	–	–	1	–	1	–	–
6	Small-pox—Variole.....	M.	4	–	–	–	2	1	–	1	–	–
		F.	3	–	–	–	2	1	–	–	–	–
7	Measles—Rougeole.....	M.	167	–	9	19	71	36	6	13	9	4
		F.	170	4	14	11	91	26	3	8	10	3
8	Scarlet fever—Scarlatine.....	M.	168	–	11	8	96	23	6	10	12	2
		F.	178	2	10	9	78	44	7	12	13	3
9	Whooping-cough—Coqueluche.....	M.	352	2	38	19	146	78	14	29	19	7
		F.	375	–	42	13	160	97	13	18	26	6
10	Diphtheria—Diphtérie.....	M.	460	2	10	17	206	116	28	40	22	19
		F.	456	4	15	14	207	97	28	42	28	21
11	Influenza—Grippe.....	M.	2,319	9	103	92	819	801	69	173	175	78
		F.	2,384	9	72	114	809	910	79	183	140	68
	(a) Sole cause—Cause unique.....	M.	476	3	32	40	213	84	14	39	36	15
		F.	470	2	19	58	169	127	14	37	27	17
	(b) With phthisis—Avec phtisie.....	M.	38	–	6	2	12	10	2	1	2	3
		F.	62	–	1	3	33	7	4	7	1	6
	(c) With bronchitis—Avec bronchite.....	M.	79	–	5	–	25	31	8	4	2	4
		F.	82	–	5	3	29	33	2	4	5	1
	(d) With pneumonia—Avec pneumonie...	M.	1,093	4	29	36	377	436	23	87	68	33
		F.	1,003	3	19	25	347	435	34	66	47	27
	(e) With other respiratory diseases—Avec autres affections de l'appareil respiratoire.	M.	103	–	5	3	64	17	2	4	4	4
		F.	108	–	1	1	78	15	1	5	6	1
	(f) With diseases and accidents of pregnancy and parturition—Avec affections et accidents de la grossesse.	F.	65	–	3	3	18	21	1	8	9	2
	(g) With other causes—Avec autres causes.	M.	530	2	26	11	128	223	20	38	63	19
		F.	594	4	24	21	135	272	23	56	45	14
12	Miliary fever—Suette miliaire.....	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–
13	Mumps—Oreillons.....	M.	21	–	–	1	8	8	–	1	2	1
		F.	24	–	–	–	9	9	3	1	1	1
16	Dysentery—Dysenterie.....	M.	47	–	–	1	14	21	–	–	8	3
		F.	42	–	–	3	16	10	2	3	2	6
19	Spirochetal haemorrhagic jaundice—Spirochétose ictéro-hémorragique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	1	–	–	–	–	–
20	Leprosy—Lèpre.....	M.	2	–	–	1	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle.....	M.	155	1	5	6	42	51	16	9	15	10
		F.	130	–	3	3	51	48	5	6	11	3
22	Acute anterior poliomyelitis—Poliomyélite aiguë.	M.	103	–	1	3	18	16	25	6	19	15
		F.	79	–	1	1	16	18	18	5	16	4
23	Lethargic encephalitis—Encéphalite léthargique.	M.	73	2	1	3	–	32	10	8	15	2
		F.	47	–	2	3	4	18	6	4	5	5
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique.	M.	136	1	5	4	35	31	10	15	20	15
		F.	99	1	5	4	41	15	5	6	16	6
25	Other epidemic and endemic diseases—Autres affections épidémiques et endémiques.	M.	17	–	1	–	12	4	–	–	–	–
		F.	25	–	1	–	11	7	2	2	1	1
	(a) Chicken-pox—Varicelle.....	M.	13	–	1	–	10	2	–	–	–	–
		F.	17	–	1	–	8	5	1	1	–	1
	(b) German measles—Rubéole.....	M.	1	–	–	–	1	–	–	–	–	–
		F.	4	–	–	–	2	1	–	1	–	–
	(c) Others under this title—Autres sous ce titre.	M.	3	–	–	–	1	2	–	–	–	–
		F.	4	–	–	–	1	1	1	–	1	–
29	Tetanus—Tétanos.....	M.	22	2	2	1	5	9	1	2	–	–
		F.	11	–	1	1	1	8	–	–	–	–
30	Mycoses.....	M.	10	–	1	–	3	2	1	2	–	1
		F.	6	–	–	–	–	3	–	2	–	1
31-37	**Tuberculosis—Tuberculose**.....	**M.**	**3,730**	**44**	**297**	**186**	**1,393**	**888**	**202**	**191**	**170**	**359**
		F.	**4,130**	**56**	**274**	**217**	**1,813**	**944**	**197**	**187**	**168**	**274**
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire.	M.	3,052	36	248	156	1,151	753	147	143	126	292
		F.	3,438	46	230	177	1,535	776	156	158	129	231

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

TABLEAU 29—Causes de décès pour chaque sexe, par provinces, 1928

Int. list No.	Causes of death — Causes de décès		Canada	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia
	CLASS I-con.—CLASSE I-fin											
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central.	M.	245	3	24	9	89	36	25	19	17	23
		F.	251	1	19	9	114	47	13	12	17	19
33	Tuberculosis of the intestines and peritoneum—Tuberculose des intestins et du péritoine.	M.	133	2	9	6	52	24	4	9	13	14
		F.	203	3	9	16	90	47	12	6	10	10
34	Tuberculosis of the vertebral column—Tuberculose de la colonne vertébrale.	M.	56	–	2	1	8	22	6	4	6	7
		F.	40	1	3	2	13	10	2	3	1	5
35	Tuberculosis of the joints—Tuberculose articulaire.	M.	27	–	2	3	5	10	3	–	–	4
		F.	20	2	3	–	5	6	2	–	1	1
36	Tuberculosis of other organs—Tuberculose d'autres organes.	M.	125	1	3	6	61	17	9	11	7	10
		F.	78	3	4	3	33	24	4	4	1	2
	(a) Skin and sub-cutaneous cellular tissue—De la peau et du tissu cellulaire sous-cutané.	M.	5	–	–	–	5	–	–	–	–	–
		F.	2	–	–	–	–	2	–	–	–	–
	(b) Bones (vertebral column excepted)—Des os (excepté la colonne vertébrale).	M.	25	–	1	1	18	3	–	1	1	–
		F.	17	1	–	2	12	2	–	–	–	–
	(c) Lymphatic system (mesenteric, and retroperitoneal glands excepted)—Du système lymphatique (excepté les ganglions mésentériques et les ganglions rétropéritonéaux).	M.	23	1	–	–	10	3	1	5	–	3
		F.	16	1	1	–	6	5	–	1	1	1
	(d) Genito-urinary system—Des organes génito-urinaires.	M.	69	–	1	5	26	11	8	5	6	7
		F.	38	–	3	1	14	13	3	3	–	1
	(e) Organs other than above—Autres organes que ceux déjà mentionnés.	M.	3	–	1	–	2	–	–	–	–	–
		F.	5	1	–	–	1	2	1	–	–	–
37	Disseminated tuberculosis—Tuberculose disséminée.	M.	92	2	9	5	27	26	8	5	1	9
		F.	100	–	6	10	23	34	8	4	9	6
	(a) Acute—Aiguë	M.	47	1	6	2	10	16	3	1	–	8
		F.	50	–	1	8	6	19	6	2	4	4
	(b) Chronic or unstated—Chronique ou non spécifiée.	M.	45	1	3	3	17	10	5	4	1	1
		F.	50	–	5	2	17	15	2	2	5	2
38	Syphilis	M.	247	1	15	12	68	83	17	11	19	21
		F.	123	1	7	3	45	38	9	5	7	8
39	Soft chancre—Chancre mou	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	1	–	–	–	–	–	–
40	Gonococcus infection—Gonococcie	M.	10	–	1	–	6	3	–	–	–	–
		F.	12	–	1	–	3	5	1	1	1	–
41	Purulent infection, septicaemia—Infection purulente, septicémie.	M.	259	2	7	10	87	90	15	16	16	16
		F.	176	1	5	4	67	63	11	14	7	4
	CLASS II—GENERAL DISEASES NOT INCLUDED IN CLASS I—CLASSE II—MALADIES GÉNÉRALES NON MENTIONNÉES DANS LA CLASSE I.	**Total**	**12,453**	**127**	**751**	**520**	**3,047**	**5,094**	**744**	**698**	**646**	**826**
		M.	**6,008**	**61**	**374**	**239**	**1,456**	**2,315**	**389**	**387**	**350**	**437**
		F.	**6,445**	**66**	**377**	**281**	**1,591**	**2,779**	**355**	**311**	**296**	**389**
43-49	**Cancer**	**M.**	**4,081**	**47**	**280**	**171**	**956**	**1,571**	**266**	**256**	**230**	**304**
		F.	**4,433**	**51**	**291**	**212**	**1,088**	**1,870**	**250**	**214**	**185**	**272**
43	Cancer of the buccal cavity—Cancer de la cavité buccale.	M.	282	5	24	14	87	108	12	12	11	9
		F.	55	–	6	6	11	24	3	1	3	1
44	Cancer of the stomach and liver—Cancer de l'estomac et du foie.	M.	1,893	17	132	74	489	644	138	143	118	138
		F.	1,362	27	95	65	341	561	79	68	57	69
45	Cancer of the peritoneum, intestines and rectum—Cancer du péritoine, des intestins et du rectum.	M.	674	13	42	35	145	284	34	37	29	55
		F.	751	5	55	41	199	321	30	25	37	38
46	Cancer of the female genital organs—Cancer des organes génitaux de la femme.	F.	837	7	49	38	208	337	53	46	23	76
47	Cancer of the breast—Cancer du sein	M.	10	–	1	–	4	2	1	–	–	2
		F.	788	7	40	31	201	342	45	39	36	47
48	Cancer of the skin—Cancer de la peau	M.	121	1	11	9	23	43	9	6	7	12
		F.	70	1	11	3	18	29	2	2	4	–
49	Cancer of other or unspecified organs—Cancer d'autres organes ou d'organes non spécifiés.	M.	1,101	11	70	39	208	490	72	58	65	88
		F.	570	4	35	28	110	256	38	33	25	41
	(a) Cancer of eye and ear—Cancer de l'œil et de l'oreille.	M.	10	–	–	–	4	1	–	3	1	1
		F.	18	–	–	1	8	9	–	–	–	–
	(b) Cancer of circulatory system—Cancer de l'appareil circulatoire.	M.	83	2	3	3	22	39	4	1	4	5
		F.	59	–	3	–	9	33	5	2	2	5
	(c) Cancer of respiratory system—Cancer de l'appareil respiratoire.	M.	154	–	6	3	28	71	14	9	8	15
		F.	87	–	2	4	10	45	8	7	3	8
	(d) Cancer of digestive system—Cancer de l'appareil digestif.	M.	143	–	8	3	26	58	6	11	10	21
		F.	132	–	10	5	23	59	6	10	5	14
	(e) Cancer of genito-urinary system—Cancer de l'appareil génito-urinaire.	M.	515	7	37	23	76	239	40	27	28	38
		F.	96	3	7	9	16	44	5	5	3	4
	(f) Cancer of bones and joints—Cancer des os et des articulations.	M.	45	–	3	2	8	24	2	3	2	1
		F.	43	–	2	2	8	20	5	1	3	2
	(g) Cancer of other specified organs—Cancer d'autres organes spécifiés.	M.	117	1	13	4	29	50	3	2	11	4
		F.	82	–	9	4	16	26	8	5	8	6
	(h) Generalized cancer—Cancer généralisé.	M.	26	–	–	1	14	4	2	2	–	3
		F.	40	1	2	2	18	11	1	3	–	2

TABLE 29—Causes of death for each sex, by provinces, 1928—*con.*

Int. list No.	Causes of death — Causes de décès		Canada	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia
	CLASS II–con.—**CLASSE II**–fin											
49	(i) Unspecified—Non spécifiés	M.	8	1	-	-	1	4	1	-	1	-
		F.	13	-	-	-	1	2	9	-	1	-
50	Benign tumours and tumours not returned as malignant (tumours of female genital organs excepted)—Tumeurs bénignes et tumeurs non données comme malignes (tumeurs des organes génitaux de la femme exceptées).	M.	55	-	3	1	21	23	5	2	-	-
		F.	58	-	5	4	19	23	1	2	-	4
51	Acute rheumatic fever—Rhumatisme articulaire aigu fébrile.	M.	148	1	5	5	39	56	4	18	12	8
		F.	172	1	10	5	38	67	14	12	15	10
52	Chronic rheumatism, osteo-arthritis, gout —Rhumatisme chronique ou goutte.	M.	73	2	5	1	40	13	2	4	2	4
		F.	75	1	6	4	30	22	1	4	5	2
53	Scurvy—Scorbut	M.	5	-	1	-	-	4	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-
54	Pellagra—Pellagre	M.	1	-	-	-	-	1	-	-	-	-
		F.	2	-	-	-	-	2	-	-	-	-
56	Rickets—Rachitisme	M.	139	-	-	2	80	31	8	10	7	1
		F.	83	1	3	1	44	20	2	3	8	1
57	Diabetes mellitus—Diabète	M.	495	5	28	21	124	180	34	30	38	35
		F.	602	7	37	28	153	259	22	29	27	40
58	Anaemia, chlorosis—Anémie, chlorose	M.	362	5	15	20	86	164	22	18	12	20
		F.	370	3	9	13	109	177	16	11	17	15
	(a) Pernicious anaemia—Anémie pernicieuse.	M.	291	4	10	19	44	150	20	16	10	18
		F.	291	2	7	9	64	157	14	10	15	13
	(b) Other anaemias and chlorosis—Autres anémies et chloroses.	M.	71	1	5	1	42	14	2	2	2	2
		F.	79	1	2	4	45	20	2	1	2	2
59	Diseases of the pituitary gland—Affections du corps pituitaire.	M.	5	-	1	-	-	2	1	1	-	-
		F.	5	-	-	-	1	1	1	-	1	1
60	Diseases of the thyroid gland—Affections de la glande thyroïde.	M.	78	-	1	2	8	49	6	5	2	5
		F.	387	2	5	7	56	231	23	18	22	23
	(a) Exophthalmic goiter—Goître exophtalmique.	M.	37	-	-	-	2	26	6	1	-	2
		F.	236	-	1	5	27	145	15	13	16	14
	(b)Other diseases of the thyroid gland— Autres affections de la glande thyroïde.	M.	41	-	1	2	6	23	-	4	2	3
		F.	151	2	4	2	29	86	8	5	6	9
61	Diseases of the parathyroid glands—Affections des glandes parathyroïdes.	M.	21	-	2	-	10	7	-	-	2	-
		F.	16	-	1	-	5	6	1	2	-	1
62	Diseases of the thymus—Affections du thymus.	M.	78	-	2	5	6	37	5	5	5	13
		F.	49	-	1	3	5	24	5	2	2	7
63	Diseases of the adrenals (Addison's disease)—Affections des glandes surrénales (maladie d'Addison).	M.	22	-	2	1	5	7	1	3	2	1
		F.	16	-	2	1	6	3	2	2	-	-
64	Diseases of the spleen—Affections de la rate.	M.	24	-	1	2	7	9	-	1	-	4
		F.	10	-	-	-	3	6	-	-	-	1
65	Leukaemia, lymphadenoma—Leucémie, lymphadénie.	M.	120	1	2	3	15	58	13	9	7	12
		F.	77	-	3	2	12	35	5	9	5	6
	(a) Leukaemia—Leucémie	M.	76	1	2	2	11	33	8	6	4	9
		F.	59	-	2	1	10	25	4	7	5	5
	(b) Lymphadenoma (Hodgkin's disease) —Lymphadénie (maladie d'Hodgkin).	M.	44	-	-	1	4	25	5	3	3	3
		F.	18	-	1	1	2	10	1	2	-	1
66	Alcoholism—Alcoolisme	M.	202	-	18	2	43	67	16	14	17	25
		F.	19	-	-	-	4	6	3	-	4	2
	(a) Delirium tremens	M.	17	-	1	-	2	6	2	1	2	3
		F.	2	-	-	-	-	1	1	-	-	-
	(b) Acute alcoholism—Alcoolisme aigu	M.	124	-	11	2	17	49	13	7	11	14
		F.	14	-	-	-	2	5	2	-	3	2
	(c) Chronic alcoholism—Alcoolisme chronique.	M.	61	-	6	-	24	12	1	6	4	8
		F.	3	-	-	-	2	-	-	-	1	-
67	Chronic poisoning by mineral substances—Empoisonnements chroniques par substances minérales.	M.	11	-	-	-	4	4	-	1	1	1
		F.	-	-	-	-	-	-	-	-	-	-
	(a) Chronic lead poisoning—Empoisonnements chroniques par le plomb.	M.	9	-	-	-	3	3	-	1	1	1
		F.	-	-	-	-	-	-	-	-	-	-
	(b) Others under this title—Autres sous ce titre.	M.	2	-	-	-	1	1	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-
68	Chronic organic poisoning—Empoisonnements chroniques par substances organiques.	M.	8	-	1	-	1	2	1	-	-	3
		F.	13	-	-	-	6	5	-	-	-	2
	(a) Chronic morphinism—Morphinisme chronique.	M.	2	-	-	-	-	1	1	-	-	-
		F.	7	-	-	-	4	2	-	-	-	1
	(b) Chronic cocainism, etc.—Cocaïnisme chronique, etc.	M.	-	-	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-	-	1
	(c) Other organic poisoning—Autres empoisonnements organiques.	M.	6	-	1	-	1	1	-	-	-	3
		F.	5	-	-	-	2	3	-	-	-	-
69	Other general diseases—Autres maladies générales.	M.	80	-	7	3	11	30	5	10	13	1
		F.	58	-	4	1	12	22	9	3	5	2
	(a) Diabetes insipidus—Diabète insipide.	M.	5	-	1	-	2	1	-	1	-	-
		F.	4	-	-	-	1	1	1	1	-	-
	(b) Haemophilia—Hémophilie	M.	26	-	1	1	1	11	4	2	6	-
		F.	15	-	1	-	3	9	-	1	-	1
	(c) Purpura haemorrhagica—Purpura hémorragique.	M.	29	-	2	-	5	8	1	5	7	1
		F.	22	-	1	-	5	6	6	1	3	-
	(d) Others under this title—Autres sous ce titre.	M.	20	-	3	2	3	10	-	2	-	-
		F.	17	-	2	1	3	6	2	-	2	1

TABLEAU 29—Causes de décès pour chaque sexe, par provinces, 1928—*suite*

Int. list No.	Causes of death — Causes de décès		Canada	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia
	CLASS III—DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE—CLASSE III—AFFECTIONS DU SYSTÈME NERVEUX ET DES ORGANES DES SENS.	Total	8,021	88	619	401	2,497	2,844	396	392	350	434
		M.	4,107	47	327	209	1,214	1,421	228	218	187	256
		F.	3,914	41	292	192	1,283	1,423	168	174	163	178
70	Encephalitis—Encéphalite	M.	93	-	3	2	26	37	5	9	8	3
		F.	58	-	3	1	15	29	7	1	2	-
	(a) Abscess of brain—Abcès du cerveau.	M.	36	-	2	1	15	10	-	2	3	3
		F.	14	-	2	-	2	6	3	1	-	-
	(b) Encephalitis—Encéphalite	M.	57	-	1	1	11	27	5	7	5	-
		F.	44	-	1	1	13	23	4	-	2	-
71	Meningitis—Méningite	M.	397	5	18	18	235	59	22	16	12	12
		F.	371	-	20	13	240	56	10	11	9	12
	(a) Simple meningitis—Méningite simple.	M.	391	5	17	18	232	57	22	16	12	12
		F.	368	-	20	13	237	56	10	11	9	12
	(b) Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non épidémique.	M.	6	-	1	-	3	2	-	-	-	-
		F.	3	-	-	-	3	-	-	-	-	-
72	Tabes dorsalis (locomotor ataxia)—Ataxie locomotrice progressive.	M.	60	-	7	3	11	25	4	2	2	6
		F.	14	-	2	1	5	4	1	-	-	1
73	Other diseases of the spinal cord—Autres affections de la moëlle épinière.	M.	240	2	20	12	45	113	9	13	11	15
		F.	162	3	11	4	31	83	6	11	7	6
74	Cerebral haemorrhage, apoplexy—Hémorragie cérébrale, apoplexie.	M.	1,467	20	125	79	266	658	83	73	60	103
		F.	1,627	20	140	81	338	737	81	77	63	90
	(a) Apoplexy—Apoplexie	M.	605	12	78	23	75	301	26	39	28	23
		F.	661	9	68	25	97	346	30	35	32	19
	(b) Cerebral haemorrhage—Hémorragie cérébrale.	M.	775	6	42	50	177	310	51	34	31	74
		F.	884	10	65	52	230	345	46	39	27	70
	(c) Cerebral thrombosis and embolism—Thrombose et embolie cérébrales.	M.	87	2	5	6	14	47	6	-	1	6
		F.	82	1	7	4	11	46	5	3	4	1
75	Paralysis without specified cause—Paralysie sans cause indiquée.	M.	452	9	44	35	226	101	9	11	9	8
		F.	559	7	41	36	293	139	9	14	15	5
	(a) Hemiplegia—Hémiplégie	M.	131	1	3	11	29	63	7	9	3	5
		F.	181	-	6	12	46	88	8	9	8	4
	(b) Others under this title—Autres sous ce titre.	M.	321	8	41	24	197	38	2	2	6	3
		F.	378	7	35	24	247	51	1	5	7	1
76	General paralysis of the insane—Paralysie générale des aliénés,	M.	116	-	6	-	20	44	11	10	6	19
		F.	30	-	1	3	5	12	1	3	2	3
77	Other forms of mental alienation—Autres formes de l'aliénation mentale.	M.	119	1	10	11	28	29	5	13	3	19
		F.	173	2	19	20	37	53	6	17	7	12
78	Epilepsy—Épilepsie	M.	240	4	20	9	71	82	12	14	9	19
		F.	180	2	6	9	46	81	6	11	12	7
79	Convulsions (non-puerperal, 5 years or over)—Éclampsie (non puerpérale, cinq ans ou au-dessus).	M.	8	-	2	-	2	3	-	1	-	-
		F.	6	-	1	1	2	-	-	1	-	1
80	Infantile convulsions (under 5 years of age)—Convulsions des enfants (moins de cinq ans).	M.	251	6	51	9	58	60	16	25	20	6
		F.	189	1	31	6	67	44	7	14	16	3
81	Chorea—Chorée	M.	5	-	-	-	1	3	-	1	-	-
		F.	11	-	1	-	2	8	-	-	-	-
82	Neuralgia and neuritis—Névralgie et névrite.	M.	18	-	3	1	6	5	1	2	-	-
		F.	30	-	1	-	13	10	3	1	1	1
83	Softening of the brain—Ramollissement du cerveau.	M.	78	-	1	8	39	17	2	1	3	7
		F.	88	2	1	6	59	15	1	-	1	3
84	Other diseases of the nervous system—Autres affections du système nerveux.	M.	293	-	13	11	56	114	26	21	29	23
		F.	243	2	10	7	55	99	18	10	21	21
85	Diseases of the eye and annexa—Affections de l'œil et de ses annexes.	M.	16	-	-	1	4	8	-	2	1	-
		F.	5	-	-	1	1	3	-	-	-	-
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien.	M.	254	-	4	10	120	63	23	4	14	16
		F.	168	2	4	3	74	50	12	3	7	13
	(a) Diseases of the ear—Affections de l'oreille.	M.	118	-	2	8	46	37	9	2	8	6
		F.	80	2	2	1	31	28	5	1	3	7
	(b) Diseases of the mastoid process—Affections du sinus mastoïdien.	M.	136	-	2	2	74	26	14	2	6	10
		F.	88	-	2	2	43	22	7	2	4	6
	CLASS IV—DISEASES OF THE CIRCULATORY SYSTEM—CLASSE IV—AFFECTIONS DE L'APPAREIL CIRCULATOIRE.	Total	18,658	155	1,028	731	4,191	8,880	921	788	832	1,132
		M.	10,011	94	578	399	2,097	4,623	532	462	501	725
		F.	8,647	61	450	332	2,094	4,257	389	326	331	407
87-90	Diseases of the heart—Affections du cœur.	M.	6,656	71	424	268	1,554	2,884	363	333	324	435
		F.	5,974	47	333	253	1,605	2,725	275	238	225	273
87	Pericarditis—Péricardite	M.	39	-	2	-	14	7	5	8	2	1
		F.	20	-	-	-	9	6	1	-	1	3
88	Endocarditis and myocarditis (acute)—Endocardite et myocardite (aiguës).	M.	211	1	5	3	38	97	17	14	23	13
		F.	179	1	7	5	44	82	8	8	12	12
	(a) Acute endocarditis—Endocardite aiguë.	M.	126	1	4	3	19	53	14	8	14	10
		F.	100	1	4	3	27	36	8	4	9	8
	(b) Acute myocarditis—Myocardite aiguë.	M.	85	-	1	-	19	44	3	6	9	3
		F.	79	-	3	2	17	46	-	4	3	4
89	Angina pectoris—Angine de poitrine	M.	964	5	50	24	223	499	34	43	29	57
		F.	441	2	34	12	101	236	15	11	7	23
90	Other diseases of the heart—Autres affections du cœur.	M.	5,442	65	367	241	1,279	2,281	307	268	270	364
		F.	5,334	44	292	236	1,451	2,401	251	219	205	235

TABLE 29—Causes of death for each sex, by provinces, 1928—*con.*

Int. list No.	Causes of death — Causes de décès		Canada	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia
	CLASS IV-con.—**CLASSE IV**-fin											
90	(a) Valvular disease—Affection valvulaire.	M.	1,084	12	110	55	194	432	88	61	58	74
		F.	1,071	11	95	52	239	458	73	56	40	47
	(b) Fatty degeneration of the heart—Dégénérescence ou stéanose du cœur.	M.	44	1	–	3	11	13	7	1	2	6
		F.	29	–	–	1	6	13	1	–	5	3
	(c) Aortic insufficiency—Insuffisance aortique.	M.	27	–	3	2	18	2	2	–	–	–
		F.	11	–	2	1	7	1	–	–	–	–
	(d) Chronic endocarditis—Endocardite chronique.	M.	785	6	36	41	216	298	42	46	41	59
		F.	848	2	22	38	233	364	45	45	35	64
	(e) Chronic myocarditis—Myocardite chronique.	M.	2,377	38	94	98	437	1,181	122	94	133	180
		F.	2,304	20	77	110	514	1,218	96	77	99	93
	(f) Others under this title—Autres sous ce titre.	M.	1,125	8	124	42	403	355	46	66	36	45
		F.	1,071	11	96	34	452	347	36	41	26	28
91	Diseases of the arteries—Affections des artères.	M.	3,131	21	148	117	502	1,649	142	117	160	275
		F.	2,513	13	113	71	454	1,462	99	78	97	126
	(a) Aneurysm—Anévrisme	M.	118	1	3	4	21	38	11	10	5	25
		F.	44	–	–	1	16	18	1	1	2	5
	(b) Arteriosclerosis—Artério-sclérose	M.	2,980	20	144	112	478	1,595	127	106	153	245
		F.	2,458	13	113	70	435	1,438	98	77	95	119
	(c) Other diseases of the arteries—Autres affections des artères.	M.	33	–	1	1	3	16	4	1	2	5
		F.	11	–	–	–	3	6	–	–	–	2
92	Embolism and thrombosis (not cerebral)—Embolie et thrombose (non cérébrales).	M.	149	1	1	12	20	64	22	4	14	11
		F.	79	1	1	7	16	35	10	2	3	4
93	Diseases of the veins (varices, haemorrhoids, phlebitis, etc.)—Affections des veines (varices, hémorroïdes, phlébite, etc.).	M.	37	1	1	1	7	14	2	6	2	3
		F.	45	–	–	1	6	25	4	5	3	1
94	Diseases of the lymphatic system (lymphangitis, etc.)—Affections du système lymphatique (lymphangite, etc.).	M.	25	–	2	1	9	7	3	2	–	1
		F.	23	–	–	–	12	5	1	–	3	2
95	Haemorrhage without specified cause—Hémorragie sans cause déterminée.	M.	10	–	2	–	5	2	–	–	1	–
		F.	10	–	3	–	–	4	–	2	–	1
96	Other diseases of the circulatory system—Autres affections de l'appareil circulatoire.	M.	3	–	–	–	–	3	–	–	–	–
		F.	3	–	–	–	1	1	–	1	–	–
	CLASS V—DISEASES OF THE RESPIRATORY SYSTEM—CLASSE V—AFFECTIONS DE L'APPAREIL RESPIRATOIRE.	Total	**10,640**	**111**	**602**	**524**	**3,860**	**3,330**	**539**	**649**	**556**	**469**
		M.	**5,765**	**58**	**323**	**272**	**2,046**	**1,776**	**306**	**374**	**321**	**289**
		F.	**4,875**	**53**	**279**	**252**	**1,814**	**1,554**	**233**	**275**	**235**	**180**
97	Diseases of the nasal fossae and their annexa—Affections des fosses nasales et de leurs annexes.	M.	22	–	2	–	4	8	1	4	1	2
		F.	17	–	–	1	2	12	1	1	–	–
98	Diseases of the larynx—Affections du larynx.	M.	91	–	4	3	48	14	4	8	9	1
		F.	92	–	2	4	62	15	1	4	1	3
	(a) Laryngismus stridulus—Laryngite striduleuse.	M.	13	–	–	–	11	–	–	1	1	–
		F.	22	–	–	1	17	1	–	2	1	–
	(b) Laryngitis—Laryngite	M.	30	–	2	–	8	9	2	3	5	1
		F.	23	–	–	–	11	10	–	–	–	2
	(c) Croup	M.	34	–	1	1	18	5	2	4	3	–
		F.	36	–	1	2	28	2	1	1	–	1
	(d) Other diseases of the larynx—Autres affections du larynx.	M.	14	–	1	2	11	–	–	–	–	–
		F.	11	–	1	1	6	2	–	1	–	–
99	Bronchitis—Bronchite	M.	243	1	15	5	88	64	21	20	15	14
		F.	279	4	24	16	95	85	19	14	12	10
	(a) Acute—Aiguë	M.	122	1	2	4	49	32	8	9	11	6
		F.	121	–	8	5	43	35	12	4	10	4
	(b) Chronic—Chronique	M.	69	–	9	–	16	22	7	6	4	5
		F.	94	3	14	8	18	33	5	7	2	4
	(c) Not otherwise defined, under 5 years of age—Sans épithète, au-dessous de cinq ans.	M.	8	–	–	–	1	1	1	4	–	1
		F.	10	–	1	1	–	3	1	2	–	2
	(d) Not otherwise defined, 5 years or over—Sans épithète, cinq ans ou au-dessus.	M.	44	–	4	1	22	9	5	1	–	2
		F.	54	1	1	2	34	14	1	1	–	–
100	Bronchopneumonia (including capillary bronchitis) — Broncho-pneumonie (y compris bronchite capillaire).	M.	1,814	8	90	66	769	515	101	118	93	54
		F.	1,622	16	84	58	662	487	96	96	80	43
	(a) Bronchopneumonia—Broncho-pneumonie.	M.	1,740	8	89	66	708	508	100	116	92	53
		F.	1,559	15	78	54	619	481	95	94	80	43
	(b) Capillary bronchitis—Bronchite capillaire.	M.	74	–	1	–	61	7	1	2	1	1
		F.	63	1	6	4	43	6	1	2	–	–
101	Pneumonia—Pneumonie	M.	2,768	45	165	171	778	946	141	179	177	166
		F.	2,221	31	137	146	678	788	87	142	121	91
	(a) Lobar—Lobaire	M.	1,461	20	64	80	307	519	114	121	133	103
		F.	1,010	7	50	67	224	384	69	85	76	48
	(b) Not otherwise defined—Sans épithète.	M.	1,307	25	101	91	471	427	27	58	44	63
		F.	1,211	24	87	79	454	404	18	57	45	43
102	Pleurisy—Pleurésie	M.	255	–	12	10	93	82	15	12	12	19
		F.	202	1	5	8	106	50	8	8	6	10
103	Congestion and haemorrhagic infarct of the lung—Congestion et hémorragie parenchymateuse des poumons.	M.	222	–	12	7	145	44	6	3	2	3
		F.	270	1	17	11	154	66	5	3	4	9
104	Gangrene of the lung—Gangrène du poumon.	M.	24	–	–	1	16	3	1	2	–	1
		F.	4	–	–	–	3	1	–	–	–	–

TABLEAU 29—Causes de décès pour chaque sexe, par provinces, 1928—*suite*

Int. list No.	Causes of death — Causes de décès		Canada	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia
	CLASS V-con.—CLASSE V-fin											
105	Asthma—Asthme	M.	175	3	12	5	62	52	7	15	8	11
		F.	91	–	7	1	35	22	9	3	5	9
106	Pulmonary emphysema—Emphysème pulmonaire.	M.	17	–	–	–	11	3	1	–	2	–
		F.	7	–	–	–	4	1	–	1	1	–
107	Other diseases of the respiratory system (tuberculosis excepted)—Autres affections de l'appareil respiratoire (tuberculose exceptée).	M.	134	1	11	4	32	45	8	13	2	18
		F.	70	–	3	7	13	27	7	3	5	5
	(a) Chronic interstitial pneumonia including occupational diseases of the lungs—Pneumonie interstitielle chronique comprenant les affections professionnelles de l'appareil pulmonaire.	M.	13	–	1	1	1	4	–	–	–	6
		F.	3	–	–	–	1	–	–	–	1	1
	(b) Diseases of the mediastinum—Affections du médiastin.	M.	5	–	–	–	3	1	1	–	–	–
		F.	2	–	1	–	1	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	116	1	10	3	28	40	7	13	2	12
		F.	65	–	2	7	11	27	7	3	4	4
	CLASS VI—DISEASES OF THE DIGESTIVE SYSTEM—CLASSE VI—AFFECTIONS DE L'APPAREIL DIGESTIF.	Total	**11,140**	**55**	**351**	**371**	**5,669**	**2,660**	**500**	**595**	**544**	**395**
		M.	**6,137**	**30**	**190**	**214**	**3,083**	**1,443**	**272**	**334**	**325**	**246**
		F.	**5,003**	**25**	**161**	**157**	**2,586**	**1,217**	**228**	**261**	**219**	**149**
108	Diseases of the mouth and annexa—Affections de la bouche et de ses annexes.	M.	62	–	4	2	10	33	2	3	4	4
		F.	40	–	4	1	8	20	1	2	3	1
109	Diseases of the pharynx and tonsils (including adenoid vegetations)—Affections du pharynx et des amygdales (y compris les végétations adénoïdiennes).	M.	194	2	10	7	74	59	8	11	15	8
		F.	197	2	8	10	62	68	9	10	16	12
	(a) Adenoid vegetations—Végétations adénoïdiennes.	M.	4	–	–	–	3	1	–	–	–	–
		F.	4	–	1	–	2	1	–	–	–	–
	(b) Pharynx and tonsils—Pharynx et amygdales.	M.	190	2	10	7	71	58	8	11	15	8
		F.	193	2	7	10	60	67	9	10	16	12
110	Diseases of the oesophagus—Affections de l'œsophage.	M.	14	–	–	1	5	3	–	–	3	2
		F.	6	–	–	–	2	1	1	–	1	1
111	Ulcer of the stomach and duodenum—Ulcère de l'estomac et du duodénum.	M.	419	3	5	14	89	161	40	22	43	42
		F.	129	2	9	2	34	40	12	11	11	8
	(a) Ulcer of the stomach—Ulcère de l'estomac.	M.	257	3	3	10	75	84	21	11	22	28
		F.	93	2	6	2	30	26	9	6	8	4
	(b) Ulcer of the duodenum—Ulcère du duodénum.	M.	162	–	2	4	14	77	19	11	21	14
		F.	36	–	3	–	4	14	3	5	3	4
112	Other diseases of the stomach (cancer excepted)—Autres affections de l'estomac (cancer excepté).	M.	539	5	24	22	300	108	19	31	10	20
		F.	489	5	21	21	300	92	12	18	5	15
113	Diarrhoea and enteritis (under 2 years of age)—Diarrhée et entérite (au-dessous de 2 ans).	M.	2,456	3	38	71	1,747	359	58	90	75	15
		F.	1,878	3	23	33	1,344	284	63	66	49	13
114	Diarrhoea and enteritis (2 years or over)—Diarrhée et entérite (deux ans ou au-dessus).	M.	327	–	11	11	161	71	18	13	24	18
		F.	371	1	22	15	187	88	12	11	17	18
116	Diseases due to other intestinal parasites—Affections dues à d'autres parasites intestinaux.	M.	4	–	1	1	1	1	–	–	–	–
		F.	5	–	–	2	3	–	–	–	–	–
	(a) Cestodes (hydatids of the liver excepted)—Cestodes (non compris les hydatides du foie).	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Trematodes—Trématodes	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Nematodes (other than ankylostoma)—Nématodes (autres que ankylostomiase).	M.	2	–	1	–	–	1	–	–	–	–
		F.	1	–	–	–	1	–	–	–	–	–
	(d) Coccidia—Coccidies	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Other parasites specified—Autres parasites spécifiés.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(f) Parasites not specified—Parasites non spécifiés.	M.	2	–	–	1	1	–	–	–	–	–
		F.	4	–	–	2	2	–	–	–	–	–
117	Appendicitis and typhlitis—Appendicite et typhlite.	M.	838	8	44	36	240	255	48	74	77	56
		F.	567	2	19	29	166	178	32	69	49	23
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale.	M.	493	7	25	16	134	170	34	46	42	19
		F.	363	2	13	16	92	143	32	27	20	18
	(a) Hernia—Hernie	M.	192	1	4	8	60	63	17	19	10	10
		F.	122	–	4	3	38	45	9	9	4	10
	(b) Intestinal obstruction—Obstruction intestinale.	M.	301	6	21	8	74	107	17	27	32	9
		F.	241	2	9	13	54	98	23	18	16	8
119	Other diseases of the intestines—Autres affections des intestins.	M.	128	–	3	4	63	35	9	4	3	7
		F.	125	3	10	5	61	31	6	2	3	4
120	Acute yellow atrophy of the liver—Atrophie jaune aiguë du foie.	M.	19	–	–	2	10	4	1	1	–	1
		F.	35	2	1	1	17	11	1	–	1	1
122	Cirrhosis of the liver—Cirrhose du foie	M.	224	–	6	8	106	58	8	7	10	21
		F.	139	–	3	1	62	46	9	7	4	7
	(a) Specified as alcoholic—Spécifiée comme alcoolique.	M.	7	–	1	–	2	3	–	–	1	–
		F.	3	–	–	–	1	1	1	–	–	–

TABLE 29—Causes of death for each sex, by provinces, 1928—*con.*

Int. list No.	Causes of death — Causes de décès		Canada	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia
	CLASS VI-con.—**CLASSE VI**-fin											
122	(b) Not specified as alcoholic—Non spécifiée comme alcoolique.	M.	217	–	5	8	104	55	8	7	9	21
		F.	136	–	3	1	61	45	8	7	4	7
123	Biliary calculi—Calculs biliaires.....	M.	52	1	2	–	16	15	6	3	2	7
		F.	161	1	5	6	45	53	16	16	10	9
124	Other diseases of the liver—Autres affections du foie.	M.	230	–	10	13	84	64	14	15	10	20
		F.	350	2	19	10	138	117	12	18	23	11
125	Diseases of the pancreas—Affections du pancréas.	M.	27	–	2	2	2	12	1	2	3	3
		F.	34	–	1	3	6	15	2	1	3	3
126	Peritonitis without specified cause—Peritonite sans cause indiquée.	M.	111	1	5	4	41	35	6	12	4	3
		F.	114	–	3	2	59	30	8	3	4	5
	CLASS VII—NON-VENEREAL DISEASES OF THE GENITO-URINARY SYSTEM AND ANNEXA—CLASSE VII—AFFECTIONS NON VÉNÉRIENNES DE L'APPAREIL GÉNITO-URINAIRE ET DE SES ANNEXES.	Total	**7,527**	**78**	**434**	**267**	**2,770**	**2,624**	**313**	**324**	**307**	**410**
		M.	**4,280**	**52**	**271**	**161**	**1,447**	**1,517**	**182**	**188**	**188**	**274**
		F.	**3,247**	**26**	**163**	**106**	**1,323**	**1,107**	**131**	**136**	**119**	**136**
128	Acute nephritis (including unspecified, under 10 years of age)—Néphrite aiguë (y compris non spécifiée au-dessous de dix ans).	M.	223	–	15	9	74	80	8	12	14	11
		F.	186	4	9	4	69	66	10	17	4	3
129	Chronic nephritis (including unspecified, 10 years of age or over)—Néphrite chronique (y compris non spécifiée, dix ans ou au-dessus).	M.	2,862	41	179	102	1,061	946	104	116	125	188
		F.	2,444	18	120	79	1,073	797	81	93	86	97
131	Other diseases of the kidneys and annexa—Autres affections des reins et de leurs annexes.	M.	206	3	22	9	51	73	17	15	3	13
		F.	158	1	14	3	29	81	10	9	4	7
132	Calculi of the urinary passages—Calculs des voies urinaires.	M.	40	–	3	3	5	22	3	2	1	1
		F.	15	–	–	–	4	9	–	–	1	1
133	Diseases of the bladder—Affections de la vessie.	M.	122	1	12	7	23	56	8	5	4	6
		F.	33	–	3	1	13	11	2	1	1	1
134	Diseases of the urethra, urinary abscess, etc.—Affections de l'urètre, abcès urineux, etc.	M.	23	–	2	1	3	10	4	–	1	2
		F.	2	–	–	–	–	1	1	–	–	–
	(a) Stricture of the urethra—Rétrécissement de l'urètre.	M.	13	–	1	1	1	6	3	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other diseases of the urethra—Autres affections de l'urètre.	M.	10	–	1	–	2	4	1	–	1	1
		F.	2	–	–	–	–	1	1	–	–	–
135	Diseases of the prostate—Affections de la prostate.	M.	785	6	36	30	224	324	38	36	39	52
136	Non-venereal diseases of the male genital organs—Affections non vénériennes des organes génitaux de l'homme.	M.	19	1	2	–	6	6	–	2	1	1
137	Cysts and other benign tumours of the ovary—Kystes et autres tumeurs bénignes de l'ovaire.	F.	79	1	3	7	24	30	9	2	1	2
138	Salpingitis and pelvic abscess—Salpingite et abcès du bassin.	F.	92	–	3	5	35	21	5	6	9	8
139	Benign tumours of the uterus—Tumeurs bénignes de l'utérus.	F.	86	–	6	3	21	39	4	3	3	7
140	Non-puerperal uterine haemorrhage—Hémorragie utérine non puerpérale.	F.	6	1	–	–	–	5	–	–	–	–
141	Other diseases of the female genital organs—Autres affections des organes génitaux de la femme.	F.	141	1	5	4	53	46	9	5	9	9
142	Non-puerperal diseases of the breast (cancer excepted)—Affections non puerpérales du sein (cancer excepté).	F.	5	–	–	–	2	1	–	–	1	1
	CLASS VIII—THE PUERPERAL STATE—CLASSE VIII—ÉTAT PUERPÉRAL.	Total	**1,331**	**11**	**57**	**58**	**444**	**396**	**74**	**124**	**106**	**61**
143	Accidents of pregnancy—Accidents de la grossesse.	F.	101	–	3	4	28	36	6	7	8	9
	(a) Abortion—Avortement.....	F.	30	–	1	2	12	10	2	3	–	–
	(b) Ectopic gestation—Gestation ectopique.	F.	41	–	–	–	9	15	4	2	6	5
	(c) Others under this title—Autres sous ce titre.	F.	26	–	2	2	6	9	–	2	1	4
	(d) Abortion, self-induced—Avortement provoqué par soi-même.	F.	4	–	–	–	1	2	–	–	1	–
144	Puerperal haemorrhage—Hémorragie puerpérale.	F.	173	3	4	5	67	45	9	22	14	4
145	Other accidents of labour—Autres accidents de l'accouchement.	F.	142	1	7	6	37	51	10	11	10	9
	(a) Caesarean section—Opération césarienne.	F.	33	–	1	–	5	19	–	2	5	1
	(b) Difficult labour—Accouchement laborieux.	F.	23	–	–	1	7	5	2	4	1	3
	(c) Other surgical operations and instrumental delivery—Autres opérations chirurgicales et application d'instruments.	F.	41	–	5	5	6	12	2	3	3	5

TABLEAU 29—Causes de décès pour chaque sexe, par provinces, 1928—*suite*

Int. list No.	Causes of death — Causes de décès		Canada	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia
	CLASS VIII-con.—**CLASSE VIII**-fin											
145	(d) Uncontrollable vomiting—Vomissements incontrôlables.	F.	43	1	1	–	17	15	6	2	1	–
	(e) Rupture of uterus in labour, etc.— Rupture de l'utérus durant l'accouchement, etc.	F.	2	–	–	–	2	–	–	–	–	–
146	Puerperal septicaemia—Septicémie puerpérale.	F.	439	–	11	22	146	120	21	54	42	23
147	Puerperal phlegmasia alba dolens, puerperal embolism, sudden death in puerperium—Phlegmasia alba dolens, embolie, mort subite puerpérales.	F.	90	2	5	3	22	34	9	7	6	2
148	Puerperal albuminuria and convulsions—Albuminurie et éclampsie puerpérales.	F.	330	5	25	17	117	97	18	20	19	12
149	Following childbirth (not otherwise defined)—Suites de couches (sans autres explications).	F.	55	–	2	1	26	13	1	3	7	2
150	Puerperal diseases of the breast—Affections puerpérales de la mamelle.	F.	1	–	–	–	1	–	–	–	–	–
	CLASS IX—DISEASES OF THE SKIN AND OF THE CELLULAR TISSUE—CLASSE IX—AFFECTIONS DE LA PEAU ET DU TISSU CELLULAIRE.	**Total**	**670**	**7**	**35**	**30**	**250**	**211**	**37**	**46**	**28**	**26**
		M.	**386**	**2**	**21**	**17**	**142**	**119**	**25**	**27**	**16**	**17**
		F.	**284**	**5**	**14**	**13**	**108**	**92**	**12**	**19**	**12**	**9**
151	Gangrene—Gangrène	M.	163	1	10	9	53	58	11	8	6	7
		F.	129	2	9	5	47	44	5	7	6	4
152	Furuncle—Furoncle	M.	39	–	1	–	16	11	2	2	5	2
		F.	17	2	–	–	2	7	3	1	1	1
153	Acute abscess—Phlegmon, abcès chaud	M.	103	1	5	5	42	27	6	11	3	3
		F.	68	1	2	4	34	17	2	5	2	1
154	Other diseases of the skin and annexa—Autres affections de la peau et de ses annexes.	M.	81	–	5	3	31	23	6	6	2	5
		F.	70	–	3	4	25	24	2	6	3	3
	CLASS X—DISEASES OF THE BONES AND OF THE ORGANS OF LOCOMOTION—CLASSE X—AFFECTIONS DES OS ET DES ORGANES DE LA LOCOMOTION.	**Total**	**229**	**3**	**13**	**9**	**63**	**88**	**12**	**20**	**10**	**11**
		M.	**124**	–	**10**	**5**	**31**	**48**	**7**	**12**	**6**	**5**
		F.	**105**	**3**	**3**	**4**	**32**	**40**	**5**	**8**	**4**	**6**
155	Diseases of the bones (mastoid and tuberculosis excepted)—Affections des os (sinus mastoïdien et tuberculose exceptés).	M.	95	–	8	5	21	35	6	9	6	5
		F.	80	3	2	3	26	30	3	6	4	3
156	Diseases of the joints (tuberculosis and rheumatism excepted)—Affections articulaires (tuberculose et rhumatisme exceptés).	M.	21	–	1	–	7	11	–	2	–	–
		F.	19	–	1	1	4	8	1	1	–	3
157	Amputations	M.	1	–	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
158	Other diseases of the organs of locomotion—Autres affections des organes de la locomotion.	M.	7	–	–	–	3	2	1	1	–	–
		F.	6	–	–	–	2	2	1	1	–	–
	CLASS XI—MALFORMATIONS—CLASSE XI—VICES DE CONFORMATION.	**Total**	**1,441**	**8**	**70**	**47**	**484**	**485**	**78**	**106**	**98**	**65**
		M.	**770**	**3**	**38**	**29**	**254**	**249**	**40**	**59**	**61**	**37**
		F.	**671**	**5**	**32**	**18**	**230**	**236**	**38**	**47**	**37**	**28**
159	Congenital malformations (stillbirths not included)—Vices de conformation congénitaux (mort-nés non compris).	M.	770	3	38	29	254	249	40	59	61	37
		F.	671	5	32	18	230	236	38	47	37	28
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale.	M.	60	–	1	2	22	16	6	5	5	3
		F.	60	–	–	–	26	17	9	2	4	2
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur.	M.	424	1	24	17	157	129	16	31	31	18
		F.	324	5	15	6	123	97	16	25	17	20
	(c) Others under this title—Autres sous ce titre.	M.	286	2	13	10	75	104	18	23	25	16
		F.	287	–	17	12	81	122	13	20	16	6
	CLASS XII—DISEASES OF EARLY INFANCY—CLASSE XII—AFFECTIONS DU PREMIER ÂGE.	**Total**	**9,215**	**41**	**396**	**460**	**4,040**	**2,323**	**446**	**673**	**573**	**263**
		M.	**5,254**	**15**	**212**	**262**	**2,355**	**1,309**	**249**	**383**	**329**	**140**
		F.	**3,961**	**26**	**184**	**198**	**1,685**	**1,014**	**197**	**290**	**244**	**123**
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème.	M.	1,372	4	87	54	842	198	42	75	50	20
		F.	966	6	57	35	591	143	29	60	30	15
161	Premature birth, injury at birth—Naissance prématurée, conséquence de l'accouchement.	M.	3,144	6	99	105	1,195	988	178	257	222	94
		F.	2,452	10	110	87	885	762	140	195	176	87
	(a) Premature birth—Naissance prématurée.	M.	2,500	3	87	89	888	811	143	208	193	78
		F.	2,079	8	100	75	711	666	115	171	159	74
	(b) Injury at birth—Conséquence de l'accouchement.	M.	644	3	12	16	307	177	35	49	29	16
		F.	373	2	10	12	174	96	25	24	17	13

TABLE 29—Causes of death for each sex, by provinces, 1928—*con.*

Int. list No.	Causes of death — Causes de décès		Canada	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia
	CLASS XII-con.—**CLASSE XII**-fin											
162	Other diseases peculiar to early infancy—	M.	734	5	26	103	318	121	29	50	56	26
	Autres affections spéciales au premier âge.	F.	542	10	17	76	208	109	28	35	38	21
	(a) Specified diseases—Affections spécifiées.	M.	570	3	25	21	284	117	29	40	32	19
		F.	420	3	11	15	191	104	27	28	23	18
	(b) Unspecified causes under 3 months—Causes non spécifiées au-dessous de 3 mois.	M.	164	2	1	82	34	4	–	10	24	7
		F.	122	7	6	61	17	5	1	7	15	3
163	Lack of care—Défaut de soins	M.	4	–	–	–	–	2	–	1	1	–
		F.	1	–	–	–	1	–	–	–	–	–
	CLASS XIII—OLD AGE—CLASSE XIII—VIEILLESSE.	Total	2,408	57	470	312	604	636	71	116	65	77
		M.	1,067	21	206	160	260	269	30	49	31	41
		F.	1,341	36	264	152	344	367	41	67	34	36
164	Senility—Sénilité	M.	1,067	21	206	160	260	269	30	49	31	41
		F.	1,341	36	264	152	344	367	41	67	34	36
	CLASS XIV—EXTERNAL CAUSES—CLASSE XIV—CAUSES EXTÉRIEURES.	Total	6,925	36	335	259	1,495	2,638	397	525	548	692
		M.	5,256	26	238	196	1,145	1,911	310	404	444	582
		F.	1,669	10	97	63	350	727	87	121	104	110
165–174	**Suicides**	M.	593	4	16	21	79	207	38	64	77	87
		F.	158	–	5	5	18	78	14	14	11	13
165	Suicide by solid or liquid poisons (corrosive substances excepted)—Suicide par ingestion de poisons solides ou liquides (substances corrosives exceptées).	M.	44	–	–	–	11	13	2	6	10	2
		F.	30	–	1	1	2	15	–	5	5	1
166	Suicide by corrosive substances—Absorption volontaire de substances corrosives.	M.	31	–	–	1	3	13	2	5	2	5
		F.	36	–	1	1	2	20	4	2	3	3
167	Suicide by poisonous gas—Suicide par ingestion de gaz vénéneux.	M.	39	–	–	–	12	15	3	–	–	9
		F.	14	–	–	–	3	10	–	–	–	1
168	Suicide by hanging or strangulation—Suicide par pendaison ou strangulation.	M.	153	3	4	7	17	67	8	15	14	18
		F.	25	–	3	–	3	11	3	1	2	2
169	Suicide by drowning—Suicide par submersion.	M.	68	–	2	4	10	24	7	4	8	9
		F.	18	–	–	3	3	9	1	–	–	2
170	Suicide by firearms—Suicide par armes à feu.	M.	183	–	5	3	16	52	11	28	37	31
		F.	13	–	–	–	1	3	1	5	1	2
171	Suicide by cutting or piercing instruments—Suicide par instruments tranchants ou piquants.	M.	54	–	5	4	6	18	1	4	6	10
		F.	11	–	–	–	1	4	3	1	–	2
172	Suicide by jumping from high places—Suicide par précipitation d'un lieu élevé.	M.	7	–	–	1	2	2	2	–	–	–
		F.	9	–	–	–	2	5	2	–	–	–
173	Suicide by crushing—Suicide par écrasement.	M.	7	–	–	–	–	1	1	2	–	3
		F.	1	–	–	–	–	1	–	–	–	–
174	Other suicides—Autres suicides	M.	7	1	–	1	2	2	1	–	–	–
		F.	1	–	–	–	1	–	–	–	–	–
175	Poisoning by food—Empoisonnement par aliments.	M.	18	–	2	1	3	7	–	1	1	3
		F.	13	–	1	–	3	4	–	2	1	2
176	Poisoning by venomous animals—Attaques d'animaux venimeux.	M.	–	–	–	–	–	–	–	–	–	–
		F.	3	–	1	–	1	1	–	–	–	–
177	Other acute accidental poisonings (gas excepted)—Autres empoisonnements accidentels aigus (par gaz exceptés).	M.	59	–	5	–	17	16	1	6	10	4
		F.	49	1	1	1	18	14	2	6	4	2
178	Conflagration—Incendie	M.	109	1	2	1	21	32	12	13	16	11
		F.	70	–	9	1	22	12	9	9	8	–
179	Accidental burns and scalds (conflagration excepted)—Brûlures accidentelles (autres que par l'incendie).	M.	185	–	15	6	48	62	12	21	14	7
		F.	214	1	15	13	50	81	9	19	15	11
180	Accidental mechanical suffocation—Suffocation mécanique accidentelle.	M.	54	3	2	3	16	13	4	6	3	4
		F.	36	–	5	2	3	15	1	6	3	1
	(a) Overlaying—Étouffé pendant le sommeil	M.	7	–	1	–	–	4	–	2	–	–
		F.	8	–	1	1	2	–	–	1	2	1
	(b) Asphyxia—Asphyxie	M.	47	3	1	3	16	9	4	4	3	4
		F.	28	–	4	1	1	15	1	5	1	–
181	Accidental absorption of irrespirable or poisonous gas—Absorption accidentelle de gaz irrespirables ou toxiques.	M.	68	–	4	–	18	27	4	2	4	9
		F.	21	–	–	1	2	14	–	2	1	1
182	Accidental drowning—Submersion accidentelle.	M.	915	8	50	46	251	329	41	40	52	98
		F.	110	2	7	4	25	44	9	5	4	10
183	Accidental traumatism by firearms—Traumatismes accidentels par armes à feu.	M.	140	–	10	6	28	39	7	18	18	14
		F.	16	–	–	2	5	1	1	2	4	1
184	Accidental traumatism by cutting or piercing instruments—Traumatismes accidentels par instruments tranchants ou piquants.	M.	15	–	–	1	2	6	1	3	–	2
		F.	1	–	–	–	–	1	–	–	–	–
185	Accidental traumatism by fall—Traumatismes accidentels par chute.	M.	515	4	24	18	145	187	21	24	29	63
		F.	343	2	26	17	80	138	19	18	14	29

TABLEAU 29—Causes de décès pour chaque sexe, par provinces, 1928—*fin*

Int. list No.	Causes of death — Causes de décès		Canada	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia
	CLASS XIV-con.—CLASSE XIV-fin											
186	Accidental traumatism in mines and quarries—Traumatismes accidentels par mines et carrières.	M.	161	–	23	4	8	68	1	1	26	30
		F.	1	–	–	–	–	1	–	–	–	–
	(a) Coal mines—Mines de charbon	M.	66	–	23	2	–	1	–	–	26	14
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other mines—Autres mines	M.	85	–	–	–	3	67	–	1	–	14
		F.	1	–	–	–	–	1	–	–	–	–
	(c) Quarries—Carrières	M.	10	–	–	2	5	–	1	–	–	2
		F.	–	–	–	–	–	–	–	–	–	–
187	Accidental traumatism by machines—Traumatismes accidentels par machines.	M.	188	1	14	7	32	51	18	28	20	17
		F.	4	–	–	1	1	–	–	2	–	–
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.)—Traumatismes accidentels par autres écrasements (voitures, railways, éboulements, etc.).	M.	1,650	3	48	59	349	623	108	135	124	201
		F.	352	1	13	6	85	152	16	25	25	29
	(a) Railroad accidents—Accidents par chemins de fer.	M.	363	–	13	10	62	145	30	36	35	32
		F.	42	1	–	2	8	23	5	–	–	3
	(b) Street car accidents—Accidents par tramways.	M.	41	–	–	–	16	14	3	–	1	7
		F.	12	–	–	–	4	5	–	–	–	3
	(c) Automobile accidents—Accidents par automobiles.	M.	808	2	28	28	209	318	42	55	56	70
		F.	274	–	12	3	70	119	11	19	19	21
	(d) Aeroplane and balloon accidents—Accidents par aéroplanes et ballons.	M.	13	–	–	–	1	6	4	–	–	2
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Injuries by other vehicles—Blessures par autres voitures.	M.	167	1	4	11	20	50	15	35	25	6
		F.	19	–	–	–	3	4	–	5	6	1
	(f) Other crushing—Autres écrasements.	M.	258	–	3	10	41	90	14	9	7	84
		F.	5	–	1	1	–	1	–	1	–	1
189	Injuries by animals (poisoning excepted)—Violences exercées par des animaux (empoisonnements exceptés).	M.	75	1	–	6	16	15	10	14	12	1
		F.	7	–	–	1	2	–	1	2	1	–
192	Starvation (deprivation of food or water)—Faim ou soif.	M.	3	–	–	–	2	–	–	–	1	–
		F.	1	–	–	–	–	1	–	–	–	–
193	Excessive cold—Froid excessif	M.	33	–	4	–	5	10	1	3	8	2
		F.	7	–	–	1	1	3	–	–	1	1
194	Excessive heat—Chaleur excessive	M.	26	–	2	1	6	7	2	4	2	2
		F.	4	–	–	1	2	1	–	–	–	–
195	Lightning—Foudre	M.	29	–	1	–	5	14	2	4	3	–
		F.	6	–	1	–	1	2	1	–	1	–
196	Other accidental electric shocks—Autres électrocutions accidentelles.	M.	60	–	1	–	24	26	5	–	1	3
		F.	5	–	–	–	3	2	–	–	–	–
197-199	**Homicides**	**M.**	**96**	–	**4**	**4**	**15**	**40**	**5**	**11**	**11**	**6**
		F.	**54**	–	**1**	–	**12**	**21**	**2**	**5**	**7**	**6**
197	Homicide by firearms—Homicide par armes à feu.	M.	30	–	1	1	2	8	4	3	7	4
		F.	14	–	–	–	1	3	1	1	5	3
198	Homicide by cutting or piercing instruments—Homicide par instruments tranchants ou piquants.	M.	8	–	–	–	3	3	1	1	–	–
		F.	6	–	–	–	1	1	–	2	1	1
199	Homicide by other means—Homicide par autres moyens.	M.	58	–	3	3	10	29	–	7	4	2
		F.	34	–	1	–	10	17	1	2	1	2
201	Fracture (cause not specified)—Fracture (cause non spécifiée).	M.	79	–	2	4	8	60	2	1	–	2
		F.	165	3	10	5	10	131	3	1	–	2
202	Other external violence (cause specified)—Autres violences extérieures (cause spécifiée).	M.	180	1	8	8	45	70	15	5	12	16
		F.	29	–	2	2	6	10	–	3	4	2
203	External violence (cause not specified)—Violences extérieures (cause non spécifiée).	M.	5	–	1	–	2	2	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS XV—ILL-DEFINED DISEASES—CLASSE XV—MALADIES MAL DÉFINIES.	**Total**	**1,151**	**26**	**54**	**180**	**532**	**181**	**38**	**62**	**37**	**71**
		M.	**721**	**15**	**27**	**98**	**329**	**106**	**21**	**46**	**25**	**54**
		F.	**430**	**11**	**27**	**82**	**173**	**75**	**17**	**16**	**12**	**17**
204	Sudden death—Mort subite	M.	77	2	3	8	56	5	1	–	–	2
		F.	35	–	1	7	25	1	–	1	–	–
205	Cause of death not specified or ill-defined—Cause de décès non spécifiée ou mal définie.	M.	644	13	24	90	273	101	20	46	25	52
		F.	395	11	26	75	148	74	17	15	2	17
	(a) Ill-defined—Mal définie	M.	73	–	7	–	38	3	2	7	8	8
		F.	61	–	5	8	34	4	1	2	6	1
	(b) Not specified or unknown—Non spécifiée ou inconnue.	M.	161	10	7	75	15	24	7	4	4	15
		F.	120	4	6	58	9	14	13	5	3	8
	(c) Heart failure—Paralysie du cœur	M.	410	3	10	15	220	74	11	35	13	29
		F.	213	7	15	9	105	55	3	8	3	8
	(d) Syncope	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–

TABLE 30—Causes of death for each sex, by conjugal condition, nativity and month of death, for Canada[1], 1928

Int. list No.	Causes of death — Causes de décès		Total	Conjugal condition—État civil										
				Single—Célibataire						Married—Marié				
				Under 15 years — Moins de 15 ans	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné
	DEATHS—ALL CAUSES— DÉCÈS—TOUTES CAUSES.	**Total**	**109,057**	**32,168**	**4,888**	**3,754**	**3,314**	**4,236**	**101**	**1,014**	**8,861**	**14,447**	**15,600**	**15**
		M.	**58,480**	**17,886**	**2,801**	**2,495**	**2,194**	**2,199**	**85**	**171**	**3,821**	**8,200**	**10,429**	**11**
		F.	**50,577**	**14,282**	**2,087**	**1,259**	**1,120**	**2,037**	**16**	**843**	**5,040**	**6,247**	**5,171**	**4**
	CLASS I—EPIDEMIC, ENDEMIC AND INFECTIOUS DISEASES—CLASSE I—AFFECTIONS ÉPIDÉMIQUES, ENDÉMIQUES ET INFECTIEUSES.	**Total**	**17,248**	**6,010**	**2,181**	**1,326**	**443**	**286**	**12**	**383**	**2,497**	**1,638**	**1,011**	**1**
		M.	**8,594**	**3,107**	**983**	**789**	**296**	**121**	**6**	**47**	**1,045**	**995**	**646**	**–**
		F.	**8,654**	**2,903**	**1,198**	**537**	**147**	**165**	**6**	**336**	**1,452**	**643**	**365**	**1**
1	Typhoid and paratyphoid fever—	M.	288	51	79	40	5	–	–	5	52	40	9	–
	Fièvre typhoïde et paratyphoïde.	F.	179	64	44	13	2	–	–	7	27	14	3	–
	(a) Typhoid fever—Fièvre typhoïde.	M.	280	47	77	39	5	–	–	5	51	40	9	–
		F.	172	60	42	13	2	–	–	7	27	13	3	–
	(b) Paratyphoid fever—Fièvre paratyphoïde.	M.	8	4	2	1	–	–	–	–	1	–	–	–
		F.	7	4	2	–	–	–	–	–	–	1	–	–
4	Undulant fever—Fièvre ondulante.	M.	1	–	–	–	–	–	–	–	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–
5	Malaria—Fièvre et cachexie paludéennes.	M.	3	–	–	–	1	–	–	–	1	–	1	–
		F.	2	–	–	–	1	–	–	–	–	1	–	–
6	Small-pox—Variole	M.	4	3	–	–	–	–	–	–	–	–	–	–
		F.	3	1	1	–	–	1	–	–	–	–	–	–
7	Measles—Rougeole	M.	167	157	6	1	–	–	–	–	1	1	–	–
		F.	170	159	1	2	–	–	–	–	3	4	1	–
8	Scarlet fever—Scarlatine	M.	168	144	7	6	–	–	1	–	8	2	–	–
		F.	178	141	7	3	1	–	–	8	16	2	–	–
9	Whooping-cough—Coqueluche	M.	352	350	1	–	–	–	–	–	–	1	–	–
		F.	375	374	–	–	–	–	1	–	–	–	–	–
10	Diphtheria—Diphtérie	M.	460	439	9	3	–	–	–	2	4	3	–	–
		F.	456	420	14	2	1	–	1	2	8	5	–	–
11	Influenza—Grippe	M.	2,319	923	101	74	56	52	–	4	175	249	391	–
		F.	2,384	700	92	60	43	118	–	31	284	218	243	–
	(a) Sole cause—Cause unique	M.	476	274	15	6	6	11	–	–	16	19	64	–
		F.	470	223	11	3	5	31	–	2	19	22	34	–
	(b) With phthisis—Avec phtisie	M.	38	4	9	7	2	1	–	–	6	6	1	–
		F.	62	12	14	7	–	–	–	4	12	6	1	–
	(c) With bronchitis—Avec bronchite.	M.	79	24	–	4	1	4	–	–	5	8	22	–
		F.	82	15	–	1	–	7	–	–	6	4	15	–
	(d) With pneumonia—Avec pneumonie.	M.	1,093	423	51	42	25	20	–	2	98	149	161	–
		F.	1,003	273	47	29	21	53	–	11	128	110	92	–
	(e) With other respiratory diseases —Avec autres affections de l'appareil respiratoire.	M.	103	39	3	3	1	3	–	–	6	8	28	–
		F.	108	41	3	5	7	2	–	–	9	6	10	–
	(f) With diseases and accidents of pregnancy and parturition—Avec affections et accidents de la grossesse.	F.	65	–	1	–	–	–	–	9	53	1	–	–
	(g) With other causes—Avec autres causes.	M.	530	159	23	12	21	13	–	2	44	59	115	–
		F.	594	136	16	15	10	25	–	5	57	69	91	–
12	Miliary fever—Suette miliaire	M.	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–
13	Mumps—Oreillons	M.	21	14	3	–	–	–	–	–	1	–	3	–
		F.	24	15	–	–	–	–	–	–	5	2	–	–
16	Dysentery—Dysenterie	M.	47	26	–	–	2	1	–	–	1	3	9	–
		F.	42	23	–	–	–	–	–	–	1	3	4	–
19	Spirochetal haemorrhagic jaundice —Spirochétose ictéro-hémorragique.	M.	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–
20	Leprosy—Lèpre	M.	2	–	–	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	M.	155	51	3	6	3	6	–	–	12	31	22	–
		F.	130	54	3	5	1	9	–	–	13	13	12	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë.	M.	103	78	19	1	–	–	–	–	5	–	–	–
		F.	79	61	11	1	–	1	–	–	2	3	–	–
23	Lethargic encephalitis—Encéphalite léthargique.	M.	73	16	13	9	–	1	–	–	11	14	5	–
		F.	47	11	6	3	3	–	–	2	7	12	2	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique.	M.	136	95	20	5	1	–	–	–	7	7	1	–
		F.	99	79	7	2	–	–	–	2	5	4	–	–
25	Other epidemic and endemic diseases—Autres affections épidémiques et endémiques.	M.	17	17	–	–	–	–	–	–	–	–	–	–
		F.	25	24	–	–	–	–	–	–	–	–	1	–
	(a) Chicken-pox—Varicelle	M.	13	13	–	–	–	–	–	–	–	–	–	–
		F.	17	17	–	–	–	–	–	–	–	–	–	–

[1] Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

TABLEAU 30—Causes de décès de chaque sexe, selon l'état civil, le lieu de naissance et le mois de décès, pour le Canada[1], 1928

Widowed — En veuvage	Not stated — Non donné	Nativity—Lieu de naissance: Canada	British — Britanniques	Foreign — Pays étrangers: United States — États-Unis	Foreign — Pays étrangers: Other — Autre	Not stated — Non donné	Months—Mois: January—Janvier	February—Février	March—Mars	April—Avril	May—Mai	June—Juin	July—Juillet	August—Août	September Septembre	October Octobre	November Novembre	December Décembre	No. liste int.
20,658	**1**	**85,531**	**13,606**	**2,948**	**6,342**	**636**	**9,211**	**9,016**	**9,801**	**9,387**	**9,638**	**8,476**	**7,943**	**8,162**	**8,589**	**8,713**	**8,339**	**11,781**	
8,188	**–**	**44,920**	**7,416**	**1,569**	**4,086**	**489**	**4,774**	**4,868**	**5,210**	**5,094**	**5,229**	**4,544**	**4,349**	**4,435**	**4,721**	**4,715**	**4,493**	**6,057**	
12,470	**1**	**40,611**	**6,190**	**1,379**	**2,256**	**141**	**4,437**	**4,148**	**4,591**	**4,293**	**4,409**	**3,932**	**3,603**	**3,728**	**3,868**	**3,998**	**3,846**	**5,724**	
1,459	**1**	**14,259**	**1,580**	**415**	**935**	**68**	**1,486**	**1,396**	**1,543**	**1,551**	**1,589**	**1,278**	**1,082**	**1,046**	**1,072**	**1,135**	**1,117**	**2,953**	
559	**–**	**6,892**	**855**	**203**	**597**	**47**	**724**	**738**	**775**	**797**	**783**	**646**	**541**	**523**	**551**	**571**	**565**	**1,380**	
900	**1**	**7,358**	**725**	**212**	**338**	**21**	**762**	**658**	**768**	**754**	**806**	**632**	**541**	**523**	**521**	**564**	**552**	**1,573**	
7	–	236	17	14	20	1	33	30	21	11	15	14	20	29	37	32	29	17	1
5	–	167	6	1	5	–	16	12	16	21	22	11	16	13	12	18	9	13	
7	–	229	17	13	20	1	32	30	21	9	15	14	19	28	37	32	26	17	1a
5	–	160	6	1	5	–	16	10	16	20	22	11	13	13	12	18	9	12	
–	–	7	–	1	–	–	1	–	–	2	–	–	1	1	–	–	3	–	1b
–	–	7	–	–	–	–	–	2	–	1	–	–	3	–	–	–	–	1	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–		1	–	4
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	2	1	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	5
–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	1	–	–	–	
1	–	3	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	3	6
–	–	3	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	
1	–	164	1	1	1	–	13	24	34	25	23	9	6	2	6	2	1	22	7
–	–	163	2	1	4	–	20	18	19	29	25	13	13	9	4	–	9	11	
–	–	159	3	1	5	–	22	11	14	16	12	16	7	7	10	17	13	23	8
–	–	162	8	5	3	–	16	19	15	18	26	12	9	7	3	17	14	22	
–	–	346	2	–	3	1	34	36	33	26	39	20	22	24	38	32	24	24	9
–	–	373	–	2	–	–	53	30	43	34	33	29	19	17	26	31	17	43	
–	–	438	13	6	2	1	57	42	30	26	38	26	31	33	31	44	43	59	10
3	–	435	7	10	3	1	63	31	29	29	25	24	31	31	30	40	52	71	
294	–	1,875	286	56	96	6	147	176	194	207	168	145	64	50	61	97	146	864	11
595	–	1,895	329	63	92	5	145	182	209	176	180	136	61	52	51	86	110	996	
65	–	417	31	8	19	1	38	43	56	39	29	29	19	7	15	32	34	135	11a
120	–	409	40	5	15	1	33	41	55	43	21	21	17	13	18	22	19	167	
2	–	32	4	–	2	–	3	3	1	3	6	3	4	3	2	–	–	10	11b
6	–	53	3	4	2	–	5	5	5	10	4	5	1	4	4	3	1	15	
11	–	57	18	–	3	1	3	7	2	12	5	5	1	1	4	3	7	29	11c
34	–	62	14	2	3	1	3	2	7	6	6	10	–	1	3	4	5	35	
122	–	869	145	29	49	1	56	62	74	95	90	72	23	19	14	33	62	490	11d
239	–	768	173	21	39	2	45	74	71	52	82	49	18	14	11	27	48	512	
12	–	94	2	3	4	–	6	8	9	7	5	6	7	5	1	1	7	41	11e
25	–	95	4	4	5	–	7	5	8	3	4	6	4	2	2	5	9	53	
1	–	48	10	4	3	–	5	3	5	3	5	6	–	3	–	2	2	31	11f
82	–	406	86	16	19	3	41	53	52	51	33	30	10	15	25	25	36	159	11g
170	–	460	85	23	25	1	47	52	58	59	58	39	21	15	13	23	26	183	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12
1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	
–	–	19	1	1	–	–	2	1	2	7	2	2	1	2	–	–	–	2	13
2	–	23	1	–	–	–	1	–	4	2	3	1	2	4	1	3	2	1	
5	–	38	4	2	3	–	–	2	2	1	1	1	5	4	14	9	5	3	16
11	–	38	3	–	1	–	2	1	1	1	–	–	2	5	16	10	–	4	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
1	–	1	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	20
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
21	–	113	28	3	9	2	16	11	21	22	20	15	8	4	9	10	7	12	21
19	1	111	11	–	8	–	18	12	13	15	17	12	6	6	6	6	11	8	
–	–	99	1	1	1	1	6	7	5	3	4	5	5	19	25	12	9	3	22
–	–	71	4	3	1	–	2	3	3	4	3	2	7	10	17	9	9	10	
4	–	48	13	2	9	1	5	6	6	11	3	6	4	4	8	6	7	7	23
1	–	35	9	1	2	–	3	6	2	2	7	2	3	7	5	2	5	3	
–	–	118	7	3	7	1	10	16	13	15	14	10	6	10	11	6	9	16	24
–	–	89	5	3	1	1	16	4	7	9	15	8	5	8	7	8	4	8	
–	–	17	–	–	–	–	6	1	1	2	3	1	2	–	–	–	1	–	25
–	–	25	–	–	–	–	9	3	–	1	4	3	–	–	2	–	2	1	
–	–	13	–	–	–	–	6	1	1	1	3	–	1	–	–	–	–	–	25a
–	–	17	–	–	–	–	9	2	–	–	1	2	–	–	1	–	1	1	

TABLE 30—Causes of death for each sex, by conjugal condition, nativity and month of death, for Canada, 1928—*con.*

Int. list No.	Causes of death — Causes de décès		Total	Conjugal condition—État civil										
					Single—Célibataire					Married—Marié				
				Under 15 years — Moins de 15 ans	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné
	CLASS I-con.—**CLASSE I**-fin													
25	(b) German measles—Rubéole..	M.	1	1	–	–	–	–	–	–	–	–	–	–
		F.	4	4	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	3	3	–	–	–	–	–	–	–	–	–	–
		F.	4	3	–	–	–	–	–	–	–	–	–	–
29	Tetanus—Tétanos	M.	22	12	2	–	–	–	–	–	1	5	2	–
		F.	11	6	–	–	–	–	–	–	2	2	–	–
30	Mycoses	M.	10	4	1	1	1	–	–	–	1	–	–	–
		F.	6	3	–	–	–	–	–	–	–	2	1	–
31–37	**Tuberculosis—Tuberculose**	**M.**	**3,730**	**541**	**691**	**616**	**193**	**45**	**5**	**36**	**708**	**540**	**157**	**–**
		F.	**4,130**	**636**	**997**	**431**	**90**	**30**	**4**	**276**	**1,035**	**317**	**89**	**1**
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire.	M.	3,052	240	568	548	167	41	3	33	637	491	144	–
		F.	3,438	331	864	381	74	24	3	252	948	270	82	1
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central.	M.	245	185	32	13	3	1	–	–	8	3	–	–
		F.	251	188	36	4	–	–	–	6	12	4	–	–
33	Tuberculosis of the intestines and peritoneum—Tuberculose des intestins et du péritoine.	M.	133	41	35	8	13	3	–	1	16	8	4	–
		F.	203	50	47	21	7	2	–	11	37	16	3	–
34	Tuberculosis of the vertebral column—Tuberculose de la colonne vertébrale.	M.	56	15	9	13	1	–	1	–	8	8	1	–
		F.	40	11	6	6	2	1	–	–	4	7	1	–
35	Tuberculosis of the joints—Tuberculose articulaire.	M.	27	8	6	4	2	–	–	–	3	2	1	–
		F.	20	4	6	–	2	–	–	–	2	4	1	–
36	Tuberculosis of other organs—Tuberculose d'autres organes.	M.	125	23	21	17	4	–	1	1	26	18	5	–
		F.	78	15	17	8	2	3	1	3	19	7	2	–
	(a) Skin and sub-cutaneous cellular tissue—De la peau et du tissu cellulaire sous-cutané.	M.	5	1	1	–	–	–	–	–	1	1	–	–
		F.	2	–	–	–	–	1	–	–	1	–	–	–
	(b) Bones (vertebral column excepted)—Des os (excepté la colonne vertébrale).	M.	25	4	6	4	1	–	1	–	4	2	1	–
		F.	17	4	4	2	1	2	–	–	–	1	2	–
	(c) Lymphatic system (mesenteric, and retroperitoneal glands excepted)—Du système lymphatique (excepté les ganglions mésentériques et les ganglions rétropéritonéaux).	M.	23	16	1	–	1	–	–	–	1	–	2	–
		F.	16	6	4	1	–	–	1	1	2	1	–	–
	(d) Genito-urinary system—Des organes génito-urinaires.	M.	69	1	13	13	2	–	–	1	20	14	1	–
		F.	38	4	6	5	–	–	–	2	16	5	–	–
	(e) Organs other than above—Autres organes que ceux déjà mentionnés.	M.	3	1	–	–	–	–	–	–	–	1	1	–
		F.	5	1	3	–	1	–	–	–	–	–	–	–
37	Disseminated tuberculosis—Tuberculose disséminée.	M.	92	29	20	13	3	–	–	1	10	10	2	–
		F.	100	37	21	11	3	–	–	4	13	9	–	–
	(a) Acute—Aiguë	M.	47	19	8	5	2	–	–	–	5	7	–	–
		F.	50	25	11	3	–	–	–	3	4	4	–	–
	(b) Chronic or unstated—Chronique ou non spécifiée.	M.	45	10	12	8	1	–	–	1	5	3	2	–
		F.	50	12	10	8	3	–	–	1	9	5	–	–
38	Syphilis	M.	247	94	5	13	24	6	–	–	26	60	7	–
		F.	123	57	2	6	–	2	–	2	21	20	–	–
39	Soft chancre—Chancre mou	M.	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–
40	Gonococcus infection—Gonococcie..	M.	10	7	–	1	1	–	–	–	1	–	–	–
		F.	12	4	2	–	–	–	–	1	4	–	–	–
41	Purulent infection, septicaemia—Infection purulente, septicémie.	M.	259	85	23	13	9	10	–	–	29	39	38	–
		F.	176	71	11	9	5	4	–	5	19	21	9	–
	CLASS II—GENERAL DISEASES NOT INCLUDED IN CLASS I—CLASSE II—MALADIES GÉNÉRALES NON MENTIONNÉES DANS LA CLASSE I.	**Total**	**12,453**	**815**	**230**	**318**	**677**	**555**	**4**	**36**	**1,005**	**3,441**	**2,537**	**2**
		M.	**6,008**	**472**	**134**	**189**	**377**	**283**	**4**	**7**	**360**	**1,579**	**1,620**	**1**
		F.	**6,445**	**343**	**96**	**129**	**300**	**272**	**–**	**29**	**645**	**1,862**	**917**	**1**
43–49	**Cancer**	**M.**	**4,081**	**22**	**31**	**97**	**255**	**215**	**2**	**2**	**207**	**1,208**	**1,264**	**–**
		F.	**4,433**	**37**	**26**	**70**	**229**	**220**	**–**	**7**	**406**	**1,360**	**670**	**1**
43	Cancer of the buccal cavity—Cancer de la cavité buccale.	M.	282	1	1	7	20	19	–	–	9	61	88	–
		F.	55	–	–	–	2	2	–	–	5	9	10	–
44	Cancer of the stomach and liver—Cancer de l'estomac et du foie.	M.	1,893	3	1	39	132	107	1	1	78	601	574	–
		F.	1,362	4	1	15	50	84	–	1	64	371	276	–

TABLEAU 30—Causes de décès de chaque sexe, selon l'état civil, le lieu de naissance et le mois de décès, pour le Canada, 1928—*suite*

Widowed — En veuvage	Not stated — Non donné	Nativity—Lieu de naissance: Canada	British — Britanniques	Foreign — Pays étrangers: United States — États-Unis	Foreign — Pays étrangers: Other — Autre	Not stated — Non donné	Months—Mois: January—Janvier	February—Février	March—Mars	April—Avril	May—Mai	June—Juin	July—Juillet	August—Août	September Septembre	October Octobre	November Novembre	December Décembre	No. liste int.
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	25b
–	–	4	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	
–	–	3	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	25c
–	–	4	–	–	–	–	–	1	–	–	1	–	–	–	1	–	1	–	
–	–	18	3	–	1	–	–	1	1	–	3	3	3	2	–	5	1	3	29
1	–	10	1	–	–	–	–	1	–	–	1	–	3	3	2	1	–	–	
2	–	7	3	–	–	–	1	–	2	2	–	2	1	–	–	–	–	2	30
–	–	5	1	–	–	–	1	–	–	–	–	–	1	1	1	–	–	2	
198	–	**2,820**	**399**	**95**	**390**	**26**	**327**	**319**	**342**	**384**	**383**	**320**	**326**	**290**	**266**	**258**	**227**	**288**	**31–37**
224	–	**3,501**	**301**	**119**	**197**	**12**	**367**	**315**	**382**	**382**	**417**	**356**	**339**	**325**	**308**	**306**	**277**	**356**	
180	–	2,256	352	82	339	23	273	253	285	307	313	250	283	223	219	212	187	247	31
208	–	2,884	263	109	172	10	307	265	314	319	341	282	275	279	262	257	239	298	
–	–	217	13	2	13	–	18	27	22	27	27	24	17	26	19	20	8	10	32
1	–	233	7	2	8	1	18	21	32	19	29	31	18	19	14	17	14	19	
4	–	113	12	4	3	1	11	12	14	7	9	18	9	17	9	8	12	7	33
9	–	173	16	4	10	–	13	9	19	17	23	25	26	16	11	15	13	16	
–	–	38	8	2	7	1	4	7	8	8	8	3	1	6	–	3	4	4	34
2	–	33	5	1	1	–	4	4	4	4	2	2	3	1	5	4	2	5	
1	–	22	1	–	4	–	1	2	–	5	3	2	–	3	3	3	3	2	35
1	–	17	1	1	1	–	2	3	2	1	1	3	2	–	1	1	1	3	
9	–	101	6	3	15	–	12	10	11	16	10	14	8	11	9	5	6	13	36
1	–	70	5	1	2	–	9	6	5	8	6	6	6	5	8	7	4	8	
1	–	4	–	–	1	–	2	–	–	1	1	1	–	–	–	–	–	–	36a
–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	
2	–	23	1	1	–	–	1	2	2	–	2	2	3	2	5	–	3	3	36b
1	–	16	1	–	–	–	2	2	1	1	–	3	1	–	2	2	1	2	
2	–	21	–	–	2	–	1	2	–	7	3	4	–	1	–	2	2	1	36c
–	–	16	–	–	–	–	4	1	–	3	2	2	–	1	1	1	–	1	
4	–	50	5	2	12	–	8	5	9	7	4	6	5	8	4	3	1	9	36d
–	–	32	3	1	2	–	2	3	3	4	3	1	3	4	5	3	3	4	
–	–	3	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	36e
–	–	5	–	–	–	–	1	–	–	–	1	–	2	–	–	1	–	–	
4	–	73	7	2	9	1	8	8	2	14	13	9	8	4	7	7	7	5	37
2	–	91	4	1	3	1	14	7	6	14	15	7	9	5	7	5	4	7	
1	–	38	4	–	4	1	4	3	1	6	5	6	4	2	5	4	5	2	37a
–	–	46	3	–	–	1	6	5	4	7	4	4	4	3	4	4	3	2	
3	–	35	3	2	5	–	4	5	1	8	8	3	4	2	2	3	2	3	37b
2	–	45	1	1	3	–	8	2	2	7	11	3	5	2	3	1	1	5	
12	–	165	38	10	28	6	21	26	25	27	27	21	11	17	14	21	21	16	38
13	–	94	18	2	7	2	10	7	7	14	13	11	7	7	9	12	15	11	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	39
1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	9	–	–	–	1	1	2	1	–	1	–	–	1	3	1	–	–	40
1	–	10	2	–	–	–	–	–	–	1	2	1	1	1	3	1	2	–	
13	–	196	34	8	21	–	21	26	28	12	26	30	18	25	18	19	20	16	41
22	–	146	16	1	13	–	17	14	17	16	13	11	16	16	17	12	14	13	
2,833	–	**8,639**	**2,319**	**446**	**997**	**52**	**1,075**	**1,009**	**1,045**	**1,006**	**1,123**	**1,047**	**966**	**1,010**	**990**	**1,071**	**988**	**1,123**	
982	–	**4,042**	**1,124**	**221**	**585**	**36**	**516**	**483**	**501**	**493**	**550**	**483**	**476**	**475**	**482**	**527**	**477**	**545**	
1,851	–	**4,597**	**1,195**	**225**	**412**	**16**	**559**	**526**	**544**	**513**	**573**	**564**	**490**	**535**	**508**	**544**	**511**	**578**	
778	–	**2,576**	**891**	**144**	**452**	**18**	**336**	**322**	**342**	**326**	**367**	**328**	**308**	**351**	**347**	**369**	**328**	**357**	**43–49**
1,407	–	**3,068**	**898**	**153**	**301**	**13**	**383**	**355**	**383**	**340**	**374**	**393**	**345**	**368**	**351**	**379**	**359**	**403**	
76	–	206	53	10	12	1	16	22	22	30	27	28	32	22	14	29	16	24	43
27	–	38	10	2	4	1	3	7	5	6	6	4	3	2	7	4	4	4	
356	–	1,189	369	55	272	8	158	142	139	156	172	146	130	172	168	184	160	166	44
496	–	939	258	31	130	4	132	101	121	99	97	119	103	115	115	125	110	125	

TABLE 30—Causes of death for each sex, by conjugal condition, nativity and month of death, for Canada, 1928—*con.*

Int. list No.	Causes of death — Causes de décès		Total	Conjugal condition—État civil										
				Single—Célibataire						Married—Marié				
				Under 15 years — Moins de 15 ans	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné
	CLASS II—con.—**CLASSE II**—suite													
45	Cancer of the peritoneum, intestines and rectum—Cancer du péritoine, des intestins et du rectum.	M.	674	2	4	17	30	28	–	–	49	199	220	–
		F.	751	2	3	11	42	47	–	2	57	203	126	–
46	Cancer of the female genital organs—Cancer des organes génitaux de la femme.	F.	837	–	3	11	46	14	–	4	155	308	83	1
47	Cancer of the breast—Cancer du sein.	M.	10	–	1	–	1	1	–	–	–	4	2	–
		F.	788	–	2	22	65	42	–	–	87	276	92	–
48	Cancer of the skin—Cancer de la peau.	M.	121	–	1	–	10	13	–	–	2	23	40	–
		F.	70	1	–	2	1	4	–	–	3	11	10	–
49	Cancer of other or unspecified organs—Cancer d'autres organes ou d'organes non spécifiés.	M.	1,101	16	23	34	62	47	1	1	69	320	340	–
		F.	570	30	17	9	23	27	–	–	35	182	73	–
	(a) Cancer of eye and ear—Cancer de l'œil et de l'oreille.	M.	10	–	–	–	1	–	–	–	1	1	4	–
		F.	18	2	–	1	–	–	–	–	3	2	2	–
	(b) Cancer of the circulatory system—Cancer de l'appareil circulatoire.	M.	83	2	4	3	4	4	–	1	13	23	14	–
		F.	59	5	1	–	4	4	–	–	2	23	6	–
	(c) Cancer of the respiratory system—Cancer de l'appareil respiratoire.	M.	154	2	5	5	13	5	–	–	15	63	33	–
		F.	87	3	1	1	4	7	–	–	11	33	10	–
	(d) Cancer of the digestive system—Cancer de l'appareil digestif.	M.	143	–	1	5	6	5	1	–	7	54	39	–
		F.	132	–	1	1	4	7	–	–	6	40	23	–
	(e) Cancer of the genito-urinary system—Cancer de l'appareil génito-urinaire.	M.	515	5	2	14	17	27	–	–	18	131	203	–
		F.	96	12	–	2	2	4	–	–	3	24	12	–
	(f) Cancer of bones and joints—Cancer des os et des articulations.	M.	45	4	3	2	5	1	–	–	5	6	11	–
		F.	43	3	8	–	2	–	–	–	–	13	5	–
	(g) Cancer of other specified organs—Cancer des autres organes spécifiés.	M.	117	2	8	3	12	5	–	–	8	31	28	–
		F.	82	4	5	2	4	2	–	–	7	28	8	–
	(h) Generalized cancer—Cancer généralisé.	M.	26	1	–	2	4	–	–	–	2	9	5	–
		F.	40	1	1	2	3	2	–	–	3	14	4	–
	(i) Unspecified—Non spécifiés..	M.	8	–	–	–	–	–	–	–	–	2	3	–
		F.	13	–	–	–	–	1	–	–	–	5	3	–
50	Benign tumours and tumours not returned as malignant (tumours of female genital organs excepted)—Tumeurs bénignes et tumeurs non données comme malignes (tumeurs des organes génitaux de la femme exceptées).	M.	55	6	1	3	3	1	–	2	4	10	16	–
		F.	58	2	1	2	4	3	–	–	5	11	6	–
51	Acute rheumatic fever—Rhumatisme articulaire aigu fébrile.	M.	148	61	22	3	5	4	–	1	13	20	8	–
		F.	172	56	26	8	8	–	–	8	27	21	7	–
52	Chronic rheumatism, osteo-arthritis, gout—Rhumatisme chronique ou goutte.	M.	73	1	2	2	3	6	–	–	2	11	31	–
		F.	75	–	1	2	1	7	–	–	2	14	13	–
53	Scurvy—Scorbut	M.	5	5	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–
54	Pellagra—Pellagre	M.	1	–	1	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	2	–	–	–
56	Rickets—Rachitisme	M.	139	137	–	1	–	–	–	–	1	–	–	–
		F.	83	81	–	–	–	–	–	1	–	–	–	–
57	Diabetes mellitus—Diabète	M.	495	37	26	21	21	20	–	–	32	121	128	–
		F.	602	27	8	8	16	16	–	1	43	185	115	–
58	Anaemia, chlorosis—Anémie, chlorose.	M.	362	35	15	10	28	22	1	–	17	72	120	–
		F.	370	26	10	11	19	17	–	3	44	95	57	–
	(a) Pernicious anaemia—Anémie pernicieuse.	M.	291	13	8	4	25	18	1	–	15	65	107	–
		F.	291	7	6	8	16	13	–	2	37	83	46	–
	(b) Other anaemias and chlorosis—Autres anémies et chloroses.	M.	71	22	7	6	3	4	–	–	2	7	13	–
		F.	79	19	4	3	3	4	–	1	7	12	11	–
59	Diseases of the pituitary gland—Affections du corps pituitaire.	M.	5	–	1	2	–	–	–	–	–	2	–	–
		F.	5	–	–	2	–	–	–	–	1	2	–	–
60	Diseases of the thyroid gland—Affections de la glande thyroïde.	M.	78	4	8	5	4	1	–	1	7	31	10	–
		F.	387	3	15	17	17	7	–	4	75	141	39	–
	(a) Exophthalmic goiter—Goitre exophtalmique.	M.	37	–	3	1	2	–	–	–	5	17	6	–
		F.	236	2	8	6	8	4	–	4	49	98	21	–
	(b) Other diseases of the thyroid gland—Autres affections de la glande thyroïde.	M.	41	4	5	4	2	1	–	1	2	14	4	–
		F.	151	1	7	11	9	3	–	–	26	43	18	–
61	Diseases of the parathyroid glands—Affections des glandes parathyroïdes.	M.	21	19	1	–	–	–	–	–	1	–	–	–
		F.	16	15	–	–	–	–	–	–	–	–	1	–

TABLEAU 30—Causes de décès de chaque sexe, selon l'état civil, le lieu de naissance et le mois de décès, pour le Canada, 1928—*suite*

Widowed — En veuvage	Not stated — Non donné	Nativity—Lieu de naissance: Canada	British — Britanniques	Foreign — Pays étrangers: United States — États-Unis	Foreign — Pays étrangers: Other — Autre	Not stated — Non donné	Months—Mois: January—Janvier	February—Février	March—Mars	April—Avril	May—Mai	June—Juin	July—Juillet	August—Août	September Septembre	October Octobre	November Novembre	December Décembre	No. liste int.
125	–	441	156	23	53	1	54	75	68	47	48	52	56	61	56	52	52	53	45
258	–	547	137	27	39	1	64	70	69	46	60	62	65	6	56	73	59	63	
212	–	537	191	40	67	2	67	67	71	54	82	74	66	75	65	64	74	78	46
1	–	8	2	–	–	–	1	–	1	–	1	2	–	2	–	2	–	1	47
202	–	568	166	25	27	2	67	70	61	81	70	75	50	67	58	58	60	71	
32	–	83	24	6	8	–	14	9	19	7	11	11	5	5	9	9	7	15	48
38	–	51	14	3	2	–	4	6	8	3	8	7	7	6	4	6	3	8	
188	–	649	287	50	107	8	93	74	93	86	108	89	85	89	100	93	93	98	49
174	–	388	122	25	32	3	46	34	48	51	51	52	51	39	46	49	49	54	
3	–	7	1	–	2	–	–	1	–	–	2	2	2	1	1	1	–	–	
8	–	15	3	–	–	–	1	3	2	1	2	4	1	1	1	1	–	1	49a
15	–	47	18	4	13	1	4	8	8	6	7	9	5	2	9	9	8	8	49b
14	–	46	6	4	3	–	3	1	6	5	7	5	7	4	6	6	4	5	
13	–	66	61	6	20	1	12	8	6	16	16	6	9	14	15	14	16	22	49c
17	–	54	24	5	3	1	7	8	5	9	8	6	7	4	7	8	6	12	
25	–	76	40	12	13	2	17	9	8	14	16	10	7	13	7	11	14	17	49d
50	–	84	35	5	7	1	10	8	12	17	11	15	14	9	11	8	8	9	
98	–	317	132	21	42	3	41	37	46	37	51	47	49	41	44	46	39	37	49e
37	–	72	13	5	6	–	10	4	9	5	10	8	8	10	6	6	7	12	9	
8	–	33	9	1	2	–	6	4	3	7	4	1	3	3	5	2	3	4	49f
12	–	27	9	2	5	–	2	3	3	1	4	5	2	6	3	4	5	5	
20	–	82	21	5	8	1	10	6	16	5	10	11	6	12	13	9	10	9	49g
22	–	49	24	4	5	–	8	3	8	7	6	5	7	5	7	8	9	9	
3	–	17	3	1	5	–	3	–	5	–	1	3	3	3	4	1	3	–	49h
10	–	31	7	–	2	–	3	4	2	5	2	2	3	4	5	2	4	4	
3	–	4	2	–	2	–	–	1	1	1	1	–	1	–	2	–	–	1	49i
4	–	10	1	–	1	1	2	–	1	1	1	2	–	–	–	5	1	–	
9	–	42	4	3	6	–	8	–	4	2	5	4	4	4	2	1	6	15	50
24	–	42	12	2	2	–	6	7	4	3	4	6	3	1	5	7	4	8	
11	–	114	20	6	8	–	8	14	19	10	15	18	15	9	5	11	8	16	51
11	–	136	19	5	12	–	17	14	18	20	21	9	12	12	5	14	17	13	
15	–	64	4	1	4	–	4	9	7	6	7	6	3	3	7	7	8	6	52
35	–	62	8	–	5	–	5	3	8	5	11	7	10	2	5	8	6	5	
–	–	5	–	–	–	–	–	1	1	–	1	–	–	–	–	1	1	–	53
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	54
–	–	1	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	
–	–	136	1	1	1	–	15	14	10	11	16	9	10	15	9	10	7	13	56
1	–	81	1	1	–	–	8	7	6	7	4	10	3	7	11	5	5	10	
89	–	357	64	32	42	–	49	50	39	44	47	47	31	31	38	31	40	48	57
183	–	414	106	26	54	2	51	57	51	48	50	50	34	47	59	54	40	61	
42	–	271	56	11	20	4	41	29	31	39	32	27	42	21	23	31	17	29	58
88	–	275	63	16	15	1	36	35	31	41	45	25	34	21	25	25	26	26	
35	–	209	51	8	19	4	31	24	24	34	24	21	36	20	17	23	12	25	58a
73	–	209	55	14	12	1	27	27	29	25	35	20	24	18	20	22	22	22	
7	–	62	5	3	1	–	10	5	7	5	8	6	6	1	6	8	5	4	58b
15	–	66	8	2	3	–	9	8	2	16	10	5	10	3	5	3	4	4	
–	–	3	2	–	–	–	–	–	1	1	–	–	1	1	–	1	–	–	59
–	–	4	1	–	–	–	1	1	–	–	–	–	–	2	1	–	–	–	
7	–	62	8	2	4	2	3	9	4	9	4	8	9	5	7	13	3	4	60
69	–	301	61	10	15	–	32	21	24	29	41	47	27	44	24	38	37	23	
3	–	31	5	–	1	–	1	3	1	1	2	4	8	3	4	7	–	3	60a
36	–	175	42	9	10	–	19	14	14	16	28	23	18	26	14	28	20	16	
4	–	31	3	2	3	2	2	6	3	8	2	4	1	2	3	6	3	1	60b
33	–	126	19	1	5	–	13	7	10	13	13	24	9	18	10	10	17	7	
–	–	20	1	–	–	–	1	1	3	4	–	–	3	–	4	1	2	2	61
–	–	16	–	–	–	–	2	1	–	–	3	1	1	3	1	1	2	1	

TABLE 30—Causes of death for each sex, by conjugal condition, nativity and month of death, for Canada, 1928—*con.*

Int. list No.	Causes of death — Causes de décès		Total	Conjugal condition—État civil											
					Single—Célibataire					Married—Marié					
				Under 15 years — Moins de 15 ans	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné
	CLASS II—con.—CLASSE II—fin														
62	Diseases of the thymus—Affections du thymus.	M.	78	77	–	1	–	–	–	–	–	–	–	–	–
		F.	49	48	1	–	–	–	–	–	–	–	–	–	–
63	Diseases of the adrenals (Addison's disease)—Affections des glandes surrénales (maladie d'Addison).	M.	22	–	1	3	–	3	–	–	–	5	9	1	–
		F.	16	–	1	2	–	–	–	–	–	7	2	1	–
64	Diseases of the spleen—Affections de la rate.	M.	24	2	2	2	1	–	–	1	9	5	2	–	–
		F.	10	2	–	–	–	1	–	–	2	3	–	–	–
65	Leukaemia, lymphadenoma—Leucémie, lymphadénie.	M.	120	22	13	2	6	1	–	–	24	27	17	–	–
		F.	77	17	1	4	5	–	–	1	15	14	6	–	–
	(a) Leukaemia—Leucémie.....	M.	76	15	8	1	3	–	–	–	14	16	12	–	–
		F.	59	16	1	3	4	–	–	1	7	13	3	–	–
	(b) Lymphadenoma (Hodgkin's disease)—Lymphadénie (maladie d'Hodgkin).	M.	44	7	5	1	3	1	–	–	10	11	5	–	–
		F.	18	1	–	1	1	–	–	–	8	1	3	–	–
66	Alcoholism—Alcoolisme.....	M.	202	1	5	32	48	6	1	–	29	51	11	–	–
		F.	19	–	–	–	1	–	–	–	5	7	2	–	–
	(a) Delirium tremens.....	M.	17	–	–	2	6	1	–	–	1	5	–	–	–
		F.	2	–	–	–	–	–	–	–	–	2	–	–	–
	(b) Acute alcoholism—Alcoolisme aigu.	M.	124	1	5	25	28	1	1	–	24	29	5	–	–
		F.	14	–	–	–	–	–	–	–	5	4	1	–	–
	(c) Chronic alcoholism—Alcoolisme chronique.	M.	61	–	–	5	14	4	–	–	4	17	6	–	–
		F.	3	–	–	–	1	–	–	–	–	1	1	–	–
67	Chronic poisoning by mineral substances—Empoisonnements chroniques par substances minérales.	M.	11	–	1	2	1	2	–	–	1	2	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
	(a) Chronic lead poisoning—Empoisonnements chroniques par le plomb.	M.	9	–	1	2	–	2	–	–	1	2	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
	(b) Others under this title—Autres sous ce titre.	M.	2	–	–	–	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
68	Chronic organic poisoning—Empoisonnements chroniques par substances organiques.	M.	8	–	–	–	1	1	–	–	1	2	3	–	–
		F.	13	–	1	1	–	–	–	–	5	3	–	–	–
	(a) Chronic morphinism—Morphinisme chronique.	M.	2	–	–	–	–	–	–	–	1	–	1	–	–
		F.	7	–	–	1	–	–	–	–	1	2	–	–	–
	(b) Chronic cocainism, etc.—Cocaïnisme chronique, etc.	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	1	–	–	–	–
	(c) Other organic poisoning—Autres empoisonnements organiques.	M.	6	–	–	–	1	1	–	–	–	2	2	–	–
		F.	5	–	1	–	–	–	–	–	3	1	–	–	–
69	Other general diseases—Autres maladies générales.	M.	80	43	4	3	1	1	–	–	7	8	9	1	
		F.	58	29	5	2	–	1	–	4	6	4	–	–	
	(a) Diabetes insipidus—Diabète insipide.	M.	5	–	1	–	–	–	–	–	1	2	1	–	
		F.	4	2	–	–	–	–	–	1	–	–	–	–	
	(b) Haemophilia—Hémophilie....	M.	26	22	–	–	–	1	–	–	1	–	–	–	
		F.	15	8	2	–	–	–	–	–	2	–	–	–	
	(c) Purpura haemorrhagica—Purpura hémorragique.	M.	29	15	3	–	–	–	–	–	3	4	3	1	
		F.	22	11	3	2	–	–	–	1	2	1	–	–	
	(d) Others under this title—Autres sous ce titre.	M.	20	6	–	3	1	–	–	–	2	2	5	–	
		F.	17	8	–	–	–	1	–	2	2	3	–	–	
	CLASS III—DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE — CLASSE III—AFFECTIONS DU SYSTÈME NERVEUX ET DES ORGANES DES SENS.	**Total**	**8,021**	**1,615**	**227**	**296**	**287**	**422**	**5**	**18**	**405**	**1,167**	**1,560**	–	
		M.	**4,107**	**890**	**127**	**184**	**174**	**212**	**4**	**3**	**192**	**617**	**983**	–	
		F.	**3,914**	**725**	**100**	**112**	**113**	**210**	**1**	**15**	**213**	**550**	**577**	–	
70	Encephalitis—Encéphalite.....	M.	93	34	13	7	2	2	–	–	9	13	8	–	
		F.	58	21	–	3	–	1	–	1	12	12	2	–	
	(a) Abscess of brain—Abcès du cerveau.	M.	36	14	8	3	–	–	–	–	4	3	1	–	
		F.	14	5	–	2	–	–	–	–	3	2	1	–	
	(b) Encephalitis—Encéphalite....	M.	57	20	5	4	2	2	–	–	5	10	7	–	
		F.	44	16	–	1	–	1	–	1	9	10	1	–	
71	Meningitis—Méningite.....	M.	397	318	21	14	2	1	2	–	15	13	6	–	
		F.	371	299	21	4	–	1	–	7	13	13	3	–	
	(a) Simple meningitis—Méningite simple.	M.	391	316	21	13	2	1	2	–	15	12	5	–	
		F.	368	299	21	4	–	1	–	7	13	13	2	–	
	(b) Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non épidémique.	M.	6	2	–	1	–	–	–	–	–	1	1	–	
		F.	3	–	–	–	–	–	–	–	–	–	1	–	
72	Tabes dorsalis (locomotor ataxia)—Ataxie locomotrice progressive.	M.	60	–	–	3	3	1	–	–	3	24	14	–	
		F.	14	–	–	1	1	–	–	–	1	6	1	–	

TABLEAU 30—Causes de décès de chaque sexe, selon l'état civil, le lieu de naissance et le mois de décès, pour le Canada, 1928—*suite*

Widowed — En veuvage	Not stated — Non donné	Nativity—Lieu de naissance: Canada	British — Britannique	Foreign — Pays étrangers: United States — États-Unis	Foreign — Pays étrangers: Other — Autre	Not stated — Non donné	Months—Mois: January—Janvier	February—Février	March—Mars	April—Avril	May—Mai	June—Juin	July—Juillet	August—Août	September Septembre	October Octobre	November Novembre	December Décembre	No. liste int.
–	–	77	1	–	–	–	9	3	8	10	8	5	7	4	3	7	3	11	62
–	–	49	–	–	–	–	5	5	7	2	4	5	2	5	1	3	1	9	
–	–	14	4	–	4	–	2	2	1	4	1	1	3	2	–	3	2	1	63
3	–	12	1	2	1	–	1	2	2	–	1	1	2	4	1	1	1	–	
–	–	15	3	–	6	–	3	1	–	1	5	2	3	–	2	1	2	4	64
2	–	10	–	–	–	–	2	2	–	–	1	1	–	2	–	1	–	1	
8	–	80	24	4	11	1	8	10	11	10	12	12	14	7	7	10	12	7	65
14	–	56	11	5	5	–	3	7	8	5	4	1	10	10	7	8	4	10	
7	–	55	10	2	8	1	5	7	7	8	7	5	10	7	3	8	6	3	65a
11	–	43	8	4	4	–	3	3	7	4	3	1	10	7	5	5	3	8	
1	–	25	14	2	3	–	3	3	4	2	5	7	4	–	4	2	6	4	65b
3	–	13	3	1	1	–	–	4	1	1	1	–	–	3	2	3	1	2	
18	–	125	34	14	21	8	22	8	11	7	15	12	18	16	22	21	30	20	66
4	–	9	7	2	1	–	1	1	–	1	4	1	1	3	2	–	4	1	
2	–	5	2	5	3	2	–	–	2	2	–	1	2	1	3	1	3	2	66a
–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	
5	–	76	22	7	14	5	16	5	3	4	10	9	11	13	12	13	18	10	66b
4	–	7	5	2	–	–	1	1	–	–	3	–	1	3	1	–	4	–	
11	–	44	10	2	4	1	6	3	6	1	5	2	5	2	7	7	9	8	66c
–	–	2	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	1	
2	–	5	2	2	1	1	–	1	–	–	–	1	1	–	2	2	1	3	67
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	4	1	2	1	1	–	1	–	–	–	1	1	–	1	1	1	3	67a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	67b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	4	1	–	1	2	1	2	1	–	1	–	–	–	1	1	1	–	68
3	–	9	2	2	–	–	2	1	2	–	–	–	2	1	3	–	1	1	
–	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	68a
3	–	5	2	–	–	–	1	–	2	–	–	–	1	1	2	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	68b
–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	3	–	–	1	2	1	2	1	–	–	–	–	–	1	1	–	–	68c
–	–	3	–	2	–	–	–	1	–	–	–	–	1	–	1	–	1	1	
3	–	71	4	1	4	–	6	7	8	9	14	3	4	6	3	6	6	8	69
7	–	52	4	1	1	–	4	7	–	12	5	7	4	3	6	–	4	6	
–	–	5	–	–	–	–	1	–	–	–	2	–	1	1	–	–	–	–	69a
1	–	4	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	1	
2	–	24	1	1	–	–	1	2	2	4	6	1	1	3	–	–	3	3	69b
3	–	13	2	–	–	–	–	2	–	4	2	3	1	2	–	–	–	1	
–	–	24	3	–	2	–	3	3	4	3	3	2	–	1	1	3	3	3	69c
2	–	20	1	–	1	–	2	2	–	3	2	4	1	1	3	–	2	2	
1	–	18	–	–	2	–	1	2	2	2	3	–	2	1	2	3	–	2	69d
1	–	15	1	1	–	–	2	3	–	4	1	–	2	–	2	–	1	2	
2,019	–	**6,313**	**1,052**	**293**	**420**	**33**	**704**	**717**	**764**	**698**	**666**	**632**	**602**	**581**	**578**	**654**	**611**	**781**	
721	–	**3,194**	**530**	**98**	**263**	**22**	**373**	**363**	**389**	**351**	**356**	**328**	**293**	**287**	**328**	**324**	**337**	**398**	
1,298	–	**3,119**	**522**	**195**	**157**	**11**	**331**	**354**	**375**	**347**	**310**	**304**	**309**	**294**	**270**	**330**	**307**	**383**	
5	–	73	13	2	5	–	6	8	11	8	8	9	9	7	9	8	7	3	70
6	–	45	10	1	2	–	5	4	4	6	4	7	5	5	4	3	7	4	
3	–	29	4	–	3	–	1	3	3	5	2	5	4	2	3	3	2	3	70a
1	–	12	2	–	–	–	1	–	1	2	–	1	2	1	2	1	2	1	
2	–	44	9	2	2	–	5	5	8	3	6	4	5	5	6	5	5	–	70b
5	–	33	8	1	2	–	4	4	3	4	4	6	3	4	2	2	5	3	
5	–	375	5	4	12	1	41	26	38	39	25	41	31	30	33	25	28	37	71
10	–	355	9	5	2	–	21	33	34	30	31	31	41	33	31	24	27	35	
4	–	370	5	4	11	1	40	26	38	39	25	39	31	29	36	25	27	33	71a
8	–	353	9	5	1	–	21	32	33	30	31	31	41	33	30	24	27	35	
1	–	5	–	–	1	–	1	–	–	–	–	2	–	1	–	–	1	1	71b
2	–	2	–	–	1	–	–	1	1	–	–	–	–	–	1	–	–	–	
12	–	44	10	2	4	–	6	1	10	5	5	6	7	3	2	5	2	8	72
4	–	10	3	1	–	–	2	–	–	1	–	2	–	3	2	2	–	2	

TABLE 30—Causes of death for each sex, by conjugal condition, nativity and month of death, for Canada, 1928—*con.*

Int. list No.	Causes of death — Causes de décès		Total	Conjugal condition—État civil										
					Single—Célibataire					Married—Marié				
				Under 15 years — Moins de 15 ans	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné
	CLASS III—con.—**CLASSE III**—fin													
73	Other diseases of the spinal cord—	M.	240	9	12	16	7	8	–	–	27	57	74	–
	Autres affections de la moelle épinière.	F.	162	16	6	9	6	6	–	1	10	27	27	–
74	Cerebral haemorrhage, apoplexy—	M.	1,467	15	6	21	70	128	1	–	27	259	526	–
	Hémorragie cérébrale, apoplexie.	F.	1,627	7	4	14	42	127	–	–	51	272	321	–
	(a) Apoplexy—Apoplexie.....	M.	605	3	1	6	24	63	–	–	10	84	231	–
		F.	661	1	1	3	14	47	–	–	11	97	139	–
	(b) Cerebral haemorrhage—Hémorragie cérébrale.	M.	775	12	3	14	42	58	1	–	16	156	269	–
		F.	884	6	2	9	24	72	–	–	30	162	173	–
	(c) Cerebral thrombosis and embolism—Thrombose et embolie cérébrales.	M.	87	–	2	1	4	7	–	–	1	19	26	–
		F.	82	–	1	2	4	8	–	–	10	13	9	–
75	Paralysis without specified cause—	M.	452	2	4	5	11	20	–	–	8	60	203	–
	Paralysie sans cause indiquée.	F.	559	8	3	5	15	41	–	–	10	77	140	–
	(a) Hemiplegia—Hémiplégie.....	M.	131	–	–	1	3	11	–	–	2	22	48	–
		F.	181	1	1	–	8	14	–	–	3	28	43	–
	(b) Others under this title—Autres sous ce titre.	M.	321	2	4	4	8	9	–	–	6	38	155	–
		F.	378	7	2	5	7	27	–	–	7	49	97	–
76	General paralysis of the insane—Paralysie générale des aliénés.	M.	116	–	1	11	11	2	1	–	22	37	14	–
		F.	30	–	–	1	2	2	–	–	3	6	4	–
77	Other forms of mental alienation—	M.	119	1	4	19	15	13	–	–	10	28	15	–
	Autres formes de l'aliénation mentale.	F.	173	1	12	25	19	7	1	–	25	51	10	–
78	Epilepsy—Épilepsie.....	M.	240	38	36	58	24	11	–	–	11	23	23	–
		F.	180	28	25	38	11	5	–	1	30	21	4	–
79	Convulsions (non-puerperal, 5 years or over)—Eclampsie (non puerpérale, cinq ans ou au-dessus).	M.	8	4	2	–	–	–	–	–	1	1	–	–
		F.	6	3	2	–	–	–	–	–	1	–	–	–
80	Infantile convulsions (under 5 years of age)—Convulsions des enfants (moins de cinq ans).	M.	251	251	–	–	–	–	–	–	–	–	–	–
		F.	189	189	–	–	–	–	–	–	–	–	–	–
81	Chorea—Chorée.....	M.	5	2	1	–	1	1	–	–	–	–	–	–
		F.	11	5	3	–	1	–	–	–	–	1	1	–
82	Neuralgia and neuritis—Névralgie et névrite.	M.	18	–	–	1	1	–	–	–	–	7	5	–
		F.	30	2	3	1	1	3	–	–	3	6	5	–
83	Softening of the brain—Ramollissement du cerveau.	M.	78	–	–	2	1	10	–	–	–	7	36	–
		F.	88	–	1	–	2	8	–	–	–	9	18	–
84	Other diseases of the nervous system—Autres affections du système nerveux.	M.	293	32	10	20	23	15	–	–	38	75	48	–
		F.	243	27	11	10	11	9	–	2	34	47	37	–
85	Diseases of the eye and annexa—Affections de l'œil et de ses annexes.	M.	16	6	–	–	1	–	–	–	1	1	3	–
		F.	5	1	1	–	1	–	–	–	–	–	–	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien.	M.	254	178	17	7	2	–	–	3	20	12	8	–
		F.	168	118	8	1	1	–	–	3	20	2	4	–
	(a) Diseases of the ear—Affections de l'oreille.	M.	118	88	5	1	2	–	–	2	8	5	3	–
		F.	80	62	5	–	–	–	–	2	6	–	3	–
	(b) Diseases of the mastoid process—Affections du sinus mastoïdien.	M.	136	90	12	6	–	–	–	1	12	7	5	–
		F.	88	56	3	1	1	–	–	1	14	2	1	–
	CLASS IV—DISEASES OF THE CIRCULATORY SYSTEM—CLASSE IV — AFFECTIONS DE L'APPAREIL CIRCULATOIRE.	Total	18,658	328	282	311	693	1,380	12	36	779	3,175	4,992	–
		M.	10,011	155	160	192	462	734	11	7	351	1,889	3,375	–
		F.	8,647	173	122	119	231	646	1	29	428	1,286	1,617	–
87-90	**Diseases of the heart—Affections du cœur.**	M.	6,656	136	152	172	331	433	9	7	302	1,306	2,120	–
		F.	5,974	153	120	112	173	415	–	28	374	910	1,091	–
87	Pericarditis—Péricardite.....	M.	39	4	5	2	1	2	–	–	5	10	4	–
		F.	20	5	2	–	1	–	–	2	1	2	1	–
88	Endocarditis and myocarditis (acute)—Endocardite et myocardite (aiguës).	M.	211	39	19	20	9	3	–	1	38	41	21	–
		F.	179	40	21	12	6	2	–	2	42	19	8	–
	(a) Acute endocarditis — Endocardite aiguë.	M.	126	29	15	12	5	–	–	1	24	25	6	–
		F.	100	33	16	8	3	1	–	2	21	8	1	–
	(b) Acute myocarditis — Myocardite aiguë.	M.	85	10	4	8	4	3	–	–	14	16	15	–
		F.	79	7	5	4	3	1	–	–	21	11	7	–
89	Angina pectoris—Angine de poitrine.	M.	964	–	–	10	41	44	3	–	39	296	337	–
		F.	441	–	–	2	18	24	–	2	14	105	100	–
90	Other diseases of the heart—Autres affections du cœur.	M.	5,442	93	128	140	280	384	6	6	220	959	1,758	–
		F.	5,334	108	97	98	148	389	–	22	317	784	982	–
	(a) Valvular disease—Affection valvulaire.	M.	1,084	34	39	43	59	80	1	1	67	197	337	–
		F.	1,071	28	32	29	32	72	–	4	99	167	178	–

TABLEAU 30—Causes de décès de chaque sexe, selon l'état civil, le lieu de naissance et le mois de décès, pour le Canada, 1928—*suite*

Widowed — En veuvage	Not stated — Non donné	Nativity—Lieu de naissance					Months—Mois											No. liste int.
		Canada	British — Britanniques	Foreign — Pays étrangers: United States — États-Unis	Foreign — Pays étrangers: Other — Autre	Not stated — Non donné	January—Janvier	February—Février	March—Mars	April—Avril	May—Mai	June—Juin	July—Juillet	August—Août	September Septembre	October Octobre	November Novembre	December Décembre	
30	–	175	48	7	9	1	23	23	24	17	15	15	13	20	20	23	18	29	73
54	–	121	29	5	7	–	15	9	13	9	13	12	19	18	12	15	9	18	
414	–	1,037	257	45	117	11	129	153	123	127	131	118	111	99	108	106	117	147	74
789	–	1,197	298	46	83	3	127	170	159	152	124	129	124	110	109	130	126	167	
183	–	444	102	20	34	5	50	59	62	48	53	45	48	28	39	43	65	65	74a
348	–	500	103	15	38	2	56	61	63	63	50	54	57	42	43	51	45	76	
204	–	528	142	23	76	6	70	81	57	75	75	66	54	62	59	56	46	74	74b
406	–	638	174	28	43	1	68	95	90	83	71	72	59	63	60	70	71	82	
27	–	65	13	2	7	–	9	13	4	4	3	7	9	9	8	7	6	8	74c
35	–	59	18	3	2	–	3	14	6	6	3	3	8	5	6	9	10	9	
139	–	393	35	8	15	1	54	45	28	30	37	37	33	29	33	40	33	53	75
260	–	482	48	11	17	1	57	45	52	42	47	37	51	41	46	47	47	47	
44	–	98	22	5	6	–	20	9	10	9	11	11	8	8	6	13	10	16	75a
83	–	137	28	5	10	1	24	12	15	12	17	15	18	17	14	12	10	15	
95	–	295	13	3	9	1	34	36	18	21	26	26	25	21	27	27	23	37	75b
177	–	315	20	6	7	–	33	33	37	30	30	22	33	24	32	35	37	32	
17	–	49	35	7	23	2	6	6	14	14	15	9	8	7	6	14	9	8	76
12	–	20	7	–	2	1	2	1	3	1	2	–	1	3	2	5	6	4	
14	–	78	24	1	15	1	7	13	11	6	9	12	7	9	7	9	11	18	77
22	–	109	37	10	16	1	12	16	15	17	13	13	8	23	10	16	11	19	
16	–	195	25	8	12	–	16	14	24	19	31	18	22	19	14	18	22	23	78
17	–	146	17	8	6	3	15	13	21	14	19	15	12	12	9	17	10	23	
–	–	7	–	1	–	–	1	2	2	–	1	1	–	–	–	–	–	1	79
–	–	5	–	–	1	–	–	2	–	2	1	–	–	–	–	–	1	–	
–	–	248	–	1	2	–	27	20	35	23	29	18	12	14	16	17	19	21	80
–	–	187	1	–	–	1	22	6	18	21	18	19	14	12	9	19	14	17	
–	–	4	1	–	–	–	–	–	–	2	–	–	–	2	–	–	–	1	81
–	–	8	3	–	–	–	3	–	2	–	–	–	2	1	2	1	–	–	
4	–	16	1	–	1	–	2	1	2	1	1	–	–	5	1	1	3	1	82
6	–	23	4	2	1	–	–	2	2	2	2	6	1	3	4	3	4	1	
22	–	62	11	2	2	1	8	8	8	6	4	4	6	6	4	8	9	7	83
50	–	79	4	4	1	–	8	8	12	12	6	7	3	7	4	9	4	8	
32	–	200	47	9	34	3	24	21	28	27	20	17	18	23	33	25	33	24	84
55	–	179	41	9	13	1	22	23	20	22	15	13	17	15	14	28	26	28	
4	–	13	2	–	1	–	1	3	1	1	–	1	1	1	–	1	4	2	85
2	–	5	–	–	–	–	–	2	–	–	–	1	1	–	–	–	1	–	
7	–	225	16	1	11	1	22	19	30	26	25	22	15	13	21	24	22	15	86
11	–	148	11	3	6	–	20	20	20	16	15	12	10	8	12	11	14	10	
4	–	104	8	–	5	1	10	8	18	10	16	6	5	4	12	9	11	9	86a
2	–	73	3	1	3	–	11	12	8	6	6	4	5	4	6	4	10	4	
3	–	121	8	1	6	–	12	11	12	16	9	16	10	9	9	15	11	6	86b
9	–	75	8	2	3	–	9	8	12	10	9	8	5	4	6	7	4	6	
6,670	–	**13,013**	**3,626**	**644**	**1,260**	**115**	**1,656**	**1,592**	**1,677**	**1,664**	**1,685**	**1,480**	**1,396**	**1,273**	**1,375**	**1,487**	**1,521**	**1,852**	
2,675	–	**6,826**	**1,997**	**330**	**769**	**89**	**845**	**877**	**907**	**932**	**908**	**765**	**738**	**704**	**744**	**790**	**831**	**970**	
3,995	–	**6,187**	**1,629**	**314**	**491**	**26**	**811**	**715**	**770**	**732**	**777**	**715**	**658**	**569**	**631**	**697**	**690**	**882**	
1,688	–	**4,589**	**1,239**	**214**	**550**	**64**	**541**	**598**	**593**	**596**	**620**	**489**	**492**	**482**	**519**	**527**	**554**	**645**	87–90
2,598	–	**4,299**	**1,075**	**221**	**365**	**14**	**564**	**509**	**524**	**508**	**546**	**469**	**445**	**400**	**441**	**459**	**474**	**635**	
6	–	24	3	4	5	3	1	4	7	2	2	–	3	4	1	6	5	4	87
6	–	12	4	1	3	–	3	2	3	–	3	2	–	3	–	3	–	1	
20	–	145	30	8	27	1	21	10	16	28	16	14	15	17	20	19	16	19	88
27	–	132	25	8	12	2	11	11	22	14	23	16	19	14	17	8	11	13	
9	–	82	20	4	19	1	10	6	8	14	12	9	10	9	11	12	13	12	88a
7	–	81	8	3	8	–	5	8	9	6	14	11	10	7	9	6	8	7	
11	–	63	10	4	8	–	11	4	8	14	4	5	5	8	9	7	3	7	88b
20	–	51	17	5	4	2	6	3	13	8	9	5	9	7	8	2	3	6	
194	–	688	173	40	58	5	92	80	90	111	80	71	63	61	75	78	74	89	89
176	–	329	69	20	20	3	33	45	37	37	37	35	31	33	36	30	36	51	
1,468	–	3,732	1,033	162	460	55	427	504	480	455	522	404	411	400	423	424	459	533	90
2,389	–	3,826	977	192	330	9	517	451	462	457	483	416	395	350	388	418	427	570	
226	–	754	187	31	105	7	78	105	92	87	113	82	79	98	94	66	97	93	90a
430	–	772	173	45	79	2	102	90	98	93	83	78	91	79	78	82	87	110	

TABLE 30—Causes of death for each sex, by conjugal condition, nativity and month of death, for Canada, 1928—*con.*

Int. list No.	Causes of death — Causes de décès		Total	Conjugal condition—État civil										
					Single—Célibataire					Married—Marié				
				Under 15 years — Moins de 15 ans	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné
	CLASS IV-con.—CLASSE IV-fin													
90	(b) Fatty degeneration of the he..rt—Dégénérescence ou stéanose du cœur.	M.	44	–	–	2	2	3	–	–	2	16	8	–
		F.	29	–	–	–	–	2	–	–	2	7	7	–
	(c) Aortic insufficiency—Insuffisance aortique.	M.	27	1	1	1	3	3	–	–	2	3	7	–
		F.	11	–	–	–	–	2	–	–	2	5	1	–
	(d) Chronic endocarditis--Endocardite chronique.	M.	785	25	43	38	46	52	–	1	52	151	231	–
		F.	848	42	35	26	20	50	–	10	93	155	134	–
	(e) Chronic myocarditis—Myocardite chronique.	M.	2,377	10	15	32	111	175	–	2	59	396	790	–
		F.	2,304	16	10	28	70	181	–	4	58	296	459	–
	(f) Others under this title—Autres sous ce titre.	M.	1,125	23	30	24	59	71	5	2	38	196	385	–
		F.	1,071	22	20	15	26	82	–	4	63	154	203	–
91	Diseases of the arteries—Affections des artères.	M.	3,131	1	2	10	118	294	2	–	27	508	1,214	–
		F.	2,513	2	–	5	55	228	1	–	29	336	503	–
	(a) Aneurysm—Anévrisme.....	M.	118	1	2	–	19	8	–	–	4	36	25	–
		F.	44	–	–	3	2	3	–	–	2	11	7	–
	(b) Arteriosclerosis—Artério-sclérose.	M.	2,980	–	–	10	97	282	2	–	22	463	1,177	–
		F.	2,458	1	–	2	53	223	1	–	27	322	495	–
	(c) Other diseases of the arteries—Autres affections des artères.	M.	33	–	–	–	2	4	–	–	1	9	12	–
		F.	11	1	–	–	–	2	–	–	–	3	1	–
92	Embolism and thrombosis (not cerebral)—Embolie et thrombose (non cérébrales).	M.	149	3	2	6	11	6	–	–	16	53	31	–
		F.	79	4	–	1	3	1	–	1	12	21	13	–
93	Diseases of the veins (varices, haemorrhoids, phlebitis, etc.)—Affections des veines (varices, hémorroïdes, phlébite, etc.).	M.	37	1	2	2	–	1	–	–	3	15	6	–
		F.	45	–	–	–	–	2	–	–	11	14	7	–
94	Diseases of the lymphatic system (lymphangitis, etc.)—Affections du système lymphatique (lymphangite, etc.).	M.	25	10	2	1	2	–	–	–	2	4	2	–
		F.	23	12	–	1	–	–	–	–	2	3	1	–
95	Haemorrhage without specified cause—Hémorragie sans cause déterminée.	M.	10	4	–	1	–	–	–	–	1	1	1	–
		F.	10	1	2	–	–	–	–	–	–	1	1	–
96	Other diseases of the circulatory system—Autres affections de l'appareil circulatoire.	M.	3	–	–	–	–	–	–	–	–	2	1	–
		F.	3	1	–	–	–	–	–	–	–	1	1	–
	CLASS V—DISEASES OF THE RESPIRATORY SYSTEM—CLASSE V—AFFECTIONS DE L'APPAREIL RESPIRATOIRE.	Total	10,640	4,441	311	254	282	352	5	52	680	1,027	1,332	2
		M.	5,765	2,434	180	178	193	162	2	14	357	653	835	–
		F.	4,875	2,007	131	76	89	190	3	38	323	374	487	2
97	Diseases of the nasal fossae and their annexa—Affections des fosses nasales et de leurs annexes.	M.	22	–	5	4	–	–	–	–	10	2	–	–
		F.	17	4	3	1	1	–	–	–	4	1	–	–
98	Diseases of the larynx—Affections du larynx.	M.	91	77	1	–	3	–	–	–	5	2	3	–
		F.	92	83	1	–	1	–	–	–	2	1	–	–
	(a) Laryngismus stridulus—Laryngite striduleuse.	M.	13	13	–	–	–	–	–	–	–	–	–	–
		F.	22	21	–	–	–	–	–	–	1	–	–	–
	(b) Laryngitis—Laryngite.....	M.	30	20	1	–	2	–	–	–	3	1	3	–
		F.	23	16	1	–	1	–	–	–	1	1	–	–
	(c) Croup.....	M.	34	34	–	–	–	–	–	–	–	–	–	–
		F.	36	36	–	–	–	–	–	–	–	–	–	–
	(d) Other diseases of the larynx—Autres affections du larynx.	M.	14	10	–	–	1	–	–	–	2	1	–	–
		F.	11	10	–	–	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite.....	M.	243	94	2	5	5	8	–	–	4	15	55	–
		F.	279	84	1	–	1	25	–	–	1	6	50	–
	(a) Acute—Aiguë.....	M.	122	81	2	4	2	3	–	–	–	2	16	–
		F.	121	72	–	–	–	3	–	–	1	3	15	–
	(b) Chronic—Chronique.....	M.	69	5	–	–	2	4	–	–	2	9	25	–
		F.	94	2	1	–	1	15	–	–	–	3	20	–
	(c) Not otherwise defined, under 5 years of age—Sans épithète, au-dessous de cinq ans.	M.	8	8	–	–	–	–	–	–	–	–	–	–
		F.	10	10	–	–	–	–	–	–	–	–	–	–
	(d) Not otherwise defined, 5 years or over—Sans épithète, cinq ans ou au-dessus.	M.	44	–	–	1	1	1	–	–	2	4	14	–
		F.	54	–	–	–	–	7	–	–	–	–	15	–
100	Bronchopneumonia (including capillary bronchitis)—Broncho-pneumonie (y compris bronchite capillaire).	M.	1,814	1,260	20	25	29	34	2	2	42	92	147	–
		F.	1,622	1,022	20	12	19	46	–	6	51	62	101	2
	(a) Bronchopneumonia—Broncho-pneumonie.	M.	1,740	1,191	20	25	28	34	2	2	41	92	146	–
		F.	1,559	968	20	12	19	46	–	6	50	61	98	2
	(b) Capillary bronchitis—Bronchite capillaire.	M.	74	69	–	–	1	–	–	–	1	–	1	–
		F.	63	54	–	–	–	–	–	–	1	1	3	–

TABLEAU 30—Causes de décès de chaque sexe, selon l'état civil, le lieu de naissance et le mois de décès, pour le Canada, 1928—*suite*

Widowed — En veuvage	Not stated — Non donné	Nativity—Lieu de naissance: Canada	British — Britanniques	Foreign — Pays étrangers: United States — États-Unis	Foreign — Pays étrangers: Other — Autre	Not stated — Non donné	Months—Mois: January—Janvier	February—Février	March—Mars	April—Avril	May—Mai	June—Juin	July—Juillet	August—Août	September Septembre	October Octobre	November Novembre	December Décembre	No. liste int.
11	–	31	6	3	3	1	2	6	3	6	6	3	2	4	2	1	5	4	90b
11	–	18	6	1	4	–	4	3	–	1	5	2	5	2	3	1	1	2	
6	–	19	5	–	3	–	3	1	1	1	4	3	4	1	1	1	3	4	90c
1	–	10	1	–	–	–	–	1	–	2	1	1	–	3	–	2	–	1	
146	–	526	153	30	70	6	56	78	71	54	92	66	59	63	57	63	45	81	90d
283	–	614	150	37	45	2	78	69	87	65	88	69	57	60	62	64	49	100	
787	–	1,538	535	81	197	26	186	207	225	200	213	177	182	156	185	200	202	244	90e
1,182	–	1,551	528	82	140	3	224	183	180	214	209	179	184	135	157	199	202	238	
292	–	864	147	17	82	15	102	107	88	107	94	73	85	78	84	93	107	107	90f
482	–	861	119	27	62	2	109	105	97	82	97	87	58	71	88	70	88	119	
955	–	2,086	719	107	196	23	286	261	298	316	264	262	231	208	212	249	250	294	91
1,354	–	1,785	516	85	115	12	237	200	233	208	218	232	203	155	171	216	205	235	
23	–	59	45	4	9	1	16	11	18	12	5	11	6	9	7	7	6	10	91a
16	–	36	3	3	2	–	8	2	1	3	2	4	3	9	3	2	6	1	
927	–	2,013	664	102	180	21	265	247	279	303	255	248	224	199	203	236	240	281	91b
1,334	–	1,739	513	81	113	12	229	197	228	203	216	228	200	146	168	213	199	231	
5	–	14	10	1	7	1	5	3	1	1	4	3	1	–	2	6	4	3	91c
4	–	10	–	1	–	–	–	1	4	2	–	–	–	–	–	1	–	3	
21	–	94	33	7	13	2	12	9	11	14	17	10	9	10	11	10	17	19	92
23	–	53	23	1	2	–	3	1	6	7	7	8	4	8	11	16	3	5	
7	–	26	5	1	5	–	6	5	2	3	3	2	–	2	1	2	7	4	93
11	–	21	14	5	5	–	5	3	1	5	2	3	5	4	3	3	5	6	
2	–	20	–	1	4	–	–	3	2	3	1	1	3	1	1	2	1	7	94
4	–	19	1	2	1	–	–	1	4	1	2	3	1	1	3	3	3	1	
2	–	8	1	–	1	–	–	1	1	–	2	–	3	–	–	–	2	1	95
5	–	8	–	–	2	–	2	–	2	1	2	–	–	1	2	–	–	–	
–	–	3	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	96
–	–	2	–	–	1	–	–	1	–	2	–	–	–	–	–	–	–	–	
1,312	–	**8,572**	**1,236**	**249**	**539**	**44**	**1,037**	**1,074**	**1,191**	**1,098**	**1,061**	**710**	**444**	**367**	**464**	**736**	**825**	**1,633**	
757	–	**4,546**	**692**	**138**	**355**	**34**	**538**	**600**	**653**	**608**	**599**	**386**	**235**	**212**	**253**	**400**	**428**	**853**	
1,155	–	**4,026**	**544**	**111**	**184**	**10**	**499**	**474**	**538**	**490**	**462**	**324**	**209**	**155**	**211**	**336**	**397**	**780**	
1	–	10	8	1	3	–	1	3	–	2	5	1	1	2	1	1	3	2	97
3	–	13	4	–	–	–	1	2	3	4	–	1	–	–	2	1	2	1	
–	–	87	2	1	1	–	12	11	9	8	10	4	5	5	3	6	13	5	98
4	–	88	1	3	–	–	13	11	10	8	4	9	3	4	4	8	8	10	
–	–	13	–	–	–	–	1	1	3	2	1	–	2	–	–	1	2	–	98a
–	–	22	–	–	–	–	4	2	2	1	1	5	–	–	1	1	3	2	
–	–	27	2	–	1	–	3	5	3	1	4	2	1	3	–	2	4	2	98b
3	–	20	1	2	–	–	2	1	2	–	1	2	3	2	1	4	1	4	
–	–	34	–	–	–	–	7	4	2	4	3	–	2	2	2	1	6	1	98c
–	–	36	–	–	–	–	5	5	6	6	1	1	–	1	1	3	3	4	
–	–	13	–	1	–	–	1	1	1	1	2	2	–	–	1	2	1	2	98d
1	–	10	–	1	–	–	2	3	–	1	1	1	–	1	1	–	1	–	
55	–	190	29	2	21	1	20	27	31	24	31	24	8	9	9	10	20	30	99
111	–	228	31	6	12	2	34	26	23	22	25	15	11	10	16	23	22	52	
12	–	108	9	2	3	–	8	8	14	13	21	15	5	2	5	6	11	14	99a
27	–	106	9	2	2	2	8	12	13	12	14	10	5	4	8	10	7	18	
22	–	44	12	–	12	1	8	6	11	7	6	5	2	7	3	3	6	5	99b
52	–	69	14	2	9	–	19	10	7	6	6	4	3	5	5	11	6	12	
–	–	8	–	–	–	–	1	1	–	1	–	1	–	–	–	–	1	3	99c
–	–	10	–	–	–	–	1	1	–	1	–	–	–	–	–	–	1	6	
21	–	30	8	–	6	–	3	12	6	3	4	3	1	–	1	1	2	8	99d
32	–	43	8	2	1	–	6	3	3	3	5	1	3	1	3	2	8	16	
161	–	1,583	129	27	70	5	162	181	219	193	188	110	75	67	85	107	122	305	100
281	–	1,402	138	28	49	5	149	170	172	186	157	99	81	53	62	98	128	267	
159	–	1,511	128	26	70	5	160	171	213	185	183	105	70	62	77	102	117	295	100a
277	–	1,340	137	28	49	5	142	165	164	180	153	96	76	48	59	91	122	263	
2	–	72	1	1	–	–	2	10	6	8	5	5	5	5	8	5	5	10	100b
4	–	62	1	–	–	–	7	5	8	6	4	3	5	5	3	7	6	4	

TABLE 30—Causes of death for each sex, by conjugal condition, nativity and month of death, for Canada, 1928—*con.*

Int. list No.	Causes of death — Causes de décès		Total	Conjugal condition—État civil											
					Single—Célibataire					Married—Marié					
				Under 15 years — Moins de 15 ans	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné
	CLASS V-con.—CLASSE V—fin														
101	Pneumonia—Pneumonie	M.	2,768	825	125	112	114	92	–	7	224	414	447	–
		F.	2,221	666	73	44	53	94	3	24	206	232	260	–
	(a) Lobar—Lobaire	M.	1,461	286	88	84	80	58	–	7	156	267	234	–
		F.	1,010	229	37	25	30	41	2	17	127	142	122	–
	(b) Not otherwise defined—Sans épithète.	M.	1,307	539	37	28	34	34	–	–	68	147	213	–
		F.	1,211	437	36	19	23	53	1	7	79	90	138	–
102	Pleurisy—Pleurésie	M.	255	72	17	13	16	3	–	2	36	36	35	–
		F.	202	60	18	11	4	3	–	6	28	28	17	–
103	Congestion and haemorrhagic infarct of the lung—Congestion et hémorragie parenchymateuse des poumons.	M.	222	70	2	1	13	10	–	–	3	14	50	–
		F.	270	67	5	3	4	18	–	1	9	14	32	–
104	Gangrene of the lung—Gangrène du poumon.	M.	24	2	–	3	1	1	–	–	6	2	7	–
		F.	4	–	–	1	–	–	–	–	2	1	–	–
105	Asthma—Asthme	M.	175	9	2	2	8	8	–	–	8	44	60	–
		F.	91	5	1	2	2	2	–	–	6	23	20	–
106	Pulmonary emphysema—Emphysème pulmonaire.	M.	17	2	–	–	–	1	–	–	2	1	7	–
		F.	7	–	–	–	1	–	–	–	1	1	–	–
107	Other diseases of the respiratory system (tuberculosis excepted)—Autres affections de l'appareil respiratoire (tuberculose exceptée).	M.	134	23	6	13	4	5	–	3	17	31	24	–
		F.	70	16	9	2	3	2	–	1	13	5	7	–
	(a) Chronic interstitial pneumonia including occupational diseases of the lungs—Pneumonie interstitielle chronique comprenant les affections professionnelles de l'appareil pulmonaire.	M.	13	–	–	3	1	1	–	–	1	5	2	–
		F.	3	–	–	–	–	–	–	–	1	1	–	–
	(b) Diseases of the mediastinum—Affections du médiastin.	M.	5	2	–	–	–	–	–	–	1	2	–	–
		F.	2	–	–	–	1	–	–	–	1	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	116	21	6	10	3	4	–	3	15	24	22	–
		F.	65	16	9	2	2	2	–	1	11	4	7	–
	CLASS VI—DISEASES OF THE DIGESTIVE SYSTEM—CLASSE VI—AFFECTIONS DE L'APPAREIL DIGESTIF.	Total	11,140	6,144	444	304	242	186	3	68	737	1,191	791	–
		M.	6,137	3,451	280	192	157	101	2	21	372	659	506	–
		F.	5,003	2,693	164	112	85	85	1	47	365	532	285	–
108	Diseases of the mouth and annexa—Affections de la bouche et de ses annexes.	M.	62	11	3	5	4	4	–	2	7	12	7	–
		F.	40	6	2	–	1	1	–	2	11	7	1	–
109	Diseases of the pharynx and tonsils (including adenoid vegetations)—Affections du pharynx et des amygdales (y compris les végétations adénoïdiennes).	M.	194	125	12	9	5	2	–	1	18	10	7	–
		F.	197	110	15	11	4	5	–	1	19	18	8	–
	(a) Adenoid vegetations—Végétations adénoïdiennes.	M.	4	3	–	–	–	–	–	–	–	–	–	–
		F.	4	3	–	–	–	–	–	–	–	–	1	–
	(b) Pharynx and tonsils—Pharynx et amygdales.	M.	190	122	12	9	5	2	–	1	18	10	7	–
		F.	193	107	15	11	4	5	–	1	19	18	7	–
110	Diseases of the oesophagus—Affections de l'œsophage.	M.	14	4	–	2	–	–	–	–	3	3	1	–
		F.	6	1	–	–	1	–	–	–	–	1	1	–
111	Ulcer of the stomach and duodenum—Ulcère de l'estomac et du duodénum.	M.	419	1	13	40	42	10	1	–	77	130	65	–
		F.	129	1	4	7	8	7	–	–	22	34	20	–
	(a) Ulcer of the stomach—Ulcère de l'estomac.	M.	257	–	8	23	22	8	1	–	39	79	49	–
		F.	93	1	2	5	6	4	–	–	14	29	12	–
	(b) Ulcer of the duodenum—Ulcère du duodénum.	M.	162	1	5	17	20	2	–	–	38	51	16	–
		F.	33	–	2	2	2	3	–	–	8	5	8	–
112	Other diseases of the stomach (cancer excepted)—Autres affections de l'estomac (cancer excepté).	M.	539	191	10	11	15	19	1	1	25	87	91	–
		F.	489	175	9	6	14	15	1	3	27	60	53	–
113	Diarrhoea and enteritis (under 2 years of age)—Diarrhée et entérite (au-dessous de 2 ans).	M.	2,456	2,456	–	–	–	–	–	–	–	–	–	–
		F.	1,878	1,878	–	–	–	–	–	–	–	–	–	–
114	Diarrhoea and enteritis (2 years or over)—Diarrhée et entérite (deux ans ou au-dessus).	M.	327	175	12	10	9	8	–	1	14	21	32	–
		F.	371	159	12	17	8	17	–	4	17	23	28	–
116	Diseases due to other intestinal parasites—Affections dues à d'autres parasites intestinaux.	M.	4	3	1	–	–	–	–	–	–	–	–	–
		F.	5	4	–	1	–	–	–	–	–	–	–	–
	(a) Cestodes (hydatids of the liver excepted)—Cestodes (non compris les hydatides du foie).	M.	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès de chaque sexe, selon l'état civil, le lieu de naissance et le mois de décès, pour le Canada, 1928—*suite*

Nativity—Lieu de naissance							Months—Mois												
Widowed — En veuvage	Not stated — Non donné	Canada	British — Britanniques	Foreign — Pays étrangers: United States — États-Unis	Foreign — Pays étrangers: Other — Autre	Not stated — Non donné	January—Janvier	February—Février	March—Mars	April—Avril	May—Mai	June—Juin	July—Juillet	August—Août	September Septembre	October Octobre	November Novembre	December Décembre	No. liste int.
408	–	2,073	402	88	183	22	286	294	315	300	285	190	92	75	108	203	203	417	101
566	–	1,786	286	58	88	3	249	211	268	227	230	136	67	65	84	145	180	359	
201	–	960	287	64	136	14	144	159	171	159	145	97	52	46	53	116	113	206	101a
238	–	750	169	33	55	3	117	100	117	102	109	59	34	24	32	68	89	159	
207	–	1,113	115	24	47	8	142	135	144	141	140	93	40	29	55	87	90	211	101b
328	–	1,036	117	25	33	–	132	111	151	125	121	77	33	41	52	77	91	200	
25	–	183	38	5	27	2	21	30	24	21	26	27	17	18	15	15	14	27	102
27	–	168	21	7	6	–	16	19	20	15	15	19	16	10	15	22	14	21	
59	–	188	21	4	9	–	16	23	26	27	23	6	8	13	13	22	19	26	103
117	–	225	33	3	9	–	27	27	24	18	17	21	15	7	17	23	24	50	
2	–	18	2	1	2	1	2	4	–	1	2	3	3	3	1	3	2	–	104
–	–	2	1	–	1	–	–	–	–	–	1	–	–	–	–	1	1	1	
34	–	118	34	4	18	1	10	13	16	16	18	11	14	10	12	16	15	24	105
30	–	58	16	6	11	–	3	3	11	4	6	15	10	4	7	8	10	10	
4	–	12	2	–	3	–	1	1	3	3	1	1	1	1	2	1	1	1	106
4	–	4	1	–	2	–	1	–	1	–	1	1	1	–	–	–	1	1	
8	–	84	25	5	18	2	7	13	10	13	10	9	11	9	4	16	16	16	107
12	–	52	12	–	6	–	6	5	6	6	6	8	5	2	4	7	7	8	
–	–	5	4	1	3	–	–	–	2	–	–	–	–	1	–	3	5	2	107a
1	–	2	1	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	
–	–	4	–	–	1	–	–	–	1	2	–	1	–	–	–	1	–	–	107b
–	–	1	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	
8	–	75	21	4	14	2	7	13	7	11	10	8	11	8	4	12	11	14	107c
11	–	49	10	–	6	–	6	4	6	5	5	8	4	2	4	7	6	8	
1,030	–	**9,590**	**893**	**216**	**415**	**26**	**764**	**715**	**841**	**816**	**839**	**754**	**901**	**1,392**	**1,557**	**1,036**	**765**	**760**	
396	–	**5,229**	**481**	**117**	**290**	**20**	**394**	**394**	**457**	**466**	**464**	**414**	**506**	**741**	**884**	**579**	**413**	**425**	
634	–	**4,361**	**412**	**99**	**125**	**6**	**370**	**321**	**384**	**350**	**375**	**340**	**395**	**651**	**673**	**457**	**352**	**335**	
7	–	46	11	2	3	–	3	4	7	8	4	3	4	4	7	9	2	7	108
9	–	30	5	5	–	–	5	2	4	6	2	2	5	1	2	4	5	2	
5	–	166	14	8	6	–	28	18	11	11	23	15	16	10	20	17	14	11	109
6	–	171	17	5	4	–	21	14	15	12	19	11	12	13	13	26	22	19	
1	–	4	–	–	–	–	1	–	1	–	–	2	–	–	–	–	–	–	109a
–	–	4	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–	1	
4	–	162	14	8	6	–	27	18	10	11	23	13	16	10	20	17	14	11	109b
6	–	167	17	5	4	–	21	13	14	12	19	11	12	13	13	25	22	18	
1	–	12	2	–	–	–	1	1	–	2	1	2	1	–	2	1	–	3	110
2	–	3	2	–	1	–	–	–	2	–	–	–	1	–	1	1	1	–	
40	–	226	113	17	60	3	33	30	29	44	34	40	39	27	29	34	43	37	111
26	–	82	31	8	8	–	13	10	10	5	13	17	10	12	6	14	10	9	
28	–	140	66	12	37	2	18	21	15	27	21	28	28	16	15	20	25	23	111a
20	–	57	24	6	6	–	8	6	6	5	11	14	7	10	2	13	5	6	
12	–	86	47	5	23	1	15	9	14	17	13	12	11	11	14	14	18	14	111b
6	–	25	7	2	2	–	5	4	4	–	2	3	3	2	4	1	5	3	
87	–	466	43	8	20	2	27	43	52	53	52	52	52	48	41	43	40	36	11
126	–	453	28	3	5	–	33	46	47	43	36	45	40	36	35	44	37	47	
–	–	2,442	1	7	3	3	113	117	129	147	138	130	191	418	555	262	127	129	113
–	–	1,867	–	8	2	1	90	76	91	98	124	101	134	362	425	183	108	86	
45	–	282	23	5	15	2	17	9	19	15	22	13	35	53	57	37	28	22	114
86	–	324	32	9	5	1	25	17	18	23	33	29	26	51	71	36	29	13	
–	–	3	–	–	1	–	–	–	1	–	–	–	–	–	–	1	1	1	116
–	–	5	–	–	–	–	–	–	–	1	2	1	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death for each sex, by conjugal condition, nativity and month of death, for Canada, 1928—*con.*

Int. list No.	Causes of death — Causes de décès		Total	Conjugal condition—État civil											
					Single—Célibataire					Married—Marié					
				Under 15 years — Moins de 15 ans	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné
	CLASS VI-con.—CLASSE VI-fin														
116	(b) Trematodes—Trématodes....	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
	(c) Nematodes (other than ankylostoma)—Nématodes (autres que ankylostomiase).	M.	2	1	1	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	1	–	–	–	–	–	–	–	–	–
	(d) Coccidia—Coccidies.....	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
	(e) Other parasites specified—Autres parasites spécifiés.	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
	(f) Parasites not specified—Parasites non spécifiés.	M.	2	2	–	–	–	–	–	–	–	–	–	–	–
		F.	4	4	–	–	–	–	–	–	–	–	–	–	–
117	Appendicitis and typhlitis—Appendicite et typhlite.	M.	838	284	176	55	18	1	–	12	129	109	32	–	
		F.	567	220	90	26	6	4	–	18	92	68	13	–	
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale.	M.	493	112	19	24	20	30	–	–	33	78	96	–	
		F.	363	51	5	15	10	13	–	5	52	76	38	–	
	(a) Hernia—Hernie.....	M.	192	19	5	8	12	11	–	–	9	30	51	–	
		F.	122	7	–	2	2	7	–	–	15	37	15	–	
	(b) Intestinal obstruction—Obstruction intestinale.....	M.	301	93	14	16	8	19	–	–	24	48	45	–	
		F.	241	44	5	13	8	6	–	5	37	39	23	–	
119	Other diseases of the intestines—Autres affections des intestins.	M.	128	33	7	7	5	5	–	1	13	26	21	–	
		F.	125	27	4	4	6	3	–	3	15	18	8	–	
120	Acute yellow atrophy of the liver—Atrophie jaune aiguë du foie.	M.	19	4	3	1	1	–	–	–	1	2	6	–	
		F.	35	3	2	3	–	2	–	2	9	9	–	–	
122	Cirrhosis of the liver—Cirrhose du foie.	M.	224	1	–	9	17	12	–	–	16	75	49	–	
		F.	139	2	3	3	7	4	–	1	12	44	22	–	
	(a) Specified as alcoholic—Spécifiée comme alcoolique.	M.	7	–	–	–	1	–	–	–	1	3	1	–	
		F.	3	–	–	1	–	–	–	–	1	–	–	–	
	(b) Not specified as alcoholic—Non spécifiée comme alcoolique.	M.	217	1	–	9	16	12	–	–	15	72	48	–	
		F.	136	2	3	2	7	4	–	1	11	44	22	–	
123	Biliary calculi—Calculs biliaires....	M.	52	–	–	1	3	2	–	–	6	20	13	–	
		F.	161	–	–	2	4	1	–	1	23	53	22	–	
124	Other diseases of the liver—Autres affections du foie.	M.	230	18	11	10	9	7	–	1	17	55	69	–	
		F.	350	13	4	10	12	12	–	2	44	94	64	–	
125	Diseases of the pancreas—Affections du pancréas.	M.	27	–	1	1	1	1	–	–	1	12	5	–	
		F.	34	2	–	1	2	–	–	1	9	12	3	–	
126	Peritonitis without specified cause—Péritonite sans cause indiquée.	M.	111	33	12	7	7	–	–	2	12	19	12	–	
		F.	114	41	14	6	2	1	–	4	13	15	4	–	
	CLASS VII—NON-VENEREAL DISEASES OF THE GENITO-URINARY SYSTEM AND ANNEXA—CLASSE VII—AFFECTIONS NON VÉNÉRIENNES DE L'APPAREIL GÉNITO-URINAIRE ET DE SES ANNEXES.	**Total**	**7,527**	**256**	**150**	**198**	**280**	**447**	**5**	**38**	**603**	**1,555**	**1,967**	–	
		M.	**4,280**	**139**	**73**	**117**	**177**	**275**	**5**	**6**	**198**	**822**	**1,454**	–	
		F.	**3,247**	**117**	**77**	**81**	**103**	**172**	–	**32**	**405**	**733**	**513**	–	
128	Acute nephritis (including unspecified, under 10 years of age)—Néphrite aiguë (y compris non spécifiée, au-dessous de dix ans).	M.	223	75	20	17	6	4	–	4	27	35	23	–	
		F.	186	63	17	8	1	4	–	3	32	21	9	–	
129	Chronic nephritis (including unspecified, 10 years of age or over)—Néphrite chronique (y compris non spécifiée, dix ans ou au-dessus).	M.	2,862	31	43	85	131	174	4	2	139	667	940	–	
		F.	2,444	30	36	39	83	155	–	13	191	565	453	–	
131	Other diseases of the kidneys and annexa—Autres affections des reins et de leurs annexes.	M.	206	23	7	9	11	13	–	–	20	27	55	–	
		F.	158	21	3	5	1	6	–	2	25	34	21	–	
132	Calculi of the urinary passages—Calculs des voies urinaires.	M.	40	1	2	–	3	–	–	–	3	7	11	–	
		F.	15	–	1	–	–	1	–	–	5	5	1	–	
133	Diseases of the bladder—Affections de la vessie.	M.	122	1	1	3	8	9	–	–	1	13	44	–	
		F.	33	2	–	–	–	1	–	–	3	2	9	–	
134	Diseases of the urethra, urinary abscess, etc.—Affections de l'urètre, abcès urineux, etc.	M.	23	–	–	1	3	1	–	–	2	9	3	–	
		F.	2	–	–	–	–	–	–	–	–	1	1	–	
	(a) Stricture of the urethra—Rétrécissement de l'urètre.	M.	13	–	–	–	1	1	–	–	1	5	2	–	
		F.	–	–	–	–	–	–	–	–	–	–	–	–	
	(b) Other diseases of the urethra—Autres affections de l'urètre.	M.	10	–	–	1	2	–	–	–	1	4	1	–	
		F.	2	–	–	–	–	–	–	–	–	1	1	–	
135	Diseases of the prostate—Affections de la prostate.	M.	785	1	–	2	14	72	1	–	4	63	374	–	
136	Non-venereal diseases of the male genital organs — Affections non vénériennes des organes génitaux de l'homme.	M.	19	7	–	–	1	2	–	–	2	1	4	–	

TABLEAU 30—Causes de décès de chaque sexe, selon l'état civil, le lieu de naissance et le mois de décès, pour le Canada, 1928—*suite*

Widowed — En veuvage	Not stated — Non donné	Nativity—Lieu de naissance: Canada	British — Britanniques	Foreign — Pays étrangers: United States — États-Unis	Foreign — Pays étrangers: Other — Autre	Not stated — Non donné	Months—Mois: January—Janvier	February—Février	March—Mars	April—Avril	May—Mai	June—Juin	July—Juillet	August—Août	September Septembre	October Octobre	November Novembre	December Décembre	No. liste int.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116b
–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	1	116c
–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116e
–	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	116f
–	–	4	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	
22	–	654	93	28	61	2	61	68	79	62	74	63	78	73	69	72	66	73	117
30	–	452	65	19	31	–	56	57	55	43	52	43	50	49	36	45	40	41	
81	–	356	75	18	40	4	39	38	50	45	35	36	37	44	48	38	40	43	118
98	–	260	78	8	15	2	32	22	40	23	30	28	32	40	23	33	25	35	
47	–	127	38	7	19	1	20	14	17	17	13	13	10	13	16	18	19	22	118a
37	–	84	28	3	6	1	8	11	12	5	8	11	13	9	9	12	5	19	
34	–	229	37	11	21	3	19	24	33	28	22	23	27	31	32	20	21	21	118b
61	–	176	50	5	9	1	24	11	28	18	22	17	19	31	14	21	20	16	
10	–	104	13	3	8	–	16	12	14	9	11	8	5	11	9	12	9	12	119
37	–	101	18	2	3	1	14	13	9	15	8	11	10	13	4	9	13	6	
1	–	17	2	–	–	–	2	1	4	–	2	2	2	1	1	–	1	3	120
5	–	27	2	4	2	–	4	4	6	4	1	–	2	2	3	4	2	3	
45	–	161	31	6	24	2	17	16	17	26	21	17	22	17	16	29	14	12	122
41	–	105	22	6	6	–	14	9	12	13	12	10	16	13	8	11	7	14	
1	–	5	1	1	–	–	2	1	2	–	–	–	–	1	–	1	–	–	122a
1	–	2	1	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–	
44	–	156	30	5	24	2	15	15	15	26	21	17	22	16	16	28	14	12	122b
40	–	103	21	6	6	–	13	9	12	13	11	10	16	13	8	11	6	14	
7	–	33	9	3	7	–	4	7	6	4	7	2	4	3	5	2	4	4	123
55	–	114	28	4	15	–	19	15	20	13	9	9	16	18	13	9	6	14	
33	–	158	34	8	28	2	21	17	25	24	27	24	10	15	13	17	16	21	124
95	–	247	67	12	23	1	28	25	42	37	21	21	30	25	24	27	38	32	
5	–	19	6	1	1	–	2	4	3	2	2	3	–	2	1	2	4	2	125
4	–	20	9	3	2	–	4	2	3	5	5	2	1	2	2	4	2	2	
7	–	84	11	3	13	–	10	9	11	14	11	4	10	15	11	3	4	9	126
14	–	100	8	3	3	–	12	9	10	9	8	10	9	14	7	7	7	12	
2,028	**–**	**5,580**	**1,122**	**275**	**504**	**46**	**663**	**655**	**689**	**642**	**624**	**627**	**546**	**546**	**629**	**585**	**644**	**677**	
1,014	**–**	**3,116**	**674**	**143**	**312**	**35**	**377**	**364**	**395**	**365**	**366**	**371**	**321**	**306**	**353**	**336**	**352**	**374**	
1,014	**–**	**2,464**	**448**	**132**	**192**	**11**	**286**	**291**	**294**	**277**	**258**	**256**	**225**	**240**	**276**	**249**	**292**	**303**	
12	–	165	28	10	17	3	15	23	21	21	22	12	17	11	22	26	17	16	128
28	–	156	20	5	5	–	18	21	13	25	13	18	11	12	12	14	13	16	
646	–	2,122	418	95	206	21	244	245	269	254	244	246	226	214	215	209	237	259	129
879	–	1,873	329	89	143	10	214	210	222	201	204	194	169	183	208	186	222	231	
41	–	150	29	5	19	3	20	21	22	15	16	16	14	18	21	16	15	12	131
40	–	118	27	5	8	–	14	13	13	10	8	7	17	12	15	14	15	20	
13	–	23	10	2	4	1	5	3	3	2	3	2	3	3	3	3	3	7	132
2	–	10	–	2	3	–	1	–	–	2	2	2	–	2	2	1	2	1	
42	–	87	23	5	6	1	10	9	16	11	11	11	5	8	9	10	13	9	133
16	–	25	6	2	–	–	2	1	3	4	–	3	–	3	6	4	2	5	
4	–	11	10	1	–	1	1	1	2	2	2	–	3	3	3	3	1	2	134
–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	1	–	
3	–	6	5	1	–	1	1	–	2	–	1	–	2	2	2	2	–	1	134a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	5	5	–	–	–	–	1	–	2	1	–	1	1	1	1	1	1	134b
–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	1	–	
254	–	542	155	25	58	5	80	60	58	60	67	83	53	46	79	67	64	68	135
2	–	16	1	–	2	–	2	2	4	–	1	1	–	3	1	2	2	1	136

TABLE 30—Causes of death for each sex, by conjugal condition, nativity and month of death, for Canada, 1928—*con.*

Int. list No.	Causes of death — Causes de décès		Total	Conjugal condition—État civil										
				Single—Célibataire						Married—Marié				
				Under 15 years — Moins de 15 ans	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné
	CLASS VII-con.—**CLASSE VII**-fin													
137	Cysts and other benign tumours of the ovary—Kystes et autres tumeurs bénignes de l'ovaire.	F.	79	–	3	8	1	1	–	–	29	17	6	–
138	Salpingitis and pelvic abscess—Salpingite et abcès du bassin.	F.	92	–	8	3	2	1	–	8	48	13	–	–
139	Benign tumours of the uterus—Tumeurs bénignes de l'utérus.	F.	86	–	–	7	7	1	–	2	21	25	9	–
140	Non-puerperal uterine haemorrhage—Hémorragie utérine non puerpérale.	F.	6	–	1	1	1	–	–	–	1	2	–	–
141	Other diseases of the female genital organs—Autres affections des organes génitaux de la femme.	F.	141	1	8	10	6	2	–	3	50	46	4	–
142	Non-puerperal diseases of the breast (cancer excepted)—Affections non puerpérales du sein (cancer excepté).	F.	5	–	–	–	1	–	–	1	–	2	–	–
	CLASS VIII—THE PUERPERAL STATE—CLASSE VIII—ÉTAT PUERPÉRAL.	Total	1,331	–	54	20	–	–	–	273	949	26	–	–
143	Accidents of pregnancy—Accidents de la grossesse.	F.	101	–	3	4	–	–	–	21	68	3	–	–
	(a) Abortion—Avortement	F.	30	–	1	–	–	–	–	10	17	1	–	–
	(b) Ectopic gestation—Gestation ectopique.	F.	41	–	1	3	–	–	–	4	32	–	–	–
	(c) Others under this title—Autres sous ce titre.	F.	26	–	–	1	–	–	–	7	16	2	–	–
	(d) Abortion, self-induced—Avortement provoqué par soi-même.	F.	4	–	1	–	–	–	–	–	3	–	–	–
144	Puerperal haemorrhage—Hémorragie puerpérale.	F.	173	–	4	1	–	–	–	16	151	1	–	–
145	Other accidents of labour—Autres accidents de l'accouchement.	F.	142	–	6	–	–	–	–	28	102	5	–	–
	(a) Caesarean section—Opération césarienne.	F.	33	–	–	–	–	–	–	4	28	1	–	–
	(b) Difficult labour — Accouchement laborieux.	F.	23	–	–	–	–	–	–	2	19	2	–	–
	(c) Other surgical operations and instrumental delivery— Autres opérations chirurgicales et application d'instruments.	F.	41	–	3	–	–	–	–	7	28	2	–	–
	(d) Uncontrollable vomiting—Vomissements incontrôlables.	F.	43	–	2	–	–	–	–	15	26	–	–	–
	(e) Rupture of uterus in labour, etc.—Rupture de l'utérus durant l'accouchement, etc.	F.	2	–	1	–	–	–	–	–	1	–	–	–
146	Puerperal septicaemia—Septicémie puerpérale.	F.	439	–	22	7	–	–	–	102	296	7	–	–
147	Puerperal phlegmasia alba dolens, puerperal embolism, sudden death in puerperium—Phlegmasia alba dolens, embolie, mort subite puerpérales.	F.	90	–	2	1	–	–	–	9	77	–	–	–
148	Puerperal albuminuria and convulsions—Albuminurie et éclampsie puerpérales.	F.	330	–	17	7	–	–	–	89	210	7	–	–
149	Following childbirth (not otherwise defined)—Suites de couches (sans autres explications).	F.	55	–	–	–	–	–	–	7	45	3	–	–
150	Puerperal diseases of the breast—Affections puerpérales de la mamelle.	F.	1	–	–	–	–	–	–	1	–	–	–	–
	CLASS IX—DISEASES OF THE SKIN AND OF THE CELLULAR TISSUE—CLASSE IX—AFFECTIONS DE LA PEAU ET DU TISSU CELLULAIRE.	Total	670	146	23	11	18	49	1	7	34	65	123	–
		M.	386	87	16	8	13	28	1	2	14	42	87	–
		F.	284	59	7	3	5	21	–	5	20	23	36	–
151	Gangrene—Gangrène	M.	163	–	1	–	6	16	–	–	1	8	62	–
		F.	129	1	–	–	2	16	–	–	3	8	23	–
152	Furuncle—Furoncle	M.	39	4	3	3	3	5	1	–	1	13	2	–
		F.	17	4	1	–	–	–	–	2	4	2	2	–
153	Acute abscess—Phlegmon, abcès chaud.	M.	103	38	7	3	3	3	–	2	10	19	10	–
		F.	68	23	5	2	1	2	–	3	9	8	4	–

TABLEAU 30—Causes de décès de chaque sexe, selon l'état civil, le lieu de naissance et le mois de décès, pour le Canada, 1928—*suite*

Widowed / En veuvage	Not stated / Non donné	Nativity—Lieu de naissance: Canada	British — Britanniques	Foreign — Pays étrangers: United States — États-Unis	Foreign — Pays étrangers: Other — Autre	Not stated — Non donné	Months—Mois: January—Janvier	February—Février	March—Mars	April—Avril	May—Mai	June—Juin	July—Juillet	August—Août	September / Septembre	October / Octobre	November / Novembre	December / Décembre	No. liste int.
14	–	55	13	5	6	–	7	11	7	3	6	10	4	5	6	4	8	8	137
9	–	61	11	11	8	1	9	14	11	5	4	5	6	6	11	8	6	7	138
14	–	65	15	2	4	–	6	9	11	9	8	4	6	5	5	8	8	7	139
–	–	5	1	–	–	–	1	–	–	1	–	1	–	1	1	1	–	–	140
11	–	92	24	11	14	–	14	11	13	16	12	11	12	11	9	9	15	8	141
1	–	3	2	–	–	–	–	1	1	1	–	1	–	–	1	–	–	–	142
9	–	**942**	**182**	**67**	**137**	**3**	**103**	**127**	**151**	**141**	**112**	**117**	**97**	**105**	**89**	**94**	**82**	**113**	
2	–	64	13	4	20	–	11	5	10	14	11	10	9	6	9	3	3	10	143
1	–	23	3	–	4	–	2	2	6	6	5	2	–	3	2	–	1	1	143a
1	–	22	4	2	13	–	6	2	2	7	4	4	4	2	4	3	1	2	143b
–	–	19	5	1	1	–	3	1	1	1	1	4	5	1	3	–	1	5	143c
–	–	–	1	1	2	–	–	–	1	–	1	–	–	–	–	–	–	2	143d
–	–	131	15	7	19	1	17	11	21	19	14	20	6	14	14	12	9	16	144
1	–	95	24	4	17	2	11	14	16	11	7	17	11	14	13	8	8	12	145
–	–	18	10	2	3	–	3	2	4	2	1	4	4	6	4	3	–	–	145a
–	–	13	4	–	5	1	1	2	2	1	2	2	3	2	1	2	2	3	145b
1	–	30	3	1	6	1	2	7	6	5	1	4	2	3	3	–	4	4	145c
–	–	32	7	1	3	–	4	3	4	3	3	6	2	3	5	3	2	5	145d
–	–	2	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	145e
5	–	289	69	29	52	–	29	47	54	55	35	33	32	32	21	33	30	38	146
1	–	58	20	6	6	–	8	13	6	6	8	7	5	9	8	4	9	7	147
–	–	260	35	15	20	–	23	30	32	31	29	29	29	29	23	31	20	24	148
–	–	44	6	2	3	–	4	7	12	5	7	1	5	1	1	3	3	6	149
–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	150
193	–	**527**	**83**	**22**	**34**	**4**	**49**	**60**	**54**	**60**	**63**	**53**	**51**	**64**	**47**	**49**	**57**	**63**	
88	–	**304**	**47**	**15**	**17**	**3**	**26**	**33**	**31**	**35**	**38**	**34**	**31**	**40**	**21**	**27**	**33**	**37**	
105	–	**223**	**36**	**7**	**17**	**1**	**23**	**27**	**23**	**25**	**25**	**19**	**20**	**24**	**26**	**22**	**24**	**26**	
69	–	123	28	3	7	2	15	24	13	15	13	15	10	15	8	8	13	14	151
76	–	94	24	3	7	1	9	11	12	10	8	10	12	12	13	7	16	9	
4	–	29	2	3	4	1	1	–	3	2	3	6	2	6	1	5	6	4	152
2	–	15	1	–	1	–	2	–	1	2	2	2	2	–	2	2	–	2	
8	–	86	9	5	3	–	4	4	10	12	10	8	14	9	4	8	9	11	153
11	–	51	8	4	5	–	4	10	4	7	10	4	3	9	4	4	2	7	

TABLE 30—Causes of death for each sex, by conjugal condition, nativity and month of death, for Canada, 1928—*con.*

Int. list No.	Causes of death — Causes de décès		Total	Conjugal condition—État civil											
					Single—Célibataire					Married—Marié					
				Under 15 years — Moins de 15 ans	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné
	CLASS IX-con.—**CLASSE IX**-fin														
154	Other diseases of the skin and annexa —Autres affections de la peau et de ses annexes.	M.	81	45	5	2	1	4	–	–	2	2	13	–
		F.	70	31	1	1	2	3	–	–	4	5	7	–
	CLASS X-DISEASES OF THE BONES AND OF THE ORGANS OF LOCOMOTION— CLASSE X—AFFECTIONS DES OS ET DES ORGANES DE LA LOCOMOTION.	Total	229	79	21	12	6	10	–	3	19	23	22	–
		M.	124	39	15	9	5	4	–	1	11	16	16	–
		F.	105	40	6	3	1	6	–	2	8	7	6	–
155	Diseases of the bones (mastoid and tuberculosis excepted)—Affections des os (sinus mastoïdien et tuberculose exceptés).	M.	95	35	11	7	3	2	–	–	9	10	10	–
		F.	80	34	5	3	–	6	–	2	4	3	3	–
156	Diseases of the joints (tuberculosis and rheumatism excepted)—Affections articulaires (tuberculose et rhumatisme exceptés).	M.	21	3	2	2	1	1	–	–	2	5	5	–
		F.	19	5	1	–	1	–	–	–	4	3	2	–
157	Amputations	M.	1	–	–	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–
158	Other diseases of the organs of locomotion—Autres affections des organes de la locomotion.	M.	7	1	2	–	1	1	–	–	–	1	1	–
		F.	6	1	–	–	–	–	–	–	–	1	1	–
	CLASS XI—MALFORMATIONS—CLASSE XI—VICES DE CONFORMATION.	Total	1,441	1,403	23	9	–	–	1	–	2	3	–	–
		M.	770	753	11	5	–	–	–	–	–	1	–	–
		F.	671	650	12	4	–	–	1	–	2	2	–	–
159	Congenital malformations (stillbirths not included)—Vices de conformation congénitaux (mort-nés non compris).	M.	770	753	11	5	–	–	–	–	–	1	–	–
		F.	671	650	12	4	–	–	1	–	2	2	–	–
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale.	M.	60	57	2	1	–	–	–	–	–	–	–	–
		F.	60	57	3	–	–	–	–	–	–	–	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur.	M.	424	415	7	2	–	–	–	–	–	–	–	–
		F.	324	314	4	3	–	–	1	–	2	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	286	281	2	2	–	–	–	–	–	1	–	–
		F.	287	279	5	1	–	–	–	–	–	2	–	–
	CLASS XII—DISEASES OF EARLY INFANCY—CLASSE XII—AFFECTIONS DU PREMIER ÂGE.	Total	9,215	9,215	–	–	–	–	–	–	–	–	–	–
		M.	5,254	5,254	–	–	–	–	–	–	–	–	–	–
		F.	3,961	3,961	–	–	–	–	–	–	–	–	–	–
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème.	M.	1,372	1,372	–	–	–	–	–	–	–	–	–	–
		F.	966	966	–	–	–	–	–	–	–	–	–	–
161	Premature birth, injury at birth—Naissance prématurée, conséquence de l'accouchement.	M.	3,144	3,144	–	–	–	–	–	–	–	–	–	–
		F.	2,452	2,452	–	–	–	–	–	–	–	–	–	–
	(a) Premature birth—Naissance prématurée.	M.	2,500	2,500	–	–	–	–	–	–	–	–	–	–
		F.	2,079	2,079	–	–	–	–	–	–	–	–	–	–
	(b) Injury at birth—Conséquence de l'accouchement.	M.	644	644	–	–	–	–	–	–	–	–	–	–
		F.	373	373	–	–	–	–	–	–	–	–	–	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge.	M.	734	734	–	–	–	–	–	–	–	–	–	–
		F.	542	542	–	–	–	–	–	–	–	–	–	–
	(a) Specified diseases—Affections spécifiées.	M.	570	570	–	–	–	–	–	–	–	–	–	–
		F.	420	420	–	–	–	–	–	–	–	–	–	–
	(b) Unspecified causes under 3 months—Causes non spécifiées au-dessous de 3 mois.	M.	164	164	–	–	–	–	–	–	–	–	–	–
		F.	122	122	–	–	–	–	–	–	–	–	–	–
163	Lack of care—Défaut de soins	M.	4	4	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–	–	–
	CLASS XIII — OLD AGE— CLASSE XIII—VIEILLESSE.	Total	2,408	–	–	–	3	289	–	–	–	11	631	–
		M.	1,067	–	–	–	2	112	–	–	–	6	427	–
		F.	1,341	–	–	–	1	177	–	–	–	5	204	–
164	Senility—Sénilité	M.	1,067	–	–	–	2	112	–	–	–	6	427	–
		F.	1,341	–	–	–	1	177	–	–	–	5	204	–

TABLEAU 30—Causes de décès de chaque sexe, selon l'état civil, le lieu de naissance et le mois de décès, pour le Canada, 1928—*suite*

Widowed — En veuvage	Not stated — Non donné	Nativity—Lieu de naissance: Canada	British — Britanniques	Foreign — Pays étrangers: United States — États-Unis	Foreign — Pays étrangers: Other — Autre	Not stated — Non donné	Months—Mois: January—Janvier	February—Février	March—Mars	April—Avril	May—Mai	June—Juin	July—Juillet	August—Août	September	October	November	December	No. liste int.
7	–	66	8	4	3	–	6	5	5	6	12	5	5	10	8	6	5	8	154
16	–	63	3	–	4	–	8	6	6	6	5	3	3	3	7	9	6	8	
34	–	**184**	**26**	**5**	**13**	**1**	**11**	**17**	**15**	**18**	**25**	**19**	**21**	**22**	**28**	**23**	**15**	**15**	
8	–	**101**	**10**	**2**	**10**	**1**	**4**	**7**	**8**	**11**	**14**	**15**	**9**	**15**	**13**	**11**	**9**	**8**	
26	–	**83**	**16**	**3**	**3**	–	**7**	**10**	**7**	**7**	**11**	**4**	**12**	**7**	**15**	**12**	**6**	**7**	
8	–	81	5	2	7	–	2	6	7	9	8	10	6	11	11	11	7	7	155
20	–	62	13	2	3	–	4	6	6	6	8	2	10	6	12	10	4	6	
–	–	15	4	–	2	–	1	–	–	2	6	3	3	3	2	–	1	–	156
3	–	17	2	–	–	–	3	2	–	1	3	2	1	1	2	2	1	1	
–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	157
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	4	1	–	1	1	1	–	1	–	–	2	–	1	–	–	1	1	158
3	–	4	1	1	–	–	–	2	1	–	–	–	1	–	1	–	1	–	
–	–	**1,428**	**6**	**4**	**2**	**1**	**131**	**126**	**140**	**122**	**139**	**131**	**102**	**105**	**104**	**123**	**113**	**105**	
–	–	**760**	**3**	**4**	**2**	**1**	**61**	**73**	**72**	**68**	**75**	**73**	**59**	**50**	**58**	**63**	**66**	**52**	
–	–	**668**	**3**	–	–	–	**70**	**53**	**68**	**54**	**64**	**58**	**43**	**55**	**46**	**60**	**47**	**53**	
–	–	760	3	4	2	1	61	73	72	68	75	73	59	50	58	63	66	52	159
–	–	668	3	–	–	–	70	53	68	54	64	58	43	55	46	60	47	53	
–	–	58	–	–	1	1	6	2	4	8	7	3	5	5	4	5	4	7	159a
–	–	58	2	–	–	–	2	5	11	4	4	7	4	3	4	11	1	4	
–	–	419	2	2	1	–	33	41	45	39	42	44	25	24	34	35	31	31	159b
–	–	324	–	–	–	–	39	29	34	26	30	29	25	24	21	22	16	29	
–	–	283	1	2	–	–	22	30	23	21	26	26	29	21	20	23	31	14	159c
–	–	286	1	–	–	–	29	19	23	24	30	22	14	28	21	27	30	20	
–	–	**9,197**	**4**	**2**	**3**	**9**	**780**	**781**	**937**	**843**	**865**	**764**	**684**	**629**	**748**	**730**	**678**	**776**	
–	–	**5,244**	**3**	**1**	**1**	**5**	**441**	**457**	**548**	**479**	**494**	**447**	**390**	**337**	**422**	**412**	**393**	**434**	
–	–	**3,953**	**1**	**1**	**2**	**4**	**339**	**324**	**389**	**364**	**371**	**317**	**294**	**292**	**326**	**318**	**285**	**342**	
–	–	1,370	1	–	–	1	116	118	147	128	134	120	89	70	125	111	101	113	160
–	–	963	–	1	1	1	82	84	82	98	86	74	60	76	87	83	65	89	
–	–	3,139	2	–	–	3	275	273	315	273	272	256	262	226	236	253	240	263	161
–	–	2,447	1	–	1	3	211	186	238	212	232	219	202	187	199	181	180	205	
–	–	2,496	2	–	–	2	224	201	248	223	213	214	218	171	186	208	189	205	161a
–	–	2,074	1	–	1	3	180	152	198	183	194	189	179	164	159	155	149	177	
–	–	643	–	–	–	1	51	72	67	50	59	42	44	55	50	45	51	58	161b
–	–	373	–	–	–	–	31	34	40	29	38	30	23	23	40	26	31	28	
–	–	731	–	1	1	1	49	65	86	78	87	71	39	41	61	48	51	58	162
–	–	542	–	–	–	–	46	54	69	54	53	24	32	29	39	54	40	48	
–	–	568	–	–	1	1	37	45	50	63	66	54	32	33	55	44	46	45	162a
–	–	420	–	–	–	–	30	32	52	46	45	22	26	24	32	43	36	32	
–	–	163	–	1	–	–	12	20	36	15	21	17	7	8	6	4	5	13	162b
–	–	122	–	–	–	–	16	22	17	8	8	2	6	5	7	11	4	16	
–	–	4	–	–	–	–	1	1	–	–	1	–	–	–	–	–	1	–	163
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
1,474	–	**1,855**	**331**	**41**	**156**	**25**	**207**	**219**	**231**	**191**	**184**	**198**	**168**	**174**	**188**	**190**	**180**	**278**	
520	–	**813**	**143**	**19**	**76**	**16**	**83**	**91**	**106**	**99**	**83**	**95**	**61**	**74**	**95**	**91**	**69**	**120**	
954	–	**1,042**	**188**	**22**	**80**	**9**	**124**	**128**	**125**	**92**	**101**	**103**	**107**	**100**	**93**	**99**	**111**	**158**	
520	–	813	143	19	76	16	83	91	106	99	83	95	61	74	95	91	69	120	164
954	–	1,042	188	22	80	9	124	128	125	92	101	103	107	100	93	99	111	158	

TABLE 30—Causes of death for each sex, by conjugal condition, nativity and month of death, for Canada, 1928—*con.*

Int. list No.	Causes of death — Causes de décès	Total	Conjugal condition—État civil										
				Single—Célibataire					Married—Marié				
			Under 15 years — Moins de 15 ans	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné
	CLASS XIV — EXTERNAL Total	**6,925**	**1,429**	**916**	**657**	**310**	**205**	**49**	**97**	**1,083**	**953**	**456**	**8**
	CAUSES — CLASSE XIV— M.	**5,256**	**951**	**810**	**601**	**279**	**133**	**47**	**63**	**882**	**804**	**334**	**8**
	CAUSES EXTÉRIEURES. F.	**1,669**	**478**	**106**	**56**	**31**	**72**	**2**	**34**	**201**	**149**	**122**	–
165–174	**Suicides** M.	593	1	46	96	62	17	6	9	114	140	38	2
	F.	158	2	16	16	7	2	–	9	58	27	2	–
165	Suicide by solid or liquid poisons (corrosive substances excepted)—Suicide par ingestion de poisons solides ou liquides (substances corrosives exceptées). M.	44	–	3	8	3	–	–	1	12	10	4	–
	F.	30	2	3	2	–	–	–	4	11	5	1	–
166	Suicide by corrosive substances—Absorption volontaire de substances corrosives. M.	31	–	2	4	1	–	–	3	7	10	1	1
	F.	36	–	5	6	–	–	–	2	16	3	–	–
167	Suicide by poisonous gas—Suicide par ingestion de gaz vénéneux. M.	39	–	1	9	6	3	–	–	7	8	–	–
	F.	14	–	–	3	1	–	–	1	4	–	–	–
168	Suicide by hanging or strangulation—Suicide par pendaison ou strangulation. M.	153	–	13	23	12	5	1	1	29	35	13	–
	F.	25	–	2	1	1	–	–	–	8	10	1	–
169	Suicide by drowning—Suicide par submersion. M.	68	–	4	7	10	2	2	1	13	14	5	–
	F.	18	–	1	3	2	1	–	–	5	2	–	–
170	Suicide by firearms—Suicide par armes à feu. M.	183	1	20	32	17	5	2	2	36	42	9	1
	F.	13	–	4	–	–	–	–	2	6	1	–	–
171	Suicide by cutting or piercing instruments—Suicide par instruments tranchants ou piquants. M.	54	–	1	10	10	2	–	–	6	17	4	–
	F.	11	–	–	1	–	–	–	–	5	4	–	–
172	Suicide by jumping from high places—Suicide par précipitation d'un lieu élevé. M.	7	–	1	2	–	–	–	–	2	1	1	–
	F.	9	–	1	–	2	1	–	–	2	2	–	–
173	Suicide by crushing—Suicide par écrasement. M.	7	–	1	–	3	–	–	1	2	–	–	–
	F.	1	–	–	–	–	–	–	–	1	–	–	–
174	Other suicides—Autres suicides... M.	7	–	–	1	–	–	1	–	–	3	1	–
	F.	1	–	–	–	1	–	–	–	–	–	–	–
175	Poisoning by food—Empoisonnement par aliments. M.	18	6	3	1	1	–	–	1	3	1	–	–
	F.	13	6	–	–	1	–	–	–	3	2	–	–
176	Poisoning by venomous animals—Attaques d'animaux venimeux. M.	–	–	–	–	–	–	–	–	–	–	–	–
	F.	3	1	–	–	–	–	–	–	1	–	–	–
177	Other acute accidental poisonings (gas excepted)—Autres empoisonnements accidentels aigus (par gaz exceptés). M.	59	34	3	2	3	1	–	–	4	7	3	–
	F.	49	24	2	2	–	2	–	–	8	4	2	–
178	Conflagration—Incendie..... M.	109	49	3	8	8	1	–	3	11	12	7	–
	F.	70	30	11	3	1	1	–	2	9	3	2	–
179	Accidental burns and scalds (conflagration excepted)—Brûlures accidentelles (autres que par l'incendie). M.	185	125	7	12	2	8	–	2	12	7	5	–
	F.	214	130	7	9	–	4	–	3	13	17	13	–
180	Accidental mechanical suffocation—Suffocation mécanique accidentelle. M.	54	41	7	1	1	1	–	–	1	1	–	–
	F.	36	33	–	–	–	–	–	–	1	–	–	–
	(a) Overlaying—Étouffé pendant le sommeil. M.	7	7	–	–	–	–	–	–	–	–	–	–
	F.	8	8	–	–	–	–	–	–	–	–	–	–
	(b) Asphyxia—Asphyxie..... M.	47	34	7	1	1	1	–	–	1	1	–	–
	F.	28	25	–	–	–	–	–	–	1	–	–	–
181	Accidental absorption of irrespirable or poisonous gas—Absorption accidentelle de gaz irrespirables ou toxiques. M.	68	2	12	2	3	5	–	2	12	18	3	–
	F.	21	2	3	1	1	1	–	1	3	2	1	–
182	Accidental drowning—Submersion accidentelle. M.	915	274	284	97	31	10	18	9	90	64	16	1
	F.	110	58	22	5	2	2	2	1	10	3	–	–
183	Accidental traumatism by firearms—Traumatismes accidentels par armes à feu. M.	140	26	43	21	5	2	2	4	16	13	4	–
	F.	16	11	1	1	–	–	–	–	2	–	–	–
184	Accidental traumatism by cutting or piercing instruments—Traumatismes accidentels par instruments tranchants ou piquants. M.	15	2	2	2	–	–	–	–	3	2	2	–
	F.	1	1	–	–	–	–	–	–	–	–	–	–
185	Accidental traumatism by fall—Traumatismes accidentels par chute. M.	515	50	42	48	34	27	1	5	67	92	77	–
	F.	343	27	4	7	8	29	–	1	14	24	53	–
186	Accidental traumatism in mines and quarries—Traumatismes accidentels par mines et carrières. M.	161	–	21	23	5	–	2	1	68	34	2	1
	F.	1	–	–	–	–	–	–	–	1	–	–	–
	(a) Coal mines—Mines de charbon. M.	66	–	13	4	3	–	–	–	18	24	1	–
	F.	–	–	–	–	–	–	–	–	–	–	–	–
	(b) Other mines—Autres mines. M.	85	–	8	17	–	–	2	–	47	9	1	1
	F.	1	–	–	–	–	–	–	–	1	–	–	–

TABLEAU 30—Causes de décès de chaque sexe, selon l'état civil, le lieu de naissance et le mois de décès, pour le Canada, 1928—*suite*

Widowed — En veuvage	Not stated — Non donné	Nativity—Lieu de naissance: Canada	British — Britanniques	Foreign — Pays étrangers: United States — États-Unis	Foreign — Pays étrangers: Other — Autre	Not stated — Non donné	Months—Mois: January—Janvier	February—Février	March—Mars	April—Avril	May—Mai	June—Juin	July—Juillet	August—Août	September Septembre	October Octobre	November Novembre	December Décembre	No. liste int.
762	–	4,496	1,053	334	861	181	430	440	428	460	582	572	805	776	612	684	600	536	
344	–	3,289	790	260	755	162	318	336	309	346	449	436	622	621	460	517	457	385	
418	–	1,207	263	74	106	19	112	104	119	114	133	136	183	155	152	167	143	151	
62	–	264	140	36	127	26	46	37	44	56	50	55	48	56	51	59	44	47	165–17
19	–	77	45	7	25	4	11	11	12	12	17	13	10	19	15	8	22	8	
3	–	22	8	4	8	2	2	4	1	7	7	5	2	4	6	1	2	3	165
2	–	16	6	2	5	1	2	2	2	4	2	3	1	4	1	1	7	1	
2	–	13	10	–	8	–	4	4	3	–	1	3	1	3	4	2	3	3	166
4	–	16	10	2	7	1	2	5	3	3	5	1	2	5	2	3	2	3	
5	–	16	15	3	1	4	5	1	2	6	3	4	1	4	4	5	2	2	167
5	–	8	5	–	1	–	2	1	2	–	4	1	1	1	–	1	1	–	
21	–	72	30	4	44	3	10	9	16	9	9	16	11	17	13	18	11	14	168
2	–	10	7	2	6	–	2	2	1	1	4	4	3	1	2	2	1	2	
10	–	27	17	2	15	7	4	3	1	5	8	6	7	9	5	12	4	4	169
4	–	10	6	–	1	1	–	1	–	1	1	1	2	4	3	–	5	–	
16	–	79	40	19	38	7	17	12	15	21	15	11	18	9	16	19	17	13	170
–	–	7	4	–	2	–	1	–	3	1	–	1	–	1	3	–	3	–	
4	–	24	16	3	10	1	3	4	5	6	6	6	7	7	2	–	4	4	171
1	–	3	4	1	2	1	1	–	–	–	–	1	1	3	2	–	2	1	
–	–	5	1	–	–	1	–	–	1	1	–	1	–	1	1	1	–	1	172
1	–	5	3	–	1	–	1	–	–	2	1	1	–	–	2	1	–	1	
–	–	2	3	1	1	–	–	–	–	1	–	2	1	2	–	–	–	1	173
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	
1	–	4	–	–	2	1	1	–	–	–	1	1	–	–	–	1	1	2	174
–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
2	–	15	2	–	–	1	1	1	2	2	–	7	–	2	2	1	–	–	175
1	–	11	1	1	–	–	–	–	–	4	2	3	3	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	176
1	–	3	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	
2	–	47	4	1	7	–	4	6	2	2	8	4	5	6	5	8	7	2	177
5	–	36	5	4	4	–	4	1	3	4	4	3	5	6	7	3	6	3	
7	–	81	18	2	7	1	7	11	21	6	11	5	3	9	11	10	12	3	178
8	–	59	7	1	3	–	5	13	10	8	7	–	1	4	4	12	5	1	
5	–	157	10	4	10	4	13	20	11	17	12	20	9	14	16	20	20	13	179
18	–	187	10	6	11	–	24	12	19	13	17	12	15	10	15	30	17	30	
1	–	50	2	1	1	–	4	6	8	3	2	5	4	–	2	5	3	12	180
2	–	35	1	–	–	–	5	3	3	2	–	5	6	2	3	2	3	2	
–	–	7	–	–	–	–	–	–	1	–	1	–	–	–	–	1	2	2	180a
–	–	8	–	–	–	–	3	–	–	–	–	2	2	–	1	–	–	–	
1	–	43	2	1	1	–	4	6	7	3	1	5	4	–	2	4	1	10	180b
2	–	27	1	–	–	–	2	3	3	2	–	3	4	2	2	2	3	2	
9	–	36	20	2	9	1	4	3	6	6	6	7	8	2	6	4	7	9	181
6	–	12	4	–	2	3	4	–	2	1	2	–	–	1	–	5	2	4	
21	–	636	91	70	79	39	31	12	28	54	101	115	220	167	49	35	62	41	182
5	–	96	9	3	1	1	–	2	–	9	8	10	34	25	6	6	7	3	
4	–	91	15	12	19	3	11	7	9	7	13	10	10	3	13	24	21	12	183
1	–	16	–	–	–	–	1	1	2	–	–	1	3	2	3	2	–	1	
2	–	8	3	–	4	–	–	1	2	1	–	2	1	2	3	2	1	–	184
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	
72	–	339	110	18	35	13	43	33	42	33	50	34	41	57	44	47	41	50	185
176	–	244	72	11	13	3	34	22	32	25	26	29	29	24	26	31	30	35	
4	–	56	30	3	70	2	5	50	7	11	8	9	7	20	9	15	11	9	186
–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
3	–	23	18	2	23	–	4	8	1	5	4	5	5	12	6	4	8	4	186a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	26	12	–	45	2	1	42	5	5	4	3	2	7	3	7	2	4	186b
–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	

TABLE 30—Causes of death for each sex, by conjugal condition, nativity and month of death, for Canada, 1928—*con.*

Int. list No.	Causes of death — Causes de décès		Total	Conjugal condition—État civil										
				Single—Célibataire						Married—Marié				
				Under 15 years — Moins de 15 ans	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné	15 to 24 years — 15 à 24 ans	25 to 44 years — 25 à 44 ans	45 to 64 years — 45 à 64 ans	65 years and over — 65 ans et plus	Age not stated — Âge non donné
	CLASS XIV–con.—**CLASSE XIV**–fin													
186	(c) Quarries—Carrières	M.	10	–	–	2	2	–	–	1	3	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–
187	Accidental traumatism by machines —Traumatismes accidentels par machines.	M.	188	18	31	20	7	1	–	4	47	46	8	–
		F.	4	2	1	–	–	–	–	–	1	–	–	–
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.)—Traumatismes accidentels par autres écrasements (voitures, railways, éboulements, etc.).	M.	1,650	226	242	207	94	32	12	18	335	283	105	3
		F.	352	103	33	12	7	9	–	10	51	58	19	–
	(a) Railroad accidents—Accidents par chemins de fer.	M.	363	17	53	56	21	8	10	3	102	65	14	1
		F.	42	8	6	1	–	1	–	1	5	10	2	–
	(b) Street car accidents—Accidents par tramways.	M.	41	3	2	5	1	3	–	–	4	10	7	–
		F.	12	1	2	1	1	–	–	–	–	2	1	–
	(c) Automobile accidents—Accidents par automobiles.	M.	808	162	116	78	36	15	1	14	139	132	62	1
		F.	274	83	22	10	6	8	–	8	44	42	15	–
	(d) Aeroplane and balloon accidents—Accidents par aéroplanes et ballons.	M.	13	–	4	6	–	–	–	–	3	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–
	(e) Injuries by other vehicles—Blessures par autres voitures.	M.	167	30	19	11	11	5	–	1	20	36	17	–
		F.	19	9	3	–	–	–	–	1	1	3	1	–
	(f) Other crushing—Autres écrasements.	M.	258	14	48	51	25	1	1	–	67	40	5	1
		F.	5	2	–	–	–	–	–	–	1	1	–	–
189	Injuries by animals (poisoning excepted)—Violences exercées par des animaux (empoisonnements exceptés).	M.	75	10	13	6	5	2	–	–	10	17	9	–
		F.	7	5	–	–	–	–	–	–	–	1	–	–
192	Starvation (deprivation of food or water)—Faim ou soif.	M.	3	–	–	–	1	–	–	–	1	1	1	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–
193	Excessive cold—Froid excessif	M.	33	2	3	3	4	5	1	–	4	6	2	–
		F.	7	1	–	–	–	–	–	1	1	–	–	–
194	Excessive heat—Chaleur excessive	M.	26	5	2	–	1	–	–	–	2	6	4	–
		F.	4	2	–	–	1	–	–	–	–	–	–	–
195	Lightning—Foudre	M.	29	6	7	3	–	–	1	–	3	5	3	–
		F.	6	2	2	–	–	–	–	1	–	1	–	–
196	Other accidental electric shocks—Autres électrocutions accidentelles.	M.	60	4	15	13	–	–	–	–	21	6	–	–
		F.	5	–	–	–	–	–	–	–	4	1	–	–
197–199	**Homicides**	**M.**	**96**	**27**	**6**	**14**	**4**	**2**	**1**	**1**	**22**	**11**	**5**	**1**
		F.	**54**	**20**	**4**	–	–	–	–	**5**	**18**	**4**	**1**	–
197	Homicide by firearms—Homicide par armes à feu.	M.	30	–	5	7	1	–	–	1	8	5	2	–
		F.	14	–	–	–	–	–	–	3	9	2	–	–
198	Homicide by cutting or piercing instruments—Homicide par instruments tranchants ou piquants.	M.	8	1	–	1	1	–	–	–	5	–	–	–
		F.	6	1	–	–	–	–	–	–	3	1	–	–
199	Homicide by other means—Homicide par autres moyens.	M.	58	26	1	6	2	2	1	–	9	6	3	1
		F.	34	19	4	–	–	–	–	2	6	1	1	–
201	Fracture (cause not specified)—Fracture (cause non spécifiée).	M.	79	1	1	–	–	11	–	–	4	2	33	–
		F.	165	–	–	–	1	21	–	–	–	1	28	–
202	Other external violence (cause specified)—Autres violences extérieures (cause spécifiée).	M.	180	42	17	21	9	8	2	4	30	30	7	–
		F.	29	18	–	–	1	1	–	–	3	1	1	–
203	External violence (cause not specified)—Violences extérieures (cause non spécifiée).	M.	5	–	–	1	–	–	1	–	2	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–
	CLASS XV—ILL-DEFINED DISEASES — CLASSE XV—MALADIES MAL DÉFINIES.	**Total**	**1,151**	**287**	**26**	**38**	**73**	**55**	**4**	**3**	**68**	**172**	**188**	**2**
		M.	**721**	**154**	**12**	**31**	**59**	**34**	**3**	–	**39**	**117**	**146**	**2**
		F.	**439**	**133**	**14**	**7**	**14**	**21**	**1**	**3**	**29**	**55**	**42**	–
204	Sudden death—Mort subite	M.	77	10	2	6	12	5	–	–	3	20	11	–
		F.	35	8	1	2	1	2	–	–	3	4	3	–
205	Cause of death not specified or ill-defined—Cause de décès non spécifiée ou mal définie.	M.	644	144	10	25	47	29	3	–	36	97	135	2
		F.	395	125	13	5	13	19	1	3	26	51	39	–
	(a) Ill-defined—Mal définie	M.	73	29	–	4	6	3	–	–	7	13	6	–
		F.	61	31	4	1	–	1	–	–	5	11	3	–
	(b) Not specified or unknown—Non spécifiée ou inconnue.	M.	161	110	7	6	7	3	3	–	6	7	8	–
		F.	120	85	7	–	3	–	1	1	6	8	4	–
	(c) Heart failure—Paralysie du cœur.	M.	410	5	3	15	34	23	–	–	23	77	121	2
		F.	213	8	2	4	10	18	–	2	15	32	32	–
	(d) Syncope	M.	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–	–	–

TABLEAU 30—Causes de décès de chaque sexe, selon l'état civil, le lieu de naissance et le mois de décès, pour le Canada, 1928—*fin*

Widowed — En veuvage	Not stated — Non donné	Nativity—Lieu de naissance: Canada	British — Britanniques	Foreign — Pays étrangers: United States — États-Unis	Foreign — Pays étrangers: Other — Autre	Not stated — Non donné	Months—Mois: January—Janvier	February—Février	March—Mars	April—Avril	May—Mai	June—Juin	July—Juillet	August—Août	September Septembre	October Octobre	November Novembre	December Décembre	No. liste int.
1	–	7	–	1	2	–	–	–	1	1	–	1	–	1	–	4	1	1	186c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
6	–	113	34	13	28	–	12	11	13	13	16	11	8	13	26	34	20	11	187
–	–	3	–	–	1	–	–	–	–	–	–	1	2	–	1	–	–	–	
93	–	1,026	230	68	280	46	81	89	77	106	123	117	177	202	165	201	176	136	188
50	–	241	53	27	31	–	14	11	14	17	30	26	41	41	49	46	29	34	
13	–	194	57	16	69	27	20	24	21	29	33	16	45	38	30	40	43	24	188a
8	–	31	3	1	7	–	4	2	3	1	3	2	3	3	8	3	3	7	
6	–	25	12	–	4	–	1	5	1	5	4	2	5	5	2	3	3	5	188b
4	–	7	3	–	2	–	1	1	1	2	2	–	–	–	1	3	1	–	
52	–	578	96	41	83	10	21	19	23	44	53	71	95	108	97	118	82	77	188c
36	–	185	44	26	19	–	8	6	7	11	21	21	36	37	39	40	24	24	
–	–	5	6	2	–	–	1	–	–	2	–	2	2	1	–	1	2	2	188d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
17	–	104	26	5	32	–	11	15	8	14	12	14	13	14	26	14	24	2	188e
1	–	15	2	–	2	–	1	2	1	2	4	1	2	1	1	–	1	3	
5	–	120	33	4	92	9	27	26	24	12	21	12	17	36	10	25	22	26	188f
1	–	3	1	–	1	–	–	–	2	1	–	2	–	–	–	–	–	–	
3	–	49	10	4	12	–	3	6	2	4	9	4	12	7	11	7	4	6	189
1	–	5	1	–	1	–	–	–	–	–	2	1	3	–	–	1	–	–	
–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	2	1	–	192
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
3	–	19	6	3	1	4	7	10	4	–	–	1	–	–	1	3	2	5	193
4	–	4	1	–	2	–	1	2	1	–	–	–	–	–	–	1	–	2	
6	–	17	5	–	4	–	–	–	–	–	1	1	13	10	–	1	–	–	194
1	–	3	–	1	–	–	–	–	–	–	–	–	2	2	–	–	–	–	
1	–	17	5	1	5	1	–	–	–	–	3	4	14	5	3	–	–	–	195
–	–	5	–	1	–	–	–	–	–	–	1	1	2	2	–	–	–	–	
1	–	33	16	5	5	1	7	6	–	2	4	1	7	11	6	11	1	4	196
–	–	4	–	–	1	–	–	1	–	–	–	2	–	–	–	2	–	–	
2	–	47	12	4	19	14	4	10	9	7	10	4	12	12	10	4	5	9	197–
2	–	27	8	4	8	7	1	6	6	6	5	6	4	3	2	2	8	5	199
1	–	12	6	4	6	2	1	3	2	–	3	1	6	5	3	1	1	4	197
–	–	6	3	1	4	–	–	3	1	2	2	1	1	–	1	1	–	2	
–	–	5	2	–	1	–	1	–	–	–	2	–	2	2	–	–	–	1	198
1	–	1	2	–	2	1	–	1	1	1	–	2	–	–	–	–	1	–	
1	–	30	4	–	12	12	2	7	7	7	5	3	4	5	7	3	4	4	199
1	–	20	3	3	2	6	1	2	4	3	3	3	3	3	1	1	7	3	
27	–	63	8	3	3	2	10	6	7	6	7	3	8	5	5	7	7	8	201
114	–	112	43	6	3	1	7	17	12	11	10	19	18	10	16	12	12	21	
10	–	120	19	9	29	3	25	11	14	10	15	16	15	16	22	17	12	7	202
4	–	24	3	2	–	–	1	1	2	2	2	4	4	3	4	3	2	1	
1	–	3	–	1	–	1	–	–	1	–	–	1	–	2	–	–	–	1	203
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
235	–	945	93	25	66	22	115	88	95	77	81	94	78	73	108	116	110	116	
124	–	564	67	18	54	18	74	52	59	44	50	51	58	50	77	67	63	76	
111	–	381	26	7	12	4	41	36	36	33	31	43	20	23	31	49	47	40	
8	–	64	7	–	4	2	8	3	8	3	6	4	10	6	4	8	8	9	204
11	–	32	3	–	–	–	1	5	5	–	–	10	2	2	5	1	4	–	
116	–	500	60	18	50	16	66	49	51	41	44	47	48	44	73	59	55	67	205
100	–	349	23	7	12	4	40	31	31	33	31	33	18	21	26	48	43	40	
5	–	58	4	1	8	2	7	2	5	7	6	7	4	10	11	4	4	6	205a
5	–	58	2	–	1	–	3	2	8	4	4	3	2	6	5	9	11	4	
4	–	147	2	1	4	7	21	14	12	11	9	6	12	10	18	14	15	19	205b
5	–	117	–	–	1	2	20	8	8	12	12	11	2	8	8	15	7	9	
107	–	295	54	16	38	7	38	33	34	23	29	34	32	24	44	41	36	42	205c
90	–	173	21	7	10	2	17	20	15	17	15	19	14	7	13	24	25	27	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	205d

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928

CANADA [1]

Int. list No.	Causes of death — Causes de décès		Total	Ages									
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	DEATHS—ALL CAUSES—DÉCÈS—TOUTES CAUSES.	Total	109,057	21,195	3,031	1,440	1,045	774	2,647	2,036	2,721	3,195
		M.	58,480	12,026	1,600	779	556	422	1,424	1,079	1,422	1,551
		F.	50,577	9,169	1,431	661	489	352	1,223	957	1,299	1,644
	CLASS I—EPIDEMIC, ENDEMIC AND INFECTIOUS DISEASES — CLASSE I—AFFECTIONS ÉPIDÉMIQUES, ENDÉMIQUES ET INFECTIEUSES.	Total	17,248	2,104	916	478	414	316	1,040	742	1,173	1,398
		M.	8,594	1,169	479	234	211	173	520	321	479	551
		F.	8,654	935	437	244	203	143	520	421	694	847
1	Typhoid and paratyphoid fever—Fièvre typhoïde et paratyphoïde.	M.	288	4	2	5	6	4	16	14	44	40
		F.	179	3	4	1	3	1	23	29	34	17
	(a) Typhoid fever—Fièvre typhoïde.....	M.	280	3	2	5	6	4	13	14	44	38
		F.	172	3	4	1	2	1	23	26	32	17
	(b) Paratyphoid fever—Fièvre paratyphoïde.	M.	8	1	–	–	–	–	3	–	–	2
		F.	7	–	–	–	1	–	–	3	2	–
4	Undulant fever—Fièvre ondulante	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
5	Malaria—Fièvre et cachexie paludéennes...	M.	3	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
6	Small-pox—Variole.....	M.	4	1	–	–	2	–	–	–	–	–
		F.	3	1	–	–	–	–	–	–	–	1
7	Measles—Rougeole.....	M.	167	50	56	14	5	11	14	7	4	2
		F.	170	39	63	22	9	4	16	6	1	–
8	Scarlet fever—Scarlatine.....	M.	168	12	24	24	15	14	38	17	4	3
		F.	178	13	19	18	20	8	48	15	3	12
9	Whooping-cough—Coqueluche.....	M.	352	230	70	21	12	9	7	1	–	1
		F.	375	239	76	18	17	6	15	3	–	–
10	Diphtheria—Diphtérie.....	M.	460	22	38	47	67	61	167	37	7	4
		F.	456	26	50	48	62	50	140	44	11	5
11	Influenza—Grippe.....	M.	2,319	500	163	64	34	34	75	53	58	47
		F.	2,384	331	116	67	30	27	76	53	62	61
	(a) Sole cause—Cause unique.....	M.	476	184	37	13	8	8	17	7	13	2
		F.	470	133	33	17	7	6	13	14	8	5
	(b) With phthisis—Avec phtisie.....	M.	38	–	1	1	–	–	1	1	2	7
		F.	62	1	1	3	1	1	4	1	8	10
	(c) With bronchitis—Avec bronchite....	M.	79	15	4	1	2	–	2	–	–	–
		F.	82	10	2	–	–	–	2	1	–	–
	(d) With pneumonia—Avec pneumonie..	M.	1,093	221	96	30	11	16	28	21	25	28
		F.	1,003	126	53	29	12	11	24	18	32	26
	(e) With other respiratory diseases—Avec autres affections de l'appareil respiratoire.	M.	103	17	6	3	2	2	6	3	2	1
		F.	108	15	12	4	2	4	3	1	–	3
	(f) With diseases and accidents of pregnancy and parturition—Avec affections et accidents de la grossesse.	F.	65	–	–	–	–	–	–	–	2	8
	(g) With other causes—Avec autres causes.	M.	530	63	19	16	11	8	21	21	16	9
		F.	594	46	15	14	8	5	30	18	12	9
12	Miliary fever—Suette miliaire.....	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
13	Mumps—Oreillons.....	M.	21	3	1	–	2	1	6	1	3	–
		F.	24	3	–	2	2	1	6	1	–	–
16	Dysentery—Dysenterie.....	M.	47	3	7	2	9	–	4	1	–	–
		F.	42	3	5	6	2	5	2	–	–	–
19	Spirochetal haemorrhagic jaundice—Spirochétose ictéro-hémorragique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
20	Leprosy—Lèpre.....	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle.....	M.	155	45	3	–	–	1	2	–	2	1
		F.	130	46	3	3	–	–	1	1	1	2
22	Acute anterior poliomyelitis—Poliomyélite aiguë.	M.	103	10	8	8	3	6	20	23	12	7
		F.	79	11	4	4	2	6	19	15	7	4
23	Lethargic encephalitis—Encéphalite léthargique.	M.	73	1	2	–	2	–	3	8	7	6
		F.	47	–	1	2	–	–	4	4	5	3
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique.	M.	136	29	11	6	6	6	22	15	10	10
		F.	99	22	14	6	8	3	12	14	7	2
25	Other epidemic and endemic diseases—Autres affections épidémiques et endémiques.	M.	17	12	4	–	1	–	–	–	–	–
		F.	25	14	7	–	1	–	2	–	–	–
	(a) Chicken-pox—Varicelle.....	M.	13	11	1	–	1	–	–	–	–	–
		F.	17	12	2	–	1	–	2	–	–	–
	(b) German measles—Rubéole.....	M.	1	–	1	–	–	–	–	–	–	–
		F.	4	2	2	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	3	1	2	–	–	–	–	–	–	–
		F.	4	–	3	–	–	–	–	–	–	–

[1] Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928

CANADA [1]

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
2,994	**2,906**	**3,381**	**3,750**	**4,199**	**4,591**	**5,294**	**6,416**	**7,761**	**8,684**	**8,469**	**6,454**	**3,900**	**1,583**	**387**	**79**	**125**	
1,461	**1,366**	**1,667**	**2,006**	**2,352**	**2,572**	**2,991**	**3,614**	**4,404**	**4,699**	**4,559**	**3,147**	**1,815**	**686**	**155**	**35**	**101**	
1,533	**1,540**	**1,714**	**1,744**	**1,847**	**2,019**	**2,303**	**2,802**	**3,357**	**3,985**	**3,919**	**3,307**	**2,085**	**897**	**232**	**44**	**24**	
1,152	**984**	**908**	**900**	**676**	**611**	**586**	**523**	**556**	**538**	**473**	**402**	**231**	**89**	**17**	**6**	**15**	
511	**448**	**459**	**469**	**418**	**369**	**345**	**300**	**299**	**277**	**233**	**175**	**105**	**34**	**6**	**1**	**8**	
641	**536**	**449**	**431**	**258**	**242**	**241**	**223**	**257**	**261**	**240**	**227**	**126**	**55**	**11**	**5**	**7**	
43	20	15	18	18	5	18	6	3	5	2	–	–	–	–	–	–	1
13	13	7	10	7	3	7	1	1	–	1	1	–	–	–	–	–	
42	20	15	17	18	5	18	6	3	5	2	–	–	–	–	–	–	1a
13	13	7	10	7	3	6	1	1	–	1	1	–	–	–	–	–	
1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1b
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	5
–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	6
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	7
1	1	1	2	3	1	–	–	–	–	–	–	1	–	–	–	–	
3	2	6	3	1	1	–	–	–	–	–	–	–	–	–	–	1	8
5	5	5	4	2	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	
–	5	2	–	1	1	–	1	–	–	–	–	–	–	–	–	–	10
1	5	1	3	3	2	2	1	–	1	–	–	–	–	–	–	1	
44	41	79	91	79	79	75	108	124	148	165	138	84	30	5	1	–	11
84	91	90	91	58	85	75	109	135	184	191	194	109	51	10	4	–	
5	5	8	4	7	7	3	14	16	27	21	29	27	11	2	1	–	11a
7	6	4	7	5	7	7	14	10	25	39	52	30	14	4	3	–	
4	2	4	5	–	1	3	4	1	1	–	–	–	–	–	–	–	11b
11	4	3	3	2	3	–	2	1	1	1	1	–	–	–	–	–	
2	1	–	6	–	3	–	6	8	6	4	10	7	1	1	–	–	11c
2	1	1	3	–	2	3	–	8	9	11	15	10	2	–	–	–	
24	22	50	47	49	45	41	55	62	62	71	56	24	9	–	–	–	11d
25	47	46	43	34	48	31	50	64	84	68	71	38	21	1	1	–	
–	–	5	5	4	5	3	2	5	6	17	3	4	2	–	–	–	11e
3	3	4	5	1	4	4	7	1	9	11	8	2	1	1	–	–	
18	15	14	7	1	–	–	–	–	–	–	–	–	–	–	–	–	11f
9	11	12	24	19	18	25	27	32	46	52	40	22	7	2	–	–	11g
18	15	18	23	15	21	30	36	51	56	61	47	29	13	4	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	2	–	1	–	–	–	–	–	13
2	1	–	2	–	2	1	–	–	1	–	–	–	–	–	–	–	
–	1	–	–	1	–	–	5	2	5	5	1	1	–	–	–	–	16
1	–	–	–	–	–	1	2	2	2	3	1	6	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	
–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	20
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	2	6	10	7	8	14	8	9	10	14	9	2	1	–	–	–	21
6	4	4	5	3	3	6	6	9	9	4	8	4	2	–	–	–	
3	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	22
1	1	–	1	1	1	1	–	1	–	–	–	–	–	–	–	–	
4	3	9	5	3	2	2	8	6	2	–	–	–	–	–	–	–	23
3	3	2	2	3	5	4	3	2	–	1	–	–	–	–	–	–	
5	4	2	1	5	1	2	–	–	–	–	1	–	–	–	–	–	24
2	2	1	2	–	1	3	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25c
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

CANADA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS I—con.—CLASSE I—fin											
29	Tetanus—Tétanos	M.	22	1	1	1	1	2	3	3	2	–
		F.	11	–	–	–	–	–	2	4	–	–
30	Mycoses	M.	10	2	1	–	–	–	–	1	1	–
		F.	6	2	–	–	–	–	–	1	–	–
31-37	**Tuberculosis—Tuberculose**	**M.**	**3,730**	**105**	**74**	**40**	**43**	**19**	**131**	**129**	**313**	**414**
		F.	**4,130**	**89**	**64**	**43**	**46**	**30**	**140**	**224**	**549**	**731**
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire.	M.	3,052	44	26	20	17	3	48	82	243	358
		F.	3,438	39	34	18	18	10	56	156	465	658
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central.	M.	245	41	35	14	18	10	47	20	19	13
		F.	251	38	20	17	18	12	54	29	20	22
33	Tuberculosis of the intestines and peritoneum—Tuberculose des intestins et du péritoine.	M.	133	6	2	2	4	3	16	8	21	15
		F.	203	5	4	4	4	3	12	18	34	24
34	Tuberculosis of the vertebral column—Tuberculose de la colonne vertébrale.	M.	56	1	1	–	1	–	4	8	5	4
		F.	40	–	–	–	3	–	3	5	2	4
35	Tuberculosis of the joints—Tuberculose articulaire.	M.	27	–	–	–	–	1	5	2	3	3
		F.	20	–	–	–	–	–	1	3	4	2
36	Tuberculosis of other organs—Tuberculose d'autres organes.	M.	125	6	2	–	2	–	6	7	11	11
		F.	78	1	1	2	–	1	4	6	10	10
	(a) Skin and sub-cutaneous cellular tissue—De la peau et du tissu cellulaire sous-cutané.	M.	5	–	1	–	–	–	–	–	–	1
		F.	2	–	–	–	–	–	–	–	–	–
	(b) Bones (vertebral column excepted)—Des os (excepté la colonne vertébrale).	M.	25	–	–	–	–	–	2	2	3	3
		F.	17	–	–	–	–	1	2	1	3	1
	(c) Lymphatic system (mesenteric, and retroperitoneal glands excepted)—Du système lymphatique (excepté les ganglions mésentériques et les ganglions rétropéritonéaux).	M.	23	6	1	–	2	–	4	3	1	–
		F.	16	1	1	1	–	–	2	1	2	3
	(d) Genito-urinary system—Des organes génito-urinaires.	M.	69	–	–	–	–	–	–	1	7	7
		F.	38	–	–	1	–	–	–	3	4	4
	(e) Organs other than above—Autres organes que ceux déjà mentionnés.	M.	3	–	–	–	–	–	–	1	–	–
		F.	5	–	–	–	–	–	–	1	1	2
37	Disseminated tuberculosis—Tuberculose disséminée.	M.	92	7	8	4	1	2	5	2	11	10
		F.	100	6	5	2	3	4	10	7	14	11
	(a) Acute—Aiguë	M.	47	7	6	1	1	–	2	2	4	4
		F.	50	4	4	2	2	2	7	4	10	4
	(b) Chronic or unstated—Chronique ou non spécifiée.	M.	45	–	2	3	–	2	3	–	7	6
		F.	50	2	1	–	1	2	3	3	4	7
38	Syphilis	M.	247	81	7	1	–	2	1	2	2	3
		F.	123	48	5	1	–	–	3	–	3	1
39	Soft chancre—Chancre mou	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
40	Gonococcus infection—Gonococcie	M.	10	7	–	–	–	–	–	–	–	–
		F.	12	4	–	–	–	–	–	–	2	1
41	Purulent infection, septicaemia—Infection purulente, septicémie.	M.	259	51	7	1	3	3	11	9	10	13
		F.	176	41	6	3	1	2	11	7	9	7
	CLASS II—GENERAL DISEASES NOT INCLUDED IN CLASS I—CLASSE II—MALADIES GÉNÉRALES NON MENTIONNÉES DANS LA CLASSE I.	**Total**	**12,453**	**308**	**128**	**60**	**30**	**26**	**138**	**125**	**125**	**142**
		M.	**6,008**	**192**	**73**	**40**	**13**	**18**	**71**	**65**	**66**	**75**
		F.	**6,445**	**116**	**55**	**20**	**17**	**8**	**67**	**60**	**59**	**67**
43-49	**Cancer**	**M.**	**4,081**	**4**	**1**	**1**	**2**	**2**	**7**	**5**	**13**	**20**
		F.	**4,433**	**2**	**5**	**6**	**2**	**–**	**13**	**9**	**16**	**17**
43	Cancer of the buccal cavity—Cancer de la cavité buccale.	M.	282	–	–	–	–	–	–	1	1	–
		F.	55	–	–	–	–	–	–	–	–	–
44	Cancer of the stomach and liver—Cancer de l'estomac et du foie.	M.	1,893	2	–	–	–	–	–	1	1	1
		F.	1,362	–	1	–	1	–	1	1	1	1
45	Cancer of the peritoneum, intestines and rectum—Cancer du péritoine, des intestins et du rectum.	M.	674	–	–	–	1	–	–	1	2	2
		F.	751	–	1	–	–	–	–	1	1	4
46	Cancer of the female genital organs—Cancer des organes génitaux de la femme.	F.	837	–	–	–	–	–	–	–	4	3
47	Cancer of the breast—Cancer du sein.	M.	10	–	–	–	–	–	–	–	–	1
		F.	788	–	–	–	–	–	–	–	–	2
48	Cancer of the skin—Cancer de la peau.	M.	121	–	–	–	–	–	–	–	–	1
		F.	70	–	–	–	–	–	–	1	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

CANADA—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	1	–	–	–	1	3	1	–	2	–	–	–	–	–	–	–	29
–	–	–	2	–	2	–	1	–	–	–	–	–	–	–	–	–	
–	1	–	1	–	1	–	–	–	–	1	–	1	–	–	–	–	30
–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	
395	**347**	**313**	**308**	**262**	**230**	**194**	**136**	**120**	**88**	**32**	**17**	**12**	**1**	–	–	**7**	**31-37**
514	**391**	**324**	**283**	**160**	**125**	**123**	**88**	**92**	**55**	**33**	**16**	**4**	–	**1**	–	**5**	
356	311	276	277	232	208	176	122	113	81	30	14	9	1	–	–	5	31
465	359	300	251	136	105	106	79	82	51	28	14	3	–	1	–	4	
11	7	–	3	3	2	1	–	–	1	–	–	–	–	–	–	–	32
4	7	1	4	2	3	–	–	–	–	–	–	–	–	–	–	–	
8	3	6	7	9	7	7	2	3	–	–	3	1	–	–	–	–	33
20	15	10	13	10	7	7	3	4	1	3	2	–	–	–	–	–	
7	4	4	6	3	3	1	2	–	1	–	–	–	–	–	–	1	34
1	2	3	4	3	2	3	1	2	2	–	–	–	–	–	–	–	
1	3	1	2	2	2	–	1	–	1	–	•	–	–	–	–	–	35
1	–	1	–	2	2	1	2	1	–	–	–	–	–	–	–	–	
9	10	17	10	8	7	5	4	1	4	2	–	2	–	–	–	1	36
10	3	8	6	3	2	3	1	3	–	2	–	1	–	–	–	1	
–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–	36a
–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	
3	1	2	3	–	–	3	–	1	1	–	–	–	–	–	–	1	36b
–	–	1	1	–	1	–	1	3	–	2	–	–	–	–	–	–	
–	1	–	–	–	2	–	–	–	1	2	–	–	–	–	–	–	36c
1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	
6	8	15	6	8	4	1	4	–	2	–	–	–	–	–	–	–	36d
9	1	7	4	1	1	3	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	36e
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
3	9	9	3	5	1	4	5	3	–	–	–	–	–	–	–	–	37
13	5	1	5	4	4	3	2	–	1	–	–	–	–	–	–	–	
2	3	3	2	5	1	–	4	–	–	–	–	–	–	–	–	–	37a
5	1	–	1	1	2	–	1	–	–	–	–	–	–	–	–	–	
1	6	6	1	–	–	4	1	3	–	–	–	–	–	–	–	–	37b
8	4	1	4	3	2	3	1	–	1	–	–	–	–	–	–	–	
4	7	11	17	24	22	23	20	14	3	1	2	–	–	–	–	–	38
4	8	5	13	7	5	8	5	2	2	1	1	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	39
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	40
–	1	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	
7	13	11	12	16	15	13	7	21	12	12	5	4	2	1	–	–	41
4	10	7	10	10	6	8	6	9	7	5	5	1	1	–	–	–	
173	**215**	**391**	**591**	**914**	**1,024**	**1,324**	**1,524**	**1,688**	**1,516**	**1,148**	**534**	**253**	**56**	**12**	**1**	**7**	
65	**96**	**162**	**243**	**375**	**417**	**627**	**740**	**899**	**785**	**584**	**252**	**115**	**25**	**4**	**1**	**5**	
108	**119**	**229**	**348**	**539**	**607**	**697**	**784**	**789**	**731**	**564**	**282**	**138**	**31**	**8**	–	**2**	
25	**44**	**89**	**152**	**271**	**294**	**466**	**583**	**700**	**611**	**470**	**202**	**90**	**23**	**3**	**1**	**2**	**43-49**
43	**70**	**144**	**241**	**396**	**465**	**511**	**583**	**570**	**543**	**439**	**224**	**102**	**25**	**6**	–	**1**	
–	1	7	9	21	9	24	40	44	41	45	19	12	8	–	–	–	43
–	1	1	4	2	4	4	5	6	11	5	8	2	1	1	–	–	
7	12	34	68	120	163	248	281	360	272	204	78	36	3	–	1	1	44
7	10	16	49	69	109	161	175	228	226	186	84	29	6	1	–	–	
7	10	20	29	41	41	77	89	109	114	88	30	9	4	–	–	–	45
7	8	23	31	64	59	75	101	111	116	79	42	25	3	–	–	–	
14	31	60	72	104	123	110	109	76	61	46	16	6	1	–	–	1	46
–	–	–	–	1	2	1	2	–	1	1	–	1	–	–	–	–	47
9	11	32	59	100	105	107	104	87	60	55	33	19	4	1	–	–	
–	–	–	2	7	7	13	9	21	20	14	14	10	2	1	–	–	48
2	–	1	3	2	4	3	5	2	6	14	9	12	5	1	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

CANADA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS II-con.—**CLASSE II**-suite											
49	Cancer of other or unspecified organs— Cancer d'autres organes ou d'organes non spécifiés.	M.	1,101	2	1	1	1	2	7	2	9	15
		F.	570	2	3	6	1	–	12	6	10	7
	(a) Cancer of eye and ear—Cancer de l'œil et de l'oreille.	M.	10	–	–	–	–	–	–	–	–	–
		F.	18	–	–	–	–	–	2	–	–	–
	(b) Cancer of circulatory system—Cancer de l'appareil circulatoire.	M.	83	–	–	–	–	–	2	–	2	3
		F.	59	–	1	2	–	–	1	1	–	1
	(c) Cancer of respiratory system— Cancer de l'appareil respiratoire.	M.	154	–	–	–	–	–	1	1	2	3
		F.	87	–	–	–	–	–	2	1	–	1
	(d) Cancer of digestive system—Cancer de l'appareil digestif.	M.	143	–	–	–	–	–	–	–	–	1
		F.	132	–	–	–	–	–	–	–	1	–
	(e) Cancer of genito-urinary system— Cancer de l'appareil génito-urinaire.	M.	515	1	–	1	–	1	2	–	–	2
		F.	96	2	1	3	1	–	4	1	–	–
	(f) Cancer of bones and joints— Cancer des os et des articulations.	M.	45	–	–	–	–	1	2	1	–	3
		F.	43	–	–	–	–	–	1	2	6	2
	(g) Cancer of other specified organs— Cancer d'autres organes spécifiés.	M.	117	1	–	–	1	–	–	–	5	3
		F.	82	–	–	1	–	–	2	1	2	3
	(h) Generalized cancer—Cancer généralisé.	M.	26	–	1	–	–	–	–	–	–	–
		F.	40	–	1	–	–	–	–	–	1	–
	(i) Unspecified—Non spécifiés.....	M.	8	–	–	–	–	–	–	–	–	–
		F.	13	–	–	–	–	–	–	–	–	–
50	Benign tumours and tumours not returned as malignant (tumours of female genital organs excepted)—Tumeurs bénignes et tumeurs non données comme malignes (tumeurs des organes génitaux de la femme exceptées).	M.	55	1	1	–	–	1	2	1	2	1
		F.	58	1	–	–	–	–	1	–	–	1
51	Acute rheumatic fever—Rhumatisme articulaire aigu fébrile.	M.	148	1	1	5	–	5	28	21	15	8
		F.	172	–	–	–	5	2	25	24	18	16
52	Chronic rheumatism, osteo-arthritis, gout —Rhumatisme chronique ou goutte.	M.	73	–	–	–	–	–	–	1	–	2
		F.	75	–	–	–	–	–	–	–	1	–
53	Scurvy—Scorbut.....	M.	5	5	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
54	Pellagra—Pellagre.....	M.	1	–	–	–	–	–	–	–	–	1
		F.	2	–	–	–	–	–	–	–	–	–
56	Rickets—Rachitisme.....	M.	139	68	45	15	3	–	4	2	–	–
		F.	83	40	28	7	2	–	3	1	–	1
57	Diabetes mellitus—Diabète.....	M.	495	1	1	4	3	4	8	16	15	11
		F.	602	1	1	–	–	–	11	14	4	5
58	Anaemia, chlorosis—Anémie, chlorose.....	M.	362	5	8	5	1	2	4	10	6	9
		F.	370	2	13	2	1	2	4	2	7	6
	(a) Pernicious anaemia—Anémie pernicieuse.	M.	291	2	–	1	1	–	3	6	1	7
		F.	291	–	3	2	–	–	2	–	4	4
	(b) Other anaemias and chlorosis—Autres anémies et chloroses.	M.	71	3	8	4	–	2	1	4	5	2
		F.	79	2	10	–	1	2	2	2	3	2
59	Diseases of the pituitary gland—Affections du corps pituitaire.	M.	5	–	–	–	–	–	–	–	–	1
		F.	5	–	–	–	–	–	–	–	–	–
60	Diseases of the thyroid gland—Affections de la glande thyroïde.	M.	78	–	–	1	–	–	1	2	3	6
		F.	387	–	–	–	–	–	2	1	5	14
	(a) Exophthalmic goiter—Goître exophtalmique.	M.	37	–	–	–	–	–	–	–	2	1
		F.	236	–	–	–	–	–	2	–	3	9
	(b) Other diseases of the thyroid gland— Autres affections de la glande thyroïde.	M.	41	–	–	1	–	–	1	2	1	5
		F.	151	–	–	–	–	–	–	1	2	5
61	Diseases of the parathyroid glands—Affections des glandes parathyroïdes.	M.	21	15	4	–	–	–	–	–	1	–
		F.	16	12	3	–	–	–	–	–	–	–
62	Diseases of the thymus—Affections du thymus.	M.	78	62	4	4	–	2	5	–	–	–
		F.	49	38	2	3	–	2	1	2	1	–
63	Diseases of the adrenals (Addison's disease)—Affections des glandes surrénales (maladie d'Addison).	M.	22	–	–	–	–	–	–	–	1	–
		F.	16	–	–	–	–	–	–	–	1	–
64	Diseases of the spleen—Affections de la rate.	M.	24	–	–	–	–	–	2	–	1	2
		F.	10	–	–	–	–	–	1	1	–	–
65	Leukaemia, lymphadenoma—Leucémie, lymphadénie.	M.	120	2	3	4	1	2	7	3	6	7
		F.	77	3	–	2	4	2	4	2	2	1
	(a) Leukaemia—Leucémie.....	M.	76	1	1	3	1	2	6	1	5	3
		F.	59	3	–	2	4	2	3	2	2	1
	(b) Lymphadenoma (Hodgkin's disease) —Lymphadénie (maladie d'Hodgkin).	M.	44	1	2	1	–	–	1	2	1	4
		F.	18	–	–	–	–	–	1	–	–	–
	Alcoholism—Alcoolisme.....	M.	202	–	–	–	–	–	–	1	1	4
		F.	19	–	–	–	–	–	–	–	–	–
	(a) Delirium tremens.....	M.	17	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(b) Acute alcoholism—Alcoolisme aigu.	M.	124	–	–	–	–	–	–	1	1	4
		F.	14	–	–	–	–	–	–	–	–	

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

CANADA—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
11	21	28	44	81	72	103	162	166	163	118	61	22	6	2	–	1	49
4	9	11	23	55	61	51	84	60	63	54	32	9	5	2	–	–	
–	–	–	1	–	–	1	2	2	3	1	–	–	–	–	–	–	49a
–	1	–	3	–	1	1	2	1	1	2	1	1	1	1	–	–	
3	3	5	6	10	8	4	10	11	10	3	3	–	–	–	–	–	49b
–	–	1	1	6	7	6	12	3	8	3	4	1	1	–	–	–	
–	3	8	9	22	13	19	26	24	13	6	3	1	–	–	–	–	49c
2	1	4	7	12	15	6	13	11	7	3	2	–	–	–	–	–	
1	3	3	5	10	18	20	19	23	21	9	8	1	–	–	–	1	49d
–	–	2	5	12	11	11	21	25	15	16	12	1	–	–	–	–	
2	7	6	17	25	15	45	77	82	88	89	36	13	5	1	–	–	49e
–	2	1	2	7	9	11	7	9	14	13	6	1	2	–	–	–	
2	1	1	3	3	3	–	6	4	6	2	2	4	–	1	–	–	49f
–	–	–	–	3	4	3	8	1	5	6	1	1	–	–	–	–	
2	3	4	2	9	12	8	17	16	20	5	7	2	–	–	–	–	49g
2	4	1	2	8	9	8	13	5	8	6	4	2	–	1	–	–	
1	1	1	1	2	3	4	4	3	2	3	–	–	–	–	–	–	49h
–	1	2	3	6	3	4	7	2	4	3	1	1	1	–	–	–	
–	–	–	–	–	–	2	1	1	–	–	2	1	1	–	–	–	49i
–	–	–	–	1	2	1	1	3	1	2	1	1	–	–	–	–	
1	–	3	3	4	4	2	3	10	4	8	3	1	–	–	–	–	50
2	1	2	2	7	4	5	1	8	11	5	3	4	–	–	–	–	
4	2	7	4	6	4	13	8	7	6	1	–	1	1	–	–	–	51
12	7	9	7	12	3	7	10	7	3	2	3	–	–	–	–	–	
–	1	3	2	2	3	6	5	9	13	14	7	5	–	–	–	–	52
–	–	1	3	2	5	3	9	7	13	17	5	7	2	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	53
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	54
–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	56
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
9	11	18	20	27	35	40	57	71	71	44	19	10	–	–	–	–	57
11	10	12	19	39	42	76	84	102	88	45	23	12	2	1	–	–	
5	10	4	8	20	19	35	34	56	60	36	15	7	1	1	–	1	58
10	7	21	20	24	27	37	42	42	47	31	14	6	2	–	–	1	
2	7	3	7	18	19	30	31	53	53	34	10	2	–	–	–	1	58a
4	6	20	18	19	23	32	39	37	40	28	9	–	–	–	–	1	
3	3	1	1	2	–	5	3	3	7	2	5	5	1	1	–	–	58b
6	1	1	2	5	4	5	3	5	7	3	5	6	2	–	–	–	
–	–	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	59
–	1	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	
1	3	4	6	6	11	11	10	10	1	1	–	1	–	–	–	–	60
18	11	28	36	41	49	47	43	42	20	17	8	5	–	–	–	–	
1	–	2	5	4	8	3	5	5	–	1	–	–	–	–	–	–	60a
12	6	17	21	28	37	28	23	23	13	9	3	2	–	–	–	–	
–	3	2	1	2	3	8	5	5	1	–	–	1	–	–	–	–	60b
6	5	11	15	13	12	19	20	19	7	8	5	3	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	61
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	2	3	2	2	2	4	1	3	1	–	–	–	–	–	–	–	63
1	2	2	4	1	2	–	–	–	–	2	1	–	–	–	–	–	
1	5	1	4	1	1	2	2	2	–	–	–	–	–	–	–	–	64
–	–	1	1	2	–	1	–	2	–	1	–	–	–	–	–	–	
4	6	6	10	6	10	10	11	16	3	3	–	–	–	–	–	–	65
6	6	2	5	6	5	5	9	7	3	2	–	1	–	–	–	–	
3	1	4	7	2	7	7	6	11	2	3	–	–	–	–	–	–	65a
4	3	–	3	5	5	5	6	5	2	1	–	1	–	–	–	–	
1	5	2	3	4	3	3	5	5	1	–	–	–	–	–	–	–	65b
2	3	2	2	1	–	–	3	2	1	1	–	–	–	–	–	–	
12	7	18	25	26	29	33	21	12	7	3	2	–	–	–	–	1	66
2	2	–	2	5	3	1	2	1	1	–	–	–	–	–	–	–	
1	1	–	1	7	2	2	2	–	–	1	–	–	–	–	–	–	66a
–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	
10	5	16	18	16	19	13	14	5	1	–	–	–	–	–	–	1	66b
2	2	–	2	4	1	1	1	–	1	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

CANADA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS II-con.—**CLASSE II**-fin											
66	(c) Chronic alcoholism—Alcoolisme chronique.	M.	61	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
67	Chronic poisoning by mineral substances—Empoisonnements chroniques par substances minérales.	M.	11	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Chronic lead poisoning—Empoisonnements chroniques par le plomb.	M.	9	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Others under this title—Autres sous ce titre.	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
68	Chronic organic poisoning—Empoisonnements chroniques par substances organiques.	M.	8	–	–	–	–	–	–	–	–	–
		F.	13	–	–	–	–	–	–	–	–	1
	(a) Chronic morphinism—Morphinisme chronique.	M.	2	–	–	–	–	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–
	(b) Chronic cocainism, etc.—Cocaïnisme chronique, etc.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(c) Other organic poisoning—Autres empoisonnements organiques.	M.	6	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	1
69	Other general diseases—Autres maladies générales.	M.	80	28	5	1	3	–	3	3	2	2
		F.	58	17	3	–	3	–	2	4	4	5
	(a) Diabetes insipidus—Diabète insipide.	M.	5	–	–	–	–	–	–	–	1	–
		F.	4	–	–	–	–	–	–	2	–	1
	(b) Haemophilia—Hémophilie	M.	26	19	1	–	–	–	1	1	–	–
		F.	15	8	–	–	–	–	–	–	2	–
	(c) Purpura haemorrhagica — Purpura hémorragique.	M.	29	8	2	–	2	–	2	1	1	2
		F.	22	8	1	–	–	–	2	–	2	2
	(d) Others under this title—Autres sous ce titre.	M.	20	1	2	1	1	–	–	1	–	–
		F.	17	1	2	–	3	–	–	2	–	2
	CLASS III—DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE—CLASSE III—AFFECTIONS DU SYSTÈME NERVEUX ET DES ORGANES DES SENS.	Total	8,021	871	229	98	57	53	159	148	122	124
		M.	4,107	496	117	53	28	30	82	84	65	65
		F.	3,914	375	112	45	29	23	77	64	57	59
70	Encephalitis—Encéphalite	M.	93	10	6	2	2	3	4	7	4	9
		F.	58	4	–	2	4	1	1	9	–	1
	(a) Abscess of brain—Abcès du cerveau.	M.	36	4	3	–	–	1	1	5	3	5
		F.	14	1	–	1	–	–	–	3	–	–
	(b) Encephalitis—Encéphalite	M.	57	6	3	2	2	2	3	2	1	4
		F.	44	3	–	1	4	1	1	6	–	1
71	Meningitis—Méningite	M.	397	150	52	24	12	14	38	28	14	7
		F.	371	151	50	20	13	14	35	16	14	14
	(a) Simple meningitis—Méningite simple.	M.	391	149	52	24	12	14	37	28	14	7
		F.	368	151	50	20	13	14	35	16	14	14
	(b) Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non épidémique.	M.	6	1	–	–	–	–	1	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
72	Tabes dorsalis (locomotor ataxia)—Ataxie locomotrice progressive.	M.	60	–	–	–	–	–	–	–	–	–
		F.	14	–	–	–	–	–	–	–	–	–
73	Other diseases of the spinal cord—Autres affections de la moelle épinière.	M.	240	1	–	–	–	–	2	6	7	5
		F.	162	–	1	1	1	1	5	7	2	5
74	Cerebral haemorrhage, apoplexy—Hémorragie cérébrale, apoplexie.	M.	1,467	10	2	2	–	–	–	1	2	4
		F.	1,627	2	2	1	–	1	–	1	2	2
	(a) Apoplexy—Apoplexie	M.	605	1	–	1	–	–	–	1	–	1
		F.	661	–	1	–	–	–	–	–	–	1
	(b) Cerebral haemorrhage—Hémorragie cérébrale.	M.	775	9	2	1	–	–	–	–	1	2
		F.	884	2	1	1	–	1	–	1	1	1
	(c) Cerebral thrombosis and embolism—Thrombose et embolie cérébrales.	M.	87	–	–	–	–	–	–	–	1	1
		F.	82	–	–	–	–	–	–	–	1	–
75	Paralysis without specified cause—Paralysie sans cause indiquée.	M.	452	–	–	1	–	–	1	–	3	1
		F.	559	1	2	2	2	–	1	–	3	1
	(a) Hemiplegia—Hémiplégie	M.	131	–	–	–	–	–	–	–	–	–
		F.	181	–	–	1	–	–	–	–	1	–
	(b) Others under this title—Autres sous ce titre.	M.	321	–	–	1	–	–	1	–	3	1
		F.	378	1	2	1	2	–	1	–	2	1
76	General paralysis of the insane—Paralysie générale des aliénés.	M.	116	–	–	–	–	–	–	–	1	–
		F.	30	–	–	–	–	–	–	–	–	–
77	Other forms of mental alienation—Autres formes de l'aliénation mentale.	M.	119	–	–	–	–	–	–	1	3	1
		F.	173	–	–	–	–	–	1	–	3	9
	Epilepsy—Épilepsie	M.	240	7	8	4	3	2	2	12	16	20
		F.	180	4	4	3	–	2	6	9	13	13

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

CANADA—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
1	1	2	6	3	8	18	5	7	6	2	2	–	–	–	–	–	66c
–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	
–	–	1	2	3	1	–	1	1	–	1	–	–	–	–	–	–	67
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	2	1	1	–	1	1	–	1	–	–	–	–	–	–	67a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	67b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	1	2	–	–	3	1	–	–	–	–	–	–	68
1	1	–	5	2	–	2	–	–	1	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	68a
1	–	–	2	1	–	2	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	68b
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	2	1	–	–	2	1	–	–	–	–	–	–	68c
–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	
2	5	1	2	1	2	2	4	2	5	2	4	–	–	–	–	1	69
2	–	5	3	–	1	2	1	1	1	2	1	–	–	1	–	–	
1	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	69a
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	69b
1	–	1	1	–	–	–	–	–	–	1	1	–	–	–	–	–	
1	2	–	–	–	–	1	3	–	2	–	1	–	–	–	–	1	69c
1	–	2	1	–	–	1	1	–	–	1	–	–	–	–	–	–	
–	2	1	2	1	1	1	–	1	1	2	2	–	–	–	–	–	69d
–	–	2	–	1	1	1	–	–	1	–	–	–	–	1	–	–	
140	**147**	**193**	**239**	**276**	**443**	**423**	**559**	**781**	**912**	**908**	**669**	**345**	**104**	**26**	**2**	**5**	
82	**76**	**102**	**124**	**136**	**227**	**229**	**396**	**413**	**448**	**466**	**281**	**137**	**43**	**11**	**2**	**4**	
58	**71**	**91**	**115**	**140**	**216**	**191**	**253**	**368**	**464**	**442**	**375**	**208**	**61**	**15**	–	**1**	
4	3	8	1	1	6	2	7	6	4	2	1	1	–	–	–	–	70
4	4	5	3	3	6	3	2	2	2	1	1	–	–	–	–	–	
1	1	4	1	1	1	–	2	1	1	–	–	1	–	–	–	–	70a
2	2	–	1	–	1	1	1	–	1	–	–	–	–	–	–	–	
3	2	4	–	–	5	2	5	5	3	2	1	–	–	–	–	–	70b
2	2	5	2	3	5	2	1	2	1	1	1	–	–	–	–	–	
10	7	6	6	7	7	2	1	2	3	1	–	1	1	–	–	2	71
6	4	5	3	5	3	4	3	3	5	–	–	1	2	–	–	–	
9	7	6	6	7	6	2	1	4	2	1	–	1	–	–	–	2	71a
6	4	5	3	5	3	4	3	3	4	–	–	–	1	–	–	–	
1	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	71b
–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	
1	–	2	3	5	13	8	6	9	10	1	2	–	–	–	–	–	72
–	–	1	1	1	2	1	4	1	3	–	–	–	–	–	–	–	
8	5	10	20	11	18	18	28	40	32	24	5	–	–	–	–	–	73
3	3	7	8	6	13	9	11	25	26	13	11	3	–	1	–	–	
8	6	16	24	37	77	107	162	207	248	268	167	88	24	9	1	1	74
4	5	18	41	50	102	107	134	203	257	277	231	134	40	8	–	–	
3	1	3	9	11	22	34	67	88	117	108	83	43	14	3	–	–	74a
3	1	5	7	13	31	43	45	8	110	134	96	60	18	3	–	–	
4	3	10	15	22	51	67	81	108	121	147	76	38	9	6	1	1	74b
–	3	10	27	33	61	60	77	115	137	137	124	67	21	4	–	–	
1	–	1	–	4	4	6	14	11	15	13	8	7	1	–	–	–	74c
1	1	3	7	4	7	4	9	9	10	6	11	7	1	1	–	–	
–	3	4	6	7	1	29	29	60	90	9	70	27	11	2	–	–	75
2	3	5	5	20	20	27	47	64	100	91	102	40	12	6	–	–	
–	–	1	2	2	4	10	11	18	29	25	20	6	2	1	–	–	75a
–	–	1	2	9	8	9	17	18	35	29	31	19	4	4	–	–	
–	3	3	4	5	10	19	18	42	61	69	50	21	9	1	–	–	75b
2	3	4	3	11	12	18	30	46	65	65	71	28	8	2	–	–	
3	7	12	13	14	20	13	6	12	4	4	2	2	1	–	1	1	76
–	1	2	1	2	4	3	2	5	–	6	3	1	–	–	–	–	
6	5	10	9	6	12	9	20	15	7	11	4	–	–	–	–	–	77
8	16	15	13	21	20	11	20	18	7	4	–	–	–	–	–	1	
17	22	20	12	13	18	9	9	17	8	9	9	2	1	–	–	–	78
20	18	13	17	9	16	5	6	5	5	8	1	2	1	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

CANADA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS III-con.—**CLASSE III**-fin											
79	Convulsions (non-puerperal, 5 years or over) —Éclampsie (non puerpérale, cinq ans ou au-dessus).	M.	8	–	–	–	–	–	3	1	–	2
		F.	6	–	–	–	–	–	3	–	2	–
80	Infantile convulsions (under 5 years of age) —Convulsions des enfants (moins de cinq ans).	M.	251	208	27	7	7	2	–	–	–	–
		F.	189	140	38	6	5	–	–	–	–	–
81	Chorea—Chorée	M.	5	1	–	–	–	–	–	1	1	–
		F.	11	–	–	1	–	–	2	2	1	2
82	Neuralgia and neuritis—Névralgie et névrite.	M.	18	–	–	–	–	–	–	–	–	–
		F.	30	–	–	–	–	–	–	2	2	1
83	Softening of the brain—Ramollissement du cerveau.	M.	78	–	–	–	–	–	–	–	–	–
		F.	88	–	–	–	–	–	–	–	1	–
84	Other diseases of the nervous system—Autres affections du système nerveux.	M.	293	4	2	4	1	3	8	10	6	4
		F.	243	2	3	4	2	1	9	6	6	7
85	Diseases of the eye and annexa—Affections de l'œil et de ses annexes.	M.	16	–	1	2	1	2	–	–	–	–
		F.	5	–	–	–	–	–	1	–	–	1
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien.	M.	254	105	19	7	2	4	24	17	8	12
		F.	168	71	12	5	2	3	13	12	8	3
	(a) Diseases of the ear—Affections de l'oreille.	M.	118	53	13	3	1	2	10	6	2	5
		F.	80	31	7	4	2	2	8	8	5	2
	(b) Diseases of the mastoid process—Affections du sinus mastoïdien.	M.	136	52	6	4	1	2	14	11	6	7
		F.	88	40	5	1	–	1	5	4	3	1
	CLASS IV—DISEASES OF THE CIRCULATORY SYSTEM— CLASSE IV—AFFECTIONS DE L'APPAREIL CIRCULATOIRE.	Total	18,658	11	20	8	16	20	93	160	166	155
		M.	10,011	3	13	4	7	10	46	72	81	86
		F.	8,647	8	7	4	9	10	47	88	85	69
87-90	**Diseases of the heart—Affections du cœur.**	M.	6,656	–	7	3	5	9	43	69	79	80
		F.	5,974	–	5	1	8	7	47	85	83	68
87	Pericarditis—Péricardite	M.	39	–	–	–	–	–	1	3	2	3
		F.	20	–	–	–	1	–	4	–	2	2
88	Endocarditis and myocarditis (acute)—Endocardite et myocardite (aiguës).	M.	211	–	2	1	2	4	15	15	7	13
		F.	179	–	3	–	2	6	12	17	14	9
	(a) Acute endocarditis — Endocardite aiguë.	M.	126	–	–	1	1	2	12	13	5	11
		F.	100	–	2	–	1	4	11	15	10	8
	(b) Acute myocarditis — Myocardite aiguë.	M.	85	–	2	–	1	2	3	2	2	2
		F.	79	–	1	–	1	2	1	2	4	1
89	Angina pectoris—Angine de poitrine	M.	964	–	–	–	–	–	–	–	–	–
		F.	441	–	–	–	–	–	–	–	–	2
90	Other diseases of the heart—Autres affections du cœur.	M.	5,442	–	5	2	3	5	27	51	70	64
		F.	5,334	–	2	1	5	1	31	68	67	55
	(a) Valvular disease—Affections valvulaire.	M.	1,084	–	1	–	–	2	11	20	17	23
		F.	1,071	–	–	–	3	–	12	13	23	14
	(b) Fatty degeneration of the heart—Dégénérescence ou stéanose du cœur.	M.	44	–	–	–	–	–	–	–	–	–
		F.	29	–	–	–	–	–	–	–	–	–
	(c) Aortic insufficiency — Insuffisance aortique.	M.	27	–	–	–	–	–	1	–	–	1
		F.	11	–	–	–	–	–	–	–	–	–
	(d) Chronic endocarditis—Endocardite chronique.	M.	785	–	–	1	1	–	6	17	29	15
		F.	848	–	–	1	–	1	13	27	21	24
	(e) Chronic myocarditis—Myocardite chronique.	M.	2,377	–	1	–	1	1	4	3	8	9
		F.	2,304	–	–	–	–	–	2	14	7	8
	(f) Others under this title—Autres sous ce titre.	M.	1,125	–	3	1	1	2	5	11	16	16
		F.	1,071	–	2	–	2	–	4	14	16	9
91	Diseases of the arteries—Affections des artères.	M.	3,131	–	–	–	–	–	–	1	–	2
		F.	2,513	–	–	1	–	–	–	1	–	–
	(a) Aneurysm—Anévrisme	M.	118	–	–	–	–	–	–	1	–	2
		F.	44	–	–	–	–	–	–	–	–	–
	(b) Arteriosclerosis—Artério-sclérose.	M.	2,980	–	–	–	–	–	–	–	–	–
		F.	2,458	–	–	–	–	–	–	1	–	–
	(c) Other diseases of the arteries—Autres affections des artères.	M.	33	–	–	–	–	–	–	–	–	–
		F.	11	–	–	1	–	–	–	–	–	–
92	Embolism and thrombosis (not cerebral)—Embolie et thrombose (non cérébrales).	M.	149	2	–	–	–	–	1	–	1	1
		F.	79	2	–	1	–	1	–	–	–	1
93	Diseases of the veins (varices, haemorrhoids, phlebitis, etc.)—Affections des veines (varices, hémorroïdes, phlébite, etc.).	M.	37	–	–	–	–	–	1	–	–	2
		F.	45	–	–	–	–	–	–	–	–	–
94	Diseases of the lymphatic system (lymphangitis, etc.)—Affections du système lymphatique (lymphangite, etc.).	M.	25	–	6	1	2	–	1	–	1	1
		F.	23	5	2	1	1	1	–	2	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

CANADA—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	79
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	81
–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	
–	1	–	–	2	1	2	3	–	2	4	1	2	–	–	–	–	82
1	1	2	–	1	2	–	5	3	6	1	1	2	–	–	–	–	
1	1	–	–	1	4	2	2	10	12	19	12	10	4	–	–	–	83
–	–	–	–	1	6	1	5	7	14	19	15	16	3	–	–	–	
16	12	9	22	26	29	25	29	30	23	21	6	2	1	–	–	–	84
6	11	12	16	21	13	19	11	21	33	16	13	8	3	–	–	–	
1	–	–	–	2	–	–	–	1	1	3	1	1	–	–	–	–	85
–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	
7	6	7	7	3	7	3	4	2	3	5	1	1	–	–	–	–	86
4	5	5	7	–	2	–	2	5	5	2	1	1	–	–	–	–	
2	2	3	2	1	2	3	3	1	–	3	–	1	–	–	–	–	86a
–	–	2	4	–	–	–	–	1	2	–	1	1	–	–	–	–	
5	4	4	5	2	5	–	1	1	3	2	1	–	–	–	–	–	86b
4	5	3	3	–	2	–	2	4	3	2	–	–	–	–	–	–	
173	**215**	**300**	**452**	**685**	**906**	**1,198**	**1,752**	**2,301**	**2,858**	**2,981**	**2,292**	**1,284**	**486**	**97**	**15**	**14**	
72	**97**	**154**	**234**	**397**	**535**	**697**	**1,013**	**1,316**	**1,556**	**1,610**	**1,131**	**608**	**211**	**38**	**9**	**11**	
101	**118**	**146**	**218**	**288**	**371**	**501**	**739**	**985**	**1,302**	**1,371**	**1,161**	**676**	**275**	**59**	**6**	**3**	
66	**88**	**135**	**196**	**306**	**394**	**468**	**671**	**890**	**997**	**971**	**688**	**354**	**106**	**20**	**2**	**9**	87-90
97	**108**	**126**	**183**	**229**	**271**	**343**	**504**	**666**	**840**	**908**	**776**	**424**	**173**	**28**	**3**	–	
–	3	1	3	5	2	2	4	2	3	4	–	1	–	–	–	–	87
–	–	1	–	–	1	–	3	–	1	3	1	1	–	–	–	–	
12	15	17	15	18	9	15	16	8	12	4	9	2	–	–	–	–	88
22	5	14	15	12	5	3	9	5	8	6	8	2	2	–	–	–	
10	10	9	8	12	7	9	5	2	4	1	3	1	–	–	–	–	88a
15	2	7	5	6	–	1	5	1	2	3	2	–	–	–	–	–	
2	5	8	7	6	2	6	11	6	8	3	6	1	–	–	–	–	88b
7	3	7	10	6	5	2	4	4	6	3	6	2	2	–	–	–	
2	1	19	28	43	90	105	143	177	156	112	59	19	5	2	–	3	89
1	1	7	8	19	24	39	62	75	88	65	32	16	1	1	–	–	
52	69	98	150	240	293	346	508	703	826	851	620	332	101	18	2	6	90
74	102	104	160	189	241	301	430	586	743	834	735	405	170	27	3	–	
13	21	35	42	55	68	70	90	143	173	149	93	48	5	4	–	1	90a
24	29	36	47	40	65	56	82	125	126	172	107	59	35	3	–	–	
–	1	–	3	4	7	5	6	7	5	1	4	1	–	–	–	–	90b
–	1	1	1	3	2	3	2	5	3	4	2	1	1	–	–	–	
–	1	–	2	2	2	–	3	4	3	5	2	1	–	–	–	–	90c
1	–	1	–	1	–	3	1	1	1	2	–	–	–	–	–	–	
22	20	19	32	37	49	51	79	100	96	111	49	40	11	–	–	–	90d
25	34	24	41	48	39	59	73	89	116	90	79	35	7	2	–	–	
10	14	26	42	96	111	157	218	304	354	430	337	174	62	13	2	–	90e
13	23	22	34	65	85	115	187	257	353	405	383	218	92	19	2	–	
7	12	18	29	46	56	63	112	145	195	155	135	68	23	1	–	5	90f
11	15	20	37	32	50	65	85	109	144	161	164	92	35	3	1	–	
–	4	9	27	78	107	207	310	416	539	619	432	250	103	18	7	2	91
2	4	9	27	59	86	141	217	305	447	450	378	249	102	30	2	3	
–	1	2	4	14	13	18	18	21	10	7	4	3	–	–	–	–	91a
1	2	3	–	2	4	7	2	9	5	3	3	2	1	–	–	–	
–	3	7	22	60	93	184	291	388	526	608	425	245	101	18	7	2	91b
1	2	6	26	56	82	132	213	294	442	446	375	247	100	30	2	3	
–	–	–	1	4	1	5	1	7	3	4	3	2	2	–	–	–	91c
–	–	–	1	1	–	2	2	2	–	1	–	–	1	–	–	–	
2	4	8	8	10	27	13	22	8	16	17	5	2	2	–	–	–	92
2	4	4	3	3	10	9	9	6	7	8	5	2	–	1	1	–	
2	–	1	2	2	4	5	7	1	3	3	4	–	–	–	–	–	93
–	1	6	4	6	3	5	5	6	7	2	–	–	–	–	–	–	
1	1	–	1	–	2	3	1	–	1	–	1	2	–	–	–	–	94
–	1	1	1	–	–	1	3	2	–	2	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

CANADA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS IV-con.—**CLASSE IV**-fin											
95	Haemorrhage without specified cause— Hémorragie sans cause déterminée.	M.	10	1	–	–	–	1	–	2	–	–
		F.	10	–	–	–	–	1	–	–	2	–
96	Other diseases of the circulatory system— Autres affections de l'appareil circulatoire.	M.	3	–	–	–	–	–	–	–	–	–
		F.	3	1	–	–	–	–	–	–	–	–
	CLASS V—DISEASES OF THE RESPIRATORY SYSTEM— CLASSE V—AFFECTIONS DE L'APPAREIL RESPIRATOIRE.	Total	10,640	2,510	849	365	176	104	293	144	176	188
		M.	5,765	1,406	454	192	97	60	153	72	96	99
		F.	4,875	1,104	395	173	79	44	140	72	80	89
97	Diseases of the nasal fossae and their annexa—Affections des fosses nasales et de leurs annexes.	M.	22	–	–	–	–	–	–	–	3	2
		F.	17	1	2	1	–	–	–	–	1	2
98	Diseases of the larynx—Affections du larynx.	M.	91	19	19	13	6	7	12	1	1	–
		F.	92	27	12	15	10	3	15	1	–	1
	(a) Laryngismus stridulus—Laryngite striduleuse.	M.	13	4	5	–	–	2	2	–	–	–
		F.	22	7	5	3	2	1	3	–	–	–
	(b) Laryngitis—Laryngite	M.	30	2	5	6	1	1	4	1	1	–
		F.	23	5	1	4	2	1	3	–	–	1
	(c) Croup	M.	34	7	8	6	5	3	5	–	–	–
		F.	36	13	5	5	6	1	6	–	–	–
	(d) Other diseases of the larynx—Autres affections du larynx.	M.	14	6	1	1	–	1	1	–	–	–
		F.	11	2	1	3	–	–	3	1	–	–
99	Bronchitis—Bronchite	M.	243	71	13	4	1	–	5	–	1	1
		F.	279	56	18	4	4	–	2	–	1	–
	(a) Acute—Aiguë	M.	122	65	8	2	1	–	5	–	1	1
		F.	121	47	16	3	4	–	2	–	–	–
	(b) Chronic—Chronique	M.	69	2	3	–	–	–	–	–	–	
		F.	94	1	1	–	–	–	–	–	1	–
	(c) Not otherwise defined, under 5 years of age—Sans épithète, au-dessous de cinq ans.	M.	8	4	2	2	–	–	–	–	–	–
		F.	10	8	1	1	–	–	–	–	–	–
	(d) Not otherwise defined, 5 years or over—Sans épithète, cinq ans ou au-dessus.	M.	44	–	–	–	–	–	–	–	–	–
		F.	54	–	–	–	–	–	–		–	–
100	Bronchopneumonia (including capillary bronchitis) — Broncho-pneumonie (y compris bronchite capillaire).	M.	1,814	801	246	88	47	20	42	16	11	12
		F.	1,622	615	215	80	34	15	42	21	11	15
	(a) Bronchopneumonia—Broncho-pneumonie.	M.	1,740	765	227	84	43	18	38	16	11	12
		F.	1,559	580	206	75	33	14	39	21	11	15
	(b) Capillary bronchitis—Bronchite capillaire.	M.	74	36	19	4	4	2	4	–	–	–
		F.	63	35	9	5	1	1	3	–	–	–
101	Pneumonia—Pneumonie	M.	2,768	450	148	66	30	20	69	42	67	65
		F.	2,221	343	123	59	22	20	60	39	52	45
	(a) Lobar—Lobaire	M.	1,461	124	60	27	14	9	38	14	47	48
		F.	1,010	97	44	22	10	6	28	22	30	24
	(b) Not otherwise defined—Sans épithète.	M.	1,307	326	88	39	16	11	31	28	20	17
		F.	1,211	246	79	37	12	14	32	17	22	21
102	Pleurisy—Pleurésie	M.	255	12	13	10	7	7	15	8	7	12
		F.	202	14	10	6	4	4	14	8	6	18
103	Congestion and haemorrhagic infarct of the lung—Congestion et hémorragie parenchymateuse des poumons.	M.	222	44	8	7	2	4	4	1	1	1
		F.	270	37	12	7	5	1	3	2	3	3
104	Gangrene of the lung—Gangrène du poumon.	M.	24	–	–	–	–	–	1	1	–	–
		F.	4	–	–	–	–	–	–	–	–	–
105	Asthma—Asthme	M.	175	4	4	–	1	–	–	–	1	1
		F.	91	2	1	1	–	–	1	–	–	1
106	Pulmonary emphysema—Emphysème pulmonaire.	M.	17	–	–	–	1	–	1	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–
107	Other diseases of the respiratory system (tuberculosis excepted)—Autres affections de l'appareil respiratoire (tuberculose exceptée).	M.	134	5	3	4	2	2	4	3	4	5
		F.	70	9	2	–	–	1	3	1	6	4
	(a) Chronic interstitial pneumonia including occupational diseases of the lungs—Pneumonie interstitielle chronique comprenant les affections professionnelles de l'appareil pulmonaire.	M.	13	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
	(b) Diseases of the mediastinum—Affections du médiastin.	M.	5	–	–	–	1	–	1	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	116	5	3	4	1	2	3	3	4	5
		F.	65	9	2	–	–	1	3	1	6	4

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

CANADA—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
1	–	1	–	1	1	–	1	–	–	–	1	–	–	–	–	–	95
–	–	–	–	–	–	2	1	–	–	1	2	1	–	–	–	–	
–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	96
–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	
181	**200**	**275**	**317**	**342**	**314**	**381**	**476**	**624**	**702**	**750**	**634**	**386**	**196**	**40**	**9**	**8**	
106	**100**	**137**	**211**	**215**	**199**	**229**	**297**	**357**	**359**	**373**	**232**	**161**	**72**	**29**	**5**	**3**	
75	**100**	**138**	**106**	**127**	**115**	**152**	**179**	**267**	**343**	**377**	**342**	**225**	**124**	**29**	**4**	**5**	
2	3	3	6	1	–	–	1	1	–	–	–	–	–	–	–	–	97
2	1	2	1	1	–	1	–	1	–	–	–	1	–	–	–	–	
2	1	–	2	3	–	2	–	–	2	–	1	–	–	–	–	–	98
–	1	–	2	1	1	–	–	1	1	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98a
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	–	1	2	–	1	–	–	2	–	1	–	–	–	–	–	98b
–	1	–	1	1	1	–	–	1	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	98d
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
1	1	3	5	4	6	5	6	8	16	29	30	19	10	3	1	–	99
–	–	1	–	1	2	3	3	18	30	37	47	25	24	2	1	–	
–	1	2	2	–	1	–	3	2	2	8	7	6	4	1	–	–	99a
–	–	1	–	–	2	1	–	4	4	6	13	8	9	1	–	–	
1	–	–	1	3	3	3	3	4	10	12	12	7	3	1	1	–	99b
–	–	–	–	1	–	2	3	9	17	16	23	11	9	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	99c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	2	1	2	2	–	2	4	9	11	6	3	1	–	–	99d
–	–	–	–	–	–	–	–	5	9	15	11	6	6	1	1	–	
14	16	14	26	30	32	28	38	52	74	74	65	42	16	6	2	2	100
6	14	25	22	29	18	21	32	54	71	93	89	60	32	5	1	2	
14	16	13	26	30	32	27	38	52	74	74	65	39	16	6	2	2	100a
6	14	24	22	29	18	21	31	53	71	91	88	57	32	5	1	2	
–	–	1	–	–	–	1	–	–	–	–	–	3	–	–	–	–	100b
–	–	1	–	–	–	–	1	1	–	2	1	3	–	–	–	–	
71	62	90	126	140	127	143	189	215	192	197	148	73	31	4	2	1	101
51	67	82	62	74	71	100	112	150	191	191	155	93	44	10	2	3	
49	47	67	86	98	78	93	122	141	99	106	64	22	7	1	–	–	101a
28	45	51	32	51	44	54	64	89	87	87	52	28	12	1	–	2	
22	15	23	40	42	49	50	67	74	93	91	84	51	24	3	2	1	101b
23	22	31	30	23	27	46	48	61	104	104	103	65	32	9	2	1	
9	9	8	23	10	11	18	19	21	10	14	7	1	3	1	–	–	102
5	8	17	11	9	8	7	13	16	10	6	5	3	–	–	–	–	
–	2	1	2	7	3	9	9	15	19	26	24	20	9	4	–	–	103
3	2	5	2	2	5	7	7	15	18	34	35	36	23	3	–	–	
2	1	4	2	1	–	2	2	4	3	1	–	–	–	–	–	–	104
2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	2	6	11	9	9	27	23	27	26	13	5	3	1	–	–	105
3	3	1	1	6	8	8	9	7	15	10	9	5	–	–	–	–	
–	1	–	1	–	–	1	–	4	5	–	2	–	–	1	–	–	106
–	–	1	–	–	1	1	–	–	2	2	–	–	–	–	–	–	
5	2	12	12	8	11	12	6	14	11	6	2	1	–	–	–	–	107
3	3	4	5	3	1	4	3	5	5	3	2	2	1	–	–	–	
1	–	1	2	1	–	5	–	1	1	1	–	–	–	–	–	–	107a
–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	107b
–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
4	2	10	10	6	11	6	6	13	10	5	2	1	–	–	–	–	107c
3	3	3	4	2	1	3	3	4	5	3	2	2	1	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

CANADA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VI—DISEASES OF THE DIGESTIVE SYSTEM—CLASSE VI—AFFECTIONS DE L'APPAREIL DIGESTIF.	Total	11,140	4,357	581	218	171	128	396	293	269	243
		M.	6,137	2,500	295	134	95	57	207	163	160	141
		F.	5,003	1,857	286	84	76	71	189	130	109	102
108	Diseases of the mouth and annexa—Affections de la bouche et de ses annexes.	M.	62	6	2	–	–	–	2	1	–	5
		F.	40	2	1	–	–	1	2	–	3	1
109	Diseases of the pharynx and tonsils (including adenoid vegetations)—Affections du pharynx et des amygdales (y compris les végétations adénoïdiennes).	M.	194	41	13	7	14	10	25	15	6	7
		F.	197	25	22	7	9	10	25	12	11	5
	(a) Adenoid vegetations—Végétations adénoïdiennes.	M.	4	1	1	–	–	1	–	–	–	–
		F.	4	1	–	–	–	1	1	–	–	–
	(b) Pharynx and tonsils—Pharynx et amygdales.	M.	190	40	12	7	14	9	25	15	6	7
		F.	193	24	22	7	9	9	24	12	11	5
110	Diseases of the oesophagus—Affections de l'œsophage.	M.	14	2	–	–	1	–	1	–	–	–
		F.	6	–	–	–	–	1	–	–	–	–
111	Ulcer of the stomach and duodenum—Ulcère de l'estomac et du duodénum.	M.	419	1	–	–	–	–	–	–	1	12
		F.	129	1	–	–	–	–	–	–	1	3
	(a) Ulcer of the stomach—Ulcère de l'estomac.	M.	257	–	–	–	–	–	–	–	1	7
		F.	93	1	–	–	–	–	–	–	1	1
	(b) Ulcer of the duodenum—Ulcère du duodénum.	M.	162	1	–	–	–	–	–	–	–	5
		F.	36	–	–	–	–	–	–	–	–	2
112	Other diseases of the stomach (cancer excepted)—Autres affections de l'estomac (cancer excepté).	M.	539	129	18	13	8	5	14	4	7	4
		F.	489	110	30	6	4	7	10	8	3	9
113	Diarrhoea and enteritis (under 2 years of age)—Diarrhée et entérite (au-dessous de 2 ans).	M.	2,456	2,228	228	–	–	–	–	–	–	–
		F.	1,878	1,671	207	–	–	–	–	–	–	–
114	Diarrhoea and enteritis (2 years or over)—Diarrhée et entérite (deux ans ou au-dessus).	M.	327	–	–	83	44	13	31	4	6	7
		F.	371	–	–	55	41	29	26	8	5	11
116	Diseases due to other intestinal parasites—Affections dues à d'autres parasites intestinaux.	M.	4	1	1	1	–	–	–	–	–	1
		F.	5	–	–	–	3	–	1	–	–	–
	(a) Cestodes (hydatids of the liver excepted)—Cestodes (non compris les hydatides du foie).	M.	–	–	–	–	–	–	–	–	–	–
		F.		–	–	–	–	–	–	–	–	–
	(b) Trematodes—Trématodes	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Nematodes (other than ankylostoma)—Nématodes (autres que ankylostomiase).	M.	2	–	–	1	–	–	–	–	–	1
		F.	1	–	–	–	–	–	–	–	–	–
	(d) Coccidia—Coccidies	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Other parasites specified—Autres parasites spécifiés.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(f) Parasites not specified—Parasites non spécifiés.	M.	2	1	1	–	–	–	–	–	–	–
		F.	4	–	–	–	3	–	1	–	–	–
117	Appendicitis and typhlitis—Appendicite et typhlite.	M.	838	5	8	16	16	22	103	114	110	78
		F.	567	4	6	7	11	16	96	80	67	41
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale.	M.	493	64	8	5	4	1	19	11	11	8
		F.	363	24	6	2	3	1	8	7	2	8
	(a) Hernia—Hernie	M.	192	10	1	1	1	1	3	2	3	2
		F.	122	5	1	1	–	–	–	–	–	–
	(b) Intestinal obstruction—Obstruction intestinale.	M.	301	54	7	4	3	–	16	9	8	6
		F.	241	19	5	1	3	1	8	7	2	8
119	Other diseases of the intestines—Autres affections des intestins.	M.	128	13	6	3	3	1	2	5	5	3
		F.	125	10	2	3	–	2	6	4	4	3
120	Acute yellow atrophy of the liver—Atrophie jaune aiguë du foie.	M.	19	2	–	–	–	1	1	–	2	1
		F.	35	–	2	–	–	–	–	1	–	4
122	Cirrhosis of the liver—Cirrhose du foie	M.	224	–	1	–	–	–	–	–	–	–
		F.	139	–	–	–	1	–	–	1	1	3
	(a) Specified as alcoholic—Spécifiée comme alcoolique.	M.	7	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
	(b) Not specified as alcoholic—Non spécifiée comme alcoolique.	M.	217	–	1	–	–	–	–	–	–	–
		F.	136	–	–	–	1	–	–	1	1	3
123	Biliary calculi—Calculs biliaires	M.	52	–	–	–	–	–	–	–	–	–
		F.	161	–	–	–	–	–	–	–	–	1
124	Other diseases of the liver—Autres affections du foie.	M.	230	3	4	4	2	–	2	3	5	7
		F.	350	–	5	1	1	2	3	1	2	4
125	Diseases of the pancreas—Affections du pancréas.	M.	27	–	–	–	–	–	–	–	1	–
		F.	34	1	–	–	–	–	1	–	–	1
126	Peritonitis without specified cause—Péritonite sans cause indiquée.	M.	111	5	6	2	3	4	7	6	6	8
		F.	114	9	5	3	3	2	11	8	10	8

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

CANADA—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
194	**226**	**303**	**349**	**382**	**394**	**423**	**426**	**460**	**441**	**396**	**269**	**162**	**44**	**12**	–	**3**	
96	**129**	**157**	**198**	**206**	**227**	**238**	**220**	**247**	**238**	**204**	**129**	**71**	**19**	**4**	–	**2**	
98	**97**	**146**	**151**	**176**	**167**	**185**	**206**	**213**	**203**	**192**	**140**	**91**	**25**	**8**	–	**1**	
4	4	4	1	7	7	2	4	6	2	2	3	–	–	–	–	–	108
3	–	5	4	5	1	3	–	1	3	1	2	2	–	–	–	–	
7	8	6	7	2	3	5	5	4	5	2	–	2	–	–	–	–	109
5	10	7	8	9	7	2	4	6	3	6	1	3	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	109a
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
7	8	6	7	2	3	5	5	4	4	2	–	2	–	–	–	–	109b
5	10	7	8	9	7	2	4	6	2	6	1	3	–	–	–	–	
–	1	–	4	2	–	1	–	1	1	–	–	–	–	–	–	–	110
–	–	–	–	2	1	–	–	–	2	–	–	–	–	–	–	–	
14	27	33	48	52	48	50	33	45	26	20	7	1	–	–	–	1	111
4	6	11	8	13	13	15	9	15	16	10	3	1	–	–	–	–	
9	13	15	28	27	24	32	23	33	10	16	7	1	–	–	–	1	111a
4	4	6	5	11	11	10	8	11	10	6	3	1	–	–	–	–	
5	14	18	20	25	24	18	10	12	6	4	–	–	–	–	–	–	111b
–	2	5	3	2	2	5	1	4	6	4	–	–	–	–	–	–	
3	7	13	14	23	20	37	32	31	42	49	38	19	6	2	–	1	112
7	5	12	10	21	15	21	28	25	34	44	37	28	11	3	–	1	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	113
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	8	5	11	5	9	8	13	15	21	16	13	10	3	1	–	–	114
5	8	14	8	15	2	10	17	17	22	31	27	11	7	2	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116c
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116f
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
49	42	48	47	31	38	40	29	22	12	4	4	–	–	–	–	–	117
32	18	40	30	24	23	22	19	14	9	5	3	–	–	–	–	–	
8	12	18	20	22	27	27	30	46	48	54	26	16	7	1	–	–	118
13	13	14	29	19	29	25	30	30	32	25	19	20	3	1	–	–	
2	7	4	4	8	15	12	11	21	25	29	15	9	6	–	–	–	118a
1	3	1	12	9	9	15	11	11	18	10	7	7	1	–	–	–	
6	5	14	16	14	12	15	19	25	23	25	11	7	1	1	–	–	118b
12	10	13	17	10	20	10	19	19	14	15	12	13	2	1	–	–	
5	3	5	8	8	12	5	7	8	10	5	7	3	1	–	–	–	119
2	4	7	7	6	10	7	6	8	7	10	9	6	1	1	–	–	
–	–	1	1	1	1	1	1	1	1	–	3	1	–	–	–	–	120
5	4	2	2	4	1	–	5	–	1	–	1	2	–	1	–	–	
1	7	7	10	19	29	30	31	30	32	18	7	2	–	–	–	–	122
1	4	6	5	10	15	20	15	12	20	12	8	4	1	–	–	–	
–	1	–	–	2	1	1	1	–	1	–	–	–	–	–	–	–	122a
–	–	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	
1	6	7	10	17	28	29	30	30	31	18	7	2	–	–	–	–	122b
1	4	6	3	10	15	20	15	12	20	12	7	4	1	–	–	–	
1	–	3	5	8	7	1	9	4	3	7	2	2	–	–	–	–	123
5	6	9	7	13	14	20	25	24	14	13	6	3	1	–	–	–	
1	8	10	9	13	17	22	17	24	29	21	13	14	2	–	–	–	124
9	14	11	21	25	24	34	39	50	36	33	23	11	1	–	–	–	
–	–	–	2	4	4	3	2	4	2	3	2	–	–	–	–	–	125
2	1	3	4	4	4	4	3	5	1	–	–	–	–	–	–	–	
2	2	4	11	9	5	6	7	6	4	3	4	1	–	–	–	–	126
4	4	5	8	6	8	2	6	6	3	2	1	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

CANADA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VII—NON-VENEREAL DISEASES OF THE GENITO-URINARY SYSTEM AND ANNEXA—CLASSE VII—AFFECTIONS NON VÉNÉRIENNES DE L'APPAREIL GÉNITO-URINAIRE ET DE SES ANNEXES.	Total	7,527	60	29	18	14	12	61	62	88	100
		M.	4,280	40	20	9	8	8	27	27	36	43
		F.	3,247	20	9	9	6	4	34	35	52	57
128	Acute nephritis (including unspecified, under 10 years of age)—Néphrite aiguë (y compris non spécifié, au-dessous de dix ans).	M.	223	27	12	7	6	5	13	5	13	11
		F.	186	7	5	8	2	3	23	15	17	3
129	Chronic nephritis (including unspecified, 10 years of age or over)—Néphrite chronique (y compris non spécifiée, dix ans ou au-dessus).	M.	2,862	–	3	–	2	–	8	18	20	25
		F.	2,444	1	1	1	1	1	9	16	18	31
131	Other diseases of the kidneys and annexa—Autres affections des reins et de leurs annexes.	M.	206	7	4	1	–	2	6	3	3	4
		F.	158	11	3	–	3	–	1	3	3	2
132	Calculi of the urinary passages—Calculs des voies urinaires.	M.	40	–	–	–	–	1	–	–	–	2
		F.	15	–	–	–	–	–	–	–	1	–
133	Diseases of the bladder—Affections de la vessie.	M.	122	–	–	1	–	–	–	–	–	1
		F.	33	1	–	–	–	–	1	–	–	–
134	Diseases of the urethra, urinary abscess, etc.—Affections de l'urètre, abcès urineux, etc.	M.	23	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(a) Stricture of the urethra—Rétrécissement de l'urètre.	M.	13	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other diseases of the urethra—Autres affections de l'urètre.	M.	10	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
135	Diseases of the prostate—Affections de la prostate.	M.	785	–	–	–	–	–	–	1	–	–
136	Non-venereal diseases of the male genital organs—Affections non vénériennes des organes génitaux de l'homme.	M.	19	6	1	–	–	–	–	–	–	–
137	Cysts and other benign tumours of the ovary—Kystes et autres tumeurs bénignes de l'ovaire.	F.	79	–	–	–	–	–	–	–	1	2
138	Salpingitis and pelvic abscess—Salpingite et abcès du bassin.	F.	92	–	–	–	–	–	–	–	6	10
139	Benign tumours of the uterus—Tumeurs bénignes de l'utérus.	F.	86	–	–	–	–	–	–	–	1	1
140	Non-puerperal uterine haemorrhage—Hémorragie utérine non puerpérale.	F.	6	–	–	–	–	–	–	–	–	1
141	Other diseases of the female genital organs—Autres affections des organes génitaux de la femme.	F.	141	–	–	–	–	–	–	1	5	6
142	Non-puerperal diseases of the breast (cancer excepted)—Affections non puerpérales du sein (cancer excepté).	F.	5	–	–	–	–	–	–	–	–	1
	CLASS VIII—THE PUERPERAL STATE—CLASSE VIII—ÉTAT PUERPÉRAL.	Total	1,331	–	–	–	–	–	–	–	77	251
143	Accidents of pregnancy—Accidents de la grossesse.	F.	101	–	–	–	–	–	–	–	5	19
	(a) Abortion—Avortement	F.	30	–	–	–	–	–	–	–	2	9
	(b) Ectopic gestation—Gestation ectopique.	F.	41	–	–	–	–	–	–	–	–	5
	(c) Others under this title—Autres sous ce titre.	F.	26	–	–	–	–	–	–	–	3	4
	(d) Abortion, self-induced—Avortement provoqué par soi-même.	F.	4	–	–	–	–	–	–	–	–	1
144	Puerperal haemorrhage—Hémorragie puerpérale.	F.	173	–	–	–	–	–	–	–	5	15
145	Other accidents of labour—Autres accidents de l'accouchement.	F.	142	–	–	–	–	–	–	–	6	28
	(a) Caesarean section—Opération césarienne.	F.	33	–	–	–	–	–	–	–	–	4
	(b) Difficult labour—Accouchement laborieux.	F.	23	–	–	–	–	–	–	–	–	2
	(c) Other surgical operations and instrumental delivery—Autres opérations chirurgicales et application d'instruments.	F.	41	–	–	–	–	–	–	–	4	6

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

CANADA—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
139	**192**	**218**	**291**	**402**	**449**	**530**	**700**	**877**	**1051**	**1,016**	**700**	**379**	**104**	**22**	**6**	**7**	
47	**69**	**79**	**136**	**178**	**228**	**289**	**399**	**534**	**652**	**660**	**457**	**241**	**71**	**14**	**2**	**6**	
52	**123**	**139**	**155**	**224**	**221**	**241**	**301**	**343**	**399**	**356**	**243**	**138**	**33**	**8**	**4**	**1**	
12	9	8	16	13	2	16	13	10	8	13	2	–	–	2	–	–	128
7	13	10	10	5	10	4	8	6	15	9	4	–	2	–	–	–	
22	53	59	104	141	197	222	308	376	428	411	268	146	38	9	–	4	129
33	59	75	74	149	166	203	255	294	351	323	220	126	27	6	3	1	
8	4	8	9	9	11	8	15	22	25	24	17	11	5	–	–	–	131
4	8	7	13	13	10	6	13	15	13	10	8	7	4	–	1	–	
–	–	1	2	2	1	2	7	9	3	6	2	1	1	–	–	–	132
1	–	2	2	1	1	2	1	1	1	1	1	–	–	–	–	–	
2	–	–	2	8	4	7	7	9	25	22	22	8	3	–	–	1	133
1	–	1	1	–	–	–	3	4	4	7	5	4	–	1	–	–	
–	2	1	–	2	2	3	5	3	2	1	2	–	–	–	–	–	134
–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	1	–	1	1	2	2	3	1	1	1	–	–	–	–	–	134a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	–	–	1	1	1	3	–	1	–	1	–	–	–	–	–	134b
–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	
3	1	1	2	3	11	30	43	101	160	182	143	74	24	3	2	1	135
–	–	1	1	–	–	1	1	4	1	1	1	1	–	–	–	–	136
11	12	4	11	7	3	4	7	6	4	4	2	–	–	1	–	–	137
21	16	11	9	7	7	3	1	1	–	–	–	–	–	–	–	–	138
2	4	11	12	15	11	5	5	8	8	1	1	1	–	–	–	–	139
1	–	1	–	3	–	–	–	–	–	–	–	–	–	–	–	–	140
11	11	17	23	21	13	13	8	7	2	1	2	–	–	–	–	–	141
–	–	–	–	2	–	1	–	–	1	–	–	–	–	–	–	–	142
260	**289**	**290**	**138**	**25**	**1**	–	–	–	–	–	–	–	–	–	–	–	
17	21	28	8	3	–	–	–	–	–	–	–	–	–	–	–	–	143
4	3	9	2	1	–	–	–	–	–	–	–	–	–	–	–	–	143a
9	10	13	4	–	–	–	–	–	–	–	–	–	–	–	–	–	143b
4	6	6	1	2	–	–	–	–	–	–	–	–	–	–	–	–	143c
–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	143d
38	39	51	24	1	–	–	–	–	–	–	–	–	–	–	–	–	144
32	29	21	21	5	–	–	–	–	–	–	–	–	–	–	–	–	145
6	10	6	6	1	–	–	–	–	–	–	–	–	–	–	–	–	145a
7	4	6	2	2	–	–	–	–	–	–	–	–	–	–	–	–	145b
7	5	5	12	2	–	–	–	–	–	–	–	–	–	–	–	–	145c

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

CANADA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VIII-con.—CLASSE VIII-fin											
145	(d) Uncontrollable vomiting—Vomissements incontrôlables.	F.	43	–	–	–	–	–	–	–	1	16
	(e) Rupture of uterus in labour, etc.—Rupture de l'utérus durant l'accouchement, etc.	F.	2	–	–	–	–	–	–	–	1	–
146	Puerperal septicaemia—Septicémie puerpérale.	F.	439	–	–	–	–	–	–	–	29	96
147	Puerperal phlegmasia alba dolens, puerperal embolism, sudden death in puerperium—Phlegmasia alba dolens, embolie, mort subite puerpérales.	F.	90	–	–	–	–	–	–	–	5	6
148	Puerperal albuminuria and convulsions—Albuminurie et éclampsie puerpérales.	F.	330	–	–	–	–	–	–	–	27	79
149	Following childbirth (not otherwise defined)—Suites de couches (sans autres explications).	F.	55	–	–	–	–	–	–	–	–	7
150	Puerperal diseases of the breast—Affections puerpérales de la mamelle.	F.	1	–	–	–	–	–	–	–	–	1
	CLASS IX—DISEASES OF THE SKIN AND OF THE CELLULAR TISSUE—CLASSE IX—AFFECTIONS DE LA PEAU ET DU TISSU CELLULAIRE.	Total	670	102	18	2	4	4	8	8	7	23
		M.	386	58	11	2	4	2	3	7	6	12
		F.	284	44	7	–	–	2	5	1	1	11
151	Gangrene—Gangrène	M.	163	–	–	–	–	–	–	–	–	1
		F.	129	–	–	–	–	–	1	–	–	–
152	Furuncle—Furoncle	M.	39	3	–	–	1	–	–	–	2	1
		F.	17	3	1	–	–	–	–	–	–	3
153	Acute abscess—Phlegmon, abcès chaud.	M.	103	24	6	–	1	–	2	5	1	8
		F.	68	15	2	–	–	1	4	1	–	8
154	Other diseases of the skin and annexa—Autres affections de la peau et de ses annexes.	M.	81	31	5	2	2	2	1	2	3	2
		F.	70	26	4	–	–	1	–	–	1	–
	CLASS X—DISEASES OF THE BONES AND OF THE ORGANS OF LOCOMOTION—CLASSE X—AFFECTIONS DES OS ET DES ORGANES DE LA LOCOMOTION.	Total	229	14	5	4	9	1	36	10	14	10
		M.	124	9	2	1	5	–	16	6	10	6
		F.	105	5	3	3	4	1	20	4	4	4
155	Diseases of the bones (mastoid and tuberculosis excepted)—Affections des os (sinus mastoïdien et tuberculose exceptés).	M.	95	6	2	1	5	–	16	5	7	4
		F.	80	1	3	3	4	1	18	4	4	3
156	Diseases of the joints (tuberculosis and rheumatism excepted)—Affections articulaires (tuberculose et rhumatisme exceptés).	M.	21	2	–	–	–	–	–	1	2	–
		F.	19	4	–	–	–	–	1	–	–	1
157	Amputations	M.	1	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
158	Other diseases of the organs of locomotion—Autres affections des organes de la locomotion.	M.	7	1	–	–	–	–	–	–	1	1
		F.	6	–	–	–	–	–	1	–	–	–
	CLASS XI—MALFORMATIONS—CLASSE XI—VICES DE CONFORMATION.	Total	1,441	1,299	42	14	12	4	20	12	16	7
		M.	770	702	17	8	7	1	13	5	9	2
		F.	671	597	25	6	5	3	7	7	7	5
159	Congenital malformations (stillbirths not included)—Vices de conformation congénitaux (mort-nés non compris).	M.	770	702	17	8	7	1	13	5	9	2
		F.	671	597	25	6	5	3	7	7	7	5
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale.	M.	60	43	3	2	4	–	5	–	1	1
		F.	60	47	3	3	1	–	2	1	2	1
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur.	M.	424	390	9	4	1	–	7	4	6	1
		F.	324	296	12	–	2	2	1	1	2	2
	(c) Others under this title—Autres sous ce titre.	M.	286	269	5	2	2	1	1	1	2	–
		F.	287	254	10	3	2	1	4	5	3	2

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

CANADA—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
12	10	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	145d
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145e
94	91	88	34	6	1	–	–	–	–	–	–	–	–	–	–	–	146
15	34	18	12	–	–	–	–	–	–	–	–	–	–	–	–	–	147
56	62	65	34	7	–	–	–	–	–	–	–	–	–	–	–	–	148
8	13	19	5	3	–	–	–	–	–	–	–	–	–	–	–	–	149
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	150
12	**11**	**10**	**14**	**19**	**15**	**28**	**34**	**35**	**68**	**91**	**83**	**45**	**22**	**4**	**2**	**1**	
8	**5**	**3**	**6**	**16**	**11**	**17**	**16**	**26**	**36**	**57**	**40**	**22**	**15**	**2**	–	**1**	
4	**6**	**7**	**8**	**3**	**4**	**11**	**18**	**9**	**32**	**34**	**43**	**23**	**7**	**2**	**2**	–	
–	–	–	1	1	1	4	9	15	25	43	32	16	13	2	–	–	151
–	1	–	2	1	1	4	7	5	20	25	33	21	4	2	2	–	
3	1	–	–	5	4	6	2	2	3	3	2	–	–	–	–	1	152
–	1	2	1	1	–	1	–	1	1	1	1	–	–	–	–	–	
4	4	1	4	9	4	7	4	4	5	6	–	3	1	–	–	–	153
3	3	3	3	1	–	3	6	–	5	3	6	–	1	–	–	–	
1	–	2	1	1	2	–	1	5	3	5	6	3	1	–	–	–	154
1	1	2	2	–	3	3	5	3	6	5	3	2	2	–	–	–	
10	**8**	**3**	**14**	**8**	**9**	**7**	**9**	**8**	**17**	**14**	**6**	**9**	**2**	**2**	–	–	
6	**5**	**2**	**8**	**6**	**7**	**5**	**4**	**4**	**9**	**6**	**3**	**4**	–	–	–	–	
4	**3**	**1**	**6**	**2**	**2**	**2**	**5**	**4**	**8**	**8**	**3**	**5**	**2**	**2**	–	–	
6	4	1	6	4	4	3	3	4	5	5	2	2	–	–	–	–	155
2	1	1	4	1	1	1	1	3	6	7	2	5	2	2	–	–	
–	1	1	2	2	1	2	1	–	2	1	1	2	–	–	–	–	156
2	2	–	1	1	1	1	2	–	1	1	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	157
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–	158
–	–	–	1	–	–	–	2	1	1	–	–	–	–	–	–	–	
7	**1**	**1**	**2**	–	**1**	**2**	–	–	–	–	–	–	–	–	–	**1**	
4	–	–	**1**	–	–	**1**	–	–	–	–	–	–	–	–	–	–	
3	**1**	**1**	**1**	–	**1**	**1**	–	–	–	–	–	–	–	–	–	**1**	
4	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	159
3	1	1	1	–	1	1	–	–	–	–	–	–	–	–	–	1	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159b
3	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	
1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	159c
–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

CANADA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XII—DISEASES OF EARLY INFANCY—CLASSE XII—AFFECTIONS DU PREMIER ÂGE.	**Total**	**9,215**	**9,215**	–	–	–	–	–	–	–	–
		M.	**5,254**	**5,254**	–	–	–	–	–	–	–	–
		F.	**3,961**	**3,961**	–	–	–	–	–	–	–	–
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème.	M.	1,372	1,372	–	–	–	–	–	–	–	–
		F.	966	966	–	–	–	–	–	–	–	–
161	Premature birth, injury at birth—Naissance prématurée, conséquence de l'accouchement.	M.	3,144	3,144	–	–	–	–	–	–	–	–
		F.	2,452	2,452	–	–	–	–	–	–	–	–
	(a) Premature birth—Naissance prématurée.	M.	2,500	2,500	–	–	–	–	–	–	–	–
		F.	2,079	2,079	–	–	–	–	–	–	–	–
	(b) Injury at birth—Conséquence de l'accouchement.	M.	644	644	–	–	–	–	–	–	–	–
		F.	373	373	–	–	–	–	–	–	–	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge.	M.	734	734	–	–	–	–	–	–	–	–
		F.	542	542	–	–	–	–	–	–	–	–
	(a) Specified diseases—Affections spécifiées.	M.	570	570	–	–	–	–	–	–	–	–
		F.	420	420	–	–	–	–	–	–	–	–
	(b) Unspecified causes under 3 months—Causes non spécifiées au-dessous de 3 mois.	M.	164	164	–	–	–	–	–	–	–	–
		F.	122	122	–	–	–	–	–	–	–	–
163	Lack of care—Défaut de soins	M.	4	4	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	CLASS XIII—OLD AGE—CLASSE XIII—VIEILLESSE.	**Total**	**2,408**	–	–	–	–	–	–	–	–	–
		M.	**1,067**	–	–	–	–	–	–	–	–	–
		F.	**1,341**	–	–	–	–	–	–	–	–	–
164	Senility—Sénilité	M.	1,067	–	–	–	–	–	–	–	–	–
		F.	1,341	–	–	–	–	–	–	–	–	–
	CLASS XIV—EXTERNAL CAUSES—CLASSE XIV—CAUSES EXTÉRIEURES.	**Total**	**6,925**	**192**	**149**	**159**	**130**	**99**	**382**	**318**	**472**	**541**
		M.	**5,256**	**112**	**89**	**89**	**79**	**58**	**274**	**250**	**407**	**466**
		F.	**1,669**	**80**	**60**	**70**	**51**	**41**	**108**	**68**	**65**	**75**
165–174	**Suicides**	**M.**	**593**	–	–	–	–	–	–	**1**	**21**	**34**
		F.	**158**	–	–	–	–	–	–	**2**	**8**	**17**
165	Suicide by solid or liquid poisons (corrosive substances excepted)—Suicide par ingestion de poisons solides ou liquides (substances corrosives exceptées).	M.	44	–	–	–	–	–	–	–	–	4
		F.	30	–	–	–	–	–	–	2	2	5
166	Suicide by corrosive substances—Absorption volontaire de substances corrosives.	M.	31	–	–	–	–	–	–	–	3	2
		F.	36	–	–	–	–	–	–	–	4	3
167	Suicide by poisonous gas—Suicide par ingestion de gaz vénéneux.	M.	39	–	–	–	–	–	–	–	–	1
		F.	14	–	–	–	–	–	–	–	–	1
168	Suicide by hanging or strangulation—Suicide par pendaison ou strangulation.	M.	153	–	–	–	–	–	–	–	6	8
		F.	25	–	–	–	–	–	–	–	1	1
169	Suicide by drowning—Suicide par submersion.	M.	68	–	–	–	–	–	–	–	1	4
		F.	18	–	–	–	–	–	–	–	–	1
170	Suicide by firearms—Suicide par armes à feu.	M.	183	–	–	–	–	–	–	1	10	12
		F.	13	–	–	–	–	–	–	–	1	5
171	Suicide by cutting or piercing instruments—Suicide par instruments tranchants ou piquants.	M.	54	–	–	–	–	–	–	–	–	1
		F.	11	–	–	–	–	–	–	–	–	–
172	Suicide by jumping from high places—Suicide par précipitation d'un lieu élevé.	M.	7	–	–	–	–	–	–	–	–	1
		F.	9	–	–	–	–	–	–	–	–	1
173	Suicide by crushing—Suicide par écrasement.	M.	7	–	–	–	–	–	–	–	1	1
		F.	1	–	–	–	–	–	–	–	–	–
174	Other suicides—Autres suicides	M.	7	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
175	Poisoning by food—Empoisonnement par aliments.	M.	18	3	–	2	–	–	1	–	3	1
		F.	13	–	2	–	–	2	2	–	–	–
176	Poisoning by venomous animals—Attaques d'animaux venimeux.	M.	–	–	–	–	–	–	–	–	–	–
		F.	3	1	–	–	–	–	–	–	–	–
177	Other acute accidental poisonings (gas excepted)—Autres empoisonnements accidentels aigus (par gaz exceptés).	M.	59	2	10	6	8	1	5	2	2	1
		F.	49	2	7	10	2	2	1	–	1	1
178	Conflagration—Incendie	M.	109	3	5	4	6	7	18	6	3	3
		F.	70	–	6	2	6	1	8	7	8	5
179	Accidental burns and scalds (conflagration excepted)—Brûlures accidentelles (autres que par l'incendie).	M.	185	15	30	30	12	7	23	8	5	4
		F.	214	12	23	34	19	18	19	5	6	4

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

CANADA—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	160
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	163
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	**4**	**12**	**47**	**215**	**367**	**565**	**632**	**390**	**141**	**34**	**1**	
–	–	–	–	–	–	**3**	**5**	**26**	**109**	**171**	**250**	**275**	**166**	**49**	**12**	**1**	
–	–	–	–	–	–	**1**	**7**	**21**	**106**	**196**	**315**	**357**	**224**	**92**	**22**	–	
–	–	–	–	–	–	3	5	26	109	171	250	275	166	49	12	1	164
–	–	–	–	–	–	1	7	21	106	196	315	357	224	92	22	–	
531	**393**	**460**	**406**	**424**	**367**	**325**	**290**	**260**	**284**	**243**	**223**	**136**	**71**	**11**	**2**	**57**	
446	**325**	**398**	**350**	**372**	**306**	**267**	**235**	**195**	**172**	**137**	**87**	**57**	**22**	**6**	**2**	**55**	
85	**68**	**62**	**56**	**52**	**61**	**58**	**55**	**65**	**112**	**106**	**136**	**79**	**49**	**5**	–	**2**	
45	**42**	**69**	**65**	**71**	**60**	**48**	**41**	**33**	**25**	**15**	**9**	**3**	**3**	–	–	**8**	165-174
23	**24**	**18**	**13**	**11**	**12**	**15**	**5**	**6**	**3**	**1**	–	–	–	–	–	–	
3	3	6	9	6	4	3	1	4	–	1	–	–	–	–	–	–	165
5	5	1	3	2	–	3	–	1	1	–	–	–	–	–	–	–	
–	2	6	4	4	1	2	4	1	1	–	–	–	–	–	–	1	166
8	6	7	2	1	2	1	1	1	–	–	–	–	–	–	–	–	
3	7	4	4	6	5	3	2	2	2	–	–	–	–	–	–	–	167
2	3	3	–	2	–	2	1	–	–	–	–	–	–	–	–	–	
10	11	19	17	16	15	14	8	13	6	4	2	3	–	–	–	1	168
1	3	2	4	2	6	4	–	1	–	–	–	–	–	–	–	–	
3	2	8	7	7	7	7	6	3	1	3	6	–	1	–	–	2	169
2	4	2	–	1	2	2	–	3	–	1	–	–	–	–	–	–	
21	9	22	18	19	20	12	14	5	11	5	–	–	1	–	–	3	170
4	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	
4	4	4	4	10	8	6	3	3	4	1	1	–	1	–	–	–	171
–	2	2	2	2	1	–	2	–	–	–	–	–	–	–	–	–	
–	2	–	2	–	–	–	1	1	–	–	–	–	–	–	–	–	172
–	1	1	–	1	1	1	1	–	2	–	–	–	–	–	–	–	
–	2	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	173
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	1	2	1	–	1	–	–	–	–	–	1	174
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	2	2	–	1	–	1	1	–	–	1	–	–	–	–	–	175
–	–	2	1	–	1	–	2	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	176
–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	1	3	2	3	6	3	–	1	2	–	1	–	–	–	–	–	177
4	2	3	2	2	2	–	–	1	2	3	2	–	–	–	–	–	
7	3	8	2	6	4	6	6	3	1	5	3	–	–	–	–	–	178
4	4	1	4	1	1	1	1	2	3	2	2	1	–	–	–	–	
6	10	9	–	4	–	4	2	5	4	4	1	1	1	–	–	–	179
8	5	6	3	6	5	6	4	4	9	5	7	4	2	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

CANADA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XIV-con.—CLASSE XIV-suite											
180	Accidental mechanical suffocation—Suffocation mécanique accidentelle.	M.	54	36	–	1	1	1	1	1	3	4
		F.	36	33	–	–	–	–	–	–	–	–
	(a) Overlaying—Étouffé pendant le sommeil.	M.	7	7	–	–	–	–	–	–	–	–
		F.	8	8	–	–	–	–	–	–	–	–
	(b) Asphyxia—Asphyxie	M.	47	29	–	1	1	1	1	1	3	4
		F.	28	25	–	–	–	–	–	–	–	–
181	Accidental absorption of irrespirable or poisonous gas—Absorption accidentelle de gaz irrespirables ou toxiques.	M.	68	–	1	–	–	–	1	–	3	11
		F.	21	–	1	–	–	1	–	–	3	1
182	Accidental drowning—Submersion accidentelle.	M.	915	2	14	20	15	11	102	110	152	141
		F.	110	1	6	8	3	1	17	22	15	8
183	Accidental traumatism by firearms—Traumatismes accidentels par armes à feu.	M.	140	–	1	1	1	1	8	14	30	17
		F.	16	–	–	1	2	1	3	4	–	1
184	Accidental traumatism by cutting or piercing instruments—Traumatismes accidentels par instruments tranchants ou piquants.	M.	15	–	1	–	1	–	–	–	1	1
		F.	1	–	–	1	–	–	–	–	–	–
185	Accidental traumatism by fall—Traumatismes accidentels par chute.	M.	515	6	8	5	2	1	11	17	22	25
		F.	343	5	3	3	1	4	7	4	3	2
186	Accidental traumatism in mines and quarries—Traumatismes accidentels par mines et carrières.	M.	161	–	–	–	–	–	–	–	8	14
		F.	1	–	–	–	–	–	–	–	–	–
	(a) Coal mines—Mines de charbon	M.	66	–	–	–	–	–	–	–	5	8
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other mines—Autres mines	M.	85	–	–	–	–	–	–	–	3	5
		F.	1	–	–	–	–	–	–	–	–	–
	(c) Quarries—Carrières	M.	10	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
187	Accidental traumatism by machines—Traumatismes accidentels par machines.	M.	188	–	–	–	2	3	3	10	16	19
		F.	4	–	–	–	–	–	1	1	–	1
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.)—Traumatismes accidentels par autres écrasements (voitures, railways, éboulements, etc.).	M.	1,650	6	9	12	28	22	88	61	110	150
		F.	352	6	4	5	15	10	45	18	15	28
	(a) Railroad accidents—Accidents par chemins de fer.	M.	363	2	3	–	1	1	3	7	17	39
		F.	42	1	–	2	–	–	2	3	1	6
	(b) Street car accidents—Accidents par tramways.	M.	41	–	–	–	–	–	2	1	1	1
		F.	12	1	–	–	–	–	–	–	–	2
	(c) Automobile accidents—Accidents par automobiles.	M.	808	3	4	8	21	12	71	43	64	66
		F.	274	2	4	3	13	9	39	13	13	17
	(d) Aeroplane and balloon accidents—Accidents par aéroplanes et ballons.	M.	13	–	–	–	–	–	–	–	3	1
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Injuries by other vehicles—Blessures par autres voitures.	M.	167	1	2	3	4	5	7	8	5	15
		F.	19	2	–	–	1	1	3	2	1	3
	(f) Other crushing—Autres écrasements.	M.	258	–	–	1	2	4	5	2	20	28
		F.	5	–	–	–	1	–	1	–	–	–
189	Injuries by animals (poisoning excepted)—Violences exercées par des animaux (empoisonnements exceptés).	M.	75	–	1	2	2	1	3	1	5	8
		F.	7	–	3	–	–	–	1	1	–	–
192	Starvation (deprivation of food or water)—Faim ou soif.	M.	3	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
193	Excessive cold—Froid excessif	M.	33	–	–	–	–	–	–	2	2	1
		F.	7	1	–	–	–	–	–	–	–	1
194	Excessive heat—Chaleur excessive	M.	26	4	–	–	–	–	1	–	1	1
		F.	4	2	–	–	–	–	–	–	–	–
195	Lightning—Foudre	M.	29	–	1	–	–	–	–	5	5	2
		F.	6	–	–	–	2	–	–	–	2	1
196	Other accidental electric shocks—Autres électrocutions accidentelles.	M.	60	–	–	–	–	–	1	3	4	11
		F.	5	–	–	–	–	–	–	–	–	–
197-199	**Homicides**	**M.**	**96**	**23**	**2**	**–**	**–**	**2**	**–**	**–**	**3**	**4**
		F.	**54**	**16**	**–**	**–**	**–**	**–**	**1**	**3**	**4**	**5**
197	Homicide by firearms—Homicide par armes à feu.	M.	30	–	–	–	–	–	–	–	3	3
		F.	14	–	–	–	–	–	–	–	1	2
198	Homicide by cutting or piercing instruments—Homicide par instruments tranchants ou piquants.	M.	8	–	–	–	–	1	–	–	–	–
		F.	6	–	–	–	–	–	–	1	–	–
199	Homicide by other means—Homicide par autres moyens.	M.	58	23	2	–	–	1	–	–	–	1
		F.	34	16	–	–	–	–	1	2	3	3
201	Fracture (cause not specified)—Fracture (cause non spécifiée).	M.	79	–	–	–	–	–	–	1	1	–
		F.	165	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

CANADA—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
1	2	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	180
–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	2	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	180b
–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	
2	5	3	4	8	9	2	7	1	1	6	3	–	1	–	–	–	181
–	1	3	1	–	1	2	–	1	2	–	2	1	1	–	–	–	
81	40	37	31	33	30	24	19	17	9	6	–	2	–	–	–	19	182
10	3	2	3	3	1	1	1	–	2	1	–	–	–	–	–	2	
15	7	10	5	4	10	5	2	4	1	–	2	–	–	–	–	2	183
2	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
–	2	3	–	1	1	–	–	1	2	–	–	1	–	–	–	–	184
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
22	25	35	35	44	32	27	30	35	42	32	22	24	8	3	1	1	185
8	4	4	6	7	7	13	20	27	39	53	55	44	20	4	–	–	
34	15	23	20	15	12	8	7	1	1	–	–	–	–	–	–	3	186
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
4	5	6	8	8	10	5	6	1	–	–	–	–	–	–	–	–	186a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
28	10	15	11	5	1	2	1	–	1	–	–	–	–	–	–	3	186b
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	2	1	2	1	1	–	–	–	–	–	–	–	–	–	–	186c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
26	16	16	9	13	19	15	10	8	2	–	1	–	–	–	–	–	187
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
154	114	138	147	132	93	96	88	62	54	39	22	9	1	–	–	15	188
21	13	12	18	20	23	17	17	21	27	7	5	4	1	–	–	–	
43	30	47	40	32	18	22	20	9	6	6	5	1	–	–	–	11	188a
3	2	–	1	4	1	3	3	5	3	–	2	–	–	–	–	–	
2	1	1	5	3	5	4	–	6	2	4	2	1	–	–	–	–	188b
1	–	–	–	–	–	–	3	2	1	1	–	–	1	–	–	–	
57	45	56	65	60	41	38	46	30	33	27	10	5	1	–	–	2	188c
16	11	12	16	16	18	14	11	14	22	6	3	2	–	–	–	–	
5	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	188d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
7	7	7	13	17	8	14	11	14	10	2	5	2	–	–	–	–	188e
–	–	–	1	–	3	–	–	–	1	–	–	1	–	–	–	–	
40	28	26	24	20	21	18	11	3	3	–	–	–	–	–	–	2	188f
1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	
7	2	1	6	9	7	6	3	4	3	2	2	–	–	–	–	–	189
–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	192
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
3	–	3	1	2	1	4	3	1	4	3	2	–	–	–	–	1	193
–	–	–	1	–	–	–	–	–	1	1	2	–	–	–	–	–	
1	1	–	1	–	4	2	2	3	1	2	1	1	–	–	–	–	194
–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	
2	–	3	1	–	3	2	1	2	–	–	–	–	–	1	–	1	195
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
13	7	8	6	4	1	1	1	–	–	–	–	–	–	–	–	–	196
–	3	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
8	12	13	5	5	4	4	2	4	2	–	–	–	1	–	–	2	197–199
4	7	6	3	1	2	1	–	–	1	–	–	–	–	–	–	–	
4	5	5	2	1	1	3	1	1	1	–	–	–	–	–	–	–	197
3	4	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	
1	1	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	198
1	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	
3	6	4	3	3	3	1	1	3	1	–	–	–	1	–	–	2	199
–	3	3	1	–	1	–	–	–	1	–	–	–	–	–	–	–	
1	1	1	1	–	–	–	2	1	13	15	17	16	7	1	1	–	201
–	–	–	–	–	1	–	2	2	22	32	57	23	25	1	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

CANADA—concluded

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XIV-con.—CLASSE XIV-fin											
202	Other external violence (cause specified)— Autres violences extérieures (cause spécifiée).	M.	180	12	6	6	1	1	8	8	7	14
		F.	29	1	5	6	1	1	3	1	–	–
203	External violence (cause not specified)— Violences extérieures (cause non spécifiée).	M.	5	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS XV—ILL-DEFINED DISEASES—CLASSE XV—MALADIES MAL DÉFINIES.	Total	1,151	152	65	16	12	7	21	14	16	13
		M.	721	85	30	13	2	5	12	7	7	5
		F.	430	67	35	3	10	2	9	7	9	8
204	Sudden death—Mort subite	M.	77	7	2	–	–	–	–	1	2	–
		F.	35	7	–	–	1	–	–	–	–	1
205	Cause of death not specified or ill-defined— Cause de décès non spécifiée ou mal définie.	M.	644	78	28	13	2	5	12	6	5	5
		F.	395	60	35	3	9	2	9	7	9	7
	(a) Ill-defined—Mal définie	M.	73	4	12	7	1	1	4	–	–	–
		F.	61	11	14	–	3	–	1	2	2	2
	(b) Not specified or unknown—Non spécifiée ou inconnue.	M.	161	74	15	5	1	4	5	6	3	4
		F.	120	48	16	3	6	1	8	3	5	3
	(c) Heart failure—Paralysie du cœur	M.	410	–	1	1	–	–	3	–	2	1
		F.	213	1	5	–	–	–	–	2	2	2
	(d) Syncope	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–

PRINCE EDWARD ISLAND

	DEATHS—ALL CAUSES—DÉCÈS—TOUTES CAUSES.	Total	952	92	12	6	7	3	18	14	26	36
		M.	495	50	7	1	2	2	7	11	18	8
		F.	457	42	5	5	5	1	11	3	8	28
	CLASS I—EPIDEMIC, ENDEMIC AND INFECTIOUS DISEASES—CLASSE I—AFFECTIONS ÉPIDÉMIQUES, ENDÉMIQUES ET INFECTIEUSES.	Total	149	6	5	1	5	3	11	6	9	18
		M.	71	4	3	–	1	2	4	5	4	3
		F.	78	2	2	1	4	1	7	1	5	15
1	Typhoid and paratyphoid fever—Fièvre typhoïde et paratyphoïde.	M.	5	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Typhoid fever—Fièvre typhoïde	M.	5	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Paratyphoid fever—Fièvre paratyphoïde.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
7	Measles—Rougeole	M.	–	–	–	–	–	–	–	–	–	–
		F.	4	1	–	–	–	–	2	–	1	–
8	Scarlet fever—Scarlatine	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	1	–	–	–	–
9	Whooping-cough—Coqueluche	M.	2	1	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
10	Diphtheria—Diphtérie	M.	2	–	–	–	–	–	1	1	–	–
		F.	4	–	–	–	3	–	1	–	–	–
11	Influenza—Grippe	M.	9	2	–	–	–	–	–	–	–	–
		F.	9	1	–	–	–	–	–	–	–	1
	(a) Sole cause—Cause unique	M.	3	1	–	–	–	–	–	–	–	–
		F.	2	1	–	–	–	–	–	–	–	–
	(b) With phthisis—Avec phtisie	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) With bronchitis—Avec bronchite	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) With pneumonia—Avec pneumonie	M.	4	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
	(e) With other respiratory diseases—Avec autres affections de l'appareil respiratoire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(f) With diseases and accidents of pregnancy and parturition—Avec affections et accidents de la grossesse.	F.	–	–	–	–	–	–	–	–	–	–
	(g) With other causes—Avec autres causes.	M.	2	1	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	1
21	Erysipelas—Érysipèle	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
23	Lethargic encephalitis—Encéphalite léthargique.	M.	2	–	–	–	–	–	–	2	–	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

CANADA—fin

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
18	18	11	7	16	9	9	7	8	4	7	–	–	–	1	–	2	202
1	–	2	–	1	–	1	–	1	1	1	1	2	–	–	–	–	
–	1	2	–	–	–	1	–	–	–	–	–	–	–	–	–	1	203
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
22	25	29	37	46	57	66	111	124	82	82	86	38	19	3	2	6	
18	16	14	26	33	46	44	79	88	58	49	50	19	8	1	1	5	
4	9	15	11	13	11	22	32	36	24	33	36	19	11	2	1	1	
2	1	3	3	7	10	6	12	9	3	4	4	1	–	–	–	–	204
1	1	1	2	2	–	3	2	4	4	3	3	–	–	–	–	–	
16	15	11	23	26	36	38	67	79	55	45	46	18	8	1	1	5	205
3	8	14	9	11	11	19	30	32	20	30	33	19	11	2	1	1	
3	1	3	4	6	3	4	7	8	3	–	2	–	–	–	–	–	205a
1	1	3	1	4	3	2	4	4	1	1	1	–	–	–	–	–	
3	5	2	2	3	3	5	5	10	1	1	–	1	–	–	–	3	205b
–	3	5	–	2	1	1	7	7	–	–	–	–	–	–	–	1	
10	9	6	17	17	30	29	55	61	51	44	44	17	8	1	1	2	205c
2	4	6	8	5	7	16	19	21	19	29	32	19	11	2	1	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	205d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

ÎLE DU PRINCE-ÉDOUARD

25	16	21	25	35	29	48	56	73	97	99	109	56	31	15	3	–	
13	8	9	10	18	22	22	32	44	55	54	57	29	10	6	–	–	
12	8	12	15	17	7	26	24	29	42	45	52	27	21	9	3	–	
10	6	4	8	10	5	6	6	7	9	9	4	1	–	–	–	–	
7	1	1	3	6	3	2	5	4	4	7	2	–	–	–	–	–	
3	5	3	5	4	2	4	1	3	5	2	2	1	–	–	–	–	
1	–	–	–	3	–	–	–	1	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	3	–	–	–	1	–	–	–	–	–	–	–	–	1a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	1	1	2	1	1	–	–	–	–	–	11
–	–	–	1	–	–	1	–	–	2	1	1	1	–	–	–	–	
–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	11a
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	11d
–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11f
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	11g
–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	21
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	23
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

PRINCE EDWARD ISLAND—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages									
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS I-con.—**CLASSE I**-fin											
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique.	M.	1	–	–	–	–	–	–	–	–	1
		F.	1	–	–	–	1	–	–	–	–	–
29	Tetanus—Tétanos	M.	2	–	–	–	–	–	1	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
31-37	**Tuberculosis—Tuberculose**	**M.**	**44**	**1**	**2**	–	–	**1**	**2**	**1**	**4**	**2**
		F.	**56**	–	**1**	**1**	–	–	**4**	**1**	**4**	**14**
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire.	M.	36	1	1	–	–	–	1	1	2	1
		F.	46	–	1	–	–	–	2	1	4	12
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central.	M.	3	–	1	–	–	1	1	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1
33	Tuberculosis of the intestines and peritoneum—Tuberculose des intestins et du péritoine.	M.	2	–	–	–	–	–	–	–	1	–
		F.	3	–	–	–	–	–	–	–	–	–
34	Tuberculosis of the vertebral column—Tuberculose de la colonne vertébrale.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
35	Tuberculosis of the joints—Tuberculose articulaire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	1	–	–	–
36	Tuberculosis of other organs—Tuberculose d'autres organes.	M.	1	–	–	–	–	–	–	–	–	–
		F.	3	–	–	1	–	–	1	–	–	1
	(a) Skin and sub-cutaneous cellular tissue—De la peau et du tissu cellulaire sous-cutané.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Bones (vertebral column excepted)—Des os (excepté la colonne vertébrale).	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–
	(c) Lymphatic system (mesenteric and retroperitoneal glands excepted)—Du système lymphatique (excepté les ganglions mésentériques et les ganglions rétropéritonéaux).	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	1	–	–	–	–	–	–
	(d) Genito-urinary system—Des organes génito-urinaires.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Organs other than above—Autres organes que ceux déjà mentionnés.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1
37	Disseminated tuberculosis—Tuberculose disséminée.	M.	2	–	–	–	–	–	–	–	1	1
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Acute—Aiguë	M.	1	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Chronic or unstated—Chronique ou non spécifiée.	M.	1	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
38	Syphilis	M.	1	–	–	–	–	1	–	–	–	–
		F.	1	–	1	–	–	–	–	–	–	–
41	Purulent infection, septicaemia—Infection purulente, septicémie.	M.	2	–	–	–	1	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	CLASS II—GENERAL DISEASES NOT INCLUDED IN CLASS I—CLASSE II—MALADIES GÉNÉRALES NON MENTIONNÉES DANS LA CLASSE I.	**Total**	**127**	**1**	**1**	**1**	–	–	**1**	**1**	**1**	**2**
		M.	**61**	–	**1**	**1**	–	–	**1**	–	**1**	–
		F.	**66**	**1**	–	–	–	–	–	**1**	–	**2**
43-49	**Cancer**	**M.**	**47**	–	–	**1**	–	–	–	–	–	–
		F.	**51**	–	–	–	–	–	–	–	–	–
43	Cancer of the buccal cavity—Cancer de la cavité buccale.	M.	5	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
44	Cancer of the stomach and liver—Cancer de l'estomac et du foie.	M.	17	–	–	–	–	–	–	–	–	–
		F.	27	–	–	–	–	–	–	–	–	–
45	Cancer of the peritoneum, intestines and rectum—Cancer du péritoine, des intestins et du rectum.	M.	13	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
46	Cancer of the female genital organs—Cancer des organes génitaux de la femme.	F.	7	–	–	–	–	–	–	–	–	–
47	Cancer of the breast—Cancer du sein	M.	–	–	–	–	–	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–
48	Cancer of the skin—Cancer de la peau	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
49	Cancer of other or unspecified organs—Cancer d'autres organes ou d'organes non spécifiés.	M.	11	–	–	1	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
	(a) Cancer of eye and ear—Cancer de l'œil et de l'oreille.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Cancer of circulatory system—Cancer de l'appareil circulatoire.	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

ÎLE DU PRINCE-ÉDOUARD—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
6	**1**	**1**	**3**	**3**	**3**	**1**	**4**	**2**	**2**	**4**	**1**	–	–	–	–	–	**31-37**
3	**5**	**3**	**4**	**3**	**2**	**3**	**1**	**3**	**2**	**1**	**1**	–	–	–	–	–	
6	1	1	3	3	2	1	4	2	2	3	1	–	–	–	–	–	31
3	5	3	4	1	1	3	1	2	1	1	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	33
–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	35
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	36
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	36c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	37
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	37a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	37b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	41
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
2	–	5	7	4	5	16	11	16	29	16	6	7	4	–	–	–	
–	–	3	3	1	3	4	5	12	9	9	2	4	2	–	–	–	
2	–	2	4	3	2	12	6	4	11	7	4	3	2	–	–	–	
–	–	2	1	1	1	3	4	12	9	6	2	4	1	–	–	–	**43-49**
1	–	2	2	3	2	10	5	4	7	7	4	2	2	–	–	–	
–	–	1	–	–	–	–	2	–	1	–	–	1	–	–	–	–	43
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	1	–	1	2	–	6	3	1	1	1	–	–	–	–	44
1	–	–	–	2	–	7	2	2	5	6	1	1	–	–	–	–	
–	–	–	–	1	–	1	–	2	4	4	–	1	–	–	–	–	45
–	–	–	–	–	–	1	–	1	2	–	1	–	–	–	–	–	
–	–	1	1	1	1	1	2	–	–	–	–	–	–	–	–	–	46
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	47
–	–	1	–	–	1	1	1	1	–	–	1	–	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	48
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	2	4	1	1	–	1	1	–	–	–	49
–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	49a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	49b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

PRINCE EDWARD ISLAND—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS II-con.—**CLASSE II**-fin											
49	(c) Cancer of respiratory system—Cancer de l'appareil respiratoire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Cancer of digestive system—Cancer de l'appareil digestif.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Cancer of genito-urinary system—Cancer de l'appareil génito-urinaire.	M.	7	–	–	1	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
	(f) Cancer of bones and joints—Cancer des os et des articulations.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(g) Cancer of other specified organs—Cancer des autres organes spécifiés.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(h) Generalized cancer—Cancer généralisé.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(i) Unspecified—Non spécifiés	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
51	Acute rheumatic fever—Rhumatisme articulaire aigu fébrile.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1
52	Chronic rheumatism, osteo-arthritis, gout—Rhumatisme chronique ou goutte.	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
56	Rickets—Rachitisme	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
57	Diabetes mellitus—Diabète	M.	5	–	–	–	–	–	1	–	1	–
		F.	7	–	–	–	–	–	–	1	–	–
58	Anaemia, chlorosis—Anémie, chlorose	M.	5	–	1	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
	(a) Pernicious anaemia—Anémie pernicieuse.	M.	4	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(b) Other anaemias and chlorosis—Autres anémies et chloroses.	M.	1	–	1	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
60	Diseases of the thyroid gland—Affections de la glande thyroïde.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	1
	(a) Exophthalmic goiter—Goître exophtalmique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other diseases of the thyroid gland—Autres affections de la glande thyroïde.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	1
65	Leukaemia, lymphadenoma—Leucémie, lymphadénie.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Leukaemia—Leucémie	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Lymphadenoma (Hodgkin's disease)—Lymphadénie (maladie d'Hodgkin).	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS III—DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE—CLASSE III—AFFECTIONS DU SYSTÈME NERVEUX ET DES ORGANES DES SENS.	Total	88	9	2	–	–	–	–	1	–	3
		M.	47	7	2	–	–	–	–	1	–	1
		F.	41	2	–	–	–	–	–	–	–	2
71	Meningitis—Méningite	M.	5	2	–	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Simple meningitis—Méningite simple.	M.	5	2	–	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non épidémique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
73	Other diseases of the spinal cord—Autres affections de la moëlle épinière.	M.	2	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
74	Cerebral haemorrhage, apoplexy—Hémorragie cérébrale, apoplexie.	M.	20	–	–	–	–	–	–	–	–	–
		F.	20	–	–	–	–	–	–	–	–	1
	(a) Apoplexy—Apoplexie	M.	12	–	–	–	–	–	–	–	–	–
		F.	9	–	–	–	–	–	–	–	–	–
	(b) Cerebral haemorrhage—Hémorragie cérébrale.	M.	6	–	–	–	–	–	–	–	–	–
		F.	10	–	–	–	–	–	–	–	–	1
	(c) Cerebral thrombosis and embolism—Thrombose et embolie cérébrales.	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
75	Paralysis without specified cause—Paralysie sans cause indiquée.	M.	9	–	–	–	–	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–
	(a) Hemiplegia—Hémiplégie	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Others under this title—Autres sous ce titre.	M.	8	–	–	–	–	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–
7	Other forms of mental alienation—Autres formes de l'aliénation mentale.	M.	1	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

ÎLE DU PRINCE-ÉDOUARD—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	49c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	49d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	2	1	1	–	–	1	–	–	–	49e
–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	49f
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	49g
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	49h
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	49i
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	51
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	52
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	56
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	57
–	–	–	–	–	–	1	–	–	4	–	–	1	–	–	–	–	
–	–	1	–	–	1	1	–	–	–	1	–	–	–	–	–	–	58
1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	1	1	–	–	–	1	–	–	–	–	–	–	58a
–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	58b
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	60
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	60a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	60b
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	65
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	65a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	65b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	**3**	**1**	**1**	**3**	**3**	**2**	**7**	**10**	**11**	**10**	**12**	**7**	**1**	**1**	–	–	
1	**3**	–	–	**2**	**2**	**1**	**3**	**4**	**7**	**4**	**6**	**3**	–	–	–	–	
–	–	**1**	**1**	**1**	**1**	**1**	**4**	**6**	**4**	**6**	**6**	**4**	**1**	**1**	–	–	
–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	73
–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	
–	–	–	–	2	1	–	3	2	4	2	4	2	–	–	–	–	74
–	–	–	–	1	1	–	3	2	4	3	3	2	–	–	–	–	
–	–	–	–	2	–	–	1	1	3	1	3	1	–	–	–	–	74a
–	–	–	–	–	–	–	2	1	2	3	1	–	–	–	–	–	
–	–	–	–	–	–	–	2	1	1	–	1	1	–	–	–	–	74b
–	–	–	–	–	1	–	1	1	2	–	2	2	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	74c
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	1	–	1	2	2	1	1	–	–	–	–	75
–	–	1	–	–	–	–	–	1	–	2	2	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	75a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	1	–	1	2	1	1	1	–	–	–	–	75b
–	–	1	–	–	–	–	–	1	–	2	2	1	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	77
–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

PRINCE EDWARD ISLAND—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS III-con.—CLASSE III-fin											
78	Epilepsy—Épilepsie	M.	4	–	1	–	–	–	–	–	–	1
		F.	2	–	–	–	–	–	–	–	–	1
80	Infantile convulsions (under 5 years of age) —Convulsions des enfants (moins de cinq ans).	M.	6	5	1	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
83	Softening of the brain—Ramollissement du cerveau.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
84	Other diseases of the nervous system—Autres affections du système nerveux.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	1	–	–	–	–	–	–	–	–
	(a) Diseases of the ear—Affections de l'oreille.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	1	–	–	–	–	–	–	–	–
	(b) Diseases of the mastoid process—Affections du sinus mastoïdien.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS IV—DISEASES OF THE CIRCULATORY SYSTEM—CLASSE IV—AFFECTIONS DE L'APPAREIL CIRCULATOIRE.	Total	155	–	–	–	–	–	1	–	–	1
		M.	94	–	–	–	–	–	–	–	–	1
		F.	61	–	–	–	–	–	1	–	–	–
87-90	**Diseases of the heart—Affections du cœur.**	M.	71	–	–	–	–	–	–	–	–	1
		F.	47	–	–	–	–	–	1	–	–	–
88	Endocarditis and myocarditis (acute)—Endocardite et myocardite (aiguës).	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(a) Acute endocarditis—Endocardite aiguë.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Acute myocarditis—Myocardite aiguë.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
89	Angina pectoris—Angine de poitrine	M.	5	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
90	Other diseases of the heart—Autres affections du cœur.	M.	65	–	–	–	–	–	–	–	–	1
		F.	44	–	–	–	–	–	1	–	–	–
	(a) Valvular disease—Affection valvulaire.	M.	12	–	–	–	–	–	–	–	–	1
		F.	11	–	–	–	–	–	–	–	–	–
	(b) Fatty degeneration of the heart—Dégénérescence ou stéanose du cœur.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Aortic insufficiency—Insuffisance aortique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Chronic endocarditis—Endocardite chronique.	M.	6	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(e) Chronic myocarditis—Myocardite chronique.	M.	38	–	–	–	–	–	–	–	–	–
		F.	20	–	–	–	–	–	–	–	–	–
	(f) Others under this title—Autres sous ce titre.	M.	8	–	–	–	–	–	–	–	–	–
		F.	11	–	–	–	–	–	1	–	–	–
91	Diseases of the arteries—Affections des artères.	M.	21	–	–	–	–	–	–	–	–	–
		F.	13	–	–	–	–	–	–	–	–	–
	(a) Aneurysm—Anévrisme	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Arteriosclerosis—Artério-sclérose	M.	20	–	–	–	–	–	–	–	–	–
		F.	13	–	–	–	–	–	–	–	–	–
	(c) Other diseases of the arteries—Autres affections des artères.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
92	Embolism and thrombosis (not cerebral)—Embolie et thrombose (non cérébrales).	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
93	Diseases of the veins (varices, haemorrhoids, phlebitis, etc.)—Affections des veines (varices, hémorroïdes, phlébite, etc.).	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS V—DISEASES OF THE RESPIRATORY SYSTEM—CLASSE V—AFFECTIONS DE L'APPAREIL RESPIRATOIRE.	Total	111	12	2	1	–	–	1	–	5	2
		M.	58	10	1	–	–	–	–	–	4	–
		F.	53	2	1	1	–	–	1	–	1	2
99	Bronchitis—Bronchite	M.	1	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
	(a) Acute—Aiguë	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Chronic—Chronique	M.	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

ÎLE DU PRINCE-ÉDOUARD—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	78
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	83
–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	84
–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	86
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	86a
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	86b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	**3**	**2**	**5**	**7**	**10**	**10**	**10**	**28**	**25**	**34**	**11**	**6**	**1**	**1**	–	
–	–	**3**	**1**	**2**	**7**	**6**	**6**	**5**	**20**	**14**	**20**	**7**	**2**	–	–	–	
–	–	–	**1**	**3**	–	**4**	**4**	**5**	**8**	**11**	**14**	**4**	**4**	**1**	**1**	–	
–	–	**3**	**1**	**2**	**6**	**6**	**3**	**3**	**17**	**10**	**11**	**6**	**2**	–	–	–	87-90
–	–	–	**1**	**3**	–	**4**	**2**	**5**	**6**	**6**	**12**	**2**	**4**	**1**	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	88
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	88a
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	88b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	1	1	1	1	–	–	–	–	–	–	89
–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	
–	–	2	1	2	6	5	2	2	16	9	11	6	2	–	–	–	90
–	–	–	1	3	–	4	1	4	5	6	12	2	4	1	–	–	
–	–	2	1	1	1	1	–	1	1	–	1	2	–	–	–	–	90a
–	–	–	–	1	–	2	1	2	1	2	2	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	90b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	90c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	1	–	1	2	1	–	–	–	–	–	90d
–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	1	3	4	–	1	12	5	7	3	2	–	–	–	90e
–	–	–	1	–	–	1	–	1	3	2	7	2	2	1	–	–	
–	–	–	–	–	1	–	1	–	1	2	2	1	–	–	–	–	90f
–	–	–	–	1	–	1	–	1	1	2	2	–	2	–	–	–	
–	–	–	–	–	1	–	3	2	3	3	8	1	–	–	–	–	91
–	–	–	–	–	–	–	2	–	2	5	2	2	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	91a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	3	2	3	3	7	1	–	–	–	–	91b
–	–	–	–	–	–	–	2	–	2	5	2	2	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	91c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	92
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	93
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	**2**	**1**	–	**5**	**3**	**4**	**7**	**10**	**15**	**16**	**16**	**2**	**2**	**3**	**1**	–	
–	**2**	–	–	**3**	**3**	**1**	**4**	**7**	**7**	**6**	**9**	–	–	**1**	–	–	
1	–	**1**	–	**2**	–	**3**	**3**	**3**	**8**	**10**	**7**	**2**	**2**	**2**	**1**	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	99
–	–	–	–	–	–	–	–	–	–	3	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	99a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	99b
–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

PRINCE EDWARD ISLAND—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS V—con.—CLASSE V—fin											
99	(c) Not otherwise defined, under 5 years of age—Sans épithète, au-dessous de cinq ans.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Not otherwise defined, 5 years or over—Sans épithète, cinq ans ou au-dessus.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
100	Bronchopneumonia (including capillary bronchitis)—Broncho-pneumonie (y compris bronchite capillaire).	M.	8	2	–	–	–	–	–	–	–	–
		F.	16	–	–	1	–	–	–	–	–	–
	(a) Bronchopneumonia — Broncho-pneumonie.	M.	8	2	–	–	–	–	–	–	–	–
		F.	15	–	–	1	–	–	–	–	–	–
	(b) Capillary bronchitis—Bronchite capillaire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
101	Pneumonia—Pneumonie	M.	45	8	1	–	–	–	–	–	4	–
		F.	31	2	1	–	–	–	1	–	1	2
	(a) Lobar—Lobaire	M.	20	1	–	–	–	–	–	–	3	–
		F.	7	–	–	–	–	–	–	–	–	–
	(b) Not otherwise defined—Sans épithète.	M.	25	7	1	–	–	–	–	–	1	–
		F.	24	2	1	–	–	–	1	–	1	2
102	Pleurisy—Pleurésie	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
103	Congestion and haemorrhagic infarct of the lung—Congestion et hémorragie parenchymateuse des poumons.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
105	Asthma—Asthme	M.	3	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
107	Other diseases of the respiratory system (tuberculosis excepted)—Autres affections de l'appareil respiratoire (tuberculose exceptée).	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Chronic interstitial pneumonia including occupational diseases of the lungs—Pneumonie interstitielle chronique comprenant les affections professionnelles de l'appareil pulmonaire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Diseases of the mediastinum—Affections du médiastin.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS VI—DISEASES OF THE DIGESTIVE SYSTEM—CLASSE VI—AFFECTIONS DE L'APPAREIL DIGESTIF.	Total	55	8	2	1	1	–	2	2	4	1
		M.	30	5	–	–	1	–	1	2	4	–
		F.	25	3	2	1	–	–	1	–	–	1
109	Diseases of the pharynx and tonsils (including adenoid vegetations)—Affections du pharynx et des amygdales (y compris les végétations adénoïdiennes).	M.	2	–	–	–	–	–	1	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(a) Adenoid vegetations—Végétations adénoïdiennes.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Pharynx and tonsils—Pharynx et amygdales.	M.	2	–	–	–	–	–	1	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
111	Ulcer of the stomach and duodenum—Ulcère de l'estomac et du duodénum.	M.	3	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(a) Ulcer of the stomach—Ulcère de l'estomac.	M.	3	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(b) Ulcer of the duodenum—Ulcère du duodénum.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
112	Other diseases of the stomach (cancer excepted)—Autres affections de l'estomac (cancer excepté).	M.	5	2	–	–	1	–	–	–	–	–
		F.	5	1	–	–	–	–	–	–	–	1
113	Diarrhoea and enteritis (under 2 years of age)—Diarrhée et entérite (au-dessous de 2 ans).	M.	3	3	–	–	–	–	–	–	–	–
		F.	3	2	1	–	–	–	–	–	–	–
114	Diarrhoea and enteritis (2 years or over)—Diarrhée et entérite (deux ans ou au-dessus).	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
117	Appendicitis and typhlitis—Appendicite et typhlite.	M.	8	–	–	–	–	–	–	2	3	–
		F.	2	–	–	–	–	–	1	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

ÎLE DU PRINCE-ÉDOUARD—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	99c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	99d
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	1	1	–	1	–	2	–	1	–	–	–	–	–	100
–	–	–	–	–	–	–	1	–	3	5	3	1	1	–	1	–	
–	–	–	–	1	1	–	1	–	2	–	1	–	–	–	–	–	100a
–	–	–	–	–	–	–	1	–	3	4	3	1	1	–	1	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	100b
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	2	–	–	2	2	1	2	7	4	5	6	–	–	1	–	–	101
1	–	1	–	2	–	3	2	2	5	2	3	–	1	2	–	–	
–	–	–	–	1	1	1	2	3	2	2	4	–	–	–	–	–	101a
–	–	1	–	2	–	1	1	–	1	1	–	–	–	–	–	–	
–	2	–	–	1	1	–	–	4	2	3	2	–	–	1	–	–	101b
1	–	–	–	–	–	2	1	2	4	1	3	–	1	2	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	102
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	103
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	105
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	107
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	107c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	1	2	1	2	2	5	6	1	3	3	4	1	1	–	–	
1	–	–	2	–	–	1	3	4	–	1	1	2	1	1	–	–	
1	–	1	–	1	2	1	2	2	1	2	2	2	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	109
–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	109a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	109b
–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	111
–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	111a
–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	111b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	112
1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	113
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	114
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	117
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

PRINCE EDWARD ISLAND—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VI-con.—CLASSE VI-fin											
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale.	M.	7	–	–	–	–	–	–	–	1	–
		F.	2	–	1	–	–	–	–	–	–	–
	(a) Hernia—Hernie	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Intestinal obstruction—Obstruction intestinale.	M.	6	–	–	–	–	–	–	–	1	–
		F.	2	–	1	–	–	–	–	–	–	–
119	Other diseases of the intestines—Autres affections des intestins.	M.	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
120	Acute yellow atrophy of the liver—Atrophie jaune aiguë du foie.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
123	Biliary calculi—Calculs biliaires	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
124	Other diseases of the liver—Autres affections du foie.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	1	–	–	–	–	–	–
126	Peritonitis without specified cause—Péritonite s ns cause indiquée.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS VII—NON-VENEREAL DISEASES OF THE GENITO-URINARY SYSTEM AND ANNEXA—CLASSE VII—AFFECTIONS NON VÉNÉRIENNES DE L'APPAREIL GÉNITO-URINAIRE ET DE SES ANNEXES.	Total	78	–	–	1	–	–	1	–	1	–
		M.	52	–	–	–	–	–	–	–	–	–
		F.	26	–	–	1	–	–	1	–	1	–
128	Acute nephritis (including unspecified, under 10 years of age)—Néphrite aiguë (y compris non spécifiée au-dessous de dix ans).	M.	–	–	–	–	–	–	–	–	–	–
		F.	4	–	–	1	–	–	1	–	–	–
129	Chronic nephritis (including unspecified, 10 years of age or over)—Néphrite chronique (y compris non spécifiée, dix ans ou au-dessus).	M.	41	–	–	–	–	–	–	–	–	–
		F.	18	–	–	–	–	–	–	–	–	–
131	Other diseases of the kidneys and annexa—Autres affections des reins et de leurs annexes.	M.	3	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	1	–
133	Diseases of the bladder—Affections de la vessie.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
135	Diseases of the prostate—Affections de la prostate.	M.	6	–	–	–	–	–	–	–	–	–
136	Non-venereal diseases of the male genital organs—Affections non vénériennes des organes génitaux de l'homme.	M.	1	–	–	–	–	–	–	–	–	–
137	Cysts and other benign tumours of the ovary—Kystes et autres tumeurs bénignes de l'ovaire.	F.	1	–	–	–	–	–	–	–	–	–
140	Non-puerperal uterine haemorrhage—Hémorragie utérine non puerpérale.	F.	1	–	–	–	–	–	–	–	–	–
141	Other diseases of the female genital organs—Autres affections des organes génitaux de la femme.	F.	1	–	–	–	–	–	–	–	–	–
	CLASS VIII—THE PUERPERAL STATE—CLASSE VIII—ÉTAT PUERPÉRAL.	Total	11	–	–	–	–	–	–	–	1	2
144	Puerperal haemorrhage—Hémorragie puerpérale.	F.	3	–	–	–	–	–	–	–	–	1
145	Other accidents of labour—Autres accidents de l'accouchement.	F.	1	–	–	–	–	–	–	–	–	–
	(a) Caesarean section—Opération césarienne.	F.	–	–	–	–	–	–	–	–	–	–
	(b) Difficult labour—Accouchement laborieux.	F.	–	–	–	–	–	–	–	–	–	–
	(c) Other surgical operations and instrumental delivery—Autres opérations chirurgicales et application d'instruments.	F.	–	–	–	–	–	–	–	–	–	–
	(d) Uncontrollable vomiting—Vomissements incontrôlables.	F.	1	–	–	–	–	–	–	–	–	–
	(e) Rupture of uterus in labour, etc.—Rupture de l'utérus durant l'accouchement, etc.	F.	–	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

ÎLE DU PRINCE-ÉDOUARD—suite

Âges																No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	–	–	–	1	1	1	–	1	–	–	1	1	–	–	118
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	118a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	1	1	–	1	–	–	–	1	–	–	118b
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	119
–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	120
–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	123
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	124
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	126
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	**1**	**1**	**3**	**3**	**2**	**4**	**7**	**11**	**11**	**10**	**14**	**5**	**2**	–	–	–	
–	–	–	**1**	**1**	**2**	**4**	**5**	**6**	**7**	**8**	**12**	**5**	**1**	–	–	–	
1	**1**	**1**	**2**	**2**	–	–	**2**	**5**	**4**	**2**	**2**	–	**1**	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	128
–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	1	2	3	5	6	6	6	9	2	–	–	–	–	129
–	–	1	–	2	–	–	2	5	3	2	2	–	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	131
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	133
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	3	2	–	–	–	–	135
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	136
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	137
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	140
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	141
3	**1**	**2**	**2**	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	144
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145c
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145e

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

PRINCE EDWARD ISLAND—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages									
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VIII-con.—**CLASSE VIII**-fin											
147	Puerperal phlegmasia alba dolens, puerperal embolism, sudden death in puerperium—Phlegmasia alba dolens, embolie, mort subite puerpérales.	F.	2	–	–	–	–	–	–	–	1	–
148	Puerperal albuminuria and convulsions—Albuminurie et éclampsie puerpérales.	F.	5	–	–	–	–	–	–	–	–	1
	CLASS IX—DISEASES OF THE SKIN AND OF THE CELLULAR TISSUE—CLASSE IX—AFFECTIONS DE LA PEAU ET DU TISSU CELLULAIRE.	Total	7	–	–	–	–	–	–	–	–	3
		M.	2	–	–	–	–	–	–	–	–	1
		F.	5	–	–	–	–	–	–	–	–	2
151	Gangrene—Gangrène	M.	1	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
152	Furuncle—Furoncle	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	2
153	Acute abscess—Phlegmon, abcès chaud	M.	1	–	–	–	–	–	–	–	–	1
		F.	1	–	–	–	–	–	–	–	–	–
	CLASS X—DISEASES OF THE BONES AND OF THE ORGANS OF LOCOMOTION—CLASSE X—AFFECTIONS DES OS ET DES ORGANES DE LA LOCOMOTION.	Total	3	–	–	–	–	–	–	1	–	1
		M.	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	1	–	1
155	Diseases of the bones (mastoid and tuberculosis excepted)—Affections des os (sinus mastoïdien et tuberculose exceptés).	M.	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	1	–	1
	CLASS XI—MALFORMATIONS—CLASSE XI—VICES DE CONFORMATION.	Total	8	8	–	–	–	–	–	–	–	–
		M.	3	3	–	–	–	–	–	–	–	–
		F.	5	5	–	–	–	–	–	–	–	–
159	Congenital malformations (stillbirths not included)—Vices de conformation congénitaux (mort-nés non compris).	M.	3	3	–	–	–	–	–	–	–	–
		F.	5	5	–	–	–	–	–	–	–	–
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur.	M.	1	1	–	–	–	–	–	–	–	–
		F.	5	5	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	2	2	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS XII—DISEASES OF EARLY INFANCY—CLASSE XII—AFFECTIONS DU PREMIER ÂGE.	Total	41	41	–	–	–	–	–	–	–	–
		M.	15	15	–	–	–	–	–	–	–	–
		F.	26	26	–	–	–	–	–	–	–	–
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème.	M.	4	4	–	–	–	–	–	–	–	–
		F.	6	6	–	–	–	–	–	–	–	–
161	Premature birth, injury at birth—Naissance prématurée, conséquence de l'accouchement.	M.	6	6	–	–	–	–	–	–	–	–
		F.	10	10	–	–	–	–	–	–	–	–
	(a) Premature birth—Naissance prématurée.	M.	3	3	–	–	–	–	–	–	–	–
		F.	8	8	–	–	–	–	–	–	–	–
	(b) Injury at birth—Conséquence de l'accouchement.	M.	3	3	–	–	–	–	–	–	–	–
		F.	2	2	–	–	–	–	–	–	–	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge.	M.	5	5	–	–	–	–	–	–	–	–
		F.	10	10	–	–	–	–	–	–	–	–
	(a) Specified diseases—Affections spécifiées.	M.	3	3	–	–	–	–	–	–	–	–
		F.	3	3	–	–	–	–	–	–	–	–
	(b) Unspecified causes under 3 months—Causes non spécifiées au-dessous de 3 mois.	M.	2	2	–	–	–	–	–	–	–	–
		F.	7	7	–	–	–	–	–	–	–	–
	CLASS XIII—OLD AGE—CLASSE XIII—VIEILLESSE.	Total	57	–	–	–	–	–	–	–	–	–
		M.	21	–	–	–	–	–	–	–	–	–
		F.	36	–	–	–	–	–	–	–	–	–
164	Senility—Sénilité	M.	21	–	–	–	–	–	–	–	–	–
		F.	36	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

ÎLE DU PRINCE-ÉDOUARD—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	147
2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	148
–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	1	–	
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	151
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	152
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	153
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	155
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	160
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	6	15	15	13	7	–	–	
–	–	–	–	–	–	–	–	–	–	2	5	7	4	3	–	–	
–	–	–	–	–	–	–	–	–	1	4	10	8	9	4	–	–	
–	–	–	–	–	–	–	–	–	–	2	5	7	4	3	–	–	164
–	–	–	–	–	–	–	–	–	1	4	10	8	9	4	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

PRINCE EDWARD ISLAND—concluded

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XIV—EXTERNAL CAUSES—CLASSE XIV—CAUSES EXTÉRIEURES.	**Total**	**36**	**1**	–	**1**	–	–	**1**	**2**	**5**	**3**
		M.	**26**	**1**	–	–	–	–	**1**	**2**	**5**	**2**
		F.	**10**	–	–	**1**	–	–	–	–	–	**1**
165-174	**Suicides**	**M.**	**4**	–	–	–	–	–	–	–	**1**	–
		F.	–	–	–	–	–	–	–	–	–	–
168	Suicide by hanging or strangulation—Suicide par pendaison ou strangulation.	M.	3	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
174	Other suicides—Autres suicides	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
177	Other acute accidental poisonings (gas excepted)—Autres empoisonnements accidentels aigus (par gaz exceptés).	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	1	–	–	–	–	–	–
178	Conflagration—Incendie	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
179	Accidental burns and scalds (conflagration excepted)—Brûlures accidentelles (autres que par l'incendie).	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
180	Accidental mechanical suffocation—Suffocation mécanique accidentelle.	M.	3	1	–	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Overlaying—Étouffé pendant le sommeil.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Asphyxia—Asphyxie	M.	3	1	–	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
182	Accidental drowning—Submersion accidentelle.	M.	8	–	–	–	–	–	1	1	1	2
		F.	2	–	–	–	–	–	–	–	–	1
185	Accidental traumatism by fall—Traumatismes accidentels par chute.	M.	4	–	–	–	–	–	–	–	1	–
		F.	2	–	–	–	–	–	–	–	–	–
187	Accidental traumatism by machines—Traumatismes accidentels par machines.	M.	1	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.)—Traumatismes accidentels par autres écrasements (voitures, railways, éboulements, etc.).	M.	3	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(a) Railroad accidents—Accidents par chemins de fer.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Street car accidents—Accidents par tramways.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Automobile accidents—Accidents par automobiles.	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Aeroplane and balloon accidents—Accidents par aéroplanes et ballons.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Injuries by other vehicles—Blessures par autres voitures.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(f) Other crushing—Autres écrasements.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
189	Injuries by animals (poisoning excepted)—Violences exercées par des animaux (empoisonnements exceptés).	M.	1	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
201	Fracture (cause not specified)—Fracture (cause non spécifiée).	M.	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
202	Other external violence (cause specified)—Autres violences extérieures (cause spécifiée).	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS XV—ILL-DEFINED DISEASES—CLASSE XV—MALADIES MAL DÉFINIES.	**Total**	**26**	**6**	–	–	**1**	–	–	**1**	–	–
		M.	**15**	**5**	–	–	–	–	–	**1**	–	–
		F.	**11**	**1**	–	–	**1**	–	–	–	–	–
204	Sudden death—Mort subite	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
205	Cause of death not specified or ill-defined—Cause de décès non spécifiée ou mal définie.	M.	13	5	–	–	–	–	–	1	–	–
		F.	11	1	–	–	1	–	–	–	–	–
	(a) Ill-defined—Mal définie	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Not specified or unknown—Non spécifiée ou inconnue.	M.	10	5	–	–	–	–	–	1	–	–
		F.	4	1	–	–	1	–	–	–	–	–
	(c) Heart failure—Paralysie du cœur	M.	3	–	–	–	–	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–
	(d) Syncope	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

ÎLE DU PRINCE-ÉDOUARD—fin

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
3	2	2	–	1	2	3	1	1	–	2	1	2	2	1	–	–	
2	1	2	–	1	2	3	1	–	–	2	–	–	–	1	–	–	
1	1	–	–	–	–	–	–	1	–	–	1	2	2	–	–	–	
																	165-
1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	174
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	168
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	174
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	177
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	178
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	179
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	182
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	185
–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	187
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	188
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	188a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	188b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	188c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	188d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	188e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	188f
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	189
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	201
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	202
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	1	1	–	3	–	1	1	2	1	2	4	–	–	–	–	–	
2	1	–	–	2	–	–	–	2	1	1	–	–	–	–	–	–	
–	–	1	–	1	–	1	1	–	–	1	4	–	–	–	–	–	
1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	204
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	–	–	1	–	–	–	2	1	1	–	–	–	–	–	–	205
–	–	1	–	1	–	1	1	–	–	1	4	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	205a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	205b
–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	205c
–	–	–	–	–	–	1	1	–	–	1	4	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	205d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

NOVA SCOTIA

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	DEATHS—ALL CAUSES—DÉCÈS—TOUTES CAUSES.	**Total**	**6,202**	**865**	**163**	**66**	**38**	**24**	**118**	**82**	**190**	**198**
		M.	**3,339**	**480**	**89**	**30**	**28**	**12**	**64**	**47**	**104**	**101**
		F.	**2,863**	**385**	**74**	**36**	**10**	**12**	**54**	**35**	**86**	**97**
	CLASS I—EPIDEMIC, ENDEMIC AND INFECTIOUS DISEASES —CLASSE I—AFFECTIONS ÉPIDÉMIQUES, ENDÉMIQUES ET INFECTIEUSES.	**Total**	**987**	**99**	**48**	**23**	**14**	**11**	**45**	**44**	**92**	**110**
		M.	**524**	**51**	**25**	**7**	**10**	**6**	**23**	**22**	**43**	**49**
		F.	**463**	**48**	**23**	**16**	**4**	**5**	**22**	**22**	**49**	**61**
1	Typhoid and paratyphoid fever—Fièvre typhoïde et paratyphoïde.	M.	17	–	–	–	–	–	1	2	4	–
		F.	10	–	–	–	–	–	1	–	2	1
	(a) Typhoid fever—Fièvre typhoïde.	M.	16	–	–	–	–	–	1	2	4	–
		F.	10	–	–	–	–	–	1	–	2	1
	(b) Paratyphoid fever—Fièvre paratyphoïde.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
7	Measles—Rougeole	M.	9	3	3	–	–	1	2	–	–	–
		F.	14	5	1	3	–	–	1	1	–	–
8	Scarlet fever—Scarlatine	M.	11	1	2	1	–	2	–	3	–	–
		F.	10	1	1	–	–	–	4	2	–	–
9	Whooping-cough—Coqueluche	M.	38	22	8	4	1	1	1	1	–	–
		F.	42	27	11	1	1	1	1	–	–	–
10	Diphtheria—Diphtérie	M.	10	–	–	–	1	–	6	3	–	–
		F.	15	–	1	1	1	2	5	3	2	–
11	Influenza—Grippe	M.	103	12	2	1	2	1	1	2	3	5
		F.	72	4	2	6	1	–	1	1	1	2
	(a) Sole cause—Cause unique	M.	32	6	1	1	1	–	–	–	2	–
		F.	19	1	–	2	1	–	–	–	–	1
	(b) With phthisis—Avec phtisie	M.	6	–	–	–	–	–	–	–	–	3
		F.	1	–	–	–	–	–	–	–	–	–
	(c) With bronchitis—Avec bronchite	M.	5	1	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	1	–	–	–
	(d) With pneumonia—Avec pneumonie.	M.	29	2	1	–	1	–	–	1	–	1
		F.	19	2	1	3	–	–	–	–	–	–
	(e) With other respiratory diseases—Avec autres affections de l'appareil respiratoire.	M.	5	1	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(f) With diseases and accidents of pregnancy and parturition—Avec affections et accidents de la grossesse.	F.	3	–	–	–	–	–	–	–	–	1
	(g) With other causes—Avec autres causes.	M.	26	2	–	–	–	1	1	1	1	1
		F.	24	1	1	1	–	–	–	1	1	–
21	Erysipelas—Érysipèle	M.	5	–	–	–	–	–	–	–	1	–
		F.	3	–	–	–	–	–	–	–	–	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë.	M.	1	–	–	–	–	–	–	–	–	1
		F.	1	–	1	–	–	–	–	–	–	–
23	Lethargic encephalitis—Encéphalite léthargique.	M.	1	–	–	–	1	–	–	–	–	–
		F.	2	–	–	–	–	–	1	–	–	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique.	M.	5	–	1	–	–	–	–	1	1	–
		F.	5	2	–	1	–	–	–	1	–	–
25	Other epidemic and endemic diseases—Autres affections épidémiques et endémiques.	M.	1	1	–	–	–	–	–	–	–	–
		F.	1	–	–	–	1	–	–	–	–	–
	(a) Chicken-pox—Varicelle	M.	1	1	–	–	–	–	–	–	–	–
		F.	1	–	–	–	1	–	–	–	–	–
	(b) German measles—Rubéole	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
29	Tetanus—Tétanos	M.	2	–	–	–	–	–	1	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
30	Mycoses	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
31-37	**Tuberculosis—Tuberculose**	**M.**	**297**	**6**	**7**	**1**	**5**	**1**	**10**	**10**	**34**	**43**
		F.	**274**	**6**	**4**	**4**	–	**2**	**8**	**14**	**43**	**57**
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire.	M.	248	1	2	1	–	–	2	9	29	38
		F.	230	3	1	2	–	–	2	5	40	52
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central.	M.	24	3	4	–	4	1	5	1	2	3
		F.	19	3	2	2	–	1	5	4	1	1
33	Tuberculosis of the intestines and peritoneum—Tuberculose des intestins et du péritoine.	M.	9	–	–	–	1	–	–	–	1	1
		F.	9	–	–	–	–	1	1	3	1	–
34	Tuberculosis of the vertebral column—Tuberculose de la colonne vertébrale.	M.	2	–	–	–	–	–	–	–	1	–
		F.	3	–	–	–	–	–	–	–	–	1

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

NOUVELLE-ÉCOSSE

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
151	**150**	**174**	**152**	**196**	**241**	**272**	**354**	**430**	**543**	**589**	**549**	**385**	**189**	**64**	**13**	**6**	
68	**81**	**92**	**84**	**112**	**140**	**155**	**196**	**275**	**307**	**322**	**265**	**175**	**81**	**20**	**6**	**5**	
83	**69**	**82**	**68**	**84**	**101**	**117**	**158**	**155**	**236**	**267**	**284**	**210**	**108**	**44**	**7**	**1**	
71	**65**	**51**	**45**	**37**	**30**	**41**	**21**	**35**	**23**	**22**	**30**	**20**	**8**	**1**	–	**1**	
31	**36**	**28**	**26**	**22**	**21**	**30**	**11**	**21**	**17**	**15**	**16**	**10**	**4**	–	–	–	
40	**29**	**23**	**19**	**15**	**9**	**11**	**10**	**14**	**6**	**7**	**14**	**10**	**4**	**1**	–	**1**	
1	1	–	2	–	–	5	–	–	1	–	–	–	–	–	–	–	1
–	–	2	1	2	–	1	–	–	–	–	–	–	–	–	–	–	
–	1	–	2	–	–	5	–	–	1	–	–	–	–	–	–	–	1a
–	–	2	1	2	–	1	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	–	6	3	3	5	3	4	5	6	11	13	8	4	–	–	–	11
3	2	–	–	2	2	4	4	9	1	4	11	8	3	1	–	–	
1	–	1	–	1	2	–	–	2	1	3	3	4	3	–	–	–	11a
–	–	–	–	–	–	–	1	2	1	2	2	4	2	–	–	–	
1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	11b
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	1	–	–	1	–	–	2	–	–	–	–	–	11c
–	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	
–	–	2	1	2	2	2	1	–	3	5	3	2	–	–	–	–	11d
–	2	–	–	–	1	2	1	2	–	2	2	1	–	–	–	–	
–	–	–	–	–	–	–	1	1	–	1	–	–	1	–	–	–	11e
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11f
1	–	3	1	–	–	1	1	1	2	2	5	2	–	–	–	–	11g
1	–	–	–	2	1	2	1	3	–	–	5	2	1	1	–	–	
–	–	–	–	–	–	1	–	1	–	1	1	–	–	–	–	–	21
–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	23
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	24
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	29
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	30
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
27	**35**	**18**	**19**	**17**	**14**	**17**	**7**	**13**	**7**	**3**	**1**	**2**	–	–	–	–	**31-37**
33	**26**	**21**	**16**	**8**	**7**	**4**	**3**	**5**	**4**	**3**	**3**	**2**	–	–	–	**1**	
26	33	17	16	15	13	14	7	13	7	3	1	1	–	–	–	–	31
32	25	20	15	6	5	3	2	5	4	3	3	2	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	32
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	1	1	1	2	–	–	–	–	–	–	–	–	–	–	33
–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34
–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

NOVA SCOTIA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages									
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS I-con.—**CLASSE I**-fin											
35	Tuberculosis of the joints—Tuberculose articulaire.	M.	2	–	–	–	–	–	1	–	–	1
		F.	3	–	–	–	–	–	–	–	–	1
36	Tuberculosis of other organs—Tuberculose d'autres organes.	M.	3	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	1	–	1
	(a) Skin and sub-cutaneous cellular tissue—De la peau et du tissu cellulaire sous-cutané.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Bones (vertebral column excepted) —Des os (excepté la colonne vertébrale).	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Lymphatic system (mesenteric and retroperitoneal glands excepted) —Du système lymphatique (excepté les ganglions mésentériques et les ganglions rétropéritonéaux).	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(d) Genito-urinary system—Des organes génito-urinaires.	M.	1	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	1	–	1
	(e) Organs other than above—Autres organes que ceux déjà mentionnés.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
37	Disseminated tuberculosis—Tuberculose disséminée.	M.	9	2	1	–	–	–	2	–	1	–
		F.	6	–	1	–	–	–	–	1	1	1
	(a) Acute—Aiguë	M.	6	2	–	–	–	–	1	–	1	–
		F.	1	–	–	–	–	–	–	1	–	–
	(b) Chronic or unstated—Chronique ou non spécifiée.	M.	3	–	1	–	–	–	1	–	–	–
		F.	5	–	1	–	–	–	–	–	1	1
38	Syphilis	M.	15	5	1	–	–	–	–	–	–	–
		F.	7	3	1	–	–	–	–	–	1	–
40	Gonococcus infection—Gonococcie	M.	1	1	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1
41	Purulent infection, septicaemia—Infection purulente, septicémie.	M.	7	–	1	–	–	–	1	–	–	–
		F.	5	–	1	–	–	–	–	–	–	–
	CLASS II—GENERAL DISEASES NOT INCLUDED IN CLASS I—CLASSE II—MALADIES GÉNÉRALES NON MENTIONNÉES DANS LA CLASSE I.	Total	751	8	5	4	2	–	11	4	12	6
		M.	374	5	2	2	1	–	4	2	9	6
		F.	377	3	3	2	1	–	7	2	3	–
43-49	**Cancer**	M.	280	–	–	–	1	–	1	–	2	1
		F.	291	–	1	–	–	–	1	–	1	–
43	Cancer of the buccal cavity—Cancer de la cavité buccale.	M.	24	–	–	–	–	–	–	–	–	–
		F.	6	–	–	–	–	–	–	–	–	–
44	Cancer of the stomach and liver—Cancer de l'estomac et du foie.	M.	132	–	–	–	–	–	–	–	–	1
		F.	95	–	1	–	–	–	–	–	–	–
45	Cancer of the peritoneum, intestines and rectum—Cancer du péritoine, des intestins et du rectum.	M.	42	–	–	–	–	–	–	–	–	–
		F.	55	–	–	–	–	–	–	–	–	–
46	Cancer of the female genital organs—Cancer des organes génitaux de la femme.	F.	49	–	–	–	–	–	–	–	–	–
47	Cancer of the breast—Cancer du sein	M.	1	–	–	–	–	–	–	–	–	–
		F.	40	–	–	–	–	–	–	–	–	–
48	Cancer of the skin—Cancer de la peau	M.	11	–	–	–	–	–	–	–	–	–
		F.	11	–	–	–	–	–	–	–	–	–
49	Cancer of other or unspecified organs—Cancer d'autres organes ou d'organes non spécifiés.	M.	70	–	–	–	1	–	1	–	2	–
		F.	35	–	–	–	–	–	1	–	1	–
	(a) Cancer of eye and ear—Cancer de l'œil et de l'oreille.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Cancer of circulatory system—Cancer de l'appareil circulatoire.	M.	3	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
	(c) Cancer of respiratory system—Cancer de l'appareil respiratoire.	M.	6	–	–	–	–	–	1	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(d) Cancer of digestive system—Cancer de l'appareil digestif.	M.	8	–	–	–	–	–	–	–	–	–
		F.	10	–	–	–	–	–	–	–	–	–
	(e) Cancer of genito-urinary system—Cancer de l'appareil génito-urinaire.	M.	37	–	–	–	–	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–
	(f) Cancer of bones and joints—Cancer des os et des articulations.	M.	3	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(g) Cancer of other specified organs—Cancer d'autres organes spécifiés.	M.	13	–	–	–	1	–	–	–	2	–
		F.	9	–	–	–	–	–	1	–	1	–
	(h) Generalized cancer—Cancer généralisé.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(i) Unspecified—Non spécifiés	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

NOUVELLE-ÉCOSSE—suite

Âges																		
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	35
–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–	36
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	36b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	36d
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	36e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	37
1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	37a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	37b
1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	2	2	1	1	2	–	–	1	–	–	–	–	–	–	–	38
–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	40
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	1	–	2	1	–	–	–	–	–	–	–	41
1	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	
10	**12**	**26**	**23**	**42**	**61**	**59**	**76**	**107**	**104**	**91**	**50**	**28**	**8**	**2**	–	–	
4	**8**	**9**	**11**	**19**	**27**	**24**	**36**	**65**	**53**	**46**	**23**	**13**	**5**	–	–	–	
6	**4**	**17**	**12**	**23**	**34**	**35**	**40**	**42**	**51**	**45**	**27**	**15**	**3**	**2**	–	–	
2	**3**	**6**	**8**	**12**	**21**	**18**	**32**	**56**	**41**	**39**	**21**	**11**	**5**	–	–	–	**43-49**
3	**3**	**12**	**11**	**20**	**28**	**27**	**25**	**39**	**44**	**39**	**23**	**12**	–	**2**	–	–	
–	–	–	–	3	1	1	1	4	3	6	2	1	2	–	–	–	43
–	–	–	–	–	1	–	1	–	2	1	–	–	–	1	–	–	
–	1	6	4	3	12	8	18	31	19	16	7	5	1	–	–	–	44
–	1	1	4	2	9	8	9	15	14	19	7	5	–	–	–	–	
–	1	–	1	1	2	7	5	7	9	7	1	–	1	–	–	–	45
1	–	4	–	2	3	4	4	7	16	8	3	3	–	–	–	–	
1	1	5	4	6	4	6	4	6	5	3	2	2	–	–	–	–	46
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	47
1	–	1	1	6	7	7	2	3	3	4	3	2	–	–	–	–	
–	–	–	–	–	–	–	–	4	1	3	1	2	–	–	–	–	48
–	–	–	–	1	–	1	–	1	1	2	4	–	–	1	–	–	
2	1	–	3	4	6	2	8	10	9	7	10	3	1	–	–	–	49
–	1	1	2	3	4	1	5	7	3	2	4	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	49a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	49b
–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	
–	1	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	49c
–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	3	–	1	2	2	–	–	–	–	–	–	–	49d
–	–	–	2	–	1	1	–	4	–	1	1	–	–	–	–	–	
–	–	–	2	2	1	–	6	4	5	6	8	2	1	–	–	–	49e
–	1	1	–	–	1	–	–	2	1	1	–	–	–	–	–	–	
1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	49f
–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	
1	–	–	1	1	1	1	1	2	1	–	1	–	–	–	–	–	49g
–	–	–	–	1	1	–	2	–	1	–	2	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	49h
–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	49i
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

NOVA SCOTIA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages									
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS II–con.—**CLASSE II**–fin											
50	Benign tumours and tumours not returned as malignant (tumours of female genital organs excepted)—Tumeurs bénignes et tumeurs non données comme malignes (tumeurs des organes génitaux de la femme exceptées).	M.	3	–	–	–	–	–	1	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
51	Acute rheumatic fever—Rhumatisme articulaire aigu fébrile.	M.	5	–	–	–	–	–	1	2	–	1
		F.	10	–	–	–	1	–	2	1	1	–
52	Chronic rheumatism, osteo-arthritis, gout —Rhumatisme chronique ou goutte.	M.	5	–	–	–	–	–	–	–	–	–
		F.	6	–	–	–	–	–	–	–	–	–
53	Scurvy—Scorbut	M.	1	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
56	Rickets—Rachitisme	M.	–	–	–	–	–	–	–	–	–	–
		F.	3	–	1	2	–	–	–	–	–	–
57	Diabetes mellitus—Diabète	M.	28	–	–	–	–	–	–	–	3	2
		F.	37	–	–	–	–	–	3	1	1	–
58	Anaemia, chlorosis—Anémie, chlorose	M.	15	–	1	1	–	–	1	–	–	1
		F.	9	–	–	–	–	–	–	–	–	–
	(a) Pernicious anaemia—Anémie pernicieuse.	M.	10	–	–	–	–	–	–	–	–	1
		F.	7	–	–	–	–	–	–	–	–	–
	(b) Other anaemias and chlorosis—Autres anémies et chloroses.	M.	5	–	1	1	–	–	1	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
59	Diseases of the pituitary gland—Affections du corps pituitaire.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
60	Diseases of the thyroid gland—Affections de la glande thyroïde.	M.	1	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
	(a) Exophthalmic goiter—Goître exophtalmique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Other diseases of the thyroid gland— Autres affections de la glande thyroïde.	M.	1	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
61	Diseases of the parathyroid glands—Affections des glandes parathyroïdes.	M.	2	1	–	–	–	–	–	–	1	–
		F.	1	1	–	–	–	–	–	–	–	–
62	Diseases of the thymus—Affections du thymus.	M.	2	1	–	1	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
63	Diseases of the adrenals (Addison's disease)—Affections des glandes surrénales (maladie d'Addison).	M.	2	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
64	Diseases of the spleen—Affections de la rate.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
65	Leukaemia, lymphadenoma—Leucémie, lymphadénie.	M.	2	–	1	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	1	–	–	–
	(a) Leukaemia—Leucémie	M.	2	–	1	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	1	–	–	–
	(b) Lymphadenoma (Hodgkin's disease) —Lymphadénie (maladie d'Hodgkin).	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
66	Alcoholism—Alcoolisme	M.	18	–	–	–	–	–	–	–	1	1
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Delirium tremens	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Acute alcoholism—Alcoolisme aigu.	M.	11	–	–	–	–	–	–	–	1	1
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Chronic alcoholism—Alcoolisme chronique.	M.	6	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
68	Chronic organic poisoning—Empoisonnements chroniques par substances organiques.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Chronic morphinism—Morphinisme chronique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Chronic cocainism, etc.—Cocaïnisme chronique, etc.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Other organic poisoning—Autres empoisonnements organiques.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
69	Other general diseases—Autres maladies générales.	M.	7	2	–	–	–	–	–	–	2	–
		F.	4	1	1	–	–	–	–	–	–	–
	(a) Diabetes insipidus—Diabète insipide.	M.	1	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Haemophilia—Hémophilie	M.	1	1	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(c) Purpura haemorrhagica—Purpura hémorragique.	M.	2	1	–	–	–	–	–	–	1	–
		F.	1	–	–	–	–	–	–	–	–	–
	(d) Others under this title—Autres sous ce titre.	M.	3	–	–	–	–	–	–	–	–	–
		F.	2	–	1	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

NOUVELLE-ÉCOSSE—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	50
–	–	1	–	1	–	–	1	–	–	1	1	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	51
–	–	–	–	–	1	–	3	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	1	1	–	1	1	–	–	–	–	52
–	–	–	–	–	–	1	–	–	–	2	–	1	2	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	53
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	56
–	–	1	–	–	1	2	3	4	7	4	–	1	–	–	–	–	57
1	1	2	–	2	3	5	7	3	3	2	2	–	1	–	–	–	
–	–	–	1	3	–	–	1	2	2	1	1	–	–	–	–	–	58
1	–	1	1	–	1	–	2	–	2	1	–	–	–	–	–	–	
–	–	–	1	2	–	–	1	1	2	1	1	–	–	–	–	–	58a
–	–	1	1	–	–	–	2	–	2	1	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	58b
1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	59
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	60
1	–	–	–	–	–	1	1	–	1	–	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	60a
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	60b
–	–	–	–	–	–	1	1	–	1	–	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	61
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	63
–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	64
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	65
–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	65a
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	65b
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
2	1	1	1	3	3	3	–	1	–	1	–	–	–	–	–	–	66
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	66a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	1	1	2	2	1	–	–	–	–	–	–	–	–	–	–	66b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	1	1	1	–	1	–	1	–	–	–	–	–	–	66c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	68
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	68a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	68b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	68c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	69
–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69c
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	69d
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

NOVA SCOTIA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS III—DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE—CLASSE III—AFFECTIONS DU SYSTÈME NERVEUX ET DES ORGANES DES SENS.	Total	619	73	25	6	3	–	10	3	9	6
		M.	327	49	11	2	2	–	6	3	6	2
		F.	292	24	14	4	1	–	4	–	3	4
70	Encephalitis—Encéphalite	M.	3	–	1	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
	(a) Abscess of brain—Abcès du cerveau.	M.	2	–	1	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(b) Encephalitis—Encéphalite	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
71	Meningitis—Méningite	M.	18	3	2	1	–	–	3	1	2	–
		F.	20	1	6	2	1	–	2	–	3	–
	(a) Simple meningitis—Méningite simple.	M.	17	3	2	1	–	–	3	1	2	–
		F.	20	1	6	2	1	–	2	–	3	–
	(b) Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non épidémique.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
72	Tabes dorsalis (locomotor ataxia)—Ataxie locomotrice progressive.	M.	7	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
73	Other diseases of the spinal cord—Autres affections de la moëlle épinière.	M.	20	–	–	–	–	–	–	–	1	–
		F.	11	–	–	–	–	–	1	–	–	1
74	Cerebral haemorrhage, apoplexy—Hémorragie cérébrale, apoplexie.	M.	125	–	–	–	–	–	–	–	–	–
		F.	140	–	–	–	–	–	–	–	–	–
	(a) Apoplexy—Apoplexie	M.	78	–	–	–	–	–	–	–	–	–
		F.	68	–	–	–	–	–	–	–	–	–
	(b) Cerebral haemorrhage—Hémorragie cérébrale.	M.	42	–	–	–	–	–	–	–	–	–
		F.	65	–	–	–	–	–	–	–	–	–
	(c) Cerebral thrombosis and embolism —Thrombose et embolie cérébrales.	M.	5	–	–	–	–	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–
75	Paralysis without specified cause—Paralysie sans cause indiquée.	M.	44	–	–	–	–	–	–	–	1	–
		F.	41	–	–	–	–	–	–	–	–	1
	(a) Hemiplegia—Hémiplégie	M.	3	–	–	–	–	–	–	–	–	–
		F.	6	–	–	–	–	–	–	–	1	–
	(b) Others under this title—Autres sous ce titre.	M.	41	–	–	–	–	–	–	–	1	–
		F.	35	–	–	–	–	–	–	–	–	1
76	General paralysis of the insane—Paralysie générale des aliénés.	M.	6	–	–	–	–	–	–	–	1	–
		F.	1	–	–	–	–	–	–	–	–	–
77	Other forms of mental alienation—Autres formes de l'aliénation mentale.	M.	10	–	–	–	–	–	–	–	–	–
		F.	19	–	–	–	–	–	–	–	–	1
78	Epilepsy—Épilepsie	M.	20	1	2	1	–	–	–	1	1	–
		F.	6	–	–	–	–	–	–	–	–	1
79	Convulsions (non-puerperal, 5 years or over) —Éclampsie (non puerpérale, cinq ans ou au-dessus).	M.	2	–	–	–	–	–	–	1	–	1
		F.	1	–	–	–	–	–	1	–	–	–
80	Infantile convulsions (under 5 years of age) —Convulsions des enfants (moins de cinq ans).	M.	51	43	6	–	2	–	–	–	–	–
		F.	31	23	7	1	–	–	–	–	–	–
81	Chorea—Chorée	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
82	Neuralgia and neuritis—Névralgie et névrite.	M.	3	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
83	Softening of the brain—Ramollissement du cerveau.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
84	Other diseases of the nervous system—Autres affections du système nerveux.	M.	13	1	–	–	–	–	–	–	–	1
		F.	10	–	–	–	–	–	–	–	–	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien.	M.	4	1	–	–	–	–	3	–	–	–
		F.	4	–	1	1	–	–	–	–	–	–
	(a) Diseases of the ear—Affections de l'oreille.	M.	2	1	–	–	–	–	1	–	–	–
		F.	2	–	1	1	–	–	–	–	–	–
	(b) Diseases of the mastoid process— Affections du sinus mastoïdien.	M.	2	–	–	–	–	–	2	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	CLASS IV—DISEASES OF THE CIRCULATORY SYSTEM — CLASSE IV—AFFECTIONS DE L'APPAREIL CIRCULATOIRE.	Total	1,028	–	2	–	1	1	3	3	8	8
		M.	578	–	1	–	1	–	2	–	3	5
		F.	450	–	1	–	–	1	1	3	5	3
87-90	**Diseases of the heart—Affections du cœur.**	M.	424	–	–	–	1	–	1	–	3	5
		F.	333	–	1	–	–	–	1	3	5	3
87	Pericarditis—Péricardite	M.	2	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

NOUVELLE-ÉCOSSE—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
11	**9**	**15**	**15**	**16**	**33**	**22**	**44**	**59**	**57**	**80**	**70**	**35**	**16**	**2**	–	–	
4	**6**	**10**	**6**	**9**	**18**	**11**	**21**	**34**	**30**	**44**	**35**	**12**	**6**	–	–	–	
7	**3**	**5**	**9**	**7**	**15**	**11**	**23**	**25**	**27**	**36**	**35**	**23**	**10**	**2**	–	–	
–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	70
2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	70a
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70b
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
1	1	–	1	–	–	1	–	1	–	–	–	–	1	–	–	–	71
–	–	1	2	–	–	1	1	–	–	–	–	–	–	–	–	–	
1	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	71a
–	–	1	2	–	–	1	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	71b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	2	–	1	1	1	1	–	–	–	–	–	–	72
–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	
1	2	4	1	–	1	–	1	4	1	3	1	–	–	–	–	–	73
1	–	1	–	1	1	1	1	1	–	2	–	–	–	–	–	–	
–	–	–	–	2	6	6	16	17	18	24	23	10	3	–	–	–	74
1	1	–	2	3	6	5	11	14	17	22	28	20	9	1	–	–	
–	–	–	–	1	3	2	11	11	13	15	14	7	1	–	–	–	74a
–	–	–	–	1	3	4	5	6	9	11	15	8	5	1	–	–	
–	–	–	–	1	3	4	3	5	5	9	8	3	1	–	–	–	74b
–	–	–	2	2	3	1	6	8	6	11	11	11	4	–	–	–	
–	–	–	–	–	–	–	2	1	–	–	1	–	1	–	–	–	74c
1	1	–	–	–	–	–	–	–	2	–	2	1	–	–	–	–	
–	1	–	2	1	1	1	1	8	7	9	8	2	2	–	–	–	75
–	–	–	–	1	1	3	4	6	7	7	7	2	1	1	–	–	
–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	75a
–	–	–	–	–	–	1	1	–	–	3	1	–	–	–	–	–	
–	1	–	2	1	1	1	1	8	6	7	8	2	2	–	–	–	75b
–	–	–	–	1	1	2	3	6	7	4	6	2	1	1	–	–	
1	–	1	–	1	1	–	–	–	1	–	–	–	–	–	–	–	76
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	2	–	1	1	–	1	1	1	2	1	–	–	–	–	–	77
2	–	1	4	1	3	1	2	2	2	–	–	–	–	–	–	–	
1	–	2	1	1	2	1	1	2	–	1	2	–	–	–	–	–	78
1	2	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	79
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	81
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	82
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	83
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	1	1	–	1	3	1	–	–	1	3	–	–	–	–	–	–	84
–	–	2	1	1	2	–	1	2	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	86
–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	86a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	86b
–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	
6	**5**	**17**	**18**	**34**	**43**	**58**	**102**	**103**	**178**	**181**	**142**	**74**	**28**	**10**	**2**	**1**	
–	**2**	**9**	**8**	**18**	**27**	**33**	**61**	**72**	**104**	**111**	**68**	**32**	**15**	**4**	**1**	**1**	
6	**3**	**8**	**10**	**16**	**16**	**25**	**41**	**31**	**74**	**70**	**74**	**42**	**13**	**6**	**1**	–	
–	**2**	**9**	**8**	**15**	**24**	**23**	**44**	**52**	**69**	**81**	**50**	**24**	**8**	**4**	–	**1**	**87-90**
6	**3**	**8**	**9**	**13**	**12**	**19**	**32**	**22**	**45**	**54**	**56**	**29**	**10**	**2**	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	87
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

NOVA SCOTIA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS IV-con.—CLASSE IV-fin											
88	Endocarditis and myocarditis (acute)— Endocardite et myocardite (aiguës).	M.	5	–	–	–	1	–	1	–	–	–
		F.	7	–	–	–	–	–	–	–	2	1
	(a) Acute endocarditis—Endocardite aiguë.	M.	4	–	–	–	1	–	1	–	–	–
		F.	4	–	–	–	–	–	–	–	1	1
	(b) Acute myocarditis—Myocardite aiguë.	M.	1	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	1	–
89	Angina pectoris—Angine de poitrine.....	M.	50	–	–	–	–	–	–	–	–	–
		F.	34	–	–	–	–	–	–	–	–	1
90	Other diseases of the heart—Autres affections du cœur.	M.	367	–	–	–	–	–	–	–	3	4
		F.	292	–	1	–	–	–	1	3	3	1
	(a) Valvular disease—Affection valvulaire.	M.	110	–	–	–	–	–	–	–	1	1
		F.	95	–	–	–	–	–	1	1	3	–
	(b) Fatty degeneration of the heart— Dégénérescence ou stéanose du cœur.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Aortic insufficiency—Insuffisance aortique.	M.	3	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(d) Chronic endocarditis — Endocardite chronique.	M.	36	–	–	–	–	–	–	–	–	1
		F.	22	–	–	–	–	–	–	–	–	–
	(e) Chronic myocarditis—Myocardite chronique.	M.	94	–	–	–	–	–	–	–	–	1
		F.	77	–	–	–	–	–	–	–	–	1
	(f) Others under this title—Autres sous ce titre.	M.	124	–	–	–	–	–	–	–	2	1
		F.	96	–	1	–	–	–	–	2	–	–
91	Diseases of the arteries—Affections des artères.	M.	148	–	–	–	–	–	–	–	–	–
		F.	113	–	–	–	–	–	–	–	–	–
	(a) Aneurysm—Anévrisme.....	M.	3	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Arteriosclerosis—Artério-sclérose....	M.	144	–	–	–	–	–	–	–	–	–
		F.	113	–	–	–	–	–	–	–	–	–
	(c) Other diseases of the arteries—Autres affections des artères.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
92	Embolism and thrombosis (not cerebral)— Embolie et thrombose (non cérébrales).	M.	1	–	–	–	–	–	1	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
93	Diseases of the veins (varices, haemorrhoids, phlebitis, etc.)—Affections des veines (varices, hémorroïdes, phlébite, etc.).	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
94	Diseases of the lymphatic system (lymphangitis, etc.)—Affections du système lymphatique (lymphangite, etc.).	M.	2	–	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
95	Haemorrhage without specified cause—Hémorragie sans cause déterminée.	M.	2	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	1	–	–	–	–
	CLASS V—DISEASES OF THE RESPIRATORY SYSTEM — CLASSE V—AFFECTIONS DE L'APPAREIL RESPIRATOIRE.	Total	602	133	43	16	5	3	8	7	9	10
		M.	323	75	23	8	4	1	6	4	6	5
		F.	279	58	20	8	1	2	2	3	3	5
97	Diseases of the nasal fossae and their annexa—Affections des fosses nasales et de leurs annexes.	M.	2	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
98	Diseases of the larynx—Affections du larynx.	M.	4	1	–	1	–	–	–	–	–	–
		F.	2	1	–	1	–	–	–	–	–	–
	(a) Laryngismus stridulus—Laryngite striduleuse.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Laryngitis—Laryngite.....	M.	2	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Croup.....	M.	1	–	–	1	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(d) Other diseases of the larynx—Autres affections du larynx.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	1	–	–	–	–	–	–
99	Bronchitis—Bronchite.....	M.	15	–	–	–	–	–	–	–	–	–
		F.	24	2	1	–	–	–	–	–	–	–
	(a) Acute—Aiguë.....	M.	2	–	–	–	–	–	–	–	–	–
		F.	8	1	1	–	–	–	–	–	–	–
	(b) Chronic—Chronique.....	M.	9	–	–	–	–	–	–	–	–	–
		F.	14	–	–	–	–	–	–	–	–	–
	(c) Not otherwise defined, under 5 years of age—Sans épithète, au-dessous de cinq ans.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(d) Not otherwise defined, 5 years or over—Sans épithète, cinq ans ou au-dessus.	M.	4	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
100	Bronchopneumonia (including capillary bronchitis) — Broncho-pneumonie (y compris bronchite capillaire).	M.	90	38	9	2	1	–	2	2	1	–
		F.	84	32	11	5	1	1	1	2	–	2

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

NOUVELLE-ÉCOSSE—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	88
–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	88a
–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	88b
–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	2	2	3	2	5	9	4	12	7	3	–	–	1	–	–	89
–	–	–	–	2	2	–	7	2	5	8	5	2	–	–	–	–	
–	2	7	6	10	21	18	35	48	57	73	47	24	8	3	–	1	90
6	3	6	8	10	10	19	25	20	40	46	51	27	10	2	–	–	
–	1	1	3	4	6	10	7	11	18	23	13	6	2	2	–	1	90a
5	2	3	3	5	1	6	6	6	8	15	16	12	1	1	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	90b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	90c
–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	
–	–	–	–	2	1	1	4	6	3	7	4	5	2	–	–	–	90d
–	–	–	1	1	–	3	4	1	6	3	2	1	–	–	–	–	
–	–	1	1	4	2	3	10	14	15	23	13	5	1	1	–	–	90e
1	–	1	–	2	3	2	4	6	12	14	18	8	5	–	–	–	
–	1	5	2	–	11	4	14	17	21	18	17	8	3	–	–	–	90f
–	1	2	4	2	6	8	10	7	13	14	15	6	4	1	–	–	
–	–	–	–	3	3	9	16	20	35	30	17	7	7	–	1	–	91
–	–	–	–	3	4	6	9	9	29	16	17	12	3	4	1	–	
–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	91a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	3	2	9	16	17	35	30	17	7	7	–	1	–	91b
–	–	–	–	3	4	6	9	9	29	16	17	12	3	4	1	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	91c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	92
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	93
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	94
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	95
–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	
5	**12**	**9**	**7**	**16**	**18**	**21**	**27**	**37**	**48**	**53**	**59**	**35**	**17**	**3**	**1**	–	
2	**6**	**5**	**6**	**9**	**10**	**15**	**20**	**21**	**29**	**22**	**26**	**13**	**4**	**2**	**1**	–	
3	**6**	**4**	**1**	**7**	**8**	**6**	**7**	**16**	**19**	**31**	**33**	**22**	**13**	**1**	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	97
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	98
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	98b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	3	2	3	3	2	–	1	–	–	99
–	–	–	–	–	–	1	–	–	1	6	7	4	2	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	99a
–	–	–	–	–	–	–	–	–	–	1	2	2	1	–	–	–	
–	–	–	–	–	1	–	–	2	1	2	1	1	–	1	–	–	99b
–	–	–	–	–	–	1	–	–	1	4	5	2	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	99c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	99d
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	2	–	–	2	1	3	3	5	3	3	6	3	3	–	1	–	100
–	1	–	–	2	1	–	2	3	5	1	6	2	5	1	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

NOVA SCOTIA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS V-con.—**CLASSE V**-fin											
100	(a) Bronchopneumonia — Broncho-pneumonie.	M.	89	38	9	2	1	–	1	2	1	–
		F.	78	29	11	4	1	1	1	2	–	2
	(b) Capillary bronchitis—Bronchite capillaire.	M.	1	–	–	–	–	–	1	–	–	–
		F.	6	3	–	1	–	–	–	–	–	–
101	Pneumonia—Pneumonie	M.	165	34	10	3	3	–	4	2	4	2
		F.	137	22	7	2	–	1	1	1	2	2
	(a) Lobar—Lobaire	M.	64	5	4	2	–	–	2	–	3	2
		F.	50	2	1	–	–	1	1	–	1	1
	(b) Not otherwise defined—Sans épithète.	M.	101	29	6	1	3	–	2	2	1	–
		F.	87	20	6	2	–	–	–	1	1	1
102	Pleurisy—Pleurésie	M.	12	1	1	1	–	1	–	–	1	–
		F.	5	–	–	–	–	–	–	–	–	1
103	Congestion and haemorrhagic infarct of the lung—Congestion et hémorragie parenchymateuse des poumons.	M.	12	1	1	1	–	–	–	–	–	–
		F.	17	1	1	–	–	–	–	–	–	–
105	Asthma—Asthme	M.	12	–	2	–	–	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–
107	Other diseases of the respiratory system (tuberculosis excepted)—Autres affections de l'appareil respiratoire (tuberculose exceptée).	M.	11	–	–	–	–	–	–	–	–	2
		F.	3	–	–	–	–	–	–	–	1	–
	(a) Chronic interstitial pneumonia including occupational diseases of the lungs—Pneumonie interstitielle chronique comprenant les affections professionnelles de l'appareil pulmonaire.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Diseases of the mediastinum—Affections du médiastin.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	10	–	–	–	–	–	–	–	–	2
		F.	2	–	–	–	–	–	–	–	1	–
	CLASS VI—DISEASES OF THE DIGESTIVE SYSTEM—CLASSE VI—AFFECTIONS DE L'APPAREIL DIGESTIF.	Total	351	62	19	10	6	5	14	7	19	15
		M.	199	37	12	7	4	3	7	6	12	10
		F.	161	25	7	3	2	2	7	1	7	5
108	Diseases of the mouth and annexa—Affections de la bouche et de ses annexes.	M.	4	–	–	–	–	–	–	–	–	2
		F.	4	–	–	–	–	–	–	–	1	–
109	Diseases of the pharynx and tonsils (including adenoid vegetations)—Affections du pharynx et des amygdales (y compris les végétations adénoïdiennes).	M.	10	1	1	1	–	–	–	1	–	–
		F.	8	–	1	–	–	1	2	–	1	–
	(a) Adenoid vegetations—Végétations adénoïdiennes.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–
	(b) Pharynx and tonsils—Pharynx et amygdales.	M.	10	1	1	1	–	–	–	1	–	–
		F.	7	–	1	–	–	–	2	–	1	–
111	Ulcer of the stomach and duodenum—Ulcère de l'estomac et du duodénum.	M.	5	–	–	–	–	–	–	–	–	–
		F.	9	–	–	–	–	–	–	–	–	–
	(a) Ulcer of the stomach—Ulcère de l'estomac.	M.	3	–	–	–	–	–	–	–	–	–
		F.	6	–	–	–	–	–	–	–	–	–
	(b) Ulcer of the duodenum—Ulcère du duodénum.	M.	2	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
112	Other diseases of the stomach (cancer excepted)—Autres affections de l'estomac (cancer excepté).	M.	24	6	1	1	–	–	2	1	1	–
		F.	21	4	1	–	–	–	–	–	–	–
113	Diarrhoea and enteritis (under 2 years of age)—Diarrhée et entérite (au-dessous de 2 ans).	M.	38	29	9	–	–	–	–	–	–	–
		F.	23	20	3	–	–	–	–	–	–	–
114	Diarrhoea and enteritis (2 years or over)—Diarrhée et entérite (deux ans ou au-dessus).	M.	11	–	–	2	2	2	–	–	–	1
		F.	22	–	–	3	1	–	1	1	–	–
116	Diseases due to other intestinal parasites—Affections dues à d'autres parasites intestinaux.	M.	1	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Cestodes (hydatids of the liver excepted)—Cestodes (non compris les hydatides du foie).	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Trematodes—Trématodes	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Nematodes (other than ankylostoma)—Nématodes (autres que ankylostomiase).	M.	1	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Coccidia—Coccidies	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

NOUVELLE-ÉCOSSE—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	2	–	–	2	1	3	3	5	3	3	6	3	3	–	1	–	100a
–	1	–	–	2	1	–	2	3	5	1	5	1	5	1	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	100b
–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	
–	2	3	3	7	5	8	11	10	18	13	16	7	–	–	–	–	101
3	4	2	1	4	4	5	3	9	12	19	16	13	4	–	–	–	
–	1	–	2	2	–	4	4	7	9	6	8	3	–	–	–	–	101a
–	3	–	1	2	3	4	2	8	5	4	8	3	–	–	–	–	
–	1	3	1	5	5	4	7	3	9	7	8	4	–	–	–	–	101b
3	1	2	–	2	1	1	1	1	7	15	8	10	4	–	–	–	
–	1	–	1	–	–	1	1	–	1	1	–	–	–	1	–	–	102
–	–	–	–	1	2	–	–	–	–	1	–	–	–	–	–	–	
–	1	–	–	–	–	1	3	–	2	–	–	1	1	–	–	–	103
–	1	1	–	–	–	–	–	2	1	3	2	3	2	–	–	–	
–	–	–	1	–	2	–	1	1	2	2	1	–	–	–	–	–	105
–	–	–	–	–	1	–	2	1	–	1	2	–	–	–	–	–	
–	–	2	1	–	1	2	1	2	–	–	–	–	–	–	–	–	107
–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	107a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107b
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	2	–	–	1	2	1	2	–	–	–	–	–	–	–	–	107c
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
9	**13**	**11**	**10**	**6**	**12**	**20**	**20**	**16**	**23**	**16**	**18**	**17**	**3**	–	–	–	
4	**6**	**6**	**8**	**3**	**7**	**11**	**9**	**8**	**10**	**5**	**6**	**8**	**1**	–	–	–	
5	**7**	**5**	**2**	**3**	**5**	**9**	**11**	**8**	**13**	**11**	**12**	**9**	**2**	–	–	–	
–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	108
–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	–	1	–	–	1	1	–	–	–	–	1	–	–	–	–	109
–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	109a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	–	1	–	–	1	1	–	–	–	–	1	–	–	–	–	109b
–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	
–	–	–	2	1	–	–	1	–	–	–	1	–	–	–	–	–	111
1	1	2	–	–	–	1	1	1	1	–	–	1	–	–	–	–	
–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	111a
1	–	1	–	–	–	–	1	1	1	–	–	1	–	–	–	–	
–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	111b
–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	1	1	1	2	–	–	–	3	–	2	1	1	–	–	–	112
1	1	–	–	1	–	1	–	1	3	2	4	2	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	113
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	114
–	–	–	1	–	–	1	1	1	3	4	3	–	2	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

NOVA SCOTIA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages									
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VI-con.—**CLASSE VI**-fin											
116	(e) Other parasites specified—Autres parasites spécifiés.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(f) Parasites not specified—Parasites non spécifiés.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
117	Appendicitis and typhlitis—Appendicite et typhlite.	M.	44	–	–	2	1	1	4	4	9	3
		F.	19	–	–	–	1	1	4	–	3	2
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale.	M.	25	1	1	–	–	–	1	–	–	2
		F.	13	1	1	–	–	–	–	–	–	–
	(a) Hernia—Hernie	M.	4	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
	(b) Intestinal obstruction—Obstruction intestinale.	M.	21	1	1	–	–	–	1	–	–	2
		F.	9	1	1	–	–	–	–	–	–	–
119	Other diseases of the intestines—Autres affections des intestins.	M.	3	–	–	–	–	–	–	–	–	1
		F.	10	–	1	–	–	–	–	–	–	1
120	Acute yellow atrophy of the liver—Atrophie jaune aiguë du foie.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
122	Cirrhosis of the liver—Cirrhose du foie...	M.	6	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	1	1
	(a) Specified as alcoholic—Spécifiée comme alcoolique.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Not specified as alcoholic—Non spécifiée comme alcoolique.	M.	5	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	1	1
123	Biliary calculi—Calculs biliaires.....	M.	2	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
124	Other diseases of the liver—Autres affections du foie.	M.	10	–	–	1	1	–	–	–	–	–
		F.	19	–	–	–	–	–	–	–	–	–
125	Diseases of the pancreas—Affections du pancréas.	M.	2	–	–	–	–	–	–	–	1	–
		F.	1	–	–	–	–	–	–	–	–	–
126	Peritonitis without specified cause—Péritonite sans cause indiquée.	M.	5	–	–	–	–	–	–	–	1	–
		F.	3	–	–	–	–	–	–	–	1	1
	CLASS VII—NON-VENEREAL DISEASES OF THE GENITO-URINARY SYSTEM AND ANNEXA —CLASSE VII—AFFECTIONS NON VÉNÉRIENNES DE L'APPAREIL GÉNITO-URINAIRE ET DE SES ANNEXES.	Total	434	4	2	–	–	–	2	–	7	6
		M.	271	2	2	–	–	–	1	–	2	3
		F.	163	2	–	–	–	–	1	–	5	3
128	Acute nephritis (including unspecified, under 10 years of age)—Néphrite aiguë (y compris non spécifiée, au-dessous de dix ans).	M.	15	1	1	–	–	–	1	–	1	1
		F.	9	1	–	–	–	–	–	–	2	1
129	Chronic nephritis (including unspecified, 10 years of age or over)—Néphrite chronique (y compris non spécifiée, dix ans ou au-dessus).	M.	179	–	–	–	–	–	–	–	1	2
		F.	120	–	–	–	–	–	1	–	1	–
131	Other diseases of the kidneys and annexa—Autres affections des reins et de leurs annexes.	M.	22	–	1	–	–	–	–	–	–	–
		F.	14	1	–	–	–	–	–	–	1	–
132	Calculi of the urinary passages—Calculs des voies urinaires.	M.	3	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
133	Diseases of the bladder—Affections de la vessie.	M.	12	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
134	Diseases of the urethra, urinary abscess, etc.—Affections de l'urètre, abcès urineux, etc.	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Stricture of the urethra—Rétrécissement de l'urètre.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other diseases of the urethra—Autres affections de l'urètre.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
135	Diseases of the prostate—Affections de la prostate.	M.	36	–	–	–	–	–	–	–	–	–
136	Non-venereal diseases of the male genital organs—Affections non vénériennes des organes génitaux de l'homme.	M.	2	1	–	–	–	–	–	–	–	–
137	Cysts and other benign tumours of the ovary—Kystes et autres tumeurs bénignes de l'ovaire.	F.	3	–	–	–	–	–	–	–	–	–
138	Salpingitis and pelvic abscess—Salpingite et abcès du bassin.	F.	3	–	–	–	–	–	–	–	–	2
139	Benign tumours of the uterus—Tumeurs bénignes de l'utérus.	F.	6	–	–	–	–	–	–	–	1	–
141	Other diseases of the female genital organs —Autres affections des organes génitaux de la femme.	F.	5	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

NOUVELLE-ÉCOSSE—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116f
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	4	2	1	–	2	5	1	2	–	–	1	–	–	–	–	–	117
2	2	–	1	1	–	1	–	–	1	–	–	–	–	–	–	–	
1	–	2	1	–	–	2	4	2	2	2	2	2	–	–	–	–	118
–	–	–	–	–	–	1	3	–	2	1	2	2	–	–	–	–	
–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	118a
–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	
1	–	2	1	–	–	1	4	1	1	1	2	2	–	–	–	–	118b
–	–	–	–	–	–	–	2	–	–	1	2	2	–	–	–	–	
–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	119
–	–	–	–	–	–	–	–	1	2	2	–	3	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	120
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	2	2	1	–	1	–	–	–	–	–	–	–	122
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	122a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	2	1	–	1	–	–	–	–	–	–	–	122b
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	123
1	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	
–	–	–	1	1	–	–	–	1	1	2	–	2	–	–	–	–	124
–	2	–	–	–	2	3	4	2	1	1	3	1	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	125
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	126
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
6	**8**	**11**	**15**	**18**	**21**	**30**	**47**	**50**	**57**	**55**	**49**	**26**	**11**	**5**	**2**	**2**	
3	**4**	**5**	**8**	**11**	**12**	**15**	**28**	**35**	**35**	**38**	**37**	**18**	**7**	**3**	–	**2**	
3	**4**	**6**	**7**	**7**	**9**	**15**	**19**	**15**	**22**	**17**	**12**	**8**	**4**	**2**	**2**	–	
1	1	–	1	2	–	1	1	2	1	–	–	–	–	–	–	–	128
–	–	2	–	–	1	–	–	1	–	1	–	–	–	–	–	–	
2	3	4	5	9	11	10	19	22	26	25	23	10	4	2	–	1	129
1	1	4	5	6	5	14	17	10	20	13	11	7	2	1	1	–	
–	–	–	1	–	–	2	1	5	3	3	4	2	–	–	–	–	131
–	–	–	–	–	3	–	1	–	1	2	1	1	2	–	1	–	
–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	132
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	3	–	1	3	2	1	1	–	–	–	133
1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	
–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	134
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	134a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	134b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	3	5	4	7	8	4	2	1	–	1	135
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	136
–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	137
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	138
–	1	–	–	1	–	–	–	2	1	–	–	–	–	–	–	–	139
1	1	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	141

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

NOVA SCOTIA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VIII—THE PUERPERAL STATE—CLASSE VIII—ÉTAT PUERPÉRAL.	Total	57	–	–	–	–	–	–	–	6	11
143	Accidents of pregnancy—Accidents de la grossesse.	F.	3	–	–	–	–	–	–	–	–	–
	(a) Abortion—Avortement	F.	1	–	–	–	–	–	–	–	–	–
	(b) Ectopic gestation—Gestation ectopique.	F.	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	F.	2	–	–	–	–	–	–	–	–	–
	(d) Abortion, self-induced—Avortement provoqué par soi-même.	F.	–	–	–	–	–	–	–	–	–	–
144	Puerperal haemorrhage—Hémorragie puerpérale.	F.	4	–	–	–	–	–	–	–	1	–
145	Other accidents of labour—Autres accidents de l'accouchement.	F.	7	–	–	–	–	–	–	–	–	1
	(a) Caesarean section—Opération césarienne.	F.	1	–	–	–	–	–	–	–	–	–
	(b) Difficult labour—Accouchement laborieux.	F.	–	–	–	–	–	–	–	–	–	–
	(c) Other surgical operations and instrumental delivery—Autres opérations chirurgicales et application d'instruments.	F.	5	–	–	–	–	–	–	–	–	1
	(d) Uncontrollable vomiting—Vomissements incontrôlables.	F.	1	–	–	–	–	–	–	–	–	–
	(e) Rupture of uterus in labour, etc.— Rupture de l'utérus durant l'accouchement, et c.	F.	–	–	–	–	–	–	–	–	–	–
146	Puerperal septicaemia—Septicémie puerpérale.	F.	11	–	–	–	–	–	–	–	1	3
147	Puerperal phlegmasia alba dolens, puerperal embolism, sudden death in puerperium—Phlegmasia alba dolens, embolie, mort subite puerpérales.	F.	5	–	–	–	–	–	–	–	1	–
148	Puerperal albuminuria and convulsions—Albuminurie et éclampsie puerpérales.	F.	25	–	–	–	–	–	–	–	3	7
149	Following childbirth (not otherwise defined)—Suites de couches (sans autres explications).	F.	2	–	–	–	–	–	–	–	–	–
	CLASS IX—DISEASES OF THE SKIN AND OF THE CELLULAR TISSUE—CLASSE IX—AFFECTIONS DE LA PEAU ET DU TISSU CELLULAIRE.	Total	35	4	2	–	–	–	–	–	–	1
		M.	21	3	1	–	–	–	–	–	–	1
		F.	14	1	1	–	–	–	–	–	–	–
151	Gangrene—Gangrène	M.	10	–	–	–	–	–	–	–	–	–
		F.	9	–	–	–	–	–	–	–	–	–
152	Furuncle—Furoncle	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	M.	5	1	–	–	–	–	–	–	–	1
		F.	2	–	–	–	–	–	–	–	–	–
154	Other diseases of the skin and annexa—Autres affections de la peau et de ses annexes.	M.	5	2	1	–	–	–	–	–	–	–
		F.	3	1	1	–	–	–	–	–	–	–
	CLASS X—DISEASES OF THE BONES AND OF THE ORGANS OF LOCOMOTION—CLASSE X—AFFECTIONS DES OS ET DES ORGANES DE LA LOCOMOTION.	Total	13	–	–	–	2	–	2	–	–	2
		M.	10	–	–	–	2	–	1	–	–	2
		F.	3	–	–	–	–	–	1	–	–	–
155	Diseases of the bones (mastoid and tuberculosis excepted)—Affections des os (sinus mastoïdien et tuberculose exceptés).	M.	8	–	–	–	2	–	1	–	–	1
		F.	2	–	–	–	–	–	1	–	–	–
156	Diseases of the joints (tuberculosis and rheumatism excepted)—Affections articulaires (tuberculose et rhumatisme exceptés).	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
157	Amputations	M.	1	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

NOUVELLE-ÉCOSSE—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
12	9	9	6	4	–	–	–	–	–	–	–	–	–	–	–	–	
3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143b
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143d
1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	144
1	–	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	145
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	145a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145b
1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	145c
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145e
4	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	146
–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	147
3	6	3	1	2	–	–	–	–	–	–	–	–	–	–	–	–	148
–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	149
–	–	1	–	2	1	1	2	2	4	7	3	4	1	–	–	–	
–	–	–	–	2	1	1	–	2	3	4	1	1	1	–	–	–	
–	–	1	–	–	–	–	2	–	1	3	2	3	–	–	–	–	
–	–	–	–	–	–	–	–	2	2	3	1	1	1	–	–	–	151
–	–	–	–	–	–	–	1	–	1	3	1	3	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	152
–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	153
–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	154
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	1	1	–	–	1	–	–	3	–	–	–	–	
1	–	–	–	–	1	1	–	–	–	–	–	2	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	
1	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	155
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	156
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	157
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

NOVA SCOTIA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XI—MALFORMATIONS— CLASSE XI—VICES DE CONFORMATION.	**Total**	**70**	**63**	**3**	–	–	–	**1**	–	–	**1**
		M.	**38**	**36**	**2**	–	–	–	–	–	–	–
		F.	**32**	**27**	**1**	–	–	–	**1**	–	–	**1**
159	Congenital malformations (stillbirths not included)—Vices de conformation congénitaux (mort-nés non compris).	M.	38	36	2	–	–	–	–	–	–	–
		F.	32	27	1	–	–	–	1	–	–	1
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale.	M.	1	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur.	M.	24	22	2	–	–	–	–	–	–	–
		F.	15	13	–	–	–	–	–	–	–	1
	(c) Others under this title—Autres sous ce titre.	M.	13	13	–	–	–	–	–	–	–	–
		F.	17	14	1	–	–	–	1	–	–	–
	CLASS XII—DISEASES OF EARLY INFANCY—CLASSE XII—AFFECTIONS DU PREMIER ÂGE.	**Total**	**396**	**396**	–	–	–	–	–	–	–	–
		M.	**212**	**212**	–	–	–	–	–	–	–	–
		F.	**184**	**184**	–	–	–	–	–	–	–	–
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème.	M.	87	87	–	–	–	–	–	–	–	–
		F.	57	57	–	–	–	–	–	–	–	–
161	Premature birth, injury at birth—Naissance prématurée, conséquence de l'accouchement.	M.	99	99	–	–	–	–	–	–	–	–
		F.	110	110	–	–	–	–	–	–	–	–
	(a) Premature birth—Naissance prématurée.	M.	87	87	–	–	–	–	–	–	–	–
		F.	100	100	–	–	–	–	–	–	–	–
	(b) Injury at birth—Conséquence de l'accouchement.	M.	12	12	–	–	–	–	–	–	–	–
		F.	10	10	–	–	–	–	–	–	–	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge.	M.	26	26	–	–	–	–	–	–	–	–
		F.	17	17	–	–	–	–	–	–	–	–
	(a) Specified diseases—Affections spécifiées.	M.	25	25	–	–	–	–	–	–	–	–
		F.	11	11	–	–	–	–	–	–	–	–
	(b) Unspecified causes under 3 months—Causes non spécifiées au-dessous de 3 mois.	M.	1	1	–	–	–	–	–	–	–	–
		F.	6	6	–	–	–	–	–	–	–	–
	CLASS XIII—OLD AGE—CLASSE XIII—VIEILLESSE.	**Total**	**470**	–	–	–	–	–	–	–	–	–
		M.	**206**	–	–	–	–	–	–	–	–	–
		F.	**264**	–	–	–	–	–	–	–	–	–
164	Senility—Sénilité	M.	206	–	–	–	–	–	–	–	–	–
		F.	264	–	–	–	–	–	–	–	–	–
	CLASS XIV—EXTERNAL CAUSES—CLASSE XIV—CAUSES EXTÉRIEURES.	**Total**	**335**	**14**	**9**	**5**	**5**	**4**	**22**	**14**	**28**	**22**
		M.	**238**	**5**	**6**	**2**	**4**	**2**	**14**	**10**	**23**	**18**
		F.	**97**	**9**	**3**	**3**	**1**	**2**	**8**	**4**	**5**	**4**
165-174	**Suicides**	**M.**	**16**	–	–	–	–	–	–	–	–	–
		F.	**5**	–	–	–	–	–	–	–	–	–
165	Suicide by solid or liquid poisons (corrosive substances excepted)—Suicide par ingestion de poisons solides ou liquides (substances corrosives exceptées).	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
166	Suicide by corrosive substances—Absorption volontaire de substances corrosives.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
168	Suicide by hanging or strangulation—Suicide par pendaison ou strangulation.	M.	4	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
169	Suicide by drowning—Suicide par submersion.	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
170	Suicide by firearms—Suicide par armes à feu.	M.	5	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
171	Suicide by cutting or piercing instruments—Suicide par instruments tranchants ou piquants.	M.	5	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
175	Poisoning by food—Empoisonnement par aliments.	M.	2	–	–	–	–	–	1	–	1	–
		F.	1	–	–	–	–	–	1	–	–	–
176	Poisoning by venomous animals—Attaques d'animaux venimeux.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
177	Other acute accidental poisonings (gas excepted) — Autres empoisonnements accidentels aigus (par gaz exceptés).	M.	5	–	1	–	–	–	1	–	1	–
		F.	1	–	–	1	–	–	–	–	–	–
178	Conflagration—Incendie	M.	2	–	–	–	–	–	–	–	–	–
		F.	9	–	–	–	–	–	1	1	2	1

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

NOUVELLE-ÉCOSSE—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159
1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159b
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159c
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	160
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	1	8	31	64	98	128	92	38	8	1	
–	–	–	–	–	–	–	–	5	17	24	44	63	37	11	4	1	
–	–	–	–	–	–	1	1	3	14	40	54	65	55	27	4	–	
–	–	–	–	–	–	–	–	5	17	24	44	63	37	11	4	1	164
–	–	–	–	–	–	1	1	3	14	40	54	65	55	27	4	–	
19	16	24	12	19	19	15	11	12	12	14	22	11	3	2	–	1	
19	13	20	10	18	16	12	10	11	6	9	6	3	–	–	–	1	
–	3	4	2	1	3	3	1	1	6	5	16	8	3	2	–	–	
2	–	2	2	2	1	1	1	–	2	2	1	–	–	–	–	–	165–174
–	1	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	165
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	166
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	168
–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	169
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	170
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	1	–	–	–	–	1	1	1	–	–	–	–	–	171
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	175
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	176
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	177
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	178
–	–	–	1	–	–	–	–	–	2	1	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

NOVA SCOTIA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XIV-con.—**CLASSE XIV**-fin											
179	Accidental burns and scalds (conflagration excepted)—Brûlures accidentelles (autres que par l'incendie).	M.	15	3	3	1	2	–	1	–	–	–
		F.	15	2	1	2	1	1	1	–	–	1
180	Accidental mechanical suffocation—Suffocation mécanique accidentelle.	M.	2	2	–	–	–	–	–	–	–	–
		F.	5	5	–	–	–	–	–	–	–	–
	(a) Overlaying—Étouffé pendant le sommeil.	M.	1	1	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(b) Asphyxia—Asphyxie	M.	1	1	–	–	–	–	–	–	–	–
		F.	4	4	–	–	–	–	–	–	–	–
181	Accidental absorption of irrespirable or poisonous gas—Absorption accidentelle de gaz irrespirables ou toxiques.	M.	4	–	–	–	–	–	–	–	–	2
		F.	–	–	–	–	–	–	–	–	–	–
182	Accidental drowning—Submersion accidentelle.	M.	50	–	1	1	–	–	8	5	5	7
		F.	7	–	1	–	–	–	–	2	2	1
183	Accidental traumatism by firearms—Traumatismes accidentels par armes à feu.	M.	10	–	–	–	–	–	–	–	4	3
		F.	–	–	–	–	–	–	–	–	–	–
185	Accidental traumatism by fall—Traumatismes accidentels par chute.	M.	24	–	–	–	–	–	–	2	1	–
		F.	26	–	–	–	–	–	1	1	–	–
186	Accidental traumatism in mines and quarries—Traumatismes accidentels par mines et carrières.	M.	23	–	–	–	–	–	–	–	4	4
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Coal mines—Mines de charbon	M.	23	–	–	–	–	–	–	–	4	4
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other mines—Autres mines	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Quarries—Carrières	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
187	Accidental traumatism by machines—Traumatismes accidentels par machines.	M.	14	–	–	–	–	–	–	1	3	1
		F.	–	–	–	–	–	–	–	–	–	–
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.)—Traumatismes accidentels par autres écrasements (voitures, railways, éboulements, etc.).	M.	48	–	–	–	2	1	2	–	3	1
		F.	13	–	1	–	–	–	4	–	–	1
	(a) Railroad accidents—Accidents par chemins de fer.	M.	13	–	–	–	–	–	–	–	1	1
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Street car accidents—Accidents par tramways.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Automobile accidents—Accidents par automobiles.	M.	28	–	–	–	2	–	2	–	2	–
		F.	12	–	1	–	–	–	3	–	–	1
	(d) Aeroplane and balloon accidents—Accidents par aéroplanes et ballons.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Injuries by other vehicles—Blessures par autres voitures.	M.	4	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(f) Other crushing—Autres écrasements.	M.	3	–	–	–	–	1	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–
193	Excessive cold—Froid excessif	M.	4	–	–	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
194	Excessive heat—Chaleur excessive	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
195	Lightning—Foudre	M.	1	–	1	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	1	–
196	Other accidental electric shocks—Autres électrocutions accidentelles.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
197-199	**Homicides**	**M.**	4	–	–	–	–	–	–	–	1	–
		F.	1	1	–	–	–	–	–	–	–	–
197	Homicide by firearms—Homicide par armes à feu.	M.	1	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
199	Homicide by other means—Homicide par autres moyens.	M.	3	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
201	Fracture (cause not specified)—Fracture (cause non spécifiée).	M.	2	–	–	–	–	–	–	–	–	–
		F.	10	–	–	–	–	–	–	–	–	–
202	Other external violence (cause specified)—Autres violences extérieures (cause spécifiée).	M.	8	–	–	–	–	1	1	1	–	–
		F.	2	–	–	–	–	1	–	–	–	–
203	External violence (cause not specified)—Violences extérieures (cause non spécifiée).	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

NOUVELLE-ÉCOSSE—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
1	–	1	–	–	–	1	–	1	–	1	–	–	–	–	–	–	179
–	2	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	181
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
4	2	2	2	2	3	2	3	3	–	–	–	–	–	–	–	–	182
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	183
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	1	2	4	1	2	1	1	2	2	3	1	–	–	–	–	185
–	–	1	–	1	1	–	1	–	1	2	9	5	1	2	–	–	
2	1	1	1	3	3	1	3	–	–	–	–	–	–	–	–	–	186
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	1	1	1	3	3	1	3	–	–	–	–	–	–	–	–	–	186a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	186b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	186c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	2	1	1	1	–	–	–	2	–	–	–	–	–	–	–	–	187
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
4	7	8	2	2	4	4	2	1	1	1	1	1	–	–	–	1	188
–	–	1	–	–	1	1	–	1	2	–	1	–	–	–	–	–	
2	1	3	–	1	–	1	–	–	–	1	–	1	–	–	–	1	188a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	188b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	6	4	1	1	4	2	1	1	–	–	–	–	–	–	–	–	188c
–	–	1	–	–	1	1	–	1	2	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	188d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	1	–	–	1	–	1	–	–	–	–	–	188e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	188f
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	193
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	194
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	195
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	196
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	197–199
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	197
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	199
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	201
–	–	–	–	–	–	–	–	–	1	1	4	2	2	–	–	–	
2	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	202
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	203
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

NOVA SCOTIA—concluded

Int. list No.	Causes of death — Causes de décès		Total	Ages									
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XV—ILL-DEFINED DISEASES—CLASSE XV—MALADIES MAL DÉFINIES.	Total	54	9	5	2	–	–	–	–	–	–
		M.	27	5	4	2	–	–	–	–	–	–
		F.	27	4	1	–	–	–	–	–	–	–
204	Sudden death—Mort subite	M.	3	1	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
205	Cause of death not specified or ill-defined—Cause de décès non spécifiée ou mal définie.	M.	24	4	4	2	–	–	–	–	–	–
		F.	26	3	1	–	–	–	–	–	–	–
	(a) Ill-defined—Mal définie	M.	7	–	3	1	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
	(b) Not specified or unknown — Non spécifiée ou inconnue.	M.	7	4	1	–	–	–	–	–	–	–
		F.	6	3	1	–	–	–	–	–	–	–
	(c) Heart failure—Paralysie du çœur	M.	10	–	–	1	–	–	–	–	–	–
		F.	15	–	–	–	–	–	–	–	–	–
	(d) Syncope	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

NEW BRUNSWICK

	DEATHS—ALL CAUSES—DÉCÈS—TOUTES CAUSES.	Total	4,972	960	145	62	45	33	105	96	140	149
		M.	2,654	556	77	37	23	21	59	61	67	78
		F.	2,318	404	68	25	22	12	46	35	73	71
	CLASS I—EPIDEMIC, ENDEMIC AND INFECTIOUS DISEASES—CLASSE I—AFFECTIONS ÉPIDÉMIQUES, ENDÉMIQUES ET INFECTIEUSES.	Total	803	107	42	16	14	11	34	31	76	73
		M.	393	61	24	12	8	6	17	14	33	33
		F.	410	46	18	4	6	5	17	17	43	40
1	Typhoid and paratyphoid fever—Fièvre typhoïde et paratyphoïde.	M.	10	–	–	–	–	–	1	2	–	3
		F.	9	–	–	–	–	–	–	1	2	2
	(a) Typhoid fever—Fièvre typhoïde	M.	10	–	–	–	–	–	1	2	–	3
		F.	9	–	–	–	–	–	–	1	2	2
	(b) Paratyphoid fever—Fièvre paratyphoïde.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
7	Measles—Rougeole	M.	19	6	6	2	1	1	1	–	1	1
		F.	11	1	5	–	–	–	1	1	–	–
8	Scarlet fever—Scarlatine	M.	8	–	1	1	–	–	3	2	1	–
		F.	9	–	–	1	–	–	5	2	–	–
9	Whooping-cough—Coqueluche	M.	19	13	4	1	–	–	1	–	–	–
		F.	13	6	3	1	1	–	1	1	–	–
10	Diphtheria—Diphtérie	M.	17	–	1	1	4	4	5	2	–	–
		F.	14	1	1	1	2	2	2	3	–	–
11	Influenza—Grippe	M.	92	31	7	3	2	1	1	1	2	2
		F.	114	31	5	1	–	1	2	2	3	–
	(a) Sole cause—Cause unique	M.	40	23	3	3	1	–	1	–	1	–
		F.	58	27	5	1	–	1	2	1	–	–
	(b) With phthisis—Avec phtisie	M.	2	–	–	–	–	–	–	–	–	1
		F.	3	–	–	–	–	–	–	–	1	–
	(c) With bronchitis—Avec bronchite	M.	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
	(d) With pneumonia—Avec pneumonie	M.	36	7	4	–	1	1	–	1	1	1
		F.	25	–	–	–	–	–	–	–	1	–
	(e) With other respiratory diseases—Avec autres affections de l'appareil respiratoire.	M.	3	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(f) With diseases and accidents of pregnancy and parturition—Avec affections et accidents de la grossesse.	F.	3	–	–	–	–	–	–	–	–	–
	(g) With other causes—Avec autres causes.	M.	11	1	–	–	–	–	–	–	–	–
		F.	21	4	–	–	–	–	–	1	1	–
13	Mumps—Oreillons	M.	1	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
16	Dysentery—Dysenterie	M.	1	–	–	1	–	–	–	–	–	–
		F.	3	–	1	–	1	–	–	–	–	–
20	Leprosy—Lèpre	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	M.	6	1	–	–	–	–	–	–	–	–
		F.	3	2	–	–	–	–	–	–	–	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë.	M.	3	–	–	–	–	–	–	–	1	1
		F.	1	–	–	–	–	–	–	–	1	–
23	Lethargic encephalitis—Encéphalite léthargique.	M.	3	–	–	–	–	–	1	–	1	–
		F.	3	–	–	–	–	–	–	–	–	1

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

NOUVELLE-ÉCOSSE—fin

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	1	2	2	3	3	1	5	6	8	4	2	1	–	–	
–	–	–	1	1	–	2	–	1	3	4	3	–	1	–	–	–	
–	–	–	–	1	2	1	3	–	2	2	5	4	1	1	–	–	
–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	204
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	1	–	2	–	1	3	2	3	–	1	–	–	–	205
–	–	–	–	1	2	1	3	–	2	2	5	4	1	1	–	–	
–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	2 05a
–	–	–	–	1	1	1	2	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	205b
–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	3	2	3	–	1	–	–	–	205c
–	–	–	–	–	–	–	–	–	2	2	5	4	1	1	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	205d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

NOUVEAU-BRUNSWICK

119	**108**	**143**	**126**	**167**	**183**	**211**	**272**	**357**	**458**	**413**	**333**	**231**	**89**	**24**	**3**	–	
46	**42**	**61**	**65**	**89**	**96**	**107**	**158**	**206**	**258**	**227**	**160**	**107**	**42**	**9**	**2**	–	
73	**66**	**82**	**61**	**78**	**87**	**104**	**114**	**151**	**200**	**186**	**173**	**124**	**47**	**15**	**1**	–	
59	**32**	**43**	**41**	**33**	**28**	**26**	**24**	**29**	**32**	**21**	**15**	**13**	**3**	–	–	–	
19	**14**	**16**	**21**	**22**	**17**	**15**	**13**	**15**	**19**	**8**	**2**	**4**	–	–	–	–	
40	**18**	**27**	**20**	**11**	**11**	**11**	**11**	**14**	**13**	**13**	**13**	**9**	**3**	–	–	–	
2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1
1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1a
1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	2	3	4	2	5	3	3	6	7	4	1	2	–	–	–	–	11
–	–	7	5	1	3	3	6	7	8	8	11	8	2	–	–	–	
–	–	–	1	1	–	–	1	1	1	1	1	1	–	–	–	–	11a
–	–	1	–	–	–	–	1	1	4	2	6	5	1	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11b
–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11c
–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	
–	1	3	3	1	3	2	1	2	3	–	–	1	–	–	–	–	11d
–	–	3	3	1	2	2	3	3	1	4	2	–	–	–	–	–	
–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	11e
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	11f
–	–	–	–	–	1	1	1	2	2	3	–	–	–	–	–	–	11g
–	–	1	1	–	1	1	1	3	2	1	1	2	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	20
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	21
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	23
–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

NEW BRUNSWICK—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS I-con.—**CLASSE I**-fin											
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique.	M.	4	2	–	1	1	–	–	–	–	–
		F.	4	1	–	–	–	–	1	–	2	–
29	Tetanus—Tétanos	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
31-37	**Tuberculosis—Tuberculose**	**M.**	**186**	**4**	**5**	**2**	**–**	**–**	**4**	**7**	**26**	**24**
		F.	**217**	**2**	**3**	**–**	**2**	**1**	**5**	**7**	**34**	**37**
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire.	M.	156	3	2	1	–	–	2	6	21	22
		F.	177	–	1	–	1	–	2	4	24	35
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central.	M.	9	1	1	1	–	–	1	1	1	2
		F.	9	2	2	–	1	–	2	–	1	–
33	Tuberculosis of the intestines and peritoneum—Tuberculose des intestins et du péritoine.	M.	6	–	1	–	–	–	–	–	–	–
		F.	16	–	–	–	–	–	–	3	4	1
34	Tuberculosis of the vertebral column—Tuberculose de la colonne vertébrale.	M.	1	–	–	–	–	–	–	–	1	–
		F.	2	–	–	–	–	–	–	–	1	–
35	Tube culosis of the joints—Tuberculose articulaire.	M.	3	–	–	–	–	–	1	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
36	Tuberculosis of other organs—Tuberculose d'autres organes.	M.	6	–	–	–	–	–	–	–	1	–
		F.	3	–	–	–	–	–	–	–	1	–
	(a) Skin and sub-cutaneous cellular tissue—De la peau et du tissu cellulaire sous-cutané.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Bones (vertebral column excepted)—Des os (excepté la colonne vertébrale).	M.	1	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	1	–
	(c) Lymphatic system (mesenteric and retroperitoneal glands excepted)—Du système lymphatique (excepté les ganglions mésentériques et les ganglions retropéritonéaux).	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Genito-urinary system—Des organes génito-urinaires.	M.	5	–	–	–	–	–	–	–	1	–
		F.	1	–	–	–	–	–	–	–	–	–
	(e) Organs other than above—Autres organes que ceux déjà mentionnés.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
37	Disseminated tuberculosis—Tuberculose disséminée.	M.	5	–	1	–	–	–	–	–	1	–
		F.	10	–	–	–	–	1	1	–	3	1
	(a) Acute—Aiguë	M.	2	–	1	–	–	–	–	–	–	–
		F.	8	–	–	–	–	1	1	–	3	1
	(b) Chronic or unstated—Chronique ou non spécifiée.	M.	3	–	–	–	–	–	–	–	1	–
		F.	2	–	–	–	–	–	–	–	–	–
38	Syphilis	M.	12	3	–	–	–	–	–	–	–	–
		F.	3	1	–	–	–	–	–	–	–	–
39	Soft chancre—Chancre mou	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
41	Purulent infection, septicaemia—Infection purulente, septicémie.	M.	10	1	–	–	–	–	–	–	–	2
		F.	4	1	–	–	–	1	–	–	1	–
	CLASS II—GENERAL DISEASES NOT INCLUDED IN CLASS I—CLASSE II—MALADIES GÉNÉRALES NON MENTIONNÉES DANS LA CLASSE I.	**Total**	**520**	**9**	**1**	**1**	**1**	**2**	**6**	**5**	**5**	**4**
		M.	**239**	**7**	**–**	**1**	**1**	**–**	**3**	**4**	**3**	**1**
		F.	**281**	**2**	**1**	**–**	**–**	**2**	**3**	**1**	**2**	**3**
43-49	**Cancer**	**M.**	**171**	**1**	**–**	**–**	**–**	**–**	**–**	**–**	**–**	**–**
		F.	**212**	**–**	**–**	**–**	**–**	**–**	**1**	**–**	**–**	**–**
43	Cancer of the buccal cavity—Cancer de la cavité buccale.	M.	14	–	–	–	–	–	–	–	–	–
		F.	6	–	–	–	–	–	–	–	–	–
44	Cancer of the stomach and liver—Cancer de l'estomac et du foie.	M.	74	–	–	–	–	–	–	–	–	–
		F.	65	–	–	–	–	–	–	–	–	–
45	Cancer of the peritoneum, intestines and rectum—Cancer du péritoine, des intestins et du rectum.	M.	35	–	–	–	–	–	–	–	–	–
		F.	41	–	–	–	–	–	–	–	–	–
46	Cancer of the female genital organs—Cancer des organes génitaux de la femme.	F.	38	–	–	–	–	–	–	–	–	–
47	Cancer of the breast—Cancer du sein	M.	–	–	–	–	–	–	–	–	–	–
		F.	31	–	–	–	–	–	–	–	–	–
48	Cancer of the skin—Cancer de la peau	M.	9	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
49	Cancer of other or unspecified organs—Cancer d'autres organes ou d'organes non spécifiés.	M.	39	1	–	–	–	–	–	–	–	–
		F.	28	–	–	–	–	–	1	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

NOUVEAU-BRUNSWICK—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	29
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
14	**12**	**9**	**14**	**15**	**9**	**10**	**9**	**7**	**10**	**3**	–	**2**	–	–	–	–	**31-37**
38	**17**	**19**	**12**	**8**	**6**	**4**	**5**	**7**	**4**	**4**	**2**	–	–	–	–	–	
13	10	8	14	11	7	9	8	6	8	3	–	2	–	–	–	–	31
31	14	18	11	8	6	4	5	6	4	3	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	3	–	–	1	–	–	–	–	–	–	–	–	–	33
4	–	1	–	–	–	–	–	1	–	–	2	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	35
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	1	2	–	–	–	1	–	–	–	–	–	–	–	36
1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	36b
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	36d
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	37
2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	37a
1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	37b
1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	1	1	2	2	1	1	–	–	–	–	–	–	–	–	–	38
–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	39
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	1	–	2	–	–	–	2	2	–	–	–	–	–	–	–	41
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
6	**8**	**18**	**16**	**38**	**50**	**40**	**67**	**73**	**63**	**61**	**33**	**10**	**2**	**1**	–	–	
2	**3**	**5**	**6**	**15**	**19**	**12**	**28**	**38**	**39**	**31**	**16**	**2**	**2**	**1**	–	–	
4	**5**	**13**	**10**	**23**	**31**	**28**	**39**	**35**	**24**	**30**	**17**	**8**	–	–	–	–	
2	**2**	**3**	**4**	**12**	**12**	**10**	**25**	**25**	**32**	**26**	**12**	**2**	**2**	**1**	–	–	**43-49**
4	**2**	**11**	**5**	**15**	**25**	**23**	**30**	**30**	**19**	**23**	**16**	**8**	–	–	–	–	
–	–	–	–	2	–	–	2	1	4	2	2	–	1	–	–	–	43
–	–	–	–	–	–	1	1	3	–	–	1	–	–	–	–	–	
1	–	2	3	3	6	5	14	10	10	13	5	2	–	–	–	–	44
–	1	1	–	4	7	10	9	12	6	4	8	3	–	–	–	–	
1	–	–	–	2	2	1	6	7	9	3	4	–	–	–	–	–	45
–	–	1	–	3	1	3	7	8	7	6	2	3	–	–	–	–	
3	1	4	3	3	9	6	6	–	–	3	–	–	–	–	–	–	46
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	47
1	–	4	2	3	5	3	1	3	1	3	3	2	–	–	–	–	
–	–	–	–	–	–	1	–	3	2	2	–	–	1	–	–	–	48
–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	
–	2	1	1	5	4	3	3	4	7	6	1	–	–	1	–	–	49
–	–	1	–	2	3	–	6	3	4	6	2	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

NEW BRUNSWICK—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages									
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS II-con.—**CLASSE II**-fin											
49	(a) Cancer of eye and ear — Cancer de l'œil et de l'oreille.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–
	(b) Cancer of circulatory system— Cancer de l'appareil circulatoire.	M.	3	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Cancer of respiratory system— Cancer de l'appareil respiratoire.	M.	3	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
	(d) Cancer of digestive system—Cancer de l'appareil digestif.	M.	3	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
	(e) Cancer of genito-urinary system— Cancer de l'appareil génito-urinaire.	M.	23	1	–	–	–	–	–	–	–	–
		F.	9	–	–	–	–	–	–	–	–	–
	(f) Cancer of bones and joints—Cancer des os et des articulations.	M.	2	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(g) Cancer of other specified organs— Cancer d'autres organes spécifiés.	M.	4	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
	(h) Generalized cancer—Cancer généralisé.	M.	1	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(i) Unspecified—Non spécifiés.....	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	1	–
50	Benign tumours and tumours not returned as malignant (tumours of female genital organs excepted)—Tumeurs bénignes et tumeurs non données comme malignes (tumeurs des organes génitaux de la femme exceptées).	M.	1	–	–	–	–	–	–	–	–	–
		F.	4	1	–	–	–	–	–	–	–	–
51	Acute rheumatic fever—Rhumatisme articulaire aigu fébrile.	M.	5	–	–	–	–	–	1	1	–	–
		F.	5	–	–	–	–	–	–	–	–	2
52	Chronic rheumatism, osteo-arthritis, gout— Rhumatisme chronique ou goutte.	M.	1	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
56	Rickets—Rachitisme.....	M.	2	2	–	–	–	–	–	–	–	–
		F.	1	–	1	–	–	–	–	–	–	–
57	Diabetes mellitus—Diabète.....	M.	21	–	–	–	–	–	1	1	1	1
		F.	28	–	–	–	–	–	–	1	1	–
58	Anaemia, chlorosis—Anémie, chlorose....	M.	20	–	–	–	–	–	–	–	–	–
		F.	13	–	–	–	–	–	1	–	1	–
	(a) Pernicious anaemia—Anémie pernicieuse.	M.	19	–	–	–	–	–	–	–	–	–
		F.	9	–	–	–	–	–	–	–	1	–
	(b) Other anaemias and chlorosis—Autres anémies et chloroses.	M.	1	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	1	–	–	–
60	Diseases of the thyroid gland—Affections de la glande thyroïde.	M.	2	–	–	–	–	–	–	1	–	–
		F.	7	–	–	–	–	–	–	–	–	1
	(a) Exophthalmic goiter—Goître exophtalmique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
	(b) Other diseases of the thyroid gland— Autres affections de la glande thyroïde.	M.	2	–	–	–	–	–	–	1	–	–
		F.	2	–	–	–	–	–	–	–	–	1
62	Diseases of the thymus—Affections du thymus.	M.	5	4	–	1	–	–	–	–	–	–
		F.	3	1	–	–	–	1	1	–	–	–
63	Diseases of the adrenals (Addison's disease)—Affections des glandes surrénales (maladie d'Addison).	M.	1	–	–	–	–	–	–	–	1	–
		F.	1	–	–	–	–	–	–	–	–	–
64	Diseases of the spleen—Affections de la rate.	M.	2	–	–	–	–	–	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
65	Leukaemia, lymphadenoma—Leucémie, lymphadénie.	M.	3	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	1	–	–	–	–
	(a) Leukaemia—Leucémie.....	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–
	(b) Lymphadenoma (Hodgkin's disease) —Lymphadénie (maladie d'Hodgkin).	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
66	Alcoholism—Alcoolisme.....	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Delirium tremens.....	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Acute alcoholism—Alcoolisme aigu..	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Chronic alcoholism — Alcoolisme chronique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
69	Other general diseases—Autres maladies générales.	M.	3	–	–	–	1	–	–	1	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(a) Diabetes insipidus-Diabète insipide.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Haemophilia—Hémophilie.....	M.	1	–	–	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Purpura haemorrhagica—Purpura hémorragique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Others under this title—Autres sous ce titre.	M.	2	–	–	–	1	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

NOUVEAU-BRUNSWICK—suite

Âges																		
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	49a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	49b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	49c
–	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	49d
–	–	–	–	–	–	–	1	2	1	1	–	–	–	–	–	–	
–	1	1	–	3	–	1	2	3	6	5	–	–	–	–	–	–	49e
–	–	–	–	–	2	–	1	–	2	2	2	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	49f
–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	
–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	49g
–	–	–	–	1	–	–	1	–	1	1	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	49h
–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	49i
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	50
–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	51
–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	52
–	–	1	–	–	1	–	–	1	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	56
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	1	1	2	–	1	4	2	4	1	–	–	–	–	–	57
–	–	–	2	3	3	3	4	2	3	6	–	–	–	–	–	–	
–	–	–	1	1	3	2	–	7	3	1	2	–	–	–	–	–	58
–	1	–	–	2	2	1	3	1	1	–	–	–	–	–	–	–	
–	–	–	1	1	3	2	–	7	3	1	1	–	–	–	–	–	58a
–	–	–	–	1	2	–	3	1	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	58b
–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	60
–	–	–	2	1	–	1	2	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	60a
–	–	–	2	1	–	1	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	60b
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	63
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	64
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	65
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	65a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	65b
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	66
–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	66a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	66b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	66c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	69
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	69d

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

NEW BRUNSWICK—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS III—DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE—CLASSE III—AFFECTIONS DU SYSTÈME NERVEUX ET DES ORGANES DES SENS.	Total	401	26	8	4	1	4	7	9	7	11
		M.	209	12	6	1	1	3	4	7	2	8
		F.	192	14	2	3	–	1	3	2	5	3
70	Encephalitis—Encéphalite	M.	2	–	1	–	–	–	1	–	–	–
		F.	1	–	–	–	–	–	–	1	–	–
	(a) Abscess of brain—Abcès du cerveau.	M.	1	–	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Encephalitis—Encéphalite	M.	1	–	–	–	–	–	1	–	–	–
		F.	1	–	–	–	–	–	–	1	–	–
71	Meningitis—Méningite	M.	18	5	3	–	1	2	3	1	1	1
		F.	13	7	–	1	–	1	2	–	1	1
	(a) Simple meningitis—Méningite simple.	M.	18	5	3	–	1	2	3	1	1	1
		F.	13	7	–	1	–	1	2	–	1	1
	(b) Non-epidemic, cerebrospinal meningitis—Méningite cérébro-spinale non épidémique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
72	Tabes dorsalis (locomotor ataxia)—Ataxie locomotrice progressive.	M.	3	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
73	Other diseases of the spinal cord—Autres affections de la moëlle épinière.	M.	12	–	–	–	–	–	–	2	–	3
		F.	4	–	–	–	–	–	–	–	–	–
74	Cerebral haemorrhage, apoplexy—Hémorragie cérébrale, apoplexie.	M.	79	–	–	–	–	–	–	–	–	–
		F.	81	–	1	1	–	–	–	–	1	–
	(a) Apoplexy—Apoplexie	M.	23	–	–	–	–	–	–	–	–	–
		F.	25	–	1	–	–	–	–	–	–	–
	(b) Cerebral haemorrhage—Hémorragie cérébrale.	M.	50	–	–	–	–	–	–	–	–	–
		F.	52	–	–	1	–	–	–	–	–	–
	(c) Cerebral thrombosis and embolism—Thrombose et embolie cérébrales.	M.	6	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	1	–
75	Paralysis without specified cause—Paralysie sans cause indiquée.	M.	35	–	–	–	–	–	–	–	–	–
		F.	36	–	–	–	–	–	–	–	1	–
	(a) Hemiplegia—Hémiplégie	M.	11	–	–	–	–	–	–	–	–	–
		F.	12	–	–	–	–	–	–	–	–	–
	(b) Others under this title—Autres sous ce titre.	M.	24	–	–	–	–	–	–	–	–	–
		F.	24	–	–	–	–	–	–	–	1	–
76	General paralysis of the insane—Paralysie générale des aliénés.	M.	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
77	Other forms of mental alienation—Autres formes de l'aliénation mentale.	M.	11	–	–	–	–	–	–	–	–	–
		F.	20	–	–	–	–	–	–	–	–	1
78	Epilepsy—Épilepsie	M.	9	–	–	–	–	–	–	1	1	1
		F.	9	1	–	–	–	–	–	1	2	–
79	Convulsions (non-puerperal, 5 years or over)—Éclampsie (non puerpérale, cinq ans ou au-dessus).	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–
80	Infantile convulsions (under 5 years of age)—Convulsions des enfants (moins de cinq ans).	M.	9	7	2	–	–	–	–	–	–	–
		F.	6	6	–	–	–	–	–	–	–	–
82	Neuralgia and neuritis—Névralgie et névrite.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
83	Softening of the brain—Ramollissement du cerveau.	M.	8	–	–	–	–	–	–	–	–	–
		F.	6	–	–	–	–	–	–	–	–	–
84	Other diseases of the nervous system—Autres affections du système nerveux.	M.	11	–	–	–	–	1	–	2	–	–
		F.	7	–	–	–	–	–	–	–	–	1
85	Diseases of the eye and annexa—Affections de l'œil et de ses annexes.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien.	M.	10	–	–	1	–	–	–	1	–	3
		F.	3	–	1	1	–	–	–	–	–	–
	(a) Diseases of the ear—Affections de l'oreille.	M.	8	–	–	–	–	–	–	1	–	3
		F.	1	–	1	–	–	–	–	–	–	–
	(b) Diseases of the mastoid process—Affections du sinus mastoïdien.	M.	2	–	–	1	–	–	–	–	–	–
		F.	2	–	–	1	–	–	–	–	–	–
	CLASS IV—DISEASES OF THE CIRCULATORY SYSTEM—CLASSE IV—AFFECTIONS DE L'APPAREIL CIRCULATOIRE.	Total	731	–	–	–	–	1	5	4	7	2
		M.	399	–	–	–	–	–	3	3	3	2
		F.	332	–	–	–	–	1	2	1	4	–
87-90	**Diseases of the heart—Affections du cœur.**	M.	268	–	–	–	–	–	3	3	3	2
		F.	253	–	–	–	–	1	2	1	4	–
88	Endocarditis and myocarditis (acute)—Endocardite et myocardite (aiguës).	M.	3	–	–	–	–	–	1	–	–	–
		F.	5	–	–	–	–	1	1	–	1	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

NOUVEAU-BRUNSWICK—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
8	**10**	**7**	**6**	**10**	**12**	**34**	**29**	**35**	**53**	**55**	**41**	**19**	**4**	**1**	–	–	
4	**3**	**4**	**3**	**4**	**5**	**19**	**16**	**23**	**27**	**27**	**17**	**12**	**1**	–	–	–	
4	**7**	**3**	**3**	**6**	**7**	**15**	**13**	**12**	**26**	**28**	**24**	**7**	**3**	**1**	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	71
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	72
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	1	1	–	–	1	3	–	–	–	–	–	–	–	–	–	73
1	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	
–	–	1	–	2	3	10	8	9	18	16	7	5	–	–	–	–	74
–	–	1	1	1	4	7	6	9	12	15	18	2	1	1	–	–	
–	–	–	–	–	1	3	–	6	6	6	1	–	–	–	–	–	74a
–	–	–	–	–	1	2	3	3	2	5	6	–	1	1	–	–	
–	–	1	–	2	2	7	6	1	11	10	5	5	–	–	–	–	74b
–	–	1	1	1	3	5	2	4	10	10	12	2	–	–	–	–	
–	–	–	–	–	–	–	2	2	1	–	1	–	–	–	–	–	74c
–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	4	3	5	7	10	4	1	–	–	–	75
–	–	–	–	2	–	1	4	2	11	5	5	4	1	–	–	–	
–	–	–	–	–	–	–	1	1	1	1	5	1	1	–	–	–	75a
–	–	–	–	1	–	–	2	–	4	1	2	2	–	–	–	–	
–	–	–	–	–	–	1	3	2	4	6	5	3	–	–	–	–	75b
–	–	–	–	1	–	1	2	2	7	4	3	2	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	76
–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	
–	–	1	2	–	1	1	–	4	1	1	–	–	–	–	–	–	77
3	3	1	2	–	2	4	2	–	1	1	–	–	–	–	–	–	
–	1	1	–	1	–	–	–	2	–	1	–	–	–	–	–	–	78
–	2	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	79
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	82
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	1	1	2	–	3	–	–	–	–	83
–	–	–	–	–	–	–	1	–	1	2	1	1	–	–	–	–	
1	1	–	–	–	–	3	1	1	1	–	–	–	–	–	–	–	84
–	1	–	–	2	–	2	–	–	–	–	–	–	1	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	85
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
2	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	86
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	86a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	86b
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
4	**10**	**6**	**10**	**22**	**31**	**47**	**73**	**97**	**137**	**115**	**86**	**46**	**24**	**4**	–	–	
1	**3**	**4**	**4**	**14**	**16**	**27**	**46**	**52**	**75**	**66**	**45**	**23**	**10**	**2**	–	–	
3	**7**	**2**	**6**	**8**	**15**	**20**	**27**	**45**	**62**	**49**	**41**	**23**	**14**	**2**	–	–	
1	**3**	**4**	**4**	**11**	**12**	**22**	**34**	**33**	**51**	**42**	**19**	**16**	**3**	**2**	–	–	87-90
2	**6**	**2**	**6**	**6**	**14**	**17**	**23**	**33**	**49**	**38**	**30**	**12**	**7**	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	88
–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

NEW BRUNSWICK—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS IV-con.—**CLASSE IV**-fin											
88	(a) Acute endocarditis—Endocardite aiguë	M.	3	–	–	–	–	–	1	–	–	–
		F.	3	–	–	–	–	1	1	–	1	–
	(b) Acute myocarditis—Myocardite aiguë.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
89	Angina pectoris—Angine de poitrine....	M.	24	–	–	–	–	–	–	–	–	–
		F.	12	–	–	–	–	–	–	–	–	–
90	Other diseases of the heart—Autres affections du cœur.	M.	241	–	–	–	–	–	2	3	3	2
		F.	236	–	–	–	–	–	1	1	3	–
	(a) Valvular disease—Affection valvulaire.	M.	55	–	–	–	–	–	–	–	1	1
		F.	52	–	–	–	–	–	–	1	1	–
	(b) Fatty degeneration of the heart— Dégénérescence ou stéanose du cœur.	M.	3	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(c) Aortic insufficiency — Insuffisance aortique.	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(d) Chronic endocarditis — Endocardite chronique.	M.	41	–	–	–	–	–	1	1	1	–
		F.	38	–	–	–	–	–	–	–	–	–
	(e) Chronic myocarditis—Myocardite chronique.	M.	98	–	–	–	–	–	–	–	–	–
		F.	110	–	–	–	–	–	–	–	2	–
	(f) Others under this title—Autres sous ce titre.	M.	42	–	–	–	–	–	1	2	1	1
		F.	34	–	–	–	–	–	1	–	–	–
91	Diseases of the arteries—Affections des artères.	M.	117	–	–	–	–	–	–	–	–	–
		F.	71	–	–	–	–	–	–	–	–	–
	(a) Aneurysm—Anévrisme.....	M.	4	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Arteriosclerosis—Artério-sclérose....	M.	112	–	–	–	–	–	–	–	–	–
		F.	70	–	–	–	–	–	–	–	–	–
	(c) Other diseases of the arteries—Autres affections des artères.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
92	Embolism and thrombosis (not cerebral)— Embolie et thrombose (non cérébrales).	M.	12	–	–	–	–	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–
93	Diseases of the veins (varices, haemorrhoids, phlebitis, etc.)—Affections des veines (varices, hémorroïdes, phlébite, etc.).	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
94	Diseases of the lymphatic system (lymphangitis, etc.)—Affections du système lymphatique (lymphangite, etc.).	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS V—DISEASES OF THE RESPIRATORY SYSTEM— CLASSE V—AFFECTIONS DE L'APPAREIL RESPIRATOIRE.	Total	524	115	34	18	8	3	19	8	7	9
		M.	272	62	18	9	4	3	10	7	2	5
		F.	252	53	16	9	4	–	9	1	5	4
97	Diseases of the nasal fossae and their annexa—Affections des fosses nasales et de leurs annexes.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
98	Diseases of the larynx—Affections du larynx.	M.	3	1	–	–	–	–	2	–	–	–
		F.	4	3	1	–	–	–	–	–	–	–
	(a) Laryngismus stridulus—Laryngite striduleuse.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	1	–	–	–	–	–	–	–
	(b) Laryngitis—Laryngite.....	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Croup.....	M.	1	–	–	–	–	–	1	–	–	–
		F.	2	2	–	–	–	–	–	–	–	–
	(d) Other diseases of the larynx—Autres affections du larynx.	M.	2	1	–	–	–	–	1	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite.....	M.	5	2	–	–	–	–	–	–	–	–
		F.	16	3	–	–	–	–	–	–	–	–
	(a) Acute—Aiguë.....	M.	4	2	–	–	–	–	–	–	–	–
		F.	5	2	–	–	–	–	–	–	–	–
	(b) Chronic—Chronique.....	M.	–	–	–	–	–	–	–	–	–	–
		F.	8	–	–	–	–	–	–	–	–	–
	(c) Not otherwise defined, under 5 years of age—Sans épithète, au-dessous de cinq ans.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(d) Not otherwise defined, 5 years or over—Sans épithète, cinq ans ou au-dessus.	M.	1	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
100	Bronchopneumonia (including capillary bronchitis)—Broncho-pneumonie (y compris bronchite capillaire).	M.	66	33	6	2	1	1	1	2	–	–
		F.	58	29	6	3	–	–	1	–	–	1
	(a) Bronchopneumonia—Broncho-pneumonie.	M.	66	33	6	2	1	1	1	2	–	–
		F.	54	27	5	3	–	–	–	–	–	1
	(b) Capillary bronchitis—Bronchite capillaire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	4	2	1	–	–	–	1	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

NOUVEAU-BRUNSWICK—suite

Âges																		
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	88a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	88b
–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	2	2	2	2	6	5	3	2	–	–	–	–	–	–	89
–	–	–	–	–	–	2	2	1	3	2	2	–	–	–	–	–	
1	3	4	2	9	10	20	28	28	47	40	18	16	3	2	–	–	90
2	6	2	6	5	14	15	21	32	45	36	28	12	7	–	–	–	
–	–	3	–	2	3	4	8	6	11	9	3	4	–	–	–	–	90a
1	2	–	1	–	2	2	6	9	8	8	6	3	2	–	–	–	
–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	90b
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	90c
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
1	3	1	1	2	1	5	2	5	5	4	2	4	2	–	–	–	90d
–	2	–	2	1	3	5	4	6	7	4	3	1	–	–	–	–	
–	–	–	1	2	3	7	12	11	23	21	10	5	1	2	–	–	90e
1	2	–	1	3	5	4	9	15	25	18	13	7	5	–	–	–	
–	–	–	–	3	2	4	5	6	7	4	3	3	–	–	–	–	90f
–	–	2	2	–	4	3	2	2	5	6	6	1	–	–	–	–	
–	–	–	–	1	1	4	10	18	21	22	26	7	7	–	–	–	91
1	–	–	–	–	–	2	3	11	12	11	11	11	7	2	–	–	
–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–	91a
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	1	1	4	8	17	21	21	25	7	7	–	–	–	91b
1	–	–	–	–	–	2	3	11	12	10	11	11	7	2	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	91c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	2	3	1	2	–	2	2	–	–	–	–	–	–	92
–	1	–	–	1	1	1	1	1	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	93
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	94
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
10	**13**	**13**	**10**	**9**	**14**	**21**	**20**	**36**	**39**	**47**	**36**	**26**	**7**	**1**	**1**	–	
4	**4**	**7**	**4**	**5**	**11**	**8**	**13**	**19**	**19**	**30**	**16**	**8**	**3**	–	**1**	–	
6	**9**	**6**	**6**	**4**	**3**	**13**	**7**	**17**	**20**	**17**	**20**	**18**	**4**	**1**	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	97
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	99
–	–	–	–	–	1	–	–	1	3	1	4	3	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	99a
–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	99b
–	–	–	–	–	–	–	–	1	2	–	3	2	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	99c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	99d
–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	
–	–	1	–	–	1	–	7	2	1	3	4	1	–	–	–	–	100
–	–	–	–	–	–	1	2	2	2	3	4	2	1	1	–	–	
–	–	1	–	–	1	–	7	2	1	3	4	1	–	–	–	–	100a
–	–	–	–	–	–	1	2	2	2	3	4	2	1	1	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	100b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

NEW BRUNSWICK—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS V-con.—**CLASSE V**-fin											
101	Pneumonia—Pneumonie	M.	171	25	11	6	3	2	6	5	2	5
		F.	146	15	9	6	2	–	8	–	5	3
	(a) Lobar—Lobaire	M.	80	7	3	3	3	1	2	–	1	2
		F.	67	3	4	2	2	–	1	–	4	2
	(b) Not otherwise defined—Sans épithète.	M.	91	18	8	3	–	1	4	5	1	3
		F.	79	12	5	4	–	–	7	–	1	1
102	Pleurisy—Pleurésie	M.	10	–	1	1	–	–	1	–	–	–
		F.	8	–	–	–	1	–	–	1	–	–
103	Congestion and haemorrhagic infarct of the lung—Congestion et hémorragie parenchymateuse des poumons.	M.	7	1	–	–	–	–	–	–	–	–
		F.	11	1	–	–	1	–	–	–	–	–
104	Gangrene of the lung—Gangrène du poumon.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
105	Asthma—Asthme	M.	5	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
107	Other diseases of the respiratory system (tuberculosis excepted)—Autres affections de l'appareil respiratoire (tuberculose exceptée).	M.	4	–	–	–	–	–	–	–	–	–
		F.	7	2	–	–	–	–	–	–	–	–
	(a) Chronic interstitial pneumonia including occupational diseases of the lungs—Pneumonie interstitielle chronique comprenant les affections professionnelles de l'appareil pulmonaire.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Diseases of the mediastinum—Affections du médiastin.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	3	–	–	–	–	–	–	–	–	–
		F.	7	2	–	–	–	–	–	–	–	–
	CLASS VI—DISEASES OF THE DIGESTIVE SYSTEM—CLASSE VI—AFFECTIONS DE L'APPAREIL DIGESTIF.	Total	371	111	25	8	10	6	14	16	12	8
		M.	214	76	12	6	5	4	7	8	6	4
		F.	157	35	13	2	5	2	7	8	6	4
108	Diseases of the mouth and annexa—Affections de la bouche et de ses annexes.	M.	2	1	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
109	Diseases of the pharynx and tonsils (including adenoid vegetations)—Affections du pharynx et des amygdales (y compris les végétations adénoïdiennes).	M.	7	3	–	–	–	1	1	–	–	–
		F.	10	1	1	–	1	–	1	–	1	–
	(a) Adenoid vegetations — Végétations adénoïdiennes	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Pharynx and tonsils—Pharynx et amygdales.	M.	7	3	–	–	–	1	1	–	–	–
		F.	10	1	1	–	1	–	1	–	1	–
110	Diseases of the oesophagus—Affections de l'œsophage.	M.	1	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
111	Ulcer of the stomach and duodenum—Ulcère de l'estomac et du duodénum.	M.	14	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(a) Ulcer of the stomach—Ulcère de l'estomac.	M.	10	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(b) Ulcer of the duodenum—Ulcère du duodénum.	M.	4	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
112	Other diseases of the stomach (cancer excepted)—Autres affections de l'estomac (cancer excepté).	M.	22	4	1	–	–	–	–	1	–	–
		F.	21	5	2	–	1	–	–	1	–	–
113	Diarrhoea and enteritis (under 2 years of age)—Diarrhée et entérite (au-dessous de 2 ans).	M.	71	61	10	–	–	–	–	–	–	–
		F.	33	25	8	–	–	–	–	–	–	–
114	Diarrhoea and enteritis (2 years or over)—Diarrhée et entérite (deux ans ou au-dessus).	M.	11	–	–	4	4	1	–	–	1	–
		F.	15	–	–	2	2	1	1	1	–	1
116	Diseases due to other intestinal parasites—Affections dues à d'autres parasites intestinaux.	M.	1	–	1	–	–	–	–	–	–	–
		F.	2	–	–	–	1	–	1	–	–	–
	(a) Cestodes (hydatids of the liver excepted)—Cestodes (non compris les hydatides du foie).	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Trematodes—Trématodes	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Nematodes (other than ankylostoma)—Nématodes (autres que ankylostomiase).	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Coccidia—Coccidies	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Other parasites specified—Autres parasites spécifiés.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

NOUVEAU-BRUNSWICK—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
3	3	3	4	4	8	5	5	15	15	26	9	3	2	–	1	–	101
6	7	4	6	4	2	11	5	8	14	10	10	9	2	–	–	–	
2	1	1	4	1	5	4	3	8	8	15	5	1	–	–	–	–	101a
4	7	1	3	3	1	5	1	4	7	6	3	3	1	–	–	–	
1	2	2	–	3	3	1	2	7	7	11	4	2	2	–	1	–	101b
2	–	3	3	1	1	6	4	4	7	4	7	6	1	–	–	–	
1	–	–	–	1	1	–	1	2	–	–	1	–	–	–	–	–	102
–	1	–	–	–	–	–	–	3	1	1	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	1	1	–	2	1	–	–	–	103
–	–	–	–	–	–	–	–	1	–	2	2	3	1	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	104
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	1	–	–	2	–	1	–	–	–	–	–	105
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	1	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	107
–	1	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	107a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107c
–	1	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–	
6	**7**	**12**	**9**	**17**	**13**	**15**	**11**	**14**	**21**	**14**	**14**	**6**	**1**	**1**	–	–	
3	**5**	**7**	**6**	**6**	**4**	**8**	**9**	**8**	**12**	**9**	**7**	**2**	–	–	–	–	
3	**2**	**5**	**3**	**11**	**9**	**7**	**2**	**6**	**9**	**5**	**7**	**4**	**1**	**1**	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	108
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	109
–	1	–	–	1	3	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	109a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	109b
–	1	–	–	1	3	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	110
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	3	2	–	–	2	–	1	2	1	1	–	–	–	–	–	111
–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	
–	2	2	1	–	–	1	–	1	2	–	1	–	–	–	–	–	111a
–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	1	–	–	1	–	–	–	1	–	–	–	–	–	–	111b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	3	1	1	4	–	1	4	1	–	–	–	–	–	112
–	–	–	–	2	1	1	–	1	1	–	3	3	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	113
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	114
–	1	1	–	–	–	1	–	–	1	–	2	–	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

NEW BRUNSWICK—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VI—con.—**CLASSE VI**—fin											
116	(f) Parasites not specified—Parasites non spécifiés.	M.	1	–	1	–	–	–	–	–	–	–
		F.	2	–	–	–	1	–	1	–	–	–
117	Appendicitis and typhlitis—Appendicite et typhlite.	M.	36	–	–	1	1	2	5	6	5	3
		F.	29	1	–	–	–	1	4	5	4	2
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale.	M.	16	5	–	–	–	–	–	–	–	1
		F.	16	2	1	–	–	–	–	1	–	–
	(a) Hernia—Hernie	M.	8	2	–	–	–	–	–	–	–	–
		F.	3	–	1	–	–	–	–	–	–	–
	(b) Intestinal obstruction—Obstruction intestinale.	M.	8	3	–	–	–	–	–	–	–	1
		F.	13	2	–	–	–	–	–	1	–	–
119	Other diseases of the intestines—Autres affections des intestins.	M.	4	–	–	1	–	–	–	1	–	–
		F.	5	1	–	–	–	–	–	–	–	–
120	Acute yellow atrophy of the liver—Atrophie jaune aiguë du foie.	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
122	Cirrhosis of the liver—Cirrhose du foie	M.	8	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(a) Specified as alcoholic—Spécifiée comme alcoolique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Not specified as alcoholic—Non spécifiée comme alcoolique.	M.	8	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
123	Biliary calculi—Calculs biliaires	M.	–	–	–	–	–	–	–	–	–	–
		F.	6	–	–	–	–	–	–	–	–	–
124	Other diseases of the liver—Autres affections du foie.	M.	13	1	–	–	–	–	1	–	–	–
		F.	10	–	–	–	–	–	–	–	–	–
125	Diseases of the pancreas—Affections du pancréas.	M.	2	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	1
126	Peritonitis without specified cause—Péritonite sans cause indiquée.	M.	4	–	–	–	–	–	–	–	–	–
		F.	2	–	1	–	–	–	–	–	1	–
	CLASS VII—NON-VENEREAL DISEASES OF THE GENITO-URINARY SYSTEM AND ANNEXA—CLASSE VII—AFFECTIONS NON VÉNÉRIENNES DE L'APPAREIL GÉNITO-URINAIRE ET DE SES ANNEXES.	Total	267	3	3	3	2	–	1	3	–	5
		M.	161	3	2	2	1	–	1	2	–	2
		F.	106	–	1	1	1	–	–	1	–	3
128	Acute nephritis (including unspecified, under 10 years of age)—Néphrite aiguë (y compris non spécifiée au-dessous de dix ans).	M.	9	3	2	2	1	–	–	–	–	–
		F.	4	–	1	–	–	–	–	1	–	–
129	Chronic nephritis (including unspecified, 10 years of age or over)—Néphrite chronique (y compris non spécifiée, dix ans ou au-dessus).	M.	102	–	–	–	–	–	1	1	–	1
		F.	79	–	–	1	1	–	–	–	–	1
131	Other diseases of the kidneys and annexa—Autres affections des reins et de leurs annexes.	M.	9	–	–	–	–	–	–	1	–	–
		F.	3	–	–	–	–	–	–	–	–	–
132	Calculi of the urinary passages—Calculs des voies urinaires.	M.	3	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
133	Diseases of the bladder—Affections de la vessie.	M.	7	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
134	Diseases of the urethra, urinary abscess, etc.—Affections de l'urètre, abcès urineux, etc.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Stricture of the urethra—Rétrécissement de l'urètre.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other diseases of the urethra—Autres affections de l'urètre.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
135	Diseases of the prostate—Affections de la prostate.	M.	30	–	–	–	–	–	–	–	–	–
137	Cysts and other benign tumours of the ovary—Kystes et autres tumeurs bénignes de l'ovaire.	F.	7	–	–	–	–	–	–	–	–	1
138	Salpingitis and pelvic abscess—Salpingite et abcès du bassin.	F.	5	–	–	–	–	–	–	–	–	1
139	Benign tumours of the uterus—Tumeurs bénignes de l'utérus.	F.	3	–	–	–	–	–	–	–	–	–
141	Other diseases of the female genital organs—Autres affections des organes génitaux de la femme.	F.	4	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

NOUVEAU-BRUNSWICK—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116f
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	1	1	–	1	3	2	2	–	1	–	–	–	–	–	–	117
2	–	1	–	3	2	–	–	1	2	1	–	–	–	–	–	–	
–	–	–	–	2	–	–	1	1	2	1	2	1	–	–	–	–	118
1	–	–	1	1	–	1	–	2	1	2	2	–	–	1	–	–	
–	–	–	–	1	–	–	1	1	1	1	–	1	–	–	–	–	118a
–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	1	–	2	–	–	–	–	–	118b
1	–	–	1	1	–	1	–	2	–	1	2	–	–	1	–	–	
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	119
–	–	1	–	2	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	120
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	1	1	2	3	–	–	–	–	–	–	–	122
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	122a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	1	1	2	3	–	–	–	–	–	–	–	122b
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	123
–	–	–	1	–	–	1	1	–	2	–	–	1	–	–	–	–	
–	–	1	2	–	–	–	–	1	3	1	2	1	–	–	–	–	124
–	–	–	1	–	2	2	1	2	1	1	–	–	–	–	–	–	
–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	125
–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	126
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	**2**	**5**	**7**	**17**	**18**	**14**	**30**	**35**	**46**	**31**	**23**	**15**	**3**	–	–	–	
1	**1**	**1**	**5**	**6**	**10**	**7**	**19**	**25**	**27**	**18**	**16**	**10**	**2**	–	–	–	
–	**1**	**4**	**2**	**11**	**8**	**7**	**11**	**10**	**19**	**13**	**7**	**5**	**1**	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	128
–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	
–	1	1	4	5	8	6	12	19	18	7	9	7	2	–	–	–	129
–	–	2	1	6	5	7	9	8	13	13	6	5	1	–	–	–	
–	–	–	–	–	1	–	–	2	1	3	1	–	–	–	–	–	131
–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	132
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	1	1	2	1	1	–	–	–	–	–	133
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	134
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	134a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	134b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	1	5	2	6	7	5	3	–	–	–	–	135
–	–	–	1	1	–	–	–	2	1	–	1	–	–	–	–	–	137
–	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	138
–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	139
–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	141

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

NEW BRUNSWICK—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VIII—THE PUERPERAL STATE—CLASSE VIII—ÉTAT PUERPÉRAL.	Total	58	–	–	–	–	–	–	–	2	8
143	Accidents of pregnancy—Accidents de la grossesse.	F.	4	–	–	–	–	–	–	–	–	–
	(a) Abortion—Avortement	F.	2	–	–	–	–	–	–	–	–	–
	(b) Ectopic gestation—Gestation ectopique.	F.	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	F.	2	–	–	–	–	–	–	–	–	–
	(d) Abortion, self-induced—Avortement provoqué par soi-même.	F.	–	–	–	–	–	–	–	–	–	–
144	Puerperal haemorrhage—Hémorragie puerpérale.	F.	5	–	–	–	–	–	–	–	–	–
145	Other accidents of labour—Autres accidents de l'accouchement.	F.	6	–	–	–	–	–	–	–	1	–
	(a) Caesarean section—Opération césarienne.	F.	–	–	–	–	–	–	–	–	–	–
	(b) Difficult labour—Accouchement laborieux.	F.	1	–	–	–	–	–	–	–	–	–
	(c) Other surgical operations and instrumental delivery—Autres opérations chirurgicales et application d'instruments.	F.	5	–	–	–	–	–	–	–	1	–
	(d) Uncontrollable vomiting—Vomissements incontrôlables.	F.	–	–	–	–	–	–	–	–	–	–
	(e) Rupture of uterus in labour, etc.— Rupture de l'utérus durant l'accouchement, etc.	F.	–	–	–	–	–	–	–	–	–	–
146	Puerperal septicaemia—Septicémie puerpérale.	F.	22	–	–	–	–	–	–	–	–	5
147	Puerperal phlegmasia alba dolens, puerperal embolism, sudden death in puerperium—Phlegmasia alba dolens, embolie, mort subite puerpérales.	F.	3	–	–	–	–	–	–	–	–	–
148	Puerperal albuminuria and convulsions—Albuminurie et éclampsie puerpérales.	F.	17	–	–	–	–	–	–	–	1	3
149	Following childbirth (not otherwise defined)—Suites de couches (sans autres explications).	F.	1	–	–	–	–	–	–	–	–	–
	CLASS IX—DISEASES OF THE SKIN AND OF THE CELLULAR TISSUE—CLASSE IX—AFFECTIONS DE LA PEAU ET DU TISSU CELLULAIRE.	Total	30	7	1	–	–	–	–	–	1	1
		M.	17	2	–	–	–	–	–	–	1	1
		F.	13	5	1	–	–	–	–	–	–	–
151	Gangrene—Gangrène	M.	9	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	M.	5	–	–	–	–	–	–	–	–	1
		F.	4	2	1	–	–	–	–	–	–	–
154	Other diseases of the skin and annexa—Autres affections de la peau et de ses annexes.	M.	3	2	–	–	–	–	–	–	1	–
		F.	4	3	–	–	–	–	–	–	–	–
	CLASS X—DISEASES OF THE BONES AND OF THE ORGANS OF LOCOMOTION—CLASSE X—AFFECTIONS DES OS ET DES ORGANES DE LA LOCOMOTION.	Total	9	1	–	–	–	–	–	1	–	–
		M.	5	1	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	1	–	–
155	Diseases of the bones (mastoid and tuberculosis excepted)—Affections des os (sinus mastoïdien et tuberculose exceptés).	M.	5	1	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	1	–	–
156	Diseases of the joints (tuberculosis and rheumatism excepted)—Affections articulaires (tuberculose et rhumatisme exceptés).	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

NOUVEAU-BRUNSWICK—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
11	13	17	7	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	143
–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	143a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143b
–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	143c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143d
1	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	144
2	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	145
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145a
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145b
1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	145c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145e
7	4	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	146
–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	147
1	3	5	4	–	–	–	–	–	–	–	–	–	–	–	–	–	148
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	149
–	–	–	1	2	1	2	–	1	3	5	2	2	1	–	–	–	
–	–	–	–	2	1	2	–	1	2	5	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	1	–	2	2	1	–	–	–	
–	–	–	–	1	–	–	–	1	2	5	–	–	–	–	–	–	151
–	–	–	1	–	–	–	–	–	1	–	1	2	–	–	–	–	
–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	153
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	154
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
–	–	–	1	–	1	–	–	1	3	1	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	1	1	1	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	1	1	1	–	–	–	–	–	–	155
–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	156
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

NEW BRUNSWICK—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XI—MALFORMATIONS—Total		**47**	**42**	**1**	–	–	–	**2**	–	**2**	–
	CLASSE XI—VICES DE CONFORMATION.	**M.**	**29**	**26**	**1**	–	–	–	**2**	–	–	–
		F.	**18**	**16**	–	–	–	–	–	–	**2**	–
159	Congenital malformations (stillbirths not included)—Vices de conformation congénitaux (mort-nés non compris).	M.	29	26	1	–	–	–	2	–	–	–
		F.	18	16	–	–	–	–	–	–	2	–
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale.	M.	2	2	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur.	M.	17	15	–	–	–	–	2	–	–	–
		F.	6	5	–	–	–	–	–	–	1	–
	(c) Others under this title—Autres sous ce titre.	M.	10	9	1	–	–	–	–	–	–	–
		F.	12	11	–	–	–	–	–	–	1	–
	CLASS XII—DISEASES OF EARLY INFANCY—CLASSE XII—AFFECTIONS DU PREMIER ÂGE.	**Total**	**460**	**460**	–	–	–	–	–	–	–	–
		M.	**262**	**262**	–	–	–	–	–	–	–	–
		F.	**198**	**198**	–	–	–	–	–	–	–	–
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème.	M.	54	54	–	–	–	–	–	–	–	–
		F.	35	35	–	–	–	–	–	–	–	–
161	Premature birth, injury at birth—Naissance prématurée, conséquence de l'accouchement.	M.	105	105	–	–	–	–	–	–	–	–
		F.	87	87	–	–	–	–	–	–	–	–
	(a) Premature birth—Naissance prématurée.	M.	89	89	–	–	–	–	–	–	–	–
		F.	75	75	–	–	–	–	–	–	–	–
	(b) Injury at birth—Conséquence de l'accouchement.	M.	16	16	–	–	–	–	–	–	–	–
		F.	12	12	–	–	–	–	–	–	–	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge.	M.	103	103	–	–	–	–	–	–	–	–
		F.	76	76	–	–	–	–	–	–	–	–
	(a) Specified diseases—Affections spécifiées.	M.	21	21	–	–	–	–	–	–	–	–
		F.	15	15	–	–	–	–	–	–	–	–
	(b) Unspecified causes under 3 months—Causes non spécifiées au-dessous de 3 mois.	M.	82	82	–	–	–	–	–	–	–	–
		F.	61	61	–	–	–	–	–	–	–	–
	CLASS XIII—OLD AGE—CLASSE XIII—VIEILLESSE.	**Total**	**312**	–	–	–	–	–	–	–	–	–
		M.	**160**	–	–	–	–	–	–	–	–	–
		F.	**152**	–	–	–	–	–	–	–	–	–
164	Senility—Sénilité	M.	160	–	–	–	–	–	–	–	–	–
		F.	152	–	–	–	–	–	–	–	–	–
	CLASS XIV—EXTERNAL CAUSES—CLASSE XIV—CAUSES EXTÉRIEURES.	**Total**	**259**	**9**	**6**	**7**	**5**	**4**	**11**	**17**	**18**	**24**
		M.	**196**	**4**	**2**	**2**	**2**	**3**	**9**	**15**	**15**	**20**
		F.	**63**	**5**	**4**	**5**	**3**	**1**	**2**	**2**	**3**	**4**
165-174	**Suicides**	**M.**	**21**	–	–	–	–	–	–	–	–	**2**
		F.	**5**	–	–	–	–	–	–	–	**1**	**1**
165	Suicide by solid or liquid poisons (corrosive substances excepted)—Suicide par ingestion de poisons solides ou liquides (substances corrosives exceptées).	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1
166	Suicide by corrosive substances—Absorption volontaire de substances corrosives.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	1	–
168	Suicide by hanging or strangulation—Suicide par pendaison ou strangulation.	M.	7	–	–	–	–	–	–	–	–	2
		F.	–	–	–	–	–	–	–	–	–	–
169	Suicide by drowning—Suicide par submersion.	M.	4	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
170	Suicide by firearms—Suicide par armes à feu.	M.	3	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
171	Suicide by cutting or piercing instruments—Suicide par instruments tranchants ou piquants.	M.	4	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
172	Suicide by jumping from high places—Suicide par précipitation d'un lieu élevé.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
174	Other suicides—Autres suicides	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
175	Poisoning by food—Empoisonnement par aliments.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

NOUVEAU-BRUNSWICK—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	160
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	**4**	**38**	**51**	**74**	**86**	**41**	**16**	**2**	–	
–	–	–	–	–	–	–	–	**3**	**22**	**29**	**36**	**41**	**22**	**6**	**1**	–	
–	–	–	–	–	–	–	–	**1**	**16**	**22**	**38**	**45**	**19**	**10**	**1**	–	
–	–	–	–	–	–	–	–	3	22	29	36	41	22	6	1	–	164
–	–	–	–	–	–	–	–	1	16	22	38	45	19	10	1	–	
12	**10**	**18**	**15**	**15**	**12**	**5**	**11**	**16**	**19**	**10**	**7**	**6**	**2**	–	–	–	
11	**8**	**17**	**13**	**14**	**11**	**5**	**9**	**12**	**13**	**3**	**4**	**3**	**1**	–	–	–	
1	**2**	**1**	**2**	**1**	**1**	–	**2**	**4**	**6**	**7**	**3**	**3**	**1**	–	–	–	
																	165–
–	**1**	**3**	**3**	**5**	**1**	–	**3**	**1**	–	–	**2**	–	–	–	–	–	**174**
–	**2**	**1**	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	165
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	166
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	1	–	2	–	–	–	–	–	–	1	–	–	–	–	–	168
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	3	–	–	1	–	–	–	–	–	169
–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	170
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	171
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	172
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	174
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	175
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

NEW BRUNSWICK—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XIV-con.—CLASSE XIV-fin											
177	Other acute accidental poisonings (gas excepted)—Autres empoisonnements accidentels aigus (par gaz exceptés).	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	1	–	–	–	–	–	–
178	Conflagration—Incendie	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–
179	Accidental burns and scalds (conflagration excepted)—Brûlures accidentelles (autres que par l'incendie).	M.	6	1	–	1	–	1	3	–	–	–
		F.	13	1	1	3	2	1	–	–	1	–
180	Accidental mechanical suffocation—Suffocation mécanique accidentelle.	M.	3	3	–	–	–	–	–	–	–	–
		F.	2	2	–	–	–	–	–	–	–	–
	(a) Overlaying—Étouffé pendant le sommeil.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(b) Asphyxia—Asphyxie	M.	3	3	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
181	Accidental absorption of irrespirable or poisonous gas—Absorption accidentelle de gaz irrespirables ou toxiques.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	1	–	–	–	–	–	–	–
182	Accidental drowning—Submersion accidentelle.	M.	46	–	–	–	2	1	3	7	11	4
		F.	4	–	–	–	–	–	1	–	1	–
183	Accidental traumatism by firearms—Traumatismes accidentels par armes à feu.	M.	6	–	–	–	–	–	–	2	1	–
		F.	2	–	–	–	–	–	–	1	–	1
184	Accidental traumatism by cutting or piercing instruments—Traumatismes accidentels par instruments tranchants ou piquants.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
185	Accidental traumatism by fall—Traumatismes accidentels par chute.	M.	18	–	–	–	–	–	–	–	–	1
		F.	17	–	1	–	–	–	–	–	–	–
186	Accidental traumatism in mines and quarries—Traumatismes accidentels par mines et carrières.	M.	4	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Coal mines—Mines de charbon	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other mines—Autres mines	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Quarries—Carrières	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
187	Accidental traumatism by machines—Traumatismes accidentels par machines.	M.	7	–	–	–	–	–	–	–	–	1
		F.	1	–	–	–	–	–	–	–	–	1
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.)—Traumatismes accidentels par autres écrasements (voitures, railways, éboulements, etc.).	M.	59	–	1	–	–	1	3	6	3	11
		F.	6	–	–	–	1	–	–	1	–	1
	(a) Railroad accidents—Accidents par chemins de fer.	M.	10	–	–	–	–	–	–	1	–	1
		F.	2	–	–	–	–	–	–	–	–	–
	(b) Street car accidents—Accidents par tramways.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Automobile accidents—Accidents par automobiles.	M.	28	–	1	–	–	–	2	3	1	5
		F.	3	–	–	–	–	–	–	1	–	1
	(d) Aeroplane and balloon accidents—Accidents par aéroplanes et ballons.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Injuries by other vehicles—Blessures par autres voitures.	M.	11	–	–	–	–	1	1	1	–	2
		F.	–	–	–	–	–	–	–	–	–	–
	(f) Other crushing—Autres écrasements.	M.	10	–	–	–	–	–	–	1	2	3
		F.	1	–	–	–	1	–	–	–	–	–
189	Injuries by animals (poisoning excepted)—Violences exercées par des animaux (empoisonnements exceptés).	M.	6	–	–	1	–	–	–	–	–	–
		F.	1	–	1	–	–	–	–	–	–	–
193	Excessive cold—Froid excessif	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
194	Excessive heat—Chaleur excessive	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
197-199	**Homicides**	**M.**	4	–	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
197	Homicide by firearms—Homicide par armes à feu.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
199	Homicide by other means—Homicide par autres moyens.	M.	3	–	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
201	Fracture (cause not specified)—Fracture (cause non spécifiée).	M.	4	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
202	Other external violence (cause specified)—Autres violences extérieures (cause spécifiée).	M.	8	–	–	–	–	–	–	–	–	1
		F.	2	–	–	1	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

NOUVEAU-BRUNSWICK—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	177
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	178
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	179
–	–	–	1	–	1	–	–	–	1	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	181
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
4	1	–	2	3	2	2	2	1	1	–	–	–	–	–	–	–	182
1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	183
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	184
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	3	–	2	–	–	–	4	5	–	1	–	–	–	–	–	185
–	–	–	–	–	–	–	1	3	4	3	1	3	1	–	–	–	
–	–	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–	186
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	186a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	186b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	186c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	2	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	187
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	9	5	2	2	1	4	2	4	2	–	1	–	–	–	–	188
–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	
1	–	2	1	–	1	1	1	–	1	–	–	–	–	–	–	–	188a
–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	188b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	4	2	2	1	–	2	1	1	2	–	–	–	–	–	–	188c
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	188d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	1	–	–	–	1	–	2	–	–	1	–	–	–	–	188e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	188f
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	1	3	–	–	–	–	–	–	–	–	–	–	–	189
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	193
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	194
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	197-199
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	197
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	199
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	201
–	–	–	–	–	–	–	–	–	1	2	2	–	–	–	–	–	
3	1	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	202
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

NEW BRUNSWICK—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XV—ILL-DEFINED DISEASES—CLASSE XV—MALADIES MAL DÉFINIES.	**Total**	**180**	**70**	**24**	**5**	**4**	**2**	**6**	**2**	**3**	**4**
		M.	**98**	**40**	**12**	**4**	**1**	**2**	**3**	**1**	**2**	**2**
		F.	**82**	**30**	**12**	**1**	**3**	–	**3**	**1**	**1**	**2**
204	Sudden death—Mort subite	M.	8	1	1	–	–	–	–	–	–	–
		F.	7	2	–	–	–	–	–	–	–	1
205	Cause of death not specified or ill-defined—Cause de décès non spécifiée ou mal définie.	M.	90	39	11	4	1	2	3	1	2	2
		F.	75	28	12	1	3	–	3	1	1	1
	(a) Ill-defined—Mal définie	M.	–	–	–	–	–	–	–	–	–	–
		F.	8	1	–	–	1	–	–	–	–	–
	(b) Not specified or unknown—Non spécifiée ou inconnue.	M.	75	39	11	4	1	2	3	1	2	2
		F.	58	26	12	1	2	–	3	1	1	1
	(c) Heart failure—Paralysie du cœur	M.	15	–	–	–	–	–	–	–	–	–
		F.	9	1	–	–	–	–	–	–	–	–
	(d) Syncope	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

QUEBEC

	DEATHS—ALL CAUSES—DÉCÈS—TOUTES CAUSES.	**Total**	**36,632**	**10,332**	**1,539**	**678**	**500**	**357**	**995**	**729**	**983**	**1,138**
		M.	**19,036**	**5,899**	**814**	**366**	**260**	**190**	**519**	**371**	**459**	**472**
		F.	**17,596**	**4,433**	**725**	**312**	**240**	**167**	**476**	**358**	**524**	**666**
	CLASS I—EPIDEMIC, ENDEMIC AND INFECTIOUS DISEASES—CLASSE I—AFFECTIONS ÉPIDÉMIQUES, ENDÉMIQUES ET INFECTIEUSES.	**Total**	**6,716**	**1,075**	**482**	**246**	**203**	**139**	**406**	**259**	**482**	**600**
		M.	**3,177**	**608**	**258**	**123**	**99**	**77**	**207**	**89**	**169**	**198**
		F.	**3,539**	**467**	**224**	**123**	**104**	**62**	**199**	**170**	**313**	**402**
1	Typhoid and paratyphoid fever—Fièvre typhoïde et paratyphoïde.	M.	146	3	2	5	6	4	11	8	25	20
		F.	114	3	2	1	3	–	21	20	21	11
	(a) Typhoid fever—Fièvre typhoïde	M.	141	2	2	5	6	4	8	8	25	20
		F.	108	3	2	1	2	–	21	17	20	11
	(b) Paratyphoid fever—Fièvre paratyphoïde.	M.	5	1	–	–	–	–	3	–	–	–
		F.	6	–	–	–	1	–	–	3	1	–
6	Small-pox—Variole	M.	2	–	–	–	2	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	1
7	Measles—Rougeole	M.	71	25	29	7	1	1	6	–	1	–
		F.	91	18	38	13	7	3	8	2	–	–
8	Scarlet fever—Scarlatine	M.	96	9	14	19	11	8	25	4	2	1
		F.	78	6	10	12	12	5	20	4	1	3
9	Whooping-cough—Coqueluche	M.	146	99	37	6	1	1	1	–	–	–
		F.	160	106	30	9	6	2	6	1	–	–
10	Diphtheria—Diphtérie	M.	206	13	24	22	30	29	70	12	2	1
		F.	207	15	26	24	32	28	52	20	3	4
11	Influenza—Grippe	M.	819	275	96	40	19	17	32	16	20	12
		F.	809	175	73	34	19	8	25	18	16	23
	(a) Sole cause—Cause unique	M.	213	102	24	5	5	6	9	4	8	–
		F.	169	56	18	8	2	2	5	6	2	2
	(b) With phthisis—Avec phtisie	M.	12	–	–	–	–	–	1	–	1	1
		F.	33	1	–	2	1	1	1	1	2	8
	(c) With bronchitis—Avec bronchite	M.	25	9	–	–	2	–	–	–	–	–
		F.	29	7	1	–	–	–	1	1	–	–
	(d) With pneumonia—Avec pneumonie	M.	377	117	58	23	4	7	10	3	4	9
		F.	347	79	38	15	9	4	10	8	8	7
	(e) With other respiratory diseases—Avec autres affections de l'appareil respiratoire.	M.	64	15	5	2	2	1	5	1	–	1
		F.	78	13	12	2	2	–	2	1	–	3
	(f) With diseases and accidents of pregnancy and parturition—Avec affections et accidents de la grossesse.	F.	18	–	–	–	–	–	–	–	–	2
	(g) With other causes—Avec autres causes.	M.	128	32	9	10	6	3	7	8	7	1
		F.	135	19	4	7	5	1	6	1	4	1
13	Mumps—Oreillons	M.	8	1	1	–	1	1	3	–	–	–
		F.	9	2	–	–	1	1	4	–	–	–
16	Dysentery—Dysenterie	M.	14	1	4	–	3	–	–	–	–	–
		F.	16	2	1	3	–	–	2	–	–	–
19	Spirochetal haemorrhagic jaundice—Spirochétose ictéro-hémorragique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	M.	42	18	1	–	–	1	–	–	–	–
		F.	51	23	1	2	–	–	–	–	–	2

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

NOUVEAU-BRUNSWICK—fin

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
2	**3**	**4**	**3**	**4**	**3**	**7**	**7**	**16**	**4**	**2**	**2**	**2**	**1**	–	–	–	
1	**1**	–	**2**	**1**	**2**	**4**	**5**	**9**	**2**	–	**1**	**2**	**1**	–	–	–	
1	**2**	**4**	**1**	**3**	**1**	**3**	**2**	**7**	**2**	**2**	**1**	–	–	–	–	–	
–	–	–	–	–	2	–	2	2	–	–	–	–	–	–	–	–	204
–	–	–	–	–	–	1	–	1	–	1	1	–	–	–	–	–	
1	1	–	2	1	–	4	3	7	2	–	1	2	1	–	–	–	205
1	2	4	1	3	1	2	2	6	2	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	205a
1	–	2	1	1	–	–	–	1	–	–	–	–	–	–	–	–	
1	1	–	1	–	–	3	–	4	–	–	–	–	–	–	–	–	205b
–	2	2	–	1	–	–	2	4	–	–	–	–	–	–	–	–	
–	–	–	1	1	–	1	3	3	2	–	1	2	1	–	–	–	205c
–	–	–	–	1	1	2	–	1	2	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	205d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

QUÉBEC

998	**887**	**1,022**	**1,097**	**1,138**	**1,196**	**1,399**	**1,656**	**2,045**	**2,294**	**2,330**	**1,745**	**1,040**	**409**	**84**	**18**	**23**	
429	**387**	**453**	**544**	**603**	**641**	**779**	**864**	**1,080**	**1,191**	**1,220**	**807**	**464**	**165**	**32**	**8**	**19**	
569	**500**	**569**	**553**	**535**	**555**	**620**	**792**	**965**	**1,103**	**1,110**	**938**	**576**	**244**	**52**	**10**	**4**	
459	**362**	**331**	**300**	**216**	**185**	**193**	**143**	**152**	**157**	**116**	**123**	**58**	**21**	**6**	**1**	**1**	
187	**152**	**159**	**136**	**128**	**112**	**104**	**82**	**80**	**80**	**53**	**46**	**18**	**9**	**2**	–	**1**	
272	**210**	**172**	**164**	**88**	**73**	**89**	**61**	**72**	**77**	**63**	**77**	**40**	**12**	**4**	**1**	–	
14	13	8	6	8	4	4	4	–	1	–	–	–	–	–	–	–	1
8	8	1	3	3	1	5	–	1	–	1	1	–	–	–	–	–	
14	13	8	5	8	4	4	4	–	1	–	–	–	–	–	–	–	1a
8	8	1	3	3	1	4	–	1	–	1	1	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1b
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	
1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
1	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	10
–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	
10	8	20	16	15	19	15	20	30	37	40	39	14	8	1	–	–	11
28	30	20	28	15	19	19	23	28	49	49	62	33	11	4	–	–	
–	1	3	–	3	2	2	4	4	11	4	9	4	2	1	–	–	11a
1	2	–	2	2	1	3	2	4	5	11	20	9	5	1	–	–	
2	1	2	1	–	–	3	–	–	–	–	–	–	–	–	–	–	11b
7	2	–	2	2	1	–	–	1	1	–	–	–	–	–	–	–	
1	–	–	1	–	–	–	1	4	–	2	3	2	–	–	–	–	11c
1	–	1	1	–	1	–	–	3	3	3	5	1	–	–	–	–	
5	4	10	10	8	11	7	13	13	18	18	18	4	3	–	–	–	11d
9	16	12	15	8	10	6	10	10	23	14	21	11	3	1	–	–	
–	–	3	3	3	4	1	–	2	3	9	2	1	1	–	–	–	11e
1	1	3	5	–	3	2	3	1	5	8	7	2	1	1	–	–	
6	6	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	11f
2	2	2	1	1	2	2	2	7	5	7	7	3	2	–	–	–	11g
3	3	2	2	2	3	8	8	9	12	13	9	10	2	1	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	13
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	2	1	2	1	–	–	–	–	–	–	16
–	–	–	–	–	–	–	–	1	2	–	1	4	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	
–	–	2	2	1	2	2	3	2	3	2	2	–	1	–	–	–	21
3	1	1	3	1	–	2	–	2	3	1	4	2	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

QUEBEC—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS I—con.—CLASSE I—fin											
22	Acute anterior poliomyelitis—Poliomyélite aiguë.	M.	18	3	2	2	–	2	6	–	1	2
		F.	16	7	1	–	–	–	3	1	1	2
23	Lethargic encephalitis—Encéphalite léthargique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	1	1	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique.	M.	35	15	2	–	2	3	7	3	–	–
		F.	41	12	8	2	4	1	5	4	3	–
25	Other epidemic and endemic diseases—Autres affections épidémiques et endémiques.	M.	12	9	2	–	1	–	–	–	–	–
		F.	11	9	1	–	–	–	–	–	–	–
	(a) Chicken-pox—Varicelle	M.	10	8	1	–	1	–	–	–	–	–
		F.	8	8	–	–	–	–	–	–	–	–
	(b) German measles—Rubéole	M.	1	–	1	–	–	–	–	–	–	–
		F.	2	1	1	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	1	1	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
29	Tetanus—Tétanos	M.	5	–	–	–	1	–	–	–	1	–
		F.	1	–	–	–	–	–	–	–	–	–
30	Mycoses	M.	3	–	1	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
31-37	**Tuberculosis—Tuberculose**	**M.**	**1,393**	**53**	**34**	**21**	**20**	**7**	**39**	**43**	**115**	**158**
		F.	**1,813**	**38**	**25**	**21**	**19**	**14**	**50**	**98**	**265**	**356**
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire.	M.	1,151	24	13	9	10	2	12	27	95	135
		F.	1,535	19	18	7	11	5	19	72	223	318
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central.	M.	89	16	12	9	8	4	18	5	3	3
		F.	114	13	5	9	5	5	25	13	15	12
33	Tuberculosis of the intestines and peritoneum—Tuberculose des intestins et du péritoine.	M.	52	6	1	1	–	–	4	4	10	10
		F.	90	3	1	4	2	2	5	6	19	13
34	Tuberculosis of the vertebral column—Tuberculose de la colonne vertébrale.	M.	8	1	1	–	1	–	–	1	–	1
		F.	13	–	–	–	1	–	–	2	1	2
35	Tuberculosis of the joints—Tuberculose articulaire.	M.	5	–	–	–	–	1	1	1	–	–
		F.	5	–	–	–	–	–	–	–	2	–
36	Tuberculosis of other organs—Tuberculose d'autres organes.	M.	61	5	2	–	1	–	2	5	6	6
		F.	33	1	1	1	–	1	1	2	3	5
	(a) Skin and sub-cutaneous cellular tissue—De la peau et du tissu cellulaire sous-cutané.	M.	5	–	1	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Bones (vertebral column excepted)—Des os (excepté la colonne vertébrale).	M.	18	–	–	–	–	–	2	2	2	2
		F.	12	–	–	–	–	1	1	1	2	1
	(c) Lymphatic system (mesenteric and retroperitoneal glands excepted)—Du système lymphatique (excepté les ganglions mésentériques et les ganglions rétropéritonéaux).	M.	10	5	1	–	1	–	–	1	–	–
		F.	6	1	1	–	–	–	–	1	–	2
	(d) Genito-urinary system—Des organes génito-urinaires.	M.	26	–	–	–	–	–	–	1	4	3
		F.	14	–	–	1	–	–	–	–	–	2
	(e) Organs other than above—Autres organes que ceux déjà mentionnés.	M.	2	–	–	–	–	–	–	1	–	–
		F.	1	–	–	–	–	–	–	–	1	–
37	Disseminated tuberculosis—Tuberculose disséminée.	M.	27	1	5	2	–	–	2	–	1	3
		F.	23	2	–	–	–	1	–	3	2	6
	(a) Acute—Aiguë	M.	10	1	4	–	–	–	1	–	1	1
		F.	6	2	–	–	–	–	–	1	1	1
	(b) Chronic or unstated—Chronique ou non spécifiée.	M.	17	–	1	2	–	–	1	–	–	2
		F.	17	–	–	–	–	1	–	2	1	5
38	Syphilis	M.	68	42	5	–	–	1	–	–	–	1
		F.	45	27	3	–	–	–	–	–	–	–
40	Gonococcus infection—Gonococcie	M.	6	6	–	–	–	–	–	–	–	–
		F.	3	2	–	–	–	–	–	–	–	–
41	Purulent infection, septicaemia—Infection purulente, septicémie.	M.	87	36	4	1	1	2	7	2	2	3
		F.	67	22	5	2	1	–	3	1	2	–
	CLASS II—GENERAL DISEASES NOT INCLUDED IN CLASS I—CLASSE II—MALADIES GÉNÉRALES NON MENTIONNÉES DANS LA CLASSE I.	**Total**	**3,047**	**77**	**70**	**28**	**8**	**5**	**27**	**31**	**32**	**35**
		M.	**1,456**	**47**	**40**	**21**	**3**	**4**	**12**	**21**	**16**	**17**
		F.	**1,591**	**30**	**30**	**7**	**5**	**1**	**15**	**10**	**16**	**18**
43-49	**Cancer**	**M.**	**956**	**–**	**1**	**–**	**–**	**–**	**–**	**1**	**5**	**2**
		F.	**1,088**	**–**	**1**	**1**	**1**	**–**	**1**	**1**	**6**	**6**

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

QUÉBEC—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	23
1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	24
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25c
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	29
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	30
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
157	**124**	**118**	**105**	**98**	**83**	**77**	**51**	**42**	**33**	**7**	**4**	**3**	–	–	–	**1**	**31-37**
229	**165**	**144**	**125**	**64**	**44**	**56**	**33**	**34**	**18**	**11**	**4**	–	–	–	–	–	
140	114	107	96	88	76	73	46	39	33	7	4	1	–	–	–	–	31
210	152	133	112	55	40	50	31	31	17	8	4	–	–	–	–	–	
6	2	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	32
2	4	1	1	2	2	–	–	–	–	–	–	–	–	–	–	–	
4	2	1	3	2	2	–	–	1	–	–	–	1	–	–	–	–	33
7	7	3	7	4	1	1	1	1	1	2	–	–	–	–	–	–	
2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	34
1	1	2	1	1	–	1	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	35
1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
4	1	7	6	6	3	2	3	–	–	–	–	1	–	–	–	1	36
5	–	4	3	1	–	1	1	2	–	1	–	–	–	–	–	–	
–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–	36a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	–	2	3	–	–	1	–	–	–	–	–	–	–	–	–	1	36b
–	–	1	1	–	–	–	1	2	–	1	–	–	–	–	–	–	
–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	36c
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	5	2	6	–	–	3	–	–	–	–	–	–	–	–	–	36d
4	–	3	2	1	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	36e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	4	3	–	1	1	1	–	2	–	–	–	–	–	–	–	–	37
3	1	–	1	1	1	2	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	37a
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	4	3	–	–	–	1	–	2	–	–	–	–	–	–	–	–	37b
2	1	–	1	1	1	2	–	–	–	–	–	–	–	–	–	–	
1	–	2	5	1	1	4	2	1	1	–	1	–	–	–	–	–	38
–	1	1	2	3	1	3	1	–	1	–	1	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	40
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
2	5	5	2	3	1	1	–	4	2	2	–	1	–	1	–	–	41
–	1	4	2	2	4	3	3	4	3	1	3	–	1	–	–	–	
59	**59**	**93**	**146**	**231**	**224**	**395**	**372**	**414**	**370**	**266**	**116**	**71**	**13**	**3**	**1**	–	
20	**28**	**36**	**63**	**95**	**87**	**147**	**167**	**203**	**194**	**138**	**55**	**33**	**6**	**2**	**1**	–	
30	**31**	**57**	**83**	**136**	**137**	**158**	**205**	**211**	**176**	**128**	**61**	**38**	**7**	**1**	–	–	
8	**12**	**15**	**41**	**72**	**64**	**114**	**132**	**159**	**146**	**115**	**40**	**22**	**5**	**1**	**1**	–	**43-49**
13	**20**	**37**	**54**	**102**	**107**	**118**	**161**	**157**	**130**	**97**	**42**	**26**	**6**	**1**	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

QUEBEC—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS II—con.—**CLASSE II**—suite											
43	Cancer of the buccal cavity—Cancer de la cavité buccale.	M.	87	–	–	–	–	–	–	–	1	–
		F.	11	–	–	–	–	–	–	–	–	–
44	Cancer of the stomach and liver—Cancer de l'estomac et du foie.	M.	489	–	–	–	–	–	–	–	–	–
		F.	341	–	–	–	–	–	–	–	1	1
45	Cancer of the peritoneum, intestines and rectum—Cancer du péritoine, des intestins et du rectum.	M.	145	–	–	–	–	–	–	–	1	–
		F.	199	–	–	–	–	–	–	–	1	1
46	Cancer of the female genital organs—Cancer des organes génitaux de la femme.	F.	208	–	–	–	–	–	–	–	1	2
47	Cancer of the breast—Cancer du sein ..	M.	4	–	–	–	–	–	–	–	–	1
		F.	201	–	–	–	–	–	–	–	–	–
48	Cancer of the skin—Cancer de la peau..	M.	23	–	–	–	–	–	–	–	–	–
		F.	18	–	–	–	–	–	–	–	–	–
49	Cancer of other or unspecified organs—Cancer d'autres organes ou d'organes non spécifiés.	M.	208	–	1	–	–	–	–	1	3	1
		F.	110	–	1	1	1	–	1	1	3	2
	(a) Cancer of eye and ear—Cancer de l'œil et de l'oreille.	M.	4	–	–	–	–	–	–	–	–	–
		F.	8	–	–	–	–	–	1	–	–	–
	(b) Cancer of circulatory system—Cancer de l'appareil circulatoire.	M.	22	–	–	–	–	–	–	–	1	1
		F.	9	–	–	–	–	–	–	–	–	–
	(c) Cancer of respiratory system—Cancer de l'appareil respiratoire.	M.	28	–	–	–	–	–	–	–	1	–
		F.	10	–	–	–	–	–	–	–	–	–
	(d) Cancer of digestive system—Cancer de l'appareil digestif.	M.	26	–	–	–	–	–	–	–	–	–
		F.	23	–	–	–	–	–	–	–	–	–
	(e) Cancer of genito-urinary system—Cancer de l'appareil génito-urinaire.	M.	76	–	–	–	–	–	–	–	–	–
		F.	16	–	–	–	1	–	–	1	–	–
	(f) Cancer of bones and joints—Cancer des os et des articulations.	M.	8	–	–	–	–	–	–	1	–	–
		F.	8	–	–	–	–	–	–	–	2	1
	(g) Cancer of other specified organs—Cancer d'autres organes spécifiés.	M.	29	–	–	–	–	–	–	–	1	–
		F.	16	–	–	1	–	–	–	–	–	1
	(h) Generalized cancer—Cancer généralisé.	M.	14	–	1	–	–	–	–	–	–	–
		F.	18	–	1	–	–	–	–	–	1	–
	(i) Unspecified—Non spécifiés.....	M.	1	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
50	Benign tumours and tumours not returned as malignant (tumours of female genital organs excepted)—Tumeurs bénignes et tumeurs non données comme malignes (tumeurs des organes génitaux de la femme exceptées).	M.	21	–	1	–	–	1	–	1	1	1
		F.	19	–	–	–	–	–	–	–	–	1
51	Acute rheumatic fever—Rhumatisme articulaire aigu fébrile.	M.	39	1	1	2	–	1	6	6	4	2
		F.	38	–	–	–	2	–	8	4	2	1
52	Chronic rheumatism, osteo-arthritis, gout—Rhumatisme chronique ou goutte.	M.	40	–	–	–	–	–	–	1	–	–
		F.	30	–	–	–	–	–	–	–	1	–
56	Rickets—Rachitisme.....	M.	80	30	28	14	3	–	2	1	–	–
		F.	44	14	20	4	2	–	3	–	–	1
57	Diabetes mellitus—Diabète.....	M.	124	–	–	–	–	–	–	1	2	3
		F.	153	1	–	–	–	–	1	3	1	–
58	Anaemia, chlorosis—Anémie, chlorose.....	M.	86	3	5	3	–	2	2	7	4	4
		F.	109	2	9	2	–	1	2	1	1	3
	(a) Pernicious anaemia—Anémie pernicieuse.	M.	44	1	–	1	–	–	2	4	1	2
		F.	64	–	–	2	–	–	2	–	–	1
	(b) Other anaemias and chlorosis—Autres anémies et chloroses.	M.	42	2	5	2	–	2	–	3	3	2
		F.	45	2	9	–	–	1	–	1	1	2
59	Diseases of the pituitary gland—Affections du corps pituitaire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
60	Diseases of the thyroid gland—Affections de la glande thyroïde.	M.	8	–	–	–	–	–	–	–	–	1
		F.	56	–	–	–	–	–	–	1	2	2
	(a) Exophthalmic goiter—Goître exophtalmique.	M.	2	–	–	–	–	–	–	–	–	–
		F.	27	–	–	–	–	–	–	–	1	1
	(b) Other diseases of the thyroid gland—Autres affections de la glande thyroïde.	M.	6	–	–	–	–	–	–	–	–	1
		F.	29	–	–	–	–	–	–	1	1	1
61	Diseases of the parathyroid glands—Affections des glandes parathyroïdes.	M.	10	7	3	–	–	–	–	–	–	–
		F.	5	5	–	–	–	–	–	–	–	–
62	Diseases of the thymus—Affections du thymus.	M.	6	5	1	–	–	–	–	–	–	–
		F.	5	5	–	–	–	–	–	–	–	–
63	Diseases of the adrenals (Addison's disease)—Affections des glandes surrénales (maladie d'Addison).	M.	5	–	–	–	–	–	–	–	–	–
		F.	6	–	–	–	–	–	–	–	1	–
64	Diseases of the spleen—Affections de la rate.	M.	7	–	–	–	–	–	–	–	–	1
		F.	3	–	–	–	–	–	–	–	–	–
65	Leukaemia, lymphadenoma—Leucémie, lymphadénie.	M.	15	–	–	1	–	–	1	1	–	1
		F.	12	–	–	–	–	–	–	–	–	1

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

QUÉBEC—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	1	4	4	3	6	8	16	13	18	7	4	2	–	–	–	43
–	1	1	1	2	–	–	2	–	2	2	–	–	–	–	–	–	
4	4	3	17	37	44	70	72	84	67	56	21	8	1	–	1	–	44
2	1	4	9	15	28	40	58	61	56	38	20	6	1	–	–	–	
1	3	6	7	12	7	17	18	28	22	15	4	3	1	–	–	–	45
3	4	7	10	18	14	17	31	30	25	24	8	5	1	–	–	–	
5	11	15	13	29	30	27	26	19	21	7	1	1	–	–	–	–	46
–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	47
2	2	9	17	24	24	26	25	31	15	12	8	6	–	–	–	–	
–	–	–	–	1	2	4	3	3	2	2	1	3	1	1	–	–	48
1	–	–	–	1	–	1	2	–	–	2	2	7	2	–	–	–	
3	5	5	13	18	7	17	30	28	42	23	7	4	–	–	–	–	49
–	1	1	4	13	11	7	17	16	11	12	3	1	2	1	–	–	
–	–	–	1	–	–	–	–	–	2	1	–	–	–	–	–	–	49a
–	–	–	1	–	–	–	2	–	–	1	1	–	1	1	–	–	
1	–	–	2	5	2	1	3	2	4	–	–	–	–	–	–	–	49b
–	–	–	–	3	2	–	4	–	–	–	–	–	–	–	–	–	
–	–	3	4	5	1	2	4	4	3	1	–	–	–	–	–	–	49c
–	–	–	2	–	1	2	1	3	–	–	1	–	–	–	–	–	
–	2	–	2	–	2	4	4	2	5	3	2	–	–	–	–	–	49d
–	–	1	–	1	3	–	5	6	4	2	1	–	–	–	–	–	
–	2	–	2	4	1	6	12	14	16	15	1	3	–	–	–	–	49e
–	–	–	–	2	1	1	1	2	3	4	–	–	–	–	–	–	
–	–	–	1	1	–	–	1	–	2	–	1	1	–	–	–	–	49f
–	–	–	–	1	–	–	1	1	1	1	–	–	–	–	–	–	
1	1	1	–	1	1	2	4	3	10	1	3	–	–	–	–	–	49g
–	–	–	–	2	2	3	2	2	1	2	–	–	–	–	–	–	
1	–	1	1	2	–	2	2	2	–	2	–	–	–	–	–	–	49h
–	1	–	1	4	2	–	1	2	2	1	–	1	1	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	49i
–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	
1	–	1	1	2	2	–	1	5	2	–	1	–	–	–	–	–	50
2	1	1	1	2	–	3	–	1	3	2	1	1	–	–	–	–	
1	1	4	1	–	2	2	3	2	–	–	–	–	–	–	–	–	51
5	3	1	2	4	1	1	2	–	1	–	1	–	–	–	–	–	
–	1	3	2	1	1	3	3	3	9	9	1	3	–	–	–	–	52
–	–	–	3	1	3	1	3	1	7	5	3	2	–	–	–	–	
–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	56
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	5	4	5	12	7	11	15	22	20	6	6	3	–	–	–	–	57
–	2	3	8	10	10	16	26	35	20	8	6	3	–	–	–	–	
3	6	1	2	2	3	5	4	3	10	6	4	5	1	1	–	–	58
4	2	6	6	8	7	8	7	8	12	9	5	5	1	–	–	–	
1	4	–	1	2	3	3	3	3	7	5	1	–	–	–	–	–	58a
2	2	5	5	6	5	7	6	5	8	7	1	–	–	–	–	–	
2	2	1	1	–	–	2	1	–	3	1	3	5	1	1	–	–	58b
2	–	1	1	2	2	1	1	3	4	2	4	5	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	59
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	2	1	2	1	–	–	–	–	–	–	–	60
2	1	7	5	5	6	9	3	6	1	2	3	1	–	–	–	–	
–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	60a
1	1	3	2	3	5	5	–	3	1	–	–	1	–	–	–	–	
–	–	–	–	–	–	2	1	1	1	–	–	–	–	–	–	–	60b
1	–	4	3	2	1	4	3	3	–	2	3	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	61
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	1	1	–	1	1	–	–	–	–	–	–	–	63
1	1	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	
1	–	1	2	–	–	1	–	1	–	–	–	–	–	–	–	–	64
–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	
1	1	2	1	1	2	–	2	1	–	–	–	–	–	–	–	–	65
1	1	–	1	1	2	1	2	1	–	1	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

QUEBEC—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS II-con.—CLASSE II-fin											
65	(a) Leukaemia—Leucémie	M.	11	–	–	–	–	–	1	1	–	–
		F.	10	–	–	–	–	–	–	–	–	1
	(b) Lymphadenoma (Hodgkin's disease) —Lymphadénie (maladie d'Hodgkin).	M.	4	–	–	1	–	–	–	–	–	1
		F.	2	–	–	–	–	–	–	–	–	–
66	Alcoholism—Alcoolisme	M.	43	–	–	–	–	–	–	1	–	–
		F.	4	–	–	–	–	–	–	–	–	–
	(a) Delirium tremens	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Acute alcoholism—Alcoolisme aigu	M.	17	–	–	–	–	–	–	1	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(c) Chronic alcoholism—Alcoolisme chronique.	M.	24	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
67	Chronic poisoning by mineral substances—Empoisonnements chroniques par substances minérales.	M.	4	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Chronic lead poisoning—Empoisonnements chroniques par le plomb.	M.	3	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Others under this title—Autres sous ce titre.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
68	Chronic organic poisoning—Empoisonnements chroniques par substances organiques.	M.	1	–	–	–	–	–	–	–	–	–
		F.	6	–	–	–	–	–	–	–	–	1
	(a) Chronic morphinism—Morphinisme chronique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
	(b) Chronic cocainism, etc.—Cocaïnisme chronique, etc.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Other organic poisoning—Autres empoisonnements organiques.	M.	1	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	1
69	Other general diseases—Autres maladies générales.	M.	11	1	–	1	–	–	1	1	–	1
		F.	12	3	–	–	–	–	–	–	2	2
	(a) Diabetes insipidus—Diabète insipide	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Haemophilia—Hémophilie	M.	1	1	–	–	–	–	–	–	–	–
		F.	3	1	–	–	–	–	–	–	1	–
	(c) Purpura haemorrhagica—Purpura hémorragique.	M.	5	–	–	–	–	–	1	1	–	1
		F.	5	2	–	–	–	–	–	–	1	–
	(d) Others under this title—Autres sous ce titre.	M.	3	–	–	1	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	2
	CLASS III—DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE—CLASSE III—AFFECTIONS DU SYSTÈME NERVEUX ET DES ORGANES DES SENS.	Total	2,497	434	117	44	30	28	68	60	40	36
		M.	1,214	223	57	26	14	14	33	39	23	19
		F.	1,283	211	60	18	16	14	35	21	17	17
70	Encephalitis—Encéphalite	M.	26	5	1	–	2	1	–	1	1	3
		F.	15	–	–	–	2	1	–	4	–	1
	(a) Abscess of brain—Abcès du cerveau.	M.	15	3	–	–	–	1	–	1	1	2
		F.	2	–	–	–	–	–	–	1	–	–
	(b) Encephalitis—Encéphalite	M.	11	2	1	–	2	–	–	–	–	1
		F.	13	–	–	–	2	1	–	3	–	1
71	Meningitis—Méningite	M.	235	105	31	16	9	10	18	14	7	3
		F.	240	113	30	12	7	8	24	10	7	8
	(a) Simple meningitis—Méningite simple.	M.	232	105	31	16	9	10	17	14	7	3
		F.	237	113	30	12	7	8	24	10	7	8
	(b) Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non épidémique.	M.	3	–	–	–	–	–	1	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
72	Tabes dorsalis (locomotor ataxia)—Ataxie locomotrice progressive.	M.	11	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
73	Other diseases of the spinal cord—Autres affections de la moëlle épinière.	M.	45	–	–	–	–	–	1	2	–	1
		F.	31	–	1	–	1	1	2	2	1	1
74	Cerebral haemorrhage, apoplexy—Hémorragie cérébrale, apoplexie.	M.	266	–	–	1	–	–	–	1	–	1
		F.	338	–	1	–	–	–	–	–	1	–
	(a) Apoplexy—Apoplexie	M.	75	–	–	–	–	–	–	1	–	1
		F.	97	–	–	–	–	–	–	–	–	–
	(b) Cerebral haemorrhage—Hémorragie cérébrale.	M.	177	–	–	1	–	–	–	–	–	–
		F.	230	–	1	–	–	–	–	–	1	–
	(c) Cerebral thrombosis and embolism —Thrombose et embolie cérébrales.	M.	14	–	–	–	–	–	–	–	–	–
		F.	11	–	–	–	–	–	–	–	–	–
75	Paralysis without specified cause—Paralysie sans cause indiquée.	M.	226	–	–	1	–	–	–	–	2	–
		F.	293	–	2	1	2	–	1	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

QUÉBEC—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
1	–	2	1	–	2	–	2	1	–	–	–	–	–	–	–	–	65a
1	–	–	1	1	2	1	2	1	–	–	–	–	–	–	–	–	
–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	65b
–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
2	2	3	5	4	4	7	4	4	4	1	2	–	–	–	–	–	66
–	–	–	1	–	1	–	1	–	1	–	–	–	–	–	–	–	
–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	66a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	2	3	2	2	1	4	–	–	–	–	–	–	–	–	–	66b
–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	
1	–	1	2	1	2	6	–	4	4	1	2	–	–	–	–	–	66c
–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	
–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	67
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	67a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	67b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	68
1	–	–	1	2	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	68a
1	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	68b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	68c
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	1	2	–	1	–	1	–	–	–	–	–	69
1	–	1	–	–	–	–	–	1	–	2	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	69a
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69b
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	69c
1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	69d
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
42	**39**	**60**	**56**	**66**	**113**	**104**	**149**	**201**	**243**	**255**	**184**	**88**	**34**	**5**	**1**	–	
26	**22**	**32**	**32**	**28**	**52**	**55**	**76**	**92**	**110**	**129**	**62**	**35**	**12**	**2**	**1**	–	
16	**17**	**28**	**24**	**38**	**61**	**49**	**73**	**109**	**133**	**126**	**122**	**53**	**22**	**3**	–	–	
1	1	2	–	1	2	1	1	3	–	–	–	–	–	–	–	–	70
–	–	1	–	1	2	1	1	–	–	–	1	–	–	–	–	–	
1	–	2	–	1	1	–	1	1	–	–	–	–	–	–	–	–	70a
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	70b
–	–	1	–	1	2	1	–	–	–	–	1	–	–	–	–	–	
6	3	3	2	1	4	1	–	–	1	–	–	1	–	–	–	–	71
4	2	1	1	2	3	3	–	1	2	–	–	1	1	–	–	–	
5	3	3	2	1	3	1	–	–	1	–	–	1	–	–	–	–	71a
4	2	1	1	2	3	3	–	1	1	–	–	–	–	–	–	–	
1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	71b
–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	
1	–	1	–	–	1	3	1	1	2	–	1	–	–	–	–	–	72
–	–	–	1	–	1	–	1	–	2	–	–	–	–	–	–	–	
3	–	2	6	2	3	3	7	5	8	2	–	–	–	–	–	–	73
–	1	3	2	1	2	2	2	2	1	3	3	–	–	–	–	–	
3	–	4	6	6	19	24	41	37	36	56	20	8	2	1	–	–	74
1	1	5	7	14	24	23	30	53	53	51	43	19	11	1	–	–	
3	–	1	1	1	6	6	13	8	8	12	10	3	–	1	–	–	74a
1	1	1	4	4	6	6	9	19	14	16	7	6	3	–	–	–	
–	–	3	5	4	13	17	25	28	25	41	9	4	2	–	–	–	74b
–	–	3	3	10	16	17	21	33	38	34	33	12	7	1	–	–	
–	–	–	–	1	–	1	3	1	3	3	1	1	–	–	–	–	74c
–	–	1	–	–	2	–	–	1	1	1	3	1	1	–	–	–	
–	1	3	2	4	8	13	11	31	49	45	32	16	7	1	–	–	75
1	1	2	2	6	11	15	23	38	50	54	57	18	7	2	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

QUEBEC—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS III-con.—**CLASSE III**-fin											
75	(a) Hemiplegia—Hémiplégie.	M.	29	–	–	–	–	–	–	–	–	–
		F.	46	–	–	–	–	–	–	–	–	–
	(b) Others under this title—Autres sous ce titre.	M.	197	–	–	1	–	–	–	–	2	–
		F.	247	–	2	1	2	–	1	–	–	–
76	General paralysis of the insane—Paralysie générale des aliénés.	M.	20	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
77	Other forms of mental alienation—Autres formes de l'aliénation mentale.	M.	28	–	–	–	–	–	–	1	3	1
		F.	37	–	–	–	–	–	–	–	2	1
78	Epilepsy—Épilepsie	M.	71	1	4	–	–	1	–	8	8	7
		F.	46	3	3	–	–	1	2	1	2	1
79	Convulsions (non-puerperal, 5 years or over) —Éclampsie (non puerpérale, cinq ans ou au-dessus).	M.	2	–	–	–	–	–	1	–	–	–
		F.	2	–	–	–	–	–	–	–	1	–
80	Infantile convulsions (under 5 years of age) —Convulsions des enfants (moins de cinq ans).	M.	58	42	10	4	1	1	–	–	–	–
		F.	67	44	19	2	2	–	–	–	–	–
81	Chorea—Chorée	M.	1	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	1	–	–	1
82	Neuralgia and neuritis—Névralgie et névrite.	M.	6	–	–	–	–	–	–	–	–	–
		F.	13	–	–	–	–	–	–	1	2	–
83	Softening of the brain—Ramollissement du cerveau.	M.	39	–	–	–	–	–	–	–	–	–
		F.	59	–	–	–	–	–	–	–	1	–
84	Other diseases of the nervous system—Autres affections du système nerveux.	M.	56	1	1	1	1	–	5	2	1	1
		F.	55	–	1	1	1	–	–	1	–	4
85	Diseases of the eye and annexa—Affections de l'œil et de ses annexes.	M.	4	–	1	–	1	1	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien.	M.	120	69	9	3	–	–	8	10	1	2
		F.	74	51	3	2	1	3	4	2	–	–
	(a) Diseases of the ear—Affections de l'oreille.	M.	46	32	5	–	–	–	4	3	–	–
		F.	31	18	2	2	1	2	3	1	–	–
	(b) Diseases of the mastoid process—Affections du sinus mastoïdien.	M.	74	37	4	3	–	–	4	7	1	2
		F.	43	33	1	–	–	1	1	1	–	–
	CLASS IV—DISEASES OF THE CIRCULATORY SYSTEM— CLASSE IV—AFFECTIONS DE L'APPAREIL CIRCULATOIRE.	Total	**4,191**	**4**	**13**	**6**	**6**	**12**	**30**	**72**	**57**	**48**
		M.	**2,097**	**1**	**7**	**3**	**1**	**6**	**16**	**34**	**24**	**25**
		F.	**2,094**	**3**	**6**	**3**	**5**	**6**	**14**	**38**	**33**	**23**
87-90	**Diseases of the heart—Affections du cœur.**	M.	**1,554**	–	**5**	**2**	**1**	**6**	**16**	**31**	**24**	**22**
		F.	**1,605**	–	**4**	–	**4**	**4**	**14**	**37**	**33**	**23**
87	Pericarditis—Péricardite	M.	14	–	–	–	–	–	–	2	–	–
		F.	9	–	–	–	–	–	2	–	2	1
88	Endocarditis and myocarditis (acute)—Endocardite et myocardite (aiguës).	M.	38	–	2	–	–	3	6	4	–	1
		F.	44	–	3	–	1	4	3	4	5	–
	(a) Acute endocarditis — Endocardite aiguë.	M.	19	–	–	–	–	1	4	4	–	1
		F.	27	–	2	–	–	2	3	4	4	–
	(b) Acute myocarditis — Myocardite aiguë.	M.	19	–	2	–	–	2	2	–	–	–
		F.	17	–	1	–	1	2	–	–	1	–
89	Angina pectoris—Angine de poitrine	M.	223	–	–	–	–	–	–	–	–	–
		F.	101	–	–	–	–	–	–	–	–	1
90	Other diseases of the heart—Autres affections du cœur.	M.	1,279	–	3	2	1	3	10	25	24	21
		F.	1,451	–	1	–	3	–	9	33	26	21
	(a) Valvular disease—Affection valvulaire.	M.	194	–	–	–	–	1	6	10	6	6
		F.	239	–	–	–	2	–	5	5	6	4
	(b) Fatty degeneration of the heart—Dégénérescence ou stéanose du cœur.	M.	11	–	–	–	–	–	–	–	–	–
		F.	6	–	–	–	–	–	–	–	–	–
	(c) Aortic insufficiency—Insuffisance aortique.	M.	18	–	–	–	–	–	1	–	–	1
		F.	7	–	–	–	–	–	–	–	–	–
	(d) Chronic endocarditis—Endocardite chronique.	M.	216	–	–	1	–	–	1	9	10	5
		F.	233	–	–	–	–	–	3	12	7	10
	(e) Chronic myocarditis—Myocardite chronique.	M.	437	–	–	–	–	–	2	–	1	1
		F.	514	–	–	–	–	–	–	6	2	3
	(f) Others under this title—Autres sous ce titre.	M.	403	–	3	1	1	2	–	6	7	8
		F.	452	–	1	–	1	–	1	10	11	4
91	Diseases of the arteries—Affections des artères.	M.	502	–	–	–	–	–	–	1	–	1
		F.	454	–	–	1	–	–	–	1	–	–
	(a) Aneurysm—Anévrisme	M.	21	–	–	–	–	–	–	1	–	1
		F.	16	–	–	–	–	–	–	–	–	–
	(b) Arteriosclerosis—Artério-sclérose	M.	478	–	–	–	–	–	–	–	–	–
		F.	435	–	–	–	–	–	1	–	–	–
	(c) Other diseases of the arteries—Autres affections des artères.	M.	3	–	–	–	–	–	–	–	–	–
		F.	3	–	–	1	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

QUÉBEC—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	1	1	–	2	2	2	4	10	1	3	2	1	–	–	–	75a
–	–	–	–	–	3	2	4	5	8	11	9	1	1	2	–	–	
–	1	2	1	4	6	11	9	27	39	44	29	14	6	1	–	–	75b
1	1	2	2	6	8	13	19	33	42	43	48	17	6	–	–	–	
1	–	5	3	3	1	1	1	2	–	1	–	1	–	–	1	–	76
–	–	1	–	1	3	–	–	–	–	–	–	–	–	–	–	–	
–	3	2	1	2	–	4	1	4	1	4	1	–	–	–	–	–	77
1	4	5	1	7	6	1	6	1	1	1	–	–	–	–	–	–	
5	4	9	3	2	4	1	4	2	2	4	1	1	–	–	–	–	78
5	6	4	4	3	1	1	3	2	1	3	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	79
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	81
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	2	–	–	1	1	1	–	–	–	–	82
–	1	2	–	1	1	–	1	1	3	–	–	–	–	–	–	–	
1	1	–	–	1	3	1	1	4	5	10	4	6	2	–	–	–	83
–	–	–	–	–	6	1	3	4	11	10	11	11	1	–	–	–	
2	4	–	6	5	3	3	5	2	4	5	2	1	1	–	–	–	84
3	1	1	4	2	1	2	3	5	9	4	6	4	2	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	85
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	4	1	3	–	3	–	1	1	1	1	–	–	–	–	–	–	86
1	–	2	2	–	–	–	–	2	–	–	1	–	–	–	–	–	
–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	86a
–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	
3	4	1	3	–	2	–	–	1	1	1	–	–	–	–	–	–	86b
1	–	2	1	–	–	–	–	2	–	–	–	–	–	–	–	–	
49	**49**	**72**	**129**	**153**	**213**	**234**	**336**	**455**	**591**	**655**	**540**	**323**	**118**	**21**	**1**	**4**	
17	**17**	**34**	**65**	**79**	**123**	**133**	**188**	**240**	**311**	**331**	**241**	**146**	**44**	**8**	–	**3**	
32	**32**	**38**	**64**	**74**	**90**	**101**	**148**	**215**	**280**	**324**	**299**	**177**	**74**	**13**	**1**	**1**	
14	**15**	**30**	**60**	**70**	**99**	**103**	**147**	**180**	**228**	**225**	**158**	**88**	**26**	**1**	–	**3**	**87-90**
30	**30**	**31**	**53**	**63**	**73**	**76**	**113**	**165**	**212**	**239**	**223**	**116**	**56**	**5**	**1**	–	
–	1	1	1	–	2	1	1	1	2	2	–	–	–	–	–	–	87
–	–	–	–	–	1	–	–	–	1	1	–	1	–	–	–	–	
1	1	4	2	2	1	3	4	1	2	1	–	–	–	–	–	–	88
5	–	1	1	3	1	2	3	1	3	1	2	–	1	–	–	–	
1	–	2	2	2	–	1	–	–	1	–	–	–	–	–	–	–	88a
5	–	–	1	2	–	1	1	–	1	–	1	–	–	–	–	–	
–	1	2	–	–	1	2	4	1	1	1	–	–	–	–	–	–	88b
–	–	1	–	1	1	1	2	1	2	1	1	–	1	–	–	–	
–	–	4	9	13	33	26	28	38	33	23	8	6	1	–	–	1	89
1	1	2	3	5	6	10	13	16	16	15	5	5	1	1	–	–	
13	13	21	48	55	63	73	114	140	191	199	150	82	25	1	–	2	90
24	29	28	49	55	65	64	97	148	192	222	216	110	54	4	1	–	
4	3	6	10	9	13	9	14	20	22	30	15	10	–	–	–	–	90a
5	2	8	14	8	22	9	17	27	25	35	22	14	9	–	–	–	
–	–	–	2	1	2	1	2	1	1	–	1	–	–	–	–	–	90b
–	–	–	–	1	–	–	–	–	2	2	1	–	–	–	–	–	
–	1	–	2	1	–	–	3	3	2	2	1	1	–	–	–	–	90c
–	–	1	–	1	–	2	–	1	–	2	–	–	–	–	–	–	
3	3	5	11	9	17	15	18	23	29	31	16	7	3	–	–	–	90d
10	10	4	12	14	5	15	12	21	32	29	25	9	3	–	–	–	
2	2	6	12	17	16	27	46	51	67	75	65	35	11	1	–	–	90e
4	8	8	6	16	17	15	36	49	73	87	96	54	29	4	1	–	
4	4	4	11	18	15	21	31	42	70	61	52	29	11	–	–	2	90f
5	9	7	17	15	21	23	32	50	60	67	72	33	13	–	–	–	
–	–	4	3	8	15	25	39	60	81	104	80	56	18	7	–	–	91
1	–	3	9	9	15	24	32	47	67	83	74	61	18	8	–	1	
–	–	2	–	–	4	3	1	1	1	4	1	2	–	–	–	–	91a
1	–	2	–	–	2	1	1	4	2	1	1	1	–	–	–	–	
–	–	2	3	8	11	22	38	58	80	99	78	54	18	7	–	–	91b
–	–	1	9	9	13	22	31	42	65	82	73	60	18	8	–	1	
–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	91c
–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

QUEBEC—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS IV-con.—CLASSE IV-fin											
92	Embolism and thrombosis (not cerebral)— Embolie et thrombose (non cérébrales).	M.	20	–	–	–	–	–	–	–	–	–
		F.	16	–	–	1	–	1	–	–	–	–
93	Diseases of the veins (varices, haemorrhoids, phlebitis, etc.)—Affections des veines (varices, hémorroïdes, phlébite, etc.).	M.	7	–	–	–	–	–	–	–	–	1
		F.	6	–	–	–	–	–	–	–	–	–
94	Diseases of the lymphatic system (lymphangitis, etc.)—Affections du système lymphatique (lymphangite, etc.).	M.	9	–	2	1	–	–	–	–	–	1
		F.	12	2	2	1	1	1	–	–	–	–
95	Haemorrhage without specified cause— Hémorragie sans cause déterminée.	M.	5	1	–	–	–	–	–	2	–	–
		F.	–	–	–	–	–	–	–	–	–	–
96	Other diseases of the circulatory system— Autres affections de l'appareil circulatoire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	CLASS V—DISEASES OF THE RESPIRATORY SYSTEM—CLASSE V—AFFECTIONS DE L'APPAREIL RESPIRATOIRE.	Total	3,860	1,080	433	179	116	63	138	59	66	58
		M.	2,046	611	238	91	66	35	66	35	30	29
		F.	1,814	469	195	88	50	28	72	24	36	29
97	Diseases of the nasal fossae and their annexa—Affections des fosses nasales et de leurs annexes.	M.	4	–	–	–	–	–	–	–	–	–
		F.	2	–	–	1	–	–	–	–	–	–
98	Diseases of the larynx—Affections du larynx.	M.	48	11	8	7	5	4	5	1	–	–
		F.	62	16	10	10	9	3	9	1	–	–
	(a) Laryngismus stridulus—Laryngite striduleuse.	M.	11	3	5	–	–	2	1	–	–	–
		F.	17	5	3	2	2	1	3	–	–	–
	(b) Laryngitis—Laryngite	M.	8	–	–	2	–	–	1	1	–	–
		F.	11	3	1	2	2	1	–	–	–	–
	(c) Croup	M.	18	3	2	4	5	1	3	–	–	–
		F.	28	8	5	5	5	1	4	–	–	–
	(d) Other diseases of the larynx—Autres affections du larynx.	M.	11	5	1	1	–	1	–	–	–	–
		F.	6	–	1	1	–	–	2	1	–	–
99	Bronchitis—Bronchite	M.	88	37	8	–	1	–	2	–	–	–
		F.	95	17	8	2	1	–	2	–	–	–
	(a) Acute—Aiguë	M.	49	37	4	–	1	–	2	–	–	–
		F.	43	17	8	2	1	–	2	–	–	–
	(b) Chronic—Chronique	M.	16	–	3	–	–	–	–	–	–	–
		F.	18	–	–	–	–	–	–	–	–	–
	(c) Not otherwise defined, under 5 years of age—Sans épithète, au-dessous de cinq ans.	M.	1	–	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Not otherwise defined, 5 years or over—Sans épithète, cinq ans ou au-dessus.	M.	22	–	–	–	–	–	–	–	–	–
		F.	34	–	–	–	–	–	–	–	–	–
100	Bronchopneumonia (including capillary bronchitis)—Broncho-pneumonie (y compris bronchite capillaire).	M.	769	372	137	47	32	13	22	6	6	2
		F.	662	284	114	44	21	11	20	8	6	2
	(a) Bronchopneumonia — Broncho-pneumonie.	M.	708	343	119	44	28	11	19	6	6	2
		F.	619	260	106	40	20	10	18	8	6	2
	(b) Capillary bronchitis—Bronchite capillaire.	M.	61	29	18	3	4	2	3	–	–	–
		F.	43	24	8	4	1	1	2	–	–	–
101	Pneumonia—Pneumonie	M.	778	143	73	23	16	9	20	18	18	18
		F.	678	107	47	20	12	10	27	9	18	13
	(a) Lobar—Lobaire	M.	307	35	26	6	7	4	9	4	9	15
		F.	224	26	13	6	3	1	13	3	6	5
	(b) Not otherwise defined—Sans épithète.	M.	471	108	47	17	9	5	11	14	9	3
		F.	454	81	34	14	9	9	14	6	12	8
102	Pleurisy—Pleurésie	M.	93	4	2	5	6	4	10	6	3	7
		F.	106	9	5	3	3	4	11	4	6	10
103	Congestion and haemorrhagic infarct of the lung—Congestion et hémorragie parenchymateuse des poumons.	M.	145	40	7	6	2	4	4	1	1	1
		F.	154	32	10	7	4	–	3	2	3	3
104	Gangrene of the lung—Gangrène du poumon.	M.	16	–	–	–	–	–	1	1	–	–
		F.	3	–	–	–	–	–	–	–	–	–
105	Asthma—Asthme	M.	62	2	2	–	1	–	–	–	–	–
		F.	35	2	–	1	–	–	–	–	–	1
106	Pulmonary emphysema—Emphysème pulmonaire.	M.	11	–	–	–	1	–	1	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
107	Other diseases of the respiratory system (tuberculosis excepted)—Autres affections de l'appareil respiratoire (tuberculose exceptée).	M.	32	2	1	3	2	1	1	2	2	1
		F.	13	2	1	–	–	–	–	–	3	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

QUÉBEC—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	1	–	1	–	8	3	2	–	2	1	–	2	–	–	–	–	92
1	1	1	–	1	2	1	2	1	1	1	2	–	–	–	–	–	
1	–	–	–	1	–	1	–	–	–	1	2	–	–	–	–	–	93
–	–	2	2	1	–	–	–	1	–	–	–	–	–	–	–	–	
1	1	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	94
–	1	1	–	–	–	–	1	1	–	1	–	–	–	–	–	–	
1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	95
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	96
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
53	**53**	**90**	**85**	**90**	**72**	**115**	**139**	**179**	**214**	**229**	**186**	**103**	**52**	**6**	**1**	**1**	
29	**30**	**38**	**46**	**57**	**50**	**66**	**78**	**102**	**98**	**109**	**75**	**44**	**19**	**2**	**1**	**1**	
24	**23**	**52**	**39**	**33**	**22**	**49**	**61**	**77**	**116**	**120**	**111**	**59**	**33**	**4**	–	–	
–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	97
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
1	–	–	1	2	–	2	–	–	–	–	1	–	–	–	–	–	98
–	1	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98a
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	98b
–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	98d
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
1	1	–	–	3	3	3	–	–	5	6	10	6	2	–	–	–	99
–	–	1	–	–	–	–	1	6	11	13	20	6	7	–	–	–	
–	1	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	99a
–	–	1	–	–	–	–	–	1	–	3	6	1	1	–	–	–	
1	–	–	–	2	1	1	–	–	3	1	2	2	–	–	–	–	99b
–	–	–	–	–	–	–	1	2	6	1	5	1	2	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	99c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	2	2	–	–	2	4	6	4	1	–	–	–	99d
–	–	–	–	–	–	–	–	3	5	9	9	4	4	–	–	–	
4	5	4	7	9	9	10	6	10	19	18	15	10	3	1	1	1	100
2	3	9	7	5	5	8	6	17	21	22	26	12	8	1	–	–	
4	5	4	7	9	9	9	6	10	19	18	15	9	3	1	1	1	100a
2	3	8	7	5	5	8	5	17	21	22	26	11	8	1	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	100b
–	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	
18	16	24	23	32	32	33	48	55	42	58	32	18	9	–	–	–	101
13	14	28	22	21	13	27	39	41	59	56	45	22	12	3	–	–	
9	11	17	10	20	17	14	21	24	15	23	6	4	1	–	–	–	101a
5	7	12	7	10	6	15	18	18	20	15	8	4	3	–	–	–	
9	5	7	13	12	15	19	27	31	27	35	26	14	8	–	–	–	101b
8	7	16	15	11	7	12	21	23	39	41	37	18	9	3	–	–	
2	4	3	7	1	3	5	7	6	2	5	1	–	–	–	–	–	102
2	4	11	6	3	1	3	8	3	5	1	3	1	–	–	–	–	
–	1	1	1	6	3	6	5	14	7	13	11	7	4	–	–	–	103
3	–	3	1	–	–	7	3	9	10	20	12	16	6	–	–	–	
1	1	1	1	1	–	2	–	4	3	–	–	–	–	–	–	–	104
2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	2	1	–	3	11	10	11	9	4	3	1	1	–	–	105
2	–	–	–	2	3	2	3	–	9	4	5	1	–	–	–	–	
–	1	–	–	–	–	–	–	2	5	–	1	–	–	–	–	–	106
–	–	–	–	–	–	1	–	–	1	2	–	–	–	–	–	–	
2	–	4	2	1	–	2	1	1	4	–	–	–	–	–	–	–	107
–	–	–	1	2	–	1	1	1	–	1	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

QUEBEC—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages									
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS V-con.—CLASSE V-fin											
107	(a) Chronic interstitial pneumonia including occupational diseases of the lungs—Pneumonie interstitielle chronique comprenant les affections professionnelles de l'appareil pulmonaire.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Diseases of the mediastinum—Affections du médiastin.	M.	3	–	–	–	1	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	28	2	1	3	1	1	1	2	2	1
		F.	11	2	1	–	–	–	–	–	3	–
	CLASS VI—DISEASES OF THE DIGESTIVE SYSTEM—CLASSE VI—AFFECTIONS DE L'APPAREIL DIGESTIF.	Total	**5,669**	**3,038**	**318**	**111**	**80**	**66**	**157**	**138**	**108**	**86**
		M.	**3,083**	**1,729**	**158**	**69**	**42**	**29**	**78**	**79**	**56**	**44**
		F.	**2,586**	**1,309**	**160**	**42**	**38**	**37**	**79**	**59**	**52**	**42**
108	Diseases of the mouth and annexa—Affections de la bouche et de ses annexes.	M.	10	4	–	–	–	–	–	–	–	–
		F.	8	–	–	–	–	–	–	–	2	1
109	Diseases of the pharynx and tonsils (including adenoid vegetations)—Affections du pharynx et des amygdales (y compris les végétations adénoïdiennes).	M.	74	13	6	5	11	6	10	7	1	2
		F.	62	13	7	3	5	4	10	2	4	–
	(a) Adenoid vegetations—Végétations adénoïdiennes.	M.	3	1	1	–	–	1	–	–	–	–
		F.	2	1	–	–	–	–	1	–	–	–
	(b) Pharynx and tonsils—Pharynx et amygdales.	M.	71	12	5	5	11	5	10	7	1	2
		F.	60	12	7	3	5	4	9	2	4	–
110	Diseases of the oesophagus—Affections de l'œsophage.	M.	5	–	–	–	–	–	1	–	–	–
		F.	2	–	–	–	–	1	–	–	–	–
111	Ulcer of the stomach and duodenum—Ulcère de l'estomac et du duodénum.	M.	89	–	–	–	–	–	–	–	1	3
		F.	34	–	–	–	–	–	–	–	–	–
	(a) Ulcer of the stomach—Ulcère de l'estomac.	M.	75	–	–	–	–	–	–	–	1	3
		F.	30	–	–	–	–	–	–	–	–	–
	(b) Ulcer of the duodenum—Ulcère du duodénum.	M.	14	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
112	Other diseases of the stomach (cancer excepted)—Autres affections de l'estomac (cancer excepté).	M.	300	67	11	10	5	4	7	1	6	4
		F.	300	55	22	2	3	6	8	6	3	6
113	Diarrhoea and enteritis (under 2 years of age)—Diarrhée et entérite (au-dessous de 2 ans).	M.	1,747	1,614	133	–	–	–	–	–	–	–
		F.	1,344	1,221	123	–	–	–	–	–	–	–
114	Diarrhoea and enteritis (2 years or over)—Diarrhée et entérite (deux ans ou au-dessus).	M.	161	–	–	41	15	6	16	3	3	2
		F.	187	–	–	28	21	17	7	5	4	8
116	Diseases due to other intestinal parasites—Affections dues à d'autres parasites intestinaux.	M.	1	1	–	–	–	–	–	–	–	–
		F.	3	–	–	–	2	–	–	–	–	–
	(a) Cestodes (hydatids of the liver excepted)—Cestodes (non compris les hydatides du foie).	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Trematodes—Trématodes	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Nematodes (other than ankylostoma)—Nématodes (autres que ankylostomiase).	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(d) Coccidia—Coccidies	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Other parasites specified—Autres parasites spécifiés.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(f) Parasites not specified—Parasites non spécifiés.	M.	1	1	–	–	–	–	–	–	–	–
		F.	2	–	–	–	2	–	–	–	–	–
117	Appendicitis and typhlitis—Appendicite et typhlite.	M.	240	2	–	5	6	8	31	56	32	23
		F.	166	2	1	2	3	4	39	34	28	12
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale.	M.	134	18	1	2	2	1	7	3	3	2
		F.	92	7	1	1	1	–	3	1	–	1
	(a) Hernia—Hernie	M.	60	6	–	–	–	1	3	–	1	1
		F.	38	5	–	–	–	–	–	–	–	–
	(b) Intestinal obstruction—Obstruction intestinale.	M.	74	12	1	2	2	–	4	3	2	1
		F.	54	2	1	1	1	–	3	1	–	1
119	Other diseases of the intestines—Autres affections des intestins.	M.	63	9	4	2	1	1	–	3	3	1
		F.	61	7	–	3	–	2	5	2	3	2
120	Acute yellow atrophy of the liver—Atrophie jaune aiguë du foie.	M.	10	–	–	–	–	1	–	–	2	–
		F.	17	–	1	–	–	–	–	1	–	3
122	Cirrhosis of the live—Cirrhose du foie.	M.	106	–	–	–	–	–	–	–	–	–
		F.	62	–	–	–	–	–	–	–	–	1
	(a) Specified as alcoholic—Spécifiée comme alcoolique.	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

QUÉBEC—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	107a
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	107b
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
2	–	3	2	1	–	–	1	1	4	–	–	–	–	–	–	–	107c
–	–	–	1	1	–	–	1	1	–	1	–	–	–	–	–	–	
68	**63**	**86**	**101**	**120**	**125**	**137**	**145**	**163**	**175**	**186**	**111**	**63**	**18**	**5**	–	**1**	
30	**32**	**40**	**52**	**60**	**66**	**80**	**69**	**80**	**96**	**95**	**57**	**32**	**8**	**2**	–	–	
38	**31**	**46**	**49**	**60**	**59**	**57**	**76**	**83**	**79**	**91**	**54**	**31**	**10**	**3**	–	**1**	
–	2	1	–	1	1	–	–	–	–	1	–	–	–	–	–	–	108
–	–	–	–	3	–	–	–	–	2	–	–	–	–	–	–	–	
1	1	1	1	2	1	1	2	2	–	1	–	–	–	–	–	–	109
–	2	1	–	4	–	2	–	–	2	1	–	2	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	109a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	1	1	2	1	1	2	2	–	1	–	–	–	–	–	–	109b
–	2	1	–	4	–	2	–	–	2	1	–	2	–	–	–	–	
–	–	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–	110
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
4	7	3	9	5	10	13	6	13	7	5	3	–	–	–	–	–	111
2	2	2	4	1	3	2	3	4	6	4	1	–	–	–	–	–	
3	5	1	7	5	9	10	5	11	7	5	3	–	–	–	–	–	111a
2	2	2	3	1	3	1	3	4	6	2	1	–	–	–	–	–	
1	2	2	2	–	1	3	1	2	–	–	–	–	–	–	–	–	111b
–	–	–	1	–	–	1	–	–	–	2	–	–	–	–	–	–	
1	3	7	5	12	12	20	16	17	21	31	22	13	4	1	–	–	112
5	3	8	8	14	8	14	18	22	19	32	17	12	6	2	–	1	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	113
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	4	2	6	3	3	4	7	6	14	9	9	5	1	1	–	–	114
5	2	7	1	10	1	2	12	11	10	15	14	4	3	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116c
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116f
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
16	7	13	10	6	3	9	6	2	5	–	–	–	–	–	–	–	117
13	3	8	4	2	5	1	4	–	–	–	1	–	–	–	–	–	
3	3	4	3	6	10	3	3	8	17	21	8	4	2	–	–	–	118
1	3	6	11	2	9	6	7	5	10	5	6	6	–	–	–	–	
1	1	–	1	1	5	1	1	5	10	11	7	2	2	–	–	–	118a
–	–	1	3	–	4	4	3	3	6	2	4	3	–	–	–	–	
2	2	4	2	5	5	2	2	3	7	10	1	2	–	–	–	–	118b
1	3	5	8	2	5	2	4	2	4	3	2	3	–	–	–	–	
2	2	2	2	5	5	1	3	7	4	3	2	1	–	–	–	–	119
1	4	3	3	2	6	3	1	3	2	4	3	2	–	–	–	–	
–	–	–	–	1	–	–	1	–	1	–	3	1	–	–	–	–	120
1	–	–	1	3	–	–	3	–	1	–	1	1	–	1	–	–	
1	1	3	4	9	13	14	16	14	16	9	5	1	–	–	–	–	122
–	3	4	2	4	6	7	5	6	9	9	4	1	1	–	–	–	
–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	122a
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

QUEBEC—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VI–con.—**CLASSE VI**–fin											
122	(b) Not specified as alcoholic—Non spécifiée comme alcoolique.	M.	104	–	–	–	–	–	–	–	–	–
		F.	61	–	–	–	–	–	–	–	–	1
123	Biliary calculi—Calculs biliaires.....	M.	16	–	–	–	–	–	–	–	–	–
		F.	45	–	–	–	–	–	–	–	–	1
124	Other diseases of the liver—Autres affections du foie.	M.	84	–	1	3	1	–	–	2	2	5
		F.	138	–	3	–	1	1	1	1	2	2
125	Diseases of the pancreas—Affections du pancréas.	M.	2	–	–	–	–	–	–	–	–	–
		F.	6	–	–	–	–	–	1	–	–	–
126	Peritonitis without specified cause—Péritonite sans cause indiquée.	M.	41	1	2	1	1	2	6	4	3	2
		F.	59	4	2	3	2	2	5	7	6	6
	CLASS VII—NON-VENEREAL DISEASES OF THE GENITO-URINARY SYSTEM AND ANNEXA—CLASSE VII—AFFECTIONS NON VÉNÉRIENNES DE L'APPAREIL GÉNITO-URINAIRE ET DE SES ANNEXES.	Total	2,770	19	11	6	4	6	36	19	27	41
		M.	1,447	14	8	2	3	3	15	5	9	19
		F.	1,323	5	3	4	1	3	21	14	18	22
128	Acute nephritis (including unspecified, under 10 years of age)—Néphrite aiguë (y compris non spécifiée au-dessous de dix ans).	M.	74	12	5	2	2	2	8	–	1	5
		F.	69	1	2	4	1	2	17	6	7	–
129	Chronic nephritis (including unspecified, 10 years of age or over)—Néphrite chronique (y compris non spécifiée, dix ans ou au-dessus).	M.	1,061	–	2	–	1	–	4	3	6	10
		F.	1,073	1	1	–	–	1	3	7	5	14
131	Other diseases of the kidneys and annexa—Autres affections des reins et de leurs annexes.	M.	51	1	1	–	–	1	3	1	2	3
		F.	29	2	–	–	–	–	1	–	–	–
132	Calculi of the urinary passages—Calculs des voies urinaires.	M.	5	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
133	Diseases of the bladder—Affections de la vessie.	M.	23	–	–	–	–	–	–	–	–	1
		F.	13	1	–	–	–	–	–	–	–	–
134	Diseases of the urethra, urinary abscess, etc.—Affections de l'urètre, abcès urineux, etc.	M.	3	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Stricture of the urethra—Rétrécissement de l'urètre.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other diseases of the urethra—Autres affections de l'urètre.	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
135	Diseases of the prostate—Affections de la prostate.	M.	224	–	–	–	–	–	–	1	–	–
136	Non-venereal diseases of the male genital organs—Affections non vénériennes des organes génitaux de l'homme.	M.	6	1	–	–	–	–	–	–	–	–
137	Cysts and other benign tumours of the ovary—Kystes et autres tumeurs bénignes de l'ovaire.	F.	24	–	–	–	–	–	–	–	1	1
138	Salpingitis and pelvic abscess—Salpingite et abcès du bassin.	F.	35	–	–	–	–	–	–	–	3	4
139	Benign tumours of the uterus—Tumeurs bénignes de l'utérus.	F.	21	–	–	–	–	–	–	–	–	–
141	Other diseases of the female genital organs—Autres affections des organes génitaux de la femme.	F.	53	–	–	–	–	–	–	1	2	3
142	Non-puerperal diseases of the breast (cancer excepted)—Affections non puerpérales du sein (cancer excepté).	F.	2	–	–	–	–	–	–	–	–	–
	CLASS VIII—THE PUERPERAL STATE—CLASSE VIII—ÉTAT PUERPÉRAL.	Total	444	–	–	–	–	–	–	–	14	91
143	Accidents of pregnancy—Accidents de la grossesse.	F.	28	–	–	–	–	–	–	–	–	6
	(a) Abortion—Avortement.....	F.	12	–	–	–	–	–	–	–	–	5
	(b) Ectopic gestation—Gestation ectopique.	F.	9	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	F.	6	–	–	–	–	–	–	–	–	1
	(d) Abortion, self-induced—Avortement provoqué par soi-même.	F.	1	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

QUÉBEC—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
1	1	3	4	9	13	14	15	14	15	9	5	1	–	–	–	–	122b
–	3	4	2	4	6	7	5	6	9	9	3	1	1	–	–	–	
1	–	1	1	3	2	1	3	1	–	3	–	–	–	–	–	–	123
2	–	3	3	3	5	4	8	9	2	4	2	–	–	–	–	–	
–	1	1	4	3	5	12	4	9	8	11	4	7	1	–	–	–	124
4	5	3	9	10	10	14	13	22	14	15	5	3	–	–	–	–	
–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	125
–	1	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	
–	1	2	4	2	1	2	1	1	3	1	1	–	–	–	–	–	126
3	3	1	3	1	4	1	1	1	2	2	–	–	–	–	–	–	
60	**81**	**75**	**116**	**140**	**153**	**203**	**240**	**349**	**368**	**395**	**247**	**132**	**37**	**4**	**1**	–	
21	**31**	**28**	**60**	**58**	**66**	**110**	**111**	**199**	**201**	**242**	**148**	**76**	**24**	**3**	–	–	
39	**50**	**47**	**56**	**82**	**87**	**93**	**129**	**159**	**167**	**153**	**99**	**56**	**13**	**1**	**1**	–	
4	1	2	5	4	–	7	3	2	3	5	1	–	–	–	–	–	128
2	2	2	1	1	3	1	3	2	7	3	1	–	1	–	–	–	
12	28	21	47	47	63	90	91	147	154	170	91	53	18	3	–	–	129
14	35	27	31	63	72	84	118	142	154	144	90	54	11	1	1	–	
4	1	4	4	3	–	–	3	4	2	5	6	3	–	–	–	–	131
1	1	3	4	–	2	1	2	7	1	1	2	–	1	–	–	–	
–	–	–	–	–	–	1	–	2	–	2	–	–	–	–	–	–	132
1	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	
–	–	–	1	2	–	4	1	2	4	3	4	–	1	–	–	–	133
–	–	1	–	–	–	–	1	2	2	1	3	2	–	–	–	–	
–	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	134
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	134a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	134b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	2	2	3	8	12	31	38	57	44	20	5	–	–	–	135
–	–	1	1	–	–	–	1	1	–	–	1	–	–	–	–	–	136
9	2	1	3	2	1	–	–	1	1	1	1	–	–	–	–	–	137
7	6	3	6	2	2	1	–	1	–	–	–	–	–	–	–	–	138
–	1	3	1	5	3	2	3	1	1	1	–	–	–	–	–	–	139
5	3	7	10	9	3	3	1	3	–	1	2	–	–	–	–	–	141
–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	142
95	**85**	**104**	**48**	**7**	–	–	–	–	–	–	–	–	–	–	–	–	
4	7	10	1	–	–	–	–	–	–	–	–	–	–	–	–	–	143
2	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143a
2	2	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	143b
–	1	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143c
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143d

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

QUEBEC—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VIII–con.—**CLASSE VIII**–fin											
144	Puerperal haemorrhage—Hémorragie puerpérale.	F.	67	–	–	–	–	–	–	–	–	6
145	Other accidents of labour—Autres accidents de l'accouchement.	F.	37	–	–	–	–	–	–	–	2	11
	(a) Caesarian section—Opération césarienne.	F.	5	–	–	–	–	–	–	–	–	1
	(b) Difficult labour—Accouchement laborieux.	F.	7	–	–	–	–	–	–	–	–	–
	(c) Other surgical operations and instrumental delivery—Autres opérations chirurgicales et application d'instruments.	F.	6	–	–	–	–	–	–	–	1	1
	(d) Uncontrollable vomiting—Vomissements incontrôlables.	F.	17	–	–	–	–	–	–	–	–	9
	(e) Rupture of uterus in labour, etc.— Rupture de l'utérus durant l'accouchement, etc.	F.	2	–	–	–	–	–	–	–	1	–
146	Puerperal septicaemia—Septicémie puerpérale.	F.	146	–	–	–	–	–	–	–	4	36
147	Puerperal phlegmasia alba dolens, puerperal embolism, sudden death in puerperium—Phlegmasia alba dolens, embolie, mort subite puerpérales.	F.	22	–	–	–	–	–	–	–	–	2
148	Puerperal albuminuria and convulsions—Albuminurie et éclampsie puerpérales.	F.	117	–	–	–	–	–	–	–	8	26
149	Following childbirth (not otherwise defined)—Suites de couches (sans autres explications).	F.	26	–	–	–	–	–	–	–	–	3
150	Puerperal diseases of the breast—Affections puerpérales de la mamelle.	F.	1	–	–	–	–	–	–	–	–	1
	CLASS IX—DISEASES OF THE SKIN AND OF THE CELLULAR TISSUE—CLASSE IX—AFFECTIONS DE LA PEAU ET DU TISSU CELLULAIRE.	**Total**	**250**	**40**	**10**	**2**	**3**	**4**	**4**	**5**	**1**	**9**
		M.	**142**	**25**	**7**	**2**	**3**	**2**	**1**	**4**	**1**	**4**
		F.	**108**	**15**	**3**	**–**	**–**	**2**	**3**	**1**	**–**	**5**
151	Gangrene—Gangrène	M.	53	–	–	–	–	–	–	–	–	–
		F.	47	–	–	–	–	–	1	–	–	–
152	Furuncle—Furoncle	M.	16	1	–	–	–	–	–	–	1	–
		F.	2	–	–	–	–	–	–	–	–	1
153	Acute abscess—Phlegmon, abcès chaud	M.	42	13	3	–	1	–	–	3	–	3
		F.	34	9	1	–	–	1	2	1	–	4
154	Other diseases of the skin and annexa—Autres affections de la peau et de ses annexes.	M.	31	11	4	2	2	2	1	1	–	1
		F.	25	6	2	–	–	1	–	–	–	–
	CLASS X—DISEASES OF THE BONES AND OF THE ORGANS OF LOCOMOTION—CLASSE X—AFFECTIONS DES OS ET DES ORGANES DE LA LOCOMOTION	**Total**	**63**	**3**	**3**	**1**	**2**	–	**12**	**2**	**6**	**2**
		M.	**31**	**3**	**2**	**–**	**1**	–	**5**	**1**	**3**	**1**
		F.	**32**	**–**	**1**	**1**	**1**	–	**7**	**1**	**3**	**1**
155	Diseases of the bones (mastoid and tuberculosis excepted)—Affections des os (sinus mastoïdien et tuberculose exceptés).	M.	21	1	2	–	1	–	5	–	2	1
		F.	26	–	1	1	1	–	7	1	3	1
156	Diseases of the joints (tuberculosis and rheumatism excepted)—Affections articulaires (tuberculose et rhumatisme exceptés).	M.	7	1	–	–	–	–	–	1	–	–
		F.	4	–	–	–	–	–	–	–	–	–
158	Other diseases of the organs of locomotion—Autres affections des organes de la locomotion.	M.	3	1	–	–	–	–	–	–	1	–
		F.	2	–	–	–	–	–	–	–	–	–
	CLASS XI—MALFORMATIONS—CLASSE XI—VICES DE CONFORMATION.	**Total**	**484**	**439**	**17**	**6**	**3**	**1**	**7**	**3**	**4**	**1**
		M.	**254**	**238**	**4**	**3**	**2**	–	**4**	**1**	**2**	–
		F.	**230**	**201**	**13**	**3**	**1**	**1**	**3**	**2**	**2**	**1**
159	Congenital malformations (stillbirths not included)—Vices de conformation congénitaux (mort-nés non compris).	M.	254	238	4	3	2	–	4	1	2	–
		F.	230	201	13	3	1	1	3	2	2	1
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale.	M.	22	17	1	–	1	–	3	–	–	–
		F.	26	20	2	2	–	–	1	–	1	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

QUÉBEC—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
14	13	23	10	1	–	–	–	–	–	–	–	–	–	–	–	–	144
9	5	6	4	–	–	–	–	–	–	–	–	–	–	–	–	–	145
3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145a
1	2	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	145b
–	–	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	145c
5	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145d
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145e
37	27	27	13	2	–	–	–	–	–	–	–	–	–	–	–	–	146
14	8	5	3	–	–	–	–	–	–	–	–	–	–	–	–	–	147
23	21	23	14	2	–	–	–	–	–	–	–	–	–	–	–	–	148
4	4	10	3	2	–	–	–	–	–	–	–	–	–	–	–	–	149
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	150
7	**4**	**6**	**5**	**7**	**8**	**9**	**9**	**11**	**24**	**29**	**27**	**15**	**10**	–	**1**	–	
4	**2**	**2**	**3**	**7**	**6**	**5**	**3**	**8**	**8**	**20**	**12**	**7**	**6**	–	–	–	
3	**2**	**4**	**2**	–	**2**	**4**	**6**	**3**	**16**	**9**	**15**	**8**	**4**	–	**1**	–	
–	–	–	1	–	1	–	1	5	3	18	11	7	6	–	–	–	151
–	–	–	–	–	–	2	2	2	9	7	13	7	3	–	1	–	
1	–	–	–	3	2	3	1	–	2	1	1	–	–	–	–	–	152
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	2	–	2	4	1	2	1	1	3	1	–	–	–	–	–	–	153
2	1	3	–	–	–	2	1	–	4	1	1	–	1	–	–	–	
1	–	2	–	–	2	–	–	2	–	–	–	–	–	–	–	–	154
1	–	1	2	–	2	–	3	1	3	1	1	1	–	–	–	–	
3	**1**	**1**	**5**	**2**	**1**	**1**	**3**	**1**	**6**	**2**	**3**	**3**	–	–	–	–	
1	**1**	**1**	**3**	**2**	–	**1**	–	**1**	**3**	–	**1**	**1**	–	–	–	–	
2	–	–	**2**	–	**1**	–	**3**	–	**3**	**2**	**2**	**2**	–	–	–	–	
1	1	1	3	1	–	–	–	1	1	–	–	–	–	–	–	–	155
1	–	–	2	–	1	–	1	–	2	1	1	2	–	–	–	–	
–	–	–	–	1	–	1	–	–	1	–	1	1	–	–	–	–	156
1	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	158
–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	
1	–	**1**	**1**	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	**1**	**1**	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159
1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

QUEBEC—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XI-con.—**CLASSE XI**-fin											
159	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur.	M.	157	151	2	1	–	–	1	1	1	–
		F.	123	109	8	–	1	1	–	–	1	–
	(c) Others under this title—Autres sous ce titre.	M.	75	70	1	2	1	–	–	–	1	–
		F.	81	72	3	1	–	–	2	2	–	1
	CLASS XII—DISEASES OF EARLY INFANCY—CLASSE XII—AFFECTIONS DU PREMIER ÂGE	Total	4,040	4,040	–	–	–	–	–	–	–	–
		M.	2,355	2,355	–	–	–	–	–	–	–	–
		F.	1,685	1,685	–	–	–	–	–	–	–	–
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème.	M.	842	842	–	–	–	–	–	–	–	–
		F.	591	591	–	–	–	–	–	–	–	–
161	Premature birth, injury at birth—Naissance prématurée, conséquence de l'accouchement.	M.	1,195	1,195	–	–	–	–	–	–	–	–
		F.	885	885	–	–	–	–	–	–	–	–
	(a) Premature birth—Naissance prématurée.	M.	888	888	–	–	–	–	–	–	–	–
		F.	711	711	–	–	–	–	–	–	–	–
	(b) Injury at birth—Conséquence de l'accouchement.	M.	307	307	–	–	–	–	–	–	–	–
		F.	174	174	–	–	–	–	–	–	–	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge.	M.	318	318	–	–	–	–	–	–	–	–
		F.	208	208	–	–	–	–	–	–	–	–
	(a) Specified diseases—Affections spécifiées.	M.	284	284	–	–	–	–	–	–	–	–
		F.	191	191	–	–	–	–	–	–	–	–
	(b) Unspecified causes under 3 months—Causes non spécifiées au-dessous de 3 mois.	M.	34	34	–	–	–	–	–	–	–	–
		F.	17	17	–	–	–	–	–	–	–	–
163	Lack of care—Défaut de soins	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	CLASS XIII—OLD AGE—CLASSE XIII—VIEILLESSE.	Total	604	–	–	–	–	–	–	–	–	–
		M.	260	–	–	–	–	–	–	–	–	–
		F.	344	–	–	–	–	–	–	–	–	–
164	Senility—Sénilité	M.	260	–	–	–	–	–	–	–	–	–
		F.	344	–	–	–	–	–	–	–	–	–
	CLASS XIV—EXTERNAL CAUSES—CLASSE XIV—CAUSES EXTÉRIEURES.	Total	1,495	50	43	48	41	33	101	76	139	129
		M.	1,145	30	25	25	25	20	74	62	123	115
		F.	350	20	18	23	16	13	27	14	16	14
165-174	**Suicides**	M.	79	–	–	–	–	–	–	–	2	2
		F.	18	–	–	–	–	–	–	–	–	1
165	Suicide by solid or liquid poisons (corrosive substances excepted)—Suicide par ingestion de poisons solides ou liquides (substances corrosives exceptées).	M.	11	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
166	Suicide by corrosive substances—Absorption volontaire de substances corrosives.	M.	3	–	–	–	–	–	–	–	1	–
		F.	2	–	–	–	–	–	–	–	–	–
167	Suicide by poisonous gas—Suicide par ingestion de gaz vénéneux.	M.	12	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
168	Suicide by hanging or strangulation—Suicide par pendaison ou strangulation	M.	17	–	–	–	–	–	–	–	–	1
		F.	3	–	–	–	–	–	–	–	–	–
169	Suicide by drowning—Suicide par submersion.	M.	10	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
170	Suicide by firearms—Suicide par armes à feu.	M.	16	–	–	–	–	–	–	–	1	1
		F.	1	–	–	–	–	–	–	–	–	1
171	Suicide by cutting or piercing instruments—Suicide par instruments tranchants ou piquants.	M.	6	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
172	Suicide by jumping from high places—Suicide par précipitation d'un lieu élevé.	M.	2	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
174	Other suicides—Autres suicides	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
175	Poisoning by food—Empoisonnement par aliments.	M.	3	–	–	–	–	–	–	–	1	1
		F.	3	–	–	–	–	1	–	–	–	–
176	Poisoning by venomous animals—Attaques d'animaux venimeux.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
177	Other acute accidental poisonings (gas excepted)—Autres empoisonnements accidentels aigus (par gaz exceptés).	M.	17	1	2	2	2	1	3	–	–	1
		F.	18	1	2	5	1	1	1	–	1	–
178	Conflagration—Incendie	M.	21	1	1	–	2	2	5	3	1	1
		F.	22	–	2	2	1	–	2	3	3	1

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

QUÉBEC—suite

Âges																		No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159b
1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	160
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	163
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	2	12	53	104	146	152	93	31	10	–	
–	–	–	–	–	–	1	2	5	25	46	73	61	34	9	4	–	
–	–	–	–	–	–	–	–	7	28	58	73	91	59	22	6	–	
–	–	–	–	–	–	1	2	5	25	46	73	61	34	9	4	–	164
–	–	–	–	–	–	–	–	7	28	58	73	91	59	22	6	–	
103	80	87	83	81	72	56	55	48	49	50	25	21	6	3	–	16	
89	64	73	70	70	54	48	44	39	33	30	11	4	1	2	–	14	
14	16	14	13	11	18	8	11	9	16	20	14	17	5	1	–	2	
10	7	8	6	11	7	4	7	6	2	3	3	–	–	–	–	1	165-174
1	6	2	1	2	1	2	–	1	–	1	–	–	–	–	–	–	
1	–	2	1	3	2	1	–	1	–	–	–	–	–	–	–	–	165
1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	166
–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	4	2	2	2	–	–	–	–	–	–	–	–	–	–	–	–	167
–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	2	2	2	1	–	3	3	1	–	1	–	–	–	–	–	–	168
–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	2	–	–	3	–	–	–	–	1	3	–	–	–	–	–	169
–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	
4	–	–	–	4	2	–	2	–	1	1	–	–	–	–	–	–	170
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	1	–	–	–	1	2	1	–	–	–	–	–	–	–	171
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	172
–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	174
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	175
–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	176
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	1	1	–	–	1	–	–	1	–	–	–	–	–	177
1	–	–	2	–	1	–	–	–	–	2	–	–	–	–	–	–	
1	–	–	–	–	1	–	1	1	–	1	–	–	–	–	–	–	178
–	1	1	2	–	1	–	1	1	1	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

QUEBEC—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XIV-con.—**CLASSE XIV**-suite											
179	Accidental burns and scalds (conflagration excepted)—Brûlures accidentelles (autres que par l'incendie).	M.	48	5	12	9	5	4	2	–	–	1
		F.	50	5	5	6	6	6	5	–	–	1
180	Accidental mechanical suffocation—Suffocation mécanique accidentelle.	M.	16	8	–	1	–	1	1	–	–	2
		F.	3	3	–	–	–	–	–	–	–	–
	(a) Overlaying—Étouffé pendant le sommeil.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	2	–	–	–	–	–	–	–	–
	(b) Asphyxia—Asphyxie	M.	16	8	–	1	–	1	1	–	–	2
		F.	1	1	–	–	–	–	–	–	–	–
181	Accidental absorption of irrespirable or poisonous gas—Absorption accidentelle de gaz irrespirables ou toxiques.	M.	18	–	–	–	–	–	–	–	2	3
		F.	2	–	–	–	–	–	–	–	1	–
182	Accidental drowning—Submersion accidentelle.	M.	251	–	3	4	3	2	26	25	60	43
		F.	25	–	2	3	–	–	3	4	7	1
183	Accidental traumatism by firearms—Traumatismes accidentels par armes à feu.	M.	28	–	1	–	–	–	1	–	5	4
		F.	5	–	–	–	2	–	–	1	–	–
184	Accidental traumatism by cutting or piercing instruments—Traumatismes accidentels par instruments tranchants ou piquants.	M.	2	–	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
185	Accidental traumatism by fall—Traumatismes accidentels par chute.	M.	145	1	4	4	1	1	–	2	7	10
		F.	80	3	2	2	–	1	3	1	1	1
186	Accidental traumatism in mines and quarries—Traumatismes accidentels par mines et carrières.	M.	8	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Coal mines—Mines de charbon	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other mines—Autres mines	M.	3	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Quarries—Carrières	M.	5	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
187	Accidental traumatism by machines—Traumatismes accidentels par machines.	M.	32	–	–	–	1	–	2	4	2	4
		F.	1	–	–	–	–	–	–	–	–	–
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.)—Traumatismes accidentels par autres écrasements (voitures, railways, éboulements, etc.).	M.	349	2	2	4	9	9	29	22	29	26
		F.	85	–	2	2	5	4	13	5	3	8
	(a) Railroad accidents—Accidents par chemins de fer.	M.	62	–	–	–	1	1	–	1	4	2
		F.	8	–	–	–	–	–	1	–	–	3
	(b) Street car accidents—Accidents par tramways.	M.	16	–	–	–	–	–	1	1	–	–
		F.	4	–	–	–	–	–	–	–	–	–
	(c) Automobile accidents—Accidents par automobiles.	M.	209	2	2	3	6	7	24	17	21	16
		F.	70	–	2	2	5	4	11	5	3	5
	(d) Aeroplane and balloon accidents—Accidents par aéroplanes et ballons.	M.	1	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Injuries by other vehicles—Blessures par autres voitures.	M.	20	–	–	1	1	1	–	2	1	4
		F.	3	–	–	–	–	–	1	–	–	–
	(f) Other crushing—Autres écrasements.	M.	41	–	–	–	1	–	4	1	2	4
		F.	–	–	–	–	–	–	–	–	–	–
189	Injuries by animals (poisoning excepted)—Violences exercées par des animaux (empoisonnements exceptés).	M.	16	–	–	–	–	–	–	1	3	2
		F.	2	–	1	–	–	–	–	–	–	–
192	Starvation (deprivation of food or water)—Faim ou soif.	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
193	Excessive cold—Froid excessif	M.	5	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1
194	Excessive heat—Chaleur excessive	M.	6	1	–	–	–	–	1	–	1	–
		F.	2	1	–	–	–	–	–	–	–	–
195	Lightning—Foudre	M.	5	–	–	–	–	–	–	2	2	–
		F.	1	–	–	–	1	–	–	–	–	–
196	Other accidental electric shocks—Autres électrocutions accidentelles.	M.	24	–	–	–	–	–	1	1	3	6
		F.	3	–	–	–	–	–	–	–	–	–
197-199	**Homicides**	**M.**	**15**	**7**	–	–	–	–	–	–	**1**	**1**
		F.	**12**	**7**	–	–	–	–	–	–	–	–
197	Homicide by firearms—Homicide par armes à feu.	M.	2	–	–	–	–	–	–	–	1	1
		F.	1	–	–	–	–	–	–	–	–	–
198	Homicide by cutting or piercing instruments — Homicide par instruments tranchants ou piquants.	M.	3	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
199	Homicide by other means—Homicide par autres moyens.	M.	10	7	–	–	–	–	–	–	–	–
		F.	10	7	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

QUÉBEC—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	3	2	–	2	–	–	–	1	1	1	–	–	–	–	–	–	179
3	1	2	–	3	2	–	–	1	1	2	1	–	–	–	–	–	
–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	180
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	180b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	1	–	4	1	2	1	–	–	3	–	–	–	–	–	–	181
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
17	13	12	8	8	7	5	4	3	1	1	–	–	–	–	–	6	182
1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	2	
4	3	4	1	2	1	1	–	–	–	–	–	–	–	–	–	1	183
1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	184
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
9	4	9	13	11	10	7	10	12	15	8	1	3	1	2	–	–	185
3	1	2	1	1	–	5	5	2	9	10	9	13	4	1	–	–	
–	1	1	3	1	–	1	–	–	–	–	–	–	–	–	–	–	186
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	186a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	186b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	186c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
6	2	2	–	2	1	2	–	2	1	–	1	–	–	–	–	–	187
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
28	17	23	34	21	23	19	17	9	9	9	3	1	–	–	–	4	188
3	4	3	4	4	10	1	2	4	4	1	1	1	1	–	–	–	
4	4	11	6	4	5	4	5	2	3	1	1	–	–	–	–	3	188a
–	1	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–	
1	–	1	4	–	4	–	–	2	–	1	1	–	–	–	–	–	188b
1	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	
12	11	10	18	14	7	11	10	4	4	7	1	1	–	–	–	1	188c
2	3	3	3	4	8	1	1	3	4	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	188d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	1	2	–	–	2	1	1	1	–	–	–	–	–	–	–	188e
–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	
9	2	–	4	3	7	2	1	–	1	–	–	–	–	–	–	–	188f
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	1	–	1	–	–	3	–	1	–	1	–	–	–	–	–	–	189
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	192
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	2	1	–	1	–	1	–	–	–	–	–	193
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	194
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	195
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	4	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	196
–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
1	–	2	–	1	–	–	1	1	–	–	–	–	–	–	–	–	197–199
1	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	197
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	198
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	199
–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

QUEBEC—concluded

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XIV-con.—**CLASSE XIV**-fin											
201	Fracture (cause not specified)—Fracture (cause non spécifiée).	M.	8	–	–	–	–	–	–	–	1	–
		F.	10	–	–	–	–	–	–	–	–	–
202	Other external violence (cause specified)— Autres violences extérieures (cause spécifiée).	M.	45	4	–	1	1	–	3	2	3	7
		F.	6	–	2	3	–	–	–	–	–	–
203	External violence (cause not specified)— Violences extérieures (cause non spécifiée)	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS XV—ILL-DEFINED DISEASES—CLASSE XV—MALADIES MAL DÉFINIES.	Total	502	33	22	1	4	–	9	5	7	2
		M.	329	15	10	1	1	–	8	1	3	1
		F.	173	18	12	–	3	–	1	4	4	1
204	Sudden death—Mort subite	M.	56	2	1	–	–	–	–	1	2	–
		F.	25	4	–	–	1	–	–	–	–	–
205	Cause of death not specified or ill-defined— Cause de décès non spécifiée ou mal définie.	M.	273	13	9	1	1	–	8	–	1	1
		F.	148	14	12	–	2	–	1	4	4	1
	(a) Ill-defined—Mal définie	M.	38	3	8	1	1	–	4	–	–	–
		F.	34	7	7	–	2	–	1	2	2	1
	(b) Not specified or unknown—Non spécifiée ou inconnue.	M.	15	10	–	–	–	–	1	–	–	–
		F.	9	7	–	–	–	–	–	–	–	–
	(c) Heart failure—Paralysie du cœur	M.	220	–	1	–	–	–	3	–	1	1
		F.	105	–	5	–	–	–	–	2	2	–
	(d) Syncope	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

ONTARIO

	DEATHS—ALL CAUSES—DÉCÈS—TOUTES CAUSES.	Total	37,128	4,880	587	319	237	164	610	488	724	921
		M.	19,457	2,735	311	165	126	98	368	252	403	480
		F.	17,671	2,145	276	154	111	66	272	236	321	441
	CLASS I—EPIDEMIC, ENDEMIC AND INFECTIOUS DISEASES—CLASSE I—AFFECTIONS ÉPIDÉMIQUES, ENDÉMIQUES ET INFECTIEUSES.	Total	4,738	400	170	93	90	75	213	144	232	332
		M.	2,351	208	87	50	47	42	107	60	100	144
		F.	2,387	192	83	43	43	33	106	84	132	188
1	Typhoid and paratyphoid fever—Fièvre typhoïde et paratyphoïde.	M.	54	–	–	–	–	–	2	1	7	7
		F.	24	–	–	–	–	1	–	3	4	1
	(a) Typhoid fever—Fièvre typhoïde	M.	52	–	–	–	–	–	2	1	7	5
		F.	24	–	–	–	–	1	–	3	4	1
	(b) Paratyphoid fever—Fièvre paratyphoïde.	M.	2	–	–	–	–	–	–	–	–	2
		F.	–	–	–	–	–	–	–	–	–	–
4	Undulant fever—Fièvre ondulante	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
5	Malaria—Fièvre et cachexie paludéennes	M.	3	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
6	Small-pox—Variole	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
7	Measles—Rougeole	M.	36	7	9	3	2	6	3	2	1	1
		F.	26	5	10	4	1	–	3	1	–	–
8	Scarlet fever—Scarlatine	M.	23	–	3	3	2	3	7	3	1	1
		F.	44	4	3	4	4	2	12	3	1	6
9	Whooping-cough—Coqueluche	M.	78	49	13	6	4	3	3	–	–	–
		F.	97	65	16	4	6	1	4	–	–	–
10	Diphtheria—Diphtérie	M.	116	4	9	16	18	13	43	7	1	2
		F.	97	3	14	10	14	7	30	8	3	1
11	Influenza—Grippe	M.	801	88	31	13	8	9	16	14	16	17
		F.	910	56	19	11	6	9	20	10	21	22
	(a) Sole cause—Cause unique	M.	84	14	3	–	–	1	2	–	1	1
		F.	127	20	8	2	2	–	4	1	3	1
	(b) With phthisis—Avec phtisie	M.	10	–	–	1	–	–	–	–	–	1
		F.	7	–	–	–	–	–	–	–	1	–
	(c) With bronchitis—Avec bronchite	M.	31	2	2	1	–	–	2	–	–	–
		F.	33	1	–	–	–	–	–	–	–	–
	(d) With pneumonia—Avec pneumonie	M.	436	60	19	6	4	6	9	9	11	11
		F.	435	28	6	5	2	3	8	5	12	13

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

QUÉBEC—fin

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
1	–	1	–	–	–	–	–	–	2	3	–	–	–	–	–	–	201
–	–	–	–	–	–	–	1	–	1	4	2	2	–	–	–	–	
6	6	2	1	2	2	2	1	–	1	–	–	–	1	–	–	1	202
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	203
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
8	**11**	**16**	**22**	**25**	**30**	**41**	**63**	**60**	**44**	**43**	**37**	**11**	**7**	**–**	**1**	**–**	
5	**8**	**10**	**14**	**19**	**25**	**29**	**44**	**40**	**32**	**27**	**26**	**7**	**2**	**–**	**1**	**–**	
3	**3**	**6**	**8**	**6**	**5**	**12**	**19**	**20**	**12**	**16**	**11**	**4**	**5**	**–**	**–**	**–**	
1	1	3	3	6	8	6	8	6	3	2	2	1	–	–	–	–	204
1	–	1	2	2	–	2	2	3	4	1	2	–	–	–	–	–	
4	7	7	11	13	17	23	36	34	29	25	24	6	2	–	1	–	205
2	3	5	6	4	5	10	17	17	8	15	9	4	5	–	–	–	
1	–	1	2	4	1	2	3	3	2	–	2	–	–	–	–	–	205a
–	1	1	–	2	1	1	2	2	1	1	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	205b
–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	
3	6	6	9	9	16	21	33	30	26	24	22	6	2	–	1	–	205c
2	2	4	6	2	4	9	13	15	7	14	9	4	5	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	205d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

ONTARIO

936	**973**	**1,075**	**1,305**	**1,476**	**1,732**	**2,077**	**2,603**	**3,315**	**3,592**	**3,613**	**2,795**	**1,717**	**706**	**162**	**28**	**63**	
482	**447**	**529**	**683**	**789**	**935**	**1,120**	**1,402**	**1,815**	**1,873**	**1,848**	**1,353**	**802**	**307**	**70**	**16**	**48**	
454	**526**	**546**	**622**	**687**	**797**	**957**	**1,201**	**1,500**	**1,719**	**1,765**	**1,442**	**915**	**399**	**92**	**12**	**15**	
297	**288**	**241**	**274**	**218**	**226**	**204**	**202**	**225**	**217**	**233**	**178**	**116**	**50**	**8**	**3**	**9**	
145	**119**	**121**	**150**	**132**	**128**	**118**	**109**	**112**	**102**	**106**	**85**	**54**	**17**	**3**	**1**	**4**	
152	**169**	**120**	**124**	**86**	**98**	**86**	**93**	**113**	**115**	**127**	**93**	**62**	**33**	**5**	**2**	**5**	
11	3	5	2	4	1	5	1	1	3	1	–	–	–	–	–	–	1
3	4	1	5	1	–	–	1	–	–	–	–	–	–	–	–	–	
11	3	5	2	4	1	5	1	1	3	1	–	–	–	–	–	–	1a
3	4	1	5	1	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	4
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	5
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	6
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	8
1	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	10
–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	
–	2	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	11
23	13	28	45	32	35	32	49	55	64	78	69	47	15	3	1	–	
32	36	40	28	26	44	32	51	72	90	108	83	55	32	5	2	–	11a
2	1	1	2	–	1	–	3	3	6	10	12	15	5	–	1	–	
1	2	1	1	2	2	2	5	3	8	20	19	11	5	3	1	–	11b
1	–	–	2	–	1	–	2	1	1	–	–	–	–	–	–	–	
1	1	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	11c
–	1	–	5	–	–	–	3	1	4	2	4	3	–	1	–	–	
1	–	–	1	–	1	2	–	2	5	8	4	7	1	–	–	–	11d
14	9	23	22	23	21	19	25	35	27	35	28	14	6	–	–	–	
12	19	23	16	17	28	15	26	37	46	37	36	23	17	–	1	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

ONTARIO—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS I-con.—CLASSE I-suite											
11	(e) With other respiratory diseases—Avec autres affections de l'appareil respiratoire.	M.	17	1	1	–	–	1	–	–	1	–
		F.	15	–	–	1	–	3	–	–	–	–
	(f) With diseases and accidents of pregnancy and parturition—Avec affections et accidents de la grossesse.	F.	21	–	–	–	–	–	–	–	1	4
	(g) With other causes—Avec autres causes.	M.	223	11	6	5	4	1	3	5	3	4
		F.	272	7	5	3	2	3	8	4	4	4
12	Miliary fever—Suette miliaire	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
13	Mumps—Oreillons	M.	8	1	–	–	–	–	2	1	2	–
		F.	9	1	–	2	1	–	1	–	–	–
16	Dysentery—Dysenterie	M.	21	1	3	1	4	–	1	1	–	–
		F.	10	1	1	–	–	2	–	–	–	–
21	Erysipelas—Érysipèle	M.	51	13	–	–	–	–	1	–	–	–
		F.	48	11	–	1	–	–	1	1	–	–
22	Acute anterior poliomyelitis—Pcliomyélite aiguë.	M.	16	1	1	2	–	2	2	3	2	2
		F.	18	2	1	1	1	4	2	3	1	–
23	Lethargic encephalitis—Encéphalite léthargique.	M.	32	–	–	–	1	–	1	3	3	3
		F.	18	–	1	2	–	–	1	–	2	1
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique.	M.	31	4	3	1	1	–	6	4	2	2
		F.	15	3	1	–	2	1	–	4	–	1
25	Other epidemic and endemic diseases—Autres affections épidémiques et endémiques.	M.	4	2	2	–	–	–	–	–	–	–
		F.	7	2	4	–	–	–	1	–	–	–
	(a) Chicken-pox—Varicelle	M.	2	2	–	–	–	–	–	–	–	–
		F.	5	2	2	–	–	–	1	–	–	–
	(b) German measles—Rubéole	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	1	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre	M.	2	–	2	–	–	–	–	–	–	–
		F.	1	–	1	–	–	–	–	–	–	–
29	Tetanus—Tétanos	M.	9	–	1	1	–	1	1	1	1	–
		F.	8	–	–	–	–	–	2	4	–	–
30	Mycoses	M.	2	1	–	–	–	–	–	–	–	–
		F.	3	1	–	–	–	–	–	–	–	–
31-37	**Tuberculosis—Tuberculose**	**M.**	**888**	**13**	**9**	**4**	**7**	**4**	**19**	**18**	**60**	**100**
		F.	**944**	**16**	**13**	**3**	**8**	**5**	**23**	**43**	**94**	**152**
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire.	M.	753	3	2	2	2	–	7	9	45	90
		F.	776	4	6	–	4	1	5	32	76	137
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central.	M.	36	6	7	1	3	2	5	2	3	2
		F.	47	7	5	2	4	3	9	5	1	4
33	Tuberculosis of the intestines and peritoneum—Tuberculose des intestins et du péritoine.	M.	24	–	–	–	1	1	3	1	3	2
		F.	47	2	1	–	–	–	3	2	6	7
34	Tuberculosis of the vertebral column—Tuberculose de la colonne vertébrale.	M.	22	–	–	–	–	–	2	3	3	–
		F.	10	–	–	–	–	–	1	1	–	–
35	Tuberculosis of the joints—Tuberculose articulaire.	M.	10	–	–	–	–	–	1	1	2	–
		F.	6	–	–	–	–	–	–	1	1	1
36	Tuberculosis of other organs—Tuberculose d'autres organes.	M.	17	1	–	–	–	–	–	1	2	2
		F.	24	–	–	–	–	–	1	1	4	1
	(a) Skin and sub-cutaneous cellular tissue—De la peau et du tissu cellulaire sous-cutané.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(b) Bones (vertebral column excepted)—Des os (excepté la colonne vertébrale).	M.	3	–	–	–	–	–	–	–	1	1
		F.	2	–	–	–	–	–	–	–	–	–
	(c) Lymphatic system (mesenteric and retroperitoneal glands excepted)—Du système lymphatique (excepté les ganglions mésentériques et les ganglions rétropéritonéaux).	M.	3	1	–	–	–	–	–	1	–	–
		F.	5	–	–	–	–	–	1	–	1	–
	(d) Genito-urinary system—Des organes génito-urinaires.	M.	11	–	–	–	–	–	–	–	1	1
		F.	13	–	–	–	–	–	–	1	3	–
	(e) Organs other than above—Autres organes que ceux déjà mentionnés.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	1
37	Disseminated tuberculosis—Tuberculose disséminée.	M.	26	3	–	1	1	1	1	1	2	4
		F.	34	3	1	1	–	1	4	1	6	2
	(a) Acute—Aiguë	M.	16	3	–	1	1	–	–	1	1	1
		F.	19	1	1	1	–	–	3	1	5	1
	(b) Chronic or unstated—Chronique ou non spécifiée.	M.	10	–	–	–	–	1	1	–	1	3
		F.	15	2	–	–	–	1	1	–	1	1

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

ONTARIO—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	1	1	1	–	2	1	1	–	2	1	3	–	–	–	–	11e
1	1	1	–	–	–	1	2	–	2	2	1	–	–	–	–	–	
4	4	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–	11f
6	2	3	13	8	12	11	15	14	26	29	24	12	4	2	–	–	11g
12	9	6	8	7	13	12	17	30	29	41	23	14	9	2	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	13
–	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	1	–	–	1	–	2	3	1	1	–	–	–	–	16
1	–	–	–	–	–	–	1	–	–	2	–	2	–	–	–	–	
–	–	3	3	3	2	5	1	3	5	5	5	2	–	–	–	–	21
2	3	2	–	1	2	3	2	6	4	2	4	2	1	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	22
–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	
1	2	1	–	2	1	2	6	5	1	–	–	–	–	–	–	–	23
1	1	1	–	1	3	2	1	–	–	1	–	–	–	–	–	–	
4	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	24
–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	29
–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	30
–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	
103	**87**	**76**	**86**	**70**	**70**	**56**	**34**	**31**	**19**	**12**	**5**	**1**	–	–	–	4	**31-37**
110	**107**	**68**	**76**	**46**	**41**	**41**	**33**	**27**	**18**	**10**	**5**	**2**	–	–	–	**3**	
98	77	71	80	58	67	49	29	30	15	11	3	1	–	–	–	4	31
102	95	64	65	38	28	33	28	24	16	9	5	1	–	–	–	3	
–	2	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	32
1	2	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	
2	–	–	1	2	–	4	1	1	–	–	2	–	–	–	–	–	33
3	4	2	2	3	4	5	2	–	–	1	–	–	–	–	–	–	
1	1	3	2	2	2	1	1	–	1	–	–	–	–	–	–	–	34
–	1	–	1	1	1	–	1	2	1	–	–	–	–	–	–	–	
–	2	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	35
–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	
1	3	2	–	1	–	1	–	–	2	1	–	–	–	–	–	–	36
2	3	2	2	2	2	2	–	1	–	–	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36a
–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	36b
–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	36c
–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
1	3	2	–	1	–	–	–	–	2	–	–	–	–	–	–	–	36d
2	1	2	1	–	1	2	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36e
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
1	2	–	1	4	–	1	3	–	–	–	–	–	–	–	–	–	37
2	2	–	3	2	3	1	1	–	1	–	–	–	–	–	–	–	
1	1	–	–	4	–	–	2	–	–	–	–	–	–	–	–	–	37a
1	–	–	1	1	2	–	1	–	–	–	–	–	–	–	–	–	
–	1	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	37b
1	2	–	2	1	1	1	–	–	1	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

ONTARIO—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS I—con.—**CLASSE I**—fin											
38	Syphilis	M.	83	15	1	–	–	–	–	1	1	2
		F.	38	8	–	–	–	–	1	–	1	–
40	Gonococcus infection—Gonococcie	M.	3	–	–	–	–	–	–	–	–	–
		F.	5	1	–	–	–	–	–	–	1	–
41	Purulent infection, septicaemia—Infection purulente, septicémie.	M.	90	9	2	–	–	1	–	1	3	7
		F.	63	12	–	1	–	1	5	4	4	4
	CLASS II—GENERAL DISEASES NOT INCLUDED IN CLASS I— CLASSE II—MALADIES GÉNÉRALES NON MENTIONNÉES DANS LA CLASSE I.	Total	5,094	127	28	13	9	9	43	38	44	67
		M.	2,315	76	16	8	2	6	22	16	23	37
		F.	2,779	51	12	5	7	3	21	22	21	30
43-49	**Cancer**	M.	1,571	2	–	–	–	1	3	1	4	10
		F.	1,870	2	2	3	1	–	7	5	4	8
43	Cancer of the buccal cavity—Cancer de la cavité buccale.	M.	108	–	–	–	–	–	–	1	–	–
		F.	24	–	–	–	–	–	–	–	–	–
44	Cancer of the stomach and liver—Cancer de l'estomac et du foie.	M.	644	1	–	–	–	–	–	–	–	–
		F.	561	–	–	–	1	–	1	1	–	–
45	Cancer of the peritoneum, intestines and rectum—Cancer du péritoine, des intestins et du rectum.	M.	284	–	–	–	–	–	–	–	–	1
		F.	321	–	–	–	–	–	–	1	–	2
46	Cancer of the female genital organs—Cancer des organes génitaux de la femme.	F.	337	–	–	–	–	–	–	–	1	–
47	Cancer of the breast—Cancer du sein	M.	2	–	–	–	–	–	–	–	–	–
		F.	342	–	–	–	–	–	–	–	–	1
48	Cancer of the skin—Cancer de la peau	M.	43	–	–	–	–	–	–	–	–	–
		F.	29	–	–	–	–	–	–	1	–	–
49	Cancer of other or unspecified organs—Cancer d'autres organes ou d'organes non spécifiés.	M.	490	1	–	–	–	1	3	–	4	9
		F.	256	2	2	3	–	–	6	2	3	5
	(a) Cancer of eye and ear—Cancer de l'œil et de l'oreille.	M.	1	–	–	–	–	–	–	–	–	–
		F.	9	–	–	–	–	–	–	–	–	–
	(b) Cancer of circulatory system—Cancer de l'appareil circulatoire.	M.	39	–	–	–	–	–	1	–	1	2
		F.	33	–	1	1	–	–	–	1	–	1
	(c) Cancer of respiratory system—Cancer de l'appareil respiratoire.	M.	71	–	–	–	–	–	–	–	1	1
		F.	45	–	–	–	–	–	1	–	–	1
	(d) Cancer of digestive system—Cancer de l'appareil digestif.	M.	58	–	–	–	–	–	–	–	–	1
		F.	59	–	–	–	–	–	–	–	–	–
	(e) Cancer of genito-urinary system—Cancer de l'appareil génito-urinaire.	M.	239	–	–	–	–	–	–	–	–	1
		F.	44	2	1	2	–	–	3	–	–	–
	(f) Cancer of bones and joints—Cancer des os et des articulations.	M.	24	–	–	–	–	1	2	–	–	2
		F.	20	–	–	–	–	–	1	1	3	1
	(g) Cancer of other specified organs—Cancer d'autres organes spécifiés.	M.	50	1	–	–	–	–	–	–	2	2
		F.	26	–	–	–	–	–	1	–	–	2
	(h) Generalized cancer—Cancer généralisé.	M.	4	–	–	–	–	–	–	–	–	–
		F.	11	–	–	–	–	–	–	–	–	–
	(i) Unspecified—Non spécifiés	M.	4	–	–	–	–	–	–	–	–	–
		F.	9	–	–	–	–	–	–	–	–	–
50	Benign tumours and tumours not returned as malignant (tumours of female genital organs excepted)—Tumeurs bénignes et tumeurs non données comme malignes (tumeurs des organes génitaux de la femme exceptées).	M.	23	1	–	–	–	–	1	–	–	–
		F.	23	–	–	–	–	–	1	–	–	–
51	Acute rheumatic fever—Rhumatisme articulaire aigu fébrile.	M.	56	–	–	1	–	3	11	3	5	5
		F.	67	–	–	–	1	1	5	12	7	7
52	Chronic rheumatism, osteo-arthritis, gout—Rhumatisme chronique ou goutte.	M.	13	–	–	–	–	–	–	–	–	1
		F.	22	–	–	–	–	–	–	–	–	–
53	Scurvy—Scorbut	M.	4	4	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
54	Pellagra—Pellagre	M.	1	–	–	–	–	–	–	–	–	1
		F.	2	–	–	–	–	–	–	–	–	–
56	Rickets—Rachitisme	M.	31	19	10	1	–	–	–	1	–	–
		F.	20	16	4	–	–	–	–	–	–	–
57	Diabetes mellitus—Diabète	M.	180	–	1	2	–	1	1	9	6	5
		F.	259	–	1	–	–	–	5	2	1	2
58	Anaemia, chlorosis—Anémie, chlorose	M.	164	–	1	1	1	–	–	1	2	3
		F.	177	–	2	–	–	1	–	–	3	3
	(a) Pernicious anaemia—Anémie pernicieuse.	M.	150	–	–	–	1	–	–	–	–	3
		F.	157	–	1	–	–	–	–	–	2	3
	(b) Other anaemias and chlorosis—Autres anémies et chloroses.	M.	14	–	1	1	–	–	–	1	2	–
		F.	20	–	1	–	–	1	–	–	1	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

ONTARIO—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
1	4	1	8	11	9	10	10	7	1	1	–	–	–	–	–	–	38
1	6	3	4	3	3	2	3	2	–	1	–	–	–	–	–	–	39
–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	40
–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	41
2	5	2	5	6	9	6	5	10	5	5	4	1	2	–	–	–	
1	6	–	6	4	1	2	1	4	2	3	1	1	–	–	–	–	
57	**76**	**138**	**236**	**338**	**408**	**556**	**654**	**728**	**636**	**512**	**242**	**103**	**22**	**6**	–	**4**	
21	**28**	**51**	**91**	**121**	**156**	**253**	**308**	**366**	**309**	**240**	**106**	**48**	**8**	**1**	–	**2**	
36	**48**	**87**	**145**	**217**	**252**	**303**	**346**	**362**	**327**	**272**	**136**	**55**	**14**	**5**	–	**2**	
5	**16**	**26**	**53**	**83**	**107**	**180**	**236**	**281**	**242**	**185**	**87**	**39**	**8**	**1**	–	**1**	**43-49**
9	**26**	**47**	**95**	**155**	**183**	**221**	**249**	**244**	**234**	**212**	**107**	**39**	**13**	**3**	–	**1**	
–	1	3	1	5	4	13	20	18	16	13	6	4	3	–	–	–	43
–	–	–	1	–	3	1	1	3	6	–	6	2	1	–	–	–	
1	2	7	21	33	49	76	96	135	97	76	33	15	1	–	–	1	44
2	1	9	23	28	33	61	67	93	100	91	36	9	4	1	–	–	
2	4	5	14	14	13	40	43	42	49	41	12	3	1	–	–	–	45
–	3	5	15	28	29	35	43	51	45	31	22	11	–	–	–	–	
4	12	18	24	41	46	51	49	34	22	25	7	1	1	–	–	1	46
–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	47
–	6	9	19	41	45	48	53	37	25	30	16	8	3	1	–	–	
–	–	–	1	–	2	4	3	8	11	2	8	4	–	–	–	–	48
1	–	1	2	–	4	1	1	–	2	8	3	3	2	–	–	–	
2	9	11	16	31	38	46	74	78	69	53	28	13	3	1	–	–	49
2	4	5	11	17	23	24	35	26	34	27	17	5	2	1	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	49a
–	1	–	2	–	1	1	–	1	1	1	–	1	–	–	–	–	
1	2	3	3	2	2	2	4	5	6	3	2	–	–	–	–	–	49b
–	–	1	–	3	2	2	5	2	6	3	3	1	1	–	–	–	
–	1	3	2	11	7	10	16	9	6	2	1	1	–	–	–	–	49c
1	1	2	4	5	7	2	8	6	5	2	–	–	–	–	–	–	
1	1	1	2	3	10	6	9	11	5	3	4	1	–	–	–	–	49d
–	–	1	1	6	3	6	8	10	5	11	7	1	–	–	–	–	
–	3	2	6	12	11	25	32	43	39	40	15	7	2	1	–	–	49e
–	1	–	1	3	3	5	2	4	8	4	4	–	1	–	–	–	
–	–	1	2	–	1	–	4	3	3	2	1	2	–	–	–	–	49f
–	–	–	–	–	2	1	4	–	2	3	1	1	–	–	–	–	
–	2	1	1	3	6	2	8	6	9	2	3	2	–	–	–	–	49g
1	1	–	1	–	2	4	5	1	4	2	1	–	–	1	–	–	
–	–	–	–	–	1	–	1	–	1	1	–	–	–	–	–	–	49h
–	–	1	2	–	1	3	2	–	2	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	2	–	1	–	–	–	49i
–	–	–	–	–	2	–	1	2	1	1	1	1	–	–	–	–	
–	–	1	1	2	2	–	2	3	2	6	1	1	–	–	–	–	50
–	–	–	1	4	3	–	–	6	5	1	–	2	–	–	–	–	
2	–	3	2	3	2	8	2	2	3	–	–	1	–	–	–	–	51
5	–	5	4	5	1	1	4	6	1	1	1	–	–	–	–	–	
–	–	–	–	1	1	1	1	2	1	2	2	1	–	–	–	–	52
–	–	–	–	–	1	1	3	3	4	6	1	3	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	53
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	54
–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	56
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
4	3	5	7	3	14	19	21	22	26	19	9	3	–	–	–	–	57
6	5	5	8	13	18	28	35	46	40	22	13	7	1	1	–	–	
1	1	1	4	9	6	18	19	35	30	22	6	2	–	–	–	1	58
2	4	12	6	8	11	21	25	29	24	16	8	1	–	–	–	1	
–	–	1	4	8	6	17	17	33	30	21	6	2	–	–	–	1	58a
–	4	12	6	6	10	18	23	28	21	15	7	–	–	–	–	1	
1	1	–	–	1	–	1	2	2	–	1	–	–	–	–	–	–	58b
2	–	–	–	2	1	3	2	1	3	1	1	1	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

ONTARIO—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages									
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS II-con.—CLASSE II-fin											
59	Diseases of the pituitary gland—Affections du corps pituitaire.	M.	2	–	–	–	–	–	–	–	–	1
		F.	1	–	–	–	–	–	–	–	–	–
60	Diseases of the thyroid gland—Affections de la glande thyroïde.	M.	49	–	–	1	–	–	–	1	2	3
		F.	231	–	–	–	–	–	–	–	3	8
	(a) Exophthalmic goiter—Goître exophtalmique.	M.	26	–	–	–	–	–	–	–	1	1
		F.	145	–	–	–	–	–	–	–	2	7
	(b) Other diseases of the thyroid gland—Autres affections de la glande thyroïde.	M.	23	–	–	1	–	–	–	1	1	2
		F.	86	–	–	–	–	–	–	–	1	1
61	Diseases of the parathyroid glands—Affections des glandes parathyroïdes.	M.	7	6	1	–	–	–	–	–	–	–
		F.	6	5	–	–	–	–	–	–	–	–
62	Diseases of the thymus—Affections du thymus.	M.	37	35	–	1	–	1	–	–	–	–
		F.	24	20	2	1	–	–	–	–	1	–
63	Diseases of the adrenals (Addison's disease)—Affections des glandes surrénales (maladie d'Addison).	M.	7	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
64	Diseases of the spleen—Affections de la rate.	M.	9	–	–	–	–	–	1	–	1	–
		F.	6	–	–	–	–	–	1	1	–	–
65	Leukaemia, lymphadenoma—Leucémie, lymphadénie.	M.	58	1	–	1	–	–	3	–	3	5
		F.	35	1	–	1	3	1	1	2	1	–
	(a) Leukaemia—Leucémie	M.	33	1	–	1	–	–	3	–	2	2
		F.	25	1	–	1	3	1	1	2	1	–
	(b) Lymphadenoma (Hodgkin's disease)—Lymphadénie (maladie d'Hodgkin).	M.	25	–	–	–	–	–	–	–	1	3
		F.	10	–	–	–	–	–	–	–	–	–
66	Alcoholism—Alcoolisme	M.	67	–	–	–	–	–	–	–	–	2
		F.	6	–	–	–	–	–	–	–	–	–
	(a) Delirium tremens	M.	6	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Acute alcoholism—Alcoolisme aigu	M.	49	–	–	–	–	–	–	–	–	2
		F.	5	–	–	–	–	–	–	–	–	–
	(c) Chronic alcoholism—Alcoolisme chronique.	M.	12	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
67	Chronic poisoning by mineral substances—Empoisonnements chroniques par substances minérales.	M.	4	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Chronic lead poisoning—Empoisonnements chroniques par le plomb.	M.	3	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Others under this title—Autres sous ce titre.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
68	Chronic organic poisoning—Empoisonnements chroniques par substances organiques.	M.	2	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
	(a) Chronic morphinism—Morphinisme chronique.	M.	1	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(b) Chronic cocainism, etc.—Cocaïnisme chronique, etc.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Other organic poisoning—Autres empoisonnements organiques.	M.	1	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
69	Other general diseases—Autres maladies générales.	M.	30	8	3	–	1	–	2	–	–	1
		F.	22	7	1	–	2	–	1	–	1	2
	(a) Diabetes insipidus—Diabète insipide.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1
	(b) Haemophilia—Hémophilie	M.	11	6	1	–	–	–	1	–	–	–
		F.	9	5	–	–	–	–	–	–	1	–
	(c) Purpura haemorrhagica—Purpura hémorragique.	M.	8	1	1	–	1	–	1	–	–	1
		F.	6	2	–	–	–	–	1	–	–	1
	(d) Others under this title—Autres sous ce titre.	M.	10	1	1	–	–	–	–	–	–	–
		F.	6	–	1	–	2	–	–	–	–	–
	CLASS III—DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE—CLASSE III—AFFECTIONS DU SYSTÈME NERVEUX ET DES ORGANES DES SENS.	Total	2,844	176	40	25	14	12	39	38	42	41
		M.	1,421	106	23	11	6	8	17	13	21	20
		F.	1,423	70	17	14	8	4	22	25	21	21
70	Encephalitis—Encéphalite	M.	37	4	–	2	–	1	2	2	1	3
		F.	29	2	–	2	2	–	1	3	–	–
	(a) Abscess of brain—Abcès du cerveau.	M.	10	1	–	–	–	–	1	1	1	2
		F.	6	1	–	1	–	–	–	1	–	–
	(b) Encephalitis—Encéphalite	M.	27	3	–	2	–	1	1	1	–	1
		F.	23	1	–	1	2	–	1	2	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

ONTARIO—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	59
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
1	1	4	4	4	6	7	7	6	–	1	–	1	–	–	–	–	60
10	7	15	21	24	32	27	25	23	15	13	5	3	–	–	–	–	
1	–	2	4	2	4	3	4	3	–	1	–	–	–	–	–	–	60a
8	2	9	11	17	23	16	13	13	11	9	3	1	–	–	–	–	
–	1	2	–	2	2	4	3	3	–	–	–	1	–	–	–	–	60b
2	5	6	10	7	9	11	12	10	4	4	2	2	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	61
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	1	3	1	1	–	–	–	–	–	–	–	–	63
–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	2	1	–	1	1	1	–	–	–	–	–	–	–	–	64
–	–	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–	
2	3	2	7	3	3	6	9	7	1	2	–	–	–	–	–	–	65
3	3	–	3	3	–	2	4	4	3	–	–	–	–	–	–	–	
1	1	2	4	–	1	4	4	4	1	2	–	–	–	–	–	–	65a
1	2	–	1	3	–	2	2	2	2	–	–	–	–	–	–	–	
1	2	–	3	3	2	2	5	3	–	–	–	–	–	–	–	–	65b
2	1	–	2	–	–	–	2	2	1	–	–	–	–	–	–	–	
4	2	7	10	9	11	9	7	4	1	1	–	–	–	–	–	–	66
–	1	–	–	3	1	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	3	1	–	1	–	–	1	–	–	–	–	–	–	66a
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
4	2	6	8	6	6	5	5	4	1	–	–	–	–	–	–	–	66b
–	1	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–	
–	–	1	2	–	4	4	1	–	–	–	–	–	–	–	–	–	66c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–	67
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	67a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	67b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	68
–	1	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	68a
–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	68b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	68c
–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	1	1	1	1	1	1	2	2	2	1	–	–	–	–	–	69
1	–	2	1	–	1	–	–	–	1	–	1	–	–	1	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	69b
1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	69c
–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	1	1	1	1	1	–	1	–	2	–	–	–	–	–	–	69d
–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–	–	
42	**52**	**64**	**91**	**90**	**166**	**166**	**206**	**330**	**385**	**362**	**255**	**147**	**43**	**16**	–	**2**	
24	**27**	**34**	**42**	**45**	**81**	**85**	**110**	**171**	**188**	**186**	**118**	**57**	**19**	**8**	–	**1**	
18	**25**	**30**	**49**	**45**	**85**	**81**	**96**	**159**	**197**	**176**	**137**	**90**	**24**	**8**	–	**1**	
2	1	3	–	–	3	1	5	–	4	1	1	1	–	–	–	–	70
2	4	3	1	2	2	2	–	2	1	–	–	–	–	–	–	–	
–	1	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	70a
–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
2	–	2	–	–	3	1	5	–	3	1	1	–	–	–	–	–	70b
2	2	3	1	2	2	1	–	2	1	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

ONTARIO—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS III-con.—**CLASSE III**-fin											
71	Meningitis—Méningite	M.	59	18	12	1	–	–	6	3	3	2
		F.	56	18	6	4	3	3	3	3	2	3
	(a) Simple meningitis—Méningite simple.	M.	57	17	12	1	–	–	6	3	3	2
		F.	56	18	6	4	3	3	3	3	2	3
	(b) Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non épidémique.	M.	2	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
72	Tabes dorsalis (locomotor ataxia)—Ataxie locomotrice progressive.	M.	25	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
73	Other diseases of the spinal cord—Autres affections de la moëlle épinière.	M.	113	1	–	–	–	–	1	1	4	1
		F.	83	–	–	1	–	–	–	3	–	–
74	Cerebral haemorrhage, apoplexy—Hémorragie cérébrale, apoplexie.	M.	658	5	–	–	–	–	–	–	2	3
		F.	737	1	–	–	–	–	–	–	–	1
	(a) Apoplexy—Apoplexie	M.	301	–	–	–	–	–	–	–	–	–
		F.	346	–	–	–	–	–	–	–	–	1
	(b) Cerebral haemorrhage—Hémorragie cérébrale.	M.	310	5	–	–	–	–	–	–	1	2
		F.	345	1	–	–	–	–	–	–	–	–
	(c) Cerebral thrombosis and embolism—Thrombose et embolie cérébrales.	M.	47	–	–	–	–	–	–	–	1	1
		F.	46	–	–	–	–	–	–	–	–	–
75	Paralysis without specified cause—Paralysie sans cause indiquée.	M.	101	–	–	–	–	–	–	–	–	1
		F.	139	–	–	–	–	–	–	–	1	–
	(a) Hemiplegia—Hémiplégie	M.	63	–	–	–	–	–	–	–	–	–
		F.	88	–	–	–	–	–	–	–	–	–
	(b) Others under this title—Autres sous ce titre.	M.	38	–	–	–	–	–	–	–	–	1
		F.	51	–	–	–	–	–	–	–	1	–
76	General paralysis of the insane—Paralysie générale des aliénés.	M.	44	–	–	–	–	–	–	–	–	–
		F.	12	–	–	–	–	–	–	–	–	–
77	Other forms of mental alienation—Autres formes de l'aliénation mentale.	M.	29	–	–	–	–	–	–	–	–	–
		F.	53	–	–	–	–	–	1	–	–	3
78	Epilepsy—Épilepsie	M.	82	–	–	2	3	1	2	2	4	4
		F.	81	–	1	–	–	–	3	5	7	8
79	Convulsions (non-puerperal, 5 years or over)—Éclampsie (non puerpérale, cinq ans ou au-dessus).	M.	3	–	–	–	–	–	1	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
80	Infantile convulsions (under 5 years of age)—Convulsions des enfants (moins de cinq ans).	M.	60	53	4	–	2	1	–	–	–	–
		F.	44	36	4	2	2	–	–	–	–	–
81	Chorea—Chorée	M.	3	–	–	–	–	–	–	1	1	–
		F.	8	–	–	1	–	–	1	2	1	1
82	Neuralgia and neuritis—Névralgie et névrite.	M.	5	–	–	–	–	–	–	–	–	–
		F.	10	–	–	–	–	–	–	1	–	1
83	Softening of the brain—Ramollissement du cerveau.	M.	17	–	–	–	–	–	–	–	–	–
		F.	15	–	–	–	–	–	–	–	–	–
84	Other diseases of the nervous system—Autres affections du système nerveux.	M.	114	1	–	2	–	2	1	3	4	1
		F.	99	1	2	3	–	1	8	3	5	–
85	Diseases of the eye and annexa—Affections de l'œil et de ses annexes.	M.	8	–	–	1	–	1	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	1
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien.	M.	63	24	7	3	1	2	4	1	2	4
		F.	50	12	4	1	1	–	5	5	5	3
	(a) Diseases of the ear—Affections de l'oreille.	M.	37	14	6	3	–	1	2	1	1	–
		F.	28	7	2	1	1	–	4	4	3	2
	(b) Diseases of the mastoid process—Affections du sinus mastoïdien.	M.	26	10	1	–	1	1	2	–	1	4
		F.	22	5	2	–	–	–	1	1	2	1
	CLASS IV—DISEASES OF THE CIRCULATORY SYSTEM — CLASSE IV—AFFECTIONS DE L'APPAREIL CIRCULATOIRE.	Total	8,880	3	3	2	5	5	24	32	53	60
		M.	4,623	1	3	1	3	3	17	13	30	31
		F.	4,257	2	–	1	2	2	7	19	23	29
87-90	**Diseases of the heart—Affections du cœur.**	M.	2,884	–	1	1	3	2	15	13	29	29
		F.	2,725	–	–	1	2	2	7	19	22	28
87	Pericarditis—Péricardite	M.	7	–	–	–	–	–	–	–	–	1
		F.	6	–	–	–	1	–	1	–	–	1
88	Endocarditis and myocarditis (acute)—Endocardite et myocardite (aiguës).	M.	97	–	–	1	1	1	5	6	4	6
		F.	82	–	–	–	–	1	2	2	5	5
	(a) Acute endocarditis—Endocardite aiguë.	M.	53	–	–	1	–	1	4	5	3	5
		F.	36	–	–	–	–	1	2	1	3	4
	(b) Acute myocarditis—Myocardite aiguë.	M.	44	–	–	–	1	–	1	1	1	1
		F.	46	–	–	–	–	–	–	1	2	1
89	Angina pectoris—Angine de poitrine	M.	499	–	–	–	–	–	–	–	–	–
		F.	236	–	–	–	–	–	–	–	–	–
90	Other diseases of the heart—Autres affections du cœur.	M.	2,281	–	1	–	2	1	10	7	25	22
		F.	2,401	–	–	1	1	1	4	17	17	22

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

ONTARIO—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
1	–	3	–	3	2	–	1	2	1	1	–	–	–	–	–	–	71
2	1	1	–	–	–	–	2	1	3	–	–	–	1	–	–	–	
1	–	3	–	3	2	–	1	2	–	1	–	–	–	–	–	–	71a
2	1	1	–	–	–	–	2	1	3	–	–	–	1	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	71b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	1	3	6	4	2	4	3	–	1	–	–	–	–	–	72
–	–	–	–	1	–	–	2	1	–	–	–	–	–	–	–	–	
2	1	1	7	5	7	8	11	25	19	15	4	–	–	–	–	–	73
1	2	2	4	4	8	4	5	19	21	1	6	2	–	–	–	–	
1	4	8	14	15	21	39	59	91	122	121	83	46	16	7	–	1	74
2	–	8	21	13	44	51	60	93	121	136	96	67	18	5	–	–	
–	1	1	7	5	7	16	30	44	62	53	39	24	11	1	–	–	74a
2	–	4	1	5	15	22	22	43	63	75	51	33	8	1	–	–	
–	3	6	7	7	13	20	22	41	52	62	40	17	5	6	–	1	74b
–	–	4	15	6	25	26	33	44	51	58	40	29	10	3	–	–	
1	–	1	–	3	1	3	7	6	8	6	4	5	–	–	–	–	74c
–	–	–	5	2	4	3	5	6	7	3	5	5	–	1	–	–	
–	1	1	2	–	3	9	8	12	21	22	15	4	1	1	–	–	75
–	1	2	2	5	7	5	12	13	24	23	25	13	3	3	–	–	
–	–	–	1	–	2	6	4	8	14	15	9	3	–	1	–	–	75a
–	–	1	1	4	4	4	7	9	18	13	15	7	3	2	–	–	
–	1	1	1	–	1	3	4	4	7	7	6	1	1	–	–	–	75b
–	1	1	1	1	3	1	5	4	6	10	10	6	–	1	–	–	
–	4	3	3	4	12	5	1	5	3	2	1	1	–	–	–	–	76
–	1	–	1	–	1	2	1	2	–	2	1	1	–	–	–	–	
3	1	2	1	–	5	3	5	4	1	4	–	–	–	–	–	–	77
–	2	4	5	6	8	4	6	11	1	1	–	–	–	–	–	1	
6	10	4	4	3	7	6	2	10	4	2	4	1	1	–	–	–	78
8	8	6	7	4	8	2	2	3	4	2	1	1	1	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	79
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	81
–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	3	–	1	–	–	–	–	82
–	–	–	–	–	–	–	2	1	2	1	1	1	–	–	–	–	
–	–	–	–	–	–	–	–	3	2	4	6	1	1	–	–	–	83
–	–	–	–	1	–	–	1	3	2	2	2	3	1	–	–	–	
8	4	5	8	9	14	9	14	15	6	6	2	–	–	–	–	–	84
1	4	4	5	9	7	10	1	7	15	7	5	1	–	–	–	–	
1	–	–	–	1	–	–	–	–	–	3	–	1	–	–	–	–	85
–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	
–	1	3	1	1	1	1	2	–	1	2	1	1	–	–	–	–	86
2	2	–	3	–	–	–	1	2	2	1	–	1	–	–	–	–	
–	1	2	–	1	–	1	1	–	–	2	–	1	–	–	–	–	86a
–	–	–	1	–	–	–	–	1	1	–	–	1	–	–	–	–	
–	–	1	1	–	1	–	1	–	1	–	1	–	–	–	–	–	86b
2	2	–	2	–	–	–	1	1	1	1	–	–	–	–	–	–	
73	**87**	**117**	**168**	**271**	**368**	**543**	**818**	**1,153**	**1,367**	**1,518**	**1,184**	**692**	**267**	**52**	**8**	**7**	
32	**43**	**60**	**82**	**145**	**211**	**304**	**441**	**644**	**708**	**793**	**579**	**328**	**120**	**20**	**6**	**5**	
41	**44**	**57**	**86**	**126**	**157**	**239**	**377**	**509**	**659**	**725**	**605**	**364**	**147**	**32**	**2**	**2**	
30	**38**	**50**	**65**	**109**	**150**	**200**	**280**	**425**	**426**	**433**	**333**	**180**	**55**	**12**	**2**	**3**	**87-90**
41	**39**	**50**	**70**	**91**	**111**	**158**	**243**	**318**	**384**	**448**	**376**	**214**	**82**	**18**	**1**	–	
–	1	–	1	1	–	–	2	–	–	1	–	–	–	–	–	–	87
–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	
8	5	6	9	7	2	9	9	6	5	–	6	1	–	–	–	–	88
12	4	9	9	6	4	1	5	3	2	5	5	1	1	–	–	–	
7	3	4	2	4	2	6	2	2	1	–	1	–	–	–	–	–	88a
8	1	4	2	3	–	–	3	1	–	3	–	–	–	–	–	–	
1	2	2	7	3	–	3	7	4	4	–	5	1	–	–	–	–	88b
4	3	5	7	3	4	1	2	2	2	2	5	1	1	–	–	–	
2	–	12	10	17	30	52	77	99	82	61	40	12	3	1	–	1	89
–	–	3	4	8	12	20	33	45	54	31	18	8	–	–	–	–	
20	32	32	45	84	118	139	192	320	339	371	287	167	52	11	2	2	90
29	35	38	57	77	95	137	204	270	328	411	352	205	81	18	1	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

ONTARIO—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS IV-con.—CLASSE IV-fin											
90	(a) Valvular disease—Affection valvulaire.	M.	432	–	–	–	–	–	1	2	6	9
		F.	458	–	–	–	–	–	1	4	6	4
	(b) Fatty degeneration of the heart—Dégénérescence ou stéanose du cœur.	M.	13	–	–	–	–	–	–	–	–	–
		F.	13	–	–	–	–	–	–	–	–	–
	(c) Aortic insufficiency — Insuffisance aortique.	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(d) Chronic endocarditis—Endocardite chronique.	M.	298	–	–	–	1	–	3	3	12	6
		F.	364	–	–	1	–	1	2	5	8	12
	(e) Chronic myocarditis—Myocardite chronique.	M.	1,181	–	1	–	1	1	2	2	3	5
		F.	1,218	–	–	–	–	–	1	6	1	2
	(f) Others under this title—Autres sous ce titre.	M.	355	–	–	–	–	–	4	–	4	2
		F.	347	–	–	–	1	–	–	2	2	4
91	Diseases of the arteries—Affections des artères.	M.	1,649	–	–	–	–	–	–	–	–	1
		F.	1,462	–	–	–	–	–	–	–	–	–
	(a) Aneurysm—Anévrisme	M.	38	–	–	–	–	–	–	–	–	1
		F.	18	–	–	–	–	–	–	–	–	–
	(b) Arteriosclerosis—Artério-sclérose	M.	1,595	–	–	–	–	–	–	–	–	–
		F.	1,438	–	–	–	–	–	–	–	–	–
	(c) Other diseases of the arteries—Autres affections des artères.	M.	16	–	–	–	–	–	–	–	–	–
		F.	6	–	–	–	–	–	–	–	–	–
92	Embolism and thrombosis (not cerebral)—Embolie et thrombose (non cérébrales).	M.	64	1	–	–	–	–	–	–	1	1
		F.	35	2	–	–	–	–	–	–	–	1
93	Diseases of the veins (varices, haemorrhoids, phlebitis, etc.)—Affections des veines (varices, hémorroïdes, phlébite, etc.).	M.	14	–	–	–	–	–	1	–	–	–
		F.	25	–	–	–	–	–	–	–	–	–
94	Diseases of the lymphatic system (lymphangitis, etc.)—Affections du système lymphatique (lymphangite, etc.).	M.	7	–	2	–	–	–	1	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
95	Haemorrhage without specified cause—Hémorragie sans cause déterminée.	M.	2	–	–	–	–	1	–	–	–	–
		F.	4	–	–	–	–	–	–	–	1	–
96	Other diseases of the circulatory system—Autres affections de l'appareil circulatoire.	M.	3	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	CLASS V—DISEASES OF THE RESPIRATORY SYSTEM — CLASSE V—AFFECTIONS DE L'APPAREIL RESPIRATOIRE.	Total	3,230	588	179	89	22	16	59	32	41	67
		M.	1,776	336	98	40	9	11	31	11	27	36
		F.	1,554	252	81	49	13	5	28	21	14	31
97	Diseases of the nasal fossae and their annexa—Affections des fosses nasales et de leurs annexes.	M.	8	–	–	–	–	–	–	–	2	–
		F.	12	1	2	–	–	–	–	–	–	2
98	Diseases of the larynx—Affections du larynx.	M.	14	2	4	2	–	2	1	–	1	–
		F.	15	4	–	3	–	–	3	–	–	1
	(a) Laryngismus stridulus—Laryngite striduleuse.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(b) Laryngitis—Laryngite	M.	9	–	2	2	–	1	1	–	1	–
		F.	10	1	–	2	–	–	2	–	–	1
	(c) Croup	M.	5	2	2	–	–	1	–	–	–	–
		F.	2	1	–	–	–	–	1	–	–	–
	(d) Other diseases of the larynx—Autres affections du larynx.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	1	–	1	–	–	–	–	–	–
99	Bronchitis—Bronchite	M.	64	14	2	1	–	–	2	–	–	1
		F.	85	15	4	1	3	–	–	–	1	–1
	(a) Acute—Aiguë	M.	32	12	2	1	–	–	2	–	–	
		F.	35	12	3	1	3	–	–	–	–	–
	(b) Chronic—Chronique	M.	22	1	–	–	–	–	–	–	–	–
		F.	33	–	1	–	–	–	–	–	1	–
	(c) Not otherwise defined, under 5 years of age—Sans épithète, au-dessous de cinq ans.	M.	1	1	–	–	–	–	–	–	–	–
		F.	3	3	–	–	–	–	–	–	–	–
	(d) Not otherwise defined, 5 years or over—Sans épithète, cinq ans ou au-dessus.	M.	9	–	–	–	–	–	–	–	–	–
		F.	14	–	–	–	–	–	–	–	–	–
100	Bronchopneumonia (including capillary bronchitis)—Broncho-pneumonie (y compris bronchite capillaire).	M.	515	189	60	19	4	2	6	4	4	6
		F.	487	135	40	17	5	1	9	4	1	7
	(a) Bronchopneumonia—Broncho-pneumonie.	M.	508	186	59	19	4	2	6	4	4	6
		F.	481	132	40	17	5	1	9	4	1	7
	(b) Capillary bronchitis—Bronchite capillaire.	M.	7	3	1	–	–	–	–	–	–	–
		F.	6	3	–	–	–	–	–	–	–	–
101	Pneumonia—Pneumonie	M.	946	125	24	15	4	4	19	5	16	23
		F.	788	90	31	25	5	3	12	15	12	16

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

ONTARIO—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
4	12	14	15	18	31	30	26	66	79	57	40	17	3	2	–	–	90a
8	14	11	16	17	21	25	36	56	55	87	51	24	20	2	–	–	
–	–	–	–	1	–	2	1	2	3	–	3	1	–	–	–	–	90b
–	–	–	1	1	1	3	1	1	1	1	1	1	1	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	90c
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
9	9	6	10	9	15	16	28	40	38	51	18	21	3	–	–	–	90d
11	8	13	17	16	20	24	35	39	47	41	39	20	3	2	–	–	
6	8	9	14	41	55	75	96	157	156	215	180	105	39	8	2	–	90e
4	9	10	13	32	41	69	103	139	178	223	208	122	44	12	1	–	
1	3	3	6	15	16	16	41	55	63	48	45	23	7	1	–	2	90f
5	4	4	10	11	12	16	29	35	47	59	53	38	13	2	–	–	
–	3	3	12	31	52	97	144	213	274	352	242	148	63	8	4	2	91
–	2	5	13	32	38	71	125	184	264	271	227	148	65	14	1	2	
–	–	–	2	6	6	4	6	9	2	1	1	–	–	–	–	–	91a
–	–	1	–	2	2	4	1	3	2	1	–	1	1	–	–	–	
–	3	3	9	23	46	92	137	201	270	349	240	146	62	8	4	2	91b
–	2	4	12	30	36	66	122	181	262	269	227	147	63	14	1	2	
–	–	–	1	2	–	1	1	3	2	2	1	2	1	–	–	–	91c
–	–	–	1	–	–	1	2	–	–	1	–	–	1	–	–	–	
1	2	5	4	5	6	2	10	5	7	8	4	–	2	–	–	–	92
–	2	1	2	–	4	4	4	3	5	4	1	2	–	–	–	–	
1	–	1	1	–	1	3	5	–	1	–	–	–	–	–	–	–	93
–	1	1	–	3	3	3	3	3	6	2	–	–	–	–	–	–	
–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	94
–	–	–	1	–	–	1	2	1	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	95
–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	96
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
74	**72**	**100**	**127**	**148**	**133**	**147**	**185**	**234**	**235**	**252**	**242**	**171**	**91**	**20**	**2**	**4**	
47	**33**	**54**	**87**	**94**	**80**	**85**	**114**	**122**	**117**	**113**	**116**	**71**	**31**	**10**	**2**	**1**	
27	**39**	**46**	**40**	**54**	**53**	**62**	**71**	**112**	**118**	**139**	**126**	**100**	**60**	**10**	–	**3**	
1	1	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	97
2	1	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	98
–	–	–	–	1	1	–	–	1	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	98b
–	–	–	–	1	1	–	–	1	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	2	4	–	–	–	4	1	4	7	11	6	3	1	1	–	99
–	–	–	–	1	1	–	–	7	11	8	12	7	12	2	–	–	
–	–	1	2	–	–	–	2	1	1	1	4	2	–	–	–	–	99a
–	–	–	–	–	1	–	–	–	2	1	2	3	6	1	–	–	
–	–	–	1	–	–	–	2	–	3	4	4	4	2	–	1	–	99b
–	–	–	–	1	–	–	–	5	6	5	8	2	4	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	99c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	1	–	–	–	–	–	–	2	3	–	1	1	–	–	99d
–	–	–	–	–	–	–	–	2	3	2	2	2	2	1	–	–	
6	5	8	12	12	11	10	14	25	28	33	26	20	7	3	–	1	100
2	4	14	10	14	10	9	17	27	27	48	33	37	14	1	–	1	
6	5	7	12	12	11	10	14	25	28	33	26	18	7	3	–	1	100a
2	4	14	10	14	10	9	17	26	27	47	33	36	14	1	–	1	
–	–	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–	100b
–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	
33	25	36	53	64	52	63	76	77	66	53	61	34	15	2	1	–	101
18	27	26	21	30	29	44	45	62	68	75	66	40	22	4	–	2	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

ONTARIO—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS V-con.—CLASSE V-fin											
101	(a) Lobar—Lobaire	M.	519	32	7	5	2	1	12	3	12	13
		F.	384	17	10	12	3	2	6	8	7	9
	(b) Not otherwise defined—Sans épithète	M.	427	93	17	10	2	3	7	2	4	10
		F.	404	73	21	13	2	1	6	7	5	7
102	Pleurisy—Pleurésie	M.	82	3	6	2	1	2	1	1	3	4
		F.	50	2	2	3	–	–	2	2	–	3
103	Congestion and haemorrhagic infarct of the lung—Congestion et hémorragie parenchymateuse des poumons.	M.	44	2	–	–	–	–	–	–	–	–
		F.	66	3	1	–	–	–	–	–	–	–
104	Gangrene of the lung—Gangrène du poumon.	M.	3	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
105	Asthma—Asthme	M.	52	1	–	–	–	–	–	–	–	1
		F.	22	–	1	–	–	–	–	–	–	–
106	Pulmonary emphysema—Emphysème pulmonaire.	M.	3	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
107	Other diseases of the respiratory system (tuberculosis excepted)—Autres affections de l'appareil respiratoire (tuberculose exceptée).	M.	45	–	2	1	–	1	2	1	1	1
		F.	27	2	–	–	–	1	2	–	–	2
	(a) Chronic interstitial pneumonia including occupational diseases of the lungs—Pneumonie interstitielle chronique comprenant les affections professionnelles de l'appareil pulmonaire.	M.	4	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Diseases of the mediastinum—Affections du médiastin.	M.	1	–	–	–	–	–	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	40	–	2	1	–	1	1	1	1	1
		F.	27	2	–	–	–	1	2	–	–	2
	CLASS VI—DISEASES OF THE DIGESTIVE SYSTEM — CLASSE VI—AFFECTIONS DE L'APPAREIL DIGESTIF.	Total	**2,660**	**690**	**100**	**42**	**39**	**20**	**95**	**56**	**71**	**64**
		M.	**1,443**	**395**	**51**	**22**	**21**	**10**	**56**	**32**	**42**	**40**
		F.	**1,217**	**295**	**49**	**20**	**18**	**10**	**39**	**24**	**29**	**24**
108	Diseases of the mouth and annexa—Affections de la bouche et de ses annexes.	M.	33	1	1	–	–	–	1	–	–	3
		F.	20	2	1	–	–	1	1	–	–	–
109	Diseases of the pharynx and tonsils (including adenoid vegetations)—Affections du pharynx et des amygdales (y compris les végétations adénoïdiennes).	M.	59	19	4	1	2	1	7	2	3	2
		F.	68	9	7	2	3	1	6	1	5	2
	(a) Adenoid vegetations—Végétations adénoïdiennes.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Pharynx and tonsils—Pharynx et amygdales.	M.	58	19	4	1	2	1	7	2	3	2
		F.	67	9	7	2	3	1	6	1	5	2
110	Diseases of the oesophagus—Affections de l'œsophage.	M.	3	1	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
111	Ulcer of the stomach and duodenum—Ulcère de l'estomac et du duodénum.	M.	161	1	–	–	–	–	–	–	–	7
		F.	40	–	–	–	–	–	–	–	1	2
	(a) Ulcer of the stomach—Ulcère de l'estomac.	M.	84	–	–	–	–	–	–	–	–	3
		F.	26	–	–	–	–	–	–	–	1	–
	(b) Ulcer of the duodenum—Ulcère du duodénum.	M.	77	1	–	–	–	–	–	–	–	4
		F.	14	–	–	–	–	–	–	–	–	2
112	Other diseases of the stomach (cancer excepted)—Autres affections de l'estomac (cancer excepté).	M.	108	29	2	1	1	1	2	1	–	–
		F.	92	23	2	3	–	–	1	–	–	1
113	Diarrhoea and enteritis (under 2 years of age)—Diarrhée et entérite (au-dessous de 2 ans).	M.	359	321	38	–	–	–	–	–	–	–
		F.	284	250	34	–	–	–	–	–	–	–
114	Diarrhoea and enteritis (2 years or over)—Diarrhée et entérite (deux ans ou au-dessus).	M.	71	–	–	13	12	2	9	1	1	1
		F.	88	–	–	13	9	5	7	1	–	–
116	Diseases due to other intestinal parasites—Affections dues à d'autres parasites intestinaux.	M.	1	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Cestodes (hydatids of the liver excepted)—Cestodes (non compris les hydatides du foie).	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Trematodes—Trématodes	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Nematodes (other than ankylostoma)—Nématodes (autres que ankylostomiase).	M.	1	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Coccidia—Coccidies	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

ONTARIO—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
25	22	27	34	47	30	43	51	55	32	30	25	7	3	1	–	–	101a
13	19	18	12	21	19	23	28	36	33	39	25	15	8	–	–	1	
8	3	9	19	17	22	20	25	22	34	23	36	27	12	1	1	–	101b
5	8	8	9	9	10	21	17	26	35	36	41	25	14	4	–	1	
5	–	3	9	7	4	6	6	6	5	3	2	1	2	–	–	–	102
3	2	4	4	2	3	2	4	6	2	2	–	2	–	–	–	–	
–	–	–	–	1	–	1	1	1	6	7	10	9	2	4	–	–	103
–	1	–	1	2	5	–	3	3	4	3	14	12	11	3	–	–	
–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	104
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	2	5	6	4	9	5	4	7	4	1	2	–	–	–	105
1	2	–	–	1	2	4	1	4	2	2	–	2	–	–	–	–	
–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	106
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
2	1	2	4	4	7	1	3	5	3	3	1	–	–	–	–	–	107
1	2	1	3	1	1	3	1	1	3	1	1	–	1	–	–	–	
1	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	107a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	1	4	4	7	–	3	5	3	2	1	–	–	–	–	–	107c
1	2	1	3	1	1	3	1	1	3	1	1	–	1	–	–	–	
65	**83**	**96**	**123**	**121**	**136**	**144**	**137**	**185**	**125**	**118**	**83**	**45**	**17**	**5**	–	–	
37	**52**	**47**	**67**	**66**	**81**	**76**	**65**	**106**	**62**	**53**	**35**	**17**	**9**	**1**	–	–	
28	**31**	**49**	**56**	**55**	**55**	**68**	**72**	**79**	**63**	**65**	**48**	**28**	**8**	**4**	–	–	
3	1	2	1	5	3	2	3	3	2	–	2	–	–	–	–	–	108
1	–	2	4	1	1	2	–	1	–	1	1	1	–	–	–	–	
3	3	4	1	–	1	1	1	1	2	1	–	–	–	–	–	–	109
3	4	1	5	3	3	–	3	3	1	4	1	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	109a
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
3	3	4	1	–	1	1	1	1	1	1	–	–	–	–	–	–	109b
3	4	1	5	3	3	–	3	3	–	4	1	1	–	–	–	–	
–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	110
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
7	11	9	19	19	20	19	8	21	10	7	2	1	–	–	–	–	111
–	2	2	–	4	3	5	5	5	5	5	1	–	–	–	–	–	
3	2	4	12	8	10	11	5	12	5	6	2	1	–	–	–	–	111a
–	1	2	–	4	2	4	4	3	1	3	1	–	–	–	–	–	
4	9	5	7	11	10	8	3	9	5	1	–	–	–	–	–	–	111b
–	1	–	–	–	1	1	1	2	4	2	–	–	–	–	–	–	
1	2	3	4	2	3	12	7	10	10	7	6	2	1	1	–	–	112
–	1	3	1	2	4	4	6	1	9	10	10	7	3	1	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	113
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	4	1	2	1	3	2	4	5	3	2	2	1	2	–	–	–	114
–	3	6	5	2	1	3	4	5	3	8	6	4	1	2	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

ONTARIO—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages									
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans	
	CLASS VI-con.—CLASSE VI-fin												
116	(e) Other parasites specified—Autres parasites spécifiés.	M.	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	
	(f) Parasites not specified—Parasites non spécifiés.	M.	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	
117	Appendicitis and typhlitis—Appendicite et typhlite.	M.	255	–	2	3	3	4	31	21	32	20	
		F.	178	1	2	2	5	2	17	18	20	14	
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale.	M.	170	14	2	2	1	–	4	6	4	1	
		F.	143	5	–	–	–	1	4	2	1	1	
	(a) Hernia—Hernie.....	M.	63	2	1	1	–	–	–	1	1	–	
		F.	45	–	–	–	–	–	–	–	–	–	
	(b) Intestinal obstruction—Obstruction intestinale.	M.	107	12	1	1	1	–	4	5	3	1	
		F.	98	5	–	–	–	1	4	2	1	1	
119	Other diseases of the intestines—Autres affections des intestins.	M.	35	3	–	–	2	–	1	–	–	1	
		F.	31	2	–	–	–	–	1	1	1	–	
120	Acute yellow atrophy of the liver—Atrophie jaune aiguë du foie.	M.	4	2	–	–	–	–	–	–	–	–	
		F.	11	–	1	–	–	–	–	–	–	1	
122	Cirrhosis of the liver—Cirrhose du foie.	M.	58	–	–	–	–	–	–	–	–	–	
		F.	46	–	–	–	1	–	–	–	–	1	
	(a) Specified as alcoholic — Spécifiée comme alcoolique.	M.	3	–	–	–	–	–	–	–	–	–	
		F.	1	–	–	–	–	–	–	–	–	–	
	(b) Not specified as alcoholic—Non spécifiée comme alcoolique.	M.	55	–	–	–	–	–	–	–	–	–	
		F.	45	–	–	–	1	–	–	–	–	1	
123	Biliary calculi—Calculs biliaires.....	M.	15	–	–	–	–	–	–	–	–	–	
		F.	53	–	–	–	–	–	–	–	–	1	
124	Other diseases of the liver—Autres affections du foie.	M.	64	2	–	–	–	–	–	–	–	1	
		F.	117	–	1	–	–	–	1	–	–	–	
125	Diseases of the pancreas—Affections du pancréas.	M.	12	–	–	–	–	–	–	–	–	–	
		F.	15	–	–	–	–	–	–	–	–	–	
126	Peritonitis without specified cause—Péritonite sans cause indiquée.	M.	35	2	2	1	–	2	1	1	2	4	
		F.	30	3	1	–	–	–	1	1	1	1	
	CLASS VII—NON-VENEREAL DISEASES OF THE GENITO-URINARY SYSTEM AND ANNEXA—CLASSE VII—AFFECTIONS NON VÉNÉRIENNES DE L'APPAREIL GÉNITO-URINAIRE ET DE SES ANNEXES.	Total	**2,624**	**26**	**7**	**3**	**6**	**1**	**10**	**22**	**29**	**23**	
		M.	**1,517**	**16**	**3**	**2**	**4**	**1**	**5**	**9**	**10**	**11**	
		F.	**1,107**	**10**	**4**	**1**	**2**	–	**5**	**13**	**19**	**12**	
128	Acute nephritis (including unspecified, under 10 years of age)—Néphrite aiguë (y compris non spécifiée, au-dessous de dix ans).	M.	80	9	2	1	3	–	2	2	8	2	
		F.	66	3	1	1	–	–	2	4	6	2	
129	Chronic nephritis (including unspecified, 10 years of age or over)—Néphrite chronique (y compris non spécifiée, dix ans ou au-dessus).	M.	946	–	1	–	1	–	1	6	2	8	
		F.	797	–	–	–	–	–	3	6	8	7	
131	Other diseases of the kidneys and annexa—Autres affections des reins et de leurs annexes.	M.	73	4	–	1	–	–	2	1	–	1	
		F.	81	7	3	–	2	–	–	3	1	1	
132	Calculi of the urinary passages—Calculs des voies urinaires.	M.	22	–	–	–	–	1	–	–	–	–	
		F.	9	–	–	–	–	–	–	–	1	–	
133	Diseases of the bladder—Affections de la vessie.	M.	56	–	–	–	–	–	–	–	–	–	
		F.	11	–	–	–	–	–	–	–	–	–	
134	Diseases of the urethra, urinary abscess, etc.—Affections de l'urètre, abcès uri-neux, etc.	M.	10	–	–	–	–	–	–	–	–	–	
		F.	1	–	–	–	–	–	–	–	–	–	
	(a) Stricture of the urethra—Rétrécissement de l'urètre.	M.	6	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	
	(b) Other diseases of the urethra—Autres affections de l'urètre.	M.	4	–	–	–	–	–	–	–	–	–	
		F.	1	–	–	–	–	–	–	–	–	–	
135	Diseases of the prostate—Affections de la prostate.	M.	324	–	–	–	–	–	–	–	–	–	
136	Non-venereal diseases of the male genital organs—Affections non vénériennes des organes génitaux de l'homme.	M.	6	3	–	–	–	–	–	–	–	–	
137	Cysts and other benign tumours of the ovary—Kystes et autres tumeurs bénignes de l'ovaire.	F.	30	–	–	–	–	–	–	–	–	–	
138	Salpingitis and pelvic abscess—Salpingite et abcès du bassin.	F.	21	–	–	–	–	–	–	–	2	–	
139	Benign tumours of the uterus—Tumeurs bénignes de l'utérus.	F.	39	–	–	–	–	–	–	–	–	–	

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

ONTARIO—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	116f
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
17	18	14	20	11	12	14	9	15	4	3	2	–	–	–	–	–	117
8	8	15	12	9	8	13	7	8	3	4	2	–	–	–	–	–	
3	5	7	8	9	10	11	14	24	13	15	8	5	4	–	–	–	118
6	6	5	10	8	14	10	11	13	15	13	8	7	3	–	–	–	
–	3	3	3	5	5	6	5	9	5	5	3	2	3	–	–	–	118a
1	–	–	4	5	4	4	4	5	8	5	2	2	1	–	–	–	
3	2	4	5	4	5	5	9	15	8	10	5	3	1	–	–	–	118b
5	6	5	6	3	10	6	7	8	7	8	6	5	2	–	–	–	
1	1	1	3	1	5	3	1	1	3	1	4	2	1	–	–	–	119
1	–	2	2	2	3	3	3	3	1	–	4	–	1	1	–	–	
–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	120
2	3	–	1	–	1	–	1	–	–	–	–	1	–	–	–	–	
–	3	2	3	6	10	4	7	8	6	6	2	1	–	–	–	–	122
–	1	2	2	5	2	9	7	4	6	1	3	2	–	–	–	–	
–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	122a
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	2	3	4	10	4	7	8	6	6	2	1	–	–	–	–	122b
–	1	2	1	5	2	9	7	4	6	1	3	2	–	–	–	–	
–	–	–	2	2	3	–	1	2	1	2	1	1	–	–	–	–	123
1	1	2	2	3	4	8	8	9	4	7	2	1	–	–	–	–	
1	4	3	–	6	8	4	7	9	6	5	4	3	1	–	–	–	124
4	1	3	7	11	7	9	14	20	14	12	9	4	–	–	–	–	
–	–	–	1	1	1	2	–	3	1	2	1	–	–	–	–	–	125
1	–	2	2	1	2	1	1	5	–	–	–	–	–	–	–	–	
1	–	1	3	3	1	1	3	3	–	2	1	1	–	–	–	–	126
1	1	4	3	4	2	1	2	2	1	–	1	–	–	–	–	–	
43	**61**	**84**	**103**	**128**	**156**	**169**	**233**	**296**	**389**	**353**	**271**	**153**	**41**	**10**	**3**	**4**	
14	**23**	**31**	**41**	**52**	**88**	**89**	**133**	**183**	**256**	**229**	**179**	**99**	**28**	**5**	**2**	**4**	
29	**38**	**53**	**62**	**76**	**68**	**80**	**100**	**113**	**133**	**124**	**92**	**54**	**13**	**5**	**1**	–	
5	6	6	6	3	2	3	6	4	4	4	1	–	–	1	–	–	128
5	4	4	6	2	5	3	4	2	5	4	2	–	1	–	–	–	
5	14	22	29	38	71	72	102	127	146	129	100	56	11	2	–	3	129
13	13	27	26	41	48	64	76	97	111	109	84	48	11	4	1	–	
1	2	3	4	3	7	2	5	7	15	4	4	4	3	–	–	–	131
1	3	4	7	7	4	3	8	7	6	5	4	4	1	–	–	–	
–	–	–	2	2	1	1	3	5	1	3	1	1	1	–	–	–	132
–	–	2	1	–	–	2	–	1	1	–	1	–	–	–	–	–	
1	–	–	–	4	3	–	1	4	16	10	11	4	1	–	–	1	133
–	–	–	1	–	–	–	2	–	1	4	1	1	–	1	–	–	
–	–	–	–	1	1	2	3	1	–	1	1	–	–	–	–	–	134
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	1	1	1	–	1	1	–	–	–	–	–	134a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	1	2	–	–	–	–	–	–	–	–	–	134b
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
2	1	–	–	1	3	9	13	33	73	78	61	34	12	2	2	–	135
–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	136
1	6	3	4	3	2	1	4	2	2	2	–	–	–	–	–	–	137
6	4	3	2	2	1	1	–	–	–	–	–	–	–	–	–	–	138
2	2	5	7	8	2	2	–	4	6	–	–	1	–	–	–	–	139

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

ONTARIO—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VII-con.—CLASSE VII-fin											
140	Non-puerperal uterine haemorrhage—Hémorragie utérine non puerpérale.	F.	5	–	–	–	–	–	–	–	–	1
141	Other diseases of the female genital organs —Autres affections des organes génitaux de la femme.	F.	46	–	–	–	–	–	–	–	1	1
142	Non-puerperal diseases of the breast (cancer excepted)—Affections non puerpérales du sein (cancer excepté).	F.	1	–	–	–	–	–	–	–	–	–
	CLASS VIII—THE PUERPERAL STATE—CLASSE VIII—ÉTAT PUERPÉRAL.	Total	396	–	–	–	–	–	–	–	30	71
143	Accidents of pregnancy—Accidents de la grossesse.	F.	36	–	–	–	–	–	–	–	2	7
	(a) Abortion—Avortement	F.	10	–	–	–	–	–	–	–	1	3
	(b) Ectopic gestation—Gestation ectopique.	F.	15	–	–	–	–	–	–	–	–	1
	(c) Others under this title—Autres sous ce titre.	F.	9	–	–	–	–	–	–	–	1	2
	(d) Abortion, self-induced—Avortement provoqué par soi-même.	F.	2	–	–	–	–	–	–	–	–	1
144	Puerperal haemorrhage—Hémorragie puerpérale.	F.	45	–	–	–	–	–	–	–	4	2
145	Other accidents of labour—Autres accidents de l'accouchement.	F.	51	–	–	–	–	–	–	–	2	5
	(a) Caesarean section—Opération césarienne.	F.	19	–	–	–	–	–	–	–	–	1
	(b) Difficult labour—Accouchement laborieux.	F.	5	–	–	–	–	–	–	–	–	–
	(c) Other surgical operations and instrumental delivery—Autres opérations chirurgicales et application d'instruments.	F.	12	–	–	–	–	–	–	–	1	1
	(d) Uncontrollable vomiting—Vomissements incontrôlables.	F.	15	–	–	–	–	–	–	–	1	3
	(e) Rupture of uterus in labour, etc.— Rupture de l'utérus durant l'accouchement, etc.	F.	–	–	–	–	–	–	–	–	–	–
146	Puerperal septicaemia—Septicémie puerpérale.	F.	120	–	–	–	–	–	–	–	12	26
147	Puerperal phlegmasia alba dolens, puerperal embolism, sudden death in puerperium—Phlegmasia alba dolens, embolie, mort subite puerpérales.	F.	34	–	–	–	–	–	–	–	2	4
148	Puerperal albuminuria and convulsions— Albuminurie et éclampsie puerpérales.	F.	97	–	–	–	–	–	–	–	8	25
149	Following childbirth (not otherwise defined)—Suites de couches (sans autres explications).	F.	13	–	–	–	–	–	–	–	–	2
	CLASS IX—DISEASES OF THE SKIN AND OF THE CELLULAR TISSUE—CLASSE IX—AFFECTIONS DE LA PEAU ET DU TISSU CELLULAIRE.	Total	211	26	2	–	–	–	1	1	3	4
		M.	119	12	2	–	–	–	1	1	2	2
		F.	92	14	–	–	–	–	–	–	1	2
151	Gangrene—Gangrène	M.	58	–	–	–	–	–	–	–	–	1
		F.	44	–	–	–	–	–	–	–	–	–
152	Furuncle—Furoncle	M.	11	–	–	–	–	–	–	–	–	–
		F.	7	3	–	–	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	M.	27	5	2	–	–	–	1	–	1	1
		F.	17	4	–	–	–	–	–	–	–	2
154	Other diseases of the skin and annexa—Autres affections de la peau et de ses annexes.	M.	23	7	–	–	–	–	–	1	1	–
		F.	24	7	–	–	–	–	–	–	1	–
	CLASS X—DISEASES OF THE BONES AND OF THE ORGANS OF LOCOMOTION—CLASSE X —AFFECTIONS DES OS ET DES ORGANES DE LA LOCOMOTION.	Total	88	8	–	3	3	–	11	2	6	3
		M.	48	4	–	1	2	–	5	2	5	2
		F.	40	4	–	2	1	–	6	–	1	1
155	Diseases of the bones (mastoid and tuberculosis excepted)—Affections des os (sinus mastoïdien et tuberculose exceptés).	M.	35	3	–	1	2	–	5	2	3	1
		F.	30	1	–	2	1	–	6	–	1	1

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

ONTARIO—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	1	–	3	–	–	–	–	–	–	–	–	–	–	–	–	140
1	6	4	8	8	6	4	6	–	1	–	–	–	–	–	–	–	141
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	142
80	**103**	**72**	**34**	**6**	–	–	–	–	–	–	–	–	–	–	–	–	
8	8	5	3	3	–	–	–	–	–	–	–	–	–	–	–	–	143
1	–	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	143a
6	5	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	143b
1	2	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	143c
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143d
8	12	13	6	–	–	–	–	–	–	–	–	–	–	–	–	–	144
12	17	6	9	–	–	–	–	–	–	–	–	–	–	–	–	–	145
3	8	3	4	–	–	–	–	–	–	–	–	–	–	–	–	–	145a
1	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145b
3	2	1	4	–	–	–	–	–	–	–	–	–	–	–	–	–	145c
5	5	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	145d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145e
24	28	22	6	2	–	–	–	–	–	–	–	–	–	–	–	–	146
6	15	4	3	–	–	–	–	–	–	–	–	–	–	–	–	–	147
19	18	19	7	1	–	–	–	–	–	–	–	–	–	–	–	–	148
3	5	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	149
1	**4**	**2**	**3**	**5**	**4**	**9**	**16**	**13**	**25**	**32**	**38**	**12**	**6**	**4**	–	–	
–	**2**	–	**1**	**4**	**2**	**5**	**8**	**9**	**17**	**16**	**21**	**7**	**5**	**2**	–	–	
1	**2**	**2**	**2**	**1**	**2**	**4**	**8**	**4**	**8**	**16**	**17**	**5**	**1**	**2**	–	–	
–	–	–	–	–	–	1	5	6	12	9	14	4	4	2	–	–	151
–	–	–	–	–	1	1	4	2	6	10	12	5	1	2	–	–	
–	–	–	–	2	1	2	1	1	1	2	1	–	–	–	–	–	152
–	–	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	
–	2	–	1	2	1	2	2	1	2	2	–	2	–	–	–	–	153
1	1	–	2	1	–	–	2	–	–	2	2	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	2	3	6	1	1	–	–	–	154
–	1	–	–	–	1	3	2	2	2	3	2	–	–	–	–	–	
4	**1**	**2**	**4**	**4**	**2**	**3**	**3**	**6**	**7**	**8**	**3**	**3**	**1**	**1**	–	–	
2	**1**	**1**	**2**	**3**	**2**	**1**	**2**	**2**	**5**	**3**	**2**	**1**	–	–	–	–	
2	–	**1**	**2**	**1**	–	**2**	**1**	**4**	**2**	**5**	**1**	**2**	**1**	**1**	–	–	
2	–	–	–	2	1	1	1	2	3	3	2	1	–	–	–	–	155
1	–	1	–	–	–	1	–	3	2	5	1	2	1	1	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

ONTARIO—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS X-con.—CLASSE X-fin											
156	Diseases of the joints (tuberculosis and rheumatism excepted)—Affections articulaires (tuberculose et rhumatisme exceptés).	M.	11	1	–	–	–	–	–	–	2	–
		F.	8	3	–	–	–	–	–	–	–	–
158	Other diseases of the organs of locomotion—Autres affections des organes de la locomotion.	M.	2	–	–	–	–	–	–	–	–	1
		F.	2	–	–	–	–	–	–	–	–	–
	CLASS XI—MALFORMATIONS—CLASSE XI—VICES DE CONFORMATION.	Total	485	430	15	6	2	1	8	6	7	3
		M.	249	221	6	4	1	1	6	2	4	1
		F.	236	209	9	2	1	–	2	4	3	2
159	Congenital malformations (stillbirths not included)—Vices de conformation congénitaux (mort-nés non compris).	M.	249	221	6	4	1	1	6	2	4	1
		F.	236	209	9	2	1	–	2	4	3	2
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale.	M.	16	9	1	2	1	–	2	–	1	–
		F.	17	14	1	–	–	–	1	–	1	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur.	M.	129	115	3	2	–	–	3	1	3	1
		F.	97	90	2	–	–	–	1	1	–	1
	(c) Others under this title—Autres sous ce titre	M.	104	97	2	–	–	1	1	1	–	–
		F.	122	105	6	2	1	–	–	3	2	1
	CLASS XII—DISEASES OF EARLY INFANCY—CLASSE XII—AFFECTIONS DU PREMIER ÂGE.	Total	2,323	2,323	–	–	–	–	–	–	–	–
		M.	1,309	1,309	–	–	–	–	–	–	–	–
		F.	1,014	1,014	–	–	–	–	–	–	–	–
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème.	M.	198	198	–	–	–	–	–	–	–	–
		F.	143	143	–	–	–	–	–	–	–	–
161	Premature birth, injury at birth—Naissance prématurée, conséquence de l'accouchement.	M.	988	988	–	–	–	–	–	–	–	–
		F.	762	762	–	–	–	–	–	–	–	–
	(a) Premature birth—Naissance prématurée.	M.	811	811	–	–	–	–	–	–	–	–
		F.	666	666	–	–	–	–	–	–	–	–
	(b) Injury at birth—Conséquence de l'accouchement.	M.	177	177	–	–	–	–	–	–	–	–
		F.	96	96	–	–	–	–	–	–	–	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge.	M.	121	121	–	–	–	–	–	–	–	–
		F.	109	109	–	–	–	–	–	–	–	–
	(a) Specified diseases—Affections spécifiées.	M.	117	117	–	–	–	–	–	–	–	–
		F.	104	104	–	–	–	–	–	–	–	–
	(b) Unspecified causes under 3 months—Causes non spécifiées au-dessous de 3 mois.	M.	4	4	–	–	–	–	–	–	–	–
		F.	5	5	–	–	–	–	–	–	–	–
163	Lack of care—Défaut de soins	M.	2	2	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS XIII—OLD AGE—CLASSE XIII—VIEILLESSE.	Total	636	–	–	–	–	–	–	–	–	–
		M.	269	–	–	–	–	–	–	–	–	–
		F.	367	–	–	–	–	–	–	–	–	–
164	Senility—Sénilité	M.	269	–	–	–	–	–	–	–	–	–
		F.	367	–	–	–	–	–	–	–	–	–
	CLASS XIV—EXTERNAL CAUSES—CLASSE XIV—CAUSES EXTÉRIEURES.	Total	2,638	69	41	42	47	24	136	115	164	182
		M.	1,911	42	22	25	31	16	101	92	139	155
		F.	727	27	19	17	16	8	35	23	25	27
165-174	**Suicides**	M.	207	–	–	–	–	–	–	1	9	9
		F.	78	–	–	–	–	–	–	1	4	8
165	Suicide by solid or liquid poisons (corrosive substances excepted)—Suicide par ingestion de poisons solides ou liquides (substances corrosives exceptées).	M.	13	–	–	–	–	–	–	–	–	1
		F.	15	–	–	–	–	–	–	1	2	2
166	Suicide by corrosive substances—Absorption volontaire de substances corrosives.	M.	13	–	–	–	–	–	–	–	1	–
		F.	20	–	–	–	–	–	–	–	1	3
167	Suicide by poisonous gas—Suicide par ingestion de gaz vénéneux.	M.	15	–	–	–	–	–	–	–	–	–
		F.	10	–	–	–	–	–	–	–	–	1
168	Suicide by hanging or strangulation—Suicide par pendaison ou strangulation.	M.	67	–	–	–	–	–	–	–	3	3
		F.	11	–	–	–	–	–	–	–	–	–
169	Suicide by drowning—Suicide par submersion.	M.	24	–	–	–	–	–	–	–	–	2
		F.	9	–	–	–	–	–	–	–	–	1
170	Suicide by firearms—Suicide par armes à feu.	M.	52	–	–	–	–	–	–	1	4	3
		F.	3	–	–	–	–	–	–	–	1	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

ONTARIO—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	1	1	2	1	1	–	1	–	1	–	–	–	–	–	–	–	156
1	–	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	158
–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	
3	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	1	
2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	
2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	159
1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159b
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	159c
–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	160
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	163
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	3	11	46	82	154	184	112	34	9	–	
–	–	–	–	–	–	1	1	7	21	33	60	77	50	16	3	–	
–	–	–	–	–	–	–	2	4	25	49	94	107	62	18	6	–	
–	–	–	–	–	–	1	1	7	21	33	60	77	50	16	3	–	164
–	–	–	–	–	–	–	2	4	25	49	94	107	62	18	6	–	
196	145	156	139	142	126	127	129	111	141	122	125	75	50	4	2	28	
157	118	129	118	123	102	98	98	73	76	67	42	36	18	3	2	28	
39	27	27	21	19	24	29	31	38	65	55	83	39	32	1	–	–	
13	13	22	18	22	27	20	16	14	12	7	–	–	1	–	–	3	165–174
14	9	10	6	5	5	5	4	5	2	–	–	–	–	–	–	–	165
2	1	2	3	1	–	–	1	1	–	1	–	–	–	–	–	–	
3	2	–	2	1	–	1	–	1	–	–	–	–	–	–	–	–	
–	1	3	1	2	1	1	2	–	1	–	–	–	–	–	–	–	166
5	3	4	–	–	2	–	1	1	–	–	–	–	–	–	–	–	167
1	2	2	1	1	3	1	1	1	2	–	–	–	–	–	–	–	
2	1	2	–	1	–	2	1	–	–	–	–	–	–	–	–	–	168
4	3	6	9	8	10	5	4	7	3	2	–	–	–	–	–	–	
1	1	2	1	1	3	1	–	1	–	–	–	–	–	–	–	2	169
1	1	1	–	3	2	5	2	2	1	2	–	–	–	–	–	–	
2	2	1	–	–	–	1	–	2	–	–	–	–	–	–	–	1	170
4	4	7	3	5	5	5	3	3	3	1	–	–	–	–	–	–	
–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

ONTARIO—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XIV-con.—**CLASSE XIV**-suite											
171	Suicide by cutting or piercing instruments —Suicide par instruments tranchants ou piquants.	M.	18	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
172	Suicide by jumping from high places—Suicide par précipitation d'un lieu élevé.	M.	2	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	1
173	Suicide by crushing—Suicide par écrasement.	M.	1	–	–	–	–	–	–	–	1	–
		F.	1	–	–	–	–	–	–	–	–	–
174	Other suicides—Autres suicides	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
175	Poisoning by food—Empoisonnement par aliments.	M.	7	2	–	2	–	–	–	–	–	–
		F.	4	–	1	–	–	–	1	–	–	–
176	Poisoning by venomous animals—Attaques d'animaux venimeux.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
177	Other acute accidental poisonings (gas excepted)—Autres empoisonnements accidentels aigus (par gaz exceptés).	M.	16	–	4	–	5	–	–	1	1	–
		F.	14	1	2	1	–	–	–	–	–	–
178	Conflagration—Incendie	M.	32	–	–	1	1	5	9	–	1	1
		F.	12	–	1	–	–	–	2	1	1	1
179	Accidental burns and scalds (conflagration excepted)—Brûlures accidentelles (autres que par l'incendie).	M.	62	3	10	8	2	1	8	3	2	2
		F.	81	2	10	11	7	4	10	2	4	–
180	Accidental mechanical suffocation—Suffocation mécanique accidentelle.	M.	13	9	–	–	–	–	–	–	1	1
		F.	15	13	–	–	–	–	–	–	–	–
	(a) Overlaying—Étouffé pendant le sommeil.	M.	4	4	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Asphyxia—Asphyxie	M.	9	5	–	–	–	–	–	–	1	1
		F.	15	13	–	–	–	–	–	–	–	–
181	Accidental absorption of irrespirable or poisonous gas—Absorption accidentelle de gaz irrespirables ou toxiques.	M.	27	–	–	–	–	–	–	–	–	3
		F.	14	–	–	–	–	–	–	–	1	1
182	Accidental drowning—Submersion accidentelle.	M.	329	1	–	5	9	3	37	51	46	57
		F.	44	–	2	2	1	–	3	11	4	4
183	Accidental traumatism by firearms—Traumatismes accidentels par armes à feu.	M.	39	–	–	–	–	–	3	3	14	3
		F.	1	–	–	–	–	–	–	–	–	–
184	Accidental traumatism by cutting or piercing instruments—Traumatismes accidentels par instruments tranchants ou piquants.	M.	6	–	–	–	–	–	–	–	1	1
		F.	1	–	–	1	–	–	–	–	–	–
185	Accidental traumatism by fall—Traumatismes accidentels par chute.	M.	187	3	2	–	1	–	6	5	9	9
		F.	138	1	–	–	1	–	–	–	1	1
186	Accidental traumatism in mines and quarries—Traumatismes accidentels par mines et carrières.	M.	68	–	–	–	–	–	–	–	2	4
		F.	1	–	–	–	–	–	–	–	–	–
	(a) Coal mines—Mines de charbon	M.	1	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other mines—Autres mines	M.	67	–	–	–	–	–	–	–	2	3
		F.	1	–	–	–	–	–	–	–	–	–
	(c) Quarries—Carrières	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
187	Accidental traumatism by machines—Traumatismes accidentels par machines.	M.	51	–	–	–	–	–	1	2	2	3
		F.	–	–	–	–	–	–	–	–	–	–
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.)—Traumatismes accidentels par autres écrasements (voitures, railways, éboulements, etc.).	M.	623	3	3	6	13	5	34	21	41	51
		F.	152	2	1	1	6	4	18	6	7	10
	(a) Railroad accidents—Accidents par chemins de fer.	M.	145	1	2	–	–	–	2	3	8	15
		F.	23	1	–	1	–	–	1	3	1	2
	(b) Street car accidents—Accidents par tramways.	M.	14	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	2
	(c) Automobile accidents—Accidents par automobiles.	M.	318	1	–	4	10	3	31	16	21	28
		F.	119	1	1	–	6	4	17	2	6	5
	(d) Aeroplane and balloon accidents—Accidents par aéroplanes et ballons.	M.	6	–	–	–	–	–	–	–	1	1
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Injuries by other vehicles—Blessures par autres voitures.	M.	50	1	1	1	2	1	1	2	1	2
		F.	4	–	–	–	–	–	–	1	–	1
	(f) Other crushing—Autres écrasements.	M.	90	–	–	1	1	1	–	–	10	5
		F.	1	–	–	–	–	–	–	–	–	–
189	Injuries by animals (poisoning excepted)—Violences exercées par des animaux (empoisonnements exceptés).	M.	15	–	–	–	–	–	1	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
192	Starvation (deprivation of food or water)—Faim ou soif.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
193	Excessive cold—Froid excessif	M.	10	–	–	–	–	–	–	–	1	1
		F.	3	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

ONTARIO—suite

Âges																		
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
1	1	1	–	2	6	3	1	–	2	–	–	–	1	–	–	–	171
–	–	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	172
–	–	1	–	–	–	–	1	–	2	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	173
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	174
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	175
–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	176
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	1	1	–	1	–	–	1	–	–	–	–	–	–	–	177
2	–	3	–	1	–	–	–	–	1	1	2	–	–	–	–	–	
2	1	1	–	1	2	2	2	1	1	–	1	–	–	–	–	–	178
–	2	–	1	1	–	–	–	–	–	1	1	–	–	–	–	–	
3	4	6	–	2	–	1	1	1	3	–	–	1	1	–	–	–	179
2	1	4	2	–	2	4	3	2	6	–	3	1	1	–	–	–	
1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	180
–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	180b
–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	
1	2	1	–	2	6	–	5	1	1	2	2	–	1	–	–	–	181
–	1	2	1	–	1	2	–	1	2	–	1	–	1	–	–	–	
30	16	15	8	12	6	7	5	3	5	4	–	1	–	–	–	8	182
5	3	1	1	1	1	1	1	–	2	1	–	–	–	–	–	–	
2	–	4	4	–	4	–	1	–	–	–	–	–	–	–	–	1	183
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	1	–	–	1	1	–	–	–	–	–	–	–	184
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
5	11	11	13	11	6	9	12	12	12	14	11	16	7	1	1	–	185
3	2	–	1	2	6	3	11	16	18	20	26	16	10	–	–	–	
21	7	14	8	5	1	2	–	–	1	–	–	–	–	–	–	3	186
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	186a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
21	7	14	8	5	1	2	–	–	1	–	–	–	–	–	–	3	186b
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	186c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
8	3	4	6	2	9	4	5	1	1	–	–	–	–	–	–	–	187
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
55	44	39	49	49	33	39	38	31	26	19	11	4	1	–	–	8	188
10	4	3	7	8	7	13	9	11	14	6	2	3	–	–	–	–	
14	16	14	20	12	5	12	6	3	2	3	2	–	–	–	–	5	188a
2	1	–	–	2	–	3	3	3	–	–	–	–	–	–	–	–	
–	1	–	–	2	–	2	–	3	2	2	1	1	–	–	–	–	188b
–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	
25	11	16	23	21	17	14	19	17	17	13	6	3	1	–	–	1	188c
8	3	3	7	6	6	10	5	8	12	5	2	2	–	–	–	–	
3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	188d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	2	5	4	4	8	6	5	1	2	–	–	–	–	–	188e
–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	
12	15	9	4	9	7	7	5	2	–	–	–	–	–	–	–	2	188f
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
2	–	–	1	2	–	2	1	2	1	1	1	–	–	–	–	–	189
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	192
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	2	1	–	–	–	–	2	1	–	–	–	–	1	193
–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

ONTARIO—concluded

Int. list No.	Causes of death — Causes de décès		Total	Ages									
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XIV-con.—CLASSE XIV-fin											
194	Excessive heat—Chaleur excessive	M.	7	1	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
195	Lightning—Foudre	M.	14	–	–	–	–	–	–	1	3	1
		F.	2	–	–	–	1	–	–	–	1	–
196	Other accidental electric shocks—Autres électrocutions accidentelles	M.	26	–	–	–	–	–	–	2	1	4
		F.	2	–	–	–	–	–	–	–	–	–
197-199	**Homicides**	**M.**	40	15	1	–	–	2	–	–	1	–
		F.	21	8	–	–	–	–	1	1	2	2
197	Homicide by firearms—Homicide par armes à feu.	M.	8	–	–	–	–	–	–	–	1	–
		F.	3	–	–	–	–	–	–	–	–	–
198	Homicide by cutting or piercing instruments—Homicide par instruments tranchants ou piquants.	M.	3	–	–	–	–	1	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
199	Homicide by other means—Homicide par autres moyens.	M.	29	15	1	–	–	1	–	–	–	–
		F.	17	8	–	–	–	–	1	1	2	2
201	Fracture (cause not specified)—Fracture (cause non spécifiée).	M.	60	–	–	–	–	–	–	–	–	–
		F.	131	–	–	–	–	–	–	–	–	–
202	Other external violence (cause specified)—Autres violences extérieures (cause spécifiée).	M.	70	5	2	3	–	–	2	2	3	5
		F.	10	–	2	1	–	–	–	1	–	–
203	External violence (cause not specified)—Violences extérieures (cause non spécifiée).	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS XV—ILL-DEFINED DISEASES—CLASSE XV—MALADIES MAL DÉFINIES.	**Total**	181	14	2	1	–	1	1	2	2	4
		M.	106	9	–	1	–	–	–	1	–	1
		F.	75	5	2	–	–	1	1	1	2	3
204	Sudden death—Mort subite	M.	5	3	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
205	Cause of death not specified or ill-defined—Cause de décès non spécifiée ou mal définie.	M.	101	6	–	1	–	–	–	1	–	1
		F.	74	5	2	–	–	1	1	1	2	3
	(a) Ill-defined—Mal définie.	M.	3	–	–	1	–	–	–	–	–	–
		F.	4	–	2	–	–	–	–	–	–	1
	(b) Not specified or unknown—Non spécifiée ou inconnue.	M.	24	6	–	–	–	–	–	1	–	1
		F.	14	5	–	–	–	–	1	1	2	1
	(c) Heart failure—Paralysie du cœur	M.	74	–	–	–	–	–	–	–	–	–
		F.	55	–	–	–	–	–	–	–	–	1
	(d) Syncope	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–

MANITOBA

	DEATHS—ALL CAUSES—DÉCÈS—TOUTES CAUSES.	**Total**	5,396	972	140	72	51	36	166	147	145	177
		M.	3,029	533	68	45	27	18	88	86	77	91
		F.	2,367	439	72	27	24	18	78	61	68	86
	CLASS I—EPIDEMIC, ENDEMIC AND INFECTIOUS DISEASES—CLASSE I—AFFECTIONS ÉPIDÉMIQUES, ENDÉMIQUES ET INFECTIEUSES.	**Total**	830	91	36	22	21	15	74	58	60	63
		M.	438	54	16	9	13	6	32	29	24	27
		F.	392	37	20	13	8	9	42	29	36	36
1	Typhoid and paratyphoid fever—Fièvre typhoïde et paratyphoïde.	M.	18	–	–	–	–	–	–	1	3	3
		F.	3	–	1	–	–	–	–	–	–	–
	(a) Typhoid fever—Fièvre typhoïde	M.	18	–	–	–	–	–	–	1	3	3
		F.	3	–	1	–	–	–	–	–	–	–
	(b) Paratyphoid fever—Fièvre paratyphoïde.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
7	Measles—Rougeole	M.	6	3	2	1	–	–	–	–	–	–
		F.	3	1	2	–	–	–	–	–	–	–
8	Scarlet fever—Scarlatine	M.	6	–	–	–	1	–	1	3	–	–
		F.	7	–	1	–	2	–	2	–	1	–
9	Whooping-cough—Coqueluche	M.	14	9	1	1	2	1	–	–	–	–
		F.	13	9	3	–	–	1	–	–	–	–
10	Diphtheria—Diphtérie	M.	28	1	2	3	5	1	10	4	1	1
		F.	28	1	2	3	2	5	12	1	1	–
11	Influenza—Grippe	M.	69	19	6	–	–	–	2	2	–	–
		F.	79	9	1	3	1	–	7	4	3	3
	(a) Sole cause—Cause unique	M.	14	9	2	–	–	–	–	–	–	–
		F.	14	7	–	–	–	–	1	1	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

ONTARIO—fin

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
1	1	–	–	–	–	1	1	–	–	1	–	1	–	–	–	–	194
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
1	–	1	1	–	1	1	1	1	–	–	–	–	–	1	–	1	195
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
5	2	3	3	3	1	1	1	–	–	–	–	–	–	–	–	–	196
–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	5	2	2	2	1	1	1	–	1	–	–	–	1	–	–	2	197-199
2	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	2	–	–	–	1	1	–	1	–	–	–	–	–	–	–	197
1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	198
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	2	–	2	1	1	–	–	–	–	–	–	–	1	–	–	2	199
–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	1	–	–	–	2	1	8	11	15	13	6	1	1	–	201
–	–	–	–	–	1	–	1	2	19	25	44	18	20	1	–	–	
3	7	4	2	7	2	6	6	3	2	5	–	–	–	–	–	1	202
–	–	1	–	1	–	–	–	1	1	–	1	1	–	–	–	–	
–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	203
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	3	3	5	6	6	17	23	19	21	20	16	6	2	1	4	
1	1	1	2	4	4	4	13	20	12	9	10	7	2	1	–	3	
–	–	2	1	1	2	2	4	3	7	12	10	9	4	1	1	1	
–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	204
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
1	1	1	2	4	4	4	12	19	12	9	10	7	2	1	–	3	205
–	–	2	1	1	2	2	4	3	7	11	10	9	4	1	1	1	
–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	205a
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
1	–	1	–	2	–	1	4	3	–	–	–	1	–	–	–	3	205b
–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	1	
–	1	–	2	1	4	3	8	15	12	9	10	6	2	1	–	–	205c
–	–	1	1	1	2	2	3	2	7	11	9	9	4	1	1	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	205d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

MANITOBA

158	175	222	208	207	271	279	354	336	420	391	249	159	42	15	2	2	
89	85	121	110	132	154	177	212	209	226	237	131	80	20	9	2	2	
69	90	101	98	75	117	102	142	127	194	154	118	79	22	6	–	–	
59	53	57	45	26	24	13	25	24	28	16	13	6	–	–	–	1	
33	30	33	22	17	18	10	11	16	14	12	5	6	–	–	–	1	
26	23	24	23	9	6	3	14	8	14	4	8	–	–	–	–	–	
5	–	1	2	1	–	2	–	–	–	–	–	–	–	–	–	–	1
–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
5	–	1	2	1	–	2	–	–	–	–	–	–	–	–	–	–	1a
–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	2	3	3	2	–	–	4	4	5	10	1	4	–	–	–	–	11
2	5	2	6	1	1	1	7	4	10	3	6	–	–	–	–	–	
–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	11a
1	1	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

MANITOBA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages									
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS I–con.—**CLASSE I**–suite											
11	(b) With phthisis—Avec phtisie	M.	2	–	–	–	–	–	–	–	–	–
		F.	4	–	–	1	–	–	1	–	1	1
	(c) With bronchitis—Avec bronchite	M.	8	1	1	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(d) With pneumonia—Avec pneumonie	M.	23	5	2	–	–	–	–	1	–	–
		F.	34	2	1	–	–	–	3	2	2	1
	(e) With other respiratory diseases—Avec autres affections de l'appareil respiratoire	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(f) With diseases and accidents of pregnancy and parturition—Avec affections et accidents de la grossesse	F.	1	–	–	–	–	–	–	–	–	–
	(g) With other causes—Avec autres causes	M.	20	4	1	–	–	–	2	1	–	–
		F.	23	–	–	2	1	–	2	1	–	1
13	Mumps—Oreillons	M.	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	1	1	–	–
16	Dysentery—Dysenterie	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	1	–	–	–	–	–	–
21	Erysipelas—Érysipèle	M.	16	4	–	–	–	–	–	–	–	–
		F.	5	1	1	–	–	–	–	–	1	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë	M.	25	2	1	1	2	–	8	5	3	–
		F.	18	1	–	–	–	–	7	5	3	1
23	Lethargic encephalitis—Encéphalite léthargique	M.	10	–	–	–	–	–	–	–	2	1
		F.	6	–	–	–	–	–	1	1	2	1
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique	M.	10	2	–	1	1	2	1	–	–	1
		F.	5	1	–	1	–	–	–	1	1	–
25	Other epidemic and endemic diseases—Autres affections épidémiques et endémiques	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	1	–	–	–	1	–	–	–
	(a) Chicken-pox—Varicelle	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–
	(b) German measles—Rubéole	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	1	–	–	–	–	–	–	–
29	Tetanus—Tétanos	M.	1	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
30	Mycoses	M.	1	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
31-37	**Tuberculosis—Tuberculose**	**M.**	**202**	**8**	**4**	**2**	**2**	**1**	**9**	**9**	**14**	**21**
		F.	**197**	**9**	**8**	**4**	**3**	**3**	**10**	**15**	**24**	**30**
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	M.	147	2	1	1	–	–	3	4	9	19
		F.	156	5	2	2	1	2	5	8	22	27
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	M.	25	6	2	–	2	–	4	4	3	1
		F.	13	4	3	1	1	–	2	1	–	–
33	Tuberculosis of the intestines and peritoneum—Tuberculose des intestins et du péritoine	M.	4	–	–	–	–	1	2	–	–	–
		F.	12	–	1	–	–	–	1	2	–	2
34	Tuberculosis of the vertebral column—Tuberculose de la colonne vertébrale	M.	6	–	–	–	–	–	–	1	–	–
		F.	2	–	–	–	–	–	1	1	–	–
35	Tuberculosis of the joints—Tuberculose articulaire	M.	3	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	1	1	–
36	Tuberculosis of other organs—Tuberculose d'autres organes	M.	9	–	–	–	–	–	–	–	–	1
		F.	4	–	–	–	–	–	–	2	1	–
	(a) Skin and sub-cutaneous cellular tissue—De la peau et du tissu cellulaire sous-cutané	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Bones (vertebral column excepted)—Des os (excepté la colonne vertébrale)	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Lymphatic system (mesenteric and retroperitoneal glands excepted)—Du système lymphatique (excepté les ganglions mésentériques et les ganglions rétropéritonéaux)	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Genito-urinary system—Des organes génito-urinaires	M.	8	–	–	–	–	–	–	–	–	1
		F.	3	–	–	–	–	–	–	1	1	–
	(e) Organs other than above—Autres organes que ceux déjà mentionnés	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	1	–	–
37	Disseminated tuberculosis—Tuberculose disséminée	M.	8	–	1	1	–	–	–	–	2	–
		F.	8	–	2	1	1	1	1	–	–	1
	(a) Acute—Aiguë	M.	3	–	1	–	–	–	–	–	1	–
		F.	6	–	2	1	–	1	1	–	–	1

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

MANITOBA—suite

Âges																		
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	2	–	–	1	2	–	–	–	–	11c
–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	
1	–	–	3	2	–	–	3	1	1	3	–	1	–	–	–	–	11d
1	3	1	3	1	–	–	3	4	4	–	3	–	–	–	–	–	11e
–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11f
–	2	–	–	–	–	–	–	–	4	5	–	1	–	–	–	–	11g
–	–	1	3	–	1	1	2	–	6	2	–	–	–	–	–	–	13
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	2	1	1	1	2	1	1	2	1	–	–	–	–	–	21
–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	2	2	1	–	–	–	1	1	–	–	–	–	–	–	–	23
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	24
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	30
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
22	**26**	**21**	**13**	**9**	**14**	**5**	**5**	**6**	**7**	–	**2**	**1**	–	–	–	**1**	**31-37**
20	**17**	**18**	**11**	**7**	**4**	**2**	**4**	**4**	**2**	**1**	**1**	–	–	–	–	–	31
18	21	13	10	9	13	5	5	6	6	–	1	1	–	–	–	–	
14	15	18	11	6	4	2	4	4	2	1	1	–	–	–	–	–	32
2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	33
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	1	34
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	35
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	4	–	–	1	–	–	–	–	1	–	–	–	–	–	–	36
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	36c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	4	–	–	1	–	–	–	–	–	–	–	–	–	–	–	36d
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	37
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	37a
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

MANITOBA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS I-con.—CLASSE I-fin											
37	(b) Chronic or unstated—Chronique ou non spécifiée.	M.	5	–	–	1	–	–	–	–	1	–
		F.	2	–	–	–	1	–	–	–	–	–
38	Syphilis	M.	17	4	–	–	–	–	–	1	–	–
		F.	9	3	–	1	–	–	–	–	–	1
40	Gonococcus infection—Gonococcie	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
41	Purulent infection, septicaemia—Infection purulente, septicémie.	M.	15	2	–	–	–	–	1	4	–	–
		F.	11	2	–	–	–	–	1	1	–	–
	CLASS II—GENERAL DISEASES NOT INCLUDED IN CLASS I—CLASSE II—MALADIES GÉNÉRALES NON MENTIONNÉES DANS LA CLASSE I.	Total	744	21	5	3	2	3	13	14	10	10
		M.	389	13	4	1	1	3	5	6	6	4
		F.	355	8	1	2	1	–	8	8	4	6
43-49	Cancer	M.	266	1	–	–	–	1	–	2	–	2
		F.	250	–	–	1	–	–	3	2	1	1
43	Cancer of the buccal cavity—Cancer de la cavité buccale.	M.	12	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
44	Cancer of the stomach and liver—Cancer de l'estomac et du foie.	M.	138	1	–	–	–	–	–	–	–	–
		F.	79	–	–	–	–	–	–	–	–	–
45	Cancer of the peritoneum, intestines and rectum—Cancer du péritoine, des intestins et du rectum.	M.	34	–	–	–	–	–	–	1	–	–
		F.	30	–	–	–	–	–	–	–	–	–
46	Cancer of the female genital organs—Cancer des organes génitaux de la femme.	F.	53	–	–	–	–	–	–	–	–	–
47	Cancer of the breast—Cancer du sein	M.	1	–	–	–	–	–	–	–	–	–
		F.	45	–	–	–	–	–	–	–	–	1
48	Cancer of the skin—Cancer de la peau	M.	9	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
49	Cancer of other or unspecified organs—Cancer d'autres organes ou d'organes non spécifiés.	M.	72	–	–	–	–	1	–	1	–	2
		F.	38	–	–	1	–	–	3	2	1	–
	(a) Cancer of eye and ear—Cancer de l'œil et de l'oreille.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Cancer of circulatory system—Cancer de l'appareil circulatoire.	M.	4	–	–	–	–	–	–	–	–	–
		F.	5	–	–	1	–	–	1	–	–	–
	(c) Cancer of respiratory system—Cancer de l'appareil respiratoire.	M.	14	–	–	–	–	–	–	1	–	–
		F.	8	–	–	–	–	–	1	1	–	–
	(d) Cancer of digestive system—Cancer de l'appareil digestif.	M.	6	–	–	–	–	–	–	–	–	–
		F.	6	–	–	–	–	–	–	–	1	–
	(e) Cancer of genito-urinary system—Cancer de l'appareil génito-urinaire.	M.	40	–	–	–	–	1	–	–	–	1
		F.	5	–	–	–	–	–	1	–	–	–
	(f) Cancer of bones and joints—Cancer des os et des articulations.	M.	2	–	–	–	–	–	–	–	–	1
		F.	5	–	–	–	–	–	–	–	–	–
	(g) Cancer of other specified organs—Cancer d'autres organes spécifiés.	M.	3	–	–	–	–	–	–	–	–	–
		F.	8	–	–	–	–	–	–	1	–	–
	(h) Generalized cancer—Cancer généralisé.	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(i) Unspecified—Non spécifiéss	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
50	Benign tumours and tumours not returned as malignant (tumours of female genital organs excepted)—Tumeurs bénignes et tumeurs non données comme malignes (tumeurs des organes génitaux de la femme exceptées).	M.	5	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
51	Acute rheumatic fever—Rhumatisme articulaire aigu fébrile.	M.	4	–	–	–	–	–	1	1	2	–
		F.	14	–	–	–	–	–	4	2	1	3
52	Chronic rheumatism, osteo-arthritis, gout—Rhumatisme chronique ou goutte.	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
56	Rickets—Rachitisme	M.	8	6	1	–	–	–	1	–	–	–
		F.	2	2	–	–	–	–	–	–	–	–
57	Diabetes mellitus—Diabète	M.	34	–	–	–	1	1	1	3	1	–
		F.	22	–	–	–	–	–	1	1	–	–
58	Anaemia, chlorosis—Anémie, chlorose	M.	22	–	–	–	–	–	–	–	–	1
		F.	16	–	–	–	–	–	–	–	1	–
	(a) Pernicious anaemia—Anémie pernicieuse.	M.	20	–	–	–	–	–	–	–	–	1
		F.	14	–	–	–	–	–	–	–	–	–
	(b) Other anaemias and chlorosis—Autres anémies et chloroses.	M.	2	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	1	–
59	Diseases of the pituitary gland—Affections du corps pituitaire.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

MANITOBA—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	37b
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	38
–	–	4	–	2	2	1	–	3	–	–	–	–	–	–	–	–	
1	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	40
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	41
2	–	1	–	–	1	1	–	1	–	–	1	1	–	–	–	–	
–	1	2	1	–	–	–	1	–	1	–	1	–	–	–	–	–	
18	**13**	**33**	**37**	**39**	**77**	**78**	**92**	**87**	**89**	**58**	**25**	**15**	**2**	–	–	–	
7	**3**	**18**	**15**	**18**	**32**	**43**	**49**	**57**	**47**	**34**	**16**	**7**	–	–	–	–	
11	**10**	**15**	**22**	**21**	**45**	**35**	**43**	**30**	**42**	**24**	**9**	**8**	**2**	–	–	–	
2	**2**	**10**	**9**	**13**	**21**	**34**	**39**	**50**	**33**	**29**	**12**	**6**	–	–	–	–	43-49
6	**6**	**7**	**20**	**16**	**33**	**28**	**35**	**22**	**33**	**19**	**9**	**7**	**1**	–	–	–	
–	–	1	1	–	–	2	1	1	1	1	2	2	–	–	–	–	43
–	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	
–	1	5	4	8	9	21	20	31	18	15	4	1	–	–	–	–	44
1	1	–	2	3	9	7	12	11	17	8	5	3	–	–	–	–	
1	–	2	1	2	5	4	3	1	6	5	1	2	–	–	–	–	45
1	1	1	1	2	2	6	4	1	6	2	1	1	1	–	–	–	
–	1	4	7	7	11	4	7	5	2	4	1	–	–	–	–	–	46
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	47
4	1	1	6	2	8	6	6	4	4	1	1	–	–	–	–	–	
–	–	–	1	2	1	1	1	2	–	–	–	1	–	–	–	–	48
–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	
1	1	2	2	1	6	6	14	15	7	8	5	–	–	–	–	–	49
–	2	1	3	2	3	5	6	1	3	4	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	49a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	49b
–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	
–	–	1	1	–	3	2	–	3	1	–	2	–	–	–	–	–	49c
–	–	–	1	–	2	1	–	–	2	–	–	–	–	–	–	–	
–	–	1	–	–	–	1	1	3	–	–	–	–	–	–	–	–	49d
–	–	–	–	–	1	1	1	1	–	1	–	–	–	–	–	–	
–	–	–	1	1	1	3	11	6	5	7	3	–	–	–	–	–	49e
–	–	–	1	–	–	–	2	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	49f
–	–	–	–	1	–	1	–	–	1	2	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	49g
–	2	1	–	1	–	–	2	–	–	–	–	1	–	–	–	–	
–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	49h
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	49i
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	1	–	–	1	–	1	–	–	1	–	–	–	–	–	50
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	51
–	–	2	–	–	–	1	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	52
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	56
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	1	–	3	2	2	6	1	7	3	–	1	–	–	–	–	57
1	1	–	–	3	3	4	1	2	4	–	–	1	–	–	–	–	
–	–	1	–	–	2	3	2	3	6	2	2	–	–	–	–	–	58
1	–	–	1	1	2	–	1	1	3	4	–	–	–	–	–	–	
–	–	1	–	–	2	3	2	3	5	2	1	–	–	1	–	–	58a
1	–	–	1	1	2	–	1	1	3	4	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	58b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	59
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

MANITOBA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages									
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS II-con.—**CLASSE II**-fin											
60	Diseases of the thyroid gland—Affections de la glande thyroïde.	M.	6	–	–	–	–	–	–	–	1	–
		F.	23	–	–	–	–	–	–	–	–	1
	(a) Exophthalmic goiter—Goître exophtalmique.	M.	6	–	–	–	–	–	–	–	1	–
		F.	15	–	–	–	–	–	–	–	–	–
	(b) Other diseases of the thyroid gland—Autres affections de la glande thyroïde.	M.	–	–	–	–	–	–	–	–	–	–
		F.	8	–	–	–	–	–	–	–	–	1
61	Diseases of the parathyroid glands—Affections des glandes parathyroïdes.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	1	–	–	–	–	–	–	–
62	Diseases of the thymus—Affections du thymus.	M.	5	1	2	–	–	–	2	–	–	–
		F.	5	2	–	1	–	–	–	2	–	–
63	Diseases of the adrenals (Addison's disease)—Affections des glandes surrénales (maladie d'Addison).	M.	1	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
65	Leukaemia, lymphadenoma—Leucémie, lymphadénie.	M.	13	–	1	1	–	1	–	–	2	1
		F.	5	–	–	–	–	–	–	–	–	–
	(a) Leukaemia—Leucémie	M.	8	–	–	1	–	1	–	–	2	1
		F.	4	–	–	–	–	–	–	–	–	–
	(b) Lymphadenoma (Hodgkin's disease)—Lymphadénie (maladie d'Hodgkin).	M.	5	–	1	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
66	Alcoholism—Alcoolisme	M.	16	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
	(a) Delirium tremens	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Acute alcoholism—Alcoolisme aigu	M.	13	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(c) Chronic alcoholism—Alcoolisme chronique.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
68	Chronic organic poisoning—Empoisonnements chroniques par substances organiques.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Chronic morphinism—Morphinisme chronique.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Chronic cocainism, etc.—Cocaïnisme chronique, etc.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Other organic poisoning—Autres empoisonnements organiques.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
69	Other general diseases—Autres maladies générales.	M.	5	5	–	–	–	–	–	–	–	–
		F.	9	4	–	–	1	–	–	1	1	1
	(a) Diabetes insipidus—Diabète insipide.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	1	–	–
	(b) Haemophilia—Hémophilie	M.	4	4	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Purpura haemorrhagica—Purpura hémorragique.	M.	1	1	–	–	–	–	–	–	–	–
		F.	6	3	–	–	–	–	–	–	1	1
	(d) Others under this title—Autres sous ce titre.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	1	–	–	1	–	–	–	–	–
	CLASS III—DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE—CLASSE III—AFFECTIONS DU SYSTÈME NERVEUX ET DES ORGANES DES SENS.	Total	**396**	**36**	**11**	**6**	**2**	**4**	**10**	**12**	**5**	**5**
		M.	**228**	**24**	**7**	**4**	**1**	**1**	**9**	**10**	**2**	**4**
		F.	**168**	**12**	**4**	**2**	**1**	**3**	**1**	**2**	**3**	**1**
70	Encephalitis—Encéphalite	M.	5	1	–	–	–	–	–	1	–	–
		F.	7	1	–	–	–	–	–	1	–	–
	(a) Abscess of brain—Abcès du cerveau.	M.	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	1	–	–
	(b) Encephalitis—Encéphalite	M.	5	1	–	–	–	–	–	1	–	–
		F.	4	1	–	–	–	–	–	–	–	–
71	Meningitis—Méningite	M.	22	5	1	3	1	–	4	4	–	1
		F.	10	2	2	–	1	1	1	–	–	–
	(a) Simple meningitis—Méningite simple.	M.	22	5	1	3	1	–	4	4	–	1
		F.	10	2	2	–	1	1	1	–	–	–
	(b) Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non épidémique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
72	Tabes dorsalis (locomotor ataxia)—Ataxie locomotrice progressive.	M.	4	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
73	Other diseases of the spinal cord—Autres affections de la moëlle épinière.	M.	9	–	–	–	–	–	–	1	1	–
		F.	6	–	–	–	–	–	–	1	1	–
74	Cerebral haemorrhage, apoplexy—Hémorragie cérébrale, apoplexie.	M.	83	–	–	–	–	–	–	–	–	–
		F.	81	1	–	–	–	1	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

MANITOBA—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	1	–	3	–	1	–	–	–	–	–	–	–	–	–	60
2	1	3	1	–	5	2	4	4	–	–	–	–	–	–	–	–	60a
–	–	–	1	–	3	–	1	–	–	–	–	–	–	–	–	–	
1	1	2	–	–	3	2	4	2	–	–	–	–	–	–	–	–	60b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	1	1	–	2	–	–	2	–	–	–	–	–	–	–	–	61
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	63
–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	1	1	1	1	–	–	2	–	–	–	–	–	–	–	–	65
–	1	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	
–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	65a
–	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	65b
–	1	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	66
4	–	2	3	–	3	2	1	–	1	–	–	–	–	–	–	–	
1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	66a
1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	66b
3	–	2	2	–	3	2	1	–	–	–	–	–	–	–	–	–	
1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	66c
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	68
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	68a
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	68b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	68c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69c
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
9	**11**	**11**	**20**	**20**	**24**	**24**	**29**	**34**	**42**	**40**	**19**	**19**	**1**	**1**	**1**	–	
8	**1**	**6**	**9**	**12**	**18**	**16**	**13**	**20**	**20**	**23**	**9**	**8**	**1**	**1**	**1**	–	
1	**10**	**5**	**11**	**8**	**6**	**8**	**16**	**14**	**22**	**17**	**10**	**11**	–	–	–	–	
1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	70
–	–	–	2	–	1	–	1	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70a
–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	
1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	70b
–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	
1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	71
–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	71a
–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–	72
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	3	–	–	1	2	–	–	–	–	–	–	–	73
–	–	–	1	–	–	–	1	–	–	1	–	1	–	–	–	–	
1	–	–	1	1	5	9	9	13	12	17	6	7	–	1	1	–	74
–	1	–	4	4	2	5	9	9	16	14	7	8	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

MANITOBA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS III-con.—**CLASSE III**-fin											
74	(a) Apoplexy—Apoplexie	M.	26	–	–	–	–	–	–	–	–	–
		F.	30	–	–	–	–	–	–	–	–	–
	(b) Cerebral haemorrhage—Hémorragie cerébrale.	M.	51	–	–	–	–	–	–	–	–	–
		F.	46	1	–	–	–	1	–	–	–	–
	(c) Cerebral thrombosis and embolism —Thrombose et embolie cérébrales.	M.	6	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
75	Paralysis without specified cause—Paralysie sans cause indiquée.	M.	9	–	–	–	–	–	1	–	–	–
		F.	9	–	–	–	–	–	–	–	1	–
	(a) Hemiplegia—Hémiplégie	M.	7	–	–	–	–	–	–	–	–	–
		F.	8	–	–	–	–	–	–	–	1	–
	(b) Others under this title—Autres sous ce titre.	M.	2	–	–	–	–	–	1	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
76	General paralysis of the insane—Paralysie générale des aliénés.	M.	11	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
77	Other forms of mental alienation—Autres formes de l'aliénation mentale.	M.	5	–	–	–	–	–	–	–	–	–
		F.	6	–	–	–	–	–	–	–	–	1
78	Epilepsy—Épilepsie	M.	12	3	–	–	–	–	–	–	–	2
		F.	6	–	–	1	–	1	–	–	–	–
80	Infantile convulsions (under 5 years of age) —Convulsions des enfants (moins de cinq ans).	M.	16	12	3	1	–	–	–	–	–	–
		F.	7	4	2	1	–	–	–	–	–	–
82	Neuralgia and neuritis—Névralgie et névrite.	M.	1	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
83	Softening of the brain—Ramollissement du cerveau.	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
84	Other diseases of the nervous system—Autres affections du système nerveux.	M.	26	–	–	–	–	–	1	–	–	–
		F.	18	–	–	–	–	–	–	–	–	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien.	M.	23	3	3	–	–	1	3	4	1	1
		F.	12	4	–	–	–	–	–	–	1	–
	(a) Diseases of the ear—Affections de l'oreille.	M.	9	2	2	–	–	–	–	1	–	1
		F.	5	3	–	–	–	–	–	–	–	–
	(b) Diseases of the mastoid process—Affections du sinus mastoïdien.	M.	14	1	1	–	–	1	3	3	1	–
		F.	7	1	–	–	–	–	–	–	1	–
	CLASS IV—DISEASES OF THE CIRCULATORY SYSTEM — CLASSE IV—AFFECTIONS DE L'APPAREIL CIRCULATOIRE.	Total	**921**	**1**	**1**	**–**	**–**	**1**	**6**	**8**	**13**	**11**
		M.	**532**	**–**	**1**	**–**	**–**	**1**	**3**	**4**	**6**	**6**
		F.	**389**	**1**	**–**	**–**	**–**	**–**	**3**	**4**	**7**	**5**
87-90	**Diseases of the heart—Affections du cœur.**	M.	**363**	–	–	–	–	**1**	**3**	**4**	**6**	**6** **5**
		F.	**275**	–	–	–	–	–	**3**	**4**	**7**	–
87	Pericarditis—Péricardite	M.	5	–	–	–	–	–	1	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
88	Endocarditis and myocarditis (acute)—Endocardite et myocardite (aiguës).	M.	17	–	–	–	–	–	1	1	–	3
		F.	8	–	–	–	–	–	1	1	–	2
	(a) Acute endocarditis—Endocardite aiguë.	M.	14	–	–	–	–	–	1	1	–	2
		F.	8	–	–	–	–	–	1	1	–	2
	(b) Acute myocarditis—Myocardite aiguë.	M.	3	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
89	Angina pectoris—Angine de poitrine	M.	34	–	–	–	–	–	–	–	–	–
		F.	15	–	–	–	–	–	–	–	–	–
90	Other diseases of the heart—Autres affections du cœur.	M.	307	–	–	–	–	1	1	3	6	3
		F.	251	–	–	–	–	–	2	3	7	3
	(a) Valvular disease—Affection valvulaire.	M.	88	–	–	–	–	1	1	2	1	–
		F.	73	–	–	–	–	–	1	–	4	3
	(b) Fatty dégéneration of the heart—Dégénérescence ou stéanose du cœur.	M.	7	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(c) Aortic insufficiency—Insuffisance aortique.	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Chronic endocarditis—Endocardite chronique.	M.	42	–	–	–	–	–	–	1	2	2
		F.	45	–	–	–	–	–	1	2	2	–
	(e) Chronic myocarditis—Myocardite chronique.	M.	122	–	–	–	–	–	–	–	2	–
		F.	96	–	–	–	–	–	–	1	–	–
	(f) Others under this title—Autres sous ce titre.	M.	46	–	–	–	–	–	–	–	1	1
		F.	36	–	–	–	–	–	–	–	1	–
91	Diseases of the arteries—Affections des artères.	M.	142	–	–	–	–	–	–	–	–	–
		F.	99	–	–	–	–	–	–	–	–	–
	(a) Aneurysm—Anévrisme	M.	11	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Arteriosclerosis—Artério-sclérose	M.	127	–	–	–	–	–	–	–	–	–
		F.	98	–	–	–	–	–	–	–	–	–
	(c) Other diseases of the arteries—Autres affections des artères.	M.	4	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

MANITOBA—suite

Âges																		
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	–	–	2	2	–	4	3	7	3	4	–	1	–	–	74a
–	–	–	–	–	1	2	1	4	5	9	4	4	–	–	–	–	
1	–	–	1	1	3	6	9	8	8	9	2	2	–	–	1	–	74b
–	1	–	4	4	–	3	6	5	11	4	2	4	–	–	–	–	
–	–	–	–	–	–	1	–	1	1	1	1	1	–	–	–	–	74c
–	–	–	–	–	1	–	2	–	–	1	1	–	–	–	–	–	
–	–	–	–	1	–	1	–	2	2	1	1	–	–	–	–	–	75
–	–	–	–	2	–	1	1	–	1	–	2	1	–	–	–	–	
–	–	–	–	1	–	1	–	2	1	1	1	–	–	–	–	–	75a
–	–	–	–	2	–	–	1	–	1	–	2	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	75b
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
1	–	–	1	1	1	3	2	–	–	1	–	–	1	–	–	–	76
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
–	–	–	1	–	2	–	–	–	–	–	2	–	–	–	–	–	77
–	1	1	–	–	–	–	1	1	–	1	–	–	–	–	–	–	78
2	–	1	1	1	1	1	–	–	–	–	–	–	–	–	–	–	
–	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	80
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	82
–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	83
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
2	1	2	2	5	3	1	1	2	2	3	–	1	–	–	–	–	84
–	5	1	3	2	1	–	2	1	2	–	–	1	–	–	–	–	
–	–	2	2	2	1	–	–	–	–	–	–	–	–	–	–	–	86
1	2	1	–	–	1	–	–	1	1	–	–	–	–	–	–	–	
–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	86a
–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	86b
1	2	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	
14	**14**	**21**	**19**	**33**	**57**	**70**	**103**	**116**	**125**	**143**	**99**	**45**	**13**	**7**	**1**	–	
8	**8**	**7**	**11**	**22**	**35**	**43**	**62**	**74**	**70**	**82**	**59**	**20**	**5**	**4**	**1**	–	
6	**6**	**14**	**8**	**11**	**22**	**27**	**41**	**42**	**55**	**61**	**40**	**25**	**8**	**3**	–	–	
7	**8**	**7**	**9**	**17**	**23**	**25**	**39**	**54**	**46**	**52**	**40**	**12**	**3**	**1**	–	–	**87-90**
6	**5**	**11**	**8**	**7**	**13**	**15**	**26**	**30**	**41**	**42**	**26**	**20**	**4**	**2**	–	–	
–	–	–	–	2	–	–	–	1	–	–	–	1	–	–	–	–	87
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	4	–	2	1	3	–	–	–	1	–	–	–	–	–	–	–	88
2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	4	–	2	1	3	–	–	–	–	–	–	–	–	–	–	–	88a
2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	88b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	3	4	7	7	3	7	3	–	–	–	–	–	89
–	–	–	1	2	1	2	1	1	4	1	1	1	–	–	–	–	
6	4	7	7	14	17	21	32	46	42	45	37	11	3	1	–	–	90
4	5	8	7	5	12	13	25	29	37	41	25	19	4	2	–	–	
1	–	3	3	6	2	7	12	11	15	14	6	3	–	–	–	–	90a
3	3	4	1	2	5	4	6	8	10	13	3	2	1	–	–	–	
–	–	–	–	1	1	–	1	4	–	–	–	–	–	–	–	–	90b
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	90c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
4	2	1	2	1	3	2	4	5	3	7	3	–	–	–	–	–	90d
1	1	3	–	2	2	1	4	7	7	7	3	1	1	–	–	–	
1	1	2	1	4	9	8	13	16	16	18	21	6	3	1	–	–	90e
–	1	–	5	1	3	6	15	8	14	16	11	11	2	2	–	–	
–	1	1	1	1	2	4	2	9	8	6	7	2	–	–	–	–	90f
–	–	1	1	–	2	2	–	5	6	5	8	5	–	–	–	–	
–	–	–	2	4	7	14	19	19	19	27	18	7	2	3	1	–	91
–	1	1	–	4	8	8	12	11	14	17	13	5	4	1	–	–	
–	–	–	–	3	1	2	2	–	2	–	–	1	–	–	–	–	91a
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	2	1	6	11	17	18	17	27	17	6	1	3	1	–	91b
–	–	1	–	4	8	8	12	11	14	17	13	5	4	1	–	–	
–	–	–	–	–	–	1	–	1	–	–	1	–	1	–	–	–	91c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

MANITOBA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS IV-con.—**CLASSE IV**-fin											
92	Embolism and thrombosis (not cerebral)— Embolie et thrombose (non cérébrales).	M.	22	–	–	–	–	–	–	–	–	–
		F.	10	–	–	–	–	–	–	–	–	–
93	Diseases of the veins (varices, haemorrhoids, phlebitis, etc.)—Affections des veines (varices, hémorroïdes, phlébite, etc.).	M.	2	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
94	Diseases of the lymphatic system (lymphangitis, etc.)—Affections du système lymphatique (lymphangite, etc.).	M.	3	–	1	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	CLASS V—DISEASES OF THE RESPIRATORY SYSTEM — CLASSE V—AFFECTIONS DE L'APPAREIL RESPIRATOIRE.	Total	539	151	43	14	7	3	8	11	13	12
		M.	306	79	19	12	5	3	3	6	7	7
		F.	233	72	24	2	2	–	5	5	6	5
97	Diseases of the nasal fossae and their annexa—Affections des fosses nasales et de leurs annexes.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	1	–
98	Diseases of the larynx—Affections du larynx.	M.	4	–	3	–	–	–	–	–	–	–
		F.	1	–	–	–	1	–	–	–	–	–
	(a) Laryngismus stridulus—Laryngite striduleuse.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Laryngitis—Laryngite	M.	2	–	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Croup	M.	2	–	2	–	–	–	–	–	–	–
		F.	1	–	–	–	1	–	–	–	–	–
	(d) Other diseases of the larynx—Autres affections du larynx.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite	M.	21	5	1	1	–	–	–	–	–	–
		F.	19	7	1	–	–	–	–	–	–	–
	(a) Acute—Aiguë	M.	8	5	1	–	–	–	–	–	–	–
		F.	12	6	1	–	–	–	–	–	–	–
	(b) Chronic—Chronique	M.	7	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
	(c) Not otherwise defined, under 5 years of age—Sans épithète, au-dessous de cinq ans.	M.	1	–	–	1	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(d) Not otherwise defined, 5 years or over—Sans épithète, cinq ans ou au-dessus.	M.	5	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
100	Bronchopneumonia (including capillary bronchitis)—Broncho-pneumonie (y compris bronchite capillaire).	M.	101	48	10	6	2	1	2	–	–	–
		F.	96	39	13	2	1	–	3	1	2	1
	(a) Bronchopneumonia—Broncho-pneumonie.	M.	100	48	10	5	2	1	2	–	–	–
		F.	95	38	13	2	1	–	3	1	2	1
	(b) Capillary bronchitis—Bronchite capillaire.	M.	1	–	–	1	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
101	Pneumonia—Pneumonie	M.	141	24	4	5	3	2	1	6	7	7
		F.	87	24	8	–	–	–	1	3	3	2
	(a) Lobar—Lobaire	M.	114	16	4	4	1	1	–	3	7	6
		F.	69	19	5	–	–	–	–	3	3	2
	(b) Not otherwise defined—Sans épithète.	M.	27	8	–	1	2	1	1	3	–	1
		F.	18	5	3	–	–	–	1	–	–	–
102	Pleurisy—Pleurésie	M.	15	–	1	–	–	–	–	–	–	–
		F.	8	1	1	–	–	–	–	–	–	1
103	Congestion and haemorrhagic infarct of the lung—Congestion et hémorragie parenchymateuse des poumons.	M.	6	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
104	Gangrene of the lung—Gangrène du poumon.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
105	Asthma—Asthme	M.	7	1	–	–	–	–	–	–	–	–
		F.	9	–	–	–	–	–	1	–	–	–
106	Pulmonary emphysema—Emphysème pulmonaire.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
107	Other diseases of the respiratory system (tuberculosis excepted)—Autres affections de l'appareil respiratoire (tuberculose exceptée).	M.	8	1	–	–	–	–	–	–	–	–
		F.	7	1	1	–	–	–	–	1	–	1
	(a) Chronic interstitial pneumonia including occupational diseases of the lungs—Pneumonie interstitielle chronique comprenant les affections professionnelles de l'appareil pulmonaire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

MANITOBA—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
1	–	–	–	1	5	3	4	1	5	2	–	–	–	–	–	–	92
–	–	1	–	–	1	2	2	1	–	2	1	–	–	–	–	–	93
–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	
–	–	1	–	–	–	2	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	94
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
5	8	14	21	14	14	16	21	22	44	39	34	18	6	1	–	–	
3	3	9	18	9	9	14	14	9	24	23	14	11	4	1	–	–	
2	5	5	3	5	5	2	7	13	20	16	20	7	2	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	97
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98b
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	99
–	–	–	1	–	–	–	–	3	2	5	1	2	–	–	–	–	99a
–	–	–	–	–	–	–	1	2	3	3	2	–	–	–	–	–	99b
–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	99c
–	–	–	–	–	–	–	–	1	2	–	2	–	–	–	–	–	99d
–	–	–	–	–	–	–	–	2	1	3	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	1	–	1	–	2	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
2	–	–	2	1	2	1	1	1	8	4	3	4	2	1	–	–	100
–	–	–	–	1	–	–	3	4	4	8	12	2	–	–	–	–	
2	–	–	2	1	2	1	1	1	8	4	3	4	2	1	–	–	100a
–	–	–	–	1	–	–	3	4	4	8	12	2	–	–	–	–	100b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	7	11	5	5	6	11	3	9	11	7	4	2	–	–	–	101
1	5	3	2	2	4	1	2	6	9	3	6	1	1	–	–	–	101a
1	–	7	10	5	4	6	11	3	7	8	4	4	2	–	–	–	101b
–	3	3	2	2	4	–	2	5	8	3	4	1	–	–	–	–	
–	–	–	1	–	1	–	–	–	2	3	3	–	–	–	–	–	
1	2	–	–	–	–	1	–	1	1	–	2	–	–	1	–	–	102
–	2	–	3	–	1	4	–	2	2	–	–	–	–	–	–	–	
–	–	1	–	–	1	–	1	–	1	1	–	–	–	–	–	–	103
–	–	–	–	–	–	–	–	–	2	2	2	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	1	–	2	1	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	104
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	2	–	–	1	1	1	–	–	–	–	105
–	–	1	1	2	–	1	–	1	1	–	–	1	–	–	–	–	106
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107
–	–	–	1	2	1	2	–	–	1	–	–	1	–	–	–	–	
1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

MANITOBA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS V-con.—CLASSE V-fin											
107	(b) Diseases of the mediastinum—Affections du médiastin.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	7	1	–	–	–	–	–	–	–	–
		F.	7	1	1	–	–	–	–	1	–	1
	CLASS VI—DISEASES OF THE DIGESTIVE SYSTEM—CLASSE VI—AFFECTIONS DE L'APPAREIL DIGESTIF.	Total	500	127	27	12	5	4	25	14	10	17
		M.	272	58	14	9	1	1	16	8	8	11
		F.	228	69	13	3	4	3	9	6	2	6
108	Diseases of the mouth and annexa—Affections de la bouche et de ses annexes.	M.	2	–	1	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
109	Diseases of the pharynx and tonsils (including adenoid vegetations)—Affections du pharynx et des amygdales (y compris les végétations adénoïdiennes).	M.	8	–	–	–	–	–	2	–	–	–
		F.	9	1	1	–	–	1	–	1	–	1
	(a) Adenoid vegetations—Végétations adénoïdiennes.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Pharynx and tonsils—Pharynx et amygdales.	M.	8	–	–	–	–	–	2	–	–	–
		F.	9	1	1	–	–	1	–	1	–	1
110	Diseases of the oesophagus—Affections de l'œsophage.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
111	Ulcer of the stomach and duodenum—Ulcère de l'estomac et du duodénum.	M.	40	–	–	–	–	–	–	–	–	2
		F.	12	–	–	–	–	–	–	–	–	–
	(a) Ulcer of the stomach—Ulcère de l'estomac.	M.	21	–	–	–	–	–	–	–	–	1
		F.	9	–	–	–	–	–	–	–	–	–
	(b) Ulcer of the duodenum—Ulcère du duodénum.	M.	19	–	–	–	–	–	–	–	–	1
		F.	3	–	–	–	–	–	–	–	–	–
112	Other diseases of the stomach (cancer excepted)—Autres affections de l'estomac (cancer excepté).	M.	19	6	1	–	–	–	2	–	–	–
		F.	12	5	1	1	–	1	–	–	–	–
113	Diarrhoea and enteritis (under 2 years of age)—Diarrhée et entérite (au-dessous de 2 ans).	M.	58	48	10	–	–	–	–	–	–	–
		F.	63	57	6	–	–	–	–	–	–	–
114	Diarrhoea and enteritis (2 years or over)—Diarrhée et entérite (deux ans ou au-dessus).	M.	18	–	–	8	1	–	2	–	–	1
		F.	12	–	–	2	1	–	1	–	–	–
117	Appendicitis and typhlitis—Appendicite et typhlite.	M.	48	–	1	1	–	1	7	8	4	6
		F.	32	–	1	–	1	1	7	3	1	3
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale.	M.	34	4	–	–	–	–	3	–	2	–
		F.	32	4	2	–	1	–	–	1	–	1
	(a) Hernia—Hernie	M.	17	–	–	–	–	–	–	–	1	–
		F.	9	–	–	–	–	–	–	–	–	–
	(b) Intestinal obstruction—Obstruction intestinale.	M.	17	4	–	–	–	–	3	–	1	–
		F.	23	4	2	–	1	–	–	1	–	1
119	Other diseases of the intestines—Autres affections des intestins.	M.	9	–	–	–	–	–	–	–	1	–
		F.	6	–	–	–	–	–	–	–	–	–
120	Acute yellow atrophy of the liver—Atrophie jaune aiguë du foie.	M.	1	–	–	–	–	–	–	–	–	1
		F.	1	–	–	–	–	–	–	–	–	–
122	Cirrhosis of the liver—Cirrhose du foie	M.	8	–	–	–	–	–	–	–	–	–
		F.	9	–	–	–	–	–	–	1	–	–
	(a) Specified as alcoholic—Spécifiée comme alcoolique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Not specified as alcoholic—Non spécifiée comme alcoolique.	M.	8	–	–	–	–	–	–	–	–	–
		F.	8	–	–	–	–	–	–	1	–	–
123	Biliary calculi—Calculs biliaires	M.	6	–	–	–	–	–	–	–	–	–
		F.	16	–	–	–	–	–	–	–	–	–
124	Other diseases of the liver—Autres affections du foie.	M.	14	–	1	–	–	–	–	–	1	–
		F.	12	–	1	–	–	–	–	–	–	1
125	Diseases of the pancreas—Affections du pancréas.	M.	1	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
126	Peritonitis without specified cause—Péritonite sans cause indiquée.	M.	6	–	–	–	–	–	–	–	–	1
		F.	8	2	1	–	1	–	1	–	1	–
	CLASS VII—NON-VENEREAL DISEASES OF THE GENITO-URINARY SYSTEM AND ANNEXA—CLASSE VII—AFFECTIONS NON VÉNÉRIENNES DE L'APPAREIL GÉNITO-URINAIRE ET DE SES ANNEXES.	Total	313	1	2	2	1	3	4	5	2	5
		M.	182	–	1	1	–	2	2	3	2	2
		F.	131	1	1	1	1	1	2	2	–	3
128	Acute nephritis (including unspecified, under 10 years of age)—Néphrite aiguë (y compris non spécifiée au-dessous de dix ans).	M.	8	–	1	1	–	1	1	1	–	1
		F.	10	1	1	1	–	1	1	1	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

MANITOBA—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	107b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107c
–	–	–	1	1	1	2	–	–	1	–	–	–	1	–	–	–	
1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
3	**17**	**27**	**26**	**21**	**31**	**25**	**23**	**15**	**32**	**19**	**10**	**9**	**1**	–	–	–	
1	**8**	**16**	**15**	**15**	**16**	**17**	**12**	**8**	**14**	**14**	**6**	**4**	–	–	–	–	
2	**9**	**11**	**11**	**6**	**15**	**8**	**11**	**7**	**18**	**5**	**4**	**5**	**1**	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	108
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	109
–	1	–	2	–	–	1	–	1	1	–	–	–	–	–	–	–	
–	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	109a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	109b
–	1	–	2	–	–	1	–	1	1	–	–	–	–	–	–	–	
–	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	110
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	111
–	2	4	5	8	3	5	5	–	2	4	–	–	–	–	–	–	
–	1	–	3	1	3	2	–	–	2	–	–	–	–	–	–	–	111a
–	1	1	1	4	1	4	3	–	1	4	–	–	–	–	–	–	
–	1	–	2	1	3	1	–	–	1	–	–	–	–	–	–	–	111b
–	1	3	4	4	2	1	2	–	1	–	–	–	–	–	–	–	
–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	112
–	–	–	–	–	–	–	–	–	2	3	3	2	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	113
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	1	–	1	1	1	1	–	–	–	–	114
–	1	–	–	–	–	2	–	–	4	1	–	–	–	–	–	–	
–	3	4	1	3	5	4	–	–	–	–	–	–	–	–	–	–	117
–	2	5	2	1	1	–	1	1	2	–	–	–	–	–	–	–	118
1	–	2	5	–	2	1	2	4	1	5	1	1	–	–	–	–	
1	1	3	1	1	5	2	1	2	1	2	1	2	–	–	–	–	118a
1	–	1	–	–	2	1	1	2	1	5	1	1	–	–	–	–	
–	1	–	1	–	1	1	–	1	–	2	1	1	–	–	–	–	118b
–	–	1	5	–	–	–	1	2	–	–	–	–	–	–	–	–	
1	–	3	–	1	4	1	1	1	1	–	–	1	–	–	–	–	119
–	–	1	2	–	2	1	–	–	2	–	–	–	–	–	–	–	
–	–	1	–	–	1	–	1	1	1	1	–	–	–	–	–	–	120
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	122
–	1	1	–	1	–	1	1	1	2	–	–	–	–	–	–	–	
–	–	–	1	–	1	1	1	1	1	1	–	1	–	–	–	–	122a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	122b
–	1	1	–	1	–	1	1	1	2	–	–	–	–	–	–	–	
–	–	–	–	–	1	1	1	1	1	1	–	1	–	–	–	–	123
–	–	1	–	2	1	–	–	1	1	–	–	–	–	–	–	–	
–	1	1	1	2	2	1	2	2	3	–	1	–	–	–	–	–	124
–	1	1	–	–	1	3	1	1	2	1	1	–	–	–	–	–	
–	1	1	2	1	–	–	3	–	1	–	1	–	–	–	–	–	125
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	126
–	–	1	–	1	1	1	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	
8	**13**	**14**	**9**	**16**	**18**	**25**	**36**	**25**	**43**	**44**	**16**	**16**	**2**	**3**	–	–	
3	**3**	**5**	**3**	**9**	**6**	**14**	**29**	**17**	**28**	**27**	**11**	**10**	**1**	**3**	–	–	
5	**10**	**9**	**6**	**7**	**12**	**11**	**7**	**8**	**15**	**17**	**5**	**6**	**1**	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	128
–	1	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

MANITOBA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VII-con.—**CLASSE VII**-fin											
129	Chronic nephritis (including unspecified, 10 years of age or over)—Néphrite chronique (y compris non spécifiée, dix ans ou au-dessus).	M.	104	–	–	–	–	–	–	2	2	–
		F.	81	–	–	–	–	–	–	1	–	1
131	Other diseases of the kidneys and annexa—Autres affections des reins et de leurs annexes.	M.	17	–	–	–	–	1	1	–	–	–
		F.	10	–	–	–	1	–	–	–	–	1
132	Calculi of the urinary passages—Calculs des voies urinaires.	M.	3	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
133	Diseases of the bladder—Affections de la vessie.	M.	8	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	1	–	–	–
134	Diseases of the urethra, urinary abscess, etc.—Affections de l'urètre, abcès urineux, etc.	M.	4	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(a) Stricture of the urethra—Rétrécissement de l'urètre.	M.	3	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other diseases of the urethra—Autres affections de l'urètre.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
135	Diseases of the prostate—Affections de la prostate.	M.	38	–	–	–	–	–	–	–	–	–
137	Cysts and other benign tumours of the ovary—Kystes et autres tumeurs bénignes de l'ovaire.	F.	9	–	–	–	–	–	–	–	–	–
138	Salpingitis and pelvic abscess—Salpingite et abcès du bassin.	F.	5	–	–	–	–	–	–	–	–	–
139	Benign tumours of the uterus—Tumeurs bénignes de l'utérus.	F.	4	–	–	–	–	–	–	–	–	1
141	Other diseases of the female genital organs—Autres affections des organes génitaux de la femme.	F.	9	–	–	–	–	–	–	–	–	–
	CLASS VIII—THE PUERPERAL STATE—CLASSE VIII—ÉTAT PUERPÉRAL.	Total	74	–	–	–	–	–	–	–	6	17
143	Accidents of pregnancy—Accidents de la grossesse.	F.	6	–	–	–	–	–	–	–	1	2
	(a) Abortion—Avortement.....	F.	2	–	–	–	–	–	–	–	1	1
	(b) Ectopic gestation—Gestation ectopique.	F.	4	–	–	–	–	–	–	–	–	1
	(c) Others under this title—Autres sous ce titre.	F.	–	–	–	–	–	–	–	–	–	–
	(d) Abortion, self-induced—Avortement provoqué par soi-même.	F.	–	–	–	–	–	–	–	–	–	–
144	Puerperal haemorrhage—Hémorragie puerpérale.	F.	9	–	–	–	–	–	–	–	–	4
145	Other accidents of labour—Autres accidents de l'accouchement.	F.	10	–	–	–	–	–	–	–	–	2
	(a) Caesarean section—Opération césarienne.	F.	–	–	–	–	–	–	–	–	–	–
	(b) Difficult labour—Accouchement laborieux.	F.	2	–	–	–	–	–	–	–	–	–
	(c) Other surgical operations and instrumental delivery—Autres opérations chirurgicales et application d'instruments.	F.	2	–	–	–	–	–	–	–	–	1
	(d) Uncontrollable vomiting—Vomissements incontrôlables.	F.	6	–	–	–	–	–	–	–	–	1
	(e) Rupture of uterus in labour, etc.—Rupture de l'utérus durant l'accouchement, etc.	F.	–	–	–	–	–	–	–	–	–	–
146	Puerperal septicaemia—Septicémie puerpérale.	F.	21	–	–	–	–	–	–	–	2	2
147	Puerperal phlegmasia alba dolens, puerperal embolism, sudden death in puerperium—Phlegmasia alba dolens, embolie, mort subite puerpérales.	F.	9	–	–	–	–	–	–	–	–	–
148	Puerperal albuminuria and convulsions—Albuminurie et éclampsie puerpérales.	F.	18	–	–	–	–	–	–	–	3	6
149	Following childbirth (not otherwise defined)—Suites de couches (sans autres explications).	F.	1	–	–	–	–	–	–	–	–	1

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

MANITOBA—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
1	3	3	3	9	4	8	22	10	13	12	4	6	–	2	–	–	129
2	3	4	3	5	8	8	5	4	14	13	4	5	1	–	–	–	
2	–	1	–	–	1	1	3	1	3	2	1	–	–	–	–	–	131
1	1	–	–	2	–	–	–	–	1	1	1	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	132
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	1	–	1	4	1	–	–	–	–	–	133
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	1	–	–	–	–	1	1	1	–	–	–	–	–	–	–	134
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	134a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	134b
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	4	2	5	9	8	4	4	1	–	–	–	135
–	2	–	1	–	–	3	1	1	–	1	–	–	–	–	–	–	137
2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	138
–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	139
–	1	3	1	–	2	–	–	2	–	–	–	–	–	–	–	–	141
12	**12**	**14**	8	4	**1**	–	–	–	–	–	–	–	–	–	–	–	
–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	143
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143a
–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	143b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143d
2	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	144
3	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	145
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145a
1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	145b
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	145c
2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145e
3	3	5	4	1	1	–	–	–	–	–	–	–	–	–	–	–	146
2	2	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	147
2	2	3	–	2	–	–	–	–	–	–	–	–	–	–	–	–	148
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	149

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

MANITOBA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS IX—DISEASES OF THE SKIN AND OF THE CELLULAR TISSUE—CLASSE IX—AFFECTIONS DE LA PEAU ET DU TISSU CELLULAIRE.	**Total**	**37**	**6**	**1**	–	–	–	–	**1**	–	**1**
		M.	**25**	**6**	–	–	–	–	–	**1**	–	**1**
		F.	**12**	–	**1**	–	–	–	–	–	–	–
151	Gangrene—Gangrène	M.	11	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
152	Furuncle—Furoncle	M.	2	1	–	–	–	–	–	–	–	–
		F.	3	–	1	–	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	M.	6	2	–	–	–	–	–	1	–	1
		F.	2	–	–	–	–	–	–	–	–	–
154	Other diseases of the skin and annexa—Autres affections de la peau et de ses annexes.	M.	6	3	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	CLASS X—DISEASES OF THE BONES AND OF THE ORGANS OF LOCOMOTION—CLASSE X—AFFECTIONS DES OS ET DES ORGANES DE LA LOCOMOTION.	**Total**	**12**	**1**	–	–	**1**	–	**2**	**1**	–	–
		M.	**7**	–	–	–	–	–	**1**	**1**	–	–
		F.	**5**	**1**	–	–	**1**	–	**1**	–	–	–
155	Diseases of the bones (mastoid and tuberculosis excepted)—Affections des os (sinus mastoïdien et tuberculose exceptés).	M.	6	–	–	–	–	–	1	1	–	–
		F.	3	–	–	–	1	–	–	–	–	–
156	Diseases of the joints (tuberculosis and rheumatism excepted)—Affections articulaires (tuberculose et rhumatisme exceptés).	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
158	Other diseases of the organs of locomotion—Autres affections des organes de la locomotion.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–
	CLASS XI—MALFORMATIONS—CLASSE XI—VICES DE CONFORMATION.	**Total**	**78**	**73**	–	–	**1**	–	**1**	**1**	**2**	–
		M.	**40**	**37**	–	–	**1**	–	–	–	**2**	–
		F.	**38**	**36**	–	–	–	–	**1**	**1**	–	–
159	Congenital malformations (stillbirths not included)—Vices de conformation congénitaux (mort-nés non compris).	M.	40	37	–	–	1	–	–	–	2	–
		F.	38	36	–	–	–	–	1	1	–	–
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale.	M.	6	5	–	–	1	–	–	–	–	–
		F.	9	8	–	–	–	–	–	1	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur.	M.	16	15	–	–	–	–	–	–	1	–
		F.	16	16	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	18	17	–	–	–	–	–	–	1	–
		F.	13	12	–	–	–	–	1	–	–	–
	CLASS XII—DISEASES OF EARLY INFANCY—CLASSE XII—AFFECTIONS DU PREMIER ÂGE.	**Total**	**446**	**446**	–	–	–	–	–	–	–	–
		M.	**249**	**249**	–	–	–	–	–	–	–	–
		F.	**197**	**197**	–	–	–	–	–	–	–	–
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème.	M.	42	42	–	–	–	–	–	–	–	–
		F.	29	29	–	–	–	–	–	–	–	–
161	Premature birth, injury at birth—Naissance prématurée, conséquence de l'accouchement.	M.	178	178	–	–	–	–	–	–	–	–
		F.	140	140	–	–	–	–	–	–	–	–
	(a) Premature birth—Naissance prématurée.	M.	143	143	–	–	–	–	–	–	–	–
		F.	115	115	–	–	–	–	–	–	–	–
	(b) Injury at birth—Conséquence de l'accouchement.	M.	35	35	–	–	–	–	–	–	–	–
		F.	25	25	–	–	–	–	–	–	–	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge.	M.	29	29	–	–	–	–	–	–	–	–
		F.	28	28	–	–	–	–	–	–	–	–
	(a) Specified diseases—Affections spécifiées.	M.	29	29	–	–	–	–	–	–	–	–
		F.	27	27	–	–	–	–	–	–	–	–
	(b) Unspecified causes under 3 months—Causes non spécifiées au-dessous de 3 mois.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	CLASS XIII—OLD AGE—CLASSE XIII—VIEILLESSE.	**Total**	**71**	–	–	–	–	–	–	–	–	–
		M.	**30**	–	–	–	–	–	–	–	–	–
		F.	**41**	–	–	–	–	–	–	–	–	–
164	Senility—Sénilité	M.	30	–	–	–	–	–	–	–	–	–
		F.	41	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

MANITOBA—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	1	1	–	1	3	–	–	4	8	4	4	2	–	–	–	
–	–	1	–	–	1	1	–	–	1	6	3	2	2	–	–	–	
–	–	–	1	–	–	2	–	–	3	2	1	2	–	–	–	–	
–	–	–	–	–	–	1	–	–	1	4	3	–	2	–	–	–	151
–	–	–	–	–	–	–	–	–	1	2	1	1	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	152
–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	153
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	154
–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	
–	1	–	1	1	2	1	1	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	2	1	1	–	–	–	–	–	–	–	–	–	
–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–	155
–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	156
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	158
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	160
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	2	2	3	17	14	19	12	2	–	
–	–	–	–	–	–	–	–	1	–	2	12	2	7	6	–	–	
–	–	–	–	–	–	–	–	1	2	1	5	12	12	6	2	–	
–	–	–	–	–	–	–	–	1	–	2	12	2	7	6	–	–	164
–	–	–	–	–	–	–	–	1	2	1	5	12	12	6	2	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

MANITOBA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XIV—EXTERNAL CAUSES Total		**397**	**12**	**11**	**12**	**11**	**2**	**22**	**21**	**23**	**35**
	—CLASSE XIV—CAUSES EXTÉRIEURES.	**M.**	**310**	**10**	**6**	**8**	**5**	**1**	**17**	**17**	**20**	**29**
		F.	**87**	**2**	**5**	**4**	**6**	**1**	**5**	**4**	**3**	**6**
165-174	**Suicides**	M.	38	–	–	–	–	–	–	–	2	5
		F.	14	–	–	–	–	–	–	–	–	2
165	Suicide by solid or liquid poisons (corrosive substances excepted)—Suicide par ingestion de poisons solides ou liquides (substances corrosives exceptées).	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
166	Suicide by corrosive substances—Absorption volontaire de substances corrosives.	M.	2	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
167	Suicide by poisonous gas—Suicide par ingestion de gaz vénéneux.	M.	3	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
168	Suicide by hanging or strangulation—Suicide par pendaison ou strangulation.	M.	8	–	–	–	–	–	–	–	1	–
		F.	3	–	–	–	–	–	–	–	–	1
169	Suicide by drowning—Suicide par submersion.	M.	7	–	–	–	–	–	–	–	–	2
		F.	1	–	–	–	–	–	–	–	–	–
170	Suicide by firearms—Suicide par armes à feu.	M.	11	–	–	–	–	–	–	–	1	1
		F.	1	–	–	–	–	–	–	–	–	1
171	Suicide by cutting or piercing instruments—Suicide par instruments tranchants ou piquants.	M.	1	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
172	Suicide by jumping from high places—Suicide par précipitation d'un lieu élevé.	M.	2	–	–	–	–	–	–	–	–	1
		F.	2	–	–	–	–	–	–	–	–	–
173	Suicide by crushing—Suicide par écrasement.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
174	Other suicides—Autres suicides	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
177	Other acute accidental poisonings (gas excepted)—Autres empoisonnements accidentels aigus (par gaz exceptés).	M.	1	–	–	–	–	–	–	–	–	–
		F.	2	–	1	–	–	–	–	–	–	–
178	Conflagration—Incendie	M.	12	2	1	1	1	–	–	–	1	1
		F.	9	–	1	–	3	–	–	–	1	1
179	Accidental burns and scalds (conflagration excepted)—Brûlures accidentelles (autres que par l'incendie).	M.	12	–	–	4	1	–	2	–	–	–
		F.	9	1	1	2	2	1	–	–	–	–
180	Accidental mechanical suffocation—Suffocation mécanique accidentelle.	M.	4	3	–	–	–	–	–	–	1	–
		F.	1	1	–	–	–	–	–	–	–	–
	(a) Overlaying—Étouffé pendant le sommeil.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Asphyxia—Asphyxie	M.	4	3	–	–	–	–	–	–	1	–
		F.	1	1	–	–	–	–	–	–	–	–
181	Accidental absorption of irrespirable or poisonous gas—Absorption accidentelle de gaz irrespirables ou toxiques.	M.	4	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
182	Accidental drowning—Submersion accidentelle.	M.	41	–	2	1	–	–	5	7	5	4
		F.	9	–	1	1	1	–	2	2	–	1
183	Accidental traumatism by firearms—Traumatismes accidentels par armes à feu.	M.	7	–	–	–	–	–	–	2	–	2
		F.	1	–	–	–	–	–	–	1	–	–
184	Accidental traumatism by cutting or piercing instruments—Traumatismes accidentels par instruments tranchants ou piquants.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
185	Accidental traumatism by fall—Traumatismes accidentels par chute.	M.	21	1	–	–	–	–	1	1	–	–
		F.	19	–	–	–	–	–	1	–	–	–
186	Accidental traumatism in mines and quarries—Traumatismes accidentels par mines et carrières.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Coal mines—Mines de charbon	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other mines—Autres mines	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Quarries—Carrières	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
187	Accidental traumatism by machines—Traumatismes accidentels par machines.	M.	18	–	–	–	–	1	–	–	3	–
		F.	–	–	–	–	–	–	–	–	–	–
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.)—Traumatismes accidentels par autres écrasements (voitures, railways, éboulements, etc.).	M.	108	1	1	1	2	–	6	4	8	12
		F.	16	–	–	1	–	–	2	1	1	2

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

MANITOBA—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
29	30	29	21	32	19	22	18	9	10	6	14	6	2	1	–	–	
25	27	26	16	30	14	17	17	7	6	3	6	3	–	–	–	–	
4	3	3	5	2	5	5	1	2	4	3	8	3	2	1	–	–	
																	165–174
4	6	3	4	5	1	2	2	1	1	–	1	1	–	–	–	–	
2	2	2	1	1	2	2	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	165
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	166
2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	167
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	2	1	1	–	–	–	1	–	–	1	–	–	–	–	168
–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	
1	1	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	169
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
1	1	3	2	2	–	–	–	–	–	–	–	–	–	–	–	–	170
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	171
–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	172
–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	173
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	174
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	177
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	1	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–	178
1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	
1	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	179
–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	181
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
6	1	3	1	1	1	1	1	1	–	–	–	–	–	–	–	–	182
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	183
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	184
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	2	1	–	2	4	–	1	–	1	2	3	1	–	–	–	–	185
–	–	–	3	–	–	–	1	2	1	3	3	2	2	1	–	–	186
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	186a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	186b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	186c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	2	2	1	3	–	3	2	–	–	–	–	–	–	–	–	–	187
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
6	9	8	6	13	6	6	9	4	3	1	1	1	–	–	–	–	188
–	–	1	1	1	1	1	–	–	3	–	1	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

MANITOBA—concluded.

Int. list No.	Causes of death — Causes de décès		Total	Ages									
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XIV-con.—**CLASSE XIV**-fin											
188	(a) Railroad accidents—Accidents par chemins de fer.	M.	30	1	–	–	–	–	1	2	1	5
		F.	5	–	–	1	–	–	–	–	–	1
	(b) Street car accidents—Accidents par tramways.	M.	3	–	–	–	–	–	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Automobile accidents—Accidents par automobiles.	M.	42	–	–	1	2	–	3	1	5	2
		F.	11	–	–	–	–	–	2	1	1	1
	(d) Aeroplane and balloon accidents—Accidents par aéroplanes et ballons.	M.	4	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Injuries by other vehicles—Blessures par autres voitures.	M.	15	–	1	–	–	–	–	1	–	2
		F.	–	–	–	–	–	–	–	–	–	–
	(f) Other crushing—Autres écrasements.	M.	14	–	–	–	–	–	1	–	1	3
		F.	–	–	–	–	–	–	–	–	–	–
189	Injuries by animals (poisoning excepted)—Violences exercées par des animaux (empoisonnements exceptés).	M.	10	–	–	–	1	–	1	–	–	2
		F.	1	–	1	–	–	–	–	–	–	–
193	Excessive cold—Froid excessif	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
194	Excessive heat—Chaleur excessive	M.	2	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
195	Lightning—Foudre	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
196	Other accidental electric shocks—Autres électrocutions accidentelles.	M.	5	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
197-199	**Homicides**	**M.**	**5**	–	–	–	–	–	–	–	–	–
		F.	**2**	–	–	–	–	–	–	–	1	–
197	Homicide by firearms—Homicide par armes à feu.	M.	4	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
198	Homicide by cutting or piercing instruments—Homicide par instruments tranchants ou piquants.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
199	Homicide by other means—Homicide par autres moyens.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	1	–
201	Fracture (cause not specified)—Fracture (cause non spécifiée).	M.	2	–	–	–	–	–	–	1	–	–
		F.	3	–	–	–	–	–	–	–	–	–
202	Other external violence (cause specified)—Autres violences extérieures (cause spécifiée).	M.	15	2	2	1	–	–	1	2	–	1
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS XV—ILL-DEFINED DISEASES—CLASSE XV—MALADIES MAL DÉFINIES.	**Total**	**38**	**6**	**3**	**1**	–	**1**	**1**	**1**	**1**	**1**
		M.	**21**	**3**	–	**1**	–	–	–	**1**	–	–
		F.	**17**	**3**	**3**	–	–	**1**	**1**	–	**1**	**1**
204	Sudden death—Mort subite	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
205	Cause of death not specified or ill-defined—Cause de décès non spécifiée ou mal définie.	M.	20	3	–	1	–	–	–	1	–	–
		F.	17	3	3	–	–	1	1	–	1	1
	(a) Ill-defined—Mal définie	M.	2	–	–	1	–	–	–	–	–	–
		F.	1	–	1	–	–	–	–	–	–	–
	(b) Not specified or unknown—Non spécifiée ou inconnue.	M.	7	3	–	–	–	–	–	1	–	–
		F.	13	3	2	–	–	1	1	–	1	1
	(c) Heart failure—Paralysie du cœur	M.	11	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
	(d) Syncope	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

SASKATCHEWAN

	DEATHS—ALL CAUSES—DÉCÈS—TOUTES CAUSES.	**Total**	**6,166**	**1,370**	**198**	**85**	**67**	**71**	**210**	**173**	**192**	**220**
		M.	**3,485**	**779**	**108**	**43**	**42**	**37**	**106**	**93**	**109**	**118**
		F.	**2,681**	**591**	**90**	**42**	**25**	**34**	**104**	**80**	**83**	**102**
	CLASS I—EPIDEMIC, ENDEMIC AND INFECTIOUS DISEASES—CLASSE I—AFFECTIONS ÉPIDÉMIQUES, ENDÉMIQUES ET INFECTIEUSES.	**Total**	**1,048**	**149**	**54**	**31**	**25**	**25**	**76**	**72**	**73**	**76**
		M.	**542**	**81**	**30**	**11**	**15**	**14**	**38**	**36**	**33**	**38**
		F.	**506**	**68**	**24**	**20**	**10**	**11**	**38**	**36**	**40**	**38**
1	Typhoid and paratyphoid fever—Fièvre typhoïde et paratyphoïde.	M.	15	–	–	–	–	–	1	–	3	2
		F.	6	–	–	–	–	–	–	1	2	2
	(a) Typhoid fever—Fièvre typhoïde	M.	15	–	–	–	–	–	1	–	3	2
		F.	5	–	–	–	–	–	–	1	1	2

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

MANITOBA—fin

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non données	
3	2	4	–	2	2	3	3	–	–	–	1	–	–	–	–	–	188a
–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	
–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	188b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	5	2	3	5	3	2	2	1	3	1	–	–	–	–	–	–	188c
–	–	1	1	–	1	1	–	–	2	–	–	–	–	–	–	–	
–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	188d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	1	3	1	1	1	2	–	–	–	1	–	–	–	–	188e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	1	2	2	–	–	3	–	–	–	–	–	–	–	–	–	188f
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	1	1	2	–	1	–	–	–	–	–	–	–	–	–	–	189
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	193
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	194
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	195
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	196
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	197–199
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	197
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	198
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	199
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	201
–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	
1	1	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	202
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	3	1	–	1	3	2	4	2	–	1	1	2	1	–	–	1	
1	2	–	–	–	3	1	3	1	–	1	–	2	1	–	–	1	
–	1	1	–	1	–	1	1	1	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	204
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	2	–	–	–	3	1	2	1	–	1	–	2	1	–	–	1	205
–	1	1	–	1	–	1	1	1	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	205a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	205b
–	–	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–	
1	1	–	–	–	1	1	1	1	–	1	–	2	1	–	–	1	205c
–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	205d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

SASKATCHEWAN

217	214	237	284	260	268	293	306	363	416	332	213	106	35	15	6	15	
104	100	123	157	157	153	174	193	229	240	215	121	49	17	4	–	14	
113	114	114	127	103	115	119	113	134	176	117	92	57	18	11	6	1	
61	60	53	66	29	33	31	31	27	30	17	15	8	2	2	–	2	
20	31	28	36	19	20	20	21	14	15	8	7	5	–	1	–	1	
41	29	25	30	10	13	11	10	13	15	9	8	3	2	1	–	1	
3	1	–	4	–	–	–	1	–	–	–	–	–	–	–	–	–	1
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	1	–	4	–	–	–	1	–	–	–	–	–	–	–	–	–	1a
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

SASKATCHEWAN—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS I—con.—**CLASSE I**—suite											
1	(b) Paratyphoid fever—Fièvre paratyphoïde.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	1	–
5	Malaria—Fièvre et cachexie paludéennes.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
6	Small-pox—Variole	M.	1	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
7	Measles—Rougeole	M.	13	3	4	–	–	1	–	3	1	–
		F.	8	3	3	1	–	–	–	1	–	–
8	Scarlet fever—Scarlatine	M.	10	1	2	–	1	–	1	1	–	–
		F.	12	–	2	1	–	–	3	1	–	1
9	Whooping-cough—Coqueluche	M.	29	22	1	1	3	–	1	–	–	1
		F.	18	10	3	1	1	1	1	1	–	–
10	Diphtheria—Diphtérie	M.	40	2	1	3	4	8	14	5	1	–
		F.	42	3	3	6	6	2	10	6	2	–
11	Influenza—Grippe	M.	173	33	14	4	2	1	6	10	5	6
		F.	183	33	9	5	1	5	11	9	7	8
	(a) Sole cause—Cause unique	M.	39	12	2	3	1	–	2	2	–	1
		F.	37	13	1	1	1	3	–	1	2	–
	(b) With phthisis—Avec phtisie	M.	1	–	1	–	–	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	2	1
	(c) With bronchitis—Avec bronchite	M.	4	1	1	–	–	–	–	–	–	–
		F.	4	2	–	–	–	–	–	–	–	–
	(d) With pneumonia—Avec pneumonie	M.	87	16	10	–	1	–	2	3	4	3
		F.	66	10	3	2	–	2	–	3	2	4
	(e) With other respiratory diseases—Avec autres affections de l'appareil respiratoire.	M.	4	–	–	–	–	–	–	1	–	–
		F.	5	–	–	1	–	–	1	–	–	–
	(f) With diseases and accidents of pregnancy and parturition—Avec affections et accidents de la grossesse.	F.	8	–	–	–	–	–	–	–	–	1
	(g) With other causes—Avec autres causes.	M.	38	4	–	1	–	1	2	4	1	2
		F.	56	8	5	1	–	–	10	5	1	2
13	Mumps—Oreillons	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
16	Dysentery—Dysenterie	M.	–	–	–	–	–	–	–	–	–	–
		F.	3	–	1	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	M.	9	2	2	–	–	–	–	–	–	–
		F.	6	5	–	–	–	–	–	–	–	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë.	M.	6	2	1	–	–	–	–	1	1	1
		F.	5	–	–	3	–	–	–	2	–	–
23	Lethargic encephalitis—Encéphalite léthargique.	M.	8	–	2	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	1	–	–	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique.	M.	15	1	2	2	1	1	3	1	1	2
		F.	6	1	2	–	–	–	2	1	–	–
25	Other epidemic and endemic diseases—Autres affections épidémiques et endémiques.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	2	–	–	–	–	–	–	–	–
	(a) Chicken-pox—Varicelle	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(b) German measles—Rubéole	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
29	Tetanus—Tétanos	M.	2	1	–	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
30	Mycoses	M.	2	1	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	1	–	–
31-37	**Tuberculosis—Tuberculose**	**M.**	**191**	**6**	**1**	**1**	**4**	**3**	**11**	**14**	**19**	**26**
		F.	**187**	**4**	**1**	**3**	**2**	**3**	**8**	**12**	**28**	**25**
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire.	M.	143	2	–	1	1	–	3	10	12	22
		F.	158	2	1	3	–	1	3	9	26	23
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central.	M.	19	3	1	–	–	1	4	3	3	1
		F.	12	2	–	–	1	2	4	2	–	1
33	Tuberculosis of the intestines and peritoneum—Tuberculose des intestins et du péritoine.	M.	9	–	–	–	2	1	2	–	1	1
		F.	6	–	–	–	–	–	–	–	–	–
34	Tuberculosis of the vertebral column—Tuberculose de la colonne vertébrale.	M.	4	–	–	–	–	–	–	–	–	1
		F.	3	–	–	–	1	–	1	1	–	–
36	Tuberculosis of other organs—Tuberculose d'autres organes.	M.	11	–	–	–	1	–	2	1	–	1
		F.	4	–	–	–	–	–	–	–	–	1
	(a) Skin and sub-cutaneous cellular tissue—De la peau et du tissu cellulaire sous-cutané.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

SASKATCHEWAN—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	6
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	9
1	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	10
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11
–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	11a
2	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	11b
2	5	7	7	6	7	8	12	9	12	6	6	4	–	1	–	–	11c
10	8	5	11	3	6	6	8	4	13	8	8	3	2	–	–	–	11d
1	–	–	–	–	1	1	1	2	3	2	2	2	–	1	–	–	11e
3	–	1	3	–	–	1	1	–	3	–	1	1	1	–	–	–	11f
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11g
2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13
–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	16
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21
–	1	–	1	–	–	1	1	–	–	1	–	–	–	–	–	–	22
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	23
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24
–	–	1	2	–	1	–	2	–	–	–	–	–	–	–	–	–	25
–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	25a
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	25b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	30
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	31-37
–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	31
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32
14	**18**	**19**	**15**	**10**	**9**	**8**	**5**	**3**	**2**	–	**1**	**1**	–	–	**1**	–	**1**
30	**16**	**18**	**13**	5	**6**	**3**	**1**	**5**	**2**	–	–	–	–	–	–	–	**1**
11	14	16	13	10	7	8	5	3	2	–	1	1	–	–	1	–	1
25	15	15	12	5	6	3	1	4	2	–	–	–	–	–	–	–	1
1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	33
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34
–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	36
2	1	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	36a
–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

SASKATCHEWAN—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS I—con.—**CLASSE I**—fin											
36	(b) Bones (vertebral column excepted) —Des os (excepté la colonne vertébrale).	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Lymphatic system (mesenteric and retroperitoneal glands excepted) —Du système lymphatique (excepté les ganglions mésentériques et les ganglions rétropéritonéaux).	M.	5	–	–	–	1	–	2	1	–	–
		F.	1	–	–	–	–	–	–	–	–	1
	(d) Genito-urinary system—Des organes génito-urinaires.	M.	5	–	–	–	–	–	–	–	–	1
		F.	3	–	–	–	–	–	–	–	–	–
	(e) Organs other than above—Autres organes que ceux déjà mentionnés.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
37	Disseminated tuberculosis—Tuberculose disséminée.	M.	5	1	–	–	–	1	–	–	3	–
		F.	4	–	–	–	–	–	–	–	2	–
	(a) Acute—Aiguë	M.	1	1	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	1	–
	(b) Chronic or unstated—Chronique ou non spécifiée.	M.	4	–	–	–	–	1	–	–	3	–
		F.	2	–	–	–	–	–	–	–	1	–
38	Syphilis	M.	11	5	–	–	–	–	–	–	–	–
		F.	5	3	–	–	–	–	–	–	–	–
40	Gonococcus infection—Gonococcie	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
41	Purulent infection, septicaemia—Infection purulente, septicémie.	M.	16	1	–	–	–	–	1	–	2	–
		F.	14	3	–	–	–	–	2	1	1	2
	CLASS II—GENERAL DISEASES NOT INCLUDED IN CLASS I— CLASSE II—MALADIES GÉNÉRALES NON MENTIONNÉES DANS LA CLASSE I.	**Total**	**698**	**18**	**9**	**5**	**5**	**1**	**14**	**12**	**9**	**4**
		M.	**387**	**12**	**5**	**3**	**4**	**1**	**10**	**7**	**5**	**1**
		F.	**311**	**6**	**4**	**2**	**1**	–	**4**	**5**	**4**	**3**
43-49	**Cancer**	**M.**	**256**	–	–	–	–	–	–	–	**1**	–
		F.	**214**	–	–	**1**	–	–	–	**1**	**1**	**1**
43	Cancer of the buccal cavity—Cancer de la cavité buccale.	M.	12	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
44	Cancer of the stomach and liver—Cancer de l'estomac et du foie.	M.	143	–	–	–	–	–	–	–	1	–
		F.	68	–	–	–	–	–	–	–	–	–
45	Cancer of the peritoneum, intestines and rectum—Cancer du péritoine, des intestins et du rectum.	M.	37	–	–	–	–	–	–	–	–	–
		F.	25	–	–	–	–	–	–	–	–	–
46	Cancer of the female genital organs—Cancer des organes génitaux de la femme.	F.	46	–	–	–	–	–	–	–	1	1
47	Cancer of the breast—Cancer du sein	M.	–	–	–	–	–	–	–	–	–	–
		F.	39	–	–	–	–	–	–	–	–	–
48	Cancer of the skin—Cancer de la peau	M.	6	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
49	Cancer of other or unspecified organs—Cancer d'autres organes ou d'organes non spécifiés.	M.	58	–	–	–	–	–	–	–	–	–
		F.	33	–	–	1	–	–	–	1	–	–
	(a) Cancer of eye and ear—Cancer de l'œil et de l'oreille.	M.	3	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Cancer of circulatory system—Cancer de l'appareil circulatoire.	M.	1	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(c) Cancer of respiratory system—Cancer de l'appareil respiratoire.	M.	9	–	–	–	–	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–
	(d) Cancer of digestive system—Cancer de l'appareil digestif.	M.	11	–	–	–	–	–	–	–	–	–
		F.	10	–	–	–	–	–	–	–	–	–
	(e) Cancer of genito-urinary system—Cancer de l'appareil génito-urinaire.	M.	27	–	–	–	–	–	–	–	–	–
		F.	5	–	–	1	–	–	–	–	–	–
	(f) Cancer of bones and joints—Cancer des os et des articulations.	M.	3	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	1	–	–
	(g) Cancer of other specified organs—Cancer d'autres organes spécifiés.	M.	2	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
	(h) Generalized cancer—Cancer généralisé.	M.	2	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
	(i) Unspecified—Non spécifiés	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
50	Benign tumours and tumours not returned as malignant (tumours of female genital organs excepted)—Tumeurs bénignes et tumeurs non données comme malignes (tumeurs des organes génitaux de la femme exceptées).	M.	2	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

SASKATCHEWAN—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36d
1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	37
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	37a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	37b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	38
–	–	–	1	–	2	2	–	1	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	40
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	41
–	3	–	3	2	–	1	–	1	1	1	–	–	–	–	–	–	
–	1	1	–	1	–	1	–	1	–	–	–	–	–	–	–	–	
9	**25**	**30**	**38**	**69**	**68**	**82**	**71**	**85**	**79**	**41**	**20**	**3**	–	–	–	**1**	
1	**16**	**16**	**17**	**37**	**34**	**41**	**43**	**49**	**45**	**27**	**11**	**1**	–	–	–	**1**	
8	**9**	**14**	**21**	**32**	**34**	**41**	**28**	**36**	**34**	**14**	**9**	**2**	–	–	–	–	
–	**6**	**11**	**13**	**30**	**25**	**30**	**35**	**36**	**39**	**21**	8	**1**	–	–	–	–	**43-49**
3	**6**	**10**	**18**	**22**	**29**	**27**	**20**	**28**	**27**	**10**	8	2	–	–	–	–	
–	–	1	1	3	1	1	2	2	1	–	–	–	–	–	–	–	43
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	3	3	6	18	16	20	19	21	20	12	3	1	–	–	–	–	44
1	3	1	3	3	8	9	3	15	11	7	2	2	–	–	–	–	
–	2	5	1	3	3	3	5	6	6	2	1	–	–	–	–	–	45
1	–	2	1	2	5	1	3	3	5	1	1	–	–	–	–	–	
1	2	4	6	7	6	3	3	5	4	–	3	–	–	–	–	–	46
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	47
–	1	2	8	5	3	7	5	2	5	1	–	–	–	–	–	–	48
–	–	–	–	–	–	–	2	–	1	1	2	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	49
–	1	2	5	6	5	6	7	7	11	6	2	–	–	–	–	–	
–	–	1	–	5	7	6	5	3	2	–	2	–	–	–	–	–	
–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	49a
–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	49b
–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	
–	–	–	1	3	1	1	2	1	–	–	–	–	–	–	–	–	49c
–	–	–	–	4	–	1	–	1	–	–	1	–	–	–	–	–	
–	–	–	–	1	1	3	1	1	3	1	–	–	–	–	–	–	49d
–	–	–	–	–	3	1	3	1	2	–	–	–	–	–	–	–	
–	1	2	4	1	–	1	3	2	6	5	2	–	–	–	–	–	49e
–	–	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	49f
–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	49g
–	–	–	–	1	2	–	–	1	–	–	1	–	–	–	–	–	
–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	49h
–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	49i
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	50
–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

SASKATCHEWAN—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS II-con.—CLASSE II-fin											
51	Acute rheumatic fever — Rhumatisme articulaire aigu fébrile.	M.	18	–	–	1	–	1	4	4	3	–
		F.	12	–	–	–	1	–	1	3	2	–
52	Chronic rheumatism, osteo-arthritis, gout —Rhumatisme chronique ou goutte.	M.	4	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
56	Rickets—Rachitisme	M.	10	6	3	–	–	–	1	–	–	–
		F.	3	2	–	1	–	–	–	–	–	–
57	Diabetes mellitus—Diabète	M.	30	1	–	2	2	–	2	–	–	–
		F.	29	–	–	–	–	–	–	–	–	2
58	Anaemia, chlorosis—Anémie, chlorose	M.	18	–	–	–	–	–	–	1	–	–
		F.	11	–	1	–	–	–	1	–	–	–
	(a) Pernicious anaemia—Anémie pernicieuse.	M.	16	–	–	–	–	–	–	1	–	–
		F.	10	–	1	–	–	–	–	–	–	–
	(b) Other anaemias and chlorosis—Autres anémies et chloroses.	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–
59	Diseases of the pituitary gland—Affections du corps pituitaire.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
60	Diseases of the thyroid gland—Affections de la glande thyroïde.	M.	5	–	–	–	–	–	1	–	–	1
		F.	18	–	–	–	–	–	–	–	–	–
	(a) Exophthalmic goiter—Goître exophtalmique.	M.	1	–	–	–	–	–	–	–	–	–
		F.	13	–	–	–	–	–	–	–	–	–
	(b) Other diseases of the thyroid gland —Autres affections de la glande thyroïde.	M.	4	–	–	–	–	–	1	–	–	1
		F.	5	–	–	–	–	–	–	–	–	–
61	Diseases of the parathyroid glands—Affections des glandes parathyroïdes.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	2	–	–	–	–	–	–	–
62	Diseases of the thymus—Affections du thymus.	M.	5	3	1	–	–	–	1	–	–	–
		F.	2	2	–	–	–	–	–	–	–	–
63	Diseases of the adrenals (Addison's disease)—Affections des glandes surrénales (maladie d'Addison).	M.	3	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
64	Diseases of the spleen—Affections de la rate.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
65	Leukaemia, lymphadenoma—Leucémie, lymphadénie.	M.	9	–	–	–	1	–	1	1	1	–
		F.	9	1	–	–	–	–	2	–	1	–
	(a) Leukaemia—Leucémie	M.	6	–	–	–	1	–	–	–	1	–
		F.	7	1	–	–	–	–	1	–	1	–
	(b) Lymphadenoma (Hodgkin's disease) —Lymphadénie (maladie d'Hodgkin).	M.	3	–	–	–	–	–	1	1	–	–
		F.	2	–	–	–	–	–	1	–	–	–
66	Alcoholism—Alcoolisme	M.	14	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Delirium tremens	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Acute alcoholism—Alcoolisme aigu	M.	7	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Chronic alcoholism—Alcoolisme chronique.	M.	6	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
67	Chronic poisoning by mineral substances —Empoisonnements chroniques par substances minérales.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Chronic lead poisoning—Empoisonnements chroniques par le plomb.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Others under this title—Autres sous ce titre.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
69	Other general diseases—Autres maladies générales.	M.	10	2	1	–	1	–	–	1	–	–
		F.	3	1	1	–	–	–	–	1	–	–
	(a) Diabetes insipidus—Diabète insipide	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	1	–	–
	(b) Haemophilia—Hémophilie	M.	2	1	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(c) Purpura haemorrhagica — Purpura hémorragique.	M.	5	1	–	–	1	–	–	–	–	–
		F.	1	–	1	–	–	–	–	–	–	–
	(d) Others under this title—Autres sous ce titre.	M.	2	–	1	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS III—DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE—CLASSE III—AFFECTIONS DU SYSTÈME NERVEUX ET DES ORGANES DES SENS.	Total	392	52	9	6	1	2	10	3	7	7
		M.	218	35	5	4	–	2	5	1	3	4
		F.	174	17	4	2	1	–	5	2	4	3
70	Encephalitis—Encéphalite	M.	9	–	1	–	–	1	1	–	1	2
		F.	1	–	–	–	–	–	–	–	–	–
	(a) Abscess of brain—Abcès du cerveau.	M.	2	–	–	–	–	–	–	–	–	1
		F.	1	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

SASKATCHEWAN—suite

Âges																		No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	–	1	–	2	–	2	–	–	–	–	–	–	–	–	51
1	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	2	–	–	1	–	–	–	–	–	52
–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	56
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	2	3	3	4	1	2	3	1	2	1	–	–	–	–	–	57
1	1	–	–	3	2	7	4	2	5	2	–	–	–	–	–	–	
1	3	–	–	1	1	1	4	1	4	1	–	–	–	–	–	–	58
–	–	2	1	2	1	1	–	1	1	–	–	–	–	–	–	–	
1	3	–	–	1	1	–	4	1	3	1	–	–	–	–	–	–	58a
–	–	2	1	2	1	1	–	1	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	58b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	59
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	60
2	1	1	1	4	1	2	2	4	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	60a
1	1	1	1	3	1	2	1	2	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	60b
1	–	–	–	1	–	–	1	2	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	61
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	63
–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	64
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	1	–	–	2	–	1	–	–	–	–	–	–	65
1	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	2	–	1	–	–	–	–	–	–	65a
1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	65b
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	1	2	2	4	2	–	1	–	–	–	–	–	–	1	66
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	66a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	1	1	2	–	1	–	–	–	–	–	–	–	–	1	66b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	4	–	–	1	–	–	–	–	–	–	–	66c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	67
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	67a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	67b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69
–	3	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69a
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	69c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
12	**9**	**13**	**20**	**21**	**24**	**18**	**30**	**31**	**42**	**31**	**30**	**11**	**2**	–	–	**1**	
7	**5**	**6**	**12**	**9**	**9**	**11**	**20**	**22**	**20**	**16**	**15**	**4**	**2**	–	–	**1**	
5	**4**	**7**	**8**	**12**	**15**	**7**	**10**	**9**	**22**	**15**	**15**	**7**	–	–	–	–	
–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	70
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	70a
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

SASKATCHEWAN—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages									
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS III-con.—**CLASSE III**-fin											
70	(b) Encephalitis—Encéphalite	M.	7	–	1	–	–	1	1	–	1	1
		F.	–	–	–	–	–	–	–	–	–	–
71	Meningitis—Méningite	M.	16	7	1	1	–	1	2	–	1	–
		F.	11	5	3	–	–	–	–	1	1	–
	(a) Simple meningitis—Méningite simple.	M.	16	7	1	1	–	1	2	–	1	–
		F.	11	5	3	–	–	–	–	1	1	–
	(b) Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non épidémique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
72	Tabes dorsalis (locomotor ataxia)—Ataxie locomotrice progressive.	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
73	Other diseases of the spinal cord—Autres affections de la moëlle épinière.	M.	13	–	–	–	–	–	–	–	–	–
		F.	11	–	–	–	–	–	1	1	–	1
74	Cerebral haemorrhage, apoplexy—Hémorragie cérébrale, apoplexie.	M.	73	1	1	1	–	–	–	–	–	–
		F.	77	–	–	–	–	–	–	–	–	–
	(a) Apoplexy—Apoplexie	M.	39	–	–	1	–	–	–	–	–	–
		F.	35	–	–	–	–	–	–	–	–	–
	(b) Cerebral haemorrhage—Hémorragie cérébrale.	M.	34	1	1	–	–	–	–	–	–	–
		F.	39	–	–	–	–	–	–	–	–	–
	(c) Cerebral thrombosis and embolism —Thrombose et embolie cérébrales.	M.	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
75	Paralysis without specified cause—Paralysie sans cause indiquée.	M.	11	–	–	–	–	–	–	–	–	–
		F.	14	–	–	1	–	–	–	–	–	–
	(a) Hemiplegia—Hémiplégie	M.	9	–	–	–	–	–	–	–	–	–
		F.	9	–	–	1	–	–	–	–	–	–
	(b) Others under this title—Autres sous ce titre.	M.	2	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
76	General paralysis of the insane—Paralysie générale des aliénés.	M.	10	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
77	Other forms of mental alienation—Autres formes de l'aliénation mentale.	M.	13	–	–	–	–	–	–	–	–	–
		F.	17	–	–	–	–	–	–	–	1	–
78	Epilepsy—Épilepsie	M.	14	1	1	1	–	–	–	–	–	1
		F.	11	–	–	1	–	–	–	–	1	2
79	Convulsions (non-puerperal, 5 years or over) —Éclampsie (non puerpérale, cinq ans ou au-dessus).	M.	1	–	–	–	–	–	1	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–
80	Infantile convulsions (under 5 years of age) —Convulsions des enfants (moins de cinq ans).	M.	25	24	1	–	–	–	–	–	–	–
		F.	14	12	1	–	1	–	–	–	–	–
81	Chorea—Chorée	M.	1	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
82	Neuralgia and neuritis—Névralgie et névrite.	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
83	Softening of the brain—Ramollissement du cerveau.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
84	Other diseases of the nervous system— Autres affections du système nerveux.	M.	21	1	–	–	–	–	1	1	–	–
		F.	10	–	–	–	–	–	1	–	1	–
85	Diseases of the eye and annexa—Affections de l'œil et de ses annexes.	M.	2	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien.	M.	4	–	–	–	–	–	–	–	1	1
		F.	3	–	–	–	–	–	2	–	–	–
	(a) Diseases of the ear—Affections de l'oreille.	M.	2	–	–	–	–	–	–	–	1	1
		F.	1	–	–	–	–	–	1	–	–	–
	(b) Diseases of the mastoid process— Affections du sinus mastoïdien.	M.	2	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	1	–	–	–
	CLASS IV—DISEASES OF THE CIRCULATORY SYSTEM— CLASSE IV—AFFECTIONS DE L'APPAREIL CIRCULATOIRE.	Total	788	–	–	–	2	–	10	15	11	10
		M.	462	–	–	–	2	–	1	7	6	7
		F.	326	–	–	–	–	–	9	8	5	3
87-90	**Diseases of the heart—Affections du cœur.**	M.	333	–	–	–	–	–	1	7	6	6
		F.	238	–	–	–	–	–	9	8	4	3
87	Pericarditis—Péricardite	M.	8	–	–	–	–	–	–	1	2	–
		F.	–	–	–	–	–	–	–	–	–	–
88	Endocarditis and myocarditis (acute)— Endocardite et myocardite (aiguës).	M.	14	–	–	–	–	–	–	1	2	–
		F.	8	–	–	–	–	–	–	3	–	–
	(a) Acute endocarditis—Endocardite aiguë.	M.	8	–	–	–	–	–	–	–	1	–
		F.	4	–	–	–	–	–	–	3	–	–
	(b) Acute myocarditis—Myocardite aiguë.	M.	6	–	–	–	–	–	–	1	1	–
		F.	4	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

SASKATCHEWAN—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	70b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	71
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	71a
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	72
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	2	1	2	2	1	2	–	2	–	–	–	–	–	–	73
–	–	–	1	–	1	–	–	2	2	1	1	–	–	–	–	–	
1	–	–	1	1	4	2	8	13	12	9	13	4	2	–	–	–	74
–	–	2	3	7	8	5	6	6	11	13	10	6	–	–	–	–	
–	–	–	–	–	2	–	5	6	8	4	9	2	2	–	–	–	74a
–	–	–	1	3	4	2	4	1	5	7	4	4	–	–	–	–	
1	–	–	1	1	2	2	3	7	4	5	4	2	–	–	–	–	74b
–	–	–	2	4	4	3	2	5	6	5	6	2	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	74c
–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	1	2	2	2	3	1	–	–	–	–	–	75
–	–	–	1	1	–	–	2	1	5	–	3	–	–	–	–	–	
–	–	–	–	–	–	1	2	2	1	2	1	–	–	–	–	–	75a
–	–	–	1	1	–	–	1	1	3	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	75b
–	–	–	–	–	–	–	1	–	2	–	2	–	–	–	–	–	
–	–	2	2	1	–	2	–	2	–	–	1	–	–	–	–	–	76
–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	
1	–	2	3	1	–	1	5	–	–	–	–	–	–	–	–	–	77
1	4	2	–	1	5	–	2	–	1	–	–	–	–	–	–	–	
1	4	1	–	2	–	–	–	–	1	1	–	–	–	–	–	–	78
2	–	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	79
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	81
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	82
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	83
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	1	1	1	2	2	3	2	1	2	1	–	–	–	–	–	–	84
1	–	–	2	1	–	1	–	–	2	–	–	1	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	85
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	86
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	86a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	86b
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
12	**16**	**19**	**42**	**40**	**55**	**66**	**74**	**104**	**122**	**100**	**54**	**26**	**8**	**1**	**1**	–	
6	**8**	**12**	**22**	**25**	**30**	**39**	**51**	**60**	**70**	**67**	**32**	**12**	**5**	–	–	–	
6	**8**	**7**	**20**	**15**	**25**	**27**	**23**	**44**	**52**	**33**	**22**	**14**	**3**	**1**	**1**	–	
6	**8**	**12**	**17**	**19**	**24**	**25**	**36**	**43**	**47**	**42**	**22**	**8**	**4**	–	–	–	**87-90**
6	**8**	**4**	**18**	**12**	**15**	**19**	**16**	**28**	**37**	**21**	**14**	**12**	**3**	–	**1**	–	
–	1	–	–	1	–	1	1	–	1	–	–	–	–	–	–	–	87
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	3	–	–	1	1	–	1	1	–	2	1	–	–	–	–	88
1	–	–	2	–	–	–	–	1	–	–	1	–	–	–	–	–	
–	–	2	–	–	1	1	–	–	1	–	1	1	–	–	–	–	88a
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
–	1	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	88b
1	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

SASKATCHEWAN—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS IV-con.—**CLASSE IV**-fin											
89	Angina pectoris—Angine de poitrine.....	M.	43	–	–	–	–	–	–	–	–	–
		F.	11	–	–	–	–	–	–	–	–	–
90	Other diseases of the heart—Autres affections du cœur.	M.	268	–	–	–	–	–	1	5	2	6
		F.	219	–	–	–	–	–	9	5	4	3
	(a) Valvular disease—Affection valvulaire.	M.	61	–	–	–	–	–	1	3	–	2
		F.	56	–	–	–	–	–	3	1	2	1
	(b) Fatty degeneration of the heart—Dégénérescence ou stéanose du cœur.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Aortic insufficiency—Insuffisance aortique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Chronic endocarditis—Endocardite chronique.	M.	46	–	–	–	–	–	–	–	1	1
		F.	45	–	–	–	–	–	4	3	1	1
	(e) Chronic myocarditis—Myocardite chronique.	M.	94	–	–	–	–	–	–	–	–	–
		F.	77	–	–	–	–	–	1	1	–	1
	(f) Others under this title—Autres sous ce titre.	M.	66	–	–	–	–	–	–	2	1	3
		F.	41	–	–	–	–	–	1	–	1	–
91	Diseases of the arteries—Affections des artères.	M.	117	–	–	–	–	–	–	–	–	–
		F.	78	–	–	–	–	–	–	–	–	–
	(a) Aneurysm—Anévrisme.....	M.	10	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Arteriosclerosis—Artério-sclérose....	M.	106	–	–	–	–	–	–	–	–	–
		F.	77	–	–	–	–	–	–	–	–	–
	(c) Other diseases of the arteries—Autres affections des artères.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
92	Embolism and thrombosis (not cerebral)—	M.	4	–	–	–	–	–	–	–	–	–
[illegible]	Embolie et thrombose (non cérébrales).	F.	2	–	–	–	–	–	–	–	–	–
93	Diseases of the veins (varices, haemorrhoids, phlebitis, etc.)—Affections des veines (varices, hémorroïdes, phlébite, etc.).	M.	6	–	–	–	–	–	–	–	–	1
		F.	5	–	–	–	–	–	–	–	–	–
94	Diseases of the lymphatic system (lymphangitis, etc.)—Affections du système lymphatique (lymphangite, etc.).	M.	2	–	–	–	2	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
95	Haemorrhage without specified cause—	M.	–	–	–	–	–	–	–	–	–	–
[illegible]	Hémorragie sans cause déterminée.	F.	2	–	–	–	–	–	–	–	1	–
96	Other diseases of the circulatory system—Autres affections de l'appareil circulatoire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	CLASS V—DISEASES OF THE RESPIRATORY SYSTEM— CLASSE V—AFFECTIONS DE L'APPAREIL RESPIRATOIRE.	Total	649	190	52	15	11	11	31	11	17	15
		M.	374	107	23	8	4	5	19	3	12	9
		F.	275	83	29	7	7	6	12	8	5	6
97	Diseases of the nasal fossae and their annexa—Affections des fosses nasales et de leurs annexes.	M.	4	–	–	–	–	–	–	–	1	–
		F.	1	–	–	–	–	–	–	–	–	–
98	Diseases of the larynx—Affections du larynx.	M.	8	1	2	–	–	1	3	–	–	–
		F.	4	–	1	1	–	–	2	–	–	–
	(a) Laryngismus stridulus—Laryngite striduleuse.	M.	1	–	–	–	–	–	1	–	–	–
		F.	2	–	1	1	–	–	–	–	–	–
	(b) Laryngitis—Laryngite.....	M.	3	–	1	–	–	–	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Croup.....	M.	4	1	1	–	–	1	1	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–
	(d) Other diseases of the larynx—Autres affections du larynx.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–
99	Bronchitis—Bronchite.....	M.	20	7	1	–	–	–	1	–	1	–
		F.	14	3	2	–	–	–	–	–	–	–
	(a) Acute—Aiguë.....	M.	9	3	–	–	–	–	1	–	1	–
		F.	4	2	1	–	–	–	–	–	–	–
	(b) Chronic—Chronique.....	M.	6	1	–	–	–	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–
	(c) Not otherwise defined, under 5 years of age—Sans épithète, au-dessous de cinq ans.	M.	4	3	1	–	–	–	–	–	–	–
		F.	2	1	1	–	–	–	–	–	–	–
	(d) Not otherwise defined, 5 years or over—Sans épithète, cinq ans ou au-dessus.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
100	Bronchopneumonia (including capillary bronchitis)—Broncho-pneumonie (y compris bronchite capillaire).	M.	118	65	10	4	3	3	1	1	–	3
		F.	96	44	15	4	4	1	3	3	–	1
	(a) Bronchopneumonia — Broncho-pneumonie.	M.	116	63	10	4	3	3	1	1	–	3
		F.	94	42	15	4	4	1	3	3	–	1

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

SASKATCHEWAN—suite

Âges																		
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	1	2	6	5	6	8	10	4	–	1	–	–	–	–	89
–	–	–	–	1	1	–	2	2	3	1	1	–	–	–	–	–	
6	6	9	16	16	17	18	29	34	35	38	20	6	4	–	–	–	90
5	8	4	16	11	14	19	14	25	34	20	12	12	3	–	1	–	
1	1	1	3	8	3	1	7	8	9	6	6	1	–	–	–	–	90a
1	1	2	6	5	5	4	5	8	8	1	–	2	1	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	90b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	90c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	2	3	5	3	6	5	5	3	5	2	–	1	1	–	–	–	90d
2	5	–	5	1	3	6	3	3	7	1	–	–	–	–	–	–	
–	–	3	5	4	5	6	10	13	12	21	10	3	2	–	–	–	90e
2	2	2	3	4	4	4	2	10	14	14	7	6	–	–	–	–	
2	3	2	3	1	2	6	7	10	9	9	4	1	1	–	–	–	90f
–	–	–	2	1	2	5	4	4	5	4	5	4	2	–	1	–	
–	–	–	4	6	6	13	12	17	22	23	9	4	1	–	–	–	91
–	–	–	2	2	10	8	6	15	14	11	8	2	–	–	–	–	
–	–	–	2	2	1	2	1	1	1	–	–	–	–	–	–	–	91a
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	2	4	5	10	11	16	21	23	9	4	1	–	–	–	91b
–	–	–	2	2	10	8	6	14	14	11	8	2	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	91c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	1	–	–	1	1	–	–	–	–	–	92
–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	
–	–	–	1	–	–	–	2	–	1	1	–	–	–	–	–	–	93
–	–	2	–	1	–	–	1	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	94
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	95
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	96
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
18	**13**	**18**	**20**	**20**	**16**	**15**	**23**	**32**	**39**	**35**	**22**	**15**	**6**	**2**	**1**	**1**	
9	**6**	**7**	**15**	**14**	**11**	**12**	**14**	**25**	**25**	**23**	**14**	**5**	**2**	**1**	–	**1**	
9	**7**	**11**	**5**	**6**	**5**	**3**	**9**	**7**	**14**	**12**	**8**	**10**	**4**	**1**	**1**	–	
–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	97
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	98
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	98b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	2	1	1	2	1	1	–	1	–	–	–	99
–	–	–	–	–	–	–	–	1	1	2	–	2	2	–	1	–	
–	–	–	–	–	–	–	1	1	–	1	–	–	1	–	–	–	99a
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	2	–	–	1	–	1	–	–	–	–	–	99b
–	–	–	–	–	–	–	–	–	1	2	–	2	2	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	99c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	99d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	
2	2	–	–	1	3	–	3	2	5	5	3	1	–	1	–	–	100
1	2	1	2	4	1	–	1	–	4	2	2	1	–	–	–	–	
2	2	–	–	1	3	–	3	2	5	5	3	1	–	1	–	–	100a
1	2	1	2	4	1	–	1	–	4	2	2	1	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

SASKATCHEWAN—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages									
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS V-con.—CLASSE V- fin											
100	(b) Capillary bronchitis—Bronchite capillaire.	M.	2	2	–	–	–	–	–	–	–	–
		F.	2	2	–	–	–	–	–	–	–	–
101	Pneumonia—Pneumonie	M.	179	33	9	4	1	1	10	2	8	5
		F.	142	35	10	2	3	5	6	4	4	4
	(a) Lobar—Lobaire	M.	121	11	5	2	1	1	7	2	6	5
		F.	85	17	6	1	2	2	5	3	3	2
	(b) Not otherwise defined—Sans épithète.	M.	58	22	4	2	–	–	3	–	2	–
		F.	57	18	4	1	1	3	1	1	1	2
102	Pleurisy—Pleurésie	M.	12	1	1	–	–	–	3	–	–	–
		F.	8	1	1	–	–	–	–	1	–	1
103	Congestion and haemorrhagic infarct of the lung—Congestion et hémorragie parenchymateuse des poumons.	M.	3	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
104	Gangrene of the lung — Gangrène du poumon.	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
105	Asthma—Asthme	M.	15	–	–	–	–	–	–	–	1	–
		F.	3	–	–	–	–	–	–	–	–	–
106	Pulmonary emphysema—Emphysème pulmonaire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
107	Other diseases of the respiratory system (tuberculosis excepted)—Autres affections de l'appareil respiratoire (tuberculose exceptée).	M.	13	–	–	–	–	–	1	–	1	1
		F.	3	–	–	–	–	–	1	–	1	–
	(a) Chronic interstitial pneumonia including occupational diseases of the lungs—Pneumonie interstitielle chronique comprenant les affections professionnelles de l'appareil pulmonaire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Diseases of the mediastinum—Affections du médiastin.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	13	–	–	–	–	–	1	–	1	1
		F.	3	–	–	–	–	–	1	–	1	–
	CLASS VI—DISEASES OF THE DIGESTIVE SYSTEM—CLASSE VI—AFFECTIONS DE L'APPAREIL DIGESTIF.	Total	595	154	44	9	10	12	33	25	18	22
		M.	334	90	24	7	8	5	14	14	13	12
		F.	261	64	20	2	2	7	19	11	5	10
108	Diseases of the mouth and annexa—Affections de la bouche et de ses annexes.	M.	3	–	–	–	–	–	1	–	–	–
		F.	2	–	–	–	–	–	1	–	–	–
109	Diseases of the pharynx and tonsils (including adenoid vegetations)—Affections du pharynx et des amygdales (y compris les végétations adénoïdiennes).	M.	11	–	–	–	–	–	1	3	1	2
		F.	10	–	3	–	–	–	2	2	–	1
	(a) Adenoid vegetations—Végétations adénoïdiennes.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Pharynx and tonsils—Pharynx et amygdales.	M.	11	–	–	–	–	–	1	3	1	2
		F.	10	–	3	–	–	–	2	2	–	1
111	Ulcer of the stomach and duodenum—Ulcère de l'estomac et du duodénum.	M.	22	–	–	–	–	–	–	–	–	–
		F.	11	–	–	–	–	–	–	–	–	1
	(a) Ulcer of the stomach—Ulcère de l'estomac.	M.	11	–	–	–	–	–	–	–	–	–
		F.	6	–	–	–	–	–	–	–	–	1
	(b) Ulcer of the duodenum—Ulcère du duodénum.	M.	11	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
112	Other diseases of the stomach (cancer excepted)—Autres affections de l'estomac (cancer excepté).	M.	31	6	2	1	1	–	–	–	–	–
		F.	18	12	1	–	–	–	–	–	–	1
113	Diarrhoea and enteritis (under 2 years of age)—Diarrhée et entérite (au-dessous de 2 ans).	M.	90	77	13	–	–	–	–	–	–	–
		F.	66	51	15	–	–	–	–	–	–	–
114	Diarrhoea and enteritis (2 years or over)—Diarrhée et entérite (deux ans ou au-dessus).	M.	13	–	–	2	3	1	–	–	–	2
		F.	11	–	–	1	1	2	3	–	–	1
117	Appendicitis and typhlitis—Appendicite et typhlite.	M.	74	–	3	3	1	4	9	10	10	6
		F.	69	–	1	1	–	4	10	9	4	4
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale.	M.	46	6	2	1	1	–	1	–	1	1
		F.	27	1	–	–	1	–	–	–	1	2
	(a) Hernia—Hernie	M.	19	–	–	–	1	–	–	–	–	1
		F.	9	–	–	–	–	–	–	–	–	–
	(b) Intestinal obstruction—Obstruction intestinale.	M.	27	6	2	1	–	–	1	–	1	–
		F.	18	1	–	–	1	–	–	–	1	2
119	Other diseases of the intestines—Autres affections des intestins.	M.	4	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

SASKATCHEWAN—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	100b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
5	2	6	9	12	6	10	8	16	12	7	9	2	1	–	–	1	101
8	5	8	2	2	4	3	7	6	4	8	4	6	1	1	–	–	
4	2	6	7	9	6	7	6	13	10	4	6	1	–	–	–	–	101a
6	3	8	2	2	2	2	4	4	3	5	1	1	–	1	–	–	
1	–	–	2	3	–	3	2	3	2	3	3	1	1	–	–	1	101b
2	2	–	–	–	2	1	3	2	1	3	3	5	1	–	–	–	
1	1	–	1	–	–	–	–	1	–	2	1	–	–	–	–	–	102
–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	103
–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	
1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	104
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	1	–	–	1	3	4	4	–	–	–	–	–	–	105
–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	106
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	1	–	–	2	2	3	–	1	–	–	–	–	107
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	1	–	–	2	2	3	–	1	–	–	–	–	107c
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
17	**14**	**27**	**28**	**26**	**20**	**28**	**25**	**25**	**26**	**16**	**8**	**5**	**1**	–	–	**2**	
9	**7**	**15**	**13**	**13**	**12**	**16**	**13**	**14**	**16**	**10**	**5**	**2**	–	–	–	**2**	
8	**7**	**12**	**15**	**13**	**8**	**12**	**12**	**11**	**10**	**6**	**3**	**3**	**1**	–	–	–	
–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	108
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	109
–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	109a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	109b
–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	111
1	1	4	3	2	3	2	1	2	1	1	–	–	–	–	–	–	
–	–	1	1	2	2	2	–	1	–	1	–	–	–	–	–	1	111a
1	1	1	1	1	–	–	1	2	1	1	–	–	–	–	–	–	
–	–	–	–	1	1	1	–	1	–	1	–	–	–	–	–	–	111b
–	–	3	2	1	3	2	–	–	–	–	1	–	–	–	–	–	
–	–	1	1	1	1	1	–	–	–	–	–	–	–	–	–	1	112
1	–	–	1	4	2	3	2	2	1	3	1	1	1	1	–	–	
–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	113
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	1	–	2	1	–	–	–	–	–	–	–	114
–	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	
6	3	5	3	2	2	1	5	–	1	–	–	–	–	–	–	–	117
4	–	8	9	3	2	4	2	3	1	–	–	–	–	–	–	–	
–	1	2	2	2	1	4	2	5	9	1	2	2	–	–	–	–	118
3	2	–	1	3	1	2	4	3	3	–	–	–	–	–	–	–	
–	1	–	–	–	1	1	2	2	5	1	2	2	–	–	–	–	118a
–	1	–	–	1	–	2	3	1	1	–	–	–	–	–	–	–	
–	–	2	2	2	–	3	–	3	4	–	–	–	–	–	–	–	118b
3	1	–	1	2	1	–	1	2	2	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	1	1	1	–	–	–	–	–	119
–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

SASKATCHEWAN—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VI—con.—**CLASSE VI**—fin											
120	Acute yellow atrophy of the liver—Atrophie jaune aiguë du foie.	M.	1	–	–	–	–	–	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
122	Cirrhosis of the liver—Cirrhose du foie....	M.	7	–	–	–	–	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–
	(a) Specified as alcoholic—Spécifiée comme alcoolique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Not specified as alcoholic—Non spécifiée comme alcoolique.	M.	7	–	–	–	–	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–
123	Biliary calculi—Calculs biliaires.....	M.	3	–	–	–	–	–	–	–	–	–
		F.	16	–	–	–	–	–	–	–	–	–
124	Other diseases of the liver—Autres affections du foie.	M.	15	–	2	–	–	–	1	–	1	–
		F.	18	–	–	–	–	1	1	–	–	–
125	Diseases of the pancreas—Affections du pancréas.	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
126	Peritonitis without specified cause—Péritonite sans cause indiquée.	M.	12	1	2	–	2	–	–	1	–	1
		F.	3	–	–	–	–	–	2	–	–	–
	CLASS VII—NON-VENEREAL DISEASES OF THE GENITO-URINARY SYSTEM AND ANNEXA—CLASSE VII—AFFECTIONS NON VÉNÉRIENNES DE L'APPAREIL GÉNITO-URINAIRE ET DE SES ANNEXES.	**Total**	**324**	**3**	**4**	**2**	**1**	**2**	**5**	**5**	**12**	**6**
		M.	**188**	**2**	**4**	**1**	–	**2**	**3**	**3**	**7**	**1**
		F.	**136**	**1**	–	**1**	**1**	–	**2**	**2**	**5**	**5**
128	Acute nephritis (including unspecified, under 10 years of age)—Néphrite aiguë (y compris non spécifiée au-dessous de dix ans).	M.	12	–	1	–	–	2	1	–	2	1
		F.	17	–	–	1	1	–	2	2	2	–
129	Chronic nephritis (including unspecified, 10 years of age or over)—Néphrite chronique (y compris non spécifiée, dix ans ou au-dessus).	M.	116	–	–	–	–	–	2	3	5	–
		F.	93	–	–	–	–	–	–	–	1	4
131	Other diseases of the kidneys and annexa—Autres affections des reins et de leurs annexes.	M.	15	2	2	–	–	–	–	–	–	–
		F.	9	1	–	–	–	–	–	–	–	–
132	Calculi of the urinary passages—Calculs des voies urinaires.	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
133	Diseases of the bladder—Affections de la vessie.	M.	5	–	–	1	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
135	Diseases of the prostate—Affections de la prostate.	M.	36	–	–	–	–	–	–	–	–	–
136	Non-venereal diseases of the male genital organs—Affections non vénériennes des organes génitaux de l'homme.	M.	2	–	1	–	–	–	–	–	–	–
137	Cysts and other benign tumours of the ovary—Kystes et autres tumeurs bénignes de l'ovaire.	F.	2	–	–	–	–	–	–	–	–	–
138	Salpingitis and pelvic abscess—Salpingite et abcès du bassin.	F.	6	–	–	–	–	–	–	–	1	–
139	Benign tumours of the uterus—Tumeurs bénignes de l'utérus.	F.	3	–	–	–	–	–	–	–	–	–
141	Other diseases of the female genital organs—Autres affections des organes génitaux de la femme.	F.	5	–	–	–	–	–	–	–	1	1
	CLASS VIII—THE PUERPERAL STATE—CLASSE VIII — ÉTAT PUERPÉRAL.	**Total**	**124**	–	–	–	–	–	–	–	**5**	**22**
143	Accidents of pregnancy—Accidents de la grossesse.	F.	7	–	–	–	–	–	–	–	–	1
	(a) Abortion—Avortement.....	F.	3	–	–	–	–	–	–	–	–	–
	(b) Ectopic gestation—Gestation ectopique.	F.	2	–	–	–	–	–	–	–	–	1
	(c) Others under this title—Autres sous ce titre.	F.	2	–	–	–	–	–	–	–	–	–
	(d) Abortion, self-induced—Avortement provoqué par soi-même.	F.	–	–	–	–	–	–	–	–	–	–
144	Puerperal haemorrhage—Hémorragie puerpérale.	F.	22	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

SASKATCHEWAN—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	120
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	2	1	1	1	1	–	–	–	–	–	–	122
–	–	–	–	–	1	1	1	1	2	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	122a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	2	1	1	1	1	–	–	–	–	–	–	122b
–	–	–	–	–	1	1	1	1	2	1	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	123
1	3	1	–	2	–	1	3	2	1	1	–	1	–	–	–	–	
–	1	2	1	–	1	1	2	1	1	–	1	–	–	–	–	–	124
–	1	1	1	1	1	2	1	1	3	2	2	–	–	–	–	–	
–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	125
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	2	1	1	–	–	1	–	–	–	–	–	–	–	–	126
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
5	**15**	**7**	**10**	**20**	**20**	**29**	**32**	**30**	**46**	**46**	**13**	**9**	**2**	–	–	–	
–	**2**	**2**	**4**	**12**	**8**	**13**	**18**	**22**	**32**	**35**	**8**	**7**	**2**	–	–	–	
5	**13**	**5**	**6**	8	**12**	**16**	**14**	8	**14**	**11**	**5**	**2**	–	–	–	–	
–	1	–	2	–	–	1	–	–	–	1	–	–	–	–	–	–	128
–	4	1	2	–	–	–	–	–	1	–	1	–	–	–	–	–	
–	1	2	2	9	6	6	14	15	26	18	4	2	1	–	–	–	129
1	5	3	2	6	9	12	13	7	13	11	4	2	–	–	–	–	
–	–	–	–	2	1	2	–	2	–	3	1	–	–	–	–	–	131
1	1	–	1	2	1	1	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	132
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	1	–	–	–	–	1	–	1	–	–	–	–	133
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	3	3	5	6	11	3	4	1	–	–	–	135
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	136
1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	137
2	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	138
–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	139
–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	141
20	**31**	**28**	**15**	**3**	–	–	–	–	–	–	–	–	–	–	–	–	
–	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143
–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143a
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143b
–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143d
6	6	6	4	–	–	–	–	–	–	–	–	–	–	–	–	–	144

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

SASKATCHEWAN—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VIII-con.—**CLASSE VIII**-fin											
145	Other accidents of labour—Autres accidents de l'accouchement.	F.	11	–	–	–	–	–	–	–	–	3
	(a) Caesarian section—Opération césarienne.	F.	2	–	–	–	–	–	–	–	–	1
	(b) Difficult labour—Accouchement laborieux.	F.	4	–	–	–	–	–	–	–	–	–
	(c) Other surgical operations and instrumental delivery—Autres opérations chirurgicales et application d'instruments.	F.	3	–	–	–	–	–	–	–	–	–
	(d) Uncontrollable vomiting—Vomissements incontrôlables.	F.	2	–	–	–	–	–	–	–	–	2
	(e) Rupture of uterus in labour, etc.— Rupture de l'utérus durant l'accouchement, etc.	F.	–	–	–	–	–	–	–	–	–	–
146	Puerperal septicaemia—Septicémie puerpérale.	F.	54	–	–	–	–	–	–	–	3	14
147	Puerperal phlegmasia alba dolens, puerperal embolism, sudden death in puerperium—Phlegmasia alba dolens, embolie, mort subite puerpérales.	F.	7	–	–	–	–	–	–	–	–	–
148	Puerperal albuminuria and convulsions—Albuminurie et éclampsie puerpérales.	F.	20	–	–	–	–	–	–	–	2	4
149	Following childbirth (not otherwise defined)—Suites de couches (sans autres explications).	F.	3	–	–	–	–	–	–	–	–	–
	CLASS IX—DISEASES OF THE SKIN AND OF THE CELLULAR TISSUE—CLASSE IX—AFFECTIONS DE LA PEAU ET DU TISSU CELLULAIRE.	Total	46	10	1	–	–	–	2	–	1	3
		M.	27	5	1	–	–	–	1	–	1	1
		F.	19	5	–	–	–	–	1	–	–	2
151	Gangrene—Gangrène	M.	8	–	–	–	–	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–
152	Furuncle—Furoncle	M.	2	–	–	–	–	–	–	–	1	–
		F.	1	–	–	–	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud..	M.	11	2	1	–	–	–	1	–	–	–
		F.	5	–	–	–	–	–	1	–	–	2
154	Other diseases of the skin and annexa—Autres affections de la peau et de ses annexes.	M.	6	3	–	–	–	–	–	–	–	1
		F.	6	5	–	–	–	–	–	–	–	–
	CLASS X—DISEASES OF THE BONES AND OF THE ORGANS OF LOCOMOTION—CLASSE X—AFFECTIONS DES OS ET DES ORGANES DE LA LOCOMOTION.	Total	20	–	1	–	–	–	5	2	–	1
		M.	12	–	–	–	–	–	2	2	–	1
		F.	8	–	1	–	–	–	3	–	–	–
155	Diseases of the bones (mastoid and tuberculosis excepted)—Affections des os (sinus mastoïdien et tuberculose exceptés).	M.	9	–	–	–	–	–	2	2	–	1
		F.	6	–	1	–	–	–	3	–	–	–
156	Diseases of the joints (tuberculosis and rheumatism excepted)—Affections articulaires (tuberculose et rhumatisme exceptés).	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
158	Other diseases of the organs of locomotion —Autres affections des organes de la locomotion.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	CLASS XI—MALFORMATIONS—CLASSE XI—VICES DE CONFORMATION.	Total	106	100	1	–	1	–	–	1	–	1
		M.	59	53	1	–	1	–	–	1	–	1
		F.	47	47	–	–	–	–	–	–	–	–
159	Congenital malformations (stillbirths not included)—Vices de conformation congénitaux (mort-nés non compris).	M.	59	53	1	–	1	–	–	1	–	1
		F.	47	47	–	–	–	–	–	–	–	–
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale.	M.	5	2	1	–	–	–	–	–	–	1
		F.	2	2	–	–	–	–	–	–	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur.	M.	31	28	–	–	1	–	–	1	–	–
		F.	25	25	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	23	23	–	–	–	–	–	–	–	–
		F.	20	20	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

SASKATCHEWAN—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
1	1	2	2	2	–	–	–	–	–	–	–	–	–	–	–	–	145
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145a
1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	145b
–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	145c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145e
8	15	7	6	1	–	–	–	–	–	–	–	–	–	–	–	–	146
2	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	147
3	2	8	1	–	–	–	–	–	–	–	–	–	–	–	–	–	148
–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	149
3	1	–	1	1	–	2	–	3	4	5	5	3	1	–	–	–	
3	–	–	1	–	–	2	–	2	3	3	1	2	1	–	–	–	
–	1	–	–	1	–	–	–	1	1	2	4	1	–	–	–	–	
–	–	–	–	–	–	1	–	1	3	1	1	1	–	–	–	–	151
–	–	–	–	–	–	–	–	1	1	1	3	1	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	152
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	–	–	–	–	1	–	1	–	2	–	–	1	–	–	–	153
–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	154
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
1	2	–	2	1	1	1	1	–	–	2	–	–	–	–	–	–	
1	1	–	–	1	1	1	–	–	–	2	–	–	–	–	–	–	
–	1	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	
1	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	155
–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	156
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	158
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

SASKATCHEWAN—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XII—DISEASES OF EARLY INFANCY—CLASSE XII—AFFECTIONS DU PREMIER ÂGE.	**Total**	**673**	**673**	–	–	–	–	–	–	–	–
		M.	**383**	**383**	–	–	–	–	–	–	–	–
		F.	**290**	**290**	–	–	–	–	–	–	–	–
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème.	M.	75	75	–	–	–	–	–	–	–	–
		F.	60	60	–	–	–	–	–	–	–	–
161	Premature birth, injury at birth—Naissance prématurée, conséquence de l'accouchement.	M.	257	257	–	–	–	–	–	–	–	–
		F.	195	195	–	–	–	–	–	–	–	–
	(a) Premature birth—Naissance prématurée.	M.	208	208	–	–	–	–	–	–	–	–
		F.	171	171	–	–	–	–	–	–	–	–
	(b) Injury at birth—Conséquence de l'accouchement.	M.	49	49	–	–	–	–	–	–	–	–
		F.	24	24	–	–	–	–	–	–	–	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge.	M.	50	50	–	–	–	–	–	–	–	–
		F.	35	35	–	–	–	–	–	–	–	–
	(a) Specified diseases—Affections spécifiées.	M.	40	40	–	–	–	–	–	–	–	–
		F.	28	28	–	–	–	–	–	–	–	–
	(b) Unspecified causes under 3 months—Causes non spécifiées au-dessous de 3 mois.	M.	10	10	–	–	–	–	–	–	–	–
		F.	7	7	–	–	–	–	–	–	–	–
163	Lack of care—Défaut de soins	M.	1	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS XIII—OLD AGE—CLASSE XIII—VIEILLESSE.	**Total**	**116**	–	–	–	–	–	–	–	–	–
		M.	**49**	–	–	–	–	–	–	–	–	–
		F.	**67**	–	–	–	–	–	–	–	–	–
164	Senility—Sénilité	M.	49	–	–	–	–	–	–	–	–	–
		F.	67	–	–	–	–	–	–	–	–	–
	CLASS XIV—EXTERNAL CAUSES—CLASSE XIV—CAUSES EXTÉRIEURES.	**Total**	**525**	**16**	**19**	**16**	**10**	**16**	**24**	**27**	**38**	**53**
		M.	**404**	**9**	**13**	**8**	**8**	**6**	**13**	**19**	**29**	**43**
		F.	**121**	**7**	**6**	**8**	**2**	**10**	**11**	**8**	**9**	**10**
165-174	**Suicides**	**M.**	**64**	–	–	–	–	–	–	–	**3**	**9**
		F.	**14**	–	–	–	–	–	–	–	**2**	**4**
165	Suicide by solid or liquid poisons (corrosive substances excepted)—Suicide par ingestion de poisons solides ou liquides (substances corrosives exceptées).	M.	6	–	–	–	–	–	–	–	–	3
		F.	5	–	–	–	–	–	–	–	–	2
166	Suicide by corrosive substances—Absorption volontaire de substances corrosives.	M.	5	–	–	–	–	–	–	–	1	1
		F.	2	–	–	–	–	–	–	–	1	–
168	Suicide by hanging or strangulation—Suicide par pendaison ou strangulation.	M.	15	–	–	–	–	–	–	–	1	1
		F.	1	–	–	–	–	–	–	–	1	–
169	Suicide by drowning—Suicide par submersion.	M.	4	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
170	Suicide by firearms—Suicide par armes à feu.	M.	28	–	–	–	–	–	–	–	1	3
		F.	5	–	–	–	–	–	–	–	–	2
171	Suicide by cutting or piercing instruments—Suicide par instruments tranchants ou piquants.	M.	4	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
173	Suicide by crushing—Suicide par écrasement.	M.	2	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
175	Poisoning by food—Empoisonnement par aliments.	M.	1	–	–	–	–	–	–	–	1	–
		F.	2	–	1	–	–	–	–	–	–	–
177	Other acute accidental poisonings (gas excepted)—Autres empoisonnements accidentels aigus (par gaz exceptés).	M.	6	–	2	–	1	–	1	1	–	–
		F.	6	–	1	–	–	1	–	–	–	1
178	Conflagration—Incendie	M.	13	–	2	1	1	–	1	–	–	–
		F.	9	–	1	–	–	1	2	1	1	–
179	Accidental burns and scalds (conflagration excepted)—Brûlures accidentelles (autres que par l'incendie).	M.	21	1	3	3	2	1	4	3	3	–
		F.	19	–	3	5	–	4	1	1	1	1
180	Accidental mechanical suffocation—Suffocation mécanique accidentelle.	M.	6	6	–	–	–	–	–	–	–	–
		F.	6	6	–	–	–	–	–	–	–	–
	(a) Overlaying—Étouffé pendant le sommeil.	M.	2	2	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(b) Asphyxia—Asphyxie	M.	4	4	–	–	–	–	–	–	–	–
		F.	5	5	–	–	–	–	–	–	–	–
181	Accidental absorption of irrespirable or poisonous gas—Absorption accidentelle de gaz irrespirables ou toxiques.	M.	2	–	1	–	–	–	–	–	1	–
		F.	2	–	–	–	–	–	–	–	1	–
182	Accidental drowning—Submersion accidentelle.	M.	40	–	2	2	1	1	–	4	4	8
		F.	5	–	–	1	–	–	4	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

SASKATCHEWAN—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	160
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	163
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	**1**	**4**	**17**	**25**	**25**	**19**	**11**	**10**	**4**	–	
–	–	–	–	–	–	–	–	**3**	**5**	**14**	**14**	**7**	**4**	**2**	–	–	
–	–	–	–	–	–	–	**1**	**1**	**12**	**11**	**11**	**12**	**7**	**8**	**4**	–	
–	–	–	–	–	–	–	–	3	5	14	14	7	4	2	–	–	164
–	–	–	–	–	–	–	1	1	12	11	11	12	7	8	4	–	
53	**27**	**41**	**38**	**28**	**28**	**19**	**13**	**17**	**8**	**9**	**13**	**5**	–	–	–	**7**	
42	**24**	**36**	**33**	**25**	**25**	**17**	**9**	**15**	**6**	**5**	**9**	**3**	–	–	–	**7**	
11	**3**	**5**	**5**	**3**	**3**	**2**	**4**	**2**	**2**	**4**	**4**	**2**	–	–	–	–	**165-**
6	**7**	**6**	**8**	**5**	**7**	**2**	**1**	**2**	**1**	**1**	**1**	**1**	–	–	–	**4**	**174**
3	**1**	**1**	–	**1**	–	**1**	**1**	–	–	–	–	–	–	–	–	–	
–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	165
–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	166
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	3	1	1	1	1	–	–	1	–	–	1	1	–	–	–	1	168
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	169
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
4	1	3	3	2	4	2	1	–	1	1	–	–	–	–	–	2	170
2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	171
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	173
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	175
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	177
1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	2	–	–	1	–	1	–	1	2	–	–	–	–	–	178
3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	179
1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	181
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
8	–	1	–	3	1	–	1	–	1	–	–	1	–	–	–	2	182
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

SASKATCHEWAN—concluded

Int. list No.	Causes of death — Causes de décès		Total	Ages									
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans	
	CLASS XIV-con.—CLASSE XIV-fin												
183	Accidental traumatism by firearms—Traumatismes accidentels par armes à feu.	M.	18	–	–	1	1	1	1	2	3	2	
		F.	2	–	–	–	–	1	–	1	–	–	
184	Accidental traumatism by cutting or piercing instruments—Traumatismes accidentels par instruments tranchants ou piquants.	M.	3	–	1	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	
185	Accidental traumatism by fall—Traumatismes accidentels par chute.	M.	24	–	–	–	–	–	2	2	3	1	
		F.	18	–	–	1	–	2	1	1	1	–	
186	Accidental traumatism in mines and quarries—Traumatismes accidentels par mines et carrières.	M.	1	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	
	(a) Coal mines—Mines de charbon.....	M.	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	
	(b) Other mines—Autres mines.....	M.	1	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	
	(c) Quarries—Carrières.....	M.	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	
187	Accidental traumatism by machines—Traumatismes accidentels par machines.	M.	28	–	–	–	1	1	–	–	3	2	
		F.	2	–	–	–	–	–	1	1	–	–	
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.)—Traumatismes accidentels par autres écrasements (voitures, railways, éboulements, etc.).	M.	135	–	–	1	1	2	4	5	8	15	
		F.	25	–	–	1	1	1	1	2	2	3	
	(a) Railroad accidents—Accidents par chemins de fer.	M.	36	–	–	–	–	–	–	–	2	5	
		F.	–	–	–	–	–	–	–	–	–	–	
	(b) Street car accidents—Accidents par tramways.	M.	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	
	(c) Automobile accidents—Accidents par automobiles.	M.	55	–	–	–	1	–	1	3	6	6	
		F.	19	–	–	1	1	1	–	2	1	2	
	(d) Aeroplane and balloon accidents—Accidents par aéroplanes et ballons.	M.	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	
	(e) Injuries by other vehicles—Blessures par autres voitures.	M.	35	–	–	1	–	2	3	2	–	4	
		F.	5	–	–	–	–	–	1	–	1	1	
	(f) Other crushing—Autres écrasements.	M.	9	–	–	–	–	–	–	–	–	–	
		F.	1	–	–	–	–	–	–	–	–	–	
189	Injuries by animals (poisoning excepted)—Violences exercées par des animaux (empoisonnements exceptés).	M.	14	–	1	–	–	–	–	–	–	3	
		F.	2	–	–	–	–	–	1	–	–	–	
193	Excessive cold—Froid excessif.....	M.	3	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	
194	Excessive heat—Chaleur excessive.....	M.	4	1	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	
195	Lightning—Foudre.....	M.	4	–	–	–	–	–	–	2	–	1	
		F.	–	–	–	–	–	–	–	–	–	–	
197-199	**Homicides**.....	**M.**	11	1	–	–	–	–	–	–	–	2	
		F.	5	–	–	–	–	–	–	1	1	1	
197	Homicide by firearms—Homicide par armes à feu.	M.	3	–	–	–	–	–	–	–	–	1	
		F.	1	–	–	–	–	–	–	–	1	–	
198	Homicide by cutting or piercing instruments—Homicide par instruments tranchants ou piquants.	M.	1	–	–	–	–	–	–	–	–	–	
		F.	2	–	–	–	–	–	–	1	–	–	
199	Homicide by other means—Homicide par autres moyens.	M.	7	1	–	–	–	–	–	–	–	1	
		F.	2	–	–	–	–	–	–	–	–	1	
201	Fracture (cause not specified)—Fracture (cause non spécifiée).	M.	1	–	–	–	–	–	–	–	–	–	
		F.	1	–	–	–	–	–	–	–	–	–	
202	Other external violence (cause specified)—Autres violences extérieures (cause spécifiée).	M.	5	–	1	–	–	–	–	–	–	–	
		F.	3	1	–	–	1	–	–	–	–	–	
	CLASS XV—ILL-DEFINED DISEASES—CLASSE XV—MALADIES MAL DÉFINIES.	**Total**	62	5	4	1	1	2	–	–	1	–	
		M.	46	2	2	1	–	2	–	–	–	–	
		F.	16	3	2	–	1	–	–	–	1	–	
204	Sudden death—Mort subite.....	M.	–	–	–	–	–	–	–	–	–	–	
		F.	1	–	–	–	–	–	–	–	–	–	
205	Cause of death not specified or ill-defined—Cause de décès non spécifiée ou mal définie.	M.	46	2	2	1	–	2	–	–	–	–	
		F.	15	3	2	–	1	–	–	–	1	–	
	(a) Ill-defined—Mal définie.....	M.	7	1	1	1	–	–	–	–	–	–	
		F.	2	1	1	–	–	–	–	–	–	–	
	(b) Not specified or unknown—Non spécifiée ou inconnue.	M.	4	1	1	–	–	2	–	–	–	–	
		F.	5	2	1	–	1	–	–	–	1	–	
	(c) Heart failure—Paralysie du cœur.....	M.	35	–	–	–	–	–	–	–	–	–	
		F.	8	–	–	–	–	–	–	–	–	–	
	(d) Syncope.....	M.	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

SASKATCHEWAN—fin

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
3	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	183
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	184
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	1	3	4	2	1	–	–	–	–	3	1	–	–	–	–	185
–	–	–	–	–	–	–	1	–	2	4	3	2	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	186
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	186a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	186b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	186c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	2	5	1	1	5	3	1	1	–	–	–	–	–	–	–	–	187
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
19	7	18	16	9	6	6	4	8	2	1	2	–	–	–	–	1	188
3	1	1	5	–	2	–	1	1	–	–	–	–	–	–	–	–	
10	1	5	5	2	1	–	2	2	–	–	–	–	–	–	–	1	188a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	188b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
4	2	10	6	2	4	2	2	3	1	1	1	–	–	–	–	–	188c
3	1	1	4	–	–	–	1	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	188d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	4	3	3	3	–	2	–	3	1	–	1	–	–	–	–	–	188e
–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	
2	–	–	2	2	1	2	–	–	–	–	–	–	–	–	–	–	188f
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	3	2	–	1	1	1	–	1	–	–	–	–	–	189
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	193
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	194
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	195
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	3	2	1	–	–	–	–	2	–	–	–	–	–	–	–	–	197-199
–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	197
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	198
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	3	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	199
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	201
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
–	1	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	202
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
4	1	1	4	2	3	2	5	5	3	5	8	2	2	–	–	1	
4	–	1	4	2	3	2	4	3	3	5	5	1	1	–	–	1	
–	1	–	–	–	–	–	1	2	–	–	3	1	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	204
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
4	–	1	4	2	3	2	4	3	3	5	5	1	1	–	–	1	205
–	–	–	–	–	–	–	1	2	–	–	3	1	1	–	–	–	
–	–	1	1	–	–	–	1	1	–	–	–	–	–	–	–	–	205a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	205b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
4	–	–	3	2	3	2	3	2	3	5	5	1	1	–	–	1	205c
–	–	–	–	–	–	–	1	2	–	–	3	1	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	205d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

ALBERTA

Int. list No.	Causes of death — Causes de décès		Total	Ages									
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	DEATHS—ALL CAUSES—DÉCÈS—TOUTES CAUSES.	**Total**	**5,699**	**1,200**	**164**	**82**	**60**	**47**	**226**	**166**	**169**	**198**
		M.	**3,322**	**709**	**83**	**46**	**26**	**25**	**120**	**87**	**95**	**104**
		F.	**2,377**	**491**	**81**	**36**	**34**	**22**	**106**	**79**	**74**	**94**
	CLASS I—EPIDEMIC, ENDEMIC AND INFECTIOUS DISEASES—CLASSE I—AFFECTIONS ÉPIDÉMIQUES, ENDÉMIQUES ET INFECTIEUSES.	**Total**	**999**	**131**	**56**	**27**	**27**	**20**	**102**	**59**	**72**	**66**
		M.	**538**	**78**	**27**	**10**	**10**	**13**	**48**	**29**	**35**	**32**
		F.	**461**	**53**	**29**	**17**	**17**	**7**	**54**	**30**	**37**	**34**
1	Typhoid and paratyphoid fever—Fièvre typhoïde et paratyphoïde.	M.	17	1	–	–	–	–	–	–	2	5
		F.	9	–	–	–	–	–	1	4	3	–
	(a) Typhoid fever—Fièvre typhoïde...	M.	17	1	–	–	–	–	–	–	2	5
		F.	9	–	–	–	–	–	1	4	3	–
	(b) Paratyphoid fever—Fièvre paratyphoïde.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
7	Measles—Rougeole	M.	9	2	3	1	1	–	2	–	–	–
		F.	10	5	3	1	–	–	1	–	–	–
8	Scarlet fever—Scarlatine	M.	12	1	2	–	–	–	1	1	–	1
		F.	13	2	2	–	1	–	1	3	–	1
9	Whooping-cough—Coqueluche	M.	19	11	4	2	–	2	–	–	–	–
		F.	26	13	8	2	2	–	1	–	–	–
10	Diphtheria—Diphtérie	M.	22	2	1	1	2	4	8	1	2	–
		F.	28	2	1	2	2	2	17	2	–	–
11	Influenza—Grippe	M.	175	34	6	2	1	5	12	5	9	4
		F.	140	16	6	5	2	1	6	4	7	2
	(a) Sole cause—Cause unique	M.	36	15	2	–	–	1	1	1	–	–
		F.	27	5	1	1	1	–	1	1	1	1
	(b) With phthisis—Avec phtisie	M.	2	–	–	–	–	–	–	–	–	1
		F.	1	–	–	–	–	–	–	–	–	–
	(c) With bronchitis—Avec bronchite	M.	2	1	–	–	–	–	–	–	–	–
		F.	5	–	1	–	–	–	–	–	–	–
	(d) With pneumonia—Avec pneumonie	M.	68	12	1	1	–	2	6	2	4	2
		F.	47	3	4	4	1	1	1	–	4	1
	(e) With other respiratory diseases—Avec autres affections de l'appareil respiratoire.	M.	4	–	–	1	–	–	–	–	1	–
		F.	6	2	–	–	–	–	–	–	–	–
	(f) With diseases and accidents of pregnancy and parturition—Avec affections et accidents de la grossesse.	F.	9	–	–	–	–	–	–	–	1	–
	(g) With other causes—Avec autres causes.	M.	63	6	3	–	1	2	5	2	4	1
		F.	45	6	–	–	–	–	4	3	1	–
13	Mumps—Oreillons	M.	2	–	–	–	1	–	1	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
16	Dysentery—Dysenterie	M.	8	1	–	–	1	–	1	–	–	–
		F.	2	–	1	–	1	–	–	–	–	–
21	Erysipelas—Érysipèle	M.	15	6	–	–	–	–	–	–	–	1
		F.	11	4	1	–	–	–	–	–	–	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë.	M.	19	1	3	2	1	1	1	8	2	–
		F.	16	1	1	–	1	2	5	2	1	1
23	Lethargic encephalitis—Encéphalite léthargique.	M.	15	–	–	–	–	–	1	3	1	2
		F.	5	–	–	–	–	–	–	2	–	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique.	M.	20	3	1	–	–	–	3	5	4	2
		F.	16	2	1	1	1	1	3	3	–	1
25	Other epidemic and endemic diseases—Autres affections épidémiques et endémiques.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	1	–	–	–	–	–	–	–
	(a) Chicken-pox—Varicelle	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) German measles—Rubéole	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	1	–	–	–	–	–	–	–
31-37	**Tuberculosis—Tuberculose**	**M.**	**170**	**9**	**7**	**2**	**2**	**1**	**16**	**6**	**14**	**16**
		F.	**168**	**7**	**4**	**6**	**7**	**1**	**17**	**10**	**25**	**28**
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire.	M.	126	5	3	1	2	–	10	3	10	14
		F.	129	3	2	3	–	1	8	7	21	27
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central.	M.	17	4	4	1	–	1	3	–	1	–
		F.	17	4	–	3	5	–	4	–	1	–
33	Tuberculosis of the intestines and peritoneum—Tuberculose des intestins et du péritoine.	M.	13	–	–	–	–	–	3	1	3	1
		F.	10	–	1	–	2	–	1	2	2	1
34	Tuberculosis of the vertebral column—Tuberculose de la colonne vertébrale.	M.	6	–	–	–	–	–	–	2	–	–
		F.	1	–	–	–	–	–	–	–	–	–
35	Tuberculosis of the joints—Tuberculose articulaire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

ALBERTA

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
185	**186**	**236**	**234**	**286**	**272**	**309**	**321**	**354**	**374**	**320**	**191**	**78**	**31**	**4**	**2**	**4**	
108	**99**	**128**	**140**	**175**	**169**	**194**	**210**	**220**	**235**	**179**	**106**	**40**	**17**	**4**	–	**3**	
77	**87**	**108**	**94**	**111**	**103**	**115**	**111**	**134**	**139**	**141**	**85**	**38**	**14**	–	**2**	**1**	
55	**53**	**51**	**44**	**45**	**28**	**32**	**35**	**26**	**23**	**27**	**13**	**2**	**2**	–	**2**	**1**	
29	**29**	**30**	**23**	**31**	**16**	**23**	**19**	**15**	**15**	**16**	**6**	**2**	**1**	–	–	**1**	
26	**24**	**21**	**21**	**14**	**12**	**9**	**16**	**11**	**8**	**11**	**7**	–	**1**	–	**2**	–	
3	2	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
3	2	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1a
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	1	8
–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
2	5	6	9	13	3	11	7	10	10	13	5	2	1	–	–	–	11
6	6	10	8	7	5	6	8	8	8	9	7	–	1	–	2	–	
1	1	–	1	2	–	–	1	3	4	1	1	–	1	–	–	–	11a
–	–	–	1	1	2	1	3	–	2	3	–	–	–	–	2	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	11b
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	11c
–	–	–	–	–	–	1	–	–	1	–	1	–	1	–	–	–	
1	1	3	3	5	2	5	4	4	2	6	2	–	–	–	–	–	11d
1	2	3	1	3	3	2	2	4	2	4	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	11e
1	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	
3	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	11f
–	3	3	4	6	1	6	2	3	2	5	2	2	–	–	–	–	11g
1	1	4	5	2	–	2	3	4	2	2	5	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	2	1	1	1	–	–	–	–	–	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	1	2	–	4	–	–	–	–	–	–	–	–	–	–	21
–	–	–	1	1	–	–	3	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
3	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	23
–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	
–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	24
–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
20	**17**	**17**	**9**	**9**	8	**6**	**5**	**3**	**3**	–	–	–	–	–	–	–	31-37
16	**14**	7	**9**	**4**	**4**	**2**	**4**	**3**	–	–	–	–	–	–	–	–	
15	15	15	6	8	6	4	4	2	3	–	–	–	–	–	–	–	31
15	14	7	7	3	4	2	3	2	–	–	–	–	–	–	–	–	32
2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	33
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	34
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	35
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

ALBERTA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS I-con.—CLASSE I-fin											
36	Tuberculosis of other organs—Tuberculose d'autres organes.	M.	7	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	1	–
	(a) Skin and sub-cutaneous cellular tissue—De la peau et du tissu cellulaire sous-cutané.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Bones (vertebral column excepted)—Des os (excepté la colonne vertébrale).	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Lymphatic system (mesenteric and retroperitoneal glands excepted)—Du système lymphatique (excepté les ganglions mésentériques et les ganglions rétropéritonéaux).	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	1	–
	(d) Genito-urinary system—Des organes génito-urinaires.	M.	6	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Organs other than above—Autres organes que ceux déjà mentionnés.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
37	Disseminated tuberculosis—Tuberculose disséminée.	M.	1	–	–	–	–	–	–	–	–	1
		F.	9	–	1	–	–	–	4	1	–	–
	(a) Acute—Aiguë	M.	–	–	–	–	–	–	–	–	–	–
		F.	4	–	1	–	–	–	2	1	–	–
	(b) Chronic or unstated—Chronique ou non spécifiée.	M.	1	–	–	–	–	–	–	–	–	1
		F.	5	–	–	–	–	–	2	–	–	–
38	Syphilis	M.	19	5	–	–	–	–	1	–	–	–
		F.	7	–	–	–	–	–	2	–	–	–
40	Gonococcus infection—Gonococcie	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	1	–
41	Purulent infection, septicaemia—Infection purulente, septicémie.	M.	16	2	–	–	1	–	1	–	1	1
		F.	7	1	–	–	–	–	–	–	–	1
	CLASS II—GENERAL DISEASES NOT INCLUDED IN CLASS I—CLASSE II—MALADIES GÉNÉRALES NON MENTIONNÉES DANS LA CLASSE I.	**Total**	**646**	**32**	**7**	**–**	**1**	**2**	**12**	**15**	**8**	**6**
		M.	**350**	**23**	**4**	**–**	**–**	**1**	**6**	**9**	**2**	**4**
		F.	**296**	**9**	**3**	**–**	**1**	**1**	**6**	**6**	**6**	**2**
43-49	**Cancer**	**M.**	**230**	–	–	–	–	–	**1**	**1**	**1**	**3**
		F.	**185**	–	–	–	–	–	–	–	**2**	**1**
43	Cancer of the buccal cavity—Cancer de la cavité buccale.	M.	11	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
44	Cancer of the stomach and liver—Cancer de l'estomac et du foie.	M.	118	–	–	–	–	–	–	1	–	–
		F.	57	–	–	–	–	–	–	–	–	–
45	Cancer of the peritoneum, intestines and rectum—Cancer du péritoine, des intestins et du rectum.	M.	29	–	–	–	–	–	–	–	1	1
		F.	37	–	–	–	–	–	–	–	–	1
46	Cancer of the female genital organs—Cancer des organes génitaux de la femme.	F.	23	–	–	–	–	–	–	–	1	–
47	Cancer of the breast—Cancer du sein	M.	–	–	–	–	–	–	–	–	–	–
		F.	36	–	–	–	–	–	–	–	–	–
48	Cancer of the skin—Cancer de la peau	M.	7	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
49	Cancer of other or unspecified organs—Cancer d'autres organes ou d'organes non spécifiés.	M.	65	–	–	–	–	–	1	–	–	2
		F.	25	–	–	–	–	–	–	–	1	–
	(a) Cancer of eye and ear—Cancer de l'œil et de l'oreille.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Cancer of circulatory system—Cancer de l'appareil circulatoire.	M.	4	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(c) Cancer of respiratory system—Cancer de l'appareil respiratoire.	M.	8	–	–	–	–	–	–	–	–	1
		F.	3	–	–	–	–	–	–	–	–	–
	(d) Cancer of digestive system—Cancer de l'appareil digestif.	M.	10	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
	(e) Cancer of genito-urinary system—Cancer de l'appareil génito-urinaire.	M.	28	–	–	–	–	–	1	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
	(f) Cancer of bones and joints—Cancer des os et des articulations.	M.	2	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	1	–
	(g) Cancer of other specified organs—Cancer d'autres organes spécifiés.	M.	11	–	–	–	–	–	–	–	–	1
		F.	8	–	–	–	–	–	–	–	–	–
	(h) Generalized cancer—Cancer généralisé.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(i) Unspecified—Non spécifiés	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

ALBERTA—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
1	1	1	1	–	–	1	1	1	–	–	–	–	–	–	–	–	36
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	36b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	1	1	–	–	1	1	–	–	–	–	–	–	–	–	–	36d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	37
1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	37a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	37b
1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	
–	1	1	–	4	2	–	3	1	–	–	1	–	–	–	–	–	38
2	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	40
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	1	2	1	2	–	1	2	–	–	–	–	–	–	41
1	1	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	
11	**8**	**25**	**33**	**67**	**52**	**85**	**75**	**77**	**65**	**40**	**18**	**5**	**2**	–	–	–	
6	**3**	**13**	**14**	**31**	**25**	**46**	**40**	**51**	**38**	**19**	**11**	**3**	**1**	–	–	–	
5	**5**	**12**	**19**	**36**	**27**	**39**	**35**	**26**	**27**	**21**	**7**	**2**	**1**	–	–	–	
4	**1**	**9**	**9**	**20**	**19**	**39**	**31**	**34**	**29**	**15**	**11**	**2**	**1**	–	–	–	**43–49**
–	**3**	8	**12**	**25**	**22**	**25**	**25**	**19**	**21**	**14**	**6**	**1**	**1**	–	–	–	
–	–	–	1	3	–	1	2	–	1	3	–	–	–	–	–	–	43
–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	
1	–	2	4	10	13	27	19	18	15	4	3	1	–	–	–	–	44
–	1	–	3	4	7	10	8	9	7	5	3	–	–	–	–	–	
1	–	2	1	2	5	1	–	8	1	2	4	–	–	–	–	–	45
–	–	2	2	6	3	3	3	5	7	4	1	–	–	–	–	–	
–	1	3	2	2	2	3	5	1	2	–	1	–	–	–	–	–	46
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	47
–	–	3	3	8	4	5	6	2	2	3	–	–	–	–	–	–	
–	–	–	–	1	–	3	–	–	2	1	–	–	–	–	–	–	48
–	–	–	–	–	–	–	1	–	2	–	–	–	1	–	–	–	
2	1	5	3	4	1	7	10	8	10	5	4	1	1	–	–	–	49
–	1	–	1	5	6	3	2	2	1	1	1	1	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	49a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	49b
–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	
–	1	–	–	1	–	1	1	2	1	–	–	–	–	–	–	–	49c
–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	
–	–	1	1	1	–	2	–	2	2	–	1	–	–	–	–	–	49d
–	–	–	–	3	–	–	–	1	–	–	1	–	–	–	–	–	
1	–	1	1	–	–	2	4	2	7	4	3	1	1	–	–	–	49e
–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	49f
–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	
–	–	2	–	1	–	1	3	2	–	1	–	–	–	–	–	–	49g
–	1	–	1	1	1	–	–	1	1	1	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	49h
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	49i
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

ALBERTA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS II-con.—CLASSE II-fin											
51	Acute rheumatic fever—Rhumatisme articulaire aigu fébrile.	M.	12	–	–	–	–	–	4	4	–	–
		F.	15	–	–	–	–	1	4	–	3	–
52	Chronic rheumatism, osteo-arthritis, gout —Rhumatisme chronique ou goutte.	M.	2	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
56	Rickets—Rachitisme	M.	7	5	2	–	–	–	–	–	–	–
		F.	8	5	2	–	–	–	–	1	–	–
57	Diabetes mellitus—Diabète	M.	38	–	–	–	–	1	1	2	1	–
		F.	27	–	–	–	–	–	–	3	–	–
58	Anaemia, chlorosis—Anémie, chlorose	M.	12	1	–	–	–	–	–	1	–	–
		F.	17	–	1	–	1	–	–	1	1	–
	(a) Pernicious anaemia—Anémie pernicieuse.	M.	10	–	–	–	–	–	–	1	–	–
		F.	15	–	1	–	–	–	–	–	1	–
	(b) Other anaemias and chlorosis—Autres anémies et chloroses.	M.	2	1	–	–	–	–	–	–	–	–
		F.	2	–	–	–	1	–	–	1	–	–
59	Diseases of the pituitary gland—Affections du corps pituitaire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
60	Diseases of the thyroid gland—Affections de la glande thyroïde.	M.	2	–	–	–	–	–	–	–	–	–
		F.	22	–	–	–	–	–	1	–	–	1
	(a) Exophthalmic goiter—Goître exophtalmique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	16	–	–	–	–	–	1	–	–	1
	(b) Other diseases of the thyroid gland—Autres affections de la glande thyroïde.	M.	2	–	–	–	–	–	–	–	–	–
		F.	6	–	–	–	–	–	–	–	–	–
61	Diseases of the parathyroid glands—Affections des glandes parathyroïdes.	M.	2	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
62	Diseases of the thymus—Affections du thymus.	M.	5	5	–	–	–	–	–	–	–	–
		F.	2	2	–	–	–	–	–	–	–	–
63	Diseases of the adrenals (Addison's disease)—Affections des glandes surrénales (maladie d'Addison).	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
65	Leukaemia, lymphadenoma—Leucémie, lymphadénie.	M.	7	1	1	–	–	–	–	1	–	–
		F.	5	1	–	–	–	–	–	–	–	–
	(a) Leukaemia—Leucémie	M.	4	–	–	–	–	–	–	–	–	–
		F.	5	1	–	–	–	–	–	–	–	–
	(b) Lymphadenoma (Hodgkin's disease) —Lymphadénie (maladie d'Hodgkin).	M.	3	1	1	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
66	Alcoholism—Alcoolisme	M.	17	–	–	–	–	–	–	–	–	1
		F.	4	–	–	–	–	–	–	–	–	–
	(a) Delirium tremens	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Acute alcoholism—Alcoolisme aigu	M.	11	–	–	–	–	–	–	–	–	1
		F.	3	–	–	–	–	–	–	–	–	–
	(c) Chronic alcoholism—Alcoolisme chronique.	M.	4	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
67	Chronic poisoning by mineral substances—Empoisonnements chroniques par substances minérales.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Chronic lead poisoning—Empoisonnements chroniques par le plomb.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Others under this title—Autres sous ce titre.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
69	Other general diseases—Autres maladies générales.	M.	13	10	1	–	–	–	–	–	–	–
		F.	5	1	–	–	–	–	1	1	–	–
	(a) Diabetes insipidus—Diabète insipide.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Haemophilia—Hémophilie	M.	6	6	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Purpura haemorrhagica — Purpura hémorragique.	M.	7	4	1	–	–	–	–	–	–	–
		F.	3	1	–	–	–	–	1	–	–	–
	(d) Others under this title—Autres sous ce titre.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	1	–	–
	CLASS III—DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE—CLASSE III—AFFECTIONS DU SYSTÈME NERVEUX ET DES ORGANES DES SENS.	Total	350	46	8	3	3	3	6	10	8	9
		M.	187	27	2	3	2	2	4	5	7	3
		F.	163	19	6	–	1	1	2	5	1	6
70	Encephalitis—Encéphalite	M.	8	–	1	–	–	–	–	2	1	1
		F.	2	1	–	–	–	–	–	–	–	–
	(a) Abscess of brain—Abcès du cerveau.	M.	3	–	–	–	–	–	–	2	1	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Encephalitis—Encéphalite	M.	5	–	1	–	–	–	–	–	–	1
		F.	2	1	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

ALBERTA—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	1	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	51
–	1	1	1	1	–	2	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	52
–	–	–	–	1	–	–	1	1	–	1	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	56
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	2	2	2	3	2	2	11	4	3	–	1	–	–	–	–	57
2	–	–	1	3	1	7	2	1	4	3	–	–	–	–	–	–	
–	–	–	–	3	–	–	2	1	3	1	–	–	–	–	–	–	58
1	–	–	2	2	2	1	1	1	2	1	–	–	–	–	–	–	
–	–	–	–	3	–	–	2	1	2	1	–	–	–	–	–	–	58a
1	–	–	2	2	2	1	1	1	2	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	58b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	59
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	60
1	–	2	2	4	2	1	5	2	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	60a
–	–	2	2	3	2	–	4	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	60b
1	–	–	–	1	–	1	1	1	–	1	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	61
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	63
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	65
1	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	
1	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	65a
1	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	65b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	2	–	5	2	3	2	2	–	–	–	–	–	–	–	–	66
–	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	66a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	2	–	3	1	2	1	1	–	–	–	–	–	–	–	–	66b
–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	66c
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	67
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	67a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	67b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	69
–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	69c
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69d
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
9	**6**	**12**	**12**	**16**	**28**	**22**	**21**	**36**	**33**	**32**	**18**	**7**	**2**	–	–	–	
4	**3**	**6**	**6**	**8**	**14**	**14**	**16**	**19**	**15**	**15**	**8**	**3**	**1**	–	–	–	
5	**3**	**6**	**6**	8	**14**	8	5	**17**	**18**	**17**	**10**	**4**	**1**	–	–	–	
–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	70
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	70b
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

ALBERTA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages									
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans	
	CLASS III-con.—**CLASSE III**-fin												
71	Meningitis—Méningite	M.	12	3	–	2	–	1	2	2	–	–	
		F.	9	3	2	–	–	1	–	1	–	1	
	(a) Simple meningitis—Méningite simple.	M.	12	3	–	2	–	1	2	2	–	–	
		F.	9	3	2	–	–	1	–	1	–	1	
	(b) Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non épidémique.	M.	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	
72	Tabes dorsalis (locomotor ataxia)—Ataxie locomotrice progressive.	M.	2	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	
73	Other diseases of the spinal cord—Autres affections de la moëlle épinière.	M.	11	–	–	–	–	–	–	–	–	–	
		F.	7	–	–	–	–	–	1	–	–	1	
74	Cerebral haemorrhage, apoplexy—Hémorragie cérébrale, apoplexie.	M.	60	3	–	–	–	–	–	–	–	–	
		F.	63	–	–	–	–	–	–	–	–	–	
	(a) Apoplexy—Apoplexie	M.	28	1	–	–	–	–	–	–	–	–	
		F.	32	–	–	–	–	–	–	–	–	–	
	(b) Cerebral haemorrhage—Hémorragie cérébrale.	M.	31	2	–	–	–	–	–	–	–	–	
		F.	27	–	–	–	–	–	–	–	–	–	
	(c) Cerebral thrombosis and embolism—Thrombose et embolie cérébrales.	M.	1	–	–	–	–	–	–	–	–	–	
		F.	4	–	–	–	–	–	–	–	–	–	
75	Paralysis without specified cause—Paralysie sans cause indiquée.	M.	9	–	–	–	–	–	–	–	–	–	
		F.	15	1	–	–	–	–	–	–	–	–	
	(a) Hemiplegia—Hémiplégie	M.	3	–	–	–	–	–	–	–	–	–	
		F.	8	–	–	–	–	–	–	–	–	–	
	(b) Others under this title—Autres sous ce titre.	M.	6	–	–	–	–	–	–	–	–	–	
		F.	7	1	–	–	–	–	–	–	–	–	
76	General paralysis of the insane—Paralysie générale des aliénés.	M.	6	–	–	–	–	–	–	–	–	–	
		F.	2	–	–	–	–	–	–	–	–	–	
77	Other forms of mental alienation—Autres formes de l'aliénation mentale.	M.	3	–	–	–	–	–	–	–	–	–	
		F.	7	–	–	–	–	–	–	–	–	2	
78	Epilepsy—Épilepsie	M.	9	1	–	–	–	–	–	–	2	1	
		F.	12	–	–	–	–	–	1	2	1	–	
80	Infantile convulsions (under 5 years of age)—Convulsions des enfants (moins de cinq ans).	M.	20	17	–	1	2	–	–	–	–	–	
		F.	16	13	3	–	–	–	–	–	–	–	
82	Neuralgia and neuritis—Névralgie et névrite.	M.	–	–	–	–	–	–	–	–	–	–	
		F.	1	–	–	–	–	–	–	–	–	–	
83	Softening of the brain—Ramollissement du cerveau.	M.	3	–	–	–	–	–	–	–	–	–	
		F.	1	–	–	–	–	–	–	–	–	–	
84	Other diseases of the nervous system—Autres affections du système nerveux.	M.	29	–	1	–	–	–	–	1	1	–	
		F.	21	1	–	–	1	–	–	1	–	2	
85	Diseases of the eye and annexa—Affections de l'œil et de ses annexes.	M.	1	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien.	M.	14	3	–	–	–	1	2	–	3	1	
		F.	7	–	1	–	–	–	–	1	–	–	
	(a) Diseases of the ear—Affections de l'oreille.	M.	8	2	–	–	–	1	1	–	–	–	
		F.	3	–	–	–	–	–	–	1	–	–	
	(b) Diseases of the mastoid process—Affections du sinus mastoïdien.	M.	6	1	–	–	–	–	1	–	3	1	
		F.	4	–	1	–	–	–	–	–	–	–	
	CLASS IV—DISEASES OF THE CIRCULATORY SYSTEM — CLASSE IV—AFFECTIONS DE L'APPAREIL CIRCULATOIRE	Total	832	2	–	–	2	–	6	16	12	10	
		M.	501	–	–	–	–	–	4	8	6	7	
		F.	331	2	–	–	2	–	2	8	6	3	
87-90	**Diseases of the heart—Affections du cœur.**	M.	324	–	–	–	–	–	4	8	6	7	
		F.	225	–	–	–	2	–	2	7	6	3	
87	Pericarditis—Péricardite	M.	2	–	–	–	–	–	–	–	–	1	
		F.	1	–	–	–	–	–	–	–	–	–	
88	Endocarditis and myocarditis (acute)—Endocardite et myocardite (aiguës).	M.	23	–	–	–	–	–	1	2	1	3	
		F.	12	–	–	–	1	–	1	3	–	1	
	(a) Acute endocarditis — Endocardite aiguë.	M.	14	–	–	–	–	–	1	2	1	3	
		F.	9	–	–	–	1	–	1	3	–	1	
	(b) Acute myocarditis—Myocardite aiguë.	M.	9	–	–	–	–	–	–	–	–	–	
		F.	3	–	–	–	–	–	–	–	–	–	
89	Angina pectoris—Angine de poitrine	M.	29	–	–	–	–	–	–	–	–	–	
		F.	7	–	–	–	–	–	–	–	–	–	
90	Other diseases of the heart—Autres affections du cœur.	M.	270	–	–	–	–	–	3	6	5	3	
		F.	205	–	–	–	1	–	1	4	6	2	
	(a) Valvular disease—Affection valvulaire.	M.	58	–	–	–	–	–	2	2	1	3	
		F.	40	–	–	–	1	–	1	1	1	1	
	(b) Fatty degeneration of the heart—Dégénérescence ou stéanose du cœur	M.	2	–	–	–	–	–	–	–	–	–	
		F.	5	–	–	–	–	–	–	–	–	–	

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

ALBERTA—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	71
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	71a
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	71b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	72
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	1	2	1	3	1	1	1	–	–	–	–	–	–	–	73
–	–	–	–	–	1	1	–	–	1	2	–	–	–	–	–	–	74
1	–	1	–	2	6	6	7	8	9	10	4	3	–	–	–	–	74a
–	1	–	1	4	7	4	2	10	12	9	9	3	1	–	–	–	74b
–	–	1	–	1	–	1	5	5	4	6	2	2	–	–	–	–	74c
1	–	–	–	1	4	2	1	5	5	6	5	3	1	–	–	–	75
–	1	–	–	3	3	1	–	5	7	3	4	–	–	–	–	–	75a
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	75b
–	–	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–	76
–	–	–	–	–	1	1	2	1	2	2	1	–	–	–	–	–	77
1	1	–	–	1	–	–	1	2	1	–	–	–	–	–	–	–	78
–	–	–	2	1	–	–	–	1	2	2	–	–	–	–	–	–	80
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	82
3	–	–	3	–	1	–	–	–	–	1	–	–	–	–	–	–	83
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	84
–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	85
–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	86
1	1	–	2	2	3	3	4	6	2	1	2	–	–	–	–	–	86a
1	–	2	1	–	2	1	–	3	3	2	1	–	–	–	–	–	86b
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	
–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	
6	**19**	**22**	**30**	**44**	**55**	**75**	**88**	**106**	**133**	**109**	**65**	**21**	**10**	–	–	**1**	
3	**7**	**12**	**18**	**34**	**34**	**47**	**60**	**63**	**87**	**58**	**34**	**13**	**5**	–	–	**1**	
3	**12**	**10**	**12**	**10**	**21**	**28**	**28**	**43**	**46**	**51**	**31**	**8**	**5**	–	–	–	
3	**7**	**9**	**12**	**22**	**26**	**28**	**33**	**39**	**48**	**40**	**21**	**7**	**3**	–	–	**1**	**87-90**
3	**12**	**10**	**10**	**9**	**14**	**18**	**18**	**30**	**25**	**27**	**17**	**8**	**4**	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	87
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	2	3	2	1	1	1	2	–	1	3	–	–	–	–	–	–	88
2	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	–	2	–	–	–	2	–	–	1	–	–	–	–	–	–	88a
–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	3	–	1	1	1	–	–	1	2	–	–	–	–	–	–	88b
2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	1	2	9	2	–	5	1	3	3	–	1	–	–	1	89
–	–	1	–	1	–	1	–	2	1	1	–	–	–	–	–	–	
3	5	5	9	18	16	25	31	34	46	34	18	7	2	–	–	–	90
1	11	9	8	7	14	17	18	28	24	25	17	8	4	–	–	–	
1	3	–	4	2	3	4	9	9	8	2	2	3	–	–	–	–	90a
–	4	5	3	–	2	1	3	3	6	5	1	1	1	–	–	–	90b
–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	
–	1	1	–	–	1	–	–	1	–	1	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

ALBERTA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages									
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS IV-con.—CLASSE IV-fin											
90	(c) Aortic insufficiency — Insuffisance aortique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Chronic endocarditis — Endocardite chronique.	M.	41	–	–	–	–	–	1	2	2	–
		F.	35	–	–	–	–	–	–	3	2	–
	(e) Chronic myocarditis — Myocardite chronique.	M.	133	–	–	–	–	–	–	1	2	–
		F.	99	–	–	–	–	–	–	–	2	–
	(f) Others under this title—Autres sous ce titre.	M.	36	–	–	–	–	–	–	1	–	–
		F.	26	–	–	–	–	–	–	–	1	1
91	Diseases of the arteries—Affections des artères.	M.	160	–	–	–	–	–	–	–	–	–
		F.	97	–	–	–	–	–	–	–	–	–
	(a) Aneurysm—Anévrisme	M.	5	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(b) Arteriosclerosis—Artério-sclérose	M.	153	–	–	–	–	–	–	–	–	–
		F.	95	–	–	–	–	–	–	–	–	–
	(c) Other diseases of the arteries—Autres affections des artères.	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
92	Embolism and thrombosis (not cerebral)—Embolie et thrombose (non cérébrales).	M.	14	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
93	Diseases of the veins (varices, haemorrhoids, phlebitis, etc.)—Affections des veines (varices, hémorroïdes, phlébite, etc.)	M.	2	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
94	Diseases of the lymphatic system (lymphangitis, etc.)—Affections du système lymphatique (lymphangite, etc.).	M.	–	–	–	–	–	–	–	–	–	–
		F.	3	2	–	–	–	–	–	1	–	–
95	Haemorrhage without specified cause—Hémorragie sans cause déterminée.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS V—DISEASES OF THE RESPIRATORY SYSTEM — CLASSE V—AFFECTIONS DE L'APPAREIL RESPIRATOIRE.	Total	556	170	41	17	5	2	19	6	14	12
		M.	321	94	22	13	3	–	11	2	6	5
		F.	235	76	19	4	2	2	8	4	8	7
97	Diseases of the nasal fossae and their annexa—Affections des fosses nasales et de leurs annexes.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
98	Diseases of the larynx—Affections du larynx.	M.	9	3	2	3	1	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(a) Laryngismus stridulus — Laryngite striduleuse.	M.	1	1	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(b) Laryngitis—Laryngite	M.	5	1	1	2	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Croup	M.	3	1	1	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Other diseases of the larynx—Autres affections du larynx.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite	M.	15	4	–	–	–	–	–	–	–	–
		F.	12	5	1	–	–	–	–	–	–	–
	(a) Acute—Aiguë	M.	11	4	–	–	–	–	–	–	–	–
		F.	10	5	1	–	–	–	–	–	–	–
	(b) Chronic—Chronique	M.	4	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(c) Not otherwise defined, under 5 years of age—Sans épithète, au-dessous de cinq ans.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Not otherwise defined, 5 years or over—Sans épithète, cinq ans ou au-dessus.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
100	Bronchopneumonia (including capillary bronchitis)—Broncho-pneumonie (y compris bronchite capillaire).	M.	93	44	10	4	2	–	4	1	–	1
		F.	80	38	13	1	2	1	4	1	2	1
	(a) Bronchopneumonia—Broncho-pneumonie.	M.	92	43	10	4	2	–	4	1	–	1
		F.	80	38	13	1	2	1	4	1	2	1
	(b) Capillary bronchitis—Bronchite capillaire.	M.	1	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
101	Pneumonia—Pneumonie	M.	177	41	10	5	–	–	7	1	6	4
		F.	121	31	4	3	–	1	3	3	5	3
	(a) Lobar—Lobaire	M.	133	12	8	4	–	–	5	1	5	4
		F.	76	8	1	1	–	–	2	2	4	3
	(b) Not otherwise defined—Sans épithète.	M.	44	29	2	1	–	–	2	–	1	–
		F.	45	23	3	2	–	1	1	1	1	–
102	Pleurisy—Pleurésie	M.	12	2	–	1	–	–	–	–	–	–
		F.	6	1	1	–	–	–	1	–	–	2

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

ALBERTA—suite

Âges																		
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	90c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	1	2	3	1	3	7	5	5	6	1	1	–	–	–	–	90d
1	4	1	1	3	2	2	4	5	1	3	2	1	–	–	–	–	
1	2	3	2	9	10	12	12	19	25	21	11	2	1	–	–	–	90e
–	1	1	3	3	6	11	9	16	15	14	12	3	3	–	–	–	
–	–	1	1	3	2	5	3	1	8	5	4	1	1	–	–	–	90f
–	1	1	1	1	3	3	2	3	2	2	2	3	–	–	–	–	
–	–	1	4	8	5	19	25	22	39	16	13	6	2	–	–	–	91
–	–	–	1	1	6	9	10	12	20	23	14	–	1	–	–	–	
–	–	–	–	–	–	2	–	2	1	–	–	–	–	–	–	–	91a
–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	
–	–	1	4	7	5	16	25	20	38	16	13	6	2	–	–	–	91b
–	–	–	1	1	6	9	10	12	19	23	13	–	1	–	–	–	
–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	91c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	2	2	2	2	–	2	2	–	2	–	–	–	–	–	–	92
–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	93
–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	94
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	95
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
8	**14**	**14**	**19**	**20**	**20**	**15**	**27**	**36**	**25**	**38**	**17**	**7**	**7**	**2**	–	**1**	
6	**8**	**5**	**14**	**9**	**11**	**11**	**19**	**24**	**17**	**20**	**10**	**5**	**4**	**2**	–	–	
2	**6**	**9**	**5**	**11**	**9**	**4**	**8**	**12**	**8**	**18**	**7**	**2**	**3**	–	–	**1**	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	97
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	1	–	1	–	–	2	1	1	3	1	–	–	99
–	–	–	–	–	–	2	–	1	–	1	1	–	1	–	–	–	
–	–	–	–	–	1	–	–	–	–	2	–	1	2	1	–	–	99a
–	–	–	–	–	–	1	–	1	–	1	–	–	1	–	–	–	
–	–	–	–	1	–	–	1	–	–	–	1	–	1	–	–	–	99b
–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	99c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	99d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	4	1	1	2	1	3	6	4	4	–	–	–	–	–	100
1	2	1	2	1	1	–	–	1	1	3	1	1	2	–	–	–	
–	1	–	4	1	1	2	1	3	6	4	4	–	–	–	–	–	100a
1	2	1	2	1	1	–	–	1	1	3	1	1	2	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	100b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
5	6	4	8	6	8	7	15	16	10	11	3	4	–	–	–	–	101
–	3	6	3	9	8	2	7	9	7	10	2	1	–	–	–	1	
4	6	4	7	6	8	7	14	15	8	11	2	2	–	–	–	–	101a
–	2	6	1	9	6	2	6	8	4	9	1	–	–	–	–	1	
1	–	–	1	–	–	–	1	1	2	–	1	2	–	–	–	–	101b
–	1	–	2	–	2	–	1	1	3	1	1	1	–	–	–	–	
–	–	1	1	1	1	–	2	2	–	–	1	–	–	–	–	–	102
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

ALBERTA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages									
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS V-con.—**CLASSE V**-fin											
103	Congestion and haemorrhagic infarct of the lung—Congestion et hémorragie parenchymateuse des poumons.	M.	2	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
105	Asthma—Asthme	M.	8	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
106	Pulmonary emphysema—Emphysème pulmonaire.	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
107	Other diseases of the respiratory system (tuberculosis excepted)—Autres affections de l'appareil respiratoire (tuberculose exceptée).	M.	2	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	1	1
	(a) Chronic interstitial pneumonia including occupational diseases of the lungs—Pneumonie interstitielle chronique comprenant les affections professionnelles de l'appareil pulmonaire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Diseases of the mediastinum—Affections du médiastin.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	2	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	1	1
	CLASS VI—DISEASES OF THE DIGESTIVE SYSTEM—CLASSE VI—AFFECTIONS DE L'APPAREIL DIGESTIF.	Total	544	129	34	17	9	9	43	25	15	15
		M.	325	86	19	9	7	3	24	8	10	9
		F.	219	43	15	8	2	6	19	17	5	6
108	Diseases of the mouth and annexa—Affections de la bouche et de ses annexes.	M.	4	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
109	Diseases of the pharynx and tonsils (including adenoid vegetations)—Affections du pharynx et des amygdales (y compris les végétations adénoïdiennes).	M.	15	4	1	–	1	1	3	–	–	1
		F.	16	–	2	2	–	2	1	4	–	–
	(a) Adenoid vegetations—Végétations adénoïdiennes.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Pharynx and tonsils—Pharynx et amygdales.	M.	15	4	1	–	1	1	3	–	–	1
		F.	16	–	2	2	–	2	1	4	–	–
110	Diseases of the oesophagus—Affections de l'œsophage	M.	3	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
111	Ulcer of the stomach and duodenum—Ulcère de l'estomac et du duodénum.	M.	43	–	–	–	–	–	–	–	–	–
		F.	11	1	–	–	–	–	–	–	–	–
	(a) Ulcer of the stomach—Ulcère de l'estomac.	M.	22	–	–	–	–	–	–	–	–	–
		F.	8	1	–	–	–	–	–	–	–	–
	(b) Ulcer of the duodenum—Ulcère du duodénum.	M.	21	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
112	Other diseases of the stomach (cancer excepted)—Autres affections de l'estomac (cancer excepté).	M.	10	3	–	–	–	–	–	–	–	–
		F.	5	3	–	–	–	–	–	1	–	–
113	Diarrhoea and enteritis (under 2 years of age)—Diarrhée et entérite (au-dessous de 2 ans).	M.	75	63	12	–	–	–	–	–	–	–
		F.	49	36	13	–	–	–	–	–	–	–
114	Diarrhoea and enteritis (2 years and over)—Diarrhée et entérite (deux ans ou au-dessus).	M.	24	–	–	9	3	1	4	–	1	–
		F.	17	–	–	4	1	1	4	–	–	–
117	Appendicitis and typhlitis—Appendicite et typhlite.	M.	77	–	2	–	3	1	13	5	9	8
		F.	49	–	–	2	1	3	11	9	5	2
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale.	M.	42	15	2	–	–	–	3	1	–	–
		F.	20	2	–	–	–	–	1	2	–	3
	(a) Hernia—Hernie	M.	10	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
	(b) Intestinal obstruction—Obstruction intestinale.	M.	32	15	2	–	–	–	3	1	–	–
		F.	16	2	–	–	–	–	1	2	–	3
119	Other diseases of the intestines—Autres affections des intestins.	M.	3	–	1	–	–	–	1	1	–	–
		F.	3	–	–	–	–	–	–	1	–	–
120	Acute yellow atrophy of the liver—Atrophie jaune aiguë du foie.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
122	Cirrhosis of the liver—Cirrhose du foie	M.	10	–	1	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
	(a) Specified as alcoholic—Spécifiée comme alcoolique.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Not specified as alcoholic—Non spécifiée comme alcoolique.	M.	9	–	1	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
123	Biliary calculi—Calculs biliaires	M.	2	–	–	–	–	–	–	–	–	–
		F.	10	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

ALBERTA—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	103
–	–	1	–	–	–	–	–	–	–	2	1	–	–	–	–	–	
–	1	–	–	–	–	1	–	2	1	2	1	–	–	–	–	–	105
–	1	–	–	–	–	–	1	–	–	2	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	106
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	107
1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107a
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	107c
1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
17	**18**	**24**	**27**	**27**	**23**	**24**	**29**	**18**	**11**	**14**	**7**	**8**	**1**	–	–	–	
8	**10**	**16**	**18**	**16**	**16**	**12**	**19**	**10**	**9**	**11**	**4**	**1**	–	–	–	–	
9	**8**	**8**	**9**	**11**	**7**	**12**	**10**	**8**	**2**	**3**	**3**	**7**	**1**	–	–	–	
1	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	108
1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	
1	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	109
2	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	109a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	109b
2	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	110
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
2	4	6	4	7	5	3	6	4	1	1	–	–	–	–	–	–	111
1	–	2	–	2	1	2	–	2	–	–	–	–	–	–	–	–	
2	2	3	3	2	–	2	4	3	1	–	–	–	–	–	–	–	111a
1	–	1	–	1	1	2	–	1	–	–	–	–	–	–	–	–	
–	2	3	1	5	5	1	2	1	–	1	–	–	–	–	–	–	111b
–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	1	1	1	2	–	1	–	–	–	–	–	112
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	113
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	2	1	–	–	–	–	–	2	1	–	–	–	–	–	114
–	1	–	–	1	–	–	–	–	–	3	1	1	–	–	–	–	
4	2	6	6	4	7	2	4	1	–	–	–	–	–	–	–	–	117
2	3	1	2	1	3	1	2	1	–	–	–	–	–	–	–	–	
–	3	1	1	1	2	3	2	–	2	5	1	–	–	–	–	–	118
1	–	–	1	2	–	1	3	2	–	–	–	2	–	–	–	–	
–	2	–	–	–	1	–	1	–	1	4	1	–	–	–	–	–	118a
–	–	–	1	1	–	1	–	–	–	–	–	1	–	–	–	–	
–	1	1	1	1	1	3	1	–	1	1	–	–	–	–	–	–	118b
1	–	–	–	1	–	–	3	2	–	–	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	119
–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	120
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	1	1	2	2	1	–	1	–	–	–	–	–	–	122
–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	122a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	1	1	1	2	1	–	1	–	–	–	–	–	–	122b
–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	123
–	1	1	–	2	–	3	–	1	1	–	1	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

ALBERTA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VI-con.—**CLASSE VI**-fin											
124	Other diseases of the liver—Autres affections du foie.	M.	10	–	–	–	–	–	–	1	–	–
		F.	23	–	–	–	–	–	–	–	–	1
125	Diseases of the pancreas—Affections du pancréas.	M.	3	–	–	–	–	–	–	–	–	–
		F.	3	1	–	–	–	–	–	–	–	–
126	Peritonitis without specified cause—Péritonite sans cause indiquée.	M.	4	1	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	2	–	–	–
	CLASS VII—NON-VENEREAL DISEASES OF THE GENITO-URINARY SYSTEM AND ANNEXA—CLASSE VII—AFFECTIONS NON VÉNÉRIENNES DE L'APPAREIL GÉNITO-URINAIRE ET DE SES ANNEXES.	**Total**	**307**	**3**	**–**	**–**	**–**	**–**	**–**	**5**	**5**	**9**
		M.	**188**	**2**	**–**	**–**	**–**	**–**	**–**	**3**	**1**	**3**
		F.	**119**	**1**	**–**	**–**	**–**	**–**	**–**	**2**	**4**	**6**
128	Acute nephritis (including unspecified, under 10 years of age)—Néphrite aiguë (y compris non spécifiée, au-dessous de dix ans).	M.	14	2	–	–	–	–	–	2	–	1
		F.	4	1	–	–	–	–	–	1	–	–
129	Chronic nephritis (including unspecified, 10 years of age or over)—Néphrite chronique (y compris non spécifiée, dix ans ou au-dessus).	M.	125	–	–	–	–	–	–	1	–	2
		F.	86	–	–	–	–	–	–	1	3	3
131	Other diseases of the kidneys and annexa—Autres affections des reins et de leurs annexes.	M.	3	–	–	–	–	–	–	–	1	–
		F.	4	–	–	–	–	–	–	–	–	–
132	Calculi of the urinary passages—Calculs des voies urinaires.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
133	Diseases of the bladder—Affections de la vessie.	M.	4	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
134	Diseases of the urethra, urinary abscess, etc.—Affections de l'urètre, abcès uri-neux, etc.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Stricture of the urethra—Rétrécissement de l'urètre.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other diseases of the urethra—Autres affections de l'urètre.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
135	Diseases of the prostate—Affections de la prostate.	M.	39	–	–	–	–	–	–	–	–	–
136	Non-venereal diseases of the male genital organs—Affections non vénériennes des organes génitaux de l'homme.	M.	1	–	–	–	–	–	–	–	–	–
137	Cysts and other benign tumours of the ovary—Kystes et autres tumeurs bénignes de l'ovaire.	F.	1	–	–	–	–	–	–	–	–	–
138	Salpingitis and pelvic abscess—Salpingite et abcès du bassin.	F.	9	–	–	–	–	–	–	–	–	1
139	Benign tumours of the uterus—Tumeurs bénignes de l'utérus.	F.	3	–	–	–	–	–	–	–	–	–
141	Other diseases of the female genital organs—Autres affections des organes génitaux de la femme.	F.	9	–	–	–	–	–	–	–	1	1
142	Non-puerperal diseases of the breast (cancer excepted)—Affections non puerpérales du sein (cancer excepté).	F.	1	–	–	–	–	–	–	–	–	1
	CLASS VIII—THE PUERPERAL STATE—CLASSE VIII—ÉTAT PUERPÉRAL.	**Total**	**106**	–	–	–	–	–	–	–	4	23
143	Accidents of pregnancy—Accidents de la grossesse.	F.	8	–	–	–	–	–	–	–	–	2
	(a) Abortion—Avortement	F.	–	–	–	–	–	–	–	–	–	–
	(b) Ectopic gestation—Gestation ectopique.	F.	6	–	–	–	–	–	–	–	–	1
	(c) Others under this title—Autres sous ce titre.	F.	1	–	–	–	–	–	–	–	–	1
	(d) Abortion, self-induced—Avortement provoqué par soi-même.	F.	1	–	–	–	–	–	–	–	–	–
144	Puerperal haemorrhage—Hémorragie puerpérale.	F.	14	–	–	–	–	–	–	–	–	2
145	Other accidents of labour—Autres accidents de l'accouchement.	F.	10	–	–	–	–	–	–	–	–	2
	(a) Caesarean section—Opération césarienne.	F.	5	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

ALBERTA—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
-	1	2	-	-	-	-	1	1	3	1	-	-	-	-	-	-	124
1	3	2	1	1	2	2	3	1	1	-	1	3	1	-	-	-	
-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	125
-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	126
-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	
11	**5**	**9**	**13**	**22**	**27**	**20**	**19**	**32**	**48**	**40**	**28**	**8**	**3**	-	-	-	
4	**3**	**2**	**7**	**7**	**17**	**13**	**15**	**22**	**32**	**30**	**20**	**4**	**3**	-	-	-	
7	**2**	**7**	**6**	**15**	**10**	**7**	**4**	**10**	**16**	**10**	8	**4**	-	-	-	-	
2	-	-	1	2	-	2	1	-	-	1	-	-	-	-	-	-	128
-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	
1	1	1	6	5	15	9	13	13	19	23	11	4	1	-	-	-	129
1	1	2	2	12	7	6	4	10	14	10	8	2	-	-	-	-	
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	131
-	1	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	132
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	133
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	134
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	134a
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	134b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	1	-	-	2	2	1	7	11	6	7	-	2	-	-	-	135
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	136
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	137
3	-	2	-	1	2	-	-	-	-	-	-	-	-	-	-	-	138
-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	139
3	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	141
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	142
15	**20**	**33**	**11**	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	143
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	143a
1	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	143b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	143c
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	143d
4	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	144
2	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	145
-	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	145a

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

ALBERTA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VIII-con.—**CLASSE VIII**-fin											
145	(b) Difficult labour—Accouchement laborieux.	F.	1	–	–	–	–	–	–	–	–	–
	(c) Other surgical operations and instrumental delivery—Autres opérations chirurgicales et application d'instruments.	F.	3	–	–	–	–	–	–	–	–	1
	(d) Uncontrollable vomiting—Vomissements incontrôlables.	F.	1	–	–	–	–	–	–	–	–	1
	(e) Rupture of uterus in labour, etc.— Rupture de l'utérus durant l'accouchement, etc.	F.	–	–	–	–	–	–	–	–	–	–
146	Puerperal septicaemia—Septicémie puerpérale.	F.	42	–	–	–	–	–	–	–	2	10
147	Puerperal phlegmasia alba dolens, puerperal embolism, sudden death in puerperium—Phlegmasia alba dolens, embolie, mort subite puerpérales.	F.	6	–	–	–	–	–	–	–	1	–
148	Puerperal albuminuria and convulsions— Albuminurie et éclampsie puerpérales.	F.	19	–	–	–	–	–	–	–	1	6
149	Following childbirth (not otherwise defined)—Suites de couches (sans autres explications).	F.	7	–	–	–	–	–	–	–	–	1
	CLASS IX—DISEASES OF THE SKIN AND OF THE CELLULAR TISSUE—CLASSE IX—AFFECTIONS DE LA PEAU ET DU TISSU CELLULAIRE.	Total	28	6	1	–	–	–	1	–	–	1
		M.	16	4	–	–	–	–	–	–	–	1
		F.	12	2	1	–	–	–	1	–	–	–
151	Gangrene—Gangrène	M.	6	–	–	–	–	–	–	–	–	–
		F.	6	–	–	–	–	–	–	–	–	–
152	Furuncle—Furoncle	M.	5	1	–	–	–	–	–	–	–	1
		F.	1	–	–	–	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	M.	3	1	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	1	–	–	–
154	Other diseases of the skin and annexa—Autres affections de la peau et de ses annexes.	M.	2	2	–	–	–	–	–	–	–	–
		F.	3	2	1	–	–	–	–	–	–	–
	CLASS X—DISEASES OF THE BONES AND OF THE ORGANS OF LOCOMOTION—CLASSE X—AFFECTIONS DES OS ET DES ORGANES DE LA LOCOMOTION.	Total	10	1	1	–	1	–	2	1	1	–
		M.	6	1	–	–	–	–	1	–	1	–
		F.	4	–	1	–	1	–	1	1	–	–
155	Diseases of the bones (mastoid and tuberculosis excepted)—Affections des os (sinus mastoïdien et tuberculose exceptés).	M.	6	1	–	–	–	–	1	–	1	–
		F.	4	–	1	–	1	–	1	1	–	–
	CLASS XI—MALFORMATIONS — CLASSE XI—VICES DE CONFORMATION.	Total	98	88	1	2	2	2	1	1	–	–
		M.	61	55	1	1	1	–	1	1	–	–
		F.	37	33	–	1	1	2	–	–	–	–
159	Congenital malformations (stillbirths not included)—Vices de conformation congénitaux (mort-nés non compris).	M.	61	55	1	1	1	–	1	1	–	–
		F.	37	33	–	1	1	2	–	–	–	–
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale.	M.	5	5	–	–	–	–	–	–	–	–
		F.	4	3	–	1	–	–	–	–	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur.	M.	31	28	–	1	–	–	1	1	–	–
		F.	17	16	–	–	–	1	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	25	22	1	–	1	–	–	–	–	–
		F.	16	14	–	–	1	1	–	–	–	–
	CLASS XII—DISEASES OF EARLY INFANCY—CLASSE XII—AFFECTIONS DU PREMIER ÂGE.	Total	573	573	–	–	–	–	–	–	–	–
		M.	329	329	–	–	–	–	–	–	–	–
		F.	244	244	–	–	–	–	–	–	–	–
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème.	M.	50	50	–	–	–	–	–	–	–	–
		F.	30	30	–	–	–	–	–	–	–	–
161	Premature birth, injury at birth—Naissance prématurée, conséquence de l'accouchement.	M.	222	222	–	–	–	–	–	–	–	–
		F.	176	176	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

ALBERTA—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145b
1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	145c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145e
6	6	14	4	–	–	–	–	–	–	–	–	–	–	–	–	–	146
–	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	147
1	6	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	148
1	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	149
1	2	–	2	1	–	2	1	2	2	2	2	2	–	–	–	–	
1	1	–	1	–	–	1	–	2	1	2	1	1	–	–	–	–	
–	1	–	1	1	–	1	1	–	1	–	1	1	–	–	–	–	
–	–	–	–	–	–	1	–	–	1	2	1	1	–	–	–	–	151
–	1	–	1	1	–	1	–	–	–	–	1	1	–	–	–	–	
1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	152
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	153
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	154
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	155
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	159
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	159c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	160
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

ALBERTA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XII-con.—**CLASSE XII**-fin											
161	(a) Premature birth—Naissance prématurée.	M.	193	193	–	–	–	–	–	–	–	–
		F.	159	159	–	–	–	–	–	–	–	–
	(b) Injury at birth—Conséquence de l'accouchement.	M.	29	29	–	–	–	–	–	–	–	–
		F.	17	17	–	–	–	–	–	–	–	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge.	M.	56	56	–	–	–	–	–	–	–	–
		F.	38	38	–	–	–	–	–	–	–	–
	(a) Specified diseases—Affections spécifiées.	M.	32	32	–	–	–	–	–	–	–	–
		F.	23	23	–	–	–	–	–	–	–	–
	(b) Unspecified causes under 3 months—Causes non spécifiées au-dessous de 3 mois.	M.	24	24	–	–	–	–	–	–	–	–
		F.	15	15	–	–	–	–	–	–	–	–
163	Lack of care—Défaut de soins	M.	1	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS XIII—OLD AGE—CLASSE XIII—VIEILLESSE.	Total	65	–	–	–	–	–	–	–	–	–
		M.	31	–	–	–	–	–	–	–	–	–
		F.	34	–	–	–	–	–	–	–	–	–
164	Senility—Sénilité	M.	31	–	–	–	–	–	–	–	–	–
		F.	34	–	–	–	–	–	–	–	–	–
	CLASS XIV—EXTERNAL CAUSES—CLASSE XIV—CAUSES EXTÉRIEURES.	Total	548	16	12	16	10	8	32	28	30	46
		M.	444	9	8	10	3	5	21	22	27	39
		F.	104	7	4	6	7	3	11	6	3	7
165-174	**Suicides**	M.	77	–	–	–	–	–	–	–	2	4
		F.	11	–	–	–	–	–	–	1	1	–
165	Suicide by solid or liquid poisons (corrosive substances excepted)—Suicide par ingestion de poisons solides ou liquides (substances corrosives exceptées).	M.	10	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	1	–	–
166	Suicide by corrosive substances—Absorption volontaire de substances corrosives.	M.	2	–	–	–	–	–	–	–	–	1
		F.	3	–	–	–	–	–	–	–	1	–
168	Suicide by hanging or strangulation—Suicide par pendaison ou strangulation.	M.	14	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
169	Suicide by drowning—Suicide par submersion.	M.	8	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
170	Suicide by firearms—Suicide par armes à feu.	M.	37	–	–	–	–	–	–	–	1	2
		F.	1	–	–	–	–	–	–	–	–	–
171	Suicide by cutting or piercing instruments—Suicide par instruments tranchants ou piquants.	M.	6	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
175	Poisoning by food—Empoisonnement par aliments.	M.	1	1	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
177	Other acute accidental poisonings (gas excepted)—Autres empoisonnements accidentels aigus (par gaz exceptés).	M.	10	1	–	4	–	–	–	–	–	–
		F.	4	–	1	1	1	–	–	–	–	–
178	Conflagration—Incendie	M.	16	–	1	1	1	–	3	3	–	–
		F.	8	–	1	–	2	–	–	1	–	1
179	Accidental burns and scalds (conflagration excepted)—Brûlures accidentelles (autres que par l'incendie).	M.	14	2	2	3	–	–	3	1	–	1
		F.	15	1	1	4	1	1	1	1	–	1
180	Accidental mechanical suffocation—Suffocation mécanique accidentelle.	M.	3	3	–	–	–	–	–	–	–	–
		F.	3	2	–	–	–	–	–	–	–	–
	(a) Overlaying—Étouffé pendant le sommeil.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	2	–	–	–	–	–	–	–	–
	(b) Asphyxia—Asphyxie	M.	3	3	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
181	Accidental absorption of irrespirable or poisonous gas—Absorption accidentelle de gaz irrespirables ou toxiques.	M.	4	–	–	–	–	–	1	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–
182	Accidental drowning—Submersion accidentelle.	M.	52	1	3	1	–	1	3	4	13	11
		F.	4	–	–	–	1	–	1	–	1	–
183	Accidental traumatism by firearms—Traumatismes accidentels par armes à feu.	M.	18	–	–	–	–	–	3	4	2	1
		F.	4	–	–	1	–	–	2	–	–	–
185	Accidental traumatism by fall—Traumatismes accidentels par chute	M.	29	1	–	–	–	–	1	3	–	2
		F.	14	1	–	–	–	–	–	–	–	–
186	Accidental traumatism in mines and quarries—Traumatismes accidentels par mines et carrières.	M.	26	–	–	–	–	–	–	–	–	3
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

ALBERTA—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	163
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	**1**	**1**	**2**	**14**	**9**	**17**	**15**	**4**	**2**	–	–	
–	–	–	–	–	–	**1**	–	**1**	8	**4**	**7**	**6**	**2**	**2**	–	–	
–	–	–	–	–	–	–	**1**	**1**	**6**	**5**	**10**	**9**	**2**	–	–	–	
–	–	–	–	–	–	1	–	1	8	4	7	6	2	2	–	–	164
–	–	–	–	–	–	–	1	1	6	5	10	9	2	–	–	–	
49	**38**	**45**	**41**	**43**	**32**	**31**	**21**	**14**	**18**	**9**	**5**	**3**	–	–	–	**1**	
44	**32**	**43**	**37**	**38**	**30**	**25**	**19**	**9**	**12**	**4**	**4**	**2**	–	–	–	**1**	
5	**6**	**2**	**4**	**5**	**2**	**6**	**2**	**5**	**6**	**5**	**1**	**1**	–	–	–	–	
9	**3**	**14**	**11**	**7**	**5**	**9**	**5**	**2**	**3**	**1**	**1**	**1**	–	–	–	–	**165–174**
1	**1**	**1**	**2**	–	**1**	**2**	–	–	**1**	–	–	–	–	–	–	–	
–	–	2	3	1	1	1	–	2	–	–	–	–	–	–	–	–	165
–	1	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	166
–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	1	4	1	1	1	1	1	–	1	–	–	1	–	–	–	–	168
–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	2	2	–	–	2	–	–	–	–	1	–	–	–	–	–	169
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
6	2	5	5	3	3	4	3	–	2	1	–	–	–	–	–	–	170
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–	171
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	175
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	1	2	1	–	–	–	–	–	–	–	–	–	–	177
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
2	–	3	–	1	–	–	–	–	–	1	–	–	–	–	–	–	178
–	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	179
1	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180b
1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	181
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
5	4	1	1	–	2	–	1	–	–	–	–	–	–	–	–	1	182
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	–	–	1	2	2	1	–	–	–	–	–	–	–	–	–	183
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
3	3	3	1	3	1	2	1	2	2	–	–	1	–	–	–	–	185
1	–	–	–	1	–	3	–	3	1	4	–	–	–	–	–	–	
2	4	4	3	3	3	3	1	–	–	–	–	–	–	–	–	–	186
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

ALBERTA—concluded

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XIV-con.—CLASSE XIV-fin											
186	(a) Coal mines—Mines de charbon.....	M.	26	–	–	–	–	–	–	–	–	3
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other mines—Autres mines.....	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Quarries—Carrières.....	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
187	Accidental traumatism by machines— Traumatismes accidentels par machines.	M.	20	–	–	–	–	1	–	3	2	4
		F.	–	–	–	–	–	–	–	–	–	–
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.)— Traumatismes accidentels par autres écrasements (voitures, railways, éboulements, etc.).	M.	124	–	2	–	1	2	5	2	6	10
		F.	25	3	–	–	2	1	4	2	1	2
	(a) Railroad accidents—Accidents par chemins de fer.	M.	35	–	1	–	–	–	–	–	1	4
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Street car accidents—Accidents par tramways.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Automobile accidents—Accidents par automobiles.	M.	56	–	1	–	–	1	3	2	2	4
		F.	19	1	–	–	1	–	3	2	1	1
	(d) Aeroplane and balloon accidents— Accidents par aéroplanes et ballons.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Injuries by other vehicles—Blessures par autres voitures.	M.	25	–	–	–	1	–	2	–	3	1
		F.	6	2	–	–	1	1	1	–	–	1
	(f) Other crushing—Autres écrasements.	M.	7	–	–	–	–	1	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
189	Injuries by animals (poisoning excepted)— Violences exercées par des animaux (empoisonnements exceptés).	M.	12	–	–	1	1	1	1	–	–	1
		F.	1	–	–	–	–	–	–	1	–	–
192	Starvation (deprivation of food or water)— Faim ou soif.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
193	Excessive cold—Froid excessif.....	M.	8	–	–	–	–	–	–	1	1	–
		F.	1	–	–	–	–	–	–	–	–	–
194	Excessive heat—Chaleur excessive.....	M.	2	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
195	Lightning—Foudre.....	M.	3	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1
196	Other accidental electric shocks—Autres électrocutions accidentelles.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
197-199	**Homicides**.....	**M.**	**11**	–	–	–	–	–	–	–	–	**1**
		F.	**7**	–	–	–	–	–	–	–	–	**2**
197	Homicide by firearms—Homicide par armes à feu.	M.	7	–	–	–	–	–	–	–	–	1
		F.	5	–	–	–	–	–	–	–	–	2
198	Homicide by cutting or piercing instruments—Homicide par instruments tranchants ou piquants.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
199	Homicide by other means—Homicide par autres moyens.	M.	4	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
202	Other external violence (cause specified)— Autres violences extérieures (cause spécifiée).	M.	12	–	–	–	–	–	1	1	1	–
		F.	4	–	1	–	–	–	3	–	–	–
	CLASS XV—ILL-DEFINED DISEASES—CLASSE XV—MALADIES MAL DÉFINIES.	**Total**	**37**	**3**	**3**	**–**	**–**	**1**	**2**	**–**	**–**	**1**
		M.	**25**	**1**	**–**	**–**	**–**	**1**	**–**	**–**	**–**	**1**
		F.	**12**	**2**	**3**	**–**	**–**	**–**	**2**	**–**	**–**	**–**
205	Cause of death not specified or ill-defined— Cause de décès non spécifiée ou mal définie.	M.	25	1	–	–	–	1	–	–	–	1
		F.	12	2	3	–	–	–	2	–	–	–
	(a) Ill-defined—Mal définie.....	M.	8	–	–	–	–	1	–	–	–	–
		F.	6	1	3	–	–	–	–	–	–	–
	(b) Not specified or unknown—Non spécifiée ou inconnue.	M.	4	1	–	–	–	–	–	–	–	1
		F.	3	1	–	–	–	–	2	–	–	–
	(c) Heart failure—Paralysie du cœur...	M.	13	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
	(d) Syncope.....	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

ALBERTA—fin

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
2	4	4	3	3	3	3	1	–	–	–	–	–	–	–	–	186a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	186b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	186c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	1	1	–	3	1	1	–	–	–	–	–	–	–	–	–	–	187
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
11	13	12	15	15	7	6	9	2	2	2	2	–	–	–	–	–	188
1	2	1	–	1	1	–	2	1	1	–	–	–	–	–	–	–	
6	3	5	4	4	2	1	3	–	–	1	–	–	–	–	–	–	188a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	188b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
5	5	5	8	6	2	2	6	1	1	1	1	–	–	–	–	–	188c
1	2	1	–	1	1	–	2	1	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	188d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	1	3	5	2	3	–	1	–	–	1	–	–	–	–	–	188e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	3	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	188f
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	–	1	1	2	–	–	–	1	–	–	–	–	–	–	–	189
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	192
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	1	–	–	–	1	1	2	–	–	–	–	–	–	–	193
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	194
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	195
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	196
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	1	3	–	1	–	1	–	–	1	–	–	–	–	–	–	–	197–
–	1	–	1	1	–	1	–	–	1	–	–	–	–	–	–	–	199
3	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	197
–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	198
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	199
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
1	–	1	1	2	2	–	–	2	–	–	–	–	–	–	–	–	202
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	2	1	1	1	6	2	4	5	2	–	1	–	–	–	–	–	
2	2	1	1	1	5	1	3	4	1	–	1	–	–	–	–	–	
–	–	–	–	–	1	1	1	1	1	–	–	–	–	–	–	–	
2	2	1	1	1	5	1	3	4	1	–	1	–	–	–	–	–	205
–	–	–	–	–	1	1	1	1	1	–	–	–	–	–	–	–	
1	–	1	–	1	1	1	–	1	1	–	–	–	–	–	–	–	205a
–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	205b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	–	1	–	4	–	2	3	–	–	1	–	–	–	–	–	205c
–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	205d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

BRITISH COLUMBIA

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	DEATHS—ALL CAUSES—DÉCÈS —TOUTES CAUSES.	**Total**	**5,910**	**524**	**83**	**70**	**40**	**39**	**169**	**141**	**152**	**158**
		M.	**3,663**	**285**	**43**	**46**	**22**	**19**	**93**	**71**	**90**	**99**
		F.	**2,247**	**239**	**40**	**24**	**18**	**20**	**76**	**70**	**62**	**59**
	CLASS I—EPIDEMIC, ENDEMIC AND INFECTIOUS DISEASES —CLASSE I—AFFECTIONS ÉPIDÉMIQUES, ENDÉMIQUES ET INFECTIEUSES.	**Total**	**978**	**46**	**23**	**19**	**15**	**17**	**79**	**69**	**77**	**60**
		M.	**560**	**24**	**9**	**12**	**8**	**7**	**44**	**37**	**38**	**27**
		F.	**418**	**22**	**14**	**7**	**7**	**10**	**35**	**32**	**39**	**33**
1	Typhoid and paratyphoid fever—Fièvre typhoïde et paratyphoïde.	M.	6	–	–	–	–	–	–	–	–	–
		F.	4	–	1	–	–	–	–	–	–	–
	(a) Typhoid fever—Fièvre typhoïde.....	M.	6	–	–	–	–	–	–	–	–	–
		F.	4	–	1	–	–	–	–	–	–	–
	(b) Paratyphoid fever—Fièvre paratyphoïde.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
7	Measles—Rougeole.....	M.	4	1	–	–	–	1	–	2	–	–
		F.	3	–	1	–	1	1	–	–	–	–
8	Scarlet fever—Scarlatine.....	M.	2	–	–	–	–	1	–	–	–	–
		F.	3	–	–	–	1	–	1	–	–	1
9	Whooping-cough—Coqueluche.....	M.	7	4	1	–	1	1	–	–	–	–
		F.	6	3	2	–	–	–	1	–	–	–
10	Diphtheria—Diphtérie.....	M.	19	–	–	1	3	2	10	2	–	–
		F.	21	1	2	1	–	2	11	1	–	–
11	Influenza—Grippe.....	M.	78	6	1	1	–	–	5	3	3	1
		F.	68	6	1	2	–	3	4	5	4	–
	(a) Sole cause—Cause unique.....	M.	15	2	–	1	–	–	2	–	1	–
		F.	17	3	–	2	–	–	–	3	–	–
	(b) With phthisis—Avec phtisie.....	M.	3	–	–	–	–	–	–	1	1	–
		F.	6	–	1	–	–	–	2	–	1	–
	(c) With bronchitis—Avec bronchite...	M.	4	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(d) With pneumonia—Avec pneumonie..	M.	33	2	1	–	–	–	1	1	1	1
		F.	27	2	–	–	–	1	2	–	3	–
	(e) With other respiratory diseases—Avec autres affections de l'appareil respiratoire.	M.	4	–	–	–	–	–	1	1	–	–
		F.	1	–	–	–	–	1	–	–	–	–
	(f) With diseases and accidents of pregnancy and parturition—Avec affections et accidents de la grossesse.	F.	2	–	–	–	–	–	–	–	–	–
	(g) With other causes—Avec autres causes.	M.	19	2	–	–	–	–	1	–	–	–
		F.	14	1	–	–	–	1	–	2	–	–
13	Mumps—Oreillons.....	M.	1	1	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
16	Dysentery—Dysenterie.....	M.	3	–	–	–	1	–	2	–	–	–
		F.	6	–	–	2	–	3	–	–	–	–
20	Leprosy—Lèpre.....	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle.....	M.	10	1	–	–	–	–	1	–	1	–
		F.	3	–	–	–	–	–	–	–	–	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë.	M.	15	1	–	1	–	1	3	6	2	–
		F.	4	–	–	–	–	–	2	2	–	–
23	Lethargic encephalitis—Encéphalite léthargique.	M.	2	1	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique.	M.	15	2	2	1	–	–	2	1	2	2
		F.	6	–	2	1	–	–	1	–	1	–
25	Other epidemic and endemic diseases—Autres affections épidémiques et endémiques.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(a) Chicken-pox—Varicelle.....	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(b) German measles—Rubéole.....	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
30	Mycoses.....	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
31-37	**Tuberculosis—Tuberculose**.....	**M.**	**359**	**5**	**5**	**7**	**3**	**1**	**21**	**21**	**27**	**24**
		F.	**274**	**7**	**5**	**1**	**5**	**1**	**15**	**24**	**32**	**32**
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire.	M.	292	3	2	4	2	1	8	13	20	17
		F.	231	3	2	1	1	–	10	18	29	27
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central.	M.	23	2	3	2	1	–	6	4	3	1
		F.	19	3	3	–	1	1	3	4	1	3

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

COLOMBIE BRITANNIQUE

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
205	**197**	**251**	**319**	**434**	**399**	**406**	**494**	**488**	**490**	**382**	**270**	**128**	**51**	**4**	**4**	**12**	
122	**117**	**151**	**213**	**277**	**262**	**263**	**347**	**326**	**314**	**248**	**147**	**69**	**27**	**1**	**1**	**10**	
83	**80**	**100**	**106**	**157**	**137**	**143**	**147**	**162**	**176**	**134**	**123**	**59**	**24**	**3**	**3**	**2**	
81	**65**	**77**	**77**	**62**	**52**	**40**	**36**	**31**	**19**	**12**	**11**	**7**	**3**	–	–	–	
40	**36**	**43**	**52**	**41**	**34**	**23**	**29**	**22**	**11**	**8**	**6**	**6**	**3**	–	–	–	
41	**29**	**34**	**25**	**21**	**18**	**17**	**7**	**9**	**8**	**4**	**5**	**1**	–	–	–	–	
3	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	1
1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
3	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	1a
1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	
2	6	6	4	6	5	2	8	4	5	2	3	3	2	–	–	–	11
3	4	6	4	3	5	3	2	3	3	1	5	1	–	–	–	–	
–	2	2	–	–	1	–	2	–	–	–	1	1	–	–	–	–	11a
1	1	1	–	–	2	–	–	–	1	–	3	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	11b
1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	2	–	1	–	–	–	–	–	1	–	–	–	11c
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
2	3	4	2	3	2	1	1	2	3	–	2	1	–	–	–	–	11d
1	2	3	2	2	2	1	1	1	1	1	1	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	11e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	11f
–	1	–	2	3	–	1	3	2	2	–	–	1	1	–	–	–	11g
–	–	2	1	1	–	2	1	1	1	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	20
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	2	–	1	2	1	1	–	–	–	–	–	–	21
1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	22
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	23
–	–	1	–	1	–	–	1	2	–	–	–	–	–	–	–	–	
–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	24
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	30
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
32	**27**	**34**	**44**	**31**	**20**	**14**	**16**	**13**	**5**	**3**	**3**	**2**	**1**	–	–	–	**31-37**
35	**24**	**26**	**17**	**15**	**11**	**8**	**4**	**4**	**5**	**3**	–	–	–	–	–	–	
29	26	28	39	30	17	13	14	12	5	3	3	2	1	–	–	–	31
33	24	22	14	14	11	6	4	4	5	3	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	32
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

BRITISH COLUMBIA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS I-con.—**CLASSE I**-fin											
33	Tuberculosis of the intestines and peritoneum—Tuberculose des intestins et du péritoine.	M.	14	–	–	1	–	–	2	2	2	–
		F.	10	–	–	–	–	–	1	–	2	–
34	Tuberculosis of the vertebral column—Tuberculose de la colonne vertébrale.	M.	7	–	–	–	–	–	2	1	–	2
		F.	5	–	–	–	1	–	–	–	–	1
35	Tuberculosis of the joints—Tuberculose articulaire.	M.	4	–	–	–	–	–	1	–	–	2
		F.	1	–	–	–	–	–	–	1	–	–
36	Tuberculosis of other organs—Tuberculose d'autres organes.	M.	10	–	–	–	–	–	2	–	2	1
		F.	2	–	–	–	–	–	1	–	–	1
	(a) Skin and sub-cutaneous cellular tissue—De la peau et du tissu cellulaire sous-cutané.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Bones (vertebral column excepted)—Des os (excepté la colonne vertébrale).	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Lymphatic system (mesenteric and retroperitoneal glands excepted)—Du système lymphatique (excepté les ganglions mésentériques et les ganglions rétropéritonéaux).	M.	3	–	–	–	–	–	2	–	1	–
		F.	1	–	–	–	–	–	1	–	–	–
	(d) Genito-urinary system—Des organes génito-urinaires.	M.	7	–	–	–	–	–	–	–	1	1
		F.	1	–	–	–	–	–	–	–	–	1
	(e) Organs other than above—Autres organes que ceux déjà mentionnés.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
37	Disseminated tuberculosis—Tuberculose disséminée.	M.	9	–	–	–	–	–	–	1	–	1
		F.	6	1	–	–	2	–	–	1	–	–
	(a) Acute—Aiguë	M.	8	–	–	–	–	–	–	1	–	1
		F.	4	1	–	–	2	–	–	–	–	–
	(b) Chronic or unstated—Chronique ou non spécifiée.	M.	1	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
38	Syphilis	M.	21	2	–	1	–	–	–	1	–	–
		F.	8	3	–	–	–	–	–	–	1	–
41	Purulent infection, septicaemia—Infection purulente, septicémie.	M.	16	–	–	–	–	–	–	2	2	–
		F.	4	–	–	–	–	–	–	–	1	–
	CLASS II—GENERAL DISEASES NOT INCLUDED IN CLASS I—CLASSE II—MALADIES GÉNÉRALES NON MENTIONNÉES DANS LA CLASSE I.	Total	826	15	2	5	2	4	11	5	4	8
		M.	437	9	1	3	1	3	8	–	1	5
		F.	389	6	1	2	1	1	3	5	3	3
43-49	**Cancer**	M.	304	–	–	–	1	–	2	–	–	2
		F.	272	–	1	–	–	–	–	–	1	–
43	Cancer of the buccal cavity—Cancer de la cavité buccale.	M.	9	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
44	Cancer of the stomach and liver—Cancer de l'estomac et du foie.	M.	138	–	–	–	–	–	–	–	–	–
		F.	69	–	–	–	–	–	–	–	–	–
45	Cancer of the peritoneum, intestines and rectum—Cancer du péritoine, des intestins et du rectum.	M.	55	–	–	–	1	–	–	–	–	–
		F.	38	–	1	–	–	–	–	–	–	–
46	Cancer of the female genital organs—Cancer des organes génitaux de la femme.	F.	76	–	–	–	–	–	–	–	–	–
47	Cancer of the breast—Cancer du sein	M.	2	–	–	–	–	–	–	–	–	–
		F.	47	–	–	–	–	–	–	–	–	–
48	Cancer of the skin—Cancer de la peau	M.	12	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
49	Cancer of other or unspecified organs—Cancer d'autres organes ou d'organes non spécifiés.	M.	88	–	–	–	–	–	2	–	–	1
		F.	41	–	–	–	–	–	–	–	1	–
	(a) Cancer of eye and ear—Cancer de l'œil et de l'oreille.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Cancer of circulatory system—Cancer de l'appareil circulatoire.	M.	5	–	–	–	–	–	1	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
	(c) Cancer of respiratory system—Cancer de l'appareil respiratoire.	M.	15	–	–	–	–	–	–	–	–	1
		F.	8	–	–	–	–	–	–	–	–	–
	(d) Cancer of digestive system—Cancer de l'appareil digestif.	M.	21	–	–	–	–	–	–	–	–	–
		F.	14	–	–	–	–	–	–	–	–	–
	(e) Cancer of genito-urinary system—Cancer de l'appareil génito-urinaire.	M.	38	–	–	–	–	–	1	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
	(f) Cancer of bones and joints—Cancer des os et des articulations.	M.	1	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

COLOMBIE BRITANNIQUE—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
1	–	3	–	1	1	–	–	1	–	–	–	–	–	–	–	–	33
1	–	3	2	–	–	1	–	–	–	–	–	–	–	–	–	–	
1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	34
–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	35
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	36
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	36d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	2	1	–	–	1	2	–	–	–	–	–	–	–	–	–	37
1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	2	1	–	–	–	2	–	–	–	–	–	–	–	–	–	37a
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	37b
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	2	–	–	3	3	3	4	1	–	–	–	–	–	–	–	–	38
–	–	–	3	–	–	1	–	–	–	–	–	–	–	–	–	–	
1	–	1	2	1	2	2	–	1	–	1	–	1	–	–	–	–	41
1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	
10	**14**	**23**	**55**	**86**	**79**	**103**	**106**	**101**	**90**	**63**	**24**	**11**	**3**	–	–	**2**	
4	**7**	**11**	**23**	**38**	**34**	**57**	**64**	**58**	**51**	**40**	**12**	**4**	**1**	–	–	**2**	
6	**7**	**12**	**32**	**48**	**45**	**46**	**42**	**43**	**39**	**23**	**12**	**7**	**2**	–	–	–	
2	**2**	**7**	**14**	**28**	**24**	**38**	**49**	**47**	**40**	**34**	**9**	**3**	**1**	–	–	**1**	**43-49**
4	**4**	**10**	**24**	**38**	**36**	**32**	**33**	**27**	**28**	**18**	**9**	**5**	**2**	–	–	–	
–	–	–	1	1	–	–	2	2	1	2	–	–	–	–	–	–	43
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	1	5	8	8	13	19	23	24	23	11	1	2	–	–	–	–	44
–	1	–	5	8	8	9	7	10	10	8	2	–	1	–	–	–	
1	–	–	4	4	4	3	9	8	8	9	3	–	1	–	–	–	45
1	–	1	2	3	2	5	6	5	3	3	3	2	1	–	–	–	
–	2	6	12	8	14	9	7	6	5	4	1	2	–	–	–	–	46
–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	47
1	1	2	3	11	8	4	5	4	5	1	1	1	–	–	–	–	
–	–	–	–	3	2	–	–	1	1	3	1	–	–	–	–	–	48
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	2	1	12	5	16	14	12	7	9	4	–	–	–	–	1	49
2	–	1	2	8	4	5	8	2	5	1	2	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	49a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	2	–	–	–	1	–	–	–	–	–	–	–	–	49b
–	–	–	–	–	1	2	–	–	2	–	–	–	–	–	–	–	
–	–	1	–	2	1	3	3	2	1	1	–	–	–	–	–	–	49c
1	–	1	–	1	1	–	2	1	–	1	–	–	–	–	–	–	
–	–	–	–	5	2	3	3	2	3	2	–	–	–	–	–	1	49d
–	–	–	2	2	–	2	3	–	3	–	2	–	–	–	–	–	
1	–	–	1	2	1	7	6	6	3	6	4	–	–	–	–	–	49e
–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	49f
–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

BRITISH COLUMBIA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS II-con.—**CLASSE II**-suite											
49	(g) Cancer of other specified organs— Cancer d'autres organes spécifiés.	M.	4	–	–	–	–	–	–	–	–	–
		F.	6	–	–	–	–	–	–	–	1	–
	(h) Generalized cancer—Cancer généralisé.	M.	3	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(i) Unspecified—Non spécifiés.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
50	Benign tumours and tumours not returned as malignant (tumours of female genital organs excepted)—Tumeurs bénignes et tumeurs non données comme malignes (tumeurs des organes génitaux de la femme exceptées).	M.	–	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
51	Acute rheumatic fever—Rhumatisme articulaire aigu fébrile.	M.	8	–	–	1	–	–	–	–	1	–
		F.	10	–	–	–	–	–	1	2	2	2
52	Chronic rheumatism, osteo-arthritis, gout —Rhumatisme chronique ou goutte.	M.	4	–	–	–	–	–	–	–	–	1
		F.	2	–	–	–	–	–	–	–	–	–
56	Rickets—Rachitisme	M.	1	–	1	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
57	Diabetes mellitus—Diabète	M.	35	–	–	–	–	1	1	–	–	–
		F.	40	–	–	–	–	–	1	2	–	1
58	Anaemia, chlorosis—Anémie, chlorose	M.	20	1	–	–	–	–	1	–	–	–
		F.	15	–	–	–	–	–	–	–	–	–
	(a) Pernicious anaemia—Anémie pernicieuse.	M.	18	1	–	–	–	–	1	–	–	–
		F.	13	–	–	–	–	–	–	–	–	–
	(b) Other anaemias and chlorosis—Autres anémies et chloroses.	M.	2	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
59	Diseases of the pituitary gland—Affections du corps pituitaire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
60	Diseases of the thyroid gland—Affections de la glande thyroïde.	M.	5	–	–	–	–	–	–	–	–	1
		F.	23	–	–	–	–	–	1	–	–	–
	(a) Exophthalmic goiter—Goître exophtalmique.	M.	2	–	–	–	–	–	–	–	–	–
		F.	14	–	–	–	–	–	1	–	–	–
	(b) Other diseases of the thyroid gland— Autres affections de la glande thyroïde.	M.	3	–	–	–	–	–	–	–	–	1
		F.	9	–	–	–	–	–	–	–	–	–
61	Diseases of the parathyroid glands—Affections des glandes parathyroïdes.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
62	Diseases of the thymus—Affections du thymus.	M.	13	8	–	1	–	1	2	–	–	–
		F.	7	5	–	1	–	1	–	–	–	–
63	Diseases of the adrenals (Addison's disease) — Affections des glandes surrénales (maladie d'Addison).	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
64	Diseases of the spleen—Affections de la rate.	M.	4	–	–	–	–	–	–	–	–	1
		F.	1	–	–	–	–	–	–	–	–	–
65	Leukaemia, lymphadenoma—Leucémie, lymphadénie.	M.	12	–	–	1	–	1	2	–	–	–
		F.	6	–	–	1	1	–	–	–	–	–
	(a) Leukaemia—Leucémie	M.	9	–	–	1	–	1	2	–	–	–
		F.	5	–	–	1	1	–	–	–	–	–
	(b) Lymphadenoma (Hodgkin's disease) —Lymphadénie (maladie d'Hodgkin).	M.	3	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
66	Alcoholism—Alcoolisme	M.	25	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(a) Delirium tremens	M.	3	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Acute alcoholism—Alcoolisme aigu	M.	14	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(c) Chronic alcoholism—Alcoolisme chronique.	M.	8	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
67	Chronic poisoning by mineral substances— Empoisonnements chroniques par substances minérales.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Chronic lead poisoning—Empoisonnements chroniques par le plomb.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Others under this title—Autres sous ce titre.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
68	Chronic organic poisoning—Empoisonnements chroniques par substances organiques.	M.	3	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(a) Chronic morphinism—Morphinisme chronique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Chronic cocainism, etc.—Cocaïnisme chronique, etc.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(c) Other organic poisoning—Autres empoisonnements organiques.	M.	3	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

COLOMBIE BRITANNIQUE—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	49g
1	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	49h
–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	49i
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	1	1	–	1	–	–	–	–	50
1	–	–	–	–	–	1	1	–	2	1	–	–	–	–	–	–	51
1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	52
–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	56
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
1	1	3	1	3	1	3	6	4	4	3	2	1	–	–	–	–	57
–	–	2	–	2	2	5	5	11	5	2	2	–	–	–	–	–	
–	–	–	–	1	3	5	2	4	2	1	–	–	–	–	–	–	58
–	–	–	2	1	1	4	3	1	2	–	1	–	–	–	–	–	
–	–	–	–	1	3	4	2	4	1	1	–	–	–	–	–	–	58a
–	–	–	1	1	1	4	3	–	2	–	1	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	58b
–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	59
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	60
–	1	–	3	3	3	4	1	3	3	1	–	–	–	–	–	–	
–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	60a
–	1	–	3	1	3	2	–	2	1	–	–	–	–	–	–	–	
–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	60b
–	–	–	–	2	–	2	1	1	2	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	61
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	63
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	64
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	1	3	–	2	1	–	–	–	–	–	–	–	65
–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	2	–	2	–	–	–	–	–	–	–	–	65a
–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	65b
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	1	5	3	4	5	5	1	–	–	–	–	–	–	–	–	66
1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	66a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	1	3	2	3	2	2	–	–	–	–	–	–	–	–	–	66b
1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	2	–	–	2	3	1	–	–	–	–	–	–	–	–	66c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	67
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	67a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	67b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	68
–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	68a
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	68b
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	68c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

BRITISH COLUMBIA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS II-con.—CLASSE II-fin											
69	Other general diseases—Autres maladies générales.	M.	1	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	1	–	–
	(a) Diabetes insipidus—Diabète insipide.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Haemophilia—Hémophilie	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(c) Purpura haemorrhagica—Purpura hémorragique.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Others under this title—Autres sous ce titre.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	1	–	–
	CLASS III—DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE—CLASSE III—AFFECTIONS DU SYSTÈME NERVEUX ET DES ORGANES DES SENS.	Total	434	19	9	4	3	–	9	12	4	6
		M.	256	13	4	2	2	–	4	5	1	4
		F.	178	6	5	2	1	–	5	7	3	2
70	Encephalitis—Encéphalite	M.	3	–	1	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Abscess of brain—Abcès du cerveau.	M.	3	–	1	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Encephalitis—Encéphalite	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
71	Meningitis—Méningite	M.	12	2	2	–	1	–	–	2	–	–
		F.	12	2	1	1	1	–	3	1	–	1
	(a) Simple meningitis—Méningite simple.	M.	12	2	2	–	1	–	–	2	–	–
		F.	12	2	1	1	1	–	3	1	–	1
	(b) Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non épidémique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
72	Tabes dorsalis (locomotor ataxia)—Ataxie locomotrice progressive.	M.	6	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
73	Other diseases of the spinal cord—Autres affections de la moëlle épinière.	M.	15	–	–	–	–	–	–	–	1	–
		F.	6	–	–	–	–	–	–	–	–	1
74	Cerebral haemorrhage, apoplexy—Hémorragie cérébrale, apoplexie.	M.	103	1	1	–	–	–	–	–	–	–
		F.	90	–	–	–	–	–	–	1	–	–
	(a) Apoplexy—Apoplexie	M.	23	–	–	–	–	–	–	–	–	–
		F.	19	–	–	–	–	–	–	–	–	–
	(b) Cerebral haemorrhage—Hémorragie cérébrale.	M.	74	1	1	–	–	–	–	–	–	–
		F.	70	–	–	–	–	–	–	1	–	–
	(c) Cerebral thrombosis and embolism—Thrombose et embolie cérébrales.	M.	6	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
75	Paralysis without specified cause—Paralysie sans cause indiquée.	M.	8	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
	(a) Hemiplegia—Hémiplégie	M.	5	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
	(b) Others under this title—Autres sous ce titre.	M.	3	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
76	General paralysis of the insane—Paralysie générale des aliénés.	M.	19	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
77	Other forms of mental alienation—Autres formes de l'aliénation mentale.	M.	19	–	–	–	–	–	–	–	–	–
		F.	12	–	–	–	–	–	–	–	–	–
78	Epilepsy—Épilepsie	M.	19	–	–	–	–	–	–	–	–	3
		F.	7	–	–	1	–	–	–	–	–	–
79	Convulsions (non-puerperal, 5 years or over)—Éclampsie (non puerpérale, cinq ans ou au-dessus).	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	1	–
80	Infantile convulsions (under 5 years of age)—Convulsions des enfants (moins de cinq ans).	M.	6	5	–	1	–	–	–	–	–	–
		F.	3	1	2	–	–	–	–	–	–	–
82	Neuralgia and neuritis—Névralgie et névrite.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
83	Softening of the brain—Ramollissement du cerveau.	M.	7	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
84	Other diseases of the nervous system—Autres affections du système nerveux.	M.	23	–	–	1	–	–	–	1	–	1
		F.	21	–	–	–	–	–	–	1	–	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien.	M.	16	5	–	–	1	–	4	1	–	–
		F.	13	3	2	–	–	–	2	4	2	–
	(a) Diseases of the ear—Affections de l'oreille.	M.	6	2	–	–	1	–	2	–	–	–
		F.	7	2	1	–	–	–	–	2	2	–
	(b) Diseases of the mastoid process—Affections du sinus mastoïdien.	M.	10	3	–	–	–	–	2	1	–	–
		F.	6	1	1	–	–	–	2	2	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

COLOMBIE BRITANNIQUE—suite

Âges																		
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	69
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69b
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	69c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
6	**8**	**10**	**18**	**34**	**40**	**28**	**44**	**45**	**46**	**43**	**31**	**12**	**1**	–	–	**2**	
4	**6**	**4**	**14**	**19**	**28**	**17**	**31**	**28**	**31**	**22**	**11**	**3**	**1**	–	–	**2**	
2	**2**	**6**	**4**	**15**	**12**	**11**	**13**	**17**	**15**	**21**	**20**	**9**	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	1	71
–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	1	71a
–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	1	–	2	1	1	–	–	–	–	–	–	–	72
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	1	1	2	1	1	1	4	1	–	2	–	–	–	–	–	–	73
–	–	1	–	–	–	1	1	1	–	1	–	–	–	–	–	–	
1	–	–	2	6	12	11	11	17	17	13	7	3	1	–	–	–	74
–	1	2	2	3	6	7	7	12	11	14	17	7	–	–	–	–	
–	–	–	1	1	1	4	2	3	5	4	2	–	–	–	–	–	74a
–	–	–	1	–	–	3	1	2	5	2	3	2	–	–	–	–	
1	–	–	1	5	9	7	9	14	10	7	5	3	1	–	–	–	74b
–	1	2	–	3	6	4	6	10	6	12	14	5	–	–	–	–	
–	–	–	–	–	2	–	–	–	2	2	–	–	–	–	–	–	74c
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	1	1	–	1	3	1	–	–	–	–	–	75
–	–	–	–	1	–	–	–	1	–	1	1	1	–	–	–	–	
–	–	–	–	1	–	–	1	–	1	2	–	–	–	–	–	–	75a
–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	75b
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	3	1	2	3	5	2	1	1	–	–	–	–	–	–	–	1	76
–	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	
1	–	–	–	2	3	–	8	2	3	–	–	–	–	–	–	–	77
1	1	–	1	5	1	–	–	2	1	–	–	–	–	–	–	–	
1	1	–	3	2	4	–	2	1	1	–	1	–	–	–	–	–	78
1	–	–	1	–	4	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	79
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	82
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	2	2	1	2	–	–	–	–	–	83
–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	
–	–	–	3	2	1	2	2	3	5	2	–	–	–	–	–	–	84
–	–	2	–	4	–	3	4	1	2	2	1	1	–	–	–	–	86
1	–	1	–	–	1	–	–	–	1	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	86a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	86b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

BRITISH COLUMBIA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS IV—DISEASES OF THE CIRCULATORY SYSTEM — CLASSE IV—AFFECTIONS DE L'APPAREIL CIRCULATOIRE.	**Total**	**1,132**	**1**	**1**	–	–	–	**8**	**10**	**5**	**5**
		M.	**725**	**1**	**1**	–	–	–	–	**3**	**3**	**2**
		F.	**407**	–	–	–	–	–	**8**	**7**	**2**	**3**
87-90	**Diseases of the heart—Affections du cœur.**	**M.**	**435**	–	**1**	–	–	–	–	**3**	**2**	**2**
		F.	**273**	–	–	–	–	–	**8**	**6**	**2**	**3**
87	Pericarditis—Péricardite	M.	1	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	1	–	–	–
88	Endocarditis and myocarditis (acute)—Endocardite et myocardite (aiguës)	M.	13	–	–	–	–	–	–	1	–	–
		F.	12	–	–	–	–	–	4	4	1	–
	(a) Acute endocarditis—Endocardite aiguë.	M.	10	–	–	–	–	–	–	1	–	–
		F.	8	–	–	–	–	–	3	3	1	–
	(b) Acute myocarditis—Myocardite aiguë.	M.	3	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	1	1	–	–
89	Angina pectoris—Angine de poitrine	M.	57	–	–	–	–	–	–	–	–	–
		F.	23	–	–	–	–	–	–	–	–	–
90	Other diseases of the heart—Autres affections du cœur.	M.	364	–	1	–	–	–	–	2	2	2
		F.	235	–	–	–	–	–	3	2	1	3
	(a) Valvular disease—Affection valvulaire.	M.	74	–	1	–	–	–	–	1	1	–
		F.	47	–	–	–	–	–	–	–	–	1
	(b) Fatty degeneration of the heart—Dégénérescence ou stéanose du cœur.	M.	6	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
	(c) Aortic insufficiency—Insuffisance aortique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(d) Chronic endocarditis—Endocardite chronique.	M.	59	–	–	–	–	–	–	1	1	–
		F.	64	–	–	–	–	–	3	2	1	1
	(e) Chronic myocarditis — Myocardite chronique.	M.	180	–	–	–	–	–	–	–	–	2
		F.	93	–	–	–	–	–	–	–	–	1
	(f) Others under this title—Autres sous ce titre.	M.	45	–	–	–	–	–	–	–	–	–
		F.	28	–	–	–	–	–	–	–	–	–
91	Diseases of the arteries—Affections des artères.	M.	275	–	–	–	–	–	–	–	–	–
		F.	126	–	–	–	–	–	–	–	–	–
	(a) Aneurysm—Anévrisme	M.	25	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
	(b) Arteriosclerosis—Artério-sclérose	M.	245	–	–	–	–	–	–	–	–	–
		F.	119	–	–	–	–	–	–	–	–	–
	(c) Other diseases of the arteries—Autres affections des artères.	M.	5	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
92	Embolism and thrombosis (not cerebral)—Embolie et thrombose (non cérébrales).	M.	11	1	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
93	Diseases of the veins (varices, haemorrhoids, phlebitis, etc.)—Affections des veines (varices, hémorroïdes, phlébite, etc.).	M.	3	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
94	Diseases of the lymphatic system (lymphangitis, etc.)—Affections du système lymphatique (lymphangite, etc.).	M.	1	–	–	–	–	–	–	–	1	–
		F.	2	–	–	–	–	–	–	1	–	–
95	Haemorrhage without specified cause—Hémorragie sans cause déterminée.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	CLASS V—DISEASES OF THE RESPIRATORY SYSTEM — CLASSE V—AFFECTIONS DE L'APPAREIL RESPIRATOIRE.	**Total**	**469**	**71**	**22**	**16**	**2**	**3**	**10**	**10**	**4**	**3**
		M.	**289**	**32**	**12**	**11**	**2**	**2**	**7**	**4**	**2**	**3**
		F.	**180**	**39**	**10**	**5**	–	**1**	**3**	**6**	**2**	–
97	Diseases of the nasal fossae and their annexa—Affections des fosses nasales et de leurs annexes.	M.	2	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
98	Diseases of the larynx—Affections du larynx.	M.	1	–	–	–	–	–	1	–	–	–
		F.	3	2	–	–	–	–	1	–	–	–
	(a) Laryngismus stridulus—Laryngite striduleuse.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Laryngitis—Laryngite	M.	1	–	–	–	–	–	1	–	–	–
		F.	2	1	–	–	–	–	1	–	–	–
	(c) Croup	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(d) Other diseases of the larynx—Autres affections du larynx.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite	M.	14	2	1	2	–	–	–	–	–	–
		F.	10	4	1	1	–	–	–	–	–	–
	(a) Acute—Aiguë	M.	6	2	1	1	–	–	–	–	–	–
		F.	4	2	1	–	–	–	–	–	–	–
	(b) Chronic—Chronique	M.	5	–	–	–	–	–	–	–	–	–
		F.	4	1	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

COLOMBIE BRITANNIQUE—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
9	**15**	**23**	**34**	**83**	**77**	**95**	**148**	**157**	**177**	**135**	**88**	**46**	**12**	**1**	**1**	**1**	
5	**9**	**13**	**23**	**58**	**52**	**65**	**98**	**106**	**111**	**88**	**53**	**27**	**5**	–	**1**	**1**	
4	**6**	**10**	**11**	**25**	**25**	**30**	**50**	**51**	**66**	**47**	**35**	**19**	**7**	**1**	–	–	
5	**7**	**11**	**20**	**41**	**30**	**36**	**55**	**61**	**65**	**46**	**34**	**13**	**2**	–	–	**1**	87-90
3	**5**	**10**	**8**	**16**	**19**	**17**	**31**	**35**	**41**	**33**	**22**	**11**	**3**	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	87
–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	
2	2	–	–	5	–	1	1	–	1	–	–	–	–	–	–	–	88
–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	
2	1	–	–	4	–	1	1	–	–	–	–	–	–	–	–	–	88a
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	88b
–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	
–	1	–	3	4	5	8	9	10	11	4	2	–	–	–	–	–	89
–	–	1	–	–	2	4	4	5	1	6	–	–	–	–	–	–	
3	4	11	16	32	25	27	45	51	53	42	32	13	2	–	–	1	90
3	5	9	8	16	17	13	25	30	38	27	22	10	3	–	–	–	
2	1	5	3	5	6	4	7	11	10	8	7	2	–	–	–	–	90a
1	1	3	3	2	7	3	2	6	5	6	6	1	–	–	–	–	
–	1	–	1	–	2	1	1	–	–	–	–	–	–	–	–	–	90b
–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	90c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	2	1	8	4	4	10	13	7	1	4	1	–	–	–	–	90d
–	4	3	3	9	4	3	7	7	9	2	4	2	–	–	–	–	
–	1	2	6	14	8	15	19	22	28	31	20	10	2	–	–	–	90e
1	–	–	2	4	6	3	9	13	19	17	11	5	2	–	–	–	
–	–	2	5	5	5	3	8	5	8	2	1	–	–	–	–	1	90f
1	–	3	–	1	–	4	6	2	5	2	1	2	1	–	–	–	
–	1	1	2	17	17	26	42	45	45	42	19	14	3	–	1	–	91
–	1	–	2	8	5	13	18	16	25	13	12	8	4	1	–	–	
–	1	–	–	3	1	5	6	5	3	1	–	–	–	–	–	–	91a
–	1	–	–	–	–	2	–	1	–	–	1	–	–	–	–	–	
–	–	1	2	13	16	20	36	39	41	40	19	14	3	–	1	–	91b
–	–	–	2	7	5	11	18	14	25	13	11	8	4	1	–	–	
–	–	–	–	1	–	1	–	1	1	1	–	–	–	–	–	–	91c
–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	
–	1	1	1	–	3	3	1	–	–	–	–	–	–	–	–	–	92
1	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	93
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	94
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	95
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
7	**13**	**16**	**28**	**20**	**24**	**27**	**27**	**38**	**43**	**41**	**22**	**9**	**8**	**2**	**2**	**1**	
6	**8**	**12**	**21**	**15**	**14**	**17**	**21**	**28**	**23**	**27**	**12**	**4**	**5**	**1**	–	–	
1	**5**	**4**	**7**	**5**	**10**	**10**	**6**	**10**	**20**	**14**	**10**	**5**	**3**	**1**	**2**	**1**	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	97
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	1	4	2	–	1	–	–	–	99
–	–	–	–	–	–	–	1	–	–	–	1	2	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	99a
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	2	2	–	–	–	–	–	99b
–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

BRITISH COLUMBIA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS V-con.—CLASSE V-fin											
99	(c) Not otherwise defined, under 5 years of age—Sans épithète, au-dessous de cinq ans.	M.	1	–	–	1	–	–	–	–	–	–
		F.	2	1	–	1	–	–	–	–	–	–
	(d) Not otherwise defined, 5 years or over—Sans épithète, cinq ans ou au-dessus.	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
100	Bronchopneumonia (including capillary bronchitis)—Broncho-pneumonie (y compris bronchite capillaire).	M.	54	10	4	4	2	–	4	–	–	–
		F.	43	14	3	3	–	–	1	2	–	–
	(a) Bronchopneumonia — Broncho-pneumonie.	M.	53	9	4	4	2	–	4	–	–	–
		F.	43	14	3	3	–	–	1	2	–	–
	(b) Capillary bronchitis—Bronchite capillaire.	M.	1	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
101	Pneumonia—Pneumonie	M.	166	17	6	5	–	2	2	3	2	1
		F.	91	17	6	1	–	–	1	4	2	–
	(a) Lobar—Lobaire	M.	103	5	3	1	–	1	1	1	1	1
		F.	48	5	4	–	–	–	–	3	2	–
	(b) Not otherwise defined—Sans épithète.	M.	63	12	3	4	–	1	1	2	1	–
		F.	43	12	2	1	–	–	1	1	–	–
102	Pleurisy—Pleurésie	M.	19	1	1	–	–	–	–	1	–	1
		F.	10	–	–	–	–	–	–	–	–	–
103	Congestion and haemorrhagic infarct of the lung—Congestion et hémorragie parenchymateuse des poumons.	M.	3	–	–	–	–	–	–	–	–	–
		F.	9	–	–	–	–	1	–	–	–	–
104	Gangrene of the lung—Gangrène du poumon.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
105	Asthma—Asthme	M.	11	–	–	–	–	–	–	–	–	–
		F.	9	–	–	–	–	–	–	–	–	–
107	Other diseases of the respiratory system (tuberculosis excepted)—Autres affections de l'appareil respiratoire (tuberculose exceptée).	M.	18	2	–	–	–	–	–	–	–	–
		F.	5	2	–	–	–	–	–	–	–	–
	(a) Chronic interstitial pneumonia including occupational diseases of the lungs—Pneumonie interstitielle chronique comprenant les affections professionnelles de l'appareil pulmonaire.	M.	6	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Diseases of the mediastinum—Affections du médiastin.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre	M.	12	2	–	–	–	–	–	–	–	–
		F.	4	2	–	–	–	–	–	–	–	–
	CLASS VI—DISEASES OF THE DIGESTIVE SYSTEM—CLASSE VI—AFFECTIONS DE L'APPAREIL DIGESTIF.	Total	395	38	12	8	11	6	13	10	12	15
		M.	246	24	5	5	6	2	4	6	9	11
		F.	149	14	7	3	5	4	9	4	3	4
108	Diseases of the mouth and annexa—Affections de la bouche et de ses annexes.	M.	4	–	–	–	–	–	–	1	–	–
		F.	1	–	–	–	–	–	–	–	–	–
109	Diseases of the pharynx and tonsils (including adenoid vegetations)—Affections du pharynx et des amygdales (y compris les végétations adénoïdiennes).	M.	8	1	1	–	–	1	–	2	1	–
		F.	12	1	–	–	–	1	3	2	–	1
	(a) Adenoid vegetations—Végétations adénoïdiennes.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Pharynx and tonsils—Pharynx et amygdales.	M.	8	1	1	–	–	1	–	2	1	–
		F.	12	1	–	–	–	1	3	2	–	1
110	Diseases of the oesophagus—Affections de l'œsophage.	M.	2	–	–	–	1	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
111	Ulcer of the stomach and duodenum—Ulcère de l'estomac et du duodénum.	M.	42	–	–	–	–	–	–	–	–	–
		F.	8	–	–	–	–	–	–	–	–	–
	(a) Ulcer of the stomach—Ulcère de l'estomac.	M.	28	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
	(b) Ulcer of the duodenum—Ulcère du duodénum.	M.	14	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
112	Other diseases of the stomach (cancer excepted)—Autres affections de l'estomac (cancer excepté).	M.	20	6	–	–	–	–	1	–	–	–
		F.	15	2	1	–	–	–	1	–	–	–
113	Diarrhoea and enteritis (under 2 years of age)—Diarrhée et entérite (au-dessous de 2 ans).	M.	15	12	3	–	–	–	–	–	–	–
		F.	13	9	4	–	–	–	–	–	–	–
114	Diarrhoea and enteritis (2 years or over)—Diarrhée et entérite (deux ans ou au-dessus).	M.	18	–	–	4	4	–	–	–	–	–
		F.	18	–	–	2	5	3	2	–	1	1

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

COLOMBIE BRITANNIQUE—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	99c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	99d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	1	1	3	3	2	2	4	2	4	3	3	1	–	–	–	100
–	2	–	1	2	–	3	–	–	4	1	2	2	1	1	–	1	
–	1	1	1	3	3	2	2	4	2	4	3	3	1	–	–	–	100a
–	2	–	1	2	–	3	–	–	4	1	2	2	1	1	–	1	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	100b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
6	6	7	15	8	9	10	13	16	16	13	5	1	2	1	–	–	101
1	2	4	5	–	7	4	2	7	13	8	3	1	1	–	2	–	
4	4	5	12	7	7	7	10	13	8	7	4	–	1	–	–	–	101a
–	1	2	4	–	3	2	2	6	6	5	2	1	–	–	–	–	
2	2	2	3	1	2	3	3	3	8	6	1	1	1	1	–	–	101b
1	1	2	1	–	4	2	–	1	7	3	1	–	1	–	2	–	
–	1	1	1	–	1	2	2	2	–	3	1	–	1	–	–	–	102
–	1	–	–	2	1	2	–	3	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	103
–	–	–	–	–	–	–	1	–	1	3	2	–	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	104
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	3	–	–	2	2	2	1	–	–	–	–	–	–	105
–	–	–	–	1	2	1	1	–	2	1	1	–	–	–	–	–	
–	–	2	3	1	1	3	1	4	1	–	–	–	–	–	–	–	107
–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	
–	–	–	1	1	–	2	–	1	1	–	–	–	–	–	–	–	107a
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	2	2	–	1	1	1	3	–	–	–	–	–	–	–	–	107c
–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	
7	**11**	**19**	**23**	**43**	**32**	**28**	**31**	**18**	**27**	**10**	**15**	**5**	**1**	–	–	–	
3	**9**	**10**	**17**	**27**	**25**	**17**	**21**	**9**	**19**	**6**	**8**	**3**	–	–	–	–	
4	**2**	**9**	**6**	**16**	**7**	**11**	**10**	**9**	**8**	**4**	**7**	**2**	**1**	–	–	–	
–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	108
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	109
–	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	109a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	109b
–	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	110
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	4	4	10	7	6	6	1	3	1	–	–	–	–	–	–	111
–	–	2	–	2	–	–	–	2	2	–	–	–	–	–	–	–	
–	–	3	2	7	4	4	4	1	3	–	–	–	–	–	–	–	111a
–	–	–	–	2	–	–	–	1	1	–	–	–	–	–	–	–	
–	–	1	2	3	3	2	2	–	–	1	–	–	–	–	–	–	111b
–	–	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	
–	2	–	3	1	–	–	2	1	2	1	1	–	–	–	–	–	112
–	–	–	1	2	–	1	3	–	1	–	2	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	113
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	1	–	2	1	1	2	1	–	–	1	–	–	–	–	114
–	–	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

BRITISH COLUMBIA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VI–con.—**CLASSE VI**–fin											
117	Appendicitis and typhlitis—Appendicite et typhlite.	M.	56	3	–	1	1	1	3	2	6	9
		F.	23	–	1	–	–	–	3	2	2	2
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale.	M.	19	1	–	–	–	–	–	1	–	1
		F.	18	2	–	1	–	–	–	–	–	–
	(a) Hernia—Hernie	M.	10	–	–	–	–	–	–	1	–	–
		F.	10	–	–	1	–	–	–	–	–	–
	(b) Intestinal obstruction—Obstruction intestinale.	M.	9	1	–	–	–	–	–	–	–	1
		F.	8	2	–	–	–	–	–	–	–	–
119	Other diseases of the intestines—Autres affections des intestins.	M.	7	1	1	–	–	–	–	–	1	–
		F.	4	–	1	–	–	–	–	–	–	–
120	Acute yellow atrophy of the liver—Atrophie jaune aiguë du foie.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
122	Cirrhosis of the liver—Cirrhose du foie.	M.	21	–	–	–	–	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–
	(a) Specified as alcoholic—Spécifiée comme alcoolique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Not specified as alcoholic—Non spécifiée comme alcoolique.	M.	21	–	–	–	–	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–
123	Biliary calculi—Calculs biliaires	M.	7	–	–	–	–	–	–	–	–	–
		F.	9	–	–	–	–	–	–	–	–	–
124	Other diseases of the liver—Autres affections du foie.	M.	20	–	–	–	–	–	–	–	1	1
		F.	11	–	–	–	–	–	–	–	–	–
125	Diseases of the pancreas—Affections du pancréas.	M.	3	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
126	Peritonitis without specified cause—Péritonite sans cause indiquée.	M.	3	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
	CLASS VII—NON-VENEREAL DISEASES OF THE GENITO-URINARY SYSTEM AND ANNEXA—CLASSE VII—AFFECTIONS NON VÉNÉRIENNES DE L'APPAREIL GÉNITO-URINAIRE ET DE SES ANNEXES.	Total	410	1	–	1	–	–	2	3	5	5
		M.	274	1	–	1	–	–	–	2	5	2
		F.	136	–	–	–	–	–	2	1	–	3
128	Acute nephritis (including unspecified, under 10 years of age)—Néphrite aiguë (y compris non spécifiée, au-dessous de dix ans).	M.	11	–	–	1	–	–	–	–	1	–
		F.	3	–	–	–	–	–	–	–	–	–
129	Chronic nephritis (including unspecified, 10 years of age or over)—Néphrite chronique (y compris non spécifiée, dix ans ou au-dessus).	M.	188	–	–	–	–	–	–	2	4	2
		F.	97	–	–	–	–	–	2	1	–	1
131	Other diseases of the kidneys and annexa—Autres affections des reins et de leurs annexes.	M.	13	–	–	–	–	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–
132	Calculi of the urinary passages—Calculs des voies urinaires.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
133	Diseases of the bladder—Affections de la vessie.	M.	6	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
134	Diseases of the urethra, urinary abscess, etc.—Affections de l'urètre, abcès urineux, etc.	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Stricture of the urethra—Rétrécissement de l'urètre.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other diseases of the urethra—Autres affections de l'urètre.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
135	Diseases of the prostate—Affections de la prostate.	M.	52	–	–	–	–	–	–	–	–	–
136	Non-venereal diseases of the male genital organs—Affections non vénériennes des organes génitaux de l'homme.	M.	1	1	–	–	–	–	–	–	–	–
137	Cysts and other benign tumours of the ovary—Kystes et autres tumeurs bénignes de l'ovaire.	F.	2	–	–	–	–	–	–	–	–	–
138	Salpingitis and pelvic abscess—Salpingite et abcès du bassin.	F.	8	–	–	–	–	–	–	–	–	2
139	Benign tumours of the uterus—Tumeurs bénignes de l'utérus.	F.	7	–	–	–	–	–	–	–	–	–
141	Other diseases of the female genital organs—Autres affections des organes génitaux de la femme.	F.	9	–	–	–	–	–	–	–	–	–
142	Non-puerperal diseases of the breast (cancer excepted)—Affections non puerpérales du sein (cancer excepté).	F.	1	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

COLOMBIE BRITANNIQUE—suite

Âges																		No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
2	4	3	4	5	6	2	1	–	2	–	1	–	–	–	–	–	117
1	–	2	–	3	2	2	3	–	–	–	–	–	–	–	–	–	
–	–	–	–	2	2	2	1	1	2	3	2	1	–	–	–	–	118
–	1	–	4	2	–	2	1	3	–	1	–	1	–	–	–	–	
–	–	–	–	1	1	2	–	1	1	1	1	1	–	–	–	–	118a
–	1	–	3	2	–	2	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	1	1	–	1	–	1	2	1	–	–	–	–	–	118b
–	–	–	1	–	–	–	1	2	–	1	–	1	–	–	–	–	
–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	–	119
–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	120
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	1	1	2	3	4	2	3	3	1	–	–	–	–	–	–	122
1	–	–	–	–	3	–	–	–	2	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	122a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	1	1	2	3	4	2	3	3	1	–	–	–	–	–	–	122b
1	–	–	–	–	3	–	–	–	2	–	1	–	–	–	–	–	
–	–	1	–	1	1	–	4	–	–	–	–	–	–	–	–	–	123
–	–	1	–	1	–	2	1	1	1	1	–	–	1	–	–	–	
–	–	–	1	3	2	2	2	1	5	–	1	1	–	–	–	–	124
–	1	1	–	1	–	2	–	2	1	1	2	–	–	–	–	–	
–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	125
1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	126
–	–	–	–	1	1	–	2	1	–	–	–	–	–	–	–	–	
4	**6**	**12**	**15**	**38**	**34**	**36**	**56**	**49**	**43**	**42**	**39**	**15**	**3**	–	–	**1**	
1	**2**	**5**	**7**	**22**	**19**	**24**	**41**	**34**	**34**	**33**	**26**	**12**	**3**	–	–	–	
3	**4**	**7**	**8**	**16**	**15**	**12**	**15**	**15**	**9**	**9**	**13**	**3**	–	–	–	**1**	
–	–	–	–	2	–	2	2	2	–	1	–	–	–	–	–	–	128
–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	
1	2	5	7	18	17	18	30	17	20	21	17	6	1	–	–	–	129
1	1	5	4	8	12	8	11	11	9	8	11	3	–	–	–	1	
–	–	–	–	1	1	1	3	1	1	3	–	1	1	–	–	–	131
–	1	–	–	2	–	1	1	1	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	132
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	1	–	1	–	–	1	2	–	–	–	–	133
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	134
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	134a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	134b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	2	4	13	12	8	8	3	1	–	–	–	135
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	136
–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	137
1	1	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	138
–	–	1	2	–	2	–	–	1	–	–	1	–	–	–	–	–	139
1	–	–	1	2	1	3	–	1	–	–	–	–	–	–	–	–	141
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	147

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

BRITISH COLUMBIA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VIII—THE PUERPERAL STATE—CLASSE VIII—ÉTAT PUERPÉRAL.	Total	61	–	–	–	–	–	–	–	9	6
143	Accidents of pregnancy—Accidents de la grossesse.	F.	9	–	–	–	–	–	–	–	2	1
	(a) Abortion—Avortement	F.	–	–	–	–	–	–	–	–	–	–
	(b) Ectopic gestation—Gestation ectopique.	F.	5	–	–	–	–	–	–	–	–	1
	(c) Others under this title—Autres sous ce titre.	F.	4	–	–	–	–	–	–	–	2	–
	(d) Abortion, self-induced—Avortement provoqué par soi-même.	F.	–	–	–	–	–	–	–	–	–	–
144	Puerperal haemorrhage—Hémorragie puerpérale.	F.	4	–	–	–	–	–	–	–	–	–
145	Other accidents of labour—Autres accidents de l'accouchement.	F.	9	–	–	–	–	–	–	–	1	4
	(a) Caesarean section—Opération césarienne.	F.	1	–	–	–	–	–	–	–	–	1
	(b) Difficult labour—Accouchement laborieux.	F.	3	–	–	–	–	–	–	–	–	2
	(c) Other surgical operations and instrumental delivery—Autres opérations chirurgicales et application d'instruments.	F.	5	–	–	–	–	–	–	–	1	1
	(d) Uncontrollable vomiting—Vomissements incontrôlables.	F.	–	–	–	–	–	–	–	–	–	–
	(e) Rupture of uterus in labour, etc.—Rupture de l'utérus durant l'accouchement, etc.	F.	–	–	–	–	–	–	–	–	–	–
146	Puerperal septicaemia—Septicémie puerpérale.	F.	23	–	–	–	–	–	–	–	5	–
147	Puerperal phlegmasia alba dolens, puerperal embolism, sudden death in puerperium—Phlegmasia alba dolens, embolie, mort subite puerpérales.	F.	2	–	–	–	–	–	–	–	–	–
148	Puerperal albuminuria and convulsions—Albuminurie et éclampsie puerpérales.	F.	12	–	–	–	–	–	–	–	1	1
149	Following childbirth (not otherwise defined)—Suites de couches (sans autres explications).	F.	2	–	–	–	–	–	–	–	–	–
	CLASS IX—DISEASES OF THE SKIN AND OF THE CELLULAR TISSUE—CLASSE IX—AFFECTIONS DE LA PEAU ET DU TISSU CELLULAIRE.	Total	26	3	–	–	1	–	–	1	1	–
		M.	17	1	–	–	1	–	–	1	1	–
		F.	9	2	–	–	–	–	–	–	–	–
151	Gangrene—Gangrène	M.	7	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–
152	Furuncle—Furoncle	M.	2	–	–	–	1	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	M.	3	–	–	–	–	–	–	1	–	–
		F.	1	–	–	–	–	–	–	–	–	–
154	Other diseases of the skin and annexa—Autres affections de la peau et de ses annexes.	M.	5	1	–	–	–	–	–	–	1	–
		F.	3	2	–	–	–	–	–	–	–	–
	CLASS X—DISEASES OF THE BONES AND OF THE ORGANS OF LOCOMOTION—CLASSE X—AFFECTIONS DES OS ET DES ORGANES DE LA LOCOMOTION.	Total	11	–	–	–	–	1	2	–	1	1
		M.	5	–	–	–	–	–	1	–	1	–
		F.	6	–	–	–	–	1	1	–	–	1
155	Diseases of the bones (mastoid and tuberculosis excepted)—Affections des os (sinus mastoïdien et tuberculose exceptés).	M.	5	–	–	–	–	–	1	–	1	–
		F.	3	–	–	–	–	1	–	–	–	–
156	Diseases of the joints (tuberculosis and rheumatism excepted)—Affections articulaires (tuberculose et rhumatisme exceptés).	M.	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	1	–	–	1

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

COLOMBIE BRITANNIQUE—suite

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
12	15	11	7	1	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143a
–	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143b
1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143d
2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	144
2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145a
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145b
1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145e
5	7	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	146
–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	147
2	3	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–	148
–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	149
–	–	–	1	1	–	–	5	3	2	3	2	1	1	–	–	1	
–	–	–	–	1	–	–	5	3	1	1	1	1	–	–	–	1	
–	–	–	1	–	–	–	–	1	1	2	1	–	1	–	–	–	
–	–	–	–	–	–	–	3	–	1	1	1	1	–	–	–	–	151
–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	152
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	153
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	154
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
–	2	–	1	–	–	–	1	–	–	1	–	–	1	–	–	–	
–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	
–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	155
–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	156
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

BRITISH COLUMBIA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XI—MALFORMATIONS — CLASSE XI—VICES DE CONFORMATION.	**Total**	**65**	**56**	**4**	–	**3**	–	–	–	**1**	**1**
		M.	**37**	**33**	**2**	–	**1**	–	–	–	**1**	–
		F.	**28**	**23**	**2**	–	**2**	–	–	–	–	**1**
159	Congenital malformations (stillbirths not included)—Vices de conformation congénitaux (mort-nés non compris).	M.	37	33	2	–	1	–	–	–	1	–
		F.	28	23	2	–	2	–	–	–	–	1
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale.	M.	3	2	–	–	1	–	–	–	–	–
		F.	2	–	–	–	1	–	–	–	–	1
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur.	M.	18	15	2	–	–	–	–	–	1	–
		F.	20	17	2	–	1	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	16	16	–	–	–	–	–	–	–	–
		F.	6	6	–	–	–	–	–	–	–	–
	CLASS XII—DISEASES OF EARLY INFANCY—CLASSE XII—AFFECTIONS DU PREMIER ÂGE.	**Total**	**263**	**263**	–	–	–	–	–	–	–	–
		M.	**140**	**140**	–	–	–	–	–	–	–	–
		F.	**123**	**123**	–	–	–	–	–	–	–	–
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème.	M.	20	20	–	–	–	–	–	–	–	–
		F.	15	15	–	–	–	–	–	–	–	–
161	Premature birth, injury at birth—Naissance prématurée, conséquence de l'accouchement.	M.	94	94	–	–	–	–	–	–	–	–
		F.	87	87	–	–	–	–	–	–	–	–
	(a) Premature birth—Naissance prématurée.	M.	78	78	–	–	–	–	–	–	–	–
		F.	74	74	–	–	–	–	–	–	–	–
	(b) Injury at birth—Conséquence de l'accouchement.	M.	16	16	–	–	–	–	–	–	–	–
		F.	13	13	–	–	–	–	–	–	–	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge.	M.	26	26	–	–	–	–	–	–	–	–
		F.	21	21	–	–	–	–	–	–	–	–
	(a) Specified diseases—Affections spécifiées.	M.	19	19	–	–	–	–	–	–	–	–
		F.	18	18	–	–	–	–	–	–	–	–
	(b) Unspecified causes under 3 months—Causes non spécifiées au-dessous de 3 mois.	M.	7	7	–	–	–	–	–	–	–	–
		F.	3	3	–	–	–	–	–	–	–	–
	CLASS XIII—OLD AGE—CLASSE XIII—VIEILLESSE.	**Total**	**77**	–	–	–	–	–	–	–	–	–
		M.	**41**	–	–	–	–	–	–	–	–	–
		F.	**36**	–	–	–	–	–	–	–	–	–
164	Senility—Sénilité	M.	41	–	–	–	–	–	–	–	–	–
		F.	36	–	–	–	–	–	–	–	–	–
	CLASS XIV—EXTERNAL CAUSES—CLASSE XIV—CAUSES EXTÉRIEURES.	**Total**	**692**	**5**	**8**	**12**	**1**	**8**	**33**	**18**	**27**	**47**
		M.	**582**	**2**	**7**	**9**	**1**	**5**	**24**	**11**	**26**	**45**
		F.	**110**	**3**	**1**	**3**	–	**3**	**9**	**7**	**1**	**2**
165-174	**Suicides**	**M.**	**87**	–	–	–	–	–	–	–	**2**	**3**
		F.	**13**	–	–	–	–	–	–	–	–	**1**
165	Suicide by solid or liquid poisons (corrosive substances excepted)—Suicide par ingestion de poisons solides ou liquides (substances corrosives exceptées).	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
166	Suicide by corrosive substances—Absorption volontaire de substances corrosives.	M.	5	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
167	Suicide by poisonous gas—Suicide par ingestion de gaz vénéneux.	M.	9	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
168	Suicide by hanging or strangulation—Suicide par pendaison ou strangulation.	M.	18	–	–	–	–	–	–	–	–	1
		F.	2	–	–	–	–	–	–	–	–	–
169	Suicide by drowning—Suicide par submersion.	M.	9	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
170	Suicide by firearms—Suicide par armes à feu.	M.	31	–	–	–	–	–	–	2	2	2
		F.	2	–	–	–	–	–	–	–	–	1
171	Suicide by cutting or piercing instruments—Suicide par instruments tranchants ou piquants.	M.	10	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
173	Suicide by crushing—Suicide par écrasement.	M.	3	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
175	Poisoning by food—Empoisonnement par aliments.	M.	3	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	1	–	–	–	–
177	Other acute accidental poisonings (gas excepted)—Autres empoisonnements accidentels aigus (par gaz exceptés).	M.	4	–	1	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
178	Conflagration—Incendie	M.	11	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

COLOMBIE BRITANNIQUE—suite

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	160
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	2	4	12	9	22	14	12	1	1	–	
–	–	–	–	–	–	–	1	2	9	7	9	6	7	–	–	–	
–	–	–	–	–	–	–	1	2	3	2	13	8	5	1	1	–	
–	–	–	–	–	–	–	1	2	9	7	9	6	7	–	–	–	164
–	–	–	–	–	–	–	1	2	3	2	13	8	5	1	1	–	
67	45	58	57	63	57	47	31	32	27	21	11	7	6	–	–	4	
57	38	52	53	53	52	42	28	29	20	14	5	3	2	–	–	4	
10	7	6	4	10	5	5	3	3	7	7	6	4	4	–	–	–	
–	5	10	13	14	11	9	6	7	4	1	–	–	2	–	–	–	165–174
2	2	1	2	2	2	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	165
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	166
–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	2	2	2	1	1	–	–	–	–	–	–	–	–	167
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	3	2	1	1	3	–	4	1	1	–	–	–	–	–	–	168
–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	2	1	3	2	–	–	–	–	–	–	–	1	–	–	–	169
–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	
–	1	3	4	2	5	1	5	2	3	–	–	–	1	–	–	–	170
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	1	2	2	1	2	–	–	–	–	–	–	–	–	–	–	171
–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	173
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	175
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	177
–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
1	1	3	–	1	1	2	2	–	–	–	–	–	–	–	–	–	178
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*con.*

BRITISH COLUMBIA—con.

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XIV-con.—CLASSE XIV-fin											
179	Accidental burns and scalds (conflagration excepted)—Brûlures accidentelles (autres que par l'incendie).	M.	7	–	–	1	–	–	–	1	–	–
		F.	11	–	1	1	–	–	1	1	–	–
180	Accidental mechanical suffocation—Suffocation mécanique accidentelle.	M.	4	1	–	–	1	–	–	–	1	1
		F.	1	1	–	–	–	–	–	–	–	–
	(a) Overlaying—Étouffé pendant le sommeil.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(b) Asphyxia—Asphyxie	M.	4	1	–	–	1	–	–	–	1	1
		F.	–	–	–	–	–	–	–	–	–	–
181	Accidental absorption of irrespirable or poisonous gas—Absorption accidentelle de gaz irrespirables ou toxiques.	M.	9	–	–	–	–	–	–	–	–	2
		F.	1	–	–	–	–	–	–	–	–	–
182	Accidental drowning—Submersion accidentelle.	M.	98	–	3	6	–	3	18	6	7	5
		F.	10	1	–	1	–	1	3	3	–	–
183	Accidental traumatism by firearms—Traumatismes accidentels par armes à feu.	M.	14	–	–	–	–	–	–	1	1	2
		F.	1	–	–	–	–	–	1	–	–	–
184	Accidental traumatism by cutting or piercing instruments—Traumatismes accidentels par instruments tranchants ou piquants.	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
185	Accidental traumatism by fall—Traumatismes accidentels par chute.	M.	63	–	2	1	–	–	1	2	1	2
		F.	29	–	–	–	–	1	1	1	–	–
186	Accidental traumatism in mines and quarries—Traumatismes accidentels par mines et carrières.	M.	30	–	–	–	–	–	–	–	2	2
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Coal mines—Mines de charbon	M.	14	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other mines—Autres mines	M.	14	–	–	–	–	–	–	–	1	2
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Quarries—Carrières	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
187	Accidental traumatism by machines—Traumatismes accidentels par machines.	M.	17	–	–	–	–	–	–	–	–	4
		F.	–	–	–	–	–	–	–	–	–	–
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.)—Traumatismes accidentels par autres écrasements (voitures, railways, éboulements, etc.).	M.	201	–	–	–	–	2	5	1	12	24
		F.	29	1	–	–	–	–	3	1	1	1
	(a) Railroad accidents—Accidents par chemins de fer.	M.	32	–	–	–	–	–	–	–	–	6
		F.	3	–	–	–	–	–	–	–	–	–
	(b) Street car accidents—Accidents par tramways.	M.	7	–	–	–	–	–	–	–	1	1
		F.	3	1	–	–	–	–	–	–	–	–
	(c) Automobile accidents—Accidents par automobiles.	M.	70	–	–	–	–	1	5	1	6	5
		F.	21	–	–	–	–	–	3	–	1	1
	(d) Aeroplane and balloon accidents—Accidents par aéroplanes et ballons.	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Injuries by other vehicles—Blessures par autres voitures.	M.	6	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	1	–	–
	(f) Other crushing—Autres écrasements.	M.	84	–	–	–	–	1	–	–	5	12
		F.	1	–	–	–	–	–	–	–	–	–
189	Injuries by animals (poisoning excepted)—Violences exercées par des animaux (empoisonnements exceptés).	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
193	Excessive cold—Froid excessif	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
194	Excessive heat—Chaleur excessive	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
196	Other accidental electric shocks—Autres électrocutions accidentelles.	M.	3	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
197-199	**Homicides**	**M.**	6	–	–	–	–	–	–	–	–	–
		F.	6	–	–	–	–	–	–	1	–	–
197	Homicide by firearms—Homicide par armes à feu.	M.	4	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
198	Homicide by cutting or piercing instruments—Homicide par instruments tranchants ou piquants.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
199	Homicide by other means—Homicide par autres moyens.	M.	2	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	1	–	–	–
1 01	Fracture (cause not specified)—Fracture (cause non spécifiée).	M.	2	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
202	Other external violence (cause specified)—Autres violences extérieures (cause spécifiée).	M.	16	1	1	1	–	–	–	–	–	–
		F.	2	–	–	1	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*suite*

COLOMBIE BRITANNIQUE—suite

Âges																		
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	–	–	–	1	–	2	–	2	–	–	–	–	–	–	179
1	–	–	–	–	–	1	1	–	1	–	–	2	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	–	1	–	1	–	1	–	–	1	1	–	–	–	–	–	181
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
7	3	2	9	4	7	7	1	6	1	1	–	–	–	–	–	2	182
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
2	2	–	–	–	2	1	–	2	–	–	1	–	–	–	–	–	183
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	184
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	2	6	3	7	8	4	5	4	5	6	–	1	–	–	–	1	185
1	1	1	1	2	–	2	–	1	3	7	4	1	2	–	–	–	
8	1	3	4	2	4	1	3	–	–	–	–	–	–	–	–	–	186
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	3	2	4	1	2	–	–	–	–	–	–	–	–	–	186a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
7	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	186b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	186c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	2	–	–	1	2	1	2	2	–	–	–	–	–	–	–	–	187
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
29	17	21	20	20	11	15	5	5	7	3	2	1	–	–	–	1	188
4	2	2	1	5	1	1	2	1	3	–	–	–	–	–	–	–	
3	3	3	4	7	2	–	–	2	–	–	1	–	–	–	–	1	188a
1	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	
1	–	–	1	–	–	2	–	–	–	1	–	–	–	–	–	–	188b
–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	
7	5	5	4	8	2	5	4	2	6	2	1	1	–	–	–	–	188c
2	2	2	1	5	1	1	1	–	1	–	–	–	–	–	–	–	
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	188d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	1	1	1	1	–	1	–	–	–	–	–	–	–	–	188e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
16	8	13	10	4	6	7	1	–	1	–	–	–	–	–	–	–	188f
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	189
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	193
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	194
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	196
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	1	1	–	2	1	–	–	–	–	–	–	–	–	–	–	197–199
1	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	197
1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	198
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	199
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	201
–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	
2	2	2	1	4	1	–	–	1	–	–	–	–	–	–	–	–	202
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 31—Causes of death by sex and age, in Canada and in each province, 1928—*concluded*

BRITISH COLUMBIA—concluded

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XV—ILL-DEFINED DISEASES—CLASSE XV—MALADIES MAL DÉFINIES.	**Total**	**71**	**6**	**2**	**5**	**2**	**–**	**2**	**3**	**2**	**1**
		M.	**54**	**5**	**2**	**3**	**–**	**–**	**1**	**2**	**2**	**–**
		F.	**17**	**1**	**–**	**2**	**2**	**–**	**1**	**1**	**–**	**1**
204	Sudden death—Mort subite.....	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
205	Cause of death not specified or ill-defined— Cause de décès non spécifiée ou mal définie.	M.	52	5	2	3	–	–	1	2	2	–
		F.	17	1	–	2	2	–	1	1	–	1
	(a) Ill-defined—Mal définie.....	M.	8	–	–	2	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(b) Not specified or unknown—Non spécifiée ou inconnue.	M.	15	5	2	1	–	–	1	2	1	–
		F.	8	–	–	2	2	–	1	1	–	–
	(c) Heart failure—Paralysie du cœur....	M.	29	–	–	–	–	–	–	–	1	–
		F.	8	–	–	–	–	–	–	–	–	1
	(d) Syncope.....	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU 31—Causes de décès selon le sexe et l'âge, dans le Canada et dans chaque province, en 1928—*fin*

COLOMBIE BRITANNIQUE—fin

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
2	3	2	3	3	4	2	7	10	4	2	5	1	–	–	–	–	
2	1	1	2	3	4	1	7	8	4	2	4	–	–	–	–	–	
–	2	1	1	–	–	1	–	2	–	–	1	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	204
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	1	1	2	3	4	1	7	8	4	2	2	–	–	–	–	–	205
–	2	1	1	–	–	1	–	2	–	–	1	1	–	–	–	–	
1	1	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	205a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	205b
–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
1	–	–	1	3	2	1	5	7	4	2	2	–	–	–	–	–	205c
–	1	1	1	–	–	1	–	1	–	–	1	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	205d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE 32—Causes of death by sex in cities of 40,000 and over, 1928

Int. list No.	Causes of death — Causes de décès		Total	Calgary	Edmonton	Halifax	Hamilton	London	Montreal	Ottawa	Quebec	St. John	Toronto	Vancouver [1]	Winnipeg
	DEATHS — ALL CAUSES—DÉCÈS—TOUTES CAUSES.	Total	32,680	814	861	837	1,471	1,122	11,936	1,645	2,313	710	6,962	2,201	1,808
		M.	17,049	460	490	451	765	549	6,196	853	1,121	359	3,497	1,335	973
		F.	15,631	354	371	386	706	573	5,740	792	1,192	351	3,465	866	835
	CLASS I—EPIDEMIC, ENDEMIC AND INFECTIOUS DISEASES—CLASSE I—AFFECTIONS ÉPIDÉMIQUES, ENDÉMIQUES ET INFECTIEUSES.	Total	4,876	113	155	144	147	148	2,033	236	481	85	765	328	241
		M.	2,522	63	99	79	75	74	1,021	109	238	49	388	198	129
		F.	2,354	50	56	65	72	74	1,012	127	243	36	377	130	112
1	Typhoid and paratyphoid fever—Fièvre typhoïde et paratyphoïde.	M.	42	2	1	1	2	–	22	2	5	2	4	1	–
		F.	37	2	1	–	3	–	21	–	5	–	1	2	2
	(a) Typhoid fever — Fièvre typhoïde.	M.	41	2	1	1	2	–	21	2	5	2	4	1	–
		F.	36	2	1	–	3	–	20	–	5	–	1	2	2
	(b) Paratyphoid fever—Fièvre paratyphoïde.	M.	1	–	–	–	–	–	1	–	–	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–	–	–	–
4	Undulant fever—Fièvre ondulante....	M.	1	–	–	–	–	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
5	Malaria—Fièvre et cachexie paludéennes.	M.	1	–	–	–	–	–	–	–	–	–	1	–	–
		F.	1	–	–	2	–	–	–	–	–	–	1	–	–
7	Measles—Rougeole.....	M.	67	2	3	2	–	2	35	–	–	4	14	–	5
		F.	49	1	2	2	1	1	35	–	2	–	3	–	2
8	Scarlet fever—Scarlatine.....	M.	49	–	1	3	–	–	26	4	6	2	3	1	3
		F.	43	–	2	1	1	1	17	3	10	4	3	–	1
9	Whooping-cough—Coqueluche.....	M.	63	–	4	7	5	4	23	3	2	2	10	1	2
		F.	71	1	3	5	1	1	18	14	5	–	19	2	2
10	Diphtheria—Diphtérie.....	M.	175	5	5	2	5	2	80	8	21	2	23	13	9
		F.	176	3	1	3	1	1	82	15	15	2	27	12	14
11	Influenza—Grippe.....	M.	572	18	29	5	25	33	205	29	65	4	122	23	14
		F.	639	21	17	4	22	39	229	35	66	8	159	20	19
	(a) Sole cause—Cause unique.....	M.	45	2	2	1	1	3	14	–	13	–	8	1	–
		F.	56	1	1	–	1	3	22	3	6	–	14	3	2
	(b) With phthisis—Avec phtisie....	M.	8	–	1	–	–	1	1	1	–	–	2	–	2
		F.	11	–	–	–	–	–	3	1	2	1	2	2	–
	(c) With bronchitis—Avec bronchite	M.	20	–	1	–	3	–	7	1	–	–	6	1	1
		F.	24	1	–	1	1	–	10	2	2	1	5	1	–
	(d) With pneumonia—Avec pneumonie.	M.	339	11	10	2	13	20	144	15	28	4	70	15	7
		F.	349	9	9	1	16	28	130	12	26	3	97	7	11
	(e) With other respiratory diseases —Avec autres affections de l'appareil respiratoire.	M.	24	–	–	–	1	1	13	1	7	–	–	1	–
		F.	38	–	–	–	–	–	20	–	17	–	–	–	1
	(f) With diseases and accidents of pregnancy and parturition—Avec affections et accidents de la grossesse.	F.	16	3	–	1	–	1	5	1	1	–	2	1	1
	(g) With other causes—Avec autres causes.	M.	136	5	15	2	7	8	26	11	17	–	36	5	4
		F.	145	7	7	1	4	7	39	16	12	3	39	6	4
13	Mumps—Oreillons.....	M.	5	–	1	–	–	–	2	1	–	–	–	1	–
		F.	5	–	–	–	–	–	1	–	1	–	2	–	1
16	Dysentery—Dysenterie.....	M.	13	1	4	–	–	–	3	–	–	–	4	1	–
		F.	7	–	–	–	1	–	4	–	–	–	1	1	–
19	Spirochetal haemorrhagic jaundice—Spirochétose ictéro-hémorragique.	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–	–	–	–
21	Erysipelas—Érysipèle.....	M.	67	4	3	–	2	2	16	5	5	–	20	4	6
		F.	58	2	2	2	4	2	21	1	5	1	12	3	3
22	Acute anterior poliomyelitis—Poliomyélite aiguë.	M.	27	4	1	–	–	–	4	–	–	1	6	3	8
		F.	21	2	2	1	2	1	4	2	–	–	–	2	5
23	Lethargic encephalitis—Encéphalite léthargique.	M.	24	6	–	–	–	4	–	2	–	2	7	1	2
		F.	19	3	–	–	1	2	3	1	–	1	3	3	2
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique.	M.	35	3	1	–	2	1	11	2	3	–	5	6	1
		F.	22	–	2	2	–	–	9	–	2	–	3	2	2
25	Other epidemic and endemic diseases —Autres affections épidémiques et endémiques.	M.	13	–	–	1	1	–	5	1	3	–	2	–	–
		F.	14	1	–	–	–	1	5	–	3	–	2	–	2
	(a) Chicken-pox—Varicelle.....	M.	11	–	–	1	1	–	5	1	3	–	–	–	–
		F.	11	–	–	–	–	1	5	–	3	–	1	–	1
	(b) German measles—Rubéole.....	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	2	–	–	–	–	–	–	–	–	–	2	–	–
		F.	3	1	–	–	–	–	–	–	–	–	1	–	1
29	Tetanus—Tétanos.....	M.	6	–	–	–	1	–	1	1	2	–	1	–	–
		F.	5	–	–	–	1	–	–	–	–	1	3	–	–
30	Mycoses.....	M.	4	–	–	1	1	–	1	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
31-37	**Tuberculosis—Tuberculose**.....	M.	1,128	8	38	49	20	23	525	40	81	21	125	133	65
		F.	1,033	11	18	39	29	22	506	52	104	18	106	79	49
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire.	M.	896	6	26	39	15	20	438	31	58	13	102	103	45
		F.	821	9	13	29	18	17	438	43	74	10	80	63	27
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central.	M.	88	1	4	3	2	–	33	2	11	4	8	8	12
		F.	91	1	2	6	4	1	36	1	17	–	10	7	6

[1] Including Point Grey and South Vancouver.

TABLEAU 32—Causes de décès selon le sexe dans les cités de 40,000 et plus, 1928

Int. list No.	Causes of death — Causes de décès		Total	Calgary	Edmonton	Halifax	Hamilton	London	Montreal	Ottawa	Quebec	St. John	Toronto	Vancouver (1)	Winnipeg
	CLASS I-con.—CLASSE I-fin														
33	Tuberculosis of the intestines and peritoneum—Tuberculose des intestins et du péritoine.	M.	36	–	5	1	–	1	10	3	7	2	1	6	–
		F.	52	–	–	2	1	2	16	4	8	2	6	3	8
34	Tuberculosis of the vertebral column—Tuberculose de la colonne vertébrale.	M.	17	–	1	–	3	1	3	1	–	–	5	3	–
		F.	10	1	–	1	–	1	1	1	1	2	–	1	1
35	Tuberculosis of the joints—Tuberculose articulaire.	M.	13	–	–	1	–	1	3	1	–	1	2	3	1
		F.	7	–	–	1	1	–	1	1	–	–	2	1	–
36	Tuberculosis of other organs—Tuberculose d'autres organes.	M.	39	1	2	–	–	–	22	1	2	1	3	3	4
		F.	13	–	–	–	1	–	6	1	1	1	1	–	2
	(a) Skin and sub-cutaneous cellular tissue—De la peau et du tissu cellulaire sous-cutané.	M.	2	–	–	–	–	–	2	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
	(b) Bones (vertebral column excepted)—Des os (excepté la colonne vertébrale).	M.	8	–	1	–	–	–	7	–	–	–	–	–	–
		F.	4	–	–	–	–	–	2	–	1	1	–	–	–
	(c) Lymphatic system (mesenteric and retroperitoneal glands excepted)—Du système lymphatique (excepté les ganglions mésentériques et les ganglions rétropéritonéaux).	M.	7	–	–	–	–	–	5	–	–	–	1	–	1
		F.	2	–	–	–	–	–	1	–	–	–	1	–	–
	(d) Genito-urinary system—Des organes génito-urinaires.	M.	22	1	1	–	–	–	8	1	2	1	2	3	3
		F.	7	–	–	–	1	–	3	1	–	–	–	–	2
	(e) Organs other than above—Autres organes que ceux déjà mentionnés.	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
37	Disseminated tuberculosis—Tuberculose disséminée	M.	39	–	–	5	–	–	16	1	3	–	4	7	3
		F.	39	–	3	–	4	1	8	1	3	3	7	4	5
	(a) Acute—Aiguë	M.	23	–	–	4	–	–	6	1	2	–	2	6	2
		F.	25	–	2	–	4	1	2	1	2	3	4	3	3
	(b) Chronic or unstated—Chronique ou non spécifiée.	M.	16	–	–	1	–	–	10	–	1	–	2	1	1
		F.	14	–	1	–	–	–	6	–	1	–	3	1	2
38	Syphilis	M.	132	7	6	6	5	2	33	6	23	6	26	5	7
		F.	73	1	2	4	2	1	27	–	10	–	18	3	5
40	Gonococcus infection—Gonococcie	M.	3	–	–	–	–	–	2	1	–	–	–	–	–
		F.	6	–	1	–	–	–	2	–	–	–	2	–	1
41	Purulent infection, septicaemia—Infection purulente, septicémie.	M.	95	3	2	2	6	1	27	3	22	3	15	5	6
		F.	74	2	3	2	3	2	27	4	15	1	12	1	2
	CLASS II—GENERAL DISEASES NOT INCLUDED IN CLASS I—CLASSE II—MALADIES GÉNÉRALES NON MENTIONNÉES DANS LA CLASSE I.	**Total**	**4,246**	**121**	**131**	**129**	**238**	**191**	**1,169**	**207**	**169**	**101**	**1,092**	**389**	**309**
		M.	**1,976**	**58**	**67**	**59**	**119**	**88**	**546**	**98**	**74**	**46**	**464**	**198**	**159**
		F.	**2,270**	**63**	**64**	**70**	**119**	**103**	**623**	**109**	**95**	**55**	**628**	**191**	**150**
43-49	**Cancer**	**M.**	**1,360**	**37**	**42**	**44**	**86**	**62**	**376**	**64**	**42**	**29**	**329**	**141**	**108**
		F.	**1,598**	**46**	**40**	**46**	**91**	**74**	**443**	**77**	**68**	**38**	**432**	**136**	**107**
43	Cancer of the buccal cavity—Cancer de la cavité buccale.	M.	100	1	1	6	6	5	35	4	4	1	29	3	5
		F.	13	–	1	–	–	1	4	1	–	–	4	1	1
44	Cancer of the stomach and liver—Cancer de l'estomac et du foie.	M.	562	22	16	17	28	18	182	30	22	7	100	65	55
		F.	414	11	11	12	23	24	108	21	19	14	108	30	33
45	Cancer of the peritoneum, intestines and rectum—Cancer du péritoine, des intestins et du rectum.	M.	222	5	8	6	9	13	52	8	6	6	71	23	15
		F.	298	9	11	11	22	14	88	9	9	6	87	19	13
46	Cancer of the female genital organs—Cancer des organes génitaux de la femme.	F.	336	11	–	9	16	11	107	17	14	9	84	35	23
47	Cancer of the breast—Cancer du sein.	M.	3	–	–	–	–	–	1	–	–	–	–	1	1
		F.	307	8	9	9	16	14	80	14	17	6	85	26	23
48	Cancer of the skin—Cancer de la peau.	M.	29	–	3	2	2	–	6	1	1	–	6	6	2
		F.	12	1	–	–	–	1	3	–	2	–	5	–	–
49	Cancer of other or unspecified organs—Cancer d'autres organes ou d'organes non spécifiés.	M.	444	9	14	13	41	26	100	21	9	15	123	43	30
		F.	218	6	8	5	14	9	53	15	7	3	59	25	14
	(a) Cancer of eye and ear—Cancer de l'œil et de l'oreille.	M.	1	–	–	–	–	–	–	–	–	–	–	1	–
		F.	9	–	–	–	1	1	3	2	1	–	1	–	–
	(b) Cancer of circulatory system—Cancer de l'appareil circulatoire.	M.	38	1	–	–	3	2	13	3	1	2	10	3	–
		F.	19	–	1	–	4	–	2	2	–	–	4	3	3
	(c) Cancer of respiratory system—Cancer de l'appareil respiratoire.	M.	79	1	1	2	10	3	20	2	–	1	23	10	6
		F.	39	2	–	1	1	3	4	1	1	–	18	5	3
	(d) Cancer of digestive system—Cancer de l'appareil digestif.	M.	56	1	2	1	5	3	13	3	3	1	13	8	3
		F.	44	–	2	1	1	3	12	2	3	1	10	7	1
	(e) Cancer of genito-urinary system—Cancer de l'appareil génito-urinaire.	M.	198	2	9	8	21	15	32	12	–	8	53	19	19
		F.	29	3	–	2	2	1	7	3	–	2	7	1	1
	(f) Cancer of bones and joints—Cancer des os et des articulations.	M.	16	2	–	–	1	2	–	–	1	1	8	1	–
		F.	17	–	1	–	2	1	2	2	1	–	6	1	1

(1) Comprend Point Grey et South Vancouver.

TABLE 32—Causes of death by sex in cities of 40,000 and over, 1928—*con.*

Int. list No.	Causes of death — Causes de décès		Total	Calgary	Edmonton	Halifax	Hamilton	London	Montreal	Ottawa	Quebec	St. John	Toronto	Vancouver (1)	Winnipeg
	CLASS II-con.—**CLASSE II**-suite														
49	(g) Cancer of other specified organs—Cancer d'autres organes spécifiés.	M.	44	2	2	2	1	–	15	1	4	1	14	–	2
		F.	40	1	4	1	–	–	12	2	–	–	10	6	4
	(h) Generalized cancer—Cancer généralisé.	M.	11	–	–	–	–	1	7	–	–	1	1	1	–
		F.	21	–	–	–	2	–	11	1	1	–	3	2	1
	(i) Unspecified—Non spécifiés....	M.	1	–	–	–	–	–	–	–	–	–	1	–	–
		F.	1	–	–	–	1	–	–	–	–	–	–	–	–
50	Benign tumours and tumours not returned as malignant (tumours of female genital organs excepted)—Tumeurs bénignes et tumeurs non données comme malignes (tumeurs des organes génitaux de la femme exceptées).	M.	21	–	–	–	1	1	10	3	1	–	4	–	1
		F.	22	–	–	3	1	1	4	1	2	1	7	2	–
51	Acute rheumatic fever—Rhumatisme articulaire aigu fébrile.	M.	45	4	–	1	2	3	17	2	1	–	10	3	2
		F.	58	1	3	4	1	2	14	3	1	1	17	5	6
52	Chronic rheumatism, osteo-arthritis, gout—Rhumatisme chronique ou goutte.	M.	12	1	–	1	1	1	7	–	1	–	–	–	–
		F.	14	2	1	1	1	2	4	1	1	–	–	1	–
53	Scurvy—Scorbut.....	M.	1	–	–	–	–	–	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
54	Pellagra—Pellagre.....	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	1	–	–
56	Rickets—Rachitisme.....	M.	45	1	–	–	2	–	23	–	12	1	5	–	1
		F.	22	–	3	1	–	–	11	1	3	–	2	1	–
57	Diabetes mellitus—Diabète.....	M.	156	6	7	2	10	9	48	8	6	4	30	15	11
		F.	218	2	5	6	10	9	76	12	7	7	53	21	10
58	Anaemia, chlorosis—Anémie, chlorose.	M.	85	3	1	1	4	4	24	6	4	6	19	7	6
		F.	90	2	5	2	1	5	30	6	2	1	29	2	5
	(a) Pernicious anaemia — Anémie pernicieuse.	M.	69	3	1	1	4	4	15	5	2	6	16	7	5
		F.	81	2	5	2	1	5	23	5	2	1	28	2	5
	(b) Other anaemias and chlorosis— Autres anémies et chloroses.	M.	16	–	–	–	–	–	9	1	2	–	3	–	1
		F.	9	–	–	–	–	–	7	1	–	–	1	–	–
59	Diseases of the pituitary gland—Affections du corps pituitaire.	M.	3	–	–	–	–	–	–	–	–	–	2	–	1
		F.	2	–	1	–	–	–	1	–	–	–	–	–	–
60	Diseases of the thyroid gland—Affections de la glande thyroïde.	M.	25	–	2	–	2	2	1	3	3	–	6	2	4
		F.	133	5	3	2	7	6	18	5	5	3	60	9	10
	(a) Exophthalmic goiter—Goître exophtalmique.	M.	13	–	–	–	–	2	1	2	1	–	2	1	4
		F.	72	3	2	–	3	4	9	2	2	2	33	6	6
	(b) Other diseases of the thyroid gland—Autres affections de la glande thyroïde.	M.	12	–	2	–	2	–	–	1	2	–	4	1	–
		F.	61	2	1	2	4	2	9	3	3	1	27	3	4
61	Diseases of the parathyroid glands—Affections des glandes parathyroïdes.	M.	9	2	–	1	–	–	3	–	1	–	2	–	–
		F.	7	–	–	1	–	–	3	–	2	–	–	1	–
62	Diseases of the thymus—Affections du thymus.	M.	28	–	1	–	2	1	2	1	2	4	8	5	2
		F.	22	–	1	–	2	–	2	1	2	1	7	4	2
63	Diseases of the adrenals (Addison's disease)—Affections des glandes surrénales (maladie d'Addison).	M.	7	1	1	–	–	1	1	–	–	–	2	–	1
		F.	7	–	–	2	1	–	–	–	1	–	1	–	2
64	Diseases of the spleen—Affections de la rate.	M.	10	–	–	1	–	–	3	1	–	–	3	2	–
		F.	4	–	–	–	–	–	1	–	–	–	3	–	–
65	Leukaemia, lymphadenoma—Leucémie, lymphadénie.	M.	58	–	5	1	3	1	9	5	–	1	18	7	8
		F.	25	2	–	1	–	2	2	1	1	2	7	4	3
	(a) Leukaemia—Leucémie.....	M.	39	–	3	1	1	1	6	5	–	1	8	6	7
		F.	17	2	–	–	–	2	1	–	–	1	5	3	3
	(b) Lymphadenoma (Hodgkin's disease)—Lymphadénie (maladie d'Hodgkin).	M.	19	–	2	–	2	–	3	–	–	–	10	1	1
		F.	8	–	–	1	–	–	1	1	1	1	2	1	–
66	Alcoholism—Alcoolisme.....	M.	84	1	5	5	5	3	17	3	1	–	18	14	12
		F.	12	1	1	–	1	–	2	–	–	–	3	2	2
	(a) Delirium tremens.....	M.	5	–	–	–	–	–	1	1	–	–	2	1	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	1
	(b) Acute alcoholism—Alcoolisme aigu.	M.	54	–	2	3	4	2	8	2	–	–	13	8	12
		F.	10	1	1	–	1	–	1	–	–	–	3	2	1
	(c) Chronic alcoholism—Alcoolisme chronique.	M.	25	1	3	2	1	1	8	–	1	–	3	5	–
		F.	1	–	–	–	–	–	1	–	–	–	–	–	–
67	Chronic poisoning by mineral substances—Empoisonnements chroniques par substances minérales.	M.	8	1	–	–	1	–	4	1	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
	(a) Chronic lead poisoning—Empoisonnements chroniques par le plomb.	M.	6	1	–	–	1	–	3	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
	(b) Others under this title—Autres sous ce titre.	M.	2	–	–	–	–	–	1	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
68	Chronic organic poisoning—Empoisonnements chroniques par substances organiques.	M.	3	–	–	–	–	–	–	–	–	–	–	2	1
		F.	10	–	–	–	1	–	5	–	–	–	2	2	–
	(a) Chronic morphinism—Morphinisme chronique.	M.	1	–	–	–	–	–	–	–	–	–	–	–	1
		F.	5	–	–	–	–	–	3	–	–	–	1	1	–
	(b) Chronic cocainism, etc.—Cocaïnisme chronique, etc.	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	1	–
	(c) Other organic poisoning—Autres empoisonnements organiques.	M.	2	–	–	–	–	–	–	–	–	–	–	2	–
		F.	4	–	–	–	1	–	2	–	–	–	1	–	–

(1) Including Point Grey and South Vancouver.

TABLEAU 32—Causes de décès selon le sexe dans les cités de 40,000 et plus, 1928—*suite*

Int. list No.	Causes of death — Causes de décès		Total	Calgary	Edmonton	Halifax	Hamilton	London	Montreal	Ottawa	Quebec	St. John	Toronto	Vancouver (1)	Winnipeg
	CLASS II-con.—CLASSE II-fin														
69	Other general diseases—Autres maladies générales.	M.	16	1	3	2	–	–	1	1	–	1	6	–	1
		F.	25	2	1	1	2	2	7	1	–	1	4	1	3
	(a) Diabetes insipidus—Diabète insipide.	M.	1	–	–	1	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	1	–	–	–	–	–	1
	(b) Haemophilia—Hémophilie.....	M.	4	–	1	–	–	–	–	–	–	–	2	–	1
		F.	6	–	–	1	1	–	2	–	–	–	1	1	–
	(c) Purpura haemorrhagica—Purpura hémorragique.	M.	4	1	2	–	–	–	–	–	–	–	1	–	–
		F.	8	–	1	–	1	–	3	1	–	–	1	–	1
	(d) Others under this title—Autres sous ce titre.	M.	7	–	–	1	–	–	1	1	–	1	3	–	–
		F.	9	2	–	–	–	2	1	–	–	1	2	–	1
	CLASS III—DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE—CLASSE III-AFFECTIONS DU SYSTÈME NERVEUX ET DES ORGANES DES SENS.	**Total**	**2,162**	**39**	**57**	**68**	**121**	**85**	**670**	**108**	**144**	**53**	**539**	**155**	**123**
		M.	**1,085**	**18**	**24**	**31**	**69**	**44**	**344**	**49**	**56**	**25**	**268**	**93**	**64**
		F.	**1,077**	**21**	**33**	**37**	**52**	**41**	**326**	**59**	**88**	**28**	**271**	**62**	**59**
70	Encephalitis—Encéphalite.....	M.	31	1	1	–	2	1	10	3	2	–	9	2	–
		F.	23	1	–	1	3	2	5	–	1	–	8	–	2
	(a) Abscess of brain—Abcès du cerveau.	M.	17	1	1	–	2	–	6	–	2	–	3	2	–
		F.	4	–	–	–	1	–	–	–	–	–	3	–	–
	(b) Encephalitis—Encéphalite.....	M.	14	–	–	–	–	1	4	3	–	–	6	–	–
		F.	19	1	–	1	2	2	5	–	1	–	5	–	2
71	Meningitis—Méningite.....	M.	106	2	3	2	3	1	53	1	15	1	13	6	6
		F.	89	–	3	5	3	–	42	5	17	–	4	6	4
	(a) Simple meningitis—Méningite simple.	M.	104	2	3	2	3	1	52	1	14	1	13	6	6
		F.	88	–	3	5	3	–	41	5	17	–	4	6	4
	(b) Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non épidémique.	M.	2	–	–	–	–	–	1	–	1	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–	–	–	–
72	Tabes dorsalis (locomotor ataxia)—Ataxie locomotrice progressive.	M.	29	–	–	2	1	–	2	–	–	2	16	4	2
		F.	5	–	–	–	–	–	1	–	–	–	3	1	–
73	Other diseases of the spinal cord—Autres affections de la moëlle épinière.	M.	87	3	2	2	2	1	14	5	6	3	35	10	4
		F.	53	2	–	–	3	6	13	4	2	1	19	1	2
74	Cerebral haemorrhage, apoplexy—Hémorragie cérébrale, apoplexie.	M.	355	4	11	13	48	15	82	16	14	10	89	33	20
		F.	459	9	14	19	33	15	104	27	28	19	135	27	29
	(a) Apoplexy—Apoplexie.....	M.	97	–	4	6	16	6	21	4	6	2	27	3	2
		F.	127	2	10	6	14	8	18	8	14	3	33	6	5
	(b) Cerebral haemorrhage—Hémorragie cérébrale.	M.	233	3	7	6	28	8	59	9	8	8	54	27	16
		F.	300	6	4	11	19	7	82	16	14	16	82	21	22
	(c) Cerebral thrombosis and embolism—Thrombose et embolie cérébrales.	M.	25	1	–	1	4	1	2	3	–	–	8	3	2
		F.	32	1	–	2	–	–	4	3	–	–	20	–	2
75	Paralysis without specified cause—Paralysie sans cause indiquée.	M.	70	–	1	–	1	3	32	5	4	3	14	5	2
		F.	116	1	7	1	1	5	55	8	9	1	23	3	2
	(a) Hemiplegia—Hémiplégie.....	M.	29	–	1	–	1	2	4	4	1	2	9	4	1
		F.	49	1	3	1	1	3	11	5	1	1	18	2	2
	(b) Others under this title—Autres sous ce titre.	M.	41	–	–	–	–	1	28	1	3	1	5	1	1
		F.	67	–	4	–	–	2	44	3	8	–	5	1	–
76	General paralysis of the insane—Paralysie générale des aliénés.	M.	35	–	–	2	–	8	10	–	–	–	10	3	2
		F.	12	–	–	–	–	2	4	–	–	2	2	1	1
77	Other forms of mental alienation—Autres formes de l'aliénation mentale.	M.	24	–	–	–	–	2	10	2	1	–	6	2	1
		F.	29	1	1	–	–	1	9	1	–	1	11	2	2
78	Epilepsy—Épilepsie.....	M.	52	–	–	3	2	4	23	2	4	1	9	3	1
		F.	40	–	2	–	–	4	18	3	–	2	10	1	–
79	Convulsions (non-puerperal, 5 years or over)—Éclampsie (non puerpérale, cinq ans ou au-dessus).	M.	3	–	–	–	–	1	2	–	–	–	–	–	–
		F.	3	–	–	1	–	–	1	–	–	–	–	1	–
80	Infantile convulsions (under 5 years of age) — Convulsions des enfants (moins de cinq ans).	M.	36	–	–	5	2	2	15	2	1	–	7	1	1
		F.	34	2	–	6	1	–	7	2	12	–	1	1	2
81	Chorea—Chorée.....	M.	1	–	–	–	–	–	–	1	–	–	–	–	–
		F.	3	–	–	–	1	–	1	–	–	–	1	–	–
82	Neuralgia and neuritis—Névralgie et névrite.	M.	5	–	–	–	–	–	3	1	–	–	1	–	–
		F.	7	–	1	–	1	1	2	–	–	–	1	–	1
83	Softening of the brain—Ramollissement du cerveau.	M.	11	1	–	–	–	–	3	–	3	–	–	2	2
		F.	28	–	–	–	–	–	10	1	9	2	3	2	1
84	Other diseases of the nervous system—Autres affections du système nerveux.	M.	105	3	3	2	6	3	30	4	5	1	29	9	10
		F.	93	3	4	3	6	2	19	5	7	–	27	11	6
85	Diseases of the eye and annexa—Affections de l'œil et de ses annexes.	M.	5	–	–	–	1	–	2	–	–	–	2	–	–
		F.	1	–	–	–	–	–	1	–	–	–	–	–	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien.	M.	130	4	3	–	1	3	53	7	1	4	28	13	13
		F.	82	2	1	1	–	3	34	3	3	–	23	5	7
	(a) Diseases of the ear—Affections de l'oreille.	M.	56	3	2	–	1	–	14	4	–	4	18	6	4
		F.	32	1	–	–	–	1	13	1	1	–	12	2	1
	(b) Diseases of the mastoid process—Affections du sinus mastoïdien.	M.	74	1	1	–	–	3	39	3	1	–	10	7	9
		F.	50	1	1	1	–	2	21	2	2	–	11	3	6

(1) Comprend Point Grey et South Vancouver.

TABLE 32—Causes of death by sex in cities of 40,000 and over, 1928—*con.*

Int. list No.	Causes of death — Causes de décès		Total	Calgary	Edmonton	Halifax	Hamilton	London	Montreal	Ottawa	Quebec	St. John	Toronto	Vancouver (1)	Winnipeg
	CLASS IV—DISEASES OF THE CIRCULATORY SYSTEM— CLASSE IV — AFFECTIONS DE L'APPAREIL CIRCULATOIRE.	**Total**	**5,730**	**163**	**126**	**165**	**326**	**268**	**1,521**	**349**	**232**	**154**	**1,617**	**455**	**354**
		M.	**2,935**	**100**	**75**	**90**	**169**	**120**	**737**	**173**	**109**	**76**	**808**	**279**	**199**
		F.	**2,795**	**63**	**51**	**75**	**157**	**148**	**784**	**176**	**123**	**78**	**809**	**176**	**155**
87-90	**Diseases of the heart—Affections du cœur.**	**M.**	**1,879**	**64**	**42**	**50**	**102**	**77**	**531**	**123**	**85**	**51**	**483**	**148**	**123**
		F.	**1,900**	**38**	**38**	**49**	**114**	**89**	**612**	**123**	**92**	**66**	**475**	**100**	**104**
87	Pericarditis—Péricardite.....	M.	11	–	1	1	–	–	4	1	–	–	1	1	2
		F.	6	–	–	–	1	–	2	–	1	–	2	–	–
88	Endocarditis and myocarditis (acute)—Endocardite et myocardite (aiguës).	M.	93	7	5	–	3	1	20	10	4	–	20	9	14
		F.	75	1	3	2	6	3	21	2	4	1	23	3	6
	(a) Acute endocarditis—Endocardite aiguë.	M.	63	6	4	–	2	–	7	8	3	–	13	7	13
		F.	43	–	3	1	1	–	12	–	2	1	15	2	6
	(b) Acute myocarditis—Myocardite aiguë.	M.	30	1	1	–	1	1	13	2	1	–	7	2	1
		F.	32	1	–	1	5	3	9	2	2	–	8	1	–
89	Angina pectoris—Angine de poitrine.	M.	288	7	8	9	8	15	66	25	28	6	84	19	13
		F.	148	2	1	3	3	13	35	11	9	3	46	15	7
90	Other diseases of the heart—Autres affections du cœur.	M.	1,487	50	28	40	91	61	441	87	53	45	378	119	94
		F.	1,671	35	34	44	104	73	554	110	78	62	404	82	91
	(a) Valvular disease—Affection valvulaire.	M.	242	6	8	20	11	4	60	10	11	3	68	24	17
		F.	290	4	8	16	15	7	86	11	18	6	78	17	24
	(b) Fatty degeneration of the heart —Dégénérescence ou stéanose du cœur.	M.	6	–	–	–	–	–	3	–	–	2	–	1	–
		F.	7	–	–	–	–	–	2	–	–	–	3	2	–
	(c) Aortic insufficiency—Insuffisance aortique.	M.	9	–	–	–	–	–	9	–	–	–	–	–	–
		F.	3	–	–	–	–	–	3	–	–	–	–	–	–
	(d) Chronic endocarditis—Endocardite chronique.	M.	207	7	4	1	6	4	75	16	6	9	45	22	12
		F.	297	10	5	1	7	12	113	16	8	11	78	23	13
	(e) Chronic myocarditis—Myocardite chronique.	M.	820	35	14	9	63	36	216	47	20	28	231	61	60
		F.	832	20	18	13	71	40	260	70	19	40	204	34	43
	(f) Others under this title—Autres sous ce titre.	M.	203	2	2	10	11	17	78	14	16	3	34	11	5
		F.	242	1	3	14	11	14	90	13	33	5	41	6	11
91	Diseases of the arteries—Affections des artères.	M.	982	31	31	40	65	40	188	49	21	20	312	125	60
		F.	845	23	12	26	42	56	162	50	29	11	321	73	40
	(a) Aneurysm—Anévrisme.....	M.	53	1	–	1	5	–	11	4	–	2	7	14	8
		F.	20	–	2	–	1	1	5	2	1	–	5	2	1
	(b) Arteriosclerosis — Artério-sclérose.	M.	914	28	31	38	60	40	175	45	21	17	301	108	50
		F.	821	23	10	26	41	55	157	47	28	11	314	70	39
	(c) Other diseases of the arteries— Autres affections des artères.	M.	15	2	–	1	–	–	2	–	–	1	4	3	2
		F.	4	–	–	–	–	–	–	1	–	–	2	1	–
92	Embolism and thrombosis (not cerebral)—Embolie et thrombose (non cérébrales).	M.	56	4	2	–	2	3	12	–	1	5	9	4	14
		F.	29	1	–	–	–	2	7	–	1	1	7	2	8
93	Diseases of the veins (varices, haemorrhoids, phlebitis, etc.)—Affections des veines (varices, hémorroïdes, phlébite, etc.).	M.	8	1	–	–	–	–	1	1	–	–	3	2	–
		F.	14	–	1	–	1	1	1	1	1	–	5	–	3
94	Diseases of the lymphatic system (lymphangitis, etc.)—Affections du système lymphatique (lymphangite, etc.).	M.	8	–	–	–	–	–	3	–	2	–	1	–	2
		F.	5	1	–	–	–	–	2	1	–	–	1	–	–
95	Haemorrhage without specified cause —Hémorragie sans cause déterminée.	M.	2	–	–	–	–	–	2	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	1	–	–	–	1	–
	CLASS V—DISEASES OF THE RESPIRATORY SYSTEM — CLASSE V—AFFECTIONS DE L'APPAREIL RESPIRATOIRE.	**Total**	**3,488**	**77**	**54**	**73**	**162**	**96**	**1,414**	**128**	**306**	**76**	**768**	**185**	**149**
		M.	**1,911**	**47**	**31**	**47**	**87**	**44**	**770**	**74**	**159**	**36**	**405**	**126**	**85**
		F.	**1,577**	**30**	**23**	**26**	**75**	**52**	**644**	**54**	**147**	**40**	**363**	**59**	**64**
97	Diseases of the nasal fossae and their annexa—Affections des fosses nasales et de leurs annexes.	M.	10	1	–	1	–	–	2	–	2	–	2	1	1
		F.	7	–	–	–	–	–	2	–	–	–	4	–	1
98	Diseases of the larynx—Affections du larynx.	M.	28	3	1	–	1	–	12	–	4	1	4	1	1
		F.	31	–	–	–	–	1	13	1	10	1	4	1	–
	(a) Laryngismus stridulus — Laryngite striduleuse.	M.	4	–	–	–	–	–	3	–	1	–	–	–	–
		F.	9	–	–	–	–	–	6	–	2	–	1	–	–
	(b) Laryngitis—Laryngite.....	M.	15	2	1	–	1	–	4	–	1	–	4	1	1
		F.	8	–	–	–	–	–	2	–	2	–	3	1	–
	(c) Croup.....	M.	3	1	–	–	–	–	2	–	–	–	–	–	–
		F.	11	–	–	–	–	1	3	1	5	1	–	–	–
	(d) Other diseases of the larynx— Autres affections du larynx.	M.	6	–	–	–	–	–	3	–	2	1	–	–	–
		F.	3	–	–	–	–	–	2	–	1	–	–	–	–
99	Bronchitis—Bronchite.....	M.	40	1	2	–	2	1	14	1	8	1	6	–	4
		F.	57	1	2	3	1	1	16	1	10	2	12	5	3
	(a) Acute—Aiguë.....	M.	20	1	–	–	–	1	5	1	7	1	4	–	–
		F.	31	1	2	1	1	1	6	–	7	1	8	2	1
	(b) Chronic—Chronique.....	M.	14	–	2	–	2	–	5	–	1	–	2	–	2
		F.	10	–	–	1	–	–	3	–	1	1	1	1	2
	(c) Not otherwise defined, under 5 years of age—Sans épithète, au-dessous de cinq ans.	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	2	–

(1) Including Point Grey and South Vancouver.

TABLEAU 32—Causes de décès selon le sexe dans les cités de 40,000 et plus, 1928—*suite*

Int. list No.	Causes of death — Causes de décès		Total	Calgary	Edmonton	Halifax	Hamilton	London	Montreal	Ottawa	Quebec	St. John	Toronto	Vancouver (1)	Winnipeg
	CLASS V-con.—**CLASSE V**-fin														
99	(d) Not otherwise defined, 5 years or over—Sans épithète, cinq ans ou au-dessus.	M.	6	–	–	–	–	–	4	–	–	–	–	–	2
		F.	14	–	–	1	–	–	7	1	2	–	3	–	–
100	Bronchopneumonia (including capillary bronchitis)—Broncho-pneumonie (y compris bronchite capillaire).	M.	720	9	11	17	26	7	325	25	85	14	150	25	26
		F.	653	12	7	13	24	20	284	16	78	18	143	13	25
	(a) Bronchopneumonia — Broncho-pneumonie.	M.	693	9	11	17	26	7	310	24	74	14	150	25	26
		F.	631	12	7	13	24	20	275	16	67	17	142	13	25
	(b) Capillary bronchitis—Bronchite capillaire.	M.	27	–	–	–	–	–	15	1	11	–	–	–	–
		F.	22	–	–	–	–	–	9	–	11	1	1	–	–
101	Pneumonia—Pneumonie	M.	834	28	15	19	44	32	309	35	27	16	196	75	38
		F.	630	15	11	10	41	23	233	26	24	16	174	29	28
	(a) Lobar—Lobaire	M.	571	28	12	9	28	18	194	22	10	14	141	60	35
		F.	370	15	10	6	27	13	119	15	8	10	100	21	26
	(b) Not otherwise defined—Sans épithète.	M.	263	–	3	10	16	14	115	13	17	2	55	15	3
		F.	260	–	1	4	14	10	114	11	16	6	74	8	2
102	Pleurisy—Pleurésie	M.	109	2	1	3	6	2	44	7	4	2	19	11	8
		F.	65	1	1	–	3	2	37	1	6	–	10	3	1
103	Congestion and haemorrhagic infarct of the lung—Congestion et hémorragie parenchymateuse des poumons.	M.	65	1	–	2	4	1	30	1	22	–	1	1	2
		F.	78	–	–	–	2	2	40	5	15	2	8	2	2
104	Gangrene of the lung—Gangrène du poumon.	M.	7	–	–	–	–	–	5	1	–	–	1	–	–
		F.	4	–	–	–	–	–	3	–	–	–	1	–	–
105	Asthma—Asthme	M.	46	1	1	–	3	–	16	3	5	2	10	4	1
		F.	27	–	–	–	2	2	10	1	2	1	4	4	1
106	Pulmonary emphysema—Emphysème pulmonaire.	M.	6	–	–	–	–	–	3	–	1	–	2	–	–
		F.	3	–	1	–	–	–	2	–	–	–	–	–	–
107	Other diseases of the respiratory system (tuberculosis excepted)—Autres affections de l'appareil respiratoire (tuberculose exceptée).	M.	46	1	–	5	1	1	10	1	1	–	14	8	4
		F.	22	1	1	–	2	1	4	3	2	–	3	2	3
	(a) Chronic interstitial pneumonia including occupational diseases of the lungs—Pneumonie interstitielle chronique comprenant les affections professionnelles de l'appareil pulmonaire.	M.	6	–	–	–	–	–	–	–	–	–	2	4	–
		F.	2	1	–	–	–	–	1	–	–	–	–	–	–
	(b) Diseases of the mediastinum—Affections du médiastin.	M.	3	–	–	–	–	–	1	–	1	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	37	1	–	5	1	1	9	1	–	–	12	4	3
		F.	20	–	1	–	2	1	3	3	2	–	3	2	3
	CLASS VI—DISEASES OF THE DIGESTIVE SYSTEM—CLASSE VI—AFFECTIONS DE L'APPAREIL DIGESTIF.	Total	3,944	97	89	62	108	75	1,981	216	373	52	566	157	168
		M.	2,094	57	51	32	51	40	1,050	123	179	26	300	96	89
		F.	1,850	40	38	30	57	35	931	93	194	26	266	61	79
108	Diseases of the mouth and annexa—Affections de la bouche et de ses annexes.	M.	17	–	2	1	–	1	4	4	1	–	1	3	–
		F.	12	–	–	–	1	–	4	1	–	–	5	–	1
109	Diseases of the pharynx and tonsils (including adenoid vegetations)—Affections du pharynx et des amygdales (y compris les végétations adénoïdiennes).	M.	61	4	2	–	1	2	19	2	5	1	19	4	2
		F.	66	5	1	–	3	–	16	3	6	2	20	5	5
	(a) Adenoid vegetations—Végétations adénoïdiennes.	M.	2	–	–	–	–	–	1	1	–	–	–	–	–
		F.	1	–	–	–	–	–	–	1	–	–	–	–	–
	(b) Pharynx and tonsils—Pharynx et amygdales.	M.	59	4	2	–	1	2	18	1	5	1	19	4	2
		F.	65	5	1	–	3	–	16	2	6	2	20	5	5
110	Diseases of the œsophagus—Affections de l'œsophage.	M.	7	2	–	–	1	–	1	–	2	–	–	1	–
		F.	2	–	1	–	–	–	–	–	–	–	–	–	1
111	Ulcer of the stomach and duodenum—Ulcère de l'estomac et du duodénum.	M.	175	15	6	1	11	4	37	9	4	3	53	16	16
		F.	53	2	2	3	6	3	16	1	4	1	8	3	4
	(a) Ulcer of the stomach—Ulcère de l'estomac.	M.	97	5	3	–	5	–	29	8	3	3	26	9	6
		F.	42	1	2	2	5	2	15	1	4	1	4	1	4
	(b) Ulcer of the duodenum—Ulcère du duodénum.	M.	78	10	3	1	6	4	8	1	1	–	27	7	10
		F.	11	1	–	1	1	1	1	–	–	–	4	2	–
112	Other diseases of the stomach (cancer excepted)—Autres affections de l'estomac (cancer excepté).	M.	114	–	–	2	1	3	69	11	7	3	8	6	4
		F.	119	1	–	2	1	3	72	5	13	2	8	9	3
113	Diarrhoea and enteritis (under 2 years of age)—Diarrhée et entérite (au-dessous de 2 ans).	M.	912	2	11	7	19	5	624	52	115	3	61	2	11
		F.	772	4	7	2	15	4	511	38	112	3	59	3	14
114	Diarrhoea and enteritis (2 years or over)—Diarrhée et entérite (deux ans ou au-dessus).	M.	86	3	5	1	3	6	40	2	4	–	9	8	5
		F.	136	2	1	5	1	4	76	5	12	2	16	6	6
117	Appendicitis and typhlitis—Appendicite et typhlite.	M.	295	15	16	10	5	8	92	23	14	7	64	21	20
		F.	198	13	9	9	5	7	58	9	17	5	45	13	8

(1) Comprend Point Grey et South Vancouver.

TABLE 32—Causes of death by sex in cities of 40,000 and over, 1928—*con.*

Int. list No.	Causes of death — Causes de décès		Total	Calgary	Edmonton	Halifax	Hamilton	London	Montreal	Ottawa	Quebec	St. John	Toronto	Vancouver (1)	Winnipeg
	CLASS VI-con.—**CLASSE VI**-fin														
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale.	M.	141	5	4	1	5	7	49	10	8	3	27	9	13
		F.	147	4	5	–	7	2	41	9	13	5	41	8	12
	(a) Hernia—Hernie	M.	54	1	1	–	1	3	16	5	6	–	10	4	7
		F.	51	2	–	–	2	1	19	3	2	2	13	4	3
	(b) Intestinal obstruction—Obstruction intestinale.	M.	87	4	3	1	4	4	33	5	2	3	17	5	6
		F.	96	2	5	–	5	1	22	6	11	3	28	4	9
119	Other diseases of the intestines—Autres affections des intestins.	M.	41	–	–	1	1	–	18	–	4	2	9	2	4
		F.	51	–	–	2	3	3	19	3	5	–	11	1	4
120	Acute yellow atrophy of the liver—Atrophie jaune aiguë du foie.	M.	7	–	–	–	–	–	3	–	1	–	1	1	1
		F.	8	1	–	–	–	1	2	–	1	1	1	1	–
122	Cirrhosis of the liver—Cirrhose du foie.	M.	95	3	3	3	1	1	44	3	4	2	18	8	5
		F.	51	–	3	–	5	–	19	7	2	1	7	4	3
	(a) Specified as alcoholic—Spécifiée comme alcoolique.	M.	2	–	–	–	–	–	–	–	–	–	2	–	–
		F.	2	–	–	–	–	–	–	–	–	–	1	–	1
	(b) Not specified as alcoholic—Non spécifiée comme alcoolique.	M.	93	3	3	3	1	1	44	3	4	2	16	8	5
		F.	49	–	3	–	5	–	19	7	2	1	6	4	2
123	Biliary calculi—Calculs biliaires	M.	20	–	–	1	–	1	6	1	3	–	4	3	1
		F.	52	2	3	4	2	1	19	3	1	2	5	4	6
124	Other diseases of the liver—Autres affections du foie.	M.	83	5	1	3	2	2	31	3	5	1	15	10	5
		F.	128	6	5	3	3	4	54	4	6	1	34	2	6
125	Diseases of the pancreas—Affections du pancréas.	M.	7	1	–	–	–	–	–	1	–	–	3	1	1
		F.	16	–	1	–	3	–	2	1	1	–	5	1	2
126	Peritonitis without specified cause—Péritonite sans cause indiquée.	M.	33	2	1	1	1	–	13	2	2	1	8	1	1
		F.	39	–	–	–	2	3	22	4	1	1	1	1	4
	CLASS VII—NON-VENEREAL DISEASES OF THE GENITO-URINARY SYSTEM AND ANNEXA—CLASSE VII — AFFECTIONS NON VÉNÉRIENNES DE L'APPAREIL GÉNITO-URINAIRE ET DE SES ANNEXES.	Total	**2,750**	**49**	**73**	**69**	**125**	**120**	**1,188**	**129**	**174**	**55**	**461**	**191**	**116**
		M.	**1,472**	**27**	**48**	**41**	**70**	**57**	**587**	**74**	**85**	**30**	**262**	**133**	**58**
		F.	**1,278**	**22**	**25**	**28**	**55**	**63**	**601**	**55**	**89**	**25**	**199**	**58**	**58**
128	Acute nephritis (including unspecified, under 10 years of age)—Néphrite aiguë (y compris non spécifiée au-dessous de dix ans).	M.	74	–	1	2	2	3	32	7	6	2	14	5	–
		F.	58	–	1	2	2	1	26	6	3	–	10	3	4
129	Chronic nephritis (including unspecified, 10 years of age or over)—Néphrite chronique (y compris non spécifiée, dix ans ou au-dessus).	M.	1,004	17	35	21	43	42	449	43	58	19	151	94	32
		F.	950	10	17	20	40	52	492	35	63	18	127	41	35
131	Other diseases of the kidneys and annexa—Autres affections des reins et de leurs annexes.	M.	64	1	1	2	5	1	17	2	4	1	16	7	7
		F.	49	–	1	–	6	1	10	2	1	1	22	2	3
132	Calculi of the urinary passages—Calculs des voies urinaires.	M.	20	–	1	2	1	1	4	3	–	1	5	1	1
		F.	8	–	1	–	–	–	2	–	1	–	4	–	–
133	Diseases of the bladder—Affections de la vessie.	M.	33	1	1	4	2	1	8	1	–	3	9	2	1
		F.	11	1	–	–	–	–	1	–	4	1	3	–	1
134	Diseases of the urethra, urinary abscess, etc.—Affections de l'urètre, abcès urineux, etc.	M.	11	–	1	1	–	–	1	–	–	1	5	–	2
		F.	2	–	–	–	–	–	–	–	–	–	1	–	1
	(a) Stricture of the urethra—Rétrécissement de l'urètre.	M.	6	–	–	–	–	–	1	–	–	1	3	–	1
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
	(b) Other diseases of the urethra—Autres affections de l'urètre.	M.	5	–	1	1	–	–	–	–	–	–	2	–	1
		F.	2	–	–	–	–	–	–	–	–	–	1	–	1
135	Diseases of the prostate—Affections de la prostate.	M.	260	8	8	9	17	9	72	17	17	3	62	23	15
136	Non-venereal diseases of the male genital organs—Affections non vénériennes des organes génitaux de l'homme.	M.	6	–	–	–	–	–	4	1	–	–	–	1	–
137	Cysts and other benign tumours of the ovary—Kystes et autres tumeurs bénignes de l'ovaire.	F.	36	1	–	1	2	3	13	3	2	3	5	–	3
138	Salpingitis and pelvic abscess—Salpingite et abcès du bassin.	F.	49	6	1	–	–	1	18	4	7	1	4	4	3
139	Benign tumours of the uterus—Tumeurs bénignes de l'utérus.	F.	37	2	1	4	1	–	9	3	1	1	10	3	2
140	Non-puerperal uterine haemorrhage—Hémorragie utérine non puerpérale.	F.	2	–	–	–	–	–	–	1	–	–	1	–	–
141	Other diseases of the female genital organs—Autres affections des organes génitaux de la femme.	F.	74	2	3	1	4	5	29	1	7	–	12	4	6
142	Non-puerperal diseases of the breast (cancer excepted)—Affections non puerpérales du sein (cancer excepté).	F.	2	–	–	–	–	–	1	–	–	–	–	1	–

(1) Including Point Grey and South Vancouver.

TABLEAU 32—Causes de décès selon le sexe dans les cités de 40,000 et plus, 1928—*suite*

Int. list No.	Causes of death — Causes de décès		Total	Calgary	Edmonton	Halifax	Hamilton	London	Montreal	Ottawa	Quebec	St. John	Toronto	Vancouver (1)	Winnipeg
	CLASS VIII-THE PUERPERAL STATE—CLASSE VIII—ÉTAT PUERPÉRAL.	**Total**	**396**	**11**	**17**	**3**	**29**	**6**	**131**	**13**	**28**	**8**	**111**	**15**	**24**
143	Accidents of pregnancy—Accidents de la grossesse.	F.	32	1	–	1	4	2	8	–	2	–	11	2	1
	(a) Abortion—Avortement	F.	10	–	–	–	1	2	3	–	1	–	3	–	–
	(b) Ectopic gestation—Gestation ectopique.	F.	13	–	–	–	2	–	3	–	1	–	5	1	1
	(c) Others under this title—Autres sous ce titre.	F.	7	1	–	1	–	–	2	–	–	–	2	1	–
	(d) Abortion, self-induced—Avortement provoqué par soi-même.	F.	2	–	–	–	1	–	–	–	–	–	1	–	–
144	Puerperal haemorrhage—Hémorragie puerpérale.	F.	36	2	2	–	2	1	11	–	3	–	13	–	2
145	Other accidents of labour—Autres accidents de l'accouchement.	F.	47	–	3	–	5	–	11	1	4	–	17	3	3
	(a) Caesarean section—Opération césarienne.	F.	13	–	–	–	2	–	2	–	2	–	6	1	–
	(b) Difficult labour—Accouchement laborieux.	F.	5	–	1	–	–	–	1	–	–	–	1	2	–
	(c) Other surgical operations and instrumental delivery—Autres opérations chirurgicales et application d'instruments.	F.	10	–	1	–	3	–	1	1	1	–	3	–	–
	(d) Uncontrollable vomiting—Vomissements incontrôlables.	F.	18	–	1	–	–	–	6	–	1	–	7	–	3
	(e) Rupture of the uterus in labour, etc.—Rupture de l'utérus durant l'accouchement, etc.	F.	1	–	–	–	–	–	1	–	–	–	–	–	–
146	Puerperal septicaemia — Septicémie puerpérale.	F.	145	5	7	–	7	–	47	4	10	4	44	6	11
147	Puerperal phlegmasia alba dolens, puerperal embolism, sudden death in puerperium—Phlegmasia alba dolens, embolie, mort subite puerpérales.	F.	23	–	–	–	3	2	8	1	1	–	6	–	2
148	Puerperal albuminuria and convulsions—Albuminurie et éclampsie puerpérales.	F.	102	3	4	2	6	–	43	6	6	4	19	4	5
149	Following childbirth (not otherwise defined)—Suites de couches (sans autres explications).	F.	11	–	1	–	2	1	3	1	2	–	1	–	–
	CLASS IX—DISEASES OF THE SKIN AND OF THE CELLULAR TISSUE—CLASSE IX—AFFECTIONS DE LA PEAU ET DU TISSU CELLULAIRE.	**Total**	**188**	**3**	**5**	**7**	**7**	**8**	**70**	**7**	**22**	**3**	**33**	**10**	**13**
		M.	**104**	**2**	**1**	**6**	**5**	**4**	**40**	**3**	**9**	**3**	**17**	**7**	**7**
		F.	**84**	**1**	**4**	**1**	**2**	**4**	**30**	**4**	**13**	–	**16**	**3**	**6**
151	Gangrene—Gangrène	M.	24	1	1	1	–	2	6	–	2	1	4	2	4
		F.	30	1	3	1	–	2	9	1	4	–	5	1	3
152	Furuncle—Furoncle	M.	9	–	–	–	–	–	3	–	1	–	5	–	–
		F.	5	–	–	–	–	–	–	1	–	–	3	–	1
153	Acute abscess—Phlegmon, abcès chaud.	M.	42	1	–	3	4	1	18	1	3	1	7	2	1
		F.	30	–	–	–	1	1	14	2	5	–	4	1	2
154	Other diseases of the skin and annexa —Autres affections de la peau et de ses annexes.	M.	29	–	–	2	1	1	13	2	3	1	1	3	2
		F.	19	–	1	–	1	1	7	–	4	–	4	1	–
	CLASS X—DISEASES OF THE BONES AND OF THE ORGANS OF LOCOMOTION—CLASSE X — AFFECTIONS DES OS ET DES ORGANES DE LA LOCOMOTION.	**Total**	**87**	**1**	**6**	**1**	**2**	**2**	**30**	**7**	**3**	**2**	**24**	**3**	**6**
		M.	**47**	**1**	**3**	–	**2**	–	**15**	**3**	**2**	**1**	**15**	**1**	**4**
		F.	**40**	–	**3**	**1**	–	**2**	**15**	**4**	**1**	**1**	**9**	**2**	**2**
155	Diseases of the bones (mastoid and tuberculosis excepted)—Affections des os (sinus mastoïdien et tuberculose exceptés).	M.	38	1	3	–	2	–	12	3	1	1	10	1	4
		F.	31	–	3	1	–	2	15	1	1	–	6	1	1
156	Diseases of the joints (tuberculosis and rheumatism excepted)—Affections articulaires (tuberculose et rhumatisme exceptés).	M.	6	–	–	–	–	–	2	–	–	–	4	–	–
		F.	7	–	–	–	–	–	–	3	–	1	2	1	–
158	Other diseases of the organs of locomotion—Autres affections des organes de la locomotion.	M.	3	–	–	–	–	–	1	–	1	–	1	–	–
		F.	2	–	–	–	–	–	–	–	–	–	1	–	1

(1) Comprend Point Grey et South Vancouver.

TABLE 32—Causes of death by sex in cities of 40,000 and over, 1928—*con.*

Int. list No.	Causes of death — Causes de décès		Total	Calgary	Edmonton	Halifax	Hamilton	London	Montreal	Ottawa	Quebec	St. John	Toronto	Vancouver (1)	Winnipeg
	CLASS XI—MALFORMATIONS Total		**451**	**10**	**20**	**17**	**13**	**15**	**152**	**21**	**38**	**4**	**93**	**36**	**32**
	—CLASSE XI — VICES DE	**M.**	**244**	**4**	**10**	**12**	**6**	**9**	**86**	**11**	**21**	**3**	**47**	**22**	**13**
	CONFORMATION.	**F.**	**207**	**6**	**10**	**5**	**7**	**6**	**66**	**10**	**17**	**1**	**46**	**14**	**19**
159	Congenital malformations (stillbirths not included)—Vices de conformation congénitaux (mort-nés non compris).	M.	244	4	10	12	6	9	86	11	21	3	47	22	13
		F.	207	6	10	5	7	6	66	10	17	1	46	14	19
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale.	M.	21	–	1	–	2	–	9	–	1	–	3	3	2
		F.	24	1	2	–	1	–	9	1	1	–	5	–	4
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur.	M.	119	–	4	9	–	4	48	6	12	1	20	12	3
		F.	100	3	6	3	3	1	35	3	9	–	18	10	9
	(c) Others under this title—Autres sous ce titre.	M.	104	4	5	3	4	5	29	5	8	2	24	7	8
		F.	83	2	2	2	3	5	22	6	7	1	23	4	6
	CLASS XII — DISEASES OF EARLY INFANCY—CLASSE XII—AFFECTIONS DU PREMIER ÂGE.	**Total**	**2,192**	**62**	**65**	**33**	**77**	**37**	**906**	**118**	**219**	**48**	**410**	**76**	**141**
		M.	**1,217**	**33**	**36**	**20**	**43**	**24**	**516**	**68**	**109**	**30**	**229**	**39**	**70**
		F.	**975**	**29**	**29**	**13**	**34**	**13**	**390**	**50**	**110**	**18**	**181**	**37**	**71**
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème.	M.	232	3	6	11	7	1	124	14	19	6	28	2	11
		F.	157	1	–	3	10	–	92	6	21	3	14	2	5
161	Premature birth, injury at birth—Naissance prématurée, conséquence de l'accouchement.	M.	835	28	26	7	31	22	312	50	74	21	181	33	50
		F.	683	24	29	9	21	11	233	40	75	14	145	31	51
	(a) Premature birth—Naissance prématurée.	M.	642	21	25	5	23	19	203	40	66	19	152	28	41
		F.	565	23	25	8	17	10	174	37	62	13	127	27	42
	(b) Injury at birth—Conséquence de l'accouchement.	M.	193	7	1	2	8	3	109	10	8	2	29	5	9
		F.	118	1	4	1	4	1	59	3	13	1	18	4	9
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge.	M.	150	2	4	2	5	1	80	4	16	3	20	4	9
		F.	134	4	–	1	3	2	64	4	14	1	22	4	15
	(a) Specified diseases—Affections spécifiées.	M.	150	2	4	2	5	1	80	4	16	3	20	4	9
		F.	133	4	–	1	3	2	63	4	14	1	22	4	15
	(b) Unspecified causes under 3 months—Causes non spécifiées au-dessous de 3 mois.	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–	–	–	–
163	Lack of care—Défaut de soins.....	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–	–	–	–
	CLASS XIII — OLD AGE — CLASSE XIII—VIEILLESSE.	**Total**	**267**	**2**	**5**	**15**	**14**	**8**	**72**	**13**	**35**	**23**	**58**	**10**	**12**
		M.	**88**	**1**	**3**	**2**	**2**	**3**	**27**	**6**	**10**	**5**	**20**	**3**	**6**
		F.	**179**	**1**	**2**	**13**	**12**	**5**	**45**	**7**	**25**	**18**	**38**	**7**	**6**
164	Senility—Sénilité.....	M.	88	1	3	2	2	3	27	6	10	5	20	3	6
		F.	179	1	2	13	12	5	45	7	25	18	38	7	6
	CLASS XIV—EXTERNAL CAUSES—CLASSE XIV—CAUSES EXTÉRIEURES.	**Total**	**1,722**	**66**	**57**	**44**	**97**	**60**	**473**	**82**	**76**	**42**	**417**	**189**	**119**
		M.	**1,229**	**49**	**41**	**29**	**64**	**39**	**364**	**56**	**62**	**27**	**270**	**138**	**90**
		F.	**493**	**17**	**16**	**15**	**33**	**21**	**109**	**26**	**14**	**15**	**147**	**51**	**29**
165-174	**Suicides**.....	**M.**	**176**	**15**	**6**	**2**	**6**	**4**	**43**	**3**	**2**	**5**	**39**	**35**	**16**
		F.	**69**	**5**	**2**	**1**	**2**	**3**	**7**	**–**	**3**	**1**	**29**	**6**	**10**
165	Suicide by solid or liquid poisons (corrosive substances excepted)—Suicide par ingestion de poisons solides ou liquides (substances corrosives exceptées).	M.	16	3	1	–	1	–	6	–	–	–	4	1	–
		F.	6	2	–	–	1	–	–	–	–	–	2	1	–
166	Suicide by corrosive substances—Absorption volontaire de substances corrosives.	M.	15	1	1	–	1	–	3	1	–	–	4	3	1
		F.	22	2	1	1	1	1	1	–	–	–	11	2	2
167	Suicide by poisonous gas—Suicide par ingestion de gaz vénéneux.	M.	37	–	–	–	–	1	12	–	–	–	12	9	3
		F.	11	–	–	–	–	–	3	–	–	–	7	1	–
168	Suicide by hanging or strangulation—Suicide par pendaison ou strangulation.	M.	23	3	–	1	2	1	1	–	–	1	7	4	3
		F.	8	1	1	–	–	–	–	–	2	–	3	–	1
169	Suicide by drowning—Suicide par submersion.	M.	21	4	–	–	1	–	4	1	–	2	2	5	2
		F.	3	–	–	–	–	–	–	–	–	1	1	–	1
170	Suicide by firearms—Suicide par armes à feu.	M.	40	3	2	1	–	2	9	–	2	–	8	7	6
		F.	2	–	–	–	–	–	–	–	–	–	–	1	1
171	Suicide by cutting or piercing instruments—Suicide par instruments tranchants ou piquants.	M.	19	1	2	–	–	–	6	1	–	1	1	6	1
		F.	6	–	–	–	–	1	1	–	–	–	–	1	3
172	Suicide by jumping from high places—Suicide par précipitation d'un lieu élevé.	M.	3	–	–	–	1	–	–	–	–	1	1	–	–
		F.	9	–	–	–	–	–	2	–	–	–	5	–	2
173	Suicide by crushing—Suicide par écrasement.	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–	–	–	–
174	Other suicides—Autres suicides....	M.	2	–	–	–	–	–	2	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	1	–	–	–	–

(1) Including Point Grey and South Vancouver.

TABLEAU 32—Causes de décès selon le sexe dans les cités de 40,000 et plus, 1928—*suite*

Int. list No.	Causes of death — Causes de décès		Total	Calgary	Edmonton	Halifax	Hamilton	London	Montreal	Ottawa	Quebec	St. John	Toronto	Vancouver [1]	Winnipeg
	CLASS XIV-con.—**CLASSE XIV**-suite														
175	Poisoning by food—Empoisonnement par aliments.	M.	5	–	–	–	1	–	–	–	1	–	1	2	–
		F.	3	1	–	–	–	–	–	–	–	–	2	–	–
176	Poisoning by venomous animals—Attaques d'animaux venimeux.	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–	–	–	–
177	Other acute accidental poisonings (gas excepted)—Autres empoisonnements accidentels aigus (par gaz exceptés).	M.	18	1	1	2	1	–	6	–	1	–	4	2	–
		F.	12	–	1	–	–	–	6	–	–	–	4	1	–
178	Conflagration—Incendie.....	M.	17	2	3	–	–	–	5	–	1	–	3	–	3
		F.	11	–	3	1	–	–	2	–	–	–	2	–	3
179	Accidental burns and scalds (conflagration excepted)—Brûlures accidentelles (autres que par l'incendie).	M.	39	1	1	1	1	2	11	4	1	2	10	2	3
		F.	56	1	–	2	2	–	15	6	4	3	15	7	1
180	Accidental mechanical suffocation—Suffocation mécanique accidentelle.	M.	9	1	1	–	–	–	4	–	–	–	1	1	1
		F.	7	–	1	2	–	–	–	1	–	1	2	–	–
	(a) Overlaying—Étouffé pendant le sommeil.	M.	1	–	–	–	–	–	–	–	–	–	1	–	–
		F.	2	–	1	–	–	–	–	–	–	1	–	–	–
	(b) Asphyxia—Asphyxie.....	M.	8	1	1	–	–	–	4	–	–	–	–	1	1
		F.	5	–	–	2	–	–	–	1	–	–	2	–	–
181	Accidental absorption of irrespirable or poisonous gas—Absorption accidentelle de gaz irrespirables ou toxiques.	M.	41	1	–	3	2	1	12	1	2	–	15	3	1
		F.	11	–	–	–	2	–	2	–	–	1	6	–	–
182	Accidental drowning—Submersion accidentelle.	M.	109	1	2	5	6	2	36	7	14	8	17	10	1
		F.	10	1	–	1	–	–	1	1	2	1	2	–	1
183	Accidental traumatism by firearms—Traumatismes accidentels par armes à feu.	M.	22	2	2	1	1	–	7	2	–	–	3	2	2
		F.	1	–	–	–	–	–	1	–	–	–	–	–	–
184	Accidental traumatism by cutting or piercing instruments—Traumatismes accidentels par instruments tranchants ou piquants.	M.	2	–	–	–	–	–	1	–	–	–	1	–	–
		F.	1	–	–	–	1	–	–	–	–	–	–	–	–
185	Accidental traumatism by fall—Traumatismes accidentels par chute.	M.	206	5	6	4	8	7	60	12	12	5	51	28	8
		F.	134	3	3	2	7	4	29	3	4	5	51	15	8
186	Accidental traumatism in mines and quarries—Traumatismes accidentels par mines et carrières.	M.	11	3	1	–	1	–	2	–	2	2	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
	(a) Coal mines—Mines de charbon.	M.	5	3	1	–	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
	(b) Other mines—Autres mines....	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
	(c) Quarries—Carrières.....	M.	6	–	–	–	–	–	2	–	2	2	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
187	Accidental traumatism by machines—Traumatismes accidentels par machines.	M.	45	3	3	–	3	2	11	1	2	2	8	4	6
		F.	2	–	–	–	–	–	1	–	–	1	–	–	–
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.)—Traumatismes accidentels par autres écrasements (voitures, railways, éboulements, etc.).	M.	406	11	10	9	24	16	122	17	20	2	94	42	39
		F.	119	6	4	4	14	4	31	9	–	–	24	18	5
	(a) Railroad accidents—Accidents par chemins de fer.	M.	58	2	2	2	2	5	17	2	6	–	8	2	10
		F.	3	–	–	–	1	–	–	–	–	–	–	1	1
	(b) Street car accidents—Accidents par tramways.	M.	35	–	1	–	–	1	13	1	1	–	9	6	3
		F.	10	–	–	–	–	–	3	1	–	–	3	3	–
	(c) Automobile accidents—Accidents par automobiles.	M.	256	8	4	6	16	9	81	10	10	2	61	29	20
		F.	102	5	4	4	13	4	28	7	–	–	20	13	4
	(d) Aeroplane and balloon accidents—Accidents par aéroplanes et ballons.	M.	2	–	–	–	1	–	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
	(e) Injuries by other vehicles—Blessures par autres voitures.	M.	26	1	3	–	2	1	4	3	1	–	7	1	3
		F.	3	1	–	–	–	–	–	1	–	–	–	1	–
	(f) Other crushing—Autres écrasements.	M.	29	–	–	1	3	–	7	1	2	–	8	4	3
		F.	1	–	–	–	–	–	–	–	–	–	1	–	–
189	Injuries by animals (poisoning excepted)—Violences exercées par des animaux (empoisonnements exceptés).	M.	8	1	2	–	–	–	–	–	2	1	2	–	–
		F.	1	–	–	–	–	–	1	–	–	–	–	–	–
192	Starvation (deprivation of food or water)—Faim ou soif.	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	1	–	–	–	–	–
193	Excessive cold—Froid excessif.....	M.	1	–	1	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
194	Excessive heat—Chaleur excessive...	M.	5	–	–	–	–	–	4	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
195	Lightning—Foudre.....	M.	1	–	–	–	–	–	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
196	Other accidental electric shocks—Autres électrocutions accidentelles.	M.	22	1	–	–	2	–	8	2	2	–	2	2	3
		F.	1	–	–	–	–	–	1	–	–	–	–	–	–
197-199	**Homicides**.....	**M.**	**34**	–	**1**	–	**3**	–	**11**	**1**	–	–	**14**	**1**	**3**
		F.	**21**	–	**1**	–	**1**	–	8	–	–	–	8	**2**	**1**
197	Homicide by firearms—Homicide par armes à feu.	M.	8	–	1	–	1	–	2	–	–	–	1	1	2
		F.	5	–	1	–	–	–	1	–	–	–	2	1	–

[1] Comprend Point Grey et South Vancouver.

TABLE 32—Causes of death by sex in cities of 40,000 and over, 1928—*concluded*
TABLEAU 32—Causes de décès selon le sexe dans les cités de 40,000 et plus, 1928—*fin*

Int. list No.	Causes of death — Causes de décès		Total	Calgary	Edmonton	Halifax	Hamilton	London	Montreal	Ottawa	Quebec	St. John	Toronto	Vancouver (1)	Winnipeg
	CLASS XIV-con.—**CLASSE XIV**-fin														
198	Homicide by cutting or piercing instruments—Homicide par instruments tranchants ou piquants.	M.	7	–	–	–	–	–	3	–	–	–	3	–	1
		F.	2	–	–	–	–	–	1	–	–	–	1	–	–
199	Homicide by other means—Homicide par autres moyens.	M.	19	–	–	–	2	–	6	1	–	–	10	–	–
		F.	14	–	–	–	1	–	6	–	–	–	5	1	1
201	Fracture (cause not specified)—Fracture (cause non spécifiée).	M.	14	–	–	1	3	5	3	1	–	–	–	1	–
		F.	25	–	–	2	4	10	1	4	–	1	1	2	–
202	Other external violence (cause specified)—Autres violences extérieures (cause spécifiée).	M.	38	1	1	1	2	–	18	4	–	–	4	3	4
		F.	7	–	1	–	–	–	2	1	1	1	1	–	–
	CLASS XV — ILL-DEFINED DISEASES—CLASSE XV—MALADIES MAL DÉFINIES.	**Total**	**181**	**–**	**1**	**7**	**5**	**3**	**126**	**11**	**13**	**4**	**8**	**2**	**1**
		M.	**125**	**–**	**1**	**3**	**3**	**3**	**93**	**6**	**8**	**2**	**4**	**2**	**–**
		F.	**56**	**–**	**–**	**4**	**2**	**–**	**33**	**5**	**5**	**2**	**4**	**–**	**1**
204	Sudden death—Mort subite	M.	32	–	–	2	–	–	29	1	–	–	–	–	–
		F.	10	–	–	–	–	–	10	–	–	–	–	–	–
205	Cause of death not specified or ill-defined—Cause de décès non spécifiée ou mal définie.	M.	93	–	1	1	3	3	64	5	8	2	4	2	–
		F.	46	–	–	4	2	–	23	5	5	2	4	–	1
	(a) Ill-defined—Mal définie	M.	7	–	–	–	–	–	5	–	1	–	–	1	–
		F.	7	–	–	–	1	–	4	–	–	2	–	–	–
	(b) Not specified or unknown—Non spécifiée ou inconnue.	M.	6	–	1	1	–	–	2	1	–	–	–	1	–
		F.	2	–	–	1	–	–	–	–	–	–	–	–	1
	(c) Heart failure—Paralysie du cœur.	M.	80	–	–	–	3	3	57	4	7	2	4	–	–
		F.	37	–	–	3	1	–	19	5	5	–	4	–	–
	(d) Syncope	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–

(1) Including Point Grey and South Vancouver—Comprend Point Grey et South Vancouver.

TABLE 33—Deaths of males in Canada[1], classified according to occupations, 1928
TABLEAU 33—Décès masculins dans le Canada[1], classifiés selon l'occupation des décédés, 1928

Occupations	Total	Ages—Âges														
		Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
ALL CAUSES—TOUTES CAUSES																
Total	**58,480**	**17,886**	**1,422**	**1,551**	**1,461**	**1,366**	**1,667**	**2,006**	**2,352**	**2,572**	**2,991**	**3,614**	**4,404**	**4,699**	**10,388**	**101**
Owners, managers, etc.—Propriétaires, gérants, etc.	**500**	–	**4**	**4**	**5**	**8**	**16**	**25**	**36**	**41**	**38**	**61**	**63**	**65**	**134**	–
Agents (all classes)—Agents (toutes catégories)	**170**	–	**2**	**1**	**3**	**4**	**14**	**8**	**10**	**16**	**16**	**22**	**23**	**16**	**35**	–
Office employees (includ. gov't. and municipal)—Employés de bureau (y compris fonctionnaires du gouv. et des municipalités).	**1,302**	–	**25**	**50**	**53**	**63**	**54**	**94**	**73**	**98**	**124**	**135**	**153**	**142**	**238**	–
Labourers—Journaliers et manœuvres	**5,830**	**6**	**252**	**397**	**339**	**301**	**311**	**361**	**389**	**402**	**433**	**487**	**605**	**574**	**951**	**22**
Agriculture	488	3	59	61	41	29	20	19	28	22	27	36	29	37	71	6
Chemicals and allied products—Produits chimiques et connexes	17	–	1	5	–	2	1	1	2	3	1	–	1	–	–	–
Iron and steel—Fer et acier	54	–	1	2	4	2	3	6	8	7	6	4	1	5	5	–
Metal works (other than steel)—Usines sidérurgiques (autres qu'aciéries)	11	–	–	–	–	–	1	–	2	2	1	2	1	2	–	–
Paints and varnishes—Peintures et vernis	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Pulp and paper—Pulpe et papier	16	–	–	1	3	–	2	2	2	1	1	1	1	–	2	–
Other factories—Autres manufactures	174	–	7	7	12	16	12	13	6	16	13	18	21	13	20	–
Construction	232	–	8	16	15	18	23	14	21	17	16	19	19	14	31	1
Steam and street railways—Chemins de fer et tramways	205	–	4	13	12	10	17	21	24	19	18	16	18	9	21	3
Water transportation—Transports par eau	9	–	–	1	3	–	1	–	–	–	1	–	1	1	1	–
Other and n.o.s.—Autres et n.a.s.	4,623	3	172	291	249	224	231	285	296	315	349	391	512	493	800	12
Farmers—Cultivateurs	**13,468**	**7**	**243**	**290**	**285**	**247**	**271**	**361**	**520**	**585**	**803**	**1,106**	**1,659**	**1,964**	**5,118**	**9**
Fishermen—Pêcheurs	**463**	–	**13**	**16**	**22**	**15**	**11**	**22**	**20**	**25**	**33**	**33**	**45**	**64**	**143**	**1**
Hunters and trappers—Chasseurs et trappeurs	**128**	**1**	**12**	**8**	**14**	**6**	**3**	**6**	**10**	**5**	**10**	**9**	**6**	**13**	**25**	–
Shantymen—Bûcherons	**457**	–	**16**	**40**	**37**	**39**	**31**	**35**	**31**	**44**	**23**	**43**	**39**	**29**	**48**	**2**
Miners and quarry workers—Mineurs et carriers.	**659**	**1**	**22**	**34**	**58**	**38**	**66**	**60**	**52**	**46**	**56**	**67**	**42**	**52**	**62**	**3**
Coal—Houillères	328	–	16	18	17	17	33	26	23	26	34	35	24	27	32	–
Quarries—Carrières	19	–	–	1	1	1	–	2	2	3	3	3	–	1	2	–
Other mining—Autres mines	312	1	6	15	40	20	33	32	27	17	19	29	18	24	28	3
Factory employees—Ouvriers de manufacture	**3,238**	**1**	**66**	**147**	**145**	**128**	**193**	**195**	**269**	**315**	**311**	**309**	**311**	**330**	**517**	**1**
Automobiles, bicycles and aeroplanes—Automobiles, bicyclettes et aéroplanes	44	–	2	4	8	3	8	3	3	5	2	–	4	–	2	–
Agricultural implements—Instruments aratoires.	15	–	–	1	–	1	–	–	–	1	5	2	1	2	2	–
Chemicals and allied products—Produits chimiques et connexes	39	–	–	2	2	5	3	4	5	7	2	3	1	2	3	–
Clay, glass and cement—Argile, verre et ciment.	*44*	–	–	*2*	*1*	*1*	*3*	*4*	*3*	*7*	*2*	*5*	*3*	*5*	*8*	–
Brickmakers—Briquetiers	19	–	–	1	1	–	–	–	1	4	1	3	1	2	5	–
Glassblowers—Verriers.	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
Other employees—Autres ouvriers	23	–	–	1	–	1	3	4	2	3	1	1	2	3	2	–
Clothing—Vêtements	*266*	–	*3*	*4*	*8*	*6*	*14*	*19*	*26*	*44*	*31*	*36*	*18*	*29*	*28*	–
Tailors—Tailleurs	211	–	3	2	1	5	12	11	20	32	28	32	15	25	25	–
Other employees—Autres ouvriers	55	–	–	2	7	1	2	8	6	12	3	4	3	4	3	–

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

NOTE—n.o.s. = Not otherwise stated. NOTE—n.a.s. = Non autrement spécifié.

TABLE 33—Deaths of males in Canada, classified according to occupations, 1928—*con.*

Occupations	Total	Ages—Âges													
		Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
ALL CAUSES—con.—TOUTES CAUSES—suite																
Factory employees—con.—**Ouvriers de manufacture**—fin																
Gold, silver and jewelry—Orfèvres, argentiers et bijoutiers	38	–	–	–	–	3	5	2	3	5	4	1	6	1	8	–
Food—Alimentation	*476*	–	*13*	*21*	*15*	*20*	*22*	*22*	*43*	*43*	*54*	*51*	*42*	*54*	*76*	–
Bakers—Boulangers	138	–	4	7	5	6	4	7	17	9	18	12	8	18	23	–
Other employees—Autres ouvriers	338	–	9	14	10	14	18	15	26	34	36	39	34	36	53	–
Iron and steel—Fer et acier	*723*	–	*7*	*23*	*42*	*27*	*53*	*48*	*71*	*87*	*67*	*58*	*74*	*61*	*165*	–
Filers, grinders and polishers — Limeurs, broyeurs et polisseurs	29	–	–	–	–	2	3	–	4	9	2	3	2	3	1	–
Machinists and toolmakers — Machinistes et outilleurs	344	–	1	13	24	12	30	28	34	40	24	35	29	26	48	–
Moulders, casters and enamellers — Mouleurs, fondeurs et émailleurs	121	–	–	3	4	6	2	8	15	13	14	8	14	11	23	–
Other employees—Autres ouvriers	229	–	6	7	14	7	18	12	18	25	27	12	29	21	33	–
Leather—Cuir	*123*	–	*1*	*1*	*7*	*2*	*5*	*2*	*5*	*8*	*16*	*7*	*17*	*17*	*35*	–
Boots and shoes — Chaussures	14	–	–	–	–	1	–	–	1	2	2	–	1	3	4	–
Harness and saddlery—Harnachement et sellerie	53	–	–	–	–	1	1	–	1	3	8	5	8	8	18	–
Tanners and curriers—Tanneurs et corroyeurs	33	–	–	–	4	–	–	–	2	2	2	1	7	5	10	–
Other leather workers —Autres ouvriers travaillant le cuir	23	–	1	1	3	–	4	2	1	1	4	1	1	1	3	–
Locomotive and railway car works—Usines construisant locomotives et wagons	80	–	–	3	3	1	8	8	13	7	8	10	10	7	2	–
Metal works (other than steel)—Usines sidérurgiques (autres qu'aciéries)	75	–	4	2	2	4	4	5	8	6	7	10	6	7	10	–
Paints and varnishes — Peintures et vernis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Printing and bookbinding — Impression et reliure	*179*	–	*9*	*9*	*7*	*7*	*12*	*14*	*10*	*12*	*17*	*20*	*18*	*16*	*28*	–
Printers and typesetters —Imprimeurs et compositeurs	128	–	7	7	4	6	7	9	9	5	13	17	12	13	19	–
Engravers—Graveurs	8	–	–	–	–	1	1	1	–	2	–	1	–	–	2	–
Other employees — Autres ouvriers	43	–	2	2	3	–	4	4	1	5	4	2	6	3	7	–
Pulp and paper—Pulpe et papier	52	–	2	6	3	7	3	3	6	4	4	4	3	2	4	1
Rubber—Caoutchouc	29	–	1	6	3	2	1	1	3	4	4	1	2	–	1	–
Saw and planing mills—Scieries et ateliers de planage	260	–	5	14	13	4	11	12	13	20	17	27	34	33	57	–
Textiles	*98*	–	*6*	*11*	*5*	*5*	*6*	*2*	*5*	*7*	*7*	*8*	*10*	*8*	*18*	–
Cotton—Coton	29	–	1	3	2	1	3	1	1	2	3	4	4	2	2	–
Woollen—Laine	19	–	2	2	–	–	1	–	–	–	3	–	–	3	8	–
Other textiles — Autres tissages	50	–	3	6	3	4	2	1	4	5	1	4	6	3	8	–
Tobacco and cigars—Tabacs et cigares	30	–	–	1	1	1	1	4	–	5	3	3	4	4	3	–
Wagons and carriages—Voitures de travail et de promenade	56	–	–	2	–	1	1	1	2	2	2	1	10	6	28	–
Woodworking factories—Manufactures travaillant le bois	124	–	–	1	2	3	3	5	11	11	6	20	14	17	31	–
Factories, other and n.o.s. —Manufactures, autres et n.a.s.	487	1	13	34	23	25	30	36	39	30	53	42	34	59	68	–

NOTE—n.o.s. = Not otherwise stated. NOTE—n.a.s. = Non autrement spécifié.

TABLEAU 33—Décès masculins dans le Canada, classifiés selon l'occupation des décédés, 1928—*suite*

Occupations	Total	Ages—Âges														
		Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
ALL CAUSES—con.—TOUTES CAUSES—suite																
Construction	**2,711**	–	**24**	**81**	**49**	**83**	**112**	**166**	**184**	**204**	**247**	**285**	**331**	**302**	**643**	–
Bricklayers and plasterers—Maçons (brique) et plâtriers	175	–	1	6	2	3	9	7	17	26	14	19	25	16	30	–
Carpenters—Charpentiers et menuisiers	1,321	–	13	27	19	28	41	78	69	69	121	137	184	150	385	–
Electricians—Électriciens	123	–	1	11	9	17	16	15	13	11	5	11	4	7	3	–
Masons and stonecutters—Maçons (pierre) et tailleurs de pierre	204	–	–	1	2	4	2	5	9	13	19	24	28	34	63	–
Painters and decorators—Peintres et décorateurs	392	–	3	18	5	17	22	28	27	40	45	41	35	51	60	–
Plumbers and tinsmiths—Plombiers et ferblantiers	220	–	6	15	12	8	14	15	25	24	26	26	14	11	24	–
Shipwrights — Charpentiers de navire	36	–	–	–	–	1	2	1	5	1	4	2	4	4	12	–
Structural steel workers—Charpentiers en acier	9	–	–	1	–	2	–	3	–	1	–	1	–	–	1	–
Contractors — Entrepreneurs	231	–	–	2	–	3	6	14	19	19	13	24	37	29	65	–
Transportation and public utilities—Transports et utilités publiques	**1,952**	**1**	**47**	**109**	**113**	**107**	**153**	**177**	**148**	**160**	**164**	**183**	**185**	**157**	**243**	**5**
Engineers and firemen, steam railways—Mécaniciens et chauffeurs (de locomotive)	148	–	–	2	10	8	17	17	15	12	11	11	17	8	20	–
Conductors and brakemen, steam railways—Conducteurs et serre-freins (de train)	153	–	–	4	4	8	16	25	16	12	16	16	10	15	11	–
Other steam railway employees — Autres employés de chemins de fer	397	–	1	6	12	14	32	32	20	36	41	52	50	31	69	1
Railway mail clerks—Courriers convoyeurs des postes	11	–	1	–	–	2	–	1	1	–	–	–	2	2	2	–
Electric railway employees—Employés de tramways	99	–	–	2	1	5	7	12	14	16	13	12	7	3	7	–
Seamen—Marins	344	–	18	25	18	20	18	23	32	20	21	32	31	30	53	3
Chauffeurs, drivers, etc.—Chauffeurs, cochers, etc	647	1	21	55	51	39	53	51	35	54	55	47	55	58	71	1
Expressmen—Employés de messageries	14	–	–	2	–	1	–	1	2	1	–	2	–	4	1	–
Warehousemen—Entrepositaires et magasiniers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Telegraph and telephone—Télégraphe et téléphone	*96*	–	*3*	*10*	*13*	*7*	*8*	*9*	*8*	*7*	*6*	*6*	*7*	*4*	*8*	–
Linemen-Poseurs de fil	23	–	–	4	5	2	2	2	3	2	–	–	–	3	–	–
Operators—Télégraphistes et téléphonistes	61	–	2	4	8	4	5	7	4	3	5	6	5	1	7	–
Other employees—Autres employés	12	–	1	2	–	1	1	–	1	2	1	–	2	–	1	–
Light and power employees—Employés des compagnies d'éclairage et de force motrice	36	–	3	3	4	3	2	6	4	2	–	3	5	1	–	–
Gas works employees—Employés des compagnies de gaz	7	–	–	–	–	–	–	–	1	–	1	2	1	2	–	–
Trade—Commerce	**2,359**	–	**22**	**45**	**74**	**80**	**129**	**147**	**175**	**190**	**227**	**244**	**267**	**259**	**499**	**1**
Merchants—Marchands	1,583	–	3	13	29	38	64	85	102	111	145	169	196	199	429	–
Salespeople, etc. — Commis, etc	502	–	18	28	34	32	44	44	55	41	52	37	38	35	44	–
Commercial travellers—Commis voyageurs	274	–	1	4	11	10	21	18	18	38	30	38	33	25	26	1
Finance	**309**	–	**1**	**3**	**6**	**22**	**16**	**24**	**25**	**26**	**36**	**39**	**30**	**35**	**46**	–
Bankers, brokers, etc.—Banquiers, courtiers, etc	309	–	1	3	6	22	16	24	25	26	36	39	30	35	46	–

NOTE—n.o.s. = Not otherwise stated. NOTE—n.a.s. = Non autrement spécifié.

TABLE 33—Deaths of males in Canada, classified according to occupations, 1928—*con.*

Occupations	Ages—Âges															
	Total	Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
ALL CAUSES—con.—TOUTES CAUSES—suite																
Service	**3,090**	**2**	**47**	**93**	**123**	**131**	**169**	**177**	**242**	**253**	**271**	**335**	**323**	**232**	**622**	–
Professional—Carrières libérales	*1,167*	–	*10*	*29*	*45*	*48*	*47*	*52*	*78*	*92*	*103*	*134*	*129*	*123*	*277*	–
Doctors—Médecins	180	–	–	–	3	7	8	6	12	23	13	30	17	18	43	–
Teachers — Professeurs et instituteurs	159	–	2	12	11	9	5	4	6	9	13	18	22	11	37	–
Other—Autres professions	828	–	8	17	31	32	34	42	60	60	77	86	90	94	197	–
Recreational — Amusements	61	–	2	1	2	2	11	5	10	6	6	3	3	1	9	–
Customs and repairs—Réparations et ouvrages à façon	*684*	–	*7*	*27*	*21*	*20*	*30*	*31*	*48*	*41*	*52*	*74*	*68*	*73*	*192*	–
Garage and bicycles—Garages et bicyclettes	88	–	2	16	14	9	11	10	9	6	2	3	4	–	2	–
Blacksmiths — Forgerons	366	–	–	5	3	4	10	12	19	19	32	47	41	50	124	–
Boot and shoe repairs—Cordonniers et savetiers	193	–	5	4	2	3	7	6	18	12	13	22	19	21	61	–
Dyeing, cleaning and pressing—Teinturiers, nettoyeurs et presseurs	28	–	–	2	2	3	2	2	2	4	3	2	3	1	2	–
Jewelry and watch repairs—Bijoutiers et horlogers	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Lock and gunsmiths—Armuriers et serruriers	7	–	–	–	–	–	–	1	–	–	2	–	1	1	2	–
Picture framing — Encadreurs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Personal—Service personnel	*1,178*	*2*	*28*	*36*	*55*	*61*	*81*	*89*	*106*	*124*	*110*	*124*	*123*	*95*	*144*	–
Barbers, hairdressers, etc.—Coiffeurs, perruquiers, etc	145	–	1	8	13	8	10	11	10	22	19	13	12	9	9	–
Hotel keepers — Hôteliers	205	–	–	–	3	4	16	11	18	28	26	24	25	18	32	–
Servants, waiters, etc.—Domestiques, garçons, etc	697	2	26	23	33	43	46	54	66	57	54	73	71	58	91	–
Laundry workers—Employés de buanderie	69	–	–	2	3	3	7	11	8	13	8	8	5	1	–	–
Firemen and furnacemen—Chauffeurs	11	–	1	1	–	–	2	1	1	2	–	–	1	1	1	–
Photographers — Photographes	21	–	–	2	2	1	–	1	–	1	2	2	4	1	5	–
Undertakers — Entrepreneurs de pompes funèbres	30	–	–	–	1	2	–	–	3	1	1	4	5	7	6	–
Miscellaneous — Occupations diverses	**3,425**	**1,806**	**477**	**134**	**83**	**55**	**65**	**83**	**95**	**76**	**100**	**108**	**107**	**92**	**143**	**1**
Firemen (fire department)—Pompiers	29	–	–	1	–	1	3	3	2	3	8	–	1	3	4	–
Postmen, policemen, etc.—Facteurs, agents de police, etc	311	–	2	9	19	15	13	26	32	25	31	29	29	24	56	1
Inspectors, n.o.s.—Inspecteurs, n.a.s	11	–	–	–	1	–	1	–	1	1	–	1	1	3	2	–
Foremen, n.o.s.—Contremaîtres, n.a.s	60	–	–	–	–	3	4	1	10	8	6	11	10	2	5	–
Stationary engineers—Mécaniciens de machines fixes	150	–	–	2	3	2	5	8	11	13	17	26	22	14	27	–
Bill posters—Afficheurs	3	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–
Clerks, n.o.s.—Commis, n.a.s	314	1	23	49	32	13	24	29	27	16	18	21	22	20	19	–
Firemen, n.o.s.—Chauffeurs, n.a.s	40	–	1	1	3	5	4	4	1	–	2	5	4	5	5	–
Engineers, n.o.s.—Mécaniciens, n.a.s	129	–	–	–	4	3	8	8	10	10	17	15	12	20	22	–
Messengers, n.o.s. — Messagers, n.a.s	15	–	4	1	1	1	1	1	–	–	–	–	4	1	1	–
Apprentices, n.o.s.—Apprentis, n.a.s	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE—n.o.s.=Not otherwise stated. NOTE—n.a.s.=Non autrement spécifié.

TABLEAU 33—Décès masculins dans le Canada, classifiés selon l'occupation des décédés, 1928—*suite*

Occupations	Total	Ages—Âges: Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
ALL CAUSES-con.—TOUTES CAUSES-fin																
Miscellaneous-con.-Occupations diverses-fin																
Packers, n.o.s. —Emballeurs, n.a.s.	6	–	1	–	–	1	–	–	–	–	1	–	2	–	1	–
Students—Étudiants	2,345	1,805	445	69	16	6	1	2	1	–	–	–	–	–	–	–
Aviators—Aviateurs	11	–	–	2	4	4	1	–	–	–	–	–	–	–	–	–
Occupation not given—Occupation inconnue	**472**	–	**29**	**22**	**17**	**10**	**26**	**30**	**29**	**36**	**30**	**32**	**32**	**37**	**97**	**45**
No occupation—Sans occupation	**17,947**	**16,061**	**120**	**77**	**35**	**29**	**27**	**35**	**44**	**40**	**69**	**116**	**183**	**276**	**824**	**11**
ACCIDENTAL DEATHS (1) (Int. List Nos. 175–196, 201–203) MORTS ACCIDENTELLES (1) (Nos. 175–196, 201–203, liste int.)																
Total	**4,567**	**923**	**383**	**428**	**393**	**271**	**316**	**280**	**296**	**242**	**215**	**192**	**158**	**145**	**280**	**45**
Owners, managers, etc.—Propriétaires, gérants, etc.	**29**	–	**2**	–	–	**2**	**4**	**3**	**2**	**6**	**2**	**4**	**1**	**2**	**1**	–
Agents (all classes)—Agents (toutes catégories)	**11**	–	–	**1**	**1**	**1**	**2**	**1**	–	–	**1**	**1**	**1**	–	**2**	–
Office employees (incl. govt. and municipal)—Employés de bureau (y compris fonctionnaires du gouv. et des municipalités)	**81**	–	**5**	**10**	**8**	**9**	**5**	**10**	**4**	**2**	**6**	**7**	**4**	**2**	**9**	–
Labourers—Journaliers et manœuvres	**785**	**4**	**101**	**123**	**101**	**61**	**68**	**55**	**62**	**43**	**37**	**39**	**36**	**23**	**25**	**7**
Agriculture	104	2	26	27	13	3	5	4	8	5	2	3	–	4	–	2
Chemicals and allied products—Produits chimiques et connexes	6	–	1	2	–	1	1	–	1	–	–	–	–	–	–	–
Iron and steel—Fer et acier	14	–	–	2	2	–	1	4	1	2	–	1	–	–	1	–
Metal works (other than steel)—Usines sidérurgiques (autres qu'aciéries)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paints and varnishes—Peintures et vernis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pulp and paper—Pulpe et papier	3	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–
Other factories—Autres manufactures	29	–	4	3	5	4	2	1	2	1	2	4	1	–	–	–
Construction	76	–	8	10	10	8	12	5	10	3	5	1	1	–	2	1
Steam and street railways—Chemins de fer et tramways	57	–	2	6	8	6	10	8	6	5	3	2	–	–	–	1
Water transportation—Transports par eau	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other and n.o.s.—Autres et n.a.s.	496	2	60	73	62	39	37	32	33	27	25	28	34	19	22	3
Farmers—Cultivateurs	**806**	**1**	**65**	**60**	**64**	**36**	**39**	**47**	**75**	**56**	**64**	**58**	**53**	**50**	**136**	**2**
Fishermen—Pêcheurs	**44**	–	**6**	**7**	**7**	**5**	–	**2**	–	**4**	**5**	**1**	**3**	**2**	**2**	–
Hunters and trappers—Chasseurs et trappeurs	**13**	–	**1**	**1**	**1**	**2**	**1**	–	**5**	**1**	**1**	–	–	–	–	–
Shantymen—Bûcherons	**151**	–	**13**	**24**	**23**	**19**	**16**	**14**	**10**	**12**	**4**	**4**	**3**	**4**	**3**	**2**
Miners and quarry workers—Mineurs et carriers	**207**	–	**16**	**18**	**39**	**17**	**34**	**28**	**15**	**15**	**9**	**10**	**2**	**1**	–	**3**
Coal—Houillères	89	–	10	7	8	6	13	11	8	11	6	8	1	–	–	–
Quarries—Carrières	6	–	–	1	1	–	–	1	1	1	1	–	–	–	–	–
Other mining—Autres mines	112	–	6	10	30	11	21	16	6	3	2	2	1	1	–	3
Factory employees—Ouvriers de manufacture	**293**	**1**	**16**	**39**	**38**	**24**	**30**	**21**	**26**	**31**	**20**	**14**	**7**	**13**	**12**	**1**
Automobiles, bicycles and aeroplanes — Automobiles, bicyclettes et aéroplanes	13	–	1	2	3	2	1	–	1	2	1	–	–	–	–	–
Agricultural implements -Instruments aratoires	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chemicals and allied products—Produits chimiques et connexes	8	–	–	1	1	1	2	1	–	1	1	–	–	–	–	–

(1) Includes all accidents, whether occupational or not—Comprend tous les accidents, dans les occupations ou non.
NOTE—n.o.s. = Not otherwise stated. NOTE—n.a.s. = Non autrement spécifié.

TABLE 33—Deaths of males in Canada, classified according to occupations, 1928—*con.*

Occupations	Total	Ages—Âges: Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
ACCIDENTAL DEATHS (Int. List Nos. 175–196, 201–203)–con. MORTS ACCIDENTELLES (Nos. 175–196, 201–203, liste int.)–suite																
Factory employees–con.—**Ouvriers de manufacture**–suite																
Clay, glass and cement—Argile, verre et ciment	2	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
Brickmakers — Briquetiers	2	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
Glassblowers — Verriers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other employees—Autres ouvriers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Clothing—Vêtements	9	–	–	–	2	–	–	2	1	2	1	1	–	–	–	–
Tailors—Tailleurs	4	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–
Other employees—Autres ouvriers	5	–	–	–	2	–	–	1	–	1	–	1	–	–	–	–
Gold, silver and jewelry—Orfèvres, argentiers et bijoutiers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Food—Alimentation	39	–	2	5	4	3	2	4	4	4	2	4	1	3	1	–
Bakers—Boulangers	9	–	1	2	1	–	1	–	1	1	1	1	–	–	–	–
Other employees—Autres ouvriers	30	–	1	3	3	3	1	4	3	3	1	3	1	3	1	–
Iron and steel—Fer et acier	82	–	2	10	10	8	12	6	8	11	5	2	–	3	5	–
Filers, grinders and polishers — Limeurs, broyeurs et polisseurs	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Machinists and toolmakers — Machinistes et outilleurs	35	–	–	5	4	2	5	2	5	5	1	1	–	1	4	–
Moulders, casters and enamellers — Mouleurs, fondeurs et émailleurs	9	–	–	1	1	2	–	1	–	2	1	–	–	1	–	–
Other employees—Autres ouvriers	36	–	2	4	5	4	7	3	3	2	3	1	–	1	1	–
Leather—Cuir	2	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Boots and shoes — Chaussures	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Harness and saddlery—Harnachement et sellerie	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Tanners and curriers—Tanneurs et corroyeurs	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other leather workers—Autres ouvriers travaillant le cuir	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive and railway car works—Usines construisant locomotives et wagons	10	–	–	1	–	–	2	–	4	2	1	–	–	–	–	–
Metal works (other than steel)—Usines sidérurgiques (autres qu'aciéries)	7	–	2	–	–	1	–	–	1	1	–	–	–	2	–	–
Paints and varnishes—Peintures et vernis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Printing and bookbinding—Impression et reliure	8	–	3	–	1	1	–	1	1	–	1	–	–	–	–	–
Printers and typesetters—Imprimeurs et compositeurs	7	–	2	–	1	1	–	1	1	–	1	–	–	–	–	–
Engravers—Graveurs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other employees—Autres ouvriers	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Pulp and paper—Pulpe et papier	9	–	1	2	2	2	–	–	–	1	–	–	–	–	–	1
Rubber—Caoutchouc	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Saw and planing mills—Scieries et ateliers de planage	38	–	2	7	8	1	2	2	1	3	3	5	3	1	–	–

NOTE—n.o.s.=Not otherwise stated. NOTE—n.a.s.=Non autrement spécifié.

TABLEAU 33—Décès masculins dans le Canada, classifiés selon l'occupation des décédés, 1928—*suite*

Occupations	Total	Ages—Âges														
		Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
ACCIDENTAL DEATHS (Int. List Nos. 175-196, 201-203)-con. MORTS ACCIDENTELLES (Nos. 175-196, 201-203, liste int.)-suite																
Factory employees-con.—**Ouvriers de manufacture**-fin																
Textiles	6	–	–	3	–	–	–	–	–	–	–	1	1	–	1	–
Cotton—Coton	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Woollen—Laine	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Other textiles— Autres tissages	5	–	–	3	–	–	–	–	–	–	–	1	1	–	–	–
Tobacco and cigars—Tabacs et cigares	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Wagons and carriages—Voitures de travail et de promenade	5	–	–	1	–	–	–	–	1	1	–	–	1	–	1	–
Woodworking factories—Manufactures travaillant le bois	3	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–
Factories, other and n.o.s.—Manufactures, autres et n.a.s.	49	1	2	7	6	5	8	5	4	–	4	1	1	3	2	–
Construction	**248**	–	**9**	**25**	**16**	**15**	**25**	**26**	**29**	**21**	**19**	**14**	**11**	**14**	**24**	–
Bricklayers and plasterers—Maçons (brique) et plâtriers	12	–	1	1	1	–	–	2	1	4	1	–	–	–	1	–
Carpenters — Charpentiers et menuisiers	102	–	4	8	5	7	6	8	10	8	8	10	4	7	17	–
Electricians—Électriciens	38	–	1	2	6	6	8	5	5	1	1	2	–	1	–	–
Masons and stonecutters—Maçons (pierre) et tailleurs de pierre	10	–	–	–	–	–	1	1	1	1	1	1	3	1	–	–
Painters and decorators—Peintres et décorateurs	36	–	1	7	1	1	3	5	1	4	5	1	2	2	3	–
Plumbers and tinsmiths—Plombiers et ferblantiers	24	–	2	5	3	–	5	1	5	–	–	–	–	–	3	–
Shipwrights — Charpentiers de navire	3	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–
Structural steel workers—Charpentiers en acier	4	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–
Contractors — Entrepreneurs	19	–	–	1	–	–	2	1	6	3	2	–	2	2	–	–
Transportation and public utilities — Transports et utilités publiques	**306**	**1**	**22**	**41**	**40**	**38**	**41**	**28**	**25**	**21**	**14**	**15**	**6**	**6**	**4**	**4**
Engineers and firemen, steam railways—Mécaniciens et chauffeurs (de locomotive)	22	–	–	–	5	4	7	2	2	–	–	2	–	–	–	–
Conductors and brakemen, steam railways—Conducteurs et serre-freins (de train)	38	–	–	3	3	6	8	5	5	2	2	3	1	–	–	–
Other steam railway employees — Autres employés de chemins de fer	40	–	–	1	5	6	5	4	3	7	4	1	1	–	2	1
Railway mail clerks—Courriers convoyeurs des postes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Electric railway employees—Employés de tramways	10	–	–	–	–	1	2	–	2	1	3	1	–	–	–	–
Seamen—Marins	73	–	9	15	7	12	4	6	5	3	1	1	4	2	1	3
Chauffeurs, drivers, etc.—Chauffeurs, cochers, etc	96	1	9	18	15	6	12	9	7	7	4	4	–	3	1	–
Expressmen — Employés de messageries	3	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–
Warehousemen — Entrepositaires et magasiniers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE—n.o.s. = Not otherwise stated. NOTE—n.a.s. = Non autrement spécifié.

TABLE 33—Deaths of males in Canada, classified according to occupations, 1928—*con.*

Occupations	Total	Ages—Âges														
		Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
ACCIDENTAL DEATHS (Int. List Nos. 175-196, 201-203)-con. MORTS ACCIDENTELLES (Nos. 175-196, 201-203, liste int.)-suite																
Transportation and public utilities-con.—**Transports et utilités publiques**-fin																
Telegraph and telephone—Télégraphe et téléphone	*14*	–	*2*	*2*	*4*	*2*	*1*	*1*	*1*	*1*	–	–	–	–	–	–
Linemen-Poseurs de fil	8	–	–	1	3	1	–	1	1	1	–	–	–	–	–	–
Operators — Télégraphistes et téléphonistes	4	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–
Other employees—Autres employés	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Light and power employees—Employés des compagnies d'éclairage et de force motrice	9	–	2	1	1	1	2	1	–	–	–	1	–	–	–	–
Gas works employees—Employés des compagnies de gaz	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Trade—Commerce	**141**	–	**9**	**11**	**16**	**12**	**13**	**13**	**8**	**8**	**8**	**7**	**11**	**10**	**15**	–
Merchants—Marchands	75	–	2	6	5	6	5	7	4	4	6	5	8	4	13	–
Salespeople, etc.—Commis, etc	47	–	7	4	6	5	5	4	2	3	1	2	2	5	1	–
Commercial travellers—Commis voyageurs	19	–	–	1	5	1	3	2	2	1	1	–	1	1	1	–
Finance	**11**	–	–	**1**	**3**	**2**	**2**	**1**	**1**	–	–	**1**	–	–	–	–
Bankers, brokers, etc.—Banquiers, courtiers, etc.	11	–	–	1	3	2	2	1	1	–	–	1	–	–	–	–
Service	**178**	**2**	**15**	**20**	**14**	**17**	**19**	**12**	**10**	**8**	**13**	**9**	**9**	**7**	**23**	–
Professional—Carrières libérales	*53*	–	*2*	*4*	*5*	*5*	*9*	*2*	*3*	*3*	*6*	*4*	*2*	*3*	*5*	–
Doctors—Médecins	4	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–
Teachers — Professeurs et instituteurs	8	–	1	1	1	1	2	–	–	–	–	–	1	–	1	–
Other—Autres professions	41	–	1	3	4	4	6	2	2	2	5	4	1	3	4	–
Recreational — Amusements	4	–	1	–	–	–	2	–	–	–	1	–	–	–	–	–
Customs and repairs—Réparations et ouvrages à façon	*43*	–	*2*	*5*	*1*	*5*	*2*	*2*	*4*	*1*	*1*	*3*	*3*	*3*	*11*	–
Garage and bicycles—Garages et bicyclettes	12	–	–	3	1	2	2	1	1	–	1	1	–	–	–	–
Blacksmiths — Forgerons	21	–	–	2	–	2	–	1	2	1	–	1	1	3	8	–
Boot and shoe repairs—Cordonniers et savetiers	8	–	2	–	–	–	–	–	1	–	–	1	1	–	3	–
Dyeing, cleaning and pressing—Teinturiers, nettoyeurs et presseurs	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Jewelry and watch repairs — Bijoutiers et horlogers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lock and gunsmiths—Armuriers et serruriers	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Picture framing—Encadreurs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Personal—Service personnel	*78*	*2*	*10*	*11*	*8*	*7*	*6*	*8*	*3*	*4*	*5*	*2*	*4*	*1*	*7*	–
Barbers, hairdressers, etc.—Coiffeurs, perruquiers, etc	4	–	–	1	–	–	–	1	–	–	1	1	–	–	–	–
Hotel keepers — Hôteliers	12	–	–	–	1	1	1	1	1	1	1	1	2	–	2	–
Servants, waiters, etc.—Domestiques, garçons, etc	52	2	10	7	5	6	4	6	2	1	2	–	2	1	4	–
Laundry workers—Employés de buanderie	4	–	–	1	1	–	–	–	–	1	1	–	–	–	–	–

NOTE—n.o.s. = Not otherwise stated. NOTE—n.a.s. = Non autrement spécifié.

TABLEAU 33—Décès masculins dans le Canada, classifiés selon l'occupation des décédés, 1928—*suite*

Occupations	Total	Ages—Âges: Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
ACCIDENTAL DEATHS (Int. List Nos. 175-196, 201-203)-con. MORTS ACCIDENTELLES (Nos. 175-196, 201-203, liste int.)-fin																
Service-con.—fin																
Personal- con.—*Service personnel*-fin																
Firemen and furnacemen—Chauffeurs	2	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–
Photographers — Photographes	3	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–
Undertakers — Entrepreneurs de pompes funèbres	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Miscellaneous — Occupations diverses	**616**	**399**	**95**	**31**	**16**	**8**	**7**	**12**	**17**	**5**	**7**	**3**	**6**	**2**	**7**	**1**
Firemen (fire department)—Pompiers	3	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–
Postmen, policemen, etc.—Facteurs, agents de police, etc	36	–	1	4	6	1	1	6	5	–	5	–	3	1	2	1
Inspectors, n.o.s.—Inspecteurs, n.a.s	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Foremen, n.o.s. — Contremaîtres, n.a.s	7	–	–	–	–	–	–	–	5	2	–	–	–	–	–	–
Stationary engineers—Mécaniciens de machines fixes	13	–	–	1	1	1	1	2	2	1	–	–	1	–	3	–
Bill posters—Afficheurs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Clerks, n.o.s. — Commis, n.a.s	22	–	7	8	–	–	–	2	3	–	1	–	1	–	–	–
Firemen, n.o.s. — Chauffeurs, n.a.s	8	–	–	–	1	2	1	2	–	–	–	2	–	–	–	–
Engineers, n.o.s. — Mécaniciens, n.a.s	15	–	–	–	3	–	4	–	2	2	1	1	–	1	1	–
Messengers, n.o.s.—Messagers, n.a.s	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Apprentices, n.o.s. — Apprentis, n.a.s	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Packers, n.o.s. — Emballeurs, n.a.s	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Students—Étudiants	504	399	86	17	2	–	–	–	–	–	–	–	–	–	–	–
Aviators—Aviateurs	5	–	–	–	3	2	–	–	–	–	–	–	–	–	–	–
Occupation not given—Occupation inconnue	**71**	–	**3**	**7**	**4**	–	**8**	**4**	**5**	**6**	**3**	**2**	**3**	**3**	**2**	**21**
No occupation—Sans occupation	**576**	**515**	**5**	**9**	**2**	**3**	**2**	**3**	**2**	**3**	**2**	**3**	**2**	**6**	**15**	**4**
CANCER (Int. List Nos. 43-49)—CANCER (Nos. 43-49, liste int.)																
Total	**4,081**	**22**	**13**	**20**	**25**	**44**	**89**	**152**	**271**	**294**	**466**	**583**	**700**	**611**	**789**	**2**
Owners, managers, etc.—Propriétaires, gérants, etc	45	–	–	–	–	–	–	1	5	3	7	7	9	6	7	–
Agents (all classes)—Agents (toutes catégories)	16	–	–	–	–	–	1	2	1	3	3	1	2	2	1	–
Office employees (incl. govt. and municipal)—Employés de bureau (y compris fonc. du gouv. et des municipalités)	134	–	–	–	–	1	6	3	7	13	14	27	24	17	22	–
Labourers—Journaliers et manœuvres	524	–	2	2	6	7	18	26	39	53	57	81	87	77	68	1
Agriculture	28	–	1	1	–	1	1	2	1	3	1	6	5	3	3	–
Chemicals and allied products—Produits chimiques et connexes	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Iron and steel—Fer et acier	6	–	–	–	–	–	–	–	–	–	1	2	–	1	2	–
Metal works (other than steel)—Usines sidérurgiques (autres qu'aciéries)	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–

NOTE—n.o.s. = Not otherwise stated. NOTE—n.a.s. = Non autrement spécifié.

TABLE 33—Deaths of males in Canada, classified according to occupations, 1928—*con.*

Occupations	Ages—Âges															
	Total	Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
CANCER (Int. List Nos. 43-49)-con.—CANCER (Nos. 43-49, liste int.)-suite																
Labourers-con.—**Journaliers et manœuvres**-fin																
Paints and varnishes—Peintures et vernis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pulp and paper—Pulpe et papier	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other factories—Autres manufactures	19	–	–	–	1	1	–	1	2	2	4	3	4	1	–	–
Construction	21	–	–	–	–	–	–	1	3	1	3	4	5	1	3	–
Steam and street railways—Chemins de fer et tramways	22	–	–	–	–	–	1	1	2	2	5	3	5	2	1	–
Water transportation — Transports par eau	3	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–
Other and n.o.s.—Autres et n.a.s	422	–	1	1	4	5	16	21	30	44	42	63	67	69	58	1
Farmers—Cultivateurs	**1,482**	–	**3**	**5**	**8**	**10**	**17**	**31**	**76**	**81**	**148**	**187**	**269**	**257**	**390**	–
Fishermen—Pêcheurs	**42**	–	–	–	–	–	**1**	**2**	**1**	**4**	**6**	**2**	**8**	**7**	**11**	–
Hunters and trappers—Chasseurs et trappeurs	**10**	–	–	–	–	**2**	–	–	**1**	–	**1**	–	**2**	**2**	**2**	–
Shantymen—Bûcherons	**25**	–	–	**1**	–	**2**	**1**	**1**	**1**	**2**	**1**	**6**	**6**	**3**	**1**	–
Miners and quarry workers—Mineurs et carriers	**53**	–	**1**	**1**	**1**	–	**2**	**1**	**7**	**3**	**6**	**13**	**9**	**4**	**5**	–
Coal—Houillères	31	–	1	1	–	–	2	1	6	2	3	5	6	–	4	–
Quarries—Carrières	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Other mining—Autres mines	20	–	–	–	1	–	–	–	1	1	2	7	3	4	1	–
Factory employees—Ouvriers de manufacture	**330**	–	–	**3**	**2**	**6**	**3**	**19**	**33**	**36**	**49**	**48**	**54**	**40**	**37**	–
Automobiles, bicycles and aeroplanes — Automobiles, bicyclettes et aéroplanes	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
Agricultural implements—Instruments aratoires	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
Chemicals and allied products—Produits chimiques et connexes	3	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–
Clay, glass and cement—Argile, verre et ciment	*4*	–	–	–	–	*1*	–	–	–	–	–	*1*	*1*	–	*1*	–
Brickmakers — Briquetiers	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Glassblowers—Verriers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other employees—Autres ouvriers	3	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–
Clothing—Vêtements	*33*	–	–	*1*	*1*	–	*1*	*2*	*4*	*4*	*10*	*4*	*2*	*3*	*1*	–
Tailors—Tailleurs	28	–	–	1	–	–	1	2	4	3	8	4	2	3	–	–
Other employees—Autres ouvriers	5	–	–	–	1	–	–	–	–	1	2	–	–	–	1	–
Gold, silver and jewelry—Orfèvres, argentiers et bijoutiers	4	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–
Food—Alimentation	*49*	–	–	–	–	–	–	*2*	*5*	*6*	*3*	*7*	*9*	*9*	*8*	–
Bakers—Boulangers	18	–	–	–	–	–	–	2	2	1	1	3	2	5	2	–
Other employees—Autres ouvriers	31	–	–	–	–	–	–	–	3	5	2	4	7	4	6	–
Iron and steel—Fer et acier	*70*	–	–	–	–	*4*	*1*	*6*	*9*	*12*	*10*	*8*	*8*	*6*	*6*	–
Filers, grinders and polishers — Limeurs, broyeurs et polisseurs	5	–	–	–	–	–	–	–	–	2	1	1	1	–	–	–
Machinists and toolmakers — Machinistes et outilleurs	34	–	–	–	–	3	1	4	6	4	4	4	3	3	2	–
Moulders, casters and enamellers — Mouleurs, fondeurs et émailleurs	14	–	–	–	–	1	–	1	2	2	1	1	1	2	3	–
Other employees—Autres ouvriers	17	–	–	–	–	–	–	1	1	4	4	2	3	1	1	–
Leather—Cuir	*10*	–	–	–	–	–	–	–	*1*	*2*	*2*	–	*3*	–	*2*	–
Boots and shoes—Chaussures	3	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–

NOTE—n.o.s. = Not otherwise stated. NOTE—n.a.s. = Non autrement spécifié.

TABLEAU 33—Décès masculins dans le Canada, classifiés selon l'occupation des décédés, 1928—*suite*

Occupations	Total	Ages—Âges														
		Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
CANCER (Int. List Nos. 43-49)-con.—CANCER (Nos. 43-49, liste int.)-suite																
Factory employees-con.—**Ouvriers de manufacture**—fin																
Leather-con.—Cuir-fin																
Harness and saddlery—Harnachement et sellerie	5	–	–	–	–	–	–	–	–	–	2	–	2	–	1	–
Tanners and curriers—Tanneurs et corroyeurs	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Other leather workers—Autres ouvriers travaillant le cuir	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Locomotive and railway car works—Usines construisant locomotives et wagons	10	–	–	–	–	–	–	–	1	–	2	4	1	1	1	–
Metal works (other than steel)—Usines sidérurgiques (autres qu'aciéries)	8	–	–	1	–	–	–	–	1	–	–	2	1	1	2	–
Paints and varnishes—Peintures et vernis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Printing and bookbinding — Impression et reliure	*23*	–	–	–	*1*	–	–	*2*	*1*	*1*	*5*	*6*	*3*	*2*	*2*	–
Printers and typesetters—Imprimeurs et compositeurs	19	–	–	–	1	–	–	2	1	1	3	5	2	2	2	–
Engravers—Graveurs	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other employees—Autres ouvriers	3	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–
Pulp and paper—Pulpe et papier	3	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–
Rubber—Caoutchouc	4	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–
Saw and planing mills—Scieries et ateliers de planage	22	–	–	–	–	–	–	2	1	1	3	2	5	5	3	–
Textiles	*7*	–	–	–	–	–	–	–	–	*3*	*2*	–	*1*	–	*1*	–
Cotton—Coton	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Woollen—Laine	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Other textiles—Autres tissages	5	–	–	–	–	–	–	–	–	3	–	–	1	–	1	–
Tobacco and cigars—Tabacs et cigares	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
Wagons and carriages—Voitures de travail et de promenade	3	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–
Woodworking factories—Manufactures travaillant le bois	16	–	–	–	–	–	–	1	2	–	1	4	3	4	1	–
Factories, other and n.o.s.—Manufactures, autres et n.a.s.	55	–	–	1	–	1	–	4	6	5	8	8	8	8	6	–
Construction	**310**	–	–	–	**1**	**5**	**3**	**14**	**20**	**16**	**39**	**62**	**57**	**46**	**47**	–
Bricklayersand plasterers—Maçons (brique) et plâtriers	20	–	–	–	–	1	–	–	2	1	1	5	5	4	1	–
Carpenters—Charpentiers et menuisiers	166	–	–	–	1	2	2	9	7	8	21	35	32	23	26	–
Electricians-Électriciens	3	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–
Masons and stonecutters—Maçons (pierre) et tailleurs de pierre	20	–	–	–	–	–	–	–	–	1	3	6	3	3	4	–
Painters and decorators—Peintres et décorateurs	47	–	–	–	–	1	1	3	3	3	9	7	6	9	5	–
Plumbers and tinsmiths—Plombiers et ferblantiers	21	–	–	–	–	1	–	1	7	1	3	2	2	1	3	–
Shipwrights — Charpentiers de navire	3	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–
Structural steel workers—Charpentiers en acier	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Contractors — Entrepreneurs	29	–	–	–	–	–	–	–	1	1	2	6	6	6	7	–

NOTE—n.o.s.=Not otherwise stated. NOTE—n.a.s.=Non autrement spécifié.

TABLE 33—Deaths of males in Canada, classified according to occupations, 1928—*con.*

Occupations	Total	Ages—Âges														
		Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
CANCER (Int. List Nos. 43–49)–con.—CANCER (Nos. 43–49, liste int.)–suite																
Transportation and public utilities — Transports et utilités publiques	**193**	–	**1**	**1**	**1**	**1**	**11**	**16**	**13**	**21**	**25**	**27**	**33**	**16**	**27**	–
Engineers and firemen, steam railways—Mécaniciens et chauffeurs (de locomotive)	16	–	–	–	–	–	1	3	2	1	4	1	2	–	2	–
Conductors and brakemen, steam railways—Conducteurs et serre-freins (de train)	12	–	–	–	–	–	1	2	–	3	1	2	2	1	–	–
Other steam railway employees — Autres employés de chemins de fer	56	–	–	–	–	–	2	4	2	4	9	8	11	5	11	–
Railway mail clerks—Courriers convoyeurs des postes	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Electric railway employees—Employés de tramways	11	–	–	–	–	–	1	1	2	2	1	2	2	–	–	–
Seamen—Marins	32	–	–	–	–	–	2	3	4	1	2	5	6	4	5	–
Chauffeurs, drivers, etc.—Chauffeurs, cochers, etc.	55	–	1	1	1	1	3	3	3	8	7	6	10	3	8	–
Expressmen — Employés de messageries	3	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–
Warehousemen — Entrepositaires et magasiniers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Telegraph and telephone—Télégraphe et téléphone	*7*	–	–	–	–	–	*1*	–	–	*2*	*1*	*2*	–	–	*1*	–
Linemen-Poseurs de fil	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Operators — Télégraphistes et téléphonistes	5	–	–	–	–	–	–	–	–	1	1	2	–	–	1	–
Other employees—Autres employés	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Light and power employees--Employés des compagnies d'éclairage et de force motrice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gas works employees—Employés de compagnies de gaz	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Trade—Commerce	**263**	–	–	**2**	**1**	**4**	**7**	**14**	**26**	**13**	**33**	**32**	**45**	**42**	**44**	–
Merchants—Marchands	188	–	–	–	–	4	5	9	16	6	21	21	34	33	39	–
Salespeople, etc.—Commis, etc	44	–	–	2	1	–	2	3	7	5	6	4	6	5	3	–
Commercial travellers—Commis voyageurs	31	–	–	–	–	–	–	2	3	2	6	7	5	4	2	–
Finance	**38**	–	–	–	**1**	**1**	**1**	**3**	**6**	**3**	**4**	**4**	**4**	**7**	**4**	–
Bankers, brokers, etc.—Banquiers, courtiers, etc	38	–	–	–	1	1	1	3	6	3	4	4	4	7	4	–
Service	**304**	–	–	**2**	**2**	**3**	**12**	**10**	**17**	**27**	**46**	**54**	**45**	**40**	**46**	–
Professional—Carrières libérales	*119*	–	–	*1*	–	*2*	*2*	*3*	*6*	*10*	*17*	*24*	*17*	*19*	*18*	–
Doctors—Médecins	12	–	–	–	–	–	–	–	–	3	2	3	1	1	2	–
Teachers — Professeurs et instituteurs	15	–	–	1	–	–	–	–	2	1	2	2	3	1	3	–
Other—Autres professions	92	–	–	–	–	2	2	3	4	6	15	19	13	17	13	–
Recreational — Amusements	6	–	–	–	–	–	1	–	–	2	1	2	–	–	–	–
Customs and repairs—Réparations et ouvrages à façon	*82*	–	–	*1*	–	–	*1*	*2*	*4*	*6*	*15*	*13*	*12*	*16*	*18*	–
Garage and bicycles—Garages et bicyclettes	8	–	–	1	–	–	1	2	1	1	–	1	1	–	–	–
Blacksmiths — Forgerons	49	–	–	–	–	–	–	–	2	3	10	7	6	7	14	–

NOTE—n.o.s.=Not otherwise stated. NOTE—n.a.s.=Non autrement spécifié.

TABLEAU 33—Décès masculins dans le Canada, classifiés selon l'occupation des décédés, 1928—*suite*

Occupations	Total	Ages—Âges														
		Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
CANCER (Int. List Nos. 43–49)–con.—CANCER (Nos. 43–49, liste int.)–fin																
Service–con.—fin																
Customs and repairs–con. *Réparations et ouvrages à façon*—fin																
Boot and shoe repairs—Cordonniers et savetiers	19	–	–	–	–	–	–	–	–	2	3	4	4	2	4	–
Dyeing, cleaning and pressing — Teinturiers, nettoyeurs et presseurs	5	–	–	–	–	–	–	–	1	–	1	1	1	1	–	–
Jewelry and watch repairs — Bijoutiers et horlogers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lock and gunsmiths—Armuriers et serruriers	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Picture framing—Encadreurs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Personal—Service personnel	*97*	–	–	–	*2*	*1*	*8*	*5*	*7*	*9*	*13*	*15*	*16*	*11*	*10*	–
Barbers, hairdressers, etc.—Coiffeurs, perruquiers, etc	14	–	–	–	–	–	1	2	1	2	2	2	3	1	–	–
Hotel keepers — Hôteliers	21	–	–	–	–	–	2	–	1	1	2	4	4	3	4	–
Servants, waiters, etc.—Domestiques, garçons, etc	56	–	–	–	1	1	3	3	4	6	9	7	9	7	6	–
Laundry workers—Employés de buanderie	4	–	–	–	–	–	2	–	1	–	–	1	–	–	–	–
Firemen and furnacemen—Chauffeurs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Photographers — Photographes	2	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Undertakers — Entrepreneurs de pompes funèbres	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Miscellaneous — Occupations diverses	**125**	**7**	**6**	**3**	**1**	**2**	**5**	**5**	**10**	**9**	**12**	**19**	**18**	**13**	**15**	**–**
Firemen (fire department)—Pompiers	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Postmen, policemen, etc.—Facteurs, agents de police, etc	33	–	–	–	–	1	1	1	4	3	2	5	5	5	6	–
Inspectors, n.o.s.—Inspecteurs, n.a.s	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Foremen, n.o.s.—Contremaîtres, n.a.s	11	–	–	–	–	–	–	–	–	2	3	2	3	–	1	–
Stationary engineers—Mécaniciens de machines fixes	19	–	–	–	–	–	–	–	–	2	2	6	2	3	4	–
Bill posters—Afficheurs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Clerks, n.o.s.—Commis, n.a.s	26	–	2	1	1	–	3	2	3	2	2	3	4	–	3	–
Firemen, n.o.s.—Chauffeurs, n.a.s	4	–	–	–	–	1	–	–	1	–	–	1	–	1	–	–
Engineers, n.o.s.—Mécaniciens, n.a.s	15	–	–	–	–	–	1	2	1	–	2	1	3	4	1	–
Messengers, n.o.s.—Messagers, n.a.s	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Apprentices, n.o.s.—Apprentis, n.a.s	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Packers, n.o.s.—Emballeurs, n.a.s	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Students—Étudiants	13	7	4	2	–	–	–	–	–	–	–	–	–	–	–	–
Aviators—Aviateurs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Occupation not given—Occupation inconnue	**35**	–	–	–	–	–	1	4	4	3	6	2	1	7	6	1
No occupation—Sans occupation	**152**	**15**	–	–	**1**	–	–	–	**4**	**4**	**9**	**11**	**27**	**25**	**56**	**–**

NOTE—n.o.s.=Not otherwise stated. NOTE—n.a.s.=Non autrement spécifié.

TABLE 33—Deaths of males in Canada, classified according to occupations, 1928—*con.*

Occupations	Ages—Âges															
	Total	Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
PNEUMONIA (Int. List Nos. 100-101)—PNEUMONIE (Nos. 100-101, liste int.)																
Total	4,582	2,085	78	77	85	78	104	152	170	159	171	227	267	266	660	3
Owners, managers, etc.—Propriétaires, gérants, etc.	29	–	–	–	–	–	2	4	–	2	2	1	5	5	8	–
Agents (all classes)—Agents (toutes catégories)	9	–	–	–	–	–	1	–	–	2	1	2	2	–	1	–
Office employees (incl. govt. and municipal)—Employés de bureau (y compris fonc. du gouv. et des municipalités)	76	–	2	2	6	3	1	8	9	6	5	5	10	9	10	–
Labourers—Journaliers et manœuvres	358	1	17	19	14	18	12	27	30	27	38	36	32	33	53	1
Agriculture	30	–	5	5	1	3	2	2	1	–	1	1	2	5	2	–
Chemicals and allied products—Produits chimiques et connexes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Iron and steel-Fer et acier	8	–	–	–	–	–	1	–	1	3	1	–	–	2	–	–
Metal works (other than steel)—Usines sidérurgiques (autres qu'aciéries)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paints and varnishes—Peintures et vernis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pulp and paper—Pulpe et papier	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other factories — Autres manufactures	18	–	–	1	2	2	1	–	–	3	2	2	2	–	3	–
Construction	10	–	–	–	–	1	2	2	1	–	–	1	1	1	1	–
Steam and street railways—Chemins de fer et tramways	10	–	–	–	–	–	–	1	–	1	2	3	–	1	2	–
Water transportation — Transports par eau	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other and n.o.s.—Autres et n.a.s.	281	1	12	13	11	12	6	22	26	20	32	29	27	24	45	1
Farmers—Cultivateurs	786	–	12	11	18	6	12	30	27	29	42	66	105	109	319	–
Fishermen—Pêcheurs	26	–	2	–	–	1	–	1	4	–	1	5	4	2	6	–
Hunters and trappers—Chasseurs et trappeurs	7	–	–	–	–	–	1	–	–	–	1	–	–	2	3	–
Shantymen—Bûcherons	22	–	–	3	1	1	2	1	1	–	1	3	2	2	5	–
Miners and quarry workers-Mineurs et carriers	28	–	–	1	3	4	–	1	–	4	1	1	2	5	6	–
Coal—Houillères	12	–	–	–	1	2	–	–	–	–	1	1	1	4	2	–
Quarries—Carrières	3	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–
Other mining—Autres mines	13	–	–	1	2	1	–	1	–	2	–	–	1	1	4	–
Factory employees—Ouvriers de manufacture	256	–	5	12	14	10	16	12	27	24	24	33	25	16	38	–
Automobiles, bicycles and aeroplanes — Automobiles, bicyclettes et aéroplanes	4	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–
Agricultural implements —Instruments aratoires	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chemicals and allied products—Produits chimiques et connexes	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Clay, glass and cement—Argile, verre et ciment	*3*	–	–	*1*	–	–	–	–	*1*	–	–	*1*	–	–	–	–
Brickmakers — Briquetiers	3	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–
Glassblowers—Verriers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other employees—Autres ouvriers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Clothing—Vêtements	*17*	–	–	–	–	–	–	*1*	*2*	–	*1*	*3*	*2*	*2*	*6*	–
Tailors—Tailleurs	11	–	–	–	–	–	–	–	–	–	1	2	1	1	6	–
Other employees—Autres ouvriers	6	–	–	–	–	–	–	1	2	–	–	1	1	1	–	–
Gold, silver and jewelry—Orfèvres, argentiers et bijoutiers	4	–	–	–	–	–	–	–	1	1	1	–	–	–	1	–

NOTE—n.o.s. = Not otherwise stated. NOTE—n.a.s. = Non autrement spécifié.

TABLEAU 33—Décès masculins dans le Canada, classifiés selon l'occupation des décédés, 1928—*suite*

Occupations	Total	Ages—Âges													
		Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
PNEUMONIA (Int. List Nos. 100–101)–con.—PNEUMONIE (Nos. 100–101, liste int.)–suite																
Factory employees–con.—**Ouvriers de manufacture**–fin																
Food—Alimentation	33	–	–	2	1	2	4	2	3	1	4	4	3	2	5	–
Bakers—Boulangers	9	–	–	1	–	1	1	1	2	–	–	–	2	–	1	–
Other employees—Autres ouvriers	24	–	–	1	1	1	3	1	1	1	4	4	1	2	4	–
Iron and steel—Fer et acier	74	–	2	2	6	1	6	5	9	9	7	10	5	3	9	–
Filers, grinders and polishers — Limeurs, broyeurs et polisseurs	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Machinists and toolmakers—Machinistes et outilleurs	26	–	–	–	2	–	4	1	2	2	3	6	2	1	3	–
Moulders, casters and enamellers — Mouleurs, fondeurs et émailleurs	21	–	–	2	2	–	1	2	4	2	2	2	1	–	3	–
Other employees—Autres ouvriers	26	–	2	–	2	1	1	2	3	5	2	2	2	1	3	–
Leather—Cuir	11	–	1	–	–	–	–	–	1	1	2	–	–	1	5	–
Boots and shoes — Chaussures	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Harness and saddlery—Harnachement et sellerie	8	–	–	–	–	–	–	–	–	1	2	–	–	1	4	–
Tanners and curriers—Tanneurs et corroyeurs	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other leather workers—Autres ouvriers travaillant le cuir	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Locomotive and railway car works—Usines construisant locomotives et wagons	7	–	–	–	–	–	1	1	2	1	–	1	1	–	–	–
Metal works (other than steel)—Usines sidérurgiques (autres qu'aciéries)	7	–	–	–	–	–	–	–	1	2	–	1	1	1	1	–
Paints and varnishes—Peintures et vernis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Printing and bookbinding — Impression et reliure	8	–	–	1	–	1	1	1	–	1	1	–	–	–	2	–
Printers and typesetters—Imprimeurs et compositeurs	4	–	–	–	–	1	1	–	–	–	1	–	–	–	1	–
Engravers—Graveurs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other employees—Autres ouvriers	4	–	–	1	–	–	–	1	–	1	–	–	–	–	1	–
Pulp and paper—Pulpe et papier	9	–	–	–	1	3	–	–	2	–	1	2	–	–	–	–
Rubber—Caoutchouc	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Saw and planing mills—Scieries et ateliers de planage	18	–	–	–	–	–	–	1	2	4	1	2	3	2	3	–
Textiles	5	–	1	1	–	–	1	–	–	–	–	1	1	–	–	–
Cotton—Coton	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Woollen—Laine	3	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Other textiles — Autres tissages	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Tobacco and cigars—Tabacs et cigares	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Wagons and carriages—Voitures de travail et de promenade	3	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–
Woodworking factories—Manufactures travaillant le bois	10	–	–	–	1	–	–	–	1	2	–	2	2	–	2	–
Factories, other and n.o.s.—Manufactures, autres et n.a.s	39	–	1	5	3	1	2	–	2	1	5	5	6	5	3	–

NOTE—n.o.s.=Not otherwise stated. NOTE—n.a.s.=Non autrement spécifié.

TABLE 33—Deaths of males in Canada, classified according to occupations, 1928—*con.*

Occupations	Total	Ages—Âges														
		Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
PNEUMONIA (Int. List Nos. 100-101)–con.—PNEUMONIE (Nos. 100–101, liste int.)–suite																
Construction	175	–	–	6	2	6	9	12	11	17	12	19	20	16	45	–
Bricklayers and plasterers —Maçons (brique) et plâtriers	10	–	–	1	–	1	–	–	1	3	1	2	–	–	1	–
Carpenters—Charpentiers et menuisiers	89	–	–	2	–	3	2	6	6	4	3	11	13	9	30	–
Electricians — Électriciens	5	–	–	–	–	–	2	–	2	–	–	–	–	1	–	–
Masons and stonecutters—Maçons (pierre) et tailleurs de pierre	17	–	–	–	1	–	–	–	–	1	–	2	4	2	7	–
Painters and decorators—Peintres et décorateurs	23	–	–	1	1	1	1	3	1	4	4	3	1	3	–	–
Plumbers and tinsmiths—Plombiers et ferblantiers	15	–	–	2	–	–	2	3	–	3	3	1	–	–	1	–
Shipwrights — Charpentiers de navire	7	–	–	–	–	1	1	–	1	1	1	–	–	1	1	–
Structural steel workers—Charpentiers en acier	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Contractors — Entrepreneurs	9	–	–	–	–	–	1	–	–	1	–	–	2	–	5	–
Transportation and public utilities — Transports et utilités publiques	114	–	3	5	6	7	10	12	8	10	7	14	10	7	15	–
Engineers and firemen, steam railways — Mécaniciens et chauffeurs (de locomotive)	7	–	–	–	1	–	–	1	2	1	–	1	–	–	1	–
Conductors and brakemen, steam railways—Conducteurs et serre-freins (de train)	7	–	–	–	–	–	1	1	1	1	–	–	–	–	3	–
Other steam railway employees — Autres employés de chemins de fer	30	–	–	1	–	1	2	4	–	–	2	6	7	1	6	–
Railway mail clerks — Courriers convoyeurs des postes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Electric railway employees—Employés de tramways	9	–	–	–	1	2	–	–	1	–	2	2	1	–	–	–
Seamen—Marins	15	–	–	–	1	–	1	2	1	–	2	2	1	3	2	–
Chauffeurs, drivers, etc. —Chauffeurs, cochers, etc	35	–	1	2	3	3	5	3	1	7	1	3	1	2	3	–
Expressmen — Employés de messageries	2	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Warehousemen — Entrepositaires et magasiniers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Telegraph and telephone—Télégraphe et téléphone	*6*	–	*1*	*2*	–	–	*1*	*1*	*1*	–	–	–	–	–	–	–
Linemen–Poseurs de fil	2	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Operators — Télégraphistes et téléphonistes	3	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–
Other employees—Autres employés	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Light and power employees — Employés des compagnies d'éclairage et de force motrice	3	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–
Gas works employees—Employés des compagnies de gaz	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Trade—Commerce	142	–	1	1	9	6	15	9	16	7	8	11	10	21	28	–
Merchants—Marchands	85	–	–	–	3	2	11	3	8	4	2	8	6	14	24	–
Salespeople, etc.—Commis, etc	40	–	1	1	3	3	4	4	7	1	3	2	3	6	2	–
Commercial travellers—Commis voyageurs	17	–	–	–	3	1	–	2	1	2	3	1	1	1	2	–

NOTE—n.o.s. = Not otherwise stated. NOTE—n.a.s. = Non autrement spécifié.

TABLEAU 33—Décès masculins dans le Canada, classifiés selon l'occupation des décédés, 1928—*suite*

Occupations	Total	Ages—Âges														
		Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
PNEUMONIA (Int. List Nos. 100–101)-con.—PNEUMONIE (Nos. 100–101, liste int.)-suite																
Finance	**26**	–	–	–	–	**3**	**1**	**3**	**2**	**2**	**5**	**2**	**1**	**3**	**4**	–
Bankers, brokers, etc.—Banquiers, courtiers, etc	26	–	–	–	–	3	1	3	2	2	5	2	1	3	4	–
Service	**195**	–	**1**	**3**	**6**	**7**	**11**	**22**	**24**	**21**	**11**	**11**	**22**	**13**	**43**	–
Professional—Carrières libérales	*77*	–	–	*1*	*2*	*2*	*1*	*8*	*9*	*4*	*7*	*3*	*11*	*6*	*23*	–
Doctors—Médecins	16	–	–	–	1	2	–	3	1	–	2	–	3	1	3	–
Teachers — Professeurs et instituteurs	11	–	–	–	–	–	–	1	–	1	2	–	1	2	4	–
Other—Autres professions	50	–	–	1	1	–	1	4	8	3	3	3	7	3	16	–
Recreational — Amusements	4	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–
Customs and repairs—Réparations et ouvrages à façon	*32*	–	–	*2*	–	*2*	*1*	*3*	*3*	*7*	*1*	*3*	*2*	*1*	*7*	–
Garage and bicycles—Garages et bicyclettes	6	–	–	2	–	1	–	–	2	–	1	–	–	–	–	–
Blacksmiths — Forgerons	8	–	–	–	–	–	1	1	–	2	–	2	2	–	–	–
Boot and shoe repairs—Cordonniers et savetiers	13	–	–	–	–	–	–	1	1	3	–	1	–	–	7	–
Dyeing, cleaning and pressing—Teinturiers, nettoyeurs et presseurs	4	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–
Jewelry and watch repairs — Bijoutiers et horlogers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lock and gunsmiths—Armuriers et serruriers	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Picture framing—Encadreurs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Personal—Service personnel	*82*	–	*1*	–	*4*	*3*	*7*	*11*	*11*	*9*	*3*	*5*	*9*	*6*	*13*	–
Barbers, hairdressers, etc.—Coiffeurs, perruquiers, etc	10	–	1	–	1	–	–	2	–	2	–	1	–	1	2	–
Hotel keepers — Hôteliers	12	–	–	–	–	–	3	2	1	1	–	–	2	1	2	–
Servants, waiters, etc.—Domestiques, garçons, etc	52	–	–	–	3	3	4	6	9	3	3	4	5	4	8	–
Laundry workers—Employés de buanderie	4	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–
Firemen and furnacemen—Chauffeurs	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Photographers — Photographes	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
Undertakers — Entrepreneurs de pompes funèbres	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Miscellaneous — Occupations diverses	**198**	**106**	**25**	**8**	**3**	**5**	**6**	**6**	**6**	**3**	**3**	**6**	**6**	**5**	**10**	–
Firemen (fire department)—Pompiers	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Postmen, policemen, etc.—Facteurs, agents de police, etc	19	–	–	2	1	1	1	3	4	1	–	1	1	1	3	–
Inspectors, n.o.s.—Inspecteurs, n.a.s	3	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–
Foremen, n.o.s.—Contremaîtres, n.a.s	3	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–
Stationary engineers—Mécaniciens de machines fixes	10	–	–	–	–	–	–	1	–	–	1	3	2	–	3	–
Bill posters—Afficheurs	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Clerks, n.o.s.—Commis, n.a.s	20	–	2	5	1	1	2	1	2	1	1	2	–	2	–	–
Firemen, n.o.s.—Chauffeurs, n.a.s	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE—n.o.s.=Not otherwise stated. NOTE—n.a.s.=Non autrement spécifié.

TABLE 33—Deaths of males in Canada, classified according to occupations, 1928—*con.*

Occupations	Ages—Âges															
	Total	Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
PNEUMONIA (Int. List Nos. 100-101)-con.—PNEUMONIE (Nos. 100-101, liste int.)-fin																
Miscellaneous-con.—Occupations diverses-fin																
Engineers, n.o.s.—Mécaniciens, n.a.s.	9	–	–	–	–	1	1	1	–	1	–	–	2	1	2	–
Messengers, n.o.s.—Messagers, n.a.s.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Apprentices, n.o.s.—Apprentis, n.a.s.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Packers, n.o.s.—Emballeurs, n.a.s.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Students—Étudiants	129	106	22	1	–	–	–	–	–	–	–	–	–	–	–	–
Aviators—Aviateurs	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Occupation not given—Occupation inconnue.	38	–	2	1	1	–	2	2	–	3	6	5	3	3	10	–
No occupation—Sans occupation	2,097	1,978	8	5	2	1	3	2	5	2	3	7	8	15	56	2
SUICIDES (Int. List Nos. 165-174)—SUICIDES (Nos. 165-174, liste int.)																
Total	593	1	21	34	45	42	69	65	71	60	48	41	33	25	30	8
Owners, managers, etc.—Propriétaires, gérants, etc.	6	–	–	–	–	–	1	1	–	–	1	2	1	–	–	–
Agents (all classes)—Agents (toutes catégories)	7	–	–	–	–	–	–	2	1	–	1	1	–	2	–	–
Office employees (incl. govt. and municipal)—Employés de bureau (y compris fonc. du gouv. et des municipalités)	18	–	–	2	1	1	3	2	3	2	2	2	–	–	–	–
Labourers—Journaliers et manœuvres	78	–	2	7	11	7	10	6	8	9	7	–	5	1	2	3
Agriculture	10	–	1	1	3	1	–	2	–	–	1	–	–	–	–	1
Chemicals and allied products—Produits chimiques et connexes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Iron and steel—Fer et acier	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Metal works (other than steel)—Usines sidérurgiques (autres qu'aciéries)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paints and varnishes—Peintures et vernis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pulp and paper—Pulpe et papier	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other factories—Autres manufactures	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Construction	5	–	–	–	–	2	–	–	2	1	–	–	–	–	–	–
Steam and street railways—Chemins de fer et tramways	6	–	–	–	2	–	1	–	2	1	–	–	–	–	–	–
Water transportation—Transports par eau	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other and n.o.s.—Autres et n.a.s.	55	–	1	6	5	4	8	4	4	7	6	–	5	1	2	2
Farmers—Cultivateurs	182	–	4	7	15	14	23	16	21	20	13	11	14	10	13	1
Fishermen—Pêcheurs	5	–	–	–	1	–	–	–	–	–	–	3	–	–	1	–
Hunters and trappers—Chasseurs et trappeurs	4	–	–	–	–	–	–	1	–	–	1	–	–	–	2	–
Shantymen—Bûcherons	15	–	–	2	–	–	1	4	1	2	1	1	2	–	1	–
Miners and quarry workers—Mineurs et carriers.	17	–	–	1	2	–	4	2	2	4	–	1	1	–	–	–
Coal—Houillères	11	–	–	–	2	–	2	2	2	2	–	1	–	–	–	–
Quarries—Carrières	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other mining—Autres mines	6	–	–	1	–	–	2	–	–	2	–	–	1	–	–	–
Factory employees—Ouvriers de manufacture.	47	–	–	2	3	5	8	2	9	6	5	2	1	2	2	–
Automobiles, bicycles and aeroplanes — Automobiles, bicyclettes et aéroplanes	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–

NOTE—n.o.s. = Not otherwise stated. NOTE—n.a.s. = Non autrement spécifié.

TABLEAU 33—Décès masculins dans le Canada, classifiés selon l'occupation des décédés, 1928—*suite*

Occupations	Total	Ages—Âges														
		Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
SUICIDES (Int. List Nos. 165–174)—con.—SUICIDES (Nos. 165–174, liste int.)–suite																
Factory employees—con.—**Ouvriers de manufacture**—suite																
Agricultural implements —Instruments aratoires.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chemicals and allied products—Produits chimiques et connexes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Clay, glass and cement—Argile, verre et ciment.	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Brickmakers — Briquetiers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Glassblowers — Verriers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other employees—Autres ouvriers	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Clothing—Vêtements	5	–	–	–	–	1	–	–	–	3	1	–	–	–	–	–
Tailors—Tailleurs	4	–	–	–	–	1	–	–	–	2	1	–	–	–	–	–
Other employees—Autres ouvriers	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Gold, silver and jewelry—Orfèvres, argentiers et bijoutiers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Food—Alimentation	12	–	–	1	–	2	2	1	4	1	–	–	–	1	–	–
Bakers—Boulangers	4	–	–	–	–	1	–	–	2	–	–	–	–	1	–	–
Other employees—Autres ouvriers	8	–	–	1	–	1	2	1	2	1	–	–	–	–	–	–
Iron and steel — Fer et acier	11	–	–	–	1	–	3	–	4	–	1	1	–	–	1	–
Filers, grinders and polishers — Limeurs, broyeurs et polisseurs.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Machinists and toolmakers — Machinistes et outilleurs	5	–	–	–	1	–	1	–	2	–	–	1	–	–	–	–
Moulders, casters and enamellers — Mouleurs, fondeurs et émailleurs	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other employees—Autres ouvriers	5	–	–	–	–	–	2	–	1	–	1	–	–	–	1	–
Leather—Cuir	2	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
Boots and shoes — Chaussures	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Harness and saddlery—Harnachement et sellerie	2	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
Tanners and curriers—Tanneurs et corroyeurs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other leather workers —Autres ouvriers travaillant le cuir	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive and railway car works—Usines construisant locomotives et wagons	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Metal works (other than steel)—Usines sidérurgiques (autres qu'aciéries)	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Paints and varnishes—Peintures et vernis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Printing and bookbinding — Impression et reliure	4	–	–	–	–	1	1	–	–	1	1	–	–	–	–	–
Printers and typesetters —Imprimeurs et compositeurs	3	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–
Engravers—Graveurs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other employees—Autres ouvriers	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Pulp and paper—Pulpe et papier	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rubber—Caoutchouc	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE—n.o.s. = Not otherwise stated. NOTE—n.a.s. = Non autrement spécifié.

TABLE 33—Deaths of males in Canada, classified according to occupations, 1928—*con.*

Occupations	Total	Ages—Âges: Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
SUICIDES (Int. List Nos. 165–174)–con.—SUICIDES (Nos. 165–174, liste int.)–suite																
Factory employees–con.—**Ouvriers de manufacture**–fin																
Saw and planing mills—Scieries et ateliers de planage	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Textiles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cotton—Coton	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Woollen—Laine	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other textiles—Autres tissages	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tobacco and cigars—Tabacs et cigares	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Wagons and carriages—Voitures de travail et de promenade	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Woodworking factories—Manufactures travaillant le bois	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Factories, other and n.o.s.—Manufactures, autres et n.a.s.	3	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–
Construction	25	–	–	1	–	4	2	1	4	4	3	2	1	2	1	–
Bricklayers and plasterers—Maçons, (brique) et plâtriers	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Carpenters — Charpentiers et menuisiers	9	–	–	1	–	1	1	1	1	–	2	–	1	–	1	–
Electricians—Électriciens	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Masons and stonecutters—Maçons (pierre) et tailleurs de pierre	2	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Painters and decorators—Peintres et décorateurs	7	–	–	–	–	–	1	–	1	2	1	–	–	2	–	–
Plumbers and tinsmiths—Plombiers et ferblantiers	5	–	–	–	–	2	–	–	1	1	–	1	–	–	–	–
Shipwrights — Charpentiers de navire	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Structural steel workers—Charpentiers en acier	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Contractors — Entrepreneurs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Transportation and public utilities — Transports et utilités publiques	29	–	1	2	2	1	4	6	5	3	1	2	2	–	–	–
Engineers and firemen, steam railways—Mécaniciens et chauffeurs (de locomotive)	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
Conductors and brakemen, steam railways—Conducteurs et serre-freins (de train)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other steam railway employees — Autres employés de chemins de fer	7	–	–	–	–	–	3	2	1	–	–	–	1	–	–	–
Railway mail clerks—Courriers convoyeurs des postes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Electric railway employees—Employés de tramways	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Seamen—Marins	4	–	1	–	–	–	–	–	1	–	–	2	–	–	–	–
Chauffeurs, drivers, etc.—Chauffeurs, cochers, etc	9	–	–	1	–	1	1	1	2	1	1	–	1	–	–	–
Expressmen — Employés de messageries	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Warehousemen—Entrepositaires et magasiniers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE—n.o.s.=Not otherwise stated. NOTE—n.a.s.=Non autrement spécifié.

TABLEAU 33—Décès masculins dans le Canada, classifiés selon l'occupation des décédés, 1928—*suite*

Occupations	Total	Ages—Âges														
		Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
SUICIDES (Int. List Nos. 165-174)-con.—SUICIDES (Nos. 165-174, liste int.)-suite																
Transportation and public utilities-con.—**Transports et utilités publiques**-fin																
Telegraph and telephone—Télégraphe et téléphone	*2*	–	–	–	*1*	–	–	*1*	–	–	–	–	–	–	–	–
Linemen—Poseurs de fil.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Operators — Télégraphistes et téléphonistes	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Other employees—Autres employés	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Light and power employees — Employés des compagnies d'éclairage et de force motrice	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Gas works employees—Employés des compagnies de gaz	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Trade—Commerce	**43**	–	**1**	**2**	**1**	**2**	**3**	**6**	**7**	**4**	**3**	**6**	**2**	**3**	**3**	–
Merchants—Marchands	28	–	–	1	–	–	–	5	6	2	2	5	1	3	3	–
Salespeople, etc.—Commis, etc	8	–	1	1	1	2	1	1	–	–	–	1	–	–	–	–
Commercial travellers—Commis voyageurs	7	–	–	–	–	–	2	–	1	2	1	–	1	–	–	–
Finance	**4**	–	–	–	–	**1**	–	**1**	–	**1**	**1**	–	–	–	–	–
Bankers, brokers, etc.—Banquiers, courtiers, etc	4	–	–	–	–	1	–	1	–	1	1	–	–	–	–	–
Service	**50**	–	**2**	**1**	**7**	**5**	**7**	**8**	**4**	**3**	**5**	**4**	**2**	**1**	**1**	–
Professional—Carrières libérales	*15*	–	*1*	–	*2*	*2*	*2*	*1*	*1*	*1*	*1*	*3*	–	–	*1*	–
Doctors—Médecins	2	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Teachers — Professeurs et instituteurs	3	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–
Other—Autres professions	10	–	–	–	2	2	1	1	1	–	1	1	–	–	1	–
Recreational — Amusements	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Customs and repairs—Réparations et ouvrages à façon	*14*	–	–	*1*	*2*	*2*	*1*	*3*	*1*	*1*	*2*	*1*	–	–	–	–
Garage and bicycles—Garages et bicyclettes	5	–	–	1	2	2	–	–	–	–	–	–	–	–	–	–
Blacksmiths — Forgerons	3	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–
Boot and shoe repairs—Cordonniers et savetiers	4	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–
Dyeing, cleaning and pressing—Teinturiers, nettoyeurs et presseurs	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Jewelry and watch repairs—Bijoutiers et horlogers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lock and gunsmiths—Armuriers et serruriers	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Picture framing—Encadreurs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Personal—Service personnel	*21*	–	*1*	–	*3*	*1*	*4*	*4*	*2*	*1*	*2*	–	*2*	*1*	–	–
Barbers, hairdressers, etc.—Coiffeurs, perruquiers, etc	3	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Hotel keepers — Hôteliers	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Servants, waiters, etc.—Domestiques, garçons, etc	15	–	1	–	3	1	2	2	1	1	1	–	2	1	–	–
Laundry workers—Employés de buanderie	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	

NOTE—n.o.s.=Not otherwise stated. NOTE—n a.s.=Non autrement spécifié.

TABLE 33—Deaths of males in Canada, classified according to occupations, 1928—*con.*

Occupations	Total	Ages—Âges: Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
SUICIDES (Int. List Nos. 165–174)-con.—SUICIDES (Nos. 165–174, liste int.)-fin																
Service-con.—fin																
Personal-con.—*Service personnel*-fin																
Firemen and furnacemen—Chauffeurs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Photographers — Photographes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Undertakers — Entrepreneurs de pompes funèbres	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Miscellaneous — Occupations diverses	32	1	9	4	2	–	2	2	3	1	3	3	–	2	–	–
Firemen, (fire department)—Pompiers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Postmen, policemen, etc.—Facteurs, agents de police, etc	5	–	–	1	2	–	–	1	–	–	1	–	–	–	–	–
Inspectors, n.o.s.—Inspecteurs, n.a.s	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Foremen, n.o.s.—Contremaîtres, n.a.s	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stationary engineers—Mécaniciens de machines fixes	6	–	–	–	–	–	–	1	1	1	1	2	–	–	–	–
Bill posters—Afficheurs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Clerks, n.o.s. — Commis, n.a.s	5	–	1	2	–	–	–	–	1	–	–	–	–	1	–	–
Firemen, n.o.s. — Chauffeurs, n.a.s	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Engineers, n.o.s.—Mécaniciens, n.a.s	4	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–
Messengers, n.o.s.—Messagers, n.a.s	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Apprentices, n.o.s. — Apprentis, n.a.s	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Packers, n.o.s.—Emballeurs, n.a.s	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Students—Étudiants	10	1	8	1	–	–	–	–	–	–	–	–	–	–	–	–
Aviators—Aviateurs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Occupation not given—Occupation inconnue	21	–	1	1	–	2	1	4	2	1	1	1	1	1	1	4
No occupation—Sans occupation	10	–	1	2	–	–	–	1	1	–	–	–	1	1	3	–
TUBERCULOSIS (Int. List Nos. 31-37)—TUBERCULOSE (Nos. 31-37, liste int.)																
Total	3,730	541	313	414	395	347	313	308	262	230	194	136	120	88	62	7
Owners, managers, etc.—Propriétaires, gérants, etc	23	–	–	2	2	2	2	1	5	2	–	2	2	3	–	–
Agents (all classes)—Agents (toutes catégories)	6	–	1	–	1	–	1	–	1	–	2	–	–	–	–	–
Office employees (incl. govt. and municipal)—Employés de bureau (y compris fonc. du gouv. et des municipalités)	117	–	4	17	19	20	11	15	10	8	2	3	4	2	2	–
Labourers—Journaliers et manœuvres	685	–	54	117	92	86	63	71	53	45	35	22	30	11	6	–
Agriculture	50	–	6	13	7	9	2	3	4	1	1	1	1	1	1	–
Chemicals and allied products—Produits chimiques et connexes	3	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–
Iron and steel—Fer et acier	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Metal works (other than steel)—Usines sidérurgiques (autres qu'aciéries)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE—n.o.s. = Not otherwise stated. NOTE—n.a.s. = Non autrement spécifié.

TABLEAU 33—Décès masculins dans le Canada, classifiés selon l'occupation des décédés, 1928—*suite*

Occupations	Total	Ages—Âges														
		Under 15 — Moins de 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 and over — 75 et plus	Not stated — Non donnés
TUBERCULOSIS (Int. List Nos. 31-37)-con.—TUBERCULOSE (Nos. 31-37, liste int.)-suite																
Labourers-con.—**Journaliers et manœuvres**-fin																
Paints and varnishes—Peintures et vernis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pulp and paper—Pulpe et papier	2	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Other factories — Autres manufactures	10	–	–	1	2	2	2	1	–	1	–	1	–	–	–	–
Construction	13	–	–	3	2	3	1	–	1	2	–	–	–	–	1	–
Steam and street railways—Chemins de fer et tramways	9	–	–	–	1	1	1	–	3	1	–	1	1	–	–	–
Water transportation—Transports par eau	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other and n.o.s.—Autres et n.a.s.	595	–	47	98	80	69	57	66	45	39	33	19	28	10	4	–
Farmers—Cultivateurs	612	–	40	73	71	57	49	47	41	43	50	44	38	29	30	–
Fishermen—Pêcheurs	63	–	4	4	10	7	7	6	3	7	5	2	1	4	3	–
Hunters and trappers—Chasseurs et trappeurs	37	–	8	5	8	1	1	2	2	2	2	2	1	2	1	–
Shantymen—Bûcherons	35	–	1	3	7	6	4	6	2	4	–	1	–	–	1	–
Miners and quarry workers-Mineurs et carriers	52	–	1	4	3	7	6	10	5	3	5	4	1	3	–	–
Coal—Houillères	25	–	1	4	3	4	3	3	–	1	3	–	1	2	–	–
Quarries—Carrières	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other mining—Autres mines	26	–	–	–	–	3	3	7	5	2	2	3	–	1	–	–
Factory employees—Ouvriers de manufacture	276	–	15	37	37	30	37	33	24	23	18	7	10	5	–	–
Automobiles, bicycles and aeroplanes — Automobiles, bicyclettes et aéroplanes	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Agricultural implements—Instruments aratoires	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chemicals and allied products—Produits chimiques et connexes	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Clay, glass and cement—Argile, verre et ciment	*6*	–	–	*1*	–	–	*1*	*2*	–	*2*	–	–	–	–	–	–
Brickmakers — Briquetiers	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Glassblowers—Verriers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other employees — Autres ouvriers	5	–	–	1	–	–	1	2	–	1	–	–	–	–	–	–
Clothing—Vêtements	*24*	–	*2*	*1*	*4*	*4*	*4*	*1*	*2*	*4*	*1*	–	*1*	–	–	–
Tailors—Tailleurs	21	–	2	1	1	4	4	1	2	4	1	–	1	–	–	–
Other employees — Autres ouvriers	3	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–
Gold, silver and jewelry—Orfèvres, argentiers et bijoutiers	3	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–
Food—Alimentation	*26*	–	*1*	*4*	*3*	*5*	*1*	–	*4*	*1*	*2*	*3*	*2*	–	–	–
Bakers—Boulangers	4	–	–	–	1	2	–	–	–	–	1	–	–	–	–	–
Other employees — Autres ouvriers	22	–	1	4	2	3	1	–	4	1	1	3	2	–	–	–
Iron and steel—Fer et acier	*54*	–	*1*	*3*	*9*	*3*	*4*	*7*	*6*	*10*	*6*	*2*	*2*	*1*	–	–
Filers, grinders and polishers — Limeurs, broyeurs et polisseurs	6	–	–	–	–	1	1	–	2	2	–	–	–	–	–	–
Machinists and toolmakers — Machinistes et outilleurs	28	–	1	2	7	1	3	3	2	5	–	2	1	1	–	–
Moulders, casters and enamellers — Mouleurs, fondeurs et émailleurs	8	–	–	–	1	1	–	1	2	1	2	–	–	–	–	–
Other employees — Autres ouvriers	12	–	–	1	1	–	–	3	–	2	4	–	1	–	–	–
Leather—Cuir	*10*	–	–	*1*	*3*	–	*2*	*1*	–	–	*2*	–	–	*1*	–	–
Boots and shoes — Chaussures	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE—n.o.s. = Not otherwise stated. NOTE—n.a.s. = Non autrement spécifié.

TABLE 33—Deaths of males in Canada, classified according to occupations, 1928—*con.*

Occupations	Ages—Âges														
	Total	Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
TUBERCULOSIS (Int. List Nos. 31-37)-con.—TUBERCULOSE (Nos. 31-37, liste int.)-suite																
Factory employees-con.—**Ouvriers de manufacture**-fin																
Leather-con.—*Cuir*-fin																
Harness and saddlery—Harnachement et sellerie	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Tanners and curriers—Tanneurs et corroyeurs	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other leather workers—Autres ouvriers travaillant le cuir	7	–	–	1	2	–	2	1	–	–	1	–	–	–	–	–
Locomotive and railway car works—Usines construisant locomotives et wagons	4	–	–	–	1	–	–	1	2	–	–	–	–	–	–	–
Metal works (other than steel)—Usines sidérurgiques (autres qu'aciéries)	9	–	1	1	–	–	4	2	1	–	–	–	–	–	–	–
Paints and varnishes—Peintures et vernis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Printing and bookbinding—Impression et reliure	*26*	–	*4*	*7*	*3*	*1*	*5*	*2*	*1*	*1*	*1*	–	*1*	–	–	–
Printers and typesetters—Imprimeurs et compositeurs	17	–	3	6	2	1	3	–	1	–	–	–	1	–	–	–
Engravers—Graveurs	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Other employees — Autres ouvriers	8	–	1	1	1	–	2	2	–	–	1	–	–	–	–	–
Pulp and paper—Pulpe et papier	5	–	–	1	–	1	1	2	–	–	–	–	–	–	–	–
Rubber—Caoutchouc	5	–	–	3	1	–	1	–	–	–	–	–	–	–	–	–
Saw and planing mills—Scieries et ateliers de planage	22	–	–	4	4	1	4	3	–	2	–	1	2	1	–	–
Textiles	*16*	–	*2*	*2*	*2*	*4*	*3*	*1*	*1*	–	–	–	–	*1*	–	–
Cotton—Coton	6	–	1	2	–	1	2	–	–	–	–	–	–	–	–	–
Woollen—Laine	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Other textiles — Autres tissages	8	–	–	–	2	3	1	1	1	–	–	–	–	–	–	–
Tobacco and cigars—Tabacs et cigares	5	–	–	1	–	–	–	2	–	–	1	–	–	1	–	–
Wagons and carriages—Voitures de travail et de promenade	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Woodworking factories—Manufactures travaillant le bois	7	–	–	–	1	2	–	–	3	–	–	1	–	–	–	–
Factories, other and n.o.s.—Manufactures, autres et n.a.s.	51	–	3	7	6	8	6	8	4	3	5	–	1	–	–	–
Construction	**210**	–	**3**	**20**	**8**	**20**	**20**	**25**	**26**	**23**	**30**	**12**	**9**	**10**	**4**	–
Bricklayers and plasterers—Maçons (brique) et plâtriers	11	–	–	–	–	–	–	1	3	3	–	1	2	1	–	–
Carpenters — Charpentiers et menuisiers	92	–	1	7	1	4	6	15	13	11	16	4	5	6	3	–
Electricians—Électriciens	14	–	–	3	–	3	2	2	–	2	–	2	–	–	–	–
Masons and stonecutters—Maçons (pierre) et tailleurs de pierre	18	–	–	–	1	2	–	1	2	2	7	1	1	1	–	–
Painters and decorators—Peintres et décorateurs	37	–	–	6	2	7	8	3	5	2	2	2	–	–	–	–
Plumbers and tinsmiths—Plombiers et ferblantiers	24	–	2	3	4	2	1	1	2	2	4	1	–	2	–	–
Shipwrights — Charpentiers de navire	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Structural steel workers—Charpentiers en acier	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Contractors — Entrepreneurs	11	–	–	1	–	1	2	2	–	1	1	1	1	–	1	–

NOTE—n.o.s. = Not otherwise stated. NOTE—n.a.s. = Non autrement spécifié.

TABLEAU 33—Décès masculins dans le Canada, classifiés selon l'occupation des décédés, 1928—*suite*

Occupations	Total	Ages—Âges														
		Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
TUBERCULOSIS (Int. List Nos. 31-37)-con.—TUBERCULOSE (Nos. 31-37, liste int.)-suite																
Transportation and public utilities — Transports et utilités publiques	**175**	–	**3**	**22**	**25**	**27**	**21**	**29**	**21**	**11**	**9**	**5**	**1**	–	**1**	–
Engineers and firemen, steam railways—Mécaniciens et chauffeurs (de locomotive)	8	–	–	–	1	1	3	1	1	–	1	–	–	–	–	–
Conductors and brakemen, steam railways—Conducteurs et serre-freins (de train)	11	–	–	–	–	1	–	6	1	2	1	–	–	–	–	–
Other steam railway employees — Autres employés de chemins de fer	23	–	–	2	2	2	5	6	3	1	1	1	–	–	–	–
Railway mail clerks—Courriers convoyeurs des postes	2	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Electric railway employees—Employés de tramways	10	–	–	1	–	–	–	3	2	2	1	1	–	–	–	–
Seamen—Marins	35	–	2	4	4	3	6	3	8	1	2	1	1	–	–	–
Chauffeurs, drivers, etc.—Chauffeurs, cochers, etc.	68	–	1	12	16	15	6	6	3	4	2	2	–	–	1	–
Expressmen — Employés de messageries	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Warehousemen—Entreposataires et magasiniers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Telegraph and telephone—Télégraphe et téléphone	*13*	–	–	*2*	*2*	*3*	*1*	*2*	*1*	*1*	*1*	–	–	–	–	–
Linemen—Poseurs de fil.	3	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–
Operators — Télégraphistes et téléphonistes	8	–	–	1	2	1	1	2	–	1	–	–	–	–	–	–
Other employees — Autres employés	2	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Light and power employees—Employés des compagnies d'éclairage et de force motrice	4	–	–	1	–	1	–	1	1	–	–	–	–	–	–	–
Gas works employees—Employés des compagnies de gaz	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Trade—Commerce	**144**	–	**4**	**12**	**21**	**19**	**24**	**17**	**10**	**10**	**9**	**5**	**7**	**4**	**2**	–
Merchants—Marchands	73	–	–	2	11	7	11	9	5	7	6	3	6	4	2	–
Salespeople, etc. — Commis, etc	56	–	3	9	8	9	10	7	4	3	2	1	–	–	–	–
Commercial travellers—Commis voyageurs	15	–	1	1	2	3	3	1	1	–	1	1	1	–	–	–
Finance	**17**	–	–	–	**1**	**4**	**1**	**4**	**2**	**1**	–	**3**	–	**1**	–	–
Bankers, brokers, etc.—Banquiers, courtiers, etc.	17	–	–	–	1	4	1	4	2	1	–	3	–	1	–	–
Service	**280**	–	**12**	**25**	**38**	**34**	**37**	**23**	**38**	**30**	**13**	**12**	**5**	**6**	**7**	–
Professional—Carrières libérales	*77*	–	*4*	*10*	*14*	*14*	*8*	*4*	*10*	*5*	*2*	*2*	*1*	–	*3*	–
Doctors—Médecins	8	–	–	–	1	3	1	–	1	–	–	–	–	–	2	–
Teachers — Professeurs et instituteurs	12	–	–	5	2	3	–	–	–	–	1	–	1	–	–	–
Other — Autres professions	57	–	4	5	11	8	7	4	9	5	1	2	–	–	1	–
Recreational — Amusements	6	–	–	–	–	–	3	–	3	–	–	–	–	–	–	–
Customs and repairs—Réparations et ouvrages à façon	*53*	–	*1*	*7*	*6*	*3*	*8*	*4*	*8*	*3*	*4*	*4*	*2*	*2*	*1*	–
Garage and bicycles—Garages et bicyclettes	11	–	–	3	3	–	3	–	2	–	–	–	–	–	–	–
Blacksmiths — Forgerons	21	–	–	2	1	1	3	3	2	2	1	1	2	2	1	–
Boot and shoe repairs—Cordonniers et savetiers	18	–	1	1	1	2	2	1	3	1	3	3	–	–	–	–

NOTE—n.o.s. = Not otherwise stated. NOTE—n.a.s. = Non autrement spécifié.

TABLE 33—Deaths of males in Canada, classified according to occupations, 1928—*concluded*

TABLEAU 33—Décès masculins dans le Canada, classifiés selon l'occupation des décédés, 1928—*fin*

Occupations	Ages—Âges															
	Total	Under 15 — Moins de 15	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75 and over — 75 et plus	Not stated — Non donnés
TUBERCULOSIS (Int. List Nos. 31-37)-con.—TUBERCULOSE (Nos. 31-37, liste int.)-fin																
Service-con.—fin																
Customs and repairs-con.—*Réparations et ouvrages à façon*-fin																
Dyeing, cleaning and pressing — Teinturiers, nettoyeurs et presseurs	3	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–
Jewelry and watch repairs — Bijoutiers et horlogers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lock and gunsmiths—Armuriers et serruriers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Picture framing — Encadreurs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Personal—Service personnel	*144*	–	*7*	*8*	*18*	*17*	*18*	*15*	*17*	*22*	*7*	*6*	*2*	*4*	*3*	–
Barbers, hairdressers, etc. — Coiffeurs, perruquiers, etc	21	–	–	1	4	4	3	2	–	5	–	2	–	–	–	–
Hotel keepers — Hôteliers	15	–	–	–	2	–	2	1	1	3	2	2	–	2	–	–
Servants, waiters, etc.—Domestiques, garçons, etc	87	–	6	6	10	12	9	9	13	12	1	2	2	2	3	–
Laundry workers—Employés de buanderie	19	–	–	1	1	1	4	3	3	2	4	–	–	–	–	–
Firemen and furnacemen—Chauffeurs	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Photographers — Photographes	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Undertakers — Entrepreneurs de pompes funèbres	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Miscellaneous — Occupations diverses	**464**	**199**	**111**	**44**	**33**	**17**	**14**	**10**	**10**	**9**	**5**	**3**	**4**	**3**	**2**	–
Firemen (fire department)—Pompiers	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Postmen, policemen, etc.—Facteurs, agents de police, etc	26	–	–	–	3	6	4	2	5	4	1	1	–	–	–	–
Inspectors, n.o.s. — Inspecteurs, n.a.s	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Foremen, n.o.s.—Contremaîtres, n.a.s	5	–	–	–	–	–	–	1	–	1	1	1	–	–	1	–
Stationary engineers—Mécaniciens de machines fixes	8	–	–	1	–	–	–	1	2	1	–	–	2	–	1	–
Bill posters—Afficheurs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Clerks, n.o.s.—Commis, n.a.s	66	1	6	17	18	5	5	4	2	2	2	1	1	2	–	–
Firemen, n.o.s.—Chauffeurs, n.a.s	5	–	–	1	1	1	2	–	–	–	–	–	–	–	–	–
Engineers, n.o.s. — Mécaniciens, n.a.s	9	–	–	–	1	1	1	1	1	1	1	–	1	1	–	–
Messengers, n.o.s. — Messagers, n.a.s	2	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Apprentices, n.o.s. — Apprentis, n.a.s	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Packers, n.o.s. — Emballeurs, n.a.s	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Students—Étudiants	340	198	104	25	9	3	1	–	–	–	–	–	–	–	–	–
Aviators—Aviateurs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Occupation not given—Occupation inconnue	**54**	–	**12**	**5**	**7**	**2**	**8**	**5**	**2**	**5**	**1**	–	**1**	–	–	**6**
No occupation—Sans occupation	**480**	**342**	**40**	**24**	**12**	**8**	**7**	**4**	**7**	**4**	**8**	**9**	**6**	**5**	**3**	**1**

NOTE—n.o.s.=Not otherwise stated. NOTE—n.a.s.=Non autrement spécifié.

MARRIAGES

MARIAGES

TABLE 34—Marriages in Canada, by months, 1928
TABLEAU 34—Mariages dans le Canada, par mois, 1928

Provinces	Total	Months—Mois											
		January — Janvier	February — Février	March — Mars	April — Avril	May — Mai	June — Juin	July — Juillet	August — Août	September — Septembre	October — Octobre	November — Novembre	December — Décembre
Canada(1)	**74,311**	**4,674**	**4,626**	**3,210**	**5,509**	**4,597**	**9,384**	**7,196**	**6,489**	**8,266**	**7,505**	**7,034**	**5,821**
Prince Edward Island	466	36	38	14	18	24	47	58	52	54	51	51	23
Nova Scotia	3,256	203	223	161	217	220	327	274	288	407	347	336	253
New Brunswick	3,146	141	168	128	197	196	341	308	290	393	421	346	217
Quebec	19,126	1,284	1,085	408	1,484	1,420	2,652	2,322	1,819	2,318	2,035	1,108	1,191
Ontario	25,728	1,397	1,448	1,286	1,928	1,577	3,673	2,092	2,116	3,443	2,491	2,214	2,063
Manitoba	5,170	367	405	262	325	272	543	469	442	430	505	717	433
Saskatchewan	6,701	552	485	366	501	280	612	626	476	319	678	1,111	695
Alberta	5,776	439	475	319	423	305	578	570	531	385	527	716	508
British Columbia	4,942	255	299	266	416	303	611	477	475	517	450	435	438

(1)Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

TABLE 35—Marriages—Conjugal condition of contracting parties by provinces, 1928
TABLEAU 35—Mariages—État civil des conjoints dans chaque province, 1928

Provinces	Total marriages — Total des mariages	Marriages between—Mariages entre										Per cent of bridegrooms who were — Pourcentage des époux qui étaient				Per cent of brides who were — Pourcentage des épouses qui étaient			
		Bachelors and — Célibataires et				Widowers and — Veufs et				Divorced men and — Divorcés et									
		Spinsters Filles	Widows Veuves	Divorced Divorcées		Spinsters Filles	Widows Veuves	Divorced Divorcées		Spinsters Filles	Widows Veuves	Divorced Divorcées		Bachelors Célibataires	Widowers Veufs	Divorced Divorcés		Spinsters Filles	Widows Veuves	Divorced Divorcées	
Canada(1)	**74,311**	**64,785**	**1,885**	**487**		**3,783**	**2,482**	**140**		**517**	**120**	**112**		**90·4**	**8·6**	**1·0**		**93·0**	**6·0**	**1·0**	
Prince Edward Island	466	407	5	–		36	18	–		–	–	–		88·4	11·6	–		95·1	4·9	–	
Nova Scotia	3,256	2,836	92	10		173	115	6		18	3	3		90·2	9·0	0·7		93·0	6·4	0·6	
New Brunswick	3,146	2,645	94	24		191	115	17		34	11	15		87·8	10·3	1·9		91·2	7·0	1·8	
Quebec	19,126	16,823	331	29		1,132	747	19		37	6	2		89·8	9·9	0·2		94·1	5·7	0·3	
Ontario	25,728	22,750	615	106		1,230	802	32		152	29	12		91·2	8·0	0·8		93·8	5·6	0·6	
Manitoba	5,170	4,510	128	37		262	157	14		51	5	6		90·4	8·4	1·2		93·3	5·6	1·1	
Saskatchewan	6,701	5,936	193	42		292	190	6		27	7	8		92·1	7·3	0·6		93·3	5·8	0·8	
Alberta	5,776	4,940	201	93		243	159	18		87	23	12		90·6	7·3	2·1		91·2	6·6	2·1	
British Columbia	4,942	3,938	226	146		224	179	28		111	36	54		87·2	8·7	4·1		86·5	8·9	4·6	

(1)Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

TABLE 36—Marriages reported in rural and urban parts of counties or census divisions, 1928

TABLEAU 36—Mariages constatés dans les parties rurales et urbaines des comtés ou divisions de recensement, 1928

Counties or divisions — Comtés ou divisions	Total	Rural — Ruraux	Urban — Urbains
Canada(1)	**74,311**	**24,243**	**50,068**
Prince Edward Island	**466**	**254**	**212**
Kings	53	45	8
Prince	181	122	59
Queens	232	87	145
Nova Scotia	**3,256**	**1,074**	**2,182**
Annapolis	89	70	19
Antigonish	57	25	32
Cape Breton	618	93	525
Colchester	189	71	118
Cumberland	257	59	198
Digby	103	74	29
Guysborough	74	58	16
Halifax	801	119	682
Hants	132	64	68
Inverness	61	47	14
Kings	131	63	68
Lunenburg	210	107	103
Pictou	246	43	203
Queens	57	35	22
Richmond	25	25	–
Shelburne	65	44	21
Victoria	21	21	–
Yarmouth	120	56	64
New Brunswick	**3,146**	**1,524**	**1,622**
Albert	29	29	–
Carleton	296	147	149
Charlotte	312	67	245
Gloucester	244	206	38
Kent	120	120	–
Kings	92	68	24
Madawaska	182	124	58
Northumberland	240	161	79
Queens	56	56	–
Restigouche	183	86	97
St. John	516	68	448
Sunbury	26	26	–
Victoria	226	185	41
Westmorland	366	113	253
York	258	68	190
Quebec	**19,126**	**7,446**	**11,680**
Abitibi	147	132	15
Argenteuil	89	65	24
Arthabaska	177	119	58
Bagot	105	93	12
Beauce	301	275	26
Beauharnois	128	35	93
Bellechasse	112	112	–
Berthier	112	87	25
Bonaventure	152	152	–
Brome	72	72	–
Chambly	112	46	66
Champlain	355	219	136
Charlevoix	141	118	23
Chateauguay	81	81	–
Chicoutimi	391	140	251
Compton	114	98	16
Deux Montagnes	93	93	–
Dorchester	176	176	–
Drummond	167	77	90
Frontenac	152	136	16
Gaspé	230	230	–
Hull	461	189	272
Huntingdon	83	68	15
Iberville	54	32	22
Îles de la Madeleine	45	45	–
Joliette	196	112	84
Kamouraska	124	124	–
Labelle	118	118	–
Quebec–con.—fin			
Lac St-Jean	334	317	17
Laprairie	73	57	16
L'Assomption	83	58	25
Lévis	215	107	108
L'Islet	114	114	–
Lotbinière	106	106	–
Maskinongé	111	99	12
Matane	119	119	–
Matapédia	160	160	–
Mégantic	227	146	81
Missisquoi	117	64	53
Montcalm	93	93	–
Montmagny	112	75	37
Montmorency	111	111	–
Montreal and Jesus Islands —Îles de	7,688	75	7,613
Montreal Island—Île de	*7,626*	*36*	*7,590*
Jesus Island—Île de	*62*	*39*	*23*
Napierville	52	52	–
Nicolet	178	166	12
Papineau	158	127	31
Pontiac	105	105	–
Portneuf	203	190	13
Quebec	1,154	153	1,001
Richelieu	122	60	62
Richmond	128	69	59
Rimouski	183	153	30
Rouville	76	67	9
Saguenay	114	114	–
Shefford	225	115	110
Sherbrooke	254	24	230
Soulanges	54	54	–
Stanstead	228	89	139
St. Hyacinthe	185	63	122
St. Jean	135	37	98
St. Maurice	438	100	338
Témiscamingue	114	114	–
Témiscouata	275	215	60
Terrebonne	255	105	150
Vaudreuil	52	52	–
Verchères	59	49	10
Wolfe	117	117	–
Yamaska	111	111	–
Ontario	**25,728**	**5,960**	**19,768**
Addington	41	41	–
Algoma	414	92	322
Brant	399	67	332
Bruce	252	168	84
Carleton	1,114	119	995
Cochrane	389	166	223
Dufferin	84	61	23
Dundas	84	84	–
Durham	135	65	70
Elgin	315	116	199
Essex	1,553	157	1,396
Frontenac	326	96	230
Glengarry	85	61	24
Grenville	97	60	37
Grey	420	207	213
Haldimand	141	102	39
Haliburton	34	34	–
Halton	163	65	98
Hastings	433	206	227
Huron	276	197	79
Kenora	100	10	90
Kent	444	108	336
Lambton	296	123	173
Lanark	194	60	134
Leeds	201	80	121
Lennox	68	27	41

(1)Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

NOTE—"Urban" includes cities and towns of 1,000 population and over, "Rural" the remaining parts. The classification of cities and towns in Manitoba, Saskatchewan and Alberta is according to the Census of 1926 and in the remaining provinces according to the Census of 1921. For the number of marriages in each city and town of 1,000 population and over, see table 2, pages 6-10—"Urbains" comprend les cités et villes ayant une population de 1,000 habitants et au-dessus, le reste est inclus avec "Ruraux". La classification des cités et villes dans le Manitoba, la Saskatchewan et l'Alberta est selon le recensement de 1926 et dans toutes les autres provinces selon le recensement de 1921. Pour le nombre des mariages de chaque cité et ville de 1,000 âmes et plus, voir tableau 2, pages 6-10.

TABLE 36—Marriages reported in rural and urban parts of counties or census divisions, 1928—*concluded.*

TABLEAU 36—Mariages constatés dans les parties rurales et urbaines des comtés ou divisions de recensement, 1928—*fin*

Counties or divisions — Comtés ou divisions	Total	Rural — Ruraux	Urban — Urbains	Counties or divisions — Comtés ou divisions	Total	Rural — Ruraux	Urban — Urbains
Ontario—con.—fin				**Saskatchewan**	**6,701**	**3,339**	**3,362**
Lincoln	374	81	293	Division No. 1	302	182	120
Manitoulin	57	57	–	Division No. 2	224	125	99
Middlesex	899	156	743	Division No. 3	257	193	64
Muskoka	128	43	85	Division No. 4	149	97	52
Nipissing	299	86	213	Division No. 5	340	258	82
Norfolk	174	116	58	Division No. 6	1,110	268	842
Northumberland	201	122	79	Division No. 7	524	188	336
Ontario	446	135	311	Division No. 8	353	211	142
Oxford	295	111	184	Division No. 9	431	205	226
Parry Sound	142	91	51	Division No. 10	202	202	–
Peel	162	107	55	Division No. 11	1,014	156	858
Perth	327	115	212	Division No. 12	188	96	92
Peterborough	330	93	237	Division No. 13	241	224	17
Prescott	180	123	57	Division No. 14	234	176	58
Prince Edward	97	61	36	Division No. 15	676	439	237
Rainy River	73	11	62	Division No. 16	295	158	137
Renfrew	335	164	171	Division No. 17	135	135	–
Russell	107	83	24	Division No. 18	26	26	–
Simcoe	476	192	284				
Stormont	256	56	200	**Alberta**	**5,776**	**1,871**	**3,905**
Sudbury	293	94	199	Division No. 1	237	26	211
Thunder Bay	513	18	495	Division No. 2	537	83	454
Timiskaming	256	156	100	Division No. 3	42	42	–
Victoria	146	71	75	Division No. 4	101	80	21
Waterloo	713	100	613	Division No. 5	190	78	112
Welland	700	141	559	Division No. 6	1,442	174	1,268
Wellington	406	144	262	Division No. 7	223	193	30
Wentworth	1,495	132	1,363	Division No. 8	451	128	323
York	7,790	529	7,261	Division No. 9	66	66	–
				Division No. 10	394	286	108
				Division No. 11	1,555	193	1,362
Manitoba	**5,170**	**1,630**	**3,540**	Division No. 12	32	16	16
Division No. 1	104	104	–	Division No. 13	145	145	–
Division No. 2	232	215	17	Division No. 14	146	146	–
Division No. 3	130	130	–	Division No. 15	69	69	–
Division No. 4	99	99	–	Division No. 16	116	116	–
Division No. 5	165	143	22	Division No. 17	30	30	–
Division No. 6	3,140	112	3,028				
Division No. 7	289	72	217	**British Columbia**	**4,942**	**1,145**	**3,797**
Division No. 8	119	61	58	Victoria Division	607	260	347
Division No. 9	176	125	51	New Westminster Division	585	269	316
Division No. 10	78	56	22	Nanaimo Division	211	83	128
Division No. 11	121	105	16	Beaton Division	346	80	266
Division No. 12	62	62	–	Alberni Division	222	158	64
Division No. 13	165	101	64	Ashcroft Division	103	63	40
Division No. 14	158	158	–	Grand Forks Division	393	176	217
Division No. 15	43	43	–	Vancouver Division	2,475	56	2,419
Division No. 16	89	44	45				

TABLE 37—Marriages classified according to age and occupation of bridegrooms in Canada, (1) 1928

TABLEAU 37—Mariages classifiés selon l'âge et l'occupation des époux dans le Canada,(1) 1928

Occupation of bridegroom — Occupation de l'époux	Age of bridegroom—Âge de l'époux															
	Total	Under 20 — Moins de 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80 and over — 80 et plus	Not stated — Non donnés
Total	**74,311**	**1,863**	**26,050**	**23,313**	**10,155**	**5,248**	**2,846**	**1,685**	**1,133**	**805**	**533**	**375**	**197**	**67**	**20**	**21**
Owners, managers, etc.—Propriétaires, gérants, etc	**836**	**4**	**163**	**239**	**165**	**101**	**53**	**43**	**26**	**20**	**13**	**3**	**3**	**2**	**–**	**1**
Agents (all classes)—Agents (toutes catégories)	**468**	**5**	**105**	**158**	**70**	**46**	**38**	**17**	**14**	**7**	**6**	**2**	**–**	**–**	**–**	**–**
Office employees (incl. govt. and municipal)—Employés de bureau (y compris fonc. du gouv. et des municipalités)	**2,899**	**37**	**892**	**1,017**	**484**	**218**	**115**	**57**	**34**	**21**	**8**	**7**	**7**	**1**	**–**	**1**
Labourers—Journaliers et manœuvres	**10,141**	**412**	**4,360**	**2,963**	**1,089**	**535**	**284**	**170**	**123**	**86**	**57**	**36**	**20**	**4**	**1**	**1**
Agriculture	175	6	82	58	16	8	4	1	–	–	–	–	–	–	–	–
Chemicals and allied products—Produits chimiques et connexes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Iron and steel—Fer et acier	3	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Metal works (other than steel)—Usines sidérurgiques (autres qu'aciéries)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paints and varnishes—Peintures et vernis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pulp and paper—Pulpe et papier	3	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Other factories—Autres manufactures	13	1	5	6	1	–	–	–	–	–	–	–	–	–	–	–
Construction	160	2	55	48	20	15	11	4	3	1	–	–	1	–	–	–
Steam and street railways—Chemins de fer et tramways	254	9	89	76	31	20	13	8	3	5	–	–	–	–	–	–
Water transportation—Transports par eau	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Other and n.o.s.—Autres et n.a.s.	9,532	394	4,126	2,771	1,021	492	256	157	117	80	57	36	19	4	1	1
Farmers—Cultivateurs	**19,158**	**453**	**6,716**	**5,786**	**2,512**	**1,429**	**797**	**479**	**325**	**249**	**170**	**130**	**72**	**28**	**5**	**7**
Fishermen—Pêcheurs	**591**	**13**	**209**	**186**	**68**	**56**	**20**	**12**	**11**	**8**	**1**	**3**	**2**	**–**	**–**	**2**
Hunters and trappers—Chasseurs et trappeurs	**120**	**4**	**50**	**30**	**14**	**8**	**5**	**4**	**1**	**1**	**1**	**–**	**2**	**–**	**–**	**–**
Shantymen—Bûcherons	**500**	**14**	**140**	**171**	**72**	**50**	**24**	**9**	**5**	**6**	**6**	**2**	**–**	**–**	**1**	**–**
Miners and quarry workers—Mineurs et carriers	**1,172**	**24**	**436**	**366**	**155**	**88**	**40**	**27**	**19**	**6**	**5**	**3**	**2**	**–**	**–**	**1**
Coal—Houillères	624	14	256	192	77	42	16	12	11	2	1	–	1	–	–	–
Quarries—Carrières	16	–	10	3	2	–	–	1	–	–	–	–	–	–	–	–
Other mining—Autres mines	532	10	170	171	76	46	24	14	8	4	4	3	1	–	–	1
Factory employees—Ouvriers de manufacture	**10,858**	**367**	**4,395**	**3,392**	**1,335**	**600**	**327**	**190**	**113**	**75**	**39**	**18**	**4**	**1**	**–**	**2**
Automobiles, bicycles and aeroplanes—Automobiles, bicycletes et aéroplanes	139	2	55	52	16	8	1	3	–	1	1	–	–	–	–	–
Agricultural implements—Instruments aratoires	3	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Chemicals and allied products—Produits chimiques et connexes	101	1	44	30	11	8	3	2	1	–	1	–	–	–	–	–
Clay, glass and cement—Argile, verre et ciment	*90*	*5*	*33*	*27*	*9*	*5*	*2*	*3*	*2*	*2*	*2*	–	–	–	–	–
Brickmakers—Briquetiers	10	–	5	3	1	–	–	1	–	–	–	–	–	–	–	–
Glassblowers—Verriers	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Other employees—Autres ouvriers	78	5	27	23	8	5	2	2	2	2	2	–	–	–	–	–
Clothing—Vêtements	*494*	*6*	*190*	*149*	*67*	*34*	*20*	*12*	*6*	*6*	*1*	*1*	*1*	*1*	–	–
Tailors—Tailleurs	259	2	79	73	43	21	18	11	4	4	1	1	1	1	–	–
Other employees—Autres ouvriers	235	4	111	76	24	13	2	1	2	2	–	–	–	–	–	–
Gold, silver and jewelry—Orfèvres, argentiers et bijoutiers	82	4	30	25	10	5	4	2	2	–	–	–	–	–	–	–
Food—Alimentation	*1,410*	*63*	*581*	*392*	*180*	*78*	*42*	*31*	*19*	*14*	*7*	*3*	–	–	–	–
Bakers—Boulangers	352	18	152	96	39	17	8	9	6	5	1	1	–	–	–	–
Other employees—Autres ouvriers	1,058	45	429	296	141	61	34	22	13	9	6	2	–	–	–	–
Iron and steel—Fer et acier	*2,258*	*51*	*821*	*736*	*321*	*139*	*81*	*45*	*33*	*18*	*6*	*3*	*2*	–	–	*2*
Filers, grinders and polishers—Limeurs, broyeurs et polisseurs	89	6	33	30	10	5	4	1	–	–	–	–	–	–	–	–
Machinists and toolmakers—Machinistes et outilleurs	1,382	21	496	459	194	91	50	31	20	12	4	1	2	–	–	1
Moulders, casters and enamellers—Mouleurs, fondeurs et émailleurs	213	8	71	68	27	15	12	4	4	2	–	2	–	–	–	–
Other employees—Autres ouvriers	574	16	221	179	90	28	15	9	9	4	2	–	–	–	–	1

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

NOTE—n.o.s. = Not otherwise stated. NOTE—n.a.s. = Non autrement spécifié.

TABLE 37—Marriages classified according to age and occupation of bridegrooms in Canada, 1928—*con.*

Occupation of bridegroom — Occupation de l'époux	Age of bridegroom—Âge de l'époux															
	Total	Under 20 — Moins de 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80 and over — 80 et plus	Not stated — Non donnés
Factory employees-con.—**Ouvriers de manufacture**-fin																
Leather—Cuir	*186*	*9*	*78*	*46*	*23*	*10*	*9*	*2*	*3*	*3*	*2*	*1*	–	–	–	–
Boots and shoes—Chaussures	64	6	33	12	9	2	1	1	–	–	–	–	–	–	–	–
Harness and saddlery—Harnachement et sellerie	28	–	5	6	6	4	3	1	1	2	–	–	–	–	–	–
Tanners and curriers—Tanneurs et corroyeurs	37	2	16	8	4	2	2	–	–	1	1	1	–	–	–	–
Other leather workers—Autres ouvriers travaillant le cuir	57	1	24	20	4	2	3	–	2	–	1	–	–	–	–	–
Locomotive and railway car works—Usines construisant locomotives et wagons	114	2	46	29	14	9	6	3	4	–	–	1	–	–	–	–
Metal works (other than steel)—Usines sidérurgiques (autres qu'aciéries)	226	9	79	80	34	12	7	3	1	–	1	–	–	–	–	–
Paints and varnishes—Peintures et vernis	13	1	2	4	1	2	1	1	–	1	–	–	–	–	–	–
Printing and bookbinding—Impression et reliure	*585*	*23*	*276*	*161*	*56*	*27*	*15*	*11*	*10*	*2*	*3*	*1*	–	–	–	–
Printers and typesetters—Imprimeurs et compositeurs	487	20	243	129	46	20	11	9	6	1	2	–	–	–	–	–
Engravers—Graveurs	21	1	8	8	1	2	–	–	–	1	–	–	–	–	–	–
Other employees—Autres ouvriers	77	2	25	24	9	5	4	2	4	–	1	1	–	–	–	–
Pulp and paper—Pulpe et papier	232	6	118	71	21	10	3	2	–	1	–	–	–	–	–	–
Rubber—Caoutchouc	197	7	94	60	20	7	3	3	2	–	1	–	–	–	–	–
Saw and planing mills—Scieries et ateliers de planage	376	17	135	121	45	22	17	8	6	2	2	1	–	–	–	–
Textiles	*188*	*14*	*94*	*54*	*14*	*5*	*2*	*4*	–	*1*	–	–	–	–	–	–
Cotton—Coton	16	1	6	5	2	1	–	1	–	–	–	–	–	–	–	–
Woollen—Laine	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other textiles—Autres tissages	172	13	88	49	12	4	2	3	–	1	–	–	–	–	–	–
Tobacco and cigars—Tabacs et cigares	26	1	10	3	7	1	3	1	–	–	–	–	–	–	–	–
Wagons and carriages—Voitures de travail et de promenade	21	2	7	5	2	1	–	1	1	1	–	1	–	–	–	–
Woodworking factories—Manufactures travaillant le bois	172	1	64	56	20	14	5	6	1	3	1	1	–	–	–	–
Factories, other and n.o.s.—Manufactures, autres et n.a.s.	3,945	143	1,635	1,291	464	203	103	47	22	20	11	5	1	–	–	–
Construction	**5,142**	**114**	**1,776**	**1,486**	**668**	**400**	**226**	**174**	**105**	**79**	**58**	**42**	**11**	**3**	–	–
Bricklayers and plasterers—Maçons (brique) et plâtriers	331	11	153	81	31	14	13	9	9	2	5	3	–	–	–	–
Carpenters—Charpentiers et menuisiers	1,854	28	544	529	254	156	104	81	50	51	26	20	9	2	–	–
Electricians—Électriciens	830	21	325	300	97	52	20	6	6	2	1	–	–	–	–	–
Masons and stonecutters—Maçons (pierre) et tailleurs de pierre	162	3	58	29	22	11	8	15	2	4	6	3	1	–	–	–
Painters and decorators—Peintres et décorateurs	930	26	327	279	123	80	36	23	16	7	8	4	–	1	–	–
Plumbers and tinsmiths—Plombiers et ferblantiers	683	23	297	179	85	45	25	14	7	5	2	1	–	–	–	–
Shipwrights—Charpentiers de navire	33	1	11	7	4	7	2	–	–	–	1	–	–	–	–	–
Structural steel workers—Charpentiers en acier	8	–	3	2	2	–	1	–	–	–	–	–	–	–	–	–
Contractors—Entrepreneurs	311	1	58	80	50	35	17	26	15	8	9	11	1	–	–	–
Transportation and public utilities—Transports et utilités publiques	**5,671**	**143**	**2,155**	**1,770**	**737**	**393**	**199**	**110**	**72**	**50**	**20**	**16**	**5**	–	–	**1**
Engineers and firemen, steam railways—Mécaniciens et chauffeurs (de locomotive)	302	2	66	105	59	30	18	8	8	3	1	1	1	–	–	–
Conductors and brakemen, steam railways—Conducteurs et serre-freins (de train)	460	4	113	135	89	57	32	15	7	3	4	1	–	–	–	–
Other steam railway employees—Autres employés de chemins de fer	806	9	236	215	132	79	47	32	22	19	6	8	1	–	–	–
Railway mail clerks—Courriers convoyeurs des postes	22	–	3	3	5	7	–	2	–	2	–	–	–	–	–	–
Electric railway employees—Employés de tramways	163	2	46	56	21	12	10	8	4	2	2	–	–	–	–	–
Seamen—Marins	623	16	225	203	81	45	25	12	5	7	–	1	2	–	–	1
Chauffeurs, drivers, etc.—Chauffeurs, cochers, etc	2,601	94	1,240	775	257	117	49	27	19	12	5	5	1	–	–	–
Expressmen—Employés de messageries	45	–	7	18	8	7	2	1	1	–	1	–	–	–	–	–
Warehousemen—Entrepositaires et magasiniers	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Telegraph and telephone—Télégraphe et téléphone	*546*	*12*	*185*	*217*	*77*	*32*	*13*	*4*	*5*	*1*	–	–	–	–	–	–
Linemen—Poseurs de fil	165	6	56	61	24	11	6	–	1	–	–	–	–	–	–	–

TABLEAU 37—Mariages classifiés selon l'âge et l'occupation des époux dans le Canada, 1928—*fin*

Occupation of bridegroom — Occupation de l'époux	Age of bridegroom—Âge de l'époux															
	Total	Under 20 — Moins de 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80 and over — 80 et plus	Not stated — Non donnés
Transportation and public utilities-con.—**Transports et utilités publiques**-fin																
Telegraph and telephone-con.—*Télégraphe et téléphone*-fin																
Operators—Télégraphistes et téléphonistes	289	3	89	109	41	14	6	4	2	1	–	–	–	–	–	–
Other employees—Autres employés	112	3	40	47	12	7	1	–	2	–	–	–	–	–	–	–
Light and power employees—Employés des compagnies d'éclairage et de force motrice	91	4	31	38	8	5	2	1	1	1	–	–	–	–	–	–
Gas works employees—Employés des compagnies de gaz	12	–	3	5	–	2	1	–	–	–	1	–	–	–	–	–
Trade—Commerce	**5,035**	**56**	**1,296**	**1,780**	**852**	**415**	**259**	**151**	**94**	**54**	**41**	**21**	**9**	**3**	**3**	**1**
Merchants—Marchands	2,268	13	516	733	386	215	141	95	64	41	34	17	8	2	3	–
Salespeople, etc.—Commis, etc.	2,307	38	696	879	368	161	86	41	20	7	6	3	1	1	–	–
Commercial travellers — Commis voyageurs	460	5	84	168	98	39	32	15	10	6	1	1	–	–	–	1
Finance	**683**	**4**	**102**	**254**	**164**	**72**	**40**	**16**	**11**	**13**	**2**	**2**	**2**	–	–	**1**
Bankers, brokers, etc.—Banquiers, courtiers, etc	683	4	102	254	164	72	40	16	11	13	2	2	2	–	–	1
Service—	**5,869**	**80**	**1,539**	**2,056**	**1,062**	**504**	**256**	**133**	**98**	**65**	**34**	**25**	**12**	**2**	**2**	**1**
Professional—Carrières libérales	*2,647*	*13*	*528*	*1,041*	*589*	*209*	*108*	*55*	*44*	*26*	*13*	*11*	*6*	*2*	*1*	*1*
Doctors—Médecins	324	–	14	156	78	25	14	10	16	8	2	–	1	–	–	–
Teachers—Professeurs et instituteurs	457	1	156	160	90	31	8	5	2	2	1	1	–	–	–	–
Other—Autres professions	1,866	12	358	725	421	153	86	40	26	16	10	10	5	2	1	1
Recreational—Amusements	150	2	47	51	25	13	6	2	3	1	–	–	–	–	–	–
Customs and repairs—Réparations et ouvrages à façon	*1,176*	*29*	*401*	*397*	*151*	*93*	*46*	*18*	*13*	*15*	*6*	*4*	*2*	–	*1*	–
Garage and bicycles—Garages et bicyclettes	513	11	166	198	79	34	20	1	–	2	1	1	–	–	–	–
Blacksmiths—Forgerons	298	3	84	100	32	27	15	10	10	9	4	2	2	–	–	–
Boot and shoe repairs—Cordonniers et savetiers	248	10	101	66	27	23	8	6	2	3	1	1	–	–	–	–
Dyeing, cleaning and pressing—Teinturiers, nettoyeurs et presseurs	104	5	45	30	10	8	2	1	1	1	–	–	–	–	1	–
Jewelry and watch repairs—Bijoutiers et horlogers	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Lock and gunsmiths—Armuriers et serruriers	7	–	3	1	2	1	–	–	–	–	–	–	–	–	–	–
Picture framing—Encadreurs	5	–	2	1	1	–	1	–	–	–	–	–	–	–	–	–
Personal—Service personnel	*1,896*	*36*	*563*	*567*	*297*	*189*	*96*	*58*	*38*	*23*	*15*	*10*	*4*	–	–	–
Barbers, hairdressers, etc.—Coiffeurs, perruquiers, etc	612	17	220	197	92	41	24	13	5	2	–	1	–	–	–	–
Hotel keepers—Hôteliers	189	2	31	53	34	25	17	8	8	5	4	1	1	–	–	–
Servants, waiters, etc.—Domestiques, garçons, etc	937	15	263	257	152	110	52	34	21	12	11	7	3	–	–	–
Laundry workers—Employés de buanderie	39	1	13	14	4	3	1	1	1	1	–	–	–	–	–	–
Firemen and furnacemen—Chauffeurs	19	–	5	7	3	3	–	–	–	1	–	–	–	–	–	–
Photographers—Photographes	58	1	22	21	4	3	2	2	3	–	–	–	–	–	–	–
Undertakers — Entrepreneurs de pompes funèbres	42	–	9	18	8	4	–	–	–	2	–	1	–	–	–	–
Miscellaneous—Occupations diverses	**4,806**	**117**	**1,677**	**1,634**	**684**	**316**	**152**	**83**	**64**	**41**	**24**	**10**	**3**	–	–	**1**
Firemen (fire department)—Pompiers	52	–	12	17	13	6	1	3	–	–	–	–	–	–	–	–
Postmen, policemen, etc.—Facteurs, agents de police, etc	580	7	166	192	96	58	28	12	10	4	2	2	3	–	–	–
Inspectors, n.o.s.—Inspecteurs, n.a.s	90	1	20	35	20	7	4	2	1	–	–	–	–	–	–	–
Foremen, n.o.s.—Contremaîtres, n.a.s	304	2	73	99	57	20	18	16	8	4	3	4	–	–	–	–
Stationary engineers—Mécaniciens de machines fixes	137	–	27	50	19	14	8	4	6	7	2	–	–	–	–	–
Bill posters—Afficheurs	5	1	1	1	1	–	1	–	–	–	–	–	–	–	–	–
Clerks, n.o.s.—Commis, n.a.s	2,649	81	1,095	885	333	145	53	18	18	11	6	3	–	–	–	1
Firemen, n.o.s.—Chauffeurs, n.a.s	243	6	79	95	34	15	5	3	4	1	1	–	–	–	–	–
Engineers, n.o.s.—Mécaniciens, n.a.s	532	3	100	191	93	50	32	23	17	13	9	1	–	–	–	–
Messengers, n.o.s.—Messagers, n.a.s	3	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Apprentices, n.o.s.—Apprentis, n.a.s	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Packers, n.o.s.—Emballeurs, n.a.s	49	4	21	17	2	1	2	–	–	1	1	–	–	–	–	–
Students—Étudiants	129	10	68	37	12	–	–	2	–	–	–	–	–	–	–	–
Aviators—Aviateurs	31	–	14	13	4	–	–	–	–	–	–	–	–	–	–	–
Occupation not given—Occupation inconnue	**68**	**7**	**25**	**10**	**8**	**5**	**3**	**1**	–	–	**1**	**4**	**2**	**2**	–	–
No occupation—Sans occupation	**294**	**9**	**14**	**15**	**16**	**12**	**8**	**9**	**18**	**24**	**47**	**51**	**41**	**21**	**8**	**1**

TABLE 38—Marriages—Ages of bridegrooms and brides, 1928

No.	Age of bridegroom — Âge de l'époux	Total grooms — Total des époux	Age of bride: Under 16 — Moins de 16	16	17	18	19	20	21	22	23	24	25	26	27	28	29
	CANADA[1]																
1	Under 18—Moins de 18	85	8	14	16	16	15	6	1	2	2	2	–	1	–	–	1
2	18	477	20	38	91	133	74	47	29	16	9	8	3	1	3	1	1
3	19	1,301	25	76	140	348	273	168	104	71	40	18	14	3	6	3	1
4	20	2,534	30	95	240	467	514	480	272	182	103	63	23	24	12	8	4
5	21	5,265	50	170	401	973	852	807	936	435	258	170	67	56	29	20	13
6	22	5,822	39	140	335	818	876	798	1,014	732	419	241	165	97	47	39	27
7	23	6,187	30	133	287	731	757	818	953	797	753	371	226	119	89	49	30
8	24	6,242	29	131	268	672	624	767	816	774	660	603	372	186	120	96	45
9	25	5,781	15	65	175	464	562	589	767	684	654	526	520	264	179	122	74
10	26	5,320	15	68	177	373	445	522	592	579	528	543	423	417	208	155	84
11	27	4,622	14	56	126	316	369	427	508	467	463	399	361	324	298	162	118
12	28	4,356	16	41	105	302	291	338	471	414	405	378	343	311	255	263	124
13	29	3,234	8	26	56	160	203	242	327	283	281	273	262	243	209	190	161
14	30	2,804	11	27	53	113	151	203	230	235	206	232	228	205	182	191	133
15	31	2,154	3	9	27	83	114	136	194	161	177	182	166	147	119	133	109
16	32	2,068	5	12	26	82	85	131	168	173	170	162	150	146	128	121	93
17	33	1,612	2	6	27	53	78	72	109	116	114	116	106	125	103	104	66
18	34	1,517	1	13	13	56	56	57	91	109	97	123	91	103	89	104	86
19	35	1,358	1	7	11	31	43	64	83	82	71	88	111	76	79	92	58
20	36	1,062	3	2	11	29	28	47	54	53	69	64	70	82	52	67	51
21	37	977	1	3	11	26	29	29	41	49	50	46	60	51	62	45	45
22	38	1,003	–	5	7	15	31	22	51	42	62	53	48	55	63	68	52
23	39	848	–	3	5	5	17	20	27	36	26	43	40	53	42	47	48
24	40	794	–	1	7	18	8	22	21	38	29	38	40	48	45	44	43
25	41	558	–	1	–	5	14	16	20	11	25	14	20	22	22	31	26
26	42	586	–	2	3	6	10	11	16	27	13	28	19	21	23	23	26
27	43	492	1	–	2	7	3	10	14	5	16	12	17	13	8	17	19
28	44	416	–	2	–	2	3	7	12	10	10	12	10	13	12	7	11
29	45	419	–	1	–	2	3	4	9	5	10	4	10	8	12	19	8
30	46	363	–	–	1	2	5	2	4	5	8	6	7	9	11	9	13
31	47	314	–	–	–	2	4	7	4	11	5	4	8	8	10	7	4
32	48	340	–	–	2	2	1	3	3	7	8	2	8	5	6	13	7
33	49	249	–	–	–	2	–	2	–	1	6	2	4	5	3	3	7
34	50–54	1,133	–	–	4	3	2	6	11	5	8	7	14	10	14	22	13
35	55–59	805	–	–	–	2	1	1	2	3	4	8	7	8	4	3	9
36	60–64	533	–	–	–	1	2	–	3	1	1	2	3	1	2	–	1
37	65–69	375	–	–	–	–	–	1	1	–	–	–	–	–	–	–	1
38	70–74	197	–	–	–	–	–	–	–	3	–	1	–	–	–	–	–
39	75–79	67	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40	80 and over—et plus	20	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–
41	Not stated—Non donné	21	–	–	2	2	–	1	2	1	2	–	1	–	–	–	–
	Total brides—Total des épouses	**74,311**	**327**	**1,147**	**2,629**	**6,322**	**6,543**	**6,883**	**7,961**	**6,625**	**5,762**	**4,844**	**4,017**	**3,260**	**2,546**	**2,279**	**1,612**

[1] Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction.

	PRINCE EDWARD ISLAND																
1	Under 18—Moins de 18	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
2	18	5	–	–	2	1	–	2	–	–	–	–	–	–	–	–	–
3	19	13	–	1	2	5	1	–	2	–	–	2	–	–	–	–	–
4	20	16	–	–	1	2	7	2	1	2	–	1	–	–	–	–	–
5	21	27	–	–	2	5	3	4	6	2	1	3	–	–	–	–	–
6	22	38	1	1	3	5	4	3	6	8	2	2	1	–	1	–	–
7	23	34	1	1	2	4	3	3	5	3	3	–	2	2	–	1	1
8	24	38	2	–	–	4	4	2	5	2	5	7	3	2	2	–	–
9	25	30	–	–	1	3	2	3	4	3	2	4	3	1	3	1	–
10	26	23	–	–	1	1	4	4	3	–	–	1	4	–	2	1	–
11	27	26	–	–	1	1	4	2	3	–	1	2	6	2	2	1	1
12	28	34	–	–	–	6	5	3	5	1	1	2	2	3	2	–	–
13	29	20	–	–	–	2	2	–	4	2	1	2	–	2	–	2	1
14	30	18	–	1	–	1	2	2	3	–	1	2	1	1	–	1	2
15	31	10	–	–	–	1	1	–	–	1	1	–	–	1	1	1	1
16	32	7	–	–	–	–	1	–	–	2	–	–	–	2	1	–	–
17	33	13	–	–	–	1	–	–	2	1	1	–	–	–	1	1	–
18	34	9	–	–	–	–	–	–	–	2	1	1	–	1	–	–	–
19	35	12	–	–	–	1	1	–	–	1	1	–	–	2	1	–	–
20	36	3	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–
21	37	6	–	1	–	1	–	–	–	1	–	–	–	–	–	–	1
22	38	9	–	–	–	–	1	2	1	–	1	–	–	1	–	1	–
23	39	7	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–
24	40	7	–	–	–	–	–	–	1	–	–	1	–	–	–	1	1
25	41	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
26	42	4	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
27	43	4	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
28	44	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
29	45	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30	46	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
31	47	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32	48	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
33	49	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
34	50–54	14	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–
35	55–59	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
36	60–64	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37	65–69	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38	70–74	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39	75–79	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40	80 and over—et plus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
41	Not stated—Non donné	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Total brides—Total des épouses	**466**	**4**	**5**	**16**	**44**	**47**	**34**	**54**	**32**	**22**	**31**	**22**	**22**	**19**	**13**	**8**

TABLEAU 38—Mariages—Âges des mariés, 1928

Âge de l'épouse

30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74	75 and over — 75 et plus	Not stated — Non donné	No.
CANADA[1]																											
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
5	–	1	–	–	–	1	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3
2	1	6	–	2	2	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
7	5	4	1	2	3	–	–	2	1	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	5
13	3	9	1	2	–	1	–	2	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	6
17	6	4	7	–	3	2	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
24	17	13	5	7	4	1	3	2	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	8
46	24	14	8	5	9	6	4	1	–	1	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	9
75	22	26	16	16	6	9	6	3	1	4	1	1	–	1	–	1	1	–	–	2	–	–	–	–	–	–	10
53	42	34	20	24	14	5	9	3	3	1	2	–	1	1	–	–	–	1	–	–	1	–	–	–	–	–	11
101	49	48	26	18	17	13	10	5	4	2	–	2	1	1	1	–	–	–	–	–	–	–	–	–	–	1	12
98	53	39	36	22	20	12	9	10	4	–	2	–	–	1	1	–	–	1	–	–	1	–	–	–	–	1	13
147	71	52	29	30	15	19	15	10	5	3	–	3	2	–	1	1	–	–	–	–	–	–	–	–	–	1	14
112	82	66	32	27	17	13	11	6	5	4	6	4	–	4	3	–	–	–	1	1	–	–	–	–	–	–	15
87	73	71	43	45	19	15	13	12	10	7	2	5	4	2	2	2	–	1	–	–	1	–	–	–	–	2	16
82	64	68	56	44	26	17	22	13	7	3	2	4	2	3	–	–	–	2	–	–	–	–	–	–	–	–	17
73	46	64	64	62	38	24	14	11	7	7	2	5	2	1	–	1	2	1	1	2	–	–	–	–	–	1	18
74	53	56	57	42	63	24	22	25	14	7	4	8	2	2	3	3	2	–	–	–	–	–	–	–	–	–	19
50	46	48	47	37	41	33	19	17	10	10	6	4	4	1	1	2	–	1	1	2	–	–	–	–	–	–	20
55	45	37	44	42	34	35	30	23	22	13	10	5	5	6	8	2	4	6	–	1	–	–	–	–	–	2	21
54	46	43	44	35	28	29	34	30	22	13	15	12	4	8	5	2	–	2	1	1	1	–	–	–	–	–	22
39	36	35	36	39	50	30	34	25	30	15	17	16	6	4	7	4	3	–	2	5	3	–	–	–	–	–	23
48	35	36	39	33	25	27	24	25	21	26	9	9	8	5	7	3	3	1	3	4	1	–	–	–	–	–	24
24	32	28	28	17	25	20	25	25	19	22	18	12	10	6	2	5	1	4	2	4	2	–	–	–	–	–	25
26	34	26	24	23	19	23	24	26	19	16	18	25	14	7	9	5	6	6	1	3	2	–	1	–	–	1	26
21	19	26	24	23	24	18	28	21	23	16	16	16	19	9	14	8	4	5	4	7	2	–	1	–	–	–	27
14	8	13	21	24	25	12	16	26	16	18	17	21	16	11	7	10	5	5	2	13	4	–	1	–	–	–	28
21	12	18	19	14	28	20	15	18	12	17	19	25	14	14	18	11	5	1	5	14	3	1	–	–	–	–	29
16	10	14	11	11	11	21	15	12	17	28	8	17	15	6	16	9	11	5	11	14	1	1	–	1	–	–	30
14	11	9	16	14	9	15	17	16	2	15	6	10	8	6	17	8	13	7	3	18	6	–	–	–	–	–	31
11	8	6	17	11	8	17	15	22	15	15	21	14	16	13	11	11	6	10	3	17	3	2	1	–	–	–	32
4	4	12	7	8	6	9	12	14	12	10	8	11	9	12	6	7	8	11	11	24	7	1	1	–	–	–	33
23	24	24	24	27	37	37	38	39	40	53	36	58	42	40	52	43	36	66	40	144	64	21	6	–	–	–	34
8	7	14	11	11	11	17	16	20	18	28	13	20	35	28	48	32	29	47	31	144	107	42	13	3	–	–	35
6	2	1	4	3	3	5	5	11	8	4	7	18	10	8	14	10	22	20	25	124	91	81	24	7	3	–	36
2	1	1	3	3	2	1	4	5	3	6	1	6	7	6	7	7	9	4	8	67	65	70	65	13	6	–	37
–	–	–	1	–	1	1	–	1	1	4	1	3	1	1	2	1	1	3	5	17	42	44	37	23	3	–	38
–	–	1	–	–	–	–	–	–	–	–	1	1	–	1	–	–	1	–	–	2	8	11	15	14	12	–	39
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	7	5	–	40
–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	6	41
1,454	**992**	**968**	**821**	**723**	**644**	**534**	**512**	**486**	**374**	**370**	**270**	**337**	**260**	**210**	**262**	**190**	**172**	**210**	**161**	**630**	**416**	**277**	**168**	**68**	**29**	**16**	

Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

ÎLE DU PRINCE-ÉDOUARD

–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11
4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12
1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
2	–	1	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	17
2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
1	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20
1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21
–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	23
–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	25
–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	26
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	27
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	28
–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	29
1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	30
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	31
–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	32
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	33
–	–	2	–	1	1	–	–	1	–	1	–	1	–	–	1	1	–	–	–	2	–	–	–	–	–	–	34
–	–	–	1	–	–	–	–	–	–	–	1	–	2	–	2	1	1	1	–	1	–	–	–	–	–	–	35
–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	1	–	–	–	–	–	36
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	37
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	38
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	39
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	40
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	41
17	**3**	**12**	**7**	**2**	**5**	**–**	**3**	**5**	**2**	**5**	**1**	**3**	**4**	**1**	**3**	**5**	**1**	**2**	**2**	**5**	**2**	**1**	**–**	**–**	**1**	**1**	

TABLE 38—Marriages—Ages of bridegrooms and brides, 1928—*con.*

No.	Age of bridegroom — Âge de l'époux	Total grooms — Total des époux	Age of bride: Under 16 — Moins de 16	16	17	18	19	20	21	22	23	24	25	26	27	28	29
	NOVA SCOTIA																
1	Under 18—Moins de 18.	5	1	1	1	1	1	–	–	–	–	–	–	–	–	–	–
2	18	26	1	1	6	7	4	2	2	1	–	1	–	–	–	1	–
3	19	62	3	4	5	15	16	7	6	2	3	1	–	–	–	–	–
4	20	90	1	3	14	19	19	16	4	4	5	–	2	1	–	–	–
5	21	305	–	12	29	48	45	41	82	19	16	6	3	1	–	2	–
6	22	290	–	7	17	38	44	32	82	36	11	6	6	5	1	2	1
7	23	250	–	6	10	31	31	20	55	37	25	15	8	4	6	1	–
8	24	279	2	6	18	27	35	23	52	29	25	28	15	5	5	2	–
9	25	215	1	2	6	16	25	22	35	27	25	17	14	9	4	7	–
10	26	202	–	4	8	12	15	21	36	24	19	16	11	14	7	5	4
11	27	170	–	–	6	12	14	14	29	16	21	10	7	6	14	8	4
12	28	190	1	3	6	18	5	18	29	18	18	17	10	18	6	10	1
13	29	130	–	–	2	6	6	9	17	12	9	10	7	9	9	8	11
14	30	126	–	–	3	2	6	11	19	11	9	11	8	5	12	2	3
15	31	88	–	–	–	3	5	7	7	3	9	10	3	9	6	6	6
16	32	70	–	–	–	2	3	2	8	6	8	5	5	3	4	3	2
17	33	77	–	–	1	2	4	7	8	4	7	4	4	12	7	3	1
18	34	83	–	1	1	5	2	3	9	7	3	6	5	3	8	4	2
19	35	50	–	–	–	5	–	3	5	2	3	2	3	4	3	4	1
20	36	56	–	–	–	–	–	2	4	5	3	3	7	2	1	4	5
21	37	50	–	–	–	–	2	2	3	2	–	4	5	3	7	5	–
22	38	42	–	–	–	1	2	–	3	5	–	3	–	3	3	5	4
23	39	49	–	–	1	1	1	1	1	3	–	3	1	2	5	3	3
24	40	42	–	–	–	1	–	–	1	3	2	3	3	–	6	2	3
25	41	14	–	–	–	–	3	–	1	–	1	–	–	–	–	–	1
26	42	23	–	–	–	–	–	1	2	2	–	2	–	–	–	1	–
27	43	26	–	–	–	1	–	2	2	–	–	–	2	–	1	1	1
28	44	14	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1
29	45	16	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
30	46	17	–	–	–	–	–	–	–	–	2	2	1	–	–	1	–
31	47	13	–	–	–	–	–	3	1	–	–	–	1	–	–	–	–
32	48	17	–	–	–	–	–	–	1	1	–	–	1	–	–	3	–
33	49	10	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
34	50–54	66	–	–	–	1	–	–	2	–	1	2	1	1	1	1	2
35	55–59	33	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
36	60–64	19	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
37	65–69	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38	70–74	16	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
39	75–79	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40	80 and over—et plus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
41	Not stated—Non donné	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	Total brides—Total des épouses	**3,256**	**10**	**50**	**134**	**275**	**288**	**269**	**509**	**281**	**226**	**187**	**135**	**120**	**117**	**95**	**56**
	NEW BRUNSWICK																
1	Under 18—Moins de 18.	8	1	2	1	2	1	1	–	–	–	–	–	–	–	–	–
2	18	44	1	3	6	17	8	4	2	2	–	–	–	–	–	–	1
3	19	107	3	5	9	37	17	13	6	7	4	–	2	1	1	–	–
4	20	154	2	12	6	44	31	21	16	8	6	5	–	3	–	–	–
5	21	273	2	14	24	62	38	37	44	23	14	5	1	3	–	1	1
6	22	286	4	9	15	69	43	30	37	31	21	5	11	2	4	2	1
7	23	252	2	7	11	41	39	39	29	20	31	14	4	7	2	1	3
8	24	244	1	11	7	37	40	31	28	24	19	22	10	4	2	3	3
9	25	229	–	4	5	33	27	30	25	29	21	13	11	4	11	4	4
10	26	206	2	8	5	16	24	24	13	16	19	21	12	18	7	10	5
11	27	152	2	3	8	13	17	15	15	14	12	7	3	13	14	4	6
12	28	135	–	1	4	15	8	12	12	16	13	9	12	11	5	7	3
13	29	114	2	1	3	6	8	14	14	9	10	5	8	13	3	3	5
14	30	116	–	1	3	10	10	10	13	11	10	7	8	4	2	5	9
15	31	72	–	–	1	3	3	4	6	7	10	2	4	7	2	3	5
16	32	65	–	–	–	1	4	4	8	8	2	6	6	6	1	4	4
17	33	54	–	1	2	1	5	–	1	6	4	3	5	3	4	2	3
18	34	53	1	–	–	1	2	4	–	5	5	2	9	4	2	5	2
19	35	48	–	–	–	1	2	5	2	3	2	3	6	–	3	3	1
20	36	61	–	–	–	1	3	1	4	4	5	7	5	5	1	6	3
21	37	51	1	–	1	2	3	1	1	2	–	4	3	4	1	1	1
22	38	60	–	–	–	2	4	1	4	1	5	5	–	2	3	5	4
23	39	28	–	1	–	–	–	2	–	3	–	1	2	3	1	1	1
24	40	32	–	–	–	2	–	2	–	–	1	3	4	–	2	–	1
25	41	24	–	–	–	–	–	1	2	–	1	2	3	1	1	–	2
26	42	20	–	–	–	1	1	1	–	2	1	1	1	–	1	1	1
27	43	23	–	–	–	–	–	–	–	–	3	–	3	–	–	2	1
28	44	19	–	–	–	–	1	–	1	–	1	–	1	2	–	–	1
29	45	18	–	–	–	–	1	–	–	–	–	–	–	–	1	2	–
30	46	13	–	–	–	–	1	–	1	–	1	–	–	–	–	–	1
31	47	10	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
32	48	15	–	–	–	–	–	1	–	1	1	1	–	–	–	1	–
33	49	13	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1
34	50–54	49	–	–	–	–	–	1	–	1	–	1	–	–	–	1	–
35	55–59	51	–	–	–	–	–	1	–	–	–	3	1	1	–	–	–
36	60–64	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37	65–69	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
38	70–74	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39	75–79	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40	80 and over—et plus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
41	Not stated—Non donné	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Total brides—Total des épouses	**3,146**	**24**	**83**	**111**	**418**	**342**	**311**	**284**	**254**	**222**	**157**	**135**	**122**	**74**	**77**	**74**

TABLEAU 38—Mariages—Âges des mariés, 1928—*suite*

Âge de l'épouse

30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74	75 and over — 75 et plus	Not stated — Non donné	No.
NOUVELLE-ÉCOSSE																											
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
4	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
3	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
2	3	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11
4	1	1	1	1	1	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12
2	5	2	1	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	13
7	6	3	2	3	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14
2	5	2	2	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15
3	1	5	3	2	2	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	16
3	1	3	1	1	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
3	2	5	5	4	2	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	18
2	1	–	3	1	4	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
3	3	1	4	2	3	–	–	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	20
2	1	1	1	4	1	2	1	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	21
2	3	1	2	1	–	1	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
2	2	2	2	2	3	1	2	2	1	1	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	23
2	–	2	2	–	–	2	2	4	1	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	24
–	–	2	1	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	25
1	1	–	–	–	–	1	1	3	–	–	3	2	–	–	2	–	–	–	–	–	–	–	–	–	–	1	26
2	1	3	–	1	1	1	1	1	–	2	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	27
1	–	1	3	–	1	1	–	2	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	28
–	1	2	2	1	1	1	1	2	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	29
1	–	–	–	–	3	2	1	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	30
–	1	–	–	–	–	–	1	1	1	1	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	31
–	–	–	1	1	1	2	–	–	1	1	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	32
–	–	–	–	1	1	1	–	2	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	33
2	1	2	2	2	1	2	1	5	1	5	1	3	3	1	2	3	1	2	–	8	4	2	–	–	–	–	34
–	–	1	–	–	1	–	1	–	–	2	–	–	3	1	–	4	6	–	–	5	5	2	–	–	–	–	35
–	–	–	–	–	1	–	–	1	2	1	–	2	–	–	–	–	2	–	–	6	1	1	1	–	–	–	36
–	–	–	–	1	–	–	1	–	–	1	–	2	1	1	–	–	–	–	–	4	2	–	5	–	–	–	37
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	1	2	4	4	–	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	39
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	40
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	41
56	**43**	**46**	**42**	**31**	**32**	**22**	**16**	**33**	**15**	**23**	**10**	**14**	**11**	**7**	**11**	**10**	**10**	**2**	**1**	**28**	**17**	**12**	**10**	**–**	**1**	**1**	
NOUVEAU-BRUNSWICK																											
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
–	1	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	6
–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
5	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	9
1	1	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
2	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11
2	1	1	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	12
3	1	1	1	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13
5	2	1	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14
4	3	–	2	1	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	15
2	3	3	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	16
3	1	3	–	1	2	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
1	–	1	5	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
2	4	2	3	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
2	1	3	5	1	1	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	20
–	3	1	4	2	5	1	1	2	1	–	2	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	21
–	4	1	5	1	4	2	2	2	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	22
1	–	2	1	1	2	1	1	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	23
1	3	–	4	1	–	–	1	2	1	2	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	24
–	1	–	1	3	1	1	–	1	–	–	–	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–	25
–	1	–	–	1	–	–	1	2	1	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	26
1	–	3	–	–	–	3	–	–	1	–	–	2	–	1	1	–	–	–	1	1	–	–	–	–	–	–	27
1	–	1	1	–	1	1	–	1	–	2	–	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	28
–	–	–	–	1	1	1	–	–	–	1	–	2	1	2	1	2	–	–	1	1	–	–	–	–	–	–	29
–	–	2	–	1	–	–	–	–	–	1	1	–	3	–	–	1	–	–	–	–	–	–	–	–	–	–	30
–	–	1	–	1	–	–	–	–	–	–	–	1	1	–	–	–	2	–	–	–	1	–	–	–	–	–	31
–	–	–	1	–	1	1	–	1	1	1	1	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	32
–	–	–	–	2	–	1	1	1	1	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	33
–	2	–	1	–	2	1	2	2	3	2	1	3	3	3	1	–	–	3	1	10	5	–	–	–	–	–	34
–	–	–	1	–	1	1	1	5	1	–	–	–	1	–	4	2	3	3	1	9	6	4	2	–	–	–	35
1	–	–	1	–	–	–	–	1	1	–	2	–	1	–	–	–	–	2	–	5	1	2	2	–	–	–	36
–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	1	–	–	–	–	1	2	3	5	–	–	–	37
–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	2	1	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	39
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	40
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	41
38	**35**	**29**	**39**	**26**	**29**	**22**	**19**	**27**	**13**	**13**	**11**	**14**	**17**	**9**	**9**	**9**	**7**	**12**	**5**	**30**	**19**	**12**	**11**	**3**	**–**	**–**	

TABLE 38—Marriages—Ages of bridegrooms and brides, 1928—*con.*

No.	Age of bridegroom — Âge de l'époux	Total grooms — Total des époux	Age of bride: Under 16 — Moins de 16	16	17	18	19	20	21	22	23	24	25	26	27	28	29
	QUEBEC																
1	Under 18—Moins de 18.	19	4	2	5	3	1	1	–	1	–	1	–	–	–	–	1
2	18	93	7	7	21	17	14	6	7	3	6	2	2	–	1	–	–
3	19	294	7	14	32	56	59	44	26	28	8	4	6	1	2	3	–
4	20	804	13	36	74	105	151	169	87	62	40	29	8	10	6	5	3
5	21	1,219	18	29	88	140	158	233	239	107	77	49	19	28	14	7	3
6	22	1,646	13	41	89	149	203	277	267	212	146	92	64	35	19	16	8
7	23	1,823	12	40	83	166	173	269	246	287	224	129	75	42	26	21	14
8	24	1,817	8	36	73	153	135	261	203	220	214	185	129	72	55	31	15
9	25	1,658	6	20	40	98	117	187	223	215	210	135	161	81	62	32	33
10	26	1,361	7	14	42	67	87	157	135	165	142	157	103	109	46	48	24
11	27	1,176	5	11	30	44	88	106	101	129	118	122	108	104	91	38	29
12	28	1,131	7	9	18	56	67	89	109	120	94	101	106	80	86	73	33
13	29	770	3	4	7	24	26	75	66	63	54	84	69	64	58	47	43
14	30	712	7	2	9	14	27	46	38	61	58	65	62	52	58	63	40
15	31	542	1	3	6	13	18	36	41	42	39	52	52	29	34	36	26
16	32	522	3	5	4	19	16	31	34	40	38	39	40	41	31	42	18
17	33	389	2	–	3	12	10	14	19	38	30	29	26	28	24	26	18
18	34	339	–	4	3	7	7	9	18	9	24	28	24	21	20	27	19
19	35	300	–	1	1	3	7	11	16	12	15	17	25	13	18	21	17
20	36	206	–	1	–	6	3	6	6	10	10	11	13	19	14	10	11
21	37	226	–	–	1	6	2	7	5	11	9	10	18	7	12	10	14
22	38	177	–	1	–	2	9	1	6	6	14	9	7	8	8	13	7
23	39	174	–	–	1	2	4	6	4	7	8	3	5	9	8	11	9
24	40	146	–	1	2	3	–	2	2	7	3	9	6	13	6	9	5
25	41	112	–	–	–	–	1	4	1	1	5	2	3	5	5	8	5
26	42	118	–	1	–	1	2	1	5	5	1	6	4	3	4	5	7
27	43	88	1	–	–	–	–	2	–	1	1	2	3	1	4	4	2
28	44	84	–	1	–	–	–	–	1	1	3	5	–	2	2	–	2
29	45	94	–	–	–	–	–	1	2	–	4	2	1	1	4	4	2
30	46	72	–	–	–	1	1	–	2	1	–	2	1	1	2	3	4
31	47	69	–	–	–	–	1	1	1	1	1	2	2	–	2	3	1
32	48	69	–	–	–	–	–	1	–	1	3	–	2	–	1	3	1
33	49	64	–	–	–	1	–	–	–	–	2	1	1	1	1	–	2
34	50–54	243	–	–	1	–	–	1	–	1	3	–	1	5	1	1	2
35	55–59	204	–	–	–	–	–	–	–	1	2	1	1	3	1	1	4
36	60–64	156	–	–	–	–	1	–	1	–	1	1	–	–	–	–	–
37	65–69	116	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38	70–74	58	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
39	75–79	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40	80 and over—et plus....	8	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
41	Not stated—Non donné	4	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	Total brides—Total des épouses	**19,126**	**124**	**283**	**633**	**1,169**	**1,388**	**2,054**	**1,912**	**1,869**	**1,608**	**1,387**	**1,147**	**888**	**726**	**621**	**422**
	ONTARIO																
1	Under 18—Moins de 18.	33	2	6	5	4	9	2	–	1	1	1	–	1	–	–	–
2	18	240	11	19	45	72	37	26	13	7	3	2	–	–	2	–	–
3	19	600	9	30	70	180	128	70	49	24	16	10	6	–	2	–	1
4	20	1,015	10	31	91	216	186	205	116	72	36	19	10	6	6	3	1
5	21	2,022	22	63	153	401	378	320	276	176	93	70	27	11	10	8	6
6	22	1,954	18	43	111	283	330	275	288	250	130	85	60	39	15	12	8
7	23	2,064	12	37	96	246	258	264	291	262	286	130	82	32	32	14	8
8	24	2,124	11	33	77	231	217	244	262	281	223	229	138	64	36	33	18
9	25	1,979	6	19	53	140	190	182	250	219	235	214	187	97	73	50	24
10	26	1,868	3	18	56	109	137	171	179	204	193	195	178	165	92	49	38
11	27	1,643	3	19	36	88	105	125	179	156	177	159	148	124	101	68	57
12	28	1,441	6	9	26	75	88	114	129	112	138	136	127	116	96	97	51
13	29	1,170	2	10	17	38	68	77	100	88	115	88	106	84	93	94	69
14	30	979	4	5	20	31	41	65	64	73	66	82	90	82	75	78	46
15	31	711	1	5	6	27	29	37	49	46	53	61	58	50	36	49	47
16	32	699	1	4	8	21	22	42	43	51	58	60	40	49	49	42	39
17	33	535	–	2	11	14	19	24	31	28	27	34	33	53	43	41	22
18	34	502	–	2	1	11	22	18	16	42	27	46	29	36	25	35	35
19	35	428	–	1	5	10	9	15	18	23	24	21	30	28	29	34	16
20	36	340	1	–	–	5	7	12	13	9	20	18	24	24	18	24	13
21	37	296	–	–	4	6	7	4	13	13	18	13	7	17	22	20	14
22	38	315	–	–	3	2	4	7	11	4	18	11	15	17	22	18	21
23	39	263	–	–	1	–	2	2	9	12	9	15	16	8	12	14	17
24	40	214	–	–	1	5	2	6	5	4	5	10	6	6	11	10	13
25	41	187	–	–	–	–	1	2	5	3	5	3	6	4	9	12	8
26	42	178	–	–	–	1	1	2	3	6	3	7	4	7	5	6	7
27	43	176	–	–	–	2	2	3	4	3	4	2	6	6	2	4	7
28	44	114	–	–	–	–	1	4	–	1	2	2	2	5	7	2	1
29	45	137	–	–	–	–	–	1	2	3	2	–	3	3	4	3	1
30	46	116	–	–	–	1	2	–	1	1	1	1	2	3	1	2	4
31	47	111	–	–	–	–	1	1	1	3	2	–	1	3	1	1	2
32	48	92	–	–	–	1	–	1	–	2	1	1	2	1	2	2	2
33	49	89	–	–	–	–	–	2	–	–	3	1	1	–	1	–	–
34	50–54	400	–	–	2	1	1	2	2	1	1	1	6	2	6	9	5
35	55–59	283	–	–	–	–	1	–	1	1	2	1	3	1	1	1	4
36	60–64	185	–	–	–	1	1	–	–	–	–	–	1	–	2	–	–
37	65–69	135	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
38	70–74	56	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39	75–79	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40	80 and over—et plus....	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
41	Not stated—Non donné	7	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Total brides—Total des épouses	**25,728**	**122**	**356**	**898**	**2,222**	**2,306**	**2,326**	**2,425**	**2,182**	**1,997**	**1,728**	**1,454**	**1,144**	**941**	**835**	**605**

TABLEAU 38—Mariages—Âges des mariés, 1928—*suite*

Âge de l'épouse																											No
30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74	75 and over — 75 et plus	Not stated — Non donné	
QUÉBEC																											
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
–	3	2	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
1	3	2	–	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	5
3	3	2	1	2	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
6	2	2	1	–	2	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
6	9	7	–	2	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
16	6	–	3	3	4	2	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
24	8	7	4	7	–	2	1	1	–	–	–	–	–	1	–	1	–	–	–	2	–	–	–	–	–	–	10
12	14	9	2	5	5	–	3	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	11
30	16	13	5	5	5	5	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12
30	11	11	15	5	3	3	1	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13
35	16	19	10	8	5	2	5	5	–	1	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	14
40	25	19	7	5	3	5	–	1	1	1	4	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	15
29	19	19	12	13	5	1	5	6	5	1	2	1	1	–	–	1	–	–	–	–	1	–	–	–	–	–	16
30	12	11	18	10	11	4	5	1	1	2	1	1	–	2	–	–	–	1	–	–	–	–	–	–	–	–	17
18	10	24	16	14	9	6	4	8	2	–	2	3	1	–	–	–	–	1	–	1	–	–	–	–	–	–	18
14	12	15	19	19	17	4	4	6	4	2	1	4	–	–	–	2	–	–	–	–	–	–	–	–	–	–	19
10	9	10	11	12	10	5	6	2	2	3	2	1	1	–	–	–	–	1	–	1	–	–	–	–	–	–	20
15	12	8	14	14	9	5	7	5	7	1	5	4	–	–	–	–	3	5	–	–	–	–	–	–	–	–	21
12	7	11	9	5	6	8	9	4	3	2	3	3	1	1	–	–	–	1	–	–	1	–	–	–	–	–	22
6	6	5	9	11	9	4	11	4	10	4	5	2	1	1	2	2	1	–	–	2	2	–	–	–	–	–	23
9	6	6	7	9	6	6	2	6	2	6	2	3	3	2	2	–	1	–	–	–	–	–	–	–	–	–	24
7	4	8	5	2	7	4	7	10	4	6	1	3	4	–	–	–	–	–	–	–	–	–	–	–	–	–	25
7	6	5	5	7	2	5	5	3	4	5	3	3	3	2	–	1	2	4	–	–	1	–	–	–	–	–	26
6	3	2	6	5	5	4	6	5	8	1	–	3	3	1	4	3	1	–	–	1	–	–	–	–	–	–	27
2	2	3	5	3	7	1	5	6	3	1	8	3	3	5	1	4	1	1	–	3	–	–	–	–	–	–	28
5	–	2	5	–	6	5	2	5	4	8	3	7	3	5	4	–	1	–	3	5	–	–	–	–	–	–	29
1	2	3	2	2	2	3	1	2	2	6	1	4	3	2	3	2	3	3	3	1	1	1	–	1	–	–	30
6	–	2	5	2	1	5	4	–	–	3	2	1	2	2	4	5	2	2	–	5	1	–	–	–	–	–	31
1	–	1	1	4	2	4	1	3	4	4	8	4	4	5	–	4	–	2	1	3	–	–	1	–	–	–	32
1	2	2	3	1	2	3	3	1	4	2	3	3	3	4	–	1	4	1	2	7	2	1	–	–	–	–	33
5	4	3	6	6	7	3	8	10	12	11	16	11	9	9	11	4	9	13	12	32	17	5	4	–	–	–	34
2	1	3	3	5	3	2	2	1	5	4	1	3	7	4	9	8	6	9	11	45	34	13	6	3	–	–	35
2	–	–	1	1	1	1	2	2	3	1	–	4	3	2	4	3	8	2	9	31	30	25	10	6	1	–	36
–	–	–	1	2	–	1	1	3	–	2	–	1	1	1	–	1	4	–	5	11	16	27	29	8	2	–	37
–	–	–	–	–	–	1	–	1	–	1	1	2	–	–	–	–	–	–	1	3	8	13	8	15	2	–	38
–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1	4	3	9	4	–	39
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	2	–	40
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	41
394	**230**	**236**	**211**	**192**	**156**	**106**	**118**	**106**	**95**	**80**	**76**	**80**	**56**	**51**	**46**	**43**	**46**	**47**	**47**	**153**	**116**	**89**	**61**	**47**	**11**	**2**	
ONTARIO																											
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
2	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3
1	–	2	–	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
4	1	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	5
4	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
5	2	–	3	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
10	3	3	3	3	3	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	8
14	7	7	4	1	2	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
33	12	11	10	5	2	2	1	–	1	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	10
25	14	15	11	12	6	2	6	2	1	–	1	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	11
41	19	17	13	7	6	7	4	2	2	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	12
36	22	15	10	9	10	7	5	4	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	1	13
64	27	17	12	10	4	9	5	2	3	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	14
40	30	32	13	14	6	5	7	3	1	1	2	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	15
39	30	26	17	22	4	9	5	3	5	3	–	1	1	2	1	–	–	–	–	–	–	–	–	–	–	2	16
21	29	32	22	19	9	4	7	6	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
35	19	20	23	21	13	10	2	1	3	3	–	2	–	1	–	–	2	–	–	1	–	–	–	–	–	1	18
34	17	20	18	12	19	9	8	13	4	2	1	3	2	1	1	–	1	–	–	–	–	–	–	–	–	–	19
21	21	23	12	16	16	17	6	9	5	2	1	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	20
18	15	14	13	13	11	12	8	6	7	7	2	–	3	1	4	–	–	1	–	1	–	–	–	–	–	2	21
23	21	18	14	10	12	8	11	13	8	7	4	3	1	3	3	2	–	–	–	1	–	–	–	–	–	–	22
14	14	16	8	12	15	10	10	8	9	5	6	6	4	1	2	1	1	–	1	2	1	–	–	–	–	–	23
16	13	20	11	14	9	10	5	5	8	6	1	1	2	1	2	2	–	–	3	1	–	–	–	–	–	–	24
5	17	9	13	6	10	7	11	4	8	8	7	5	3	6	–	4	–	2	–	2	2	–	–	–	–	–	25
6	11	9	9	10	9	9	9	10	6	5	9	9	3	3	2	1	2	1	1	1	–	–	1	–	–	–	26
6	11	9	7	8	11	7	4	11	7	10	9	5	6	3	5	2	2	2	2	2	1	–	1	–	–	–	27
3	2	4	4	7	7	4	5	11	5	4	5	4	5	3	4	2	1	–	1	5	1	–	–	–	–	–	28
10	6	8	11	8	11	4	7	3	5	4	6	7	4	5	7	3	1	–	–	5	–	–	–	–	–	–	29
7	4	5	5	1	3	8	8	2	8	9	1	8	3	2	6	2	3	–	4	8	–	–	–	–	–	–	30
6	6	3	7	4	4	4	10	9	1	7	1	5	2	3	6	–	3	2	1	8	3	–	–	–	–	–	31
1	1	3	4	3	2	1	7	8	3	5	6	3	7	3	4	3	3	1	1	5	1	2	–	–	–	–	32
2	1	6	3	2	1	–	3	4	5	4	3	4	3	4	5	5	3	2	5	11	2	–	1	–	–	–	33
8	6	9	11	8	10	18	14	12	14	16	8	23	10	20	17	21	14	28	15	51	20	7	1	–	–	–	34
4	2	6	5	4	2	7	10	6	9	10	4	9	13	14	15	6	7	24	14	49	31	12	4	–	–	–	35
3	1	–	1	1	1	2	1	3	2	–	3	6	2	1	4	3	9	8	12	42	34	33	6	–	2	–	36
1	1	1	2	–	1	–	2	2	1	–	–	1	5	–	5	3	4	3	2	28	24	22	20	4	1	–	37
–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–	1	–	1	8	16	6	16	3	1	–	38
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	2	3	2	5	2	7	–	39
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	40
–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	41
564	**386**	**384**	**299**	**263**	**222**	**199**	**181**	**167**	**135**	**125**	**85**	**111**	**82**	**84**	**95**	**62**	**59**	**75**	**63**	**233**	**140**	**86**	**56**	**9**	**12**	**10**	

TABLE 38—Marriages—Ages of bridegrooms and brides, 1928—*con.*

No.	Age of bridegroom — Âge de l'époux	Total grooms — Total des époux	Age of bride: Under 16 — Moins de 16	16	17	18	19	20	21	22	23	24	25	26	27	28	29
	MANITOBA																
1	Under 18—Moins de 18.	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
2	18	10	–	–	3	2	1	3	1	–	–	–	–	–	–	–	–
3	19	50	1	4	5	15	12	7	3	–	3	–	–	–	–	–	–
4	20	102	1	1	13	14	32	12	13	9	4	1	1	1	–	–	–
5	21	284	3	1	9	85	52	39	41	19	11	13	5	3	1	1	–
6	22	337	1	4	14	61	44	45	60	51	30	12	4	4	2	2	2
7	23	429	–	8	13	67	63	69	59	45	51	23	16	6	8	1	–
8	24	384	2	6	18	47	41	52	49	43	37	44	18	7	3	7	3
9	25	403	1	1	13	42	46	38	51	39	38	48	36	21	7	7	6
10	26	392	–	5	7	36	43	39	36	37	43	41	33	32	15	11	5
11	27	341	–	4	7	32	30	43	29	32	35	34	25	25	22	11	6
12	28	336	1	2	5	37	27	29	35	35	39	27	21	21	16	18	9
13	29	250	–	3	6	18	18	21	23	17	28	25	15	25	9	10	6
14	30	209	–	4	5	15	9	20	20	18	17	17	12	16	12	11	7
15	31	199	–	1	5	11	16	17	14	20	20	14	13	14	15	15	8
16	32	188	–	1	2	10	5	18	11	18	21	18	20	10	8	8	12
17	33	129	–	–	4	5	8	5	9	11	11	13	9	9	5	7	6
18	34	109	–	–	2	4	5	6	11	5	12	11	6	4	6	7	5
19	35	125	–	–	–	5	5	6	12	11	5	12	11	7	2	13	7
20	36	99	–	–	2	6	2	6	7	4	6	8	7	10	6	6	5
21	37	84	–	–	–	2	6	3	5	4	4	2	4	6	8	1	7
22	38	71	–	–	–	1	4	2	9	6	2	5	2	5	5	5	3
23	39	66	–	–	1	–	3	1	4	3	3	2	5	5	4	3	5
24	40	78	–	–	1	2	1	3	3	8	2	3	6	3	2	3	5
25	41	51	–	–	–	2	1	2	4	1	3	2	2	3	2	2	1
26	42	57	–	–	–	2	1	2	1	2	3	3	–	5	4	1	7
27	43	29	–	–	–	–	–	–	2	–	1	–	–	1	–	2	1
28	44	33	–	–	–	–	–	–	3	1	1	3	1	1	2	3	1
29	45	43	–	1	–	–	1	–	2	–	3	2	3	1	–	2	1
30	46	28	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–
31	47	15	–	–	–	1	–	–	–	–	–	–	2	–	2	–	1
32	48	27	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–
33	49	19	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
34	50–54	86	–	–	–	–	–	1	1	–	–	–	2	–	2	1	2
35	55–59	40	–	–	–	1	–	–	–	–	–	1	–	1	1	1	–
36	60–64	30	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
37	65–69	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38	70–74	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39	75–79	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40	80 and over—et plus....	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
41	Not stated—Non donné	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Total brides—Total des épouses	**5,170**	**10**	**47**	**136**	**525**	**477**	**489**	**518**	**440**	**433**	**385**	**283**	**246**	**169**	**160**	**121**
	SASKATCHEWAN																
1	Under 18—Moins de 18.	8	–	1	1	3	1	–	1	–	1	–	–	–	–	–	–
2	18	26	–	3	1	8	6	–	2	3	–	2	1	–	–	–	–
3	19	74	1	6	7	20	18	12	5	1	4	–	–	–	–	–	–
4	20	151	2	9	13	30	36	24	19	9	6	3	–	–	–	–	–
5	21	497	5	28	39	110	79	61	96	37	22	9	4	4	1	1	1
6	22	509	2	20	45	93	89	52	102	46	27	14	5	6	1	2	3
7	23	540	3	16	26	78	87	68	105	52	52	25	11	7	4	2	1
8	24	550	–	14	29	76	71	67	99	68	42	32	23	11	6	7	2
9	25	514	–	6	26	58	66	66	85	55	51	24	39	17	7	6	1
10	26	500	2	11	26	49	61	53	81	50	34	38	27	27	13	11	4
11	27	439	3	9	14	59	51	50	66	47	40	22	26	17	16	9	4
12	28	428	–	7	13	44	43	30	64	49	53	31	20	15	17	20	8
13	29	285	1	3	11	31	30	19	42	37	24	16	20	14	12	6	8
14	30	261	–	7	3	14	35	22	32	31	18	23	16	12	7	13	9
15	31	206	1	–	4	11	18	14	38	20	18	22	11	10	6	9	4
16	32	220	1	1	7	16	16	12	27	24	26	8	17	20	10	4	9
17	33	155	–	1	1	4	15	10	14	10	18	14	9	8	6	6	7
18	34	166	–	3	4	18	8	7	18	19	8	9	8	10	8	5	7
19	35	154	–	2	2	2	12	9	14	11	8	11	11	10	11	6	5
20	36	97	–	–	3	4	6	8	8	4	8	4	4	9	4	4	4
21	37	83	–	1	2	8	2	4	6	5	5	4	5	7	4	2	2
22	38	130	–	1	1	3	4	4	7	11	8	7	8	9	5	6	8
23	39	84	–	–	–	–	1	3	5	4	2	7	4	6	3	6	2
24	40	95	–	–	–	–	3	5	5	7	4	2	5	9	8	7	8
25	41	54	–	1	–	1	5	2	2	2	4	–	3	2	1	2	4
26	42	64	–	–	2	1	2	3	–	4	3	3	2	2	1	4	1
27	43	40	–	–	1	2	1	1	2	–	1	1	1	–	–	–	1
28	44	42	–	1	–	1	1	2	2	3	1	1	1	–	–	–	1
29	45	28	–	–	–	1	–	–	3	1	–	–	2	–	1	2	1
30	46	36	–	–	–	–	1	1	–	1	1	–	–	2	5	1	1
31	47	32	–	–	–	–	1	–	–	2	1	2	–	2	1	1	–
32	48	33	–	–	–	–	–	–	1	1	2	–	1	2	–	1	1
33	49	13	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–
34	50–54	74	–	–	1	1	–	–	3	1	2	–	2	1	1	4	1
35	55–59	50	–	–	–	1	–	–	1	1	–	1	1	–	1	–	–
36	60–64	27	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37	65–69	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38	70–74	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39	75–79	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40	80 and over—et plus....	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
41	Not stated—Non donné	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Total brides—Total des épouses	**6,701**	**21**	**151**	**282**	**747**	**769**	**609**	**956**	**616**	**495**	**335**	**288**	**240**	**160**	**148**	**108**

TABLEAU 38—Mariages—Âges des mariés, 1928—*suite*

Âge de l'épouse																											
30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74	75 and over — 75 et plus	Not stated — Non donné	No.
MANITOBA																											
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
1	2	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
4	3	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
2	–	2	1	1	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
2	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11
4	6	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12
10	6	2	2	1	2	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	13
9	5	4	1	3	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14
5	5	1	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	15
5	8	4	3	2	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
9	5	4	2	3	1	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	17
6	–	3	5	2	2	3	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
7	2	5	5	2	1	1	2	1	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	19
2	2	6	2	2	1	4	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20
5	3	5	3	3	1	4	1	1	4	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	21
3	–	1	4	3	1	1	1	2	3	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
2	2	4	3	4	3	2	3	1	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	23
6	3	2	3	3	–	1	5	3	1	3	1	2	1	–	–	1	–	–	–	1	–	–	–	–	–	–	24
3	2	3	4	1	2	2	–	3	1	2	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	25
1	3	5	4	1	2	–	1	–	–	2	1	2	–	–	–	1	2	–	–	1	–	–	–	–	–	–	26
1	1	–	2	3	–	–	6	2	–	1	–	1	2	1	–	–	–	2	–	–	–	–	–	–	–	–	27
2	1	–	3	2	–	1	1	1	–	4	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	28
2	1	1	–	–	5	3	3	4	1	1	1	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–	29
1	3	1	1	–	–	1	2	2	1	7	1	–	–	–	2	1	1	1	–	–	–	–	–	–	–	–	30
–	–	–	1	3	–	–	–	1	–	1	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	31
–	–	1	2	–	1	2	2	2	2	1	–	3	–	–	2	–	–	3	–	3	–	–	–	–	–	–	32
–	–	1	–	1	1	1	1	5	–	–	–	1	3	–	–	–	–	1	1	–	1	–	–	–	–	–	33
3	2	4	1	2	3	3	3	4	2	5	2	3	7	1	7	3	5	4	3	7	2	1	–	–	–	–	34
–	–	–	–	1	1	2	–	–	1	1	1	1	3	–	3	3	3	1	1	6	5	2	–	–	–	–	35
–	–	–	–	1	–	–	–	1	–	1	–	2	1	–	2	1	–	4	1	9	4	2	–	–	–	–	36
1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	5	6	3	2	–	–	–	37
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	2	5	–	1	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	39
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	40
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	41
97	65	64	56	46	34	32	37	44	23	32	10	18	22	4	19	13	14	18	9	34	20	14	4	2	–	–	
SASKATCHEWAN																											
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
1	2	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
4	–	2	–	–	–	4	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
1	–	2	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11
4	3	3	1	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12
4	1	3	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13
6	2	1	–	1	1	4	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	14
3	2	4	3	4	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	15
2	4	5	2	5	–	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	16
8	6	2	5	3	–	3	2	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	17
2	6	2	6	7	4	3	2	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	18
6	4	5	3	2	9	5	2	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
4	1	2	6	–	4	–	1	–	–	2	2	1	–	1	–	1	–	–	1	1	–	–	–	–	–	–	20
7	3	–	1	1	2	3	4	2	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	21
4	3	5	4	5	2	4	3	5	5	2	2	1	–	1	1	–	–	1	–	–	–	–	–	–	–	–	22
3	4	3	4	3	6	5	1	5	2	2	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	23
6	1	2	6	1	2	2	–	1	3	2	1	–	1	1	1	–	1	–	–	1	–	–	–	–	–	–	24
4	5	1	1	1	1	1	3	–	–	3	1	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	25
6	3	1	1	1	2	3	2	3	3	1	1	–	3	1	3	–	–	1	–	1	–	–	–	–	–	–	26
1	–	2	3	1	4	1	3	–	4	1	2	1	3	–	1	–	–	1	–	–	1	–	–	–	–	–	27
1	2	3	1	3	1	–	1	2	1	1	1	3	1	1	1	1	–	–	–	3	1	–	–	–	–	–	28
1	2	–	–	–	2	3	–	1	–	–	–	1	2	1	–	1	1	1	–	–	1	–	–	–	–	–	29
2	1	1	1	3	–	1	–	1	–	2	3	–	3	–	2	–	1	–	1	1	–	–	–	–	–	–	30
–	2	–	–	1	–	2	1	1	–	2	1	3	1	–	3	–	2	1	2	–	–	–	–	–	–	–	31
1	2	–	2	–	1	3	3	2	1	1	–	1	1	1	1	1	–	1	–	1	1	–	–	–	–	–	32
–	–	–	–	–	–	–	–	3	–	–	1	–	2	–	–	–	–	1	–	2	–	–	–	–	–	–	33
2	–	2	1	2	2	3	2	1	2	1	2	3	5	–	3	2	–	4	4	10	3	2	1	–	–	–	34
–	–	1	–	–	1	–	–	–	–	4	2	3	4	5	3	1	–	1	–	8	8	2	1	–	–	–	35
–	–	–	–	–	–	1	–	–	–	1	–	1	2	–	2	1	–	1	–	6	6	3	3	–	–	–	36
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	5	3	6	–	–	1	–	37
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	7	3	1	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	39
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	40
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	41
87	59	54	57	46	47	54	41	28	26	28	19	24	28	13	25	11	6	14	9	40	28	21	8	2	1	–	

TABLE 38—Marriages—Ages of bridegrooms and brides, 1928—*concluded*

No.	Age of bridegroom — Âge de l'époux	Total grooms — Total des époux	Age of bride: Under 16 — Moins de 16	16	17	18	19	20	21	22	23	24	25	26	27	28	29
	ALBERTA																
1	Under 18—Moins de 18.	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
2	18	17	–	2	4	4	1	4	1	–	–	1	–	–	–	–	–
3	19	61	–	6	7	13	13	5	6	7	2	1	–	1	–	–	–
4	20	110	–	2	14	22	33	11	11	9	2	4	1	1	–	–	–
5	21	351	–	11	38	72	58	40	68	28	10	10	5	5	2	–	2
6	22	415	–	9	29	79	67	48	79	44	27	16	6	4	2	1	–
7	23	472	–	17	30	60	68	55	93	50	42	18	10	11	7	4	2
8	24	494	2	18	41	71	56	58	79	45	56	24	15	10	7	7	2
9	25	423	1	11	23	49	60	37	54	56	30	33	32	17	7	6	2
10	26	427	–	5	22	65	51	33	61	45	41	29	21	21	11	11	4
11	27	388	–	7	16	49	46	46	51	39	34	22	15	19	16	9	5
12	28	349	1	7	26	38	31	25	46	29	29	27	20	18	5	15	12
13	29	275	–	4	8	26	30	20	35	30	18	14	21	17	10	11	6
14	30	208	–	4	7	22	11	16	26	20	16	12	10	16	9	8	8
15	31	177	–	–	3	12	16	15	17	16	11	14	14	16	5	7	7
16	32	157	–	1	3	10	14	13	23	16	7	13	10	8	9	9	4
17	33	140	–	2	4	11	9	8	15	11	11	10	10	6	4	8	3
18	34	147	–	3	2	9	7	8	14	14	10	13	7	11	11	5	9
19	35	118	1	2	2	3	7	11	5	8	6	12	13	6	7	5	6
20	36	97	2	1	3	3	3	8	7	10	10	8	3	6	4	4	5
21	37	90	–	1	1	1	1	4	5	8	9	4	12	1	4	1	3
22	38	106	–	2	3	3	2	4	7	5	9	7	8	5	4	9	3
23	39	77	–	2	–	–	3	2	4	2	1	5	3	7	3	5	5
24	40	91	–	–	2	4	2	1	3	5	7	2	5	11	4	5	5
25	41	61	–	–	–	2	2	2	2	3	3	3	1	4	4	5	3
26	42	62	–	1	1	–	–	–	4	4	1	3	5	3	4	2	1
27	43	53	–	–	–	1	–	1	2	1	4	2	1	2	–	2	3
28	44	48	–	–	–	–	–	1	1	–	1	–	2	2	1	1	2
29	45	34	–	–	–	1	1	1	–	–	–	–	–	2	–	2	2
30	46	38	–	–	–	–	–	1	–	1	1	–	1	–	2	1	1
31	47	30	–	–	–	–	–	1	1	3	–	–	2	2	1	–	–
32	48	36	–	–	1	–	–	–	1	1	1	–	1	1	–	1	2
33	49	18	–	–	–	–	–	–	–	–	–	–	–	2	–	–	3
34	50–54	82	–	–	–	–	1	–	1	–	–	1	2	–	2	2	–
35	55–59	49	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
36	60–64	35	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1
37	65–69	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38	70–74	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39	75–79	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40	80 and over—et plus....	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
41	Not stated—Non donné	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Total brides—Total des épouses	**5,776**	**7**	**118**	**291**	**632**	**593**	**479**	**722**	**510**	**399**	**308**	**257**	**236**	**145**	**146**	**111**
	BRITISH COLUMBIA																
1	Under 18—Moins de 18.	7	–	1	2	1	2	1	–	–	–	–	–	–	–	–	–
2	18	16	–	3	3	5	3	–	1	–	–	–	–	1	–	–	–
3	19	40	1	6	3	7	9	10	1	2	–	–	–	–	1	–	–
4	20	92	1	1	14	15	19	20	5	7	4	1	1	2	–	–	–
5	21	287	–	12	19	50	41	32	84	24	14	5	3	1	1	–	–
6	22	347	–	6	12	41	52	36	93	54	25	9	8	2	2	2	4
7	23	323	–	1	16	38	35	31	69	41	39	17	18	8	4	4	1
8	24	312	1	7	5	26	25	29	39	62	39	32	21	11	4	6	2
9	25	330	–	2	8	25	29	24	40	41	42	38	37	17	5	9	4
10	26	341	1	3	10	18	23	20	48	38	37	45	34	31	15	9	–
11	27	287	1	3	8	18	14	26	35	34	25	21	23	14	22	14	6
12	28	312	–	3	7	13	17	18	42	34	20	28	25	29	22	23	7
13	29	220	–	1	2	9	15	7	26	25	22	29	16	15	15	9	12
14	30	175	–	3	3	4	10	11	15	10	11	13	21	17	7	10	9
15	31	149	–	–	2	2	8	6	22	6	16	7	11	11	14	7	5
16	32	140	–	–	2	3	4	9	14	8	10	13	12	7	15	9	5
17	33	120	–	–	1	3	8	4	10	7	5	9	10	6	9	10	6
18	34	109	–	–	–	1	3	2	5	6	7	7	3	13	9	16	7
19	35	123	–	1	1	1	–	4	11	11	7	10	12	6	5	6	5
20	36	103	–	–	2	4	3	4	5	6	7	5	7	7	4	9	5
21	37	91	–	–	2	–	6	4	3	3	5	5	6	6	4	5	3
22	38	93	–	1	–	1	1	1	3	4	5	6	8	5	13	6	2
23	39	100	–	–	1	2	2	2	–	2	3	7	4	12	6	4	6
24	40	89	–	–	1	1	–	3	1	4	5	5	5	6	6	7	2
25	41	54	–	–	–	–	1	3	3	1	3	2	2	3	–	2	2
26	42	60	–	–	–	–	3	1	1	2	1	2	3	1	3	3	2
27	43	53	–	–	1	1	–	1	1	–	2	5	1	2	1	2	3
28	44	60	–	–	–	1	–	–	2	4	1	1	3	1	–	1	2
29	45	46	–	–	–	–	–	1	–	1	–	–	1	1	2	3	1
30	46	40	–	–	1	–	–	–	–	1	2	–	–	3	–	1	2
31	47	33	–	–	–	–	–	–	–	2	1	–	–	1	3	2	–
32	48	49	–	–	1	–	–	–	–	–	–	–	–	1	3	2	1
33	49	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
34	50–54	119	–	–	–	–	–	1	1	1	1	2	–	1	–	2	1
35	55–59	85	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1
36	60–64	57	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–
37	65–69	31	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38	70–74	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39	75–79	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40	80 and over—et plus....	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
41	Not stated—Non donné	5	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–
	Total brides—Total des épouses	**4,942**	**5**	**54**	**128**	**290**	**333**	**312**	**581**	**441**	**360**	**326**	**296**	**242**	**195**	**184**	**107**

TABLEAU 38—Mariages—Âges des mariés, 1928—*fin*

Âge de l'épouse

30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74	75 and over — 75 et plus	Not stated — Non donné	No.
ALBERTA																											
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
1	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
1	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
2	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
1	1	2	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
4	3	2	–	1	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11
7	–	3	3	3	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12
6	4	3	4	1	3	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13
7	5	3	2	3	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14
7	4	4	1	2	1	–	2	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15
5	4	1	2	–	1	2	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	16
4	4	4	3	4	1	4	–	–	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	17
3	5	3	–	6	1	2	2	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	18
2	6	5	1	–	4	–	1	–	1	–	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	19
2	3	2	2	1	4	2	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20
3	2	4	4	1	2	5	3	4	1	1	–	–	–	2	2	1	–	–	–	–	–	–	–	–	–	–	21
2	4	4	2	5	1	3	4	–	1	–	4	2	–	2	1	–	–	–	–	–	–	–	–	–	–	–	22
5	4	1	4	1	5	3	2	1	1	1	–	3	–	1	1	–	–	–	1	1	–	–	–	–	–	–	23
5	6	–	2	3	3	–	4	2	3	4	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	24
3	3	2	–	–	1	1	3	4	3	1	3	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	25
3	4	4	2	1	2	3	1	4	2	–	1	2	1	1	1	1	–	–	–	–	–	–	–	–	–	–	26
2	1	4	3	4	2	1	1	–	2	–	1	3	2	2	2	1	–	–	1	2	–	–	–	–	–	–	27
1	1	–	1	3	5	3	1	1	5	2	1	4	2	–	–	2	1	1	–	1	1	–	1	–	–	–	28
2	2	–	1	2	–	–	–	1	1	3	2	2	1	3	3	–	–	–	2	–	–	–	–	–	–	–	29
1	–	2	1	4	–	1	–	3	4	1	1	3	1	–	–	1	1	1	2	3	–	–	–	–	–	–	30
1	2	2	2	1	2	–	–	1	–	–	1	–	–	–	2	1	1	1	–	3	–	–	–	–	–	–	31
4	2	–	4	1	–	2	1	1	1	1	1	3	2	–	–	–	–	1	–	2	1	–	–	–	–	–	32
1	1	1	–	–	–	2	–	1	–	1	–	–	–	1	1	–	–	2	–	1	1	–	–	–	–	–	33
1	4	–	1	2	3	5	2	2	1	4	2	3	3	2	5	5	3	6	2	10	5	2	–	–	–	–	34
–	–	1	–	–	–	2	–	2	2	3	1	2	1	–	8	2	3	3	2	8	7	2	–	–	–	–	35
–	1	–	–	–	–	–	–	1	–	–	–	–	–	2	–	1	–	1	–	12	8	5	–	1	–	–	36
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	1	–	6	4	3	2	1	–	–	37
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	5	3	3	–	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	39
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	40
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	41
88	81	63	46	50	47	45	33	31	33	26	20	30	16	15	28	19	12	18	10	51	32	15	10	2	1	–	
COLOMBIE BRITANNIQUE																											
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	8
4	2	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	9
6	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
5	5	3	2	4	2	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	11
5	3	9	1	2	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	12
6	3	1	1	4	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13
14	8	3	1	–	–	2	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	14
9	8	4	3	1	3	–	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	15
2	4	8	3	1	4	1	2	–	–	–	–	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	16
2	6	8	5	3	2	–	3	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
3	3	6	4	6	6	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
6	7	3	4	4	7	3	3	1	1	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	19
6	6	1	5	3	2	3	3	1	1	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	20
4	6	4	4	4	3	3	5	1	1	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	21
8	3	2	4	5	2	2	4	2	1	–	–	1	1	1	–	–	–	–	1	–	–	–	–	–	–	–	22
6	4	2	4	5	7	4	3	4	4	1	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	23
3	3	4	4	2	5	6	4	1	2	2	4	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	24
2	–	3	3	2	3	3	1	3	2	2	5	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	25
2	4	2	3	2	1	2	4	1	3	3	–	6	3	–	1	1	–	–	–	–	–	–	–	–	–	–	26
2	2	2	3	1	1	1	7	2	1	1	2	1	3	1	1	–	1	–	–	1	–	–	–	–	–	–	27
3	–	1	3	5	3	1	3	2	2	4	1	5	3	2	–	1	2	2	1	–	–	–	–	–	–	–	28
1	–	3	–	2	2	3	2	3	–	1	6	5	–	–	2	1	1	–	–	1	2	1	–	–	–	–	29
2	–	–	–	–	3	5	3	2	2	2	–	2	2	1	2	–	2	–	1	1	–	–	–	–	–	–	30
1	–	1	1	2	2	4	1	2	–	1	1	–	–	1	2	1	1	1	–	2	–	–	–	–	–	–	31
4	3	1	2	2	–	2	1	4	2	1	3	–	2	2	3	3	2	1	1	2	–	–	–	–	–	–	32
–	–	2	1	1	1	1	1	–	1	1	–	1	–	1	–	–	–	3	1	2	1	–	–	–	–	–	33
2	5	2	1	4	8	2	6	2	5	8	4	8	2	4	5	4	4	6	3	14	8	2	–	–	–	–	34
2	4	2	1	1	2	3	2	6	–	4	3	2	1	4	4	5	–	5	2	13	11	5	–	–	–	–	35
–	–	–	1	–	–	1	2	2	–	–	2	2	1	3	2	1	3	1	3	12	6	10	2	–	–	–	36
–	–	–	–	–	–	–	–	–	1	1	1	1	–	2	1	–	–	–	1	7	7	5	2	–	2	–	37
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	1	1	5	3	1	2	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	1	–	–	39
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	40
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	41
113	90	80	64	67	72	54	64	45	32	38	38	43	24	26	26	18	17	22	15	56	42	27	8	3	2	2	

TABLE 39—Marriages—Birthplace of bridegrooms and brides, 1928

No.	Birthplace of bridegroom — Lieu de naissance de l'époux	Total grooms — Total des époux	Birthplace of bride														
			Canada										British Isles — Îles britanniques				
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Province not specified — Province non spécifiée	England—Angleterre	Ireland—Irlande	Scotland—Écosse	Wales — Galles, pays de	Other—Autres
	CANADA (1)																
1	**Canada**	**48,053**	**491**	**2,736**	**2,299**	**15,764**	**13,978**	**2,216**	**1,588**	**1,940**	**794**	**443**	**2,483**	**263**	**945**	**56**	**5**
2	Prince Edward Island	602	420	33	29	8	21	17	11	3	3	–	20	4	8	1	–
3	Nova Scotia	3,214	27	2,395	108	42	121	32	27	35	33	1	120	11	50	2	1
4	New Brunswick	2,660	18	112	1,939	131	73	28	16	18	15	–	73	7	34	2	–
5	Quebec	16,894	6	41	127	14,730	815	69	50	45	32	8	232	28	86	5	–
6	Ontario	17,544	12	110	62	728	12,392	414	363	209	129	26	1,418	166	522	29	1
7	Manitoba	2,845	3	11	7	55	257	1,417	262	66	65	6	226	26	84	5	1
8	Saskatchewan	1,489	1	6	4	22	108	141	785	34	23	1	65	9	36	3	–
9	Alberta	1,168	1	10	9	23	84	40	40	563	39	–	79	6	37	4	2
10	British Columbia	1,030	3	16	14	7	76	52	34	64	454	1	160	5	57	4	–
11	Province not specified	607	–	2	–	18	31	–	–	3	1	400	90	1	31	1	–
12	**British Isles**	**11,824**	**24**	**184**	**118**	**432**	**2,461**	**605**	**378**	**231**	**366**	**148**	**3,320**	**622**	**1,977**	**125**	**5**
13	England	7,299	11	111	85	290	1,688	392	234	146	228	96	2,562	181	664	68	2
14	Ireland	1,214	4	12	9	30	241	53	34	21	20	15	190	351	157	8	1
15	Scotland	3,055	9	54	22	100	484	145	101	56	105	36	513	87	1,136	16	–
16	Wales	237	–	6	2	8	47	15	7	7	12	1	51	3	19	31	1
17	Other	19	–	1	–	4	1	–	2	1	–	–	4	–	1	2	1
18	**British Possessions**	**524**	**5**	**106**	**19**	**34**	**51**	**16**	**8**	**14**	**17**	–	**59**	**8**	**34**	**1**	–
19	Newfoundland	313	4	89	14	18	20	5	3	4	4	–	24	3	12	–	–
20	Other	211	1	17	5	16	31	11	5	10	13	–	35	5	22	1	–
21	**Europe**	**8,150**	–	**38**	**25**	**288**	**399**	**468**	**501**	**313**	**102**	**25**	**219**	**29**	**87**	**9**	**1**
22	Austria	476	–	–	–	6	24	40	65	17	2	4	4	–	2	–	–
23	Belgium	174	–	7	4	15	7	18	6	3	5	–	7	–	2	1	–
24	Denmark	311	–	3	4	4	22	7	5	5	4	–	27	5	8	–	–
25	Finland	388	–	–	–	1	27	1	1	1	6	–	4	–	3	–	–
26	France	136	–	3	1	39	10	14	9	7	4	1	6	1	6	1	–
27	Germany	406	–	1	1	6	22	11	24	17	4	–	16	1	7	1	–
28	Holland	154	–	2	3	4	16	10	2	4	7	–	17	6	9	1	–
29	Hungary	253	–	1	–	2	5	7	32	6	1	–	–	–	–	–	–
30	Italy	503	–	6	3	76	78	10	4	6	21	5	19	2	5	–	–
31	Norway	400	–	3	3	1	20	11	28	17	10	1	19	4	10	1	–
32	Poland (2)	1,794	–	4	1	28	51	163	120	97	1	6	16	2	6	–	–
33	Roumania (3)	442	–	1	–	31	8	15	45	36	–	5	9	1	–	1	–
34	Russia (4)	1,571	–	3	3	41	44	110	121	60	6	3	22	2	7	–	–
35	Sweden	424	–	3	1	7	29	23	25	16	23	–	26	–	14	2	1
36	Other	718	–	1	1	27	36	28	14	21	8	–	27	5	8	1	–
37	**Asia**	**206**	–	**5**	**3**	**14**	**19**	**5**	**2**	**2**	**35**	**1**	**12**	**2**	**4**	–	–
38	China	73	–	–	–	3	12	4	1	1	19	1	9	1	2	–	–
39	Japan	42	–	–	–	1	1	–	1	–	16	–	1	–	1	–	–
40	Other	91	–	5	3	10	6	1	–	1	–	–	2	1	1	–	–
41	United States	5,521	32	129	208	600	894	272	382	346	116	24	364	44	131	12	–
42	Various	21	–	1	–	3	1	1	–	1	4	–	2	2	1	–	–
43	Not specified	12	–	1	1	2	3	–	–	–	1	–	1	–	–	–	–
	Total brides—Total des épouses	**74,311**	**552**	**3,200**	**2,673**	**17,137**	**17,806**	**3,577**	**2,859**	**1,947**	**1,435**	**641**	**6,469**	**970**	**3,179**	**203**	**11**

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.
(2) Including Galicia—Y compris la Galicie.
(3) Including Bukovina—Y compris la Bukovine.
(4) Including the Ukraine—Y compris l'Ukraine.

	PRINCE EDWARD ISLAND																
44	**Canada**	**441**	**417**	**6**	**6**	–	–	–	–	–	–	–	**1**	**1**	**1**	–	–
45	Prince Edward Island	424	403	5	5	–	–	–	–	–	–	–	1	1	1	–	–
46	Nova Scotia	11	10	1	–	–	–	–	–	–	–	–	–	–	–	–	–
47	New Brunswick	4	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
48	Quebec	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
49	Ontario	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
50	Manitoba	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
51	Saskatchewan	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
52	Alberta	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
53	British Columbia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
54	Province not specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLEAU 39—Mariages—Lieu de naissance des mariés, 1928

Lieu de naissance de l'épouse																															
British Possessions — Possessions britanniques		Europe																				Asia — Asie			United States — États-Unis	Various—Divers	Not specified—Non spécifié	No.
Newfoundland Terre-Neuve	Other—Autres	Austria—Autriche	Belgium—Belgique	Denmark—Danemark	Finland—Finlande	France	Germany—Allemagne	Holland—Hollande	Hungary—Hongrie	Italy—Italie	Norway—Norvège	Poland(2)—Pologne(2)	Roumania (3) Roumanie (3)	Russia (4)—Russie (4)	Sweden—Suède	Other—Autres	China—Chine	Japan—Japon	Other—Autres												
CANADA(1)																															
118	**56**	**46**	**33**	**7**	**25**	**55**	**67**	**11**	**15**	**20**	**20**	**147**	**30**	**159**	**35**	**29**	**3**	**3**	**4**	**2,647**	**11**	**17**	
1	1	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	19	–	–	2
62	6	1	5	–	–	4	5	1	–	3	2	–	2	3	–	4	–	–	–	106	1	4	3
6	4	–	2	2	–	–	3	–	1	–	1	1	–	–	–	1	–	–	–	171	2	–	4
15	4	5	8	1	2	28	5	–	1	6	3	14	–	17	3	6	2	1	3	494	1	1	5
27	27	8	11	3	18	10	28	5	1	4	6	15	3	19	13	6	–	–	–	743	5	11	6
–	5	11	5	–	1	3	9	2	–	–	2	49	5	64	8	10	–	–	1	178	–	1	7
1	1	14	1	–	1	4	7	1	9	1	1	27	12	27	6	2	–	–	–	136	–	–	8
1	2	5	–	–	–	3	7	–	2	3	2	40	8	26	2	–	–	1	–	128	1	–	9
4	6	–	1	1	2	3	1	1	1	3	3	1	–	1	3	–	1	1	–	49	1	–	10
1	–	2	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	23	–	–	11
42	**57**	**16**	**9**	**15**	**14**	**16**	**20**	**12**	**1**	**7**	**13**	**16**	**5**	**27**	**18**	**12**	**5**	**1**	**2**	**508**	**9**	**3**	12
31	39	14	6	10	8	9	9	10	1	3	8	13	5	19	10	9	4	–	2	323	6	2	13
2	6	1	–	5	2	1	3	1	–	1	–	1	–	2	2	2	–	–	–	39	–	–	14
8	10	1	3	–	4	6	8	1	–	3	4	2	–	3	5	1	1	–	–	126	3	1	15
1	2	–	–	–	–	–	–	–	–	–	1	–	–	3	1	–	–	1	–	18	–	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	17
102	**21**	**1**	**1**	**–**	**–**	**1**	**–**	**1**	**–**	**1**	**–**	**1**	**–**	**–**	**–**	**–**	**–**	**–**	**–**	**23**	**–**	**–**	18
102	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	9	–	–	19
–	21	1	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	14	–	–	20
9	**7**	**328**	**84**	**192**	**396**	**41**	**264**	**54**	**197**	**236**	**205**	**1,405**	**244**	**953**	**142**	**466**	**2**	**–**	**3**	**407**	**6**	**5**	21
1	–	216	–	1	2	1	5	–	1	2	–	22	13	22	–	9	–	–	–	16	–	1	22
–	–	–	68	1	–	10	–	2	1	–	–	1	–	–	–	3	–	–	–	13	–	–	23
1	–	–	–	172	6	1	2	–	–	4	–	1	–	7	3	–	–	–	–	20	–	–	24
–	–	–	–	–	333	–	–	–	–	–	1	–	–	–	1	–	–	–	–	9	–	–	25
1	–	–	4	–	–	17	1	–	–	–	–	4	–	2	–	1	–	–	–	4	–	–	26
–	1	14	1	4	1	–	197	3	4	–	–	14	3	21	–	8	–	–	–	24	–	–	27
–	–	1	3	2	–	1	6	44	–	–	1	1	–	3	–	2	1	–	–	8	–	–	28
–	–	2	–	–	–	–	1	–	168	–	–	1	3	2	–	8	–	–	–	13	1	–	29
1	–	–	3	–	2	4	3	–	–	231	–	2	–	1	–	–	–	–	1	20	–	–	30
1	1	–	–	3	7	–	1	1	–	–	178	1	–	4	12	1	–	–	1	60	–	1	31
1	–	15	1	–	–	–	10	2	2	–	–	1,123	30	73	1	11	–	–	–	28	1	1	32
–	–	16	–	–	1	–	2	–	9	–	1	61	131	47	–	6	–	–	–	16	–	–	33
1	2	52	1	1	2	4	21	1	3	–	–	136	51	751	–	22	1	–	1	94	4	1	34
1	2	–	–	8	37	–	5	–	–	–	20	2	–	4	124	4	–	–	–	47	–	–	35
1	1	12	3	–	5	3	10	1	9	3	–	36	13	16	1	391	–	–	–	35	–	1	36
1	**2**	**–**	**–**	**–**	**–**	**–**	**1**	**–**	**–**	**–**	**–**	**3**	**–**	**1**	**–**	**3**	**13**	**20**	**49**	**8**	**1**	**–**	37
–	1	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	13	–	–	3	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20	–	1	–	–	39
1	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–	3	–	–	49	4	1	–	40
8	12	7	4	5	24	2	41	3	8	10	38	25	7	79	21	24	–	–	–	1,645	4	–	41
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	–	42
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	43
280	**155**	**398**	**132**	**219**	**459**	**115**	**393**	**81**	**221**	**274**	**276**	**1,597**	**286**	**1,219**	**217**	**535**	**23**	**24**	**58**	**4,640**	**33**	**26**	

ÎLE DU PRINCE-ÉDOUARD

–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8	–	–	44
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8	–	–	45
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	46
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	47
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	48
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	49
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	50
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	51
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	52
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	53
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	54

TABLE 39—Marriages—Birthplace of bridegrooms and brides, 1928—*con.*

No.	Birthplace of bridegroom — Lieu de naissance de l'époux	Total grooms	Total des époux	Birthplace of bride: Canada — Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Province not specified — Province non spécifiée	British Isles — Îles britanniques: England—Angleterre	Ireland—Irlande	Scotland—Écosse	Wales — Galles, pays de	Other—Autres
	PRINCE EDWARD ISLAND—con.																	
1	**British Isles**	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	England	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Ireland	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	Scotland	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5	Wales	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6	Other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7	**British Possessions**	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Newfoundland	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Other	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10	**Europe**	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Austria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12	Belgium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Denmark	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
14	Finland	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	France	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
16	Germany	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
17	Holland	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Hungary	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
19	Italy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20	Norway	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
21	Poland [1]	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Roumania [2]	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Russia [3]	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Sweden	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25	Other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
26	**Asia**	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
27	China	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
28	Japan	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
29	Other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30	United States	19	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
31	Various	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32	Not specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Total brides—Total des épouses	466	439	6	6	–	–	–	–	–	–	–	–	1	1	1	–	–
	NOVA SCOTIA																	
33	**Canada**	2,720	23	2,419	43	6	4	–	2	–	–	–	–	64	3	17	–	–
34	Prince Edward Island	26	3	21	–	–	1	–	–	–	–	–	–	–	–	–	–	–
35	Nova Scotia	2,571	16	2,307	31	3	2	–	2	–	–	–	–	57	3	15	–	–
36	New Brunswick	68	2	51	10	–	–	–	–	–	–	–	–	3	–	–	–	–
37	Quebec	25	1	18	–	3	–	–	–	–	–	–	–	2	–	1	–	–
38	Ontario	25	1	19	1	–	1	–	–	–	–	–	–	2	–	1	–	–
39	Manitoba	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40	Saskatchewan	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
41	Alberta	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
42	British Columbia	3	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
43	Province not specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
44	**British Isles**	146	2	95	2	1	–	1	–	–	–	–	–	20	2	13	–	–
45	England	92	1	58	2	1	–	1	–	–	–	–	–	18	1	3	–	–
46	Ireland	6	–	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–
47	Scotland	42	1	27	–	–	–	–	–	–	–	–	–	2	–	10	–	–
48	Wales	5	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
49	Other	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
50	**British Possessions**	173	1	99	–	2	–	–	–	–	–	–	–	4	–	3	–	–
51	Newfoundland	153	1	84	–	1	–	–	–	–	–	–	–	4	–	2	–	–
52	Other	20	–	15	–	1	–	–	–	–	–	–	–	–	–	1	–	–
53	**Europe**	104	–	28	2	–	–	–	–	–	–	1	–	–	–	–	–	–
54	Austria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
55	Belgium	10	–	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–
56	Denmark	9	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
57	Finland	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
58	France	4	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
59	Germany	9	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
60	Holland	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
61	Hungary	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

(1) Including Galicia—Y compris la Galicie.
(2) Including Bukovina—Y compris la Bukovine.
(3) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 39—Mariages—Lieu de naissance des mariés, 1928—*suite*

| Lieu de naissance de l'épouse | | |

TABLE 39—Marriages—Birthplace of bridegrooms and brides, 1928—*con.*

No.	Birthplace of bridegroom — Lieu de naissance de l'époux	Total grooms — Total des époux	Birthplace of bride															
			Canada											British Isles — Îles britanniques				
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Province not specified — Province non spécifiée		England—Angleterre	Ireland—Irlande	Scotland—Écosse	Wales — Galles, pays de	Other—Autres
	NOVA SCOTIA—con.																	
	Europe—con.—fin																	
1	Italy	12	–	5	–	–	–	–	–	–	1	–		–	–	–	–	–
2	Norway	7	–	1	–	–	–	–	–	–	–	–		–	–	–	–	–
3	Poland (1)	11	–	3	–	–	–	–	–	–	–	–		–	–	–	–	–
4	Roumania (2)	1	–	1	–	–	–	–	–	–	–	–		–	–	–	–	–
5	Russia (3)	13	–	1	–	–	–	–	–	–	–	–		–	–	–	–	–
6	Sweden	8	–	2	–	–	–	–	–	–	–	–		–	–	–	–	–
7	Other	13	–	1	–	–	–	–	–	–	–	–		–	–	–	–	–
8	**Asia**	**10**	–	**4**	**1**	–	–	–	–	–	–	–		–	–	–	–	–
9	China	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–
10	Japan	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–
11	Other	10	–	4	1	–	–	–	–	–	–	–		–	–	–	–	–
12	United States	100	4	82	1	–	2	–	–	–	–	–		2	–	1	–	–
13	Various	1	–	1	–	–	–	–	–	–	–	–		–	–	–	–	–
14	Not specified	2	–	1	–	–	–	–	–	–	–	–		–	–	–	–	–
	Total brides—Total des épouses	**3,256**	**30**	**2,729**	**49**	**9**	**6**	**1**	**2**	–	**1**	–		**90**	**5**	**34**	–	–
	NEW BRUNSWICK																	
15	**Canada**	**2,472**	**21**	**85**	**2,065**	**89**	**6**	**1**	–	**1**	**1**	–		**28**	**1**	**10**	**1**	–
16	Prince Edward Island	37	8	3	20	3	–	–	–	–	–	–		–	–	–	1	–
17	Nova Scotia	115	–	30	69	1	–	–	–	–	–	–		3	–	3	–	–
18	New Brunswick	2,184	12	51	1,894	44	3	1	–	1	1	–		24	1	7	–	–
19	Quebec	112	–	–	64	41	–	–	–	–	–	–		–	–	–	–	–
20	Ontario	18	1	1	12	–	3	–	–	–	–	–		1	–	–	–	–
21	Manitoba	1	–	–	1	–	–	–	–	–	–	–		–	–	–	–	–
22	Saskatchewan	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–
23	Alberta	3	–	–	3	–	–	–	–	–	–	–		–	–	–	–	–
24	British Columbia	2	–	–	2	–	–	–	–	–	–	–		–	–	–	–	–
25	Province not specified	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–
26	**British Isles**	**103**	**2**	**5**	**73**	**2**	–	**1**	–	–	–	–		**11**	**1**	**2**	–	–
27	England	72	1	3	52	1	–	1	–	–	–	–		10	–	–	–	–
28	Ireland	7	1	1	4	–	–	–	–	–	–	–		–	1	–	–	–
29	Scotland	22	–	1	16	1	–	–	–	–	–	–		–	–	2	–	–
30	Wales	2	–	–	1	–	–	–	–	–	–	–		1	–	–	–	–
31	Other	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–
32	**British Possessions**	**21**	**1**	–	**15**	–	–	–	–	–	–	–		**1**	–	–	–	–
33	Newfoundland	19	1	–	13	–	–	–	–	–	–	–		1	–	–	–	–
34	Other	2	–	–	2	–	–	–	–	–	–	–		–	–	–	–	–
35	**Europe**	**40**	–	–	**13**	–	–	–	–	–	–	–		–	–	–	–	–
36	Austria	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–
37	Belgium	5	–	–	3	–	–	–	–	–	–	–		–	–	–	–	–
38	Denmark	11	–	–	4	–	–	–	–	–	–	–		–	–	–	–	–
39	Finland	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–
40	France	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–
41	Germany	2	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–
42	Holland	2	–	–	2	–	–	–	–	–	–	–		–	–	–	–	–
43	Hungary	3	–	1	–	–	–	–	–	–	–	–		–	–	–	–	–
44	Italy	3	–	–	1	–	–	–	–	–	–	–		–	–	–	–	–
45	Norway	1	–	–	1	–	–	–	–	–	–	–		–	–	–	–	–
46	Poland (1)	4	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–
47	Roumania (2)	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–
48	Russia (3)	5	–	–	2	–	–	–	–	–	–	–		–	–	–	–	–
49	Sweden	2	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–
50	Other	2	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–
51	**Asia**	**3**	–	–	**2**	–	–	–	–	–	–	–		–	–	–	–	–
52	China	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–
53	Japan	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–
54	Other	3	–	–	2	–	–	–	–	–	–	–		–	–	–	–	–
55	United States	506	3	10	185	2	1	–	–	–	–	–		2	–	–	–	–
56	Various	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–
57	Not specified	1	–	–	1	–	–	–	–	–	–	–		–	–	–	–	–
	Total brides—Total des épouses	**3,146**	**27**	**100**	**2,354**	**83**	**7**	**2**	–	**1**	**1**	–		**42**	**2**	**12**	**1**	–

(1) Including Galicia—Y compris la Galicie.
(2) Including Bukovina—Y compris la Bukovine.
(3) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 39—Mariages—Lieu de naissance des mariés, 1928—*suite*

Lieu de naissance de l'épouse

British Possessions — Possessions britanniques		Europe																Asia — Asie			United States — États-Unis	Various—Divers	Not specified— Non spécifié	No.
Newfoundland Terre-Neuve	Other—Autres	Austria—Autriche	Belgium—Belgique	Denmark—Danemark	Finland—Finlande	France	Germany—Allemagne	Holland—Hollande	Hungary—Hongrie	Italy—Italie	Norway—Norvège	Poland(1)—Pologne(1)	Roumania (2) Roumanie (2)	Russia (3)—Russie (3)	Sweden—Suède	Other—Autres	China—Chine	Japan—Japon	Other—Autres				
NOUVELLE-ÉCOSSE—fin																								
1						1				4														1
				1							5													2
												8												3
																								4
1			1			1						1	1	7										5
															6									6
																11				1				7
1																			4					8
																								9
1																			4					10
																								11
2														1						5				12
																								13
																							1	14
134	5	1	6	7	3	9	11	2	1	6	5	9	2	8	6	12	–	–	4	64	–	5		
NOUVEAU-BRUNSWICK																								
6	–	–	–	2	–	–	2	–	–	–	1	–	–	1	–	–	–	–	–	150	1	–		15
																				2	–	–		16
														1						8	–	–		17
5				2			2				1									134	1	–		18
1																				6	–	–		19
																								20
																								21
																								22
																								23
																								24
																								25
																				6	–	–		26
																				4	–	–		27
																								28
																				2	–	–		29
																								30
																								31
3																				1	–	–		32
3																				1	–	–		33
																								34
			1	8	–	2	–	–	2	1	–	4	–	1	–	4	–	–	–	4	–	–		35
																								36
						2																		37
				7																				38
																								39
																								40
																				2	–	–		41
									2															42
																1								43
			1							1														44
																								45
																								46
												3		1										47
												1				1								48
				1																1				49
																2								50
																			1					51
																								52
																								53
																			1					54
				1																302				55
																								56
																								57
9	–	–	1	11	–	2	2	–	2	1	1	4	–	2	–	4	–	–	1	463	1	–		

TABLE 39—Marriages—Birthplace of bridegrooms and brides, 1928—*con.*

No.	Birthplace of bridegroom — Lieu de naissance de l'époux	Total grooms — Total des époux	Birthplace of bride															
			Canada										British Isles — Îles britanniques					
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Province not specified — Province non spécifiée	England—Angleterre	Ireland—Irlande	Scotland—Écosse	Wales — Galles, pays de	Other—Autres
	QUEBEC																
1	**Canada**	**16,243**	**9**	**39**	**79**	**14,887**	**375**	**13**	**2**	**1**	**2**	**15**	**207**	**29**	**76**	**2**	–
2	Prince Edward Island	10	2	3	–	2	1	–	–	–	–	–	2	–	–	–	–
3	Nova Scotia	69	–	11	3	30	4	–	–	–	–	–	8	1	6	–	–
4	New Brunswick	117	1	4	15	75	4	–	–	–	–	–	7	2	5	–	–
5	Quebec	15,453	4	15	55	14,393	266	8	1	1	1	5	163	19	54	1	–
6	Ontario	529	1	4	6	354	93	3	1	–	–	–	24	7	10	1	–
7	Manitoba	16	–	–	–	10	1	2	–	–	–	–	1	–	–	–	–
8	Saskatchewan	7	1	–	–	4	–	–	–	–	–	–	1	–	–	–	–
9	Alberta	9	–	–	–	8	1	–	–	–	–	–	–	–	–	–	–
10	British Columbia	12	–	1	–	3	5	–	–	–	1	–	1	–	–	–	–
11	Province not specified	21	–	1	–	8	–	–	–	–	–	10	–	–	1	–	–
12	**British Isles**	**1,013**	**3**	**7**	**7**	**327**	**41**	**4**	**1**	**1**	**1**	**1**	**270**	**65**	**220**	**5**	**1**
13	England	600	2	6	5	223	30	2	1	1	1	1	203	17	61	3	–
14	Ireland	97	–	–	1	26	2	2	–	–	–	–	18	33	11	1	–
15	Scotland	298	1	1	1	69	9	–	–	–	–	–	45	15	146	1	–
16	Wales	12	–	–	–	5	–	–	–	–	–	–	4	–	2	–	–
17	Other	6	–	–	–	4	–	–	–	–	–	–	–	–	–	–	1
18	**British Possessions**	**81**	**1**	**3**	**3**	**25**	**4**	–	–	–	–	–	**7**	**3**	**8**	–	–
19	Newfoundland	44	1	2	–	14	2	–	–	–	–	–	4	1	3	–	–
20	Other	37	–	1	3	11	2	–	–	–	–	–	3	2	5	–	–
21	**Europe**	**1,017**	–	**2**	**3**	**242**	**14**	**3**	–	–	–	**1**	**29**	**4**	**13**	**1**	–
22	Austria	31	–	–	–	4	–	–	–	–	–	–	1	–	1	–	–
23	Belgium	28	–	–	–	12	–	–	–	–	–	–	–	–	–	–	–
24	Denmark	38	–	–	–	3	1	–	–	–	–	–	3	–	–	–	–
25	Finland	26	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
26	France	46	–	–	–	34	1	–	–	–	–	–	–	–	1	–	–
27	Germany	38	–	–	–	5	1	–	–	–	–	–	3	1	2	–	–
28	Holland	13	–	–	–	2	–	–	–	–	–	–	3	–	–	–	–
29	Hungary	25	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
30	Italy	141	–	–	1	70	1	–	–	–	–	–	1	–	2	–	–
31	Norway	17	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–
32	Poland (1)	162	–	–	–	22	1	1	–	–	–	–	5	–	–	–	–
33	Roumania (2)	78	–	–	–	25	1	1	–	–	–	–	4	–	–	–	–
34	Russia (3)	218	–	–	1	37	4	1	–	–	–	1	4	1	1	–	–
35	Sweden	15	–	1	1	2	–	–	–	–	–	–	1	–	1	–	–
36	Other	141	–	–	–	24	4	–	–	–	–	–	3	1	3	–	–
37	**Asia**	**34**	–	**1**	–	**14**	**1**	–	–	**1**	–	–	–	–	**1**	–	–
38	China	6	–	–	–	3	–	–	–	1	–	–	–	–	–	–	–
39	Japan	2	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
40	Other	26	–	1	–	10	1	–	–	–	–	–	–	–	–	–	–
41	United States	732	–	5	6	524	23	1	1	1	–	–	34	3	10	–	–
42	Various	5	–	–	–	3	–	–	–	–	–	–	–	–	1	–	–
43	Not specified	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Total brides—Total des épouses	**19,126**	**13**	**57**	**98**	**16,023**	**458**	**21**	**4**	**4**	**3**	**17**	**547**	**104**	**329**	**8**	**1**

No.		Total grooms — Total des époux	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Province not specified — Province non spécifiée	England—Angleterre	Ireland—Irlande	Scotland—Écosse	Wales — Galles, pays de	Other—Autres
	ONTARIO																
44	**Canada**	**16,529**	**2**	**89**	**39**	**553**	**12,690**	**92**	**48**	**35**	**25**	**416**	**1,271**	**138**	**468**	**22**	–
45	Prince Edward Island	13	1	–	–	–	8	–	–	–	–	–	1	–	3	–	–
46	Nova Scotia	144	–	24	2	3	80	2	–	1	–	1	14	4	7	–	–
47	New Brunswick	94	–	2	4	9	50	–	–	1	1	–	11	–	9	–	–
48	Quebec	817	–	5	5	197	50	3	1	–	1	3	31	4	17	–	–
49	Ontario	14,673	1	56	27	333	11,881	66	45	29	21	24	1,114	128	392	21	–
50	Manitoba	134	–	1	–	1	75	17	–	1	2	3	11	1	5	1	–
51	Saskatchewan	38	–	–	–	–	27	2	2	1	–	–	1	–	3	–	–
52	Alberta	32	–	–	–	–	21	2	–	2	–	–	3	–	1	–	–
53	British Columbia	16	–	–	1	–	11	–	–	–	–	–	1	–	1	–	–
54	Province not specified	568	–	1	–	10	31	–	–	–	–	385	81	1	30	–	–

(1) Including Galicia—Y compris la Galicie.
(2) Including Bukovina—Y compris la Bukovine.
(3) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 39—Mariages—Lieu de naissance des mariés, 1928—*suite*

Lieu de naissance de l'épouse

British Possessions — Possessions britanniques		Europe																Asia — Asie			United States — États-Unis	Various—Divers	Not specified— Non spécifié	No.
Newfoundland Terre-Neuve	Other—Autres	Austria—Autriche	Belgium—Belgique	Denmark—Danemark	Finland—Finlande	France	Germany—Allemagne	Holland—Hollande	Hungary—Hongrie	Italy—Italie	Norway—Norvège	Poland(1)—Pologne(1)	Roumania (2) Roumanie (2)	Russia (3)—Russie (3)	Sweden—Suède	Other—Autres	China—Chine	Japan—Japon	Other—Autres				
QUÉBEC																							
15	4	3	6	–	2	18	2	–	1	7	1	9	–	15	1	4	1	–	3	413	2	–	1
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	2
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	1	–	3
–	3	2	6	–	2	18	2	–	1	6	1	9	–	14	1	3	1	–	3	3	–	–	4
14	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	381	–	–	5
1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21	1	–	6
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	8
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	10
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	11
9	6	–	2	–	2	3	–	–	–	1	1	1	1	3	–	–	–	–	1	26	3	–	12
5	5	–	2	–	1	3	–	–	–	1	–	1	1	3	–	–	–	–	1	20	1	–	13
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	14
3	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	2	–	15
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	17
15	7	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	18
15	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	19
–	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	20
2	2	16	14	29	29	16	29	5	18	63	9	128	57	150	6	101	–	–	–	29	–	2	21
–	–	10	–	–	–	–	–	–	–	2	–	1	2	6	–	2	–	–	–	2	–	–	22
–	–	–	11	1	–	2	–	–	–	–	–	–	–	6	–	–	–	–	–	2	–	–	23
–	–	–	–	26	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	24
–	–	–	–	–	24	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	25
1	–	–	1	–	–	7	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	26
–	–	–	–	1	–	–	21	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	27
–	–	–	–	–	–	1	2	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	28
–	–	–	–	–	–	–	1	–	16	–	–	–	1	–	–	3	–	–	–	2	–	–	29
–	–	–	2	–	–	1	–	–	–	60	–	–	–	–	–	–	–	–	–	3	–	–	30
–	1	–	–	1	1	–	–	–	–	–	9	–	–	–	1	–	–	–	–	–	–	–	31
–	–	1	–	–	–	–	2	–	–	–	–	99	6	14	–	4	–	–	–	6	–	1	32
–	–	–	–	–	–	–	1	–	1	–	–	5	21	17	–	–	–	–	–	2	–	–	33
–	1	4	–	–	–	2	1	–	–	–	–	17	23	109	–	6	–	–	–	5	–	–	34
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	4	–	–	–	–	2	–	–	35
1	–	1	–	–	2	3	–	–	1	1	–	4	3	2	–	85	–	–	–	4	–	1	36
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	14	–	–	–	37
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	39
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14	–	–	–	40
1	3	–	–	–	–	1	1	–	–	2	–	1	–	4	–	4	–	–	–	104	3	–	41
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	42
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	43
42	22	19	23	29	33	39	32	5	19	73	11	139	58	172	7	109	3	–	18	576	8	2	
ONTARIO																							
24	26	7	6	4	18	6	17	4	–	4	2	11	1	15	3	5	1	1	–	472	2	12	44
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	45
–	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	3	–	–	46
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7	–	–	47
–	–	1	–	1	–	–	1	–	–	–	–	2	–	2	–	1	1	1	–	33	–	1	48
23	24	4	6	3	16	6	14	3	–	4	1	6	1	10	2	3	–	–	–	393	2	11	49
–	–	–	–	–	1	–	1	1	–	–	–	2	–	3	–	1	–	–	–	7	–	–	50
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	51
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	52
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	53
1	–	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	21	–	–	54

TABLE 39—Marriages—Birthplace of bridegrooms and brides, 1928—*con.*

No.	Birthplace of bridegroom — Lieu de naissance de l'époux	Total grooms	Total des époux	Birthplace of bride														
				Canada										British Isles — Îles britanniques				
				Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Province not specified Province non spécifiée	England—Angleterre	Ireland—Irlande	Scotland—Écosse	Wales Galles, pays de	Other—Autres
	ONTARIO—con.																	
1	**British Isles**	**5,580**	**1**	**22**	**12**	**49**	**2,058**	**27**	**10**	**6**	**4**	**142**	**1,594**	**343**	**1,059**	**53**	–
2	England	3,478	1	11	9	34	1,448	16	6	2	3	92	1,260	82	345	32	–
3	Ireland	648	–	2	1	4	203	5	–	2	–	14	77	215	106	2	–
4	Scotland	1,364	–	8	1	10	375	5	4	2	1	35	231	44	598	7	–
5	Wales	88	–	1	1	1	32	1	–	–	–	1	25	2	9	12	–
6	Other	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
7	**British Possessions**	**129**	–	**3**	**1**	**4**	**42**	–	–	–	**1**	–	**27**	**3**	**11**	–	–
8	Newfoundland	65	–	3	1	2	16	–	–	–	–	–	11	1	5	–	–
9	Other	64	–	–	–	2	26	–	–	–	1	–	16	2	6	–	–
10	**Europe**	**2,303**	–	**1**	**3**	**27**	**309**	**14**	**5**	**1**	–	**18**	**78**	**15**	**18**	**2**	–
11	Austria	118	–	–	–	1	18	3	–	–	–	3	1	–	–	–	–
12	Belgium	49	–	–	–	–	6	–	–	–	–	–	3	–	–	–	–
13	Denmark	54	–	–	–	–	9	–	–	–	–	–	8	3	–	–	–
14	Finland	272	–	–	–	–	26	1	1	–	–	–	4	–	1	–	–
15	France	15	–	–	–	1	8	–	–	–	–	1	–	–	–	–	–
16	Germany	87	–	–	1	–	18	–	–	–	–	–	6	–	1	1	–
17	Holland	37	–	–	1	1	9	–	–	–	–	–	3	4	3	1	–
18	Hungary	91	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–
19	Italy	257	–	1	1	5	74	1	–	–	–	4	11	2	3	–	–
20	Norway	32	–	–	–	1	9	–	–	–	–	–	–	1	4	–	–
21	Poland (1)	532	–	–	–	5	45	4	–	–	–	6	8	2	1	–	–
22	Roumania (2)	113	–	–	–	5	6	1	2	–	–	3	3	–	–	–	–
23	Russia (3)	321	–	–	–	3	35	2	2	1	–	1	12	1	1	–	–
24	Sweden	73	–	–	–	3	16	1	–	–	–	–	7	–	2	–	–
25	Other	252	–	–	–	2	27	1	–	–	–	–	12	2	2	–	–
26	**Asia**	**62**	–	–	–	–	**18**	**1**	–	–	**3**	**1**	**4**	–	**2**	–	–
27	China	26	–	–	–	–	12	1	–	–	3	1	3	–	1	–	–
28	Japan	2	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
29	Other	34	–	–	–	–	5	–	–	–	–	–	–	–	1	–	–
30	United States	1,118	–	5	4	29	649	11	1	1	1	24	106	10	40	4	–
31	Various	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
32	Not specified	5	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–
	Total brides—Total des épouses	**25,728**	**3**	**120**	**59**	**663**	**15,770**	**145**	**64**	**43**	**34**	**601**	**3,080**	**509**	**1,598**	**81**	–
	MANITOBA																	
33	**Canada**	**2,470**	**3**	**12**	**8**	**33**	**170**	**1,608**	**84**	**6**	**10**	**7**	**182**	**25**	**84**	**3**	**1**
34	Prince Edward Island	19	1	–	1	–	3	9	1	–	–	–	2	1	1	–	–
35	Nova Scotia	36	–	4	–	1	1	16	3	–	–	–	4	1	1	–	–
36	New Brunswick	21	–	–	1	–	2	11	1	–	–	–	3	–	1	–	–
37	Quebec	67	–	–	–	6	4	35	1	–	–	–	11	–	2	–	–
38	Ontario	404	1	1	2	5	67	194	12	3	2	1	41	3	28	1	–
39	Manitoba	1,797	1	6	2	19	85	1,271	54	3	7	3	110	18	47	2	1
40	Saskatchewan	95	–	–	1	2	5	60	12	–	–	–	5	2	3	–	–
41	Alberta	12	–	1	–	–	1	8	–	–	–	–	1	–	–	–	–
42	British Columbia	11	–	–	1	–	2	4	–	–	1	–	1	–	1	–	–
43	Province not specified	8	–	–	–	–	–	–	–	–	–	3	4	–	–	–	–
44	**British Isles**	**1,171**	**4**	**7**	**4**	**5**	**68**	**395**	**36**	**3**	**4**	**2**	**326**	**64**	**172**	**12**	–
45	England	654	1	3	3	2	38	250	19	2	2	1	225	20	44	5	–
46	Ireland	138	1	–	–	–	7	37	4	–	1	1	30	35	12	3	–
47	Scotland	357	2	4	1	3	20	104	13	1	1	–	64	9	114	1	–
48	Wales	22	–	–	–	–	3	4	–	–	–	–	7	–	2	3	–
49	Other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
50	**British Possessions**	**12**	–	–	–	–	**1**	**7**	–	–	–	–	**2**	–	–	–	–
51	Newfoundland	3	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–
52	Other	9	–	–	–	–	–	5	–	–	–	–	2	–	–	–	–
53	**Europe**	**1,195**	–	–	–	**3**	**12**	**340**	**16**	–	**1**	**3**	**21**	**1**	**13**	**1**	–
54	Austria	84	–	–	–	1	1	31	1	–	–	–	2	–	–	–	–
55	Belgium	36	–	–	–	–	1	16	–	–	–	–	2	–	–	–	–
56	Denmark	41	–	–	–	–	1	3	–	–	1	–	4	–	4	–	–

(1) Including Galicia—Y compris la Galicie.
(2) Including Bukovina—Y compris la Bukovine.
(3) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 39—Mariages—Lieu de naissance des mariés, 1928—*suite*

Lieu de naissance de l'épouse																															
British Possessions — Possessions britanniques		Europe																				Asia — Asie			United States — États-Unis						No.
Newfoundland Terre-Neuve	Other—Autres	Austria—Autriche	Belgium—Belgique	Denmark—Danemark	Finland—Finlande	France	Germany—Allemagne	Holland—Hollande	Hungary—Hongrie	Italy—Italie	Norway—Norvège	Poland(1)—Pologne(1)	Roumania (2) Roumanie (2)	Russia (3)—Russie (3)	Sweden—Suède	Other—Autres	China—Chine	Japan—Japon	Other—Autres		Various—Divers	Not specified—Non spécifié									
ONTARIO—fin																															
14	21	3	3	3	7	3	1	3	–	1	1	8	3	8	1	4	1	1	1	111	–	2	1
13	15	3	2	2	3	1	–	2	–	–	1	8	3	7	–	4	–	–	1	71	–	1	2
–	2	–	–	1	2	1	–	1	–	1	–	–	–	1	1	–	–	–	–	7	–	–	3
1	4	–	1	–	2	1	1	–	–	–	–	–	–	–	–	–	1	–	–	31	–	1	4
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
23	7	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	5	–	–	7
23	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2	–	–	8
–	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	9
1	1	109	35	27	271	5	62	13	86	136	15	486	68	207	18	174	–	–	2	94	1	1	10
1	–	73	–	–	1	–	1	–	–	–	–	7	2	3	–	1	–	–	–	3	–	–	11
–	–	–	33	–	–	2	–	1	–	–	–	–	–	–	–	1	–	–	–	3	–	–	12
–	–	–	–	25	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	13
–	–	–	–	–	236	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–	14
–	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	2	–	–	15
–	–	1	–	–	1	–	48	1	1	–	–	2	–	3	–	2	–	–	–	1	–	–	16
–	–	–	1	–	–	–	2	10	–	–	–	1	–	–	–	1	–	–	–	–	–	–	17
–	–	1	–	–	–	–	–	–	74	–	–	–	1	–	–	2	–	–	–	9	1	–	18
–	–	–	–	–	2	1	2	–	–	135	–	1	–	–	–	–	–	–	1	13	–	–	19
–	–	–	–	–	1	–	–	–	–	–	13	–	–	–	1	–	–	–	1	1	–	–	20
–	–	5	–	–	–	–	2	1	1	–	–	398	7	32	–	2	–	–	–	13	–	–	21
–	–	6	–	–	–	–	–	–	5	–	–	16	46	13	–	3	–	–	–	4	–	–	22
–	–	20	–	1	1	–	3	–	1	–	–	49	10	153	–	4	–	–	–	20	–	1	23
–	–	–	–	1	21	–	–	–	–	–	1	–	–	–	17	–	–	–	–	4	–	–	24
–	1	3	–	–	4	–	3	–	4	1	–	11	2	3	–	158	–	–	–	16	–	–	25
–	2	–	–	–	–	–	1	–	–	–	–	1	–	1	–	1	2	–	19	5	1	–	26
–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	1	–	–	27
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	28
–	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	19	4	1	–	29
4	4	2	–	–	17	–	2	–	–	3	3	8	–	6	–	6	–	–	–	178	–	–	30
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	31
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	32
66	61	122	44	34	313	14	83	29	86	145	21	514	72	237	22	191	4	2	22	865	5	15	
MANITOBA																															
–	5	8	6	–	1	6	4	3	–	–	2	41	3	40	9	6	–	–	1	97	1	1	33
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	35
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	36
–	1	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	3	1	–	37
–	1	2	–	1	3	–	1	–	–	–	2	3	1	4	1	1	–	–	–	23	–	–	38
4	6	3	–	–	2	4	1	–	–	–	–	37	2	34	7	5	–	–	1	61	–	1	39
–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	2	–	–	40
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	41
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	42
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	43
2	5	5	–	1	2	2	2	–	–	3	1	3	1	3	4	2	–	–	–	32	1	–	44
1	3	3	–	–	1	1	1	–	–	1	1	2	1	2	4	2	–	–	–	15	1	–	45
–	1	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	3	–	–	46
1	1	1	–	–	1	1	1	–	–	2	–	–	–	1	–	–	–	–	–	11	–	–	47
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	48
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	49
–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	50
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	51
–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	52
–	1	59	16	23	7	4	21	8	14	4	29	302	23	190	20	41	–	–	–	21	1	–	53
–	–	38	–	–	–	1	–	–	–	–	–	4	1	1	–	1	–	–	–	2	–	–	54
–	–	–	14	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	55
–	–	–	–	23	–	–	1	–	–	–	3	–	–	–	1	–	–	–	–	–	–	–	56

TABLE 39—Marriages—Birthplace of bridegrooms and brides, 1928—*con.*

No.	Birthplace of bridegroom — Lieu de naissance de l'époux	Total grooms	Total des époux	Birthplace of bride: Canada: Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Province not specified / Province non spécifiée	British Isles — Îles britanniques: England—Angleterre	Ireland—Irlande	Scotland—Écosse	Wales Galles, pays de	Other—Autres
	MANITOBA—con.																	
	Europe-con.-fin																	
1	Finland	8	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
2	France	14	–	–	–	–	–	9	–	–	–	–	–	1	–	2	–	–
3	Germany	38	–	–	–	–	–	5	–	–	–	–	–	1	–	1	–	–
4	Holland	21	–	–	–	1	3	7	–	–	–	–	–	1	1	–	–	–
5	Hungary	15	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–
6	Italy	13	–	–	–	–	1	7	–	–	–	–	–	–	–	–	–	–
7	Norway	42	–	–	–	–	–	7	2	–	–	–	1	1	–	1	–	–
8	Poland (1)	426	–	–	–	–	2	136	–	–	–	–	–	1	–	–	–	–
9	Roumania (2)	35	–	–	–	–	–	7	3	–	–	–	–	2	–	–	–	–
10	Russia (3)	294	–	–	–	1	–	75	6	–	–	–	1	1	–	1	–	–
11	Sweden	53	–	–	–	–	–	13	3	–	–	–	–	4	–	2	1	–
12	Other	75	–	–	–	–	2	22	1	–	–	–	–	1	–	2	–	–
13	**Asia**	9	–	–	–	–	–	2	–	–	1	–	–	2	1	–	–	–
14	China	7	–	–	–	–	–	2	–	–	1	–	–	2	–	–	–	–
15	Japan	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
16	Other	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
17	United States	312	–	–	2	6	20	130	10	1	1	–	–	21	3	6	–	–
18	Various	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
19	Not specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Total brides—Total des épouses	**5,170**	**7**	**19**	**14**	**47**	**271**	**2,482**	**146**	**10**	**17**	**12**		**555**	**94**	**275**	**16**	**1**
	SASKATCHEWAN																	
20	**Canada**	**2,961**	**4**	**21**	**12**	**95**	**324**	**286**	**1,317**	**37**	**9**	**3**		**191**	**22**	**82**	**6**	**2**
21	Prince Edward Island	35	2	–	1	1	4	4	7	1	–	–		4	–	2	–	–
22	Nova Scotia	68	–	3	1	1	6	8	17	1	–	–		6	–	4	2	1
23	New Brunswick	37	1	–	1	1	4	3	11	1	–	–		3	1	2	–	–
24	Quebec	168	–	3	1	47	15	16	37	3	–	–		7	2	4	–	–
25	Ontario	882	1	11	5	17	175	94	263	12	5	–		87	10	37	–	1
26	Manitoba	512	–	1	3	13	50	85	199	3	2	–		41	2	11	1	–
27	Saskatchewan	1,195	–	3	–	13	62	69	761	11	1	1		35	7	21	3	–
28	Alberta	46	–	–	–	2	3	6	18	5	–	–		5	–	1	–	–
29	British Columbia	16	–	–	–	–	5	1	4	–	1	–		3	–	–	–	–
30	Province not specified	2	–	–	–	–	–	–	–	–	–	2		–	–	–	–	–
31	**British Isles**	**1,078**	**4**	**14**	**5**	**11**	**100**	**73**	**243**	**9**	**4**	–		**286**	**38**	**122**	**14**	–
32	England	701	1	8	2	6	58	52	151	7	–	–		235	14	50	8	–
33	Ireland	95	1	1	1	–	12	3	20	–	1	–		17	17	13	1	–
34	Scotland	253	2	5	2	5	25	14	65	2	3	–		32	7	58	–	–
35	Wales	27	–	–	–	–	5	4	6	–	–	–		1	–	1	5	–
36	Other	2	–	–	–	–	–	–	1	–	–	–		1	–	–	–	–
37	**British Possessions**	**9**	–	–	–	**1**	**1**	–	**3**	–	**1**	–		**2**	–	–	–	–
38	Newfoundland	2	–	–	–	1	–	–	1	–	–	–		–	–	–	–	–
39	Other	7	–	–	–	–	1	–	2	–	1	–		2	–	–	–	–
40	**Europe**	**1,591**	–	**1**	**1**	**6**	**27**	**78**	**445**	**10**	**4**	**2**		**21**	**3**	**7**	–	–
41	Austria	155	–	–	–	–	3	3	60	–	–	–		–	–	–	–	–
42	Belgium	18	–	–	–	1	–	2	6	–	–	–		–	–	–	–	–
43	Denmark	49	–	–	–	–	6	3	4	1	1	–		5	2	–	–	–
44	Finland	7	–	–	–	–	–	–	–	1	–	–		–	–	–	–	–
45	France	22	–	–	–	1	1	2	8	–	–	–		1	–	–	–	–
46	Germany	122	–	–	–	1	2	4	20	1	–	–		2	–	–	–	–
47	Holland	17	–	–	–	–	–	–	2	–	–	–		3	–	3	–	–
48	Hungary	83	–	–	–	1	2	3	32	1	1	–		–	–	–	–	–
49	Italy	4	–	–	–	–	–	–	3	–	1	–		–	–	–	–	–
50	Norway	113	–	–	–	–	5	3	20	–	–	–		6	–	2	–	–
51	Poland (1)	304	–	–	1	–	–	19	115	–	–	–		–	–	1	–	–
52	Roumania (2)	107	–	–	–	1	1	4	39	–	–	2		–	–	–	–	–
53	Russia (3)	434	–	1	–	–	4	27	107	6	–	–		–	–	1	–	–
54	Sweden	85	–	–	–	–	3	5	18	–	1	–		2	–	–	–	–
55	Other	70	–	–	–	1	–	3	11	–	–	–		2	1	–	–	–

(1) Including Galicia—Y compris la Galicie.
(2) Including Bukovina—Y compris la Bukovine.
(3) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 39—Mariages—Lieu de naissance des mariés, 1928—*suite*

| Lieu de naissance de l'épouse | | |

TABLE 39—Marriages—Birthplace of bridegrooms and brides, 1928—*con.*

No.	Birthplace of bridegroom — Lieu de naissance de l'époux	Total grooms — Total des époux	Birthplace of bride											British Isles — Îles britanniques				
			Canada															
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Province not specified / Province non spécifiée		England—Angleterre	Ireland—Irlande	Scotland—Écosse	Wales Galles, pays de	Other—Autres
	SASKATCHEWAN—con.																	
1	**Asia**	8	–	–	–	–	–	1	1	–	1	–		1	–	1	–	–
2	China	4	–	–	–	–	–	1	–	–	–	–		1	–	1	–	–
3	Japan	2	–	–	–	–	–	–	1	–	1	–		–	–	–	–	–
4	Other	2	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–
5	United States	1,051	1	6	1	12	85	80	321	14	1	–		61	8	24	3	–
6	Various	3	–	–	–	–	–	1	–	–	–	–		–	1	–	–	–
7	Not specified	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–
	Total brides—Total des épouses	6,701	9	42	19	125	537	519	2,330	70	20	5		562	72	236	23	2
	ALBERTA																	
8	**Canada**	2,250	8	34	20	74	240	81	59	869	42	–		183	23	83	10	2
9	Prince Edward Island	16	–	1	1	2	1	–	2	2	–	–		3	1	–	–	–
10	Nova Scotia	102	1	7	–	1	12	2	4	28	3	–		15	2	8	–	–
11	New Brunswick	56	–	3	7	1	5	5	3	11	1	–		4	1	4	1	–
12	Quebec	170	–	–	2	38	16	3	4	39	6	–		6	–	4	1	–
13	Ontario	628	3	13	5	12	118	31	22	145	13	–		70	13	29	3	–
14	Manitoba	183	2	1	–	7	23	14	3	51	6	–		21	1	8	–	–
15	Saskatchewan	66	–	1	1	–	9	3	2	19	1	–		6	–	1	–	–
16	Alberta	959	1	7	4	13	49	20	18	545	7	–		47	5	28	3	2
17	British Columbia	66	1	1	–	–	7	3	1	26	5	–		11	–	1	2	–
18	Province not specified	4	–	–	–	–	–	–	–	3	–	–		–	–	–	–	–
19	**British Isles**	1,145	2	18	3	15	100	43	38	173	16	–		311	58	147	24	3
20	England	695	1	13	2	8	58	27	24	109	10	–		227	23	64	11	2
21	Ireland	114	–	1	1	–	9	2	7	15	2	–		26	25	5	1	–
22	Scotland	291	1	4	–	7	28	10	6	42	3	–		52	10	74	4	–
23	Wales	41	–	–	–	–	4	4	–	7	1	–		5	–	4	7	1
24	Other	4	–	–	–	–	1	–	1	–	–	–		1	–	–	1	–
25	**British Possessions**	22	–	1	–	–	2	1	1	8	–	–		1	2	–	–	–
26	Newfoundland	8	–	–	–	–	1	–	–	4	–	–		–	1	–	–	–
27	Other	14	–	1	–	–	1	1	1	4	–	–		1	1	–	–	–
28	**Europe**	1,309	–	2	1	9	21	19	20	282	13	1		31	3	17	1	1
29	Austria	61	–	–	–	–	2	1	3	15	–	1		–	–	–	–	–
30	Belgium	17	–	1	–	2	–	–	–	2	–	–		1	–	1	1	–
31	Denmark	85	–	–	–	1	2	1	–	4	–	–		5	–	3	–	–
32	Finland	10	–	–	–	–	–	–	–	–	–	–		–	–	1	–	–
33	France	20	–	–	–	2	–	–	–	7	2	–		2	–	1	–	–
34	Germany	75	–	–	–	–	1	2	3	16	–	–		1	–	3	–	–
35	Holland	36	–	–	–	–	2	2	–	3	1	–		3	–	–	–	–
36	Hungary	30	–	–	–	–	–	2	–	5	–	–		–	–	–	–	–
37	Italy	23	–	–	–	1	1	–	1	5	4	–		2	–	–	–	–
38	Norway	83	–	–	1	–	4	1	2	12	–	–		5	2	–	–	–
39	Poland (1)	335	–	–	–	1	2	2	5	94	1	–		–	–	2	–	–
40	Roumania (2)	99	–	–	–	–	–	2	1	36	–	–		–	1	–	–	–
41	Russia (3)	247	–	1	–	–	1	3	3	52	1	–		3	–	3	–	–
42	Sweden	85	–	–	–	2	4	3	1	12	2	–		4	–	2	–	1
43	Other	103	–	–	–	–	2	–	1	19	2	–		5	–	1	–	–
44	**Asia**	9	–	–	–	–	–	–	1	1	2	–		3	–	–	–	–
45	China	6	–	–	–	–	–	–	1	–	2	–		2	–	–	–	–
46	Japan	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–
47	Other	3	–	–	–	–	–	–	–	1	–	–		1	–	–	–	–
48	United States	1,037	3	15	4	19	77	32	32	302	11	–		73	14	30	4	–
49	Various	4	–	–	–	–	–	–	–	1	1	–		–	–	–	–	–
50	Not specified	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–
	Total brides—Total des épouses	5,776	13	70	28	117	440	176	151	1,636	85	1		602	100	277	39	6

(1) Including Galicia—Y compris la Galicie.
(2) Including Bukovina—Y compris la Bukovine.
(3) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 39—Mariages—Lieu de naissance des mariés, 1928—*suite*

Lieu de naissance de l'épouse																													
British Possessions — Possessions britanniques		Europe																	Asia — Asie			United States — États-Unis						No.
Newfoundland Terre-Neuve	Other—Autres	Austria—Autriche	Belgium—Belgique	Denmark—Danemark	Finland—Finlande	France	Germany—Allemagne	Holland—Hollande	Hungary—Hongrie	Italy—Italie	Norway—Norvège	Poland (1)—Pologne (1)	Roumania (2) Roumanie (2)	Russia (3)—Russie (3)	Sweden—Suède	Other—Autres	China—Chine	Japan—Japon	Other—Autres		Various—Divers	Not specified—Non spécifié	
SASKATCHEWAN—fin																													
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	4
1	–	1	2	1	1	–	20	1	4	–	18	8	6	36	5	4	–	–	–	326	–	–	5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	6
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
1	**6**	**118**	**17**	**29**	**11**	**15**	**118**	**10**	**64**	**–**	**75**	**244**	**70**	**337**	**49**	**47**	**–**	**–**	**2**	**910**	**7**	**–**	
ALBERTA																													
4	**5**	**6**	**7**	**–**	**–**	**7**	**21**	**–**	**4**	**4**	**5**	**44**	**9**	**37**	**7**	**3**	**–**	**1**	**–**	**356**	**2**	**–**	8
–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	9
1	–	–	1	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–	–	13	–	–	10
–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	6	–	–	11
–	–	–	1	–	–	2	1	–	–	–	2	2	–	1	2	–	–	–	–	40	–	–	12
2	2	2	3	–	–	1	7	–	–	–	1	2	1	2	3	1	–	–	–	123	1	–	13
–	–	–	–	–	–	–	2	–	–	–	–	1	–	9	–	–	–	–	–	34	–	–	14
–	–	–	–	–	–	1	3	–	–	1	–	–	–	–	1	–	–	–	–	17	–	–	15
1	2	4	–	–	–	3	7	–	2	3	1	38	7	24	1	–	–	1	–	115	1	–	16
–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	6	–	–	17
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	18
5	**6**	**3**	**1**	**6**	**–**	**1**	**5**	**5**	**–**	**1**	**6**	**2**	**–**	**6**	**6**	**2**	**–**	**–**	**–**	**139**	**–**	**–**	19
3	3	3	–	4	–	–	2	4	–	1	3	–	–	4	2	–	–	–	–	87	–	–	20
1	–	–	–	2	–	–	1	–	–	–	–	–	–	1	1	1	–	–	–	13	–	–	21
1	3	–	1	–	–	1	2	1	–	–	3	2	–	–	2	1	–	–	–	33	–	–	22
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	6	–	–	23
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	**5**	–	–	25
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	26
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	3	–	–	27
2	**–**	**42**	**5**	**56**	**8**	**6**	**49**	**15**	**23**	**3**	**41**	**265**	**42**	**133**	**29**	**57**	**–**	**–**	**1**	**107**	**2**	**2**	28
–	–	22	–	–	1	–	2	–	–	–	–	5	2	4	–	1	–	–	–	1	–	1	29
–	–	–	4	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	3	–	–	30
1	–	–	–	53	–	–	–	–	–	–	1	1	–	5	–	–	–	–	–	8	–	–	31
–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	32
–	–	–	1	–	–	3	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	33
–	–	2	–	–	–	–	32	1	–	–	–	4	–	1	–	1	–	–	–	8	–	–	34
–	–	1	–	2	–	–	1	13	–	–	–	–	–	2	–	–	–	–	–	6	–	–	35
–	–	1	–	–	–	–	–	–	20	–	–	1	–	–	–	–	–	–	–	1	–	–	36
–	–	–	–	–	–	1	1	–	–	3	–	1	–	1	–	–	–	–	–	2	–	–	37
–	–	–	–	–	–	–	–	–	–	–	35	–	–	2	3	1	–	–	–	14	–	1	38
1	–	3	–	–	–	–	1	–	–	–	–	203	6	7	–	2	–	–	–	5	–	–	39
–	–	2	–	–	1	–	–	–	1	–	–	20	26	4	–	–	–	–	–	5	–	–	40
–	–	7	–	–	1	1	10	–	–	–	–	20	5	105	–	4	–	–	1	24	2	–	41
–	–	–	–	1	–	–	–	–	–	–	5	1	–	–	26	3	–	–	–	18	–	–	42
–	–	4	–	–	1	–	1	1	2	–	–	9	3	2	–	43	–	–	–	7	–	–	43
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	**1**	–	–	44
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	45
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	46
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	47
–	1	3	1	2	3	–	13	1	2	1	12	3	1	26	10	4	–	–	–	338	–	–	48
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	49
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	50
11	**12**	**54**	**14**	**64**	**11**	**14**	**88**	**21**	**29**	**9**	**64**	**315**	**52**	**202**	**53**	**66**	**–**	**1**	**2**	**947**	**4**	**2**	

TABLE 39—Marriages—Birthplace of bridegrooms and brides, 1928—*concluded*

No.	Birthplace of bridegroom — Lieu de naissance de l'époux	Total grooms — Total des époux	Birthplace of bride															
			Canada											British Isles — Îles britanniques				
			Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Province not specified — Province non spécifiée		England—Angleterre	Ireland—Irlande	Scotland—Écosse	Wales Galles, pays de	Other—Autres
	BRITISH COLUMBIA																	
1	**Canada**	**1,967**	**4**	**31**	**27**	**27**	**169**	**129**	**76**	**91**	**705**	**2**		**356**	**21**	**124**	**12**	-
2	Prince Edward Island	22	-	-	1	-	3	4	1	-	3	-		7	1	1	-	-
3	Nova Scotia	98	-	8	2	2	16	4	1	5	30	-		13	-	6	-	-
4	New Brunswick	79	-	1	6	1	5	8	1	4	12	-		18	2	6	1	-
5	Quebec	82	1	-	-	5	8	4	6	2	24	-		12	3	4	3	-
6	Ontario	383	1	5	4	7	54	26	20	20	88	1		79	5	25	3	-
7	Manitoba	201	-	1	1	5	23	28	6	8	48	-		42	4	13	1	-
8	Saskatchewan	87	-	2	1	3	5	7	8	3	21	-		17	-	8	-	-
9	Alberta	107	-	2	2	-	9	4	4	11	32	-		23	1	7	1	-
10	British Columbia	904	2	12	10	4	46	44	29	38	446	1		143	5	54	2	-
11	Province not specified	4	-	-	-	-	-	-	-	-	1	-		2	-	-	1	-
12	**British Isles**	**1,585**	**3**	**16**	**12**	**22**	**94**	**61**	**50**	**39**	**337**	**3**		**502**	**51**	**242**	**17**	**1**
13	England	1,006	2	9	10	15	56	43	33	25	212	2		384	24	97	9	-
14	Ireland	108	-	2	1	-	8	4	3	4	16	-		22	24	10	-	1
15	Scotland	427	1	4	1	5	27	12	13	9	98	1		87	2	134	3	-
16	Wales	40	-	1	-	2	3	2	1	-	11	-		8	1	1	4	-
17	Other	4	-	-	-	-	-	-	-	1	-	-		1	-	-	1	-
18	**British Possessions**	**75**	-	-	-	**2**	**1**	**8**	**4**	**6**	**15**	-		**15**	-	**12**	**1**	-
19	Newfoundland	18	-	-	-	-	-	3	2	-	4	-		4	-	2	-	-
20	Other	57	-	-	-	2	1	5	2	6	11	-		11	-	10	1	-
21	**Europe**	**590**	-	**4**	**2**	**1**	**16**	**14**	**15**	**20**	**83**	-		**39**	**3**	**19**	**4**	-
22	Austria	25	-	-	-	-	-	2	1	2	2	-		-	-	1	-	-
23	Belgium	11	-	-	-	-	-	-	-	1	5	-		1	-	1	-	-
24	Denmark	24	-	-	-	-	3	-	1	-	2	-		2	-	1	-	-
25	Finland	62	-	-	-	-	-	-	-	-	6	-		-	-	-	-	-
26	France	15	-	1	-	1	-	3	1	-	2	-		2	1	2	1	-
27	Germany	35	-	-	-	-	-	-	1	-	4	-		3	-	-	-	-
28	Holland	25	-	-	-	-	2	1	-	1	6	-		4	1	3	-	-
29	Hungary	5	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-
30	Italy	50	-	-	-	-	1	2	-	1	15	-		5	-	-	-	-
31	Norway	105	-	2	1	-	2	-	4	5	10	-		6	-	2	-	-
32	Poland (1)	20	-	1	-	-	1	1	-	3	-	-		2	-	2	-	-
33	Roumania (2)	9	-	-	-	-	-	-	-	-	-	-		-	-	-	1	-
34	Russia (3)	39	-	-	-	-	-	2	3	1	5	-		2	-	-	-	-
35	Sweden	103	-	-	-	-	6	1	3	4	20	-		8	-	7	1	-
36	Other	62	-	-	1	-	1	2	1	2	6	-		4	1	-	1	-
37	**Asia**	**71**	-	-	-	-	-	**1**	-	-	**28**	-		**2**	**1**	-	-	-
38	China	24	-	-	-	-	-	-	-	-	13	-		1	1	-	-	-
39	Japan	35	-	-	-	-	-	-	-	-	15	-		-	-	-	-	-
40	Other	12	-	-	-	-	-	1	-	-	-	-		1	-	-	-	-
41	United States	646	4	6	5	8	37	18	17	27	102	-		65	6	20	1	-
42	Various	5	-	-	-	-	-	-	-	-	3	-		1	1	-	-	-
43	Not specified	3	-	-	-	-	-	-	-	-	1	-		1	-	-	-	-
	Total brides—Total des épouses	**4,942**	**11**	**57**	**46**	**60**	**317**	**231**	**162**	**183**	**1,274**	**5**		**981**	**83**	**417**	**35**	**1**

(1) Including Galicia—Y compris la Galicie.
(2) Including Bukovina—Y compris la Bukovine.
(3) Including the Ukraine—Y compris l'Ukraine.

TABLEAU 39—Mariages—Lieu de naissance des mariés, 1928—*fin*

Lieu de naissance de l'épouse																																		
British Possessions — Possessions britanniques		Europe																						Asia — Asie			United States — États-Unis		Various—Divers	Not specified—Non spécifié	No.
Newfoundland Terre-Neuve	Other—Autres	Austria—Autriche	Belgium—Belgique	Denmark—Danemark	Finland—Finlande	France	Germany—Allemagne	Holland—Hollande	Hungary—Hongrie	Italy—Italie	Norway—Norvège	Poland (1)—Pologne (1)	Roumania (2) Roumanie (2)	Russia (3)—Russie (3)	Sweden—Suède	Other—Autres	China—Chine	Japan—Japon	Other—Autres																
COLOMBIE BRITANNIQUE																																		
6	11	1	1	1	2	3	2	1	–	3	4	2	1	2	7	2	1	1	–	140	2	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1
–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	9	–	–	2
–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	12	–	–	3
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9	–	–	4
1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	4	–	–	–	–	37	1	–	5
–	1	–	–	–	–	–	–	–	–	–	1	–	1	1	–	2	–	–	–	15	–	–	6
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11	–	–	8
–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	9	–	–	9
4	6	–	1	1	2	3	1	–	–	3	3	–	–	–	3	–	1	1	–	38	1	–	10
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11
5	16	–	1	1	3	5	3	2	–	1	1	–	–	1	4	3	4	–	–	82	2	1	12
3	10	–	1	1	3	4	2	2	–	–	1	–	–	–	1	2	4	–	–	48	2	1	13
–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	9	–	–	14
2	1	–	–	–	–	1	1	–	–	1	–	–	–	1	3	–	–	–	–	20	–	–	15
–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	17
2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	18
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	19
–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	20
2	2	10	2	18	70	1	22	6	4	25	57	17	4	19	30	44	2	–	–	35	–	–	21
–	–	9	–	1	–	–	–	–	1	–	–	–	–	–	–	3	–	–	–	3	–	–	22
–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	23
–	–	–	–	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	24
–	–	–	–	–	55	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	25
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	26
–	1	–	–	2	–	–	17	–	–	–	–	–	–	2	–	3	–	–	–	2	–	–	27
–	–	–	–	–	–	–	–	6	–	–	–	–	–	–	–	–	1	–	–	–	–	–	28
–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	2	–	–	–	–	–	–	29
–	–	–	–	–	–	–	–	–	–	24	–	–	–	–	–	–	–	–	–	2	–	–	30
1	–	–	–	–	4	–	–	–	–	–	54	–	–	1	3	–	–	–	–	10	–	–	31
–	–	–	–	–	–	–	–	–	–	–	–	8	–	1	–	–	–	–	–	1	–	–	32
–	–	–	–	–	–	–	1	–	–	–	–	4	1	1	–	–	–	–	–	1	–	–	33
–	–	–	–	–	–	–	1	–	–	–	–	5	2	10	–	3	1	–	–	4	–	–	34
1	1	–	–	3	11	–	1	–	–	–	3	–	–	1	25	–	–	–	–	7	–	–	35
–	–	1	–	–	–	–	2	–	–	1	–	–	1	3	1	32	–	–	–	2	–	–	36
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	9	20	8	–	–	–	37
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9	–	–	–	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20	–	–	–	–	39
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	8	–	–	–	40
–	3	1	1	–	2	–	2	–	1	4	4	1	–	–	3	4	–	–	–	303	1	–	41
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	42
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	43
15	35	12	5	20	77	9	29	9	5	33	66	20	5	22	44	55	16	21	8	567	5	1	

TABLE 40—Marriages—Denominations of contracting parties, 1928

No.	Denomination of groom — Religion de l'époux	Total grooms — Total des époux	Denomination of bride											
			Adventists — Adventistes	Anglicans	Baptists — Baptistes	Brethren — Frères	Christians — Chrétiens	Christian Science —	Scientistes	Church of Christ — Église du Christ	Congregationalists — Congrégationalistes	Disciples	Evangelicals — Évangéliques	
	CANADA[1]													
1	Adventists	104	66	5	8	1	–	–	–	–	–	–	–	
2	Anglicans	11,358	9	6,601	519	13	8	10	8	4	9	11		
3	Baptists	3,740	10	503	1,852	7	10	2	9	1	9	6		
4	Brethren	93	–	5	2	60	1	–	–	–	–	–		
5	Christians	169	–	12	14	1	81	–	1	1	–	–		
6	Christian Science	87	–	14	6	–	1	37	–	–	–	–		
7	Church of Christ	86	–	9	4	–	2	1	43	–	–	–		
8	Congregationalists	26	–	6	6	–	–	–	–	9	–	–		
9	Disciples	64	1	5	7	–	–	–	–	–	22	–		
10	Evangelicals	170	–	13	4	–	–	–	–	–	–	80		
11	Friends	18	–	4	3	–	–	–	–	–	–	–		
12	Greek Catholics	1,095	2	7	2	–	–	–	–	2	–	–		
13	Greek Orthodox	910	–	19	5	–	–	–	1	–	–	1		
14	Holiness Movement	26	–	1	–	–	–	–	–	–	–	–		
15	Jews	1,393	1	13	4	–	–	–	–	–	1	1		
16	Lutherans	3,400	11	215	80	1	3	1	1	–	–	21		
17	Mennonites	629	1	5	7	–	–	–	1	–	–	4		
18	Mormons	169	–	10	1	–	1	–	–	–	–	–		
19	Pentecostal	110	–	4	4	–	–	–	–	–	–	–		
20	Presbyterians	7,736	7	1,405	370	3	18	14	10	2	5	9		
21	Protestants	1,195	1	75	17	–	1	2	1	1	1	1		
22	Roman Catholics	26,585	4	602	152	–	6	5	4	4	1	9		
23	Salvation Army	212	–	12	10	–	–	–	1	–	–	–		
24	Unitarians	39	–	16	1	–	1	–	–	–	–	–		
25	United Brethren	20	–	–	1	–	–	–	–	–	–	1		
26	United Church	14,088	16	1,828	697	12	24	27	15	1	16	21		
27	Oriental religions—(Buddhists, Confucians, Mohammedans, Shintos, Sikhs, Hindus)	33	–	–	1	–	2	–	–	–	–	–		
28	No religion	190	–	21	13	–	3	–	1	–	–	–		
29	Other sects	533	2	50	22	–	3	2	3	–	–	3		
30	Not stated	33	–	6	3	–	1	–	–	–	–	1		
	Total brides—Total des épouses	**74,311**	**131**	**11,466**	**3,815**	**98**	**166**	**101**	**99**	**25**	**64**	**169**		
	PRINCE EDWARD ISLAND													
1	Adventists	–	–	–	–	–	–	–	–	–	–	–		
2	Anglicans	33	–	8	1	–	–	–	–	–	–	–		
3	Baptists	26	–	1	10	–	–	–	–	–	–	–		
4	Brethren	–	–	–	–	–	–	–	–	–	–	–		
5	Christians	5	–	–	2	–	2	–	–	–	–	–		
6	Christian Science	–	–	–	–	–	–	–	–	–	–	–		
7	Church of Christ	1	–	1	–	–	–	–	–	–	–	–		
8	Congregationalists	–	–	–	–	–	–	–	–	–	–	–		
9	Disciples	–	–	–	–	–	–	–	–	–	–	–		
10	Evangelicals	–	–	–	–	–	–	–	–	–	–	–		
11	Friends	–	–	–	–	–	–	–	–	–	–	–		
12	Greek Catholics	–	–	–	–	–	–	–	–	–	–	–		
13	Greek Orthodox	–	–	–	–	–	–	–	–	–	–	–		
14	Holiness Movement	–	–	–	–	–	–	–	–	–	–	–		
15	Jews	–	–	–	–	–	–	–	–	–	–	–		
16	Lutherans	–	–	–	–	–	–	–	–	–	–	–		
17	Mennonites	–	–	–	–	–	–	–	–	–	–	–		
18	Mormons	–	–	–	–	–	–	–	–	–	–	–		
19	Pentecostal	–	–	–	–	–	–	–	–	–	–	–		
20	Presbyterians	91	–	8	5	–	2	–	2	–	–	–		
21	Protestants	5	–	–	–	–	–	–	–	–	–	–		
22	Roman Catholics	173	–	–	–	–	–	–	–	–	–	–		
23	Salvation Army	2	–	–	–	–	–	–	–	–	–	–		
24	Unitarians	–	–	–	–	–	–	–	–	–	–	–		
25	United Brethren	–	–	–	–	–	–	–	–	–	–	–		
26	United Church	126	–	11	7	–	3	–	1	–	–	–		
27	Oriental religions—(Buddhists, Confucians, Mohammedans, Shintos, Sikhs, Hindus)	–	–	–	–	–	–	–	–	–	–	–		
28	No religion	2	–	–	–	–	–	–	–	–	–	–		
29	Other sects	1	–	–	–	–	–	–	–	–	–	–		
30	Not stated	1	–	–	–	–	–	–	–	–	–	–		
	Total brides—Total des épouses	**466**	–	**29**	**25**	–	**7**	–	**3**	–	–	–		

[1]Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction.

TABLEAU 40—Mariages—Religion des conjoints, 1928

Religion de l'épouse

Friends—Amis	Greek Catholics	Grecs catholiques	Greek Orthodox	Grecs orthodoxes	Holiness Movement	Mouvement vers la sainteté	Jews	Israélites	Lutherans	Luthériens	Mennonites	Mormons	Pentecostal	Pentecostaires	Presbyterians	Presbytériens	Protestants	Roman Catholics	Catholiques romains	Salvation Army	Armée du Salut	Unitarians	Unitariens	United Brethren	Frères unis	United Church	Église unie	Oriental religions	Religions orientales	No religion	Aucune religion	Other sects	Autres sectes	Not stated	Non donnée	No.
CANADA (1)																																				
-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	1	-	-	5	-	-	-	-	-	-	14	-	-	-	-	-	-	-	-	1
1	6	5	-	-	-	3	168	5	11	5	1,167	33	714	37	4	-	-	1,957	-	8	35	7	2
-	1	4	-	-	-	-	72	5	6	3	287	9	165	13	2	-	-	727	-	4	32	1	3
-	-	-	-	-	-	-	1	-	-	-	4	-	2	1	-	-	-	16	-	-	1	-	4
1	-	-	-	-	-	-	4	-	1	-	18	-	5	-	-	-	-	24	2	-	4	-	5
-	-	-	-	-	-	-	2	-	-	-	7	2	2	-	-	-	-	14	-	1	1	-	6
-	-	-	-	-	-	-	4	-	-	-	4	-	3	1	-	-	-	13	-	-	2	-	7
-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	1	-	8
-	-	-	-	-	-	1	-	-	-	-	12	-	1	1	-	-	-	14	-	-	-	-	9
-	-	-	-	-	-	-	30	4	1	-	8	1	4	-	-	-	-	22	-	1	2	-	10
2	-	-	-	-	-	-	1	-	-	-	5	-	2	-	-	-	-	1	-	-	-	-	11
-	943	26	-	-	-	-	3	-	-	-	4	-	98	-	-	-	-	4	-	-	4	-	12
-	49	737	-	-	-	-	7	1	-	-	9	4	67	-	-	-	-	9	-	-	-	1	13
-	-	-	21	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	14
-	2	1	-	1,351	-	-	2	-	-	-	3	1	7	-	1	-	-	4	-	-	-	1	15
-	13	4	2	1	2,377	23	2	4	134	16	170	8	2	2	280	-	-	7	20	2	16
-	1	1	-	-	13	577	-	1	3	-	-	1	-	-	12	-	-	-	2	-	17
-	-	-	-	1	7	-	104	-	9	-	8	-	-	-	25	-	-	2	1	-	18
-	-	-	-	-	-	-	1	94	3	-	-	-	-	-	3	-	-	-	1	-	19
2	10	7	1	1	163	9	21	9	3,919	23	477	12	1	1	1,205	1	4	24	3	20
-	4	1	-	1	19	1	2	-	56	784	153	-	-	-	70	-	3	1	-	21
-	104	22	-	2	155	5	10	5	336	81	24,622	3	1	-	399	-	13	31	9	22
-	-	-	-	-	2	-	1	1	4	-	3	166	-	-	12	-	-	-	-	23
-	-	1	-	-	1	-	-	-	3	1	1	-	7	-	6	-	-	1	-	24
1	-	-	1	-	5	2	-	1	-	-	1	-	-	-	7	-	-	-	-	25
4	6	5	3	1	235	17	24	7	907	39	490	29	3	2	9,588	1	12	52	6	26
-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	27	-	1	-	27
-	2	2	-	-	12	1	3	1	13	1	32	2	1	-	18	-	64	-	-	28
-	4	1	-	-	31	4	3	-	20	1	55	1	-	-	48	-	2	277	1	29
-	-	-	-	-	1	-	-	-	2	2	3	-	-	-	2	-	-	-	12	30
11	**1,145**	**818**	**28**	**1,362**	**3,319**	**654**	**190**	**132**	**6,938**	**998**	**27,094**	**276**	**23**	**5**	**14,495**	**31**	**121**	**494**	**43**	
ÎLE DU PRINCE-ÉDOUARD																																				
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	7	-	4	-	-	-	-	13	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	7	-	-	1	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	55	-	3	-	-	-	-	16	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	1	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	3	-	166	-	-	-	-	3	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	14	-	8	-	-	-	-	82	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	30
-	-	-	-	-	-	-	-	-	89	1	183	3	-	-	122	-	1	1	2	

(1) Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.

TABLE 40—Marriages—Denominations of contracting parties, 1928—*con.*

No.	Denomination of groom — Religion de l'époux	Total grooms — Total des époux	Denomination of bride												
			Adventists — Adventistes	Anglicans	Baptists — Baptistes	Brethren — Frères	Christians — Chrétiens	Christian Science — Scientistes	Church of Christ — Église du Christ	Congregationalists — Congrégationalistes	Disciples	Evangelicals — Évangéliques	
NOVA SCOTIA													
1	Adventists	6	2	–	2	–	–	–	–	–	–	–	
2	Anglicans	647	–	410	60	–	1	–	–	–	2	–	
3	Baptists	564	–	70	332	–	–	–	2	–	4	–	
4	Brethren	1	–	–	–	1	–	–	–	–	–	–	
5	Christians	8	–	–	2	–	6	–	–	–	–	–	
6	Christian Science	1	–	–	1	–	–	–	–	–	–	–	
7	Church of Christ	1	–	–	–	–	–	–	1	–	–	–	
8	Congregationalists	–	–	–	–	–	–	–	–	–	–	–	
9	Disciples	4	–	–	2	–	–	–	–	–	2	–	
10	Evangelicals	–	–	–	–	–	–	–	–	–	–	–	
11	Friends	–	–	–	–	–	–	–	–	–	–	–	
12	Greek Catholics	7	–	1	–	–	–	–	–	–	–	–	
13	Greek Orthodox	10	–	–	–	–	–	–	–	–	–	–	
14	Holiness Movement	–	–	–	–	–	–	–	–	–	–	–	
15	Jews	14	–	2	–	–	–	–	–	–	–	–	
16	Lutherans	68	–	6	5	–	–	–	–	–	–	–	
17	Mennonites	–	–	–	–	–	–	–	–	–	–	–	
18	Mormons	–	–	–	–	–	–	–	–	–	–	–	
19	Pentecostal	1	–	–	–	–	–	–	–	–	–	–	
20	Presbyterians	336	–	39	26	–	–	–	–	–	–	–	
21	Protestants	22	–	2	–	–	–	–	–	–	–	–	
22	Roman Catholics	845	–	41	17	–	1	–	–	–	–	–	
23	Salvation Army	14	–	–	1	–	–	–	–	–	–	–	
24	Unitarians	1	–	1	–	–	–	–	–	–	–	–	
25	United Brethren	–	–	–	–	–	–	–	–	–	–	–	
26	United Church	691	–	87	99	–	–	–	1	–	–	–	
27	Oriental religions—(Buddhists, Confucians, Mohammedans, Shintos, Sikhs, Hindus)	1	–	–	1	–	–	–	–	–	–	–	
28	No religion	3	–	–	–	–	–	–	1	–	–	–	
29	Other sects	9	–	3	–	–	–	–	–	–	–	–	
30	Not stated	2	–	–	2	–	–	–	–	–	–	–	
	Total brides—Total des épouses	**3,256**	**2**	**662**	**550**	**1**	**8**	**–**	**5**	**–**	**8**	**–**	
NEW BRUNSWICK													
1	Adventists	11	4	2	3	–	–	–	–	–	–	–	
2	Anglicans	343	3	146	91	1	1	–	–	–	–	–	
3	Baptists	817	5	76	531	–	2	–	3	1	4	–	
4	Brethren	1	–	–	–	1	–	–	–	–	–	–	
5	Christians	7	–	–	2	–	3	–	–	1	–	–	
6	Christian Science	3	–	–	1	–	–	–	–	–	–	–	
7	Church of Christ	10	–	–	1	–	–	–	8	–	–	–	
8	Congregationalists	14	–	1	5	–	–	–	–	7	–	–	
9	Disciples	13	1	1	3	–	–	–	–	–	8	–	
10	Evangelicals	–	–	–	–	–	–	–	–	–	–	–	
11	Friends	–	–	–	–	–	–	–	–	–	–	–	
12	Greek Catholics	–	–	–	–	–	–	–	–	–	–	–	
13	Greek Orthodox	3	–	–	–	–	–	–	–	–	–	–	
14	Holiness Movement	–	–	–	–	–	–	–	–	–	–	–	
15	Jews	10	–	–	2	–	–	–	–	–	–	–	
16	Lutherans	14	–	2	2	–	–	–	–	–	–	–	
17	Mennonites	–	–	–	–	–	–	–	–	–	–	–	
18	Mormons	–	–	–	–	–	–	–	–	–	–	–	
19	Pentecostal	6	–	–	1	–	–	–	–	–	–	–	
20	Presbyterians	163	1	25	50	–	1	1	–	–	2	–	
21	Protestants	6	–	2	–	–	–	–	–	–	1	–	
22	Roman Catholics	1,127	–	18	40	–	–	–	–	2	–	–	
23	Salvation Army	5	–	–	1	–	–	–	–	–	–	–	
24	Unitarians	3	–	–	1	–	–	–	–	–	–	–	
25	United Brethren	–	–	–	–	–	–	–	–	–	–	–	
26	United Church	515	2	60	104	1	2	–	1	–	1	1	
27	Oriental religions—(Buddhists, Confucians, Mohammedans, Shintos, Sikhs, Hindus)	–	–	–	–	–	–	–	–	–	–	–	
28	No religion	20	–	–	3	–	–	–	–	–	–	–	
29	Other sects	53	1	4	13	–	1	–	–	–	–	–	
30	Not stated	2	–	–	–	–	–	–	–	–	–	–	
	Total brides—Total des épouses	**3,146**	**17**	**337**	**854**	**3**	**10**	**1**	**12**	**11**	**16**	**1**	

TABLEAU 40—Mariages—Religion des conjoints, 1928—*suite*

Religion de l'épouse

Friends—Amis	Greek Catholics	Grecs catholiques	Greek Orthodox	Grecs orthodoxes	Holiness Movement Mouvement vers la sainteté	Jews Israélites	Lutherans Luthériens	Mennonites	Mormons	Pentecostal Pentecostaires	Presbyterians Presbytériens	Protestants	Roman Catholics Catholiques romains	Salvation Army Armée du Salut	Unitarians Unitariens	United Brethren Frères unis	United Church Église unie	Oriental religions Religions orientales	No religion Aucune religion	Other sects Autres sectes	Not stated Non donnée	No.
NOUVELLE-ÉCOSSE																						
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1
–	–	–	1	–	–	–	7	–	–	–	28	–	63	2	–	–	70	–	–	1	2	2
–	–	–	–	–	–	–	6	–	–	–	20	1	21	1	–	–	105	–	1	1	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11
–	–	4	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	12
–	–	–	7	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	13
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14
–	–	–	–	–	–	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15
–	–	–	–	–	–	–	43	–	–	–	5	–	4	–	–	–	5	–	–	–	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	18
–	–	–	–	–	–	–	4	–	–	–	177	–	29	2	–	–	58	–	–	–	1	19
–	–	–	–	–	–	–	–	–	–	–	–	14	6	–	–	–	–	–	–	–	–	20
–	–	–	–	–	–	–	1	–	–	–	10	2	735	1	–	–	34	–	1	1	1	21
–	–	–	–	–	–	–	–	–	–	–	–	–	–	12	–	–	1	–	–	–	–	22
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	23
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25
–	–	–	–	–	–	–	8	–	–	–	32	1	28	4	–	–	427	–	–	3	1	26
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	27
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	28
–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	4	–	29
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	30
–	**4**	**8**	–	–	**12**	**69**	–	–	–	**275**	**18**	**891**	**22**	–	–	**703**	–	**3**	**10**	**5**		
NOUVEAU-BRUNSWICK																						
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1
–	–	1	–	–	–	–	–	–	–	–	19	–	26	2	–	–	49	–	–	4	–	2
–	–	–	–	–	–	–	1	–	–	2	30	–	33	3	2	–	107	–	1	16	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	6
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	8
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12
–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14
–	–	–	7	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	15
–	–	–	–	–	–	–	7	–	–	–	1	–	1	–	–	–	1	–	–	–	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	1	–	19
–	–	–	–	–	–	–	–	–	–	–	43	–	13	–	–	–	25	–	–	2	–	20
–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	21
–	–	1	–	–	–	–	–	–	–	–	3	–	1,045	–	–	–	15	–	–	2	1	22
–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	1	–	–	–	–	23
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25
–	–	–	–	–	–	–	2	–	–	–	20	–	27	–	2	–	289	–	–	3	–	26
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	27
–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	3	–	10	–	–	28
–	–	–	–	–	–	–	–	1	–	–	1	–	3	–	–	–	8	–	–	21	–	29
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	30
–	–	**5**	–	**7**	**10**	–	**1**	**7**	**117**	**2**	**1,154**	**8**	**5**	–	**504**	–	**11**	**51**	**2**			

TABLE 40—Marriages—Denominations of contracting parties, 1928—*con.*

No.	Denomination of groom — Religion de l'époux	Total grooms — Total des époux	Denomination of bride											
			Adventists — Adventistes	Anglicans	Baptists — Baptistes	Brethren — Frères	Christians	Christian Science — Chrétiens	Christian Science — Scientistes	Church of Christ — Église du Christ	Congregationalists — Congrégationalistes	Disciples	Evangelicals — Évangéliques	
	QUEBEC													
1	Adventists	11	6	1	1	–	–	–	–	–	–	–	–	
2	Anglicans	906	2	555	19	–	–	–	–	–	4	–	1	
3	Baptists	98	2	24	29	–	–	1	–	–	–	–	–	
4	Brethren	5	–	–	–	5	–	–	–	–	–	–	–	
5	Christians	1	–	–	–	–	–	–	–	–	–	–	–	
6	Christian Science	4	–	1	–	–	–	2	–	–	–	–	–	
7	Church of Christ	–	–	–	–	–	–	–	–	–	–	–	–	
8	Congregationalists	11	–	5	1	–	–	–	–	–	2	–	–	
9	Disciples	–	–	–	–	–	–	–	–	–	–	–	–	
10	Evangelicals	2	–	–	–	–	–	–	–	–	–	–	–	
11	Friends	1	–	–	–	–	–	–	–	–	–	–	–	
12	Greek Catholics	10	–	–	–	–	–	–	–	–	–	–	–	
13	Greek Orthodox	108	–	4	1	–	–	–	–	–	–	–	–	
14	Holiness Movement	2	–	–	–	–	–	–	–	–	–	–	–	
15	Jews	539	–	3	–	–	–	–	–	–	–	1	1	
16	Lutherans	127	–	12	–	–	–	–	–	–	–	–	–	
17	Mennonites	1	–	–	–	–	–	–	–	–	–	–	–	
18	Mormons	4	–	–	–	–	–	–	–	–	–	–	–	
19	Pentecostal	4	–	1	–	–	–	–	–	–	–	–	–	
20	Presbyterians	418	1	95	12	–	–	–	–	–	2	–	–	
21	Protestants	251	–	17	3	–	–	–	–	–	–	–	–	
22	Roman Catholics	15,934	–	81	13	–	–	–	–	–	2	–	1	
23	Salvation Army	5	–	–	–	–	–	–	–	–	–	–	–	
24	Unitarians	14	–	6	–	–	–	–	–	–	–	–	–	
25	United Brethren	–	–	–	–	–	–	–	–	–	–	–	–	
26	United Church	579	3	98	13	–	–	–	–	–	1	–	–	
27	Oriental religions—(Buddhists, Confucians, Mohammedans, Shintos, Sikhs, Hindus)	1	–	–	–	–	–	–	–	–	–	–	–	
28	No religion	12	–	2	–	–	–	–	–	–	–	–	–	
29	Other sects	74	1	11	1	–	–	–	–	–	–	–	–	
30	Not stated	4	–	1	–	–	–	–	–	–	–	–	–	
	Total brides—Total des épouses	**19,126**	**15**	**917**	**93**	**5**	**–**	**3**	**–**	**11**	**1**	**3**		
	ONTARIO													
1	Adventists	9	6	–	1	1	–	–	–	–	–	–	–	
2	Anglicans	5,542	1	3,293	231	6	3	6	3	–	6	7		
3	Baptists	1,404	–	231	645	5	2	1	2	–	1	2		
4	Brethren	56	–	4	2	36	–	–	–	–	–	–		
5	Christians	59	–	3	5	1	28	–	–	–	–	–		
6	Christian Science	35	–	5	2	–	–	16	–	–	–	–		
7	Church of Christ	29	–	5	–	–	1	–	15	–	–	–		
8	Congregationalists	–	–	–	–	–	–	–	–	–	–	–		
9	Disciples	37	–	3	2	–	–	–	–	–	10	–		
10	Evangelicals	100	–	10	2	–	–	–	–	–	–	50		
11	Friends	6	–	1	1	–	–	–	–	–	–	–		
12	Greek Catholics	20	–	3	–	–	–	–	–	–	–	–		
13	Greek Orthodox	151	–	7	1	–	–	–	–	–	–	1		
14	Holiness Movement	15	–	1	–	–	–	–	–	–	–	–		
15	Jews	606	–	4	1	–	–	–	–	–	–	–		
16	Lutherans	900	–	63	16	–	–	1	–	–	–	15		
17	Mennonites	118	–	3	2	–	–	–	–	–	–	3		
18	Mormons	50	–	5	1	–	–	–	–	–	–	–		
19	Pentecostal	32	–	1	1	–	–	–	–	–	–	–		
20	Presbyterians	4,038	2	707	173	1	5	6	4	–	3	8		
21	Protestants	331	–	5	2	–	–	–	–	–	–	1		
22	Roman Catholics	4,955	–	281	51	–	–	–	1	–	1	5		
23	Salvation Army	117	–	8	7	–	–	–	–	–	–	–		
24	Unitarians	10	–	7	–	–	–	–	–	–	–	–		
25	United Brethren	12	–	–	1	–	–	–	–	–	–	1		
26	United Church	6,938	2	960	313	7	13	10	6	–	15	11		
27	Oriental religions—(Buddhists, Confucians, Mohammedans, Shintos, Sikhs, Hindus)	1	–	–	–	–	–	–	–	–	–	–		
28	No religion	13	–	2	1	–	–	–	–	–	–	–		
29	Other sects	132	–	14	3	–	–	1	–	–	–	–		
30	Not stated	12	–	1	1	–	–	–	–	–	–	–		
	Total brides—Total des épouses	**25,728**	**11**	**5,627**	**1,465**	**57**	**52**	**41**	**31**	**–**	**36**	**104**		

TABLEAU 40—Mariages—Religion des conjoints, 1928—*suite*

Religion de l'épouse

Friends—Amis	Greek Catholics	Greeks catholiques	Greek Orthodox	Greeks orthodoxes	Holiness Movement / Mouvement vers la sainteté	Jews / Israélites	Lutherans / Luthériens	Mennonites	Mormons	Pentecostal / Pentecostaires	Presbyterians / Presbytériens	Protestants	Roman Catholics / Catholiques romains	Salvation Army / Armée du Salut	Unitarians / Unitariens	United Brethren / Frères unis	United Church / Église unie	Oriental religions / Religions orientales	No religion	Aucune religion	Other sects / Autres sectes	Not stated / Non donnée	No.
QUÉBEC																							
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	1
–	–	–	–	–	–	–	2	–	–	1	93	9	100	–	–	–	116	–	–	4	–	–	2
–	–	–	–	–	–	–	1	–	–	–	17	2	5	–	–	–	16	–	–	1	–	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	5
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	6
–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	8
–	–	5	1	–	–	–	–	–	–	–	1	–	4	–	–	–	–	–	–	–	–	–	9
–	–	–	83	–	–	–	–	–	–	–	4	–	16	–	–	–	–	–	–	–	–	–	10
–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11
–	–	–	–	–	–	527	1	–	–	–	–	1	3	–	–	–	1	–	–	–	–	1	12
–	–	–	–	–	–	–	94	–	–	–	2	4	8	–	1	–	6	–	–	–	–	–	13
–	–	–	–	–	–	–	1	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–	14
–	–	–	1	–	–	–	3	–	–	3	223	4	47	–	–	–	30	–	–	1	–	–	15
–	–	–	1	–	–	–	2	–	–	–	9	146	60	–	–	–	12	–	–	1	–	–	16
–	–	–	1	–	–	–	7	–	6	–	36	29	15,713	–	–	–	27	–	1	13	4	–	17
–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–	–	–	–	–	18
–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	2	–	1	–	–	1	–	–	19
–	–	–	–	–	1	–	1	–	–	–	36	6	36	–	–	–	383	–	–	1	–	–	20
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	4	–	–	–	21
–	–	–	–	–	–	–	1	–	1	–	2	1	33	–	–	–	7	–	–	16	–	–	22
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	30	23
–	5	5	86	3	527	113	–	8	4	428	204	16,039	4	4	–	603	–	5	38	7			24
ONTARIO																							25
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1
1	–	–	–	–	–	1	41	2	4	1	610	2	300	25	2	–	985	–	–	8	4	–	2
–	–	–	–	–	–	–	15	2	3	–	119	1	53	5	–	–	310	–	–	6	1	3	3
–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	9	–	–	1	–	–	4
1	–	–	–	–	–	–	1	–	1	–	7	–	2	–	–	–	10	–	–	–	–	–	5
–	–	–	–	–	–	–	1	–	–	–	4	–	2	–	–	–	5	–	–	–	–	–	6
–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	5	–	–	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	–	–	–	–	–	–	–	–	–	–	11	–	–	1	–	–	10	–	–	–	–	–	9
–	–	–	–	–	–	–	15	–	1	–	7	–	1	–	–	–	14	–	–	–	–	–	10
2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	11
–	15	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	12
–	–	–	116	–	–	–	2	–	–	–	2	1	19	–	–	–	1	–	–	–	–	1	13
–	–	–	–	–	12	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	14
–	–	–	–	–	–	592	–	–	–	–	3	–	3	–	–	–	3	–	–	–	–	–	15
–	–	–	–	–	–	–	661	3	–	–	35	2	40	–	–	1	60	–	–	3	–	–	16
–	–	–	–	–	–	–	6	94	–	–	2	–	–	–	–	–	8	–	–	–	–	–	17
–	–	–	–	–	–	–	1	–	20	–	4	–	2	–	–	–	17	–	–	–	–	–	18
–	–	–	–	–	–	–	–	–	1	28	1	–	–	–	–	–	–	–	–	–	–	–	19
1	1	–	–	–	1	–	50	4	6	4	2,147	–	197	5	–	–	705	–	–	7	1	20	
–	–	–	–	–	–	–	1	–	1	–	7	264	41	–	–	–	9	–	–	–	–	21	
–	–	–	3	–	2	–	47	–	2	1	148	29	4,196	1	–	–	181	–	–	5	1	22	
–	–	–	–	–	–	–	–	–	–	–	1	–	–	95	–	–	6	–	–	–	–	23	
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	24	
–	–	–	–	–	–	–	3	2	–	–	–	–	–	–	–	–	5	–	–	–	–	25	
2	–	–	–	–	2	1	48	12	11	5	551	3	208	12	–	1	4,725	–	–	16	4	26	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	27	
–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	2	–	4	–	–	28	
–	–	–	–	–	–	–	2	1	1	–	7	–	6	–	–	–	15	–	–	81	1	29	
–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	7	30	
7	16	119	15	596	896	120	51	40	3,675	302	5,076	145	2	2	7,089	1	4	128	20				

TABLE 40—Marriages—Denominations of contracting parties, 1928—*con.*

No.	Denomination of groom — Religion de l'époux	Total grooms — Total des époux	Denomination of bride												
			Adventists	Adventistes	Anglicans	Baptists — Baptistes	Brethren — Frères	Christians — Chrétiens	Christian Science — Scientistes	Church of Christ — Église du Christ	Congregationalists	Congrégationalistes	Disciples	Evangelicals — Évangéliques	
	MANITOBA														
1	Adventists	8	7	–	–	–	–	–	–	–	–	–	–	–	
2	Anglicans	926	–	561	12	–	–	–	1	3	–	–	–	2	
3	Baptists	112	–	13	43	1	–	–	–	–	–	–	–	1	
4	Brethren	4	–	–	–	4	–	–	–	–	–	–	–	–	
5	Christians	8	–	1	–	–	4	–	–	–	–	–	–	–	
6	Christian Science	8	–	1	1	–	–	1	1	–	–	–	–	–	
7	Church of Christ	9	–	1	2	–	–	–	–	4	–	–	–	–	
8	Congregationalists	–	–	–	–	–	–	–	–	–	–	–	–	–	
9	Disciples	6	–	1	–	–	–	–	–	–	–	–	2	–	
10	Evangelicals	3	–	–	–	–	–	–	–	–	–	–	–	2	
11	Friends	–	–	–	–	–	–	–	–	–	–	–	–	–	
12	Greek Catholics	433	–	1	1	–	–	–	–	–	2	–	–	–	
13	Greek Orthodox	124	–	1	–	–	–	–	–	–	–	–	–	–	
14	Holiness Movement	2	–	–	–	–	–	–	–	–	–	–	–	–	
15	Jews	151	1	2	–	–	–	–	–	–	–	–	–	–	
16	Lutherans	458	1	29	7	–	–	–	–	–	–	–	–	–	
17	Mennonites	218	–	–	1	–	–	–	–	–	–	–	–	–	
18	Mormons	1	–	–	–	–	–	–	–	–	–	–	–	–	
19	Pentecostal	24	–	1	–	–	–	–	–	–	–	–	–	–	
20	Presbyterians	614	2	111	23	–	1	1	1	–	–	–	–	–	
21	Protestants	130	–	7	3	–	–	1	1	1	–	–	–	–	
22	Roman Catholics	775	–	38	1	–	–	1	1	–	–	–	–	–	
23	Salvation Army	17	–	–	–	–	–	–	–	–	–	–	–	–	
24	Unitarians	6	–	1	–	–	–	–	–	–	–	–	–	–	
25	United Brethren	1	–	–	–	–	–	–	–	–	–	–	–	–	
26	United Church	1,097	1	125	22	–	–	3	–	–	–	–	–	–	
27	Oriental religions—(Buddhists, Confucians, Mohammedans, Shintos, Sikhs, Hindus)	–	–	–	–	–	–	–	–	–	–	–	–	–	
28	No religion	3	–	–	–	–	–	–	–	–	–	–	–	–	
29	Other sects	31	–	3	1	–	–	–	–	1	–	–	–	–	
30	Not stated	1	–	–	–	–	–	–	–	–	–	–	–	–	
	Total brides—Total des épouses	**5,170**	**12**	**897**	**117**	**5**	**6**	**8**	**11**	**3**	**2**	**5**			
	SASKATCHEWAN														
1	Adventists	24	17	–	1	–	–	–	–	–	–	–	–	–	
2	Anglicans	850	1	450	27	2	–	–	–	–	–	–	–	–	
3	Baptists	201	2	19	83	–	1	–	–	–	–	–	–	1	
4	Brethren	8	–	–	–	4	1	–	–	–	–	–	–	–	
5	Christians	18	–	2	1	–	8	–	1	–	–	–	–	–	
6	Christian Science	2	–	1	–	–	–	1	–	–	–	–	–	–	
7	Church of Christ	18	–	2	–	–	–	1	9	–	–	–	–	–	
8	Congregationalists	–	–	–	–	–	–	–	–	–	–	–	–	–	
9	Disciples	1	–	–	–	–	–	–	–	–	–	–	–	–	
10	Evangelicals	30	–	1	–	–	–	–	–	–	–	–	–	16	
11	Friends	1	–	–	–	–	–	–	–	–	–	–	–	–	
12	Greek Catholics	311	1	1	–	–	–	–	–	–	–	–	–	–	
13	Greek Orthodox	240	–	–	1	–	–	–	–	–	–	–	–	–	
14	Holiness Movement	6	–	–	–	–	–	–	–	–	–	–	–	–	
15	Jews	22	–	1	–	–	–	–	–	–	–	–	–	–	
16	Lutherans	844	4	33	25	–	–	–	1	–	–	–	–	3	
17	Mennonites	254	1	–	3	–	–	–	1	–	–	–	–	1	
18	Mormons	10	–	1	–	–	–	–	–	–	–	–	–	–	
19	Pentecostal	22	–	1	1	–	–	–	–	–	–	–	–	–	
20	Presbyterians	542	–	97	16	1	–	–	2	–	–	–	–	–	
21	Protestants	5	–	2	–	–	–	–	–	–	–	–	–	–	
22	Roman Catholics	1,342	1	32	9	–	2	–	2	–	–	–	–	1	
23	Salvation Army	13	–	–	–	–	–	–	1	–	–	–	–	–	
24	Unitarians	1	–	–	–	–	–	–	–	–	–	–	–	–	
25	United Brethren	2	–	–	–	–	–	–	–	–	–	–	–	–	
26	United Church	1,816	1	187	40	3	1	3	6	–	–	–	–	3	
27	Oriental religions—(Buddhists, Confucians, Mohammedans, Shintos, Sikhs, Hindus)	–	–	–	–	–	–	–	–	–	–	–	–	–	
28	No religion	30	–	2	2	–	–	–	–	–	–	–	–	–	
29	Other sects	87	–	2	–	–	–	–	–	–	–	–	–	1	
30	Not stated	1	–	–	–	–	–	–	–	–	–	–	–	–	
	Total brides—Total des épouses	**6,701**	**28**	**834**	**209**	**10**	**13**	**5**	**23**	–	–	**26**			

TABLEAU 40—Mariages—Religion des conjoints, 1928—*suite*

Religion de l'épouse

Friends—Amis	Greek Catholics	Grecs catholiques	Greek Orthodox	Grecs orthodoxes	Holiness Movement / Mouvement vers la sainteté	Jews	Israélites	Lutherans	Luthériens	Mennonites	Mormons	Pentecostal	Pentecostaires	Presbyterians	Presbytériens	Protestants	Roman Catholics	Catholiques romains	Salvation Army	Armée du Salut	Unitarians	Unitariens	United Brethren	Frères unis	United Church	Eglise unie	Oriental religions	Religions orientales	No religion	Aucune religion	Other sects	Autres sectes	Not stated	Non donnée	No.
MANITOBA																																		
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	4	–	–	–	–	–	–	36	–	–	–	2	76	5	50	–	–	2	–	–	169	–	–	–	3	–	2
–	–	–	–	–	–	–	–	5	–	–	–	–	12	2	7	1	–	–	–	–	27	–	–	–	1	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	6
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11
–	382	4	–	–	–	–	–	1	–	–	–	–	–	1	–	–	38	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	12
–	14	104	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13
–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14
–	1	–	–	–	–	–	146	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15
–	5	1	–	–	–	–	–	329	7	–	–	–	–	23	5	21	–	–	1	–	27	–	–	–	1	1	–	–	1	–	–	–	16
–	–	–	–	–	–	–	–	1	216	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
–	–	–	–	–	–	–	–	–	–	–	–	–	21	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	19
–	6	1	–	–	–	–	–	18	2	–	–	1	335	6	43	2	1	–	–	–	60	–	–	–	–	–	–	–	–	–	–	–	20
–	1	–	–	–	–	–	–	2	1	–	–	–	7	81	18	–	–	–	–	–	6	–	–	–	1	–	–	–	–	–	–	–	21
–	46	2	–	–	–	–	–	15	2	–	–	1	26	4	616	–	–	–	–	–	20	–	–	–	1	1	–	–	–	–	–	–	22
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	14	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	23
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	3	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	24
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25
–	1	–	–	–	–	–	–	27	–	–	–	1	38	5	39	2	1	–	–	–	830	–	–	–	–	2	–	–	2	–	–	–	26
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	27
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	28
–	1	–	–	–	–	–	–	3	–	–	–	–	2	–	1	1	–	–	–	–	4	–	–	–	–	–	–	–	–	14	–	–	29
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	30
–	**461**	**112**	**3**	**147**	**439**	**228**	**1**	**26**	**525**	**109**	**841**	**20**	**8**	–	**1,155**	–	**6**	**23**	–	
SASKATCHEWAN																																		
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–	1
–	1	2	–	1	40	1	–	–	1	83	–	60	5	–	–	171	–	–	5	–	2
–	–	1	–	–	14	1	–	–	–	23	–	12	2	–	–	41	–	–	1	–	3
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	4
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	4	–	–	1	–	5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	9
–	–	–	–	–	6	4	–	–	–	–	–	–	–	–	–	1	–	–	2	–	10
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11
–	260	10	–	–	1	–	–	–	–	1	–	34	–	–	–	1	–	–	2	–	12
–	17	207	–	–	1	1	–	–	–	–	1	9	–	–	–	3	–	–	–	–	13
–	–	–	4	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	14
–	1	–	–	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15
–	4	–	1	–	588	12	–	2	24	1	47	1	–	–	87	–	3	7	1	16
–	1	1	–	–	4	235	–	1	1	–	–	1	–	–	2	–	–	2	–	17
–	–	–	–	–	2	–	3	–	–	–	1	–	–	–	2	–	1	–	–	18
–	–	–	–	–	–	–	–	18	1	–	–	–	–	–	1	–	–	–	–	19
1	–	–	–	–	33	3	1	3	230	–	48	–	–	–	100	–	1	6	–	20
–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	21
–	30	8	–	–	39	3	–	–	29	1	1,137	1	–	–	42	–	3	2	–	22
–	–	–	–	–	–	–	1	–	–	–	–	11	–	–	–	–	–	–	–	–	23
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	25
1	2	3	–	–	85	3	–	1	70	–	59	6	–	–	1,331	–	1	10	–	26
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	27
–	1	1	–	–	5	1	–	–	2	–	6	–	–	–	1	–	9	–	–	28
–	1	1	–	–	10	2	–	–	1	–	3	–	–	–	7	–	–	59	–	29
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	30
2	**318**	**235**	**5**	**21**	**835**	**266**	**5**	**27**	**465**	**4**	**1,419**	**28**	–	–	**1,806**	–	**18**	**97**	**2**	

TABLE 40—Marriages—Denominations of contracting parties, 1928—*concluded*

No.	Denomination of groom — Religion de l'époux	Total grooms — Total des époux	Denomination of bride											
			Adventists — Adventistes	Anglicans	Baptists — Baptistes	Brethren — Frères	Christians — Chrétiens	Christian Science — Scientistes	Church of Christ — Église du Christ	Congregationalists — Congrégationalistes	Disciples	Evangelicals — Évangéliques	
	ALBERTA												
1	Adventists	23	15	2	–	–	–	–	–	–	–	–	
2	Anglicans	784	2	369	39	1	2	1	2	–	1	1	
3	Baptists	296	1	29	108	1	3	–	2	–	–	2	
4	Brethren	10	–	–	–	5	–	–	–	–	–	–	
5	Christians	30	–	2	1	–	11	–	–	–	–	–	
6	Christian Science	2	–	–	–	–	–	–	–	–	–	–	
7	Church of Christ	16	–	–	1	–	1	–	6	–	–	–	
8	Congregationalists	1	–	–	–	–	–	–	–	–	–	–	
9	Disciples	1	–	–	–	–	–	–	–	–	–	–	
10	Evangelicals	33	–	1	2	–	–	–	–	–	–	12	
11	Friends	8	–	2	2	–	–	–	–	–	–	–	
12	Greek Catholics	306	1	–	1	–	–	–	–	–	–	–	
13	Greek Orthodox	230	–	1	1	–	–	–	1	–	–	–	
14	Holiness Movement	1	–	–	–	–	–	–	–	–	–	–	
15	Jews	33	–	1	1	–	–	–	–	–	–	–	
16	Lutherans	643	5	31	18	–	1	–	–	–	–	2	
17	Mennonites	36	–	1	–	–	–	–	–	–	–	–	
18	Mormons	97	–	4	–	–	–	–	–	–	–	–	
19	Pentecostal	9	–	–	1	–	–	–	–	–	–	–	
20	Presbyterians	770	1	152	28	1	5	1	1	–	–	1	
21	Protestants	140	1	11	4	–	–	–	–	–	–	–	
22	Roman Catholics	912	1	47	11	–	1	1	–	–	–	1	
23	Salvation Army	20	–	3	–	–	–	–	–	–	–	–	
24	Unitarians	1	–	1	–	–	–	–	–	–	–	–	
25	United Brethren	4	–	–	–	–	–	–	–	–	–	–	
26	United Church	1,227	3	124	60	–	3	5	–	–	–	6	
27	Oriental religions—(Buddhists, Confucians, Mohammedans, Shintos, Sikhs, Hindus)	3	–	–	–	–	–	–	–	–	–	–	
28	No religion	40	–	9	5	–	1	–	–	–	–	–	
29	Other sects	98	–	6	2	–	2	–	2	–	–	2	
30	Not stated	2	–	1	–	–	–	–	–	–	–	1	
	Total brides—Total des épouses	**5,776**	**30**	**797**	**285**	**8**	**30**	**8**	**14**	**–**	**1**	**28**	
	BRITISH COLUMBIA												
1	Adventists	12	9	–	–	–	–	–	–	–	–	–	
2	Anglicans	1,327	–	809	39	3	1	2	–	–	–	–	
3	Baptists	222	–	40	71	–	2	–	–	–	–	–	
4	Brethren	8	–	1	–	4	–	–	–	–	–	–	
5	Christians	33	–	4	1	–	19	–	–	–	–	–	
6	Christian Science	32	–	6	1	–	–	17	–	–	–	–	
7	Church of Christ	2	–	–	–	–	–	–	–	–	–	–	
8	Congregationalists	–	–	–	–	–	–	–	–	–	–	–	
9	Disciples	2	–	–	–	–	–	–	–	–	–	–	
10	Evangelicals	2	–	1	–	–	–	–	–	–	–	–	
11	Friends	2	–	1	–	–	–	–	–	–	–	–	
12	Greek Catholics	8	–	1	–	–	–	–	–	–	–	–	
13	Greek Orthodox	44	–	6	1	–	–	–	–	–	–	–	
14	Holiness Movement	–	–	–	–	–	–	–	–	–	–	–	
15	Jews	18	–	–	–	–	–	–	–	–	–	–	
16	Lutherans	346	1	39	7	1	2	–	–	–	–	1	
17	Mennonites	2	–	1	1	–	–	–	–	–	–	–	
18	Mormons	7	–	–	–	–	1	–	–	–	–	–	
19	Pentecostal	12	–	–	–	–	–	–	–	–	–	–	
20	Presbyterians	764	–	171	37	–	4	5	–	–	–	–	
21	Protestants	305	–	29	5	–	1	1	–	–	–	–	
22	Roman Catholics	522	2	64	10	–	2	3	–	–	–	1	
23	Salvation Army	19	–	1	1	–	–	–	–	–	–	–	
24	Unitarians	3	–	–	–	–	1	–	–	–	–	–	
25	United Brethren	1	–	–	–	–	–	–	–	–	–	–	
26	United Church	1,099	4	176	39	1	2	6	–	–	–	–	
27	Oriental religions—(Buddhists, Confucians, Mohammedans, Shintos, Sikhs, Hindus)	27	–	–	–	–	2	–	–	–	–	–	
28	No religion	67	–	6	2	–	2	–	–	–	–	–	
29	Other sects	48	–	7	2	–	–	1	–	–	–	–	
30	Not stated	8	–	3	–	–	1	–	–	–	–	–	
	Total brides—Total des épouses	**4,942**	**16**	**1,366**	**217**	**9**	**40**	**35**	**–**	**–**	**–**	**2**	

TABLEAU 40—Mariages—Religion des conjoints, 1928—*fin*

Religion de l'épouse

Religion de l'époux	Friends—Amis	Greek Catholics	Grecs catholiques	Greek Orthodox	Grecs orthodoxes	Holiness Movement	Mouvement vers la sainteté	Jews	Israélites	Lutherans	Luthériens	Mennonites	Mormons	Pentecostal	Pentecostaires	Presbyterians	Presbytériens	Protestants	Roman Catholics	Catholiques romains	Salvation Army	Armée du Salut	Unitarians	Unitariens	United Brethren	Frères unis	United Church	Église unie	Oriental religions	Religions orientales	No religion	Aucune religion	Other sects	Autres sectes	Not stated	Non donnée	No.
ALBERTA																																				
Friends—Amis										2					1				2							1									1
Greek Catholics			1						1	28	2	2	5			106	3	54	2							158			2	3	1	2
Grecs catholiques					2					24		2	2			27		27	1							58			1	6		3
Greek Orthodox										1						1										3						4
Grecs orthodoxes										2						5		1								6				2		5
Holiness Movement					1																					2						6
Mouvement vers la sainteté										1						2		1								3				1		7
Jews																			1													8
Israélites										9									1							7			1			9
Lutherans		273	11							1						1			2													10
Luthériens		18	190		1			1		3						1			16							1			1			11
Mennonites																			12							3						12
Mormons			1						30																							13
Penteostal		4	2		1			1		427	1	1		2		32	2	36	3		1					64			3	7	1	14
Penteostaires										1	32															2						15
Presbyterians									1	3		78			8	5		1								3			1	1		16
Presbytériens		3	5						1	40		14		1		343	4	53	2							107			1	6		17
Protestants		3							1	9		1				15	67	13								15						18
Roman Catholics		27	6							37		2		1		41	3	688								39			1	4	1	19
Catholiques romains										2						1			14													20
Salvation Army																																21
Armée du Salut	1									2																1						22
Unitarians	1	3	1							49	1	12				73	9	59	1		1					806			1	9		23
Unitariens																																24
United Brethren																																25
Frères unis																																26
United Church																																27
Église unie		1								3		3						6	1							3			8			28
Oriental religions		2								13						3		4								4				58		29
Religions orientales																																30
No religion	2	335	219	2	34	657	37	118	13	658	88	978	24	–	2	1,286	2	19	98	3													
Aucune religion																																
Other sects																																
Autres sectes																																
Not stated																																
Non donnée																																
No.																																
COLOMBIE BRITANNIQUE																																
Friends—Amis										1								1								2						1
Greek Catholics			1							14		2				145	14	57	1							226			6	7		2
Grecs catholiques		1	1							6		1	1			32	3	7								56			1			3
Greek Orthodox																1										2						4
Grecs orthodoxes																3		1								2	2			1		5
Holiness Movement										1						2	1									3			1			6
Mouvement vers la sainteté																1										1						7
Jews																																8
Israélites																										2						9
Lutherans																1																10
Luthériens																1																11
Mennonites		4																3														12
Mormons			27							1						2	2	4								1						13
Penteostal																																14
Penteostaires									17									1														15
Presbyterians			1						1	228	1	1				12	2	13	4							30				2		16
Presbytériens																																17
Protestants										1			1					1								3						18
Roman Catholics															12																	19
Catholiques romains			1							15						366	9	44	1		1					104	1		2	2	1	20
Salvation Army										4						16	208	12								27			2			21
Armée du Salut		1	1							9					2	40	13	326		1						38			6	3		22
Unitarians																1		1	12							3						23
Unitariens																				2												24
United Brethren																		1														25
Frères unis			1							15	1	1				73	15	26	4							715	1		10	8	1	26
United Church																											24					27
Église unie			1							4						6	1	11			1					8			25			28
Oriental religions										2	1					3		4								3			1	24		29
Religions orientales																1	2									1						30
No religion	–	6	34	–	18	300	3	6	15	706	270	513	22	4	1	1,227	28	54	48	2													
Aucune religion																																
Other sects																																
Autres sectes																																
Not stated																																
Non donnée																																
No.																																

TABLE 41—Marriages—Literacy of bridegrooms and brides in Canada (1), classified by birthplace, 1928

TABLEAU 41—Mariages—Instruction des mariés dans le Canada (1), selon le lieu de naissance, 1928

Birthplace — Lieu de naissance	Bridegrooms — Époux			Brides — Épouses		
	Total	Illiterate — Illettrés	Per cent illiterate — Pour cent d'illettrés	Total	Illiterate — Illettrées	Per cent illiterate — Pour cent d'illettrées
Total	**74,311**	**1,237**	**1·7**	**74,311**	**790**	**1·1**
Canada	**48,053**	**998**	**2·1**	**51,827**	**550**	**1·1**
Prince Edward Island	602	12	2·0	552	2	0·4
Nova Scotia	3,214	85	2·6	3,200	41	1·3
New Brunswick	2,660	197	7·4	2,673	108	4·0
Quebec	16,894	409	2·4	17,137	186	1·1
Ontario	17,544	132	0·8	17,806	34	0·2
Manitoba	2,845	36	1·3	3,577	34	1·0
Saskatchewan	1,489	37	2·5	2,859	47	1·6
Alberta	1,168	43	3·7	1,947	46	2·4
British Columbia	1,030	45	4·4	1,435	51	3·6
Province not specified—Province non spécifiée	607	2	0·3	641	1	0·2
British Isles—Îles Britanniques	**11,824**	**5**	(5)	**10,823**	**1**	(5)
England—Angleterre	7,299	3	(5)	6,460	1	(5)
Ireland—Irlande	1,214	1	0·1	970	–	–
Scotland—Écosse	3,055	1	(5)	3,179	–	–
Wales—Galles, pays de	237	–	–	203	–	–
Other—Autres	19	–	–	11	–	–
British Possessions—Possessions britanniques	**524**	**11**	**2·1**	**435**	**8**	**1·8**
Newfoundland—Terre-Neuve	313	11	3·5	280	8	2·9
Other—Autres	211	–	–	155	–	–
Europe	**8,150**	**192**	**2·4**	**6,422**	**205**	**3·2**
Austria—Autriche	476	25	5·3	398	31	7·8
Belgium—Belgique	174	3	1·7	132	2	1·5
Denmark—Danemark	311	–	–	219	–	–
Finland—Finlande	388	4	1·0	459	4	0·9
France	136	2	1·5	115	2	1·7
Germany—Allemagne	406	4	1·0	393	4	1·0
Holland—Hollande	154	–	–	81	–	–
Hungary—Hongrie	253	4	1·6	221	3	1·4
Italy—Italie	503	8	1·6	274	7	2·6
Norway—Norvège	400	–	–	276	–	–
Poland(2)—Pologne(2)	1,794	70	3·9	1,597	76	4·8
Roumania(3)—Roumanie(3)	442	18	4·1	286	20	7·0
Russia(4)—Russie(4)	1,571	45	2·9	1,219	45	3·7
Sweden—Suède	424	–	–	217	–	–
Other—Autres	718	9	1·3	535	11	2·1
Asia—Asie	**206**	**2**	**1·0**	**105**	**6**	**5·7**
China—Chine	73	–	–	23	2	8·7
Japan—Japon	42	–	–	24	2	8·3
Other—Autres	91	2	2·2	58	2	3·4
United States—États-Unis	5,521	28	0·5	4,640	19	0·4
Various—Divers	21	–	–	33	–	–
Not specified—Non spécifié	12	1	8·3	26	1	3·8

(1) Exclusive of Yukon and the Northwest Territories, statistics for which are given at the end of the Introduction—Ne comprend pas le Yukon et les Territoires du Nord-Ouest dont les statistiques sont données à la fin de l'introduction.
(2) Including Galicia—Y compris la Galicie.
(3) Including Bukovina—Y compris la Bukovine.
(4) Including the Ukraine—Y compris l'Ukraine.
(5) Less than one-tenth of one per cent—Moins d'un dixième d'un pour cent.

APPENDIX I

BIRTHS AND DEATHS AMONGST THE INDIAN POPULATION

APPENDICE I

NAISSANCES ET DÉCÈS DE LA POPULATION INDIENNE

APPENDIX I

BIRTHS AND DEATHS AMONGST THE INDIAN POPULATION

The totals of births, deaths and marriages presented in the general tables of the present report include returns for Indians, resembling in this respect the corresponding tables of previous reports. The births and deaths of Indians in Canada form only an inconsiderable portion of the whole but this is not so true of certain provinces considered individually. Moreover, in particular aspects of Vital Statistics, e.g., deaths from tuberculosis, the figures for Indians assume an importance beyond the numerical proportion of this class in the population. In the present volume, therefore, as in the Sixth and Seventh Annual Reports, it has been thought well to supplement the general tables with an appendix containing the salient features of births and deaths of Indians. Not only will these tabulations enable a special study of the vital statistics of the Indian population, but they will also place the reader in a position to eliminate from the general tables the influence of Indian births or deaths. Indian marriages cannot be separately tabulated since the racial origin of bride and groom is not given on the marriage certificate. In any case such figures would have little significance in so far as the pagan Indians are concerned, as the marriages of these people according to their own customs are not included in the figures recorded.

The term "Indian" as used in these tables includes half-breeds.

The statistics for Indians cannot be considered as having the same degree of completeness as those for the white population. With regard to the accuracy of particular phases of the statistics, such as ages, it is probable that in many cases the knowledge of the informants is vague. As to reported causes of death, a large proportion of these are from others than physicians. Statistics of legitimacy of children born have doubtful significance for the Indian population, owing to the informal method of marriage amongst pagan Indians.

APPENDICE I

NAISSANCES ET DÉCÈS DE LA POPULATION INDIENNE

Les totaux des naissances, décès et mariages dans les tableaux d'ensemble du présent rapport comprennent ceux des Indiens, comme dans les tableaux correspondants des rapports antérieurs. Les naissances et décès d'Indiens au Canada ne forment qu'une portion minime du total, mais il n'en est pas ainsi quand chaque province est considérée séparément. De plus, sous certains aspects des statistiques vitales, comme dans les décès causés par la tuberculose, les chiffres des Indiens prennent une importance dépassant leur proportion numérique de la population. Dans le présent volume, il a été jugé opportun comme dans les Sixième et Septième Rapports Annuels d'ajouter aux tableaux d'ensemble de ce volume un appendice contenant les données principales sur les naissances et les décès d'Indiens. Non seulement ces tableaux permettent de faire une étude spéciale des statistiques vitales de la population indienne, mais ils mettent aussi le lecteur en état de les éliminer des tableaux d'ensemble, pour l'influence que peuvent y avoir les naissances et décès d'Indiens.

Il est impossible de computer séparément les mariages d'Indiens, parce que l'origine raciale de l'époux et de l'épouse n'est pas donnée sur le certificat de mariage. Dans tous les cas ces chiffres n'auraient que très peu d'importance, en autant que sont concernés les Sauvages encore païens, parce que les mariages contractés selon leur coutume ne sont pas inclus dans les chiffres relevés.

Le terme "Indien", dans ces tableaux, comprend aussi les métis.

Les statistiques des Indiens ne peuvent pas être considérées comme aussi complètes que celles de la population blanche. Pour ce qui est de l'exactitude de certaines phases particulières des statistiques, comme les âges, il est probable que, dans plusieurs cas, la connaissance de ceux fournissant l'information était plutôt vague. Pour ce qui est des causes de décès, telles que données, il faut aussi se rappeler que la plupart de ces causes ne sont pas celles données par les médecins. Les statistiques de la légitimité des naissances ont une signification douteuse pour la population indienne, parce que le mariage est un contrat plutôt simple chez les Indiens païens.

TABLE A—Births of Indians (exclusive of stillbirths) by months and provinces, 1928

TABLEAU A—Naissances d'Indiens (mort-nés exclus) par mois et provinces, 1928

Provinces	Total	Months—Mois											
		January — Janvier	February — Février	March — Mars	April — Avril	May — Mai	June — Juin	July — Juillet	August — Août	September — Septembre	October — Octobre	November — Novembre	December — Décembre
Canada(1)	**2,747**	**255**	**262**	**266**	**293**	**240**	**210**	**176**	**212**	**236**	**183**	**203**	**211**
Prince Edward Island	6	1	–	1	1	–	1	–	1	–	–	1	–
Nova Scotia	52	4	2	3	5	3	4	8	7	6	5	–	5
New Brunswick	49	3	6	8	4	5	3	4	3	3	4	3	3
Quebec	209	16	22	23	21	19	19	14	12	25	12	15	11
Ontario	667	55	72	73	88	61	60	43	45	46	42	49	33
Manitoba	337	30	17	31	39	19	21	19	22	39	37	24	39
Saskatchewan	419	38	34	49	29	44	31	29	36	28	26	36	39
Alberta	518	54	49	45	61	48	36	30	49	33	30	41	42
British Columbia	490	54	60	33	45	41	35	29	37	56	27	34	39

(1)Exclusive of Yukon and the Northwest Territories—Ne comprend pas le Yukon et les Territoires du Nord-Ouest.

TABLE B—Births of Indians (exclusive of stillbirths) classified as legitimate or illegitimate, by provinces, 1928

TABLEAU B—Naissances d'Indiens (mort-nés exclus) réparties en légitimes et illégitimes, par provinces, 1928

Provinces	Total births — Total des naissances			Legitimate — Légitimes			Illegitimate — Illégitimes		
	Total	M.	F.	Total	M.	F.	Total	M.	F.
Canada (1)	**2,747**	**1,427**	**1,320**	**2,483**	**1,296**	**1,187**	**264**	**131**	**133**
Prince Edward Island	6	1	5	6	1	5	–	–	–
Nova Scotia	52	23	29	44	19	25	8	4	4
New Brunswick	49	32	17	45	29	16	4	3	1
Quebec	209	106	103	201	102	99	8	4	4
Ontario	667	333	334	579	291	288	88	42	46
Manitoba	337	183	154	308	166	142	29	17	12
Saskatchewan	419	206	213	382	188	194	37	18	19
Alberta	518	288	230	457	259	198	61	29	32
British Columbia	490	255	235	461	241	220	29	14	15

(1) Exclusive of Yukon and the Northwest Territories—Ne comprend pas le Yukon et les Territoires du Nord-Ouest.

TABLE C—Births of Indians (exclusive of stillbirths) classified according to ages of parents, Canada [1], 1928

No.	Age of father — Âge du père	Total	Age of mother															
			12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
1	Under 16 years—Moins de 16 ans..	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	16 years—ans.....	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
3	17 " "	3	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–
4	18 " "	7	–	–	1	1	–	2	3	–	–	–	–	–	–	–	–	–
5	19 " "	13	–	–	–	–	1	2	6	1	1	–	–	1	–	–	–	–
6	20 " "	39	–	–	–	–	2	6	6	10	7	2	1	–	2	2	–	–
7	21 " "	53	–	–	–	1	3	5	8	11	12	7	5	1	–	–	1	–
8	22 " "	68	–	–	–	–	1	6	8	15	8	9	8	3	4	2	2	1
9	23 " "	95	–	–	–	–	–	7	10	11	14	20	14	3	5	3	3	2
10	24 " "	104	–	–	–	1	3	4	10	13	12	13	15	10	5	3	3	1
11	25 " "	97	–	–	–	1	2	3	9	8	14	12	14	9	13	3	3	2
12	26 " "	86	–	–	–	–	–	1	4	3	9	12	14	10	11	10	6	1
13	27 " "	117	–	–	–	–	1	2	7	8	11	4	14	13	13	13	6	11
14	28 " "	123	–	–	–	–	1	1	4	7	10	7	13	12	9	14	17	8
15	29 " "	107	–	–	–	–	–	2	1	3	1	7	9	11	5	9	12	14
16	30 " "	114	–	–	–	–	–	3	3	2	4	6	9	10	5	14	8	8
17	31 " "	91	–	–	–	–	1	–	4	3	1	4	5	6	5	5	3	8
18	32 " "	113	–	–	–	–	–	2	3	2	4	–	5	8	6	6	11	14
19	33 " "	62	–	–	–	–	–	–	–	–	3	2	3	2	5	3	8	3
20	34 " "	86	–	–	–	–	–	–	4	2	2	1	3	4	6	4	7	3
21	35 " "	103	–	–	–	–	–	–	–	–	6	5	6	–	4	6	4	7
22	36 " "	74	–	–	–	–	–	–	–	–	1	–	1	1	5	6	3	2
23	37 " "	73	–	–	–	1	–	–	1	1	2	1	1	6	1	5	1	5
24	38 " "	95	–	–	–	–	–	–	2	–	2	1	5	–	3	2	3	5
25	39 " "	70	–	–	–	–	–	1	3	–	2	1	–	2	–	1	2	3
26	40 " "	100	–	–	–	–	–	–	1	2	2	–	2	2	1	3	3	3
27	41 " "	49	–	–	–	–	–	–	1	–	1	2	–	2	–	–	2	1
28	42 " "	64	–	–	–	–	–	–	–	–	–	–	2	1	1	–	4	1
29	43 " "	49	–	–	–	–	–	–	–	–	1	–	1	3	3	1	3	1
30	44 " "	42	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
31	45 " "	61	–	–	–	–	–	1	–	–	–	1	2	1	–	2	1	1
32	46 " "	30	–	–	–	–	–	–	–	1	–	1	–	1	–	–	2	–
33	47 " "	23	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–
34	48 " "	36	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	1
35	49 " "	20	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
36	50 " "	28	–	–	–	–	–	–	1	–	–	–	–	1	–	3	1	–
37	51 " "	9	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
38	52 " "	15	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1
39	53 " "	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
40	54 " "	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
41	55 " "	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
42	56 " "	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
43	57 " "	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
44	58 " "	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
45	59 " "	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
46	60 " "	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
47	61 " "	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
48	62 " "	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
49	63 " "	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
50	64 " "	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
51	65 and over—et plus.....	10	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	1
52	Not stated—Non donné.....	94	–	–	–	1	–	1	–	1	1	2	–	–	1	–	–	–
	Children born to married mothers—Enfants légitimes.....	**2,483**	**–**	**–**	**1**	**7**	**16**	**50**	**99**	**105**	**133**	**122**	**154**	**127**	**116**	**121**	**123**	**112**
	Children born to unmarried mothers—Enfants illégitimes..	**264**	**–**	**1**	**2**	**4**	**16**	**23**	**21**	**20**	**17**	**24**	**12**	**16**	**8**	**4**	**8**	**6**
	Children born to all mothers—Légitimes et illégitimes.....	**2,747**	**–**	**1**	**3**	**11**	**32**	**73**	**120**	**125**	**150**	**146**	**166**	**143**	**124**	**125**	**131**	**118**

[1] Exclusive of Yukon and the Northwest Territories—Ne comprend pas le Yukon et les Territoires du Nord-Ouest.

TABLEAU C—Naissances d'Indiens (mort-nés exclus) classifiées selon l'âge des parents, Canada [1], 1928

Âge de la mère																								No.
28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50 and over — 50 et plus	Not stated — Non donné	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	7
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	9
3	2	1	1	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	10
3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	11
2	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12
6	4	–	1	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	13
8	3	5	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	14
16	4	6	1	2	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15
16	4	6	4	3	4	–	1	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	1	16
14	10	6	4	3	2	–	–	2	1	2	1	–	–	–	–	–	–	–	–	–	–	–	1	17
10	9	10	7	4	4	3	3	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	18
6	3	7	3	4	3	3	1	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	19
7	8	10	3	7	4	6	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	20
8	10	15	4	7	7	3	4	1	–	3	2	–	–	1	–	–	–	–	–	–	–	–	–	21
2	9	8	6	4	5	9	1	6	–	3	–	–	–	–	–	–	1	–	–	–	–	–	1	22
2	3	4	–	4	5	3	7	4	8	2	3	2	–	–	–	–	–	–	–	–	–	–	1	23
6	3	8	2	10	6	5	12	5	5	3	4	1	–	2	–	–	–	–	–	–	–	–	–	24
1	6	5	3	5	4	6	6	4	6	2	3	–	3	–	–	–	–	–	–	–	–	–	1	25
2	1	13	3	3	3	7	9	9	5	13	3	6	1	2	–	–	1	–	–	–	–	–	–	26
1	1	3	2	4	2	3	3	4	2	2	7	3	1	1	1	–	–	–	–	–	–	–	–	27
1	–	1	4	4	1	1	3	7	7	7	5	8	3	1	1	–	–	–	–	–	–	–	1	28
1	1	2	1	3	5	3	2	7	1	2	3	1	2	1	1	–	–	–	–	–	–	–	–	29
2	2	3	–	2	1	1	4	1	3	5	3	5	2	3	2	2	–	–	–	–	–	–	1	30
4	–	4	1	2	2	1	9	2	2	3	1	9	4	3	3	–	1	–	–	–	–	–	1	31
3	–	2	1	–	–	2	1	2	3	1	–	3	1	4	1	1	–	–	–	–	–	–	–	32
–	–	–	1	–	–	–	1	1	2	–	1	7	2	2	1	1	1	–	–	–	–	–	–	33
–	2	1	–	–	–	4	–	3	1	7	2	4	–	1	2	2	2	–	–	–	–	–	–	34
2	1	1	1	–	–	1	2	1	1	–	2	2	1	1	1	1	1	–	–	–	–	–	–	35
–	–	–	1	1	–	–	2	–	–	3	1	7	3	1	2	–	–	–	–	–	–	–	1	36
1	1	–	–	–	–	–	1	–	–	2	1	–	1	–	–	–	–	1	–	–	–	–	–	37
–	1	–	2	–	–	1	–	1	1	–	–	1	1	–	–	–	3	1	–	–	–	–	–	38
–	–	–	–	1	1	–	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	39
1	–	–	–	–	–	1	–	–	1	2	1	1	–	1	1	–	1	–	–	1	–	–	–	40
2	–	1	–	–	–	2	–	1	–	1	–	1	–	–	–	–	–	–	1	–	1	–	–	41
–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	42
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	43
–	–	1	–	–	–	–	1	1	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–	44
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	45
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	46
–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	47
1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	48
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	49
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	50
1	–	–	–	–	–	1	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	51
–	–	1	1	–	3	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	79	52
133	**92**	**128**	**58**	**77**	**64**	**72**	**80**	**66**	**53**	**69**	**47**	**66**	**27**	**26**	**18**	**8**	**13**	**2**	**3**	**1**	**2**	–	**92**	
13	**6**	**12**	**5**	**5**	**3**	**3**	**6**	**4**	**3**	**3**	**1**	**3**	–	**1**	**1**	–	–	–	**1**	–	–	–	**12**	
146	**98**	**140**	**63**	**82**	**67**	**75**	**86**	**70**	**56**	**72**	**48**	**69**	**27**	**27**	**19**	**8**	**13**	**2**	**4**	**1**	**2**	–	**104**	

TABLE D—Stillbirths for Indians by age of mother and legitimacy of child, 1928
TABLEAU D—Indiens mort-nés, selon l'âge de la mère, et distinction entre naissances légitimes et illégitimes, 1928

Age of mother — Âge de la mère	Unmarried mothers — Mères non-mariées	Married mothers — Mères mariées									Total
		P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	
15 years—ans	–	–	–	–	–	1	–	–	–	–	1
16 " "	–	–	–	–	–	–	–	–	–	–	–
17 " "	–	–	–	–	–	–	–	–	–	–	–
18 " "	1	–	–	–	–	–	1	–	–	–	2
19 " "	1	–	1	–	–	2	–	–	–	–	4
20 " "	–	–	–	–	1	–	1	–	–	1	3
21 " "	3	–	–	–	1	1	–	–	–	–	5
22 " "	–	–	–	–	–	–	–	–	–	2	2
23 " "	1	–	–	–	–	2	–	–	–	–	3
24 " "	1	–	–	–	–	–	–	–	1	–	2
25 " "	–	–	–	–	–	4	–	–	1	1	6
26 " "	–	–	1	–	–	1	–	–	–	–	2
27 " "	–	–	–	–	–	–	1	–	–	–	1
28 " "	–	–	–	–	–	2	–	–	–	1	3
29 " "	–	–	–	–	1	–	1	–	–	–	2
30 " "	–	–	–	–	–	2	–	–	–	1	3
31 " "	–	–	–	–	–	–	–	1	–	–	1
32 " "	–	–	–	–	–	1	–	1	–	–	2
33 " "	–	–	–	–	–	1	–	–	–	–	1
34 " "	–	–	–	–	–	1	1	–	–	1	3
35 " "	–	–	–	–	–	2	1	–	–	–	3
36 " "	–	–	–	–	1	–	–	–	–	–	1
37 " "	–	–	–	–	–	1	1	–	–	1	3
38 " "	–	–	1	–	–	1	–	–	–	–	2
39 " "	–	–	–	–	–	–	–	–	–	–	–
40 " "	1	–	–	–	–	–	–	–	–	–	1
41 " "	–	–	–	–	–	–	–	–	–	–	–
42 " "	–	–	–	–	–	–	–	–	–	–	–
43 " "	–	–	–	–	–	–	–	–	–	–	–
44 " "	–	–	–	–	–	–	–	–	–	–	–
45 " "	–	–	–	–	–	–	–	–	–	–	–
46 " "	–	–	–	–	–	–	1	–	–	–	1
Not stated—Non donné	–	–	–	–	–	2	–	–	–	–	2
Total	8	–	3	–	4	24	8	2	2	8	59

TABLE E—Deaths of Indian children under 1 year (exclusive of stillbirths) by months and provinces, 1928
TABLEAU E—Enfants indiens décédés dans leur première année (mort-nés exclus) par mois et provinces, 1928

Provinces	Total	Months—Mois															
		January — Janvier	February — Février	March — Mars	April — Avril	May — Mai	June — Juin	July — Juillet	August — Août	September — Septembre	October — Octobre	November — Novembre	December — Décembre
Canada[1]	411	32	34	44	36	24	42	26	19	31	34	35	54
Prince Edward Island	1	–	–	–	–	1	–	–	–	–	–	–	–
Nova Scotia	8	–	3	–	1	–	–	–	–	–	2	–	–
New Brunswick	12	–	–	1	–	–	1	1	–	2	2	2	5
Quebec	27	4	2	2	3	3	4	3	–	1	2	3	–
Ontario	69	3	2	6	11	6	9	5	7	5	6	3	6
Manitoba	45	4	5	7	3	2	5	1	1	2	4	5	6
Saskatchewan	95	6	9	16	6	4	4	6	4	8	9	10	13
Alberta	88	6	9	8	2	6	10	5	6	9	2	6	19
British Columbia	66	9	4	4	10	2	9	5	1	4	7	6	5

(1) Exclusive of Yukon and the Northwest Territories—Ne comprend pas le Yukon et les Territoires du Nord-Ouest.

TABLE F—Deaths of Indian children under 1 year (exclusive of stillbirths) by age at death, 1928
TABLEAU F—Enfants indiens décédés dans leur première année (mort-nés exclus) par âge au décès, 1928

Ages—Âges		Canada[1]	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
All infants—Tous les enfants	**Total**	**411**	**1**	**8**	**12**	**27**	**69**	**45**	**95**	**88**	**66**
	M.	**239**	**1**	**3**	**8**	**18**	**34**	**13**	**70**	**54**	**38**
	F.	**172**	–	**5**	**4**	**9**	**35**	**32**	**25**	**34**	**28**
Under 1 day—Moins d'un jour	Total	44	–	1	3	4	9	4	7	9	7
	M.	30	–	1	2	4	6	3	5	5	4
	F.	14	–	–	1	–	3	1	2	4	3
1 day—1 jour	Total	14	–	–	–	1	6	1	1	3	2
	M.	9	–	–	–	–	4	–	1	3	1
	F.	5	–	–	–	1	2	1	–	–	1
2 days—2 jours	Total	12	–	1	–	2	1	1	3	2	2
	M.	9	–	–	–	2	–	1	2	2	2
	F.	3	–	1	–	–	1	–	1	–	–
3 days—3 jours	Total	5	–	–	–	1	–	1	–	3	–
	M.	3	–	–	–	–	–	–	–	3	–
	F.	2	–	–	–	1	–	1	–	–	–
4 days—4 jours	Total	4	–	–	–	–	1	–	1	1	1
	M.	2	–	–	–	–	1	–	–	–	1
	F.	2	–	–	–	–	–	–	1	1	–
5 days—5 jours	Total	2	–	–	–	1	1	–	–	–	–
	M.	2	–	–	–	1	1	–	–	–	–
	F.	–	–	–	–	–	–	–	–	–	–
6 days—6 jours	Total	5	–	–	–	–	2	–	1	2	–
	M.	4	–	–	–	–	1	–	1	2	–
	F.	1	–	–	–	–	1	–	–	–	–
Under 1 week—Moins d'une semaine	*Total*	*86*	–	*2*	*3*	*9*	*20*	*7*	*13*	*20*	*12*
	M.	*59*	–	*1*	*2*	*7*	*13*	*4*	*9*	*15*	*8*
	F.	*27*	–	*1*	*1*	*2*	*7*	*3*	*4*	*5*	*4*
1 week and under 2 weeks—1 semaine et moins de 2 semaines	Total	30	–	–	–	1	3	3	3	10	10
	M.	22	–	–	–	1	2	1	3	8	7
	F.	8	–	–	–	–	1	2	–	2	3
2 weeks and under 3 weeks—2 semaines et moins de 3 semaines	Total	12	–	–	–	1	4	–	3	2	2
	M.	7	–	–	–	1	1	–	3	1	1
	F.	5	–	–	–	–	3	–	–	1	1
3 weeks and under 1 month—3 semaines et moins de 1 mois	Total	15	–	–	1	–	5	2	4	1	2
	M.	10	–	–	1	–	1	2	4	–	2
	F.	5	–	–	–	–	4	–	–	1	–
Under 1 month—Moins d'un mois	*Total*	*143*	–	*2*	*4*	*11*	*32*	*12*	*23*	*33*	*26*
	M.	*98*	–	*1*	*3*	*9*	*17*	*7*	*19*	*24*	*18*
	F.	*45*	–	*1*	*1*	*2*	*15*	*5*	*4*	*9*	*8*
1 month and under 2 months—1 mois et moins de 2 mois	Total	32	–	–	1	2	5	4	12	4	4
	M.	15	–	–	–	1	1	–	7	3	3
	F.	17	–	–	1	1	4	4	5	1	1
2 months and under 3 months—2 mois et moins de 3 mois	Total	40	1	2	–	2	8	5	8	12	2
	M.	22	1	1	–	–	6	–	6	8	–
	F.	18	–	1	–	2	2	5	2	4	2
3 months and under 4 months—3 mois et moins de 4 mois	Total	34	–	–	2	2	6	7	8	4	5
	M.	18	–	–	2	1	1	2	6	3	3
	F.	16	–	–	–	1	5	5	2	1	2
4 months and under 5 months—4 mois et moins de 5 mois	Total	24	–	–	1	3	2	3	7	4	4
	M.	15	–	–	1	3	1	1	5	1	3
	F.	9	–	–	–	–	1	2	2	3	1
5 months and under 6 months—5 mois et moins de 6 mois	Total	26	–	1	2	2	3	5	4	4	5
	M.	15	–	–	1	2	2	2	2	2	4
	F.	11	–	1	1	–	1	3	2	2	1
6 months and under 7 months—6 mois et moins de 7 mois	Total	24	–	–	1	1	2	–	7	7	6
	M.	15	–	–	1	1	2	–	4	4	3
	F.	9	–	–	–	–	–	–	3	3	3
7 months and under 8 months—7 mois et moins de 8 mois	Total	19	–	–	–	–	7	1	7	2	2
	M.	11	–	–	–	–	3	–	6	2	–
	F.	8	–	–	–	–	4	1	1	–	2
8 months and under 9 months—8 mois et moins de 9 mois	Total	21	–	–	1	–	2	2	9	5	2
	M.	11	–	–	–	–	–	–	8	2	1
	F.	10	–	–	1	–	2	2	1	3	1
9 months and under 10 months—9 mois et moins de 10 mois	Total	17	–	1	–	1	1	1	4	7	2
	M.	7	–	–	–	1	1	–	3	2	–
	F.	10	–	1	–	–	–	1	1	5	2
10 months and under 11 months—10 mois et moins de 11 mois	Total	22	–	2	–	2	1	2	3	5	7
	M.	6	–	1	–	–	–	–	1	2	2
	F.	16	–	1	–	2	1	2	2	3	5
11 months and under 12 months—11 mois et moins de 12 mois	Total	9	–	–	–	1	–	3	3	1	1
	M.	6	–	–	–	–	–	1	3	1	1
	F.	3	–	–	–	1	–	2	–	–	–

[1] Exclusive of Yukon and the Northwest Territories—Ne comprend pas le Yukon et les Territoires du Nord-Ouest.

TABLE G--Deaths of Indian children (exclusive of stillbirths) from certain specified causes in first year of life, for each sex by provinces, 1928

Int. list No.	Causes of death — Causes de décès	Canada (1)			P.E.I.			N.S.		
		Total	M.	F.	Total	M.	F.	Total	M.	F.
	All causes—Toutes causes	**411**	**239**	**172**	**1**	**1**	**–**	**8**	**3**	**5**
7	Measles—Rougeole	4	2	2	–	–	–	–	–	–
8	Scarlet fever—Scarlatine	–	–	–	–	–	–	–	–	–
9	Whooping-cough—Coqueluche	29	18	11	–	–	–	1	–	1
10	Diphtheria—Diphtérie	–	–	–	–	–	–	–	–	–
11	Influenza—Grippe	28	15	13	–	–	–	–	–	–
16	Dysentery—Dysenterie	–	–	–	–	–	–	–	–	–
21	Erysipelas—Érysipèle	1	1	–	–	–	–	–	–	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë	–	–	–	–	–	–	–	–	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique	–	–	–	–	–	–	–	–	–
29	Tetanus—Tétanos	–	–	–	–	–	–	–	–	–
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire	15	8	7	–	–	–	1	1	–
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central	4	2	2	–	–	–	–	–	–
33–37	Tuberculosis, other forms—Tuberculose, autres formes	–	–	–	–	–	–	–	–	–
38	Syphilis	3	1	2	–	–	–	–	–	–
41	Purulent infection, septicaemia—Infection purulente, septicémie	–	–	–	–	–	–	–	–	–
56	Rickets—Rachitisme	2	1	1	–	–	–	–	–	–
62	Diseases of the thymus—Affections du thymus	–	–	–	–	–	–	–	–	–
70	Encephalitis—Encéphalite	–	–	–	–	–	–	–	–	–
71a	Simple meningitis—Méningite simple	6	3	3	–	–	–	–	–	–
71b	Non-epidemic, cerebrospinal meningitis—Méningite cérébro-spinale non épidémique	–	–	–	–	–	–	–	–	–
80	Convulsions	8	5	3	–	–	–	–	–	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien	–	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite	13	8	5	–	–	–	–	–	–
100	Bronchopneumonia—Broncho-pneumonie	39	17	22	–	–	–	2	–	2
101	Pneumonia—Pneumonie	52	26	26	–	–	–	–	–	–
110–112	Diseases of the stomach—Affections de l'estomac	11	5	6	–	–	–	–	–	–
113	Diarrhoea and enteritis—Diarrhée et entérite	29	15	14	1	1	–	1	–	1
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale	–	–	–	–	–	–	–	–	–
128	Nephritis—Néphrite	–	–	–	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	1	1	–	–	–	–	–	–	–
159	Malformations—Vices de conformation	5	4	1	–	–	–	–	–	–
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale	–	–	–	–	–	–	–	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur	3	3	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre	2	1	1	–	–	–	–	–	–
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème	53	36	17	–	–	–	3	2	1
161a	Premature birth—Naissance prématurée	35	25	10	–	–	–	–	–	–
161b	Injury at birth—Conséquence de l'accouchement	9	7	2	–	–	–	–	–	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	40	25	15	–	–	–	–	–	–
	(a) Specified diseases—Affections spécifiées	11	5	6	–	–	–	–	–	–
	(b) Unspecified causes under 3 months—Causes non spécifiées au-dessous de 3 mois	29	20	9	–	–	–	–	–	–
175–203	External causes—Causes extérieures	2	2	–	–	–	–	–	–	–
	Other specified causes—Autres causes spécifiées	10	4	6	–	–	–	–	–	–
204, 205	Unspecified or ill-defined causes—Causes non spécifiées ou mal définies	12	8	4	–	–	–	–	–	–

(1) Exclusive of Yukon and the Northwest Territories.

TABLEAU G—Décès d'enfants indiens dans leur première année d'existence (mort-nés exclus), par sexe et par certaines causes spécifiées, dans chaque province, 1928

N.B.			Que.			Ont.			Man.			Sask.			Alta.			B.C.			No. liste int.
Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	
12	**8**	**4**	**27**	**18**	**9**	**69**	**34**	**35**	**45**	**13**	**32**	**95**	**70**	**25**	**88**	**54**	**34**	**66**	**38**	**28**	
–	–	–	1	1	–	1	1	–	1	–	1	–	–	–	1	–	1	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	–	–	–	–	–	3	–	3	4	2	2	15	13	2	5	2	3	1	1	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
–	–	–	1	1	–	5	2	3	3	1	2	7	3	4	10	7	3	2	1	1	11
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	21
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
–	–	–	–	–	–	1	–	1	2	–	2	2	2	–	4	3	1	5	2	3	31
–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	1	1	–	1	32
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	33–37
1	–	1	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	41
–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	56
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70
–	–	–	2	2	–	3	1	2	–	–	–	–	–	–	1	–	1	–	–	–	71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
–	–	–	–	–	–	1	–	1	–	–	–	3	2	1	3	2	1	1	1	–	80
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	86
–	–	–	–	–	–	–	–	–	4	1	3	6	5	1	–	–	–	3	2	1	99
6	4	2	1	–	1	6	3	3	5	–	5	10	9	1	5	1	4	4	–	4	100
1	1	–	2	1	1	7	3	4	3	–	3	9	5	4	21	13	8	9	3	6	101
–	–	–	–	–	–	8	4	4	1	–	1	–	–	–	–	–	–	2	1	1	110–112
1	1	–	2	2	–	4	1	3	7	1	6	9	7	2	2	1	1	2	1	1	113
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	118
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	128
–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	153
–	–	–	–	–	–	4	3	1	–	–	–	–	–	–	1	1	–	–	–	–	159
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159a
–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	1	1	–	–	–	–	159b
–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	159c
–	–	–	8	5	3	2	2	–	2	2	–	21	11	10	9	7	2	8	7	1	160
2	1	1	1	1	–	16	9	7	4	3	1	5	5	–	4	4	–	3	2	1	161a
–	–	–	2	2	–	2	2	–	1	1	–	–	–	–	3	2	1	1	–	1	161b
1	1	–	2	1	1	–	–	–	3	–	3	4	4	–	16	10	6	14	9	5	162
–	–	–	1	1	–	–	–	–	2	–	2	1	1	–	3	1	2	4	2	2	162a
1	1	–	1	–	1	–	–	–	1	–	1	3	3	–	13	9	4	10	7	3	162b
–	–	–	–	–	–	1	1	–	–	–	–	1	1	–	–	–	–	–	–	–	175–203
–	–	–	4	1	3	2	1	1	–	–	–	–	–	–	–	–	–	4	2	2	
–	–	–	1	1	–	1	–	1	3	1	2	1	1	–	1	–	1	5	5	–	204, 205

(1) Ne comprend pas le Yukon et les Territoires du Nord-Ouest.

TABLE H—Total deaths of Indians (exclusive of stillbirths) by months and provinces, 1928
TABLEAU H—Total des décès d'Indiens (mort-nés exclus) par mois et provinces, 1928

Provinces	Total	Months—Mois											
		January — Janvier	February — Février	March — Mars	April — Avril	May — Mai	June — Juin	July — Juillet	August Août	September — Septembre	October — Octobre	November — Novembre	December — Décembre
Canada [1]	**1,923**	**183**	**167**	**181**	**188**	**166**	**164**	**146**	**139**	**131**	**130**	**147**	**181**
Prince Edward Island	2	–	–	–	–	2	–	–	–	–	–	–	–
Nova Scotia	29	3	6	–	4	4	2	1	2	2	2	2	1
New Brunswick	36	1	1	2	3	4	3	2	1	5	3	2	9
Quebec	122	16	14	11	7	13	9	12	7	5	8	12	8
Ontario	441	26	33	46	49	53	45	28	35	28	33	30	35
Manitoba	205	15	14	22	28	17	12	9	13	21	14	19	21
Saskatchewan	282	31	27	29	19	19	20	23	18	20	24	22	30
Alberta	303	27	33	31	19	20	28	35	23	17	7	21	42
British Columbia	503	64	39	40	59	34	45	36	40	33	39	39	35

[1] Exclusive of Yukon and the Northwest Territories—Ne comprend pas le Yukon et les Territoires du Nord-Ouest.

TABLE I—Deaths of Indians (exclusive of stillbirths) by age at death, 1928
TABLEAU I—Décès d'Indiens (mort-nés exclus) par âge au décès, 1928

Ages—Âges		Canada[1]	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
All ages—Tous âges	**Total**	**1,923**	**2**	**29**	**36**	**122**	**441**	**205**	**282**	**303**	**503**
	M.	**975**	**1**	**12**	**20**	**68**	**210**	**90**	**159**	**164**	**251**
	F.	**948**	**1**	**17**	**16**	**54**	**231**	**115**	**123**	**139**	**252**
Under 1 year [2]—Moins d'un an[2]	Total	411	1	8	12	27	69	45	95	88	66
	M.	239	1	3	8	18	34	13	70	54	38
	F.	172	–	5	4	9	35	32	25	34	28
1 year—an	Total	110	–	1	5	4	25	16	16	21	22
	M.	60	–	1	4	3	14	7	9	10	12
	F.	50	–	–	1	1	11	9	7	11	10
2 years—ans	Total	64	–	1	2	1	14	7	4	12	23
	M.	35	–	–	–	1	6	4	2	5	17
	F.	29	–	1	2	–	8	3	2	7	6
3 years—ans	Total	41	–	–	–	3	8	3	6	10	11
	M.	21	–	–	–	2	3	–	5	3	8
	F.	20	–	–	–	1	5	3	1	7	3
4 years—ans	Total	25	–	–	–	2	4	4	7	4	4
	M.	11	–	–	–	2	3	1	2	1	2
	F.	14	–	–	–	–	1	3	5	3	2
Under 5 years—Moins de 5 ans.	*Total*	*651*	*1*	*10*	*19*	*37*	*120*	*75*	*128*	*135*	*126*
	M.	*366*	*1*	*4*	*12*	*26*	*60*	*25*	*88*	*73*	*77*
	F.	*285*	–	*6*	*7*	*11*	*60*	*50*	*40*	*62*	*49*
5-9 years—ans	Total	139	–	1	3	3	21	17	16	35	43
	M.	74	–	1	2	–	13	7	11	20	20
	F.	65	–	–	1	3	8	10	5	15	23
10-14 years—ans	Total	131	–	3	1	11	33	8	17	11	47
	M.	52	–	1	–	5	10	4	7	5	20
	F.	79	–	2	1	6	23	4	10	6	27
15-19 years—ans	Total	147	1	4	2	3	37	15	25	19	41
	M.	65	–	1	1	–	18	5	13	9	18
	F.	82	1	3	1	3	19	10	12	10	23
20-24 years—ans	Total	93	–	–	1	2	31	14	13	16	16
	M.	29	–	–	–	1	8	2	7	6	5
	F.	64	–	–	1	1	23	12	6	10	11
25-29 years—ans	Total	72	–	–	–	4	13	11	8	12	24
	M.	37	–	–	–	2	6	8	2	9	10
	F.	35	–	–	–	2	7	3	6	3	14
30-34 years—ans	Total	58	–	–	–	3	13	6	5	8	23
	M.	23	–	–	–	1	6	3	3	4	6
	F.	35	–	–	–	2	7	3	2	4	17
35-39 years—ans	Tota	40	–	–	–	4	7	5	1	6	17
	M.	15	–	–	–	1	2	2	1	2	7
	F.	25	–	–	–	3	5	3	–	4	10
40-44 years—ans	Total	41	–	1	–	2	8	6	4	7	13
	M.	17	–	–	–	2	1	5	–	3	6
	F.	24	–	1	–	–	7	1	4	4	7
45-49 years—ans	Total	47	–	1	–	7	18	3	3	3	12
	M.	23	–	–	–	5	8	2	2	1	5
	F.	24	–	1	–	2	10	1	1	2	7
50-54 years—ans	Total	51	–	1	2	3	12	5	4	5	19
	M.	24	–	1	1	1	7	4	1	4	5
	F.	27	–	–	1	2	5	1	3	1	14
55-59 years—ans	Total	55	–	1	3	2	16	3	9	5	16
	M.	27	–	–	1	–	6	3	3	3	11
	F.	28	–	1	2	2	10	–	6	2	5
60-64 years—ans	Total	58	–	–	1	6	20	4	8	4	15
	M.	29	–	–	–	2	11	2	4	1	9
	F.	29	–	–	1	4	9	2	4	3	6
65-69 years—ans	Total	60	–	3	2	4	12	6	9	10	14
	M.	44	–	2	2	3	11	3	7	8	8
	F.	16	–	1	–	1	1	3	2	2	6
70-74 years—ans	Total	68	–	–	1	9	17	6	4	6	25
	M.	36	–	–	–	6	6	5	1	4	14
	F.	32	–	–	1	3	11	1	3	2	11
75-79 years—ans	Total	61	–	1	1	10	15	9	5	8	12
	M.	38	–	1	1	7	9	4	1	6	9
	F.	23	–	–	–	3	6	5	4	2	3
80-84 years—ans	Total	66	–	1	–	5	21	4	7	7	21
	M.	33	–	–	–	2	12	1	4	3	11
	F.	33	–	1	–	3	9	3	3	4	10
85-89 years—ans	Total	33	–	1	–	4	11	2	4	2	9
	M.	19	–	–	–	2	9	1	1	1	5
	F.	14	–	1	–	2	2	1	3	1	4
90-94 years—ans	Total	18	–	–	–	1	3	4	3	2	5
	M.	13	–	–	–	–	2	2	2	2	5
	F.	5	–	–	–	1	1	2	1	–	–
95-99 years—ans	Total	14	–	1	–	1	6	–	5	–	1
	M.	5	–	1	–	1	2	–	1	–	–
	F.	9	–	–	–	–	4	–	4	–	1
100 years and over—ans et plus	Total	9	–	–	–	1	–	–	4	2	2
	M.	1	–	–	–	1	–	–	–	–	–
	F.	8	–	–	–	–	–	–	4	2	2
Age not stated—Âge non donné	Total	11	–	–	–	–	7	2	–	–	2
	M.	5	–	–	–	–	3	2	–	–	–
	F.	6	–	–	–	–	4	–	–	–	2

[1] Exclusive of Yukon and the Northwest Territories—Ne comprend pas le Yukon et les Territoires du Nord-Ouest.
[2] For age periods under 1 year, see table F, page 481—Pour moins d'un an voir tableau F, page 481.

TABLE J—Causes of deaths of Indians by sex in each province, 1928

Int. list No.	Causes of death — Causes de décès		Canada (1)	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
	DEATHS—ALL CAUSES—DÉCÈS—TOUTES CAUSES.	**Total**	**1,923**	**2**	**29**	**36**	**122**	**441**	**205**	**282**	**303**	**503**
		M.	**975**	**1**	**12**	**20**	**68**	**210**	**90**	**159**	**164**	**251**
		F.	**948**	**1**	**17**	**16**	**54**	**231**	**115**	**123**	**139**	**252**
	CLASS I—EPIDEMIC, ENDEMIC AND INFECTIOUS DISEASES—CLASSE I—AFFECTIONS ÉPIDÉMIQUES, ENDÉMIQUES ET INFECTIEUSES.	**Total**	**831**	**–**	**9**	**10**	**35**	**182**	**90**	**130**	**156**	**219**
		M.	**391**	**–**	**2**	**4**	**20**	**76**	**37**	**72**	**82**	**98**
		F.	**440**	**–**	**7**	**6**	**15**	**106**	**53**	**58**	**74**	**121**
1	Typhoid and paratyphoid fever—Fièvre typhoïde et paratyphoïde.	M.	4	–	–	–	2	1	1	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1
	(a) Typhoid fever—Fièvre typhoïde.	M.	4	–	–	–	2	1	1	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1
	(b) Paratyphoid fever—Fièvre paratyphoïde.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
6	Small-pox—Variole	M.	1	–	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
7	Measles—Rougeole	M.	6	–	–	–	3	1	–	–	–	2
		F.	7	–	–	–	–	4	1	–	1	1
8	Scarlet fever—Scarlatine	M.	1	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
9	Whooping-cough—Coqueluche.	M.	28	–	–	–	–	1	2	18	4	3
		F.	22	–	1	–	–	4	2	6	6	3
10	Diphtheria—Diphtérie	M.	1	–	–	–	–	–	–	–	1	–
		F.	2	–	–	–	–	–	1	–	–	1
11	Influenza—Grippe	M.	68	–	–	–	6	17	1	7	21	16
		F.	61	–	–	–	1	18	8	10	12	12
	(a) Sole cause—Cause unique	M.	33	–	–	–	1	6	1	4	13	8
		F.	35	–	–	–	–	13	3	5	10	4
	(b) With phthisis—Avec phtisie	M.	3	–	–	–	–	–	–	–	–	3
		F.	7	–	–	–	–	–	2	1	–	4
	(c) With bronchitis—Avec bronchite	M.	3	–	–	–	–	2	–	1	–	–
		F.	1	–	–	–	–	–	–	–	1	–
	(d) With pneumonia—Avec pneumonie.	M.	23	–	–	–	2	9	–	2	6	4
		F.	13	–	–	–	–	5	1	3	1	3
	(e) With other respiratory diseases—Avec autres affections de l'appareil respiratoire.	M.	2	–	–	–	1	–	–	–	–	1
		F.	1	–	–	–	1	–	–	–	–	–
	(f) With diseases and accidents of pregnancy and parturition—Avec affections et accidents de la grossesse.	F.	–	–	–	–	–	–	–	–	–	–
	(g) With other causes—Avec autres causes.	M.	4	–	–	–	2	–	–	–	2	–
		F.	4	–	–	–	–	–	2	1	–	1
16	Dysentery—Dysenterie	M.	1	–	–	–	–	1	–	–	–	–
		F.	3	–	–	–	–	–	–	1	1	1
21	Erysipelas—Érysipèle	M.	1	–	–	–	–	–	–	–	–	1
		F.	1	–	–	–	–	–	1	–	–	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë.	M.	1	–	–	–	–	–	–	1	–	–
		F.	2	–	–	–	–	–	–	1	–	1
23	Lethargic encephalitis—Encéphalite léthargique.	M.	1	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique.	M.	1	–	–	–	–	–	–	–	1	–
		F.	4	–	–	–	–	–	–	1	2	1
31-37	**Tuberculosis—Tuberculose.**	**M.**	**270**	**–**	**2**	**4**	**8**	**53**	**32**	**46**	**52**	**73**
		F.	**328**	**–**	**6**	**4**	**14**	**77**	**40**	**39**	**49**	**99**
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire.	M.	220	–	2	4	8	48	26	31	39	62
		F.	287	–	5	3	12	70	37	37	35	88
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central.	M.	19	–	–	–	–	2	1	8	6	2
		F.	18	–	–	–	1	1	2	2	6	6
33	Tuberculosis of the intestines and peritoneum—Tuberculose des intestins et du péritoine.	M.	14	–	–	–	–	–	2	4	5	3
		F.	12	–	1	1	–	3	–	–	5	2
34	Tuberculosis of the vertebral column—Tuberculose de la colonne vertébrale.	M.	4	–	–	–	–	1	1	–	1	1
		F.	1	–	–	–	–	–	–	–	–	1
36	Tuberculosis of other organs — Tuberculose d'autres organes.	M.	7	–	–	–	–	–	1	2	–	4
		F.	2	–	–	–	–	–	–	–	1	1

(1) Exclusive of Yukon and the Northwest Territories—Ne comprend pas le Yukon et les Territoires du Nord-Ouest.

TABLEAU J—Causes de décès d'Indiens, par sexe, dans chaque province, 1928

Int. list No.	Causes of death — Causes de décès		Canada	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
	CLASS I–con.—CLASSE I–fin											
36	(a) Skin and sub-cutaneous cellular tissue—De la peau et du tissu cellulaire sous-cutané.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Bones (vertebral column excepted)—Des os (excepté la colonne vertébrale).	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Lymphatic system (mesenteric and retroperitoneal glands excepted)—Du système lymphatique (excepté les ganglions mésentériques et les ganglions rétropéritonéaux).	M.	5	–	–	–	–	–	–	2	–	3
		F.	2	–	–	–	–	–	–	–	1	1
	(d) Genito-urinary system — Des organes génito-urinaires.	M.	2	–	–	–	–	–	1	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Organs other than above—Autres organes que ceux déjà mentionnés.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
37	Disseminated tuberculosis— Tuberculose disséminée	M.	6	–	–	–	–	2	1	1	1	1
		F.	8	–	–	–	1	3	1	–	2	1
	(a) Acute—Aiguë	M.	3	–	–	–	–	2	–	–	–	1
		F.	3	–	–	–	1	1	1	–	–	–
	(b) Chronic or unstated—Chronique ou non spécifiée.	M.	3	–	–	–	–	–	1	1	1	–
		F.	5	–	–	–	–	2	–	–	2	1
38	Syphilis	M.	5	–	–	–	–	–	1	–	1	3
		F.	8	–	–	2	–	2	–	–	3	1
41	Purulent infection, septicaemia —Infection purulente, septicémie.	M.	2	–	–	–	–	1	–	–	1	–
		F.	1	–	–	–	–	1	–	–	–	–
	CLASS II—GENERAL DISEASES NOT INCLUDED IN CLASS I—CLASSE II—MALADIES GÉNÉRALES NON MENTIONNÉES DANS LA CLASSE I.	**Total**	**65**	**–**	**2**	**2**	**7**	**17**	**7**	**9**	**8**	**13**
		M.	**30**	**–**	**–**	**1**	**5**	**10**	**3**	**6**	**3**	**2**
		F.	**35**	**–**	**2**	**1**	**2**	**7**	**4**	**3**	**5**	**11**
43-49	**Cancer**	**M.**	**18**	**–**	**–**	**1**	**3**	**6**	**3**	**4**	**1**	**–**
		F.	**24**	**–**	**2**	**1**	**2**	**2**	**3**	**2**	**4**	**8**
43	Cancer of the buccal cavity—Cancer de la cavité buccale.	M.	2	–	–	–	–	2	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
44	Cancer of the stomach and liver—Cancer de l'estomac et du foie.	M.	11	–	–	1	2	2	2	3	1	–
		F.	8	–	–	–	2	–	1	1	2	2
45	Cancer of the peritoneum, intestines and rectum—Cancer du péritoine, des intestins et du rectum.	M.	1	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
46	Cancer of the female genital organs — Cancer des organes génitaux de la femme.	F.	9	–	2	1	–	–	2	–	1	3
47	Cancer of the breast—Cancer du sein	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–
48	Cancer of the skin—Cancer de la peau.	M.	2	–	–	–	–	–	1	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
49	Cancer of other or unspecified organs — Cancer d'autres organes ou d'organes non spécifiés.	M.	2	–	–	–	1	1	–	–	–	–
		F.	6	–	–	–	–	1	–	1	1	3
	(a) Cancer of eye and ear—Cancer de l'œil et de l'oreille.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Cancer of circulatory system—Cancer de l'appareil circulatoire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Cancer of respiratory system—Cancer de l'appareil respiratoire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1
	(d) Cancer of digestive system—Cancer de l'appareil digestif.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	1	–	1
	(e) Cancer of genito-urinary system—Cancer de l'appareil génito-urinaire.	M.	2	–	–	–	1	1	–	–	–	–
		F.	2	–	–	–	–	1	–	–	–	1
	(f) Cancer of bones and joints—Cancer des os et des articulations.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLE J—Causes of deaths of Indians by sex in each province, 1928—*con.*

Int. list No.	Causes of death — Causes de décès		Canada	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
	CLASS II—con.—CLASSE II—fin											
49	(g) Cancer of other specified organs—Cancer d'autres organes spécifiés.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	1	–
	(h) Generalized cancer—Cancer généralisé.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(i) Unspecified—Non spécifiés.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
50	Benign tumours and tumours not returned as malignant (tumours of female genital organs excepted)—Tumeurs bénignes et tumeurs non données comme malignes (tumeurs des organes génitaux de la femme exceptées).	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1
51	Acute rheumatic fever—Rhumatisme articulaire aigu fébrile.	M.	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	1	1	1
52	Chronic rheumatism, osteo-arthritis, gout—Rhumatisme chronique ou goutte.	M.	4	–	–	–	–	2	–	–	–	2
		F.	1	–	–	–	–	1	–	–	–	–
56	Rickets—Rachitisme.....	M.	1	–	–	–	–	–	–	1	–	–
		F.	1	–	–	–	–	–	1	–	–	–
57	Diabetes mellitus—Diabète.	M.	3	–	–	–	1	–	–	1	1	–
		F.	–	–	–	–	–	–	–	–	–	–
58	Anaemia, chlorosis—Anémie, chlorose.	M.	2	–	–	–	1	–	–	–	1	–
		F.	2	–	–	–	–	2	–	–	–	–
	(a) Pernicious anaemia—Anémie pernicieuse.	M.	1	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other anaemias and chlorosis—Autres anémies et chloroses.	M.	1	–	–	–	1	–	–	–	–	–
		F.	2	–	–	–	–	2	–	–	–	–
60	Diseases of the thyroid gland—Affections de la glande thyroïde.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	2	–	–	–	–
	(a) Exophthalmic goiter—Goître exophtalmique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–
	(b) Other diseases of the thyroid gland—Autres affections de la glande thyroïde.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–
61	Diseases of the parathyroid glands—Affections des glandes parathyroïdes.	M.	1	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
65	Leukaemia, lymphadenoma—Leucémie, lymphadénie.	M.	1	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Leukaemia—Leucémie.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Lymphadenoma (Hodgkin's disease)—Lymphadénie (maladie d'Hodgkin).	M.	1	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
66	Alcoholism—Alcoolisme.....	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1
	(a) Delirium tremens.....	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Acute alcoholism—Alcoolisme aigu.....	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1
	(c) Chronic alcoholism—Alcoolisme chronique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS III—DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE — CLASSE III—AFFECTIONS DU SYSTÈME NERVEUX ET DES ORGANES DES SENS.	Total	75	–	1	–	10	24	3	8	10	19
		M.	45	–	1	–	6	12	2	5	5	14
		F.	30	–	–	–	4	12	1	3	5	5
70	Encephalitis—Encéphalite....	M.	3	–	–	–	–	–	–	1	1	1
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Abscess of brain—Abcès du cerveau.....	M.	3	–	–	–	–	–	–	1	1	1
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Encephalitis—Encéphalite.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
71	Meningitis—Méningite.....	M.	8	–	–	–	4	2	–	–	1	1
		F.	6	–	–	–	–	3	–	–	1	2
	(a) Simple meningitis—Méningite simple.	M.	8	–	–	–	4	2	–	–	1	1
		F.	6	–	–	–	–	3	–	–	1	2

TABLEAU J—Causes de décès d'Indiens, par sexe, dans chaque province, 1928—*suite*

Int. list No.	Causes of death — Causes de décès		Canada	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
	CLASS III—con.—**CLASSE III**—fin											
71	(b) Non-epidemic cerebrospinal meningitis — Méningite cérébro-spinale non épidémique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
74	Cerebral haemorrhage, apoplexy—Hémorragie cérébrale, apoplexie.	M.	6	–	–	–	1	2	–	1	–	2
		F.	8	–	–	–	2	2	–	2	1	1
	(a) Apoplexy—Apoplexie....	M.	3	–	–	–	–	2	–	–	–	1
		F.	5	–	–	–	1	2	–	–	1	1
	(b) Cerebral hæmorrhage —Hémorragie cérébrale.	M.	3	–	–	–	1	–	–	1	–	1
		F.	3	–	–	–	1	–	–	2	–	–
	(c) Cerebral thrombosis and embolism—Thrombose et embolie cérébrales.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
75	Paralysis without specified cause–Paralysie sans cause indiquée.	M.	3	–	–	–	–	1	–	–	–	2
		F.	1	–	–	–	–	1	–	–	–	–
	(a) Hemiplegia — Hémiplégie.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Others under this title— Autres sous ce titre.	M.	3	–	–	–	–	1	–	–	–	2
		F.	1	–	–	–	–	1	–	–	–	–
76	General paralysis of the insane —Paralysie générale des aliénés.	M.	1	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
77	Other forms of mental alienation—Autres formes de l'aliénation mentale.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	1	–	1	–	–	–
78	Epilepsy—Épilepsie.....	M.	8	–	–	–	–	3	1	1	–	3
		F.	3	–	–	–	–	1	–	–	1	1
80	Infantile convulsions (under 5 years of age)—Convulsions des enfants (moins de cinq ans).	M.	7	–	–	–	–	1	–	2	2	2
		F.	6	–	–	–	–	3	–	1	1	1
82	Neuralgia and neuritis—Névralgie et névrite.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–
84	Other diseases of the nervous system—Autres affections du système nerveux.	M.	4	–	–	–	1	1	–	–	1	1
		F.	2	–	–	–	–	1	–	–	1	–
86	Diseases of the ear and of the mastoid process — Affections de l'oreille et du sinus mastoïdien.	M.	5	–	1	–	–	1	1	–	–	2
		F.	1	–	–	–	1	–	–	–	–	–
	(a) Diseases of the ear—Affections de l'oreille.	M.	3	–	–	–	–	1	1	–	–	1
		F.	1	–	–	–	1	–	–	–	–	–
	(b) Diseases of the mastoid process—Affections du sinus mastoïdien.	M.	2	–	1	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS IV—DISEASES OF THE CIRCULATORY SYSTEM—CLASSE IV—AFFECTIONS DE L'APPAREIL CIRCULATOIRE.	**Total**	**106**	**–**	**5**	**2**	**13**	**50**	**6**	**9**	**2**	**19**
		M.	**51**	**–**	**3**	**1**	**4**	**23**	**5**	**4**	**1**	**10**
		F.	**55**	**–**	**2**	**1**	**9**	**27**	**1**	**5**	**1**	**9**
87-90	**Diseases of the heart—Affections du cœur**	**M.**	**42**	**–**	**3**	**1**	**2**	**17**	**4**	**4**	**1**	**10**
		F.	**42**	**–**	**2**	**1**	**7**	**19**	**1**	**4**	**1**	**7**
88	Endocarditis and myocarditis (acute)—Endocardite et myocardite (aiguës).	M.	1	–	–	–	–	1	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1
	(a) Acute endocarditis — Endocardite aiguë.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1
	(b) Acute myocarditis — Myocardite aiguë.	M.	1	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
89	Angina pectoris — Angine de poitrine.	M.	6	–	–	1	–	1	–	2	–	2
		F.	1	–	1	–	–	–	–	–	–	–
90	Other diseases of the heart —Autres affections du cœur.	M.	35	–	3	–	2	15	4	2	1	8
		F.	40	–	1	1	7	19	1	4	1	6
	(a Valvular disease — Affection valvulaire.	M.	11	–	1	–	1	4	3	–	–	2
		F.	10	–	1	1	–	6	1	–	–	1
	(b) Fatty degeneration of the heart — Dégénérescence ou stéanose du cœur.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Aortic insufficiency—Insuffisance aortique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–
	(d) Chronic endocarditis — Endocardite chronique.	M.	3	–	1	–	–	1	–	1	–	–
		F.	5	–	–	–	1	2	–	–	–	2
	(e) Chronic myocarditis — Myocardite chronique.	M.	12	–	1	–	1	7	–	–	–	3
		F.	14	–	–	–	4	6	–	2	1	1
	(f) Others under this title— Autres sous ce titre.	M.	9	–	–	–	–	3	1	1	1	3
		F.	10	–	–	–	2	4	–	2	–	2

TABLE J—Causes of deaths of Indians by sex in each province, 1928—*con.*

Int. list No.	Causes of death — Causes de décès		Canada	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
	CLASS IV-con.—**CLASSE IV**-fin											
91	Diseases of the arteries—Affections des artères.	M.	9	–	–	–	2	6	1	–	–	–
		F.	11	–	–	–	2	7	–	1	–	1
	(a) Aneurysm—Anévrisme.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Arteriosclerosis — Artério-sclérose.	M.	9	–	–	–	2	6	1	–	–	–
		F.	11	–	–	–	2	7	–	1	–	1
	(c) Other diseases of the arteries—Autres affections des artères.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
94	Diseases of the lymphatic system (lymphangitis, etc.)—Affections du système lymphatique(lymphangite, etc.).	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1
95	Haemorrhage without specified cause—Hémorragie sans cause déterminée.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–
	CLASS V—DISEASES OF THE RESPIRATORY SYSTEM—CLASSE V — AFFECTIONS DE L'APPAREIL RESPIRATOIRE.	Total	299	–	5	14	14	48	38	49	56	75
		M.	160	–	3	8	6	26	17	29	30	41
		F.	139	–	2	6	8	22	21	20	26	34
98	Diseases of the larynx—Affections du larynx.	M.	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	1	1	–	1	–	–
	(a) Laryngismus stridulus—Laryngite striduleuse.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	1	–	–	–	–	–
	(b) Laryngitis—Laryngite.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–
	(c) Croup	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	1	–	–
	(d) Other diseases of the larynx — Autres affections du larynx.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite	M.	15	–	1	–	–	1	2	5	1	5
		F.	10	–	–	–	–	–	4	2	1	3
	(a) Acute—Aiguë	M.	8	–	–	–	–	1	2	1	–	4
		F.	7	–	–	–	–	–	4	1	1	1
	(b) Chronic—Chronique	M.	4	–	1	–	–	–	–	1	1	1
		F.	1	–	–	–	–	–	–	–	–	1
	(c) Not otherwise defined, under 5 years of age—Sans épithète, au-dessous de cinq ans.	M.	3	–	–	–	–	–	–	3	–	–
		F.	1	–	–	–	–	–	–	–	–	1
	(d) Not otherwise defined, 5 years or over—Sans épithète, cinq ans ou au-dessus.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	1	–	–
100	Bronchopneumonia (including capillary bronchitis) — Broncho-pneumonie (y compris bronchite capillaire).	M.	42	–	–	5	1	7	6	9	4	10
		F.	43	–	2	4	1	10	9	2	7	8
	(a) Bronchopneumonia — Broncho-pneumonie.	M.	40	–	–	5	1	7	5	8	4	10
		F.	41	–	2	4	–	10	8	2	7	8
	(b) Capillary bronchitis — Bronchite capillaire.	M.	2	–	–	–	–	–	1	1	–	–
		F.	2	–	–	–	1	–	1	–	–	–
101	Pneumonia—Pneumonie	M.	90	–	2	3	3	13	7	15	25	22
		F.	74	–	–	2	3	11	7	15	17	19
	(a) Lobar—Lobaire	M.	25	–	–	–	3	3	2	5	5	7
		F.	13	–	–	1	–	2	1	4	1	4
	(b) Not otherwise defined—Sans épithète.	M.	65	–	2	3	–	10	5	10	20	15
		F.	61	–	–	1	3	9	6	11	16	15
102	Pleurisy—Pleurésie	M.	6	–	–	–	1	2	2	–	–	1
		F.	2	–	–	–	1	–	–	–	1	–
103	Congestion and haemorrhagic infarct of the lung—Congestion et hémorragie parenchymateuse des poumons.	M.	3	–	–	–	–	3	–	–	–	–
		F.	4	–	–	–	2	–	1	–	–	1
107	Other diseases of the respiratory system (tuberculosis excepted)—Autres affections de l'appareil respiratoire (tuberculose exceptée).	M.	4	–	–	–	1	–	–	–	–	3
		F.	3	–	–	–	–	–	–	–	–	3
	(a) Chronic interstitial pneumonia including occupational diseases of the lungs—Pneumonie interstitielle chronique comprenant les affections professionnelles de l'appareil pulmonaire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1

TABLEAU J—Causes de décès d'Indiens, par sexe, dans chaque province, 1928—*suite*

Int. list No.	Causes of death — Causes de décès		Canada	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
	CLASS V-con.—CLASSE V-fin											
107	(b) Diseases of the mediastinum—Affections du médiastin.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title— Autres sous ce titre.	M.	4	–	–	–	1	–	–	–	–	3
		F.	2	–	–	–	–	–	–	–	–	2
	CLASS VI—DISEASES OF THE DIGESTIVE SYSTEM—CLASSE VI—AFFECTIONS DE L'APPAREIL DIGESTIF.	Total	98	1	2	1	5	30	17	13	9	20
		M.	50	1	1	1	4	13	7	9	6	8
		F.	48	–	1	–	1	17	10	4	3	12
108	Diseases of the mouth and annexa—Affections de la bouche et de ses annexes.	M.	1	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
109	Diseases of the pharynx and tonsils (including adenoid vegetations)—Affections du pharynx et des amygdales (y compris les végétations adénoïdiennes).	M.	1	–	–	–	1	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1
	(a) Adenoid vegetations — Végétations adénoïdiennes.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Pharynx and tonsils— Pharynx et amygdales.	M.	1	–	–	–	1	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1
111	Ulcer of the stomach and duodenum—Ulcère de l'estomac et du duodénum.	M.	1	–	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Ulcer of the stomach— Ulcère de l'estomac.	M.	1	–	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Ulcer of the duodenum —Ulcère du duodénum.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
112	Other diseases of the stomach (cancer excepted)—Autres affections de l'estomac (cancer excepté).	M.	12	–	–	–	–	8	1	1	–	2
		F.	10	–	–	–	–	5	2	–	–	3
113	Diarrhoea and enteritis (under 2 years of age)—Diarrhée et entérite (au-dessous de 2 ans).	M.	20	1	–	1	2	1	4	7	2	2
		F.	17	–	1	–	–	3	6	3	3	1
114	Diarrhoea and enteritis (2 years or over)—Diarrhée et entérite (deux ans ou au-dessus).	M.	4	–	–	–	–	1	1	–	1	1
		F.	4	–	–	–	–	2	–	–	–	2
117	Appendicitis and typhlitis— Appendicite et typhlite.	M.	4	–	1	–	–	1	–	–	1	1
		F.	4	–	–	–	–	3	1	–	–	–
118	Hernia, intestinal obstruction —Hernie, obstruction intestinale.	M.	3	–	–	–	–	1	–	1	–	1
		F.	3	–	–	–	–	2	1	–	–	–
	(a) Hernia—Hernie.....	M.	2	–	–	–	–	–	–	1	–	1
		F.	3	–	–	–	–	2	1	–	–	–
	(b) Intestinal obstruction— Obstruction intestinale.	M.	1	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
119	Other diseases of the intestines —Autres affections des intestins.	M.	1	–	–	–	–	–	–	–	1	–
		F.	2	–	–	–	–	1	–	–	–	1
123	Biliary calculi—Calculs biliaires.	M.	1	–	–	–	–	–	–	–	–	1
		F.	2	–	–	–	–	–	–	–	–	2
124	Other diseases of the liver— Autres affections du foie.	M.	2	–	–	–	–	–	1	–	1	–
		F.	3	–	–	–	–	–	–	1	–	2
126	Peritonitis without specified cause—Péritonite sans cause indiquée.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	1	1	–	–	–	–
	CLASS VII—NON-VENEREAL DISEASES OF THE GENITO-URINARY SYSTEM AND ANNEXA—CLASSE VII—AFFECTIONS NON VÉNÉRIENNES DE L'APPAREIL GÉNITO-URINAIRE ET DE SES ANNEXES.	Total	44	–	1	–	9	19	1	2	4	8
		M.	25	–	–	–	5	11	1	–	4	4
		F.	19	–	1	–	4	8	–	2	–	4
128	Acute nephritis (including unspecified, under 10 years of age)—Néphrite aiguë (y compris non spécifiée au-dessous de dix ans).	M.	2	–	–	–	–	–	–	–	2	–
		F.	1	–	–	–	–	1	–	–	–	–

TABLE J—Causes of deaths of Indians by sex in each province, 1928—*con.*

Int. list No.	Causes of death — Causes de décès		Canada	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
	CLASS VII—con.—**CLASSE VII**—fin											
129	Chronic nephritis (including unspecified, 10 years of age or over)—Nephrite chronique (y compris non spécifiée, dix ans ou au-dessus).	M.	14	–	–	–	4	6	–	–	1	3
		F.	12	–	1	–	3	5	–	–	–	3
131	Other diseases of the kidneys and annexa—Autres affections des reins et de leurs annexes.	M.	1	–	–	–	–	1	–	–	–	
		F.	1	–	–	–	–	1	–	–	–	–
132	Calculi of the urinary passages —Calculs des voies urinaires.	M.	1	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
133	Diseases of the bladder—Affections de la vessie.....	M.	2	–	–	–	–	2	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
134	Diseases of the urethra, urinary abscess, etc.—Affections de l'urètre, abcès urineux, etc.	M.	2	–	–	–	–	–	1	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Stricture of the urethra — Rétrécissement de l'urètre.	M.	2	–	–	–	–	–	1	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other diseases of the urethra—Autres affections de l'urètre.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
135	Diseases of the prostate—Affections de la prostate.	M.	3	–	–	–	1	2	–	–	–	–
138	Salpingitis and pelvic abscess —Salpingite et abcès du bassin.	F.	1	–	–	–	–	–	–	1	–	–
141	Other diseases of the female genital organs—Autres affections des organes génitaux de la femme.	F.	3	–	–	–	1	–	–	1	–	1
142	Non-puerperal diseases of the breast (cancer excepted)—Affections non puerpérales du sein (cancer excepté).	F.	1	–	–	–	–	1	–	–	–	–
	CLASS VIII—THE PUERPERAL STATE—CLASSE VIII—ÉTAT PUERPÉRAL.	**Total**	**39**	**1**	**1**	–	**3**	**5**	**4**	**4**	**8**	**13**
143	Accidents of pregnancy—Accidents de la grossesse.	F.	2	–	–	–	1	–	–	–	–	1
	(a) Abortion—Avortement.	F.	1	–	–	–	1	–	–	–	–	–
	(b) Ectopic gestation—Gestation ectopique.	F.	1	–	–	–	–	–	–	–	–	1
	(c) Others under this title— Autres sous ce titre.	F.	–	–	–	–	–	–	–	–	–	–
	(d) Abortion, self-induced —Avortement provoqué par soi-même.	F.	–	–	–	–	–	–	–	–	–	–
144	Puerperal haemorrhage—Hémorragie puerpérale.	F.	5	–	–	–	–	–	1	2	–	2
145	Other accidents of labour— Autres accidents de l'accouchement.	F.	7	–	–	–	–	2	–	2	–	3
	(a) Caesarean section—Opération césarienne.	F.	–	–	–	–	–	–	–	–	–	–
	(b) Difficult labour—Accouchement laborieux.	F.	1	–	–	–	–	1	–	–	–	–
	(c) Other surgical operations and instrumental delivery — Autres opérations chirurgicales et application d'instruments.	F.	6	–	–	–	–	1	–	2	–	3
	(d) Uncontrollable vomiting—Vomissements incontrôlables.	F.	–	–	–	–	–	–	–	–	–	–
	(e) Rupture of uterus in labour, etc.—Rupture de l'utérus durant l'accouchement, etc.	F.	–	–	–	–	–	–	–	–	–	–
146	Puerperal septicaemia — Septicémie puerpérale.	F.	9	–	–	–	–	1	2	–	3	3
147	Puerperal phlegmasia alba dolens, puerperal embolism, sudden death in puerperium —Phlegmasia alba dolens, embolie, mort subite puerpérales.	F.	2	1	–	–	–	–	–	–	–	1

TABLEAU J—Causes de décès d'Indiens, par sexe, dans chaque province, 1928—*suite*

Int. list No.	Causes of death — Causes de décès		Canada	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
	CLASS VIII-con.-**CLASSE VIII**-fin											
148	Puerperal albuminuria and convulsions—Albuminurie et éclampsie puerpérales.	F.	7	–	1	–	–	2	–	–	3	1
149	Following childbirth (not otherwise defined)—Suites de couches (sans autres explications).	F.	7	–	–	–	2	–	1	–	2	2
	CLASS IX—DISEASES OF THE SKIN AND OF THE CELLULAR TISSUE—CLASSE IX—AFFECTIONS DE LA PEAU ET DU TISSU CELLULAIRE.	Total	3	–	–	–	–	1	1	–	–	1
		M.	3	–	–	–	–	1	1	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
151	Gangrene—Gangrène	M.	1	–	–	–	–	–	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
152	Furuncle—Furoncle	M.	1	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
153	Acute abscess — Phlegmon, abcès chaud.	M.	1	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS X — DISEASES OF THE BONES AND OF THE ORGANS OF LOCOMOTION—CLASSE X — AFFECTIONS DES OS ET DES ORGANES DE LA LOCOMOTION.	Total	1	–	–	–	–	–	–	–	–	1
		M.	1	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
155	Diseases of the bones (mastoid and tuberculosis excepted)—Affections des os (sinus mastoïdien et tuberculose exceptés).	M.	1	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS XI—MALFORMATIONS—CLASSE XI—VICES DE CONFORMATION.	Total	6	–	–	–	–	4	–	1	1	–
		M.	5	–	–	–	–	3	–	1	1	–
		F.	1	–	–	–	–	1	–	–	–	–
159	Congenital malformations (stillbirths not included)—Vices de conformation congénitaux (mort-nés non compris).	M.	5	–	–	–	–	3	–	1	1	–
		F.	1	–	–	–	–	1	–	–	–	–
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale.	M.	1	–	–	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur.	M.	3	–	–	–	–	2	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	1	–	–	–	–	1	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–
	CLASS XII—DISEASES OF EARLY INFANCY—CLASSE XII—AFFECTIONS DU PREMIER ÂGE.	Total	137	–	3	3	13	20	10	30	32	26
		M.	93	–	2	2	9	13	6	20	23	18
		F.	44	–	1	1	4	7	4	10	9	8
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème.	M.	36	–	2	–	5	2	2	11	7	7
		F.	17	–	1	–	3	–	–	10	2	1
161	Premature birth, injury at birth—Naissance prématurée, conséquence de l'accouchement.	M.	32	–	–	1	3	11	4	5	6	2
		F.	12	–	–	1	–	7	1	–	1	2
	(a) Premature birth—Naissance prématurée.	M.	25	–	–	1	1	9	3	5	4	2
		F.	10	–	–	1	–	7	1	–	–	1
	(b) Injury at birth—Conséquence de l'accouchement.	M.	7	–	–	–	2	2	1	–	2	–
		F.	2	–	–	–	–	–	–	–	1	1

TABLE J—Causes of deaths of Indians by sex in each province, 1928—*con.*

Int. list No.	Causes of death — Causes de décès		Canada	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
	CLASS XII-con.—**CLASSE XII**-fin											
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge.	M.	25	–	–	1	1	–	–	4	10	9
		F.	15	–	–	–	1	–	3	–	6	5
	(a) Specified diseases—Affections spécifiées.	M.	5	–	–	–	1	–	–	1	1	2
		F.	6	–	–	–	–	–	2	–	2	2
	(b) Unspecified causes under 3 months—Causes non spécifiées au-dessous de 3 mois.	M.	20	–	–	1	–	–	–	3	9	7
		F.	9	–	–	–	1	–	1	–	4	3
	CLASS XIII—OLD AGE—CLASSE XIII—VIEILLESSE.	**Total**	**71**	–	–	–	**3**	**13**	**6**	**15**	**3**	**31**
		M.	**27**	–	–	–	**1**	**5**	**2**	**3**	**2**	**14**
		F.	**44**	–	–	–	**2**	**8**	**4**	**12**	**1**	**17**
164	Senility—Sénilité	M.	27	–	–	–	1	5	2	3	2	14
		F.	44	–	–	–	2	8	4	12	1	17
	CLASS XIV—EXTERNAL CAUSES—CLASSE XIV—CAUSES EXTÉRIEURES.	**Total**	**70**	–	–	–	**8**	**15**	**7**	**5**	**7**	**28**
		M.	**50**	–	–	–	**7**	**11**	**5**	**4**	**4**	**13**
		F.	**20**	–	–	–	**1**	**4**	**2**	**1**	**3**	**9**
165-174	**Suicides**	**M.**	**3**	–	–	–	–	–	–	–	**2**	**1**
		F.	–	–	–	–	–	–	–	–	–	–
169	Suicide by drowning-Suicide par submersion.	M.	1	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
170	Suicide by firearms—Suicide par armes à feu.	M.	1	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
171	Suicide by cutting or piercing instruments — Suicide par instruments tranchants ou piquants.	M.	1	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–			–	–	–
175	Poisoning by food—Empoisonnement par aliments.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	1	–	–
178	Conflagration—Incendie	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–
179	Accidental burns and scalds (conflagration excepted)—Brûlures accidentelles (autres que par l'incendie).	M.	1	–	–	–	–	1	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–
180	Accidental mechanical suffocation—Suffocation mécanique accidentelle.	M.	1	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Overlaying — Étouffé pendant le sommeil.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Asphyxia—Asphyxie.	M.	1	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
182	Accidental drowning—Submersion accidentelle.	M.	14	–	–	–	1	3	1	–	–	9
		F.	4	–	–	–	1	1	–	–	–	2
183	Accidental traumatism by firearms—Traumatismes accidentels par armes à feu.	M.	5	–	–	–	1	2	–	–	1	1
		F.	1	–	–	–	–	–	–	–	1	–
185	Accidental traumatism by fall—Traumatismes accidentels par chute.	M.	7	–	–	–	3	–	1	2	–	1
		F.	6	–	–	–	–	–	1	–	–	5
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.)—Traumatismes accidentels par autres écrasements (voitures, railways, éboulements, etc.).	M.	10	–	–	–	2	2	1	–	–	5
		F.	3	–	–	–	–	1	–	–	1	1
	(a) Railroad accidents — Accidents par chemins de fer.	M.	4	–	–	–	1	1	1	–	–	1
		F.	1	–	–	–	–	–	–	–	–	1
	(b) Street car accidents—Accidents par tramways.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Automobile accidents—Accidents par automobiles.	M.	3	–	–	–	1	1	–	–	–	1
		F.	1	–	–	–	–	1	–	–	–	–
	(d) Aeroplane and balloon accidents — Accidents par aéroplanes et ballons.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Injuries by other vehicles—Blessures par autres voitures.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	1	–
	(f) Other crushing—Autres écrasements.	M.	3	–	–	–	–	–	–	–	–	3
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU J—Causes de décès d'Indiens, par sexe, dans chaque province, 1928—*fin*

Int. list No.	Causes of death — Causes de décès		Canada	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.
	CLASS XIV-con.—CLASSE XIV-fin											
193	Excessive cold—Froid excessif.	M.	2	–	–	–	–	–	1	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
194	Excessive heat—Chaleur excessive.	M.	3	–	–	–	–	–	–	2	–	1
		F.	–	–	–	–	–	–	–	–	–	–
197-199	**Homicides**	**M.**	–	–	–	–	–	–	–	–	–	–
		F.	**1**	–	–	–	–	–	–	–	**1**	–
199	Homicide by other means—Homicide par autres moyens.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	1	–
202	Other external violence (cause specified)—Autres violences extérieures (cause spécifiée).	M.	4	–	–	–	–	2	1	–	–	1
		F.	2	–	–	–	–	1	–	–	–	1
	CLASS XV—ILL-DEFINED DISEASES—CLASSE XV — MALADIES MAL DÉFINIES.	**Total**	**78**	–	–	**4**	**2**	**13**	**15**	**7**	**7**	**30**
		M.	**44**	–	–	**3**	**1**	**6**	**4**	**6**	**3**	**21**
		F.	**34**	–	–	**1**	**1**	**7**	**11**	**1**	**4**	**9**
204	Sudden death—Mort subite.	M.	1	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
205	Cause of death not specified or ill-defined — Cause de décès non spécifiée ou mal définie.	M.	43	–	–	3	1	6	4	6	3	20
		F.	34	–	–	1	1	7	11	1	4	9
	(a) Ill-defined — Mal définie.	M.	10	–	–	–	–	1	1	2	2	4
		F.	2	–	–	–	–	–	–	1	1	–
	(b) Not specified or unknown—Non spécifiée ou inconnue.	M.	25	–	–	3	1	3	2	2	–	14
		F.	30	–	–	1	–	7	11	–	3	8
	(c) Heart failure—Paralysie du cœur.	M.	8	–	–	–	–	2	1	2	1	2
		F.	2	–	–	–	1	–	–	–	–	1
	(d) Syncope	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLE K—Causes of deaths of Indians by sex and age, Canada [1], 1928

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	DEATHS—ALL CAUSES—DÉCÈS—TOUTES CAUSES.	**Total**	**1,923**	**411**	**110**	**64**	**41**	**25**	**139**	**131**	**147**	**93**
		M.	**975**	**239**	**60**	**35**	**21**	**11**	**74**	**52**	**65**	**29**
		F.	**948**	**172**	**50**	**29**	**20**	**14**	**65**	**79**	**82**	**64**
	CLASS I—EPIDEMIC, ENDEMIC AND INFECTIOUS DISEASES—CLASSE I—AFFECTIONS ÉPIDÉMIQUES, ENDÉMIQUES ET INFECTIEUSES.	**Total**	**831**	**84**	**40**	**24**	**24**	**15**	**107**	**96**	**117**	**66**
		M.	**391**	**47**	**19**	**9**	**13**	**6**	**55**	**33**	**52**	**24**
		F.	**440**	**37**	**21**	**15**	**11**	**9**	**52**	**63**	**65**	**42**
1	Typhoid and paratyphoid fever—Fièvre typhoïde et paratyphoïde.	M.	4	–	–	–	–	1	–	1	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(a) Typhoid fever—Fièvre typhoïde.	M.	4	–	–	–	–	1	–	1	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Paratyphoid fever—Fièvre paratyphoïde.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
6	Small-pox—Variole	M.	1	–	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
7	Measles—Rougeole	M.	6	2	1	–	–	1	–	1	–	–
		F.	7	2	3	2	–	–	–	–	–	–
8	Scarlet fever—Scarlatine	M.	1	–	–	–	–	–	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
9	Whooping-cough—Coqueluche	M.	28	18	3	–	3	1	2	–	–	1
		F.	22	11	4	–	1	1	3	1	–	–
10	Diphtheria—Diphtérie	M.	1	–	–	–	–	–	–	–	1	–
		F.	2	–	–	–	–	–	2	–	–	–
11	Influenza—Grippe	M.	68	15	8	–	1	–	7	2	4	1
		F.	61	13	4	2	–	1	7	1	4	2
	(a) Sole cause—Cause unique	M.	33	9	5	–	–	–	4	–	2	1
		F.	35	12	3	1	–	–	2	1	1	–
	(b) With phthisis—Avec phtisie	M.	3	–	–	–	–	–	–	1	1	–
		F.	7	–	–	1	–	–	2	–	3	–
	(c) With bronchitis—Avec bronchite	M.	3	1	–	–	–	–	1	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(d) With pneumonia—Avec pneumonie	M.	23	5	3	–	1	–	1	1	1	–
		F.	13	1	–	–	–	1	1	–	–	2
	(e) With other respiratory diseases—Avec autres affections de l'appareil respiratoire.	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(f) With diseases and accidents of pregnancy and parturition—Avec affections et accidents de la grossesse.	F.	–	–	–	–	–	–	–	–	–	–
	(g) With other causes—Avec autres causes.	M.	4	–	–	–	–	–	1	–	–	–
		F.	4	–	1	–	–	–	2	–	–	–
16	Dysentery—Dysenterie	M.	1	–	–	–	–	–	1	–	–	–
		F.	3	–	–	–	1	1	–	–	–	–
21	Erysipelas—Érysipèle	M.	1	1	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
22	Acute anterior poliomyelitis—Poliomyélite aiguë.	M.	1	–	1	–	–	–	–	–	–	–
		F.	2	–	–	1	–	–	1	–	–	–
23	Lethargic encephalitis—Encéphalite léthargique.	M.	1	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
24	Meningococcus meningitis—Méningite cérébro-spinale épidémique	M.	1	–	–	–	–	–	1	–	–	–
		F.	4	–	1	1	–	1	–	1	–	–
31-37	**Tuberculosis—Tuberculose**	**M.**	**270**	**10**	**6**	**8**	**8**	**3**	**42**	**29**	**46**	**22**
		F.	**328**	**9**	**9**	**9**	**9**	**5**	**37**	**60**	**60**	**39**
31	Tuberculosis of the respiratory system—Tuberculose de l'appareil respiratoire.	M.	220	8	5	7	7	–	23	25	35	21
		F.	287	7	6	7	5	4	26	51	58	38
32	Tuberculosis of the meninges and central nervous system—Tuberculose des méninges et du système nerveux central.	M.	19	2	1	1	–	2	8	1	3	–
		F.	18	2	1	2	2	1	5	3	1	–
33	Tuberculosis of the intestines and peritoneum—Tuberculose des intestins et du péritoine.	M.	14	–	–	–	1	1	7	–	3	–
		F.	12	–	1	–	2	–	2	3	–	1
34	Tuberculosis of the vertebral column—Tuberculose de la colonne vertébrale.	M.	4	–	–	–	–	–	1	1	–	–
		F.	1	–	–	–	–	–	–	–	–	–
36	Tuberculosis of other organs—Tuberculose d'autres organes.	M.	7	–	–	–	–	–	3	1	2	–
		F.	2	–	–	–	–	–	1	–	1	–
	(a) Skin and sub-cutaneous cellular tissue—De la peau et du tissu cellulaire sous-cutané.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Bones (vertebral column excepted)—Des os (excepté la colonne vertébrale).	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

[1] Exclusive of Yukon and the Northwest Territories—Ne comprend pas le Yukon et les Territoires du Nord-Ouest.

TABLEAU K—Causes de décès d'Indiens selon le sexe et l'âge, Canada (1), 1928

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
72	**58**	**40**	**41**	**47**	**51**	**55**	**58**	**60**	**68**	**61**	**66**	**33**	**18**	**14**	**9**	**11**	
37	**23**	**15**	**17**	**23**	**24**	**27**	**29**	**44**	**36**	**38**	**33**	**19**	**13**	**5**	**1**	**5**	
35	**35**	**25**	**24**	**24**	**27**	**28**	**29**	**16**	**32**	**23**	**33**	**14**	**5**	**9**	**8**	**6**	
45	**36**	**18**	**19**	**18**	**21**	**17**	**15**	**16**	**16**	**8**	**12**	**6**	**2**	**1**	**2**	**6**	
24	**16**	**7**	**7**	**8**	**14**	**8**	**7**	**13**	**7**	**5**	**7**	**5**	**2**	–	–	**3**	
21	**20**	**11**	**12**	**10**	**7**	**9**	**8**	**3**	**9**	**3**	**5**	**1**	–	**1**	**2**	**3**	
–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1a
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	3	–	1	1	2	–	2	6	4	2	4	3	–	–	–	–	11
1	3	2	1	3	4	1	3	–	3	1	3	–	–	–	2	–	
1	2	–	1	1	–	–	1	2	1	–	2	1	–	–	–	–	11a
1	3	1	1	2	–	1	2	–	2	–	–	–	–	–	2	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	11b
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	11c
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
1	–	–	–	–	2	–	–	4	2	–	2	–	–	–	–	–	11d
–	–	–	–	1	2	–	1	–	1	1	2	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	11e
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11f
–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	11g
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	23
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
21	**13**	**7**	**5**	**7**	**11**	**8**	**4**	**6**	**3**	**2**	**3**	**2**	**1**	–	–	**3**	31–37
20	**16**	**7**	**11**	**7**	**3**	**7**	**5**	**2**	**5**	**2**	**2**	**1**	–	**1**	–	**2**	
19	12	6	5	6	11	7	4	6	3	2	3	2	1	–	–	2	31
20	16	7	9	6	2	6	5	2	4	2	2	1	–	1	–	2	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	33
–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	34
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE K—Causes of deaths of Indians by sex and age, Canada, 1928—*con.*

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS I-con.—CLASSE I-fin											
36	(c) Lymphatic system (mesenteric, and retroperitoneal glands excepted)—Du système lymphatique (excepté les ganglions mésentériques et les ganglions rétropéritonéaux).	M.	5	–	–	–	–	–	3	1	1	–
		F.	2	–	–	–	–	–	1	–	1	–
	(d) Genito-urinary system—Des organes génito-urinaires.	M.	2	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Organs other than above—Autres organes que ceux déjà mentionnés.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
37	Disseminated tuberculosis—Tuberculose disséminée.	M.	6	–	–	–	–	–	–	1	3	1
		F.	8	–	1	–	–	–	3	3	–	–
	(a) Acute—Aiguë	M.	3	–	–	–	–	–	–	1	1	–
		F.	3	–	1	–	–	–	–	2	–	–
	(b) Chronic or unstated—Chronique ou non spécifiée.	M.	3	–	–	–	–	–	–	–	2	1
		F.	5	–	–	–	–	–	3	1	–	–
38	Syphilis	M.	5	1	–	1	–	–	1	–	–	–
		F.	8	2	–	–	–	–	2	–	1	–
41	Purulent infection, septicaemia—Infection purulente, septicémie.	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1
	CLASS II—GENERAL DISEASES NOT INCLUDED IN CLASS I—CLASSE II—MALADIES GÉNÉRALES NON MENTIONNÉES DANS LA CLASSE I.	Total	65	3	1	–	–	–	–	1	–	1
		M.	30	2	1	–	–	–	–	1	–	–
		F.	35	1	–	–	–	–	–	–	–	1
43-49	Cancer	M.	18	–	–	–	–	–	–	–	–	–
		F.	24	–	–	–	–	–	–	–	–	–
43	Cancer of the buccal cavity—Cancer de la cavité buccale.	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
44	Cancer of the stomach and liver—Cancer de l'estomac et du foie.	M.	11	–	–	–	–	–	–	–	–	–
		F.	8	–	–	–	–	–	–	–	–	–
45	Cancer of the peritoneum, intestines and rectum—Cancer du péritoine, des intestins et du rectum.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
46	Cancer of the female genital organs—Cancer des organes génitaux de la femme.	F.	9	–	–	–	–	–	–	–	–	–
47	Cancer of the breast—Cancer du sein	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
48	Cancer of the skin—Cancer de la peau	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
49	Cancer of other or unspecified organs—Cancer d'autres organes ou d'organes non spécifiés.	M.	2	–	–	–	–	–	–	–	–	–
		F.	6	–	–	–	–	–	–	–	–	–
	(a) Cancer of eye and ear—Cancer de l'œil et de l'oreille.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Cancer of circulatory system—Cancer de l'appareil circulatoire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Cancer of respiratory system—Cancer de l'appareil respiratoire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(d) Cancer of digestive system—Cancer de l'appareil digestif.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(e) Cancer of genito-urinary system—Cancer de l'appareil génito-urinaire.	M.	2	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(f) Cancer of bones and joints—Cancer des os et des articulations.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(g) Cancer of other specified organs—Cancer d'autres organes spécifiés.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(h) Generalized cancer—Cancer généralisé.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(i) Unspecified—Non spécifiés	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
50	Benign tumours and tumours not returned as malignant (tumours of female genital organs excepted)—Tumeurs bénignes et tumeurs non données comme malignes (tumeurs des organes génitaux de la femme exceptées).	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
51	Acute rheumatic fever—Rhumatisme articulaire aigu fébrile.	M.	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	1
52	Chronic rheumatism, osteo-arthritis, gout—Rhumatisme chronique ou goutte.	M.	4	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–

TABLEAU K—Causes de décès d'Indiens selon le sexe et l'âge, Canada, 1928—*suite*

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	37
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	37a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	37b
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	38
–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	41
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	2	–	6	7	8	6	8	7	6	3	2	–	1	1	–	
–	1	–	–	2	1	3	2	7	3	3	2	1	–	–	1	–	
1	–	2	–	4	6	5	4	1	4	3	1	1	–	1	–	–	
–	1	–	–	1	1	3	1	5	2	2	1	–	–	–	1	–	43–49
–	–	2	–	3	5	3	1	1	4	3	–	1	–	1	–	–	
–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	43
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	2	–	4	2	1	–	–	–	–	1	–	44
–	–	–	–	–	2	1	1	–	3	–	–	1	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	45
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	2	–	1	3	1	–	–	–	2	–	–	–	–	–	–	46
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	47
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	
–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	48
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	49
–	–	–	–	2	–	1	–	1	1	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	49a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	49b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	49c
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	49d
–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	49e
–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	49f
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	49g
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	49h
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	49i
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	50
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	51
–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	52
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	

TABLE K—Causes of deaths of Indians by sex and age, Canada, 1928—*con.*

Int. list No.	Causes of death — Causes de décès		Total	Ages									
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS II–con.—CLASSE II–fin											
56	Rickets—Rachitisme	M.	1	1	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
57	Diabetes mellitus—Diabète	M.	3	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
58	Anaemia, chlorosis—Anémie, chlorose	M.	2	–	1	–	–	–	–	1	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(a) Pernicious anaemia—Anémie pernicieuse.	M.	1	–	–	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other anaemias and chlorosis—Autres anémies et chloroses.	M.	1	–	1	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
60	Diseases of the thyroid gland—Affections de la glande thyroïde.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(a) Exophthalmic goiter—Goître exophtalmique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Other diseases of the thyroid gland—Autres affections de la glande thyroïde.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
61	Diseases of the parathyroid glands—Affections des glandes parathyroïdes.	M.	1	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
65	Leukaemia, lymphadenoma—Leucémie, lymphadénie.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Leukaemia—Leucémie	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Lymphadenoma (Hodgkin's disease)—Lymphadénie (maladie d'Hodgkin).	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
66	Alcoholism—Alcoolisme	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(a) Delirium tremens	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Acute alcoholism—Alcoolisme aigu.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(c) Chronic alcoholism—Alcoolisme chronique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS III—DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE — CLASSE III — AFFECTIONS DU SYSTÈME NERVEUX ET DES ORGANES DES SENS.	Total	75	14	7	4	2	2	3	6	1	2
		M.	45	8	4	3	1	2	2	3	1	2
		F.	30	6	3	1	1	–	1	3	–	–
70	Encephalitis—Encéphalite	M.	3	–	1	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Abscess of brain—Abcès du cerveau.	M.	3	–	1	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Encephalitis—Encéphalite	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
71	Meningitis—Méningite	M.	8	3	–	2	1	1	–	1	–	–
		F.	6	3	1	–	–	–	1	1	–	–
	(a) Simple meningitis—Méningite simple.	M.	8	3	–	2	1	1	–	1	–	–
		F.	6	3	1	–	–	–	1	1	–	–
	(b) Non-epidemic cerebrospinal meningitis—Méningite cérébro-spinale non épidémique.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
74	Cerebral haemorrhage, apoplexy—Hémorragie cérébrale, apoplexie	M.	6	–	–	–	–	–	–	–	–	–
		F.	8	–	–	–	–	–	–	–	–	–
	(a) Apoplexy—Apoplexie	M.	3	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–
	(b) Cerebral haemorrhage—Hémorragie cérébrale.	M.	3	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
	(c) Cerebral thrombosis and embolism—Thrombose et embolie cérébrales.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
75	Paralysis without specified cause—Paralysie sans cause indiquée.	M.	3	–	–	–	–	–	–	–	–	1
		F.	1	–	–	–	–	–	–	–	–	–
	(a) Hemiplegia—Hémiplégie	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Others under this title—Autres sous ce titre.	M.	3	–	–	–	–	–	–	–	–	1
		F.	1	–	–	–	–	–	–	–	–	–
76	General paralysis of the insane—Paralysie générale des aliénés	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
77	Other forms of mental alienation—Autres formes de l'aliénation mentale.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
78	Epilepsy—Épilepsie	M.	8	–	–	–	–	1	–	–	1	1
		F.	3	–	–	–	–	–	–	1	–	–
80	Infantile convulsions (under 5 years of age)—Convulsions des enfants (moins de cinq ans).	M.	7	5	1	1	–	–	–	–	–	–
		F.	6	3	2	1	–	–	–	–	–	–

TABLEAU K—Causes de décès d'Indiens selon le sexe et l'âge, Canada, 1928—*suite*

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	56
–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	57
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	58
–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	58a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	58b
–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	60
–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	60a
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	60b
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	61
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	65
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	65a
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	65b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	66
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	66a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	66b
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	66c
2	1	1	–	3	2	5	4	2	6	2	6	–	–	–	–	–	
2	1	–	–	3	–	2	3	2	–	1	5	–	–	–	–	–	
–	–	1	–	–	2	3	1	–	6	1	1	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	70
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	70a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71b
–	–	–	–	–	–	1	1	1	–	1	2	–	–	–	–	–	74
–	–	–	–	–	1	2	1	–	3	–	1	–	–	–	–	–	74a
–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	74b
–	–	–	–	–	–	–	1	–	3	–	1	–	–	–	–	–	74c
–	–	–	–	–	1	2	–	–	–	1	1	–	–	–	–	–	75
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	75a
–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	75b
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	76
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	77
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	78
–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	80
2	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE K—Causes of deaths of Indians by sex and age, Canada, 1928—*con.*

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS III-con.—CLASSE III-fin											
82	Neuralgia and neuritis—Névralgie et névrite.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
84	Other diseases of the nervous system—Autres affections du système nerveux.	M.	4	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	1	–	–	–	–	–
86	Diseases of the ear and of the mastoid process—Affections de l'oreille et du sinus mastoïdien.	M.	5	–	2	–	–	–	2	1	–	–
		F.	1	–	–	–	–	–	–	1	–	–
	(a) Diseases of the ear—Affections de l'oreille.	M.	3	–	2	–	–	–	1	–	–	–
		F.	1	–	–	–	–	–	–	1	–	–
	(b) Diseases of the mastoid process—Affections du sinus mastoïdien.	M.	2	–	–	–	–	–	1	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS IV—DISEASES OF THE CIRCULATORY SYSTEM — CLASSE IV—AFFECTIONS DE L'APPAREIL CIRCULATOIRE.	Total	106	–	–	–	–	–	–	5	2	1
		M.	51	–	–	–	–	–	–	2	–	1
		F.	55	–	–	–	–	–	–	3	2	–
87-90	**Diseases of the heart—Affections du cœur.**	M.	42	–	–	–	–	–	–	2	–	1
		F.	42	–	–	–	–	–	–	2	1	–
88	Endocarditis and myocarditis (acute)—Endocardite et myocardite (aiguës).	M.	1	–	–	–	–	–	–	1	–	–
		F.	1	–	–	–	–	–	–	1	–	–
	(a) Acute endocarditis—Endocardite aiguë.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	1	–	–
	(b) Acute myocarditis—Myocardite aiguë.	M.	1	–	–	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
89	Angina pectoris—Angine de poitrine....	M.	6	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
90	Other diseases of the heart—Autres affections du cœur.	M.	35	–	–	–	–	–	–	1	–	1
		F.	40	–	–	–	–	–	–	1	1	–
	(a) Valvular disease—Affection valvulaire.	M.	11	–	–	–	–	–	–	1	–	–
		F.	10	–	–	–	–	–	–	–	–	–
	(b) Fatty degeneration of the heart—Dégénérescence ou stéanose du cœur.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Aortic insufficiency—Insuffisance aortique.....	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(d) Chronic endocarditis—Endocardite chronique.	M.	3	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	1	–	–
	(e) Chronic myocarditis—Myocardite chronique.	M.	12	–	–	–	–	–	–	–	–	1
		F.	14	–	–	–	–	–	–	–	–	–
	(f) Others under this title—Autres sous ce titre.	M.	9	–	–	–	–	–	–	–	–	–
		F.	10	–	–	–	–	–	–	–	1	–
91	Diseases of the arteries—Affections des artères.	M.	9	–	–	–	–	–	–	–	–	–
		F.	11	–	–	–	–	–	–	–	–	–
	(a) Aneurysm—Anévrisme.....	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Arteriosclerosis—Artério-sclérose....	M.	9	–	–	–	–	–	–	–	–	–
		F.	11	–	–	–	–	–	–	–	–	–
	(c) Other diseases of the arteries—Autres affections des artères.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
94	Diseases of the lymphatic system (lymphangitis, etc.)—Affections du système lymphatique (lymphangite, etc.).	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	1	–	–
95	Haemorrhage without specified cause—Hémorragie sans cause déterminée.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	1	–
	CLASS V—DISEASES OF THE RESPIRATORY SYSTEM—CLASSE V —AFFECTIONS DE L'APPAREIL RESPIRATOIRE.	Total	299	113	36	24	4	5	9	9	5	7
		M.	160	54	21	15	1	2	7	4	4	1
		F.	139	59	15	9	3	3	2	5	1	6
98	Diseases of the larynx—Affections du larynx.	M.	–	–	–	–	–	–	–	–	–	–
		F.	3	2	–	–	–	–	1	–	–	–
	(a) Laryngismus stridulus—Laryngite striduleuse.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(b) Laryngitis—Laryngite.....	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(c) Croup.....	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–
	(d) Other diseases of the larynx—Autres affections du larynx.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
99	Bronchitis—Bronchite.....	M.	15	8	1	1	–	–	–	–	–	–
		F.	10	5	2	1	–	–	–	–	–	–
	(a) Acute—Aiguë.....	M.	8	4	1	1	–	–	–	–	–	–
		F.	7	5	2	–	–	–	–	–	–	–
	(b) Chronic—Chronique.....	M.	4	1	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(c) Not otherwise defined, under 5 years of age—Sans épithète, au-dessous de cinq ans.	M.	3	3	–	–	–	–	–	–	–	–
		F.	1	–	–	1	–	–	–	–	–	–

TABLEAU K—Causes de décès d'Indiens selon le sexe et l'âge, Canada, 1928—*suite*

Âges																	
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	No. liste int.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	82
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	1	1	–	–	1	–	–	–	–	–	84
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	86
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	86a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	86b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	**3**	**3**	**3**	**5**	**6**	**6**	**10**	**7**	**14**	**18**	**9**	**7**	**2**	**2**	–	**1**	
1	**1**	–	–	**3**	**1**	**4**	**5**	**7**	**9**	**9**	**3**	**3**	**1**	**1**	–	–	
1	**2**	**3**	**3**	**2**	**5**	**2**	**5**	–	**5**	**9**	**6**	**4**	**1**	**1**	–	**1**	
1	**1**	–	–	**3**	**1**	**4**	**5**	**7**	**7**	**6**	**1**	**2**	**1**	–	–	–	**87–90**
1	**2**	**2**	**3**	**1**	**5**	**2**	**3**	–	**4**	**8**	**5**	**3**	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	88
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	88a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	88b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	2	2	2	–	–	–	–	–	–	89
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
1	1	–	–	3	1	4	5	5	5	4	1	2	1	–	–	–	90
1	2	2	3	1	5	2	3	–	4	3	4	3	–	–	–	–	
1	1	–	–	–	–	2	–	–	3	2	–	1	–	–	–	–	90a
–	–	–	2	–	2	1	1	–	–	3	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	90b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	90c
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	90d
–	1	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	1	–	1	2	2	1	2	1	1	–	–	–	–	90e
–	1	–	–	–	1	1	1	–	2	3	2	3	–	–	–	–	
–	–	–	–	1	1	1	2	2	1	–	–	–	1	–	–	–	90f
–	–	2	1	1	–	–	1	–	1	2	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	2	3	2	1	–	1	–	–	91
–	–	1	–	1	–	–	2	–	1	1	1	1	1	1	–	1	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	91a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	2	3	2	1	–	1	–	–	91b
–	–	1	–	1	–	–	2	–	1	1	1	1	1	1	–	1	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	91c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	94
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	95
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	**1**	**4**	**6**	**4**	**5**	**10**	**5**	**12**	**10**	**9**	**7**	**5**	**2**	**2**	**2**	**1**	
–	–	**3**	**3**	**3**	**1**	**5**	**1**	**8**	**8**	**8**	**4**	**3**	**2**	**2**	–	–	
2	**1**	**1**	**3**	**1**	**4**	**5**	**4**	**4**	**2**	**1**	**3**	**2**	–	–	**2**	**1**	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	98d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	1	–	1	–	1	1	–	–	99
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	
–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	99a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	99b
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	99c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE K—Causes of deaths of Indians by sex and age, Canada, 1928—*con.*

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS V-con.—CLASSE V-fin											
99	(d) Not otherwise defined, 5 years or over—Sans épithète, cinq ans ou au-dessus.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
100	Bronchopneumonia (including capillary bronchitis)—Broncho-pneumonie (y compris bronchite capillaire).	M.	42	17	12	5	1	–	2	–	–	–
		F.	43	22	7	4	2	–	1	1	–	–
	(a) Bronchopneumonia—Broncho-pneumonie.	M.	40	16	12	4	1	–	2	–	–	–
		F.	41	20	7	4	2	–	1	1	–	–
	(b) Capillary bronchitis—Bronchite capillaire.	M.	2	1	–	1	–	–	–	–	–	–
		F.	2	2	–	–	–	–	–	–	–	–
101	Pneumonia—Pneumonie	M.	90	26	8	8	–	1	5	3	4	–
		F.	74	26	5	4	1	2	–	4	1	5
	(a) Lobar—Lobaire	M.	25	3	–	1	–	–	–	2	1	–
		F.	13	1	1	–	1	–	–	1	–	3
	(b) Not otherwise defined—Sans épithète.	M.	65	23	8	7	–	1	5	1	3	4
		F.	61	25	4	4	–	2	–	3	1	2
102	Pleurisy—Pleurésie	M.	6	–	–	1	–	1	–	1	–	1
		F.	2	–	1	–	–	–	–	–	–	1
103	Congestion and haemorrhagic infarct of the lung—Congestion et hémorragie parenchymateuse des poumons.	M.	3	–	–	–	–	–	–	–	–	1
		F.	4	2	–	–	–	1	–	–	–	–
107	Other diseases of the respiratory system (tuberculosis excepted)—Autres affections de l'appareil respiratoire (tuberculose exceptée).	M.	4	3	–	–	–	–	–	–	–	–
		F.	3	2	–	–	–	–	–	–	–	–
	(a) Chronic interstitial pneumonia including occupational diseases of the lungs—Pneumonie interstitielle chronique comprenant les affections professionnelles de l'appareil pulmonaire.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Diseases of the mediastinum—Affections du médiastin.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	4	3	–	–	–	–	–	–	–	–
		F.	2	2	–	–	–	–	–	–	–	–
	CLASS VI—DISEASES OF THE DIGESTIVE SYSTEM—CLASSE VI—AFFECTIONS DE L'APPAREIL DIGESTIF.	Total	98	40	13	3	7	1	6	4	5	–
		M.	50	20	7	2	5	–	3	3	2	–
		F.	48	20	6	1	2	1	3	1	3	–
108	Diseases of the mouth and annexa—Affections de la bouche et de ses annexes.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
109	Diseases of the pharynx and tonsils (including adenoid vegetations)—Affections du pharynx et des amygdales (y compris les végétations adénoïdiennes).	M.	1	–	–	–	–	–	–	1	–	–
		F.	1	–	–	–	–	–	1	–	–	–
	(a) Adenoid vegetations—Végétations adénoïdiennes.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Pharynx and tonsils—Pharynx et amygdales.	M.	1	–	–	–	–	–	–	1	–	–
		F.	1	–	–	–	–	–	1	–	–	–
111	Ulcer of the stomach and duodenum—Ulcère de l'estomac et du duodénum.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Ulcer of the stomach—Ulcère de l'estomac.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Ulcer of the duodenum—Ulcère du duodénum.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
112	Other diseases of the stomach (cancer excepted)—Autres affections de l'estomac (cancer excepté).	M.	12	5	1	–	1	–	3	–	–	–
		F.	10	6	1	–	–	1	–	–	–	–
113	Diarrhoea and enteritis (under 2 years of age)—Diarrhée et entérite (au-dessous de 2 ans).	M.	20	15	5	–	–	–	–	–	–	–
		F.	17	14	3	–	–	–	–	–	–	–
114	Diarrhoea and enteritis (2 years or over)—Diarrhée et entérite (deux ans ou au-dessus).	M.	4	–	–	1	3	–	–	–	–	–
		F.	4	–	–	1	1	–	1	–	1	–
117	Appendicitis and typhlitis—Appendicite et typhlite.	M.	4	–	–	–	1	–	–	1	2	–
		F.	4	–	1	–	1	–	1	–	1	–
118	Hernia, intestinal obstruction—Hernie, obstruction intestinale.	M.	3	–	–	1	–	–	–	1	–	–
		F.	3	–	–	–	–	–	–	–	–	–
	(a) Hernia—Hernie	M.	2	–	–	–	–	–	–	1	–	–
		F.	3	–	–	–	–	–	–	–	–	–
	(b) Intestinal obstruction—Obstruction intestinale.	M.	1	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
119	Other diseases of the intestines—Autres affections des intestins.	M.	1	–	1	–	–	–	–	–	–	–
		F.	2	–	1	–	–	–	–	–	1	–

TABLEAU K—Causes de décès d'Indiens selon le sexe et l'âge, Canada, 1928—*suite*

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	99
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	
–	–	–	–	1	–	–	–	1	1	1	–	1	–	–	–	–	100
–	–	1	–	–	–	1	1	1	–	–	1	–	–	–	–	1	
–	–	–	–	1	–	–	–	1	1	1	–	1	–	–	–	–	100a
–	–	1	–	–	–	1	1	1	–	–	1	–	–	–	–	1	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	100b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	3	1	2	1	5	1	5	6	7	2	1	1	–	–	–	101
2	1	–	2	1	4	4	2	3	2	1	2	1	–	–	1	–	
–	–	2	1	2	–	4	–	2	2	4	–	–	1	–	–	–	101a
–	–	–	2	1	–	2	–	1	–	–	–	–	–	–	–	–	
–	–	1	–	–	1	1	1	3	4	3	2	1	–	–	–	–	101b
2	1	–	–	–	4	2	2	2	2	1	2	1	–	–	1	–	
–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	102
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	103
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	107
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107a
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	107b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	107c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	1	1	2	1	1	7	–	2	2	–	1	–	–	–	–	
–	–	–	–	–	1	–	4	–	–	2	–	1	–	–	–	–	
–	1	1	1	2	–	1	3	–	2	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	108
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	109
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	109a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	109b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	111
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	111a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	111b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	112
–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	113
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	114
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	117
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	118
–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	118a
–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	118b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	119
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

TABLE K—Causes of deaths of Indians by sex and age, Canada, 1928—*con.*

Int. list No.	Causes of death — Causes de décès		Total	Ages									
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VI-con.—CLASSE VI-fin											
123	Biliary calculi—Calculs biliaires.....	M.	1	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
124	Other diseases of the liver—Autres affections du foie.	M.	2	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–
126	Peritonitis without specified cause—Péritonite sans cause indiquée.	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	1	–	–
	CLASS VII—NON-VENEREAL DISEASES OF THE GENITO-URINARY SYSTEM AND ANNEXA—CLASSE VII—AFFECTIONS NON VÉNÉRIENNES DE L'APPAREIL GÉNITO-URINAIRE ET DE SES ANNEXES.	Total	44	–	1	–	–	–	–	1	2	1
		M.	25	–	1	–	–	–	–	–	–	–
		F.	19	–	–	–	–	–	–	1	2	1
128	Acute nephritis (including unspecified, under 10 years of age)—Néphrite aiguë (y compris non spécifiée, au-dessous de dix ans).	M.	2	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1
129	Chronic nephritis (including unspecified, 10 years of age or over)—Néphrite chronique (y compris non spécifiée, dix ans ou au-dessus).	M.	14	–	1	–	–	–	–	–	–	–
		F.	12	–	–	–	–	–	–	1	1	–
131	Other diseases of the kidneys and annexa—Autres affections des reins et de leurs annexes.	M.	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
132	Calculi of the urinary passages—Calculs des voies urinaires.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
133	Diseases of the bladder—Affections de la vessie.	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
134	Diseases of the urethra, urinary abscess, etc.—Affections de l'urètre, abcès urineux, etc.	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Stricture of the urethra—Rétrécissement de l'urètre.	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Other diseases of the urethra—Autres affections de l'urètre.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
135	Diseases of the prostate—Affections de la prostate.	M.	3	–	–	–	–	–	–	–	–	–
138	Salpingitis and pelvic abscess—Salpingite et abcès du bassin.	F.	1	–	–	–	–	–	–	–	1	–
141	Other diseases of the female genital organs—Autres affections des organes génitaux de la femme.	F.	3	–	–	–	–	–	–	–	–	–
142	Non-puerperal diseases of the breast (cancer excepted)—Affections non puerpérales du sein (cancer excepté).	F.	1	–	–	–	–	–	–	–	–	–
	CLASS VIII—THE PUERPERAL STATE—CLASSE VIII—ÉTAT PUERPÉRAL.	Total	39	–	–	–	–	–	–	–	6	10
143	Accidents of pregnancy—Accidents de la grossesse.	F.	2	–	–	–	–	–	–	–	–	2
	(a) Abortion—Avortement.....	F.	1	–	–	–	–	–	–	–	–	1
	(b) Ectopic gestation—Gestation ectopique.	F.	1	–	–	–	–	–	–	–	–	1
	(c) Others under this title—Autres sous ce titre.	F.	–	–	–	–	–	–	–	–	–	–
	(d) Abortion, self-induced—Avortement provoqué par soi-même.	F.	–	–	–	–	–	–	–	–	–	–
144	Puerperal haemorrhage—Hémorragie puerpérale.	F.	5	–	–	–	–	–	–	–	–	1
145	Other accidents of labour—Autres accidents de l'accouchement.	F.	7	–	–	–	–	–	–	–	1	–
	(a) Caesarean section—Opération césarienne.	F.	–	–	–	–	–	–	–	–	–	–
	(b) Difficult labour—Accouchement laborieux.	F.	1	–	–	–	–	–	–	–	–	–
	(c) Other surgical operations and instrumental delivery—Autres opérations chirurgicales et application d'instruments.	F.	6	–	–	–	–	–	–	–	1	–
	(d) Uncontrollable vomiting—Vomissements incontrôlables.	F.	–	–	–	–	–	–	–	–	–	–
	(e) Rupture of uterus in labour, etc.—Rupture de l'utérus durant l'accouchement, etc.	F.	–	–	–	–	–	–	–	–	–	–

TABLEAU K—Causes de décès d'Indiens selon le sexe et l'âge, Canada, 1928—*suite*

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	123
–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	124
–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	126
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
2	**2**	**2**	**2**	**2**	**3**	**3**	**5**	**3**	**4**	**5**	**2**	**3**	–	–	–	**1**	
–	**1**	**1**	**2**	–	**1**	**1**	**4**	**2**	**4**	**4**	**1**	**3**	–	–	–	–	
2	**1**	**1**	–	**2**	**2**	**2**	**1**	**1**	–	**1**	**1**	–	–	–	–	**1**	
–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	128
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	1	4	2	–	3	–	2	–	–	–	–	129
2	1	–	–	–	1	1	1	1	–	1	1	–	–	–	–	1	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	131
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	132
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	133
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	134
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	134a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	134b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	135
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	138
–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	141
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	142
6	**9**	**2**	**4**	**2**	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	143d
3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	144
1	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	145
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145a
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145b
1	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	145c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	145e

TABLE K—Causes of deaths of Indians by sex and age, Canada, 1928—*con.*

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS VIII-con.—**CLASSE VIII**-fin											
146	Puerperal septicaemia—Septicémie puerpérale.	F.	9	–	–	–	–	–	–	–	2	3
147	Puerperal phlegmasia alba dolens, puerperal embolism, sudden death in puerperium—Phlegmasia alba dolens, embolie, mort subite puerpérales.	F.	2	–	–	–	–	–	–	–	1	–
148	Puerperal albuminuria and convulsions—Albuminurie et éclampsie puerpérales.	F.	7	–	–	–	–	–	–	–	2	2
149	Following childbirth (not otherwise defined)—Suites de couches (sans autres explications).	F.	7	–	–	–	–	–	–	–	–	2
	CLASS IX—DISEASES OF THE SKIN AND OF THE CELLULAR TISSUE—CLASSE IX — AFFECTIONS DE LA PEAU ET DU TISSU CELLULAIRE.	**Total**	**3**	**1**	–	–	**1**	–	–	–	–	–
		M.	**3**	**1**	–	–	**1**	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
151	Gangrene—Gangrène	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
152	Furuncle—Furoncle	M.	1	–	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
153	Acute abscess—Phlegmon, abcès chaud	M.	1	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS X—DISEASES OF THE BONES AND OF THE ORGANS OF LOCOMOTION—CLASSE X —AFFECTIONS DES OS ET DES ORGANES DE LA LOCOMOTION.	**Total**	**1**	–	–	–	–	–	–	–	–	–
		M.	**1**	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
155	Diseases of the bones (mastoid and tuberculosis excepted)—Affections des os (sinus mastoïdien et tuberculose exceptés).	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	CLASS XI—MALFORMATIONS—CLASSE XI—VICES DE CONFORMATION.	**Total**	**6**	**5**	**1**	–	–	–	–	–	–	–
		M.	**5**	**4**	**1**	–	–	–	–	–	–	–
		F.	**1**	**1**	–	–	–	–	–	–	–	–
159	Congenital malformations (stillbirths not included)—Vices de conformation congénitaux (mort-nés non compris).	M.	5	4	1	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	(a) Congenital hydrocephalus—Hydrocéphalie congénitale.	M.	1	–	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Congenital malformations of the heart—Vices de conformation intra-utérins du cœur.	M.	3	3	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Others under this title—Autres sous ce titre.	M.	1	1	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
	CLASS XII—DISEASES OF EARLY INFANCY—CLASSE XII—AFFECTIONS DU PREMIER ÂGE.	**Total**	**137**	**137**	–	–	–	–	–	–	–	–
		M.	**93**	**93**	–	–	–	–	–	–	–	–
		F.	**44**	**44**	–	–	–	–	–	–	–	–
160	Congenital debility, icterus and sclerema—Débilité congénitale, ictère et sclérème.	M.	36	36	–	–	–	–	–	–	–	–
		F.	17	17	–	–	–	–	–	–	–	–
161	Premature birth, injury at birth—Naissance prématurée, conséquence de l'accouchement.	M.	32	32	–	–	–	–	–	–	–	–
		F.	12	12	–	–	–	–	–	–	–	–
	(a) Premature birth—Naissance prématurée.	M.	25	25	–	–	–	–	–	–	–	–
		F.	10	10	–	–	–	–	–	–	–	–
	(b) Injury at birth—Conséquence de l'accouchement.	M.	7	7	–	–	–	–	–	–	–	–
		F.	2	2	–	–	–	–	–	–	–	–
162	Other diseases peculiar to early infancy—Autres affections spéciales au premier âge	M.	25	25	–	–	–	–	–	–	–	–
		F.	15	15	–	–	–	–	–	–	–	–
	(a) Specified diseases—Affections spécifiées.	M.	5	5	–	–	–	–	–	–	–	–
		F.	6	6	–	–	–	–	–	–	–	–
	(b) Unspecified causes under 3 months—Causes non spécifiées au-dessous de 3 mois.	M.	20	20	–	–	–	–	–	–	–	–
		F.	9	9	–	–	–	–	–	–	–	–
	CLASS XIII—OLD AGE—CLASSE XIII—VIEILLESSE.	**Total**	**71**	–	–	–	–	–	–	–	–	–
		M.	**27**	–	–	–	–	–	–	–	–	–
		F.	**44**	–	–	–	–	–	–	–	–	–
164	Senility—Sénilité	M.	27	–	–	–	–	–	–	–	–	–
		F.	44	–	–	–	–	–	–	–	–	–

TABLEAU K—Causes de décès d'Indiens selon le sexe et l'âge, Canada, 1928—*suite*

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non donnés	
–	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	146
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	147
1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	148
1	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	149
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	151
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	152
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	153
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	155
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	159c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	160
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	161b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	162b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	6	5	9	19	9	11	7	4	–	
–	–	–	–	–	–	–	–	3	3	4	5	3	8	1	–	–	
–	–	–	–	–	–	–	1	3	2	5	14	6	3	6	4	–	
–	–	–	–	–	–	–	–	3	3	4	5	3	8	1	–	–	164
–	–	–	–	–	–	–	1	3	2	5	14	6	3	6	4	–	

TABLE K—Causes of deaths of Indians by sex and age, Canada, 1928—*concluded*

Int. list No.	Causes of death — Causes de décès		Total	Ages								
				Under 1 year — Moins de 1 an	1 year — 1 an	2 years — 2 ans	3 years — 3 ans	4 years — 4 ans	5 to 9 years — 5 à 9 ans	10 to 14 years — 10 à 14 ans	15 to 19 years — 15 à 19 ans	20 to 24 years — 20 à 24 ans
	CLASS XIV—EXTERNAL CAUSES—CLASSE XIV—CAUSES EXTÉRIEURES.	Total	70	2	3	2	1	–	6	3	5	3
		M.	50	2	2	1	–	–	4	2	5	1
		F.	20	–	1	1	1	–	2	1	–	2
165–174	**Suicides**	M.	3	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
169	Suicide by drowning—Suicide par submersion.	M.	1	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
170	Suicide by firearms—Suicide par armes à feu.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
171	Suicide by cutting or piercing instruments—Suicide par instruments tranchants ou piquants.	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
175	Poisoning by food—Empoisonnement par aliments.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
178	Conflagration—Incendie	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	1	–	–	–	–	–
179	Accidental burns and scalds (conflagration excepted)—Brûlures accidentelles (autres que par l'incendie).	M.	1	–	–	–	–	–	–	–	1	–
		F.	1	–	–	–	–	–	1	–	–	–
180	Accidental mechanical suffocation—Suffocation mécanique accidentelle.	M.	1	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(a) Overlaying—Étouffé pendant le sommeil.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(b) Asphyxia—Asphyxie	M.	1	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
182	Accidental drowning—Submersion accidentelle.	M.	14	–	–	1	–	–	3	2	1	–
		F.	4	–	–	1	–	–	1	1	–	1
183	Accidental traumatism by firearms—Traumatismes accidentels par armes à feu.	M.	5	–	–	–	–	–	1	–	–	–
		F.	1	–	–	–		–	–	–	–	–
185	Accidental traumatism by fall—Traumatismes accidentels par chute.	M.	7	–	1	–	–	–	–	–	1	–
		F.	6	–	–	–	–	–	–	–	–	–
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.)—Traumatismes accidentels par autres écrasements (voitures, railways, éboulements, etc.).	M.	10	–	–	–	–	–	–	–	1	–
		F.	3	–	–	–	–	–	–	–	–	1
	(a) Railroad accidents—Accidents par chemins de fer.	M.	4	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(b) Street car accidents—Accidents par tramways.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(c) Automobile accidents—Accidents par automobiles.	M.	3	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
	(d) Aeroplane and balloon accidents—Accidents par aéroplanes et ballons.	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	(e) Injuries by other vehicles—Blessures par autres voitures.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1
	(f) Other crushing—Autres écrasements.	M.	3	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
193	Excessive cold—Froid excessif	M.	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
194	Excessive heat—Chaleur excessive	M.	3	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
197–199	**Homicides**	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
199	Homicide by other means—Homicide par autres moyens.	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–
202	Other external violence (cause specified)—Autres violences extérieures (cause spécifiée).	M.	4	–	1	–	–	–	–	–	–	1
		F.	2	–	1	–	–	–	–	–	–	–
	CLASS XV—ILL-DEFINED DISEASES—CLASSE XV—MALADIES MAL DÉFINIES.	Total	78	12	8	7	2	2	8	6	4	2
		M.	44	8	4	5	–	1	3	4	1	–
		F.	34	4	4	2	2	1	5	2	3	2
204	Sudden death—Mort subite	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
205	Cause of death not specified or ill-defined—Cause de décès non spécifiée ou mal définie.	M.	43	8	4	5	–	1	3	4	1	–
		F.	34	4	4	2	2	1	5	2	3	2
	(a) Ill-defined—Mal définie	M.	10	1	1	4	–	–	–	–	–	–
		F.	2	–	2	–	–	–	–	–	–	–
	(b) Not specified or unknown—Non spécifiée ou inconnue.	M.	25	7	3	1	–	1	3	4	1	–
		F.	30	4	2	2	2	1	5	2	3	2
	(c) Heart failure—Paralysie du cœur	M.	8	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–
	(d) Syncope	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

TABLEAU K—Causes de décès d'Indiens selon le sexe et l'âge, Canada, 1928—*fin*

Âges																	No. liste int.
25 to 29 years — 25 à 29 ans	30 to 34 years — 30 à 34 ans	35 to 39 years — 35 à 39 ans	40 to 44 years — 40 à 44 ans	45 to 49 years — 45 à 49 ans	50 to 54 years — 50 à 54 ans	55 to 59 years — 55 à 59 ans	60 to 64 years — 60 à 64 ans	65 to 69 years — 65 à 69 ans	70 to 74 years — 70 à 74 ans	75 to 79 years — 75 à 79 ans	80 to 84 years — 80 à 84 ans	85 to 89 years — 85 à 89 ans	90 to 94 years — 90 à 94 ans	95 to 99 years — 95 à 99 ans	100 years and over — 100 ans et plus	Not stated — Non dennés	
9	3	3	4	5	5	4	1	2	3	1	3	–	1	–	–	1	
7	3	3	3	4	4	3	1	1	1	1	1	–	–	–	–	1	
2	–	–	1	1	1	1	–	1	2	–	2	–	1	–	–	–	
–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	165–174
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	169
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	170
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	171
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	175
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	178
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	179
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	180b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	1	–	–	1	1	–	1	1	–	–	–	–	–	–	–	182
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1	183
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
1	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	185
–	–	–	1	1	–	1	–	1	–	–	1	–	1	–	–	–	
4	–	1	1	1	–	1	–	–	–	1	–	–	–	–	–	–	188
1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	188a
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	188b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	188c
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	188d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	188e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	188f
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	193
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	194
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	197–199
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	199
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	202
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	1	4	1	–	1	1	4	4	1	–	5	–	–	1	–	1	
3	–	1	1	–	1	1	2	1	1	–	5	–	–	1	–	1	
–	1	3	–	–	–	–	2	3	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	204
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	–	1	1	–	1	1	2	1	1	–	4	–	–	1	–	1	205
–	1	3	–	–	–	–	2	3	–	–	–	–	–	–	–	–	
1	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	205a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	1	1	–	–	–	1	1	–	–	–	–	–	–	–	–	205b
–	1	2	–	–	–	–	2	2	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	1	–	4	–	–	1	–	1	205c
–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	205d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

APPENDIX II

SCHEDULE OF CENSUS DIVISIONS IN PRAIRIE PROVINCES

APPENDICE II

DIVISIONS DE RECENSEMENT DANS LES PROVINCES DES PRAIRIES

SCHEDULE OF CENSUS DIVISIONS IN PRAIRIE PROVINCES

There being no fixed political divisions in Manitoba, Saskatchewan and Alberta corresponding to counties in Eastern Canada, it was deemed advisable, in compiling and publishing the results of the Census of 1921, to divide these provinces for statistical purposes into "Census Divisions," each containing a certain number of rural municipalities, "local improvement districts," cities, towns and incorporated villages. The object of this demarcation was to obtain permanent units smaller than the provinces for comparisons extending over a number of years. The same "Divisions" have been adopted in the present Report.

Maps are inserted, showing the boundaries of the "Divisions" by red lines; the municipalities contained within "Divisions" by heavy black lines and the townships within municipalities by faint black lines. The numbers enclosed in red circles on the maps refer to the numbers assigned to the "Divisions"; the black figures refer to municipalities or local improvement districts (L.I.D.).

The following schedule gives the rural municipalities by name and number (the latter in parenthesis) together with the cities, towns and villages comprised within each "Census Division," according to the Census of 1921. Local Improvement Districts and Unorganized Territorial Units in Saskatchewan and Alberta are given by number only.

MANITOBA

Division No. 1 comprises the municipalities of Birch River (1), Hanover (2), La Broquerie (3), Piney (4), Ste. Anne (5), Sprague (6), Stuartburn (7), Taché (8); Unorganized parts East of the Principal Meridian between townships 3 and 10 (9).

Division No. 2 comprises the municipalities of De Salaberry (1), Franklin (2), Montcalm (3), Morris (4), Rhineland (5), Roland (6), Stanley (7), Thompson (8); Indian Reserve—Roseau Band; Towns—Emerson, Morden, Morris; Villages—Gretna, Plum Coulee, Winkler.

Division No. 3 comprises the municipalities of Argyle (1), Lorne (2), Louise (3), Pembina (4), Riverside (5), Roblin (6), Strathcona (7), Turtle Mountain (8); Indian Reserve—Swan Lake; Town—Killarney; Villages—Manitou, Pilot Mound.

Division No. 4 comprises the municipalities of Albert (1), Arthur (2), Brenda (3), Cameron (4), Edward (5), Morton (6), Whitewater (7), Winchester (8); Towns—Boissevain, Deloraine, Hartney, Melita; Village—Napinka.

Division No. 5 comprises the municipalities of Brokenhead (1), Fort Alexander (2), Kildonan East (3), Lac du Bonnet (4), St. Clements (5), St. Paul East (6), Springfield (7), Victoria Beach (8), Whitemouth (9); Unorganized parts East of the Principal Meridian between townships 9 and 21 (10); Indian Reserves—Fort Alexander, Brokenhead; Towns—Beauséjour, Transcona; Village—Lyall.

Division No. 6 comprises the municipalities of Cartier (1), Charleswood (2), Dufferin (3), Fort Garry (4), Grey (5), Macdonald (6), Portage la Prairie (7), Ritchot (8), St. Vital (9); Indian Reserves—Long Plain, Sioux Village; Cities—Portage la Prairie, St. Boniface, Winnipeg; Towns—Carman, Tuxedo.

Division No. 7 comprises the municipalities of Cornwallis (1), Cypress North (2), Cypress South (3), Elton (4), Norfolk North (5), Norfolk South (6), Oakland (7), Victoria (8); Indian Reserve—Indian Gardens; City—Brandon; Town—Carberry; Village—Wawanesa.

Division No. 8 comprises the municipalities of Daly (1), Glenwood (2), Pipestone (3), Sifton (4), Wallace (5), Whitehead (6), Woodworth (7); Indian Reserves—Oak Lake, Oak River; Towns—Oak Lake, Rivers, Souris, Virden; Village—Elkhorn.

Division No. 9 comprises the municipalities of Assiniboia (1), Kildonan West (2), Rockwood (3), Rosser (4), St. Andrews (5), St. François Xavier (6), St. James (7), St. Paul West (8), Woodlands (9); Towns—Selkirk, Stonewall, Winnipeg Beach.

Division No. 10 comprises the municipalities of Glenella (1), Lakeview (2), Langford (3), Lansdowne (4), McCreary (5), Rosedale (6), Westbourne (7); Indian Reserve—Lake View; Towns—Gladstone, Neepawa.

Division No. 11 comprises the municipalities of Archie (1), Birtle (2), Blanshard (3), Clanwilliam (4), Ellice (5), Hamiota (6), Harrison (7), Miniota (8), Minto (9), Odanah (10), Saskatchewan (11), Shoal Lake (12), Strathclair (13); Indian Reserves—Bird Tail, Rolling River, Keeseekoowenins; Towns—Birtle, Minnedosa, Rapid City; Villages—Foxwarren, Hamiota, Shoal Lake.

Division No. 12 comprises the municipalities of Armstrong (1), Bifrost (2), Chatfield (3), Coldwell (4), Ericksdale (5), Fisher Branch (6), Gimli (7), Kreuzburg (8), St. Laurent (9), Siglunes (10), Woodlea (11); Indian Reserve—Dog Creek; Village—Gimli.

Division No. 13 comprises the municipalities of Dauphin (1), Ethelbert (2), Lawrence (3), Mossy River (4), Ochre River (5), Ste. Rose (6); Unorganized parts north of township 20 and lying between the eastern boundaries of the municipalities of Ste. Rose and Lawrence, and Lake Manitoba (7); Indian Reserves—Ebb & Flow, Crane River; Town—Dauphin; Village—Winnipegosis.

Division No. 14 comprises the municipalities of Boulton (1), Gilbert Plains (2), Grandview (3), Hillsburg (4), Rossburn (5), Russell (6), Shellmouth (7), Shell River (8), Silver Creek (9); Unorganized territory between townships 18 and 23 and between ranges 16 and 26 West Principal Meridian (10); Indian Reserves—Valley River, Gamblers, Lizard Point; Towns—Grandview, Russell; Villages—Binscarth, Gilbert Plains, Roblin, Rossburn.

Division No. 15 comprises the municipalities of Minitonas (1), Swan River (2); Unorganized parts between townships 27 and 35 and between the western provincial boundary and range 23 West Principal Meridian (3); Town—Swan River.

Division No. 16 comprises unorganized northern parts; Indian Reserves—Norway House Agency, Fisher River Agency, Pas Agency, Black River, Hollow Water, Fairford, Lake St. Martin, Little Saskatchewan, Pine Creek, Shoal River, Waterhen; Town—The Pas.

SASKATCHEWAN

Division No. 1 comprises the municipalities of Argyle (1), Mount Pleasant (2), Enniskillen (3), Coalfields (4), Estevan (5), Storthoaks (31), Reciprocity (32), Moose Creek (33), Browning (34), Benson (35), Antler (61), Moose Mountain (63), Brock (64), Tecumseh (65), Maryfield (91), Walpole (92), Wawken (93), Hazelwood (94), Golden West (95); Indian Reserve—Moose Mountain; Towns—Alameda, Arcola, Carlyle, Carnduff, Estevan, Oxbow; Villages—Antler, Bienfait, Carrievale, Fairlight, Forget, Frobisher, Gainsborough, Glen Ewen, Heward, Kennedy, Kisbey, Lampman, Manor, Maryfield, North Portal, Redvers, Roche Percée, Stoughton, Wauchope, Wawota.

Division No. 2 comprises the municipalities of Cambria (6), Souris Valley (7), Lake Alma (8), Surprise Valley (9), Happy Valley (10), Cymri (36), Lomond (37), Laurier (38), The Gap (39), Bengough (40), Griffin (66), Weyburn (67), Brokenshell (68), Norton (69), Key West (70), Fillmore (96), Wellington (97), Scott (98), Caledonia (99), Elmsthorpe (100); City—Weyburn; Towns—Milestone, Ogema, Radville, Yellowgrass; Villages—Amulet, Avonlea, Bengough, Bromhead, Ceylon, Colgate, Creelman, Fillmore, Forward, Goodwater, Griffin, Halbrite, Horizon, Khedive, Lang, Macoun, McTaggart, Midale, Osage, Pangman, Tribune, Truax, Tyvan.

Division No. 3 comprises the municipalities of Hart Butte (11), Poplar Valley (12), Willow Bunch (42), Waverley (44), Mankota (45), Glen McPherson (46), Excel (71), Lake of the Rivers (72), Stonehenge (73), Wood River (74), Pinto Creek (75), Auvergne (76), Terrell (101), Lake Johnston (102), Sutton (103), Gravelbourg (104), Glen Bain (105), Whiska Creek (106); Unorganized Territorial Units—13, 14, 15, 16, 43; Indian Reserve—Wood Mountain; Towns—Assiniboia, Gravelbourg; Villages—Aneroid, Ardill, Congress, Ettington, Expanse, Hazenmore, Kincaid, Lafleche, Limerick, Mazenod, Meyronne, Mitchellton, Mossbank, Neville, Palmir, Ponteix, Readlyn, Spring Valley, Vanguard, Vantage, Verwood, Viceroy, Woodrow.

Division No. 4 comprises the municipalities of Lone Tree (18), Frontier (19), White Valley (49), Reno (51), Wise Creek (77), Grassy Creek (78), Arlington (79), Lac Pelletier (107), Bone Creek (108), Carmichael (109), Piapot (110), Maple Creek (111); Unorganized Territorial Units—17, 20, 21, 22, 47, 48, 50, 52, 80, 81, 82, 112; Towns—Eastend, Maple Creek, Shaunavon; Villages—Admiral, Cadillac, Carmichael, Consul, Dollard, Hatton, Piapot, Robsart, Scotsguard, Vidora.

Division No. 5 comprises the municipalities of Moosomin (121), Martin (122), Silverwood (123), Kingsley (124), Chester (125), Rocanville (151), Spy Hill (152), Willowdale (153), Elcapo (154), Wolseley (155), Langenburg (181), Fertile Belt (183), Grayson (184), McLeod (185), Churchbridge (211), Saltcoats (213), Cana (214), Stanley (215); Indian Reserve—Crooked Lake Agency; Towns—Bredenbury, Broadview, Fleming, Grenfell, Lemberg, Melville, Moosomin, Saltcoats, Wapella, Whitewood, Wolseley; Villages—Atwater, Bangor, Birmingham, Churchbridge, Dubuc, Duff, Esterhazy, Fenwood, Glenavon, Goodeve, Grayson, Killaly, Kipling, Langenburg, MacNutt, Neudorf, Otthon, Rocanville, Spy Hill, Stockholm, Summerberry, Tantallon, Waldron, Welwyn, Windthorst.

Division No. 6 comprises the municipalities of Montmartre (126), Francis (127), Lajord (128), Bratt's Lake (129), Redburn (130), Indian Head (156), South Qu'Appelle (157), Edenwold (158), Sherwood (159), Pense (160), Abernethy (186), North Qu'Appelle (187), Lumsden (189), Dufferin (190), Tullymet (216), Lipton (217), Cupar (218), Longlaketon (219), McKillop (220), Sarnia (221); Indian Reserves—Qu'Appelle Agency, Assiniboine Agency, File Hill Agency; City—Regina; Towns—Balgonie, Francis, Indian Head, Lumsden, Qu'Appelle, Rouleau, Sintaluta, Strasbourg; Villages—Abernethy, Balcarres, Belle Plaine, Bethune, Briercrest, B-Say-Tah, Bulyea, Chamberlain, Craven, Cupar, Dilke, Disley, Drinkwater, Dysart, Earl Grey, Edenwold, Findlater, Fort Qu'Appelle, Grand Coulee, Holdfast, Kendal, Kronau, Lebret, Lipton, Markinch, McLean, Montmartre, North Regina, Odessa, Pense, Penzance, Pilot Butte, Regina Beach, Sedley, Silton, Southey, Vibank, Wilcox.

Division No. 7 comprises the municipalities of Baildon (131), Hillsborough (132), Rodgers (133), Shamrock (134), Lawtonia (135), Coulee (136), Moose Jaw (161), Caron (162), Wheatlands (163), Chaplin (164), Morse (165), Excelsior (166), Marquis (191), Eyebrow (193), Enfield (194), Vermilion Hills (195), Craik (222), Huron (223), Maple Bush (224), Canaan (225), Victory (226), Coteau (255), King George (256); City—Moose Jaw; Towns—Caron, Craik, Herbert, Morse, Mortlach; Villages—Aylesbury, Birsay, Bridgeford, Brownlee, Central Butte, Chaplin, Dunblane, Ernfold, Eyebrow, Hodgeville, Keeler, Lawson, Lucky Lake, Marquis, Mawer, Parkbeg, Riverhurst, Rush Lake, Tugaske, Tuxford, Waldeck.

Division No. 8 comprises the municipalities of Swift Current (137), Webb (138), Gull Lake (139), Big Stick (141), Bitter Lake (142), Saskatchewan Landing (167), Riverside (168), Pittville (169), Keebleville (171), Enterprise (172), Lacadena (228), Miry Creek (229), Clinworth (230), Happyland (231), Deer Forks (232), Monet (257), Fairview (258), Snipe Lake (259), Newcombe (260), Royal Canadian (261), Mantario (262); Unorganized Territorial Units—140, 170, 227; City—Swift Current; Towns—Cabri, Gull Lake, Leader; Villages—Abbey, Burstall, Eatonia, Elrose, Eston, Estuary, Glidden, Hughton, Lancer, Lemsford, Pennant, Plato, Portreeve, Prelate, Richlea, Sceptre, Shackleton, Success, Tompkins, Webb.

Division No. 9 comprises the municipalities of Calder (241), Wallace (243), Orkney (244), Garry (245), Coté (271), Sliding Hills (273), Good Lake (274), Insinger (275), St. Philips (301), Keys (303), Buchanan (304), Invermay (305), Livingston (331), Clayton (333), Preeceville (334), Hazel Dell (335); Indian Reserve—Pelly Agency; Towns—Canora, Kamsack, Yorkton; Villages—Arran, Buchanan, Calder, Hyas, Insinger, Invermay, Norquay, Pelley, Preeceville, Rama, Rhein, Sheho, Springside, Stenen, Stornoway, Sturgis, Theodore, Togo, Veregin, Willowbrook, Wroxton.

Division No. 10 comprises the municipalities of Ituna Bon Accord (246), Kellross (247), Touchwood (248), Millington (249), Beaver (276), Emerald (277), Kutawa (278), Mount Hope (279), Foam Lake (306), Elfros (307), Big Quill (308), Prairie Rose (309), Sasman (336), Lakeview (337), Lakeside (338), Ayr (339); Indian Reserves—Muscowequans, Gordon, Day Star, Poorman, Fishing Lake; Towns—Wadena, Watson, Wynyard; Villages—Dafoe, Elfros, Foam Lake, Hubbard, Ituna, Jansen, Jasmin, Kandahar, Kelliher, Kuroki, Leross, Leslie, Lestock, Margo, Punnichy, Quill Lake, Quinton, Raymore, Semans, Tate.

Division No. 11 comprises the municipalities of Last Mountain Valley (250), Big Arm (251), Arm River (252), Willner (253), Loreburn (254), Wreford (280), Wood Creek (281), McCraney (282), Rosedale (283), Rudy (284), Usborne (310), Morris (312), Lost River (313), Dundurn (314), Wolverine (340), Viscount (341), Colonsay (342), Blucher (343), Cory (344); Indian Reserve—Moose Woods; City—Saskatoon; Towns—Davidson, Govan, Hanley, Lanigan, Nokomis, Outlook, Sutherland, Watrous; Villages—Allan,

Bladworth, Bradwell, Broderick, Clavet, Colonsay, Drake, Dundurn, Duval, Elbow, Elstow, Girvin, Glenside, Guernsey, Hawarden, Imperial, Kenaston, Liberty, Lockwood, Loreburn, Meacham, Simpson, Strongfield, Venn, Viscount, Young, Zelma.

Division No. 12 comprises the municipalities of Fertile Valley (285), Milden (286), St. Andrews (287), Pleasant Valley (288), Montrose (315), Harris (316), Marriott (317), Mountain View (318), Loganton (345), Perdue (346), Biggar (347), Bushville (348), Park (375), Eagle Creek (376), Glenside (377), Rosemount (378), Prairie (408), Battle River (438); Indian Reserves—Mosquito, Sweet Grass, Red Pheasant; Towns—Asquith, Battleford, Biggar, Delisle, Langham, Rosetown, Zealandia; Villages—Ardath, Bounty, Conquest, Delmas, Dinsmore, Harris, Herschel, Kinley, Laura, Leney, Macrorie, McGee, Milden, Perdue, Sovereign, Spring Water, Stranraer, Swanson, Tessier, Vanscoy, Wiseton.

Division No. 13 comprises the municipalities of Hillsburgh (289), Kindersley (290), Elma (291), Milton (292), Winslow (319), Oakdale (320), Prairiedale (321), Antelope Park (322), Grandview (349), Mariposa (350), Progress (351), Heart's Hill (352), Reford (379), Tramping Lake (380), Grass Lake (381), Eye Hill (382), Buffalo (409), Round Valley (410), Senlac (411), Cut Knife (439), Hillsdale (440), Manitou Lake (442); Indian Reserves—Poundmaker, Little Pine, Lucky Man; Towns—Alsask, Kerrobert, Kindersley, Macklin, Scott, Unity, Wilkie; Villages—Adanac, Brock, Cavell, Cut Knife, Denzil, Dodsland, Druid, Evesham, Flaxcombe, Handel, Kelfield, Landis, Leipsig, Loverna, Luseland, Major, Marengo, Netherhill, Plenty, Rockhaven, Salvador, Senlac, Smiley, Tramping Lake.

Division No. 14 comprises the municipalities of Kelvington (366), Ponass Lake (367), Spalding (368), Barrier Valley (397), Pleasantdale (398), Bjorkdale (426), Tisdale (427), Star City (428), Arborfield (456), Connaught (457), Willow Creek (458), Moose Range (486), Nipawin (487); Unorganized Territorial Units—361, 363, 364, 365, 391, 393, 394, 395, 396, 421, 423, 424, 425, 451, 453, 454, 455, 481, 483, 484, 485, 488, 511, 513, 514, 515, 516, 517, 518; Indian Reserves—Kinistino, Nut Lake, Shoal Lake, Red Earth; Towns—Melfort, Tisdale; Villages—Hudson Bay Jct., Naicam, Star City.

Division No. 15 comprises the municipalites of St. Peter (369), Humboldt (370), Bayne (371), Grant (372), Aberdeen (373), Warman (374), Lake Lenore (399), Three Lakes (400), Hoodoo (401), Fish Creek (402), Rosthern (403), Laird (404), Carrot River (429), Invergordon (430), St. Louis (431), Weldon (459), Birch Hills (460), Prince Albert (461), Duck Lake (463), Russia (490), Buckland (491); Unorganized Territorial Units—489, 519, 520, 521; Indian Reserves—Duck Lake Boarding School, One Arrow Band Okemassis Band, John Smith Band, James Smith Band, Wahpaton Band; City—Prince Albert; Towns—Duck Lake, Humboldt, Rosthern, Vonda; Villages—Aberdeen, Beatty, Birch Hills, Bruno, Cudworth, Dalmeny, Dana, Domremy, Englefeld, Hague, Hepburn, Howell, Kinistino, Laird, Lake Lenore, Muenster, Osler, St. Brieux, St. Gregor, Wakaw, Waldheim, Warman, Weldon.

Division No. 16 comprises the municipalities of Great Bend (405), Mayfield (406), Blaine Lake (434), Redberry (435), Douglas (436), North Battleford (437), Leask (464), Royal (465), Meeting Lake (466), Round Hill (467), Rozilee (493), Canwood (494), Shell River (495), Medstead (497); Unorganized Territorial Units—496, 523, 524, 525, 526, 527, 553, 554, 555, 556, 557, 587; Indian Reserves—Carleton Agency, Thunder Child, Sturgeon Lake; City—North Battleford; Town—Radisson; Villages—Blaine Lake, Borden, Canwood, Denholm, Fielding, Hafford, Krydor, Leask, Marcelin, Maymont, Parkside, Richard, Ruddell, Shellbrook, Speers.

Division No. 17 comprises the municipalities of Meota (468), Turtle River (469), Paynton (470), Eldon (471), Wilton (472), Parkdale (498), Mervin (499), Paradise Hill (501), Britannia (502), Bright Sand (529), North Star (531); Unorganized Territorial Units—528, 532, 558, 559, 561, 562, 588, 589, 591, 592; Indian Reserves—Moosomin, Saultans, Meadow Lake, Waterhen, Onion Lake Agency; Town—Lloydminster (part); Villages—Edam, Lashburn, Maidstone, Marshall, Meota, Mervin, Paynton, Turtleford, Vawn, Waseca.

Division No. 18 comprises northern unorganized parts; Indian Reserves—Fond du Lac Band, William Charles Band, Cumberland Band, Pine Bluff Band, Lac la Ronge, Lac Stanley, South End, Pelican Narrows, English River, Clear Lake, Canoe Lake.

ALBERTA

Division No. 1 comprises the municipalities of Flowery Plain (33), Burlington (34), Warner (36), Forty Mile (64), Eureka (65), Excelsior (92), Bow Island (94); Local Improvement Districts—1, 2, 3, 4, 5, 6, 31, 32, 35, 61, 62, 63, 66, 91, 93; City—Medicine Hat; Towns—Bow Island, Irvine, Taber; Villages—Burdett, Grassy Lake, Milk River, Walsh, Warner.

Division No. 2 comprises the municipalities of Cochrane (10), Kerr (39), Castle River (40), Bright (69), Livingstone (70), Argyle (99); Local Improvement Districts—7, 8, 9, 37, 38, 67,68, 71, 100, 101; Indian Reserves—Peigan Reserve, Blood Agency; City—Lethbridge; Towns—Blairmore, Cardston, Claresholm, Coleman, Diamond City, Granum, Macleod, Magrath, Pincher Creek, Raymond; Villages—Coaldale, Coalhurst, Commerce, Cowley, Frank, Monarch, Pincher City, Stirling.

Division No. 3 comprises the municipalities of McLean (96), Sunny South (123), King (153), Britannia (183); Local Improvement Districts—121, 122, 124, 125, 126, 151, 152, 154, 155, 156, 181, 182, 184, 185, 186, 211; Towns—Bassano, Brooks, Redcliffe; Villages—Alderson, Duchess, Empress, Enchant, Jenner, Retlaw, Suffield.

Division No. 4 comprises the municipalities of Little Bow (98), Clifton (127), Harmony (128), Clear Lake (129), Marquis (157), Royal (158), Riley (159), Dinton (189), Sheep Creek (190), Stockland (191); Local Improvement Districts—97, 130, 131, 160, 161, 192; Unorganized parts between townships 17 and 22 west to the provincial boundary; Towns—Carmangay, High River, Nanton, Okotoks, Stavely, Vulcan; Villages—Barons, Blackie, Cayley, Champion, Lomond, Nobleford.

Division No. 5 comprises the municipalities of Berry Creek (214), Bulyea (215), Acadia (241), Cereal (242), Collholme (243), Flowerdale (244), Lonebutte (245), Bertawan (271), Golden Centre (272), Sounding Creek (273), Richdale (274), Hand Hills (275), Michichi (277), Canmer (301), Stewart (302), Wiste (303), Hiram (304), Dowling Lake (305), Lambton (306), Starland (307); Local Improvement Districts—212, 213, 246; Towns—Drumheller, Hanna, Youngstown; Villages—Cereal, Chinook, Craigmyle, Delia, Morrin, Munson, Oyen, Richdale, Rumsey.

Division No. 6 comprises the municipalities of Blackfoot (218), Bow Valley (219), Shepard (220), Springbank (221), Grasswold (248), Keoma (249), Beddington (250), Carbon (278), Norquay (279), Rosebud (280), Beaver Dam (281), Ghost Pine (308), Stauffer (309), Mountain View (310), Westerdale (311), Local Improvement Districts—216, 217, 222, 247, 251, 252, 282; Unorganized parts between townships 21 and 31 west to the provincial boundary; Indian Reserves—Stony Reserve, Sarcee Reserve, Blackfoot Agency; Cities—Calgary, Banff (not incorporated); Towns—Didsbury, Gleichen, Olds, Strathmore; Villages—Acme, Airdrie, Beiseker, Carbon, Carstairs, Cochrane, Crossfield, Irricana, Langdon, Rockyford, Rosebud, Three Hills, Trochu.

Division No. 7 comprises the municipalities of Coronation (334), Sullivan Lake (335), Rosenheim (361), Hillcrest (362), Stocks (363), Flagstaff (364), Progress (365), Sifton (391), Vale (392), Huamha (393), Asquith (394), Wheatland (395), Ribstone (421), Gilt Edge (422), Battle River (423), Kinsella (424), Stirling (425), Iron Creek (455); Local Improvement Districts—331, 332, 333; Towns—Castor, Coronation, Hardisty, Wainwright; Villages—Alliance, Cadogan, Chauvin, Consort, Czar, Edgerton, Forestburg, Galahad, Hughenden, Irma, Killam, Lougheed, Monitor, Provost, Sedgewick, Strome, Veteran, Viking.

Division No. 8 comprises the municipalities of Success (336), Vimy (337), Hayes (338), Pine Lake (339), Arthur (340), Dublin (366), Waverley (367), Haig (396), Lakeside (397), Lamerton (398), Crown (399), Melrose (426), Evergreen (427), Waterglen (428), Fertile Valley (429), Parkland (456), Lloyd George (457), Montgomery (458), Bigstone (459); Indian Reserve—Hobbema Agency; Cities—Red Deer, Wetaskiwin; Towns—Big Valley, Camrose; Daysland, Innisfail, Lacombe, Ponoka, Stettler; Villages—Alix, Bashaw, Bawlf, Bittern Lake, Blackfalds, Botha, Clive, Delburne, Donalda, Erskine, Ferintosh, Gadsby, Halkirk, Heisler, Millett, Mirror, New Norway, Ohaton, Penhold.

Division No. 9 comprises the municipalities of Waterloo (312), Poplar Grove (341), Raven (342), Prairie Creek (343), Golden West (371), Lorne (400), Locheran (401), Blindman (430), Last West (431), Columbia (460); Local Improvement Districts—344, 374, 403, 432, 434, 461, 462; Unorganized Territorial Units—433, 463, 464; Unorganized parts between townships 30 and 47 west to the provincial boundary; Villages—Bentley, Bowden, North Red Deer, Rimbey, Rocky Mountain House, Sylvan Lake.

Division No. 10 comprises the municipalities of Merton (451), Grizzly Bear (452), Buffalo Coulee (453), Lakeview (454), Wellington (481), Vermilion Valley (482), Melberta (483), Birch Lake (484), Patricia (485), Beaver Lake (486), Streamstown (511), Ethelwyn (512), Ukrainia (513), Sobor (514), Norma (515), The Pines (516), Eagle (545), Wostok (546), Leslie (547); Towns—Lloydminster (part), Vegreville, Vermilion; Villages—Bruderheim, Chipman, Holden, Innisfree, Islay, Kitscoty, Lamont, Lavoy, Mannville, Minburn, Mundare, Ryley.

Division No. 11 comprises the municipalities of Cornhill (487), Black Mud (488), Liberty (489), Pioneer (490), Clover Bar (517), Strathcona (518), Spruce Grove (519), Inga (520), Tomahawk (521), Sturgeon (548), Ray (549), Woodford (550), Morthern (551); Local Improvement District—491; Indian Reserve—Edmonton Agency; City—Edmonton; Towns—Beverley, Fort Saskatchewan, Leduc, Morinville, St. Albert, Stony Plain, Tofield; Villages—Alberta Beach, Seba Beach, Wabamun.

Division No. 12 comprises the municipalities of Rocky Rapids (522), Pembina (552), Kitchener (582); Local Improvement Districts—496, 523, 525, 526, 527, 553, 554, 555, 556, 557, 558, 583, 584, 585, 588, 612, 615, 616; Unorganized Territorial Units 493, 494, 495, 524, 586, 587; Unorganized parts between townships 46 and 57 west to the provincial boundary; Town—Edson; Village—Entwistle.

Division No. 13 comprises the municipalities of Lincoln (542), Laurier (543), Champlain (544), Boucher (572), St. Vincent (573), St. Lina (574), Wasel (575), Ashmont (605); Local Improvement Districts—541, 571, 601, 602, 603, 604, 631, 632, 633, 634, 635, 661, 663, 664, 666, 695; Unorganized Territorial Unit 662; Indian Reserves—Saddle Lake Agency, Frog Lake Reserve, White Fish Lake; Village—St. Paul de Metis.

Division No. 14 comprises the municipalities of Smoky Lake (576), Unity (577), Opal (578), Hazelwood (579), Lockerbie (580), Pershing (581), Tawatinaw (608), Pibroch (609), Cartier (637), Nelson (638), Grosmont (668); Local Improvement Districts—606, 607, 610, 611, 636, 639, 640, 665, 667, 669, 696, 697, 698, 699, 726, 727, 729; Unorganized Territorial Unit 728; Town—Athabaska; Villages—Clyde, Lac La Biche, Legal, Westlock.

Division No. 15 comprises Local Improvement Districts—613, 614, 641, 642, 643, 647, 670, 702, 705, 706, 707, 708, 709, 730, 731, 732, 733, 734, 735, 736, 737, 738, 764, 765, 766, 767, 794, 795, 796, 825, 826, 854, 855; Unorganized Territorial Units—617, 618, 619, 620, 621, 622, 644, 645, 646, 648, 671, 672, 673, 674, 675, 676, 677, 678, 679, 700, 701, 703, 704, 710, 824; Unorganized parts between townships 56 and 69 west of the provincial boundary, and the part of T. 69, R. 10 and 11, W. 5th Meridian south of the Wapiti River; Indian Reserves—Grouard, Sturgeon Lake, Sawridge, Swan River, Drift Pile, Sucker Creek; Towns—Grouard, Peace River.

Division No. 16 comprises the municipalities of Grande Prairie (739), Bear Lake (740), Spirit River (829), Peace (857), Fairview (858); Local Improvement Districts—741, 742, 769, 770, 771, 772, 797, 800, 801, 827, 828, 830, 831, 859, 860, 861, 886, 887, 888, 889, 916, 917; Unorganized Territorial Units 890, 891, 918, 919; Unorganized parts between townships 86 and 90 and between U.T.U. 919 and the western provincial boundary; Indian Reserves—Saskatoon Lake, Moberly Lake, Hudson Hope, St. John, Dunvegan, Peace River; Town—Grande Prairie; Villages—Clairmont, Spirit River.

Division No. 17 comprises the remainder of the province consisting of northern parts; Indian Reserves—Long Lake, Chipewayan, Little Red River, Boyer River, Upper Hay River, Wabaska, Fort Vermilion.

DIVISIONS DE RECENSEMENT DANS LES PROVINCES DES PRAIRIES

Le Manitoba, la Saskatchewan et l'Alberta ne possédant pas de divisions politiques correspondant aux comtés de l'est du Canada, on a cru devoir, aux fins de la compilation et de la publication des résultats du recensement de 1921, diviser ces provinces, pour les besoins de la statistique, en "divisions de recensement," chacune de celles-ci contenant un certain nombre de municipalités rurales, de "districts d'améliorations locales," de cités, de villes et de villages incorporés. En établissant ces lignes de démarcation on a créé des unités territoriales permanentes, plus petites que les provinces et facilitant les comparaisons, pendant un certain nombre d'années. Ce sont ces unités territoriales que l'on trouvera dans le présent rapport.

Sur les cartes ci-jointes, les limites des divisions sont figurées par des lignes rouges, celle des municipalités qui sont contenues dans les divisions par d'épaisses lignes noires et celles des cantons par de minces lignes noires.

Les nombres entourés d'un cercle rouge sont les numéros donnés aux divisions; les chiffres en noir sont les numéros des municipalités ou des districts d'améliorations locales (D.A.L.).

On trouvera dans la liste qui suit l'énumération des municipalités rurales, par nom et numéro (ce dernier entre parenthèses) ainsi que les cités, villes et villages composant chacune des "division de recensement," selon le recensement de 1921. Les districts d'améliorations locales et les unités des territoires inorganisés de la Saskatchewan et de l'Alberta sont indiqués simplement par un numéro.

MANITOBA

Division N° 1.—Elle comprend les municipalités de: Birch-River (1), Hanover (2), La Broquerie (3), Piney (4), Ste-Anne (5), Sprague (6), Stuartburn (7), Taché (8); Parties inorganisées à l'est du méridien principal, entre les cantons 3 et 10 (9).

Division N° 2.—Elle comprend les municipalités de: DeSalaberry (1), Franklin (2), Montcalm (3), Morris (4), Rhineland (5), Roland (6), Stanley (7), Thompson (8); Réserve indienne—Bande Roseau; Villes—Emerson, Morden, Morris; Villages—Gretna, Plum Coulée, Winkler.

Division N° 3.—Elle comprend les municipalités de: Argyle (1), Lorne (2), Louise (3), Pembina (4), Riverside (5), Roblin (6), Strathcona (7), Turtle Mountain (8); Réserve indienne—Swan Lake; Ville—Killarney; Villages—Manitou, Pilot Mound.

Division N° 4.—Elle comprend les municipalités de: Albert (1), Arthur (2), Brenda (3), Cameron (4), Edward (5), Morton (6), Whitewater (7), Winchester (8); Villes—Boissevain, Deloraine, Hartney, Melita; Village—Napinka.

Division N° 5.—Elle comprend les municipalités de: Brokenhead (1), Fort Alexander (2), Kildonan East (3), Lac du Bonnet (4), St-Clements (5), St-Paul East (6), Springfield (7), Victoria Beach (8), Whitemouth (9); Parties inorganisées à l'est du méridien principal, entre les cantons 9 et 21 (10); Réserves indiennes—Fort Alexander, Brokenhead; Villes—Beauséjour, Transcona; Village—Lyall.

Division N° 6.—Elle comprend les municipalités de: Cartier (1), Charleswood (2), Dufferin (3), Fort Garry (4), Grey (5), Macdonald (6), Portage la Prairie (7), Richot (8), St-Vital (9); Réserves indiennes—Long Plain, Sioux Village; Cités—Portage la Prairie, St-Boniface, Winnipeg; Villes—Carman, Tuxedo.

Division N° 7.—Elle comprend les municipalités de: Cornwallis (1), Cypress North (2), Cypress South (3), Elton (4), Norfolk North (5), Norfolk South (6), Oakland (7), Victoria (8); Réserve indienne—Indian Gardens; Cité—Brandon; Ville—Carberry; Village—Wawanesa.

Division N° 8.—Elle comprend les municipalités de: Daly (1), Glenwood (2), Pipestone (3), Sifton (4), Wallace (5), Whitehead (6), Woodworth (7); Réserves indiennes—Oak Lake, Oak River; Villes—Oak Lake, Rivers, Souris, Virden; Village—Elkhorn.

Division N° 9.—Elle comprend les municipalités de: Assiniboia (1), Kildonan West (2), Rockwood (3), Rosser (4), St-Andrews (5), St-François Xavier (6), St-James (7), St-Paul West (8), Woodlands (9); Villes—Selkirk, Stonewall, Winnipeg Beach.

Division N° 10.—Elle comprend les municipalités de: Glenella (1), Lakeview (2), Langford (3), Lansdowne (4), McCreary (5), Rosedale (6), Westbourne (7); Réserve indienne—Lake View; Villes—Gladstone, Neepawa.

Division N° 11.—Elle comprend les municipalités de: Archie (1), Birtle (2), Blanshard (3), Clanwilliam (4), Ellice (5), Hamiota (6), Harrison (7), Miniota (8), Minto (9), Odanah (10), Saskatchewan (11), Shoal Lake (12), Strathclair (13); Réserves indiennes—Bird Tail, Rolling River, Keeseekoowenins; Villes—Birtle, Minnedosa, Rapid City; Villages—Foxwarren, Hamiota, Shoal Lake.

Division N° 12.—Elle comprend les municipalités de: Armstrong (1), Bifrost (2), Chatfield (3), Coldwell (4), Ericksdale (5), Fisher Branch (6), Gimli (7), Kreuzburg (8), St-Laurent (9), Siglunes (10), Woodlea (11); Réserve indienne—Dog Creek; Village—Gimli.

Division N° 13.—Elle comprend les municipalités de: Dauphin (1), Ethelbert (2), Lawrence (3), Mossy River (4), Ochre River (5), Ste-Rose (6); Parties inorganisées au nord du canton 20 entre les frontières orientales des municipalités de Ste-Rose et Lawrence et Lac Manitoba (7); Réserves indiennes—Ebb & Flow, Crane River; Ville—Dauphin; Village—Winnipegosis.

Division N° 14.—Elle comprend les municipalités de: Boulton (1), Gilbert Plains (2), Grandview (3), Hillsburg (4), Rossburn (5), Russell (6), Shellmouth (7), Shell River (8), Silver Creek (9); Territoire inorganisé entre les cantons 18 et 23 et entre les rangs 16 et 26 à l'ouest du méridien principal (10); Réserves indiennes—Valley River, Gamblers, Lizard Point; Villes—Grandview, Russell; Villages—Binscarth, Gilbert Plains, Roblin, Rossburn.

Division N° 15.—Elle comprend les municipalités de: Minitonas (1), Swan River (2); Parties inorganisées entre les cantons 27 et 35 et entre la frontière occidentale provinciale et le rang 23 à l'ouest du méridien principal (3); Ville—Swan River.

Division N° 16.—Elle comprend les parties inorganisées du nord; Réserves indiennes—Agence Norway House, Agence Fisher River, Agence Pas, Black River, Hollow Water, Fairford, Lake St-Martin, Little Saskatchewan, Pine Creek, Shoal River, Waterhen; Ville—The Pas.

SASKATCHEWAN

Division N° 1.—Elle comprend les municipalités de: Argyle (1), Mount Pleasant (2), Enniskillen (3), Coalfields (4), Estevan (5), Storthoaks (31), Reciprocity (32), Moose Creek (33), Browning (34), Benson (35), Antler (61), Moose Mountain (63), Brock (64), Tecumseh (65), Maryfield (91), Walpole (92), Wawken (93), Hazelwood (94), Golden West (95); Réserve indienne—Moose Mountain; Villes—Alameda, Arcola, Carlyle, Carnduff, Estevan, Oxbow; Villages—Antler, Bienfait, Carievale, Fairlight, Forget, Frobisher, Gainsborough, Glen Ewen, Heward, Kennedy, Kisbey, Lampman, Manor, Maryfield, North Portal, Redvers, Roche Percée, Stoughton, Wauchope, Wawota.

Division N° 2.—Elle comprend les municipalités de: Cambria (6), Souris Valley (7), Lake Alma (8), Surprise Valley (9), Happy Valley (10), Cymri (36), Lomond (37), Laurier (38), The Gap (39), Bengough (40), Griffin (66), Weyburn (67), Brokenshell (68), Norton (69), Key West (70), Fillmore (96), Wellington (97), Scott (98), Caledonia (99), Elmsthorpe (100); Cité—Weyburn; Villes—Milestone, Ogema, Radville, Yellowgrass; Villages—Amulet, Avonlea, Bengough, Bromhead, Ceylon, Colgate, Creelman, Fillmore, Forward, Goodwater, Griffin, Halbrite, Horizon, Khedive, Lang, Macoun, McTaggart, Midale, Osage, Pangman, Tribune, Truax, Tyvan.

Division N° 3.—Elle comprend les municipalités de: Hart Butte (11), Poplar Valley (12), Willow Bunch (42), Waverley (44), Mankota (45), Glen McPherson (46), Excel (71), Lake of the Rivers (72), Stonehenge (73), Wood River (74), Pinto Creek (75), Auvergne (76), Terrell (101), Lake Johnston (102), Sutton (103), Gravelbourg (104), Glen Bain (105), Whiska Creek (106); Territoires inorganisés par unités 13, 14, 15, 16, 43; Réserve indienne—Wood Mountain; Villes—Assiniboia, Gravelbourg; Villages—Aneroid, Ardill, Congress, Ettington, Expanse, Hazenmore, Kincaid, Laflèche, Limerick, Mazenod, Meyronne, Mitchellton, Mossbank, Neville, Palmer, Ponteix, Readlyn, Spring Valley, Vanguard, Vantage, Verwood, Viceroy, Woodrow.

Division N° 4.—Elle comprend les municipalités de: Lone Tree (18), Frontier (19), White Valley (49), Reno (51), Wise Creek (77), Grassy Creek (78), Arlington (79), Lac Pelletier (107), Bone Creek (108), Carmichael (109), Piapot (110), Maple Creek (111); Territoires inorganisés par unités—17, 20, 21, 22, 47, 48, 50, 52, 80, 81, 82, 112; Villes—Eastend, Maple Creek, Shaunavon; Villages—Admiral, Cadillac, Carmichael, Consul, Dollard, Hatton, Piapot, Robsart, Scotsguard, Vidora.

Division N° 5.—Elle comprend les municipalités de: Moosomin (121), Martin (122), Silverwood (123), Kingsley (124), Chester (125), Rocanville (151), Spy Hill (152), Willowdale (153), Elcapo (154), Wolseley (155), Langenburg (181), Fertile Belt (183), Grayson (184), McLeod (185), Churchbridge (211), Saltcoats (213), Cana (214), Stanley (215); Réserve indienne—Agence Crooked Lake; Villes—Bredenbury, Broadview, Fleming, Grenfell, Lemberg, Melville, Moosomin, Saltcoats, Wapella, Whitewood, Wolseley; Villages—Atwater, Bangor, Birmingham, Churchbridge, Dubuc, Duff, Esterhazy, Fenwood, Glenavon, Goodeve, Grayson, Killaly, Kipling, Langenburg, MacNutt, Neudorf, Otthon, Rocanville, Spy Hill, Stockholm, Summerberry, Tantallon, Waldron, Welwyn, Windthorst.

Division N° 6.—Elle comprend les municipalités de: Montmartre (126), Francis (127), Lajord (128), Bratt's Lake (129), Redburn (130), Indian Head (156), South Qu'Appelle (157), Edenwold (158), Sherwood (159), Pense (160), Abernethy (186), North Qu'Appelle (187), Lumsden (189), Dufferin (190), Tullymet (216), Lipton (217), Cupar (218), Longlaketon (219), McKillop (220), Sarnia (221); Réserves indiennes—Agence Qu'Appelle, Agence Assiniboine, Agence File Hill; Cité—Regina; Villes—Balgonie, Francis, Indian Head, Lumsden, Qu'Appelle, Rouleau, Sintaluta, Strasbourg; Villages—Abernethy, Balcarres, Belle Plaine, Bethune, Briercrest, B-Say-Tah, Bulyea, Chamberlain, Craven, Cupar, Dilke, Disley, Drinkwater, Dysart, Earl Grey, Edenwold, Findlater, Fort Qu'Appelle, Grand Coulée, Holdfast, Kendal, Kronau, Lebret, Lipton, Markinch, McLean, Montmartre, North Regina, Odessa, Pense, Penzance, Pilot Butte, Regina Beach, Sedley, Silton, Southey, Vibank, Wilcox.

Division N° 7.—Elle comprend les municipalités de: Baildon (131), Hillsborough (132), Rodgers (133), Shamrock (134), Lawtonia (135), Coulee (136), Moose Jaw (161), Caron (162), Wheatlands (163), Chaplin (164), Morse (165), Excelsior (166), Marquis (191), Eyebrow (193), Enfield (194), Vermilion Hills (195), Craik (222), Huron (223), Maple Bush (224), Canaan (225), Victory (226), Coteau (255), King George (256); Cité—Moose Jaw; Villes—Caron, Craik, Herbert, Morse, Mortlach; Villages—Aylesbury, Birsay, Bridgeford, Brownlee, Central Butte, Chaplin, Dunblane, Ernfold, Eyebrow, Hodgeville, Keeler, Lawson, Lucky Lake, Marquis, Mawer, Parkbeg, Riverhurst, Rush Lake, Tugaske, Tuxford, Waldeck.

Division N° 8.—Elle comprend les municipalités de: Swift Current (137), Webb (138), Gull Lake (139), Big Stick (141), Bitter Lake (142), Saskatchewan Landing (167), Riverside (168), Pittville (169), Keebleville (171), Enterprise (172), Lacadena (228), Miry Creek (229), Clinworth (230), Happyland (231), Deer Forks (232), Monet (257), Fairview (258), Snipe Lake (259), Newcombe (260), Royal Canadian (261), Mantario (262); Territoires inorganisés par unités—140, 170, 227; Cité—Swift Current; Villes—Cabri, Gull Lake, Leader; Villages—Abbey, Burstall, Eatonia, Elrose, Eston, Estuary, Glidden, Hughton, Lancer, Lemsford, Pennant, Plato, Portreeve, Prelate, Richlea, Sceptre, Shackleton, Success, Tomkins, Webb.

Division N° 9.—Elle comprend les municipalités de: Calder (241), Wallace (243), Orkney (244), Garry (245), Coté (271), Sliding Hills (273), Good Lake (274), Insinger (275), St-Philips (301), Keys (303), Buchanan (304), Invermay (305), Livingston (331), Clayton (333), Preeceville (334), Hazel Dell (335); Réserve indienne—Agence Pelly; Villes—Canora, Kamsack, Yorkton; Villages—Arran, Buchanan, Calder, Hyas, Insinger, Invermay, Norquay, Pelley, Preeceville, Rama, Rhein, Sheho, Springside, Stenen, Stornoway, Sturgis, Theodore, Togo, Veregin, Willowbrook, Wroxton.

Division N° 10.—Elle comprend les municipalités de: Ituna Bon Accord (246), Kellross (247), Touchwood (248), Millington (249), Beaver (276), Emerald (277), Kutawa (278), Mount Hope (279), Foam Lake (306), Elfros (307), Big Quill (308), Prairie Rose (309), Sasman (336), Lakeview (337), Lakeside (338), Ayr (339); Réserves indiennes—Muscowequans, Gordon, Day Star, Poorman, Fishing Lake; Villes—Wadena, Watson, Wynyard; Villages—Dafoe, Elfros, Foam Lake, Hubbard, Ituna, Jansen, Jasmin, Kandahar, Kelliher, Kuroki, Leross, Leslie, Lestock, Margo, Punnichy, Quill Lake, Quinton, Raymore, Semans, Tate.

Division N° 11.—Elle comprend les municipalités de: Last Mountain Valley (250), Big Arm (251), Arm River (252), Willner (253), Loreburn (254), Wreford (280), Wood Creek (281), McCraney (282), Rosedale (283), Rudy (284), Usborne (310), Morris (312), Lost River (313), Dundurn (314), Wolverine (340), Viscount (341), Colonsay (342), Blucher (343), Cory (344); Réserve indienne—Moose Woods; Cité—

Saskatoon; Villes—Davidson, Govan, Hanley, Lanigan, Nokomis, Outlook, Sutherland, Watrous; Villages—Allan, Bladworth, Bradwell, Broderick, Clavet, Colonsay, Drake, Dundurn, Duval, Elbow, Elstow, Girvin, Glenside, Guernsey, Hawarden, Imperial, Kenaston, Liberty, Lockwood, Loreburn, Meacham, Simpson, Strongfield, Venn, Viscount, Young, Zelma.

Division N° 12.—Elle comprend les municipalités de: Fertile Valley (285), Milden (286), St-Andrews (287), Pleasant Valley (288), Montrose (315), Harris (316), Marriott (317), Mountain View (318), Loganton (345), Perdue (346), Biggar (347), Bushville (348), Park (375), Eagle Creek (376), Glenside (377), Rosemount (378), Prairie (408), Battle River (438); Réserves indiennes—Mosquito, Sweet Grass, Red Pheasant; Villes—Asquith, Battleford, Biggar, Delisle, Langham, Rosetown, Zealandia; Villages—Ardath, Bounty, Conquest, Delmas, Dinsmore, Harris, Herschel, Kinley, Laura, Leney, Macrorie, McGee, Milden, Perdue, Sovereign, Spring Water, Stranraer, Swanson, Tessier, Vanscoy, Wiseton.

Division N° 13.—Elle comprend les municipalités de: Hillsburgh (289), Kindersley (290), Elma (291), Milton (292), Winslow (319), Oakdale (320), Prairiedale (321), Antelope Park (322), Grandview (349), Mariposa (350), Progress (351), Heart's Hill (352), Reford (379), Tramping Lake (380), Grass Lake (381), Eye Hill (382), Buffalo (409), Round Valley (410), Senlac (411), Cut Knife (439), Hillsdale (440), Manitou Lake (442); Réserves indiennes—Poundmaker, Little Pine, Lucky Man; Villes—Alsack, Kerrobert, Kindersley, Macklin, Scott, Unity, Wilkie; Villages—Adanac, Brock, Cavell, Cut Knife, Denzil, Dodsland, Druid, Evesham, Flaxcombe, Handel, Kelfield, Landis, Leipsig, Loverna, Luseland, Major, Marengo, Netherhill, Plenty, Rockhaven, Salvador, Senlac, Smiley, Tramping Lake.

Division N° 14.—Elle comprend les municipalités de: Kelvington (366), Ponass Lake (367), Spalding (368), Barrier Valley (397), Pleasantdale (398), Bjorkdale (426), Tisdale (427), Star City (428), Arborfield (456), Connaught (457), Willow Creek (458), Moose Range (486), Nipawin (487); Territoires inorganisés par unités—361, 363, 364, 365, 391, 393, 394, 395, 396, 421, 423, 424, 425, 451, 453, 454, 455, 481, 483, 484, 485, 488, 511, 513, 514, 515, 516, 517, 518; Réserves indiennes—Kinistino, Nut Lake, Shoal Lake, Red Earth; Villes—Melfort, Tisdale; Villages—Hudson Bay Jct., Naicam, Star City.

Division N° 15.—Elle comprend les municipalités de: St-Peter (369), Humboldt (370), Bayne (371), Grant (372), Aberdeen (373), Warman (374), Lake Lenore (399), Three Lakes (400), Hoodoo (401), Fish Creek (402), Rosthern (403), Laird (404), Carrot River (429), Invergordon (430), St-Louis (431), Weldon (459), Birch Hills (460), Prince Albert (461), Duck Lake (463), Russia (490), Buckland (491); Territoires inorganisés par unités—489, 519, 520, 521; Réserves indiennes—Pensionrat de Duck Lake, Bande One Arrow, Bande Okemassis, Bande John Smith, Bande James Smith, Bande Wahpaton; Cité—Prince Albert; Villes—Duck Lake, Humboldt, Rosthern, Vonda; Villages—Aberdeen, Beatty, Birch Hills, Bruno, Cudworth, Dalmeny, Dana, Domremy, Englefeld, Hague, Hepburn, Howell, Kinistino, Laird, Lake Lenore, Muenster, Osler, St-Brieux, St-Gregor, Wakaw, Waldheim, Warman, Weldon.

Division N° 16.—Elle comprend les municipalités de: Great Bend (405), Mayfield (406), Blaine Lake (434), Redberry (435), Douglas (436), North Battleford (437), Leask (464), Royal (465), Meeting Lake (466), Round Hill (467), Rozilee (493), Canwood (494), Shell River (495), Medstead (497); Territoiresi norganisés par unités—496, 523, 524, 525, 526, 527, 553, 554, 555, 556, 557, 587; Réserves indiennes—Agence Carleton, Thunder Child, Sturgeon Lake; Cité—North Battleford; Ville—Radisson; Villages—Blaine Lake, Borden, Canwood, Denholm, Fielding, Hafford, Krydor, Leask, Marcelin, Maymont, Parkside, Richard, Ruddell, Shellbrook, Speers.

Division N° 17.—Elle comprend les municipalités de: Meota (468), Turtle River (469), Paynton (470), Eldon (471), Wilton (472), Parkdale (498), Mervin (499), Paradise Hill (501), Britannia (502), Bright Sand (529), North Star (531); Territoires inorganisés par unités—528, 532, 558, 559, 561, 562, 588, 589, 591, 592; Réserves indiennes—Moosomin, Saultans, Meadow Lake, Waterhen, Agence Onion Lake; Ville—Lloydminster (partie); Villages—Edam, Lashburn, Maidstone, Marshall, Meota, Mervin, Paynton, Turtleford, Vawn, Waseca.

Division N° 18.—Elle comprend les parties septentrionales inorganisées; Réserves indiennes—Bande Fond du Lac, Bande William Charles, Bande Cumberland, Bande Pine Bluff, Lac la Ronge, Lac Stanley, South End, Pelican Narrows, English River, Clear Lake, Canoe Lake.

ALBERTA

Division N° 1.—Elle comprend les municipalités de: Flowery Plain (33), Burlington (34), Warner (36), Forty Mile (64), Eureka (65), Excelsior (92), Bow Island (94); Districts d'améliorations locales—1, 2, 3, 4, 5, 6, 31, 32, 35, 61, 62, 63, 66, 91, 93; Cité—Medicine Hat; Villes—Bow Island, Irvine, Taber; Villages—Burdett, Grassy Lake, Milk River, Walsh, Warner.

Division N° 2.—Elle comprend les municipalités de: Cochrane (10), Kerr (39), Castle River (40), Bright (69), Livingstone (70), Argyle (99); Districts d'améliorations locales—7, 8, 9, 37, 38, 67, 68, 71, 100, 101; Réserves indiennes—Réserve Peigan, Agence Blood; Cité—Lethbridge; Villes—Blairmore, Cardston, Claresholm, Coleman, Diamond City, Granum, Macleod, Magrath, Pincher Creek, Raymond; Villages—Coaldale, Coalhurst, Commerce, Cowley, Frank, Monarch, Pincher City, Stirling.

Division N° 3.—Elle comprend les municipalités de: McLean (96), Sunny South (123), King (153), Britannia (183); Districts d'améliorations locales—121, 122, 124, 125, 126, 151, 152, 154, 155, 156, 181, 182, 184, 185, 186, 211; Villes—Bassano, Brooks, Redcliffe; Villages—Alderson, Duchess, Empress, Enchant, Jenner, Retlaw, Suffield.

Division N° 4.—Elle comprend les municipalités de: Little Bow (98), Clifton (127), Harmony (128), Clear Lake (129), Marquis (157), Royal (158), Riley (159), Dinton (189), Sheep Creek (190), Stockland (191); Districts d'améliorations locales—97, 130, 131, 160, 161, 192; Parties inorganisées entre les cantons 17 et 22 ouest à la frontière provinciale; Villes—Carmangay, High River, Nanton, Okotoks, Staveley, Vulcan; Villages—Barons, Blackie, Cayley, Champion, Lomond, Nobleford.

Division N° 5.—Elle comprend les municipalités de: Berry Creek (214), Bulyea (215), Acadia (241), Cereal (242), Collholme (243), Flowerdale (244), Lonebutte (245), Bertawan (271), Golden Centre (272), Sounding Creek (273), Richdale (274), Hand Hills (275), Michichi (277), Canmer (301), Stewart (302), Wiste (303), Hiram (304), Dowling Lake (305), Lambton (306), Starland (307); Districts d'améliorations locales—212, 213, 246; Villes—Drumheller, Hanna, Youngstown; Villages—Cereal, Chinook, Craigmyle, Delia, Morrin, Munson, Oyen, Richdale, Rumsey.

Division N° 6.—Elle comprend les municipalités de: Blackfoot (218), Bow Valley (219), Shepard (220), Springbank (221), Grasswood (248), Keoma (249), Beddington (250), Carbon (278), Norquay (279), Rosebud (280), Beaver Dam (281), Ghost Pine (308), Stauffer (309), Mountain View (310), Westerdale (311); Districts d'améliorations locales—216, 217, 222, 247, 251, 252, 282; Parties inorganisées entre les cantons 21 et 31 ouest à la frontière provinciale; Réserves indiennes—Réserve Stony, Réserve Sarcee, Agence Blackfoot; Cités—Calgary, Banff (non-incorporée); Villes—Didsbury, Gleichen, Olds, Strathmore; Villages—Acme, Airdrie, Beiseker, Carbon, Carstairs, Cochrane, Crossfield, Irricana, Langdon, Rockyford, Rosebud, Three Hills, Trochu.

Division N° 7.—Elle comprend les municipalités de: Coronation (334), Sullivan Lake (335), Rosenheim (361), Hillcrest (362), Stocks (363), Flagstaff (364), Progress (365), Sifton (391), Vale (392), Huamha (393), Asquith (394), Wheatland (395), Ribstone (421), Gilt Edge (422), Battle River (423), Kinsella (424), Stirling (425), Iron Creek (455); Districts d'améliorations locales—331, 332, 333; Villes—Castor, Coronation, Hardisty, Wainwright; Villages—Alliance, Cadogan, Chauvin, Consort, Czar, Edgerton, Forestburg, Galahad, Hughenden, Irma, Killam, Lougheed, Monitor, Provost, Sedgewick, Strome, Veteran, Viking.

Division N° 8.—Elle comprend les municipalités de: Success (336), Vimy (337), Hayes (338), Pine Lake (339), Arthur (340), Dublin (366), Waverley (367), Haig (396), Lakeside (397), Lamerton (398), Crown (399), Melrose (426), Evergreen (427), Waterglen (428), Fertile Valley (429), Parkland (456), Lloyd George (457), Montgomery (458), Bigstone (459); Réserve indienne: Agence Hobbema; Cités—Red Deer, Wetaskiwin; Villes—Big Valley, Camrose, Daysland, Innisfail, Lacombe, Penoka, Stettler; Villages—Alix, Bashaw, Bawlf, Bittern Lake, Blackfalds, Botha, Clive, Delburne, Donalda, Erskine, Ferintosh, Gadsby, Halkirk, Heisler, Millett, Mirror, New Norway, Ohaton, Penhold.

Division N° 9.—Elle comprend les municipalités de: Waterloo (312), Poplar Grove (341), Raven (342), Prairie Creek (343), Golden West (371), Lorne (400), Lochearn (401), Blindman (430), Last West (431), Columbia (460); Districts d'améliorations locales—344, 374, 403, 432, 434, 461, 462; Territoires inorganisés par unités—433, 463, 464; Parties inorganisées entre les cantons 30 et 47 ouest à la frontière provinciale; Villages—Bentley, Bowden, North Red Deer, Rimbey, Rocky Mountain House, Sylvan Lake.

Division N° 10.—Elle comprend les municipalités de: Merton (451), Grizzly Bear (452), Buffalo Coulee (453), Lakeview (454), Wellington (481), Vermilion Valley (482), Melberta (483), Birch Lake (484), Patricia (485), Beaver Lake (486), Streamstown (511), Ethelwyn (512), Ukrainia (513), Sobor (514), Norma (515), The Pines (516), Eagle (545), Wostok (546), Leslie (547); Villes—Lloydminster (partie), Vegreville, Vermilion; Villages—Bruderheim, Chipman, Holden, Innisfree, Islay, Kitscoty, Lamont, Lavoy, Mannville, Minburn, Mundare, Ryley.

Division N° 11.—Elle comprend les municipalités de: Cornhill (487), Black Mud (488), Liberty (489), Pioneer (490), Clover Bar (517), Strathcona (518), Spruce Grove (519), Inga (520), Tomahawk (521), Sturgeon (548), Ray (549), Woodford (550), Morthern (551); District d'amélioration locale—491; Réserve indienne—Agence Edmonton; Cité—Edmonton; Villes—Beverley, Fort Saskatchewan, Leduc, Morinville, St-Albert, Stony Plain, Tofield; Villages—Alberta Beach, Seba Beach, Wabamun.

Division N° 12.—Elle comprend les municipalités de: Rocky Rapids (522), Pembina (552), Kitchener (582); Districts d'améliorations locales—496, 523, 525, 526, 527, 553, 554, 555, 556, 557, 558, 583, 584, 585, 588, 612, 615, 616; Territoires inorganisés par unités—493, 494, 495, 524, 586, 587; Parties inorganisées entre les cantons 46 et 57 ouest à la frontière provinciale; Ville—Edson; Village—Entwistle.


Division N° 13.—Elle comprend les municipalités de: Lincoln (542), Laurier (543), Champlain (544), Boucher (572), St-Vincent (573), St-Lima (574), Wasel (575), Ashmont (605); Districts d'améliorations locales—541, 571, 601, 602, 603, 604, 631, 632, 633, 634, 635, 661, 663, 664, 666, 695; Territoire inorganisé par unité—662; Réserves indiennes—Agence Saddle Lake, Réserve Frog Lake, White Fish Lake; Village—St-Paul de Métis.

Division N° 14.—Elle comprend les municipalités de: Smoky Lake (576), Unity (577), Opal (578), Hazelwood (579), Lockerbie (580), Pershing (581), Tawatinaw (608), Pibroch (609), Cartier (637), Nelson (638), Grosmont (668); Districts d'améliorations locales—606, 607, 610, 611, 636, 639, 640, 665, 667, 669, 696, 697, 698, 699, 726, 727, 729; Territoire inorganisé par unité—728; Ville—Athabasca; Villages—Clyde, Lac La Biche, Legal, Westlock.

Division N° 15.—Elle comprend les districts d'améliorations locales—613, 614, 641, 642, 643, 647, 670, 702, 705, 706, 707, 708, 709, 730, 731, 732, 733, 734, 735, 736, 737, 738, 764, 765, 766, 767, 794, 795, 796, 825, 826, 854, 855; Territoires inorganisés par unités—617, 618, 619, 620, 621, 622, 644, 645, 646, 648, 671, 672, 673, 674, 675, 676, 677, 678, 679, 700, 701, 703, 704, 710, 824; Parties inorganisées entre les cantons 56 et 69 ouest à la frontière provinciale et la partie de C. 69 R. 10 et 11 W. 5ième méridien sud de la rivière Wapiti; Réserves indiennes—Grouard, Sturgeon Lake, Sawridge, Swan River, Drift Pile, Sucker Creek; Villes—Grouard, Peace River.

Division N° 16.—Elle comprend les municipalités de: Grande Prairie (739), Bear Lake (740), Spirit River (829), Peace (857), Fairview (858); Districts d'améliorations locales—741, 742, 769, 770, 771, 772, 797, 800, 801, 827, 828, 830, 831, 859, 860, 861, 886, 887, 888, 889, 916, 917; Territoires inorganisés par unités—890, 891, 918, 919; Parties inorganisées entre les cantons 86 et 90 et entre T.I.U. 919, et la frontière occidentale provinciale; Réserves indiennes—Saskatoon Lake, Moberly Lake, Hudson Hope, St-John, Dunvegan, Peace River; Ville—Grande Prairie; Villages—Clairmont, Spirit River.

Division N° 17.—Elle comprend le reste de la province au nord; Réserves indiennes—Long Lake, Chipewayan, Little Red River, Boyer River, Upper Hay River, Wabaska, Fort Vermilion.




MANITOBA
1922

Census Divisions are outlined in red lines: ——

Rural Municipalities within Divisions by heavy black lines: ——


NOTE.—The province for Census publication purposes is divided into 16 Divisions. Each Division comprises the Rural and Urban Municipalities within its boundaries. See schedule for complete details.




SASKATCHEWAN
1922

Census Divisions are outlined in red lines: - ——
Rural Municipalities within Divisions by heavy black lines: ———

NOTE.—The province for Census publication purposes is divided into 18 Divisions. Each Division comprises the Rural and Urban Municipalities within its boundaries. See schedule for complete details.




ALBERTA
1922
Census Divisions are outlined in red lines:
Rural Municipalities within Divisions by heavy black lines:
NOTE.—The province for Census publication purposes is divided into 17 Divisions. Each Division comprises the Rural and Urban Municipalities within its boundaries. See schedule for complete details.
SIXTH MERIDIAN
FIFTH MERIDIAN
FOURTH MERIDIAN
EDMONTON
CALGARY
LESSER SLAVE LAKE
Jasper
Mountain Park
Lake Louise
Banff
Canmore
Brazeau
Grande Prairie
Peace River
Athabasca
Lac La Biche
Vermilion
Wainwright
Camrose
Wetaskiwin
Ponoka
Red Deer
Stettler
Drumheller
Hanna
Oyen
Medicine Hat
Taber
Lethbridge
Cardston
Pincher Creek
Macleod
High River
Okotoks
Cochrane
Airdrie
Olds
Didsbury
Carstairs
Innisfail
Sylvan Lake
Rocky Mtn. House
Nordegg
Banff
Jasper
Edson
Hinton
Whitecourt
Westlock
Barrhead
Athabasca
Lac La Biche
St. Paul
Bonnyville
Cold Lake
Wainwright
Vermilion
Lloydminster
Camrose
Wetaskiwin
Ponoka
Red Deer
Stettler
Drumheller
Hanna
Oyen
Medicine Hat
Taber
Lethbridge
Cardston
Pincher Creek
Macleod
High River
Okotoks
Cochrane
Airdrie
Olds
Didsbury
Carstairs
Innisfail
Sylvan Lake
Rocky Mtn. House
Nordegg
Banff
Jasper
Edson
Hinton
Whitecourt
Westlock
Barrhead
Athabasca
Lac La Biche
St. Paul
Bonnyville
Cold Lake
Wainwright
Vermilion
Lloydminster
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

BINDING SECT. JAN 23 1969